

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	18.1	5.71	6	21.5	8.77	4	14.6	7.29
5-9	3	6.2	3.59	1	4.0	4.04	2	8.5	6.03
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	5	8.6	3.83	3	10.1	5.85	2	6.9	4.90
25-29	35	60.7	10.26	19	68.8	15.78	16	53.3	13.33
30-34	70	139.7	16.70	48	203.1	29.32	22	83.1	17.72
35-39	62	149.4	18.97	47	247.4	36.08	15	66.7	17.21
40-44	47	130.2	18.99	33	201.7	35.11	14	70.9	18.96
45-49	18	63.4	14.95	14	109.0	29.13	4	25.7	12.87
50-54	18	78.4	18.49	10	99.2	31.37	8	62.2	21.98
55-59	7	37.2	14.08	4	47.8	23.90	3	28.8	16.61
60-64	7	43.5	16.45	4	55.1	27.53	3	34.0	19.64
65-69	12	92.3	26.63	9	164.6	54.86	3	39.8	22.97
70-74	11	125.2	37.75	6	171.7	70.11	5	94.5	42.26
75-79	13	208.1	57.73	5	226.2	101.18	8	198.2	70.08
80-84	4	113.9	56.95	2	172.6	122.02	2	85.0	60.10
85+	13	446.4	123.82	4	535.5	267.74	9	415.7	138.57
Total deaths	335			215			120		
Connecticut									
. Crude rate		59.4	-		79.7	-		40.7	-
. AAMR (1940 Std. mil.)		59.1	3.28		85.5	5.94		37.4	3.50
. AAMR (1970 Std. mil.)		57.3	3.35		81.5	6.18		38.1	3.65
. AAMR (2000 Std. mil.)		73.5	4.44		104.9	8.45		48.8	4.79
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.4	-		25.2	-		8.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.6	2.55	1	3.6	3.58	1	3.6	3.65
5-9	1	2.1	2.07	0	0.0	0.00	1	4.3	4.27
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	6.9	3.47	2	7.2	5.12	2	6.7	4.71
30-34	5	10.0	4.46	1	4.2	4.23	4	15.1	7.56
35-39	3	7.2	4.17	2	10.5	7.44	1	4.4	4.44
40-44	4	11.1	5.54	4	24.4	12.22	0	0.0	0.00
45-49	7	24.7	9.32	5	38.9	17.41	2	12.9	9.10
50-54	3	13.1	7.55	1	9.9	9.92	2	15.5	10.99
55-59	4	21.3	10.64	1	12.0	11.95	3	28.8	16.61
60-64	2	12.4	8.79	1	13.8	13.76	1	11.3	11.34
65-69	11	84.6	25.50	8	146.3	51.73	3	39.8	22.97
70-74	9	102.4	34.15	6	171.7	70.11	3	56.7	32.74
75-79	8	128.1	45.28	3	135.7	78.37	5	123.9	55.40
80-84	2	56.9	40.27	2	172.6	122.02	0	0.0	0.00
85+	11	377.7	113.90	4	535.5	267.74	7	323.3	122.21
Total deaths	76			41			35		
Connecticut									
. Crude rate		13.5	-		15.2	-		11.9	-
. AAMR (1940 Std. mil.)		14.0	1.66		19.2	3.04		10.6	1.89
. AAMR (1970 Std. mil.)		17.9	2.12		25.2	4.21		13.4	2.34
. AAMR (2000 Std. mil.)		23.6	2.94		33.9	6.23		17.7	3.15
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.0	-		4.6	-		3.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	10.8	4.43	5	17.9	8.01	1	3.6	3.65
5-9	2	4.1	2.93	1	4.0	4.04	1	4.3	4.27
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	5	8.6	3.83	3	10.1	5.85	2	6.9	4.90
25-29	27	46.8	9.01	15	54.3	14.02	12	40.0	11.54
30-34	61	121.8	15.59	45	190.5	28.39	16	60.5	15.11
35-39	56	134.9	18.03	42	221.1	34.11	14	62.2	16.63
40-44	41	113.6	17.74	29	177.3	32.91	12	60.8	17.55
45-49	10	35.2	11.14	8	62.3	22.02	2	12.9	9.10
50-54	10	43.6	13.78	8	79.3	28.05	2	15.5	10.99
55-59	2	10.6	7.52	2	23.9	16.90	0	0.0	0.00
60-64	3	18.7	10.77	2	27.5	19.47	1	11.3	11.34
65-69	1	7.7	7.69	1	18.3	18.29	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	224			161			63		
Connecticut									
. Crude rate		39.7	-		59.7	-		21.4	-
. AAMR (1940 Std. mil.)		38.7	2.61		60.8	4.86		20.0	2.53
. AAMR (1970 Std. mil.)		32.1	2.22		50.6	4.16		16.4	2.13
. AAMR (2000 Std. mil.)		40.3	2.79		63.9	5.25		20.2	2.63
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.7	-		15.7	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.81	0	0.0	0.00	1	3.6	3.65
5-9	4	8.3	4.15	3	12.1	6.99	1	4.3	4.27
10-14	2	4.4	3.09	1	4.4	4.35	1	4.4	4.40
15-19	1	2.0	1.97	1	3.8	3.83	0	0.0	0.00
20-24	3	5.1	2.96	1	3.4	3.38	2	6.9	4.90
25-29	6	10.4	4.25	4	14.5	7.24	2	6.7	4.71
30-34	10	20.0	6.31	4	16.9	8.46	6	22.7	9.25
35-39	16	38.6	9.64	7	36.8	13.93	9	40.0	13.33
40-44	26	72.0	14.13	14	85.6	22.87	12	60.8	17.55
45-49	47	165.6	24.16	27	210.2	40.46	20	128.7	28.78
50-54	60	261.4	33.75	40	396.7	62.73	20	155.4	34.75
55-59	89	473.6	50.20	54	645.3	87.82	35	335.7	56.74
60-64	99	615.6	61.87	74	1018.6	118.41	25	283.5	56.71
65-69	128	984.1	86.98	78	1426.5	161.52	50	663.2	93.79
70-74	103	1172.5	115.53	61	1745.9	223.53	42	793.8	122.49
75-79	70	1120.7	133.95	34	1538.5	263.84	36	892.0	148.66
80-84	51	1452.2	203.34	33	2847.3	495.65	18	765.0	180.31
85+	47	1614.0	235.43	17	2275.8	551.96	30	1385.7	252.99
Total deaths	763			453			310		
Connecticut									
. Crude rate		135.2	-		168.0	-		105.2	-
. AAMR (1940 Std. mil.)		156.8	5.77		228.9	10.82		105.7	6.20
. AAMR (1970 Std. mil.)		198.4	7.29		294.1	14.30		133.7	7.71
. AAMR (2000 Std. mil.)		240.0	9.14		356.6	18.77		165.1	9.64
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		134.3	-		165.4	-		112.2	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.0	1.97	1	3.8	3.83	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	11.1	5.54	2	12.2	8.64	2	10.1	7.16
45-49	5	17.6	7.88	4	31.1	15.57	1	6.4	6.44
50-54	7	30.5	11.53	5	49.6	22.18	2	15.5	10.99
55-59	8	42.6	15.05	2	23.9	16.90	6	57.5	23.49
60-64	8	49.7	17.59	5	68.8	30.78	3	34.0	19.64
65-69	8	61.5	21.75	6	109.7	44.80	2	26.5	18.76
70-74	10	113.8	36.00	6	171.7	70.11	4	75.6	37.80
75-79	12	192.1	55.46	7	316.7	119.72	5	123.9	55.40
80-84	8	227.8	80.54	4	345.1	172.56	4	170.0	85.00
85+	11	377.7	113.90	4	535.5	267.74	7	323.3	122.21
Total deaths	82			46			36		
Connecticut									
. Crude rate		14.5	-		17.1	-		12.2	-
. AAMR (1940 Std. mil.)		16.0	1.81		23.0	3.42		11.3	1.99
. AAMR (1970 Std. mil.)		21.9	2.45		32.0	4.88		15.7	2.64
. AAMR (2000 Std. mil.)		29.1	3.37		42.7	7.10		21.1	3.59
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.0	-		17.0	-		11.7	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	11.1	5.54	2	12.2	8.64	2	10.1	7.16
45-49	4	14.1	7.05	3	23.4	13.49	1	6.4	6.44
50-54	5	21.8	9.74	3	29.8	17.18	2	15.5	10.99
55-59	7	37.2	14.08	2	23.9	16.90	5	48.0	21.45
60-64	8	49.7	17.59	5	68.8	30.78	3	34.0	19.64
65-69	7	53.8	20.34	5	91.4	40.89	2	26.5	18.76
70-74	9	102.4	34.15	5	143.1	64.00	4	75.6	37.80
75-79	11	176.1	53.10	7	316.7	119.72	4	99.1	49.55
80-84	8	227.8	80.54	4	345.1	172.56	4	170.0	85.00
85+	10	343.4	108.59	4	535.5	267.74	6	277.1	113.14
Total deaths	73			40			33		
Connecticut									
. Crude rate		12.9	-		14.8	-		11.2	-
. AAMR (1940 Std. mil.)		14.1	1.70		20.0	3.18		10.4	1.92
. AAMR (1970 Std. mil.)		19.7	2.32		28.6	4.68		14.4	2.53
. AAMR (2000 Std. mil.)		26.3	3.22		39.1	6.93		19.2	3.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.7	-		14.2	-		10.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.0	1.97	1	3.8	3.83	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	3.5	3.52	1	7.8	7.79	0	0.0	0.00
50-54	2	8.7	6.16	2	19.8	14.03	0	0.0	0.00
55-59	1	5.3	5.32	0	0.0	0.00	1	9.6	9.59
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	7.7	7.69	1	18.3	18.29	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	16.0	16.01	0	0.0	0.00	1	24.8	24.78
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	7			5			2		
Connecticut									
. Crude rate		1.2	-		1.9	-		0.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.5	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	5.5	3.92	2	12.2	8.64	0	0.0	0.00
45-49	2	7.0	4.98	1	7.8	7.79	1	6.4	6.44
50-54	2	8.7	6.16	2	19.8	14.03	0	0.0	0.00
55-59	6	31.9	13.03	3	35.9	20.70	3	28.8	16.61
60-64	5	31.1	13.90	3	41.3	23.84	2	22.7	16.04
65-69	9	69.2	23.06	6	109.7	44.80	3	39.8	22.97
70-74	5	56.9	25.45	2	57.2	40.48	3	56.7	32.74
75-79	7	112.1	42.36	2	90.5	63.99	5	123.9	55.40
80-84	2	56.9	40.27	1	86.3	86.28	1	42.5	42.50
85+	2	68.7	48.57	2	267.7	189.32	0	0.0	0.00
Total deaths	42			24			18		
Connecticut									
. Crude rate		7.4	-		8.9	-		6.1	-
. AAMR (1940 Std. mil.)		8.7	1.36		12.0	2.47		6.4	1.53
. AAMR (1970 Std. mil.)		11.3	1.76		15.8	3.32		8.5	2.00
. AAMR (2000 Std. mil.)		13.5	2.18		19.9	4.63		10.0	2.40
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.4	-		7.5	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.7	1.73	1	3.6	3.62	0	0.0	0.00
30-34	1	2.0	2.00	0	0.0	0.00	1	3.8	3.78
35-39	4	9.6	4.82	2	10.5	7.44	2	8.9	6.28
40-44	5	13.9	6.19	4	24.4	12.22	1	5.1	5.07
45-49	15	52.9	13.65	10	77.9	24.62	5	32.2	14.39
50-54	20	87.1	19.49	13	128.9	35.76	7	54.4	20.56
55-59	27	143.7	27.65	22	262.9	56.05	5	48.0	21.45
60-64	41	254.9	39.82	38	523.1	84.85	3	34.0	19.64
65-69	43	330.6	50.41	28	512.1	96.77	15	199.0	51.37
70-74	24	273.2	55.77	15	429.3	110.85	9	170.1	56.70
75-79	12	192.1	55.46	6	271.5	110.84	6	148.7	60.69
80-84	13	370.2	102.66	10	862.8	272.85	3	127.5	73.61
85+	1	34.3	34.34	1	133.9	133.87	0	0.0	0.00
Total deaths	207			150			57		
Connecticut									
. Crude rate		36.7	-		55.6	-		19.3	-
. AAMR (1940 Std. mil.)		44.9	3.14		76.8	6.29		21.1	2.82
. AAMR (1970 Std. mil.)		54.1	3.80		94.0	7.87		25.3	3.39
. AAMR (2000 Std. mil.)		60.6	4.37		105.8	9.39		29.3	3.96
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.7	-		60.4	-		25.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.0	2.00	0	0.0	0.00	1	3.8	3.78
35-39	4	9.6	4.82	2	10.5	7.44	2	8.9	6.28
40-44	4	11.1	5.54	3	18.3	10.59	1	5.1	5.07
45-49	12	42.3	12.21	9	70.1	23.36	3	19.3	11.15
50-54	20	87.1	19.49	13	128.9	35.76	7	54.4	20.56
55-59	25	133.0	26.60	20	239.0	53.44	5	48.0	21.45
60-64	38	236.3	38.33	35	481.8	81.43	3	34.0	19.64
65-69	41	315.2	49.23	26	475.5	93.25	15	199.0	51.37
70-74	23	261.8	54.59	15	429.3	110.85	8	151.2	53.46
75-79	9	144.1	48.03	4	181.0	90.50	5	123.9	55.40
80-84	12	341.7	98.64	9	776.5	258.84	3	127.5	73.61
85+	1	34.3	34.34	1	133.9	133.87	0	0.0	0.00
Total deaths	190			137			53		
Connecticut									
. Crude rate		33.7	-		50.8	-		18.0	-
. AAMR (1940 Std. mil.)		41.4	3.02		70.5	6.04		19.6	2.72
. AAMR (1970 Std. mil.)		49.8	3.65		86.0	7.52		23.6	3.27
. AAMR (2000 Std. mil.)		55.6	4.18		96.5	8.94		27.1	3.80
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.3	-		57.9	-		25.0	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different







## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	1.7	1.71	-	-	-	1	3.5	3.47
25-29	1	1.7	1.73	-	-	-	1	3.3	3.33
30-34	1	2.0	2.00	-	-	-	1	3.8	3.78
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	2.8	2.77	-	-	-	1	5.1	5.07
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	3	13.1	7.55	-	-	-	3	23.3	13.46
55-59	1	5.3	5.32	-	-	-	1	9.6	9.59
60-64	1	6.2	6.22	-	-	-	1	11.3	11.34
65-69	2	15.4	10.87	-	-	-	2	26.5	18.76
70-74	1	11.4	11.38	-	-	-	1	18.9	18.90
75-79	1	16.0	16.01	-	-	-	1	24.8	24.78
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	1	34.3	34.34	-	-	-	1	46.2	46.19
Total deaths	14			-			14		
Connecticut									
. Crude rate		-	-		-	-		4.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	1	11.4	11.38	-	-	-	1	18.9	18.90
75-79	2	32.0	22.64	-	-	-	2	49.6	35.04
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	3			-			3		
Connecticut									
. Crude rate		-	-		-	-		1.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	1	2.2	2.19	-	-	-	1	4.4	4.40
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	4.4	4.36	-	-	-	1	7.8	7.77
55-59	2	10.6	7.52	-	-	-	2	19.2	13.56
60-64	1	6.2	6.22	-	-	-	1	11.3	11.34
65-69	2	15.4	10.87	-	-	-	2	26.5	18.76
70-74	2	22.8	16.10	-	-	-	2	37.8	26.73
75-79	2	32.0	22.64	-	-	-	2	49.6	35.04
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	11			-			11		
Connecticut									
. Crude rate		-	-		-	-		3.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	2.1	2.07	0	0.0	0.00	1	4.3	4.27
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.8	2.77	1	6.1	6.11	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	5.3	5.32	0	0.0	0.00	1	9.6	9.59
60-64	1	6.2	6.22	1	13.8	13.76	0	0.0	0.00
65-69	1	7.7	7.69	0	0.0	0.00	1	13.3	13.26
70-74	3	34.1	19.72	2	57.2	40.48	1	18.9	18.90
75-79	1	16.0	16.01	0	0.0	0.00	1	24.8	24.78
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	9			4			5		
Connecticut									
. Crude rate		1.6	-		1.5	-		1.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.4	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.81	0	0.0	0.00	1	3.6	3.65
5-9	3	6.2	3.59	3	12.1	6.99	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	4.0	2.82	1	4.2	4.23	1	3.8	3.78
35-39	1	2.4	2.41	0	0.0	0.00	1	4.4	4.44
40-44	1	2.8	2.77	0	0.0	0.00	1	5.1	5.07
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.4	4.36	1	9.9	9.92	0	0.0	0.00
55-59	2	10.6	7.52	2	23.9	16.90	0	0.0	0.00
60-64	3	18.7	10.77	1	13.8	13.76	2	22.7	16.04
65-69	3	23.1	13.32	2	36.6	25.86	1	13.3	13.26
70-74	3	34.1	19.72	2	57.2	40.48	1	18.9	18.90
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	28.5	28.47	0	0.0	0.00	1	42.5	42.50
85+	2	68.7	48.57	0	0.0	0.00	2	92.4	65.32
Total deaths	23			12			11		
Connecticut									
. Crude rate		4.1	-		4.5	-		3.7	-
. AAMR (1940 Std. mil.)		4.4	0.94		-	-		-	-
. AAMR (1970 Std. mil.)		5.4	1.16		-	-		-	-
. AAMR (2000 Std. mil.)		6.2	1.42		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.1	-		6.5	-		3.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.0	2.00	1	4.2	4.23	0	0.0	0.00
35-39	1	2.4	2.41	0	0.0	0.00	1	4.4	4.44
40-44	3	8.3	4.80	2	12.2	8.64	1	5.1	5.07
45-49	4	14.1	7.05	2	15.6	11.01	2	12.9	9.10
50-54	8	34.9	12.32	5	49.6	22.18	3	23.3	13.46
55-59	10	53.2	16.83	3	35.9	20.70	7	67.1	25.38
60-64	8	49.7	17.59	3	41.3	23.84	5	56.7	25.36
65-69	17	130.7	31.70	7	128.0	48.39	10	132.6	41.95
70-74	15	170.7	44.09	7	200.3	75.72	8	151.2	53.46
75-79	11	176.1	53.10	4	181.0	90.50	7	173.4	65.55
80-84	5	142.4	63.67	3	258.8	149.44	2	85.0	60.10
85+	6	206.0	84.12	1	133.9	133.87	5	230.9	103.28
Total deaths	89			38			51		
Connecticut									
. Crude rate		15.8	-		14.1	-		17.3	-
. AAMR (1940 Std. mil.)		18.3	1.97		19.5	3.17		17.6	2.55
. AAMR (1970 Std. mil.)		23.7	2.54		25.2	4.23		22.8	3.23
. AAMR (2000 Std. mil.)		29.1	3.22		31.2	5.56		27.7	3.97
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.6	-		12.3	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	6.0	3.46	3	12.7	7.33	0	0.0	0.00
35-39	6	14.5	5.90	2	10.5	7.44	4	17.8	8.89
40-44	8	22.2	7.84	5	30.6	13.67	3	15.2	8.78
45-49	14	49.3	13.18	8	62.3	22.02	6	38.6	15.77
50-54	25	108.9	21.79	14	138.9	37.11	11	85.5	25.77
55-59	33	175.6	30.57	16	191.2	47.80	17	163.1	39.55
60-64	36	223.9	37.31	13	178.9	49.63	23	260.9	54.39
65-69	60	461.3	59.55	21	384.1	83.81	39	517.3	82.84
70-74	54	614.7	83.65	26	744.1	145.94	28	529.2	100.01
75-79	51	816.5	114.34	16	724.0	181.00	35	867.2	146.58
80-84	31	882.7	158.54	15	1294.2	334.17	16	680.0	170.00
85+	26	892.9	175.10	4	535.5	267.74	22	1016.2	216.65
Total deaths	347			143			204		
Connecticut									
. Crude rate		61.5	-		53.0	-		69.2	-
. AAMR (1940 Std. mil.)		70.1	3.83		73.2	6.15		67.9	4.93
. AAMR (1970 Std. mil.)		93.7	5.09		96.7	8.37		91.4	6.45
. AAMR (2000 Std. mil.)		118.0	6.62		121.4	11.19		114.7	8.21
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: CT rate is higher





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	9.0	4.04	2	7.2	5.06	3	10.9	6.31
5-9	1	2.1	2.07	1	4.0	4.04	0	0.0	0.00
10-14	1	2.2	2.19	0	0.0	0.00	1	4.4	4.40
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	5	8.6	3.83	2	6.8	4.78	3	10.4	6.01
25-29	12	20.8	6.01	7	25.3	9.58	5	16.7	7.45
30-34	19	37.9	8.70	11	46.6	14.04	8	30.2	10.69
35-39	28	67.5	12.75	18	94.7	22.33	10	44.4	14.05
40-44	54	149.6	20.36	33	201.7	35.11	21	106.4	23.22
45-49	54	190.3	25.89	38	295.9	47.99	16	103.0	25.74
50-54	74	322.4	37.48	42	416.6	64.28	32	248.7	43.96
55-59	104	553.4	54.26	70	836.5	99.98	34	326.1	55.93
60-64	125	777.3	69.52	74	1018.6	118.41	51	578.4	81.00
65-69	147	1130.2	93.21	90	1645.9	173.50	57	756.1	100.14
70-74	145	1650.5	137.07	64	1831.7	228.96	81	1530.9	170.10
75-79	151	2417.5	196.74	67	3031.7	370.38	84	2081.3	227.09
80-84	113	3217.5	302.68	51	4400.3	616.17	62	2634.9	334.64
85+	180	6181.3	460.73	48	6425.7	927.47	132	6097.0	530.68
Total deaths	1,218			618			600		
Connecticut									
. Crude rate		215.8	-		229.2	-		203.5	-
. AAMR (1940 Std. mil.)		231.9	6.84		304.1	12.34		179.4	7.77
. AAMR (1970 Std. mil.)		317.8	9.27		407.7	17.17		255.2	10.58
. AAMR (2000 Std. mil.)		423.8	12.86		532.5	24.54		350.9	14.71
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		197.2	-		260.2	-		147.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	9.0	4.04	2	7.2	5.06	3	10.9	6.31
5-9	1	2.1	2.07	1	4.0	4.04	0	0.0	0.00
10-14	1	2.2	2.19	0	0.0	0.00	1	4.4	4.40
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	4	6.8	3.42	2	6.8	4.78	2	6.9	4.90
25-29	10	17.3	5.49	7	25.3	9.58	3	10.0	5.77
30-34	15	29.9	7.73	8	33.9	11.97	7	26.4	10.00
35-39	24	57.8	11.80	14	73.7	19.69	10	44.4	14.05
40-44	40	110.8	17.52	24	146.7	29.94	16	81.1	20.27
45-49	37	130.4	21.43	26	202.4	39.70	11	70.8	21.35
50-54	59	257.1	33.47	36	357.1	59.51	23	178.7	37.27
55-59	85	452.3	49.06	57	681.2	90.22	28	268.6	50.75
60-64	106	659.1	64.02	66	908.5	111.82	40	453.7	71.73
65-69	118	907.2	83.51	70	1280.2	153.01	48	636.7	91.90
70-74	122	1388.7	125.73	54	1545.5	210.32	68	1285.2	155.85
75-79	119	1905.2	174.65	56	2533.9	338.61	63	1561.0	196.66
80-84	84	2391.8	260.97	39	3365.0	538.83	45	1912.5	285.09
85+	126	4326.9	385.47	37	4953.1	814.29	89	4110.9	435.75
Total deaths	956			499			457		
Connecticut									
. Crude rate		169.4	-		185.1	-		155.0	-
. AAMR (1940 Std. mil.)		184.1	6.12		246.0	11.11		139.7	6.90
. AAMR (1970 Std. mil.)		249.7	8.22		329.3	15.41		195.5	9.29
. AAMR (2000 Std. mil.)		327.8	11.22		426.7	21.85		263.9	12.68
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		157.5	-		213.9	-		112.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	25	45.2	9.03	14	50.1	13.40	11	40.1	12.09
5-9	6	12.4	5.08	5	20.2	9.02	1	4.3	4.27
10-14	2	4.4	3.09	0	0.0	0.00	2	8.8	6.22
15-19	3	5.9	3.42	2	7.7	5.42	1	4.1	4.06
20-24	10	17.1	5.41	5	16.9	7.55	5	17.3	7.75
25-29	32	55.5	9.81	15	54.3	14.02	17	56.6	13.74
30-34	59	117.8	15.33	34	143.9	24.68	25	94.5	18.89
35-39	70	168.7	20.16	43	226.3	34.51	27	120.0	23.09
40-44	85	235.5	25.54	54	330.1	44.91	31	157.1	28.21
45-49	81	285.4	31.71	56	436.0	58.26	25	160.9	32.18
50-54	113	492.4	46.32	68	674.5	81.79	45	349.7	52.13
55-59	152	808.8	65.60	96	1147.2	117.09	56	537.1	71.78
60-64	179	1113.0	83.19	102	1404.0	139.02	77	873.3	99.52
65-69	203	1560.7	109.54	111	2030.0	192.68	92	1220.3	127.23
70-74	209	2379.1	164.56	100	2862.0	286.20	109	2060.1	197.32
75-79	200	3202.0	226.42	99	4479.6	450.22	101	2502.5	249.01
80-84	154	4385.0	353.35	79	6816.2	766.88	75	3187.4	368.05
85+	232	7967.0	523.06	62	8299.9	1054.08	170	7852.2	602.24
Total deaths	1,815			945			870		
Connecticut									
. Crude rate		321.6	-		350.5	-		295.1	-
. AAMR (1940 Std. mil.)		345.5	8.33		456.4	15.02		266.4	9.53
. AAMR (1970 Std. mil.)		458.0	11.02		599.9	20.65		362.1	12.52
. AAMR (2000 Std. mil.)		601.9	15.10		781.2	29.34		485.0	17.02
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.7	1.71	1	3.4	3.38	0	0.0	0.00
25-29	3	5.2	3.00	1	3.6	3.62	2	6.7	4.71
30-34	5	10.0	4.46	3	12.7	7.33	2	7.6	5.34
35-39	10	24.1	7.62	4	21.1	10.53	6	26.7	10.88
40-44	20	55.4	12.39	13	79.5	22.04	7	35.5	13.40
45-49	23	81.0	16.90	17	132.4	32.10	6	38.6	15.77
50-54	34	148.1	25.41	23	228.1	47.57	11	85.5	25.77
55-59	53	282.0	38.74	40	478.0	75.58	13	124.7	34.58
60-64	78	485.0	54.92	51	702.0	98.30	27	306.2	58.93
65-69	80	615.1	68.77	48	877.8	126.70	32	424.5	75.03
70-74	95	1081.4	110.95	42	1202.1	185.48	53	1001.7	137.59
75-79	87	1392.9	149.33	39	1764.7	282.58	48	1189.3	171.66
80-84	57	1623.0	214.97	26	2243.3	439.95	31	1317.5	236.62
85+	90	3090.7	325.78	26	3480.6	682.60	64	2956.1	369.52
Total deaths	636			334			302		
Connecticut									
. Crude rate		112.7	-		123.9	-		102.4	-
. AAMR (1940 Std. mil.)		122.8	5.00		167.4	9.22		90.4	5.50
. AAMR (1970 Std. mil.)		170.6	6.85		227.4	12.89		131.2	7.65
. AAMR (2000 Std. mil.)		225.2	9.39		293.7	18.22		179.9	10.58
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		125.6	-		174.7	-		87.0	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.8	2.77	0	0.0	0.00	1	5.1	5.07
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	4	21.3	10.64	1	12.0	11.95	3	28.8	16.61
60-64	1	6.2	6.22	1	13.8	13.76	0	0.0	0.00
65-69	3	23.1	13.32	2	36.6	25.86	1	13.3	13.26
70-74	2	22.8	16.10	0	0.0	0.00	2	37.8	26.73
75-79	2	32.0	22.64	2	90.5	63.99	0	0.0	0.00
80-84	3	85.4	49.32	2	172.6	122.02	1	42.5	42.50
85+	4	137.4	68.68	2	267.7	189.32	2	92.4	65.32
Total deaths	20			10			10		
Connecticut									
. Crude rate		3.5	-		3.7	-		3.4	-
. AAMR (1940 Std. mil.)		3.7	0.86		-	-		-	-
. AAMR (1970 Std. mil.)		5.5	1.23		-	-		-	-
. AAMR (2000 Std. mil.)		7.5	1.77		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		6.6	-		5.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available







## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.7	1.71	0	0.0	0.00	1	3.5	3.47
25-29	1	1.7	1.73	0	0.0	0.00	1	3.3	3.33
30-34	3	6.0	3.46	2	8.5	5.99	1	3.8	3.78
35-39	3	7.2	4.17	3	15.8	9.12	0	0.0	0.00
40-44	11	30.5	9.19	7	42.8	16.17	4	20.3	10.13
45-49	14	49.3	13.18	9	70.1	23.36	5	32.2	14.39
50-54	10	43.6	13.78	5	49.6	22.18	5	38.9	17.38
55-59	14	74.5	19.91	11	131.5	39.63	3	28.8	16.61
60-64	13	80.8	22.42	6	82.6	33.72	7	79.4	30.01
65-69	18	138.4	32.62	14	256.0	68.43	4	53.1	26.53
70-74	15	170.7	44.09	6	171.7	70.11	9	170.1	56.70
75-79	23	368.2	76.78	10	452.5	143.09	13	322.1	89.33
80-84	20	569.5	127.34	9	776.5	258.84	11	467.5	140.95
85+	42	1442.3	222.55	7	937.1	354.18	35	1616.6	273.26
Total deaths	188			89			99		
Connecticut									
. Crude rate		33.3	-		33.0	-		33.6	-
. AAMR (1940 Std. mil.)		33.9	2.57		43.6	4.66		26.3	2.88
. AAMR (1970 Std. mil.)		48.6	3.61		58.3	6.50		40.5	4.13
. AAMR (2000 Std. mil.)		69.4	5.36		77.9	9.46		60.9	6.27
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		28.1	-		31.0	-		26.1	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher









## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.0	2.00	0	0.0	0.00	1	3.8	3.78
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	5.5	3.92	1	6.1	6.11	1	5.1	5.07
45-49	4	14.1	7.05	0	0.0	0.00	4	25.7	12.87
50-54	3	13.1	7.55	0	0.0	0.00	3	23.3	13.46
55-59	9	47.9	15.96	4	47.8	23.90	5	48.0	21.45
60-64	6	37.3	15.23	3	41.3	23.84	3	34.0	19.64
65-69	8	61.5	21.75	5	91.4	40.89	3	39.8	22.97
70-74	10	113.8	36.00	5	143.1	64.00	5	94.5	42.26
75-79	11	176.1	53.10	8	362.0	127.98	3	74.3	42.92
80-84	9	256.3	85.42	6	517.7	211.35	3	127.5	73.61
85+	8	274.7	97.13	4	535.5	267.74	4	184.8	92.38
Total deaths	71			36			35		
Connecticut									
. Crude rate		12.6	-		13.4	-		11.9	-
. AAMR (1940 Std. mil.)		13.9	1.69		18.1	3.03		12.0	2.10
. AAMR (1970 Std. mil.)		19.3	2.32		28.1	4.78		15.2	2.60
. AAMR (2000 Std. mil.)		25.5	3.17		39.4	7.21		19.2	3.32
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		19.5	-		26.9	-		14.8	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.0	2.00	0	0.0	0.00	1	3.8	3.78
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	5.5	3.92	1	6.1	6.11	1	5.1	5.07
45-49	1	3.5	3.52	0	0.0	0.00	1	6.4	6.44
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	16.0	9.22	0	0.0	0.00	3	28.8	16.61
60-64	2	12.4	8.79	0	0.0	0.00	2	22.7	16.04
65-69	1	7.7	7.69	0	0.0	0.00	1	13.3	13.26
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	16.0	16.01	1	45.2	45.25	0	0.0	0.00
80-84	1	28.5	28.47	0	0.0	0.00	1	42.5	42.50
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	12			2			10		
Connecticut									
. Crude rate		2.1	-		0.7	-		3.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	4.0	2.82	1	4.2	4.23	1	3.8	3.78
35-39	7	16.9	6.37	4	21.1	10.53	3	13.3	7.70
40-44	8	22.2	7.84	4	24.4	12.22	4	20.3	10.13
45-49	7	24.7	9.32	6	46.7	19.07	1	6.4	6.44
50-54	5	21.8	9.74	5	49.6	22.18	0	0.0	0.00
55-59	7	37.2	14.08	4	47.8	23.90	3	28.8	16.61
60-64	3	18.7	10.77	2	27.5	19.47	1	11.3	11.34
65-69	5	38.4	17.19	3	54.9	31.68	2	26.5	18.76
70-74	1	11.4	11.38	1	28.6	28.62	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	34.3	34.34	0	0.0	0.00	1	46.2	46.19
Total deaths	46			30			16		
Connecticut									
. Crude rate		8.1	-		11.1	-		5.4	-
. AAMR (1940 Std. mil.)		9.5	1.42		14.4	2.65		5.6	1.43
. AAMR (1970 Std. mil.)		9.6	1.47		14.5	2.74		5.7	1.47
. AAMR (2000 Std. mil.)		11.3	1.72		16.7	3.09		6.9	1.77
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.2	-		12.8	-		5.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is higher





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.0	2.00	1	4.2	4.23	0	0.0	0.00
35-39	3	7.2	4.17	2	10.5	7.44	1	4.4	4.44
40-44	3	8.3	4.80	2	12.2	8.64	1	5.1	5.07
45-49	2	7.0	4.98	1	7.8	7.79	1	6.4	6.44
50-54	1	4.4	4.36	1	9.9	9.92	0	0.0	0.00
55-59	8	42.6	15.05	5	59.8	26.72	3	28.8	16.61
60-64	9	56.0	18.65	6	82.6	33.72	3	34.0	19.64
65-69	8	61.5	21.75	1	18.3	18.29	7	92.9	35.09
70-74	9	102.4	34.15	5	143.1	64.00	4	75.6	37.80
75-79	10	160.1	50.63	3	135.7	78.37	7	173.4	65.55
80-84	8	227.8	80.54	3	258.8	149.44	5	212.5	95.03
85+	14	480.8	128.49	3	401.6	231.87	11	508.1	153.19
Total deaths	76			33			43		
Connecticut									
. Crude rate		13.5	-		12.2	-		14.6	-
. AAMR (1940 Std. mil.)		14.1	1.67		16.1	2.83		12.3	2.01
. AAMR (1970 Std. mil.)		20.1	2.35		21.9	4.01		18.4	2.85
. AAMR (2000 Std. mil.)		27.6	3.34		29.1	5.84		25.9	4.04
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.1	-		6.5	-		4.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	14	25.3	6.76	9	32.2	10.74	5	18.2	8.15
5-9	3	6.2	3.59	2	8.1	5.71	1	4.3	4.27
10-14	3	6.6	3.79	2	8.7	6.16	1	4.4	4.40
15-19	12	23.7	6.83	11	42.2	12.72	1	4.1	4.06
20-24	14	24.0	6.40	9	30.4	10.13	5	17.3	7.75
25-29	15	26.0	6.72	11	39.8	12.00	4	13.3	6.66
30-34	10	20.0	6.31	9	38.1	12.70	1	3.8	3.78
35-39	11	26.5	7.99	8	42.1	14.89	3	13.3	7.70
40-44	11	30.5	9.19	8	48.9	17.29	3	15.2	8.78
45-49	6	21.1	8.63	6	46.7	19.07	0	0.0	0.00
50-54	7	30.5	11.53	5	49.6	22.18	2	15.5	10.99
55-59	9	47.9	15.96	4	47.8	23.90	5	48.0	21.45
60-64	10	62.2	19.66	8	110.1	38.93	2	22.7	16.04
65-69	5	38.4	17.19	3	54.9	31.68	2	26.5	18.76
70-74	9	102.4	34.15	7	200.3	75.72	2	37.8	26.73
75-79	5	80.1	35.80	2	90.5	63.99	3	74.3	42.92
80-84	3	85.4	49.32	2	172.6	122.02	1	42.5	42.50
85+	5	171.7	76.79	1	133.9	133.87	4	184.8	92.38
Total deaths	152			107			45		
Connecticut									
. Crude rate		26.9	-		39.7	-		15.3	-
. AAMR (1940 Std. mil.)		27.5	2.28		42.9	4.26		14.4	2.22
. AAMR (1970 Std. mil.)		29.4	2.52		45.2	4.79		16.3	2.51
. AAMR (2000 Std. mil.)		32.8	2.98		50.1	5.79		18.7	3.01
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		33.8	-		49.4	-		18.9	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	9.0	4.04	3	10.7	6.20	2	7.3	5.16
5-9	2	4.1	2.93	1	4.0	4.04	1	4.3	4.27
10-14	1	2.2	2.19	0	0.0	0.00	1	4.4	4.40
15-19	9	17.8	5.92	8	30.7	10.85	1	4.1	4.06
20-24	9	15.4	5.13	7	23.6	8.93	2	6.9	4.90
25-29	8	13.9	4.91	6	21.7	8.87	2	6.7	4.71
30-34	3	6.0	3.46	2	8.5	5.99	1	3.8	3.78
35-39	7	16.9	6.37	4	21.1	10.53	3	13.3	7.70
40-44	5	13.9	6.19	3	18.3	10.59	2	10.1	7.16
45-49	2	7.0	4.98	2	15.6	11.01	0	0.0	0.00
50-54	2	8.7	6.16	2	19.8	14.03	0	0.0	0.00
55-59	5	26.6	11.90	1	12.0	11.95	4	38.4	19.18
60-64	2	12.4	8.79	2	27.5	19.47	0	0.0	0.00
65-69	3	23.1	13.32	1	18.3	18.29	2	26.5	18.76
70-74	2	22.8	16.10	1	28.6	28.62	1	18.9	18.90
75-79	2	32.0	22.64	1	45.2	45.25	1	24.8	24.78
80-84	1	28.5	28.47	1	86.3	86.28	0	0.0	0.00
85+	1	34.3	34.34	0	0.0	0.00	1	46.2	46.19
Total deaths	69			45			24		
Connecticut									
. Crude rate		12.2	-		16.7	-		8.1	-
. AAMR (1940 Std. mil.)		12.3	1.51		17.1	2.61		8.1	1.68
. AAMR (1970 Std. mil.)		12.6	1.60		17.2	2.80		8.5	1.81
. AAMR (2000 Std. mil.)		13.5	1.80		18.3	3.26		9.2	2.00
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.8	-		26.7	-		11.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.81	1	3.6	3.58	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.7	1.73	1	3.6	3.62	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	10.6	6.10	3	23.4	13.49	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	10.6	7.52	1	12.0	11.95	1	9.6	9.59
60-64	2	12.4	8.79	2	27.5	19.47	0	0.0	0.00
65-69	1	7.7	7.69	1	18.3	18.29	0	0.0	0.00
70-74	1	11.4	11.38	1	28.6	28.62	0	0.0	0.00
75-79	1	16.0	16.01	0	0.0	0.00	1	24.8	24.78
80-84	1	28.5	28.47	1	86.3	86.28	0	0.0	0.00
85+	3	103.0	59.48	1	133.9	133.87	2	92.4	65.32
Total deaths	16			12			4		
Connecticut									
. Crude rate		2.8	-		4.5	-		1.4	-
. AAMR (1940 Std. mil.)		3.0	0.77		-	-		-	-
. AAMR (1970 Std. mil.)		3.9	1.00		-	-		-	-
. AAMR (2000 Std. mil.)		5.2	1.40		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		3.6	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.6	2.55	2	7.2	5.06	0	-	-
5-9	1	2.1	2.07	1	4.0	4.04	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	1	2.0	1.97	1	3.8	3.83	0	-	-
20-24	2	3.4	2.42	2	6.8	4.78	0	-	-
25-29	1	1.7	1.73	1	3.6	3.62	0	-	-
30-34	2	4.0	2.82	2	8.5	5.99	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	1	5.3	5.32	1	12.0	11.95	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	1	11.4	11.38	1	28.6	28.62	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	11			11			-		
Connecticut									
. Crude rate		1.9	-		4.1	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		3.2	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.2	2.19	1	4.4	4.35	0	0.0	0.00
15-19	2	3.9	2.79	0	0.0	0.00	2	8.1	5.74
20-24	6	10.3	4.19	6	20.3	8.27	0	0.0	0.00
25-29	5	8.7	3.88	3	10.9	6.27	2	6.7	4.71
30-34	7	14.0	5.28	6	25.4	10.37	1	3.8	3.78
35-39	8	19.3	6.81	7	36.8	13.93	1	4.4	4.44
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	7.0	4.98	1	7.8	7.79	1	6.4	6.44
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	31			24			7		
Connecticut									
. Crude rate		5.5	-		8.9	-		2.4	-
. AAMR (1940 Std. mil.)		5.1	0.93		8.2	1.69		-	-
. AAMR (1970 Std. mil.)		4.3	0.78		6.7	1.40		-	-
. AAMR (2000 Std. mil.)		4.7	0.88		7.7	1.64		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		18.8	-		4.6	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.4	3.13	1	3.6	3.58	2	7.3	5.16
5-9	1	2.1	2.07	1	4.0	4.04	0	0.0	0.00
10-14	4	8.8	4.38	3	13.1	7.54	1	4.4	4.40
15-19	30	59.2	10.80	27	103.5	19.93	3	12.2	7.04
20-24	41	70.1	10.95	37	124.9	20.54	4	13.9	6.94
25-29	36	62.5	10.41	28	101.3	19.15	8	26.7	9.42
30-34	15	29.9	7.73	14	59.3	15.84	1	3.8	3.78
35-39	5	12.0	5.39	4	21.1	10.53	1	4.4	4.44
40-44	4	11.1	5.54	4	24.4	12.22	0	0.0	0.00
45-49	6	21.1	8.63	5	38.9	17.41	1	6.4	6.44
50-54	5	21.8	9.74	4	39.7	19.84	1	7.8	7.77
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	23.1	13.32	3	54.9	31.68	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	34.3	34.34	1	133.9	133.87	0	0.0	0.00
Total deaths	154			132			22		
Connecticut									
. Crude rate		27.3	-		49.0	-		7.5	-
. AAMR (1940 Std. mil.)		25.6	2.09		45.3	4.01		7.0	1.52
. AAMR (1970 Std. mil.)		23.4	1.95		41.8	3.84		6.4	1.40
. AAMR (2000 Std. mil.)		22.3	1.93		41.0	4.18		5.9	1.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.4	-		14.6	-		4.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.4	3.13	1	3.6	3.58	2	7.3	5.16
5-9	1	2.1	2.07	1	4.0	4.04	0	0.0	0.00
10-14	4	8.8	4.38	3	13.1	7.54	1	4.4	4.40
15-19	30	59.2	10.80	27	103.5	19.93	3	12.2	7.04
20-24	41	70.1	10.95	37	124.9	20.54	4	13.9	6.94
25-29	36	62.5	10.41	28	101.3	19.15	8	26.7	9.42
30-34	15	29.9	7.73	14	59.3	15.84	1	3.8	3.78
35-39	5	12.0	5.39	4	21.1	10.53	1	4.4	4.44
40-44	4	11.1	5.54	4	24.4	12.22	0	0.0	0.00
45-49	6	21.1	8.63	5	38.9	17.41	1	6.4	6.44
50-54	5	21.8	9.74	4	39.7	19.84	1	7.8	7.77
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	23.1	13.32	3	54.9	31.68	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	34.3	34.34	1	133.9	133.87	0	0.0	0.00
Total deaths	154			132			22		
Connecticut									
. Crude rate		27.3	-		49.0	-		7.5	-
. AAMR (1940 Std. mil.)		25.6	2.09		45.3	4.01		7.0	1.52
. AAMR (1970 Std. mil.)		23.4	1.95		41.8	3.84		6.4	1.40
. AAMR (2000 Std. mil.)		22.3	1.93		41.0	4.18		5.9	1.31
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.3	-		14.3	-		4.2	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	17	30.7	7.45	10	35.8	11.33	7	25.5	9.65
5-9	4	8.3	4.15	3	12.1	6.99	1	4.3	4.27
10-14	8	17.5	6.19	6	26.1	10.67	2	8.8	6.22
15-19	45	88.8	13.23	39	149.6	23.95	6	24.4	9.95
20-24	61	104.4	13.36	52	175.6	24.35	9	31.2	10.40
25-29	58	100.6	13.21	43	155.6	23.73	15	50.0	12.90
30-34	33	65.9	11.47	30	127.0	23.18	3	11.3	6.54
35-39	26	62.6	12.29	21	110.5	24.12	5	22.2	9.94
40-44	16	44.3	11.08	13	79.5	22.04	3	15.2	8.78
45-49	14	49.3	13.18	12	93.4	26.97	2	12.9	9.10
50-54	12	52.3	15.09	9	89.3	29.76	3	23.3	13.46
55-59	9	47.9	15.96	4	47.8	23.90	5	48.0	21.45
60-64	10	62.2	19.66	8	110.1	38.93	2	22.7	16.04
65-69	9	69.2	23.06	7	128.0	48.39	2	26.5	18.76
70-74	9	102.4	34.15	7	200.3	75.72	2	37.8	26.73
75-79	5	80.1	35.80	2	90.5	63.99	3	74.3	42.92
80-84	3	85.4	49.32	2	172.6	122.02	1	42.5	42.50
85+	6	206.0	84.12	2	267.7	189.32	4	184.8	92.38
Total deaths	345			270			75		
Connecticut									
. Crude rate		61.1	-		100.1	-		25.4	-
. AAMR (1940 Std. mil.)		59.6	3.26		99.2	6.18		24.1	2.84
. AAMR (1970 Std. mil.)		58.3	3.31		96.1	6.37		24.9	2.99
. AAMR (2000 Std. mil.)		61.3	3.69		101.6	7.41		27.0	3.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		55.6	-		84.4	-		28.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	9.0	4.04	3	10.7	6.20	2	7.3	5.16
5-9	2	4.1	2.93	1	4.0	4.04	1	4.3	4.27
10-14	1	2.2	2.19	0	0.0	0.00	1	4.4	4.40
15-19	9	17.8	5.92	8	30.7	10.85	1	4.1	4.06
20-24	9	15.4	5.13	7	23.6	8.93	2	6.9	4.90
25-29	8	13.9	4.91	6	21.7	8.87	2	6.7	4.71
30-34	3	6.0	3.46	2	8.5	5.99	1	3.8	3.78
35-39	7	16.9	6.37	4	21.1	10.53	3	13.3	7.70
40-44	5	13.9	6.19	3	18.3	10.59	2	10.1	7.16
45-49	2	7.0	4.98	2	15.6	11.01	0	0.0	0.00
50-54	2	8.7	6.16	2	19.8	14.03	0	0.0	0.00
55-59	5	26.6	11.90	1	12.0	11.95	4	38.4	19.18
60-64	2	12.4	8.79	2	27.5	19.47	0	0.0	0.00
65-69	3	23.1	13.32	1	18.3	18.29	2	26.5	18.76
70-74	1	11.4	11.38	1	28.6	28.62	0	0.0	0.00
75-79	2	32.0	22.64	1	45.2	45.25	1	24.8	24.78
80-84	1	28.5	28.47	1	86.3	86.28	0	0.0	0.00
85+	1	34.3	34.34	0	0.0	0.00	1	46.2	46.19
Total deaths	68			45			23		
Connecticut									
. Crude rate		12.0	-		16.7	-		7.8	-
. AAMR (1940 Std. mil.)		12.1	1.49		17.1	2.61		7.7	1.63
. AAMR (1970 Std. mil.)		12.3	1.57		17.2	2.80		8.0	1.73
. AAMR (2000 Std. mil.)		13.1	1.76		18.3	3.26		8.6	1.91
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.6	-		26.1	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.81	1	3.6	3.58	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	3.5	2.45	1	3.6	3.62	1	3.3	3.33
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	10.6	6.10	3	23.4	13.49	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	10.6	7.52	1	12.0	11.95	1	9.6	9.59
60-64	2	12.4	8.79	2	27.5	19.47	0	0.0	0.00
65-69	1	7.7	7.69	1	18.3	18.29	0	0.0	0.00
70-74	1	11.4	11.38	1	28.6	28.62	0	0.0	0.00
75-79	1	16.0	16.01	0	0.0	0.00	1	24.8	24.78
80-84	1	28.5	28.47	1	86.3	86.28	0	0.0	0.00
85+	2	68.7	48.57	1	133.9	133.87	1	46.2	46.19
Total deaths	16			12			4		
Connecticut									
. Crude rate		2.8	-		4.5	-		1.4	-
. AAMR (1940 Std. mil.)		3.0	0.77		-	-		-	-
. AAMR (1970 Std. mil.)		3.8	0.97		-	-		-	-
. AAMR (2000 Std. mil.)		4.7	1.30		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.6	2.55	2	7.2	5.06	0	0.0	0.00
5-9	1	2.1	2.07	1	4.0	4.04	0	0.0	0.00
10-14	6	13.1	5.36	5	21.8	9.74	1	4.4	4.40
15-19	30	59.2	10.80	28	107.4	20.29	2	8.1	5.74
20-24	40	68.4	10.82	38	128.3	20.82	2	6.9	4.90
25-29	31	53.8	9.66	26	94.1	18.45	5	16.7	7.45
30-34	14	27.9	7.47	14	59.3	15.84	0	0.0	0.00
35-39	8	19.3	6.81	7	36.8	13.93	1	4.4	4.44
40-44	3	8.3	4.80	3	18.3	10.59	0	0.0	0.00
45-49	4	14.1	7.05	3	23.4	13.49	1	6.4	6.44
50-54	2	8.7	6.16	2	19.8	14.03	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	7.7	7.69	1	18.3	18.29	0	0.0	0.00
70-74	1	11.4	11.38	1	28.6	28.62	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	34.3	34.34	1	133.9	133.87	0	0.0	0.00
Total deaths	144			132			12		
Connecticut									
. Crude rate		25.5	-		49.0	-		4.1	-
. AAMR (1940 Std. mil.)		23.8	2.00		44.6	3.93		-	-
. AAMR (1970 Std. mil.)		21.7	1.87		41.2	3.77		-	-
. AAMR (2000 Std. mil.)		20.6	1.83		40.0	4.09		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		23.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: CT rate is higher

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.2	2.19	1	4.4	4.35	0	0.0	0.00
15-19	1	2.0	1.97	0	0.0	0.00	1	4.1	4.06
20-24	4	6.8	3.42	4	13.5	6.75	0	0.0	0.00
25-29	1	1.7	1.73	1	3.6	3.62	0	0.0	0.00
30-34	2	4.0	2.82	2	8.5	5.99	0	0.0	0.00
35-39	3	7.2	4.17	3	15.8	9.12	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	3.5	3.52	1	7.8	7.79	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	13			12			1		
Connecticut									
. Crude rate		2.3	-		4.5	-		0.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		12.0	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.81	1	3.6	3.58	0	0.0	0.00
5-9	1	2.1	2.07	1	4.0	4.04	0	0.0	0.00
10-14	4	8.8	4.38	3	13.1	7.54	1	4.4	4.40
15-19	27	53.3	10.25	26	99.7	19.55	1	4.1	4.06
20-24	36	61.6	10.27	34	114.8	19.69	2	6.9	4.90
25-29	30	52.0	9.50	25	90.5	18.10	5	16.7	7.45
30-34	11	22.0	6.62	11	46.6	14.04	0	0.0	0.00
35-39	5	12.0	5.39	4	21.1	10.53	1	4.4	4.44
40-44	3	8.3	4.80	3	18.3	10.59	0	0.0	0.00
45-49	3	10.6	6.10	2	15.6	11.01	1	6.4	6.44
50-54	2	8.7	6.16	2	19.8	14.03	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	7.7	7.69	1	18.3	18.29	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	34.3	34.34	1	133.9	133.87	0	0.0	0.00
Total deaths	125			114			11		
Connecticut									
. Crude rate		22.1	-		42.3	-		3.7	-
. AAMR (1940 Std. mil.)		20.5	1.85		38.2	3.62		-	-
. AAMR (1970 Std. mil.)		18.7	1.72		35.1	3.45		-	-
. AAMR (2000 Std. mil.)		17.5	1.67		33.7	3.75		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		9.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.0	1.97	1	3.8	3.83	0	0.0	0.00
20-24	1	1.7	1.71	0	0.0	0.00	1	3.5	3.47
25-29	2	3.5	2.45	1	3.6	3.62	1	3.3	3.33
30-34	5	10.0	4.46	5	21.2	9.46	0	0.0	0.00
35-39	5	12.0	5.39	5	26.3	11.77	0	0.0	0.00
40-44	3	8.3	4.80	3	18.3	10.59	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	5.3	5.32	1	12.0	11.95	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	11.4	11.38	1	28.6	28.62	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	19			17			2		
Connecticut									
. Crude rate		3.4	-		6.3	-		0.7	-
. AAMR (1940 Std. mil.)		3.3	0.76		6.5	1.61		-	-
. AAMR (1970 Std. mil.)		2.8	0.69		5.7	1.49		-	-
. AAMR (2000 Std. mil.)		3.5	0.84		7.1	1.84		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		6.9	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.7	1.71	0	0.0	0.00	1	3.5	3.47
25-29	1	1.7	1.73	0	0.0	0.00	1	3.3	3.33
30-34	5	10.0	4.46	3	12.7	7.33	2	7.6	5.34
35-39	4	9.6	4.82	2	10.5	7.44	2	8.9	6.28
40-44	11	30.5	9.19	5	30.6	13.67	6	30.4	12.41
45-49	6	21.1	8.63	6	46.7	19.07	0	0.0	0.00
50-54	8	34.9	12.32	5	49.6	22.18	3	23.3	13.46
55-59	9	47.9	15.96	4	47.8	23.90	5	48.0	21.45
60-64	4	24.9	12.44	4	55.1	27.53	0	0.0	0.00
65-69	6	46.1	18.83	4	73.2	36.58	2	26.5	18.76
70-74	1	11.4	11.38	1	28.6	28.62	0	0.0	0.00
75-79	1	16.0	16.01	1	45.2	45.25	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	57			35			22		
Connecticut									
. Crude rate		10.1	-		13.0	-		7.5	-
. AAMR (1940 Std. mil.)		11.8	1.58		16.7	2.86		8.0	1.73
. AAMR (1970 Std. mil.)		11.9	1.63		17.4	3.06		7.7	1.71
. AAMR (2000 Std. mil.)		13.6	1.84		19.8	3.48		8.9	1.93
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.4	-		11.6	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.0	1.97	1	3.8	3.83	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	6.9	3.47	1	3.6	3.62	3	10.0	5.77
30-34	5	10.0	4.46	4	16.9	8.46	1	3.8	3.78
35-39	8	19.3	6.81	6	31.6	12.89	2	8.9	6.28
40-44	2	5.5	3.92	2	12.2	8.64	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.4	4.36	1	9.9	9.92	0	0.0	0.00
55-59	1	5.3	5.32	0	0.0	0.00	1	9.6	9.59
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	22			15			7		
Connecticut									
. Crude rate		3.9	-		5.6	-		2.4	-
. AAMR (1940 Std. mil.)		3.8	0.82		-	-		-	-
. AAMR (1970 Std. mil.)		3.1	0.68		-	-		-	-
. AAMR (2000 Std. mil.)		3.8	0.85		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.1	-		5.5	-		2.7	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different