

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	21.4	8.75	2	14.1	9.95	4	29.0	14.50
5-9	2	7.3	5.14	1	7.2	7.18	1	7.4	7.37
10-14	4	15.8	7.91	1	7.8	7.76	3	24.2	13.97
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	5	20.9	9.35	3	25.0	14.42	2	16.8	11.88
25-29	17	63.5	15.40	12	92.9	26.83	5	36.1	16.12
30-34	39	141.1	22.59	32	248.5	43.93	7	47.4	17.92
35-39	74	303.4	35.26	52	450.9	62.53	22	171.0	36.47
40-44	49	250.5	35.79	43	486.5	74.19	6	56.0	22.85
45-49	30	182.4	33.31	24	326.5	66.64	6	66.0	26.94
50-54	12	92.3	26.63	6	104.2	42.53	6	82.8	33.80
55-59	10	96.4	30.47	7	156.8	59.28	3	50.7	29.28
60-64	11	135.8	40.94	7	195.9	74.03	4	88.4	44.18
65-69	9	125.9	41.97	4	127.7	63.86	5	124.5	55.68
70-74	7	141.6	53.50	6	310.9	126.92	1	33.2	33.17
75-79	2	59.4	42.03	1	79.3	79.30	1	47.5	47.53
80-84	5	251.6	112.53	3	468.0	270.21	2	148.6	105.07
85+	9	574.3	191.45	1	237.5	237.53	8	698.1	246.81
Total deaths	291			205			86		
Connecticut									
. Crude rate		99.2	-		146.8	-		56.0	-
. AAMR (1940 Std. mil.)		96.4	5.73		151.2	10.73		51.1	5.67
. AAMR (1970 Std. mil.)		92.1	5.71		140.6	10.67		52.3	5.88
. AAMR (2000 Std. mil.)		116.4	7.34		177.3	13.65		65.4	7.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		23.2	-		35.6	-		11.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.0	3.96	0	0.0	0.00	1	8.1	8.07
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.62	0	0.0	0.00	1	6.8	6.77
35-39	2	8.2	5.80	1	8.7	8.67	1	7.8	7.77
40-44	1	5.1	5.11	1	11.3	11.31	0	0.0	0.00
45-49	2	12.2	8.60	1	13.6	13.60	1	11.0	11.00
50-54	2	15.4	10.87	0	0.0	0.00	2	27.6	19.51
55-59	1	9.6	9.64	0	0.0	0.00	1	16.9	16.91
60-64	4	49.4	24.69	2	56.0	39.57	2	44.2	31.24
65-69	6	83.9	34.27	2	63.9	45.15	4	99.6	49.80
70-74	4	80.9	40.44	3	155.4	89.74	1	33.2	33.17
75-79	2	59.4	42.03	1	79.3	79.30	1	47.5	47.53
80-84	3	151.0	87.17	1	156.0	156.01	2	148.6	105.07
85+	9	574.3	191.45	1	237.5	237.53	8	698.1	246.81
Total deaths	38			13			25		
Connecticut									
. Crude rate		13.0	-		9.3	-		16.3	-
. AAMR (1940 Std. mil.)		12.5	2.12		-	-		13.2	2.86
. AAMR (1970 Std. mil.)		17.6	2.92		-	-		18.6	3.78
. AAMR (2000 Std. mil.)		24.5	4.25		-	-		26.0	5.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.9	-		4.4	-		3.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	17.9	7.99	2	14.1	9.95	3	21.7	12.56
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	11.9	6.85	1	7.8	7.76	2	16.1	11.41
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	5	20.9	9.35	3	25.0	14.42	2	16.8	11.88
25-29	16	59.7	14.94	11	85.2	25.68	5	36.1	16.12
30-34	37	133.9	22.01	32	248.5	43.93	5	33.9	15.15
35-39	68	278.8	33.80	47	407.6	59.45	21	163.3	35.63
40-44	43	219.9	33.53	38	429.9	69.74	5	46.6	20.86
45-49	28	170.3	32.18	23	312.9	65.24	5	55.0	24.59
50-54	7	53.8	20.34	4	69.5	34.73	3	41.4	23.90
55-59	8	77.1	27.25	6	134.4	54.88	2	33.8	23.91
60-64	6	74.1	30.24	5	139.9	62.56	1	22.1	22.09
65-69	2	28.0	19.78	2	63.9	45.15	0	0.0	0.00
70-74	2	40.4	28.60	2	103.6	73.28	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	230			176			54		
Connecticut									
. Crude rate		78.4	-		126.1	-		35.1	-
. AAMR (1940 Std. mil.)		76.0	5.06		127.1	9.72		33.3	4.57
. AAMR (1970 Std. mil.)		66.2	4.55		111.2	8.86		28.9	4.08
. AAMR (2000 Std. mil.)		81.9	5.54		138.8	10.84		34.6	4.79
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.3	-		26.4	-		4.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.57	0	0.0	0.00	1	7.2	7.25
5-9	1	3.6	3.63	1	7.2	7.18	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.3	4.30	1	8.4	8.42	0	0.0	0.00
20-24	3	12.5	7.24	1	8.3	8.33	2	16.8	11.88
25-29	2	7.5	5.28	1	7.7	7.74	1	7.2	7.21
30-34	4	14.5	7.24	1	7.8	7.77	3	20.3	11.73
35-39	8	32.8	11.59	1	8.7	8.67	7	54.4	20.57
40-44	21	107.4	23.43	6	67.9	27.71	15	139.9	36.13
45-49	30	182.4	33.31	14	190.5	50.90	16	175.9	43.99
50-54	36	276.8	46.13	24	416.7	85.07	12	165.6	47.79
55-59	50	481.8	68.14	32	717.0	126.75	18	304.3	71.73
60-64	58	716.0	94.01	27	755.5	145.39	31	684.8	122.99
65-69	68	951.3	115.36	52	1660.3	230.24	16	398.4	99.60
70-74	63	1274.0	160.51	37	1917.1	315.17	26	862.4	169.12
75-79	57	1693.9	224.36	27	2141.2	412.07	30	1425.9	260.32
80-84	34	1711.1	293.46	17	2652.1	643.23	17	1263.0	306.32
85+	24	1531.6	312.63	4	950.1	475.06	20	1745.2	390.24
Total deaths	461			246			215		
Connecticut									
. Crude rate		157.2	-		176.2	-		139.9	-
. AAMR (1940 Std. mil.)		173.1	8.18		230.1	14.73		132.7	9.35
. AAMR (1970 Std. mil.)		221.0	10.45		294.7	19.28		169.2	11.74
. AAMR (2000 Std. mil.)		269.3	13.15		350.6	24.31		212.9	14.95
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		131.6	-		159.6	-		111.1	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.3	4.30	1	8.4	8.42	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	6.1	6.08	1	13.6	13.60	0	0.0	0.00
50-54	4	30.8	15.38	3	52.1	30.08	1	13.8	13.80
55-59	1	9.6	9.64	0	0.0	0.00	1	16.9	16.91
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	14.0	13.99	1	31.9	31.93	0	0.0	0.00
70-74	1	20.2	20.22	0	0.0	0.00	1	33.2	33.17
75-79	2	59.4	42.03	2	158.6	112.15	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	63.8	63.82	0	0.0	0.00	1	87.3	87.26
Total deaths	12			8			4		
Connecticut									
. Crude rate		4.1	-		5.7	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.4	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.1	5.11	1	11.3	11.31	0	0.0	0.00
45-49	3	18.2	10.53	1	13.6	13.60	2	22.0	15.55
50-54	1	7.7	7.69	1	17.4	17.36	0	0.0	0.00
55-59	2	19.3	13.63	2	44.8	31.69	0	0.0	0.00
60-64	6	74.1	30.24	3	83.9	48.46	3	66.3	38.26
65-69	5	69.9	31.28	3	95.8	55.30	2	49.8	35.21
70-74	4	80.9	40.44	3	155.4	89.74	1	33.2	33.17
75-79	7	208.0	78.63	3	237.9	137.36	4	190.1	95.06
80-84	4	201.3	100.65	2	312.0	220.63	2	148.6	105.07
85+	6	382.9	156.32	0	0.0	0.00	6	523.6	213.74
Total deaths	39			19			20		
Connecticut									
. Crude rate		13.3	-		13.6	-		13.0	-
. AAMR (1940 Std. mil.)		13.6	2.25		17.9	4.12		10.3	2.49
. AAMR (1970 Std. mil.)		19.5	3.15		23.6	5.56		15.9	3.59
. AAMR (2000 Std. mil.)		26.1	4.38		28.6	7.06		22.8	5.21
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.8	-		12.9	-		9.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.1	4.10	1	8.7	8.67	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	18.2	10.53	2	27.2	19.24	1	11.0	11.00
50-54	1	7.7	7.69	0	0.0	0.00	1	13.8	13.80
55-59	4	38.5	19.27	3	67.2	38.81	1	16.9	16.91
60-64	5	61.7	27.60	1	28.0	27.98	4	88.4	44.18
65-69	4	56.0	27.98	4	127.7	63.86	0	0.0	0.00
70-74	9	182.0	60.67	5	259.1	115.86	4	132.7	66.33
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	5	251.6	112.53	1	156.0	156.01	4	297.2	148.59
85+	4	255.3	127.63	0	0.0	0.00	4	349.0	174.52
Total deaths	36			17			19		
Connecticut									
. Crude rate		12.3	-		12.2	-		12.4	-
. AAMR (1940 Std. mil.)		13.1	2.24		16.0	3.89		10.7	2.62
. AAMR (1970 Std. mil.)		17.8	2.99		19.7	4.91		15.5	3.58
. AAMR (2000 Std. mil.)		22.5	3.94		22.4	5.76		20.8	4.88
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		7.4	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.62	1	7.8	7.77	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	20.5	10.23	2	22.6	16.00	2	18.7	13.19
45-49	6	36.5	14.90	3	40.8	23.56	3	33.0	19.05
50-54	13	99.9	27.72	10	173.6	54.91	3	41.4	23.90
55-59	13	125.3	34.74	10	224.1	70.86	3	50.7	29.28
60-64	17	209.9	50.90	8	223.8	79.14	9	198.8	66.27
65-69	23	321.8	67.09	18	574.7	135.46	5	124.5	55.68
70-74	17	343.8	83.38	12	621.8	179.49	5	165.8	74.16
75-79	15	445.8	115.10	7	555.1	209.81	8	380.2	134.43
80-84	7	352.3	133.15	5	780.0	348.84	2	148.6	105.07
85+	2	127.6	90.25	0	0.0	0.00	2	174.5	123.40
Total deaths	118			76			42		
Connecticut									
. Crude rate		40.2	-		54.4	-		27.3	-
. AAMR (1940 Std. mil.)		46.0	4.27		71.8	8.25		27.5	4.34
. AAMR (1970 Std. mil.)		57.7	5.36		89.9	10.55		35.1	5.46
. AAMR (2000 Std. mil.)		67.3	6.42		104.1	12.76		41.8	6.59
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.1	-		56.4	-		27.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.62	1	7.8	7.77	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	20.5	10.23	2	22.6	16.00	2	18.7	13.19
45-49	4	24.3	12.16	2	27.2	19.24	2	22.0	15.55
50-54	12	92.3	26.63	9	156.3	52.09	3	41.4	23.90
55-59	13	125.3	34.74	10	224.1	70.86	3	50.7	29.28
60-64	17	209.9	50.90	8	223.8	79.14	9	198.8	66.27
65-69	21	293.8	64.11	16	510.9	127.71	5	124.5	55.68
70-74	15	303.3	78.32	10	518.1	163.85	5	165.8	74.16
75-79	12	356.6	102.95	5	396.5	177.32	7	332.7	125.75
80-84	7	352.3	133.15	5	780.0	348.84	2	148.6	105.07
85+	2	127.6	90.25	0	0.0	0.00	2	174.5	123.40
Total deaths	108			68			40		
Connecticut									
. Crude rate		36.8	-		48.7	-		26.0	-
. AAMR (1940 Std. mil.)		42.2	4.10		64.3	7.82		26.3	4.25
. AAMR (1970 Std. mil.)		52.8	5.13		80.1	9.95		33.6	5.35
. AAMR (2000 Std. mil.)		61.3	6.12		92.3	11.99		39.8	6.42
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.6	-		54.1	-		26.6	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	4	16.4	8.20	-	-	-	4	31.1	15.55
40-44	7	35.8	13.53	-	-	-	7	65.3	24.68
45-49	6	36.5	14.90	-	-	-	6	66.0	26.94
50-54	5	38.4	17.19	-	-	-	5	69.0	30.85
55-59	6	57.8	23.60	-	-	-	6	101.4	41.41
60-64	4	49.4	24.69	-	-	-	4	88.4	44.18
65-69	1	14.0	13.99	-	-	-	1	24.9	24.90
70-74	6	121.3	49.53	-	-	-	6	199.0	81.24
75-79	5	148.6	66.45	-	-	-	5	237.6	106.28
80-84	3	151.0	87.17	-	-	-	3	222.9	128.68
85+	2	127.6	90.25	-	-	-	2	174.5	123.40
Total deaths	49			-			49		
Connecticut									
. Crude rate		-	-		-	-		31.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		31.4	4.57
. AAMR (1970 Std. mil.)		-	-		-	-		36.5	5.32
. AAMR (2000 Std. mil.)		-	-		-	-		45.6	6.69
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	3.6	3.62	-	-	-	1	6.8	6.77
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	5.1	5.11	-	-	-	1	9.3	9.33
45-49	1	6.1	6.08	-	-	-	1	11.0	11.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	2	19.3	13.63	-	-	-	2	33.8	23.91
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	14.0	13.99	-	-	-	1	24.9	24.90
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	1	50.3	50.33	-	-	-	1	74.3	74.29
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	7			-			7		
Connecticut									
. Crude rate		-	-		-	-		4.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	1	9.6	9.64	-	-	-	1	16.9	16.91
60-64	1	12.3	12.34	-	-	-	1	22.1	22.09
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	1	29.7	29.72	-	-	-	1	47.5	47.53
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	3			-			3		
Connecticut									
. Crude rate		-	-		-	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	1	9.6	9.64	-	-	-	1	16.9	16.91
60-64	1	12.3	12.34	-	-	-	1	22.1	22.09
65-69	2	28.0	19.78	-	-	-	2	49.8	35.21
70-74	1	20.2	20.22	-	-	-	1	33.2	33.17
75-79	1	29.7	29.72	-	-	-	1	47.5	47.53
80-84	1	50.3	50.33	-	-	-	1	74.3	74.29
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	7			-			7		
Connecticut									
. Crude rate		-	-		-	-		4.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	1	14.0	13.99	0	-	-	1	24.9	24.90
70-74	1	20.2	20.22	0	-	-	1	33.2	33.17
75-79	0	0.0	0.00	0	-	-	0	0.0	0.00
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	0	0.0	0.00	0	-	-	0	0.0	0.00
Total deaths	2			-			2		
Connecticut									
. Crude rate		0.7	-		-	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.5	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.2	4.18	0	0.0	0.00	1	8.4	8.40
25-29	1	3.7	3.73	1	7.7	7.74	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	8.2	5.80	0	0.0	0.00	2	15.5	11.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	6.1	6.08	1	13.6	13.60	0	0.0	0.00
50-54	1	7.7	7.69	1	17.4	17.36	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	14.0	13.99	0	0.0	0.00	1	24.9	24.90
70-74	1	20.2	20.22	0	0.0	0.00	1	33.2	33.17
75-79	3	89.2	51.47	0	0.0	0.00	3	142.6	82.32
80-84	1	50.3	50.33	1	156.0	156.01	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	12			4			8		
Connecticut									
. Crude rate		4.1	-		2.9	-		5.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.9	-		6.2	-		3.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	10.9	6.27	3	23.3	13.45	0	0.0	0.00
35-39	1	4.1	4.10	1	8.7	8.67	0	0.0	0.00
40-44	1	5.1	5.11	1	11.3	11.31	0	0.0	0.00
45-49	3	18.2	10.53	2	27.2	19.24	1	11.0	11.00
50-54	6	46.1	18.83	5	86.8	38.83	1	13.8	13.80
55-59	1	9.6	9.64	0	0.0	0.00	1	16.9	16.91
60-64	6	74.1	30.24	3	83.9	48.46	3	66.3	38.26
65-69	12	167.9	48.46	4	127.7	63.86	8	199.2	70.43
70-74	14	283.1	75.67	7	362.7	137.09	7	232.2	87.75
75-79	6	178.3	72.79	1	79.3	79.30	5	237.6	106.28
80-84	5	251.6	112.53	3	468.0	270.21	2	148.6	105.07
85+	11	702.0	211.65	3	712.6	411.41	8	698.1	246.81
Total deaths	69			33			36		
Connecticut									
. Crude rate		23.5	-		23.6	-		23.4	-
. AAMR (1940 Std. mil.)		24.0	2.98		29.1	5.13		20.3	3.58
. AAMR (1970 Std. mil.)		33.1	4.05		38.5	7.10		29.5	4.95
. AAMR (2000 Std. mil.)		44.0	5.59		51.4	10.29		39.1	6.65
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.0	-		14.0	-		12.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.3	4.30	0	0.0	0.00	1	8.8	8.80
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	14.5	7.24	3	23.3	13.45	1	6.8	6.77
35-39	3	12.3	7.10	2	17.3	12.26	1	7.8	7.77
40-44	8	40.9	14.46	5	56.6	25.30	3	28.0	16.16
45-49	8	48.6	17.20	5	68.0	30.42	3	33.0	19.05
50-54	13	99.9	27.72	7	121.5	45.94	6	82.8	33.80
55-59	8	77.1	27.25	3	67.2	38.81	5	84.5	37.80
60-64	24	296.3	60.47	12	335.8	96.93	12	265.1	76.52
65-69	33	461.7	80.37	15	478.9	123.66	18	448.2	105.64
70-74	39	788.7	126.29	19	984.5	225.85	20	663.3	148.33
75-79	23	683.5	142.52	10	793.0	250.78	13	617.9	171.37
80-84	16	805.2	201.31	9	1404.1	468.02	7	520.1	196.56
85+	28	1786.9	337.68	8	1900.2	671.84	20	1745.2	390.24
Total deaths	208			98			110		
Connecticut									
. Crude rate		70.9	-		70.2	-		71.6	-
. AAMR (1940 Std. mil.)		73.9	5.26		88.4	9.01		64.4	6.45
. AAMR (1970 Std. mil.)		101.3	7.12		121.6	12.77		88.8	8.56
. AAMR (2000 Std. mil.)		132.1	9.63		160.1	18.18		115.4	11.27
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	1	4.1	4.10	1	8.7	8.67	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	1	6.1	6.08	1	13.6	13.60	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	1	14.0	13.99	1	31.9	31.93	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	3			3			-		
Connecticut									
. Crude rate		1.0	-		2.1	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.5	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	40.4	28.60	1	51.8	51.81	1	33.2	33.17
75-79	2	59.4	42.03	1	79.3	79.30	1	47.5	47.53
80-84	1	50.3	50.33	0	0.0	0.00	1	74.3	74.29
85+	4	255.3	127.63	1	237.5	237.53	3	261.8	151.14
Total deaths	9			3			6		
Connecticut									
. Crude rate		3.1	-		2.1	-		3.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		2.6	-		2.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	7.1	5.05	1	7.0	7.04	1	7.2	7.25
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.0	3.96	0	0.0	0.00	1	8.1	8.07
15-19	3	12.9	7.45	1	8.4	8.42	2	17.6	12.45
20-24	2	8.4	5.91	1	8.3	8.33	1	8.4	8.40
25-29	5	18.7	8.35	4	31.0	15.49	1	7.2	7.21
30-34	8	28.9	10.23	4	31.1	15.53	4	27.1	13.55
35-39	16	65.6	16.40	8	69.4	24.53	8	62.2	21.99
40-44	32	163.6	28.92	21	237.6	51.84	11	102.6	30.94
45-49	30	182.4	33.31	20	272.1	60.84	10	110.0	34.77
50-54	54	415.2	56.50	41	711.9	111.18	13	179.4	49.75
55-59	54	520.3	70.81	35	784.2	132.56	19	321.2	73.69
60-64	67	827.1	101.04	36	1007.3	167.88	31	684.8	122.99
65-69	83	1161.2	127.45	50	1596.4	225.77	33	821.7	143.04
70-74	81	1638.0	182.00	50	2590.7	366.38	31	1028.2	184.67
75-79	74	2199.1	255.64	30	2379.1	434.36	44	2091.3	315.27
80-84	84	4227.5	461.26	35	5460.2	922.95	49	3640.4	520.06
85+	123	7849.4	707.76	34	8076.0	1385.02	89	7766.1	823.21
Total deaths	719			371			348		
Connecticut									
. Crude rate		245.2	-		265.8	-		226.5	-
. AAMR (1940 Std. mil.)		246.5	9.50		333.3	17.46		183.9	10.53
. AAMR (1970 Std. mil.)		344.4	13.04		450.6	24.39		270.3	14.70
. AAMR (2000 Std. mil.)		469.1	18.51		596.2	35.24		382.7	21.07
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		177.7	-		231.3	-		134.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	7.1	5.05	1	7.0	7.04	1	7.2	7.25
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.0	3.96	0	0.0	0.00	1	8.1	8.07
15-19	2	8.6	6.09	0	0.0	0.00	2	17.6	12.45
20-24	2	8.4	5.91	1	8.3	8.33	1	8.4	8.40
25-29	3	11.2	6.47	2	15.5	10.95	1	7.2	7.21
30-34	5	18.1	8.09	3	23.3	13.45	2	13.5	9.58
35-39	9	36.9	12.30	6	52.0	21.24	3	23.3	13.47
40-44	25	127.8	25.56	16	181.0	45.25	9	84.0	27.99
45-49	22	133.8	28.52	15	204.1	52.69	7	77.0	29.09
50-54	39	299.8	48.01	28	486.2	91.88	11	151.8	45.76
55-59	49	472.2	67.45	31	694.6	124.75	18	304.3	71.73
60-64	53	654.2	89.87	29	811.4	150.68	24	530.2	108.22
65-69	67	937.3	114.51	37	1181.4	194.21	30	747.0	136.39
70-74	63	1274.0	160.51	37	1917.1	315.17	26	862.4	169.12
75-79	62	1842.5	234.00	27	2141.2	412.07	35	1663.5	281.18
80-84	63	3170.6	399.46	27	4212.2	810.63	36	2674.6	445.77
85+	96	6126.4	625.27	26	6175.8	1211.17	70	6108.2	730.07
Total deaths	563			286			277		
Connecticut									
. Crude rate		192.0	-		204.9	-		180.3	-
. AAMR (1940 Std. mil.)		193.8	8.44		257.5	15.36		148.3	9.52
. AAMR (1970 Std. mil.)		271.4	11.60		350.0	21.55		217.2	13.22
. AAMR (2000 Std. mil.)		368.0	16.39		463.2	31.10		303.8	18.73
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		140.5	-		188.5	-		101.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	28.6	10.10	5	35.2	15.74	3	21.7	12.56
5-9	2	7.3	5.14	2	14.4	10.15	0	0.0	0.00
10-14	4	15.8	7.91	1	7.8	7.76	3	24.2	13.97
15-19	3	12.9	7.45	0	0.0	0.00	3	26.4	15.25
20-24	9	37.6	12.54	4	33.3	16.66	5	42.0	18.78
25-29	14	52.3	13.97	5	38.7	17.32	9	64.9	21.63
30-34	22	79.6	16.97	15	116.5	30.07	7	47.4	17.92
35-39	52	213.2	29.56	33	286.2	49.81	19	147.7	33.89
40-44	66	337.5	41.54	48	543.0	78.38	18	167.9	39.58
45-49	61	370.9	47.49	42	571.4	88.16	19	208.9	47.93
50-54	76	584.3	67.02	49	850.8	121.55	27	372.5	71.69
55-59	75	722.7	83.45	48	1075.5	155.24	27	456.5	87.85
60-64	95	1172.7	120.32	48	1343.0	193.85	47	1038.2	151.44
65-69	127	1776.7	157.66	76	2426.6	278.35	51	1269.9	177.82
70-74	125	2527.8	226.09	69	3575.1	430.40	56	1857.4	248.20
75-79	120	3566.1	325.54	49	3885.8	555.11	71	3374.5	400.48
80-84	110	5536.0	527.84	42	6552.3	1011.04	68	5052.0	612.65
85+	150	9572.4	781.59	40	9501.2	1502.27	110	9598.6	915.19
Total deaths	1,119			576			543		
Connecticut									
. Crude rate		381.6	-		412.6	-		353.4	-
. AAMR (1940 Std. mil.)		387.2	11.90		504.2	21.25		299.9	13.60
. AAMR (1970 Std. mil.)		517.3	15.83		651.8	28.70		419.6	18.31
. AAMR (2000 Std. mil.)		689.6	21.97		849.3	40.61		574.7	25.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.57	0	0.0	0.00	1	7.2	7.25
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	10.9	6.27	1	7.8	7.77	2	13.5	9.58
35-39	4	16.4	8.20	3	26.0	15.02	1	7.8	7.77
40-44	12	61.4	17.71	6	67.9	27.71	6	56.0	22.85
45-49	15	91.2	23.55	11	149.6	45.12	4	44.0	21.99
50-54	24	184.5	37.66	17	295.2	71.59	7	96.6	36.50
55-59	28	269.8	50.99	20	448.1	100.20	8	135.2	47.82
60-64	40	493.8	78.07	23	643.5	134.19	17	375.5	91.08
65-69	43	601.6	91.74	22	702.4	149.76	21	522.9	114.11
70-74	51	1031.3	144.42	30	1554.4	283.79	21	696.5	151.99
75-79	41	1218.4	190.29	17	1348.1	326.97	24	1140.7	232.84
80-84	50	2516.4	355.87	21	3276.1	714.91	29	2154.5	400.09
85+	67	4275.7	522.36	20	4750.6	1062.27	47	4101.2	598.22
Total deaths	379			191			188		
Connecticut									
. Crude rate		129.2	-		136.8	-		122.4	-
. AAMR (1940 Std. mil.)		130.0	6.90		174.1	12.69		99.2	7.72
. AAMR (1970 Std. mil.)		186.5	9.69		243.6	18.22		148.4	10.96
. AAMR (2000 Std. mil.)		255.2	13.78		326.2	26.61		209.9	15.66
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		110.2	-		151.7	-		76.6	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	7.5	5.28	2	15.5	10.95	0	0.0	0.00
30-34	2	7.2	5.12	1	7.8	7.77	1	6.8	6.77
35-39	5	20.5	9.17	2	17.3	12.26	3	23.3	13.47
40-44	6	30.7	12.52	4	45.3	22.63	2	18.7	13.19
45-49	7	42.6	16.09	4	54.4	27.21	3	33.0	19.05
50-54	13	99.9	27.72	11	191.0	57.59	2	27.6	19.51
55-59	5	48.2	21.55	4	89.6	44.81	1	16.9	16.91
60-64	12	148.1	42.76	7	195.9	74.03	5	110.4	49.39
65-69	13	181.9	50.44	11	351.2	105.89	2	49.8	35.21
70-74	15	303.3	78.32	11	569.9	171.85	4	132.7	66.33
75-79	9	267.5	89.15	2	158.6	112.15	7	332.7	125.75
80-84	15	754.9	194.92	5	780.0	348.84	10	742.9	234.94
85+	16	1021.1	255.26	5	1187.6	531.13	11	959.9	289.41
Total deaths	120			69			51		
Connecticut									
. Crude rate		40.9	-		49.4	-		33.2	-
. AAMR (1940 Std. mil.)		41.8	3.93		62.0	7.54		26.6	3.95
. AAMR (1970 Std. mil.)		56.0	5.22		79.4	10.00		38.8	5.54
. AAMR (2000 Std. mil.)		75.0	7.27		101.3	13.92		56.2	8.09
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.5	-		29.0	-		24.5	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.57	1	7.0	7.04	0	0.0	0.00
5-9	1	3.6	3.63	1	7.2	7.18	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	6	21.7	8.86	3	23.3	13.45	3	20.3	11.73
35-39	4	16.4	8.20	2	17.3	12.26	2	15.5	11.00
40-44	7	35.8	13.53	6	67.9	27.71	1	9.3	9.33
45-49	5	30.4	13.60	4	54.4	27.21	1	11.0	11.00
50-54	4	30.8	15.38	3	52.1	30.08	1	13.8	13.80
55-59	2	19.3	13.63	1	22.4	22.41	1	16.9	16.91
60-64	3	37.0	21.38	2	56.0	39.57	1	22.1	22.09
65-69	1	14.0	13.99	1	31.9	31.93	0	0.0	0.00
70-74	5	101.1	45.22	4	207.3	103.63	1	33.2	33.17
75-79	8	237.7	84.05	5	396.5	177.32	3	142.6	82.32
80-84	6	302.0	123.28	1	156.0	156.01	5	371.5	166.13
85+	9	574.3	191.45	4	950.1	475.06	5	436.3	195.12
Total deaths	62			38			24		
Connecticut									
. Crude rate		21.1	-		27.2	-		15.6	-
. AAMR (1940 Std. mil.)		20.1	2.62		31.1	5.12		12.0	2.58
. AAMR (1970 Std. mil.)		26.2	3.48		40.1	7.04		16.7	3.53
. AAMR (2000 Std. mil.)		37.2	5.13		56.0	10.75		25.1	5.37
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.1	-		16.7	-		10.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.0	3.96	1	7.8	7.76	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	8.4	5.91	2	16.7	11.78	0	0.0	0.00
25-29	1	3.7	3.73	1	7.7	7.74	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	18.2	10.53	3	40.8	23.56	0	0.0	0.00
50-54	1	7.7	7.69	0	0.0	0.00	1	13.8	13.80
55-59	1	9.6	9.64	0	0.0	0.00	1	16.9	16.91
60-64	3	37.0	21.38	2	56.0	39.57	1	22.1	22.09
65-69	7	97.9	37.01	4	127.7	63.86	3	74.7	43.13
70-74	5	101.1	45.22	1	51.8	51.81	4	132.7	66.33
75-79	6	178.3	72.79	6	475.8	194.25	0	0.0	0.00
80-84	3	151.0	87.17	1	156.0	156.01	2	148.6	105.07
85+	7	446.7	168.84	5	1187.6	531.13	2	174.5	123.40
Total deaths	40			26			14		
Connecticut									
. Crude rate		13.6	-		18.6	-		9.1	-
. AAMR (1940 Std. mil.)		13.7	2.23		21.7	4.30		-	-
. AAMR (1970 Std. mil.)		19.3	3.10		32.8	6.74		-	-
. AAMR (2000 Std. mil.)		25.8	4.34		47.4	10.82		-	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.1	-		26.9	-		17.0	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.0	3.96	1	7.8	7.76	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	8.4	5.91	2	16.7	11.78	0	0.0	0.00
25-29	1	3.7	3.73	1	7.7	7.74	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	12.2	8.60	2	27.2	19.24	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	14.0	13.99	1	31.9	31.93	0	0.0	0.00
70-74	1	20.2	20.22	0	0.0	0.00	1	33.2	33.17
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	8			7			1		
Connecticut									
. Crude rate		2.7	-		5.0	-		0.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	12.3	7.10	1	8.7	8.67	2	15.5	11.00
40-44	1	5.1	5.11	1	11.3	11.31	0	0.0	0.00
45-49	3	18.2	10.53	2	27.2	19.24	1	11.0	11.00
50-54	5	38.4	17.19	1	17.4	17.36	4	55.2	27.59
55-59	2	19.3	13.63	0	0.0	0.00	2	33.8	23.91
60-64	1	12.3	12.34	1	28.0	27.98	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	60.7	35.03	2	103.6	73.28	1	33.2	33.17
75-79	1	29.7	29.72	0	0.0	0.00	1	47.5	47.53
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	63.8	63.82	1	237.5	237.53	0	0.0	0.00
Total deaths	20			9			11		
Connecticut									
. Crude rate		6.8	-		6.4	-		7.2	-
. AAMR (1940 Std. mil.)		7.5	1.70		-	-		-	-
. AAMR (1970 Std. mil.)		8.3	1.91		-	-		-	-
. AAMR (2000 Std. mil.)		10.3	2.40		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.8	-		11.3	-		4.8	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.57	1	7.0	7.04	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	7.5	5.28	0	0.0	0.00	2	14.4	10.20
30-34	1	3.6	3.62	1	7.8	7.77	0	0.0	0.00
35-39	3	12.3	7.10	2	17.3	12.26	1	7.8	7.77
40-44	4	20.5	10.23	3	33.9	19.60	1	9.3	9.33
45-49	2	12.2	8.60	2	27.2	19.24	0	0.0	0.00
50-54	2	15.4	10.87	2	34.7	24.56	0	0.0	0.00
55-59	1	9.6	9.64	1	22.4	22.41	0	0.0	0.00
60-64	7	86.4	32.66	2	56.0	39.57	5	110.4	49.39
65-69	4	56.0	27.98	3	95.8	55.30	1	24.9	24.90
70-74	6	121.3	49.53	2	103.6	73.28	4	132.7	66.33
75-79	7	208.0	78.63	2	158.6	112.15	5	237.6	106.28
80-84	3	151.0	87.17	0	0.0	0.00	3	222.9	128.68
85+	4	255.3	127.63	0	0.0	0.00	4	349.0	174.52
Total deaths	47			21			26		
Connecticut									
. Crude rate		16.0	-		15.0	-		16.9	-
. AAMR (1940 Std. mil.)		16.5	2.47		17.9	3.96		14.7	3.01
. AAMR (1970 Std. mil.)		21.3	3.21		20.0	4.63		20.6	4.13
. AAMR (2000 Std. mil.)		27.4	4.26		23.5	5.49		27.5	5.58
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.2	-		6.4	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	17.9	7.99	2	14.1	9.95	3	21.7	12.56
5-9	1	3.6	3.63	1	7.2	7.18	0	0.0	0.00
10-14	2	7.9	5.59	1	7.8	7.76	1	8.1	8.07
15-19	6	25.8	10.54	5	42.1	18.83	1	8.8	8.80
20-24	13	54.4	15.08	11	91.6	27.62	2	16.8	11.88
25-29	7	26.1	9.88	3	23.2	13.41	4	28.8	14.42
30-34	12	43.4	12.53	8	62.1	21.96	4	27.1	13.55
35-39	12	49.2	14.20	8	69.4	24.53	4	31.1	15.55
40-44	13	66.5	18.44	11	124.4	37.52	2	18.7	13.19
45-49	10	60.8	19.23	9	122.4	40.81	1	11.0	11.00
50-54	7	53.8	20.34	5	86.8	38.83	2	27.6	19.51
55-59	2	19.3	13.63	1	22.4	22.41	1	16.9	16.91
60-64	2	24.7	17.46	2	56.0	39.57	0	0.0	0.00
65-69	5	69.9	31.28	3	95.8	55.30	2	49.8	35.21
70-74	5	101.1	45.22	3	155.4	89.74	2	66.3	46.91
75-79	3	89.2	51.47	1	79.3	79.30	2	95.1	67.22
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	191.4	110.53	1	237.5	237.53	2	174.5	123.40
Total deaths	108			75			33		
Connecticut									
. Crude rate		36.8	-		53.7	-		21.5	-
. AAMR (1940 Std. mil.)		37.3	3.63		57.3	6.71		20.0	3.56
. AAMR (1970 Std. mil.)		37.0	3.72		56.4	6.94		20.7	3.74
. AAMR (2000 Std. mil.)		42.4	4.41		64.5	8.42		24.1	4.48
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		43.9	-		17.1	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.0	3.96	0	0.0	0.00	1	8.1	8.07
15-19	3	12.9	7.45	2	16.8	11.91	1	8.8	8.80
20-24	8	33.5	11.83	8	66.6	23.55	0	0.0	0.00
25-29	2	7.5	5.28	1	7.7	7.74	1	7.2	7.21
30-34	5	18.1	8.09	3	23.3	13.45	2	13.5	9.58
35-39	4	16.4	8.20	3	26.0	15.02	1	7.8	7.77
40-44	1	5.1	5.11	1	11.3	11.31	0	0.0	0.00
45-49	2	12.2	8.60	2	27.2	19.24	0	0.0	0.00
50-54	1	7.7	7.69	1	17.4	17.36	0	0.0	0.00
55-59	1	9.6	9.64	1	22.4	22.41	0	0.0	0.00
60-64	1	12.3	12.34	1	28.0	27.98	0	0.0	0.00
65-69	1	14.0	13.99	1	31.9	31.93	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	29.7	29.72	1	79.3	79.30	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	31			25			6		
Connecticut									
. Crude rate		10.6	-		17.9	-		3.9	-
. AAMR (1940 Std. mil.)		10.9	1.97		19.0	3.85		-	-
. AAMR (1970 Std. mil.)		10.2	1.91		18.3	3.88		-	-
. AAMR (2000 Std. mil.)		10.5	2.00		19.3	4.23		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.1	-		22.5	-		9.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.3	4.30	1	8.4	8.42	0	0.0	0.00
20-24	2	8.4	5.91	1	8.3	8.33	1	8.4	8.40
25-29	1	3.7	3.73	1	7.7	7.74	0	0.0	0.00
30-34	2	7.2	5.12	1	7.8	7.77	1	6.8	6.77
35-39	1	4.1	4.10	1	8.7	8.67	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	6.1	6.08	1	13.6	13.60	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	8			6			2		
Connecticut									
. Crude rate		2.7	-		4.3	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		2.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.57	0	0.0	0.00	1	7.2	7.25
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.0	3.96	1	7.8	7.76	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.1	4.10	0	0.0	0.00	1	7.8	7.77
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	6.1	6.08	1	13.6	13.60	0	0.0	0.00
50-54	1	7.7	7.69	0	0.0	0.00	1	13.8	13.80
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	40.4	28.60	1	51.8	51.81	1	33.2	33.17
75-79	1	29.7	29.72	0	0.0	0.00	1	47.5	47.53
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	8			3			5		
Connecticut									
. Crude rate		2.7	-		2.1	-		3.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.2	-		1.7	-		1.0	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	5	21.5	9.62	4	33.7	16.84	1	8.8	8.80
20-24	4	16.7	8.36	4	33.3	16.66	0	0.0	0.00
25-29	3	11.2	6.47	2	15.5	10.95	1	7.2	7.21
30-34	4	14.5	7.24	4	31.1	15.53	0	0.0	0.00
35-39	3	12.3	7.10	2	17.3	12.26	1	7.8	7.77
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	12.3	12.34	1	28.0	27.98	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	29.7	29.72	1	79.3	79.30	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	21			18			3		
Connecticut									
. Crude rate		7.2	-		12.9	-		2.0	-
. AAMR (1940 Std. mil.)		7.2	1.60		13.0	3.10		-	-
. AAMR (1970 Std. mil.)		6.7	1.54		12.2	3.11		-	-
. AAMR (2000 Std. mil.)		6.7	1.56		12.5	3.34		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		18.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	14.3	7.14	2	14.1	9.95	2	14.5	10.25
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.0	3.96	0	0.0	0.00	1	8.1	8.07
15-19	18	77.5	18.26	18	151.6	35.73	0	0.0	0.00
20-24	24	100.4	20.49	21	174.9	38.16	3	25.2	14.55
25-29	20	74.7	16.70	17	131.7	31.93	3	21.6	12.49
30-34	11	39.8	12.00	7	54.4	20.54	4	27.1	13.55
35-39	7	28.7	10.85	4	34.7	17.34	3	23.3	13.47
40-44	3	15.3	8.86	2	22.6	16.00	1	9.3	9.33
45-49	1	6.1	6.08	1	13.6	13.60	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	60.7	35.03	1	51.8	51.81	2	66.3	46.91
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	92			73			19		
Connecticut									
. Crude rate		31.4	-		52.3	-		12.4	-
. AAMR (1940 Std. mil.)		31.6	3.33		51.9	6.11		11.6	2.69
. AAMR (1970 Std. mil.)		28.6	3.08		46.7	5.62		10.6	2.55
. AAMR (2000 Std. mil.)		27.1	2.92		43.2	5.22		11.3	2.71
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.3	-		16.4	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	32.1	10.71	4	28.2	14.08	5	36.2	16.21
5-9	1	3.6	3.63	1	7.2	7.18	0	0.0	0.00
10-14	3	11.9	6.85	1	7.8	7.76	2	16.1	11.41
15-19	29	124.8	23.18	27	227.4	43.76	2	17.6	12.45
20-24	41	171.4	26.78	36	299.8	49.97	5	42.0	18.78
25-29	30	112.0	20.45	22	170.4	36.32	8	57.7	20.39
30-34	28	101.3	19.14	19	147.5	33.85	9	61.0	20.32
35-39	22	90.2	19.23	14	121.4	32.45	8	62.2	21.99
40-44	16	81.8	20.45	13	147.1	40.79	3	28.0	16.16
45-49	11	66.9	20.17	10	136.0	43.02	1	11.0	11.00
50-54	7	53.8	20.34	5	86.8	38.83	2	27.6	19.51
55-59	2	19.3	13.63	1	22.4	22.41	1	16.9	16.91
60-64	3	37.0	21.38	3	83.9	48.46	0	0.0	0.00
65-69	5	69.9	31.28	3	95.8	55.30	2	49.8	35.21
70-74	8	161.8	57.20	4	207.3	103.63	4	132.7	66.33
75-79	4	118.9	59.44	2	158.6	112.15	2	95.1	67.22
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	191.4	110.53	1	237.5	237.53	2	174.5	123.40
Total deaths	222			166			56		
Connecticut									
. Crude rate		75.7	-		118.9	-		36.4	-
. AAMR (1940 Std. mil.)		76.4	5.18		122.3	9.59		34.2	4.64
. AAMR (1970 Std. mil.)		72.5	5.08		115.4	9.46		33.4	4.66
. AAMR (2000 Std. mil.)		76.4	5.52		120.1	10.45		37.7	5.36
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		53.0	-		80.9	-		25.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.0	3.96	0	0.0	0.00	1	8.1	8.07
15-19	3	12.9	7.45	2	16.8	11.91	1	8.8	8.80
20-24	8	33.5	11.83	8	66.6	23.55	0	0.0	0.00
25-29	2	7.5	5.28	1	7.7	7.74	1	7.2	7.21
30-34	5	18.1	8.09	3	23.3	13.45	2	13.5	9.58
35-39	4	16.4	8.20	3	26.0	15.02	1	7.8	7.77
40-44	1	5.1	5.11	1	11.3	11.31	0	0.0	0.00
45-49	2	12.2	8.60	2	27.2	19.24	0	0.0	0.00
50-54	1	7.7	7.69	1	17.4	17.36	0	0.0	0.00
55-59	1	9.6	9.64	1	22.4	22.41	0	0.0	0.00
60-64	1	12.3	12.34	1	28.0	27.98	0	0.0	0.00
65-69	1	14.0	13.99	1	31.9	31.93	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	29.7	29.72	1	79.3	79.30	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	31			25			6		
Connecticut									
. Crude rate		10.6	-		17.9	-		3.9	-
. AAMR (1940 Std. mil.)		10.9	1.97		19.0	3.85		-	-
. AAMR (1970 Std. mil.)		10.2	1.91		18.3	3.88		-	-
. AAMR (2000 Std. mil.)		10.5	2.00		19.3	4.23		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.8	-		22.0	-		9.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.7	3.73	0	0.0	0.00	1	7.2	7.21
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.1	4.10	1	8.7	8.67	0	0.0	0.00
40-44	2	10.2	7.23	2	22.6	16.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	7.7	7.69	1	17.4	17.36	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	28.0	19.78	1	31.9	31.93	1	24.9	24.90
70-74	1	20.2	20.22	1	51.8	51.81	0	0.0	0.00
75-79	1	29.7	29.72	0	0.0	0.00	1	47.5	47.53
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	9			6			3		
Connecticut									
. Crude rate		3.1	-		4.3	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.4	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.57	0	0.0	0.00	1	7.2	7.25
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	23	99.0	20.64	22	185.3	39.50	1	8.8	8.80
20-24	27	112.9	21.73	25	208.2	41.64	2	16.8	11.88
25-29	16	59.7	14.94	15	116.2	29.99	1	7.2	7.21
30-34	11	39.8	12.00	7	54.4	20.54	4	27.1	13.55
35-39	4	16.4	8.20	3	26.0	15.02	1	7.8	7.77
40-44	2	10.2	7.23	2	22.6	16.00	0	0.0	0.00
45-49	2	12.2	8.60	2	27.2	19.24	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	20.2	20.22	1	51.8	51.81	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	87			77			10		
Connecticut									
. Crude rate		29.7	-		55.2	-		6.5	-
. AAMR (1940 Std. mil.)		30.7	3.31		55.8	6.39		-	-
. AAMR (1970 Std. mil.)		27.7	3.05		50.7	5.92		-	-
. AAMR (2000 Std. mil.)		25.3	2.76		46.1	5.43		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.9	-		26.1	-		4.2	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.57	0	0.0	0.00	1	7.2	7.25
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	16	68.9	17.21	16	134.7	33.68	0	0.0	0.00
20-24	22	92.0	19.61	20	166.6	37.24	2	16.8	11.88
25-29	15	56.0	14.46	14	108.4	28.98	1	7.2	7.21
30-34	10	36.2	11.44	6	46.6	19.02	4	27.1	13.55
35-39	4	16.4	8.20	3	26.0	15.02	1	7.8	7.77
40-44	2	10.2	7.23	2	22.6	16.00	0	0.0	0.00
45-49	1	6.1	6.08	1	13.6	13.60	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	20.2	20.22	1	51.8	51.81	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	72			63			9		
Connecticut									
. Crude rate		24.6	-		45.1	-		5.9	-
. AAMR (1940 Std. mil.)		25.0	2.97		45.3	5.74		-	-
. AAMR (1970 Std. mil.)		22.3	2.71		40.8	5.29		-	-
. AAMR (2000 Std. mil.)		20.8	2.50		37.7	4.92		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		12.4	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	8.4	5.91	1	8.3	8.33	1	8.4	8.40
25-29	2	7.5	5.28	1	7.7	7.74	1	7.2	7.21
30-34	6	21.7	8.86	4	31.1	15.53	2	13.5	9.58
35-39	6	24.6	10.04	3	26.0	15.02	3	23.3	13.47
40-44	7	35.8	13.53	5	56.6	25.30	2	18.7	13.19
45-49	3	18.2	10.53	2	27.2	19.24	1	11.0	11.00
50-54	4	30.8	15.38	3	52.1	30.08	1	13.8	13.80
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	30			19			11		
Connecticut									
. Crude rate		10.2	-		13.6	-		7.2	-
. AAMR (1940 Std. mil.)		10.1	1.86		14.0	3.27		-	-
. AAMR (1970 Std. mil.)		8.6	1.62		12.2	2.90		-	-
. AAMR (2000 Std. mil.)		10.7	2.01		15.2	3.61		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.8	-		8.3	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.1	4.10	1	8.7	8.67	0	0.0	0.00
40-44	8	40.9	14.46	7	79.2	29.93	1	9.3	9.33
45-49	2	12.2	8.60	1	13.6	13.60	1	11.0	11.00
50-54	2	15.4	10.87	1	17.4	17.36	1	13.8	13.80
55-59	1	9.6	9.64	0	0.0	0.00	1	16.9	16.91
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	14			10			4		
Connecticut									
. Crude rate		4.8	-		7.2	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.9	-		10.9	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	8.4	5.91	1	8.3	8.33	1	8.4	8.40
25-29	2	7.5	5.28	1	7.7	7.74	1	7.2	7.21
30-34	6	21.7	8.86	4	31.1	15.53	2	13.5	9.58
35-39	7	28.7	10.85	4	34.7	17.34	3	23.3	13.47
40-44	8	40.9	14.46	6	67.9	27.71	2	18.7	13.19
45-49	4	24.3	12.16	3	40.8	23.56	1	11.0	11.00
50-54	3	23.1	13.32	2	34.7	24.56	1	13.8	13.80
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	32			21			11		
Connecticut									
. Crude rate		10.9	-		15.0	-		7.2	-
. AAMR (1940 Std. mil.)		10.7	1.90		15.3	3.38		-	-
. AAMR (1970 Std. mil.)		9.1	1.65		13.2	2.97		-	-
. AAMR (2000 Std. mil.)		11.4	2.07		16.7	3.76		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.0	-		3.0	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher