

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	167	182.4	14.11	95	200.0	20.52	72	163.4	19.25
5-9	13	16.1	4.46	8	19.2	6.80	5	12.7	5.69
10-14	19	27.2	6.24	9	25.4	8.47	10	29.0	9.17
15-19	33	48.7	8.48	29	82.4	15.31	4	12.3	6.15
20-24	71	110.8	13.15	62	188.1	23.89	9	28.9	9.63
25-29	85	117.6	12.75	56	156.9	20.97	29	79.2	14.71
30-34	121	162.8	14.80	85	231.7	25.13	36	95.6	15.93
35-39	141	211.9	17.84	107	332.5	32.15	34	98.9	16.96
40-44	151	294.6	23.97	103	423.2	41.70	48	178.3	25.74
45-49	147	382.7	31.57	100	544.8	54.48	47	234.4	34.18
50-54	147	487.3	40.19	85	604.5	65.56	62	385.0	48.89
55-59	149	691.8	56.67	98	998.6	100.87	51	435.0	60.91
60-64	154	964.1	77.69	89	1214.2	128.70	65	752.1	93.28
65-69	158	1331.9	105.96	94	1858.8	191.72	64	940.3	117.54
70-74	173	1992.6	151.50	84	2359.6	257.45	89	1737.6	184.19
75-79	189	2941.6	213.97	90	3711.3	391.21	99	2475.0	248.75
80-84	154	3680.7	296.60	73	4853.7	568.09	81	3022.4	335.82
85+	213	5908.5	404.84	84	6930.7	756.20	129	5390.7	474.63
Total deaths	2,285			1,351			934		
Connecticut									
. Crude rate		293.1	-		351.1	-		236.7	-
. AAMR (1940 Std. mil.)		355.2	7.85		472.7	13.69		257.7	8.96
. AAMR (1970 Std. mil.)		443.4	10.07		580.1	17.85		335.9	11.62
. AAMR (2000 Std. mil.)		561.8	13.24		729.3	23.93		434.7	15.31
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		491.1	-		623.1	-		380.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	8.7	3.09	4	8.4	4.21	4	9.1	4.54
5-9	1	1.2	1.24	0	0.0	0.00	1	2.5	2.54
10-14	4	5.7	2.86	2	5.6	3.99	2	5.8	4.10
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	4.7	2.70	0	0.0	0.00	3	9.6	5.56
25-29	17	23.5	5.70	10	28.0	8.86	7	19.1	7.23
30-34	41	55.1	8.61	30	81.8	14.93	11	29.2	8.81
35-39	45	67.6	10.08	35	108.8	18.39	10	29.1	9.20
40-44	43	83.9	12.79	34	139.7	23.96	9	33.4	11.14
45-49	35	91.1	15.40	24	130.8	26.69	11	54.8	16.54
50-54	14	46.4	12.40	10	71.1	22.49	4	24.8	12.42
55-59	16	74.3	18.57	12	122.3	35.30	4	34.1	17.06
60-64	6	37.6	15.34	4	54.6	27.29	2	23.1	16.36
65-69	7	59.0	22.30	3	59.3	34.25	4	58.8	29.39
70-74	6	69.1	28.21	2	56.2	39.73	4	78.1	39.05
75-79	6	93.4	38.12	2	82.5	58.32	4	100.0	50.00
80-84	2	47.8	33.80	1	66.5	66.49	1	37.3	37.31
85+	4	111.0	55.48	2	165.0	116.68	2	83.6	59.10
Total deaths	258			175			83		
Connecticut									
. Crude rate		33.1	-		45.5	-		21.0	-
. AAMR (1940 Std. mil.)		36.1	2.34		51.2	4.06		22.5	2.56
. AAMR (1970 Std. mil.)		35.3	2.45		49.0	4.22		23.2	2.78
. AAMR (2000 Std. mil.)		43.0	2.99		60.6	5.25		27.5	3.34
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		19.0	-		27.2	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.1	1.09	1	2.1	2.11	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.5	1.50	0	0.0	0.00	1	2.9	2.91
40-44	2	3.9	2.76	1	4.1	4.11	1	3.7	3.71
45-49	1	2.6	2.60	0	0.0	0.00	1	5.0	4.99
50-54	3	9.9	5.74	2	14.2	10.06	1	6.2	6.21
55-59	2	9.3	6.57	2	20.4	14.41	0	0.0	0.00
60-64	3	18.8	10.84	2	27.3	19.29	1	11.6	11.57
65-69	5	42.1	18.85	1	19.8	19.77	4	58.8	29.39
70-74	5	57.6	25.76	2	56.2	39.73	3	58.6	33.82
75-79	4	62.3	31.13	1	41.2	41.24	3	75.0	43.30
80-84	2	47.8	33.80	1	66.5	66.49	1	37.3	37.31
85+	4	111.0	55.48	2	165.0	116.68	2	83.6	59.10
Total deaths	33			15			18		
Connecticut									
. Crude rate		4.2	-		3.9	-		4.6	-
. AAMR (1940 Std. mil.)		5.9	1.07		-	-		5.7	1.40
. AAMR (1970 Std. mil.)		7.9	1.43		-	-		7.6	1.84
. AAMR (2000 Std. mil.)		10.0	1.85		-	-		9.6	2.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.1	-		4.6	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia-related (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.2	1.54	2	4.2	2.98	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	4.7	2.70	1	3.0	3.03	2	6.4	4.54
25-29	1	1.4	1.38	1	2.8	2.80	0	0.0	0.00
30-34	4	5.4	2.69	4	10.9	5.45	0	0.0	0.00
35-39	5	7.5	3.36	4	12.4	6.22	1	2.9	2.91
40-44	9	17.6	5.85	6	24.7	10.06	3	11.1	6.43
45-49	7	18.2	6.89	4	21.8	10.90	3	15.0	8.64
50-54	14	46.4	12.40	9	64.0	21.33	5	31.0	13.89
55-59	8	37.1	13.13	6	61.1	24.96	2	17.1	12.06
60-64	15	93.9	24.25	8	109.1	38.59	7	81.0	30.61
65-69	12	101.2	29.20	7	138.4	52.32	5	73.5	32.85
70-74	10	115.2	36.42	5	140.4	62.81	5	97.6	43.66
75-79	10	155.6	49.22	6	247.4	101.01	4	100.0	50.00
80-84	9	215.1	71.70	5	332.4	148.67	4	149.3	74.63
85+	16	443.8	110.96	6	495.0	202.10	10	417.9	132.15
Total deaths	125			74			51		
Connecticut									
. Crude rate		16.0	-		19.2	-		12.9	-
. AAMR (1940 Std. mil.)		21.0	1.97		28.6	3.49		15.0	2.24
. AAMR (1970 Std. mil.)		27.0	2.55		36.6	4.63		20.0	2.90
. AAMR (2000 Std. mil.)		34.7	3.35		46.7	6.23		26.0	3.78
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.1	1.09	0	0.0	0.00	1	2.3	2.27
5-9	1	1.2	1.24	0	0.0	0.00	1	2.5	2.54
10-14	4	5.7	2.86	2	5.6	3.99	2	5.8	4.10
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	3.1	2.21	0	0.0	0.00	2	6.4	4.54
25-29	17	23.5	5.70	10	28.0	8.86	7	19.1	7.23
30-34	36	48.4	8.07	27	73.6	14.16	9	23.9	7.97
35-39	34	51.1	8.76	25	77.7	15.54	9	26.2	8.73
40-44	33	64.4	11.21	27	110.9	21.35	6	22.3	9.10
45-49	28	72.9	13.78	20	109.0	24.36	8	39.9	14.10
50-54	10	33.1	10.48	8	56.9	20.11	2	12.4	8.78
55-59	12	55.7	16.08	8	81.5	28.82	4	34.1	17.06
60-64	2	12.5	8.85	2	27.3	19.29	0	0.0	0.00
65-69	2	16.9	11.92	2	39.5	27.97	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	182			131			51		
Connecticut									
. Crude rate		23.3	-		34.0	-		12.9	-
. AAMR (1940 Std. mil.)		24.5	1.88		37.3	3.40		13.0	1.87
. AAMR (1970 Std. mil.)		21.9	1.76		33.5	3.22		11.6	1.73
. AAMR (2000 Std. mil.)		26.2	2.05		40.6	3.76		13.4	1.96
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.1	-		18.1	-		4.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.1	1.09	1	2.1	2.11	0	0.0	0.00
5-9	1	1.2	1.24	1	2.4	2.40	0	0.0	0.00
10-14	3	4.3	2.48	2	5.6	3.99	1	2.9	2.90
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	5	7.8	3.49	4	12.1	6.07	1	3.2	3.21
25-29	6	8.3	3.39	1	2.8	2.80	5	13.7	6.11
30-34	8	10.8	3.80	3	8.2	4.72	5	13.3	5.94
35-39	14	21.0	5.62	8	24.9	8.79	6	17.5	7.12
40-44	21	41.0	8.94	8	32.9	11.62	13	48.3	13.39
45-49	20	52.1	11.64	11	59.9	18.07	9	44.9	14.96
50-54	42	139.2	21.48	19	135.1	31.00	23	142.8	29.78
55-59	37	171.8	28.24	22	224.2	47.79	15	127.9	33.03
60-64	42	262.9	40.57	23	313.8	65.43	19	219.8	50.43
65-69	46	387.8	57.17	26	514.1	100.83	20	293.9	65.71
70-74	41	472.2	73.75	20	561.8	125.62	21	410.0	89.47
75-79	39	607.0	97.20	21	866.0	188.97	18	450.0	106.07
80-84	32	764.8	135.20	21	1396.3	304.69	11	410.4	123.75
85+	31	859.9	154.45	17	1402.6	340.19	14	585.0	156.36
Total deaths	389			208			181		
Connecticut									
. Crude rate		49.9	-		54.1	-		45.9	-
. AAMR (1940 Std. mil.)		69.2	3.65		86.9	6.25		57.1	4.42
. AAMR (1970 Std. mil.)		88.7	4.71		116.4	8.53		70.6	5.48
. AAMR (2000 Std. mil.)		110.0	5.97		148.3	11.42		86.2	6.72
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		127.8	-		153.9	-		108.7	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.5	1.50	1	3.1	3.11	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	4.6	4.64	1	10.2	10.19	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	25.3	14.60	2	39.5	27.97	1	14.7	14.69
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	31.1	22.01	2	82.5	58.32	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	27.7	27.74	1	82.5	82.51	0	0.0	0.00
Total deaths	8			7			1		
Connecticut									
. Crude rate		1.0	-		1.8	-		0.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.2	-		1.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.4	1.38	1	2.8	2.80	0	0.0	0.00
30-34	1	1.3	1.35	0	0.0	0.00	1	2.7	2.66
35-39	2	3.0	2.12	2	6.2	4.40	0	0.0	0.00
40-44	2	3.9	2.76	0	0.0	0.00	2	7.4	5.25
45-49	1	2.6	2.60	1	5.4	5.45	0	0.0	0.00
50-54	3	9.9	5.74	2	14.2	10.06	1	6.2	6.21
55-59	5	23.2	10.38	2	20.4	14.41	3	25.6	14.77
60-64	9	56.3	18.78	8	109.1	38.59	1	11.6	11.57
65-69	2	16.9	11.92	1	19.8	19.77	1	14.7	14.69
70-74	3	34.6	19.95	0	0.0	0.00	3	58.6	33.82
75-79	2	31.1	22.01	2	82.5	58.32	0	0.0	0.00
80-84	7	167.3	63.23	4	266.0	132.98	3	111.9	64.63
85+	2	55.5	39.23	2	165.0	116.68	0	0.0	0.00
Total deaths	40			25			15		
Connecticut									
. Crude rate		5.1	-		6.5	-		3.8	-
. AAMR (1940 Std. mil.)		7.1	1.17		10.2	2.10		-	-
. AAMR (1970 Std. mil.)		9.2	1.51		13.7	2.89		-	-
. AAMR (2000 Std. mil.)		11.2	1.90		17.4	3.91		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.3	-		14.8	-		10.3	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.4	1.38	1	2.8	2.80	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.5	1.50	1	3.1	3.11	0	0.0	0.00
40-44	2	3.9	2.76	0	0.0	0.00	2	7.4	5.25
45-49	1	2.6	2.60	1	5.4	5.45	0	0.0	0.00
50-54	3	9.9	5.74	2	14.2	10.06	1	6.2	6.21
55-59	3	13.9	8.04	2	20.4	14.41	1	8.5	8.53
60-64	6	37.6	15.34	6	81.9	33.42	0	0.0	0.00
65-69	2	16.9	11.92	1	19.8	19.77	1	14.7	14.69
70-74	1	11.5	11.52	0	0.0	0.00	1	19.5	19.52
75-79	2	31.1	22.01	2	82.5	58.32	0	0.0	0.00
80-84	7	167.3	63.23	4	266.0	132.98	3	111.9	64.63
85+	2	55.5	39.23	2	165.0	116.68	0	0.0	0.00
Total deaths	31			22			9		
Connecticut									
. Crude rate		4.0	-		5.7	-		2.3	-
. AAMR (1940 Std. mil.)		5.4	1.00		9.0	1.97		-	-
. AAMR (1970 Std. mil.)		7.1	1.33		12.4	2.76		-	-
. AAMR (2000 Std. mil.)		9.1	1.74		16.1	3.83		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.2	-		12.3	-		8.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.3	1.35	0	0.0	0.00	1	2.7	2.66
35-39	1	1.5	1.50	1	3.1	3.11	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	9.3	6.57	0	0.0	0.00	2	17.1	12.06
60-64	3	18.8	10.84	2	27.3	19.29	1	11.6	11.57
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	23.0	16.29	0	0.0	0.00	2	39.0	27.61
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	9			3			6		
Connecticut									
. Crude rate		1.2	-		0.8	-		1.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.0	-		2.5	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	6.6	4.69	0	0.0	0.00	2	12.4	8.78
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	4	33.7	16.86	3	59.3	34.25	1	14.7	14.69
70-74	1	11.5	11.52	1	28.1	28.09	0	0.0	0.00
75-79	4	62.3	31.13	2	82.5	58.32	2	50.0	35.36
80-84	1	23.9	23.90	1	66.5	66.49	0	0.0	0.00
85+	3	83.2	48.05	1	82.5	82.51	2	83.6	59.10
Total deaths	15			8			7		
Connecticut									
. Crude rate		1.9	-		2.1	-		1.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		7.2	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	5.9	3.38	2	8.2	5.81	1	3.7	3.71
45-49	2	5.2	3.68	2	10.9	7.70	0	0.0	0.00
50-54	4	13.3	6.63	3	21.3	12.32	1	6.2	6.21
55-59	11	51.1	15.40	6	61.1	24.96	5	42.6	19.07
60-64	8	50.1	17.71	7	95.5	36.09	1	11.6	11.57
65-69	11	92.7	27.96	6	118.6	48.44	5	73.5	32.85
70-74	10	115.2	36.42	6	168.5	68.81	4	78.1	39.05
75-79	9	140.1	46.69	3	123.7	71.42	6	150.0	61.24
80-84	5	119.5	53.44	4	266.0	132.98	1	37.3	37.31
85+	2	55.5	39.23	1	82.5	82.51	1	41.8	41.79
Total deaths	65			40			25		
Connecticut									
. Crude rate		8.3	-		10.4	-		6.3	-
. AAMR (1940 Std. mil.)		12.9	1.63		18.5	2.97		8.6	1.76
. AAMR (1970 Std. mil.)		16.7	2.11		23.9	3.90		11.3	2.29
. AAMR (2000 Std. mil.)		19.7	2.54		28.2	4.80		13.6	2.78
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.2	-		54.1	-		27.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	5.9	3.38	2	8.2	5.81	1	3.7	3.71
45-49	2	5.2	3.68	2	10.9	7.70	0	0.0	0.00
50-54	4	13.3	6.63	3	21.3	12.32	1	6.2	6.21
55-59	10	46.4	14.68	5	50.9	22.78	5	42.6	19.07
60-64	6	37.6	15.34	5	68.2	30.51	1	11.6	11.57
65-69	11	92.7	27.96	6	118.6	48.44	5	73.5	32.85
70-74	10	115.2	36.42	6	168.5	68.81	4	78.1	39.05
75-79	9	140.1	46.69	3	123.7	71.42	6	150.0	61.24
80-84	4	95.6	47.80	3	199.5	115.16	1	37.3	37.31
85+	2	55.5	39.23	1	82.5	82.51	1	41.8	41.79
Total deaths	61			36			25		
Connecticut									
. Crude rate		7.8	-		9.4	-		6.3	-
. AAMR (1940 Std. mil.)		12.1	1.58		16.6	2.82		8.6	1.76
. AAMR (1970 Std. mil.)		15.7	2.05		21.5	3.71		11.3	2.29
. AAMR (2000 Std. mil.)		18.6	2.47		25.5	4.57		13.6	2.78
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		37.8	-		51.8	-		26.8	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.5	1.50	0	0.0	0.00	1	2.9	2.91
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	2.6	2.60	1	5.4	5.45	0	0.0	0.00
50-54	1	3.3	3.31	1	7.1	7.11	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	15.6	15.56	1	41.2	41.24	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	27.7	27.74	0	0.0	0.00	1	41.8	41.79
Total deaths	5			3			2		
Connecticut									
. Crude rate		0.6	-		0.8	-		0.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.7	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	1.3	1.35	-	-	-	1	2.7	2.66
35-39	2	3.0	2.12	-	-	-	2	5.8	4.11
40-44	8	15.6	5.52	-	-	-	8	29.7	10.51
45-49	5	13.0	5.82	-	-	-	5	24.9	11.15
50-54	3	9.9	5.74	-	-	-	3	18.6	10.76
55-59	2	9.3	6.57	-	-	-	2	17.1	12.06
60-64	6	37.6	15.34	-	-	-	6	69.4	28.34
65-69	2	16.9	11.92	-	-	-	2	29.4	20.78
70-74	1	11.5	11.52	-	-	-	1	19.5	19.52
75-79	3	46.7	26.96	-	-	-	3	75.0	43.30
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	33			-			33		
Connecticut									
. Crude rate		-	-		-	-		8.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		10.5	1.88
. AAMR (1970 Std. mil.)		-	-		-	-		11.5	2.12
. AAMR (2000 Std. mil.)		-	-		-	-		13.2	2.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		20.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	1.4	1.38	-	-	-	1	2.7	2.73
30-34	2	2.7	1.90	-	-	-	2	5.3	3.76
35-39	1	1.5	1.50	-	-	-	1	2.9	2.91
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	1	2.6	2.60	-	-	-	1	5.0	4.99
50-54	1	3.3	3.31	-	-	-	1	6.2	6.21
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	6.3	6.26	-	-	-	1	11.6	11.57
65-69	1	8.4	8.43	-	-	-	1	14.7	14.69
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	1	23.9	23.90	-	-	-	1	37.3	37.31
85+	2	55.5	39.23	-	-	-	2	83.6	59.10
Total deaths	11			-			11		
Connecticut									
. Crude rate		-	-		-	-		2.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	3.3	3.31	-	-	-	1	6.2	6.21
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	1	15.6	15.56	-	-	-	1	25.0	25.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	2			-			2		
Connecticut									
. Crude rate		-	-		-	-		0.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	1.4	1.38	-	-	-	1	2.7	2.73
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	3	9.9	5.74	-	-	-	3	18.6	10.76
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	2	12.5	8.85	-	-	-	2	23.1	16.36
65-69	1	8.4	8.43	-	-	-	1	14.7	14.69
70-74	1	11.5	11.52	-	-	-	1	19.5	19.52
75-79	1	15.6	15.56	-	-	-	1	25.0	25.00
80-84	1	23.9	23.90	-	-	-	1	37.3	37.31
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	10			-			10		
Connecticut									
. Crude rate		-	-		-	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	1	4.6	4.64	1	10.2	10.19	-	-	-
60-64	1	6.3	6.26	1	13.6	13.64	-	-	-
65-69	3	25.3	14.60	3	59.3	34.25	-	-	-
70-74	2	23.0	16.29	2	56.2	39.73	-	-	-
75-79	1	15.6	15.56	1	41.2	41.24	-	-	-
80-84	3	71.7	41.40	3	199.5	115.16	-	-	-
85+	4	111.0	55.48	4	330.0	165.02	-	-	-
Total deaths	15			15			-		
Connecticut									
. Crude rate		-	-		3.9	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		14.8	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	1.2	1.24	1	2.4	2.40	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.5	1.50	1	3.1	3.11	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	6.6	4.69	1	7.1	7.11	1	6.2	6.21
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	23.9	23.90	1	66.5	66.49	0	0.0	0.00
85+	1	27.7	27.74	0	0.0	0.00	1	41.8	41.79
Total deaths	6			4			2		
Connecticut									
. Crude rate		0.8	-		1.0	-		0.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.4	-		4.4	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.1	1.09	1	2.1	2.11	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.4	1.43	1	2.8	2.82	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	4.7	2.70	3	9.1	5.26	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.5	1.50	1	3.1	3.11	0	0.0	0.00
40-44	2	3.9	2.76	1	4.1	4.11	1	3.7	3.71
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	5	16.6	7.41	1	7.1	7.11	4	24.8	12.42
55-59	1	4.6	4.64	1	10.2	10.19	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	25.3	14.60	2	39.5	27.97	1	14.7	14.69
70-74	2	23.0	16.29	2	56.2	39.73	0	0.0	0.00
75-79	1	15.6	15.56	1	41.2	41.24	0	0.0	0.00
80-84	2	47.8	33.80	2	133.0	94.03	0	0.0	0.00
85+	2	55.5	39.23	2	165.0	116.68	0	0.0	0.00
Total deaths	24			18			6		
Connecticut									
. Crude rate		3.1	-		4.7	-		1.5	-
. AAMR (1940 Std. mil.)		3.9	0.83		6.5	1.63		-	-
. AAMR (1970 Std. mil.)		4.8	1.04		8.9	2.31		-	-
. AAMR (2000 Std. mil.)		5.9	1.35		11.7	3.26		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.2	-		3.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	4.5	2.60	2	6.2	4.40	1	2.9	2.91
40-44	1	2.0	1.95	1	4.1	4.11	0	0.0	0.00
45-49	5	13.0	5.82	3	16.3	9.44	2	10.0	7.05
50-54	5	16.6	7.41	2	14.2	10.06	3	18.6	10.76
55-59	5	23.2	10.38	5	50.9	22.78	0	0.0	0.00
60-64	11	68.9	20.76	6	81.9	33.42	5	57.9	25.87
65-69	13	109.6	30.39	7	138.4	52.32	6	88.2	35.99
70-74	11	126.7	38.20	6	168.5	68.81	5	97.6	43.66
75-79	11	171.2	51.62	6	247.4	101.01	5	125.0	55.90
80-84	5	119.5	53.44	2	133.0	94.03	3	111.9	64.63
85+	5	138.7	62.03	2	165.0	116.68	3	125.4	72.38
Total deaths	75			42			33		
Connecticut									
. Crude rate		9.6	-		10.9	-		8.4	-
. AAMR (1940 Std. mil.)		14.3	1.71		19.1	3.02		10.8	1.96
. AAMR (1970 Std. mil.)		18.9	2.24		25.0	4.02		14.4	2.57
. AAMR (2000 Std. mil.)		23.0	2.77		30.3	5.05		17.8	3.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.8	-		14.9	-		12.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	4.5	2.60	2	6.2	4.40	1	2.9	2.91
40-44	12	23.4	6.76	9	37.0	12.33	3	11.1	6.43
45-49	15	39.1	10.08	12	65.4	18.87	3	15.0	8.64
50-54	18	59.7	14.06	9	64.0	21.33	9	55.9	18.63
55-59	25	116.1	23.21	16	163.0	40.76	9	76.8	25.59
60-64	37	231.6	38.08	17	231.9	56.25	20	231.4	51.74
65-69	32	269.7	47.68	13	257.1	71.30	19	279.2	64.04
70-74	28	322.5	60.95	14	393.3	105.10	14	273.3	73.05
75-79	48	747.1	107.83	22	907.2	193.42	26	650.0	127.48
80-84	28	669.2	126.47	13	864.4	239.73	15	559.7	144.51
85+	20	554.8	124.05	6	495.0	202.10	14	585.0	156.36
Total deaths	266			133			133		
Connecticut									
. Crude rate		34.1	-		34.6	-		33.7	-
. AAMR (1940 Std. mil.)		49.2	3.11		58.0	5.15		42.4	3.84
. AAMR (1970 Std. mil.)		66.4	4.17		77.6	7.05		58.2	5.13
. AAMR (2000 Std. mil.)		83.7	5.37		98.1	9.27		73.3	6.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	1	11.5	11.52	-	-	-	1	19.5	19.52
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	1			-			1		
Connecticut									
. Crude rate		0.1	-		-	-		0.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.4	-		0.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	6.3	6.26	0	0.0	0.00	1	11.6	11.57
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	34.6	19.95	0	0.0	0.00	3	58.6	33.82
75-79	1	15.6	15.56	1	41.2	41.24	0	0.0	0.00
80-84	1	23.9	23.90	1	66.5	66.49	0	0.0	0.00
85+	2	55.5	39.23	0	0.0	0.00	2	83.6	59.10
Total deaths	8			2			6		
Connecticut									
. Crude rate		1.0	-		0.5	-		1.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		2.6	-		2.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	12	13.1	3.78	6	12.6	5.16	6	13.6	5.56
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	4.4	2.56	3	8.5	4.92	0	0.0	0.00
20-24	2	3.1	2.21	2	6.1	4.29	0	0.0	0.00
25-29	7	9.7	3.66	2	5.6	3.96	5	13.7	6.11
30-34	13	17.5	4.85	9	24.5	8.18	4	10.6	5.31
35-39	19	28.5	6.55	11	34.2	10.31	8	23.3	8.23
40-44	22	42.9	9.15	14	57.5	15.37	8	29.7	10.51
45-49	30	78.1	14.26	22	119.9	25.55	8	39.9	14.10
50-54	39	129.3	20.70	19	135.1	31.00	20	124.2	27.77
55-59	49	227.5	32.50	32	326.1	57.64	17	145.0	35.17
60-64	54	338.1	46.01	32	436.6	77.17	22	254.5	54.27
65-69	50	421.5	59.61	33	652.6	113.60	17	249.8	60.58
70-74	75	863.9	99.75	38	1067.4	173.16	37	722.4	118.76
75-79	91	1416.3	148.47	40	1649.5	260.81	51	1275.0	178.54
80-84	74	1768.6	205.60	29	1928.2	358.06	45	1679.1	250.31
85+	100	2773.9	277.39	29	2392.7	444.32	71	2967.0	352.12
Total deaths	640			321			319		
Connecticut									
. Crude rate		82.1	-		83.4	-		80.8	-
. AAMR (1940 Std. mil.)		106.3	4.43		132.5	7.70		85.6	5.15
. AAMR (1970 Std. mil.)		149.6	6.16		180.0	10.68		125.7	7.28
. AAMR (2000 Std. mil.)		201.7	8.47		233.6	14.50		176.4	10.23
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		171.7	-		220.5	-		131.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	11	12.0	3.62	5	10.5	4.71	6	13.6	5.56
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	4.4	2.56	3	8.5	4.92	0	0.0	0.00
20-24	1	1.6	1.56	1	3.0	3.03	0	0.0	0.00
25-29	5	6.9	3.09	2	5.6	3.96	3	8.2	4.73
30-34	10	13.5	4.25	7	19.1	7.21	3	8.0	4.60
35-39	15	22.5	5.82	8	24.9	8.79	7	20.4	7.70
40-44	17	33.2	8.04	11	45.2	13.63	6	22.3	9.10
45-49	23	59.9	12.49	18	98.1	23.11	5	24.9	11.15
50-54	30	99.4	18.16	16	113.8	28.45	14	86.9	23.23
55-59	30	139.3	25.43	18	183.4	43.23	12	102.3	29.54
60-64	46	288.0	42.46	26	354.7	69.56	20	231.4	51.74
65-69	41	345.6	53.98	27	533.9	102.75	14	205.7	54.98
70-74	58	668.0	87.72	28	786.5	148.64	30	585.7	106.94
75-79	72	1120.6	132.07	34	1402.1	240.45	38	950.0	154.11
80-84	58	1386.2	182.02	25	1662.2	332.45	33	1231.3	214.35
85+	79	2191.4	246.55	22	1815.2	387.00	57	2381.9	315.50
Total deaths	499			251			248		
Connecticut									
. Crude rate		64.0	-		65.2	-		62.8	-
. AAMR (1940 Std. mil.)		82.7	3.90		103.5	6.80		66.6	4.56
. AAMR (1970 Std. mil.)		116.8	5.45		141.6	9.50		97.9	6.43
. AAMR (2000 Std. mil.)		157.7	7.50		184.8	12.96		136.9	9.01
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		134.4	-		179.0	-		98.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	22	24.0	5.12	15	31.6	8.15	7	15.9	6.00
5-9	3	3.7	2.14	2	4.8	3.40	1	2.5	2.54
10-14	5	7.2	3.20	2	5.6	3.99	3	8.7	5.02
15-19	4	5.9	2.95	3	8.5	4.92	1	3.1	3.07
20-24	8	12.5	4.41	5	15.2	6.79	3	9.6	5.56
25-29	17	23.5	5.70	7	19.6	7.41	10	27.3	8.64
30-34	29	39.0	7.24	18	49.1	11.56	11	29.2	8.81
35-39	37	55.6	9.14	24	74.6	15.23	13	37.8	10.49
40-44	50	97.6	13.80	36	147.9	24.65	14	52.0	13.90
45-49	49	127.6	18.22	34	185.2	31.77	15	74.8	19.31
50-54	67	222.1	27.13	40	284.5	44.98	27	167.7	32.27
55-59	67	311.1	38.00	42	428.0	66.04	25	213.2	42.64
60-64	81	507.1	56.35	48	654.8	94.52	33	381.8	66.46
65-69	87	733.4	78.63	52	1028.3	142.60	35	514.3	86.92
70-74	102	1174.8	116.33	50	1404.5	198.63	52	1015.2	140.79
75-79	123	1914.4	172.62	53	2185.6	300.21	70	1750.0	209.17
80-84	93	2222.8	230.49	42	2792.6	430.90	51	1903.0	266.47
85+	129	3578.4	315.06	46	3795.4	559.60	83	3468.4	380.71
Total deaths	973			519			454		
Connecticut									
. Crude rate		124.8	-		134.9	-		115.0	-
. AAMR (1940 Std. mil.)		161.2	5.44		204.9	9.43		126.7	6.34
. AAMR (1970 Std. mil.)		218.2	7.36		271.8	12.89		177.5	8.66
. AAMR (2000 Std. mil.)		287.6	9.94		352.3	17.55		239.8	11.77
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	1.5	1.48	1	2.8	2.84	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	2.8	1.96	1	2.8	2.80	1	2.7	2.73
30-34	4	5.4	2.69	2	5.5	3.85	2	5.3	3.76
35-39	1	1.5	1.50	1	3.1	3.11	0	0.0	0.00
40-44	9	17.6	5.85	6	24.7	10.06	3	11.1	6.43
45-49	14	36.4	9.74	10	54.5	17.23	4	19.9	9.97
50-54	22	72.9	15.55	11	78.2	23.59	11	68.3	20.60
55-59	23	106.8	22.27	12	122.3	35.30	11	93.8	28.29
60-64	36	225.4	37.56	18	245.6	57.88	18	208.3	49.09
65-69	31	261.3	46.93	22	435.0	92.75	9	132.2	44.08
70-74	41	472.2	73.75	17	477.5	115.82	24	468.6	95.65
75-79	52	809.3	112.24	29	1195.9	222.07	23	575.0	119.90
80-84	37	884.3	145.38	17	1130.3	274.14	20	746.3	166.87
85+	47	1303.7	190.17	16	1320.1	330.03	31	1295.4	232.67
Total deaths	320			163			157		
Connecticut									
. Crude rate		41.1	-		42.4	-		39.8	-
. AAMR (1940 Std. mil.)		56.0	3.27		70.5	5.69		45.6	3.88
. AAMR (1970 Std. mil.)		79.2	4.54		99.2	8.07		65.5	5.35
. AAMR (2000 Std. mil.)		105.2	6.14		130.3	11.06		88.2	7.21
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		104.7	-		143.0	-		73.3	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.1	1.09	0	0.0	0.00	1	2.3	2.27
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.5	1.50	1	3.1	3.11	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	6.3	6.26	1	13.6	13.64	0	0.0	0.00
65-69	1	8.4	8.43	0	0.0	0.00	1	14.7	14.69
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	31.1	22.01	2	82.5	58.32	0	0.0	0.00
80-84	5	119.5	53.44	2	133.0	94.03	3	111.9	64.63
85+	9	249.7	83.22	1	82.5	82.51	8	334.3	118.20
Total deaths	20			7			13		
Connecticut									
. Crude rate		2.6	-		1.8	-		3.3	-
. AAMR (1940 Std. mil.)		2.4	0.59		-	-		-	-
. AAMR (1970 Std. mil.)		4.5	1.04		-	-		-	-
. AAMR (2000 Std. mil.)		7.6	1.76		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.0	-		6.8	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	4.6	4.64	1	10.2	10.19	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	34.6	19.95	2	56.2	39.73	1	19.5	19.52
75-79	1	15.6	15.56	0	0.0	0.00	1	25.0	25.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	5			3			2		
Connecticut									
. Crude rate		0.6	-		0.8	-		0.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.5	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension-related (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	3.0	2.12	2	6.2	4.40	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	6	15.6	6.38	6	32.7	13.35	0	0.0	0.00
50-54	7	23.2	8.77	2	14.2	10.06	5	31.0	13.89
55-59	11	51.1	15.40	7	71.3	26.96	4	34.1	17.06
60-64	10	62.6	19.80	4	54.6	27.29	6	69.4	28.34
65-69	8	67.4	23.84	4	79.1	39.55	4	58.8	29.39
70-74	15	172.8	44.61	7	196.6	74.32	8	156.2	55.22
75-79	23	358.0	74.64	8	329.9	116.64	15	375.0	96.82
80-84	11	262.9	79.27	5	332.4	148.67	6	223.9	91.40
85+	20	554.8	124.05	6	495.0	202.10	14	585.0	156.36
Total deaths	113			51			62		
Connecticut									
. Crude rate		14.5	-		13.3	-		15.7	-
. AAMR (1940 Std. mil.)		19.5	1.92		21.6	3.12		17.7	2.40
. AAMR (1970 Std. mil.)		28.3	2.72		30.5	4.45		26.5	3.42
. AAMR (2000 Std. mil.)		38.5	3.76		40.8	6.20		36.5	4.70
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.1	1.09	1	2.1	2.11	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.6	1.56	1	3.0	3.03	0	0.0	0.00
25-29	1	1.4	1.38	0	0.0	0.00	1	2.7	2.73
30-34	3	4.0	2.33	2	5.5	3.85	1	2.7	2.66
35-39	3	4.5	2.60	3	9.3	5.38	0	0.0	0.00
40-44	3	5.9	3.38	1	4.1	4.11	2	7.4	5.25
45-49	5	13.0	5.82	2	10.9	7.70	3	15.0	8.64
50-54	8	26.5	9.38	3	21.3	12.32	5	31.0	13.89
55-59	16	74.3	18.57	11	112.1	33.79	5	42.6	19.07
60-64	5	31.3	14.00	4	54.6	27.29	1	11.6	11.57
65-69	8	67.4	23.84	5	98.9	44.22	3	44.1	25.45
70-74	11	126.7	38.20	5	140.4	62.81	6	117.1	47.82
75-79	14	217.9	58.24	6	247.4	101.01	8	200.0	70.71
80-84	16	382.4	95.60	4	266.0	132.98	12	447.8	129.26
85+	19	527.0	120.91	7	577.6	218.30	12	501.5	144.76
Total deaths	114			55			59		
Connecticut									
. Crude rate		14.6	-		14.3	-		14.9	-
. AAMR (1940 Std. mil.)		18.7	1.84		22.2	3.12		15.7	2.19
. AAMR (1970 Std. mil.)		26.4	2.56		30.2	4.32		23.1	3.09
. AAMR (2000 Std. mil.)		36.0	3.58		39.7	6.00		32.9	4.42
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.5	-		28.5	-		24.6	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.0	1.95	1	4.1	4.11	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	15.6	15.56	0	0.0	0.00	1	25.0	25.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	27.7	27.74	0	0.0	0.00	1	41.8	41.79
Total deaths	3			1			2		
Connecticut									
. Crude rate		0.4	-		0.3	-		0.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.5	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	2.6	2.60	1	5.4	5.45	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	4.6	4.64	1	10.2	10.19	0	0.0	0.00
60-64	1	6.3	6.26	1	13.6	13.64	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	34.6	19.95	3	84.3	48.65	0	0.0	0.00
75-79	2	31.1	22.01	0	0.0	0.00	2	50.0	35.36
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	27.7	27.74	0	0.0	0.00	1	41.8	41.79
Total deaths	9			6			3		
Connecticut									
. Crude rate		1.2	-		1.6	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.2	-		4.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	3.3	1.89	2	4.2	2.98	1	2.3	2.27
5-9	1	1.2	1.24	1	2.4	2.40	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.6	1.56	1	3.0	3.03	0	0.0	0.00
25-29	2	2.8	1.96	1	2.8	2.80	1	2.7	2.73
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	5.2	3.68	0	0.0	0.00	2	10.0	7.05
50-54	3	9.9	5.74	3	21.3	12.32	0	0.0	0.00
55-59	4	18.6	9.29	2	20.4	14.41	2	17.1	12.06
60-64	1	6.3	6.26	0	0.0	0.00	1	11.6	11.57
65-69	5	42.1	18.85	3	59.3	34.25	2	29.4	20.78
70-74	4	46.1	23.04	3	84.3	48.65	1	19.5	19.52
75-79	9	140.1	46.69	4	164.9	82.47	5	125.0	55.90
80-84	7	167.3	63.23	3	199.5	115.16	4	149.3	74.63
85+	20	554.8	124.05	7	577.6	218.30	13	543.3	150.67
Total deaths	62			30			32		
Connecticut									
. Crude rate		8.0	-		7.8	-		8.1	-
. AAMR (1940 Std. mil.)		8.9	1.22		11.1	2.16		7.2	1.42
. AAMR (1970 Std. mil.)		14.1	1.85		17.1	3.31		11.9	2.17
. AAMR (2000 Std. mil.)		21.0	2.83		24.9	5.06		18.4	3.36
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.0	-		16.3	-		10.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.2	1.54	1	2.1	2.11	1	2.3	2.27
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.4	1.43	1	2.8	2.82	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	4.7	2.70	3	9.1	5.26	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.3	1.35	1	2.7	2.73	0	0.0	0.00
35-39	4	6.0	3.00	3	9.3	5.38	1	2.9	2.91
40-44	5	9.8	4.36	3	12.3	7.12	2	7.4	5.25
45-49	5	13.0	5.82	2	10.9	7.70	3	15.0	8.64
50-54	1	3.3	3.31	1	7.1	7.11	0	0.0	0.00
55-59	4	18.6	9.29	1	10.2	10.19	3	25.6	14.77
60-64	4	25.0	12.52	2	27.3	19.29	2	23.1	16.36
65-69	4	33.7	16.86	1	19.8	19.77	3	44.1	25.45
70-74	4	46.1	23.04	1	28.1	28.09	3	58.6	33.82
75-79	6	93.4	38.12	3	123.7	71.42	3	75.0	43.30
80-84	12	286.8	82.79	5	332.4	148.67	7	261.2	98.72
85+	7	194.2	73.39	4	330.0	165.02	3	125.4	72.38
Total deaths	63			32			31		
Connecticut									
. Crude rate		8.1	-		8.3	-		7.9	-
. AAMR (1940 Std. mil.)		9.8	1.29		10.8	2.02		8.9	1.69
. AAMR (1970 Std. mil.)		13.4	1.80		15.2	3.00		12.3	2.28
. AAMR (2000 Std. mil.)		18.2	2.51		21.7	4.54		16.2	3.04
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		20.9	-		25.8	-		17.6	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.2	1.54	1	2.1	2.11	1	2.3	2.27
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.4	1.43	1	2.8	2.82	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	4.7	2.70	3	9.1	5.26	0	0.0	0.00
25-29	1	1.4	1.38	0	0.0	0.00	1	2.7	2.73
30-34	1	1.3	1.35	1	2.7	2.73	0	0.0	0.00
35-39	5	7.5	3.36	4	12.4	6.22	1	2.9	2.91
40-44	7	13.7	5.16	3	12.3	7.12	4	14.9	7.43
45-49	7	18.2	6.89	3	16.3	9.44	4	19.9	9.97
50-54	5	16.6	7.41	2	14.2	10.06	3	18.6	10.76
55-59	8	37.1	13.13	4	40.8	20.38	4	34.1	17.06
60-64	14	87.6	23.42	8	109.1	38.59	6	69.4	28.34
65-69	11	92.7	27.96	4	79.1	39.55	7	102.9	38.87
70-74	10	115.2	36.42	6	168.5	68.81	4	78.1	39.05
75-79	20	311.3	69.61	10	412.4	130.40	10	250.0	79.06
80-84	23	549.7	114.62	13	864.4	239.73	10	373.1	118.00
85+	26	721.2	141.44	16	1320.1	330.03	10	417.9	132.15
Total deaths	144			79			65		
Connecticut									
. Crude rate		18.5	-		20.5	-		16.5	-
. AAMR (1940 Std. mil.)		22.9	2.02		29.7	3.51		18.6	2.45
. AAMR (1970 Std. mil.)		33.3	2.89		45.7	5.43		25.9	3.31
. AAMR (2000 Std. mil.)		46.3	4.10		66.5	8.27		34.6	4.45
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.1	1.09	0	0.0	0.00	1	2.3	2.27
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.4	1.43	1	2.8	2.82	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	4.7	2.70	3	9.1	5.26	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.3	1.35	1	2.7	2.73	0	0.0	0.00
35-39	4	6.0	3.00	3	9.3	5.38	1	2.9	2.91
40-44	2	3.9	2.76	1	4.1	4.11	1	3.7	3.71
45-49	2	5.2	3.68	0	0.0	0.00	2	10.0	7.05
50-54	1	3.3	3.31	1	7.1	7.11	0	0.0	0.00
55-59	2	9.3	6.57	0	0.0	0.00	2	17.1	12.06
60-64	3	18.8	10.84	1	13.6	13.64	2	23.1	16.36
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	23.0	16.29	1	28.1	28.09	1	19.5	19.52
75-79	1	15.6	15.56	0	0.0	0.00	1	25.0	25.00
80-84	1	23.9	23.90	0	0.0	0.00	1	37.3	37.31
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	24			12			12		
Connecticut									
. Crude rate		3.1	-		3.1	-		3.0	-
. AAMR (1940 Std. mil.)		3.8	0.81		-	-		-	-
. AAMR (1970 Std. mil.)		4.2	0.94		-	-		-	-
. AAMR (2000 Std. mil.)		4.7	1.09		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		1.1	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.4	1.38	0	0.0	0.00	1	2.7	2.73
30-34	3	4.0	2.33	1	2.7	2.73	2	5.3	3.76
35-39	5	7.5	3.36	5	15.5	6.95	0	0.0	0.00
40-44	6	11.7	4.78	6	24.7	10.06	0	0.0	0.00
45-49	16	41.7	10.41	14	76.3	20.38	2	10.0	7.05
50-54	11	36.5	10.99	8	56.9	20.11	3	18.6	10.76
55-59	9	41.8	13.93	8	81.5	28.82	1	8.5	8.53
60-64	9	56.3	18.78	6	81.9	33.42	3	34.7	20.04
65-69	6	50.6	20.65	3	59.3	34.25	3	44.1	25.45
70-74	5	57.6	25.76	2	56.2	39.73	3	58.6	33.82
75-79	3	46.7	26.96	1	41.2	41.24	2	50.0	35.36
80-84	3	71.7	41.40	1	66.5	66.49	2	74.6	52.77
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	77			55			22		
Connecticut									
. Crude rate		9.9	-		14.3	-		5.6	-
. AAMR (1940 Std. mil.)		13.8	1.61		21.1	2.94		7.3	1.60
. AAMR (1970 Std. mil.)		15.3	1.86		22.7	3.30		8.9	1.97
. AAMR (2000 Std. mil.)		17.5	2.13		25.8	3.75		10.3	2.30
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		10.7	-		4.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	2.8	1.96	1	2.8	2.80	1	2.7	2.73
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	3.0	2.12	0	0.0	0.00	2	5.8	4.11
40-44	1	2.0	1.95	1	4.1	4.11	0	0.0	0.00
45-49	1	2.6	2.60	1	5.4	5.45	0	0.0	0.00
50-54	2	6.6	4.69	2	14.2	10.06	0	0.0	0.00
55-59	5	23.2	10.38	2	20.4	14.41	3	25.6	14.77
60-64	4	25.0	12.52	2	27.3	19.29	2	23.1	16.36
65-69	4	33.7	16.86	0	0.0	0.00	4	58.8	29.39
70-74	6	69.1	28.21	3	84.3	48.65	3	58.6	33.82
75-79	3	46.7	26.96	1	41.2	41.24	2	50.0	35.36
80-84	2	47.8	33.80	1	66.5	66.49	1	37.3	37.31
85+	5	138.7	62.03	3	247.5	142.91	2	83.6	59.10
Total deaths	37			17			20		
Connecticut									
. Crude rate		4.7	-		4.4	-		5.1	-
. AAMR (1940 Std. mil.)		6.6	1.13		6.7	1.70		6.5	1.52
. AAMR (1970 Std. mil.)		8.6	1.48		9.3	2.38		8.3	1.94
. AAMR (2000 Std. mil.)		10.9	1.91		12.7	3.42		10.0	2.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.4	-		5.3	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis-related (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.1	1.09	1	2.1	2.11	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.6	1.56	0	0.0	0.00	1	3.2	3.21
25-29	4	5.5	2.77	1	2.8	2.80	3	8.2	4.73
30-34	1	1.3	1.35	1	2.7	2.73	0	0.0	0.00
35-39	5	7.5	3.36	1	3.1	3.11	4	11.6	5.82
40-44	7	13.7	5.16	6	24.7	10.06	1	3.7	3.71
45-49	19	49.5	11.35	11	59.9	18.07	8	39.9	14.10
50-54	15	49.7	12.84	9	64.0	21.33	6	37.3	15.21
55-59	13	60.4	16.74	9	91.7	30.57	4	34.1	17.06
60-64	15	93.9	24.25	9	122.8	40.93	6	69.4	28.34
65-69	18	151.7	35.76	7	138.4	52.32	11	161.6	48.73
70-74	18	207.3	48.87	8	224.7	79.45	10	195.2	61.74
75-79	13	202.3	56.12	6	247.4	101.01	7	175.0	66.14
80-84	16	382.4	95.60	9	598.4	199.47	7	261.2	98.72
85+	14	388.3	103.79	5	412.5	184.49	9	376.1	125.37
Total deaths	160			83			77		
Connecticut									
. Crude rate		20.5	-		21.6	-		19.5	-
. AAMR (1940 Std. mil.)		28.2	2.32		34.1	3.86		23.6	2.83
. AAMR (1970 Std. mil.)		36.3	3.00		44.2	5.15		30.5	3.61
. AAMR (2000 Std. mil.)		45.7	3.86		56.0	6.85		38.5	4.58
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	4.2	2.40	2	5.6	3.96	1	2.7	2.73
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	3.0	2.12	0	0.0	0.00	2	5.8	4.11
40-44	1	2.0	1.95	1	4.1	4.11	0	0.0	0.00
45-49	1	2.6	2.60	1	5.4	5.45	0	0.0	0.00
50-54	2	6.6	4.69	2	14.2	10.06	0	0.0	0.00
55-59	7	32.5	12.28	3	30.6	17.65	4	34.1	17.06
60-64	5	31.3	14.00	3	40.9	23.63	2	23.1	16.36
65-69	6	50.6	20.65	1	19.8	19.77	5	73.5	32.85
70-74	6	69.1	28.21	3	84.3	48.65	3	58.6	33.82
75-79	5	77.8	34.80	3	123.7	71.42	2	50.0	35.36
80-84	2	47.8	33.80	1	66.5	66.49	1	37.3	37.31
85+	7	194.2	73.39	5	412.5	184.49	2	83.6	59.10
Total deaths	47			25			22		
Connecticut									
. Crude rate		6.0	-		6.5	-		5.6	-
. AAMR (1940 Std. mil.)		8.3	1.27		9.9	2.06		7.3	1.62
. AAMR (1970 Std. mil.)		11.0	1.68		14.0	2.95		9.2	2.04
. AAMR (2000 Std. mil.)		14.0	2.17		19.3	4.30		10.9	2.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.5	-		6.6	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	13	14.2	3.94	8	16.8	5.95	5	11.3	5.07
5-9	5	6.2	2.76	3	7.2	4.17	2	5.1	3.60
10-14	5	7.2	3.20	3	8.5	4.89	2	5.8	4.10
15-19	11	16.2	4.90	10	28.4	8.99	1	3.1	3.07
20-24	24	37.4	7.64	23	69.8	14.55	1	3.2	3.21
25-29	23	31.8	6.63	17	47.6	11.55	6	16.4	6.69
30-34	29	39.0	7.24	23	62.7	13.07	6	15.9	6.51
35-39	24	36.1	7.36	20	62.2	13.90	4	11.6	5.82
40-44	23	44.9	9.36	17	69.9	16.94	6	22.3	9.10
45-49	18	46.9	11.05	14	76.3	20.38	4	19.9	9.97
50-54	13	43.1	11.95	9	64.0	21.33	4	24.8	12.42
55-59	4	18.6	9.29	4	40.8	20.38	0	0.0	0.00
60-64	6	37.6	15.34	3	40.9	23.63	3	34.7	20.04
65-69	2	16.9	11.92	2	39.5	27.97	0	0.0	0.00
70-74	4	46.1	23.04	3	84.3	48.65	1	19.5	19.52
75-79	2	31.1	22.01	2	82.5	58.32	0	0.0	0.00
80-84	3	71.7	41.40	3	199.5	115.16	0	0.0	0.00
85+	3	83.2	48.05	0	0.0	0.00	3	125.4	72.38
Total deaths	212			164			48		
Connecticut									
. Crude rate		27.2	-		42.6	-		12.2	-
. AAMR (1940 Std. mil.)		28.3	2.01		46.0	3.76		12.0	1.80
. AAMR (1970 Std. mil.)		27.5	2.06		44.7	3.98		12.0	1.86
. AAMR (2000 Std. mil.)		30.9	2.42		50.2	4.70		13.9	2.22
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.5	-		43.2	-		17.8	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.2	1.54	1	2.1	2.11	1	2.3	2.27
5-9	1	1.2	1.24	1	2.4	2.40	0	0.0	0.00
10-14	3	4.3	2.48	1	2.8	2.82	2	5.8	4.10
15-19	6	8.9	3.62	5	14.2	6.36	1	3.1	3.07
20-24	13	20.3	5.62	12	36.4	10.51	1	3.2	3.21
25-29	11	15.2	4.59	9	25.2	8.41	2	5.5	3.86
30-34	6	8.1	3.29	2	5.5	3.85	4	10.6	5.31
35-39	5	7.5	3.36	3	9.3	5.38	2	5.8	4.11
40-44	8	15.6	5.52	5	20.5	9.19	3	11.1	6.43
45-49	7	18.2	6.89	5	27.2	12.18	2	10.0	7.05
50-54	8	26.5	9.38	6	42.7	17.42	2	12.4	8.78
55-59	1	4.6	4.64	1	10.2	10.19	0	0.0	0.00
60-64	3	18.8	10.84	2	27.3	19.29	1	11.6	11.57
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	11.5	11.52	1	28.1	28.09	0	0.0	0.00
75-79	1	15.6	15.56	1	41.2	41.24	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	76			55			21		
Connecticut									
. Crude rate		9.8	-		14.3	-		5.3	-
. AAMR (1940 Std. mil.)		10.7	1.26		16.3	2.28		5.4	1.22
. AAMR (1970 Std. mil.)		10.2	1.25		15.8	2.35		5.0	1.17
. AAMR (2000 Std. mil.)		10.7	1.35		16.6	2.59		5.5	1.25
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.3	-		22.4	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	3.3	1.89	2	4.2	2.98	1	2.3	2.27
5-9	1	1.2	1.24	1	2.4	2.40	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	3.0	2.09	2	5.7	4.02	0	0.0	0.00
20-24	1	1.6	1.56	1	3.0	3.03	0	0.0	0.00
25-29	1	1.4	1.38	0	0.0	0.00	1	2.7	2.73
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.5	1.50	1	3.1	3.11	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	9			7			2		
Connecticut									
. Crude rate		1.2	-		1.8	-		0.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		2.3	-		0.4	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	3.3	1.89	2	4.2	2.98	1	2.3	2.27
5-9	2	2.5	1.75	0	0.0	0.00	2	5.1	3.60
10-14	1	1.4	1.43	1	2.8	2.82	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	3.1	2.21	2	6.1	4.29	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.3	1.35	1	2.7	2.73	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.0	1.95	1	4.1	4.11	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	6.3	6.26	0	0.0	0.00	1	11.6	11.57
65-69	1	8.4	8.43	1	19.8	19.77	0	0.0	0.00
70-74	1	11.5	11.52	1	28.1	28.09	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	13			9			4		
Connecticut									
. Crude rate		1.7	-		2.3	-		1.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.4	-		0.9	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	4	5.9	2.95	3	8.5	4.92	1	3.1	3.07
20-24	5	7.8	3.49	4	12.1	6.07	1	3.2	3.21
25-29	5	6.9	3.09	5	14.0	6.27	0	0.0	0.00
30-34	7	9.4	3.56	6	16.4	6.68	1	2.7	2.66
35-39	7	10.5	3.98	7	21.8	8.22	0	0.0	0.00
40-44	7	13.7	5.16	5	20.5	9.19	2	7.4	5.25
45-49	1	2.6	2.60	1	5.4	5.45	0	0.0	0.00
50-54	1	3.3	3.31	1	7.1	7.11	0	0.0	0.00
55-59	1	4.6	4.64	1	10.2	10.19	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	8.4	8.43	1	19.8	19.77	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	39			34			5		
Connecticut									
. Crude rate		5.0	-		8.8	-		1.3	-
. AAMR (1940 Std. mil.)		5.0	0.82		9.0	1.60		-	-
. AAMR (1970 Std. mil.)		4.4	0.76		7.9	1.49		-	-
. AAMR (2000 Std. mil.)		4.9	0.83		8.9	1.66		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.8	-		17.9	-		4.0	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.2	1.54	0	0.0	0.00	2	4.5	3.21
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.4	1.43	0	0.0	0.00	1	2.9	2.90
15-19	12	17.7	5.12	12	34.1	9.85	0	0.0	0.00
20-24	23	35.9	7.48	22	66.8	14.23	1	3.2	3.21
25-29	12	16.6	4.79	11	30.8	9.29	1	2.7	2.73
30-34	6	8.1	3.29	4	10.9	5.45	2	5.3	3.76
35-39	3	4.5	2.60	3	9.3	5.38	0	0.0	0.00
40-44	2	3.9	2.76	2	8.2	5.81	0	0.0	0.00
45-49	2	5.2	3.68	1	5.4	5.45	1	5.0	4.99
50-54	3	9.9	5.74	2	14.2	10.06	1	6.2	6.21
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	16.9	11.92	2	39.5	27.97	0	0.0	0.00
70-74	1	11.5	11.52	1	28.1	28.09	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	69			60			9		
Connecticut									
. Crude rate		8.9	-		15.6	-		2.3	-
. AAMR (1940 Std. mil.)		9.3	1.15		16.5	2.21		-	-
. AAMR (1970 Std. mil.)		8.7	1.11		15.4	2.18		-	-
. AAMR (2000 Std. mil.)		8.2	1.07		14.6	2.14		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.5	-		13.3	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.2	1.54	0	0.0	0.00	2	4.5	3.21
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.4	1.43	0	0.0	0.00	1	2.9	2.90
15-19	12	17.7	5.12	12	34.1	9.85	0	0.0	0.00
20-24	23	35.9	7.48	22	66.8	14.23	1	3.2	3.21
25-29	12	16.6	4.79	11	30.8	9.29	1	2.7	2.73
30-34	6	8.1	3.29	4	10.9	5.45	2	5.3	3.76
35-39	3	4.5	2.60	3	9.3	5.38	0	0.0	0.00
40-44	2	3.9	2.76	2	8.2	5.81	0	0.0	0.00
45-49	2	5.2	3.68	1	5.4	5.45	1	5.0	4.99
50-54	3	9.9	5.74	2	14.2	10.06	1	6.2	6.21
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	16.9	11.92	2	39.5	27.97	0	0.0	0.00
70-74	1	11.5	11.52	1	28.1	28.09	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	69			60			9		
Connecticut									
. Crude rate		8.9	-		15.6	-		2.3	-
. AAMR (1940 Std. mil.)		9.3	1.15		16.5	2.21		-	-
. AAMR (1970 Std. mil.)		8.7	1.11		15.4	2.18		-	-
. AAMR (2000 Std. mil.)		8.2	1.07		14.6	2.14		-	-
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.3	-		13.1	-		3.6	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	16	17.5	4.37	9	18.9	6.32	7	15.9	6.00
5-9	5	6.2	2.76	3	7.2	4.17	2	5.1	3.60
10-14	6	8.6	3.51	3	8.5	4.89	3	8.7	5.02
15-19	27	39.9	7.67	25	71.1	14.21	2	6.1	4.35
20-24	53	82.7	11.36	50	151.7	21.46	3	9.6	5.56
25-29	43	59.5	9.07	35	98.1	16.58	8	21.9	7.73
30-34	43	57.8	8.82	33	89.9	15.66	10	26.6	8.40
35-39	37	55.6	9.14	33	102.6	17.85	4	11.6	5.82
40-44	32	62.4	11.04	24	98.6	20.13	8	29.7	10.51
45-49	21	54.7	11.93	16	87.2	21.79	5	24.9	11.15
50-54	17	56.4	13.67	12	85.3	24.63	5	31.0	13.89
55-59	5	23.2	10.38	5	50.9	22.78	0	0.0	0.00
60-64	6	37.6	15.34	3	40.9	23.63	3	34.7	20.04
65-69	5	42.1	18.85	5	98.9	44.22	0	0.0	0.00
70-74	5	57.6	25.76	4	112.4	56.18	1	19.5	19.52
75-79	2	31.1	22.01	2	82.5	58.32	0	0.0	0.00
80-84	3	71.7	41.40	3	199.5	115.16	0	0.0	0.00
85+	3	83.2	48.05	0	0.0	0.00	3	125.4	72.38
Total deaths	329			265			64		
Connecticut									
. Crude rate		42.2	-		68.9	-		16.2	-
. AAMR (1940 Std. mil.)		43.6	2.48		73.2	4.69		15.9	2.06
. AAMR (1970 Std. mil.)		41.4	2.48		69.4	4.80		15.5	2.07
. AAMR (2000 Std. mil.)		44.9	2.79		75.2	5.46		17.5	2.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		51.0	-		76.4	-		26.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.2	1.54	1	2.1	2.11	1	2.3	2.27
5-9	1	1.2	1.24	1	2.4	2.40	0	0.0	0.00
10-14	3	4.3	2.48	1	2.8	2.82	2	5.8	4.10
15-19	6	8.9	3.62	5	14.2	6.36	1	3.1	3.07
20-24	12	18.7	5.40	11	33.4	10.06	1	3.2	3.21
25-29	10	13.8	4.37	9	25.2	8.41	1	2.7	2.73
30-34	6	8.1	3.29	2	5.5	3.85	4	10.6	5.31
35-39	5	7.5	3.36	3	9.3	5.38	2	5.8	4.11
40-44	7	13.7	5.16	4	16.4	8.22	3	11.1	6.43
45-49	7	18.2	6.89	5	27.2	12.18	2	10.0	7.05
50-54	8	26.5	9.38	6	42.7	17.42	2	12.4	8.78
55-59	1	4.6	4.64	1	10.2	10.19	0	0.0	0.00
60-64	3	18.8	10.84	2	27.3	19.29	1	11.6	11.57
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	11.5	11.52	1	28.1	28.09	0	0.0	0.00
75-79	1	15.6	15.56	1	41.2	41.24	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	73			53			20		
Connecticut									
. Crude rate		9.4	-		13.8	-		5.1	-
. AAMR (1940 Std. mil.)		10.3	1.24		15.7	2.24		5.2	1.20
. AAMR (1970 Std. mil.)		9.8	1.23		15.3	2.32		4.8	1.15
. AAMR (2000 Std. mil.)		10.3	1.33		16.1	2.56		5.3	1.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.8	-		21.9	-		10.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.1	1.09	0	0.0	0.00	1	2.3	2.27
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.4	1.43	1	2.8	2.82	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.6	1.56	1	3.0	3.03	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	4.0	2.33	3	8.2	4.72	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	2.6	2.60	1	5.4	5.45	0	0.0	0.00
50-54	1	3.3	3.31	1	7.1	7.11	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	47.8	33.80	2	133.0	94.03	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	10			9			1		
Connecticut									
. Crude rate		1.3	-		2.3	-		0.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.6	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.4	1.43	0	0.0	0.00	1	2.9	2.90
15-19	11	16.2	4.90	11	31.3	9.43	0	0.0	0.00
20-24	23	35.9	7.48	22	66.8	14.23	1	3.2	3.21
25-29	13	18.0	4.99	12	33.6	9.71	1	2.7	2.73
30-34	6	8.1	3.29	5	13.6	6.09	1	2.7	2.66
35-39	6	9.0	3.68	6	18.6	7.61	0	0.0	0.00
40-44	2	3.9	2.76	2	8.2	5.81	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	3.3	3.31	1	7.1	7.11	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	63			59			4		
Connecticut									
. Crude rate		8.1	-		15.3	-		1.0	-
. AAMR (1940 Std. mil.)		8.0	1.02		15.0	1.96		-	-
. AAMR (1970 Std. mil.)		7.1	0.92		13.2	1.75		-	-
. AAMR (2000 Std. mil.)		6.7	0.85		12.5	1.66		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.8	-		22.3	-		3.3	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	1	1.6	1.56	1	3.0	3.03	0	-	-
25-29	3	4.2	2.40	3	8.4	4.85	0	-	-
30-34	2	2.7	1.90	2	5.5	3.85	0	-	-
35-39	4	6.0	3.00	4	12.4	6.22	0	-	-
40-44	1	2.0	1.95	1	4.1	4.11	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	11			11			-		
Connecticut									
. Crude rate		1.4	-		2.9	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		11.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.4	1.43	0	0.0	0.00	1	2.9	2.90
15-19	10	14.8	4.67	10	28.4	8.99	0	0.0	0.00
20-24	22	34.3	7.32	21	63.7	13.91	1	3.2	3.21
25-29	10	13.8	4.37	9	25.2	8.41	1	2.7	2.73
30-34	4	5.4	2.69	3	8.2	4.72	1	2.7	2.66
35-39	2	3.0	2.12	2	6.2	4.40	0	0.0	0.00
40-44	1	2.0	1.95	1	4.1	4.11	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	3.3	3.31	1	7.1	7.11	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	51			47			4		
Connecticut									
. Crude rate		6.5	-		12.2	-		1.0	-
. AAMR (1940 Std. mil.)		6.6	0.94		12.1	1.78		-	-
. AAMR (1970 Std. mil.)		6.0	0.85		10.9	1.62		-	-
. AAMR (2000 Std. mil.)		5.3	0.76		9.8	1.46		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		9.8	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	3.0	2.09	2	5.7	4.02	0	0.0	0.00
20-24	8	12.5	4.41	8	24.3	8.58	0	0.0	0.00
25-29	13	18.0	4.99	9	25.2	8.41	4	10.9	5.46
30-34	16	21.5	5.38	13	35.4	9.83	3	8.0	4.60
35-39	20	30.0	6.72	18	55.9	13.19	2	5.8	4.11
40-44	16	31.2	7.80	12	49.3	14.23	4	14.9	7.43
45-49	8	20.8	7.36	6	32.7	13.35	2	10.0	7.05
50-54	2	6.6	4.69	2	14.2	10.06	0	0.0	0.00
55-59	3	13.9	8.04	3	30.6	17.65	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	88			73			15		
Connecticut									
. Crude rate		11.3	-		19.0	-		3.8	-
. AAMR (1940 Std. mil.)		11.1	1.21		19.1	2.29		-	-
. AAMR (1970 Std. mil.)		9.5	1.06		16.3	2.04		-	-
. AAMR (2000 Std. mil.)		11.3	1.26		19.5	2.40		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.8	-		8.3	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	5	6.7	3.01	3	8.2	4.72	2	5.3	3.76
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	5	9.8	4.36	3	12.3	7.12	2	7.4	5.25
45-49	16	41.7	10.41	14	76.3	20.38	2	10.0	7.05
50-54	8	26.5	9.38	5	35.6	15.90	3	18.6	10.76
55-59	4	18.6	9.29	4	40.8	20.38	0	0.0	0.00
60-64	4	25.0	12.52	4	54.6	27.29	0	0.0	0.00
65-69	2	16.9	11.92	1	19.8	19.77	1	14.7	14.69
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	44			34			10		
Connecticut									
. Crude rate		5.6	-		8.8	-		2.5	-
. AAMR (1940 Std. mil.)		7.5	1.15		12.6	2.21		-	-
. AAMR (1970 Std. mil.)		7.4	1.18		12.7	2.30		-	-
. AAMR (2000 Std. mil.)		8.4	1.30		14.1	2.48		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.4	-		10.1	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
 U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
 for
 Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	1.5	1.48	1	2.8	2.84	0	0.0	0.00
20-24	8	12.5	4.41	8	24.3	8.58	0	0.0	0.00
25-29	14	19.4	5.18	10	28.0	8.86	4	10.9	5.46
30-34	15	20.2	5.21	12	32.7	9.44	3	8.0	4.60
35-39	19	28.5	6.55	17	52.8	12.81	2	5.8	4.11
40-44	16	31.2	7.80	12	49.3	14.23	4	14.9	7.43
45-49	9	23.4	7.81	7	38.1	14.41	2	10.0	7.05
50-54	2	6.6	4.69	2	14.2	10.06	0	0.0	0.00
55-59	3	13.9	8.04	3	30.6	17.65	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	87			72			15		
Connecticut									
. Crude rate		11.2	-		18.7	-		3.8	-
. AAMR (1940 Std. mil.)		11.0	1.21		19.0	2.29		-	-
. AAMR (1970 Std. mil.)		9.4	1.06		16.3	2.04		-	-
. AAMR (2000 Std. mil.)		11.3	1.26		19.4	2.40		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		7.3	-		3.1	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
 . The CT HP 2000 target: No comparison is available
 . The U.S. AAMR (1940 Std. mil.): CT rate is higher
 . THE U.S. HP 2000 target: CT rate is higher