

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	3.1	1.28	2	2.0	1.44	4	4.3	2.15
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	1.7	0.96	1	1.1	1.09	2	2.3	1.60
15-19	2	1.2	0.86	0	0.0	0.00	2	2.5	1.77
20-24	2	1.2	0.85	2	2.3	1.65	0	0.0	0.00
25-29	26	13.1	2.57	19	19.0	4.35	7	7.1	2.69
30-34	80	32.3	3.61	61	49.1	6.29	19	15.4	3.53
35-39	87	33.7	3.61	70	54.4	6.50	17	13.1	3.19
40-44	82	35.7	3.94	63	55.7	7.01	19	16.3	3.74
45-49	68	33.2	4.02	54	53.4	7.27	14	13.5	3.60
50-54	33	19.8	3.45	27	33.1	6.37	6	7.1	2.88
55-59	27	21.3	4.10	20	32.4	7.24	7	10.8	4.07
60-64	23	19.7	4.11	17	30.4	7.36	6	9.9	4.04
65-69	29	23.8	4.43	16	28.8	7.20	13	19.7	5.46
70-74	50	44.0	6.22	21	42.8	9.35	29	44.8	8.32
75-79	91	97.0	10.17	50	132.0	18.66	41	73.3	11.45
80-84	94	151.9	15.66	45	203.2	30.29	49	123.3	17.61
85+	151	283.1	23.04	47	331.3	48.33	104	265.6	26.05
Total deaths	854			515			339		
Connecticut									
. Crude rate		29.5	-		36.6	-		22.8	-
. AAMR (1940 Std. mil.)		18.2	0.71		26.5	1.24		10.4	0.73
. AAMR (1970 Std. mil.)		19.9	0.71		28.0	1.26		12.6	0.77
. AAMR (2000 Std. mil.)		26.7	0.92		37.4	1.68		17.3	0.96
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		23.4	-		35.5	-		11.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	2.1	1.05	2	2.0	1.44	2	2.2	1.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.50	1	1.0	1.00	0	0.0	0.00
30-34	1	0.4	0.40	0	0.0	0.00	1	0.8	0.81
35-39	6	2.3	0.95	6	4.7	1.90	0	0.0	0.00
40-44	3	1.3	0.75	2	1.8	1.25	1	0.9	0.86
45-49	6	2.9	1.20	4	4.0	1.98	2	1.9	1.36
50-54	7	4.2	1.59	5	6.1	2.74	2	2.4	1.66
55-59	7	5.5	2.09	5	8.1	3.62	2	3.1	2.18
60-64	14	12.0	3.21	8	14.3	5.05	6	9.9	4.04
65-69	18	14.8	3.49	8	14.4	5.09	10	15.1	4.79
70-74	37	32.5	5.35	13	26.5	7.36	24	37.1	7.57
75-79	66	70.3	8.66	36	95.0	15.84	30	53.6	9.79
80-84	83	134.1	14.72	40	180.6	28.56	43	108.2	16.50
85+	129	241.9	21.29	40	282.0	44.58	89	227.3	24.10
Total deaths	382			170			212		
Connecticut									
. Crude rate		13.2	-		12.1	-		14.3	-
. AAMR (1940 Std. mil.)		4.9	0.31		6.0	0.51		4.1	0.37
. AAMR (1970 Std. mil.)		7.6	0.41		9.3	0.72		6.5	0.50
. AAMR (2000 Std. mil.)		11.3	0.58		13.8	1.08		9.7	0.68
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.0	-		4.5	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia-related (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	4.7	1.57	5	5.1	2.28	4	4.3	2.15
5-9	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.2	0.86	2	2.3	1.65	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.50	1	1.0	1.00	0	0.0	0.00
30-34	6	2.4	0.99	4	3.2	1.61	2	1.6	1.15
35-39	17	6.6	1.60	11	8.5	2.58	6	4.6	1.89
40-44	19	8.3	1.90	10	8.8	2.79	9	7.7	2.57
45-49	28	13.7	2.58	16	15.8	3.96	12	11.6	3.34
50-54	34	20.4	3.50	21	25.7	5.61	13	15.3	4.24
55-59	37	29.2	4.80	17	27.5	6.67	20	30.8	6.89
60-64	58	49.7	6.53	31	55.4	9.94	27	44.5	8.56
65-69	104	85.5	8.38	60	108.0	13.94	44	66.6	10.04
70-74	150	131.9	10.77	74	151.0	17.55	76	117.4	13.47
75-79	193	205.7	14.81	112	295.6	27.93	81	144.8	16.09
80-84	240	387.7	25.03	107	483.1	46.71	133	334.6	29.01
85+	352	660.0	35.18	114	803.6	75.26	238	607.9	39.40
Total deaths	1,251			586			665		
Connecticut									
. Crude rate		43.2	-		41.6	-		44.7	-
. AAMR (1940 Std. mil.)		18.3	0.62		22.4	1.01		15.4	0.77
. AAMR (1970 Std. mil.)		26.7	0.80		32.8	1.37		22.5	0.97
. AAMR (2000 Std. mil.)		37.3	1.06		46.1	1.94		31.7	1.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.5	0.52	0	0.0	0.00	1	1.1	1.08
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	1.1	0.78	1	1.1	1.09	1	1.1	1.13
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	1.2	0.85	2	2.3	1.65	0	0.0	0.00
25-29	22	11.1	2.36	15	15.0	3.87	7	7.1	2.69
30-34	72	29.1	3.43	55	44.3	5.97	17	13.8	3.34
35-39	77	29.8	3.40	61	47.4	6.06	16	12.4	3.09
40-44	72	31.3	3.69	56	49.5	6.61	16	13.7	3.43
45-49	56	27.3	3.65	47	46.5	6.78	9	8.7	2.89
50-54	22	13.2	2.81	20	24.5	5.48	2	2.4	1.66
55-59	15	11.8	3.06	12	19.4	5.61	3	4.6	2.67
60-64	3	2.6	1.48	3	5.4	3.09	0	0.0	0.00
65-69	2	1.6	1.16	2	3.6	2.55	0	0.0	0.00
70-74	1	0.9	0.88	1	2.0	2.04	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	1.6	1.62	1	4.5	4.52	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	348			276			72		
Connecticut									
. Crude rate		12.0	-		19.6	-		4.8	-
. AAMR (1940 Std. mil.)		10.8	0.59		17.2	1.05		4.5	0.54
. AAMR (1970 Std. mil.)		9.2	0.51		14.8	0.91		3.8	0.46
. AAMR (2000 Std. mil.)		11.5	0.62		18.5	1.12		4.7	0.56
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		26.2	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	2.1	1.05	3	3.1	1.76	1	1.1	1.08
5-9	4	2.0	1.01	4	3.9	1.97	0	0.0	0.00
10-14	4	2.2	1.11	2	2.2	1.54	2	2.3	1.60
15-19	6	3.6	1.48	5	5.8	2.61	1	1.3	1.25
20-24	6	3.6	1.47	5	5.8	2.61	1	1.2	1.23
25-29	21	10.6	2.31	11	11.0	3.31	10	10.2	3.21
30-34	29	11.7	2.17	17	13.7	3.32	12	9.7	2.81
35-39	66	25.6	3.15	26	20.2	3.96	40	30.9	4.89
40-44	114	49.6	4.64	50	44.2	6.25	64	54.9	6.86
45-49	166	81.0	6.29	69	68.3	8.22	97	93.4	9.48
50-54	263	157.8	9.73	123	150.7	13.59	140	164.7	13.92
55-59	382	301.4	15.42	196	317.2	22.65	186	286.4	21.00
60-64	563	482.6	20.34	297	530.4	30.78	266	438.4	26.88
65-69	883	725.9	24.43	490	882.0	39.84	393	594.7	30.00
70-74	1,058	930.2	28.60	574	1171.1	48.88	484	747.7	33.99
75-79	1,150	1225.7	36.15	593	1565.3	64.28	557	995.8	42.19
80-84	934	1508.9	49.37	448	2022.8	95.57	486	1222.5	55.45
85+	997	1869.2	59.20	408	2876.1	142.39	589	1504.4	61.99
Total deaths	6,650			3,321			3,329		
Connecticut									
. Crude rate		229.7	-		235.8	-		223.9	-
. AAMR (1940 Std. mil.)		119.7	1.68		139.8	2.62		105.8	2.19
. AAMR (1970 Std. mil.)		159.5	2.05		192.8	3.39		138.1	2.60
. AAMR (2000 Std. mil.)		201.1	2.48		249.1	4.40		172.9	3.06
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		129.9	-		156.8	-		110.5	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.50	1	1.0	1.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.4	0.39	1	0.8	0.78	0	0.0	0.00
40-44	2	0.9	0.62	1	0.9	0.88	1	0.9	0.86
45-49	5	2.4	1.09	3	3.0	1.71	2	1.9	1.36
50-54	4	2.4	1.20	4	4.9	2.45	0	0.0	0.00
55-59	10	7.9	2.49	9	14.6	4.85	1	1.5	1.54
60-64	8	6.9	2.42	8	14.3	5.05	0	0.0	0.00
65-69	14	11.5	3.08	11	19.8	5.97	3	4.5	2.62
70-74	17	14.9	3.62	15	30.6	7.90	2	3.1	2.18
75-79	14	14.9	3.99	6	15.8	6.47	8	14.3	5.06
80-84	8	12.9	4.57	2	9.0	6.39	6	15.1	6.16
85+	10	18.7	5.93	5	35.2	15.76	5	12.8	5.71
Total deaths	94			66			28		
Connecticut									
. Crude rate		3.2	-		4.7	-		1.9	-
. AAMR (1940 Std. mil.)		1.9	0.22		3.3	0.43		0.7	0.17
. AAMR (1970 Std. mil.)		2.4	0.26		4.1	0.51		1.0	0.21
. AAMR (2000 Std. mil.)		2.9	0.30		4.8	0.59		1.4	0.27
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.2	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.6	0.60	1	1.2	1.17	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.50	0	0.0	0.00	1	1.0	1.02
30-34	3	1.2	0.70	2	1.6	1.14	1	0.8	0.81
35-39	1	0.4	0.39	0	0.0	0.00	1	0.8	0.77
40-44	10	4.4	1.38	5	4.4	1.98	5	4.3	1.92
45-49	11	5.4	1.62	8	7.9	2.80	3	2.9	1.67
50-54	23	13.8	2.88	18	22.1	5.20	5	5.9	2.63
55-59	38	30.0	4.86	22	35.6	7.59	16	24.6	6.16
60-64	56	48.0	6.41	32	57.1	10.10	24	39.6	8.07
65-69	94	77.3	7.97	55	99.0	13.35	39	59.0	9.45
70-74	113	99.3	9.35	63	128.5	16.19	50	77.2	10.92
75-79	128	136.4	12.06	60	158.4	20.45	68	121.6	14.74
80-84	106	171.2	16.63	39	176.1	28.20	67	168.5	20.59
85+	136	255.0	21.86	37	260.8	42.88	99	252.9	25.41
Total deaths	721			342			379		
Connecticut									
. Crude rate		24.9	-		24.3	-		25.5	-
. AAMR (1940 Std. mil.)		12.1	0.52		14.8	0.86		9.8	0.62
. AAMR (1970 Std. mil.)		16.7	0.65		20.1	1.10		14.0	0.79
. AAMR (2000 Std. mil.)		21.6	0.81		25.4	1.40		18.5	0.97
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.8	-		15.4	-		10.6	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.4	0.40	1	0.8	0.80	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	1.3	0.75	3	2.7	1.53	0	0.0	0.00
45-49	8	3.9	1.38	5	4.9	2.21	3	2.9	1.67
50-54	12	7.2	2.08	5	6.1	2.74	7	8.2	3.11
55-59	21	16.6	3.62	12	19.4	5.61	9	13.9	4.62
60-64	37	31.7	5.21	14	25.0	6.68	23	37.9	7.90
65-69	36	29.6	4.93	21	37.8	8.25	15	22.7	5.86
70-74	59	51.9	6.75	29	59.2	10.99	30	46.3	8.46
75-79	69	73.5	8.85	24	63.3	12.93	45	80.4	11.99
80-84	35	56.5	9.56	13	58.7	16.28	22	55.3	11.80
85+	55	103.1	13.90	17	119.8	29.06	38	97.1	15.75
Total deaths	336			144			192		
Connecticut									
. Crude rate		11.6	-		10.2	-		12.9	-
. AAMR (1940 Std. mil.)		6.0	0.37		6.3	0.56		5.7	0.49
. AAMR (1970 Std. mil.)		8.1	0.46		8.5	0.72		7.8	0.61
. AAMR (2000 Std. mil.)		10.2	0.56		10.7	0.91		9.8	0.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		7.2	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	9	3.5	1.16	2	1.6	1.10	7	5.4	2.05
40-44	27	11.7	2.26	13	11.5	3.19	14	12.0	3.21
45-49	40	19.5	3.09	18	17.8	4.20	22	21.2	4.52
50-54	70	42.0	5.02	33	40.4	7.04	37	43.5	7.16
55-59	115	90.7	8.46	62	100.3	12.74	53	81.6	11.21
60-64	183	156.9	11.60	108	192.9	18.56	75	123.6	14.27
65-69	312	256.5	14.52	197	354.6	25.26	115	174.0	16.23
70-74	339	298.0	16.19	202	412.1	29.00	137	211.7	18.08
75-79	302	321.9	18.52	178	469.8	35.22	124	221.7	19.91
80-84	248	400.6	25.44	143	645.7	53.99	105	264.1	25.78
85+	152	285.0	23.11	80	563.9	63.05	72	183.9	21.67
Total deaths	1,797			1,036			761		
Connecticut									
. Crude rate		62.1	-		73.6	-		51.2	-
. AAMR (1940 Std. mil.)		34.2	0.90		44.5	1.48		26.7	1.11
. AAMR (1970 Std. mil.)		45.0	1.10		60.7	1.91		34.1	1.32
. AAMR (2000 Std. mil.)		54.3	1.29		75.4	2.38		40.7	1.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.6	-		55.2	-		27.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	1.2	0.70	3	2.4	1.39	0	0.0	0.00
35-39	3	1.2	0.67	3	2.3	1.34	0	0.0	0.00
40-44	2	0.9	0.62	0	0.0	0.00	2	1.7	1.21
45-49	3	1.5	0.85	2	2.0	1.40	1	1.0	0.96
50-54	3	1.8	1.04	2	2.5	1.73	1	1.2	1.18
55-59	12	9.5	2.73	10	16.2	5.12	2	3.1	2.18
60-64	8	6.9	2.42	3	5.4	3.09	5	8.2	3.69
65-69	8	6.6	2.33	6	10.8	4.41	2	3.0	2.14
70-74	8	7.0	2.49	3	6.1	3.53	5	7.7	3.45
75-79	19	20.3	4.65	11	29.0	8.75	8	14.3	5.06
80-84	12	19.4	5.60	4	18.1	9.03	8	20.1	7.11
85+	10	18.7	5.93	6	42.3	17.27	4	10.2	5.11
Total deaths	91			53			38		
Connecticut									
. Crude rate		3.1	-		3.8	-		2.6	-
. AAMR (1940 Std. mil.)		1.8	0.22		2.5	0.37		1.2	0.23
. AAMR (1970 Std. mil.)		2.3	0.25		3.1	0.44		1.6	0.28
. AAMR (2000 Std. mil.)		2.8	0.30		4.0	0.56		2.0	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		2.6	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	0.6	0.60	-	-	-	1	1.2	1.18
55-59	2	1.6	1.12	-	-	-	2	3.1	2.18
60-64	3	2.6	1.48	-	-	-	3	4.9	2.85
65-69	5	4.1	1.84	-	-	-	5	7.6	3.38
70-74	10	8.8	2.78	-	-	-	10	15.4	4.89
75-79	6	6.4	2.61	-	-	-	6	10.7	4.38
80-84	7	11.3	4.27	-	-	-	7	17.6	6.66
85+	4	7.5	3.75	-	-	-	4	10.2	5.11
Total deaths	38			-			38		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	0.22
. AAMR (1970 Std. mil.)		-	-		-	-		1.6	0.27
. AAMR (2000 Std. mil.)		-	-		-	-		1.9	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	0.4	0.40	-	-	-	1	0.8	0.81
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	3	1.3	0.75	-	-	-	3	2.6	1.48
45-49	8	3.9	1.38	-	-	-	8	7.7	2.72
50-54	13	7.8	2.16	-	-	-	13	15.3	4.24
55-59	11	8.7	2.62	-	-	-	11	16.9	5.11
60-64	15	12.9	3.32	-	-	-	15	24.7	6.38
65-69	27	22.2	4.27	-	-	-	27	40.9	7.86
70-74	26	22.9	4.48	-	-	-	26	40.2	7.88
75-79	27	28.8	5.54	-	-	-	27	48.3	9.29
80-84	24	38.8	7.91	-	-	-	24	60.4	12.32
85+	27	50.6	9.74	-	-	-	27	69.0	13.27
Total deaths	182			-			182		
Connecticut									
. Crude rate		-	-		-	-		12.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	0.54
. AAMR (1970 Std. mil.)		-	-		-	-		8.0	0.64
. AAMR (2000 Std. mil.)		-	-		-	-		9.7	0.73
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.0	0.74	2	2.0	1.44	0	0.0	0.00
5-9	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
10-14	1	0.6	0.55	0	0.0	0.00	1	1.1	1.13
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.50	1	1.0	1.00	0	0.0	0.00
30-34	2	0.8	0.57	0	0.0	0.00	2	1.6	1.15
35-39	3	1.2	0.67	3	2.3	1.34	0	0.0	0.00
40-44	4	1.7	0.87	3	2.7	1.53	1	0.9	0.86
45-49	15	7.3	1.89	8	7.9	2.80	7	6.7	2.55
50-54	13	7.8	2.16	8	9.8	3.47	5	5.9	2.63
55-59	9	7.1	2.37	6	9.7	3.96	3	4.6	2.67
60-64	9	7.7	2.57	4	7.1	3.57	5	8.2	3.69
65-69	19	15.6	3.58	8	14.4	5.09	11	16.6	5.02
70-74	23	20.2	4.22	12	24.5	7.07	11	17.0	5.12
75-79	12	12.8	3.69	6	15.8	6.47	6	10.7	4.38
80-84	7	11.3	4.27	4	18.1	9.03	3	7.5	4.36
85+	7	13.1	4.96	3	21.1	12.21	4	10.2	5.11
Total deaths	128			69			59		
Connecticut									
. Crude rate		4.4	-		4.9	-		4.0	-
. AAMR (1940 Std. mil.)		3.1	0.29		3.6	0.46		2.5	0.37
. AAMR (1970 Std. mil.)		3.5	0.32		4.2	0.52		2.9	0.41
. AAMR (2000 Std. mil.)		4.1	0.36		5.0	0.60		3.4	0.45
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.4	-		4.2	-		2.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.5	0.52	1	1.0	1.02	0	0.0	0.00
5-9	3	1.5	0.88	3	3.0	1.71	0	0.0	0.00
10-14	1	0.6	0.55	1	1.1	1.09	0	0.0	0.00
15-19	1	0.6	0.60	0	0.0	0.00	1	1.3	1.25
20-24	5	3.0	1.34	4	4.7	2.34	1	1.2	1.23
25-29	4	2.0	1.01	2	2.0	1.41	2	2.0	1.44
30-34	2	0.8	0.57	1	0.8	0.80	1	0.8	0.81
35-39	3	1.2	0.67	1	0.8	0.78	2	1.5	1.09
40-44	11	4.8	1.44	8	7.1	2.50	3	2.6	1.48
45-49	5	2.4	1.09	0	0.0	0.00	5	4.8	2.15
50-54	8	4.8	1.70	5	6.1	2.74	3	3.5	2.04
55-59	9	7.1	2.37	4	6.5	3.24	5	7.7	3.44
60-64	21	18.0	3.93	15	26.8	6.92	6	9.9	4.04
65-69	31	25.5	4.58	24	43.2	8.82	7	10.6	4.00
70-74	39	34.3	5.49	23	46.9	9.79	16	24.7	6.18
75-79	42	44.8	6.91	23	60.7	12.66	19	34.0	7.79
80-84	42	67.9	10.47	19	85.8	19.68	23	57.9	12.06
85+	39	73.1	11.71	17	119.8	29.06	22	56.2	11.98
Total deaths	267			151			116		
Connecticut									
. Crude rate		9.2	-		10.7	-		7.8	-
. AAMR (1940 Std. mil.)		5.1	0.36		6.9	0.61		3.6	0.42
. AAMR (1970 Std. mil.)		6.5	0.42		9.0	0.75		4.6	0.48
. AAMR (2000 Std. mil.)		8.1	0.50		11.2	0.93		6.0	0.57
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.4	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.50	0	0.0	0.00	1	1.0	1.02
30-34	4	1.6	0.81	1	0.8	0.80	3	2.4	1.40
35-39	2	0.8	0.55	2	1.6	1.10	0	0.0	0.00
40-44	6	2.6	1.07	3	2.7	1.53	3	2.6	1.48
45-49	12	5.9	1.69	7	6.9	2.62	5	4.8	2.15
50-54	16	9.6	2.40	11	13.5	4.06	5	5.9	2.63
55-59	21	16.6	3.62	8	12.9	4.58	13	20.0	5.55
60-64	40	34.3	5.42	17	30.4	7.36	23	37.9	7.90
65-69	51	41.9	5.87	26	46.8	9.18	25	37.8	7.57
70-74	81	71.2	7.91	47	95.9	13.99	34	52.5	9.01
75-79	91	97.0	10.17	47	124.1	18.10	44	78.7	11.86
80-84	89	143.8	15.24	32	144.5	25.54	57	143.4	18.99
85+	121	226.9	20.62	37	260.8	42.88	84	214.6	23.41
Total deaths	535			238			297		
Connecticut									
. Crude rate		18.5	-		16.9	-		20.0	-
. AAMR (1940 Std. mil.)		8.4	0.43		9.4	0.66		7.8	0.57
. AAMR (1970 Std. mil.)		11.9	0.54		13.4	0.88		11.0	0.70
. AAMR (2000 Std. mil.)		16.0	0.69		18.2	1.20		14.6	0.86
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.3	-		14.5	-		12.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.50	0	0.0	0.00	1	1.0	1.02
30-34	7	2.8	1.07	1	0.8	0.80	6	4.9	1.99
35-39	7	2.7	1.02	6	4.7	1.90	1	0.8	0.77
40-44	17	7.4	1.79	9	8.0	2.65	8	6.9	2.42
45-49	29	14.2	2.63	17	16.8	4.08	12	11.6	3.34
50-54	48	28.8	4.16	30	36.8	6.71	18	21.2	4.99
55-59	78	61.5	6.97	46	74.4	10.97	32	49.3	8.71
60-64	164	140.6	10.98	79	141.1	15.87	85	140.1	15.20
65-69	242	198.9	12.79	125	225.0	20.12	117	177.1	16.37
70-74	322	283.1	15.78	183	373.4	27.60	139	214.7	18.21
75-79	414	441.3	21.69	212	559.6	38.43	202	361.1	25.41
80-84	407	657.5	32.59	166	749.5	58.18	241	606.2	39.05
85+	480	899.9	41.08	156	1099.7	88.04	324	827.6	45.98
Total deaths	2,216			1,030			1,186		
Connecticut									
. Crude rate		76.5	-		73.1	-		79.8	-
. AAMR (1940 Std. mil.)		33.8	0.84		40.0	1.35		29.3	1.06
. AAMR (1970 Std. mil.)		49.0	1.09		58.3	1.84		42.6	1.36
. AAMR (2000 Std. mil.)		65.7	1.40		78.8	2.50		57.3	1.69
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.50	0	0.0	0.00	1	1.0	1.02
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.4	0.39	1	0.8	0.78	0	0.0	0.00
40-44	1	0.4	0.44	1	0.9	0.88	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	0.6	0.60	1	1.2	1.23	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	0.8	0.82	1	1.8	1.80	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	1.1	1.07	0	0.0	0.00	1	1.8	1.79
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	1.9	1.87	0	0.0	0.00	1	2.6	2.55
Total deaths	7			4			3		
Connecticut									
. Crude rate		0.2	-		0.3	-		0.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.7	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	12	6.3	1.81	6	6.1	2.49	6	6.5	2.63
5-9	3	1.5	0.88	1	1.0	0.99	2	2.1	1.47
10-14	1	0.6	0.55	0	0.0	0.00	1	1.1	1.13
15-19	2	1.2	0.86	2	2.3	1.65	0	0.0	0.00
20-24	2	1.2	0.85	1	1.2	1.17	1	1.2	1.23
25-29	10	5.0	1.59	7	7.0	2.64	3	3.0	1.76
30-34	26	10.5	2.06	16	12.9	3.22	10	8.1	2.56
35-39	54	20.9	2.85	29	22.5	4.18	25	19.3	3.86
40-44	92	40.0	4.17	68	60.1	7.28	24	20.6	4.20
45-49	169	82.5	6.34	123	121.7	10.97	46	44.3	6.53
50-54	218	130.8	8.86	149	182.5	14.95	69	81.2	9.77
55-59	280	220.9	13.20	216	349.5	23.78	64	98.5	12.32
60-64	464	397.7	18.46	304	542.9	31.14	160	263.7	20.85
65-69	841	691.4	23.84	505	909.0	40.45	336	508.5	27.74
70-74	1,253	1101.6	31.12	745	1520.0	55.69	508	784.8	34.82
75-79	1,731	1845.0	44.35	915	2415.2	79.84	816	1458.8	51.07
80-84	2,067	3339.2	73.45	930	4199.2	137.70	1,137	2860.1	84.82
85+	4,421	8288.8	124.66	1,288	9079.4	252.99	3,133	8002.3	142.97
Total deaths	11,646			5,305			6,341		
Connecticut									
. Crude rate		402.3	-		376.7	-		426.6	-
. AAMR (1940 Std. mil.)		147.8	1.67		194.0	2.92		111.1	1.86
. AAMR (1970 Std. mil.)		232.4	2.27		296.6	4.12		184.7	2.56
. AAMR (2000 Std. mil.)		343.7	3.19		427.4	6.00		284.9	3.63
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		175.9	-		227.5	-		133.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.5	0.52	1	1.0	1.02	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.6	0.60	1	1.2	1.17	0	0.0	0.00
20-24	1	0.6	0.60	1	1.2	1.17	0	0.0	0.00
25-29	2	1.0	0.71	2	2.0	1.41	0	0.0	0.00
30-34	8	3.2	1.14	6	4.8	1.97	2	1.6	1.15
35-39	26	10.1	1.98	16	12.4	3.11	10	7.7	2.44
40-44	48	20.9	3.01	41	36.2	5.66	7	6.0	2.27
45-49	102	49.8	4.93	85	84.1	9.12	17	16.4	3.97
50-54	138	82.8	7.05	107	131.1	12.67	31	36.5	6.55
55-59	186	146.7	10.76	147	237.9	19.62	39	60.0	9.61
60-64	294	252.0	14.70	205	366.1	25.57	89	146.7	15.55
65-69	539	443.1	19.09	341	613.8	33.24	198	299.6	21.29
70-74	730	641.8	23.75	459	936.5	43.71	271	418.7	25.43
75-79	1,033	1101.0	34.26	570	1504.6	63.02	463	827.7	38.47
80-84	1,134	1832.0	54.40	543	2451.8	105.22	591	1486.6	61.15
85+	2,394	4488.4	91.73	728	5131.8	190.20	1,666	4255.3	104.25
Total deaths	6,637			3,253			3,384		
Connecticut									
. Crude rate		229.3	-		231.0	-		227.6	-
. AAMR (1940 Std. mil.)		86.9	1.29		122.1	2.34		58.8	1.33
. AAMR (1970 Std. mil.)		134.7	1.75		183.2	3.25		98.5	1.87
. AAMR (2000 Std. mil.)		196.2	2.42		259.4	4.65		151.7	2.64
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		108.0	-		148.2	-		75.2	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	0.9	0.62	1	0.9	0.88	1	0.9	0.86
45-49	2	1.0	0.69	2	2.0	1.40	0	0.0	0.00
50-54	2	1.2	0.85	2	2.5	1.73	0	0.0	0.00
55-59	4	3.2	1.58	2	3.2	2.29	2	3.1	2.18
60-64	3	2.6	1.48	2	3.6	2.53	1	1.6	1.65
65-69	10	8.2	2.60	5	9.0	4.02	5	7.6	3.38
70-74	21	18.5	4.03	12	24.5	7.07	9	13.9	4.63
75-79	11	11.7	3.54	6	15.8	6.47	5	8.9	4.00
80-84	21	33.9	7.40	7	31.6	11.95	14	35.2	9.41
85+	59	110.6	14.40	24	169.2	34.53	35	89.4	15.11
Total deaths	135			63			72		
Connecticut									
. Crude rate		4.7	-		4.5	-		4.8	-
. AAMR (1940 Std. mil.)		1.7	0.17		2.2	0.30		1.3	0.20
. AAMR (1970 Std. mil.)		2.6	0.24		3.5	0.44		2.1	0.28
. AAMR (2000 Std. mil.)		4.0	0.34		5.4	0.69		3.2	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.5	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.6	0.91	3	3.1	1.76	0	0.0	0.00
5-9	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.50	1	1.0	1.00	0	0.0	0.00
30-34	4	1.6	0.81	2	1.6	1.14	2	1.6	1.15
35-39	4	1.5	0.77	1	0.8	0.78	3	2.3	1.34
40-44	10	4.4	1.38	5	4.4	1.98	5	4.3	1.92
45-49	22	10.7	2.29	14	13.9	3.70	8	7.7	2.72
50-54	23	13.8	2.88	12	14.7	4.24	11	12.9	3.90
55-59	21	16.6	3.62	17	27.5	6.67	4	6.2	3.08
60-64	48	41.1	5.94	29	51.8	9.62	19	31.3	7.18
65-69	103	84.7	8.34	52	93.6	12.98	51	77.2	10.81
70-74	173	152.1	11.56	94	191.8	19.78	79	122.0	13.73
75-79	251	267.5	16.89	114	300.9	28.18	137	244.9	20.93
80-84	336	542.8	29.61	143	645.7	53.99	193	485.5	34.95
85+	764	1432.4	51.82	190	1339.3	97.17	574	1466.1	61.19
Total deaths	1,764			678			1,086		
Connecticut									
. Crude rate		60.9	-		48.1	-		73.1	-
. AAMR (1940 Std. mil.)		20.0	0.58		23.0	0.97		17.5	0.70
. AAMR (1970 Std. mil.)		33.4	0.84		37.2	1.44		30.2	1.00
. AAMR (2000 Std. mil.)		51.7	1.23		55.9	2.19		48.1	1.48
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.6	-		28.8	-		24.7	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	0.4	0.44	1	0.9	0.88	0	0.0	0.00
45-49	1	0.5	0.49	0	0.0	0.00	1	1.0	0.96
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	1.7	1.21	2	3.6	2.53	0	0.0	0.00
65-69	2	1.6	1.16	1	1.8	1.80	1	1.5	1.51
70-74	8	7.0	2.49	6	12.2	5.00	2	3.1	2.18
75-79	17	18.1	4.39	12	31.7	9.14	5	8.9	4.00
80-84	32	51.7	9.14	15	67.7	17.49	17	42.8	10.37
85+	100	187.5	18.75	30	211.5	38.61	70	178.8	21.37
Total deaths	163			67			96		
Connecticut									
. Crude rate		5.6	-		4.8	-		6.5	-
. AAMR (1940 Std. mil.)		1.3	0.12		1.8	0.24		1.0	0.13
. AAMR (1970 Std. mil.)		2.7	0.22		3.5	0.43		2.2	0.23
. AAMR (2000 Std. mil.)		4.7	0.37		6.0	0.75		4.0	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.6	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	0.8	0.55	1	0.8	0.78	1	0.8	0.77
40-44	2	0.9	0.62	2	1.8	1.25	0	0.0	0.00
45-49	1	0.5	0.49	0	0.0	0.00	1	1.0	0.96
50-54	4	2.4	1.20	2	2.5	1.73	2	2.4	1.66
55-59	5	3.9	1.76	5	8.1	3.62	0	0.0	0.00
60-64	4	3.4	1.71	4	7.1	3.57	0	0.0	0.00
65-69	25	20.6	4.11	21	37.8	8.25	4	6.1	3.03
70-74	41	36.0	5.63	24	49.0	10.00	17	26.3	6.37
75-79	38	40.5	6.57	18	47.5	11.20	20	35.8	8.00
80-84	36	58.2	9.69	20	90.3	20.19	16	40.2	10.06
85+	47	88.1	12.85	20	141.0	31.52	27	69.0	13.27
Total deaths	205			117			88		
Connecticut									
. Crude rate		7.1	-		8.3	-		5.9	-
. AAMR (1940 Std. mil.)		2.9	0.23		4.4	0.44		1.8	0.23
. AAMR (1970 Std. mil.)		4.3	0.32		6.6	0.61		2.8	0.31
. AAMR (2000 Std. mil.)		6.0	0.42		9.0	0.85		4.1	0.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.3	-		5.4	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	2.1	1.05	2	2.0	1.44	2	2.2	1.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.6	0.55	0	0.0	0.00	1	1.1	1.13
15-19	1	0.6	0.60	1	1.2	1.17	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	1.5	0.87	2	2.0	1.41	1	1.0	1.02
30-34	4	1.6	0.81	4	3.2	1.61	0	0.0	0.00
35-39	8	3.1	1.10	5	3.9	1.74	3	2.3	1.34
40-44	5	2.2	0.97	5	4.4	1.98	0	0.0	0.00
45-49	4	2.0	0.98	2	2.0	1.40	2	1.9	1.36
50-54	11	6.6	1.99	8	9.8	3.47	3	3.5	2.04
55-59	14	11.0	2.95	5	8.1	3.62	9	13.9	4.62
60-64	22	18.9	4.02	10	17.9	5.65	12	19.8	5.71
65-69	45	37.0	5.51	26	46.8	9.18	19	28.8	6.60
70-74	77	67.7	7.71	41	83.7	13.06	36	55.6	9.27
75-79	123	131.1	11.82	62	163.7	20.78	61	109.1	13.96
80-84	197	318.3	22.67	91	410.9	43.07	106	266.6	25.90
85+	541	1014.3	43.61	197	1388.7	98.94	344	878.6	47.37
Total deaths	1,060			461			599		
Connecticut									
. Crude rate		36.6	-		32.7	-		40.3	-
. AAMR (1940 Std. mil.)		11.1	0.43		14.0	0.73		9.3	0.53
. AAMR (1970 Std. mil.)		19.3	0.62		24.8	1.16		16.4	0.75
. AAMR (2000 Std. mil.)		31.1	0.96		40.6	1.94		26.4	1.09
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.0	-		16.6	-		10.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	4	2.4	1.21	1	1.2	1.17	3	3.8	2.17
20-24	3	1.8	1.04	1	1.2	1.17	2	2.5	1.74
25-29	1	0.5	0.50	0	0.0	0.00	1	1.0	1.02
30-34	2	0.8	0.57	1	0.8	0.80	1	0.8	0.81
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	1.7	0.87	0	0.0	0.00	4	3.4	1.71
45-49	3	1.5	0.85	0	0.0	0.00	3	2.9	1.67
50-54	7	4.2	1.59	3	3.7	2.12	4	4.7	2.35
55-59	25	19.7	3.94	9	14.6	4.85	16	24.6	6.16
60-64	54	46.3	6.30	27	48.2	9.28	27	44.5	8.56
65-69	100	82.2	8.22	52	93.6	12.98	48	72.6	10.48
70-74	179	157.4	11.76	96	195.9	19.99	83	128.2	14.07
75-79	262	279.3	17.25	130	343.1	30.10	132	236.0	20.54
80-84	249	402.3	25.49	128	578.0	51.08	121	304.4	27.67
85+	240	450.0	29.05	89	627.4	66.50	151	385.7	31.39
Total deaths	1,133			537			596		
Connecticut									
. Crude rate		39.1	-		38.1	-		40.1	-
. AAMR (1940 Std. mil.)		15.7	0.54		18.4	0.85		14.2	0.74
. AAMR (1970 Std. mil.)		24.0	0.75		29.3	1.28		21.1	0.95
. AAMR (2000 Std. mil.)		33.2	0.99		41.8	1.84		28.6	1.19
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		20.8	-		26.1	-		17.1	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	4	2.4	1.21	1	1.2	1.17	3	3.8	2.17
20-24	3	1.8	1.04	1	1.2	1.17	2	2.5	1.74
25-29	1	0.5	0.50	0	0.0	0.00	1	1.0	1.02
30-34	1	0.4	0.40	0	0.0	0.00	1	0.8	0.81
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	0.4	0.44	0	0.0	0.00	1	0.9	0.86
45-49	2	1.0	0.69	0	0.0	0.00	2	1.9	1.36
50-54	2	1.2	0.85	1	1.2	1.23	1	1.2	1.18
55-59	4	3.2	1.58	3	4.9	2.80	1	1.5	1.54
60-64	3	2.6	1.48	1	1.8	1.79	2	3.3	2.33
65-69	1	0.8	0.82	0	0.0	0.00	1	1.5	1.51
70-74	10	8.8	2.78	3	6.1	3.53	7	10.8	4.09
75-79	4	4.3	2.13	0	0.0	0.00	4	7.2	3.58
80-84	3	4.8	2.80	2	9.0	6.39	1	2.5	2.52
85+	5	9.4	4.19	0	0.0	0.00	5	12.8	5.71
Total deaths	44			12			32		
Connecticut									
. Crude rate		1.5	-		0.9	-		2.2	-
. AAMR (1940 Std. mil.)		1.1	0.20		-	-		1.5	0.34
. AAMR (1970 Std. mil.)		1.3	0.21		-	-		1.7	0.34
. AAMR (2000 Std. mil.)		1.4	0.22		-	-		1.9	0.34
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		1.2	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	1.0	0.71	2	2.0	1.41	0	0.0	0.00
30-34	4	1.6	0.81	3	2.4	1.39	1	0.8	0.81
35-39	17	6.6	1.60	13	10.1	2.80	4	3.1	1.55
40-44	16	7.0	1.74	10	8.8	2.79	6	5.1	2.10
45-49	37	18.1	2.97	27	26.7	5.14	10	9.6	3.04
50-54	29	17.4	3.23	25	30.6	6.13	4	4.7	2.35
55-59	26	20.5	4.02	19	30.7	7.05	7	10.8	4.07
60-64	19	16.3	3.74	10	17.9	5.65	9	14.8	4.94
65-69	39	32.1	5.13	23	41.4	8.63	16	24.2	6.05
70-74	41	36.0	5.63	21	42.8	9.35	20	30.9	6.91
75-79	40	42.6	6.74	21	55.4	12.10	19	34.0	7.79
80-84	19	30.7	7.04	4	18.1	9.03	15	37.7	9.74
85+	16	30.0	7.50	2	14.1	9.97	14	35.8	9.56
Total deaths	305			180			125		
Connecticut									
. Crude rate		10.5	-		12.8	-		8.4	-
. AAMR (1940 Std. mil.)		7.1	0.44		9.9	0.76		4.5	0.46
. AAMR (1970 Std. mil.)		8.1	0.48		10.8	0.82		5.5	0.52
. AAMR (2000 Std. mil.)		9.7	0.56		12.7	0.95		6.8	0.62
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		10.9	-		4.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is higher

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	14	7.3	1.96	9	9.2	3.05	5	5.4	2.40
5-9	4	2.0	1.01	3	3.0	1.71	1	1.0	1.04
10-14	7	3.9	1.47	5	5.4	2.43	2	2.3	1.60
15-19	53	32.0	4.40	43	50.3	7.67	10	12.5	3.96
20-24	63	37.8	4.76	42	49.1	7.57	21	25.9	5.65
25-29	66	33.2	4.09	54	53.9	7.34	12	12.2	3.52
30-34	74	29.9	3.47	56	45.1	6.02	18	14.6	3.44
35-39	76	29.4	3.38	59	45.8	5.96	17	13.1	3.19
40-44	62	27.0	3.43	49	43.3	6.18	13	11.1	3.09
45-49	56	27.3	3.65	41	40.6	6.34	15	14.4	3.73
50-54	35	21.0	3.55	29	35.5	6.60	6	7.1	2.88
55-59	24	18.9	3.87	12	19.4	5.61	12	18.5	5.33
60-64	36	30.9	5.14	21	37.5	8.18	15	24.7	6.38
65-69	29	23.8	4.43	14	25.2	6.73	15	22.7	5.86
70-74	59	51.9	6.75	32	65.3	11.54	27	41.7	8.03
75-79	71	75.7	8.98	36	95.0	15.84	35	62.6	10.58
80-84	79	127.6	14.36	35	158.0	26.71	44	110.7	16.69
85+	158	296.2	23.57	59	415.9	54.15	99	252.9	25.41
Total deaths	966			599			367		
Connecticut									
. Crude rate		33.4	-		42.5	-		24.7	-
. AAMR (1940 Std. mil.)		25.4	0.95		36.6	1.63		14.6	0.99
. AAMR (1970 Std. mil.)		26.6	0.93		37.6	1.61		16.5	1.00
. AAMR (2000 Std. mil.)		31.4	1.02		44.4	1.84		20.1	1.08
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.5	-		44.1	-		17.6	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	2.1	1.05	3	3.1	1.76	1	1.1	1.08
5-9	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
10-14	4	2.2	1.11	3	3.3	1.88	1	1.1	1.13
15-19	36	21.8	3.63	28	32.7	6.19	8	10.0	3.54
20-24	44	26.4	3.98	30	35.0	6.40	14	17.3	4.61
25-29	36	18.1	3.02	30	30.0	5.47	6	6.1	2.49
30-34	23	9.3	1.94	15	12.1	3.12	8	6.5	2.29
35-39	22	8.5	1.82	15	11.6	3.01	7	5.4	2.05
40-44	16	7.0	1.74	11	9.7	2.93	5	4.3	1.92
45-49	22	10.7	2.29	14	13.9	3.70	8	7.7	2.72
50-54	18	10.8	2.55	16	19.6	4.90	2	2.4	1.66
55-59	10	7.9	2.49	4	6.5	3.24	6	9.2	3.77
60-64	16	13.7	3.43	8	14.3	5.05	8	13.2	4.66
65-69	7	5.8	2.18	3	5.4	3.12	4	6.1	3.03
70-74	13	11.4	3.17	7	14.3	5.40	6	9.3	3.78
75-79	13	13.9	3.84	6	15.8	6.47	7	12.5	4.73
80-84	13	21.0	5.82	6	27.1	11.06	7	17.6	6.66
85+	15	28.1	7.26	8	56.4	19.94	7	17.9	6.76
Total deaths	313			208			105		
Connecticut									
. Crude rate		10.8	-		14.8	-		7.1	-
. AAMR (1940 Std. mil.)		11.0	0.67		15.4	1.13		6.5	0.72
. AAMR (1970 Std. mil.)		10.6	0.64		14.9	1.08		6.5	0.70
. AAMR (2000 Std. mil.)		10.9	0.62		15.3	1.07		6.8	0.68
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.3	-		22.7	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.6	0.55	0	0.0	0.00	1	1.1	1.13
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	1.8	1.04	2	2.3	1.65	1	1.2	1.23
25-29	2	1.0	0.71	1	1.0	1.00	1	1.0	1.02
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.4	0.39	1	0.8	0.78	0	0.0	0.00
40-44	4	1.7	0.87	4	3.5	1.77	0	0.0	0.00
45-49	3	1.5	0.85	2	2.0	1.40	1	1.0	0.96
50-54	3	1.8	1.04	1	1.2	1.23	2	2.4	1.66
55-59	2	1.6	1.12	2	3.2	2.29	0	0.0	0.00
60-64	3	2.6	1.48	1	1.8	1.79	2	3.3	2.33
65-69	6	4.9	2.01	3	5.4	3.12	3	4.5	2.62
70-74	20	17.6	3.93	12	24.5	7.07	8	12.4	4.37
75-79	20	21.3	4.77	12	31.7	9.14	8	14.3	5.06
80-84	38	61.4	9.96	15	67.7	17.49	23	57.9	12.06
85+	85	159.4	17.29	28	197.4	37.30	57	145.6	19.28
Total deaths	191			84			107		
Connecticut									
. Crude rate		6.6	-		6.0	-		7.2	-
. AAMR (1940 Std. mil.)		2.3	0.22		2.9	0.36		1.9	0.27
. AAMR (1970 Std. mil.)		3.7	0.29		4.6	0.51		3.1	0.34
. AAMR (2000 Std. mil.)		5.7	0.41		7.1	0.79		4.8	0.47
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.5	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.0	0.74	1	1.0	1.02	1	1.1	1.08
5-9	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	6	3.6	1.48	6	7.0	2.86	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	1.5	0.87	3	3.0	1.73	0	0.0	0.00
30-34	4	1.6	0.81	4	3.2	1.61	0	0.0	0.00
35-39	4	1.5	0.77	2	1.6	1.10	2	1.5	1.09
40-44	3	1.3	0.75	2	1.8	1.25	1	0.9	0.86
45-49	2	1.0	0.69	1	1.0	0.99	1	1.0	0.96
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	4	3.2	1.58	3	4.9	2.80	1	1.5	1.54
60-64	2	1.7	1.21	2	3.6	2.53	0	0.0	0.00
65-69	4	3.3	1.64	3	5.4	3.12	1	1.5	1.51
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	35			28			7		
Connecticut									
. Crude rate		1.2	-		2.0	-		0.5	-
. AAMR (1940 Std. mil.)		1.3	0.22		2.1	0.41		-	-
. AAMR (1970 Std. mil.)		1.2	0.22		2.0	0.41		-	-
. AAMR (2000 Std. mil.)		1.2	0.21		2.0	0.38		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.8	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	2.1	1.05	3	3.1	1.76	1	1.1	1.08
5-9	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
10-14	1	0.6	0.55	1	1.1	1.09	0	0.0	0.00
15-19	2	1.2	0.86	0	0.0	0.00	2	2.5	1.77
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	1.0	0.71	1	1.0	1.00	1	1.0	1.02
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.4	0.39	0	0.0	0.00	1	0.8	0.77
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	1.0	0.69	2	2.0	1.40	0	0.0	0.00
50-54	1	0.6	0.60	1	1.2	1.23	0	0.0	0.00
55-59	2	1.6	1.12	1	1.6	1.62	1	1.5	1.54
60-64	1	0.9	0.86	1	1.8	1.79	0	0.0	0.00
65-69	1	0.8	0.82	1	1.8	1.80	0	0.0	0.00
70-74	3	2.6	1.52	1	2.0	2.04	2	3.1	2.18
75-79	3	3.2	1.85	2	5.3	3.73	1	1.8	1.79
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	5.6	3.25	1	7.0	7.05	2	5.1	3.61
Total deaths	27			16			11		
Connecticut									
. Crude rate		0.9	-		1.1	-		0.7	-
. AAMR (1940 Std. mil.)		0.8	0.17		1.0	0.27		-	-
. AAMR (1970 Std. mil.)		0.9	0.18		1.1	0.29		-	-
. AAMR (2000 Std. mil.)		0.9	0.18		1.2	0.30		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.5	-		0.9	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	6	3.3	1.36	4	4.3	2.17	2	2.3	1.60
15-19	10	6.0	1.91	10	11.7	3.70	0	0.0	0.00
20-24	27	16.2	3.12	23	26.9	5.60	4	4.9	2.46
25-29	27	13.6	2.62	21	21.0	4.58	6	6.1	2.49
30-34	29	11.7	2.17	20	16.1	3.60	9	7.3	2.43
35-39	39	15.1	2.42	33	25.6	4.46	6	4.6	1.89
40-44	29	12.6	2.34	23	20.3	4.24	6	5.1	2.10
45-49	26	12.7	2.49	19	18.8	4.31	7	6.7	2.55
50-54	19	11.4	2.62	16	19.6	4.90	3	3.5	2.04
55-59	16	12.6	3.16	10	16.2	5.12	6	9.2	3.77
60-64	18	15.4	3.64	17	30.4	7.36	1	1.6	1.65
65-69	19	15.6	3.58	16	28.8	7.20	3	4.5	2.62
70-74	19	16.7	3.83	16	32.6	8.16	3	4.6	2.68
75-79	8	8.5	3.01	6	15.8	6.47	2	3.6	2.53
80-84	9	14.5	4.85	9	40.6	13.55	0	0.0	0.00
85+	7	13.1	4.96	5	35.2	15.76	2	5.1	3.61
Total deaths	308			248			60		
Connecticut									
. Crude rate		10.6	-		17.6	-		4.0	-
. AAMR (1940 Std. mil.)		9.8	0.60		16.1	1.08		3.8	0.51
. AAMR (1970 Std. mil.)		9.4	0.57		15.8	1.04		3.5	0.48
. AAMR (2000 Std. mil.)		10.3	0.59		17.4	1.12		3.9	0.51
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		18.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	2.1	1.05	3	3.1	1.76	1	1.1	1.08
5-9	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
10-14	4	2.2	1.11	3	3.3	1.88	1	1.1	1.13
15-19	35	21.2	3.58	27	31.6	6.07	8	10.0	3.54
20-24	44	26.4	3.98	30	35.0	6.40	14	17.3	4.61
25-29	36	18.1	3.02	30	30.0	5.47	6	6.1	2.49
30-34	21	8.5	1.85	13	10.5	2.90	8	6.5	2.29
35-39	22	8.5	1.82	15	11.6	3.01	7	5.4	2.05
40-44	15	6.5	1.68	10	8.8	2.79	5	4.3	1.92
45-49	22	10.7	2.29	14	13.9	3.70	8	7.7	2.72
50-54	18	10.8	2.55	16	19.6	4.90	2	2.4	1.66
55-59	10	7.9	2.49	4	6.5	3.24	6	9.2	3.77
60-64	16	13.7	3.43	8	14.3	5.05	8	13.2	4.66
65-69	7	5.8	2.18	3	5.4	3.12	4	6.1	3.03
70-74	12	10.6	3.05	6	12.2	5.00	6	9.3	3.78
75-79	13	13.9	3.84	6	15.8	6.47	7	12.5	4.73
80-84	13	21.0	5.82	6	27.1	11.06	7	17.6	6.66
85+	14	26.2	7.02	7	49.3	18.65	7	17.9	6.76
Total deaths	307			202			105		
Connecticut									
. Crude rate		10.6	-		14.3	-		7.1	-
. AAMR (1940 Std. mil.)		10.8	0.67		15.1	1.12		6.5	0.72
. AAMR (1970 Std. mil.)		10.5	0.64		14.5	1.07		6.5	0.70
. AAMR (2000 Std. mil.)		10.7	0.62		14.8	1.05		6.8	0.68
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.0	-		22.2	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.6	0.55	0	0.0	0.00	1	1.1	1.13
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	1.8	1.04	2	2.3	1.65	1	1.2	1.23
25-29	2	1.0	0.71	1	1.0	1.00	1	1.0	1.02
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	1.2	0.67	3	2.3	1.34	0	0.0	0.00
40-44	4	1.7	0.87	4	3.5	1.77	0	0.0	0.00
45-49	2	1.0	0.69	1	1.0	0.99	1	1.0	0.96
50-54	3	1.8	1.04	1	1.2	1.23	2	2.4	1.66
55-59	3	2.4	1.37	3	4.9	2.80	0	0.0	0.00
60-64	3	2.6	1.48	1	1.8	1.79	2	3.3	2.33
65-69	7	5.8	2.18	4	7.2	3.60	3	4.5	2.62
70-74	18	15.8	3.73	11	22.4	6.77	7	10.8	4.09
75-79	18	19.2	4.52	11	29.0	8.75	7	12.5	4.73
80-84	24	38.8	7.91	11	49.7	14.98	13	32.7	9.07
85+	55	103.1	13.90	19	133.9	30.73	36	92.0	15.33
Total deaths	146			72			74		
Connecticut									
. Crude rate		5.0	-		5.1	-		5.0	-
. AAMR (1940 Std. mil.)		2.1	0.22		2.7	0.36		1.5	0.26
. AAMR (1970 Std. mil.)		3.0	0.27		4.0	0.48		2.3	0.32
. AAMR (2000 Std. mil.)		4.4	0.36		5.9	0.71		3.4	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	13	7.9	2.18	13	15.2	4.21	0	0.0	0.00
20-24	25	15.0	3.00	24	28.0	5.72	1	1.2	1.23
25-29	21	10.6	2.31	17	17.0	4.12	4	4.1	2.03
30-34	20	8.1	1.81	16	12.9	3.22	4	3.2	1.62
35-39	21	8.1	1.78	20	15.5	3.47	1	0.8	0.77
40-44	11	4.8	1.44	10	8.8	2.79	1	0.9	0.86
45-49	15	7.3	1.89	12	11.9	3.43	3	2.9	1.67
50-54	11	6.6	1.99	11	13.5	4.06	0	0.0	0.00
55-59	7	5.5	2.09	7	11.3	4.28	0	0.0	0.00
60-64	6	5.1	2.10	6	10.7	4.37	0	0.0	0.00
65-69	14	11.5	3.08	11	19.8	5.97	3	4.5	2.62
70-74	10	8.8	2.78	7	14.3	5.40	3	4.6	2.68
75-79	7	7.5	2.82	7	18.5	6.98	0	0.0	0.00
80-84	5	8.1	3.61	5	22.6	10.10	0	0.0	0.00
85+	5	9.4	4.19	5	35.2	15.76	0	0.0	0.00
Total deaths	191			171			20		
Connecticut									
. Crude rate		6.6	-		12.1	-		1.3	-
. AAMR (1940 Std. mil.)		6.4	0.50		11.7	0.95		1.2	0.29
. AAMR (1970 Std. mil.)		6.0	0.46		11.3	0.90		1.1	0.25
. AAMR (2000 Std. mil.)		6.4	0.47		12.2	0.94		1.2	0.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.7	-		24.1	-		3.9	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	5	3.0	1.35	5	5.8	2.61	0	0.0	0.00
20-24	13	7.8	2.16	13	15.2	4.21	0	0.0	0.00
25-29	8	4.0	1.42	6	6.0	2.45	2	2.0	1.44
30-34	15	6.1	1.56	12	9.7	2.79	3	2.4	1.40
35-39	17	6.6	1.60	16	12.4	3.11	1	0.8	0.77
40-44	8	3.5	1.23	7	6.2	2.34	1	0.9	0.86
45-49	13	6.3	1.76	12	11.9	3.43	1	1.0	0.96
50-54	10	6.0	1.90	10	12.3	3.87	0	0.0	0.00
55-59	5	3.9	1.76	5	8.1	3.62	0	0.0	0.00
60-64	5	4.3	1.92	5	8.9	3.99	0	0.0	0.00
65-69	12	9.9	2.85	11	19.8	5.97	1	1.5	1.51
70-74	9	7.9	2.64	7	14.3	5.40	2	3.1	2.18
75-79	6	6.4	2.61	6	15.8	6.47	0	0.0	0.00
80-84	5	8.1	3.61	5	22.6	10.10	0	0.0	0.00
85+	5	9.4	4.19	5	35.2	15.76	0	0.0	0.00
Total deaths	136			125			11		
Connecticut									
. Crude rate		4.7	-		8.9	-		0.7	-
. AAMR (1940 Std. mil.)		4.1	0.38		7.8	0.74		-	-
. AAMR (1970 Std. mil.)		4.0	0.36		7.8	0.72		-	-
. AAMR (2000 Std. mil.)		4.5	0.39		8.9	0.80		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.5	-		11.5	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	8	4.8	1.71	8	9.4	3.31	0	0.0	0.00
20-24	12	7.2	2.08	11	12.9	3.87	1	1.2	1.23
25-29	11	5.5	1.67	9	9.0	3.00	2	2.0	1.44
30-34	5	2.0	0.90	4	3.2	1.61	1	0.8	0.81
35-39	4	1.5	0.77	4	3.1	1.55	0	0.0	0.00
40-44	2	0.9	0.62	2	1.8	1.25	0	0.0	0.00
45-49	2	1.0	0.69	0	0.0	0.00	2	1.9	1.36
50-54	1	0.6	0.60	1	1.2	1.23	0	0.0	0.00
55-59	2	1.6	1.12	2	3.2	2.29	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	0.8	0.82	0	0.0	0.00	1	1.5	1.51
70-74	1	0.9	0.88	0	0.0	0.00	1	1.5	1.54
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	49			41			8		
Connecticut									
. Crude rate		1.7	-		2.9	-		0.5	-
. AAMR (1940 Std. mil.)		2.1	0.31		3.6	0.57		-	-
. AAMR (1970 Std. mil.)		1.9	0.28		3.2	0.52		-	-
. AAMR (2000 Std. mil.)		1.8	0.25		3.0	0.47		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.6	-		11.0	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	1.5	0.87	3	3.0	1.73	0	0.0	0.00
30-34	4	1.6	0.81	3	2.4	1.39	1	0.8	0.81
35-39	15	5.8	1.50	12	9.3	2.69	3	2.3	1.34
40-44	15	6.5	1.68	13	11.5	3.19	2	1.7	1.21
45-49	27	13.2	2.54	22	21.8	4.64	5	4.8	2.15
50-54	24	14.4	2.94	21	25.7	5.61	3	3.5	2.04
55-59	15	11.8	3.06	12	19.4	5.61	3	4.6	2.67
60-64	19	16.3	3.74	12	21.4	6.19	7	11.5	4.36
65-69	18	14.8	3.49	11	19.8	5.97	7	10.6	4.00
70-74	19	16.7	3.83	13	26.5	7.36	6	9.3	3.78
75-79	10	10.7	3.37	6	15.8	6.47	4	7.2	3.58
80-84	4	6.5	3.23	3	13.5	7.82	1	2.5	2.52
85+	2	3.7	2.65	2	14.1	9.97	0	0.0	0.00
Total deaths	175			133			42		
Connecticut									
. Crude rate		6.0	-		9.4	-		2.8	-
. AAMR (1940 Std. mil.)		4.8	0.37		7.7	0.68		2.0	0.33
. AAMR (1970 Std. mil.)		5.0	0.39		8.0	0.71		2.2	0.36
. AAMR (2000 Std. mil.)		5.8	0.44		9.4	0.82		2.5	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		10.8	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
 U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
 for
 Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.5	0.52	0	0.0	0.00	1	1.1	1.08
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.6	0.55	0	0.0	0.00	1	1.1	1.13
15-19	3	1.8	1.05	3	3.5	2.02	0	0.0	0.00
20-24	14	8.4	2.24	9	10.5	3.50	5	6.2	2.76
25-29	20	10.1	2.25	17	17.0	4.12	3	3.0	1.76
30-34	41	16.6	2.59	31	24.9	4.48	10	8.1	2.56
35-39	51	19.8	2.77	40	31.1	4.91	11	8.5	2.56
40-44	42	18.3	2.82	35	30.9	5.23	7	6.0	2.27
45-49	24	11.7	2.39	19	18.8	4.31	5	4.8	2.15
50-54	8	4.8	1.70	6	7.4	3.00	2	2.4	1.66
55-59	5	3.9	1.76	2	3.2	2.29	3	4.6	2.67
60-64	4	3.4	1.71	2	3.6	2.53	2	3.3	2.33
65-69	3	2.5	1.42	2	3.6	2.55	1	1.5	1.51
70-74	2	1.8	1.24	1	2.0	2.04	1	1.5	1.54
75-79	3	3.2	1.85	1	2.6	2.64	2	3.6	2.53
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	3.7	2.65	1	7.0	7.05	1	2.6	2.55
Total deaths	224			169			55		
Connecticut									
. Crude rate		7.7	-		12.0	-		3.7	-
. AAMR (1940 Std. mil.)		7.2	0.50		11.0	0.87		3.5	0.50
. AAMR (1970 Std. mil.)		6.2	0.43		9.3	0.74		3.1	0.45
. AAMR (2000 Std. mil.)		7.4	0.50		11.3	0.88		3.6	0.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.3	-		2.9	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
 . The CT HP 2000 target: No comparison is available
 . The U.S. AAMR (1940 Std. mil.): CT rate is higher
 . THE U.S. HP 2000 target: CT rate is higher