



Inorganic Chemistry Drinking Water Form

Katherine A. Kelley State Public Health Laboratory, 395 West Street, Rocky Hill, CT 06067
Phone Number: (860) 920-6585

Select Water Source

- Public Water Supply
- Private Well

Submitter's Information: Name: _____ Horizon Profile #: _____

Address: _____
(Street) (City) (State) (Zip Code)

Sample Information: Date: _____ Site Name: _____

Site Address: _____
(Street) (City) (State) (Zip Code)

Collector's Information: Name: _____ Title: _____

Collector's Phone Number: _____

Additional Information / PWSID: _____

Bottle Type

Lab ID	Column No.	Collector Number	Time Collected	Sample Description	SDWIS	Chem	Metals	Cyanide
	1				<input type="checkbox"/> Yes <input type="checkbox"/> No			
	2				<input type="checkbox"/> Yes <input type="checkbox"/> No			
	3				<input type="checkbox"/> Yes <input type="checkbox"/> No			

Please check appropriate box(s) below for each requested sample test (1-3).

Group Tests		Acode	1	2	3	Individual Analytes		Acode	1	2	3
Physical Exam Group (1-5)		PHYSEXAM	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19 Chromium	200.8-CR-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Complete Exam Group (1-14)		COMPEXAM	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20 Lead	200.8-PB-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Drinking Water Metals Group (12-29)		METDW-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21 Arsenic	200.8-AS-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Reservoir Metals Group (13-25)		RESMETL-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22 Barium	200.8-BA-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Heavy Metals Group (15-20)		HEVYMET-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23 Mercury	245-HG-W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RCRA Metals Group (18-25)		RCRAMET-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24 Selenium	200.8-SE-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Individual Analytes		Acode	1	2	3	25 Silver	200.8-AG-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
1	Apparent Color	COLOR-APP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26 Thallium	200.8-TL-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2	True Color	COLOR-TRUE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	27 Antimony	200.8-SB-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3	Odor	ODOR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28 Beryllium	200.8-BE-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4	Turbidity	TURB-W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29 Aluminum	200.8-AL-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5	pH	PH-W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30 Calcium	200.7-CA-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6	Ammonia	N-NH3-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31 Magnesium	200.7-MG-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
7	Nitrate	300-NO3-W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32 Potassium	200.7-K-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
8	Nitrite	300-NO2-W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33 Tin	200.8-SN-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
9	Alkalinity	ALKALINITY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34 Fluoride	300-FL-W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
10	Hardness	200.7-HARDG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35 Ortho-phosphate	300-OP-W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
11	Chloride	300-CL-W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	36 Total phosphorus	PHOS-W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
12	Sodium	200.7-NA-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	37 Suspended Solids	SOLIDSUSP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
13	Iron	200.7-FE-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	38 Total Dissolved Solids	SOLIDDISS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
14	Manganese	200.7-MN-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	39 Conductivity	120.1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
15	Zinc	200.7-ZN-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	40 Sulfates	300-SO4-W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
16	Nickel	200.8-NI-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	41 Total Chlorine	CL2-T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
17	Copper	200.8-CU-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42 Cyanide	CN_LACH_W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
18	Cadmium	200.8-CD-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	43 Uranium	200.8-U-P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

CHAIN OF CUSTODY IS NOT REQUIRED FOR ROUTINE SAMPLING EVENTS. PLEASE CONTACT LABORATORY TO DETERMINE IF NECESSARY. PLEASE PRINT AND SIGN YOUR NAME IN THE APPROPRIATE CELL.

Collected by Name	Date/Time	Received by Name	Relinquished by Name	Date /Time	Received by Name
P: _____		P: _____	P: _____		P: _____
S: _____		S: _____	S: _____		S: _____
Relinquished by Name	Date/Time	Received by Name	Relinquished by Name	Date/Time	Received by Name
P: _____		P: _____	P: _____		P: _____
S: _____		S: _____	S: _____		S: _____