

## Civil Penalties Assessed and Paid

Penalties Paid between 01/01/15 and 01/01/20

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2014057	GENERAL PAVING & CONSTRUCTION	7/22/2014	95 HIGHCREST RD WETHERSFIELD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2014058	GENERAL PAVING & CONSTRUCTION CORP.	7/1/2014	8 WOODWARD ST ENFIELD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2014101	BURNS CONSTRUCTION CO., INC.	9/4/2014	639 BRADLEY ST EAST HAVEN	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2014109	HENKELS & MCCOY, INC.	8/4/2014	HANOVER ST MERIDEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2014113	MANAFORT BROTHERS INCORPORATED	9/23/2014	1 CIRCLE RD FARMINGTON	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,550.00
2014114	P J'S CONSTRUCTION COMPANY, INC.	9/24/2014	1648 VINE ST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2014122	HINCKLEY CONSTRUCTION	9/26/2014	CENTER ST WINDSOR LOCKS	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$700.00
2014123	TRUE BLUE ENVIRONMENTAL, INC.	9/19/2014	83 HARVARD DR TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2014124	BIRMINGHAM CONSTRUCTION	8/4/2014	11 DAVIS ST WATERTOWN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$850.00
2014129	Yankee Gas Services Company	7/3/2014	351 TORRINGFORD WES TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00
2014131	Yankee Gas Services Company	7/10/2014	15 PROSPECT PLACE TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,300.00
2014132	Yankee Gas Services Company	3/17/2014	212 CIRCULAR AVE WATERBURY	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,300.00
2014133	CONNECTICUT LIGHT AND POWER	10/9/2014	40 VILLA LOUISA RD BOLTON	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2014134	Yankee Gas Services Company	10/1/2014	200 WEST MAIN ST VERNON	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,800.00
2014135	Yankee Gas Services Company	10/28/2014	30 STONEYCREST DR MIDDLETOWN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,650.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2014136	Yankee Gas Services Company	10/15/2014	17 WEBB AVE STAMFORD	GAS FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,300.00
2014144	JOHN'S ASPHALT PAVING & MASONRY	11/7/2014	26 BEAVER CIRCLE MONROE	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$800.00
2014145	SANDOVAL TREE SERVICE, LLC	11/8/2014	55 LILAC LA EASTON	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2014146	WSM CONSTRUCTION, INC.	10/27/2014	FARMINGTON AVE WEST HARTFORD	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2014147	FRONTIER COMMUNICATIONS, INC.	10/6/2014	105 HARBOR DR STAMFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2014148	FRONTIER COMMUNICATIONS, INC.	8/5/2014	STATE HWY 195 MANSFIELD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$750.00
2014150	CONNECTICUT LIGHT AND POWER COMPANY	11/13/2014	65 MAIN ST CHESTER	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,400.00
2014151	FRONTIER COMMUNICATIONS, INC.	11/5/2014	31 INDUSTRIAL PARK RD ESSEX	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$850.00
2014152	THE SOUTHERN CONNECTICUT GAS	11/18/2014	4190 PARK AVE BRIDGEPORT	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2014154	CONNECTICUT LIGHT AND POWER COMPANY	11/20/2014	183 WEATHERSFIELD AV HARTFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2014155	FRONTIER COMMUNICATIONS, INC.	11/15/2014	18 WOODHAVEN RD ROCKY HILL	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$850.00
2014156	SOUTHERN CONNECTICUT GAS	11/12/2014	29 RIVERFIELD DR FAIRFIELD	GAS FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,150.00
2014157	FRONTIER COMMUNICATIONS, INC.	11/21/2014	90 FAIRFIELD AVE STAMFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$850.00
2014158	CONNECTICUT NATURAL GAS CORPORATION	6/27/2014	207 NORTH BEACON ST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$1,300.00
2014159	YANKEE GAS SERVICES COMPANY	7/24/2014	34 MARTIN LUTHER KING NORWALK	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00
2014160	BIRMINGHAM CONSTRUCTION	10/14/2014	112 PEARL ST TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$550.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2015005	RH WHITE CONSTRUCTION CO., INC.	12/15/2014	142-150 VERNON AVE VERNON	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$700.00
2015006	WSM CONSTRUCTION, INC.	12/18/2014	110 SOUTH MAIN ST UNIONVILLE	WATER FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$650.00
2015008	METROPOLITAN DISTRICT WATER COMMISSION	11/18/2014	171 CAPEN ST HARTFORD	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$950.00
2015009	RH WHITE CONSTRUCTION CO., INC.	11/11/2014	12 WILLIAMS RD MONTVILLE	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$900.00
2015010	CONNECTICUT LIGHT AND POWER COMPANY	12/30/2014	14-20 FOUNDERS RD CLINTON	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,400.00
2015011	CONNECTICUT LIGHT AND POWER COMPANY	12/3/2014	18 CONDOR CIRCLE ROCKY HILL	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2015012	FRONTIER COMMUNICATIONS	12/17/2014	720-730 HOPMEADOW SIMSBURY	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00
2015013	CONNECTICUT NATURAL GAS CORPORATION	11/21/2014	NORTH HILLSIDE RD MANSFIELD	GAS FACILITY DAMAGED SERVICE LINE	NO RECORD OF FACILITY - NOT LOCATED, OR INCORRECTLY	\$900.00
2015014	AJ PENNA & SON CONSTRUCTION, INC.	1/6/2015	189 OLD BOSTON RD WILTON	ELECTRIC FACILITY DAMAGED MAIN LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$500.00
2015015	HAYWARD BAKER, INC.	1/16/2015	1 KENNEDY AVE DANBURY	COMMUNICATIONS FACILITY MAIN LINE	FAILURE TO STAY WITHIN THE PROPOSED WORK AREA	\$700.00
2015018	CONNECTICUT NATURAL GAS CORPORATION	1/5/2015	28 PARK AVE WETHERSFIELD	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2015019	CONNECTICUT NATURAL GAS CORPORATION	1/21/2015	422 EAST ST NEW BRITAIN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2015022	EARTH TECHONOLGY LLC	12/1/2014	100 WATERFRONT ST NEW HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2015023	CONNECTICUT NATURAL GAS CORPORATION	1/15/2015	25 PILOT ROCK RD RIVERSIDE	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015024	CONNECTICUT LIGHT AND POWER COMPANY	1/19/2015	276 GREENLEY RD NEW CANAAN	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,400.00
2015025	CONNECTICUT LIGHT AND POWER COMPANY	1/8/2015	25 SPENCER PLAINS RD OLD SAYBROOK	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,400.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2015026	COMCAST	12/8/2014	2 EAST VIEW FARMINGTON	COMMUNICATIONS FACILITY SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$850.00
2015027	THE SOUTHERN CONNECTICUT GAS	12/15/2014	28 BURR FARM RD WESTPORT	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$900.00
2015028	THE SOUTHERN CONNECTICUT GAS	2/26/2015	797 EAST BROADWAY MILFORD	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - INCORRECT RECORD	\$1,150.00
2015029	REGIONAL WATER AUTHORITY	3/10/2015	QUINNIPAC RD NEW HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$750.00
2015030	THE SOUTHERN CONNECTICUT GAS	3/10/2015	6 ROUIND HILL RD NORTH HAVEN	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,150.00
2015031	COMCAST	3/20/2015	SUNSET FARMS RD WEST HARTFOR	COMMUNICATIONS FACILITY SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$850.00
2015032	THE SOUTHERN CONNECTICUT GAS	3/24/2015	24 MANSFIELD GROVE EAST HAVEN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,150.00
2015033	FRONTIER COMMUNICATIONS	1/26/2015	MAIN ST NEW CANAAN	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$750.00
2015034	COX COMMUNICATIONS	11/15/2014	36 WILLOW RD ROCKY HILL	COMMUNICATIONS FACILITY MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$750.00
2015035	DEERING CONSTRUCTION, INC.	4/15/2015	21 WALTER AVE NORWALK	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$750.00
2015037	R.E.D. TECHNOLOGIES, LLC	4/8/2015	350 GRAVEL ST MERIDEN	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$900.00
2015041	KOWALSKY BROTHERS, INC.	4/16/2015	27 MAIN ST WESTPORT	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,100.00
2015044	FRONTIER COMMUNICATIONS	4/28/2015	60 ADAMS ST MANCHESTER	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00
2015045	FRONTIER COMMUNICATIONS	4/15/2015	159 MAIN ST MONROE	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,150.00
2015046	COX COMMUNICATIONS	4/13/2015	11 BALDWIN COURT NEWINGTON	COMMUNICATIONS FACILITY MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,050.00
2015047	YANKEE GAS SERVICES COMPANY	4/27/2015	6 FOREST RD DARIEN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2015048	FRONTIER COMMUNICATIONS	4/28/2015	MAIN ST DANBURY	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2015049	EVERSOURCE ENERGY SERVICE COMPANY	4/23/2015	827 MARSHALL PHELPS WINDSOR	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,600.00
2015050	FRONTIER COMMUNICATIONS	4/3/2015	283 COOPER PL NEW HAVEN	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2015051	FRONTIER COMMUNICATIONS	4/18/2015	OAK DR PLAINFIELD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00
2015052	EVERSOURCE ENERGY SERVICE COMPANY	4/14/2015	240 HARTFORD AVE NEWINGTON	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,600.00
2015053	SOUTHERN CONN GAS COMPANY	4/20/2015	1 HARBOR ST NORTH HAVEN	GAS FACILITY DAMAGED SERVICE LINE	NO RECORD OF FACILITY - NOT LOCATED, OR INCORRECTLY	\$1,000.00
2015054	CONNECTICUT NATURAL GAS CORPORATION	3/18/2015	1 IMLAY ST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,150.00
2015055	METROPOLITAN DISTRICT COMMISSION	5/15/2015	61 STATE ST WETHERSFIELD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$600.00
2015058	EVERSOURCE ELECTRIC	5/20/2015	477 WEST MAIN ST NEW BRITAIN	COMMUNICATIONS FACILITY MAIN LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$950.00
2015059	FRONTIER COMMUNICATIONS	5/28/2015	HEATHER HILL RD BARKHAMSTED	COMMUNICATIONS FACILITY SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2015060	EVERSOURCE ELECTRIC	5/22/2015	10 BRAGDON AVE DANBURY	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,400.00
2015061	YANKEE GAS SERVICES COMPANY	4/28/2015	UNION ST WINDSOR	GAS FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$1,200.00
2015062	RED TECHNOLOGIES, LLC	5/28/2015	358 GRAVEL ST MERIDEN	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,300.00
2015064	DAYTON CONSTRUCTION COMPANY, INC.	6/3/2015	154 CHURCH ST BRISTOL	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2015069	PAGANELLI CONSTRUCTION CORP.	6/5/2015	2 PLINY RD HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$600.00
2015072	COX COMMUNICATIONS	6/12/2015	210-214 EAST BASS LA SUFFIELD	COMMUNICATIONS FACILITY MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$950.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2015073	YANKEE GAS SERVICES COMPANY	6/25/2015	16 KIEFT RD MIDDLETOWN	GAS FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,300.00
2015074	YANKEE GAS SERVICES COMPANY	6/8/2015	16 HUNTINGTON ST NEW LONDON	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,700.00
2015075	FRONTIER COMMUNICATIONS	6/6/2015	225 MUSIC MOUNTAIN CANAAN	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00
2015076	YANKEE GAS SERVICES COMPANY	6/3/2015	30 TEXAS DR MONTVILLE	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,650.00
2015077	CONNECTICUT NATURAL GAS CORPORATION	6/4/2015	2 OLD WHEELER LA AVON	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2015078	FRONTIER COMMUNICATIONS	6/3/2015	VINEYAR RD BURLINGTON	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2015079	EVERSOURCE ENERGY	6/23/2015	JEROME AVE BLOOMFIELD	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2015080	FRONTIER COMMUNICATIONS	6/12/2015	41-60 WOODLAND DR CROMWELL	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00
2015081	CONNECTICUT NATURAL GAS CORPORATION	5/11/2015	55 FRANKLIN AVE HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,000.00
2015082	YANKEE GAS SERVICES COMPANY	5/27/2015	52 ACADEMY HILL RD WATERTOWN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00
2015083	AJ PENNA & SON CONSTRUCTION	7/24/2015	4 OLDFIELD RD TRUMBULL	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$650.00
2015084	BURNS CONSTRUCTION COMPANY, INC.	7/29/2015	12 CLOVER LA WESTPORT	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$900.00
2015085	CB UTILITY COMPANY, INC.	7/27/2015	19 WEST VIEW RD NORTH HAVEN	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$650.00
2015086	DEERING CONSTRUCTION, INC.	7/13/2015	107 BELLTOWN RD STAMFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2015088	FGB CONSTRUCTION COMPANY	6/18/2015	2 JAMES ST WEST GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$550.00
2015089	PRIMROSE CONSTRUCTION CO., INC.	7/22/2015	1475 NOBEL AVE BRIDGEPORT	GAS FACILITY DAMAGED MAIN LINE	FAILURE TO STAY WITHIN THE PROPOSED WORK AREA	\$500.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2015090	SUSAYA CONSTRUCTION COMPANY, INC.	7/8/2015	48 GARDEN ST ENFIELD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$600.00
2015091	MORAIS CONCRETE SERVICE, INC.	6/8/2015	5 WIGWAM AVE WATERBURY	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$650.00
2015092	YANKEE GAS SERVICES COMPANY	7/7/2015	282 EAST ELM ST TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,300.00
2015093	THE SOUTHERN CONNECTICUT GAS	7/15/2015	535 PEETE ST BRIDGEPORT	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,150.00
2015096	YANKEE GAS SERVICES COMPANY	6/16/2015	130 RUBBER AVE NAUGATUCK	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,500.00
2015097	CONNECTICUT NATURAL GAS CORPORATION	6/18/2015	ASYLUM AVE HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015098	CONNECTICUT NATURAL GAS CORPORATION	6/20/2015	39 HIGHVIEW WETHERSFIELD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015099	EVERSOURCE ENERGY	5/9/2015	RASBERRY LA ELLINGTON	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,550.00
2015100	EVERSOURCE ENERGY	7/23/2015	30 FRANKLIN AVE HARTFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015102	FRONTIER COMMUNICATIONS	7/17/2015	54 SPICE HILL DR WALLINGFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2015103	YANKEE GAS SERVICES COMPANY	5/27/2015	61 NORTON ST SOUTHBURG	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00
2015106	BALTAZAR CONTRACTORS, INC.	8/25/2015	97 HAMILTON ST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2015107	BURNS CONSTRUCTION CO., INC.	8/26/2015	16 GREENBRIAR RD TRUMBULL	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$850.00
2015108	C.B. UTILITY COMPANY, INC.	8/14/2015	3304 DIXWELL AVE NORTH HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$850.00
2015112	GARRITY ASPHALT RECLAIMING INC.	8/19/2015	116 BEDFORD ST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$600.00
2015115	WILLIAMS BUILDING COMPANY, INC.	8/5/2015	950 CAMPBELL AVE WEST HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2015117	DANELLA CONSTRUCTION OF CT, INC.	7/17/2015	120 GREGORY BLVD NORWALK	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$550.00
2015118	BURNS CONSTRUCTION CO., INC.	5/22/2015	25 GILBERT ST SHELTON	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$950.00
2015119	R. H. WHITE CONSTRUCTION CO., INC.	7/31/2015	129 BRARYOND ST MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$750.00
2015120	EVERSOURCE ENERGY	8/28/2015	5 LAKE RIDGE DR COLUMBIA	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2015121	CITY OF NORWICH - DEPT OF PUBLIC UTILITY	8/19/2015	147 CANTERBURY TPKE NORWICH	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$500.00
2015122	EVERSOURCE ENERGY	8/18/2015	RETREAT RD HARTFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015123	EVERSOURCE ENERGY	8/20/2015	169 COLONY ST MERIDEN	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2015124	FRONTIER COMMUNICATIONS	8/12/2015	518 MAIN ST NEW HARTFORD	COMMUNICATIONS FACILITY MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$950.00
2015126	COMCAST	8/18/2015	49 PIERCE BLVD WINDSOR	COMMUNICATIONS FACILITY SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$850.00
2015127	YANKEE GAS SERVICES COMPANY	8/6/2015	17 HENRYS T NEW LONDON	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00
2015128	THE SOUTHERN CONNECTICUT GAS	8/6/2015	19 OAKDALE MILFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$900.00
2015129	EVERSOURCE ENERGY	8/21/2015	64 DOUBLE HILL RD BETHLEHEM	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015132	FRONTIER COMMUNICATIONS	7/23/2015	866 MARSHALL PHELPS WINDSOR	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2015133	BURNS CONSTRUCTION CO., INC.	9/23/2015	ROBERT TREAT DR MILFORD	ELECTRIC FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,150.00
2015134	GENERAL PAVING & CONSTRUCTION CORP.	8/24/2015	211 FAIRLAND DR, WETHERSFIELD,	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$850.00
2015135	DANELLA CONSTRUCTION	9/9/2015	184.5 GREGORY BLVD NORWALK	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$800.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2015136	MASTROBATTISTO INCORPORATED	9/25/2015	1 MILLERS MEW NEW HAVEN	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$600.00
2015138	EVERSOURCE ENERGY	9/18/2015	106 CANDLEWOOD HILL HADDAM	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015139	EVERSOURCE ENERGY	9/15/2015	65 HAMMERTOWN RD MONROE	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2015140	EVERSOURCE ENERGY	9/14/2015	PEARL ST HARTFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015142	EVERSOURCE ENERGY	9/9/2015	15 ELLEN DR BEACON FALLS,	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2015143	BILL ROY & SON SEPTIC, LLC	10/16/2015	70 SETTLERS FARM RD MONROE	ELECTRIC FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,000.00
2015145	CHERRY HILL CONSTRUCTION, INC.	10/8/2015	405 HARTFORD RD NEW BRITAIN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$850.00
2015147	LOMBARDI GRAVEL & EXCAVATION LLC	10/5/2015	11 INDUSTRIAL PARK RD EAST LYME	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$750.00
2015148	MARK IV CONSTRUCTION COMPANY, INC.	10/6/2015	3 FOREST RD WESTPORT, CT	GAS FACILITY DAMAGED SERVICE LINE	FAILURE TO STAY WITHIN THE PROPOSED WORK AREA	\$750.00
2015149	SUBURBAN SANITATION SERVICE, INC.	10/23/2015	DEVONSHIRE CT AVON	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$600.00
2015151	WSM CONSTRUCTION, INC.	10/3/2015	812 WORTHINGTON RID BERLIN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$950.00
2015152	FRONTIER COMMUNICATIONS	10/5/2015	1 ANDERSON ACRES KENT	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015153	CONNECTICUT NATURAL GAS CORPORATION	10/7/2015	5 FAIRFIELD AVE OLD GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015154	FRONTIER COMMUNICATIONS	10/6/2015	10 DAVID DR ELLINGTON	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2015155	CHARTER COMMUNICATIONS	8/26/2015	HERITAGE CIRCLE 20A & SOUTH BURY	COMMUNICATIONS FACILITY SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,050.00
2015156	COMCAST	10/20/2015	AVONRIDGE & COLDSPR AVON	COMMUNICATIONS FACILITY SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2015157	COMCAST	10/27/2015	252 CAPTAIN THOMAS B WEST HAVEN	COMMUNICATIONS FACILITY MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$950.00
2015158	COMCAST	10/30/2015	8 HAMPSHIRE RD MADISON	COMMUNICATIONS FACILITY MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,050.00
2015159	FRONTIER COMMUNICATIONS	10/6/2015	579 MAPLE AVE HARTFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2015160	COMCAST	8/31/2015	139 GOFFE ST NEW HAVEN	COMMUNICATIONS FACILITY MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$950.00
2015162	FRONTIER COMMUNICATIONS	10/16/2015	8 LISA AVE GRISWOLD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015163	FRONTIER COMMUNICATIONS	10/19/2015	3 LEEUWARDEN RD DARIEN	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015167	CONNECTICUT LIGHT & POWER COMPANY D/B/A	11/10/2015	205 FITCH HILL RD GUILFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2015169	FRONTIER COMMUNICATIONS	11/6/2015	716 SPRINGFIELD RD SOMERS	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,125.00
2015170	COMCAST	11/9/2015	STONEHEDGE LN SOUTH GUILFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$975.00
2015171	FRONTIER COMMUNICATIONS	11/20/2015	60 WHISCONIER RD BROOKFIELD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,125.00
2015173	CONNECTICUT LIGHT & POWER COMPANY D/B/A	11/9/2015	4 SOUTH RIDGE EAST HAMPTON	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$950.00
2016001	A. J. PENNA & SON CONSTRUCTION, INC.	12/4/2015	5 SILVER ST GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,550.00
2016002	ANSCHAU CONSTRUCTION	12/7/2015	800 SEAVIEW AVE BRIDGEPORT	GAS FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,275.00
2016008	C. J. FUCCI, INC	11/6/2015	934 E MAIN ST STAMFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,550.00
2016009	BIRMINGHAM CONSTRUCTION	10/5/2015	148 E ELM ST TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,325.00
2016010	MIZZY CONSTRUCTION, INC.	11/10/2015	36 LINDERMANN DR MILFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$650.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2016011	PARK CITY CONSTRUCTION	12/22/2015	47 COLUMBINE DR TRUMBULL	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$800.00
2016014	EVERSOURCE ENERGY	12/14/2015	17 WALL ST NORWALK	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2016015	FRONTIER COMMUNICATIONS	12/4/2015	330 MAIN STREET SOUT SOUTHURY	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,100.00
2016016	YANKEE GAS SERVICES COMPANY	11/13/2015	100 GRAVELINE AVE MERIDEN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,050.00
2016017	YANKEE GAS SERVICES COMPANY	11/2/2015	18 TONETTA CIR NORWALK	GAS FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2016018	YANKEE GAS SERVICES COMPANY	4/29/2015	181 FROST RD WATERBURY	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - INCORRECT RECORD	\$1,000.00
2016019	EVERSOURCE ENERGY	10/8/2015	WASHINGTON ST MIDDLETOWN	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2016020	EVERSOURCE ENERGY	7/28/2015	36 TIFFANY DR WINDSOR	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2016021	COMCAST	11/7/2015	480 MAIN ST WEST HAVEN	COMMUNICATIONS FACILITY SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$975.00
2016022	CITY OF NORWICH - DEPT OF PUBLIC UTILITY	12/3/2015	16 JORDAN DR NORWICH	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,150.00
2016023	EVERSOURCE ENERGY	6/17/2015	17 CARRIAGE DR MANSFIELD	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2016024	CONNECTICUT NATURAL GAS CORPORATION	11/12/2015	600 NORTH ST GREENWICH	GAS FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,275.00
2016026	CHERRY HILL CONSTRUCTION	1/13/2016	301 GOOSE LANE ORANGE	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$950.00
2016027	NETWORK INFRASTRUCTURE, INC.	12/14/2015	240 WHITE STREET DANBURY	ELECTRIC FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,125.00
2016028	EVERSOURCE ENERGY	10/15/2015	83 VALLEY FORGE RD WESTON	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,175.00
2016029	EVERSOURCE ENERGY	1/12/2016	25 STEEPLE TOP ROAD NORWALK	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,175.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2016030	BURNS CONSTRUCTION CO., INC.	2/23/2016	63 ANDRASSY AVE FAIRFIELD	GAS FACILITY DAMAGED SERVICE LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$1,800.00
2016031	ELECNOR HAWKEYE	2/19/2016	8 HARVEST LN WINDSOR	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$875.00
2016033	FRONTIER COMMUNICATIONS	2/11/2016	330 MERWIN AVE MILFORD	COMMUNICATIONS FACILITY SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,125.00
2016034	FRONTIER COMMUNICATIONS	2/5/2016	10 STRAN RD MILFORD	COMMUNICATIONS FACILITY SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,125.00
2016035	EVERSOURCE ENERGY	7/15/2015	22 MILL ROAD NEW CANAAN	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2016037	EXECUTIVE LANDSCAPING, INC.	3/9/2016	3 EDITH WAY NORTH HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$800.00
2016038	MCALLEN CONSTRUCTION, INC.	3/2/2016	60 BEAVER RD WETHERSFIELD	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,000.00
2016040	FRONTIER COMMUNICATIONS	3/30/2016	218 SEATON RD STAMFORD	COMMUNICATIONS FACILITY SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2016041	FRONTIER COMMUNICATIONS	3/1/2016	200 DOGWOOD HILL RD HAMDEN	COMMUNICATIONS FACILITY SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2016042	CONNECTICUT NATURAL GAS CORPORATION	3/9/2016	15 DAWN HARBOR LN RIVERSIDE	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$975.00
2016043	EVERSOURCE ENERGY	3/9/2016	10 PROSPECT HILL TER EAST WINDSOR	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$1,275.00
2016044	COMCAST	3/30/2016	69 NORTHWEST DR PLAINVILLE	COMMUNICATIONS FACILITY MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$975.00
2016045	FRONTIER COMMUNICATIONS	3/16/2016	PARK ST / NEW PARK AV HARTFORD	COMMUNICATIONS FACILITY SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2016046	CITY OF NORWICH - DEPT. OF PUBLIC UTILITY	12/17/2015	CONNECTICUT AVE NORWICH	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,175.00
2016047	COMCAST	12/14/2015	42 PARISH DR BERLIN	COMMUNICATIONS FACILITY SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$875.00
2016048	C.J. FUCCI, INC.	4/15/2016	16 OLD GATE LANE MILFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,425.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2016049	JTF HOLDINGS LLC	4/21/2016	263 LOCUST ST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,425.00
2016050	MARK IV CONSTRUCTION COMPANY	4/22/2016	12 HILLSIDE COURT BROOKFIELD	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$750.00
2016053	FRONTIER COMMUNICATIONS	4/21/2016	19 CARRIAGE HOUSE DR MANSFIELD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,275.00
2016054	CONNECTICUT NATURAL GAS CORPORATION	4/25/2016	271 GRANDVIEW TER HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$975.00
2016055	THE SOUTHERN CONNECTICUT GAS	4/5/2016	186-88 FIFTH STREET BRIDGEPORT	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$800.00
2016057	THE SOUTHERN CONNECTICUT GAS	4/15/2016	1 BLUFF AVE WEST HAVEN	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$800.00
2016059	NPL CONSTRUCTION CO.	5/31/2016	6 TWINS CT NORWICH	WATER FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$650.00
2016060	WSM CONSTRUCTION, INC.	5/12/2016	MASSIRIO @ FARMINGT BERLIN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,975.00
2016061	THE SOUTHERN CONNECTICUT GAS	5/16/2016	143 CHURCH ST GUILFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$825.00
2016062	FRONTIER COMMUNICATIONS	5/24/2016	55 AZALEA DR MIDDLETOWN	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,225.00
2016063	EVERSOURCE ENERGY	5/14/2016	37 VALLEYVIEW DR MIDDLEFIELD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00
2016064	EVERSOURCE ENERGY	5/6/2016	3 WEYMOUTH RD ENFIELD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,600.00
2016065	LARRY DELUCA EXCAVATING LLC	5/23/2016	50 BYFIELD LANE GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,000.00
2016066	A. VITTI CONSTRUCTION, INC.	5/19/2016	103 MASON STREET GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$875.00
2016067	THE GRASSO COMPANIES LLC	1/6/2016	ABBEY RD DARIEN	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,000.00
2016068	BARBER UTILITIES, LLC	6/10/2016	634 N MAIN ST MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,000.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2016069	C. J. FUCCI, INC	6/8/2016	5 SECOND AVE DANBURY	GAS FACILITY DAMAGED SERVICE LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$1,500.00
2016071	METROPOLITAN DISTRICT WATER	6/9/2016	23 BURGOYNE ST WEST HARTFOR	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,325.00
2016074	YANKEE GAS SERVICES COMPANY	5/24/2016	689 N MAIN ST KILLINGLY	GAS FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,100.00
2016075	YANKEE GAS SERVICES COMPANY	1/18/2016	103 BRIDGE ST MIDDLETOWN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$975.00
2016076	FRONTIER COMMUNICATIONS	6/29/2016	MCKEE ST / WEST CENT MANCHESTER	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,325.00
2016077	FRONTIER COMMUNICATIONS	6/15/2016	15 ROLF DR DANBURY	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,200.00
2016078	EVERSOURCE ENERGY	6/17/2016	CARRIER CT SOUTHBURG	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2016079	FRONTIER COMMUNICATIONS	6/15/2016	48 SALEM WALK MILFORD	COMMUNICATIONS FACILITY SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,325.00
2016080	COMCAST	6/25/2016	95 CLINIC DR NEW BRITAIN	COMMUNICATIONS FACILITY SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,000.00
2016081	YANKEE GAS SERVICES COMPANY	4/27/2016	195 S MAIN ST TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - INCORRECT RECORD	\$1,175.00
2016082	A.J. PENNA & SON CONSTRUCTION, INC.	7/19/2016	NORTH WAY ( NEAR INT OLD GREENWIC	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,975.00
2016083	BARBER UTILITIES, LLC	7/11/2016	101 HIGHCREST PL SIMSBURY	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,250.00
2016084	BURNS CONSTRUCTION CO., INC.	7/15/2016	99 GARLAND RD TRUMBULL	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$2,800.00
2016088	DANELLA CONSTRUCTION	7/12/2016	212 WINSTED RD TORRINGTON	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,200.00
2016090	HENKELS & MCCOY, INC	7/18/2016	173 KENSINGTON AVE MERIDEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,000.00
2016091	LAYDON INDUSTRIES, LLC	7/21/2016	240 W MAIN ST CHESHIRE	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$800.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2016093	CONNECTICUT NATURAL GAS CORPORATION	7/1/2016	16 GOLD ST EAST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00
2016094	EVERSOURCE ENERGY	5/23/2016	1 RYAN CIRCLE SIMSBURY	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2016095	CONNECTICUT NATURAL GAS CORPORATION	6/28/2016	15 CENTERFIELD ST MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00
2016096	EVERSOURCE ENERGY	4/18/2016	RIVER ROAD - GLEN RIVE WILTON	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00
2016097	Tabacco & Sons Builders, Inc.	7/1/2016	Lemay St. West Hartford	Connecticut Natural Gas *No Damage*	Failure to Notify CBYD	\$750.00
2016098	CHERRY HILL CONSTRUCTION, Inc.	8/5/2016	DEERFIELD LN & GOOSE ORANGE	ELECTRIC FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$2,350.00
2016099	A. J. PENNA & SON CONSTRUCTION, INC.	8/3/2016	40 WEST WAY OLD GREENWIC	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,425.00
2016100	B & W PAVING & LANDSCAPING, LLC	8/9/2016	536 DANIELS FARM RD TRUMBULL	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,475.00
2016101	BURNS CONSTRUCTION	8/18/2016	59 POST RD WESTPORT	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,825.00
2016102	HENKELS & MCCOY, INC.	7/28/2016	211 RESERVOIR AVE MERIDEN	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$825.00
2016107	MIZZY CONSTRUCTION, INC.	7/26/2016	227 RALPH RD MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,100.00
2016108	WSM CONSTRUCTION, INC.	7/15/2016	45 CUMBERLAND RD WEST HARTFOR	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,800.00
2016109	YANKEE GAS SERVICES COMPANY	8/18/2016	27-29-31 WOODING ST BRISTOL	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00
2016110	EVERSOURCE ENERGY	8/19/2016	60 OLD TOWN RD VERNON	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2016111	EVERSOURCE ENERGY	8/24/2016	49 MORNING MIST RD NAUGATUCK	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2016112	YANKEE GAS SERVICES COMPANY	8/4/2016	18 DUTTON ST WALLINGFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2016113	EVERSOURCE ENERGY	8/23/2016	HIGHLAND PAK DR BLOOMFIELD	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2016114	FRONTIER COMMUNICATIONS	8/11/2016	RTE 4 ( BEHIND #784) FARMINGTON	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$975.00
2016115	CONNECTICUT NATURAL GAS CORPORATION	7/8/2016	69 GOLD ST EAST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,075.00
2016116	CHERRY HILL CONSTRUCTION, Inc.	9/13/2016	29 TOLLES RD WALLINGFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,700.00
2016117	GARRITY ASPHALT RECLAIMING, INC.	9/14/2016	TAYLOR CT WINDHAM	GAS FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$500.00
2016119	SUBURBAN SANITATION	9/8/2016	68 BROOKMOORE RD AVON	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,150.00
2016120	WATERS CONSTRUCTION COMPANY	8/22/2016	184 SPENCER ST MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$700.00
2016121	TABACCO & SONS BUILDERS INC.	8/11/2016	78 LEMAY ST WEST HARTFOR	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$875.00
2016125	FEENEY BROTHERS	9/8/2016	175 WAKELEE AVE ANSONIA	WATER FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$600.00
2016126	GERBER CONSTRUCTION INC.	9/15/2016	70 WELLS ST MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$900.00
2016127	GERBER CONSTRUCTION INC.	9/22/2016	84 WELLS ST MANCHESTER	GAS FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,200.00
2016129	L T C CONSTRUCTION COMPANY	9/13/2016	245 BROAD ST NEW BRITAIN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$800.00
2016130	R H WHITE CONSTRUCTION	9/27/2016	S MAIN STREET PUTNAM	COMMUNICATIONS FACILITY SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,400.00
2016131	YANKEE GAS SERVICES COMPANY	9/6/2016	936 ENFIELD ST ENFIELD	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,050.00
2016132	FRONTIER COMMUNICATIONS	9/29/2016	106 THOMAS STREET MIDDLETOWN	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,225.00
2016133	EVERSOURCE ELECTRIC	9/2/2016	18 SPENCER ST MANCHESTER	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,250.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2016134	EVERSOURCE ELECTRIC	9/20/2016	151 TORRINGTON RD WINSTED	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2016135	Connecticut Natural Gas	9/21/2016	105 Grennan Road West Hartford		Failure to report a damage to PURA	\$1,000.00
2016140	ADAM STELMASZEK & SONS	10/31/2016	54 STERLING ST FAIRFIELD	GAS FACILITY DAMAGED SERVICE LINE	FAILURE TO STAY WITHIN THE PROPOSED WORK AREA	\$600.00
2016141	ATLAS RESIDENTIAL & COMMERCIAL SERVICES,	10/8/2016	120 WEST STREET VERNON	SEWER FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$750.00
2016142	BALTAZAR CONTRACTORS	10/14/2016	WHITON ST WINDSOR LOCKS	WATER FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$750.00
2016144	CHERRY HILL CONSTRUCTION	10/28/2016	169 SUNRISE CIRCLE ORANGE	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,200.00
2016146	GRASSO CONSTRUCTION, INC.	10/20/2016	175 TOMS RD STAMFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILURE TO STAY WITHIN THE PROPOSED WORK AREA	\$1,000.00
2016149	YANKEE GAS SERVICES COMPANY	10/6/2016	319 MERLINE RD VERNON	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,025.00
2016150	YANKEE GAS SERVICES COMPANY	8/1/2016	556 MER WTBY RD SOUTHBURG	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$975.00
2016151	YANKEE GAS SERVICES COMPANY	9/26/2016	74 THUNDERBIRD DR SOUTHBURG	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,275.00
2016152	YANKEE GAS SERVICES COMPANY	8/29/2016	1005 WHITE BIRCH LN OXFORD	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,050.00
2016153	YANKEE GAS SERVICES COMPANY	10/13/2016	9 GOLDEN HILL AVE DANBURY	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,025.00
2016154	The Southern Connecticut Gas Company	10/24/2016	58 FOREST RD WEST HAVEN	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$650.00
2016155	CONNECTICUT NATURAL GAS CORPORATION	10/17/2016	NELSON DR BURLINGTON	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$750.00
2016156	FRONTIER COMMUNICATIONS	10/29/2016	BEDFORD ST & WALTON STAMFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,025.00
2016157	CONNECTICUT NATURAL GAS CORPORATION	10/3/2016	SINAWAY RD COS COB- GREEN	GAS FACILITY DAMAGED MAIN LINE	NO RECORD OF FACILITY - NOT LOCATED, OR INCORRECTLY	\$800.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2016158	EVERSOURCE ENERGY	10/14/2016	136 FERNCLIFF DR SOUTHBROOK	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,275.00
2016159	YANKEE GAS SERVICES COMPANY	10/11/2016	1 PARK RIDGE RD BETHEL	GAS FACILITY DAMAGED SERVICE LINE	NO RECORD OF FACILITY - NOT LOCATED, OR INCORRECTLY	\$1,750.00
2016161	COMCAST OF CONNECTICUT, INC.	10/4/2016	60 SYMONDS AVE	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2017001	HENKLES & MCCOY, INC.	11/2/2016	15 COE ST MERIDEN	GAS FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,875.00
2017002	BURNS CONSTRUCTION CO., INC.	11/22/2016	BAKER STREET MILFORD	WATER FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$2,500.00
2017003	NPL CONSTRUCTION CO.	11/22/2016	ADMIRAL ST WEST HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,375.00
2017005	EVERSOURCE GAS	9/29/2016	247 FAIRLAWN AVE WATERBURY	GAS FACILITY DAMAGED SERVICE LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$1,000.00
2017006	EVERSOURCE ENERGY	11/21/2016	9 ROBERTS RD MARLBOROUGH	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,425.00
2017007	EVERSOURCE ENERGY	11/7/2016	99 WARM EARTH RD NAUGATUCK	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,425.00
2017008	YANKEE GAS SERVICES COMPANY	11/7/2016	93 WARM EARTH RD NAUGATUCK	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,500.00
2017009	EVERSOURCE ENERGY	11/22/2016	254 FALLS RD BETHANY	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,425.00
2017010	EVERSOURCE ENERGY	11/8/2016	KHAKUM WOOD RD GREENWICH	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,425.00
2017011	EVERSOURCE ENERGY	11/23/2016	67 GLENN ROAD REDDING	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,425.00
2017012	CONNECTICUT NATURAL GAS CORPORATION	11/7/2016	180 W PUTNAM AVE GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,975.00
2017013	FRONTIER COMMUNICATIONS	11/8/2016	COE LN ANSONIA	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,750.00
2017015	EVERSOURCE ENERGY	11/10/2016	28 HAZARD AVE. ENFIELD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,425.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2017016	FRONTIER COMMUNICATIONS	11/15/2016	1601 WHITNEY AVE HAMDEN	COMMUNICATIONS FACILITY SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,975.00
2017017	EVERSOURCE ENERGY	10/18/2016	195 MAIN ST STAMFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,425.00
2017018	YANKEE GAS SERVICES COMPANY	10/28/2016	451 HARTFORD TPKE VERNON	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$4,125.00
2017019	BURNS CONSTRUCTION CO., INC.	12/8/2016	705 PLATT ST BRIDGEPORT	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$3,950.00
2017025	J IAPALUCCIO INC.	12/1/2016	7 JOHNSON AVE FARMINGTON	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,625.00
2017026	J IAPALUCCIO INC.	12/23/2016	2 SELLECK ST STAMFORD	GAS FACILITY DAMAGED MAIN LINE	FAILURE TO STAY WITHIN THE PROPOSED WORK AREA	\$800.00
2017027	J. IAPALUCCIO INC.	12/30/2016	762 BOSTON POST RD MADISON	GAS FACILITY DAMAGED SERVICE LINE	FAILURE TO STAY WITHIN THE PROPOSED WORK AREA	\$875.00
2017031	EVERSOURCE ENERGY	12/23/2016	33 RAYMOND PL CROMWELL	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,425.00
2017033	G.P.L. CONSTRUCTION, INC.	1/30/2017	35 ELDANE ST NEW LONDON	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$875.00
2017035	BURNS CONSTRUCTION CO., INC.	1/5/2017	5 MARION ROAD STRATFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$2,975.00
2017036	C. J. FUCCI, INC	1/16/2017	HAYESTOWN RD DANBURY	GAS FACILITY DAMAGED MAIN LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$1,950.00
2017037	YANKEE GAS SERVICES COMPANY	1/5/2017	71 NEWTOWN RD DANBURY	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,650.00
2017038	EVERSOURCE ENERGY	1/31/2017	JEFFERSON STREET HARTFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,725.00
2017039	EVERSOURCE ENERGY	11/10/2016	29 RICHMOND HILL RD GREENWICH	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,475.00
2017041	YANKEE GAS SERVICES COMPANY	8/22/2016	899 MIDDLE ST BRISTOL	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$3,850.00
2017042	EVERSOURCE ENERGY	12/13/2016	25 SMITH AVENUE EAST LYME	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,350.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2017043	EVERSOURCE ENERGY	2/2/2017	1141 Post Road East Westport	Electric Facilities Transmission Line	Markout Person Error	\$1,000.00
2017044	COMPASS ENTERPRISES, INC.	2/17/2017	48 SPENCER ST MANCHESTER	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$650.00
2017045	EVERSOURCE ENERGY	2/8/2017	301 MURPHY RD HARTFORD	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,650.00
2017046	FRONTIER COMMUNICATIONS	2/10/2017	39 TALCOTTVILLE RD VERNON	COMMUNICATIONS FACILITY MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,375.00
2017050	FTS USA, LLC	3/8/2017	40 BURNT HILL RD FARMINGTON	COMMUNICATIONS FACILITY MAIN LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$825.00
2017052	FRONTIER COMMUNICATIONS	3/22/2017	71 WALL ST NORWALK	COMMUNICATIONS FACILITY SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,850.00
2017056	WSM CONSTRUCTION, INC.	4/27/2017	24 BELMONT ST WETHERSFIELD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,650.00
2017058	EVERSOURCE ENERGY	4/12/2017	SCHOOL RD WESTON	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,525.00
2017059	CONNECTICUT NATURAL GAS CORPORATION	4/24/2017	463 CAMPFIELD AVE HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,275.00
2017060	COMCAST	4/6/2017	480 FERRY ST NEW HAVEN	COMMUNICATIONS FACILITY SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,525.00
2017061	EVERSOURCE ENERGY	4/27/2017	WILFORD RD MANCHESTER	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,525.00
2017062	THE SOUTHERN CONNECTICUT GAS	4/28/2017	10 WEST BRANCH RD WESTPORT	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2017063	CONNECTICUT NATURAL GAS CORPORATION	4/10/2017	593 BROAD ST HARTFORD	GAS FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,025.00
2017064	EVERSOURCE ENERGY	5/23/2017	1 Chronicle Rd Windham	Electric Facilities Service Line	Markout Person Error	\$1,000.00
2017065	EVERSOURCE ENERGY	5/26/2017	33 Old Village Lane Farmington	Electric Facilities Service Line	Markout Person Error	\$1,000.00
2017066	EVERSOURCE ENERGY	6/1/2017	55 Ridgewood Lane Berlin	Electric Facilities Service Line	Fail to respond to CBYD locate request	\$1,000.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2017067	EVERSOURCE ENERGY	6/1/2017	26 Park View Road Berlin	Electric Facilities Service Line	Fail to respond to CBYD locate request	\$1,000.00
2017068	EVERSOURCE ENERGY	6/1/2017	160 West St. Cromwell	Electric Facilities Service Line	Fail to respond to CBYD locate request	\$1,000.00
2017070	A. VITTI CONSTRUCTION, INC.	5/12/2017	19 TOD LANE GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,250.00
2017071	AMEC CONSTRUCTION, LLC	5/18/2017	91 RITCH AVE W GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$650.00
2017072	T & T CONCRETE AND LANDSCAPES	5/1/2017	BROAD & CAPITOL AVE HARTFORD	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$825.00
2017074	EVERSOURCE ENERGY	5/16/2017	12 ECHO VALLEY RD SOUTHBURG	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,100.00
2017075	THE SOUTHERN CONNECTICUT GAS	5/10/2017	2318 BARNUM AVE STRATFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,825.00
2017076	THE SOUTHERN CONNECTICUT GAS	5/10/2017	1 QUARRY DOCK RD BRANFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,825.00
2017077	COMCAST	11/10/2016	44 CLIFFORD ST HAMDEN	COMMUNICATIONS FACILITY SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,750.00
2017078	EVERSOURCE ENERGY	12/9/2016	6 SPLIT ROCK RD NEWTOWN	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,650.00
2017080	EVERSOURCE ENERGY	3/23/2017	27 RED MOUNTAIN LN AVON	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,600.00
2017081	RH WHITE CONSTRUCTION CO., INC.	6/23/2017	62 S QUAKER LANE WEST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,400.00
2017082	RH WHITE CONSTRUCTION CO., INC.	6/27/2017	52-54 S QUAKER LANE WEST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,600.00
2017085	LYON CONSTRUCTION LIMITED LIABILITY	6/8/2017	554 STRONG ST EAST HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,000.00
2017087	WSM CONSTRUCTION, INC.	6/1/2017	559 STANLEY ST NEW BRITAIN	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,400.00
2017088	B&W PAVING & LANDSCAPING, LLC	5/3/2017	191 COOKE ST PLAINVILLE	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,375.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2017089	D&G CONTRACTORS, INC.	5/25/2017	60 TRUMBULL AVE PLAINVILLE	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$600.00
2017090	HENKELS & MCCOY, INC.	5/16/2017	788 MAIN ST PLYMOUTH	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,125.00
2017091	CONNECTICUT NATURAL GAS CORPORATION	6/1/2017	120 CHARTER OAK ST MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,000.00
2017092	THE SOUTHERN CONNECTICUT GAS	6/27/2017	10 FENWAY DR HAMDEN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - INCORRECT RECORD	\$900.00
2017093	EVERSOURCE ENERGY	6/2/2017	82 RYE HILL CIRCLE SOMERS	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,900.00
2017094	EVERSOURCE ENERGY	6/6/2017	1 FARM SPRINGS RD FARMINGTON	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,900.00
2017095	CONNECTICUT NATURAL GAS CORPORATION	6/21/2017	506 CENTER ST MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,950.00
2017096	EVERSOURCE ENERGY	6/15/2017	WILLOWBROOK RD CROMWELL	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,700.00
2017097	CONNECTICUT NATURAL GAS CORPORATION	6/12/2017	RUBIN RD@ SOUTH RD FARMINGTON	GAS FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$1,400.00
2017098	YANKEE GAS SERVICES COMPANY	5/2/2017	140 COLUMBIA BLVD WATERBURY	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$1,350.00
2017099	YANKEE GAS SERVICES COMPANY	5/4/2017	601 COVE RD STAMFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,300.00
2017100	YANKEE GAS SERVICES COMPANY	2/21/2017	30 KENILWORTH DR STAMFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,400.00
2017101	COMCAST OF CONNECTICUT, INC.	6/26/2017	215 JAFFREY ST WEST HAVEN	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,500.00
2017102	CONNECTICUT NATURAL GAS CORPORATION	6/16/2017	50 OAKLAND AVE EAST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,000.00
2017103	EVERSOURCE ENERGY	6/15/2017	645 BROAD ST HARTFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,000.00
2017104	EVERSOURCE ENERGY	6/16/2017	BROAD ST @ CAPITOL A HARTFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,000.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2017105	YANKEE GAS SERVICES COMPANY	2/3/2017	100 KNOLL RIDGE CT MIDDLETOWN	GAS FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,050.00
2017106	COMCAST OF CONNECTICUT, INC.	5/17/2017	65 DWIGHT ST NEW HAVEN	COMMUNICATIONS FACILITY MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,550.00
2017107	EVERSOURCE ENERGY	5/4/2017	25 E PUTNAM AVE GREENWICH	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,500.00
2017108	YANKEE GAS SERVICES COMPANY	3/9/2017	71 WOODLAWN RD NEW LONDON	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,400.00
2017109	YANKEE GAS SERVICES COMPANY	5/11/2017	45 FREIGHT ST WATERBURY	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$2,550.00
2017110	Eversource Electric	8/4/2017	98 Christopher Way Berlin	Electric Facilities Primary and service lines	Fail to mark facilities in response to CBYD request	\$1,000.00
2017113	C. J. FUCCI, INC.	7/12/2017	105-107 FOSTER ST NEW HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,200.00
2017114	EMPIRE PAVING, INC.	7/26/2017	1082 FARMINGTON AVE BRISTOL	GAS FACILITY DAMAGED SERVICE LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$575.00
2017115	HENKELS & MCCOY, INC.	7/8/2017	QUARRY DOCK RD BRANFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$925.00
2017118	R. H. WHITE CONSTRUCTION CO., INC.	7/28/2017	432 CAMPFIELD AVE HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$2,750.00
2017119	HENKELS & MCCOY, INC.	7/15/2017	65-68 QUARRY ROCK RD BRANFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$2,800.00
2017120	BIRMINGHAM CONSTRUCTION	6/15/2017	674 PROSPECT ST TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,250.00
2017121	YANKEE GAS SERVICES COMPANY	7/11/2017	LOT 29 ROBERT TRACE BRISTOL	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - INCORRECT RECORD	\$1,600.00
2017122	FRONTIER COMMUNICATIONS	6/13/2017	BIRCH LN EAST HAVEN	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,625.00
2017123	REGIONAL WATER AUTHORITY	7/28/2017	EDGEFIELD AVE / YALE A MILFORD	WATER FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,125.00
2017124	YANKEE GAS SERVICES COMPANY	7/17/2017	80 HIGHLAND AVE DANBURY	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,800.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2017125	EVERSOURCE ENERGY	9/8/2017	15 Canfield Road Essex	Electric Facilities Primary and service lines	Fail to mark facilities in response to CBYD request	\$5,000.00
2017126	EVERSOURCE ENERGY		218 Woodstock Ave Putnam	Electric Facilities Primary and service lines	Fail to mark facilities in response to CBYD request	\$5,000.00
2017127	EVERSOURCE ENERGY		130 David Circle Putnam	Electric Facilities Primary and service lines	Fail to mark facilities in response to CBYD request	\$5,000.00
2017129	H.M. NUNES & SONS CONSTRUCTION, INC.	8/15/2017	510 AVERY ST SOUTH WINDSO	GAS FACILITY DAMAGED SERVICE LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$800.00
2017132	BARBER UTILITIES, LLC	8/31/2017	53 HARLAN ST MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,200.00
2017133	BARBER UTILITIES, LLC	8/25/2017	657 SILAS DEANE HWY WETHERSFIELD	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$950.00
2017134	BIRMINGHAM CONSTRUCTION	8/31/2017	360 PROSPECT ST TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,250.00
2017136	BURNS CONSTRUCTION CO., INC.	8/3/2017	401 BREWSTER ST BRIDGEPORT	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$2,550.00
2017140	FTS USA, LLC	8/14/2017	6 HUCKLEBERRY LN SIMSBURY	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,175.00
2017142	R.H. WHITE CONSTRUCTION CO., INC.	8/21/2017	BUTTERCUP / OLDFIELD ENFIELD	ELECTRIC FACILITY DAMAGED SERVICE LINE	FAILURE TO STAY WITHIN THE PROPOSED WORK AREA	\$1,425.00
2017143	YANKEE GAS SERVICES COMPANY	7/18/2017	164 CENTENNIAL AVE MERIDEN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,525.00
2017144	YANKEE GAS SERVICES COMPANY	8/14/2017	382 PROSPECT ST TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,525.00
2017145	YANKEE GAS SERVICES COMPANY	8/15/2017	360 PROSPECT ST TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,525.00
2017146	YANKEE GAS SERVICES COMPANY	8/4/2017	61 S MAIN ST EAST WINDSOR	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,525.00
2017147	THE SOUTHERN CONNECTICUT GAS	8/11/2017	147 SUNRISE HILL CIRCL ORANGE	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - INCORRECT RECORD	\$925.00
2017148	YANKEE GAS SERVICES COMPANY	8/16/2017	108 LONGMEADOW DR WATERBURY	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,525.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2017149	EVERSOURCE ENERGY	8/12/2017	1234 SUMMER ST STAMFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,775.00
2017150	EVERSOURCE ENERGY	8/14/2017	QUARRY DOCK RD BRANFORD	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$3,000.00
2017151	THE SOUTHERN CONNECTICUT GAS	8/29/2017	53 PAINTER AVE WEST HAVEN	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,850.00
2017153	CONNECTICUT NATURAL GAS CORPORATION	8/14/2017	24 STRADDLE HILL WETHERSFIELD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,025.00
2017154	CURTIS SPACAVENTO LANDSCAPING CORP.	8/17/2017	4 Cove Ridge Lane Greenwich		Fail to notify CBYD	\$950.00
2017155	AMEC CONSTRUCTION, LLC	9/20/2017	91 W RITCH AVE GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,000.00
2017156	B & W PAVING & LANDSCAPING, LLC	9/14/2017	45 LAUREL ST PUTNAM	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,200.00
2017157	BALTAZAR CONTRACTORS, INC.	9/25/2017	11 EMMETT AVE DERBY	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,650.00
2017158	C. J. FUCCI, INC	9/13/2017	1500 ALBANY AVE HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILURE TO STAY WITHIN THE PROPOSED WORK AREA	\$1,600.00
2017160	DERITA & SONS CONSTRUCTION CO., INC.	9/14/2017	41 DOHERTY ST MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$825.00
2017161	YANKEE GAS SERVICES COMPANY	9/2/2017	70 HEMLOCK LN MIDDLEBURY	GAS FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,075.00
2017164	TABACCO & SONS BUILDERS, INC.	9/18/2017	HIGH ST THOMASTON	WATER FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,200.00
2017167	WILLIAM M LAYDON CONSTRUCTION, LLC	9/30/2017	333 VALLEY ST NEW HAVEN	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$800.00
2017168	THE GRASSO COMPANIES LLC	8/15/2017	285 SOUND BEACH AVE GREENWICH	ELECTRIC FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,175.00
2017169	THE SOUTHERN CONNECTICUT GAS	9/8/2017	1310 REDDING RD FAIRFIELD	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - INCORRECT RECORD	\$1,050.00
2017170	THE SOUTHERN CONNECTICUT GAS	9/11/2017	539 RIDGE RD HAMDEN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,850.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2017171	EVERSOURCE ENERGY	9/28/2017	30 BOW LANE GRISWOLD	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,750.00
2017172	EVERSOURCE ENERGY	9/25/2017	42 OAKWOOD DR OXFORD	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,325.00
2017173	CONNECTICUT NATURAL GAS CORPORATION	9/20/2017	29 RACHEL RD MANCHESTER	GAS FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$3,450.00
2017174	EVERSOURCE ENERGY	7/27/2017	2 PLANTER STREET FARMINGTON	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$4,225.00
2017175	EVERSOURCE ENERGY	6/2/2017	307 NECK RD MADISON	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,250.00
2017177	EVERSOURCE ENERGY	8/24/2017	1380 ALABANY AVE HARTFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,275.00
2017178	EVERSOURCE ENERGY	7/28/2017	23 LAMPERE RD WATERFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$3,275.00
2017182	THE GRASSO COMPANIES, LLC	10/12/2017	95 ATLANTIC ST STAMFORD	ELECTRIC FACILITY DAMAGED MAIN LINE	FAILURE TO STAY WITHIN THE PROPOSED WORK AREA	\$1,175.00
2017183	MCALLEN CONSTRUCTION, INC.	10/13/2017	CREST RD SOUTHBURG	ELECTRIC FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$850.00
2017185	BURNS CONSTRUCTION	9/27/2017	STRATFORD AVE STRATFORD	ELECTRIC FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$4,300.00
2017186	EVERSOURCE ENERGY	10/10/2017	1475 NEW BRITAIN AVE WEST HARTFORD	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$3,425.00
2017187	EVERSOURCE ENERGY	10/6/2017	8 OAKWOOD AVE NORWALK	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,850.00
2017188	YANKEE GAS SERVICES COMPANY	10/27/2017	36 PLANK E RD WATERBURY	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,400.00
2017189	EVERSOURCE ENERGY	10/24/2017	35 COLONIAL DR WATERFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,500.00
2017190	EVERSOURCE ENERGY	10/2/2017	208 VALLEY RD NEW CANAAN	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,325.00
2017191	YANKEE GAS SERVICES COMPANY	6/2/2017	906 N COLONY RD WALLINGFORD	GAS FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,575.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2017192	EVERSOURCE ENERGY	10/30/2017	3 EAST HAMPTON RD MARLBOROUGH	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$3,500.00
2017193	CONNECTICUT NATURAL GAS CORPORATION	10/12/2017	W CENTER @ S ADAMS MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,400.00
2017194	THE SOUTHERN CONNECTICUT GAS	10/26/2017	6 JERSEY DR NORTH HAVEN	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$1,050.00
2017195	COMCAST	10/3/2017	209 DIAMOND ST NEW HAVEN	COMMUNICATIONS FACILITY SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,575.00
2017196	EVERSOURCE ENERGY	9/14/2017	175 E MAIN ST MIDDLETOWN	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$4,275.00
2018001	D&G CONTRACTORS, INC.	6/1/2017	138 TRUMBULL AVE PLAINVILLE	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,000.00
2018003	ATLAS RESIDENTIAL & COMMERCIAL SERVICES,	11/30/2017	564 W CENTER ST SOUTHBURG	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,250.00
2018004	BURNS CONSTRUCTION CO., INC.	11/9/2017	40 HASSAKE RD GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$4,000.00
2018005	EMPIRE PAVING, INC.	11/10/2017	1185-1195 FARMINGTO BRISTOL	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$650.00
2018006	EVERSOURCE ENERGY	11/9/2017	469 HICKORY ST SUFFIELD	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,575.00
2018007	LTC CONSTRUCTION COMPANY, INC.	11/30/2017	37 CINDY LANE BERLIN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,000.00
2018008	NPL CONSTRUCTION CO.	11/16/2017	GRAND AVE @ FRANKLIN NEW HAVEN	WATER FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$875.00
2018009	NPL CONSTRUCTION CO.	11/10/2017	85 BRADLEY ST BRANFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,500.00
2018010	EVERSOURCE ENERGY	11/20/2017	114 FOX RUN DR SOUTHBURY	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,475.00
2018011	EVERSOURCE ENERGY	8/24/2017	14 LUDWIG RD ELLINGTON	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$3,275.00
2018012	CONNECTICUT NATURAL GAS CORPORATION	11/7/2017	233 EAST ST NEW BRITAIN	GAS FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,875.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2018013	EVERSOURCE ENERGY	11/9/2017	WELLS STREET HARTFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$4,875.00
2018014	CONNECTICUT NATURAL GAS CORPORATION	11/13/2017	171 FIELD POINT RD GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$2,100.00
2018015	EVERSOURCE ENERGY	11/14/2017	250 BUCKLAND HILLS D MANCHESTER	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,475.00
2018016	THE SOUTHERN CONNECTICUT GAS	11/21/2017	597 SILVER SANDS RD EAST HAVEN	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$1,100.00
2018018	FRONTIER COMMUNICATIONS	11/1/2017	77 NEW LONDON TPKE GLASTONBURY	COMMUNICATIONS FACILITY MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,625.00
2018019	Eversource Energy	12/6/2017	School Ridge Road Danbury	Electric Facilities Primary and service lines	Fail to mark facilities in response to CBYD request	\$10,000.00
2018021	DANELLA CONSTRUCTION CORPORATION	12/4/2017	388 MAIN ST DANBURY	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,750.00
2018023	ATLAS RESIDENTIAL & COMMERCIAL SERVICES	11/20/2017	FARMINGTON AVE / MT FARMINGTON	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,200.00
2018025	YANKEE GAS SERVICES COMPANY	5/8/2017	51 LETTERS ST PUTNAM	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - INCORRECT RECORD	\$1,450.00
2018027	YANKEE GAS SERVICES COMPANY	6/5/2017	255 CLARENCE ST TORRINGTON	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,575.00
2018028	EVERSOURCE ENERGY	11/1/2017	347 HEIGHTS DR TORRINGTON	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,500.00
2018029	EVERSOURCE ENERGY	12/11/2017	20 HARMONY LANE MONROE	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$3,650.00
2018030	THE SOUTHERN CONNECTICUT GAS	12/20/2017	176 SUNFLOWER AVE STRATFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$1,150.00
2018031	FRONTIER COMMUNICATIONS	12/12/2017	38 SOUND BEACH AVE GREENWICH	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,125.00
2018032	EVERSOURCE ENERGY	12/12/2017	8 HEATHER LANE BURLINGTON	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,650.00
2018033	EVERSOURCE ENERGY	12/7/2017	249 LOPER STREET SOUTHBURY	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,650.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2018034	EVERSOURCE ENERGY	12/12/2017	55 PATRIOT LANE NEWINGTON	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$3,650.00
2018035	EVERSOURCE ENERGY	12/8/2017	142 AND 150 ROCK RIM STAMFORD	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$4,100.00
2018036	FRONTIER COMMUNICATIONS	9/18/2017	43 PUTNAM RD NEW MILFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,450.00
2018037	EVERSOURCE ENERGY	1/10/2018	15 Richard Lane Bloomfield	Electric Facilities Primary and service lines	Fail to respond to an emergency CBYD request	\$10,000.00
2018040	AMEC Construction, LLC	1/16/2018	12 Putnam Ave NORWALK	Natural Gas Service	FAILED TO HAND DIG (APPLIES T GAS FACILITIES ONLY)	\$1,650.00
2018041	EVERSOURCE ENERGY	1/26/2018	78 Platt Farm Road BETHLEHEM	Electric Service	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$4,550.00
2018042	EVERSOURCE ENERGY	1/2/2018	160 Loomis Rd SOUTH WINDSO	Electric Service	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$4,850.00
2018043	CONNECTICUT NATURAL GAS CORPORATION	1/8/2018	49 ROWE AVE HARTFORD	Natural Gas Service	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,650.00
2018044	YANKEE GAS SERVICES COMPANY	1/9/2018	84 Hillcrest Ter MERIDEN	Natural Gas Service	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$3,650.00
2018045	EVERSOURCE ENERGY	1/11/2018	Wagon Wheel Rd PROSPECT	Electric Main	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$4,900.00
2018046	CONNECTICUT NATURAL GAS CORPORATION	1/17/2018	61 RIDGEBROOK DR WEST HARTFOR	Natural Gas Main	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$1,500.00
2018056	Henkels & McCoy	2/9/2018	21 Indian Woods Rd BRANFORD	Natural Gas Service	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,450.00
2018057	EVERSOURCE ENERGY	1/6/2018	1476 Storrs Rd MANSFIELD	Telecommunications Main	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,000.00
2018058	THE SOUTHERN CONNECTICUT GAS	2/6/2018	2 Easton Rd WESTPORT	Natural Gas Service	NO RECORD OF FACILITY - NOT LOCATED, OR INCORRECTLY	\$1,150.00
2018059	EVERSOURCE ENERGY	3/15/2018	48 Pelican Court ROCKY HILL	Electric Main	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$4,750.00
2018060	FRONTIER COMMUNICATIONS	2/21/2018	Stonington Rd STONINGTON	Telecommunications Main	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,650.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2018061	NPL CONSTRUCTION CO.	3/5/2018	470 Woodland Dr MILFORD	Natural Gas Service	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,650.00
2018062	UTILICON, LLC	2/22/2018	Breezy Knoll Rd BLOOMFIELD	Telecommunications Main	EXCAVATOR FAILED TO USE REASONABLE CARE	\$700.00
2018063	EVERSOURCE ENERGY	3/19/2018	1930 WEST MAIN STREET STAMFORD	Electric Main	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$5,050.00
2018064	EVERSOURCE ENERGY	3/26/2018	1 COVE HILL ROAD STONINGTON	Electric Service	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$5,100.00
2018065	YANKEE GAS SERVICES COMPANY	3/26/2018	20 Walnut St THOMASTON	Natural Gas Service	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,675.00
2018066	J. IAPALUCCIO, INC.	4/18/2018	133 Wakelee Ave ANSONIA	Natural Gas Service	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,500.00
2018067	GUERRERA CONSTRUCTION	4/19/2018	Judd Rd SOUTHBURY	Natural Gas Main	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,400.00
2018068	HENKELS & MCCOY, INC.	4/5/2018	343 Park St BRISTOL	Natural Gas Main	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$3,000.00
2018069	B&W PAVING AND LANDSCAPING, LLC	4/30/2018	48 Harrison St PUTNAM	Natural Gas Service	EXCAVATOR FAILED TO NOTIFY CBYD	\$2,200.00
2018070	EVERSOURCE ENERGY	4/13/2018	210 Washington Street EAST HARTFORD	Electric Service	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$5,175.00
2018071	YANKEE GAS SERVICES COMPANY	2/27/2018	15 Oak St PLYMOUTH	Natural Gas Service	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,700.00
2018072	EVERSOURCE ENERGY	4/19/2018	80 E Hyerdale Drive GOSHEN	Electric Main	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$5,400.00
2018073	EVERSOURCE ENERGY	4/12/2018	330 highland dr TORRINGTON	Electric Service	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$5,175.00
2018074	THE SOUTHERN CONNECTICUT GAS	4/17/2018	Grandview Terrace MILFORD	Natural Gas Main	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$2,100.00
2018075	EVERSOURCE ENERGY	4/26/2018	39 Shelter Rock Rd DANBURY	Electric Main	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$5,350.00
2018076	YANKEE GAS SERVICES COMPANY	4/26/2018	987 S Meriden Rd CHESHIRE	Natural Gas Main	LOCATED INCORRECTLY - INCORRECT RECORD OF FACILITY	\$3,000.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2018077	EVERSOURCE ENERGY	4/18/2018	19 Hawthrone Drive NEW LONDON	Electric Service	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$5,175.00
2018080	EMPIRE PAVING COMPANY	5/9/2018	1247 Farmington Ave BRISTOL	Natural Gas Service	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2018081	FRONTIER COMMUNICATIONS	5/16/2018	93 Seymour St WINDSOR	Natural Gas Main	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,250.00
2018082	J. IAPALUCCIO, INC.	5/23/2018	171 Wakelee Ave ANSONIA	Natural Gas Service	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,650.00
2018083	EVERSOURCE ENERGY	5/9/2018	42 Alpine Drive MONROE	Electric Service	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$5,350.00
2018084	EVERSOURCE ENERGY	5/3/2018	27 Coogan Blvd STONINGTON	Electric Service	NO RECORD OF FACILITY - NOT LOCATED, OR INCORRECTLY	\$3,025.00
2018085	EVERSOURCE ENERGY	5/31/2018	869 BUNKER HILL RD WATERTOWN	Electric Service	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$5,225.00
2018086	EVERSOURCE ENERGY	6/3/2018	34 Canterbury ct GOSHEN	Electric Service	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$5,225.00
2018087	R. H. WHITE CONSTRUCTION CO., INC.	5/31/2018	161 Ocean Ave NEW LONDON	Natural Gas Main	Failed to hand dig (applies to gas facilities only)	\$3,200.00
2018088	ATLAS RESIDENTIAL AND COMMERCIAL SERVICES	6/1/2018	Old Waterbury Rd SOUTHBURY	Natural Gas Main	Failed to hand dig (applies to gas facilities only)	\$1,600.00
2018089	BURNS CONSTRUCTION CO., INC.	6/7/2018	175 High Ridge Drive BRIDGEPORT	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$3,850.00
2018090	NPL CONSTRUCTION CO.	4/10/2018	9 Spring Street MILFORD	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$2,200.00
2018094	CONNECTICUT NATURAL GAS CORPORATION	6/6/2018	82 Amherst St WETHERSFIELD	Natural Gas Service	Located incorrectly - incorrect record of facility	\$1,450.00
2018095	EVERSOURCE ENERGY	5/26/2018	steele road WEST HARTFOR	Electric Main	Not located - markout person error or omission	\$5,225.00
2018096	EVERSOURCE ENERGY	6/26/2018	Pratt Street MERIDEN	Electric Service	Not located - markout person error or omission	\$5,125.00
2018097	FRONTIER COMMUNICATIONS	4/24/2018	10 Laurels rd ENFIELD	Telecommunications Main	Not located - markout person error or omission	\$1,450.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2018098	EVERSOURCE ENERGY	5/30/2018	153 Gavitt Road BARKHAMSTED	Electric Main	Not located - markout person error or omission	\$5,225.00
2018099	THE SOUTHERN CONNECTICUT GAS	6/27/2018	2595 Reservoir Ave TRUMBULL	Natural Gas Service	Located incorrectly - markout person error or omission	\$1,950.00
2018100	EVERSOURCE ENERGY	6/22/2018	29 Stone Hedge Drive WESTBROOK	Electric Service	Not located - markout person error or omission	\$5,125.00
2018101	EVERSOURCE ENERGY	6/13/2018	21 Old Belden Hill Road WILTON	Electric Service	Not located - markout person error or omission	\$3,850.00
2018102	THE SOUTHERN CONNECTICUT GAS	6/21/2018	602 Ridge Rd ORANGE	Natural Gas Main	Located incorrectly - markout person error or omission	\$2,200.00
2018104	Eversource Electric	2/16/2018	Post Road Fairfield	Electric 345kV Transmission Line	Not located - markout person error or omission	\$15,000.00
2018105	Eversource Electric	6/11/2018	151 Babcock St HARTFORD	Electric Main	Not located - markout person error or omission	\$5,000.00
2018106	Eversource Electric	7/18/2018	192 Crane Hollow Rd Bethlehem	Electric	Failure to Respond to CBYD Request by Start Date	\$2,000.00
2018107	Eversource Electric	7/27/2018	68 Rye Hill Circle Somers	Electric	Failure to Respond to CBYD Request by Start Date	\$2,000.00
2018108	Eversource Electric	7/23/2018	720 Pleasant St Southington	Electric	Failure to Respond to CBYD Request by Start Date	\$2,000.00
2018109	Eversource Electric	6/28/2018	106 Brownstone Road Berlin	Electric	Not located - markout person error or omission	\$3,000.00
2018110	Eversource Electric	6/20/2018	110 Knox Blvd Middletown	Electric	Not located - markout person error or omission	\$3,000.00
2018111	Cherry Hill Construction, Inc.	6/14/2018	Shunpike Road CROMWELL	Electric Main	Excavator failed to use reasonable care	\$1,500.00
2018112	J. Iapaluccio, Inc.	6/29/2018	186 Wakelee Ave ANSONIA	Natural Gas Service	Failure of excavator to maintain markings	\$1,500.00
2018113	Total Fence, LLC	7/11/2018	753 Stepnev Rd EASTON	Water Main	Excavator failed to notify CBYD	\$1,250.00
2018118	Barber Utilities, LLC	8/7/2018	29 City Ave NEW BRITAIN	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$1,400.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2018121	Frontier Communications	6/8/2018	11 Commercial St BRANFORD	Telecommunications Main	Not located - markout person error or omission	\$1,575.00
2018122	Yankee Gas Services Company	7/18/2018	8 Club Rd STAMFORD	Natural Gas Service	Located incorrectly - markout person error or omission	\$2,800.00
2018123	Eversource Energy	5/31/2018	51 Schulyer Avenue STAMFORD	Electric Main	Not located - markout person error or omission	\$5,200.00
2018124	The Southern Connecticut Gas Company	6/21/2018	605 Ridge road ORANGE	Natural Gas Main	Not located - markout person error or omission	\$1,950.00
2018125	Eversource Energy	7/3/2018	2 Bald Rock Road REDDING	Electric Main	Not located - markout person error or omission	\$5,200.00
2018126	Yankee Gas Services Company	6/12/2018	66 Smith St STAMFORD	Natural Gas Service	Located incorrectly - markout person error or omission	\$2,700.00
2018127	Yankee Gas Services Company	6/13/2018	59 Blackhall St NEW LONDON	Natural Gas Service	Located incorrectly - markout person error or omission	\$2,700.00
2018128	Eversource Energy	6/25/2018	274 Paul Manafort Dr NEW BRITAIN	Electric Service	Located incorrectly - markout person error or omission	\$5,100.00
2018129	Eversource Energy	7/8/2018	Middle River Rd DANBURY	Electric Main	Located incorrectly - markout person error or omission	\$5,200.00
2018130	Eversource Energy	6/14/2018	7 larkspur lane HADDAM	Electric Service	Located incorrectly - markout person error or omission	\$5,100.00
2018131	Eversource Energy	7/12/2018	44 HOMESTEAD AVE STAMFORD	Electric Main	Not located - markout person error or omission	\$4,700.00
2018132	Eversource Energy	7/12/2018	44 S Kent Road NEW MILFORD	Electric Service	Not located - markout person error or omission	\$4,900.00
2018133	Eversource Energy	7/3/2018	Woodsboro Circle CROMWELL	Electric Service	Not located - markout person error or omission	\$5,200.00
2018134	The Southern Connecticut Gas Company	7/25/2018	145 Depot Rd MILFORD	Natural Gas Service	No record of facility - not locate or incorrectly located	\$1,200.00
2018135	Sima Drilling Company, Inc.	7/25/2018	40 Cranberry Lane Cheshire	Natural Gas Transmission Main Line	Excavator failed to notify CBYD	\$1,250.00
2018136	Eversource Energy	8/6/2018	521 Hillside Ave HARTFORD	Electric Primary	Failure to Respond to CBYD Request by Start Date	\$3,000.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2018137	Eversource Energy	8/6/2018	18 Rasich Dr Tolland	Electric Primary	Failure to Mark Facilities in Proposed Work Area	\$4,000.00
2018138	Eversource Energy	5/22/2018	95 Ferncliff Drive West Hartford	Electric Service	Failure to Mark Facilities in Proposed Work Area	\$4,000.00
2018139	Eversource Energy	8/15/2018	175 Montowese St. Branford	Electric Service	Failure to Mark Facilities in Proposed Work Area	\$3,000.00
2018140	Eversource Energy	8/1/2018	Randolph Road Middletown	Electric Main and Service	Failure to Mark Facilities in Proposed Work Area	\$4,000.00
2018141	Elecnor Hawkeye, LLC	7/24/2018	Crest Drive CROMWELL	Electric Main	Excavator failed to use reasonable care	\$1,200.00
2018143	Suburban Sanitation Co., Inc.	8/8/2018	W Main St AVON	Natural Gas Main	Excavator failed to use reasonable care	\$2,000.00
2018144	Burns Construction Co., Inc.	8/20/2018	300 Quenby Place STRATFORD	Natural Gas Service	Failed to hand dig (applies to ga facilities only)	\$3,500.00
2018149	FRONTIER COMMUNICATIONS	7/26/2018	580 Long Hill SHELTON	Telecommunications Main	Not located - markout person error or omission	\$1,400.00
2018150	B & W PAVING & LANDSCAPING, LLC	9/21/2018	460 Dav Hill Rd WINDSOR	Natural Gas Service	Failed to hand dig (applies to ga facilities only)	\$2,200.00
2018151	Thompson Landscape Improvement, Inc.	9/27/2018	68 High St GLASTONBURY	Natural Gas Service	Excavator failed to notify CBYD	\$1,250.00
2018155	J. Iapaluccio, Inc.	8/7/2018	296 Wakelee Ave ANSONIA	Natural Gas Service	Failed to hand dig (applies to ga facilities only)	\$2,500.00
2018156	C.B. Utility Company. Inc.	8/27/2018	1 Church St NEW HAVEN	Natural Gas Main	Failed to hand dig (applies to ga facilities only)	\$1,000.00
2018158	Grasso Companies LLC	9/20/2018	8 Park Avenue GREENWICH	Natural Gas Main	Excavator failed to use reasonable care	\$1,300.00
2018159	EVERSOURCE ENERGY	9/10/2018	Dorset court NORWALK	Electric Main	Not located - markout person error or omission	\$4,600.00
2018160	FRONTIER COMMUNICATIONS	6/14/2018	Fairfield Ave BRIDGEPORT	Telecommunications Main	Located incorrectly - markout person error or omission	\$2,300.00
2018161	YANKEE GAS SERVICES COMPANY	8/29/2018	248 Stillwater Ave STAMFORD	Natural Gas Service	Not located - markout person error or omission	\$2,600.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2018162	EVERSOURCE ENERGY	8/13/2018	204 Old Eagleville Road COVENTRY	Electric Service	Not located - markout person error or omission	\$4,700.00
2018164	EVERSOURCE ENERGY	9/7/2018	Hubbard Ln GLASTONBURY	Electric Service	Located incorrectly - markout person error or omission	\$4,600.00
2018165	THE SOUTHERN CONNECTICUT GAS	9/7/2018	6 Anchorage Rd BRANFORD	Natural Gas Service	Located incorrectly - markout person error or omission	\$1,900.00
2018166	EVERSOURCE ENERGY	8/23/2018	Chestnut Hill Road RIDGEFIELD	Electric Main	Not located - markout person error or omission	\$4,700.00
2018167	EVERSOURCE ENERGY	8/23/2018	126 Kinne Road GLASTONBURY	Electric Service	Not located - markout person error or omission	\$4,700.00
2018169	The Grasso Companies, LLC	9/29/2018	210 S Main St NORWALK	Natural Gas Service	Excavator failed to notify CBYD	\$1,800.00
2018171	Eversource Energy	9/24/2018	55 DIRKSEN DR WILTON	Electric Service	Not located - markout person error or omission	\$4,900.00
2018172	Eversource Energy	10/19/2018	2710 STURGES HWY FAIRFIELD	Electric Main	Not located - markout person error or omission	\$5,900.00
2018173	Eversource Energy	10/18/2018	8 ABBOTTS HILL RD NEWTOWN	Electric Main	Not located - markout person error or omission	\$5,900.00
2018174	Eversource Energy	9/24/2018	136 GLOVER AVE NORWALK	Electric Service	Not located - markout person error or omission	\$4,900.00
2018175	Eversource Energy	9/24/2018	40 glastonbury blvd GLASTONBURY	Electric Main	Not located - markout person error or omission	\$4,900.00
2018176	Yankee Gas Services Company	10/8/2018	142 Mt Pleasant Rd NEWTOWN	Natural Gas Service	Located incorrectly - markout person error or omission	\$2,600.00
2018177	Eversource Energy	10/2/2018	north gate road WINDSOR LOCKS	Electric Service	Not located - markout person error or omission	\$5,200.00
2018178	Eversource Energy	10/12/2018	624 CAPITAL AVE HARTFORD	Electric Service	Not located - markout person error or omission	\$5,800.00
2018179	Eversource Energy	11/1/2018	162 Wall Street HEBRON	Electric Main	Not located - markout person error or omission	\$5,700.00
2018180	Eversource Energy	10/16/2018	63 Brentwood Dr CHESHIRE	Electric Service	Located incorrectly - markout person error or omission	\$5,700.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2018181	Eversource Energy	11/5/2018	150 Lonetown Road REDDING	Electric Main	Not located - markout person error or omission	\$5,700.00
2018182	Eversource Energy	8/31/2018	9 benchmark rd SHERMAN	Electric Main	Not located - markout person error or omission	\$4,800.00
2018183	Eversource Energy	10/29/2018	66 St James Ave ENFIELD	Electric Service	Not located - markout person error or omission	\$5,700.00
2018184	Eversource Energy	11/26/2018	25 Fence Creek Dr MADISON	Electric Service	Not located - markout person error or omission	\$6,000.00
2018185	EVERSOURCE ENERGY	11/7/2018	51 Mooreland Road GREENWICH	Electric Service	Not located - markout person error or omission	\$5,700.00
2018186	EVERSOURCE ENERGY	9/19/2018	ButterNut Dr FARMINGTON	Electric Main	Not located - markout person error or omission	\$5,500.00
2018187	EVERSOURCE ENERGY	11/21/2018	11 Titicus Court RIDGEFIELD	Electric Service	Not located - markout person error or omission	\$6,000.00
2019002	K & W CONSTRUCTION, L.L.C.	12/13/2018	117 Woodlawn St WEST HARTFOR	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$800.00
2019004	NPL CONSTRUCTIO CO.	12/13/2018	8 Aimes Drive WEST HAVEN	Natural Gas Service	Excavator failed to use reasonable care	\$1,900.00
2019005	THE SOUTHERN CONNECTICUT GAS	12/5/2018	7 Pondedge Rd WESTPORT	Natural Gas Main	Located incorrectly - markout person error or omission	\$2,000.00
2019006	EVERSOURCE ENERGY	10/31/2018	170 Lounsbury Rd RIDGEFIELD	Electric Service	Located incorrectly - markout person error or omission	\$5,500.00
2019007	EVERSOURCE ELECTRIC	12/26/2018	1512 OLD MILL RD GREENWICH	Electric Main	Not located - markout person error or omission	\$6,800.00
2019008	Rivera's Landscaping	11/29/2018	124 West Putnam Aven Greenwich		Excavator failed to notify CBYD	\$800.00
2019009	The Grasso Companies LLC	1/4/2019	150 Glover Ave NORWALK	Natural Gas Service	Failure of excavator to maintain markings	\$1,900.00
2019010	Martin Laviero Contractor, Inc	1/4/2019	Curtiss St BRISTOL	Natural Gas Main	Not located - less than 2 full working days	\$600.00
2019011	M. Rondano, Inc.	1/7/2019	19 Mead St STAMFORD	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$1,100.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2019013	NPL Construction Co.	12/12/2018	303 Britannia St MERIDEN	Natural Gas Service	Excavator failed to use reasonable care	\$1,700.00
2019014	Waters Construction Co., Inc.	10/18/2018	321 Westport Ave NORWALK	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$1,600.00
2019015	YANKEE GAS SERVICES COMPANY	10/19/2018	25 Prospect St WATERTOWN	Natural Gas Main	Located incorrectly - markout person error or omission	\$1,600.00
2019016	YANKEE GAS SERVICES COMPANY	10/24/2018	67 Church Hill Rd NEWTOWN	Natural Gas Service	Located incorrectly - incorrect record of facility	\$1,600.00
2019017	YANKEE GAS SERVICES COMPANY	11/6/2018	44 Greene Ave PLAINFIELD	Natural Gas Service	Located incorrectly - markout person error or omission	\$2,600.00
2019018	YANKEE GAS SERVICES COMPANY	11/14/2018	593 Elm St WINDSOR LOCKS	Natural Gas Service	Not located - markout person error or omission	\$2,400.00
2019019	YANKEE GAS SERVICES COMPANY	10/30/2018	32 Haviland St NORWALK	Natural Gas Service	Not located - markout person error or omission	\$3,700.00
2019020	YANKEE GAS SERVICES COMPANY	11/12/2018	102 Red Robin Rd NAUGATUCK	Natural Gas Service	Located incorrectly - markout person error or omission	\$2,800.00
2019021	YANKEE GAS SERVICES COMPANY	12/5/2018	53 Englewood Ave WATERBURY	Natural Gas Service	Located incorrectly - markout person error or omission	\$2,600.00
2019022	YANKEE GAS SERVICES COMPANY	12/8/2018	40 Travis Ave STAMFORD	Natural Gas Service	Not located - markout person error or omission	\$2,600.00
2019023	YANKEE GAS SERVICES COMPANY	12/17/2018	103b Highview Ave STAMFORD	Natural Gas Service	Not located - markout person error or omission	\$2,600.00
2019024	EVERSOURCE ENERGY	11/27/2018	35 PLATT FARM RD MORRIS	Electric Main	Not located - markout person error or omission	\$6,800.00
2019025	COX COMMUNICATIONS	11/30/2018	184 Tanglewood Dr SOUTHBURG	Telecommunications Main	Not located - markout person error or omission	\$1,300.00
2019026	Burns Construction Co., Inc.	2/15/2019	287 Weed Ave STAMFORD	Water Main	Excavator failed to use reasonable care	\$1,600.00
2019027	NPL Construction	2/19/2019	91 Ocean Ave WEST HAVEN	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$2,500.00
2019029	EVERSOURCE ENERGY	2/26/2019	500 Russell Ave SUFFIELD	Electric Service	Not located - markout person error or omission	\$6,400.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2019030	EVERSOURCE ENERGY	3/4/2019	57 Bridge Rd HADDAM	Electric Service	Not located - markout person error or omission	\$5,900.00
2019031	Burns Construction Co., Inc.	2/27/2019	19 Bouton St W STAMFORD	Natural Gas Service	Excavator failed to use reasonable care	\$1,000.00
2019033	EVERSOURCE ENERGY	12/24/2018	66 PARMALEE HILL RD NEWTOWN	Electric Service	Not located - markout person error or omission	\$6,100.00
2019034	YANKEE GAS SERVICES COMPANY	2/13/2019	36 Norton St BRISTOL	Natural Gas Service	Located incorrectly - markout person error or omission	\$2,500.00
2019035	EVERSOURCE ENERGY	3/18/2019	1 VALLEY VIEW DR STAMFORD	Electric Main	Not located - markout person error or omission	\$6,600.00
2019036	CONNECTICUT NATURAL GAS CORPORATION	3/29/2019	32 Cambridge St MANCHESTER	Natural Gas Service	Not located - markout person error or omission	\$1,600.00
2019037	YANKEE GAS SERVICE	2/19/2019	Phillips St NEW LONDON	Natural Gas Main	No record of facility - not located or incorrectly located	\$1,500.00
2019038	YANKEE GAS SERVICES COMPANY	3/12/2019	76 Wilson Ave WINDSOR	Natural Gas Service	Not located - markout person error or omission	\$2,400.00
2019041	M. Rondano Inc.	4/11/2019	105 Field Point Circle GREENWICH	Natural Gas Service	Excavator failed to use reasonable care	\$1,300.00
2019042	NPL Construction Co.	4/4/2019	56 York St WEST HAVEN	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$3,000.00
2019043	C. J. Fucci Construction	4/18/2019	Blue Hills Ave HARTFORD	Water Service	Excavator failed to use reasonable care	\$1,100.00
2019044	R.H. White Construction Co., Inc.	4/22/2019	235 Branford St HARTFORD	Natural Gas Service	Excavator failed to use reasonable care	\$2,600.00
2019045	NPL Construction Co.	4/9/2019	168 Highland Street WEST HAVEN	Water Service	Excavator failed to use reasonable care	\$2,200.00
2019046	Landscaping Unlimited, LLC	5/3/2019	12 JENNIFER RD NEW FAIRFIELD	Electric Service	Excavator failed to notify CBYD	\$1,300.00
2019048	John J. Brennan Construction Company	4/4/2019	159 Sunrise Hill Circle ORANGE	Electric Main	Excavator failed to use reasonable care	\$1,000.00
2019050	YANKEE GAS SERVICES COMPANY	4/4/2019	106 Bouton St W STAMFORD	Natural Gas Service	Not located - markout person error or omission	\$10,000.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2019052	YANKEE GAS SERVICES COMPANY	5/2/2019	Parellel St NORWALK	Natural Gas Main	Not located - markout person error or omission	\$10,000.00
2019053	C.B. Utility Company, Inc.	5/28/2019	137 Hillside Ave WEST HAVEN	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$600.00
2019054	YANKEE GAS SERVICES COMPANY	5/8/2019	22 Carolina Rd STAMFORD	Natural Gas Service	Not located - markout person error or omission	\$3,000.00
2019055	YANKEE GAS SERVICES COMPANY	5/9/2019	303 Britannia St MERIDEN	Natural Gas Service	Excavator failed to use reasonable care	\$1,400.00
2019056	COMCAST	5/31/2019	26 pheasant Ln RIDGEFIELD	Telecommunications Main	Not located - markout person error or omission	\$1,300.00
2019058	EVERSOURCE ENERGY	5/30/2019	17 Codfish Ave BETHEL	Electric Service	Not located - markout person error or omission	\$5,800.00
2019059	R. H. White Construction, Inc.	5/31/2019	59 Webster St HARTFORD	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$3,000.00
2019060	B & W Paving and Landscaping	6/25/2019	23 Pine Hill St MANCHESTER	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$1,400.00
2019061	YANKEE GAS SERVICES COMPANY	5/31/2019	175 Hall Ave WALLINGFORD	Natural Gas Service	Not located - markout person error or omission	\$3,000.00
2019062	Eversource Energy	6/20/2019	60 Long Lane SOUTHINGTON	Electric Main	Not located - markout person error or omission	\$5,800.00
2019063	YANKEE GAS SERVICES COMPANY	6/7/2019	39 Mt Pleasant Rd NEWTOWN	Natural Gas Service	Not located - markout person error or omission	\$3,200.00
2019064	Eversource Energy	7/5/2019	7 QUINCY CLOSE LANE RIDGEFIELD	Electric Main	Not located - markout person error or omission	\$6,400.00
2019065	Eversource Energy	6/28/2019	n main street WATERBURY	Electric Service	Not located - markout person error or omission	\$4,300.00
2019066	Eversource Energy	6/28/2019	47 CANTERBURY LN MONROE	Electric Service	Not located - markout person error or omission	\$5,100.00
2019067	B&W Paving and Landscaping	7/9/2019	12 marble St MANCHESTER	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$2,000.00
2019068	Burns Construction Co., Inc.	6/21/2019	182 W Main St STAMFORD	Natural Gas Service	Excavator failed to use reasonable care	\$1,800.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2019069	COMCAST	6/3/2019	9 sinsabaugh htgs SHELTON	Telecommunications Main	Not located - markout person error or omission	\$1,500.00
2019070	Eversource Energy	7/2/2019	6351 Miry Brook Rd DANBURY	Electric Main	Not located - markout person error or omission	\$5,700.00
2019073	Eversource Energy	7/19/2019	222 Yankee Glen Rd MADISON	Electric Service	Not located - markout person error or omission	\$5,100.00
2019074	Eversource Energy	7/9/2019	185 CATLIN RD HARWINTON	Electric Service	Located incorrectly - markout person error or omission	\$5,100.00
2019075	Eversource Energy	6/19/2019	133 MORNING DOVE RD NAUGATUCK	Electric Main	Not located - markout person error or omission	\$13,500.00
2019076	Eversource Energy	7/23/2019	oil mill road MIDDLETOWN	Electric Service	Not located - markout person error or omission	\$5,100.00
2019077	Connecticut Natural Gas Corporation	8/5/2019	7 SYCAMORE RD GLASTONBURY	Natural Gas Service	Not located - markout person error or omission	\$1,600.00
2019078	Eversource Energy	8/2/2019	9 Farm Springs Road FARMINGTON	Electric Main	Not located - markout person error or omission	\$4,700.00
2019080	Eversource Energy	8/6/2019	27 Yankee Hill Rd MONROE	Electric Service	Located incorrectly - markout person error or omission	\$5,500.00
2019082	Eversource Energy	9/3/2019	23 Goshen Hill Road Lebanon	Electric Service	Located incorrectly - markout person error or omission	\$3,200.00
2019085	FRONTIER COMMUNICATIONS	7/8/2019	State St MERIDEN	Telecommunications Main	Not located - markout person error or omission	\$1,300.00
2019086	FRONTIER COMMUNICATIONS	7/12/2019	465 Riverside Ave WESTPORT	Telecommunications Main	Not located - markout person error or omission	\$1,100.00
2019087	FRONTIER COMMUNICATIONS	7/1/2019	Main St HARTFORD	Telecommunications Main	Not located - markout person error or omission	\$1,300.00
2019088	FRONTIER COMMUNICATIONS	7/5/2019	611 Middle Turnpike MANSFIELD	Telecommunications Main	Not located - markout person error or omission	\$1,300.00
2019089	FRONTIER COMMUNICATIONS	4/1/2019	52-94 Trinity Av GLASTONBURY	Telecommunications Main	Not located - markout person error or omission	\$1,300.00
2019090	EVERSOURCE ENERGY	8/12/2019	46 kari ct WINDSOR	Electric Service	Not located - markout person error or omission	\$4,600.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2019091	YANKEE GAS SERVICES COMPANY	7/26/2019	485 Summer St STAMFORD	Natural Gas Service	Not located - markout person error or omission	\$3,600.00
2019092	FRONTIER COMMUNICATIONS	4/25/2019	380 Hitchcock Rd WATERBURY	Telecommunications Main	Not located - markout person error or omission	\$1,400.00
2019093	FRONTIER COMMUNICATIONS	4/12/2019	107 Brookview Dr VERNON	Telecommunications Main	Located incorrectly - markout person error or omission	\$1,300.00
2019094	FRONTIER COMMUNICATIONS	4/30/2019	Middlesex Turnpike ESSEX	Telecommunications Main	Not located - markout person error or omission	\$1,600.00
2019095	FRONTIER COMMUNICATIONS	5/2/2019	150 Fisher Dr AVON	Telecommunications Main	Not located - markout person error or omission	\$1,400.00
2019096	FRONTIER COMMUNICATIONS	5/11/2019	Trumpet Brook Rd WATERBURY	Telecommunications Main	Not located - markout person error or omission	\$1,400.00
2019097	FRONTIER COMMUNICATIONS	5/16/2019	235 Concord Dr WATERTOWN	Telecommunications Main	Not located - markout person error or omission	\$1,600.00
2019098	FRONTIER COMMUNICATIONS	5/22/2019	Central Av WEST HAVEN	Telecommunications Main	Not located - markout person error or omission	\$1,600.00
2019099	CONNECTICUT NATURAL GAS CORPORATION	9/3/2019	1001 Dav Hill Rd WINDSOR	Natural Gas Service	Not located - markout person error or omission	\$2,000.00
2019100	FRONTIER COMMUNICATIONS	5/23/2019	Pine Hill Rd THOMASTON	Telecommunications Main	Not located - markout person error or omission	\$1,400.00
2019101	EVERSOURCE ENERGY	9/4/2019	88 Old Hyde Road WESTON	Electric Main	Not located - markout person error or omission	\$5,000.00
2019102	YANKEE GAS SERVICES COMPANY	8/28/2019	154 Trolley Crossing Ln MIDDLETOWN	Natural Gas Main	Located incorrectly - markout person error or omission	\$4,400.00
2019103	K&W Construction, L.L.C.	9/16/2019	509 Jordan Ln WETHERSFIELD	Natural Gas Service	Excavator failed to use reasonable care	\$1,100.00
2019105	NPL Construction Co.	9/18/2019	125 Lowin Ave NEW HAVEN	Natural Gas Service	Failed to hand dig (applies to gas facilities only)	\$4,000.00
2019107	THE SOUTHERN CONNECTICUT GAS	8/26/2019	63 Stemway Rd TRUMBULL	Natural Gas Service	Located incorrectly - markout person error or omission	\$1,400.00
2019108	THE SOUTHERN CONNECTICUT GAS	9/4/2019	25 Revere Lane TRUMBULL	Natural Gas Service	Not located - markout person error or omission	\$1,700.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2019109	FRONTIER COMMUNICATIONS	6/6/2019	168 Haddad Rd WATERBURY	Telecommunications Main	Not located - markout person error or omission	\$1,400.00
2019110	FRONTIER COMMUNICATIONS	6/26/2019	Annelise Av SOUTHBURG	Telecommunications Main	Located incorrectly - markout person error or omission	\$1,400.00
2019111	FRONTIER COMMUNICATIONS	7/1/2019	Main St HARTFORD	Telecommunications Main	Located incorrectly - markout person error or omission	\$1,400.00
2019112	FRONTIER COMMUNICATIONS	8/9/2019	Echo Lake Rd WATERTOWN	Telecommunications Main	Located incorrectly - markout person error or omission	\$1,700.00
2019113	EVERSOURCE ENERGY	9/19/2019	28 Pony Trail Rd STAMFORD	Electric Service	Not located - markout person error or omission	\$4,600.00
2019114	EVERSOURCE ENERGY	8/28/2019	65 Millstone Rd MARLBOROUGH	Electric Service	Not located - markout person error or omission	\$5,500.00
2019119	CONNECTICUT NATURAL GAS CORPORATION	10/7/2019	989 Farmington Ave WEST HARTFORD	Natural Gas Service	Located incorrectly - markout person error or omission	\$1,000.00
2019120	EVERSOURCE ENERGY	9/26/2019	102 Rixtown Road GRISWOLD	Electric Service	Not located - markout person error or omission	\$4,400.00
2019121	EVERSOURCE ENERGY	10/7/2019	465 Heritage Road SOUTHBURY	Electric Service	Located incorrectly - markout person error or omission	\$3,800.00
2019122	COMCAST	10/14/2019	90 danbury rd RIDGEFIELD	Cable Television Main	Located incorrectly - markout person error or omission	\$1,300.00
2019123	CONNECTICUT NATURAL GAS CORPORATION	10/17/2019	8 Timrod Road MANCHESTER	Natural Gas Service	Located incorrectly - markout person error or omission	\$1,700.00
2019124	EVERSOURCE ENERGY	10/7/2019	161 Washington St HARTFORD	Electric Service	Not located - markout person error or omission	\$3,300.00
2019127	EVERSOURCE ENERGY	8/19/2019	South Ave NEW CANAAN	Electric Service	Not located - markout person error or omission	\$4,600.00

**Total Penalties paid: 1,402,700.00**