

**CULTIVARS OF CHESTNUTS
UPDATED NOVEMBER 2023**

Sandra L. Anagnostakis, Emeritus,
The Connecticut Agricultural Experiment Station, Box 1106,
New Haven, CT 06504, cell phone 203-988-2073, fax 203-974-8502,
e-mail Sandra.Anagnostakis@ct.gov

Chestnut trees have been selected for their characteristics in all of their native countries, and people have propagated those with bigger fruit or straighter timber. The species have different characteristics and are listed below.

CHESTNUT SPECIES

SECTION *Castanea* [three nuts per bur]

| | |
|---|------------------------|
| <i>Castanea dentata</i> (Marshall) Borkhausen | American Chestnut |
| <i>Castanea sativa</i> Miller | European Chestnut |
| <i>Castanea mollissima</i> Blume | Chinese Chestnut |
| <i>Castanea crenata</i> Siebold and Zuccarini | Japanese Chestnut |
| <i>Castanea seguinii</i> Dode | Chinese Dwarf Chestnut |

SECTION *Balanocastanon* [one nut per bur]

| | |
|--|----------------------|
| <i>Castanea pumila</i> (Linnaeus) Miller | Allegheny Chinquapin |
| <i>Castanea ozarkensis</i> (Ashe) | Ozark Chinquapin |
| <i>Castanea alabamensis</i> | Alabama Chinquapin |

SECTION *Hypocastanon* [one nut per bur]

| | |
|---|------------------|
| <i>Castanea henryi</i> (Skan) Rehder & Wilson | Henry Chinquapin |
|---|------------------|

“Named cultivars” are grafted clones of trees whose characteristics are desirable for many reasons. Since they are genetically identical, and chestnuts will not self-pollinate, two or more cultivars (or some seedlings, which are all different) must be planted to provide pollen for each other. Cultivars are grafted onto compatible rootstocks and are sold by many nurseries. Information on nut size has not been systematically collected in all of the U.S. growing regions for cultivars, so the list of named cultivars has only general information for most.

Some cultivars are simply selections of species trees that were superior, but others are the result of controlled or accidental breeding of several trees. Our first records of crosses between chestnut species typify the whole history of chestnut breeding in the U.S.: the work was done by both an interested amateur and by a professional botanist. George W. Endicott of Villa Ridge, Illinois was growing ‘Japan Giant’ at the end of the last century, and used pollen from an American chestnut tree to produce Japanese x American hybrids in 1895. One of these hybrids produced six burs in its second year and was named ‘Daniel Boone’. This tree was reported to be strongly self-fertile, which is rare in chestnut, and has unfortunately now been lost. The other early hybridization work was done by Dr. Walter Van Fleet, then an associate editor of the Rural New Yorker Magazine. In 1894 he used pollen of American chestnut on flowers of the European (or European-American) cultivar ‘Paragon’ and planted the progeny in Little Silver, New Jersey. Van Fleet went on to make thousands of crosses, using many species, between 1900 and 1921. For his early crosses he used the native chinquapin *C. pumila* and European and Japanese cultivars. In his later work he included Chinese chestnuts, *C. mollissima* Bl. Wild seed of "*Castanea* species" collected in Tientsin, China were imported by the US Department of Agriculture (as PI#34517) and planted in 1912 at their Bell (Maryland) Experimental Plot. Van Fleet had over 900 of these trees to observe and use there, in addition to subsequent importations.

The contribution of many interested nut growers has been very important in U.S. chestnut cultivar development, both in spurring on the scientists and in educating the public. In Connecticut, physicians R. T. Morris and W. C. Deming planted many kinds of chestnuts and experimented with crosses and culture. Fred Ashworth in New York and Alfred Szego on Long Island, and many other faithful members of the Northern Nut Growers have contributed immeasurably. Arthur Graves bred chestnuts for Connecticut, and some of our better northern cultivars are the results of his efforts. In the west, Luther Burbank, Felix Gillet, and J. U.

Gellatly imported many trees and made selections suitable for their climates, and J. M. Nave in California has named many cultivars from his collection.

Previous publication:

Anagnostakis, S. L. 1999. Cultivars of Chestnut. Annual Rept. NNGA 90:16-31.

A Named chestnut cultivars: names in bold type have been available from nurseries in the U.S., Western Europe, and Asia; prepared by S. L. Anagnostakis, 2022

| cultivar name | pedigree | origin | named |
|--|--------------------------------------|---------------|---------------------------|
| ‘Abadá’ | | | Spain |
| ‘Abarcá’ (Amarelante) | | | Spain |
| ‘Abundance’ | <i>mollissima</i> | | |
| ‘Ace’ | <i>dentata x mollissima x sativa</i> | | |
| ‘Adams’ | <i>dentata x sativa</i> | U.S.A. | U.S.A., C. Rau, WA |
| ‘Adkins’ | <i>mollissima</i> | | |
| ‘Advance’ | <i>crenata</i> | | |
| ‘Agostana’ | <i>sativa</i> | | Italy |
| ‘Aguyane’ | <i>sativa</i> | | |
| ‘Aifeng’ | <i>mollissima</i> | China | |
| ‘Aioi’ | <i>mollissima</i> | China | China |
| ‘Akachiu’ (Akaju) | <i>crenata</i> | Ehime | Japan |
| ‘Akanaka’ | <i>crenata</i> | | |
| ‘ Alachua ’ | <i>mollissima x dentata</i> hybrid, | U.S.A. | U.S.A., R. T. Dunstan, FL |
| ‘Alaling’ | <i>mollissima</i> hybrid | | |
| ‘Alamoore’ | <i>crenata x chinquapin</i> hybrid | | |
| ‘Albomarginata’ | <i>sativa</i> | England | England |
| ‘Alisgiana’ | <i>sativa</i> | | Corsica |
| ‘Alotta’ | <i>sativa</i> | | Italy |
| ‘Alpha’ | <i>crenata</i> | U.S.A., | U.S.A., NJ, Parry |
| ‘Amadengue’ | <i>sativa</i> | | Spain |
| ‘Amarelal’ | <i>sativa</i> | | Portugal |
| ‘Amarelante’ (Marela, Marelal, Amarela/o, Abarca, Anchas) | <i>sativa</i> | | Spain |
| ‘Amarelante’ | <i>sativa</i> (Amarelante clone) | Spain | Spain |
| ‘Amarelante Ourense’ | <i>sativa</i> (Amarelante clone) | Spain | Spain |
| ‘ Amy ’ (72-400) | <i>mollissima</i> hybrid | U.S.A. | U.S.A., G. Miller, OH |
| ‘Anaxa’ | <i>sativa</i> | | Spain |
| ‘Anderson’ | <i>sativa</i> hybrid | | U.S.A. |
| ‘ Anny’s Red ’ | | | |
| ‘ Anny’s Summer Red ’ | | | |
| ‘Aomoririnshi’ | <i>crenata</i> | Aomori | Japan |
| ‘Arafo’ | <i>sativa</i> | Tenerife | Spain |
| ‘Areal’ (Monfortina) | <i>sativa</i> | | Spain |

| | | | |
|---|--------------------------------|----------|---------------------------|
| ‘Argentovariegata’ | <i>sativa</i> | England | Italy |
| ‘Ariata’ | <i>sativa</i> | | Corsica |
| ‘Arima’ | <i>crenata</i> | Kanagawa | Japan |
| ‘Arimawase’ | <i>crenata</i> | Japan | Japan |
| ‘Arizinca’ | <i>sativa</i> hybrid | | |
| ‘ Armstrong ’ | <i>mollissima</i> hybrid | U.S.A. | U.S.A., Univ. of Kentucky |
| ‘Arvenne’ | <i>sativa</i> | | Italy |
| ‘Asplenifolia’ (Comptonifolia, Dissecta, Dissecta Nova, Filipendula, Heterophyll, Linearifolia, Salicifolia) | <i>sativa</i> | England | Italy |
| ‘Atwood’ | ? | U.S.A. | U.S.A. |
| ‘AU Buck’ I, II, III, IV | <i>mollissima</i> ? | U.S.A. | U.S.A. Auburn Univ. |
| ‘AU Cropper’ | <i>mollissima</i> | U.S.A. | U.S.A., Auburn Univ. |
| ‘AU Encore’ | <i>seguinii</i> | U.S.A. | U.S.A., Auburn Univ |
| ‘Augenstein’ | <i>mollissima</i> | | |
| ‘AU Gobbler’ I, II | <i>mollissima</i> | U.S.A. | U.S.A. Auburn Univ. |
| ‘ AU Homestead ’ | <i>mollissima</i> | U.S.A. | U.S.A., Auburn Univ. |
| ‘ AU Leader ’ | <i>mollissima</i> | U.S.A. | U.S.A., Auburn Univ. |
| ‘AU Premier’ | <i>seguini</i> | U.S.A. | U.S.A., Auburn Univ. |
| ‘Auphineng’ | <i>sativa</i> | | France |
| ‘Aureomaculata’ | <i>sativa</i> | England | Italy |
| ‘AU-Super’ | <i>mollissima</i> | U.S.A. | U.S.A., Auburn Univ. |
| ‘Autumnkoron’ | <i>crenata</i> | Hokkaido | Japan |
| ‘Autumnporon’ | <i>crenata</i> | Hokkaido | Japan |
| ‘AU-U’ | <i>mollissima</i> | U.S.A. | U.S.A., Auburn Univ. |
| ‘Aveleira’ | <i>sativa</i> hybrid | | Portugal |
| ‘AW 74’ (Big Bur) | <i>crenata</i> x <i>sativa</i> | | France |

B Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|---|-----------------------------|---|--------------|
| ‘Baegjung’ (Baekjung) | <i>crenata</i> | Korea | Korea |
| ‘Bailuzhi’ | <i>henryi</i> | | China |
| ‘Baiulas’ | <i>sativa</i> | | Italy |
| ‘Bak yul’ (changed to ‘Hakuri’) | <i>crenata</i> | Korea | Korea |
| ‘Ban-aka’ | <i>crenata</i> | Ibaragi-ken, Shimotsuga-gun, Nomotomura | Japan |
| ‘Banhua’ | <i>mollissima</i> | | China |
| ‘Banseki’ | <i>crenata</i> | Tochigi | Japan |
| ‘Banguri’ | <i>crenata</i> | Japan | Japan |
| ‘Banguri Ibaraki’ | <i>crenata</i> | Ibaraki | Japan |
| ‘Bao Ke’ | <i>mollissima</i> | | China |
| ‘Barbarot’ | <i>sativa</i> | | France |
| ‘Barbriere’ | <i>sativa</i> | | France |
| ‘Barbude’ | <i>sativa</i> | | France |
| ‘Barchese’ | <i>sativa</i> | | Italy |
| ‘Barsanina’ | <i>sativa</i> | | Italy |
| ‘Bartlett’ | <i>mollissima</i> PI #36666 | China, Pang Shan | U.S.A. |
| ‘Barton’ | <i>sativa</i> hybrid | | Australia |
| ‘Bartram’ (Bartram Late) | <i>sativa</i> hybrid | U.S.A. | U.S.A. |
| ‘Bastarda’ (nera di Arcidosso,rossa di Arcidosso) | <i>sativa</i> | | Italy |
| ‘Bastarde’ (Bastard, Bastardo, CA 220) | <i>sativa</i> | | |
| ‘Bastellicaciu’ | <i>sativa</i> | France | Italy |
| ‘Basturella’ | <i>sativa</i> | | France |
| ‘Batacchione’ | <i>sativa</i> | | Italy |
| ‘Batarde’ | <i>sativa</i> | | France |
| ‘Batlow’ | <i>sativa</i> hybrid | | Australia |
| ‘Baudinenque’ | <i>sativa</i> | | France |
| ‘Baumelene’ | <i>sativa</i> | | France |
| ‘Beaulieu’ | <i>sativa</i> | | France |
| ‘ Behind the Broadview ’ | <i>sativa</i> hybrid | | |

| | | | |
|---|----------------------------------|----------|--------------------------|
| ‘Belle Epine’ (CA 114) | <i>sativa</i> | | France |
| ‘Bellina’ | <i>sativa</i> | | Italy |
| ‘Benfeita’ | <i>sativa</i> hybrid | | Portugal |
| ‘Bentley’ | | U.S.A. | U.S.A., B. Smith, MI |
| ‘Benton Harbor’ | <i>mollissima</i> | Michigan | U.S.A., D. Fulbright, MI |
| ‘Berciana’ | <i>sativa</i> | | Spain |
| ‘Bergantz’ | <i>crenata</i> hybrid | U.S.A. | U.S.A., M. Nave, CA |
| ‘Bermella’ (Bermellas, Bermellá, Bermella l) | <i>sativa</i> hybrid | | Spain |
| ‘Bernard’ | <i>sativa</i> | | France |
| ‘Beta’ | <i>crenata</i> | U.S.A. | U.S.A., Parry, NJ |
| ‘Beth’ | <i>mollissima</i> | U.S.A. | U.S.A., Greg Miller, OH |
| ‘Bianchetta’ | <i>sativa</i> | | Italy |
| ‘Biancola’ | <i>sativa</i> | | Italy |
| ‘Biddle’ | <i>crenata</i> | U.S.A. | U.S.A., NJ |
| ‘Big Euro’ | complex hybrid | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Bingham’ | ‘Colossal’ seedling | | U.S.A. |
| ‘Bionda di Mercogliano’ | <i>sativa</i> | | Italy |
| ‘Bisalta #2’ | <i>crenata</i> | | Italy |
| ‘Bisalta #3’ | <i>sativa x crenata</i> hybrid | | Italy |
| ‘Bittiet’ | <i>sativa</i> | | France |
| ‘Black’ (Dr. Black) | <i>crenata</i> seedling | Japan | U.S.A., NJ |
| ‘Black Beauty’ | <i>mollissima</i> | Auburn U | U.S.A., AL |
| ‘Black Pearl’ (Fife, Boitano) | <i>sativa</i> | U.S.A. | U.S.A., WA |
| ‘Black Satin’ | <i>mollissima</i> , ‘Peach’ o.p. | U.S.A. | U.S.A., M. Parks, MO |
| ‘Blake’ | <i>sativa x mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Blanca’ (Blanco, Blanquillo/a, Branca, Blancas, Blanquín, Blanquiño/a Blanquita) | <i>sativa</i> | | Spain |
| ‘Blanca Ourense’ | <i>sativa</i> (Blanca clone) | | Spain |
| ‘Blanquiare’ | <i>sativa</i> | | France |

| | | | |
|--|---------------------------------|-------------------------|--------------------------|
| ‘Blevins’ | <i>mollissima x dentata</i> | U.S.A. | U.S.A., C.E. Blevins, TN |
| ‘Blue Ridge’ | <i>mollissima x dentata</i> | | U.S.A. |
| ‘Bodrasca’ | <i>sativa</i> | | Italy |
| ‘Boglia’ | <i>sativa</i> | | Italy |
| ‘Bolesas’ | <i>sativa</i> | | Spain |
| ‘Boltalina’ | <i>sativa</i> | | Italy |
| ‘Bonasola’ | <i>sativa</i> | | Italy |
| ‘Bonere’ | <i>sativa</i> | | Italy |
| ‘Bonese’ | <i>sativa</i> | | Italy |
| ‘Boone’ | <i>crenata x dentata</i> | U.S.A. | U.S.A., G. W. Endicott |
| ‘Borgovelino’ | <i>sativa</i> | | Italy |
| ‘Boseongyul’ | <i>crenata</i> | Korea | Korea |
| ‘Boshi No. 360’ | <i>mollissima</i> | China | Japan |
| ‘Bossue’ | <i>sativa</i> | | France |
| ‘Bost’ | mixed parentage | U.S.A., Nevada City, CA | U.S.A., J.M. Nave, CA |
| ‘Bottaciola’ | <i>sativa</i> | | Italy |
| ‘Bou Boussu’ | <i>sativa</i> | | France |
| ‘Bouchasse’ | <i>sativa</i> | | France |
| ‘Bouchat’ | <i>sativa</i> | | Italy |
| ‘Bounty’ | <i>sativa hybrid</i> | | New Zealand |
| ‘ Bouche de Betizac ’ | ‘Bouche Rouge’ x <i>crenata</i> | France | France, INRA 1962 |
| ‘Bouche de Clos’ | <i>sativa hybrid</i> | | France |
| ‘Bouche du Bacon’ | | | France |
| ‘ Bouche Rouge ’ (Marron de Vesseaux) | <i>sativa</i> | | France |
| ‘ Bournette ’ (112) | <i>crenata x sativa</i> | France | France, INRA |
| ‘Bourrue de Juilhac’ | <i>sativa</i> | France | France |
| ‘Borra’ | <i>sativa hybrid</i> | | |
| ‘Bouru’ | <i>sativa</i> | | France |
| ‘Bracagna’ | <i>sativa</i> | | Italy |
| ‘Bracalla’ | <i>sativa hybrid</i> | | |
| ‘Brandigliana’ | <i>sativa</i> | | Italy |
| ‘Brattina’ | <i>sativa</i> | | Italy |
| ‘Bravo de Leirado’ (Bravas de Leirado, Bravo Leirado, Bravoleirado) | <i>sativa</i> | | Spain |
| ‘Brena’ | <i>sativa</i> | | Italy |
| ‘Bresciana’ | <i>sativa</i> | | Italy |

| | | | |
|---------------------------------------|---|--------|------------------------|
| ‘Brescianina’ | <i>sativa</i> | | Italy |
| ‘Brda’ | <i>sativa</i> hybrid | | Slovenia |
| ‘Brown Sugar’ | <i>mollissima</i> hybrid | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Brownsville Big Early’ | <i>crenata</i> hybrid | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Britoka’ | <i>mollissima</i> o.p. seedling | Canada | Canada, J. U. Gellatly |
| ‘Brunella’ | <i>Baracca 41.8 o.p. (sativa x crenata)</i> | | Switzerland |
| ‘Buffalo Queen’ | <i>sativa</i> hybrid | | |
| ‘Bugalane’ | <i>sativa</i> | | Italy |
| ‘Bulanche’ | <i>sativa</i> | | France |
| ‘Burgaceira’ (Burgueceira) | <i>sativa</i> | | Spain |
| ‘Burbank Big Black’, (Burbank #6A) | | U.S.A. | U.S.A. |
| ‘Burbank Stump Sprout’ | | U.S.A. | U.S.A., J. M. Nave, CA |
| ‘Burnt Umber’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Buyu’ | <i>crenata</i> | Korea | Korea |
| ‘Buzen’ | <i>crenata</i> | Oita | Japan |
| ‘Byron’ (Lindstrom #67) | <i>mollissima</i> | U.S.A. | U.S.A. |
| ‘Byron 4-17’ | ‘Nanking’ seedling (<i>mollissima</i> o.p.) | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Byron Big Black’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |

C Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|-------------------------------|----------------------|---------------|--------------|
| ‘Cabezuda’ (Temporá, Cedo) | <i>sativa</i> | | Spain |
| ‘Cachanella’ | <i>sativa</i> | | Corsica |
| ‘Calaman’ | <i>sativa</i> | | Italy |
| ‘Calva’ (Calvas) | <i>sativa</i> | | Spain |
| ‘Camberoune’ (CA 449) | <i>sativa</i> | France | France |
| ‘Campanara’ | <i>sativa</i> | | France |
| ‘Campanese’ (CA 557) | <i>sativa</i> hybrid | France | France |

| | | | |
|---|---|--------------------|--------------------------|
| ‘Campbell #1’ | ‘Layeroka’ seedling, | Canada | Canada, D. Campbell |
| ‘Campbell NC-11’ | <i>mollissima</i> x <i>dentata</i> hybrid | | Canada |
| ‘Campbell NC-8’ | ‘Skioka’ decendant | Canada | Canada, D. Campbell |
| ‘Campilla’ (Campillo) | <i>sativa</i> | | Spain |
| ‘Canalina’ (CN 1) | <i>sativa</i> | | Italy |
| ‘Canaluta’ (Canalutta) | <i>sativa</i> | | Italy |
| ‘Canby’ (Canby Black, Canby West, East, House) | | | Australia |
| ‘Cane Hill’ | <i>mollissima</i> | Arkansas | J.M. Nave |
| ‘Caoguli’ | <i>mollissima</i> x <i>henryi</i> | | |
| ‘Caprese Michelangelo’ | <i>sativa</i> | | Italy |
| ‘Cardaccio’ | <i>sativa</i> | | Italy |
| ‘Carolina’ | <i>mollissima</i> x <i>dentata</i> | U.S.A. | U.S.A., R.T. Dunstan, FL |
| ‘Carpanese’ (Carpinese) | <i>sativa</i> | | Italy |
| ‘Carpentar’ | <i>mollissima</i> x <i>dentata</i> | U.S.A. | U.S.A., R.T. Dunstan, FL |
| ‘Carr’ (Carrissima) | <i>mollissima</i> | China, Tientsin | U.S.A., H.F. Stoke |
| ‘Carrarese’ | <i>sativa</i> | | Italy |
| ‘Carrareul’ | <i>sativa</i> | | Italy |
| ‘Carrelaos’ (Carrelau) | <i>sativa</i> | | Spain |
| ‘Carrive’ | <i>sativa</i> | | Italy |
| ‘Carrone Nero Rosso’ | <i>sativa</i> | | Italy |
| ‘Carson’ | <i>sativa</i> | U.S.A. | U.S.A. |
| ‘Cassagnole’ | <i>sativa</i> | | France |
| ‘Castagna della costa’ | <i>sativa</i> | | Italy |
| ‘Castagna della Madonna’ | <i>sativa</i> | | |
| ‘Castagna della Morte grossa’ | <i>sativa</i> | | Italy |
| ‘Castagna della Morte piccola’ | <i>sativa</i> | | Italy |
| ‘Castagna di Mezzomonte’ | <i>sativa</i> | | Italy |
| ‘Castagna di Montella’ | <i>sativa</i> | | Italy |
| ‘Castagna di Napoli’ | <i>sativa</i> | | Italy |
| ‘Castagna di Polcenigo’ | <i>sativa</i> | | Italy |
| ‘Castagna Fornasatte’ | <i>sativa</i> | | Italy |
| ‘Castagna Giais’ | <i>sativa</i> | | Italy |

| | | | |
|--------------------------------|-----------------------------|----------------------------------|------------------------|
| ‘Castagna Madonna di Stangada’ | <i>sativa</i> | | Italy |
| ‘Castagna Monnesiglio’ | <i>sativa</i> | | Italy |
| ‘Castagna Petrucco’ | <i>sativa</i> | | Italy |
| ‘Castagno Valle Sacra’ (IPLA) | <i>sativa</i> | | Italy |
| ‘Castagnone’ | <i>sativa</i> | | Italy |
| ‘Castagrande’ | <i>sativa</i> | Tenerife | Spain |
| ‘Castiva’ | <i>sativa</i> hybrid | U.S.A. | U.S.A., C.E. Parsons |
| ‘Catossi’ | <i>sativa</i> | | Italy |
| ‘Caurelal’ | <i>sativa</i> | | Spain |
| ‘Cautinel’ | <i>sativa</i> | | France |
| ‘Cavagliasche’ | <i>sativa</i> | | Italy |
| ‘Cecio’ | <i>sativa</i> | | Italy |
| ‘Central Square’ | | U.S.A. | U.S.A. |
| ‘Cerreda’ (Cerredo) | <i>sativa</i> | | Spain |
| ‘Chataigne d’Isola’ | <i>sativa</i> | France | France |
| ‘Chandler’ | <i>mollissima</i> | U.S.A. | U.S.A. |
| ‘Chang Bang Kam yul’ | <i>mollissima x crenata</i> | Japan | Japan |
| ‘Changcibanhong’ | <i>mollissima</i> | | China |
| ‘Cha wan zhong’ | <i>mollissima</i> | | China |
| ‘Chalon’ (Marron Chalon Early) | <i>sativa</i> | France | |
| ‘Chariolaire’ | <i>sativa</i> | | France |
| ‘Cherokee #1’ | <i>mollissima</i> | | |
| ‘Chestnut Ridge’ | unknown hybrid | | |
| ‘Ching Chow’ (Hemming) | <i>mollissima</i> , | China, Nanking | U.S.A., S. Hemming, MD |
| ‘Chism’ | | U.S.A. | U.S.A. |
| ‘Chiyodawase’ | <i>crenata</i> | Japan | Japan |
| ‘Chobei’ | <i>crenata</i> | Kyoto | Japan |
| ‘Chokiji’ | <i>crenata</i> | Hyogo-ken, Higami-gun, Ogawamura | Japan |
| ‘Chosenkoutou’ | hybrid | Korea | Japan |
| ‘Choubei’ | <i>crenata</i> | Kyoto | Japan |
| ‘Choukouji’ | <i>crenata</i> | Hyogo | Japan |
| ‘Chourlette’ | <i>sativa</i> | | France |
| ‘Chunli’ | <i>mollissima</i> | | China |

| | | | |
|---|--|---------------------|--|
| ‘Chushuhong’ | <i>mollissima</i> | | China |
| ‘Chuutan’ | <i>crenata</i> | Ibaraki | Japan |
| ‘Chuuwase’ | <i>crenata</i> | Ehime | Japan |
| ‘Ciaosart’ | <i>sativa</i> | | Italy |
| ‘Ciapastra’ | <i>sativa</i> | | Italy |
| ‘Ciria’ | <i>sativa</i> | | Italy |
| ‘Citta di Castello’ | <i>sativa</i> | | Italy |
| ‘Ciuffa’ | <i>sativa</i> | | Italy |
| ‘Clapoi’ | <i>sativa</i> | | Italy |
| ‘Clapper’ | <i>(mollissima x dentata) x dentata</i> (M16 x FP 555) x FP 555 | U.S.A. | U.S.A., E.L. Little, J.D. Diller |
| ‘Clascespi’ | <i>sativa</i> | | France |
| ‘Clevedale’ | <i>sativa</i> hybrid | | New Zealand |
| ‘Cochleata’ (Bullata, Monstosa) | <i>sativa</i> | England | Italy |
| ‘Codino’ | <i>sativa</i> | | Italy |
| ‘Coe’ | <i>crenata</i> | U.S.A. | U.S.A., L. Burbank, CA |
| ‘Coeur de boeuf’ | <i>sativa</i> | | France |
| ‘Colby’ | ‘Fuller’ x <i>mollissima</i> | U.S.A. | U.S.A., A. S. Colby |
| ‘Colossal’ | <i>crenata x sativa,</i> | U.S.A. | U.S.A., C.E. Parsons |
| ‘Comballe’ (CA 106) | <i>sativa</i> | | France |
| ‘Combelonne’ | <i>sativa</i> | | France |
| ‘Comfort’ | <i>sativa</i> hybrid | U.S.A. | U.S.A. |
| ‘Connecticut Yankee’ (Yankee) | <i>mollissima</i> | China, PI #36666 | U.S.A., E.E. Hunt (J.R. Smith) |
| ‘Cooper’ (Comfort) | <i>sativa</i> hybrid | | U.S.A. |
| ‘Contessa’ | <i>sativa</i> | | Italy |
| ‘Contessa grossa’ | <i>sativa</i> | | Italy |
| ‘Cordiere’ | <i>sativa</i> | | France |
| ‘Corneboeuf’ | <i>sativa</i> | | France |
| ‘Cornolecchia’ | <i>sativa</i> hybrid | | Italy |
| ‘Corujero’ | <i>sativa</i> | Tenerife | Spain |
| ‘Couletta’ | <i>sativa</i> | | Italy |
| ‘Courelá’ (Coureladas, Courelás, Courelau) | <i>sativa</i> | | Spain |
| ‘Courrive’ | <i>sativa</i> | | France |
| ‘Coutinel’ | <i>sativa</i> | | France |
| ‘Crane’ | <i>mollissima,</i> | China, Chekiang | U.S.A., J.W. McKay |

| | | | |
|-------------------------|----------------------|----------|-------------|
| ‘Crespadoro’ | <i>sativa</i> | | Italy |
| ‘Crewenna’ | <i>sativa</i> hybrid | | New Zealand |
| ‘Crotta’ | <i>sativa</i> | | Italy |
| ‘Crou di S. Bartolomeo’ | <i>sativa</i> hybrid | | Italy |
| ‘Cruston’ | <i>sativa</i> | | Italy |
| ‘ Crown ’ | <i>sativa</i> hybrid | | |
| ‘Culona’ (Desgrañadiza) | <i>sativa</i> | | Spain |
| ‘Cumberland’ | <i>mollissima</i> | Arkansas | J.M. Nave |
| ‘Curtina’ | <i>sativa</i> | | Italy |
| ‘Curuxa’ | <i>sativa</i> | Spain | |

D Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|--|--|---------------|-----------------------------|
| ‘Daab’ | <i>crenata</i> | Korea | Korea |
| ‘Daabgea’ | <i>crenata</i> | Korea | Korea |
| ‘Dabanhong’ | <i>mollissima</i> | China | China |
| ‘Dabanli’ | <i>mollissima</i> | | China |
| ‘Da di qing’ | <i>mollissima</i> | | China |
| ‘Daebo’ | <i>mollissima</i> X <i>crenata</i> | Korea | KFRI patent |
| ‘Daehan’ | <i>crenata</i> | Korea | Korea |
| ‘Daemyung Royal Chestnut’ (Daemyung King Chestnut) | <i>crenata</i> | Korea | Byun Myung-geun, Hapcheon |
| ‘Dager’ | <i>sativa</i> hybrid (seedling) | U.S.A. | U.S.A. Ridgely, NJ |
| ‘Da hong pao’ | <i>mollissima</i> | | China |
| ‘Daidengguri’ | <i>crenata</i> | | Korea |
| ‘Daihachi’ | <i>crenata</i> | Kyoto | Japan |
| ‘Da Lebre’ | <i>sativa</i> | | Spain |
| ‘Damber’ | <i>sativa</i> hybrid | | Slovenia |
| ‘Dan Tak’ (changed to ‘Tanzawa’) | <i>crenata</i> | | Korea |
| ‘Darling’ | <i>dentata</i> + <i>oxalate oxidase gene</i> | U.S.A. | U.S.A., W. Powell, SUNY-NY, |
| ‘Darlington’ | <i>sativa</i> hybrid | | U.S.A. |
| ‘Dauphinique’ (Daufinenc) | <i>sativa</i> | | France |

| | | | |
|---|---|-----------------------------|--------------------------------|
| 'De Cedo' (En Riós, Vilardevós, Famosa de Cedo) | <i>sativa</i> | | Spain |
| 'DeCoppi Marone' | <i>sativa</i> hybrid | | Australia |
| 'Delaware' | | | U.S.A. |
| 'De Lemos' (Lemas, Lemés, De Sarria) | <i>sativa</i> | | Spain |
| 'Del Haya' | <i>sativa</i> | Tenerife | Spain |
| 'Della Costa' | <i>sativa</i> | | Italy |
| 'Delpa' | <i>sativa</i> | | France |
| 'Delphinois' | <i>sativa</i> | | France |
| 'Dengorou' | <i>crenata</i> | Akita | Japan |
| 'De Pata' | <i>sativa</i> | Tenerife | Spain |
| 'De Presa' | <i>sativa</i> | | Spain |
| 'De Sala' | <i>sativa</i> | Tenerife | Spain |
| 'De San Miguel' (Mingueiro) | <i>sativa</i> | | Spain |
| 'Desgrañadiza' (Desgrañadizas, Desgrañadoira) | <i>sativa</i> | | Spain |
| 'Disk' (several numbers) | <i>sativa</i> hybrid | | New Zealand |
| 'Dolcina di Merso' | <i>sativa</i> | | Italy |
| 'Domestico' | <i>sativa</i> | | Italy |
| 'Donna de Lyon' (Marron de Donna) | <i>crenata</i> hybrid | U.S.A. | U.S.A., Felix Gillet Inst., CA |
| 'Donosa' | <i>sativa</i> | Tenerife | Spain |
| 'Don Whelan' | <i>sativa</i> hybrid | | New Zealand |
| 'Do País' | <i>sativa</i> | | Spain |
| 'Doyle' | 'Colossal' seedling | | U.S.A. |
| 'Dorée de Lyon' | <i>sativa</i> | France | France |
| 'Double Sweet' | complex hybrid | U.S.A. | U.S.A., J.M. Nave, CA |
| 'Douglas #1A' | <i>mollissima</i> hybrid, | U.S.A. | U.S.A., E. Douglas |
| 'Douglas #2' | <i>mollissima</i> hybrid, | U.S.A. | U.S.A., E. Douglas |
| 'Douglas Manchurian' | <i>mollissima</i> hybrid, | U.S.A. | U.S.A., E. Douglas |
| 'Dr. Sandy' | 'Eaton' x <i>C. ozarkensis</i> cross 2013 | U.S.A., CT Agric. Exp. Stn. | U.S. A., B. Furver, VT |
| 'Duancibanhong' | <i>mollissima</i> | | China |
| 'Duanza' | <i>mollissima</i> | | China |

| | | | |
|--------------------|----------------------|--------|------------|
| ‘Dulaney’ | <i>dentata</i> | U.S.A. | U.S.A., KY |
| ‘Dunnoea’ | <i>sativa</i> | | Italy |
| ‘Du Pont’ | <i>sativa</i> hybrid | | U.S.A. |
| ‘Dursun Kestanesi’ | <i>sativa</i> hybrid | | Turkey |

E Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|----------------------|---|------------------|---|
| ‘Early Brown’ | <i>sativa</i> hybrid | | Australia |
| ‘Early Reliance’ | <i>crenata</i> : See ‘Reliance’ | U.S.A. | U.S.A. NH |
| ‘Eastern Sunrise’ | <i>sativa</i> hybrid | | New Zealand |
| ‘Eaton’ | <i>mollissima</i> x (<i>crenata</i> x <i>dentata</i>), open pollinated | U.S.A. | U.S.A. R.A. Jaynes, CT |
| ‘Eaton River’ | | U.S.A. | U.S.A., J. Brittain, KY |
| ‘Ederra’ | <i>crenata</i> | | |
| ‘Eliza’ | <i>mollissima</i> | Camp Hill, AL | U. MO, E. Greenman, A. Miller, JM Nave |
| ‘Emalyn’s Purple’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘EMO 14’ | <i>mollissima</i> | | China |
| ‘Ena’ | <i>crenata</i> | Gifu | Japan |
| ‘Enanishiki’ | <i>crenata</i> | Gifu | Japan |
| ‘Ensalat’ | <i>sativa</i> | | France |
| ‘Enteselve’ | <i>sativa</i> | | France |
| ‘Essate’ (S-8) | <i>pumila</i> x <i>crenata</i> | U.S.A. | U.S.A., W. Van Fleet |
| ‘Essate-Jap’ | S-8 (<i>pumila</i> x <i>crenata</i>) o.p. x <i>crenata</i> , | U.S.A. | U.S.A., A.H. Graves, CT |
| ‘Eunsan’ | <i>crenata</i> | | Japan |
| ‘Eurobella’ | <i>sativa</i> hybrid | | U.S.A. |
| ‘Excelsior’ | <i>dentata</i> ? | U.S.A. | U.S.A. WVa |

F Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|----------------------|-------------------|---------------|--------------|
| ‘Fa-Hua-Tze’ | <i>mollissima</i> | | China |

| | | | |
|---|--------------------------------------|--------------------------------|---------------------------|
| ‘Faggiollella’ | <i>sativa</i> | | Corsica |
| ‘Famosa’ (Marela, Amarelante, Famosa de Cedo) | <i>sativa</i> | | Spain |
| ‘Famosa Ourense’ | <i>sativa</i> (Famosa clone) | | Spain |
| ‘Fastigiata’ | <i>sativa</i> | England | Italy |
| ‘Felton’ | <i>crenata</i> , seedling | U.S.A. | U.S.A. NJ |
| ‘Fendillaire’ | <i>sativa</i> | | France |
| ‘Fereireze’ | <i>sativa</i> | | France |
| ‘Ferosacre’ | <i>mollissima</i> hybrid, open poll. | | France |
| ‘Ferrier’ | <i>sativa</i> | | France |
| ‘Fiacone’ | <i>sativa</i> | | Italy |
| ‘Figarette’ | <i>sativa</i> | | France |
| ‘Fiorentino’ | <i>sativa</i> | | France |
| ‘Firdola’ | <i>sativa</i> hybrid | | Turkey |
| ‘Fogliassa di Pineroto’ | <i>sativa</i> | | Italy |
| ‘Forchetone’ | <i>sativa</i> | | France |
| ‘Ford’s Sweet’ | <i>mollissima</i> | China, North of Tientsin | U.S.A., J.F. Wilkinson |
| ‘Ford’s Tall’ | <i>mollissima</i> | | U.S.A. |
| ‘Forino’ | <i>sativa</i> | | Italy |
| ‘Fosetta’ | <i>sativa</i> | | Italy |
| ‘Fourcade’ | <i>sativa</i> | | France |
| ‘Fourcat’ | <i>sativa</i> | | France |
| ‘Fowler’ (UCD 92-359-1) | <i>sativa</i> hybrid | U.S.A. | U.S.A., K. Ryugo, CA |
| ‘Fox’ | | | U.S.A. |
| ‘Frattona’ | <i>sativa</i> | | Italy |
| ‘Freyssinette’ | <i>sativa</i> | | France |
| ‘Frombola’ | <i>sativa</i> | | Italy |
| ‘Fukuba’ | <i>crenata</i> | Japan | Japan |
| ‘Fukunami’ | <i>crenata</i> | Kyoto | Japan |
| ‘Fukunishi’ (Fukusei) | <i>crenata</i> | Osaka | Japan |
| ‘Fukurai’ | <i>crenata</i> | Japan | Japan |
| ‘Fuller’ | <i>C. pumila (virginiana?)</i> | | U.S.A. |
| ‘Furlan’ | <i>sativa</i> hybrid | | Slovenia |
| ‘Fusera’ | <i>sativa</i> | | Italy |

G Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|---------------|----------|--------|-------|
|---------------|----------|--------|-------|

| | | | |
|---|-------------------------------|--|----------------------|
| ‘Gabbiana’ (Gabiana) | <i>sativa</i> | | Italy |
| ‘Gabiola di Barge’ | <i>sativa</i> | | Italy |
| ‘Gagggia’ (<i>sic</i>) | <i>sativa</i> | | Italy |
| ‘Gakuou’ | <i>crenata x mollissima</i> | Gifu | Japan |
| ‘Galega’ | <i>sativa</i> | | Spain |
| ‘ Ganne ’ | <i>crenata</i> | Yamagu- chi-ken, Kagagun, Sakaga- mimura | Japan |
| ‘Garba’ | <i>sativa</i> | | Italy |
| ‘Garbela’ | <i>sativa</i> | | Italy |
| ‘Garessina’ | <i>sativa</i> | | Italy |
| ‘Garinche’ | <i>sativa</i> | | Italy |
| ‘Gariup’ | <i>sativa</i> | | Italy |
| ‘Garrida’ | <i>sativa</i> | | Spain |
| ‘Garrida Lugo’ | <i>sativa</i> (Garrida clone) | | Spain |
| ‘Garriga’ | <i>sativa</i> | | Spain |
| ‘Garrone Nero di Bernezzo’ | <i>sativa</i> | | Italy |
| ‘Garrone Nero di Boves’ | <i>sativa</i> hybrid | | Italy |
| ‘Garrone Rosso di Bernezzo’ | <i>sativa</i> | | Italy |
| ‘Garonne Rosso di Boves’ | <i>sativa</i> hybrid | | Italy |
| ‘Garrida’ | <i>sativa</i> hybrid | | Spain |
| ‘Gasahara’ | <i>crenata</i> | | Japan |
| ‘Gaviano’ | <i>sativa</i> hybrid | | |
| ‘Gellatly #1’ | <i>mollissima</i> | | Canada |
| ‘Gene-courte’ | <i>sativa</i> | | France |
| ‘Gene-grosse’ | <i>sativa</i> | | France |
| ‘Gene-long’ | <i>sativa</i> | | France |
| ‘Gentile’ | <i>sativa</i> | | Italy |
| ‘Gentile di S. Bartolomeo’ | <i>sativa</i> hybrid | | Italy |
| ‘Geungsan’ | <i>crenata</i> | Korea | Korea |
| ‘Ghisone’ | <i>sative</i> | | France |
| ‘Ghjentile’ | <i>sativa</i> | | Corsica |
| ‘Ghjentilomu’ | <i>sativa</i> | | France |
| ‘Giant’ (Japan Giant, Japan Mammoth, Pedigree Mammoth) | <i>crenata</i> | U.S.A. | U.S.A., Parry, NJ |

| | | | |
|------------------------------|--|---|-------------------------|
| ‘Gideon’ | <i>mollissima</i> | U.S.A. | U.S.A., G. Miller, OH |
| ‘Gifu’ | <i>mollissima</i> | Gifu | Japan |
| ‘Gillet’ | <i>crenata hybrid</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Gimli’ | ‘King Arthur’ x ‘Lockwood’ | U.S.A., CT | U.S.A., B. Ferver, VT |
| ‘Ginrei’ | <i>crenata</i> | Tokushima | Japan |
| ‘Ginyose’ (Ginki) | <i>crenata</i> | Osakafu, Toyono- gun, Utagaki- mura | Japan |
| ‘Giovasca di Bobbio Pellice’ | <i>sativa</i> | | Italy |
| ‘Giovasca di Lusernetta’ | <i>sativa</i> | | Italy |
| ‘Giovasca di Villar Pellice’ | <i>sativa</i> | | Italy |
| ‘Givigliasca’ | <i>sativa hybrid</i> | | Italy |
| ‘Glabra’ | <i>sativa</i> | England | Italy |
| ‘Golino’ | <i>sativa x crenata</i> | | Switzerland |
| ‘Gold Flat F’ | hybrid | | |
| ‘Gold Flat R’ | <i>crenata x sativa hybrid</i> | | |
| ‘Good’ (C-7) | <i>mollissima x [(crenata x sativa) x dentata]</i> | U.S.A. | U.S.A., A.H. Graves, CT |
| ‘Gora’ | <i>crenata</i> | Hyogo | Japan |
| ‘Goragu’ | <i>crenata</i> | | Korea |
| ‘Gosha’ | <i>crenata</i> | Kanagawa | Japan |
| ‘Gosyu’ | <i>crenata</i> | | Korea |
| ‘Gradulaccia’ | <i>sativa</i> | | France |
| ‘Gragnanella’ | <i>sativa</i> | | Italy |
| ‘Gramon’ | <i>sativa</i> | | France |
| ‘Grande’ | <i>sativa</i> | Tenerife | Spain |
| ‘Grande epine’ | <i>sativa</i> | | France |
| ‘Grande verte’ | <i>sativa</i> | | France |
| ‘Graves’ | <i>(mollissima x dentata) x dentata</i> | U.S.A. | U.S.A., A.H. Graves, CT |
| ‘Gregorio’ | <i>sativa</i> | | Italy |
| ‘Griffin’ | <i>dentata?</i> | U.S.A. | U.S.A., GA |
| ‘Grimo 142Q’ | ‘Layeroka’ seedling | Canada | Canada, E. Grimo |
| ‘Guihuaxiaoli’ | <i>mollissima</i> | China | China |
| ‘Gwangjujoyul’ | <i>crenata</i> | | Korea |

H Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|-----------------------------|---|---------------|-----------------------------|
| ‘Haciibis’ | <i>sativa</i> hybrid | | Turkey |
| ‘Haciomer’ | <i>sativa</i> hybrid | | Turkey |
| ‘Haifeng’ | <i>mollissima</i> | | China |
| ‘Hajikami’ | <i>crenata</i> | Japan | Japan |
| ‘Hakuri’ | <i>mollissima</i> | Nagano | Japan |
| ‘Hale’ (Eighteen Months) | <i>crenata</i> | Japan | U.S.A., L. Burbank, CA |
| ‘Hamjung’ | <i>crenata x mollissima</i> | | Korea |
| ‘Hamyanggea’ | <i>crenata</i> | Korea | Korea |
| ‘Hannum’ | <i>sativa</i> hybrid | U.S.A. | U.S.A., NJ |
| ‘Hassaku’ | <i>crenata</i> | Japan | Japan |
| ‘Hathaway’ | <i>dentata?</i> | U.S.A. | U.S.A., MI |
| ‘Hatayaoguri’ | <i>crenata</i> | Akita | Japan |
| ‘Hative de May’ | <i>sativa</i> | | France |
| ‘Hative noire’ | <i>sativa</i> | | France |
| ‘Hative rousse’ | <i>sativa</i> | | France |
| ‘Hawk’ (Sweet Hart) | <i>mollissima</i> | China | U.S.A. |
| ‘Hayadama’ | <i>crenata</i> | Kyoto | Japan |
| ‘Hayashi’ | ‘Kasaharawas’ <i>crenata x mollissima</i> | Japan | Japan |
| ‘Hayashimaguri’ | <i>crenata x mollissima</i> | Gifu | Japan |
| ‘Haystama’ | <i>crenata</i> | Japan | Japan |
| ‘Heijo’ | <i>crenata</i> | Korea | Japan |
| ‘Hemming’ (Sam Hemming) | <i>mollissima</i> | China | U.S.A., S. Hemming, MD |
| ‘Herb Farm’ | <i>sativa</i> hybrid | | |
| ‘Herria’ | <i>sativa</i> | | |
| ‘Henry VIII’ | ‘Orrin’ x ‘Crane’, | U.S.A. | U.S.A., H. Hartmann |
| ‘Heritage’ | <i>mollissima x dentata</i> , | U.S.A. | U.S.A., R.T. Dunstan, FL |
| ‘Heterophylla’ | <i>sativa</i> | | France |
| ‘Hetive’ | <i>sativa</i> | | France |
| ‘Higami’ | <i>crenata</i> | | Korea |
| ‘Higan’ | <i>crenata</i> | Kyoto | Japan |
| ‘Hinoharu’ | <i>mollissima</i> | China | Japan |
| ‘Hinoharuguri’ | <i>mollissima</i> | Yamanashi | Japan |
| ‘Hiram’ | <i>mollissima</i> , ‘Gideon’ x unknown | USA | U.S.A., R.C. Stehli, OH |

| | | | |
|-----------------------------|--|------------------|---|
| ‘Hitomaru’ | <i>crenata</i> | Chiba | Japan |
| ‘HL’ | <i>sativa x crenata?</i> | | Spain |
| ‘Hobson’ | <i>mollissima</i> | China | U.S.A. |
| ‘Hoji’ (Amaguri, #360) | <i>mollissima</i> | | Japan |
| ‘Hokizawa’ | <i>crenata</i> | Japan | Japan |
| ‘Hokugin’ | <i>crenata</i> | Gifu | Japan |
| ‘Holiday King’ | <i>sativa</i> | | |
| ‘Holtii’ | <i>sativa</i> | England, | England, Mount Maskell, (Kew), Holt |
| ‘Honan’ | <i>mollissima?</i> | | |
| ‘Honey’ | <i>sativa x dentata</i> | U.S.A. | U.S.A., H. Johnsens, CA |
| ‘Hongguang’ | <i>mollissima</i> | | China |
| ‘Hong Kong’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Hong li zi’ | <i>mollissima</i> | | China |
| ‘Hong yuoli’ | <i>mollissima</i> | | China |
| ‘Hongwen’ | <i>mollissima</i> | Camp Hill, AL | U. MO, E. Greenman, A. Miller, JM Nave |
| ‘Hope’ | complex <i>mollissima-seguinii</i> hybrid | U.S.A. | U.S.A., S. Anagnostakis, CT |
| ‘Horrón’ (Hórrea, Nizón) | <i>sativa</i> | | Spain |
| ‘Horton’ | <i>sativa</i> hybrid | | New Zealand |
| ‘Houji’ | <i>mollissima</i> | China | China, Japan |
| ‘HS’ | <i>sativa</i> hybrid, | | Spain |
| ‘Huagai Li’ | <i>mollissima</i> | | China |
| ‘Huang-Quian Wuha’ | <i>mollissima</i> hybrid | | China |
| ‘Huangzhen’ | <i>henryi</i> | | China |
| ‘Hui jian’ | <i>mollissima</i> | | China |
| ‘Hurunisiggi’ | <i>crenata</i> | | Korea |
| ‘Hyogo’ | <i>crenata</i> | | Korea |
| ‘Hyogugoshinaguri’ | <i>mollissima</i> | Hyogo | Japan |
| ‘Hyougo’ | <i>crenata x mollissima</i> | Japan | Japan |
| ‘Hyougorinshi’ | <i>crenata x mollissima</i> | Hyogo | Japan |

I Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|---------------------------|---|--|------------------------|
| ‘Ikaba’ | <i>crenata x mollissima</i> | Japan | Japan |
| ‘Ibuki’ | ‘Toyotamawase’ x ‘Ginyose’ | Kanagawa | Japan |
| ‘Ichiemon’ | <i>crenata</i> | Kyoto | Japan |
| ‘Ichikawawase’ | <i>crenata</i> | Japan | Japan |
| ‘Ichi Uemon’ | <i>crenata</i> | | Japan |
| ‘Iharosberenyi’ | <i>sativa</i> | | Hungary |
| ‘Imakita’ | <i>crenata</i> | Hyogo-ken, Kawabe-gun, Kawani-shimachi | Japan |
| ‘Imperiale’ | <i>sativa</i> | | France |
| ‘Inasabonguri’ | <i>crenata</i> | Shizuoka | Japan |
| ‘Incalmo’ | <i>sativa</i> | | Italy |
| ‘Incardina’ | <i>sativa</i> | | Italy |
| ‘Indiana Sweet’ | <i>mollissima</i> | U.S.A. | U.S.A., IN |
| ‘Injerta’ | <i>sativa</i> | Spain | Spain |
| ‘Insidina’ | <i>sativa</i> hybrid | | France |
| ‘Invernizza’ | <i>sativa</i> | | Italy |
| ‘Inxerta’ (Porteliña) | <i>sativa</i> | | Spain |
| ‘Inxerta Ourense | <i>sativa</i> (Inxera clone) | | Spain |
| ‘Ipharra’ | <i>crenata</i> | | France |
| ‘Irene’ | <i>mollissima</i> ‘Augen-stein’ x unknown | U.S.A. | U.S.A. R.C. Stehli, OH |
| ‘Ishijima’ | <i>crenata</i> | Tochigi | Japan |
| ‘Ishiyari’ | <i>crenata</i> | | Japan |
| ‘Ishizuchi’ (Ishizuki) | ‘Ganne’ x ‘Kasaharawase’ | Kanagawa | Japan #113862 |
| ‘Ishizuka’ | <i>crenata</i> | Ibaraki | Japan |
| ‘Isseumo’ | <i>crenata</i> | | Japan |
| ‘Iwatecamaguri’ | <i>crenata x mollissima</i> | Japan | Japan |
| ‘Izumo’ | <i>crenata</i> | Japan | Japan |

J Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|----------------------|---|-----------------------------------|-----------------------------------|
| ‘Jackie’ | <i>ozarkensis</i> x <i>crenata</i> 2011 cross | U.S.A., CT Agric. Exp. Stn. | U.S. A., S. Anagnosakis, CT |
| ‘Jack’s’ | <i>mollissima</i> | U.S.A. | U.S.A., KY |
| ‘Jahong’ | <i>crenata</i> | Korea | Korea |
| ‘Jangangea’ | <i>crenata</i> | Korea | Korea’ |
| ‘Jangwi’ | <i>crenata</i> | | Korea |
| ‘Jangwon’ | <i>crenata</i> | Korea | Korea |
| ‘Jaruele’ | <i>sativa</i> | | France |
| ‘Jeanjaunne’ | <i>sativa</i> | | France |
| ‘Jenny’ | <i>mollissima</i> hybrid | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Jersey Gem’ | ‘Orrin’ x ‘Nanking’ | | U.S.A. |
| ‘Jiaoza’ | <i>mollissima</i> | | China |
| ‘Jinfeng’ | <i>mollissima</i> | | China |
| ‘Jinmyo’ | <i>crenata</i> | | China |
| ‘Jiujiazhong’ | <i>mollissima</i> | Korea | Korea, China |
| ‘JR’s Best’ | unknown hybrid | Tennessee | J.M. Nave |
| ‘Judia’ | <i>sativa</i> hybrid | | China |
| ‘Jungbu’ | <i>crenata</i> | Korea | Portugal, Japan |
| ‘Jungheung’ | <i>crenata</i> | | Korea |
| ‘Jyogoji’ | <i>crenata</i> | | Korea |

K Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|----------------------|-----------------------|---------------|--------------------------|
| ‘Kahoku’ | <i>mollissima</i> | China | China |
| ‘Kaibutsu’ | <i>crenata</i> hybrid | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Kaiju’ | <i>crenata</i> hybrid | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Kairyoutoyotama’ | <i>crenata</i> | Tokyo | Japan |
| ‘Kamine’ | <i>crenata</i> | Ibaraki | Japan |
| ‘Kaneaka’ (Kinseki) | <i>crenata</i> | | Japan |
| ‘Kanbei’ | <i>crenaya</i> | Osaka | Japan |
| ‘Kannabe’ | <i>crenata</i> | Hyogo | Japan |
| ‘Kanotsume’ | <i>crenata</i> | Kyoto | Japan |
| ‘Kapyong’ | <i>crenata</i> | Korea | Korea |

| | | | |
|---------------------|--|---|---|
| ‘Karamehmet’ | <i>sativa</i> | | Turkey |
| ‘Kasaharawase’ | <i>crenata</i> | Gifuken, Tokigun, Kasaharam achi | Japan |
| ‘Kasakuri’ | <i>crenata</i> | Japan | Japan |
| ‘Katayama’ | <i>crenata</i> | Gifu | Japan |
| ‘Kazuguri’ | <i>crenata</i> | Japan | Japan |
| ‘Kelsey’ | <i>mollissima</i> hybrid | U.S.A. | U.S.A. J. J. Kelsey (A.H. Graves), CT |
| ‘Kenagaginyose’ | <i>crenata</i> | Osaka | Kapan |
| ‘Kerr’ | <i>crenata</i> seedling | Japan | U.S.A., NJ |
| ‘Ketcham’ | <i>dentata</i> | U.S.A. | U.S.A. |
| ‘Kiasheng’ | <i>crenata</i> | | China |
| ‘Kihoku’ | <i>crenata</i> | Ehime | Japan |
| ‘Kikohu’ | <i>crenata</i> | Kumamoto | Japan |
| ‘Killen’ | <i>crenata</i> o.p. | U.S.A. | U.S.A., DE |
| ‘King Arthur’ | complex <i>mollissima-seguinii</i> hybrid | U.S.A. | U.S.A., S. Anagnostakis, CT |
| ‘Kinnka’ | <i>crenata</i> | Gifu | Japan |
| ‘Kinseke’ | <i>crenata</i> | Hyogo | |
| ‘Kinshuu’ | <i>crenata</i> | Tokushima | Japan |
| ‘Kinyoshi’ | <i>crenata</i> | Kyoto | Japan |
| ‘Kishine’ | <i>crenata</i> | | Japan |
| ‘Kiyosato’ | <i>crenata</i> | Japan | Japan |
| ‘Knox Early’ | <i>sativa</i> hybrid | | Australia |
| ‘Koblizar’ | <i>sativa</i> hybrid | | Italy |
| ‘Konan’ | <i>mollissima</i> | China | China |
| ‘Konansho’ | <i>mollissima</i> | | Japan |
| ‘Konishiki’ | <i>crenata</i> | Hyogo | Japan |
| ‘Korea’ | <i>crenata</i> | | Spain |
| ‘Koszedzserdahelyi’ | <i>sativa</i> | | Hungary |
| ‘Kousei’ | <i>mollissima</i> | China | China |
| ‘Kruk’ (Kruk Trail) | <i>sativa</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Kui li’ | <i>mollissima</i> | | China |
| ‘Kuling’ | <i>mollissima</i> | China, Hang Chow | U.S.A. |
| ‘Kunimi’ | ‘Ishizuchi’ x ‘Tanzawa’ | Ibaraki | Japan #176783 |
| ‘Kurakataamaguri’ | <i>crenate x mollissima</i> | Japan | Japan |
| ‘Kurakata Sweet’ | <i>crenata x mollissima</i> | Japan | Japan |

| | | | |
|---------------------|--------------------------------------|----------|-----------------------|
| ‘Kurihiratsuka’ | <i>crenata</i> ‘Katayama’ x ‘Akachu’ | Japan | Japan |
| ‘Kuriken’ | <i>crenata</i> | | Korea |
| ‘Kurohijiwase’ | <i>Crenata</i> | Kumamoto | Japan |
| ‘Kwangeun’ | <i>crenata</i> | | Japan |
| ‘Kyongsan’ | <i>crenata</i> | | Korea |
| ‘Kyoung’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Kyoungje’ (Kungki) | <i>crenata</i> | | Korea |

L Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|--|---|---------------|--------------------------|
| ‘Labor Day’ | <i>crenata</i> | U.S.A. | U.S.A., D. Fulbright, MI |
| ‘Laciniata’ | <i>sativa</i> | England | England |
| ‘Lada’ | <i>sativa</i> | | Portugal |
| ‘La Grange’ (Lindstrom 43) | <i>mollissima</i> | U.S.A., GA | U.S.A., J.M. Nave, CA |
| ‘Laguépie’ (Marron de Laguépie, Marron Guépie) | <i>sativa</i> | | France |
| ‘L’Aiguillon’ | <i>sativa</i> | | France |
| ‘Laiola’ | <i>sativa</i> | | Italy |
| ‘La Lupaia’ | <i>sativa</i> | | Italy |
| ‘Lamela’ | <i>sativa</i> | | Portugal |
| ‘Large Dentata Sweet’ (Large American Sweet) | unknown | | U.S.A., C.E. Parsons |
| ‘Larghin di S. Bartolomeo’ | <i>sativa</i> | | Italy |
| ‘Lattier’ | <i>sativa</i> hybrid | | France |
| ‘Layeroka’ (Gellatly #1) | probably <i>sativa</i> x <i>crenata</i> | Canada | Canada, J. Gellatly |
| ‘Lee’ | <i>dentata</i> x <i>mollissima</i> | | U.S.A. |
| ‘Lee Pyung’ | <i>crenata</i> | | Korea |
| ‘Le jaune de Bordeaux’ | <i>sativa</i> | | France |
| ‘L’Entçe’ | <i>sativa</i> | | France |
| ‘L’Enteniore’ | <i>sativa</i> | | France |
| ‘Les Aigurandes’ | <i>sativa</i> | | France |
| ‘Les Luminaux’ | <i>sativa</i> | | France |

| | | | |
|------------------------------|--|-----------------------------------|-----------------------------------|
| ‘Les Paul’ | <i>ozarkensis x crenata</i> , 1991 cross | U.S.A., CT Agric. Exp. Stn. | U.S.A., B. Ferver, VT |
| ‘Liang Xiang’ | <i>mollissima</i> | | China |
| ‘Liaodan’ | <i>crenata</i> | | China |
| ‘Liccia’ | <i>sativa</i> | | France |
| ‘Liddington’ | complex hybrid | | U.S.A. |
| ‘Limouzine’ | <i>sativa</i> | | France |
| ‘Linden’ | <i>crenata x sativa?</i> | U.S.A. | U.S.A. |
| ‘Lingkau dali’ | <i>mollissima</i> | | China |
| ‘Little Cabin’ | <i>sativa x dentata</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Little Giant’ | complex <i>mollissima-seguinii</i> hybrid | U.S.A. | U.S.A., S. Anagnostakis, CT |
| ‘Liuyuebao’ | <i>mollissima</i> | | China |
| ‘Lizzanese’ | <i>sativa</i> | | Italy |
| ‘LM’ | <i>mollissima</i> | | China |
| ‘Lockwood’ | complex <i>crenata</i> hybrid | U.S.A. | U.S.A., R.A. Jaynes, CT |
| ‘Logan’ | <i>sativa x crenata</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Lojola’ | <i>sativa</i> | | Italy |
| ‘Long Bay’ | <i>sativa</i> | | New Zealand |
| ‘Longal’ | <i>sativa</i> | | Portugal, Spain |
| ‘Longal Ourense’ | <i>sativa</i> (‘Longal’ clone) | | Spain |
| ‘Long Street’ | <i>crenata x sativa</i> | | |
| ‘Lorain’ | <i>crenata</i> | U.S.A. | U.S.A., B. Smith, MI |
| ‘Loura’ (Louro) | <i>sativa</i> | | Spain |
| ‘LouraZ’ | <i>sativa</i> (‘Loura’ clone) | | Spain |
| ‘Loyal’ | <i>sativa</i> | | |
| ‘Luccichente di Santa Fiora’ | <i>sativa</i> | | Italy |
| ‘Lucenti’ | <i>sativa</i> hybrid | | Australia |
| ‘Lucky 13’ | <i>mollissima</i> hybrid | | U.S.A. |
| ‘Lu fen dan’ | <i>mollissima</i> | | China |
| ‘Luguesa’ | <i>sativa</i> | | Spain |
| ‘Lusench’ | <i>sativa</i> | | Italy |
| ‘Lusenta’ (Lucentis) | <i>crenata x sativa</i> | | Italy |
| ‘Luvall’s Monster’ | <i>crenata x dentata</i> complex hybrid | U.S.A. | U.S.A. |

M Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|---|---|------------------|----------------------------------|
| ‘Maceirá’ (Mazaiño, Mazaiña) | <i>sativa</i> | | Spain |
| ‘Madison’ | complex hybrid | U.S.A. | U.S.A., S. Anagnostakis, CT |
| ‘Mahogany’ | <i>mollissima</i> | China, PI #70315 | U.S.A., A.H. Graves, CT |
| ‘Mammoth’ (also Japan Mammoth) | <i>crenata</i> | P.I. #8393 Japan | L. Boehmer, Co., Yokohama, Japan |
| ‘Manoka’ | <i>mollissima</i> seedling | Canada | Canada, J.J. Gellatly |
| ‘Manso’ | <i>sativa</i> | Tenerife | Spain |
| ‘Maobanhong’ | <i>mollissima</i> | | China |
| ‘Maraval’ (#74) | <i>crenata</i> x <i>sativa</i> open pollinated | France | France, INRA |
| ‘Marcogliana’ | <i>sativa</i> | | Italy |
| ‘Marianna’ | <i>sativa</i> | | Italy |
| ‘Maridonne’ (#124) | ‘Sardonne’ x <i>crenata</i> | France | France, INRA |
| ‘Marigoule’ (#15) | <i>crenata</i> x <i>sativa</i> open pollinated | | France, INRA |
| ‘Marissard’ (#122) | ‘Laguépie’ x <i>crenata</i> | France | France, INRA |
| ‘Mariuccia’ | <i>sativa</i> | | Italy |
| ‘Marki’ | <i>crenata</i> | Pays Basque | France |
| ‘Marlhac’ | ‘Laguépie’ x <i>crenata</i> | France | France |
| ‘Marowa’ | ‘Isizuchi’ <i>o.p.</i> (<i>crenata</i>) | | Switzerland |
| ‘Marron Comballe’ (Comballe) | <i>sativa</i> | | France |
| ‘Marron Dauphin’ (Dauphinenque, Sardonne) | <i>sativa</i> hybrid | | France |
| ‘Marron de Chevanceaux’ | <i>sativa</i> | | France |
| ‘Marron de Goujounac’ (Marron double de Goujounac, S 500) | <i>sativa</i> | | France |

| | | | |
|---|---------------|--|--------|
| ‘Marron de la gâne longue’ | <i>sativa</i> | | France |
| ‘ Marron de Lyon ’ (Lyon, Dorée de Lyon) | <i>sativa</i> | | France |
| ‘Marron de Lostange’ | <i>sativa</i> | | |
| ‘Marron de Puy’ | <i>sativa</i> | | France |
| ‘ Marron de Redon ’ (Saint-Jean, Saint-Jean-des-Marais, clone Cruaud) | <i>sativa</i> | | France |
| ‘Marron de Savoie’ | <i>sativa</i> | | |
| ‘Marron des Angles’ | <i>sativa</i> | | France |
| ‘Marron d’Isola’ | <i>sativa</i> | | France |
| ‘ Marron d’Olargues ’ (Marron de Saint-Vincent, Sardonne) | <i>sativa</i> | | France |
| ‘Marron du Limousin’ | <i>sativa</i> | | France |
| ‘Marron du Sourd’ | <i>sativa</i> | | France |
| ‘ Marron du Var ’ (Marron du Luc, de Collobrières) | <i>sativa</i> | | France |
| ‘Marron Huart’ | <i>sativa</i> | | France |
| ‘Marron Matto’ | <i>sativa</i> | | Italy |
| ‘Marron Noir’ | <i>sativa</i> | | France |
| ‘Marron Nouzillard’ (Marron Nouz) | <i>sativa</i> | | France |
| ‘Marron Pazzo’ | <i>sativa</i> | | |
| ‘Marron Pelousäte’ | <i>sativa</i> | | France |
| ‘Marron Perello’ | <i>sativa</i> | | Italy |
| ‘Marron Rouge’ | <i>sativa</i> | | France |
| ‘Marron Savoie’ | <i>sativa</i> | | France |
| ‘Marrone Bar’ | <i>sativa</i> | | Italy |
| ‘Marrone Buono di Monte Amiata’ | <i>sativa</i> | | Italy |
| ‘Marrone Casentinese’ | <i>sativa</i> | | Italy |
| ‘Marrone del Monfenera’ | <i>sativa</i> | | Italy |
| ‘Marrone di Acquasanta’ | <i>sativa</i> | | Italy |
| ‘Marrone di Anghiari’ | <i>sativa</i> | | Italy |
| ‘Marrone di Antrodoce’ | <i>sativa</i> | | Italy |
| ‘Marrone di Arcidosso’ | <i>sativa</i> | | Italy |
| ‘Marrone di Ascoli Piceno’ | <i>sativa</i> | | Italy |

| | | | |
|--|----------------------|-------|--------------|
| ‘Marrone di Avellino’ | <i>sativa</i> | | Italy |
| ‘Marrone di Bagnoli Irpino’ | <i>sativa</i> | | Italy |
| ‘Marrone di Bernezzo’ | <i>sativa</i> | | Italy |
| ‘Marrone di Borra’ | <i>sativa</i> | | Italy |
| ‘Marrone di Brisighella’ | <i>sativa</i> | | Italy |
| ‘Marrone di Campora’ | <i>sativa</i> | | Italy |
| ‘Marrone di Caprese Michelangelo’ | <i>sativa</i> | | Italy |
| ‘Marrone di Casola Val Senio’ | <i>sativa</i> | | Italy |
| ‘Marrone di Cavaso’ | <i>sativa</i> | | Italy |
| ‘Marrone di Chiusa Pesio’ | <i>sativa</i> | Italy | Italy, U.S.A |
| ‘Marrone di Combai’ | <i>sativa</i> | | Italy |
| ‘Marrone di Corposano’ | <i>sativa</i> hybrid | | Italy |
| ‘Marrone di Cortona’ | <i>sativa</i> | | Italy |
| ‘Marrone di Cuneo’ | <i>sativa</i> | | Italy |
| ‘Marrone di Dernice’ | <i>sativa</i> | | Italy |
| ‘Marrone di Feltre’ | <i>sativa</i> | | Italy |
| ‘Marrone di Fiorino’ | <i>sativa</i> | | Italy |
| ‘Marrone di Fontanelice’ | <i>sativa</i> | | Italy |
| ‘Marrone di Forlç’ | <i>sativa</i> | | Italy |
| ‘Marrone di Gavignano’ | <i>sativa</i> | | Italy |
| ‘Marrone di Greve’ | <i>sativa</i> | | Italy |
| ‘Marrone di Laurana’ | <i>sativa</i> | | Italy |
| ‘Marrone di Lusernetta’ (Marrone di Luserna) | <i>sativa</i> hybrid | | Italy |
| ‘Marrone di Mandí’ | <i>sativa</i> | | Italy |
| ‘Marrone di Marradi’ | <i>sativa</i> | | Italy |
| ‘Marrone di Massa Marittima’ | <i>sativa</i> | | Italy |
| ‘Marrone di Meana’ | <i>sativa</i> | | Italy |
| ‘Marrone di Monesiglio’ | <i>sativa</i> | | Italy |
| ‘Marrone di Montebibico’ | <i>sativa</i> hybrid | | Italy |
| ‘Marrone di Montefeltro’ | <i>sativa</i> | | Italy |
| ‘Marrone di Monteforte Cervinara’ | <i>sativa</i> | | Italy |

| | | | |
|-------------------------------|----------------------|--|-------|
| ‘Marrone di Montella’ | <i>sativa</i> | | Italy |
| ‘Marrone di Montemarano’ | <i>sativa</i> | | Italy |
| ‘Marrone di Montepastore’ | <i>sativa</i> | | Italy |
| ‘Marrone di Monte Severo’ | <i>sativa</i> | | Italy |
| ‘Marrone di Montevarchi’ | <i>sativa</i> | | Italy |
| ‘Marrone di Monzone’ | <i>sativa</i> | | Italy |
| ‘Marrone di Morlo Fini’ | <i>sativa</i> | | Italy |
| ‘Marrone di morlo fino’ | <i>sativa</i> | | Italy |
| ‘Marrone di Morlo Grosso’ | <i>sativa</i> | | Italy |
| ‘Marrone di Napoli’ | <i>sativa</i> | | Italy |
| ‘Marrone di Palazzo del Pero’ | <i>sativa</i> | | Italy |
| ‘Marrone di Palazzuolo’ | <i>sativa</i> | | Italy |
| ‘Marrone di Pavullo’ | <i>sativa</i> | | Italy |
| ‘Marrone di Perosa Argentina’ | <i>sativa</i> | | Italy |
| ‘Marrone di Pistoia’ | <i>sativa</i> | | Italy |
| ‘Marrone di Predasusso’ | <i>sativa</i> | | Italy |
| ‘Marrone di Reggio Emilia’ | <i>sativa</i> | | Italy |
| ‘Marrone di Restituta’ | <i>sativa</i> hybrid | | Italy |
| ‘Marrone di Roccadaspide’ | <i>sativa</i> | | Italy |
| ‘Marrone di Roccaverano’ | <i>sativa</i> | | Italy |
| ‘Marrone di San Benedetto’ | <i>sativa</i> | | Italy |
| ‘Marrone di S. Giorgi’ | <i>sativa</i> | | Italy |
| ‘Marrone di San Giorio’ | <i>sativa</i> | | Italy |
| ‘Marrone di S. Mauro Saline’ | <i>sativa</i> | | Italy |
| ‘Marrone di Santa Fiora’ | <i>sativa</i> | | Italy |
| ‘Marrone di Selva d’Osta’ | <i>sativa</i> | | Italy |
| ‘Marrone di Serino’ | <i>sativa</i> | | Italy |

| | | | |
|--|---|----------|--------------|
| ‘Marrone di Sorano’ | <i>sativa</i> | | Italy |
| ‘Marrone di Stroncone’ | <i>sativa</i> hybrid | | Italy |
| ‘ Marrone di Susa (Marrone di Val di Susa) | <i>sativa</i> hybrid | | Italy |
| ‘Marrone di Trioria’ | <i>sativa</i> | | Italy |
| ‘Marrone di Trontano’ | <i>sativa</i> | | Italy |
| ‘Marrone di Val d’Ossola’ | <i>sativa</i> | | Italy |
| ‘Marrone di Val di Cembra’ | <i>sativa</i> | | Italy |
| ‘Marrone di Val di Susa’ | <i>sativa</i> | | Italy |
| ‘Marrone di Val Sugana’ | <i>sativa</i> | | Italy |
| ‘Marrone di Valle Lauro’ | <i>sativa</i> | | Italy |
| ‘Marrone di Vallocchia’ | <i>sativa</i> | | Italy |
| ‘Marrone di Verona’ | <i>sativa</i> hybrid | | Italy |
| ‘Marrone di Villar Focchiardo’ | <i>sativa</i> | | Italy |
| ‘Marrone di Villar Pellice’ | <i>sativa</i> hybrid | | Italy |
| ‘Marrone di Viterbo’ | <i>sativa</i> hybrid | | Italy |
| ‘Marrone di Vito D’Asio’ | <i>sativa</i> hybrid | | Italy |
| ‘Marrone di Zocca’ | <i>sativa</i> | | Italy |
| ‘Marrone Fioretino’ | <i>sativa</i> hybrid | | Italy |
| ‘Marrone Istriano’ | <i>sativa</i> | | Italy |
| ‘Marrone Langhe’ | <i>sativa</i> | | Italy |
| ‘Marrone Mattie’ | <i>sativa</i> | | Italy |
| ‘Marrone Nero’ (del Natisone) | <i>sativa</i> | | Italy |
| ‘Marrone Rosso’ (del Natisone) | <i>sativa</i> | | Italy |
| ‘Marrone Striato di Mezzomonte’ | <i>sativa</i> | | Italy |
| ‘Marronier’ | <i>sativa</i> | | France |
| ‘Marrouge’ | <i>sativa</i> | | France |
| ‘Marrubia di Bernezzo’ | <i>sativa</i> hybrid | | Italy |
| ‘ Marsol ’ (Maraval 07) | <i>crenata</i> x <i>sativa</i> open pollinated | France | France, INRA |
| ‘Martainha’ | <i>sativa</i> | Portugal | Portugal |
| ‘Martin’ | <i>crenata</i> seedling | Japan | U.S.A., NJ |

| | | | |
|-------------------------------------|-----------------------------------|---------------------|-------------------------|
| ‘Marubia’ | <i>sativa</i> | | Italy |
| ‘Marujaz’ | <i>sativa</i> hybrid | | Italy |
| ‘Marunaghja’ | <i>sativa</i> | | France |
| ‘Mary Alice’ | <i>crenata</i> | U.S.A. | U.S.A., B. Smith, MI |
| ‘Marzolina’ | <i>sativa</i> | | Italy |
| ‘Mastronne’ | <i>sativa</i> | | France |
| ‘Matabei’ | <i>crenata</i> | Kyoto | Japan |
| ‘Matancero’ | <i>sativa</i> | Tenerife | Spain |
| ‘Mattarella’ | <i>sativa</i> | | Italy |
| ‘Mattone’ | <i>sativa</i> | | Italy |
| ‘Mavone’ | <i>sativa</i> | | Italy |
| ‘Mayrick King’ | <i>crenata</i> | | New Zealand |
| ‘Mayrick Queen’ | <i>crenata</i> | | New Zealand |
| ‘Mayseptjan’ | unknown | U.S.A. | U.S.A., C.E. Parsons |
| ‘Mazzangara’ | <i>sativa</i> | | Italy |
| ‘McFarland’ (Early, Coe’s Early) | <i>crenata</i> seedling selection | Japan | U.S.A., L. Burbank, CA |
| ‘Meader’s New Hampshire #4’ | <i>crenata</i> (Korean) hybrid | U.S.A. | U.S.A., E.M. Meader, NH |
| ‘Meiling’ | <i>mollissima</i> | China, Hsin Tehg | U.S.A. |
| ‘Menzies’ | <i>sativa</i> hybrid | | Australia |
| ‘Mercogliana’ | <i>sativa</i> | | Italy |
| ‘Merle’ | <i>sativa</i> | | France |
| ‘Merribrooke’ | | | U.S.A., R.T. Morris, CT |
| ‘Mi feng qiu’ | <i>mollissima</i> | | China |
| ‘Miharu’ | <i>crenata</i> | | Korea |
| ‘Mikuri’ | ‘Shuhou’ x ‘Ishizuchi’ | Japan | Japan |
| ‘Miller’ (Miller’s du Pont) | <i>sativa</i> hybrid | | U.S.A. |
| ‘Miller’s Hope’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Ming jian’ | <i>mollissima</i> | | China |
| ‘Ming li’ | <i>mollissima</i> | | China |
| ‘Mino’ | <i>crenata</i> | | Korea |
| ‘Miracle’ | unknown selection | U.S.A. | U.S.A., L. Burbank, CA |
| ‘Miyagawa’ | <i>mollissima</i> | China | China, Japan |
| ‘Miyagiguri’ | <i>Mollissima</i> | China | Japan |
| ‘Miyazaki’ | <i>crenata</i> | Miyazaki | Japan |
| ‘Miyazakishinaguri’ | <i>mollissima</i> | China | Japan |

| | | | |
|---|---|------------|--------------------------|
| ‘MLRBVF’ | <i>sativa</i> | | Italy |
| ‘Mocho’ (Kenaga) | <i>crenata</i> | | Japan |
| ‘Moderasca’ | <i>sativa</i> | | Italy |
| ‘Modió’ | <i>sativa</i> | | Italy |
| ‘Mogliano’ | <i>sativa</i> | | Italy |
| ‘Mollar’ | <i>sativa</i> | Tenerife | Spain |
| ‘Molompize’ | <i>sativa</i> | | France |
| ‘Monchina’ | <i>sativa</i> | | Italy |
| ‘Moncur’ | <i>sativa</i> hybrid (seedling) | U.S.A., | U.S.A., Ridgely |
| ‘Mondicone’ | <i>sativa</i> | | France |
| ‘Mondistollo’ | <i>sativa</i> | | Italy |
| ‘Monfortina’ (Arial) | <i>sativa</i> | | Spain |
| ‘ Montagne ’ (Grosse de Loubejac, Marron de Villefranche) | <i>sativa</i> | | France |
| ‘Montella’ | <i>sativa</i> | | Italy |
| ‘Montellese’ | <i>sativa</i> | | Italy |
| ‘Montemarano’ | <i>sativa</i> | | Italy |
| ‘Morandine’ | <i>sativa</i> | | Italy |
| ‘Morena’ | <i>sativa</i> hybrid | | Australia |
| ‘Moretta’ | <i>sativa</i> | | Italy |
| ‘Morettina’ | <i>sativa</i> | | Italy |
| ‘Moriwase’ | Korean <i>crenata</i> x ‘Toyotamawase’ | Kanagawa | Japan |
| ‘Moriziole’ | <i>sativa</i> | | Italy |
| ‘Morone’ | <i>sativa</i> hybrid | | Australia |
| ‘Morris’ | | | U.S.A. |
| ‘ Mossbarger ’ | <i>mollissima</i> | | U.S.A. |
| ‘Mountaineer’ | <i>dentata</i> x [(<i>crenata</i> x <i>dentata</i>) x <i>mollissima</i>], WV-1 x (‘Minturn’ x ‘Tiger Paw’) | U.S.A. | U.S.A., D. Kines, WV |
| ‘Mulato’ | <i>sativa</i> | Tenerife | Spain |
| ‘Munger’ | <i>mollissima</i> | Arkansas | J.M. Nave |
| ‘Musella’ (Lindstrom 40) | <i>mollissima</i> | U.S.A., GA | U.S.A., J.M. Nave, CA |
| ‘Myclauss’ | <i>sativa</i> | | Italy |
| ‘ Myoka ’ | <i>mollissima</i> seedling | Canada | Canada, J.U. Gellatly |
| ‘Murell’ | <i>dentata?</i> | U.S.A. | U.S.A., VA |

N Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|--|------------------------------|------------------------------|--|
| ‘Nagymarosi’ | <i>sativa</i> | | Hungary |
| ‘Nakatekanba’ | <i>crenata</i> | Japan | Japan |
| ‘ Nanatate ’ | (<i>seguini?</i>) | Japan | Japan, Junichi Takeda |
| ‘Nanjing Special’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘ Nanking ’ | <i>mollissima</i> | China, Hang Chow, PI #108552 | U.S.A., USDA |
| ‘Naturale’ | <i>sativa</i> | | France |
| ‘Narikin’ | <i>crenata</i> | | Japan |
| ‘Negishi’ | <i>crenata</i> | | Japan |
| ‘Negral’ (Queiroguesa, Courelá de Rubiá, Riá de Parada do sil, Xabrega de Rubiá, Vileta de Parada do Sil) | <i>sativa</i> | | Spain |
| ‘Negral Orense’ | <i>sativa</i> (Negral clone) | | Spain |
| ‘Negresenne’ | <i>sativa</i> | | Italy |
| ‘Negrette’ | <i>sativa</i> | | France |
| ‘Neirana’ (di Podio Talmon) | <i>sativa</i> hybrid | | Italy |
| ‘Neirana di Villar Pellice’ | <i>sativa</i> hybrid | | Italy |
| ‘Neiranda’ | <i>sativa</i> | | Italy |
| ‘Ness’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘ Nevada ’ | <i>crenata x sativa?</i> | U.S.A. | U.S.A. |
| ‘Ninomiya’ | <i>crenata</i> | Gifu | Japan |
| ‘Nishiharima’ | <i>mollissima</i> | China | Japan |
| ‘Nocella’ | | | Corsica |
| ‘Noiraude’ | <i>sativa</i> | | France |
| ‘Northwest’ | <i>mollissima</i> | Camp Hill, AL | U. MO, E. Greenman, A. Miller, JM Nave |
| ‘Nousiliade’ | <i>sativa</i> | | France |

| | | | |
|-------------------|---------------|--------|---------------------|
| (Nouzillade) | | | |
| ‘Nserta’ (Nzerta) | <i>sativa</i> | | Italy |
| ‘Nouillard’ | <i>sativa</i> | | France |
| ‘Numbo’ | <i>sativa</i> | U.S.A. | U.S.A., M. Moon, NJ |

O Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|--|-----------------------------|-----------------------------|------------------------------------|
| ‘Obiwase’ | <i>crenata</i> | Miyazaki | Japan |
| ‘Obiacco’ | <i>sativa</i> | | Italy |
| ‘Obuse’ | <i>crenata</i> | Nagano | Japan |
| ‘Odai’ | <i>crenata</i> | Kanagawa | Japan |
| ‘Ogawateteuchi’ | <i>crenata</i> | Hyogo | Japan |
| ‘Oharawase’ | <i>crenata</i> | | Japan |
| ‘Okei’ (UCD 6-10, Big O, U.C. Pollinizer #1) | ‘Silverleaf’ o.p. | U.S.A. | U.S.A., K. Ryugo, CA |
| ‘Okinakuri’ | <i>crenata x sativa</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Ok Kwang’ (Oggwang, Okkwannng) | <i>crenata</i> | Korea | Korea KFRI |
| ‘Okuniwase’ | <i>crenata</i> | | Japan |
| ‘Old Coach Road’ | <i>sativa</i> | | New Zealand |
| ‘Old Smith’ | <i>mollissima</i> | | |
| ‘Old Weka Road’ | <i>sativa</i> hybrid | | New Zealand |
| ‘Olivette’ | <i>sativa</i> | | France |
| ‘Omukai’ | <i>crenata</i> | | Japan |
| ‘On Kee’ | <i>crenata</i> | | Korea |
| ‘Onoji’ | <i>crenata</i> | Tokyo | Japan |
| ‘Onoshindare’ | <i>crenata</i> | Nagano | Japan |
| ‘Ooharaguri’ | <i>crenata</i> | Gifu | Japan |
| ‘Ookasi’ | <i>crenata</i> | Japan | Japan |
| ‘Ookoma’ | <i>crenata</i> | Japan | Japan |
| ‘Oomatsugri’ | <i>crenata x mollissima</i> | Ehime | Japan |
| ‘Oomine’ | <i>crenata</i> | Ibaraki | Japan |
| ‘Orezzinca’ | <i>sativa</i> | | Corsica |
| ‘Orilan’ | <i>sativa</i> | | France |
| ‘Orrin’ | <i>mollissima</i> | U.S.A., O.S. Good, PA | U.S.A., J.W. McKay, KY, USDA |

| | | | |
|----------------------|----------------|--|------------|
| ‘Osaya’ | <i>crenata</i> | Kanagawaken, Tachibanagum, Miyamaemura | Japan |
| ‘Osmanoglu’ | <i>sativa</i> | | Turkey |
| ‘Otanba’ | <i>crenata</i> | | Japan |
| ‘Otomune’ | <i>crenata</i> | Hyogo | Japan |
| ‘Otto’ | <i>dentata</i> | U.S.A. | U.S.A., TN |
| ‘Ouriza’ (Ouriceira) | <i>sativa</i> | | Spain |
| ‘Outeira’ (Outeiro) | <i>sativa</i> | | Spain |

P Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|---|---|---------------|--------------------------|
| ‘Pacona’ | <i>sativa</i> | | Italy |
| ‘Pallaregas’ (Pallarega, Pallaregos, Loura) | <i>sativa</i> | | Spain |
| ‘Pallumina’ | <i>sativa</i> | Italy | Italy |
| ‘Palummo’ | <i>sativa</i> | | Italy |
| ‘Pamparina’ | <i>sativa</i> | | Italy |
| ‘Pandora’ | (<i>mollissima</i> x <i>seguinii</i>) x Burbank stump sprout | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Paradesa’ (Parade) | <i>sativa</i> | | Spain |
| ‘Parado’ | <i>sativa</i> | | France |
| ‘Paragon’ (Great Dentata, Great American, Sobers Paragon) | <i>sativa</i> x <i>dentata</i> | U.S.A. | U.S.A., Sober, PA |
| ‘Parede’ (De Parede) | <i>sativa</i> | | Spain |
| ‘Parker’ | <i>sativa</i> x <i>crenata</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Parry’ (Japan Giant, Japan Giant “Parry”, Home Grafted, Parry’s, Giant, Parry’s Giant) | <i>crenata</i> | Japan | U.S.A. |
| ‘Pastinese’ | <i>sativa</i> | | Italy |
| ‘Pastinese di Santa Fiora’ | <i>sativa</i> | | Italy |
| ‘Pastonese’ | <i>sativa</i> | | Italy |

| | | | |
|---------------------|----------------------------|------------|-----------------------|
| ‘Patacuda’ | <i>sativa</i> | | Spain |
| ‘Patanua’ | <i>sativa</i> | | Italy |
| ‘Patterson’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Payne’ (Byron 3-3) | <i>mollissima</i> | U.S.A., GA | U.S.A., J.M. Nave, CA |
| ‘Pçrote’ | <i>sativa</i> | | France |
| ‘Peach’ | <i>mollissima</i> | U.S.A. | U.S.A., G. Miller, OH |
| ‘Pedrova’ | <i>sativa</i> | | Slovenia |
| ‘Peiraubeze’ | <i>sativa</i> | | France |
| ‘Peirejouonte’ | <i>sativa</i> | | France |
| ‘Pelada’ (Pelado) | <i>sativa</i> | | Spain |
| ‘Pelegri’ | <i>sativa</i> | | France |
| ‘Pellatier’ | <i>sativa</i> | | France |
| ‘Pellegrine’ | <i>sativa</i> hybrid | | France |
| ‘Pelosa di Vaie’ | <i>sativa</i> | | Italy |
| ‘Pelosa Grossa’ | <i>sativa</i> | | Italy |
| ‘Pelosa Piccola’ | <i>sativa</i> | | Italy |
| ‘Pelosetta’ | <i>sativa</i> | | Italy |
| ‘Pelousate’ | <i>sativa</i> | | France |
| ‘Pelouset’ | <i>sativa</i> | | Italy |
| ‘Pelu’ | <i>sativa</i> | | France |
| ‘Peluda’ | <i>sativa</i> | | Spain |
| ‘Pendula’ | <i>sativa</i> | England | Japan |
| ‘Pendulifolia’ | <i>dentata</i> | England | U.S.A. |
| ‘Penoka’ | <i>mollissima</i> seedling | Canada | Canada, J.U. Gellatly |
| ‘Pentecoste’ | <i>sativa</i> | | Italy |
| ‘Perella’ | <i>sativa</i> | | Italy |
| ‘Perticaccio’ | <i>sativa</i> | | Italy |
| ‘Petite épine’ | <i>sativa</i> | | France |
| ‘Petite verte’ | <i>sativa</i> | | France |
| ‘Petrulaccia’ | <i>sativa</i> | | France |
| ‘Peyraguare’ | <i>sativa</i> | | France |
| ‘Pianella’ | <i>sativa</i> | | Corsica |
| ‘Piangiona’ | <i>sativa</i> | | Italy |
| ‘Piccotto Comune’ | <i>sativa</i> | | Italy |
| ‘Piccotto Speciale’ | <i>sativa</i> | | Italy |
| ‘Pico Claro’ | <i>sativa</i> | Tenerife | Spain |
| ‘Piconá’ | <i>sativa</i> | | Spain |
| ‘Picudo’ | <i>sativa</i> | Tenerife | Spain |
| ‘Piñero’ | <i>sativa</i> | Tenerife | Spain |
| ‘Pinzuta’ | <i>sativa</i> | | France |

| | | | |
|--|---|----------|--------------|
| ‘Piombesi’ | <i>sativa</i> | | Italy |
| ‘Pirone medio’ | <i>sativa</i> | | Italy |
| ‘Pistolese’ | <i>sativa</i> | | Italy |
| ‘Plosella’ | <i>sativa</i> | | Italy |
| ‘Poaru pa’ | <i>sativa</i> | | France |
| ‘Pocheon’ | <i>crenata</i> | | Korea |
| ‘Pochun’ | <i>crenata</i> | | Korea |
| ‘Poggiolo’ | <i>sativa</i> | | France |
| ‘Pointue’ | <i>sativa</i> | | France |
| ‘Polegre’ | <i>sativa</i> | Tenerife | Spain |
| ‘Politora’ | <i>sativa</i> | | Italy |
| ‘Ponchude’ | <i>sativa</i> | | France |
| ‘Pontela’ | <i>sativa</i> | | Italy |
| ‘Porosuke’ | [‘Kunimi’ x (‘Moriwase’ x ‘Kairyoutoyotama’)] x ‘Tanzawa’ | Japan | Japan |
| ‘Porotan’ | [‘Kunimi’ x (‘Moriwase’ x ‘Kairyoutoyotama’)] x ‘Tanzawa’ | Ibaraki | Japan |
| ‘Portaloune’ (Hâtive de Cadouin) | <i>sativa</i> hybrid | | |
| ‘Portanench’ | <i>sativa</i> | | Italy |
| ‘Porteliña’ (Porteliñas) | <i>sativa</i> | | Spain |
| ‘Portuguesa’ (Portugués) | <i>sativa</i> | | Spain |
| ‘Porzoredondo’ (Porzo Redondo, De Porzo Redondo) | <i>sativa</i> | | Spain |
| ‘Pourette’ (Petite Pourette) | <i>sativa</i> | | France |
| ‘Praga d’Afora’ (Puga d’Afora) | <i>sativa</i> | | Spain |
| ‘Praga do Bolo’ (Puga do Bolo) | <i>sativa</i> | | Spain |
| ‘Précoce Carmeille’ (Précoce Capmeille) | <i>sativa</i> | | France |
| ‘Précoce des Pyrénées’ | <i>sativa</i> hybrid | | France |
| ‘ Précoce Migoule ’ | <i>crenata</i> x <i>sativa</i> open pollinated | France | France, INRA |
| ‘ Précoce Ronde des Vans ’ (Précoce des Vans, CA 135) | <i>sativa</i> | | France |
| ‘Precoce di Conca della Campana’ | <i>sativa</i> | | Italy |
| ‘Precoce di Ponteacco’ | <i>sativa</i> | | Italy |
| ‘Precoce di Roccamonfina’ | <i>sativa</i> | | Italy |

| | | | |
|--------------------------------------|-------------------------|---------|-----------|
| ‘Precoce di Trano’ | <i>sativa</i> | | Italy |
| ‘Presa’ (De Presa, Veiguiña) | <i>sativa</i> | | Spain |
| ‘Primaticce’ | <i>sativa</i> | | Italy |
| ‘ Primato ’ | ‘Tsukuba’ o.p. | | Italy |
| ‘Progress’ | <i>dentata</i> hybrid ? | | U.S.A. |
| ‘Prolifera’ (Discolor) | <i>sativa</i> | England | |
| ‘ Prolific ’ (Early Prolific) | <i>crenata</i> | Japan | U.S.A. |
| ‘Prospect’ | <i>mollissima</i> | | U.S.A. |
| ‘Psoia’ | <i>sativa</i> | | Italy |
| ‘Puga’ (De Puga) | <i>sativa</i> | | Spain |
| ‘Puga do Receiro’ | <i>sativa</i> | | Spain |
| ‘Pugnente’ | <i>sativa</i> | | Italy |
| ‘Pulitella’ | <i>sativa</i> | | Italy |
| ‘Pungente’ | <i>sativa</i> | | Italy |
| ‘Punticosa’ | <i>sativa</i> | | Italy |
| ‘Purpurea’ | <i>sativa</i> | England | Italy |
| ‘Purton’s Pride’ (Emerald Gem) | <i>sativa</i> hybrid | | Australia |
| ‘Pyramidalis’ (Holdtii) | <i>sativa</i> | England | England |

Q Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|--------------------------|-------------------|---------------|--|
| ‘ Qing ’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Qinza’ | <i>mollissima</i> | | China |
| ‘Qianchidabanli’ | <i>mollissima</i> | | China |
| ‘Qingsu’ | <i>mollissima</i> | U.S.A. | U.S.A., T. Wahl, IA |
| ‘Qing zha’ | <i>mollissima</i> | | China |
| ‘Qinlao’ | <i>mollissima</i> | Camp Hill, AL | U. MO, E. Greenman, A. Miller, JM Nave |
| ‘Qiu fen li’ | <i>mollissima</i> | | China |
| ‘Quercy’ (Marron Quercy) | | | France |
| ‘Quo’ | <i>sativa</i> | | Italy |

R Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|-----------------------------|-------------------------------|------------------|--------------------------|
| ‘Rabeireze’ | <i>sativa</i> | | Fance |
| ‘Rabonne’ | <i>sativa</i> | | France |
| ‘Radulacciu’ | <i>sativa</i> | | France |
| ‘Raggiolana’ | <i>sativa</i> | | Italy |
| ‘Raigona’ (De Embarque) | <i>sativa</i> | | Spain |
| ‘Ranaz’ | <i>sativa</i> | | Italy |
| ‘Ranaz Barski’ | <i>sativa</i> | | Italy |
| ‘Ranaz Nediski’ | <i>sativa</i> | | Italy |
| ‘Rañuda’ (Ramuda) | <i>sativa</i> | | Spain |
| ‘Rapada’ | <i>sativa</i> | | Spain |
| ‘Rapada Ourense’ | <i>sativa</i> (Rapada clone) | Ourense and Lugo | Spain |
| ‘Rastellina’ | <i>sativa</i> | | Italy |
| ‘Ravenna’ | <i>sativa</i> | | Italy |
| ‘Redondo’ (Redonda, Rapada) | <i>sativa</i> | Tenerife | Spain |
| ‘Red ABC’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Red Aussie’ | <i>crenata x sativa</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Red Spanish’ | <i>sativa</i> | | Australia |
| ‘Red Wing’ | | | U.S.A. |
| ‘Redundo’ | <i>sativa</i> | Tenerife | Spain |
| ‘Reek’ | | | |
| ‘Reggiolana’ | <i>sativa</i> | | Italy |
| ‘Regina Montis’ | <i>sativa</i> | U.S.A. | U.S.A., B. Hilgart, WA |
| ‘Regis Montis’ | <i>sativa</i> | U.S.A. | U.S.A., B. Hilgart, WA |
| ‘Reignac’ | <i>sativa</i> | | Fance |
| ‘Reliable’ | <i>mollissima</i> | | |
| ‘Reliance’ (Early Reliance) | <i>crenata</i> o.p. | U.S.A. | U.S.A., NJ |
| ‘Ressignole’ | <i>sativa</i> | | Italy |
| ‘Revival’ | <i>mollissima x dentata</i> , | U.S.A. | U.S.A., R.T. Dunstan, FL |
| ‘Riá’ (Rial) | <i>sativa</i> | | Spain |
| ‘Riabella’ | <i>sativa</i> | | Italy |

| | | | |
|--|-----------------------------|--------|-------------------------------|
| ‘Ribeirá’ (Ribeirás, Ribeirao) | <i>sativa</i> | | Spain |
| ‘Ridgely’ (Du Pont, Spanish) | <i>sativa</i> | U.S.A. | U.S.A., D.M. Ridgely (DuPont) |
| ‘Riggiola’ | <i>sativa</i> | | Italy |
| ‘Rigola’ | <i>sativa</i> | | Italy |
| ‘ Ri Hei ’ (Riheiguri) | <i>crenata x mollissima</i> | Korea | Japan #176840 |
| ‘Riundette’ | <i>sativa</i> | | Italy |
| ‘Robit’ | <i>sativa</i> hybrid | | Italy |
| ‘Roccadaspide’ | <i>sativa</i> | | Italy |
| ‘Rochester’ | <i>dentata?</i> | U.S.A. | U.S.A., A.L. Wiske |
| ‘Rogers’ | <i>sativa</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Ronde’ | <i>sativa</i> | | France |
| ‘Rosa’ | <i>sativa</i> hybrid | | U.S.A. |
| ‘Rosenda’ | <i>sativa</i> | | Spain |
| ‘Rosino’ | <i>sativa</i> | | |
| ‘Rosor’ | <i>sativa</i> | | Italy |
| ‘Rossa’ (Rossola) | <i>sativa</i> | | Corsica |
| ‘Rossa di St. Mango’ | <i>sativa</i> | | Italy |
| ‘Rossa e Nera’ | <i>sativa</i> | | Italy |
| ‘Rossa Grossa’ | <i>sativa</i> | | Italy |
| ‘Rossastra’ | <i>sativa</i> | | Italy |
| ‘Rossella’ | <i>sativa</i> | | Italy |
| ‘Rossera’ | <i>sativa</i> | | Italy |
| ‘Rossette’ | <i>sativa</i> | | Italy |
| ‘Rossino’ | <i>sativa</i> | | Italy |
| ‘Rossola’ | <i>sativa</i> | | Italy |
| ‘Rossolina’ | <i>sativa</i> | | Italy |
| ‘Rouge’ | <i>sativa</i> | | France |
| ‘Rougières’ | <i>sativa</i> | | France |
| ‘Rousse’ | <i>sativa</i> | | France |
| ‘ Rousse de Nay ’ (Rouge de Nay, Grosse Rouge, Marron des Pyrénées) | <i>sativa</i> | | |
| ‘Roussegrosse’ | <i>sativa</i> | | France |
| ‘Roussel’ | <i>sativa</i> | | France |
| ‘Rousselle’ | <i>sativa</i> | | France |
| ‘Rousset’ | <i>sativa</i> | | France |
| ‘Royalmark’ | | U.S.A. | M. Parks, |

| | | | |
|----------------------------|---------------|--|-------|
| ‘Rozada’ | <i>sativa</i> | | Spain |
| ‘Rubietta’ | <i>sativa</i> | | Italy |
| ‘Ruiana’ | <i>sativa</i> | | Italy |
| ‘Ruiana di Podio Talmon’ | <i>sativa</i> | | Italy |
| ‘Ruiana di Villar Pellice’ | <i>sativa</i> | | Italy |
| ‘Ruiana Venaus’ | <i>sativa</i> | | Italy |
| ‘Rush’ | | | |
| ‘Rusticana’ | <i>sativa</i> | | Italy |

S Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|--|----------------------|---------------|-----------------------------|
| ‘Sabie’ | <i>sativa</i> | | France |
| ‘ Sadie Hunter ’ | complex hybrid | U.S.A. | U.S.A., S. Anagnostakis, CT |
| ‘Saimyouji’ | <i>crenata</i> | Akita | Japan |
| ‘Saint-Jean’ | <i>sativa</i> hybrid | | France |
| ‘Salenga di Meana’ | <i>sativa</i> | | Italy |
| ‘Salnesa’ (Salnesas) | <i>sativa</i> | | Spain |
| ‘Salta’ | | | U.S.A. |
| ‘ Sam jo Seng ’ | <i>crenata</i> | Korea | Korea |
| ‘San Dae’ (Sandae) | <i>crenata</i> | Korea | Korea |
| ‘Sandoguri-Koujunji’ | <i>crenata</i> | Japan | Japan |
| ‘Sangmyun’ | <i>crenata</i> | | Korea |
| ‘Sangrim’ | <i>crenata</i> | | Korea |
| ‘Sannhoe’ | <i>crenata</i> | | Japan |
| ‘Sanseong’ | <i>crenata</i> | | Korea |
| ‘Santimango’ | <i>sativa</i> | | Italy |
| ‘Santinu’ | <i>sativa</i> | | France |
| ‘Santomango’ | <i>sativa</i> | | Italy |
| ‘ Sardonne ’ (Sardoune, Marron de la Borne) | <i>sativa</i> | | France |
| ‘Sariaslama’ | <i>sativa</i> hybrid | | Turkey |
| ‘Sarikestane’ | <i>sativa</i> hybrid | | Turkey |
| ‘Sauvage des Cars’ | <i>sativa</i> | | France |
| ‘Sauvage Marron’ | <i>sativa</i> hybrid | | France |
| ‘Savatua Cairus’ | <i>sativa</i> | | Italy |

| | | | |
|--|-----------------------------|---------------|---|
| ‘Savatua di Lusernetta’ | <i>sativa</i> | | Italy |
| ‘Savatua Frache’ | <i>sativa</i> | | France |
| ‘Savoie’ | <i>sativa</i> | | France |
| ‘Savoies’ | <i>sativa</i> | | Italy |
| ‘Sborgo’ | <i>sativa</i> | | Italy |
| ‘Sbruglies’ | <i>sativa</i> | | U.S.A. |
| ‘Schlarbaum’ | <i>crenata x mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Scott’ | <i>sativa</i> hybrid | | U.S.A. |
| ‘Seassere’ | <i>sativa</i> | | Italy |
| ‘Sedona Sunset’ | <i>mollissima</i> | Camp Hill, AL | U. MO., E. Greenman, A, Miller, JM Nave |
| ‘Selvaie’ | <i>sativa</i> | | Italy |
| ‘Selvana’ | <i>sativa</i> | | Italy |
| ‘Selvapiana’ | <i>sativa</i> | | Italy |
| ‘Selvaschina’ | <i>sativa</i> | | Italy |
| ‘Selvaschina di Bernezzo’ | <i>sativa</i> | | Italy |
| ‘Selvatica’ | <i>sativa</i> | | Italy |
| ‘Seniyoginyose’ | <i>crenata</i> | | Japan |
| ‘Senri’ | <i>crenata</i> | Kanagawa | Japan |
| ‘Senshuu amaguri’ | <i>crenata x mollissima</i> | Akita | Japan |
| ‘Serenity’ (Serenity Ridge) | <i>sativa</i> hybrid | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Sergude’ | <i>sativa</i> | | Spain |
| ‘Serodia’ (Serodias, Ouriza, Serodia Pozo Mar) | <i>sativa</i> | | Spain |
| ‘Serr’ (Yolo Grande) | <i>sativa</i> hybrid | U.S.A. | U.S.A., UC Davis, CA |
| ‘Servai d’l’oca’ | <i>sativa</i> | | Italy |
| ‘Servai di bui’ | <i>sativa</i> | | Italy |
| ‘Servai di gur’ | <i>sativa</i> | | Italy |
| ‘Servai fresch’ | <i>sativa</i> | | Italy |
| ‘Servaschine’ | <i>sativa</i> | | Italy |
| ‘Settlemeier’ | <i>sativa</i> hybrid | | U.S.A. |
| ‘Sevennole’ | <i>sativa</i> | | France |
| ‘Seyrekdiken’ | <i>sativa</i> hybrid | | Turkey |
| ‘Shangguang’ | <i>mollissima</i> | | China |
| ‘Sheryl’ | <i>dentata x mollissima</i> | U.S.A. | U.S.A., D. Kines, WV |
| ‘Shiba’ (Shiba-gury, Siba-kuri) | <i>crenata</i> | Japan | Spain |

| | | | |
|------------------------------------|---|--------------------------|----------------------------|
| ‘Shibaguri’ | <i>crenata</i> | Hyogo | Japan |
| ‘Shibaguri tsukuba’ | <i>crenata</i> | | Japan |
| ‘Shichifukuwase’ | <i>crenata</i> | Kanagawa | Japan |
| ‘Shidareguri-Batouinn’ | <i>crenata</i> | Tochigi | Japan |
| ‘Shidareguri-Gifu’ | <i>crenata</i> | Gifu | Japan |
| ‘Shidareguri-Kamimisake’ | <i>crenata</i> | Fukushima | Japan |
| ‘Shimaki’ | <i>crenata x mollissima</i> | Ibaraki | Japan |
| ‘Shindareguri-Shinjou’ | <i>crenata</i> | Okayama | Japan |
| ‘Shindareguri-Shiojiraiyoshi’ | <i>crenata</i> | Nagano | Japan |
| ‘Shindareguri-Tatsuno’ | <i>crenata</i> | Nagano | Japan |
| ‘Shindareguri-Toona’ | <i>crenata</i> | Japan | Japan |
| ‘Shifeng’ | <i>mollissima</i> | | China |
| ‘ Shihou ’ | ‘Shohou’ x ‘Ginrei’ | Ibaraki | Japan |
| ‘Shikatsume’ | <i>crenata</i> | | Japan |
| ‘Shimaki’ | <i>crenata x mollissima</i> | | Japan |
| ‘Shimokatsugi’ | <i>crenata</i> | Osaka | Japan |
| ‘Shimura’ | <i>crenata</i> | Tokyo | Japan |
| ‘Shina’ | <i>mollissima</i> | Tengsing, North China | Japan |
| ‘Shine’ | <i>crenata</i> | | Japan |
| ‘Shing’ | <i>mollissima</i> | | U.S.A., J.M. Nave, CA |
| ‘Shogatsu’ (Seigetsu) | <i>crenata</i> | Kyoto | Japan |
| ‘Shuhou’ | (‘Rihei’ x ‘Kurihiratsuka’) x ‘Tsukuba’ | Japan | Japan |
| ‘Shuuhouwase’ | <i>crenata</i> | Yamaguchi | |
| ‘Shotgun’ | <i>mollissima</i> | U.S.A. | U.S.A., T. Wahl, IA |
| ‘Shuuhou’ | <i>crenata x mollissima</i> | Ibaraki | Japan |
| ‘ Silverleaf (Eurobella) | <i>crenata x chinquapin</i> hybrid, | U.S.A. | U.S.A., D. Judd |
| ‘ Simpson ’ | <i>mollissima x sativa</i> , | U.S.A. | U.S.A., W. Simpson |
| ‘Siria’ | <i>sativa</i> | | Italy |
| ‘ Skioka (Gellatly #2) | <i>mollissima</i> seedling (o.p.) | Canada | Canada, J.U. Gellatly |
| ‘ Skookum ’ | Gellatly hybrid, | Canada | Canada, W. Schildgen |
| ‘ Sleeping Giant ’ | <i>mollissima x (crenata x dentata)</i> | U.S.A. | U.S.A., A.H. Graves, CT |
| ‘Slench’ | <i>sativa</i> | | Italy |
| ‘Sobota’ | <i>sativa</i> | | Slovenia |
| ‘Soft saimyouzi’ | <i>crenata</i> | Japan | Japan |

| | | | |
|------------------------------|------------------------------|----------|----------------------------|
| ‘Solenga’ | <i>sativa</i> | | Italy |
| ‘Solenga di Villar Pellice’ | <i>sativa</i> | | Italy |
| ‘Soulage Première’ | <i>sativa</i> | | France |
| ‘Soutogrande’ | <i>sativa</i> | | Spain |
| ‘Spangler’ | | | U.S.A. |
| ‘Spels’ | <i>sativa</i> | | Italy |
| ‘Spinalunga’ | <i>sativa</i> | | Italy |
| ‘Spine corte’ | <i>sativa</i> | | Italy |
| ‘Saint Claud’ | <i>sativa</i> | | France |
| ‘ Stark’s Choice ’ | <i>mollissima</i> | | U.S.A. |
| ‘Stoke’ | <i>crenata</i> hybrid | | U.S.A. |
| ‘Stoppia’ | <i>sativa</i> | | France |
| ‘Styer’ (Hannum, Concord) | <i>sativa</i> hybrid | | |
| ‘Su’ | <i>mollissima</i> | | China |
| ‘Success’ | <i>crenata</i> o.p. | U.S.A. | U.S.A., NJ |
| ‘Suguhikari’ | <i>crenata</i> | Kumamoto | Japan |
| ‘Sunseong’ | <i>crenata</i> | | Korea |
| ‘Superb’ (Parry’s Superb) | <i>crenata</i> o.p. | U.S.A. | U.S.A., NJ |
| ‘Survivor’ | ‘ <i>Layeroka</i> ’ seedling | U.S.A. | U.S.A. R. C. Stehli, OH |
| ‘Svizzera Zocca’ | <i>sativa</i> | | Italy |
| ‘Sweet Home’ | | | |
| ‘Sweet Portland’ | | | |
| ‘Sweet Surprise’ | complex hybrid | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Syowago’ | <i>crenata</i> | | Korea |
| ‘Syuboguri’ | <i>crenata</i> | | Japan |
| ‘Szego’ | complex hybrid | U.S.A. | U.S.A., J.M. Nave, CA |

T Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|----------------------|-----------------|--|--------------|
| ‘Taishouwase’ | <i>crenata</i> | Kanagawa- aken, Tachiban- agun, Miyamas- mura | Japan |

| | | | |
|---|--|---|--|
| ‘Tajiri Ginyose’ (Tajira Ginki) | <i>crenata</i> | Osaka | Japan |
| ‘Tali’ | <i>mollissima</i> | | China |
| ‘Taisho wase’ | <i>crenata</i> | | Japan |
| ‘Tamanishiki’ | <i>crenata</i> | Japan | Japan |
| ‘Tamatsu’ | <i>crenata</i> | | Japan |
| ‘Tamatsukuri’ | <i>crenata</i> | Japan | Japan |
| ‘Tamba’ (Tanba, Tamba gury, Tamba lon gury, Tamba gury okute) | <i>crenata</i> | Japan | Japan |
| ‘Tanabata’ | <i>crenata</i> | Japan | Japan |
| ‘Tanabe’ | <i>crenata x mollissima</i> | | Japan |
| ‘Tanabeguri’ | <i>crenata x mollissima</i> | Kyoto | Japan |
| ‘Tanoue’ | <i>crenata</i> | Kumamoto | Japan |
| ‘Tanzanawa’ | <i>crenata</i> | | Japan |
| ‘Tanzawa’ | <i>crenata</i> , ‘Otomuni’ x ‘Taishowase’ | Kanagwa | Japan #113902 |
| ‘Taozi’ | <i>mollissima</i> | Camp Hill, AL | U. MO., E. Greenman, A. Miller, JM Nave |
| ‘Tarabelao’ (Luguesa) | <i>sativa</i> | | Spain |
| ‘Tarsanesa’ | <i>sativa</i> | | Italy |
| ‘Tashiro’ | <i>crenata</i> | Yamaga-ta ken, Mogami- gun, Nozoki- mura | Japan |
| ‘Teghja’ | <i>sativa</i> | | France |
| ‘Temperá’ (Temperán, Temporás, Temporal, Temperaus, Os de cedo, Migueliña) | <i>sativa</i> | | Spain |
| ‘Tempestiva’ | <i>sativa hybrid</i> | | Italy |
| ‘Temporiva’ (Tempuriva) | <i>sativa</i> | | Italy |
| ‘Temprano’ | <i>sativa</i> | Tenerife | Spain |
| ‘Terai’ | <i>crenata</i> | Gifu | Japan |
| ‘ Thompson ’ | <i>sativa hybrid</i> | | |
| ‘Tichjulana’ (Tegbia) | <i>sativa</i> | | Corsica |
| ‘Tie li tou’ | <i>mollissima</i> | | China |

| | | | |
|---|--|---|-------------------------|
| ‘Tiger Paw’ | <i>mollissima</i> P.I. #78744, Fa Hua Ssu Temple | China, Peter Liu | U.S.A., A.H. Graves, CT |
| ‘Tiria’ | <i>sativa</i> | | Italy |
| ‘TO 613’ | <i>sativa x crenata</i> | | Italy |
| ‘Togenashi’ (spineless) | <i>crenata</i> | Yamagataken, Higashimurayamagun, Nagasakimuri | Japan |
| ‘Togenashi-Aomori’ | <i>crenata</i> | Amori | Japan |
| ‘Tokuganri’ | <i>mollissima</i> | Korea | Japan |
| ‘Tono’ | <i>crenata</i> | | Korea |
| ‘Torakuri’ | <i>crenata</i> hybrid | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Torbeana’ (Torbeana Blanca, Torbeana Negra, Torbeanas) | <i>sativa</i> | | Spain |
| ‘Torcione’ | <i>sativa</i> | | Italy |
| ‘Torse’ | <i>sativa</i> | | France |
| ‘Tosetta’ | <i>sativa</i> | | Italy |
| ‘Toshan’ | <i>crenata</i> | | China |
| ‘Toubesa’ | <i>sativa</i> | | Spain |
| ‘Toumey’ | <i>crenata x (crenata x dentata)</i> | U.S.A. | U.S.A., A.H. Graves, CT |
| ‘Tounou’ | <i>crenata</i> | Gifu | Japan |
| ‘Toyogin’ | <i>crenata</i> | Gifu | Japan |
| ‘Toyotamawase’ | <i>crenata</i> | Tokyo | Japan |
| ‘Tracheliere’ | <i>sativa</i> | | France |
| ‘Trayanov’ | | | |
| ‘Tres-forque’ | <i>sativa</i> | | France |
| ‘Tricciuda’ | <i>sativa</i> hybrid | | Corsica |
| ‘Trois-four’ | <i>sativa</i> | | France |
| ‘Trois-four noir’ | <i>sativa</i> | | France |
| ‘Trois-four rouge’ | <i>sativa</i> | | France |
| ‘Tsuchidaamaguri’ | <i>mollissima</i> | Gifu | Japan |
| ‘Tsuchidawase’ | <i>crenata</i> | Gifu | Japan |
| ‘Tsukuba’ | <i>crenata</i> , ‘Hayatama’x ‘Ganne’ | Kanagawa | Japan #113909 |
| ‘Tsunchisa’ | <i>crenata</i> | Kanagawa | Japan |

U.V.W. Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|---|---|---------------|----------------------------|
| ‘Umehirawase’ | <i>crenata</i> | | Japan |
| ‘Unryuu’ | <i>Crenata</i> | Japan | Japan |
| ‘Urban’ | <i>crenata</i> | | Korea |
| ‘Vakit Kestanesi’ | <i>sativa</i> hybrid | | Turkey |
| ‘Valcamonica’ | <i>sativa</i> | | Italy |
| ‘Van Fleet’ | <i>dentata</i> x (<i>sativa</i> x <i>dentata</i>) | U.S.A. | U.S.A. |
| ‘Vanuxem’ | <i>mollissima</i> | U.S.A. | U.S.A., F.V. Hebard, VA |
| ‘Vardesa di S. Bartolomeo’ | <i>sativa</i> hybrid | | Italy |
| ‘Variegata’ (Aureovariegata) | <i>sativa</i> | England | England |
| ‘Veiguiña’ (De Presa) | <i>sativa</i> | | Spain |
| ‘Ventura’ | <i>sativa</i> hybrid | | Spain |
| ‘Ventura Ourense’ | <i>sativa</i> (‘Ventura’ clone) | | Spain |
| ‘Verdase’ | <i>sativa</i> | | Italy |
| ‘Verde’ (Verde Ourense, Verdello/a, Verdeau, Verdellas, Verdeá/s, Verdiñas, Verdello de Cedo, Verdias) | <i>sativa</i> hybrid | | Spain |
| ‘Verdeis’ | <i>sativa</i> | | Italy |
| ‘Verdesa’ (Verdesi) | <i>sativa</i> | | Italy |
| ‘Verdone’ | <i>sativa</i> | | Italy |
| ‘Verigold’ | | | |
| ‘Verte’ | <i>sativa</i> | | France |
| ‘Vertuas’ | <i>sativa</i> | | France |
| ‘Viana’ | <i>sativa</i> | | Portugal |
| ‘Viannais’e | <i>sativa</i> | | France |
| ‘Vibbert’ | <i>crenata</i> x <i>sativa</i> | | U.S.A. |
| ‘Vignols’ | <i>crenata</i> x <i>sativa</i> open pollinated | | France |
| ‘Vileta’ (Negral, Courelá-Rubiá, Riá, Xabraga-Rubiá) | <i>sativa</i> | | Spain |
| ‘Villana’ | <i>sativa</i> | | Corsica |
| ‘Villarenga’ | <i>sativa</i> | | Spain |
| ‘Viri’ | <i>sativa</i> | | Italy |
| ‘Viri tardivo’ | <i>sativa</i> | | Italy |
| ‘Visman’ | | | |

| | | | |
|----------------------|-----------------------------|--------|--------------------------|
| ‘Viterbo’ | <i>sativa</i> | | Italy |
| ‘Vitovlje’ | <i>sativa</i> | | Slovenia |
| ‘Vivarette’ | <i>sativa</i> | | France |
| ‘Wandiligong Wonder’ | <i>sativa</i> | | Australia |
| ‘Wasechoubei’ | <i>crenata</i> | Kyoto | Japan |
| ‘Waseginzen’ | <i>crenata</i> | Japan | Japan |
| ‘Wasentenshin’ | <i>mollissima</i> | China | Japan |
| ‘Watson’ | <i>dentata</i> | U.S.A. | U.S.A. |
| ‘Wayne’ | <i>sativa</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘W.C.’ | <i>mollissima</i> | U.S.A. | U.S.A., W.C. Donoho, KY |
| ‘Willamette’ | <i>mollissima x dentata</i> | U.S.A. | U.S.A., R.T. Dunstan, FL |
| ‘Willoka’ | <i>mollissima</i> seedling | Canada | Canada, J.U. Gellatly |
| ‘Wuchi’ | <i>mollissima</i> | | China |
| ‘Wuhua’ | <i>mollissima</i> | | China |

X.Y.Z. Named chestnut cultivars, 2022

| cultivar name | pedigree | origin | named |
|----------------------|-----------------------------|---------------|-----------------------|
| ‘Xabrega’ | <i>sativa</i> | | Spain |
| ‘Xiaoguo’ | <i>mollissima</i> | | China |
| ‘Xilimendra’ | <i>sativa</i> | | Spain |
| ‘Xiuqiu Li’ | <i>mollissima</i> | | China |
| ‘Xixiang Wuha’ | <i>mollissima</i> hybrid | | China |
| ‘Yakko’ | <i>crenata</i> | Osaka | Japan |
| ‘Yamaguchiwase’ | <i>crenata</i> | Hyogo | Japan |
| ‘Yamanoguri’ | <i>crenata</i> | | Japan |
| ‘Yamatowase’ | <i>crenata</i> | Kanagawa | Japan |
| ‘Yamewase’ | <i>crenata x mollissima</i> | Fukuoka | Japan |
| ‘Yanfeng’ | <i>mollissima</i> | | China |
| ‘Yanghong’ | <i>mollissima</i> | | China |
| ‘Yangmaoli’ | <i>mollissima</i> | | China |
| ‘Yangju’ | <i>crenata</i> | Korea | Korea |
| ‘Yankui’ | <i>mollissima</i> | | China |
| ‘Yanosawa’ | <i>crenata</i> | Japan | Japan |
| ‘Yanshanhong’ | <i>mollissima</i> | | China |
| ‘Yelicang’ | <i>mollissima</i> | | China |
| ‘YGF’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |

| | | | |
|---------------------|------------------------------------|-----------|-----------------------|
| ‘Yinhong’ | <i>crenata</i> | | China |
| ‘Yixian Large’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Yixian Orange’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Yoo Ma’ | <i>crenata</i> (Korean) | Korea | |
| ‘Youli’ | <i>mollissima</i> | | China |
| ‘Yourou’ | <i>crenata</i> | Gifu | Japan |
| ‘Youshuu gou’ | <i>crenata</i> | | Korea |
| ‘Youzhen’ | <i>henryi</i> | | China |
| ‘Yu’ | <i>mollissima</i> | | China |
| ‘Yunba’ | <i>mollissima</i> | Yamanashi | Japan |
| ‘Yuri’ | <i>crenata</i> | | Korea |
| ‘YuYu’ | <i>mollissima</i> | U.S.A. | U.S.A., J.M. Nave, CA |
| ‘Zannini’ | <i>(crenata x sativa) x sativa</i> | | Italy |
| ‘Zaozhuang’ | <i>mollissima</i> | | China |
| ‘Zen’ | <i>sativa</i> hybrid | | |
| ‘Zhaofeng’ | <i>mollissima</i> | | China |
| ‘Zhan di ban’ | <i>mollissima</i> | | China |
| ‘Zhenandali’ | <i>mollissima</i> | | China |
| ‘Zhongcili’ | <i>mollissima</i> | | China |
| ‘Zhongguohongpi’ | <i>mollissima</i> | | China |
| ‘Zhong shu banli’ | <i>mollissima</i> | | China |
| ‘Zhucheng’ | <i>mollissima</i> | | China |
| ‘Zi youli’ | <i>mollissima</i> | | China |
| ‘Zimmerman’ | <i>mollissima</i> | | U.S.A. |
| ‘Zongguo hongyoupi’ | <i>mollissima</i> | | China |
| ‘Zumwalt’ | <i>dentata x sativa</i> | U.S.A. | U.S.A., C. Rau, WA |