

*Follow this link to convert degrees minutes seconds to decimal degrees <http://www.fcc.gov/mb/audio/bickel/DDDMSS-decimal.html>

| Bag | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-----|-----------|------|------|-----------|------|------|----------|--|--|--------------------------|-------------------------|---------------------|---------------------|---------------------------|------------------------|----------|
| # | Deg. | Min. | Sec. | Deg. | Min. | Sec. | (m) | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | Stuckenia pectinata | |
| 1 | 41 | 18 | 17.8 | 72 | 51 | 19.9 | 5.3 | Nymphaea odorata, Potamogeton crispus | Ceratophyllum demersum | 4.948 | | | | | | 6/9/2004 |
| 2 | 41 | 18 | 17.0 | 72 | 51 | 19.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 2.229 | | | | | | 6/9/2004 |
| 3 | 41 | 18 | 16.5 | 72 | 51 | 19.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 10.800 | | | | | | 6/9/2004 |
| 4 | 41 | 18 | 16.0 | 72 | 51 | 19.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 4.789 | | | | | | 6/9/2004 |
| 5 | 41 | 18 | 15.5 | 72 | 51 | 19.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 2.969 | | | | | | 6/9/2004 |
| 6 | 41 | 18 | 15.0 | 72 | 51 | 19.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 0.610 | | | | | | 6/9/2004 |
| 7 | 41 | 18 | 14.5 | 72 | 51 | 19.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 0.894 | | | | | | 6/9/2004 |
| 8 | 41 | 18 | 15.0 | 72 | 51 | 18.9 | 5.3 | Nymphaea odorata, Potamogeton crispus, Ceratophyllum demersum | Nymphaea odorata, Potamogeton crispus | 14.448 | | 1.429 | | | | 6/9/2004 |
| 9 | 41 | 18 | 15.5 | 72 | 51 | 18.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 3.400 | | | | | | 6/9/2004 |
| 10 | 41 | 18 | 16.0 | 72 | 51 | 18.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 5.491 | | | | | | 6/9/2004 |
| 11 | 41 | 18 | 16.3 | 72 | 51 | 18.9 | 7.5 | Potamogeton crispus | Potamogeton crispus | 9.153 | | | | | | 6/9/2004 |
| 12 | 41 | 18 | 19.1 | 72 | 51 | 20.9 | 7.5 | Potamogeton crispus | Potamogeton crispus | 6.793 | | | | | | 6/9/2004 |
| 13 | 41 | 18 | 18.5 | 72 | 51 | 20.9 | 7.5 | Potamogeton crispus | Potamogeton crispus | 2.132 | | | | | | 6/9/2004 |



| Bag # | Latitude* | | | Longitude | | | Accuracy (m) | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-------|-----------|------|------|-----------|------|------|--------------|---------------------|---------------------|--------------------------|----------------------|------------------|------------------|------------------------|------|---------------------|
| | Deg. | Min. | Sec. | Deg. | Min. | Sec. | | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | | Stuckenia pectinata |
| 14 | 41 | 18 | 18.0 | 72 | 51 | 20.9 | 7.5 | Potamogeton crispus | Potamogeton crispus | 16.846 | | | | | | 6/9/2004 |
| 15 | 41 | 18 | 17.5 | 72 | 51 | 20.9 | 7.5 | Potamogeton crispus | Potamogeton crispus | 3.649 | | | | | | 6/9/2004 |
| 16 | 41 | 18 | 17.0 | 72 | 51 | 20.9 | 7.5 | Potamogeton crispus | Potamogeton crispus | 1.405 | | | | | | 6/9/2004 |
| 17 | 41 | 18 | 16.5 | 72 | 51 | 20.9 | 8.9 | Potamogeton crispus | Potamogeton crispus | 8.240 | | | | | | 6/9/2004 |
| 18 | 41 | 18 | 16.0 | 72 | 51 | 20.9 | 8.9 | Potamogeton crispus | Potamogeton crispus | 16.913 | | | | | | 6/9/2004 |
| 22 | 41 | 18 | 15.5 | 72 | 51 | 20.9 | 8.9 | Potamogeton crispus | Potamogeton crispus | 15.982 | | | | | | 6/9/2004 |
| | 41 | 18 | 15.0 | 72 | 51 | 20.9 | 8.9 | NOTHING | NOTHING | | | | | | | 6/9/2004 |
| | 41 | 18 | 14.5 | 72 | 51 | 20.9 | 8.9 | NOTHING | NOTHING | | | | | | | 6/9/2004 |
| | 41 | 18 | 14.0 | 72 | 51 | 20.9 | 8.9 | NOTHING | NOTHING | | | | | | | 6/9/2004 |
| 23 | 41 | 18 | 13.7 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 0.592 | | | | | | 6/9/2004 |
| 24 | 41 | 18 | 14.0 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 1.270 | | | | | | 6/9/2004 |
| 25 | 41 | 18 | 14.5 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 3.843 | | | | | | 6/9/2004 |
| | 41 | 18 | 15.0 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | NOTHING | | | | | | | 6/9/2004 |
| 26 | 41 | 18 | 15.5 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 0.100 | | | | | | 6/9/2004 |
| 27 | 41 | 18 | 16.0 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 0.290 | | | | | | 6/9/2004 |
| 28 | 41 | 18 | 16.5 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 5.301 | | | | | | 6/9/2004 |
| 29 | 41 | 18 | 17.0 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 9.400 | | | | | | 6/9/2004 |
| 30 | 41 | 18 | 17.5 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 9.959 | | | | | | 6/9/2004 |



| Bag | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-----|-----------|------|------|-----------|------|------|----------|--|--|--------------------------|-----|------------------------|-------------------------|---------------------|------|---------------------|
| | # | Deg. | Min. | Sec. | Deg. | Min. | | | | Sec. | (m) | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | | Nuphar variegata |
| 31 | 41 | 18 | 18.0 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 8.314 | | | | | | 6/9/2004 |
| 32 | 41 | 18 | 18.5 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 13.553 | | | | | | 6/9/2004 |
| | 41 | 18 | 19.0 | 72 | 51 | 21.9 | 7.2 | Potamogeton crispus | NOTHING | | | | | | | 6/9/2004 |
| 33 | 41 | 18 | 19.1 | 72 | 51 | 21.9 | 7.2 | Nymphaea odorata, Potamogeton crispus | Nymphaea odorata, Potamogeton crispus | 4.941 | | 0.203 | | | | 6/9/2004 |
| 34 | 41 | 18 | 19.8 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 0.467 | | | | | | 6/9/2004 |
| 35 | 41 | 18 | 19.5 | 72 | 51 | 22.9 | 7.2 | NOTHING | Potamogeton crispus | 8.313 | | | | | | 6/9/2004 |
| 36 | 41 | 18 | 19.0 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 57.232 | | | | | | 6/9/2004 |
| 38 | 41 | 18 | 18.5 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 4.060 | | | | | | 6/9/2004 |
| 40 | 41 | 18 | 18.0 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 1.400 | | | | | | 6/9/2004 |
| 41 | 41 | 18 | 17.5 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 0.010 | | | | | | 6/9/2004 |
| 42 | 41 | 18 | 17.0 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 0.872 | | | | | | 6/9/2004 |
| | 41 | 18 | 16.5 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus | NOTHING | | | | | | | 6/9/2004 |
| 43 | 41 | 18 | 16.0 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 3.932 | | | | | | 6/9/2004 |
| 44 | 41 | 18 | 15.5 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 0.239 | | | | | | 6/9/2004 |
| 45 | 41 | 18 | 15.0 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 4.987 | | | | | | 6/9/2004 |
| 46 | 41 | 18 | 14.5 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus | Potamogeton crispus | 19.740 | | | | | | 6/9/2004 |



| Bag # | Latitude* | | | Longitude | | | Accuracy (m) | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-------|-----------|------|------|-----------|------|------|--------------|---------------------------------------|--|--------------------------|----------------------|------------------|------------------|------------------------|-------|---------------------|
| | Deg. | Min. | Sec. | Deg. | Min. | Sec. | | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | | Stuckenia pectinata |
| 47 | 41 | 18 | 14.0 | 72 | 51 | 22.9 | 7.2 | Potamogeton crispus, Nymphaea odorata | Potamogeton crispus | 29.740 | | | | | | 6/9/2004 |
| 49 | 41 | 18 | 13.3 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus, Nymphaea odorata | Potamogeton crispus, Nymphaea odorata | 0.958 | | 2.005 | | | | 6/9/2004 |
| 50 | 41 | 18 | 14.0 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus | Potamogeton crispus, Stuckenia pectinata | 13.617 | | | | | 0.668 | 6/9/2004 |
| 51 | 41 | 18 | 14.5 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus | Potamogeton crispus | 40.300 | | | | | | 6/9/2004 |
| 52 | 41 | 18 | 15.0 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus | Potamogeton crispus | 2.240 | | | | | | 6/9/2004 |
| 53 | 41 | 18 | 15.5 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus | Potamogeton crispus | 3.555 | | | | | | 6/9/2004 |
| 54 | 41 | 18 | 16.0 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus | Potamogeton crispus | 2.774 | | | | | | 6/9/2004 |
| | 41 | 18 | 16.5 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus | NOTHING | | | | | | | 6/9/2004 |
| 55 | 41 | 18 | 17.0 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus | Potamogeton crispus | 9.623 | | | | | | 6/9/2004 |
| 56 | 41 | 18 | 17.5 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus | Potamogeton crispus | 4.014 | | | | | | 6/9/2004 |
| 57 | 41 | 18 | 18.0 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus | Potamogeton crispus | 4.424 | | | | | | 6/9/2004 |
| 58 | 41 | 18 | 18.5 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus | Potamogeton crispus | 12.878 | | | | | | 6/9/2004 |
| | 41 | 18 | 19.0 | 72 | 51 | 23.9 | 5.5 | NOTHING | NOTHING | | | | | | | 6/9/2004 |
| 59 | 41 | 18 | 19.5 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus | Potamogeton crispus | 1.666 | | | | | | 6/9/2004 |



| Bag | | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | Date |
|-----|------|-----------|------|------|-----------|------|------|---|---|------------------------|--------------------------|---------------------|---------------------|---------------------------|------------------------|----------|
| # | Deg. | Min. | Sec. | Deg. | Min. | Sec. | (m) | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | Stuckenia pectinata | |
| 60 | 41 | 18 | 20.0 | 72 | 51 | 23.9 | 5.5 | Potamogeton crispus, Nymphaea odorata | Potamogeton crispus, Nymphaea odorata | 0.106 | | 2.590 | | | | 6/9/2004 |
| | 41 | 18 | 19.7 | 72 | 51 | 24.9 | 12.3 | NOTHING | NOTHING | | | | | | | 6/9/2004 |
| 61 | 41 | 18 | 19.0 | 72 | 51 | 24.9 | 12.3 | Potamogeton crispus | Potamogeton crispus | 0.758 | | | | | | 6/9/2004 |
| 62 | 41 | 18 | 18.5 | 72 | 51 | 24.9 | 12.3 | Potamogeton crispus | Potamogeton crispus | 4.955 | | | | | | 6/9/2004 |
| 63 | 41 | 18 | 18.0 | 72 | 51 | 24.9 | 12.3 | Potamogeton crispus | Potamogeton crispus | 8.306 | | | | | | 6/9/2004 |
| 64 | 41 | 18 | 17.5 | 72 | 51 | 24.9 | 6.6 | Potamogeton crispus | Potamogeton crispus | 15.889 | | | | | | 6/9/2004 |
| 65 | 41 | 18 | 17.0 | 72 | 51 | 24.9 | 6.6 | Potamogeton crispus | Potamogeton crispus | 2.574 | | | | | | 6/9/2004 |
| 66 | 41 | 18 | 16.5 | 72 | 51 | 24.9 | 6.6 | Potamogeton crispus | Potamogeton crispus | 0.419 | | | | | | 6/9/2004 |
| 67 | 41 | 18 | 16.0 | 72 | 51 | 24.9 | 6.6 | Potamogeton crispus | Potamogeton crispus | 4.480 | | | | | | 6/9/2004 |
| | 41 | 18 | 15.5 | 72 | 51 | 24.9 | 6.6 | NOTHING | NOTHING | | | | | | | 6/9/2004 |
| | 41 | 18 | 15.0 | 72 | 51 | 24.9 | 6.6 | NOTHING | NOTHING | | | | | | | 6/9/2004 |
| 68 | 41 | 18 | 14.5 | 72 | 51 | 24.9 | 6.6 | Potamogeton crispus | Potamogeton crispus | 4.010 | | | | | | 6/9/2004 |
| 69 | 41 | 18 | 14.0 | 72 | 51 | 24.9 | 6.6 | Potamogeton crispus | Potamogeton crispus | 6.703 | | | | | | 6/9/2004 |
| 70 | 41 | 18 | 13.5 | 72 | 51 | 24.9 | 6.6 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata, Potamogeton crispus | 6.555 | | | | | 5.873 | 6/9/2004 |



| Bag | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-----|-----------|------|------|-----------|------|------|----------|---|---|--------------------------|-------------------------|---------------------|---------------------|---------------------------|------------------------|----------|
| # | Deg. | Min. | Sec. | Deg. | Min. | Sec. | (m) | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | Stuckenia pectinata | |
| 71 | 41 | 18 | 13.0 | 72 | 51 | 24.9 | 6.6 | Potamogeton crispus, Nymphaea odorata | Potamogeton crispus, Stuckenia pectinata, Nymphaea odorata | 0.809 | | 0.896 | | | 0.169 | 6/9/2004 |
| 72 | 41 | 18 | 13.2 | 72 | 51 | 25.9 | 7.0 | Potamogeton crispus, Nymphaea odorata | Potamogeton crispus, Nymphaea odorata | 0.700 | | 0.449 | | | | 6/9/2004 |
| 73 | 41 | 18 | 14.0 | 72 | 51 | 25.9 | 7.0 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata, Potamogeton crispus | 20.688 | | | | | 0.468 | 6/9/2004 |
| 74 | 41 | 18 | 14.5 | 72 | 51 | 25.9 | 5.1 | NOTHING | Potamogeton crispus | 18.034 | | | | | | 6/9/2004 |
| | 41 | 18 | 15.0 | 72 | 51 | 25.9 | 5.1 | Stuckenia pectinata | NOTHING | | | | | | | 6/9/2004 |
| | 41 | 18 | 15.5 | 72 | 51 | 25.9 | 5.1 | NOTHING | NOTHING | | | | | | | 6/9/2004 |
| 75 | 41 | 18 | 16.0 | 72 | 51 | 25.9 | 5.1 | Potamogeton crispus | Potamogeton crispus | 4.956 | | | | | | 6/9/2004 |
| 76 | 41 | 18 | 16.5 | 72 | 51 | 25.9 | 5.1 | Potamogeton crispus | Potamogeton crispus | 0.159 | | | | | | 6/9/2004 |
| 77 | 41 | 18 | 17.0 | 72 | 51 | 25.9 | 5.1 | Potamogeton crispus | Potamogeton crispus | 0.084 | | | | | | 6/9/2004 |
| | 41 | 18 | 17.5 | 72 | 51 | 25.9 | 5.1 | NOTHING | NOTHING | | | | | | | 6/9/2004 |
| 78 | 41 | 18 | 18.0 | 72 | 51 | 25.9 | 5.1 | Potamogeton crispus | Potamogeton crispus | 11.670 | | | | | | 6/9/2004 |
| 79 | 41 | 18 | 18.5 | 72 | 51 | 25.9 | 5.1 | Potamogeton crispus | Potamogeton crispus | 4.415 | | | | | | 6/9/2004 |
| 80 | 41 | 18 | 19.0 | 72 | 51 | 25.9 | 5.1 | Potamogeton crispus | Potamogeton crispus, Ceratophyllum demersum | 0.680 | | | | 0.148 | | 6/9/2004 |



| Bag | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | | Date |
|-----|-----------|------|------|-----------|------|------|----------|---|--|--------------------------|-----|------------------------|-------------------------|---------------------|---------------------|----------|
| | # | Deg. | Min. | Sec. | Deg. | Min. | | | | Sec. | (m) | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | |
| 81 | 41 | 18 | 18.8 | 72 | 51 | 26.9 | 5.1 | Potamogeton crispus | Potamogeton crispus, Ceratophyllum demersum | 1.933 | | | | 0.725 | | 6/9/2004 |
| 82 | 41 | 18 | 18.0 | 72 | 51 | 26.9 | 5.1 | Potamogeton crispus | Potamogeton crispus | 11.596 | | | | | | 6/9/2004 |
| 83 | 41 | 18 | 17.5 | 72 | 51 | 26.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 0.456 | | | | | | 6/9/2004 |
| | 41 | 18 | 17.0 | 72 | 51 | 26.9 | 5.3 | Potamogeton crispus | NOTHING | | | | | | | 6/9/2004 |
| 84 | 41 | 18 | 16.5 | 72 | 51 | 26.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 0.417 | | | | | | 6/9/2004 |
| 85 | 41 | 18 | 16.0 | 72 | 51 | 26.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 7.730 | | | | | | 6/9/2004 |
| 86 | 41 | 18 | 15.5 | 72 | 51 | 26.9 | 5.3 | Potamogeton crispus, Stuckenia pectinata | Stuckenia pectinata | | | | | | 0.046 | 6/9/2004 |
| 87 | 41 | 18 | 15.0 | 72 | 51 | 26.9 | 5.3 | Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus | 35.036 | | | | | 1.130 | 6/9/2004 |
| 88 | 41 | 18 | 14.5 | 72 | 51 | 26.9 | 5.3 | Stuckenia pectinata, Potamogeton crispus | Potamogeton crispus, Stuckenia pectinata | 1.430 | | | | | 0.875 | 6/9/2004 |
| 89 | 41 | 18 | 14.0 | 72 | 51 | 26.9 | 5.3 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata, Potamogeton crispus | 2.764 | | | | | 4.930 | 6/9/2004 |
| 90 | 41 | 18 | 13.5 | 72 | 51 | 26.9 | 5.3 | Potamogeton crispus | Potamogeton crispus | 0.716 | | | | | | 6/9/2004 |
| 91 | 41 | 18 | 13.1 | 72 | 51 | 26.9 | 5.0 | Nymphaea odorata, Potamogeton crispus | Nymphaea odorata, Potamogeton crispus | 1.169 | | 1.723 | | | | 6/9/2004 |
| 92 | 41 | 18 | 13.1 | 72 | 51 | 27.9 | 5.6 | Nymphaea odorata | Nymphaea odorata | | | 3.519 | | | | 6/9/2004 |



| Bag | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | | Date |
|-----|-----------|------|--------|-----------|------|------|----------|---|---|--------------------------|-------------------------|---------------------|---------------------|---------------------------|------------------------|-----------|
| # | Deg. | Min. | Sec. | Deg. | Min. | Sec. | (m) | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | Stuckenia pectinata | |
| ## | 41 | 18 | 13.5 | 72 | 51 | 27.9 | 5.6 | Potamogeton crispus | Potamogeton crispus | 2.998 | | | | | | 6/9/2004 |
| 1 | 41 | 18 | 14.0 | 72 | 51 | 27.9 | 5.6 | Potamogeton crispus | Potamogeton crispus | 6.112 | | | | | | 6/10/2004 |
| 2 | 41 | 18 | 14.5 | 72 | 51 | 27.9 | 5.6 | Potamogeton crispus, Stuckenia pectinata | Potamogeton crispus, Stuckenia pectinata | 2.930 | | | | | 6.890 | 6/10/2004 |
| 3 | 41 | 18 | 15.0 | 72 | 51 | 27.9 | 5.6 | Potamogeton crispus, Stuckenia pectinata | Potamogeton crispus, Stuckenia pectinata | 1.352 | | | | | 3.033 | 6/10/2004 |
| | 41 | 18 | 15.5 | 72 | 51 | 27.9 | 6.2 | NOTHING | NOTHING | | | | | | | 6/10/2004 |
| 4 | 41 | 18 | 16.0 | 72 | 51 | 27.9 | 6.2 | Stuckenia pectinata | Potamogeton crispus | 0.472 | | | | | | 6/10/2004 |
| 5 | 41 | 18 | 16.5 | 72 | 51 | 27.9 | 4.8 | NOTHING | Potamogeton crispus | 0.511 | | | | | | 6/10/2004 |
| | 41 | 18 | 17.0 | 72 | 51 | 27.9 | 5.4 | NOTHING | NOTHING | | | | | | | 6/10/2004 |
| | 41 | 18 | 17.5 | 72 | 51 | 27.9 | 6.0 | NOTHING | NOTHING | | | | | | | 6/10/2004 |
| 6 | 41 | 18 | 18.0 | 72 | 51 | 27.9 | 6.6 | NOTHING | Potamogeton crispus | 1.406 | | | | | | 6/10/2004 |
| 7 | 41 | 18 | 18.5 | 72 | 51 | 27.9 | 6.6 | Nymphaea odorata, Potamogeton crispus, Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus, Nymphaea odorata | 0.129 | | 0.765 | | | 0.398 | 6/10/2004 |
| | 41 | 18 | no bag | 72 | 51 | 27.9 | | | | | | | | | | 6/10/2004 |
| 8 | 41 | 18 | 18.3 | 72 | 51 | 28.9 | 6.6 | Nymphaea odorata, Potamogeton crispus | Nymphaea odorata, Potamogeton crispus | 4.050 | | 4.520 | | | | 6/10/2004 |
| | 41 | 18 | 18.0 | 72 | 51 | 28.9 | 6.6 | NOTHING | NOTHING | | | | | | | 6/10/2004 |
| | 41 | 18 | 17.5 | 72 | 51 | 28.9 | 6.6 | Potamogeton crispus | NOTHING | | | | | | | 6/10/2004 |



| Bag # | Latitude* | | | Longitude | | | Accuracy (m) | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-------|-----------|------|------|-----------|------|------|--------------|--|--|--------------------------|----------------------|------------------|------------------|------------------------|-------|---------------------|
| | Deg. | Min. | Sec. | Deg. | Min. | Sec. | | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | | Stuckenia pectinata |
| 1 | 41 | 18 | 17.0 | 72 | 51 | 28.9 | 6.0 | Potamogeton crispus | Potamogeton crispus | 1.311 | | | | | | 6/14/2004 |
| 2 | 41 | 18 | 16.5 | 72 | 51 | 28.9 | 6.0 | Potamogeton crispus, Stuckenia pectinata | Potamogeton crispus, Stuckenia pectinata | 2.611 | | | | | 1.971 | 6/14/2004 |
| 3 | 41 | 18 | 16.0 | 72 | 51 | 28.9 | 6.0 | Potamogeton crispus, Stuckenia pectinata | Potamogeton crispus | 3.653 | | | | | | 6/14/2004 |
| 4 | 41 | 18 | 15.5 | 72 | 51 | 28.9 | 6.0 | Stuckenia pectinata | Potamogeton crispus, Stuckenia pectinata | 0.607 | | | | | 4.120 | 6/14/2004 |
| 5 | 41 | 18 | 15.0 | 72 | 51 | 28.9 | 6.0 | Stuckenia pectinata | Stuckenia pectinata | | | | | | 0.902 | 6/14/2004 |
| 6 | 41 | 18 | 14.5 | 72 | 51 | 28.9 | 6.0 | Potamogeton crispus, Stuckenia pectinata | Potamogeton crispus, Stuckenia pectinata | 2.699 | | | | | 0.330 | 6/14/2004 |
| 7 | 41 | 18 | 14.0 | 72 | 51 | 28.9 | 5.2 | Potamogeton crispus, Stuckenia pectinata | Potamogeton crispus, Stuckenia pectinata | 0.579 | | | | | 0.621 | 6/14/2004 |
| 8 | 41 | 18 | 13.6 | 72 | 51 | 28.9 | 5.2 | Nymphaea odorata | Nymphaea odorata | | | 2.303 | | | | 6/14/2004 |
| 9 | 41 | 18 | 13.3 | 72 | 51 | 29.9 | 5.2 | Nymphaea odorata | Nymphaea odorata | | | 7.674 | | | | 6/14/2004 |
| | 41 | 18 | 13.5 | 72 | 51 | 29.9 | 5.2 | Potamogeton crispus | NOTHING | | | | | | | 6/14/2004 |
| 10 | 41 | 18 | 14.0 | 72 | 51 | 29.9 | 5.2 | Potamogeton crispus, Stuckenia pectinata | Potamogeton crispus, Stuckenia pectinata | 1.900 | | | | | 3.703 | 6/14/2004 |
| 11 | 41 | 18 | 14.5 | 72 | 51 | 29.9 | 5.2 | Potamogeton crispus | Potamogeton crispus | 23.233 | | | | | | 6/14/2004 |



| Bag | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-----|-----------|------|------|-----------|------|------|----------|---|--|--------------------------|-------|------------------------|-------------------------|---------------------|--------|---------------------|
| | # | Deg. | Min. | Sec. | Deg. | Min. | | | | Sec. | (m) | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | | Nuphar variegata |
| 12 | 41 | 18 | 15.0 | 72 | 51 | 29.9 | 5.2 | Potamogeton crispus | Potamogeton crispus, Ceratophyllum demersum | 65.879 | | | | 0.196 | | 6/14/2004 |
| 13 | 41 | 18 | 15.5 | 72 | 51 | 29.9 | 5.0 | Potamogeton crispus, Nymphaea odorata | Potamogeton crispus, Nymphaea odorata | 4.400 | | 0.724 | | | | 6/14/2004 |
| 14 | 41 | 18 | 15.7 | 72 | 51 | 29.9 | 5.0 | Potamogeton crispus, Nymphaea odorata | Potamogeton crispus, Nymphaea odorata | 1.143 | | 0.478 | | | | 6/14/2004 |
| 15 | 41 | 18 | 16.3 | 72 | 51 | 29.9 | 5.0 | Nymphaea odorata | Nymphaea odorata | | | 0.566 | | | | 6/14/2004 |
| 16 | 41 | 18 | 16.5 | 72 | 51 | 29.9 | 5.0 | Nymphaea odorata, Potamogeton crispus | Nymphaea odorata, Potamogeton crispus | 0.814 | | 0.920 | | | | 6/14/2004 |
| 17 | 41 | 18 | 17.0 | 72 | 51 | 29.9 | 5.0 | Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus | 4.391 | | | | | 1.850 | 6/14/2004 |
| | 41 | 18 | 17.5 | 72 | 51 | 29.9 | 5.0 | Stuckenia pectinata | NOTHING | | | | | | | 6/14/2004 |
| 18 | 41 | 18 | 18.0 | 72 | 51 | 29.9 | 5.0 | Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus | 1.409 | | | | | 10.054 | 6/14/2004 |
| | 41 | 18 | 18.5 | 72 | 51 | 29.9 | 5.0 | NOTHING | NOTHING | | | | | | | 6/14/2004 |
| 22 | 41 | 18 | 19.0 | 72 | 51 | 29.9 | 5.0 | Ceratophyllum demersum, Potamogeton pusillus | Potamogeton pusillus? | | 2.581 | | | | | 6/14/2004 |
| 23 | 41 | 18 | 18.5 | 72 | 51 | 30.9 | 5.0 | Nymphaea odorata | Nymphaea odorata | | | 1.613 | | | | 6/14/2004 |



| Bag # | Latitude* | | | Longitude | | | Accuracy (m) | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-------|-----------|------|------|-----------|------|------|--------------|--|--|--------------------------|----------------------|------------------|------------------|------------------------|--------|---------------------|
| | Deg. | Min. | Sec. | Deg. | Min. | Sec. | | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | | Stuckenia pectinata |
| 24 | 41 | 18 | 18.0 | 72 | 51 | 30.9 | 5.0 | Stuckenia pectinata, Potamogeton crispus | Potamogeton crispus | 4.960 | | | | | | 6/14/2004 |
| 25 | 41 | 18 | 17.5 | 72 | 51 | 30.9 | 5.0 | Potamogeton crispus, Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus | 0.544 | | | | | 0.728 | 6/14/2004 |
| | 41 | 18 | 17.0 | 72 | 51 | 30.9 | 5.0 | NOTHING | NOTHING | | | | | | | 6/14/2004 |
| 26 | 41 | 18 | 16.5 | 72 | 51 | 30.9 | 5.0 | Nymphaea odorata, Stuckenia pectinata, Potamogeton crispus | Potamogeton crispus, Nymphaea odorata | 10.526 | | 0.130 | | | | 6/14/2004 |
| 27 | 41 | 18 | 16.0 | 72 | 51 | 30.9 | 5.0 | Nymphaea odorata | Nymphaea odorata | | | 1.562 | | | | 6/14/2004 |
| 28 | 41 | 18 | 15.9 | 72 | 51 | 30.9 | 5.0 | Potamogeton crispus, Nymphaea odorata | Potamogeton crispus | 0.520 | | | | | | 6/14/2004 |
| 29 | 41 | 18 | 14.9 | 72 | 51 | 30.9 | 6.0 | Potamogeton crispus, Nymphaea odorata | Potamogeton crispus, Nymphaea odorata | 3.002 | | 1.359 | | | | 6/14/2004 |
| 30 | 41 | 18 | 14.5 | 72 | 51 | 30.9 | 6.0 | Potamogeton crispus | Potamogeton crispus | 0.444 | | | | | | 6/14/2004 |
| 31 | 41 | 18 | 14.0 | 72 | 51 | 30.9 | 6.0 | Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus | 0.577 | | | | | 10.260 | 6/14/2004 |
| 32 | 41 | 18 | 13.5 | 72 | 51 | 30.9 | 6.0 | Potamogeton crispus, Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus | 4.931 | | | | | 0.935 | 6/14/2004 |



| Bag # | Latitude* | | | Longitude | | | Accuracy (m) | Visual | Sample | Weight of Plants Sampled | | | | | | Date |
|-------|-----------|------|------|-----------|------|------|--------------|--|--|--------------------------|----------------------|------------------|------------------|------------------------|---------------------|-----------|
| | Deg. | Min. | Sec. | Deg. | Min. | Sec. | | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | Stuckenia pectinata | |
| 33 | 41 | 18 | 13.0 | 72 | 51 | 30.9 | 6.0 | Stuckenia pectinata, Nymphaea odorata | Stuckenia pectinata, Nymphaea odorata | | | 1.305 | | | 0.002 | 6/14/2004 |
| 34 | 41 | 18 | 12.6 | 72 | 51 | 30.9 | 6.0 | Stuckenia pectinata, Nymphaea odorata | Stuckenia pectinata, Nymphaea odorata | | | 0.174 | | | 0.053 | 6/14/2004 |
| 35 | 41 | 18 | 12.0 | 72 | 51 | 31.9 | 6.0 | Stuckenia pectinata, Nymphaea odorata | Nymphaea odorata | | | 1.873 | | | | 6/14/2004 |
| | 41 | 18 | 12.5 | 72 | 51 | 31.9 | 6.0 | Stuckenia pectinata | NOTHING | | | | | | | 6/14/2004 |
| 36 | 41 | 18 | 13.0 | 72 | 51 | 31.9 | 6.0 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata | | | | | | 9.139 | 6/14/2004 |
| 37 | 41 | 18 | 13.5 | 72 | 51 | 31.9 | 6.0 | Stuckenia pectinata | Stuckenia pectinata | | | | | | 22.297 | 6/14/2004 |
| 38 | 41 | 18 | 14.0 | 72 | 51 | 31.9 | 6.0 | Stuckenia pectinata | Stuckenia pectinata | | | | | | 15.779 | 6/14/2004 |
| 40 | 41 | 18 | 14.5 | 72 | 51 | 31.9 | 6.0 | Stuckenia pectinata, Potamogeton crispus, Nymphaea odorata | Stuckenia pectinata, Potamogeton crispus | 0.200 | | | | | 9.908 | 6/14/2004 |
| 41 | 41 | 18 | 15.0 | 72 | 51 | 31.9 | 6.0 | Nymphaea odorata, Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata | | | | | | 4.920 | 6/14/2004 |



| Bag | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-----|-----------|------|------|-----------|------|------|----------|---|---|--------------------------|-----|------------------------|-------------------------|---------------------|--------|---------------------|
| | # | Deg. | Min. | Sec. | Deg. | Min. | | | | Sec. | (m) | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | | Nuphar variegata |
| 42 | 41 | 18 | 15.5 | 72 | 51 | 31.9 | 6.0 | Stuckenia pectinata | Stuckenia pectinata | | | | | | 11.398 | 6/14/2004 |
| 43 | 41 | 18 | 16.0 | 72 | 51 | 31.9 | 6.0 | Stuckenia pectinata | Potamogeton crispus | 9.097 | | | | | | 6/14/2004 |
| 44 | 41 | 18 | 16.5 | 72 | 51 | 31.9 | 6.0 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata, Potamogeton crispus | 0.212 | | | | | 0.718 | 6/14/2004 |
| | 41 | 18 | 17.0 | 72 | 51 | 31.9 | 4.9 | NOTHING | NOTHING | | | | | | | 6/14/2004 |
| | 41 | 18 | 17.5 | 72 | 51 | 31.9 | 4.9 | NOTHING | NOTHING | | | | | | | 6/14/2004 |
| | 41 | 18 | 18.0 | 72 | 51 | 31.9 | 4.9 | NOTHING | NOTHING | | | | | | | 6/14/2004 |
| 45 | 41 | 18 | 18.5 | 72 | 51 | 31.9 | 4.9 | Potamogeton crispus | Potamogeton crispus | 43.179 | | | | | | 6/14/2004 |
| 46 | 41 | 18 | 19.0 | 72 | 51 | 31.9 | 4.9 | Potamogeton crispus, Nymphaea odorata | Nymphaea odorata | | | 3.750 | | | | 6/14/2004 |
| 47 | 41 | 18 | 18.6 | 72 | 51 | 32.9 | 4.9 | Nymphaea odorata | Nymphaea odorata | | | 2.224 | | | | 6/14/2004 |
| 48 | 41 | 18 | 18.0 | 72 | 51 | 32.9 | 4.9 | Stuckenia pectinata | Stuckenia pectinata | | | | | | 2.645 | 6/14/2004 |
| | 41 | 18 | 17.5 | 72 | 51 | 32.9 | 4.9 | NOTHING | NOTHING | | | | | | | 6/14/2004 |
| 49 | 41 | 18 | 17.0 | 72 | 51 | 32.9 | 4.9 | Stuckenia pectinata | Stuckenia pectinata, Ceratophyllum demersum, Potamogeton crispus | 1.568 | | | | 0.460 | 1.011 | 6/14/2004 |
| | 41 | 18 | 16.5 | 72 | 51 | 32.9 | 4.9 | NOTHING | NOTHING | | | | | | | 6/14/2004 |
| | 41 | 18 | 16.0 | 72 | 51 | 32.9 | 4.9 | NOTHING | NOTHING | | | | | | | 6/14/2004 |
| | 41 | 18 | 15.5 | 72 | 51 | 32.9 | 4.9 | Stuckenia pectinata | NOTHING | | | | | | | 6/14/2004 |
| 50 | 41 | 18 | 15.0 | 72 | 51 | 32.9 | 4.9 | Stuckenia pectinata | Potamogeton crispus | | | | | | 0.265 | 6/14/2004 |



| Bag | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-----|-----------|------|------|-----------|------|------|----------|---|---|--------------------------|-----|------------------------|-------------------------|---------------------|--------|---------------------|
| | # | Deg. | Min. | Sec. | Deg. | Min. | | | | Sec. | (m) | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | | Nuphar variegata |
| 51 | 41 | 18 | 14.5 | 72 | 51 | 32.9 | 4.9 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata | | | | | | 2.878 | 6/14/2004 |
| 52 | 41 | 18 | 14.0 | 72 | 51 | 32.9 | 4.9 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata | | | | | | 4.285 | 6/14/2004 |
| 53 | 41 | 18 | 13.5 | 72 | 51 | 32.9 | 4.9 | Stuckenia pectinata | Stuckenia pectinata | | | | | | 5.197 | 6/14/2004 |
| 54 | 41 | 18 | 13.0 | 72 | 51 | 32.9 | 4.9 | Stuckenia pectinata | Stuckenia pectinata | | | | | | 24.878 | 6/14/2004 |
| 55 | 41 | 18 | 12.5 | 72 | 51 | 32.9 | 4.9 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata, Potamogeton crispus | 0.069 | | | | | 2.708 | 6/14/2004 |
| 56 | 41 | 18 | 12.0 | 72 | 51 | 32.9 | 4.9 | Nymphaea odorata | Nymphaea odorata | | | 0.389 | | | | 6/14/2004 |
| 57 | 41 | 18 | 11.7 | 72 | 51 | 33.9 | 4.9 | Nymphaea odorata | Nymphaea odorata, Stuckenia pectinata, Potamogeton crispus | 0.029 | | 0.359 | | | 1.727 | 6/14/2004 |
| 58 | 41 | 18 | 12.5 | 72 | 51 | 33.9 | 4.9 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata | | | | | | 6.922 | 6/14/2004 |
| 59 | 41 | 18 | 13.0 | 72 | 51 | 33.9 | 5.5 | Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus | 0.513 | | | | | 19.988 | 6/14/2004 |
| 23 | 41 | 18 | 13.5 | 72 | 51 | 33.9 | 6.6 | Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus | 0.300 | | | | | 2.053 | 6/10/2004 |



| Bag | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-----|-----------|------|------|-----------|------|------|----------|---|---|--------------------------|-------------------------|---------------------|---------------------|---------------------------|------------------------|-----------|
| # | Deg. | Min. | Sec. | Deg. | Min. | Sec. | (m) | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | Stuckenia pectinata | |
| 24 | 41 | 18 | 14.0 | 72 | 51 | 33.9 | 6.6 | Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus | 0.954 | | | | | 16.538 | 6/10/2004 |
| 25 | 41 | 18 | 14.5 | 72 | 51 | 33.9 | 6.6 | Stuckenia pectinata | Stuckenia pectinata | | | | | | 10.107 | 6/10/2004 |
| | 41 | 18 | 15.0 | 72 | 51 | 33.9 | 6.6 | NOTHING | NOTHING | | | | | | | 6/10/2004 |
| | 41 | 18 | 15.5 | 72 | 51 | 33.9 | 6.6 | NOTHING | NOTHING | | | | | | | 6/10/2004 |
| | 41 | 18 | 16.0 | 72 | 51 | 33.9 | 6.6 | NOTHING | NOTHING | | | | | | | 6/10/2004 |
| 26 | 41 | 18 | 16.5 | 72 | 51 | 33.9 | 6.6 | Stuckenia pectinata, Potamogeton crispus | Potamogeton crispus | 14.324 | | | | | | 6/10/2004 |
| 27 | 41 | 18 | 17.0 | 72 | 51 | 33.9 | 5.9 | NOTHING | Potamogeton crispus | 3.504 | | | | | | 6/10/2004 |
| | 41 | 18 | 17.5 | 72 | 51 | 33.9 | 5.9 | Stuckenia pectinata | NOTHING | | | | | | | 6/10/2004 |
| 28 | 41 | 18 | 18.0 | 72 | 51 | 33.9 | 5.9 | Nuphar variegata, Nymphaea odorata, Stuckenia pectinata, Potamogeton crispus | Nymphaea odorata, Nuphar variegata, Potamogeton crispus | 1.475 | | 3.583 | 3.010 | | | 6/10/2004 |
| 9 | 41 | 18 | 17.7 | 72 | 51 | 34.9 | 5.1 | Nymphaea odorata, Potamogeton crispus | Nymphaea odorata, Potamogeton crispus | 1.492 | | 0.248 | | | | 6/10/2004 |
| 10 | 41 | 18 | 17.0 | 72 | 51 | 34.9 | 7.7 | Potamogeton crispus, Stuckenia pectinata | Potamogeton crispus, Stuckenia pectinata | 1.476 | | | | | 0.541 | 6/10/2004 |



| Bag | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | Date | |
|-----|-----------|------|------|-----------|------|------|----------|---|---|--------------------------|-----|------------------------|-------------------------|---------------------|--------|---------------------|
| | # | Deg. | Min. | Sec. | Deg. | Min. | | | | Sec. | (m) | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | | Nuphar variegata |
| 11 | 41 | 18 | 16.5 | 72 | 51 | 34.9 | 7.1 | Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus | 9.058 | | | | | 1.169 | 6/10/2004 |
| | 41 | 18 | 16.0 | 72 | 51 | 34.9 | 7.1 | NOTHING | NOTHING | | | | | | | 6/10/2004 |
| 12 | 41 | 18 | 15.5 | 72 | 51 | 34.9 | 7.1 | NOTHING | Potamogeton crispus | 0.320 | | | | | | 6/10/2004 |
| | 41 | 18 | 15.0 | 72 | 51 | 34.9 | 7.1 | NOTHING | NOTHING | | | | | | | 6/10/2004 |
| 13 | 41 | 18 | 14.5 | 72 | 51 | 34.9 | 7.1 | NOTHING | Potamogeton crispus | 1.365 | | | | | | 6/10/2004 |
| 14 | 41 | 18 | 14.0 | 72 | 51 | 34.9 | 6.1 | Stuckenia pectinata | Stuckenia pectinata, Potamogeton crispus | 0.024 | | | | | 2.345 | 6/10/2004 |
| 15 | 41 | 18 | 13.5 | 72 | 51 | 34.9 | 6.0 | Nymphaea odorata, Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata, Potamogeton crispus, Nymphaea odorata | 0.348 | | 0.535 | | | 2.072 | 6/10/2004 |
| 16 | 41 | 18 | 13.0 | 72 | 51 | 34.9 | 5.3 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata | | | | | | 0.431 | 6/10/2004 |
| 17 | 41 | 18 | 12.5 | 72 | 51 | 34.9 | 5.3 | Stuckenia pectinata, Potamogeton crispus, Nymphaea odorata | Stuckenia pectinata, Nymphaea odorata | | | 0.185 | | | 5.476 | 6/10/2004 |
| 18 | 41 | 18 | 12.0 | 72 | 51 | 34.9 | 5.3 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata, Potamogeton crispus | 0.894 | | | | | 19.270 | 6/10/2004 |



| Bag | | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | Date |
|-----|------|-----------|------|------|-----------|------|-----|---|--|------------------------|--------------------------|---------------------|---------------------|---------------------------|------------------------|-----------|
| # | Deg. | Min. | Sec. | Deg. | Min. | Sec. | (m) | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | Stuckenia pectinata | |
| 22 | 41 | 18 | 11.5 | 72 | 51 | 34.9 | 6.4 | Nymphaea odorata, Stuckenia pectinata | Nymphaea odorata | | | 2.232 | | | | 6/10/2004 |
| 41 | 41 | 18 | 11.2 | 72 | 51 | 35.9 | 6.4 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata | | | | | | 4.200 | 6/10/2004 |
| 40 | 41 | 18 | 11.2 | 72 | 51 | 35.9 | 7.3 | Nymphaea odorata, Potamogeton crispus | Potamogeton crispus, Nymphaea odorata | 2.915 | | 0.468 | | | | 6/10/2004 |
| | 41 | 18 | 12.0 | 72 | 51 | 35.9 | 7.3 | Potamogeton crispus | NOTHING | | | | | | | 6/10/2004 |
| 38 | 41 | 18 | 12.5 | 72 | 51 | 35.9 | 5.4 | Potamogeton crispus, Stuckenia pectinata | Stuckenia pectinata | | | | | | 0.654 | 6/10/2004 |
| 37 | 41 | 18 | 13.0 | 72 | 51 | 35.9 | 8.1 | Potamogeton crispus, Stuckenia pectinata | Potamogeton crispus | 8.122 | | | | | | 6/10/2004 |
| 36 | 41 | 18 | 13.5 | 72 | 51 | 35.9 | 8.1 | Potamogeton crispus | Potamogeton crispus | 3.538 | | | | | | 6/10/2004 |
| 35 | 41 | 18 | 14.0 | 72 | 51 | 35.9 | 8.1 | Stuckenia pectinata, Potamogeton crispus | Potamogeton crispus | 23.576 | | | | | | 6/10/2004 |
| 34 | 41 | 18 | 14.5 | 72 | 51 | 35.9 | 8.1 | Potamogeton crispus | Potamogeton crispus | 8.940 | | | | | | 6/10/2004 |
| 33 | 41 | 18 | 15.0 | 72 | 51 | 35.9 | 5.4 | Stuckenia pectinata, Potamogeton crispus | Stuckenia pectinata | | | | | | 12.903 | 6/10/2004 |



| Bag | Latitude* | | | Longitude | | | Accuracy | Visual | Sample | Weight of Plants Sampled | | | | | | Date |
|-----|-----------|------|------|-----------|------|------|----------|---|--|--------------------------|-------------------------|---------------------|---------------------|---------------------------|------------------------|-----------|
| # | Deg. | Min. | Sec. | Deg. | Min. | Sec. | (m) | | | Potamogeton crispus | Potamogeton pusillus | Nymphaea odorata | Nuphar variegata | Ceratophyllum demersum | Stuckenia pectinata | |
| 32 | 41 | 18 | 15.5 | 72 | 51 | 35.9 | 5.4 | Stuckenia pectinata | Potamogeton crispus | | | 11.439 | | | | 6/10/2004 |
| 31 | 41 | 18 | 16.0 | 72 | 51 | 35.9 | 5.4 | Potamogeton crispus | Potamogeton crispus | 4.271 | | | | | | 6/10/2004 |
| 30 | 41 | 18 | 16.5 | 72 | 51 | 35.9 | 5.8 | Potamogeton crispus, Stuckenia pectinata | Potamogeton crispus | 3.921 | | | | | | 6/10/2004 |
| 29 | 41 | 18 | 17.0 | 72 | 51 | 35.9 | 5.8 | Nymphaea odorata | Nymphaea odorata | | | 5.413 | | | | 6/10/2004 |
| 42 | 41 | 18 | 11.2 | 72 | 51 | 36.9 | 8.0 | Stuckenia pectinata, Nymphaea odorata | Stuckenia pectinata, Nymphaea odorata | | | 0.237 | | | 7.430 | 6/10/2004 |
| 43 | 41 | 18 | 12.0 | 72 | 51 | 36.9 | 7.1 | Nymphaea odorata, Potamogeton crispus, Stuckenia pectinata | Nymphaea odorata, Potamogeton crispus | 1.280 | | 3.890 | | | | 6/10/2004 |
| 44 | 41 | 18 | 12.5 | 72 | 51 | 36.9 | 7.1 | Nymphaea odorata | Nymphaea odorata | | | 4.720 | | | | 6/10/2004 |
| 46 | 41 | 18 | 13.0 | 72 | 51 | 36.9 | 5.2 | Potamogeton crispus, Nymphaea odorata, Stuckenia pectinata | Potamogeton crispus, Nymphaea odorata | 2.326 | | 10.213 | | | | 6/10/2004 |
| | 41 | 18 | 13.5 | 72 | 51 | 36.9 | 5.2 | Stuckenia pectinata, Potamogeton crispus | NOTHING | | | | | | | 6/10/2004 |
| 45 | 41 | 18 | 12.5 | 72 | 51 | 37.9 | 5.2 | Nymphaea odorata | Nymphaea odorata | | | 15.230 | | | | 6/10/2004 |

