

## Environmental Monitor Archives



**May 19, 2015**

### Scoping Notices

1. Springborn Dam Removal, Enfield
2. Norwich Combined Sewer Overflow Control Plan, Norwich
3. Covey Rd. Watermain Extension, Burlington
4. State Police Firearms Training Facility Relocation, East Windsor or Willington
5. **New!** Asnuntuck Community College New Manufacturing Center, Enfield

### Post-Scoping Notices: Environmental Impact Evaluation (EIE) Not Required

1. Milford Property Acquisition, Milford
2. Replacement of Bridge 02866 - Rt. 275 over Willimantic River, Coventry and Mansfield

### Environmental Impact Evaluations

No Environmental Impact Evaluation has been submitted for publication in this edition.

### State Land Transfers

No State Land Transfer has been submitted for publication in this edition.

---

**The next edition of the Environmental Monitor will be published on June 2, 2015.**

**[Subscribe to e-alerts](#) to receive an e-mail when the Environmental Monitor is published.**

---

*Notices in the Environmental Monitor are written by the sponsoring agencies and are published unedited. Questions about the content of any notice should be directed to the sponsoring agency.*

---

## Scoping Notices

"Scoping" is for projects in the earliest stages of planning. At the scoping stage, detailed information on a project's design, alternatives, and environmental impacts does not yet exist. Sponsoring agencies are asking for comments from other agencies and from the public as to the scope of alternatives and environmental impacts that should be considered for further study. Send your comments to the contact person listed for the project by the date indicated.

---

**The following Scoping Notices have been submitted for review and comment.**

---

## **1. Notice of Scoping for Springborn Dam Removal**

**Municipality where proposed project might be located:** Enfield

**Address of Project Location:** Dam is on Scantic River in Scitico section of Enfield, adjacent to 504 Hazard Avenue

**Project Description:** *NOTE: This project was the subject of a Scoping Notice in April 2014. It is being noticed again because the project now includes demolition of the mill buildings.*

The Springborn dam, owned by the Department of Energy and Environmental Protection, is located on the Scantic River in Enfield. It is a run-of-river dam built in 1890 to provide power for an adjacent mill. The structure has deteriorated over time and is considered to be in very poor condition. The dam currently consists of the failed remains of timber crib over stone masonry.

It is the goal of the Department to remove the dam in order to eliminate a public safety risk and reconnect habitat by restoring a stretch of free-flowing river. Contaminated sediments in the impoundment will be identified and excavated prior to dam removal.

In order to facilitate the dam removal, the Department is also proposing to remove the adjacent former mill buildings, which are currently unoccupied and deteriorating.

Project objectives include:

- Eliminate a public safety risk
- Eliminate a migratory barrier to diadromous fish and eastern brook trout
- Promote the restoration of runs of American shad, river herring, sea lamprey, and American eel
- Remove contaminated sediment from the river to eliminate exposure hazard to recreationalists and downstream residents (in the event of dam failure) and strengthen the long-term resiliency of the aquatic organisms
- Restore natural riverine functions (e.g. sediment transport, restoration of floodplain functions and values, maintenance of normal thermal regimes, re-establishment of natural riverine vegetative communities)

**Project Maps:** [Click here to view a map of the project location.](#)  
[Click here to view an aerial photograph of the dam and buildings.](#)

**Written comments from the public are welcomed and will be accepted until the close of business on: **May 22, 2015.****

**Any person can ask the sponsoring agency to hold a Public Scoping Meeting by sending such a request to the address below. If a meeting is requested by 25 or more individuals, or by an association that represents 25 or more members, the Department of Energy & Environmental Protection will schedule a Public Scoping Meeting. Such requests must be made by **May 1, 2015.****

**Written comments and/or requests for a Public Scoping Meeting should be sent to:**

**Name:** Jennifer L. Perry, P.E.

**Agency:** Department of Energy & Environmental Protection  
Bureau of Water Protection & Land Reuse

**Address:** 79 Elm Street  
Hartford, CT 06106-5127

**Phone:** 860-424-3802

**Fax:** 860-424-4075

**E-Mail:** [jennifer.perry@ct.gov](mailto:jennifer.perry@ct.gov)

**If you have questions about a public meeting, or other questions about the project or scoping, contact Ms. Perry as directed above.**

The Connecticut Department of Energy and Environmental Protection is an Affirmative Action/Equal Opportunity Employer that is committed to complying with the requirements of the Americans with Disabilities Act. Any person with a disability who may need a communication aid or service may contact the agency's ADA Coordinator at 860-424-3194 or at [deep.hrmed@ct.gov](mailto:deep.hrmed@ct.gov). Any person with limited proficiency in English, who may need information in another language, may contact the agency's Title VI Coordinator at 860-424-3035 or at [deep.aoffice@ct.gov](mailto:deep.aoffice@ct.gov). ADA or Title VI discrimination complaints may be filed with DEEP's EEO Manager at (860) 424-3035 or at [deep.aoffice@ct.gov](mailto:deep.aoffice@ct.gov).

---

## 2. Notice of Scoping for Norwich Combined Sewer Overflow Control Plan

**Municipality where proposed project might be located:** Norwich

**Project Location:** The Greenville, Eastside, Thamesville, Laurel Hill and Downtown areas of Norwich

**Project Description:** Norwich is a combined sewer overflow (CSO) community, where both sanitary sewage and stormwater are carried in a single pipe. During rainfall events of sufficient intensity and duration, the capacity of the collection system is overwhelmed and excess flows discharge to nearby rivers via built-in overflows in the collection system. The overflows were designed to prevent the combined sewer flows from backing up into basements and surcharging onto the streets.

The collection system will undergo a separation which will involve the construction of a new sewer parallel to the existing combined sewer, thereby segregating the sources. After completion of a separation, one dedicated stormwater sewer will transport runoff directly to the local receiving waters, while the other sewer will be dedicated to carrying wastewater to the wastewater treatment plant for treatment prior to discharge into the river.

The CSO Long Term Control Plan recommends complete separation of all remaining combined sewer areas in Norwich, with the separation projects to be implemented in a phased approach, over a 20 year period. The highest priority areas would be done first, with the option to reevaluate the final phase of separation as the project progresses, based on environmental improvements, changes in regulations and new technological solutions that may emerge.

The proposed sewer separation project will be conducted according to a "Five-Phase Implementation Plan." The separation plan is structured to give the highest environmental benefits at the beginning of the program. At the end of the first phase, in year 4 of the "Five-Phase Implementation Plan," the Greenville area separation will be completed, which is projected to eliminate half of the CSO discharge volume. At the end of the third phase, in year 8, over 98% of the CSO discharge volume will be eliminated. In year 15 of the program, after the first four separation phases are completed, over 99% of the CSO discharge volume (on an annual basis for the typical year) will be removed. At that point Norwich will evaluate the progress made to date and the cost-effectiveness of implementing the final phase, phase 5, of the separation work.

**Project Maps:** [Click here to view a table outlining the Five-Phase Implementation Plan](#)  
[Click here to view a figure depicting the Five-Phase Implementation Plan](#)

**Additional information about the project can be viewed in person at:**

Department of Energy and Environmental Protection  
Bureau of Water Protection & Land Reuse (2nd floor)  
79 Elm Street  
Hartford, CT 06106

**Written comments from the public are welcomed and will be accepted until the close of business on: **June 5, 2015****

**Any person can ask the sponsoring agency to hold a Public Scoping Meeting by sending such a request to the address below. If a meeting is requested by 25 or more individuals, or by an association that represents 25 or more members, the sponsoring agency shall schedule a Public Scoping Meeting. Such requests must be made by **May 15, 2015**.**

**Written comments and/or requests for a Public Scoping Meeting should be sent to:**

**Name:** Stela Marusin  
**Agency:** Department of Energy & Environmental Protection  
Bureau of Water Protection & Land Reuse  
**Address:** 79 Elm Street  
Hartford, CT 06106-5127  
**Phone:** 860-424-3742  
**Fax:** 860-424-4067  
**E-Mail:** [stela.marusin@ct.gov](mailto:stela.marusin@ct.gov)

**If you have questions about the public meeting, or other questions about the scoping for this project, contact Ms. Marusin, as directed above.**

The Connecticut Department of Energy and Environmental Protection is an Affirmative Action/Equal Opportunity Employer that is committed to complying with the requirements of the Americans with Disabilities Act. Any person with a disability who may need a communication aid or service may contact the agency's ADA Coordinator at 860-424-3194 or at [deep.hrmed@ct.gov](mailto:deep.hrmed@ct.gov). Any person with limited proficiency in English, who may need information in another language, may contact the agency's Title VI Coordinator at 860-424-3035 or at [deep.aaoffice@ct.gov](mailto:deep.aaoffice@ct.gov). ADA or Title VI discrimination complaints may be filed with DEEP's EEO Manager at (860) 424-3035 or at [deep.aaoffice@ct.gov](mailto:deep.aaoffice@ct.gov).

---

### **3. Notice of Scoping for Covey Road Water Main Extension**

**Municipality where proposed project might be located:** Burlington

**Address of Possible Project Location:** Covey Road

**Project Description:** The project comprises the installation of approximately 1,000 lineal feet of eight-inch water main and associated appurtenances along a portion of Covey Road in Burlington, CT. The new main will be connected to the existing water main of The Torrington Water Company, located on George Washington Turnpike. The project will be funded through the Small Town Economic Assistance Program (STEAP) distributed by the Office of Policy and Management (OPM).

**Project Maps:** Click [here](#) for a map of the project location. Click [here](#) for a conceptual site plan of the project.

**Written comments from the public are welcomed and will be accepted until the close of business on: **Thursday, June 4, 2015.****

**Any person can ask the sponsoring agency to hold a Public Scoping Meeting by sending such a request to the address below. If a meeting is requested by 25 or more individuals, or by an association that represents 25 or more members, the sponsoring agency shall schedule a Public Scoping Meeting. Such requests must be made by **Friday, May 15, 2015.****

**Written comments and/or requests for a Public Scoping Meeting should be sent to:**

**Name:** Mr. Eric McPhee  
**Agency:** Department of Public Health  
Drinking Water Section  
**Address:** 410 Capitol Avenue, MS #51WAT  
PO Box 340308  
Hartford, CT 06134-0308  
**Fax:** 860-509-7359  
**E-Mail:** [Dph.sourceprotection@ct.gov](mailto:Dph.sourceprotection@ct.gov)

**If you have questions about the public meeting, or other questions about the scoping for this project, contact:**

**Name:** Ms. Patricia Bisacky  
**Agency:** Department of Public Health  
Drinking Water Section  
**Address:** 410 Capitol Avenue, MS #51WAT  
PO Box 340308  
Hartford, CT 06134-0308  
**Phone:** 860-509-7333  
**Fax:** 860-509-7359  
**E-Mail:** [Patricia.bisacky@ct.gov](mailto:Patricia.bisacky@ct.gov)

---

#### **4. Notice of Scoping for Connecticut State Police Firearms Training Facility Relocation**

**Municipalities where proposed project might be located:** East Windsor and Willington

**Addresses of Possible Project Locations:** Apothecaries Hall Road & Windsorville Road, East Windsor ("East Windsor Site"); Ruby Road, Willington ("Willington – Ruby Site"); and Eldredge Mills Road, Willington ("Willington – Eldredge Site").

**Project Description:** The Department of Emergency Services and Public Protection (DESPP), Division of State Police (CSP) is proposing to relocate its existing Firearms Training Facility and Program located on Nod Road in Simsbury to a new site. The proposed sites are:

- East Windsor Site: is located south of Apothecaries Hall Road, west of Windsorville Road, and east of a railroad line. The site is comprised of two parcels: parcel IDs: 048-65-007 (124.8 acres) and 057-65-001 (98 acres). Total Site acreage: 222.8 acres.
- Willington – Ruby Site: is located east of Ruby Road (Route 320) and north of Cosgrove Road. The site is comprised of two parcels: parcel IDs: 33/019-00 (315.99 acres) and 33/017-00 (10.59 acres). Total Site acreage: 326.58 acres.
- Willington – Eldredge Site: is located at the end of Eldredge Mills Road (west of Ruby Road [Route 320]) and east of River Road. The site is comprised of three parcels: parcel IDs: 33/004-00 (105.71 acres), 33/012-00 (41.7 acres), and 33/001-00 (5.61 acres). Total Site acreage: 153.02 acres.

At this point, the State has not begun the design phase, therefore the actual project layout would occur after a final site is selected and a design team is hired. However, the estimated maximum acreage needed for the main project elements is approximately 30 acres. This does not include axillary infrastructure improvements that may be necessary for the project.

The project proposes to maintain and improve the CSP Firearms Training Program to benefit DESPP's critical needs. Other state, federal, international, and host community law enforcement agencies would also utilize this facility as part of the inter-relationships DESPP has with various agencies.

The following are the major facility elements associated with this relocation project:

- Approximately 55,000 gross square feet (GSF) multipurpose training building(s). This building (or combinations of smaller buildings) would contain: classrooms to hold up to approximately 100 troopers and/or cadets; firearms simulator room; open area training room; indoor active-shooter training; gun cleaning and smithing; file storage room; staff offices; firearms vault; ammunition storage vault; recruit/staff kitchen and dining area; reloading area; target storage area; bathrooms with lockers and showers; and a garage.

- 2 Range Control Towers (approximately 1 story high)
- 1 Qualifying Pistol Range (approximately 200 ft x 170 ft)
- 1 Active Shooter Training Range (approximately 200 ft x 170 ft)
- 1 Rifle Range (approximately 300 yd x 50 yd)
- 1 Shotgun Rifle Range (approximately 100 yd x 30 yd)
- Approximately 125 parking spaces
- Well and septic systems, telecom, and electrical utilities

**Project Maps:**

- East Windsor Site: [General Location](#) (7.7 MB) [Aerial Parcel Map](#) (6.3 MB)
- Willington – Ruby Site: [General Location](#) (7.3 MB) [Aerial Parcel Map](#) (7.7 MB)
- Willington – Eldredge Site: [General Location](#) (7.3 MB) [Aerial Parcel Map](#) (7.7 MB)

**Written comments from the public are welcomed and will be accepted until the close of business on: **June 4, 2015.****

**There will be two Public Scoping Meetings for this project at:**

**DATE:** May 18, 2015

**TIME:** 7:00 P.M.

**PLACE:** East Windsor High School, 6 South Main Street, East Windsor, CT.

**NOTES:** Doors open at 6:30 PM; meeting starts at 7:00 PM and will conclude after public comments.

**DATE:** May 28, 2015

**TIME:** 7:00 P.M.

**PLACE:** Willington Town Library, 7 Ruby Road, Willington, CT.

**NOTES:** Doors open at 6:30 PM; meeting starts at 7:00 PM and will conclude after public comments.

**Written comments and/or requests for a Public Scoping Meeting should be sent to:**

**Name:** Jeff Bolton, Supervising Environmental Analyst

**Agency:** Department of Administrative Services, Division of Construction Services

**Address:** 165 Capitol Avenue, Room 483  
Hartford, Connecticut 06106

**Fax:** (860) 713-7251

**E-Mail:** [jeffrey.bolton@ct.gov](mailto:jeffrey.bolton@ct.gov)

**If you have questions about the public meeting, or other questions about the scoping for this project, contact:**

**Name:** Sgt. Shane Hassett  
**Agency:** Connecticut State Police  
**Address:** 1111 Country Club Road  
Middletown, CT. 06457  
**Phone:** (860) 685-8230  
**Fax:** (860) 685-8301  
**E-Mail:** [shane.hassett@ct.gov](mailto:shane.hassett@ct.gov)

**The agency expects to release an Environmental Impact Evaluation for this project, for public review and comment, in October, 2015.**

---

## **5. Notice of Scoping for Asnuntuck Community College New Manufacturing Technology Center**

**Project Title:** Asnuntuck Community College New Manufacturing Technology Center (BI-CTC-488)

**Municipality where proposed project might be located:** Enfield

**Address of Possible Project Location:** 170 Elm Street

**Project Description:** The Connecticut State Colleges and Universities (ConnCSU), in conjunction with Asnuntuck Community College and the Connecticut Division of Construction Services, proposes to construct a new building to aid in the expansion of its existing manufacturing technology program. The new building will be approximately 27,000 gross square feet (GSF) and will contain state-of-the-art instructional spaces for manufacturing technologies, additive manufacturing, and metrology. It will also provide space for computer labs, classrooms, and faculty and administrative spaces. The proposed location for the project is the area to the south of the existing academic building, near the ball fields, where the walking track is currently located. This site was selected for its minimal parking disturbance, its potential for future expansion, and for the possibility of creating a new courtyard between the proposed building and existing campus building. A parking lot expansion of 44 additional parking spaces and a walkway around the perimeter of a park green are also proposed to the south of the proposed building location.

**Project Maps:** [Click here to view the general location](#) (950 kb) [Click here to view the proposed site plan](#) (852 kb)

**Written comments from the public are welcomed and will be accepted until the close of business on: **June 18, 2015.****

**Any person can ask the sponsoring agency to hold a Public Scoping Meeting by sending such a request to the address below. If a meeting is requested by 25 or more individuals, or by an association that represents 25 or more members, the sponsoring agency shall schedule a Public Scoping Meeting. Such requests must be made by **May 29, 2015.****

**Written comments and/or requests for a Public Scoping Meeting should be sent to:**

**Name:** Jeff Bolton, Supervising Environmental Analyst  
**Agency:** DAS - Division of Construction Services  
**Address:** 165 Capitol Avenue, Room 483, Hartford, CT 06106  
**Fax:** 860-713-7251  
**E-Mail:** [Jeffrey.bolton@ct.gov](mailto:Jeffrey.bolton@ct.gov)

**If you have questions about the public meeting, or other questions about the scoping for this project, contact:**

**Name:** Jeff Bolton, Supervising Environmental Analyst  
**Agency:** DAS - Division of Construction Services  
**Address:** 165 Capitol Avenue, Room 483, Hartford, CT 06106  
**Phone:** 860-713-5706  
**Fax:** 860-713-7251  
**E-Mail:** [Jeffrey.bolton@ct.gov](mailto:Jeffrey.bolton@ct.gov)

**The agencies expect to make a determination on whether an Environmental Impact Evaluation for this project is warranted in June/July 2015.**

## **Post-Scoping Notices: Environmental Impact Evaluation Not Required**

This category is required by the October 2010 revision of the [Generic Environmental Classification Document](#) for State Agencies. A notice is published here if the sponsoring agency, after publication of a scoping notice and consideration of comments received, has determined that an Environmental Impact Evaluation (EIE) does not need to be prepared for the proposed project.

**The following Post-Scoping Notices have been submitted for publication in this edition.**

### **1. Post-Scoping Notice for Milford Land Acquisition**

**Municipality where project will be located:** 44-64 & 0 River Street, 145 High Street, 0 Railroad Avenue, Milford, CT

**CEPA Determination:** On February 17, 2015 the Office of Policy & Management (OPM) published a [Notice of Scoping](#) to solicit public comments for this project in the *Environmental Monitor*. Comments were received from the Office of Environmental Review of the [Department of Energy and Environmental Protection](#), the Intergovernmental Policy Division of the [Office of Policy and Management](#), and the Drinking Water Section of the [Department of Public Health](#).

In direct answer to questions posed by the Intergovernmental Policy Division of the Office of Policy and Management, the [City of Milford](#) drafted a letter of response. As the project sponsor, the OPM has reviewed the content of this reply letter and accepts the responses as its own.

The OPM is also in receipt of comments from the [State Historic Preservation Office](#) of the Department of Economic and Community Development and one comment from a member of the [general public](#).

The OPM has taken all comments into consideration and has concluded that the project does not require the preparation of an Environmental Impact Evaluation under CEPA.

The agency's conclusion is documented in an [Environmental Assessment Review](#) and a [Memo of Findings and Determination](#).

**If you have questions about the project, you can contact the agency at:**

**Name:** C. Zack Hyde  
**Agency:** Office of Policy & Management  
**Address:** 450 Capitol Avenue  
MS# 55SEC  
Hartford, CT 06106  
**Phone:** 860-418-6261



Fax: 860-418-6487  
E-Mail: [zack.hyde@ct.gov](mailto:zack.hyde@ct.gov)

**What happens next:** The OPM expects the project to go forward. This is expected to be the final notice of the project to be published in the *Environmental Monitor*.

---

## 2. Post-Scoping Notice for Replacement of Bridge No. 02866 - Route 275 over Willimantic River

**Municipalities where project will be located:** Coventry and Mansfield

**CEPA Determination:** On March 17, 2015 the Connecticut Department of Transportation (Department) published a [Notice of Scoping](#) to solicit public comments for this project in the *Environmental Monitor*. During the scoping period, the Department received comments from the [Mansfield Department of Public Works](#), the [Willimantic River Alliance, Inc.](#), the [Office of Policy and Management](#), the [Connecticut Department of Energy and Environmental Protection](#), and the [Department of Public Health](#). The Department has taken all comments into consideration and has concluded that the project does not require the preparation of Environmental Impact Evaluation under CEPA.

The Department's conclusion is documented in an [Environmental Assessment Checklist](#) and a [Memo of Findings and Determination](#).

**If you have questions about the project, you can contact the agency at:**

**Name:** Mr. Mark W. Alexander, Transportation Assistant Planning Director

**Agency:** Connecticut Department of Transportation  
Bureau of Policy and Planning

**Address:** 2800 Berlin Turnpike  
Newington, Connecticut 06131

**Phone:** 860-594-2931

**E-Mail:** [dot.environmentalplanning@ct.gov](mailto:dot.environmentalplanning@ct.gov)

**What happens next:** The Department expects the project to go forward. This is expected to be the final notice of the project to be published in the *Environmental Monitor*.

---

### EIE Notices

After Scoping, an agency that wishes to undertake an action that could significantly affect the environment must produce, for public review and comment, a detailed written evaluation of the expected environmental impacts. This is called an [Environmental Impact Evaluation](#) (EIE).

**No Environmental Impact Evaluation has been submitted for publication in this edition.**

---

### State Land Transfer Notices

Connecticut General Statutes [Section 4b-47](#) requires public notice of most proposed sales and transfers of state-owned lands. The public has an opportunity to comment on any such proposed transfer. Each notice includes an address where comments should be sent. [Read more about the process.](#)

---

**No State Land Transfer Notice has been submitted for publication in this edition.**

---

---

The Adobe Reader is necessary to view and print Adobe Acrobat documents, including some of the maps and illustrations that are linked to this publication. If you have an outdated version of Adobe Reader, it might cause pictures to display incompletely. To download up-to-date versions of the free software, click on the Get Acrobat button, below. This link will also provide information and instructions for downloading and installing the reader.



[Download the free Acrobat Reader!](#) Access.Adobe is a tool that allows blind and visually impaired users to read any documents in Adobe PDF format. For more information, read the [product overview at Adobe.com](#).

---