#### **Technical Decontamination**

# Operations Level Hazardous Materials and Weapons of Mass Destruction Psychomotor Skills Certification Testing

Connecticut Commission on Fire Prevention and Control Certification Division



## Program Goal


Designed for candidates preparing for the Firefighter I (Haz-Mat competencies) or Awareness and Operations Hazardous Materials Level certification examination process to demonstrate the concepts for Technical Decontamination



## Program's Intent


- Prepare candidate for certification testing in technical decontamination
- Assist instructors in demonstrating technical decontamination
- Offer ONE representative option for technical decontamination
- NOT intended as the ONLY configuration for technical decontamination
- NOT intended to challenge or change the methodology or configuration of protocol or CONN-OSHA regulations for technical decontamination in the State of Connecticut

### Technical Decontamination Corridor for Hazardous Materials and Weapons of Mass Destruction Certification Psychomotor Skills Testing



## Clean Side vs. Dirty Side

- There is a distinction between Hot and Cold Zones and Clean and Dirty Sides
- Clean Side is the side of the decon corridor where the Decon Team will work
- Dirty side is the opposite side caused by contaminants being 'moved' as the Entry Team is being decontaminated



Reference Source: IAFF Haz-Mat Technician Training Program Module 8, page 8-16



## Equipment

- Tarp
- Pools
- Brushes
- Wands
- Solution
- Buckets
- Barrels

- Trash bag liners
- Garden hoses
- Reducer
- Manifold
- PPE
- SCBA
- Etc., etc.





## Many Variations

- Corridor set up dependence:
  - Chemical
  - State of matter
  - Concentration
- Haz-Mat Technician or IC oversight
- Candidate is responsible to set up equipment











#### **Technical Decontamination**

## Level "B" Chemical Protective Suits



## Personal Protective Equipment

- Decon Team dressed to same level of protection or ONE lower than Entry Team
- Reminder: If Entry Team is in Level "B" the lowest protection allowed the Decon Team is Structural Firefighting Gear with SCBA
- Level "C" Respirator Protection is not utilized by fire service in CT
- Structural Firefighting Gear w/o SCBA is NOT acceptable under this circumstance





## **Equipment and Tool Drop Area**

- Tools used in multiple entry operations
- No need to decon after every entry
- Tools may need specific decon
- Tools may be identified for disposal not decontamination
- Consider an additional drop for specialized or electronic equipment





#### Communication

- "Are you okay?"
- "How is your air supply?"
- "What is contaminated?"
- "How do you think you got dirty?"
- "Raise arms up and rotate."
- Decon Team performs quick visual survey; advises of any suit damage





#### **Balance**

- Many methods
  - Brushes
  - Walker
  - Broom Stick
- Avoid trip hazards
- Decon Team avoids direct contact when possible





#### Pool #1 - Gross Rinse

- Remove large contaminants
- Start at head; work down
- Entry Team member may need to squat
- Alternative: Decon Shower (not part of certification testing)





#### Rotate



Carefully rotate

Use balancing stick

Thoroughly rinse





#### **Extreme Care**

- Ensure that all suit crevices and wrinkles are clear
- Ensure that all exposures are clear







## Reduced-Profile SCBA Maneuver to Decon Back

- Loosen straps and belt
- Maintain contact with regulator
- Reduce profile further by removing one harness strap
- Slide harness to left side behind arm
- Return SCBA to back for safe movement from pool to pool





1





#### **Boot Rinse and Move**





- Raise leg to wash bottom of boot
- Place lower leg outside pool
- Complete process on other leg
- Lower second leg outside pool







#### Pool #2 – Wash with Brush and Solution

- Rinse before and after washing
- Use head-to-toe approach
- Pay attention to areas that received greater contamination













## Lower-Profile and Washing

- Loosen straps and belt
- Maintain contact with regulator
- Reduce profile further by removing one harness strap
- Slide harness to left side behind arm
- Return SCBA to back for safe movement from pool to pool










#### Pool #3 - Final Rinse

- Similar to Pool #1
- Include Low-Profile SCBA Maneuver for final rinse (not shown)











3 CONTRACTOR OF THE STATE OF TH

## Doffing

 Refer to PPT on Donning and Doffing Level "B" Suits and SCBA





#### Hand Wash Station

- Optional Station
- Wash hands with soap and water or waterless lotions and paper towels
- After Doffing PPE
- Before going to EMS (could be completed at EMS station)





#### **Technical Decontamination**

Structural Firefighting Gear



## **Equipment and Tool Drop Area**

- Tools used in multiple entry operations
- No need to decon after every entry
- Tools may need specific decon
- Tools may be identified for disposal not decontamination
- Consider an additional drop for specialized or electronic equipment





#### Communicate

- "Are you okay?"
- "How is your air supply?"
- "What is contaminated?"
- "How do you think you got dirty?"
- "Raise arms up and rotate."
- Decon team performs quick visual: advises of any suit damage





#### **Balance**

- Many methods
  - Brushes
  - Walker
  - Broom Stick
- Avoid trip hazards
- Decon Team avoid direct contact when possible





#### Pool # 1 – Gross Rinse

- Remove large contaminants
- Start at head; work down
- Entry Team member may need to squat
- Alternative: Decon Shower (not part of certification testing)







## Thorough Rinse

- Carefully rotate
- Use balancing stick
- Reduce contamination









## Reduced-Profile SCBA Maneuver to Decon Back

- Loosen straps and belt
- Maintain contact with regulator
- Reduce profile further by removing one harness strap
- Slide harness to left side behind arm
- Return SCBA to back for safe movement from pool to pool











#### Pool #2 – Wash with Solution

- Rinse before and after washing
- Use a head-to-toe approach
- Pay attention to areas that received greater contamination









### Washing and Reduced Profile

- Loosen straps and belt
- Maintain contact with regulator
- Reduce profile further by removing one harness strap
- Slide harness to left side behind arm
- Return SCBA to back for safe movement from pool to pool









#### Pool #3 - Final Rinse

- Similar to Pool #1
- Include Lower Profile SCBA Maneuver for final rinse (not shown)











## Prepare for Doffing

 Refer to PPT on Doffing of Structural Firefighting Gear





#### Hand Wash Station

- Optional Station
- Before going to EMS
- Wash Hands with soap and water or waterless lotions and paper towels
- After Doffing PPE
- Before going to EMS (could be completed at EMS station)



