



Firefighter I

Skills Evaluation Sheets 2019 Edition

STATE OF CONNECTICUT
COMMISSION ON FIRE PREVENTION AND CONTROL

860-627-6363

In-State Toll Free - 1-877-528-3473





State of Connecticut

COMMISSION ON FIRE PREVENTION AND CONTROL

Firefighter I Evaluation Skill Sheet



SS#	Skill Sheet Title	NFPA 1001 Objective Addressed 2019 Edition
FF1 PPE	Donning Personal Protective Clothing	4.1.2, 4.3.2, 4.3.2(A)(B)
FF1 Initiate Emer. Response	Emergency Telephone Procedures	4.2.1, 4.2.1(A)(B)
FF1 Non Emerg. Phone Call	Fire Department Telephone Skills (non-emergency)	4.2.2, 4.2.2(A)(B)
FF1 Radio Size Up	Radio Procedures for Fire Ground Size-Up	4.2.3, 4.2.3(A)(B)
FF1 Radio Operation	Radio Procedures Emergency/Non-Emergency	4.2.3, 4.2.3(A)(B)
FF1 Mayday	Activate Emergency Call for Assistance	4.2.4, 4.2.4(A)(B)
FF1 SCBA Replace Cyl. 1 FF	SCBA – Replacement of Cylinder (one person)	4.3.1, 4.3.1(A)(B)
FF1 SCBA Replace Cyl. 2 FF	SCBA – Replacement of Cylinder (two person)	4.3.1, 4.3.1(A)(B)
FF1 SCBA Donning	Donning SCBA	4.3.1, 4.3.1(A)(B)
FF1 SCBA Inspection	SCBA – Ready for Immediate Use	4.3.1, 4.3.1(A)(B), 4.5.1(A)(B)
FF 1 SCBA Rest. Pass. Vertical	Use of SCBA – Restricted Passage (vertical egress)	4.3.1, 4.3.1(A)(B), 4.3.9, 4.3.9(A)(B)
FF1 SCBA Rest. Pass. Horizontal	Use of SCBA – Restricted Passage (horizontal egress)	4.3.1, 4.3.1(A)(B), 4.3.9, 4.3.9(A)(B)
FF1 SCBA Failure Procedure	SCBA Failure Procedures	4.3.1, 4.3.1(A)(B)
FF1 Apparatus	Safety – Mounting, Riding, Dismounting Apparatus	4.3.2, 4.3.2(A)(B), 4.3.3, 4.3.3(A)(B)
FF1 Scene Control	Deployment – Scene Control Devices	4.3.3, 4.3.3(A)(B), 4.3.2, 4.3.2(A)(B)
FF1 Tools Hand	Identify and Carry Tools	4.3.4, 4.3.4(A)(B)
FF1 Tools Power	Identify and Carry Tools	4.3.4, 4.3.4(A)(B)
FF1 Force Entry Door	Forcible Entry – Door	4.3.4, 4.3.4(A)(B)
FF1 Force Entry Window (Non Dest.)	Window Opening (non-destructive)	4.3.4, 4.3.5(A)(B)
FF1 Force Entry Wall Breach	Forcible Entry – Plaster or Gypsum Partition Walls	4.3.4, 4.3.4(A)(B)
FF1 Trapped w/ Hose	Trapped/Disoriented with Hose	4.3.5, 4.3.5(A)(B)
FF1 Trapped w/o Hose	Trapped/Disoriented without Hose	4.3.5, 4.3.5(A)(B)
FF1 Ladders 24' Raise Single FF	24' Extension Ladder – Carry/Raise/Extend (one person)	4.3.6, 4.3.6(A)(B)
FF1 Ladders 24' Single FF Lower	24' Extension Ladder – Lower/Removal (one person)	4.3.6, 4.3.6(A)(B)
FF1 24'-28' Raise 2 FF	24'/28' Extension Ladder – Carry/Raise/Extend (two person)	4.3.6, 4.3.6(A)(B)
FF1 24'-28' Lower 2 FF	24'/28' Extension Ladder – Lowering/Removal (two person)	4.3.6, 4.3.6(A)(B)
FF1 Ladders 14'/20' Carry/Raise 1 FF	14'/20' Single Ladder – Carry/Raise (one person)	4.3.6, 4.3.6(A)(B)
FF1 Ladders 14'/20' Lower/Remove 1 FF	14'/20' Single Ladder – Lower Removal (one person)	4.3.6, 4.3.6(A)(B)
FF1 Ladders 35' Carry/Raise 3 FF	35' Extension Ladder – Carry/Raise/Extend (three person)	4.3.6, 4.3.6(A)(B)
FF1 Ladders 35' Lower/Remove 3 FF	35' Extension Ladder – Lowering/Removal (three person)	4.3.6, 4.3.6(A)(B)



State of Connecticut

COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I Evaluation Skill Sheet

FF1 Car Fire	Fire Suppression – Vehicle Fires	4.3.7, 4.3.7(A)(B)
FF1 Fire Attack Class A	Fire Suppression – Piles/Stacks/Dumpster/Storage Container of Class A Combustibles	4.3.8, 4.3.8(A)(B)
FF1 Master Stream	Deploy Master Stream Device (two person)	4.3.8, 4.3.8(A)(B)
FF1 Rescue Downed FF w/ Func. SCBA	Rescue a Downed Firefighter w/ Functioning SCBA	4.3.9, 4.3.9(A)(B), 4.3.1, 4.3.1(A)(B)
FF1 Rescue FF w/o Func. SCBA	Rescue a Downed Firefighter w/ Non-Functioning SCBA	4.3.9, 4.3.9(A)(B), 4.3.1, 4.3.1(A)(B)
FF1 Ladders Rescue Conscious Victim	Removal Over Ladder (conscious person)	4.3.9, 4.3.9(A)(B), 4.3.6, 4.3.6(A)(B)
FF1 Ladders Unconscious Victim	Removal Over Ladder (unconscious person)	4.3.9, 4.3.9(A)(B), 4.3.6, 4.3.6(A)(B)
FF1 Search Primary	Conduct a Primary Search	4.3.9, 4.3.9(A)(B)
FF1 Search Secondary	Conduct a Secondary Search	4.3.9, 4.3.9(A)(B)
FF1 Search Carries	Drags and Carries	4.3.9, 4.3.9(A)(B)
FF1 Fire Attack Interior	Fire Suppression – Interior Structure, Above Grade, Grade Level, Below Grade	4.3.10, 4.3.10(A)(B)
FF1 Fire Attack Interior	Hose Deployment	4.3.10, 4.3.10(A)(B), 4.3.8, 4.3.8(A)(B)
FF1 Fire Attack Interior	Hoseline Advancement	4.3.10, 4.3.10(A)(B), 4.3.8, 4.3.8(A)(B)
FF1 Hose Ladder Ops	Charged Hoseline Operation from Ground Ladder (2person)	4.3.10, 4.3.10(A)(B)
FF1 Hose Nozzle Use	Use of Nozzle	4.3.10, 4.3.10(A)(B), 4.3.13, 4.3.13(A)(B), 4.3.8, 4.3.8(A)(B)
FF1 Hose Replace Length	Replace Burst Section of Hose	4.3.10, 4.3.10(A)(B)
FF1 Hose Add Length	Adding a Length of hose	4.3.10, 4.3.10(A)(B)
FF1 Hose Couple/Uncouple	Coupling and Uncoupling Hose (one person)	4.3.10, 4.3.10(A)(B)
FF1 Hose Couple/Uncouple 2FF	Coupling and Uncoupling Hose (two person)	4.3.10, 4.3.10(A)(B)
FF1 Standpipe Operation	Standpipe Operation	4.3.10, 4.3.10(A)(B)
FF1 Hose Drain	Hose Section Drain and Carry	4.3.10(A)(B), 4.5.2(A)(B)
FF1 Hose Removal	Remove Hose from Upper Floors	4.3.10, 4.3.10(A)(B), 4.3.14, 4.3.14(A)(B)
FF1 Hose Remove from Bldg.	Remove hose from Building to Minimize Water Damage	4.3.10, 4.3.10(A)(B), 4.3.14, 4.3.14(A)(B)
FF1 Ladders Work from Ladder	Working Safely from Ground Ladders	4.3.11, 4.3.11(A)(B), 4.3.6, 4.3.6(A)(B)
FF1 Vent. Window	Window Opening (destructive)	4.3.11, 4.3.11(A)(B), 4.3.6, 4.3.6(A)(B)
FF1 Vent. Hydraulic	Hydraulic Ventilation	4.3.11, 4.3.11(A)(B)
FF1 Vent. Neg. Pressure	Negative Pressure Ventilation	4.3.11, 4.3.11(A)(B)
FF1 Vent. Pos. Pressure	Positive Pressure Ventilation	4.3.11, 4.3.11(A)(B)
FF1 Ladders Roof Ladder Deployment	Roof Ladder Deployment	4.3.12, 4.3.12(A)(B), 4.3.6, 4.3.6(A)(B)
FF1 Ladders Roof Ladder Removal	Roof Ladder – Lower/Removal (two person)	4.3.12, 4.3.12(A)(B), 4.3.6, 4.3.6(A)(B)
FF1 Ladders Climb with Tool	Ladder Climb with tool	4.3.12, 4.3.12(A)(B), 4.3.11, 4.3.11(A)(B), 4.3.6, 4.3.6(B)



State of Connecticut

COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I Evaluation Skill Sheet

FF1 Vet. Determine Roof Integrity	Determining Roof Integrity	4.3.12, 4.3.12(A)(B)
FF1 Vent. Flat Roof	Roof Ventilation – Flat	4.3.12, 4.3.12(A)(B)
FF1 Vent. Pitched Roof	Roof Ventilation – Pitched	4.3.12, 4.3.12(A)(B)
FF1 Overhaul	Expose Hidden Fire	4.3.13, 4.3.13(A)(B), 4.3.10, 4.3.10(A)(B)
FF 1 Salvage Cover Deploy 2 FF	Salvage Cover Deployment (two person)	4.3.14, 4.3.14(A)(B)
FF1 Salvage Catchall	Construction and Use of Water Catchall	4.3.14, 5.3.14(A)(B)
FF1 Salvage Water Chute	Construction and use of Water Chute	4.3.14, 4.3.14(A)(B)
FF1 Salvage Water Removal	Routing/Removal of Water and Debris (vertical) Upper Floors	4.3.14, 4.3.14(A)(B)
FF1 Salvage Water Removal	Routing/Removal of Water and Debris (horizontal)	4.3.14, 4.3.14(A)(B)
FF1 Salvage Water Removal Below Grade	Routing/Removal of Water and Debris (below grade)	4.3.14, 4.3.14(A)(B)
FF1 Salvage Close Bldg.	Closes up a Building	5.3.14, 4.3.14(A)(B)
FF1 Overhaul	Separate and Remove Charred Material	4.3.14, 4.3.14(A)(B), 4.3.13, 5.3.13(A)(B)
FF1 Sprinkler Wedging	Stop Water Flow from Sprinkler	4.3.14, 4.3.14(A)(B)
FF1 W.S. Drafting	Drafting (static source) Four Person	4.3.15, 4.3.15(A)(B)
FF1 W.S. Hand Lay	Hydrant to Pumper Connection	4.3.15, 4.3.15(A)(B)
FF1 W.S. Forward Lay	Hydrant Connection (forward lay)	4.3.15, 4.3.15(A)(B)
FF1 W.S. Reverse Lay	Hydrant Connection (reverse lay)	4.3.15, 4.3.15(A)(B)
FF1 Siamese Connection	Sprinkler/Standpipe (Siamese) FDC	4.3.15, 4.3.15(A)(B)
FF1 Port. Exting.	Extinguish Class A/B/C Fires	4.3.16, 4.3.16(A)(B)
FF1 Scene Lighting	Safety Procedures for Lighting Equipment	4.3.17, 4.3.17(A)(B)
FF1 Utility Control	Control Utility Service	4.3.18, 4.3.18(A)(B)
FF1 Ground Cover Fire	Donning Ground Cover Personal Protective Equipment	4.3.19, 4.3.19(A)(B)
FF1 Ground Cover Fire	Tool and Appliances for Simple Ground Cover Hose Lay	4.3.19, 4.3.19(A)(B)
FF1 Ground Cover Fire	Use of Hand Tools while Building a Fire Control Line	4.3.19, 4.3.19(A)(B)
FF1 Ropes & Knots	Tie Knots and Hoist Tools	4.3.20, 4.3.20(A)(B)
FF1 Ropes & Knots	Knot Selection and Tying	4.3.20, 4.3.20(A)(B)
FF1 Air Monitoring	Use of Air Monitoring Equipment	4.3.21, 4.3.21(A)(B)
FF1 Ladder Maintenance	Cleaning/Maintaining/Inspecting Department Ladders	4.5.1, 4.5.1(A)(B)
FF1 SCBA Inspection	Maintenance/Use SCBA	4.5.1, 4.5.1(A)(B)
FF1 Salvage Cover Maintenance.	Inspection/Maintenance of Salvage Cover	4.5.1, 4.5.1(A)(B)
FF1 Rope Maint.	Rope Maintenance	4.5.1, 4.5.1(A)(B)
FF1 Hose Storage	Hose Storage	4.5.2, 4.5.2(A)(B)
FF1 Hose Rolls	Hose Rolls	4.5.2, 4.5.2(A)(B)
FF1 Hose Load Attack	Hose Bed Attack	4.5.2, 4.5.2(A)(B)



State of Connecticut

COMMISSION ON FIRE PREVENTION AND CONTROL

Firefighter I Evaluation Skill Sheet



FF1 Hose Load Supply	Hose Bed Supply	4.5.2, 4.5.2(A)(B)
FF1 Hose Maint.	Cleaning/Maintaining/Inspecting Hose	4.5.2, 4.5.2(A)(B)
FF1 Hose Maint.	Cleaning/Maintaining/Inspecting Hose Couplings	4.5.2, 4.5.2(A)(B)

Rev 3/2020

Release Date



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 PPE	Primary Task: Donning/Doffing Personal Protective Clothing		
Objective(s) : 4.1.2(B), 4.3.2(B)	NFPA Standard: 1001, 2019 Edition	Candidate #	
<p>Task: The candidate given a set of PPE, will demonstrate the proper method to don PPE in accordance with manufacturer's recommendations and Department policies.</p>			
		1st	2nd
1 * Dons boots / trousers with suspenders on shoulders			
2 * Dons hood extending around neck under coat			
3 * Fastens coat completely with collar up and neck tab secured			
4 * Dons helmet, chin strap secured under chin			
5 * Dons gloves			
6 Doffs PPE correctly			
7 Performs gross decontamination of PPE after use			
8 Places PPE in condition for emergency response			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 6

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Initiate Emergency Response	Primary Task: Emergency Telephone Procedures															
Objective(s) : 4.2.1, 4.2.1(A)(B)	NFPA Standard: 1001, 2019 Edition	Candidate #														
Task: Given a phone, the candidate will demonstrate the proper method to answer an emergency/non-emergency phone call from the public following Dept. SOP's/SOG's and take appropriate action based on SOP's/SOG/s																
		<table border="1" style="border-collapse: collapse;"> <thead> <tr> <th style="width: 50px;">1st</th> <th style="width: 50px;">2nd</th> </tr> </thead> <tbody> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> </tbody> </table>	1st	2nd												
1st	2nd															
1. Answer phone in accordance with department's SOPs or other guidelines																
2. Have questions organized to control conversation (type of incident and location etc.)																
3. Ask questions in an assertive voice (department's SOPs)																
4. Repeat information back to caller																
5. Forward information to proper authority (department SOPs)																
6. * Documents information																
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT														
		Total number tasks candidate must complete to pass 4														

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Non- Emergency Phone Call	Primary Task:	Fire Department Telephone Skills (non-emergency from public)	
Objective(s) : 4.2.2, 4.2.2 (A)(B)		NFPA Standard	1001, 2019 Edition	Candidate #
<p>Task: Given a phone, the candidate will demonstrate the proper method to answer a non-emergency phone call from the public following Dept. SOP's/SOG's</p>				
			1st	2nd
1. Answers calls promptly and in a professional manner				
2. Identifies himself/herself (rank & name) and the name of his/her fire department				
3. Records all information accurately – name, time, date, telephone number				
4. Terminates call courteously				
5. Forwards information to the proper authority (department SOP's)				
6. Operates intercom system (if applicable)				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT		Total number tasks candidate must complete to pass 4

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Radio Size Up	Primary Task:	Radio Procedures for Fire Ground Size-Up																					
Objective(s) :	4.2.3, 4.2.3(A)(B)	NFPA Standard:	1001, 2019 Edition																					
			Candidate #																					
<p>Task: The candidate given a radio and instruction will, demonstrate proper radio communications on a simulated emergency scene.</p>																								
			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;"></th> <th style="width: 25%; text-align: center;">1st</th> <th style="width: 25%; text-align: center;">2nd</th> </tr> </thead> <tbody> <tr> <td>1 Identifies who message is being transmitted to (ex. Fire Alarm, Dispatch)</td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> </tr> <tr> <td>2 * Identifies themselves (ex. Engine #1, Truck #1, Rescue #1)</td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> </tr> <tr> <td>3 * Confirms location of incident, correct address</td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> </tr> <tr> <td>4 Gives description of scene (type/size of bldg., conditions observed)</td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> </tr> <tr> <td>5 Voice is clear when transmitting</td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> </tr> <tr> <td>6 Ensures message is concise and to the point</td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> </tr> </tbody> </table>		1 st	2 nd	1 Identifies who message is being transmitted to (ex. Fire Alarm, Dispatch)			2 * Identifies themselves (ex. Engine #1, Truck #1, Rescue #1)			3 * Confirms location of incident, correct address			4 Gives description of scene (type/size of bldg., conditions observed)			5 Voice is clear when transmitting			6 Ensures message is concise and to the point		
	1 st	2 nd																						
1 Identifies who message is being transmitted to (ex. Fire Alarm, Dispatch)																								
2 * Identifies themselves (ex. Engine #1, Truck #1, Rescue #1)																								
3 * Confirms location of incident, correct address																								
4 Gives description of scene (type/size of bldg., conditions observed)																								
5 Voice is clear when transmitting																								
6 Ensures message is concise and to the point																								
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 5																					

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet #: FF1 Radio Operation	Primary:	Emergency/Non-Emergency Radio Communications																					
Objective(s) : 4.2.3(B)	NFPA Standard:1001 2019 Edition	Candidate #																					
<p>Tasks: The candidate, given a scenario, and Fire Department radio, will be able to discriminate between routine and emergency radio traffic</p> <table border="1"> <thead> <tr> <th></th> <th>1st</th> <th>2nd</th> </tr> </thead> <tbody> <tr> <td>1. Determines correct operating channel</td> <td></td> <td></td> </tr> <tr> <td>2. Determines if channel is clear for transmission of message(s)</td> <td></td> <td></td> </tr> <tr> <td>3. Determines if message is routine or emergency</td> <td></td> <td></td> </tr> <tr> <td>4. Demonstrates correct procedure for transmitting emergency radio message</td> <td></td> <td></td> </tr> <tr> <td>5. Demonstrates correct procedure for when emergency radio message is transmitted</td> <td></td> <td></td> </tr> <tr> <td>6. Demonstrates correct procedure for receiving radio messages (emergency/non-emergency)</td> <td></td> <td></td> </tr> </tbody> </table>				1st	2nd	1. Determines correct operating channel			2. Determines if channel is clear for transmission of message(s)			3. Determines if message is routine or emergency			4. Demonstrates correct procedure for transmitting emergency radio message			5. Demonstrates correct procedure for when emergency radio message is transmitted			6. Demonstrates correct procedure for receiving radio messages (emergency/non-emergency)		
	1st	2nd																					
1. Determines correct operating channel																							
2. Determines if channel is clear for transmission of message(s)																							
3. Determines if message is routine or emergency																							
4. Demonstrates correct procedure for transmitting emergency radio message																							
5. Demonstrates correct procedure for when emergency radio message is transmitted																							
6. Demonstrates correct procedure for receiving radio messages (emergency/non-emergency)																							
* Critical Task Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 5																					

3/2020

**Prevent or prohibit any unsafe acts.
 Contact the Chief Examiner at any time with any questions.
 Remember, you are an evaluator, not a trainer...**

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR MUST COMPLETE REVERSE SIDE.



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Mayday	Primary Task: Activate Emergency Call for Assistance																												
Objective(s) : 4.2.4, 4.2.4(A)(B)	NFPA Standard: 1001, 2019 Edition	Candidate #																											
<p>Task: Given PPE, SCBA, and instruction, the candidate will demonstrate the proper activation of a Mayday call.</p>																													
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;"></th> <th style="width: 25%;">1st</th> <th style="width: 25%;">2nd</th> </tr> </thead> <tbody> <tr><td>1 *Correctly wears full PPE and SCBA</td><td></td><td></td></tr> <tr><td>2 * Identify need to declare "May Day"</td><td></td><td></td></tr> <tr><td>3 * Announce "May Day, May Day, May Day" over communications channel</td><td></td><td></td></tr> <tr><td>4 Provide Command with information (LUNAR)</td><td></td><td></td></tr> <tr><td>5 * Activate PASS device</td><td></td><td></td></tr> <tr><td>6 Move to safe location</td><td></td><td></td></tr> <tr><td>7 Activate flashlight, pointed at ceiling</td><td></td><td></td></tr> <tr><td>8 Conserve air supply</td><td></td><td></td></tr> </tbody> </table>		1st	2nd	1 *Correctly wears full PPE and SCBA			2 * Identify need to declare "May Day"			3 * Announce "May Day, May Day, May Day" over communications channel			4 Provide Command with information (LUNAR)			5 * Activate PASS device			6 Move to safe location			7 Activate flashlight, pointed at ceiling			8 Conserve air supply		
	1st	2nd																											
1 *Correctly wears full PPE and SCBA																													
2 * Identify need to declare "May Day"																													
3 * Announce "May Day, May Day, May Day" over communications channel																													
4 Provide Command with information (LUNAR)																													
5 * Activate PASS device																													
6 Move to safe location																													
7 Activate flashlight, pointed at ceiling																													
8 Conserve air supply																													
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT Total number tasks candidate must complete to pass 6																											

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 SCBA Cylinder Replace 1 FF	Primary Task:	SCBA – Replacement of Cylinder (One Person)																														
Objective(s) :	4.3.1, 4.3.1(A)(B)	NFPA Standard:	1001, 2019 Edition																														
			Candidate #																														
<p>Task: The candidate given an SCBA, spare SCBA cylinder, and instruction will demonstrate the correct procedure for replacing an SCBA cylinder (single firefighter)</p>																																	
			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;"></th> <th style="width: 25%;">1st</th> <th style="width: 25%;">2nd</th> </tr> </thead> <tbody> <tr><td>1 *Closes cylinder</td><td></td><td></td></tr> <tr><td>2 *Properly bleeds off pressure</td><td></td><td></td></tr> <tr><td>3 Removes, protects high pressure hose</td><td></td><td></td></tr> <tr><td>4 *Checks that new cylinder is full (or at least 90%)</td><td></td><td></td></tr> <tr><td>5 Releases/removes old cylinder, installs/secures new cylinder</td><td></td><td></td></tr> <tr><td>6 Checks valve opening and “O” ring (if applicable)</td><td></td><td></td></tr> <tr><td>7 Connects high pressure hose</td><td></td><td></td></tr> <tr><td>8 *Opens cylinder, checks for leaks</td><td></td><td></td></tr> <tr><td>9 Checks and verifies all gauges are correct</td><td></td><td></td></tr> </tbody> </table>		1st	2nd	1 *Closes cylinder			2 *Properly bleeds off pressure			3 Removes, protects high pressure hose			4 *Checks that new cylinder is full (or at least 90%)			5 Releases/removes old cylinder, installs/secures new cylinder			6 Checks valve opening and “O” ring (if applicable)			7 Connects high pressure hose			8 *Opens cylinder, checks for leaks			9 Checks and verifies all gauges are correct		
	1st	2nd																															
1 *Closes cylinder																																	
2 *Properly bleeds off pressure																																	
3 Removes, protects high pressure hose																																	
4 *Checks that new cylinder is full (or at least 90%)																																	
5 Releases/removes old cylinder, installs/secures new cylinder																																	
6 Checks valve opening and “O” ring (if applicable)																																	
7 Connects high pressure hose																																	
8 *Opens cylinder, checks for leaks																																	
9 Checks and verifies all gauges are correct																																	
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 7																														

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 SCBA Cylinder Replace 2 FF	Primary Task: SCBA – Replacement of Cylinder (Two Person) for Re-Entry	
Objective(s) : 4.3.1, 4.3.1(A)(B)	NFPA Standard: 1001, 2019 Edition	Candidate #
<p>Task: The candidate, given an SCBA, spare SCBA cylinder, and instruction will correctly demonstrate the procedure to change an SCBA cylinder (two firefighter)</p>		
		1st 2nd
1 Changer turns off cylinder		
2 Changer instructs wearer to release pressure		
3 Changer disconnects, protects high pressure hose		
4 Changer releases cylinder, replaces with new cylinder and secures		
5 * Changer verifies that cylinder is full (or at least 90%)		
6 Changer checks valve opening and “O” ring (if Applicable)		
7 Changer connects high pressure hose		
8 *Changer opens cylinder fully and checks for leaks		
9 Checks and verifies all guages are correct		
* Critical Task Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 7

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 SCBA Donning	Primary Task:	Donning SCBA
Objective(s) : 4.3.1, 4.3.1(A)(B)	NFPA Standard:	1001, 2019 Edition	Candidate #
<p>Task: Given an SCBA, PPE, and instruction the candidate will properly don PPE and SCBA as if entering a dangerous atmosphere.</p>			
			1st 2nd
1	*Correctly wears full PPE		
2	* Checks that cylinder is full (or at least 90%)		
3	* Opens cylinder fully		
4	Dons harness and connects waist straps		
5	Dons facepiece properly		
6	Checks facepiece seal		
7	Activates air flow		
8	Activates PASS Device (if not integrated)		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 6

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 SCBA Restrict Pass (Vertical)	Primary Task:	SCBA Restricted Passage (Vertical)
Objective(s) :	4.3.1, 4.3.1(A)(B), 4.3.9, 4.3.9(A)(B)	NFPA Standard:	Candidate #
		1001, 2019 Edition	
Task: The candidate, given PPE, SCBA, a restricted passage prop, and instruction, will demonstrate the proper method of passing through a restricted passage (vertical)			
			1st 2nd
1	*Correctly wears full PPE and SCBA		
2	* Checks for floor integrity		
3	* Does not remove facepiece or PPE		
4	Loosens shoulder straps and waist straps		
5	Removes or loosens shoulder strap from the non-regulator side		
6	* Must maintain contact with the regulator or shoulder strap		
7	Slides backpack to the outside of the shoulder that he/she is maintaining contact with		
8	* Side steps through restricted opening maintaining contact with SCBA		
9	* Exits the restricted area, redons the SCBA backpack, tightens all straps		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 7

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 SCBA Restrict Pass (Horizontal)	Primary Task:	SCBA Restricted Passage (Horizontal)
Objective(s) :	4.3.1, 4.3.1(A)(B), 4.3.9, 4.3.9(A)(B)	NFPA Standard:	1001, Candidate # 2019, Edition
Task: The candidate, given PPE, SCBA, a restricted passage prop, and instruction, will demonstrate the proper method of passing through a restricted passage (horizontal)			
			1st 2nd
1	*Correctly wears full PPE and SCBA		
2	* Does not remove facepiece or PPE		
3	Removes air-pack and places air-pack before him/her holding the regulator side shoulder strap		
4	* Pushes airpack in front while crawling through restricted area, still holding the regulator side shoulder strap at all times		
5	* Exits the restricted area, redons SCBA backpack and tightens all straps		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 SCBA Failure Proceed.	Primary Task:	SCBA Failure Procedures																
Objective(s) :	4.3.1, 4.3.1(A)(B)	NFPA Standard:	1001, 2019 Edition																
			Candidate #																
<p>Task: The candidate given PPE, SCBA, and instruction will demonstrate the correct procedures in the event of an SCBA failure.</p>																			
			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">1st</th> <th style="width: 50%;">2nd</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	1st	2nd														
1st	2nd																		
1	*Correctly wears full PPE and SCBA																		
2	* Notifies partner/command of MAY DAY																		
3	* Manually activates PASS device to alarm mode																		
4	Conserves air																		
5	Utilizes bypass/purge valve to conserve air correctly																		
6	Buddy breathes (when equipment and jurisdiction allows)																		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 5																

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Apparatus Mount/Dismount	Primary Task:	Mounting, Riding, and Dismounting Apparatus		
Objective(s) : 4.3.2, 4.3.2(A)(B), 4.3.3, 4.3.3(A)(B)		NFPA Standard:	1001 2019, Edition	Candidate #	
Task: Given a Fire Apparatus, and PPE, the candidate will demonstrate the correct way to mount and dismount a Fire Apparatus.					
				1st	2nd
1	*Correctly dons PPE before mounting apparatus				
2	Mounts apparatus using handrail				
3	* Applies seat belt and other safety devices				
4	Communicates with officer				
5	Checks traffic movement prior to dismounting apparatus				
6	Checks for other hazards				
7	* Dismounts apparatus using hand rail in a manner consistent with training				
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT		Total number tasks candidate must complete to pass 5

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Scene Control	Primary Task:	Deployment of Traffic and Scene Control Devices at Emergency Scenes
Objective(s) :	4.3.3, 4.3.3(A)(B), 4.3.2, 4.3.2(A)(B)	NFPA Standard:	1001, 2019 Edition
		Candidate #	
<p>Task: The candidate, given scene control supplies (cones, fire line tape), and instruction, will demonstrate the correct method to secure an emergency scene</p>			
		1st	2nd
1	* Wears appropriate protective clothing (reflective vest if required).		
2	Establishs zone boundaries based on instructions/hazard(s) present.		
3	Uses traffic cones and other scene devices (fire line tape) to cordon off area.		
4	Continues to monitor area to prevent people from entering the hazard area.		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 3

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Tools Hand	Primary Task:	Identify and Carry Tools
Objective(s) : 4.3.4, 4.3.4(A)(B), 4.3.11(B), 4.3.12(B)		NFPA Standard:1001 2019 Edition	Candidate #
<p>Task: The candidate given a selection of firefighting tools shall correctly identify each tool and explain its use and how to carry one of the below listed type of tool</p>			
			1st
			2nd
1	* Wears full PPE		
2	Identifies cutting tool		
3	Identifies prying tool		
4	Identifies striking tool		
5	* Safely carries at least one of the above tools		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet #: FF1 Tools Power	Primary Task:	Inspect/Maintain/Operate Power Tools	
Objective(s) : 4.3.11(B), 4.3.12(B), 4.3.4(B)	NFPA Standard:1001 2019 Edition	Candidate #	
Task: The candidate, given a power tool, rag, gas can, oil, and instruction will inspect, maintain and operate a power tool			
		1st	2nd
1. Maintains/services in a manner consistent with manufacture's recommendations			
2. Checks gas/fuel			
3. Checks oil			
4. Checks safety devices/guards are present			
5. Starts equipment properly			
6. Demonstrates use of safety equipment/chain brakes/depth guards			
7. Shuts down equipment properly			
8. Documents service records/tags for damage or out of service			
* Critical Task Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	6

3/2020

**Prevent or prohibit any unsafe acts.
 Contact the Chief Examiner at any time with any questions.
 Remember, you are an evaluator, not a trainer...**

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR MUST COMPLETE REVERSE SIDE.



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Force Entry Door	Primary Task:	Forcible Entry – Door
Objective(s) :	4.3.4, 4.3.4 (A)(B)	NFPA Standard:	1001, 2019 Edition
			Candidate #
<p>Task: Given PPE, a door/door prop, and forcible entry tools the candidate will, demonstrate the proper technique to forcibly enter a door.</p>			
			1st
			2nd
1	* Correctly wears full PPE		
2	Identifies tools and carries them in a manner consistent with training		
3	* Determines if door is locked (try before you pry)		
4	Identifies door swing		
5	Identifies lock mechanism		
6	* Demonstrates proper technique for forcing door		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 5

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Vent. Window Non Destructive	Primary Task:	Window Opening (Non-Destructive)	
Objective(s) :	4.3.11, 4.3.11(A)(B), 4.3.4(B)	NFPA Standard:	1001, 2019 Edition	Candidate #
Task: Given PPE, a window/window prop, and instruction, the candidate will demonstrate the proper technique to open a window (non-destructive) for ventilation				
			1st	2nd
1	*Correctly wears full PPE			
2	Identifies window type			
3	* Disengages lock mechanism			
4	Opens window(s):			
	Downwind – High			
	Upwind - Low			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	3

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Force Entry Wall Breach	Primary Task:	Forcible Entry through Wood Frame Walls		
Objective(s) :	4.3.4, 4.3.4(A)(B)	NFPA Standard: 1001, 2019 Edition	Candidate #		
Task: Given PPE, forcible entry tools, and a wall, the candidate will, demonstrate the proper technique to force entry through a wood frame wall.					
			1st	2nd	
1	* Correctly wears full PPE				
2	Selects location for opening				
3	* Checks wall for electrical wall plugs and switches				
4	Sounds wall to locate studs				
5	Cuts inspection hole				
6	* Checks wall for plumbing/electrical/natural gas utilities				
7	Cuts along studs for opening to gain access				
8	Sounds floor on other side before entering				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	6	

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Trapped w/Hose	Primary Task:	Action When Trapped/Disoriented with Hose		
Objective(s) :	4.3.5, 4.3.5(A)(B)	NFPA Standard: 1001, 20193 Edition	Candidate #		
Task: The candidate, given PPE, SCBA, charged hoseline, training room, and instruction, will demonstrate the proper technique for self-rescue from a trapped and disoriented situation					
				1st	2nd
1	*Correctly wears full PPE and SCBA				
2	Uses portable radio properly (speaks clearly)				
3	* Calls May Day				
4	* Identifies location and situation				
5	* Manually activates PASS device to alarm mode				
6	Controls breathing				
7	Controls panic				
8	Listens for noises or sounds				
9	Systematically searches to locate hoseline				
10	* Feels coupling and correctly determines correct direction to follow				
11	Identifies safe haven if unable to self rescue				
12	*Notifies IC of self rescue /clears Mayday				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	9	

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Trapped without Hose	Primary Task:	Action When Trapped/Disoriented w/o Hose		
Objective(s) : 4.3.5, 4.3.5(A)(B)	NFPA Standard: 1001, 2019 Edition	Candidate #		
Task: The candidate, given PPE, SCBA, training room, and instruction, will demonstrate the proper technique for self-rescue from a trapped and disoriented situation				
			1st	2nd
1	*Correctly wears full PPE and SCBA			
2	Uses portable radio appropriately (speaks clearly)			
3	* Calls May Day			
4	* Identifies location and situation			
5	Listens for noises or sounds			
6	* Manually activates PASS alarm to alarm mode			
7	Controls breathing			
8	Controls panic			
9	* Locates and follows wall in the same direction			
10	Locates windows/door			
11	Identifies safe haven if unable to self rescue			
12	Notifies IC of self rescue/clears Mayday			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	9

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders 24' Carry Raise 1 FF	Primary Task:	24' Extension Ladder – Carry / Raise / Extend (One Person)
Objective(s) :	4.3.6, 4.3.6(A)(B)	NFPA Standard:	1001, 2019 Edition
			Candidate #
<p>Task: The candidate, given a 24' fire dept. ground ladder, PPE, training building, and instruction, will demonstrate the proper method to raise and extend a ladder.</p>			
			1st 2nd
1	* Correctly wears full PPE		
2	* Picks up and carries selected ladder properly as directed		
3	Places butt end of ladder at building to raise		
4	* Verbalizes overhead obstructions		
5	* Raises ladder correctly to building as directed with the fly section in		
6	* Extends and locks fly section (hand over hand on halyard)		
7	Ensures ladder locks (dogs) are secured		
8	Rotates ladder (fly section out)		
9	Places ladder properly for task assigned		
10	* Angles ladder appropriately for climbing		
11	Secures fly section with halyard		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number Tasks candidate must complete to pass 8

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders 24' Lower-Remove 1 FF	Primary Task:	24' Extension Ladder-Lower/ Removal (One Person)		
Objective(s) :	4.3.6, 4.3.6(A)(B)	NFPA Standard:	1001, 2019 Edition	Candidate #	
Task: The candidate, given a 24' fire dept. ground ladder, PPE, training building, and instruction, will demonstrate the proper method to lower a ladder.					
				1st	2nd
1	* Correctly wears full PPE				
2	Unsecures halyard from ladder				
3	* Rotates ladder (fly section in)				
4	Places ladder in vertical position next to building				
5	* Verbalizes overhead hazards				
6	* Unlocks and lowers fly section (hand over hand on halyard)				
7	* Lowers ladder to ground (butting the heel against ladder next to building)				
8	* Picks up, carries, and lowers ladder to starting position as directed				
*Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	6	

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders 24'-28' Carry-Raise 2 FF	Primary Task:	24' to 28' Extension Ladder Carry / Raise (Two Person)
Objective(s) : 4.3.6, 4.3.6(A)(B)		NFPA Standard: 1001, 2019 Edition	Candidate #
Task: Given a 24'-28' ladder and instruction the candidates will raise a 24'-28' ladder			1st 2nd
BEAM PERSON			
1	* Correctly wears full PPE		
2	* Lifts and carries selected ladder as directed		
3	* Verbalizes overhead hazards		
4	* Raises ladder as directed		
5	Ensures locks (dogs) are secured		
6	Angles ladder appropriately for climbing		
7	Assists with securing ladder		
Number of Steps Needed to Pass (5)			
BUTT PERSON			
1	* Correctly wears full PPE		
2	*Lifts and carries selected ladder as directed		
3	* Verbalizes overhead hazards		
4	* Butts ladder to vertical		
5	Pivots ladder (if necessary)		
6	* Extends and locks fly section (hand over hand on halyard)		
7	Secures fly section to bed section with halyard		
8	Angles ladder appropriately for climbing		
9	* Butts ladder until completion of evolution (all firefighters off ladder)		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 7

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders 24'-28' Lower-Remove 2 FF	Primary Task:	24' to 28' Extension Ladder-Lowering / Removal (Two FF)
Objective(s) :	4.3.6, 4.3.6(A)(B)	NFPA Standard: 1001 2019 Ed.	Candidate #
<p>Task: The candidate, given a 24-28' fire dept. ground ladder, PPE, training building, and instruction, working as a member of a team will demonstrate the proper method to lower and remove a ladder.</p>			
TIP PERSON			1st
2nd			
1	*Correctly wears full PPE		
2	* Verbalizes overhead obstructions		
3	Removes ladder from building to vertical position		
4	Assists with stabilizing ladder		
5	Pivots ladder (if necessary)		
6	Lowers ladder to ground		
7	* Picks up, carries, and lowers ladder to starting position as directed		
***BUTT PERSON ***			5
Total number tasks candidate must complete to pass			
1	*Correctly wears full PPE		
2	*Verbalizes overhead obstructions		
3	Communicates to tip person to remove ladder from building to vertical position		
4	* Butts ladder to remove from building to vertical position		
5	*Unsecures halyard and lowers fly section (hand over hand on halyard)		
6	Pivots ladder (if necessary)		
7	* Butts ladder to ground from vertical position		
8	* Picks up, carries, and lowers ladder to the starting position as directed		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	6
Total number tasks candidate must complete to pass			

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders 14'/20' Carry/Raise	Primary Task:	14' to 20' Single Ladder Carry / Raise (One Person)
Objective(s) :	4.3.6, 4.3.6(A)(B)	NFPA Standard:	1001, 2019 Edition
			Candidate #
<p>Task: The candidate, given a 14-20' fire dept. ground ladder, PPE, training building, and instruction, will demonstrate the proper method to raise a ladder.</p>			
			1st
			2nd
1	*Correctly wears full PPE		
2	Picks up ladder as directed		
3	* Carries selected ladder as directed		
4	* Verbalizes overhead hazards		
5	* Places butt end of ladder at building to raise as directed		
6	Raises ladder to building		
7	* Angles ladder appropriately for climbing		
8	Butts ladder until completion of evolution (if applicable)		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number Tasks candidate must complete to pass 6

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders 14'-20' Lower- Remove	Primary Task:	14' to 20' Single Ladder - Lower / Removal (One Person)		
Objective(s) : 4.3.6, 4.3.6(A)(B)		NFPA Standard:	1001, 2019 Edition	Candidate #	
<p>Task: The candidate, given a 14-20' fire dept. ground ladder, PPE, training building, and instruction, will demonstrate the proper method to lower a ladder.</p>					
				1st	2nd
1	* Correctly wears full PPE				
2	* Verbalizes overhead hazards				
3	Moves ladder to vertical position next to building				
4	* Lowers ladder in a manner consistent with training (butting heel of ladder next to building)				
5	Picks up ladder as directed				
6	* Carries ladder to starting position as directed				
7	Lowers ladder to ground as directed				
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT		5
				Total number tasks candidate must complete to pass	

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders 35' Carry-Raise 3 FF	Primary Task:	35' Extension Ladder Carry / Raise (Three FF)
Objective(s) : 4.3.6, 4.3.6(A)(B)		NFPA Standard: 1001, 2019 Edition	Candidate #
Task: The candidates given a 35' ladder and instruction will carry and raise a 35' fire department ground ladder			
BUTT PERSON			1 st 2 nd
1	*Correctly wears full PPE		
2	Communicates ladder positions and commands		
3	*Picks up, carries and raises selected ladder properly as directed		
4	* Verbalizes overhead obstructions		
5	* Butts ladder for raising to vertical position and pivots (if necessary)		
6	* Extended and locks fly section -- (hand over hand on halyard)		
8	*Butts ladder to lower ladder to building		
9	Secures fly section to bed section with halyard		
10	Angles ladder appropriately for climbing		
11	* Butts ladder until completion of evolution (until all firefighters are off the ladder)		
BEAM PERSONS			Total number tasks candidate must complete to pass 8
1	*Correctly wears full PPE		
2	Picks up, carries and raises selected ladder properly as directed		
3	* Verbalize overhead obstructions		
4	Raises ladder to vertical position and pivots ladder (if necessary)		
5	* Assists in ladder control as fly section is extended and locked		
6	Lowers ladder to building		
7	Angles ladder appropriately for climbing		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 5

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders 35' Lower- Remove 3 FF	Primary Task:	35' Extension Ladder Lowering – Three Person		
Objective(s) :	4.3.6, 4.3.6(A)(B)	NFPA Standard:	1001, 2019 Edition	Candidate #	
Task: The candidate, given a 35' fire dept. ground ladder, PPE, training building, and instruction, working as a member of a team will demonstrate the proper method to lower a ladder					
BUTT PERSON				1st	2nd
1	*Correctly wears full PPE				
2	Communicates ladder positions and commands				
3	* Verbalizes overhead obstructions				
4	Unsecures halyard from fly and bed sections				
5	* Butts ladder correctly when removing ladder to vertical position				
6	* Retracts fly section (hand over hand on halyard)				
7	* Butts ladder correctly to lower ladder to the ground				
8	* Correctly carries ladder as directed and lowers to starting point				
BEAM PERSONS				Total number tasks candidate must complete to pass	6
1	*Correctly wears full PPE				
2	* Verbalizes overhead obstructions				
3	Removes ladder from building to vertical position				
4	Assists in ladder control as fly section is retracted				
5	Lowers ladder to the ground				
6	* Correctly carries ladder as directed and lowers to starting point				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT		Total number tasks candidate must complete to pass	5

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Car Fire	Primary Task:	Fire Suppression – Vehicle Fires
Objective(s) : 4.3.7, 4.3.7(A)(B)	NFPA Standard:	1001, 2019 Edition	Candidate #
<p>Task: Given PPE, car/car prop, water supply, hoseline, tools and equipment, the candidate will, extinguish a fire in a motor vehicle.</p>			
			1st 2nd
1	* Correctly wears full PPE and SCBA		
2	Approaches fire from appropriate direction (uphill, upwind at 45 degree angle if possible)		
3	* Recognizes approach hazards (tires, batteries, bumpers, hood struts) - Verbalize		
4	Extinguishes fire on ground and under vehicle (1 3/4" hoseline minimum)		
5	Determines fuel type/assesses and controls fuel leaks		
6	Checks stability of vehicle (blocks wheels if possible)		
7	* Maintains communication		
8	Attacks remaining fire (proper nozzle pattern to provide flash protection)		
9	Follows safety procedures		
10	Gains access to all compartments using basic hand tools		
11	* Extinguishes remaining fire (overhaul)		
* Critical Task Failure of this task mandates failure on the entire objective		Safety is PARAMOUNT	Total number tasks candidate must complete to pass 8

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Class A Fire Attack	Primary Task:	Fire Suppression –Piles/Stacks of Class A Combustibles		
Objective(s) :	4.3.8, 4.3.8(A)(B)	NFPA Standard:	1001, 2019 Edition	Candidate #	
Task: Given PPE, a water supply, hoseline, tools and equipment, the candidate will, extinguish a Class A fire in stacked materials, small unattached structures, or exterior storage containers/dumpsters					
				1 st	2 nd
1	* Correctly wears full PPE and SCBA				
2	Selects appropriate handline or master stream				
3	Advances handline or operates master stream device				
4	Uses proper nozzle technique				
5	Protects possible exposures				
5	* Extinguishes fire				
6	Uses proper tools/techniques to break up various types of materials				
7	Examines debris for hot spots				
8	Follows safety procedures				
9	Preserves areas of origin and signs of arson				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is	PARAMOUNT	Total number tasks candidate must complete to pass	7

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Master Stream Device	Primary Task: Deploy Master Stream Device	
Objective(s) : 4.3.8, 4.3.8(A)(B)	NFPA Standard: 1001 2019 Edition	Candidate #
<p>Task: Given a master stream device, hose, water supply, and instruction, the candidate will properly demonstrate the operation of a master stream device.</p>		
		1st 2nd
1 *Correctly wears full PPE		
2 Selects and attaches appropriate feeder lines		
3 Sets up for direct attack or exposures protection (if possible)		
4 *Follows safety procedures to include securing the master stream device (if applicable)		
5 * Calls for water		
6 Operates master stream		
* Critical Task Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Rescue Downed FF w/Functional SCBA	Primary Task:	Rescue FF with functioning SCBA
Objective(s) :	4.3.9, 4.3.9(A)(B), 4.3.1, 4.3.1(A)(B)	NFPA Standard:	Candidate #
		1001, 2019 Edition	
<p>Task: The candidate, given PPE, SCBA, a downed firefighter (firefighter acting as victim in PPE and SCBA) will demonstrate the proper technique to rescue a downed firefighter with a functioning SCBA.</p>			
		1st	2nd
1	*Correctly wears full PPE and SCBA		
2	Locates downed Firefighter		
3	Shut off PASS devicee (to aid in communication)		
4	* Communicates to IC contact has been made with downed firefighter		
5	Assess situation/needs		
6	* Remove Firefighter using appropriate carry/drag		
7	Report completion of firefighter removal to Incident Commander		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 5

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Rescue Downed FF w/non Func. SCBA	Primary Task:	Rescue FF with Non- Functioning SCBA
Objective(s) :	4.3.9, 4.3.9(A)(B), 4.3.1, 4.3.1(A)(B)	NFPA Standard:	Candidate #
		1001, 2013 Edition	
<p>Task: The candidate, given PPE, SCBA, a downed firefighter (firefighter acting as victim in PPE and SCBA) will demonstrate the proper technique to rescue a downed firefighter with a non-functioning SCBA.</p>			
		1st	2nd
1	*Correctly wears full PPE and SCBA		
2	Locate down Firefighter		
3	Shut off PASS devicee (to aid in communication)		
4	* Communicates to IC contact has been made with downed firefighter		
5	* Connect RIT pack		
6	Assess situation/needs		
8	* Remove Firefighter using appropriate carry/drag		
9	Report completion of firefighter removal to Incident Commander		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 6

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders Rescue Conscious Vic.	Primary Task: Removal Over Ladder (Conscious Person)	
Objective(s) :	4.3.9, 4.3.9(A)(B),	NFPA Standard: 1001, 2019 Edition	Candidate #
Task: The candidate, given PPE, a raised ladder, simulated victim, and instruction, will demonstrate the proper method to remove a conscious victim over a ladder.			
		1 st	2 nd
1	*Correctly wears full PPE		
2	Positions ladder appropriately		
3	* Checks angle of ladder		
4	Ascends ladder safely		
5	Communicates with victim		
6	Assists victim onto ladder (if applicable)		
7	* Maintains contact with victim		
8	* Descends ladder safely with victim		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 6

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders Rescue Unconscious Vic.	Primary Task:	Removal Over Ladder (Unconscious Person)
Objective(s) :	4.3.9, 4.3.9(A)(B)	NFPA Standard:	1001, 2019 Edition
		Candidate #	
<p>Task: The candidate, given PPE, a raised ladder, simulated victim, and instruction, will demonstrate the proper method to remove an unconscious victim over a ladder using one of the below listed methods</p>			
			1st 2nd /
1	*Correctly wears full PPE		
2	Positions ladder appropriately		
3	* Checks for correct climbing angle		
4	Ascends the ladder to the victim		
5	Places victim on ladder using one of the following methods:		
	a. Method 1: Places victim on knee facing ladder places victim's legs outside beams		
	b. Method 2: Places victim on knee facing the firefighter with victim's legs outside beams		
	c. Method 3: Places victim facing the firefighter with victim's legs at the knees draped over the firefighter's shoulders		
	d. Method 4: Places one arm under the victim's arm and the other arm under the opposite leg		
6	Keeps hands on the ladder rungs		
7	* Maintains contact with ladder		
8	* Descends the ladder safely with victim		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 6

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Primary Search		Primary Task: Conduct a Primary Search	
Objective(s) : 4.3.9, 4.3.9(A)(B)		NFPA Standard: 1001 2019 Edition	Candidate #
<p>Task: The candidate given PPE, SCBA, training facility, tools, and instruction will demonstrate the proper technique to perform search and rescue operations (primary search).</p>			
		1st	2nd
1	*Correctly wears full PPE and SCBA		
2	Carries a forcible entry tool		
3	Searches as conditions allow		
4	Searches structure systematically using established search patterns		
5	Searches all areas		
6	Pauses occasionally to listen for sounds of building collapse, cries for help etc.		
7	* Moves up and down stairs safely		
8	* Finds victim and removes		
9	Reports findings to IC		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 7

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Secondary Search	Primary Task: Conduct a Secondary Search	
Objective(s) : 4.3.9, 4.3.9(A)(B)	NFPA Standard: 1001 2019 Edition	Candidate #
<p>Task: The candidate given PPE, SCBA, training facility, tools, and instruction will demonstrate the proper technique to perform search and rescue operations (secondary search).</p>		
		1st 2nd
1 *Correctly wears full PPE and SCBA		
2 Carries a forcible entry tool		
3 Searches with portable lighting (if possible)		
4 Searches are conducted slowly and methodically		
5 *Searches all areas		
6 Searches systematically		
7 Reports findings to IC		
* Critical Task Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 5

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Fire Fighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Search Victim Carry	Primary Task:	Drags and Carries
Objective(s) :	5.3.9, 5.3.9(A)(B)	NFPA Standard:	1001, 2013 Edition
			Candidate #
<p>Task: The candidate, given a simulated victim, scenario, and instruction, shall demonstrate the proper two firefighter extremity carry for victim rescue.</p>			
			1 st 2 nd
1	*Correctly wears full PPE and SCBA		
2	*Both rescuers in proper position(1 at head, 1 at feet)		
3	*Both rescuers facing correct direction		
4	Both rescuers lift victim correctly, using proper lifting techniques (legs not back)		
5	Both rescuers carry victim correctly to exit hazard area		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Chief Examiner at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Fire Attack Interior	Primary Task:	Fire Suppression – Interior Structure Fire	
Objective(s) :	4.3.10, 4.3.10(A)(B)	NFPA Standard:	Candidate #	
		1001, 2019 Edition		
Task: Given PPE, a water supply, hoseline, training facility, tools and equipment, the candidate will, extinguish an interior structure fire at grade level.				
			1st	2nd
1	* Correctly wears full PPE and SCBA			
2	* Advances hoseline as directed			
3	* Clears all remaining hose from hose bed/flakes hose prior to entry			
4	* Maintains communication and radios for water			
5	* Checks nozzle pattern and bleeds air from hose line prior to entry			
6	Safely enters structure (per building and hazard conditions)			
7	Advances hoseline into structure			
8	Ascends/descends stairs safely (if applicable)			
9	Operates nozzle in a manner consistent with training			
10	* Locates and extinguishes fire using appropriate attack methods			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 7	

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Hose Ladder Ops.	Primary Task:	Charged Hoseline Operation from Ground Ladder		
Objective(s) :	4.3.10, 4.3.10(A)(B)	NFPA Standard:	1001 2019 Edition	Candidate #	
Task: Given PPE, a Fire Dept. ladder, a charged hoseline, and instruction, the candidate will demonstrate the proper operation of a hoseline from a ground ladder.					
				1st	2nd
1	* Correctly wears full PPE				
2	Ascends ladder safely with hose line				
3	* Maintains communication				
4	Assures correct position on ladder for best penetration				
5	* Uses leg lock or safety harness				
6	Projects nozzle in window for best results				
7	Secures hose to ladder				
8	* Slowly opens nozzle and flows water safely				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	6	

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Hose Nozzle Use	Primary Task:	Use of Nozzle
Objective(s) : 4.3.10, 4.3.10(A)(B), 4.3.13(A)(B), 4.3.8(A)(B)		NFPA Standard:	Candidate #
		1001, 2019 Edition	
<p>Task: Given a water supply, charged hoseline, PPE, and instruction, the candidate will, demonstrate the proper use of a nozzle.</p>			
			1st
			2nd
1	* Correctly wears full PPE		
2	Identifies nozzle/appliance		
3	* Opens nozzle slowly		
4	Bleeds air and checks flow pattern		
5	Demonstrates the following nozzle patterns		
	<ul style="list-style-type: none"> • Straight Stream • Narrow Angle Fog • Wide Angle Fog 		
6	* Closes nozzle slowly		
* Critical Task Failure of this task mandates failure on the entire objective		Safety is PARAMOUNT	Total number tasks candidate must complete to pass 5

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF 1 Hose Replace Length	Primary Task:	Replace Burst Section of Hose
Objective(s) :	4.3.10, 4.3.10(A)(B)	NFPA Standard:	1001 2019 Edition
			Candidate #
<p>Task: The candidate given a water supply, two lengths of uncharged hose, a charged hose line and appropriate tools, will replace a simulated burst length of hose.</p>			
			1st
			2nd
1	* Correctly wears full PPE		
2	Shuts down water supply		
3	Selects two lengths of appropriate size hose to replace defective length		
4	* Uncouples defective length by using knee press method		
5	* Couples replacement lengths by using foot tilt method		
6	Recharges hose line		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Hose Add a Length	Primary Task:	Adding a Length of Hose		
Objective(s) :	4.3.10, 4.3.10(A)(B)	NFPA Standard:	1001, 2019 Edition	Candidate #	
Task: Given PPE, water supply, a charged hoseline, a length of uncharged hose, valves, and instruction the candidate will demonstrate the proper way to add a length of hose to a charged hoseline.					
				1 st	2 nd
1	* Correctly wears full PPE				
2	Selects length of hose to be added to line and places it in position				
3	Shuts off water at source				
4	*Bleed off pressure				
5	* Adds hose to existing hose line using knee press/foot tilt method				
6	Turns water on at source				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	4	

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Hose Couple/Uncouple	Primary Task:	Coupling and Uncoupling Hose (One Person)		
Objective(s) : 4.3.10, 4.3.10(A)(B)		NFPA Standard:	1001, 2019 Edition	Candidate #	
Task: The candidate, given PPE, and two lengths of 2 1/2" hose will demonstrate the proper techniques to couple and uncouple the hose.					
				1st	2nd
1	* Correctly wears full PPE				
2	Positions hose line on level surface for coupling/uncoupling				
3	Verbalizes appropriate method (foot tilt/knee press) to couple/uncouple hose				
4	*Uses appropriate method (foot tilt/knee press) to couple/uncouple hose				
* Critical Task	Failure of this task mandates failure on the entire objective		Safety is PARAMOUNT	Total number tasks candidate must complete to pass	3

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Hose Couple Uncouple 2 FF	Primary Task:	Coupling / Uncoupling Hose (Two Person)
Objective(s) : 5.3.10, 5.3.10(B)	NFPA Standard:	1001, 2013 Edition	Candidate #
<p>Task: The candidate, given PPE, and two lengths of 2½” hose, will, while working with a partner demonstrate the proper technique to couple and uncouple the hose.</p>			
			1st 2nd
1	* Correctly wears full PPE		
2	Couples two lengths – minimum size 2 1/2”		
3	Uncouples line used in Step #2 using stiff–arm method		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 3

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Standpipe Operation	Primary Task:	Standpipe Operation	
Objective(s) :	4.3.10, 4.3.10(A)(B)	NFPA Standard: 1001 2019 Edition	Candidate #	
<p>Task: The candidate, given PPE, SCBA, fire apparatus, training building with standpipe system, water supply, hose, and instruction, will demonstrate the proper connection to a standpipe for fire attack on an upper floor.</p>				
			1st	2nd
1	* Correctly wears PPE			
2	Uses appropriate carry, carries sufficient fire hose to one floor below the level of the fire			
3	Removes cap and checks for foreign material in discharge			
4	* Attaches the hose to the standpipe connection one floor below the fire floor			
5	Flakes out hose up the stairway above the fire floor, if conditions allow			
6	* Slowly charges the hoseline by opening the standpipe valve			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	5

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Hose Drain & Carry	Primary Task:	Hose Section Drain and Carry
Objective(s)	4.3.10(B), 4.5.2(B)	NFPA Standard 1001, 2019 Edition	Candidate #
Task: The candidate, given a 50' section of hose, shall demonstrate a drain and carry of that hose.			
			1st 2nd
1. Starts at one end of hose with coupling at waist and feeds hose over shoulder and back down to waist			
2. Creates fold and lays the hose on itself back to the front			
3. Continues to walk forward folding and refolding the hose over the shoulder until finished			
4. Carries hose to desired location			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 3

Revised 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Hose Removal	Primary Task:	Remove Hose from Upper Floors	
Objective(s) :	4.3.10, 4.3.10(A)(B), 4.3.14, 4.3.14(A)(B)	NFPA Standard:	1001, 2019 Edition	Candidate #
<p>Task: Given a water supply, hoseline, valves, and nozzle, the candidate will, demonstrate the correct method to remove a hoseline from a building while minimizing water damage.</p>				
			1st	2nd
1	* Wears full protective equipment in a manner consistent with training and manufacturer's recommendation			
2	Shuts down water supply			
3	Opens nozzle to relieve water pressure (bathtub, out of window, etc.)			
4	Disconnects hose coupling to drain (window sill, front door, street curb, etc.)			
5	After draining, removes hose using shoulder carry			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	4

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Hose Remove From Bldg.	Primary Task:	Remove Hose from Building to Minimize Water Damage		
Objective(s) : 4.3.10, 4.3.10(A)(B), 4.3.14, 4.3.14(A)(B)		NFPA Standard: 1001, 2019 Edition	Candidate #		
Task: Given a water supply, hoseline, valves, and nozzle, the candidate will, demonstrate the correct method to remove a hoseline from a building while minimizing water damage.					
			1st	2nd	
1	* Wears full protective equipment in a manner consistent with training and manufacturer's recommendation				
2	Shuts down water supply				
3	Opens nozzle to relieve pressure (bathtub, out of window, etc.)				
4	Disconnects hose coupling to drain (window sill, front door, street curb, etc.)				
5	After draining, removes hose from building (using shoulder carry)				
* Critical Task		Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT		Total number tasks candidate must complete to pass 4

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders Work from Ladder	Primary Task:	Working Safely from Ladders (Ground)
Objective(s) :	4.3.11, 4.3.11(A)(B), 4.3.6, 4.3.6(A)(B)	NFPA Standard:	1001, 2019 Edition
Candidate #			
<p>Task: The candidate, given a ladder, PPE, training building, and instruction, will demonstrate the proper way to work safely on a ladder.</p>			
		1st	2nd
1	*Correctly wears full PPE		
2	Climbs ladder safely		
3	* Uses leg lock or safety harness properly		
4	Descends ladder safely		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 3

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Vent. Window	Primary Task:	Window Opening (Destructive)		
Objective(s) :	4.3.11, 4.3.11(A)(B), 4.3.4(A)(B)	NFPA Standard:	1001, 2019 Edition	Candidate #	
Task: The candidate, given full PPE, ladder, training building, tools and instruction, will demonstrate the proper technique to ventilate a window (destructive)					
				1st	2nd
1	*Correctly wears full PPE				
2	* Positions ladder correctly				
3	Climbs ladder with tool to proper position on ladder				
4	*Correctly uses leg lock or safety harness (locks leg opposite side working from)				
5	Maintains safety area				
6	Strikes window correctly				
7	Clears window frame				
8	Descends ladder safely				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	6	

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Vent. Hydraulic	Primary Task: Hydraulic Ventilation													
Objective(s) : 4.3.11, 4.3.11(A)(B)	NFPA Standard: 1001, 2019 Edition	Candidate #												
Task: The candidate, given full PPE, charged hoseline, training building with window, and instruction, will properly demonstrate hydraulic ventilation														
		<table border="1" style="display: inline-table; border-collapse: collapse;"> <thead> <tr> <th style="width: 50px;">1st</th> <th style="width: 50px;">2nd</th> </tr> </thead> <tbody> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> <tr><td style="height: 20px;"></td><td style="height: 20px;"></td></tr> </tbody> </table>	1st	2nd										
1st	2nd													
1 *Correctly wears full PPE and SCBA														
2 Identifies appropriate nozzle														
3 *Selects and demonstrates correct nozzle pattern														
4 Selects proper distance from opening for maximum effectiveness														
5 *Creates venturi (air flow can be felt)														
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT Total number tasks candidate must complete to pass 4												

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Vent. Neg. Pressure	Primary Task: Negative-Pressure Ventilation																			
Objective(s) : 4.3.11, 4.3.11(A)(B)	NFPA Standard: 1001, 2019 Edition	Candidate # 																		
<p>Task: The candidate, given Full PPE, ventilation equipment (vent fan), tools, and instruction, will properly set up a fan for negative pressure ventilation</p>																				
		<table border="1" style="border-collapse: collapse;"> <thead> <tr> <th style="width: 50px;"></th> <th style="width: 50px;">1st</th> <th style="width: 50px;">2nd</th> </tr> </thead> <tbody> <tr><td>1 *Correctly wears full PPE and SCBA</td><td></td><td></td></tr> <tr><td>2 * Ensures appropriate placement in opening (same direction as natural wind)</td><td></td><td></td></tr> <tr><td>3 * Removes any material that might disrupt air flow</td><td></td><td></td></tr> <tr><td>4 Covers area around fan to prevent churning</td><td></td><td></td></tr> <tr><td>5 Connects to power source properly</td><td></td><td></td></tr> </tbody> </table>		1st	2nd	1 *Correctly wears full PPE and SCBA			2 * Ensures appropriate placement in opening (same direction as natural wind)			3 * Removes any material that might disrupt air flow			4 Covers area around fan to prevent churning			5 Connects to power source properly		
	1st	2nd																		
1 *Correctly wears full PPE and SCBA																				
2 * Ensures appropriate placement in opening (same direction as natural wind)																				
3 * Removes any material that might disrupt air flow																				
4 Covers area around fan to prevent churning																				
5 Connects to power source properly																				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT Total number tasks candidate must complete to pass 4																		

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Vent. Pos. Pressure	Primary Task:	Positive-Pressure Ventilation
Objective(s) :	4.3.11, 4.3.11(A)(B)	NFPA Standard: 1001, 2019 Edition	Candidate #
<p>Task: The candidate, given full PPE, ventilation equipment (positive pressure fan) tools, training building with opening, and instruction, will properly demonstrate positive pressure ventilation.</p>			
			1st 2nd
1	*Correctly wears full PPE and SCBA		
2	Selects proper point of entry		
3	Correctly positions fan to completely cover entry with cone of air		
4	* Selects appropriate exit point to remove smoke		
5	Safely connects to power source (if applicable)		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders Roof Ladder Deployment	Primary Task:	Roof Ladder Deployment	
Objective(s) : 4.3.12, 4.3.12(A)(B), 4.3.6(A)(B)		NFPA Standard: 1001, 2013 Edition	Candidate #	
<p>Task: Given PPE, a ground ladder, roof ladder, training building, and instruction, the candidate while working as a member of a team, will demonstrate the proper method to deploy a roof ladder.</p>				
			1st	2nd
1	*Correctly wears full PPE			
2	*Picks up and carries selected ladder as directed			
3	Deploys roof hooks			
4	Ascends ground ladder in a manner consistent with training			
5	Correctly carries roof ladder (hooks out)			
6	*Correctly uses leg lock or safety harness (locks leg opposite side working from)			
7	* Positions and secures roof ladder			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	5

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Fire Fighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladders Roof Ladder Removal	Primary Task:	Roof Ladder – Lower and Removal (two person)
Objective(s) :	4.3.12, 4.3.12(A)(B), 4.3.6(A)(B)	NFPA Standard:	1001, 2019 Edition
Candidate #			
<p>Task: Given PPE, a ground ladder, roof ladder, training building, and instruction, the candidate while working as a member of a team, will demonstrate the proper method to lower and remove a roof ladder.</p>			
			1st 2nd
1	*Correctly wears full PPE		
2	* Uses leg lock or safety harness		
3	Tilts roof ladder on its closest beam		
4	* Communicates and lowers ladder to the #2 man on the ladder		
5	Disengages leg lock or safety harness		
6	* Communicates with #2 man on ladder and both descend ladder safely		
7	Closes roof hooks		
8	Properly carries ladder as directed and returns to starting point		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 6

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Chief Examiner at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladder Climb with Tool	Primary Task:	Ladder Climb with Tool
Objective(s) :	4.3.12, 4.3.12(A)(B), 4.3.11, 4.3.11(A)(B), 4.3.6(B)	NFPA Standard:	Candidate #
		1001, 2019 Edition	
<p>Task: Given a ladder, training building, tools, and instruction, the candidate will demonstrate the proper method to climb a ladder while carrying a tool using one of the two methods listed below.</p>			
		1st	2nd
1	*Correctly wears full PPE		
2	Checks ladder for appropriate climbing angle		
3	*Climbs ladder with tool in a manner consistent with training		
4	* Reaches objective, sounds roof with tool before getting onto roof (if applicable)		
5	Descends ladder safely		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Vent. Determine Roof Integrity	Primary Task:	Determining Roof Integrity										
Objective(s) :	4.3.12, 4.3.12(A)(B), 4.3.6(B)	NFPA Standard:1001 2019Edition	Candidate #										
<p>Task: The candidate given full PPE, roof prop, tools, ladder, and instruction, will demonstrate the proper technique for sounding a roof to determine structural integrity.</p>													
			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">1st</th> <th style="width: 50%;">2nd</th> </tr> </thead> <tbody> <tr><td style="height: 30px;"></td><td></td></tr> <tr><td style="height: 30px;"></td><td></td></tr> <tr><td style="height: 30px;"></td><td></td></tr> <tr><td style="height: 30px;"></td><td></td></tr> </tbody> </table>	1 st	2 nd								
1 st	2 nd												
1	*Correctly wears full PPE												
2	Safely climbs ladder with tool in a manner consistent with training												
3	* Sounds roof with tool before transfer from ladder												
4	Determines roof integrity/describes determining factors (sound, feel)												
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 3										

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Vent. Flat Roof	Primary Task:	Roof Ventilation – Flat Roof		
Objective(s) :	4.3.12, 4.3.12(A)(B), 4.3.6(B)	NFPA Standard:	1001, 2019 Edition	Candidate #	
<p>Task: The candidate, given full PPE, tools, ladder, flat roof prop, and instruction, will demonstrate the correct procedure to ventilate a flat roof.</p>					
				1st	2nd
1	*Correctly wears full PPE				
2	Checks operation of tool				
3	Safely climbs ladder with tool in a manner consistent with training				
4	Sounds roof for integrity				
5	* Describes cutting 4' by 4' hole from the windward side				
6	* Stands on correct side of opening to remove roofing material (upwind side)				
7	* Pushes ceiling in from correct side (upwind side) with correct tool (plaster hook, pike pole)				
8	Descends ladder safely				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT		Total number tasks candidate must complete to pass	6

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Vent. Pitched Roof Primary Task:	Roof Ventilation – Pitched																				
Objective(s) : 4.3.12, 4.3.12(A)(B), 4.3.6(B)	NFPA Standard: 1001, 2019 Edition	Candidate #																				
<p>Task: The candidate, given full PPE, tools, ladder, flat roof prop, and instruction, will demonstrate the correct procedure to ventilate a peaked roof.</p>																						
		<table border="1" style="float: right; border-collapse: collapse;"> <thead> <tr> <th style="width: 50px;">1st</th> <th style="width: 50px;">2nd</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	1st	2nd																		
1st	2nd																					
1 *Correctly wears full PPE and SCBA																						
2 Checks operation of tool																						
3 Safely climbs ladder with tool in a manner consistent training																						
4 Sounds roof for integrity																						
5 Opens roof from roof ladder (cutting a 4' by 4' from the windward side)																						
6 * Stands on correct side of opening and removes roofing material																						
7 * Pushes ceiling in from windward side (if applicable) with correct tool																						
8 Descends ladder safely																						
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT Total number tasks candidate must complete to pass 6																				

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Overhaul	Primary Task:	Overhaul Operations	
Objective(s): 4.3.10(B) 4.3.13(B), 4.3.14(B)	NFPA Standard 1001, 2019 Edition	Candidate #	
<p>Task: The candidate, wearing PPE and SCBA, and given the necessary tools and equipment, shall overhaul a fire scene ensuring fire cause evidence is preserved and the fire is extinguished.</p>			
		1st	2nd
1. *Correctly wears full PPE and SCBA			
2. Demonstrates ability to operate hoseline			
3. Ensures charged hoseline is readily available			
4. Evaluates if structural integrity is safe for overhaul operations			
5. Detects hidden fires using sight, touch, sound, sensors, thermal imagers			
6. Protects the area of origin for cause determination			
7. Preserves evidence by guarding, tagging, or other safeguards			
8. Systematically overhauls fire scene by opening walls, floors, ceilings, and removing insulation, window and door casings as required			
9. Separates charred materials, removes to a safe location			
8. Completely extinguishes fire			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 5

Revised 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Salvage Cover Deploy 2 FF	Primary Task:	Salvage Cover Deployment (Two Person)	Candidate #	
Objective(s) :	4.3.14, 4.3.14(A)(B)	NFPA Standard:	1001, 2019 Edition		
<p>Task: Given a salvage cover, furniture, and instruction, the candidate, working as part of a team will demonstrate the proper two firefighter salvage cover deployment.</p>					
				1st	2nd
1	* Correctly wears full PPE				
2	Stacks objects in a manner consistent with training				
3	Covers objects as directed (2 FF balloon deployment)				
4	Tucks corners / secures cover to local jurisdiction procedures				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	3	

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Salvage Catchall	Primary Task:	Construction and Use of Water Catchall		
Objective(s) :	4.3.14, 4.3.14(A)(B)	NFPA Standard:	1001, 2019 Edition	Candidate #	
Task: Given a salvage cover, the candidate working as a member of a team will properly construct a water catchall.					
				1st	2nd
1	Wears protective equipment in a manner consistent with training and manufacturer's recommendation				
2	Opens the salvage cover				
3	Lays the salvage cover flat in the selected location				
4	* Rolls the sides inward approximately 3 feet				
5	Lay the ends of the side rolls over at 90 degree angle to form the corners				
6	Rolls one end into a tight roll on top of the side roll and forms a projected flap				
7	Lifts the edge roll				
8	Tucks the end roll to lock the corners				
9	* Rolls the other end in a like manner				
10	Locks the corners				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is	PARAMOUNT	Total number tasks candidate must complete to pass	7

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Fire Fighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Salvage Water Chute	Primary Task:	Construction and Use of Water Chute	
Objective(s) :	4.3.14, 4.3.14(A)(B)	NFPA Standard:	1001, 2019 Edition	Candidate #
Task: Given a salvage cover, pike poles, and ladder the candidate working as a member of a team will properly construct a water chute.				
			1st	2nd
1	* Wears protective equipment in a manner consistent with training and manufacturer's recommendation			
2	Selects materials to construct water chute			
3	* Constructs water chute			
4	Places water chute in correct position			
* Critical task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 3	

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Chief Examiner at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Salvage Remove Water	Primary Task: Routing and Removal of Water																			
Objective(s) : 4.3.14, 4.3.14(A)(B)	NFPA Standard: 1001, 2019 Edition	Candidate #																		
<p>Task: The candidate given pike poles, salvage cover, and instruction, the candidate will properly route and remove water from a building.</p>																				
		<table border="1" style="float: right; border-collapse: collapse;"> <thead> <tr> <th style="width: 50px;">1st</th> <th style="width: 50px;">2nd</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	1st	2nd																
1st	2nd																			
1 * Correctly wears PPE																				
2 Forces water toward scupper (if available)																				
3 Removes drain cover (toilet, soil pipe) if available																				
4 Forces water down stairs																				
5 Opens ceiling below water accumulation																				
6 * Establishes a means of removal (water chute, catch basin)																				
7 Describes how to open floors to release water accumulation																				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT Total number tasks candidate must complete to pass 5																		

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Salvage	Primary Task: Routing and Removal of Water and Debris (Below Grade)		
Water Removal Below Grade			
Objective(s) : 4.3.14, 4.3.14(A)(B)	NFPA Standard: 1001, 2019 Edition	Candidate #	
<p>Task: The candidate given a submersible pump, hose, and tools, will demonstrate how to remove water and debris from a below grade structural environment (basement)</p>			
		1 st	2 nd
1 * Wears protective equipment in a manner consistent with training and manufacturer's recommendation			
2 Sets up pump in a manner consistent with training			
3 Secures strainer (if applicable)			
4 Starts pump			
5 Identifies correct operation of pump			
6 Ensure pump discharge is flowing away from building			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Fire Fighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Salvage Close Bldg.	Primary Task:	Close up a Building
Objective(s) :	4.3.14, 4.3.14(A)(B)	NFPA Standard:	1001, 2019 Edition
			Candidate #
<p>Task: Given rolled plastic, tools, supplies (nails, staples, lathe strips), and instruction the candidate will demonstrate how to secure a building from the elements.</p>			
			1st
			2nd
1	* Correctly wears PPE		
2	Selects method (plywood, plastic sheeting, tarp)		
3	Selects proper materials		
4	Selects proper tools (hammer and nails, staple gun)		
5	Applies materials to openings		
6	Secures openings		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 5

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Chief Examiner at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet:	FF1 Sprinkler Wedging	Primary Task:	Manually Stopping the Flow of Water From Sprinkler	
Objective: 4.3.13(B)	NFPA Standard 1001, 2019 Edition	Candidate #		
<p>Task: The candidate, given a complete set of PPE, wedges or commercial sprinkler stops and a sprinkler system simulator, shall demonstrate the correct procedure for stemming the flow from an activated sprinkler head.</p>				
			1st	2nd
1.	*Wears PPE appropriately			
2.	Uses a ladder or other suitable platform to reach sprinkler head			
3.	Inserts the wedge or tongs into the sprinkler head			
4.	Drive the wedge into the sprinkler or locks the tongs so that water flow is adequately stemmed			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT		Total number tasks candidate must complete to pass 3

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 W.S. Drafting	Primary Task:	Drafting (Static Source)
Objective(s) :	4.3.15, 4.3.15(A)(B)	NFPA Standard:	1001, 2019 Edition
			Candidate #
<p>Task: The candidate, wearing personal protective equipment and working as a team, given required equipment (static water source, hose strainer, 10' sections of hard-suction hose, rubber mallet, utility rope), shall assemble and connect the equipment necessary for drafting from a static water source.</p>			
			1st 2nd
1	* Wears full protective equipment in a manner consistent with training and manufacturer's recommendation		
2	Checks the hard suction coupling (dirt, debris, worn gaskets)		
3	Removes pumper intake cap		
4	* Attaches strainer to hard suction hose male coupling		
5	Attaches rope to strainer		
6	Lowers hose and strainer into static source (portable tank)		
7	Attaches female coupling of hard section hose to pumper intake		
8	Secures strainer rope to pumper or other stationary object		
9	* Assures strainer and strainer-to-hose coupling are under water		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 7

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL
Firefighter I
 Performance Evaluation Sheet



Skill Sheet #: FF1 W.S. Hand Lay Supply Line	Primary Task: Hand Lay a Supply Line	
Objective(s) : 4.3.15 (B)	NFPA Standard:1001 2019 Edition	Candidate #
Tasks: The candidate, given 100' of supply line, hydrant tools and appliances, will, hand lay a supply line from a fire department pumper to a hydrant to establish a water supply.		
	1st	2nd
1. *Correctly wears full PPE		
2. *Selects correct tools and appliances		
3. Selects correct hose		
4. Carries/drags hose to hydrant with sufficient hose to connect to hydrant		
5. Connects properly to hydrant		
6. *Opens hydrant fully		
7. Opens gate slowly on command		
8. *Closes hydrant completely		
9. Checks hydrant drainage		
10. Recaps hydrant		
11. Collects tools, appliances, and hose and places them back on apparatus		
* Critical Task Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 8

3/2020

**Prevent or prohibit any unsafe acts.
 Contact the Chief Examiner at any time with any questions.
 Remember, you are an evaluator, not a trainer...**

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR MUST COMPLETE REVERSE SIDE.



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 W.S. Forward Lay	Primary Task:	Hydrant Connection (Forward Lay)
Objective(s) :	4.3.15, 4.3.15(A)(B)	NFPA Standard:	1001 # 2019 Edition
			Candidate
<p>Task: Given a Hydrant, Fire Department pumper, hose, tools and equipment, the candidate will establish a water supply utilizing a forward lay</p>			
			1st 2nd
1	*Correctly wears full PPE		
2	* Selects correct tools and appliances		
3	Wraps hydrant in a manner consistent with training		
4	Tells apparatus driver to advance to the incident		
5	* Unwraps hose and connects properly to hydrant		
6	* Opens hydrant fully		
7	Opens gate slowly on command		
8	*Closes hydrant completely		
9	Checks hydrant drainage		
10	Recaps hydrant		
11	Collects tools and appliances and places them back on apparatus		
<p>* Critical Task Failure of this task mandates failure on the entire objective</p>		<p>Safety is PARAMOUNT</p>	
<p>Total number tasks candidate must complete to pass</p>			8

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Siamese Connection	Primary Task:	Sprinkler/Standpipe (Siamese) Fire Department Connection (FDC)		
Objective(s) :	4.3.15, 4.3.15(A)(B)	NFPA Standard:	1001, 2013 Edition	Candidate #	
<p>Task: The candidate, given hose, training building, FDC clapper valve, fire apparatus, and instruction, will demonstrate the proper connection to supply water to a sprinkler/standpipe system</p>					
				1st	2nd
1	* Wears PPE correctly				
2	Removes adequate amount of hose to make connection				
3	* Inspects FDC (siamese) clapper valve				
4	Connects male end of feeder line to FDC				
5	Completes connection to pump discharge on apparatus (if applicable)				
6	* Informs pump operator that connection is completed and ready for water				
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT		Total number tasks candidate must complete to pass	5

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Port. Ext.	Primary Task: Operating Portable Fire Extinguishers																	
Objective(s): 4.3.16(B)	NFPA Standard 1001, 2019 Edition	Candidate #																
<p>Task: The candidate, given a selection of portable fire extinguishers, shall extinguish a small Class A, B <u>OR</u> C fire so that the correct extinguisher is chosen, the fire is completely extinguished, and proper extinguisher handling techniques are followed.</p>																		
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">1st</th> <th style="width: 50%;">2nd</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	1st	2nd														
1st	2nd																	
1. *Correctly wears full PPE																		
2. *Identifies class of fire (A, B, C or K)																		
3. *Selects the correct fire extinguisher/agent (verbalizes disrupting electrical current prior to extinguishing a Class C fire)																		
4. Assures extinguisher operation prior to using (fully charged and tests fire extinguisher)																		
5. Uses P-A-S-S method																		
6. Extinguishes the fire completely and backs away when retreating																		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT																
		Total number tasks candidate must complete to pass 4																

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Scene Lighting	Primary Task:	Emergency Scene Illumination
Objective: 4.3.17(B)	NFPA Standard 1001, 2019 Edition	Candidate #	
<p>Task: The candidate, employing all safety precautions, and given fire service electrical generators and portable lighting, shall set up and operate the equipment so designated areas are illuminated. All equipment must be operated safely.</p>			
		1st	2nd
1. * Lifts and operates equipment safely			
2. * Checks overall condition of tools, cords, and connectors			
3. * Connects all lighting equipment in proper sequence			
a) Starts generator, brings up to speed			
b) Plugs in load			
4. Organizes lights in a useful position and illuminates area sufficiently			
5. Shuts equipment off properly			
6. Resets ground fault interrupter			
7. Allows equipment to cool before returning to service OR verbally explains need to do so			
8. Cleans and refuels equipment as necessary			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 6

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Utility Control	Primary Task:	Control Utility Services
Objective: 4.3.18, 4.3.18(B)	NFPA Standard 1001, 2019 Edition	Candidate #	
<p>Task: The candidate, wearing full protective clothing, employing all safety procedures, and given tools, shall demonstrate the ability to secure ONE of the following: Gas, Electrical, Water</p>			
			1st
			2nd
1.	Identifies utility control device and selects proper tool to shut off supply		
2.	Identifies hazards present and controls/avoids		
3.	Uses proper methods to safely disconnect utility		
4.	Notifies command that utility has been shut off		
5.	Ensures utility company has been called		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Ground Cover Fire	Primary Task: Ground Cover Fire																							
Objective: 4.3.19(B)	NFPA Standard 1001, 2019 Edition	Candidate #																						
<p>Task: The candidate, working as a member of a team, given personal protective equipment, firefighting equipment, an assignment, shall establish safe work areas and combat a ground cover fire. The team will protect exposures and extinguish the fire safely using hoselines, extinguishers or hand tools.</p>																								
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">1st</th> <th style="width: 50%;">2nd</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	1st	2nd																				
1st	2nd																							
1. * Correctly wears complete PPE (SCBA if needed)																								
2. Identifies fire direction, exposures and hazards																								
3. Deploys hand tools, hoselines and extinguishers as required for either a direct or indirect attack																								
4. Constructs/maintains fire line or extinguishes fire with hand tools																								
5. Protects exposures, constructing and maintaining a fire line																								
6. Extinguishes fire using water or hand tools																								
7. Recognizes safety threats to the team and retreat/redeployment occurs, if warranted																								
8. * Maintains team accountability																								
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT Total number tasks candidate must complete to pass 5																						

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Skill No.	FF1 Ropes & Knots Hoist Tools/Hose	Primary Task:	Hoist Tools
Objective(s) :	4.1.2	NFPA Standard:	1001
			Candidate #
Performance Evaluation Sheet			
Task :			
		1 st	2 nd
1	* Selects correct rope		
2	Verbalizes correct knot(s) for the task		
3	* Ties knots correctly to hoist tools / hose		
4	*Hoists tools / hose successfully		
5	Ties tag lines properly (when applicable)		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

1/11/11

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Ropes & Knots Primary Task: Knot Selection & Tying															
Objective(s): 4.3.20(B) 4.3.12(B) 4.3.2(B)	NFPA Standard 1001, 2019 Edition Candidate #														
<p>The candidate, given fire service rope(s), shall tie knots as directed and hoist ONE of the following pieces of equipment: Pick Head axe, Uncharged Section of 2 ½" hose with nozzle, Charged Section of 2 ½" hose with nozzle, Roof Ladder, Pike Pole.</p>															
	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="width: 50px;">1st</th> <th style="width: 50px;">2nd</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	1st	2nd												
1st	2nd														
1. * Selects correct rope															
2. Ties Clove Hitch															
3. Ties Figure Eight on a Bight with overhand safety knot															
4. Ties Becket or Sheet Bend with two overhand safety knots															
5. Ties Half Hitch															
6. Ties Figure Eight with follow through															
* Critical Task Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT Total number tasks candidate must complete to pass 5														

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL
Firefighter I
 Performance Evaluation Sheet



Skill Sheet #: FF1 Air Monitoring		Primary: Air Monitoring	
Objective(s) : 4.3.21(B)	NFPA Standard:1001 2019 Edition	Candidate. #	
<p>Tasks: Given an air monitor, and an assignment or task, the candidate will demonstrate the proper use of the device, recognize the high/low level alarms of the monitor and describe the proper actions to be taken to mitigate the hazard</p>			
		1st	2nd
1.	*Correctly wears full PPE and SCBA		
2.	Identifies meter		
3.	*Verbalizes use of meter and what it's capable of monitoring		
4.	*Verbalizes high/low alarms for each gas monitored		
5.	*Demonstrates field test and start of the unit		
6.	Demonstrates proper metering at various elevations		
7.	*Verbalizes action(s) to be taken in reaction to alarms on meter		
8.	Demonstrates proper shutdown		
9.	Performs proper documentation of readings/documents activity log		
<p>* Critical Task Failure of this task mandates failure on the entire objective</p>		<p>Safety is PARAMOUNT</p>	
		<p>Total number tasks candidate must complete to pass 7</p>	

3/2020

**Prevent or prohibit any unsafe acts.
 Contact the Chief Examiner at any time with any questions.
 Remember, you are an evaluator, not a trainer...**

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR MUST COMPLETE REVERSE SIDE.



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Ladder Maintenance	Primary Task:	Cleaning and Inspecting Ladders
Objective(s):	4.5.1(B)	NFPA Standard	1001, 2019 Edition
		Candidate #	
<p>Task: The candidate, given an appropriate ladder and cleaning supplies (brush, water, lubricating material), shall demonstrate and verbally explain how to clean, maintain, and inspect a fire service ladder according to manufacturer and department guidelines</p>			
		1st	2nd
1.	Uses water and a soft-bristle brush to remove dirt: solvents may be used for tar, oil, or grease; wipes dry		
2.	Checks lubrication of moveable parts		
3.	Checks heat sensor label (heat exposure signs)		
4.	Checks rungs (tightness, deformations)		
5.	Checks welds, bolts, and rivets (tightness and defects)		
6.	Checks beams (deformations)		
7.	Checks pawl assemblies (freedom of movement)		
8.	Checks halyard (fraying, kinking, snugness, free movement)		
9.	Checks pulleys (turn freely)		
10.	Checks ladder guides (free movement of section)		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 7

Revised 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 SCBA Inspection	Primary Task:	SCBA – Ready for Immediate Use	
Objective(s) : 4.3.1, 4.3.1(A)(B), 4.5.1, 4.5.1(B)		NFPA Standard:	1001, 2019 Edition	Candidate #
Task: Given an SCBA and instruction, the candidate will perform a ready for immediate use inspection on an SCBA.				
			1st	2nd
1.	* Checks that cylinder is full (or at least 90%)			
2.	Checks operation of all gauges, verifies that the difference between cylinder and regulator gauge does not exceed 100 psi			
3.	* Tests operation of low pressure alarm (to activate at 25%-33% of remaining cylinder pressure)			
4.	Checks all hose connections			
5.	Checks condition of facepiece			
6.	Checks condition of harness and straps			
7.	Checks operation of donning and bypass valves			
8.	Checks that unit is clean and sanitized			
9.	* Tests PASS device			
10.	* Place components in position for Emergency Response			
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass	7

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Fire Fighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Salvage Cover Maint.	Primary Task:	Salvage Cover Inspection & Maintenance
Objective(s) :	4.5.1, 4.5.1(A)(B), 4.3.14(B)	NFPA Standard: 1001 2019 Edition	Candidate #
Task: Given a tarp, cleaning supplies (water, brushes, detergent), the candidate will demonstrate the proper inspection and cleaning of a salvage cover.			
			1st 2nd
1	Washes and cleans cover in a manner consistent with training		
2	Dries cover to reduce mildew		
3	Examines cover for damage (passing salvage cover over their head looking for holes/tears)		
4	Marks any holes found with chalk		
5	Depending on the material, holes may be repaired by duck or mastic tape, iron-on patches		
6	Folds or rolls cover properly to local AHJ		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Chief Examiner at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Rope Maintenance Primary Task: Cleaning and Inspecting Rope		
Objective: 4.5.1(B)	NFPA Standard 1001, 2019 Edition	Candidate #
Task: The candidate, given a fire service rope, shall demonstrate the technique for inspecting, cleaning and storing the rope according to manufacturer's recommendations or department guidelines		
	1st	2nd
1. Inspects entire length of rope for chafing, abrasion, melting and exposure to chemicals		
2. Inspects rope by running through hands and checks for soft spots, voids, and any damage in center fibers or on outer sheath		
3. Identifies correct tools and procedures to clean rope (rope washer, front loading washing machine, hand wash, air dry) according to manufacturer's guidelines		
4. Properly stores fire service rope (bundles, coils, or bags rope)		
5. Removes any damaged rope from service and records in log		
* Critical Task Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 4

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Hose Storage	Primary Task: Hose Storage											
Objective(s) : 4.5.2, 4.5.2(A)(B)	NFPA Standard: 1001 2019 Edition	Candidate # 										
<p>Task: Given several lengths of hose and instruction, the candidate will demonstrate the proper method of storing fire hose.</p>												
		<table border="1" style="float: right; border-collapse: collapse;"> <thead> <tr> <th style="width: 50px;">1st</th> <th style="width: 50px;">2nd</th> </tr> </thead> <tbody> <tr> <td style="height: 30px;"></td> <td style="height: 30px;"></td> </tr> <tr> <td style="height: 30px;"></td> <td style="height: 30px;"></td> </tr> <tr> <td style="height: 30px;"></td> <td style="height: 30px;"></td> </tr> <tr> <td style="height: 30px;"></td> <td style="height: 30px;"></td> </tr> </tbody> </table>	1st	2nd								
1st	2nd											
1 Assures hose is clean												
2 Assures hose is dry												
3 Properly roles hose for storage per AHJ policies												
4 Loads hose on hose storage rack												
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT Total number tasks candidate must complete to pass 3										

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No. FF1 Hose Rolls		Primary Task: Rolling Hose	
Objective: 4.5.2(B)		NFPA Standard 1001, 2019 Edition	Candidate #
Task: The candidate, given sections of 1 3/4" to 2 1/2" fire service hose, shall demonstrate rolling hose using ONE of the following methods			
		1st	2nd
STRAIGHT ROLL			
1.	Lays hose in a straight line		
2.	Begins rolling at male end for attack hose and female end for supply hose		
3.	Completes the roll ensuring edges are aligned for storage		
SINGLE DONUT (METHOD #1)			
1.	Lays hose flat folding the hose on top of itself with the male coupling on top about 3 feet short of female coupling		
2.	Starting at fold, rolls hose toward the coupling		
3.	Completes the roll bringing the female coupling over the male coupling end		
SINGLE DONUT (METHOD #2)			
1.	Lays hose flat		
2.	Starting at a point off center about 6 feet toward the male coupling, rolls the hose toward the female coupling		
3.	Completes the roll bringing the female coupling over the male coupling end		
TWIN DONUT			
1	Lays hose flat with couplings together parallel to each other at one end		
2	At the center starts rolling with loop folded over both halves and both halves are rolled toward the coupling end at the same time		
3	Completes the role and secures with strap, rope, or creates a self locking role		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass all rolls 3

Rev. 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Hose Loads Attack	Primary Task:	Hose Bed - Attack
Objective(s) :	4.5.2, 4.5.2(A)(B)	NFPA Standard:	1001, 2019 Edition
		Candidate #	
<p>Task: Given several lengths of 1 3/4" hose, hose bed, and instruction, the candidate will demonstrate the proper technique to load attack hose using one of the below listed methods.</p>			
		1st	2nd
1	Unrolls/drains hose as directed (drains if used in evolution and being reloaded)		
2	Loads--1 3/4" Attack hose into hose bed by one of the following methods : <ul style="list-style-type: none"> • Preconnected Flat Load, • Triple Layer Load, • Minuteman Load 		
3	* Couples, Uncouples hose as directed (foot tilt, knee press method)		
4	Uses the Higbee cut indicator		
* Critical Task	Failure of this task mandates failure on the entire objective	Safety is PARAMOUNT	Total number tasks candidate must complete to pass 3

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE



State of Connecticut
 COMMISSION ON FIRE PREVENTION AND CONTROL



Firefighter I

Performance Evaluation Sheet

Skill Sheet No.	FF1 Hose Loads Supply	Primary Task:	Hose Bed Loads - Supply		
Objective(s) :	4.5.2, 4.5.2(A)(B)	NFPA Standard:	1001, 2019 Edition		
			Candidate #		
<p>Task: Given several lengths of 2½” hose, hose bed, and instruction, the candidate will demonstrate the methods to load supply hose using one of the below methods.</p>					
			<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 50px;">1st</td> <td style="width: 50px;">2nd</td> </tr> </table>	1st	2nd
1st	2nd				
1	Unrolls hose as directed	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 50px; height: 30px;"></td> <td style="width: 50px; height: 30px;"></td> </tr> </table>			
2	Loads—2 1/2 Supply hose into hose bed by one of the following methods : <ul style="list-style-type: none"> • Accordion Load, • Flat Load, • Horseshoe Load 	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 50px; height: 30px;"></td> <td style="width: 50px; height: 30px;"></td> </tr> </table>			
3	* Couples, Uncouples hose as directed (foot tilt, knee press method if applicable)	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 50px; height: 30px;"></td> <td style="width: 50px; height: 30px;"></td> </tr> </table>			
4.	Demonstrates use of the Dutchman	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 50px; height: 30px;"></td> <td style="width: 50px; height: 30px;"></td> </tr> </table>			
5.	Proper location of couplings	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 50px; height: 30px;"></td> <td style="width: 50px; height: 30px;"></td> </tr> </table>			
* Critical Task Failure of this task mandates failure on the entire objective		Safety is PARAMOUNT			
Total number tasks candidate must complete to pass			4		

Rev 3/2020

Prevent or prohibit any unsafe acts.
 Contact the Lead Evaluator at any time with any questions.
 Remember, you are an evaluator, not a trainer...

IN THE EVENT OF FAILURE OF THIS SKILL, EVALUATOR COMPLETE REVERSE SIDE

