
COVID-19 Update February 03, 2022

As of **February 02**, **2022**, the total of laboratory-confirmed and probable COVID-19 cases reported among Connecticut residents is **704**,**871**, including **632**,**557** laboratory-confirmed and **72**,**314** probable cases. **Eight hundred sixty-nine** patients are currently hospitalized with laboratory-confirmed COVID-19; of these, **456** (52.5%) are not fully vaccinated. There have been **10**,**083** COVID-19-associated deaths.

Overall Summary	Total*	Change Since Yesterday
COVID-19 Cases (confirmed and probable)	704,871	+2,445
COVID-19 Tests Reported (molecular and antigen)	14,601,141	+37,197
Daily Test Positivity*		6.57%
Patients Currently Hospitalized with COVID-19	869	-66
	Total	Change since 01/27/2022
COVID-19-Associated Deaths	10,083	+175


^{*} Includes confirmed and probable cases

<u>Cases</u>




Total Cases: 704,871

Hospital Census




Hospital Census: 2/2/2022: 869

Hospitalizations



Total Hospitalizations: 53,826

Deaths



Total Deaths: 10,083

COVID-19 Cases and Associated Deaths by County of Residence As of 02/02/22.


County	COVID-19 Cases		COVID-19-Associated Deaths	
County	Confirmed	Probable	Confirmed	Probable
Fairfield County	172,940	21,526	2,060	504
Hartford County	155,414	15,181	2,378	525
Litchfield County	26,086	4,107	355	65
Middlesex County	23,815	2,368	330	128
New Haven County	163,427	21,271	2,220	399
New London County	47,573	4,236	464	129
Tolland County	17,628	1,857	184	66
Windham County	23,322	1,418	218	58
Pending address validation	2,352	350	0	0
Total	632557	72314	8209	1874

<u>National COVID-19 statistics</u> and information about <u>preventing spread of COVID-19</u> are available from the Centers for Disease Control and Prevention.

Day-to-day changes reflect newly reported cases, deaths, and tests that occurred over the last several days to week. All data in this report are preliminary; data for previous dates will be updated as new reports are received and data errors are corrected. Hospitalization data were collected by the Connecticut Hospital Association. Deaths reported to either OCME or DPH are included in the daily COVID-19 update.


COVID-19 Cases and Deaths Over Time

The chart below shows the number of new COVID-19 cases reported to CT DPH by week of specimen collection or onset of illness. Case data includes probable cases based on positive antigen test results. During the past two weeks (January 16-29), there were 39,176 new COVID-19 cases, including cases among people residing in the community and congregate settings, such as nursing homes, managed residential communities, and correctional facilities.



Shading indicates data are incomplete for the current week.

The graph below shows the number of COVID-19 associated deaths since August 1, 2020 by week of death and whether the person was residing in a congregate setting, such as a nursing home, managed residential community, or correctional facility.




Community Transmission of COVID-19

Among 39,176 new COVID-19 cases with specimen collection or onset date during January 16-29, there were 38,840 cases among people living in community settings, as shown in the map below. This corresponds to an average of 77.81 new COVID-19 cases per day per 100,000 population. Cases among people residing in nursing homes, assisted living facilities, and correctional facilities are excluded. Darker colors indicate towns with more cases.


During this two-week period, there were more than 100 new COVID-19 cases in 97 towns.

Number of COVID-19 Cases among People Living in Community Settings by Town with Specimen Collection or Onset Date During January 16-29




Map does not include 176 cases pending address validation

Because towns with larger populations are likely to have more cases, it is also important to look at the number of new cases per 100,000 population. The maps below show the average number of new cases per 100,000 population per day, with darker colors indicating higher rates. Cases among people residing in nursing homes, assisted living facilities, and correctional facilities are excluded.



Among towns with at least 5 new cases during January 16-29, 167 towns had an average rate of 15 or more cases per 100,000 population per day, shown in red in the map below.

Average Daily Rate of COVID-19 Cases among People Living in Community Settings per 100,000 Population by Town with Specimen Collection or Onset Date During January 16-29



Map does not include 176 cases pending address validation

Epidemiology of COVID-19 by Vaccine Status

Methodology

To determine cases of COVID-19 among fully vaccinated persons (e.g., vaccine breakthrough cases), DPH matches COVID-19 case data with the vaccine registry to determine which cases meet the definition of being fully vaccinated and are also vaccine breakthrough cases. A case of COVID-19 in a fully vaccinated person (e.g., vaccine breakthrough case) is defined as a person who has a positive PCR/NAAT or antigen test in a respiratory specimen collected ≥14 days after completing the final dose of an FDA-authorized or approved COVID-19 vaccine series and who did not have a previously positive COVID-19 test <90 days prior to the positive test currently under investigation. All data presented below are preliminary and subject to change.

Data

The table below shows new COVID-19 cases for the last two complete weeks (Sun-Sat) January 16, 2022 - January 29, 2022 by vaccination status. The percentage of cases among fully vaccinated individuals is influenced by the high proportion of the population that is eligible for and has completed a vaccine series, and should be considered in light of the overall proportion of vaccinated individuals who have contracted the virus.

Status	Case Count	Percent
New Cases	36,481	
Not Fully Vaccinated	16,501	45.2
Fully Vaccinated	19,980	54.8

As of **January 26, 2022**, 157,682 cases of COVID-19 among fully vaccinated persons in Connecticut have been identified. Of the 2,569,296 persons who are fully vaccinated, 5.84 percent have contracted the virus.

Since the beginning of the pandemic, 547,189 cases have been identified among individuals who are not fully vaccinated.

Five hundred seventy-three COVID-19 related deaths have occurred among the 157,682 fully vaccinated persons confirmed with COVID-19.

The table below shows cases and deaths among fully vaccinated persons by age group.

Cases and Deaths Among Fully Vaccinated Persons and Persons with Additional Doses by Age Group

Age groups	# (%) Cases	# (%) Deaths
5-11	2,780 (1.8%)	
12-15	6,584 (4.2%)	
16-24	22,397 (14.2%)	
25-34	27,236 (17.3%)	1 (0.2%)
35-44	27,673 (17.5%)	5 (0.9%)
45-54	26,483 (16.8%)	10 (1.7%)
55-64	23,921 (15.2%)	71 (12.4%)
65-74	11,904 (7.5%)	92 (16.1%)
75+	8,704 (5.5%)	394 (68.8%)
Total	157,682	573

The risk of being infected, hospitalized or dying is higher when there is more virus spreading from person to person; being vaccinated against COVID-19 decreases the risk. The figures below show that rates of infection, hospitalization, and death, are highest among unvaccinated persons. The figures also show the relative risk (RR) which is the difference in risk when comparing rates between vaccinated and unvaccinated persons. When the relative risk is InfX, it means the risk was only for unvaccinated persons, since no deaths were reported among vaccinated persons that week.

The figures below are age standardized. The process of age-standardization allows for comparison of rates between groups when the age distributions of the two groups (e.g., vaccinated and unvaccinated) are different. The 2019 CT state population was used for age-adjustment purposes.


Compared to being vaccinated, being unvaccinated currently has the following relative risk:

- 3 Times higher risk of being infected with COVID-19
- 15 Times higher risk of dying from COVID-19
- 7 Times higher risk of being hospitalized with COVID-19

COVID-19 Cases

Age Standardized Weekly Incidence Rates

By Vaccination Status -- As of February 02, 2022




Using population >= 5 years old

COVID-19 Deaths

Age Standardized Weekly Mortality Rates

By Vaccination Status -- As of February 02, 2022




Using population >= 5 years old

COVID-19 Hospitalizations

Age Standardized Weekly Hospital Admission Rates

By Vaccination Status -- As of February 02, 2022 -- Limited to residents of New Haven and Middlesex Countie



Using population >= 5 years old

SARS-CoV-2 Variant Surveillance

The Centers for Disease Control and Prevention (CDC) have identified three types of SARS-CoV-2 variants: variants of concern, variants being monitored, and variants of high consequence. The definitions for the three different variant categories and substitutions of therapeutic concern can be found here: <u>SARS-CoV-2 Variants of Concern | CDC.</u>

Different terminology has been developed by international scientists for naming SARS-CoV-2 variants. Recently, the World Health Organization (WHO) developed new labels for describing these variants to the public. Below, both the Pango lineage and sub-lineages (used by CDC) and the WHO label are listed (if available) for each variant described.

<u>Data provided are</u> from the Global Initiative for Sharing Avian Influenza Data (GISAID). GISAID is a global science initiative established in 2008 that provides open-access to genomic data of influenza viruses and the SARS-CoV-2 virus responsible for the COVID-19 pandemic. Laboratories performing whole genome sequencing are encouraged to share their data on this website. More information about GISAID can be found at <u>GISAID - Initiative</u>. This data source provides the ability to monitor all variants of the SARS-CoV-2 virus that are circulating and might be identified in the future.


Below are data on variants of concern and variants being monitored identified among Connecticut residents. No variants of high consequence have been defined by CDC to date.

Data are from GISAID as of 02/03/2022 and represent sequences from specimens with dates of collection from 3/2/2020-01/25/2022. **The total number of SARS-CoV-2 sequences in GISAID for Connecticut residents are 30,606.**

	Number	Percentage
Variants of Concern		
B.1.617.2 and AY lineages (Delta)	16,524	54.0%
B.1.1.529 and BA lineages	5,504	18.0%
(Omicron)		
Variants Being Monitored		
B.1.1.7 and Q lineages (Alpha)	3,525	12.0%
B.1.351 and descendent lineages	42	0.1%
(Beta)		
P.1 and descendent lineages	227	1.0%
(Gamma)		
B.1.427/429 (Epsilon)	214	1.0%
B.1.525 (Eta)	21	0.1%
B.1.526 (Iota)	1,594	5.2%
B.1.617.1 (Kappa)	7	0.02%
B.1.617.3	0	0%
B.1.621, B.1.621.1 (Mu)	120	0.4%
P.2 (Zeta)	9	0.03%

SARS-CoV-2 Variant Surveillance, continued

The plot below, based on data extracted from GISAID on 2/3/2022, shows the change in proportion of circulating variants of concern by week. Data include sequences from specimens with dates of collection from 11/21/2021–01/25/2022.



Connecticut nursing homes are required by the Connecticut Department of Public Health (DPH) and the Centers for Medicare and Medicaid Services (CMS) to report on the impact of COVID-19 on their residents and staff through CDC's National Healthcare Safety Network (NHSN). CT DPH uses data submitted to NHSN to produce a weekly nursing home report to depict recent COVID-19 activity in nursing homes. The following graph and table provide a quick overview of COVID-19 in CT nursing homes. For the complete DPH nursing home report, please see Nursing Home and Assisted Living Facilities Data.




Figure 1. Nursing Homes with Positive Staff or Residents October 27, 2020-February 1, 2022^{1,2,3}

Table 1: Statewide COVID-19 Vaccination coverage among nursing home residents and staff from NHSN^{1,2}

	Statewide COVID-19 Vaccination Rate Data as of January 23, 2022		
	Resident Vaccination Rates	Staff Vaccination Rates	
	N= 203 homes	N= 202 homes	
Average Vaccination Rate	92%	97%	
Median Vaccination Rate	94%	97%	
Range of Vaccination Rates	75-100%	82-100%	
% of the reporting nursing	79%	96%	
homes with vaccination rate ≥			
90%			

¹ NHSN vaccine reporting instructions for nursing homes can be found here.

¹ For more detailed information on COVID-19 reporting and NHSN, please see <u>here</u>.

² Similar to DPH, CMS makes COVID-19 nursing home data, including vaccination rates, publicly available. Please see <u>CMS'</u> <u>COVID-19 Nursing Home Data website</u>.


³16 facilities did not report for this week, as of February 3, 2022.

² Similar to DPH, CMS makes COVID-19 nursing home data, including vaccination rates, publicly available. Please see <u>CMS'</u> COVID-19 Nursing Home Data website.

COVID-19 Molecular and Antigen Tests during January 16 - January 29, 2022

Among 335,684 molecular and antigen tests for COVID-19 with specimen collection date during January 16 - January 29, 2022, 317,226 (95%) tests were conducted among people who did not reside in congregate settings (including nursing homes, assisted living, and correctional facilities). Of these 317226 tests, 49,617 (16%) were positive. The map below shows the number of molecular and antigen COVID-19 tests by town with specimen collection date during January 16 - January 29, 2022 that were conducted among community residents.

Number of Molecular and Antigen Tests for COVID-19 among People Living in Community Settings by Town with Specimen Collection Date During January 16-29




Map does not include tests pending address validation

Age Distribution of COVID-19 Cases with Specimen Collection or Onset During January 16 - January 29, 2022

Number of New COVID-19 Cases by Age Group

During January 16 - January 29, 2022




Average Daily Incidence by Age Group

The chart below shows the average number of new COVID-19 cases per day per 100,000 population by age group. The rates in this chart are calculated by averaging the number of new cases diagnosed each day during the previous two weeks, dividing by the annual population in each age group, and then multiplying by 100,000.

Average daily rate of COVID-19 cases by age group






Average Daily Incidence by County

The chart below shows the average number of new COVID-19 cases per day per 100,000 population in the state of Connecticut and for each Connecticut county. The rates in this chart are calculated by averaging the number of new cases diagnosed each day during the previous two weeks, dividing by the annual estimated population, and then multiplying by 100,000.

Average daily rates of COVID-19 cases by county As of 02/02/2022




Cumulative Number of COVID-19 Cases and COVID-19-Associated Deaths by Date


Test results may be reported several days after the result. Data are incomplete for most recent dates shaded in grey. Data from previous dates are routinely updated.

Number of Confirmed and Probable COVID-19 Cases by Date

As of 02/02/2022



Number of COVID-19-Associated Deaths by Date of Death




Hospitalization Surveillance

The map below shows the number of patients currently hospitalized with laboratory-confirmed COVID-19 by county based on data collected by the Connecticut Hospital Association. The distribution is by location of hospital, not patient residence. The labels indicate the number of patients currently hospitalized with the change since yesterday in parentheses.

Patients Currently Hospitalized by Connecticut County


Distribution by location of hospital not patient residence. Data from the Connecticut Hospital Association.




More information about hospitalized cases of COVID-19 in New Haven and Middlesex Counties is available from COVID-NET.

COVID-19 Hospital Census in Connecticut

The chart below shows the COVID-19 hospital census, which is the number of patients currently hospitalized with laboratory-confirmed COVID-19 on each day. Data were collected by the Connecticut Hospital Association and are shown since August 1, 2020.








COVID-19 Admissions

The chart below shows the average daily rate of hospital admissions with laboratory-confirmed COVID-19 by age group. The data used to create this plot were gathered from HHS Protect. More information on HHS Protect data can be found here.

Average daily COVID-19 hospital admission rate per 100,000, Connecticut Data from HHS Protect



Child Care-Associated Case Surveillance

The table below shows the number of cases among child care attendees and staff reported to the Department of Public Health (DPH). Licensed child care centers are required to report cases of COVID-19 among attendees and staff to the DPH and the local health department. There are 1,388 licensed child care centers and group child care homes in Connecticut that serve approximately 50,000 children. Beginning the week of January 9th, reporting transitioned from individual case reporting to aggregate reporting of cases among attendees and staff. The form for collecting aggregate data from child care centers can be found here.

Data are preliminary and, like other passive surveillance systems, under reporting occurs and the true incidence of disease is more than the number of cases reported. Data from previous weeks are updated as new data are received. Several weeks of data from the new reporting system will be needed to determine trends.

Number of Reported Child Care-Associated Cases Statewide

Overall Summary	Total January 9 th – 15 th	Total January 16 th – 22 nd	Total January 23 rd – 29 th
Child Care Centers Reporting	330	383	272
COVID-19 Cases: Children Attendees	937	1209	743
COVID-19 Cases: Staff	339	384	212


Laboratory Surveillance

Molecular Tests

To date, DPH has received reports on a total of 12,946,765 molecular COVID-19 laboratory tests; of these 12,790,909 test results were received via electronic laboratory reporting (ELR) methods from commercial laboratories, hospital laboratories, and the Dr. Katherine A. Kelley State Public Health Laboratory. The chart below shows the number of tests reported via ELR by date of specimen collection and test result.

Test results may be reported several days after specimen collection. Data are incomplete for most recent dates shaded in grey. Data for previous dates are routinely updated.

Number of Molecular Laboratory Tests for COVID-19 Reported via ELR Weekly test total by Specimen Collection Date
As of February 02, 2022




Testing of recently collected specimens is ongoing and does not reflect a decrease in testing. Chart only includes test results received by electronic laboratory reporting.

ELR = Electronic Laboratory Reporting

Antigen Tests

To date, DPH has received reports on a total of 1,654,376 COVID-19 antigen laboratory tests. The chart below shows the number of antigen tests reported to DPH by specimen collection date and test result.

Test results may be reported several days after specimen collection. Data are incomplete for most recent dates shaded in grey. Data for previous dates are routinely updated.




Testing of recently collected specimens is ongoing and does not reflect a decrease in testing.


Characteristics of COVID-19 Cases and Associated Deaths

Counts may not add up to total case count because demographic data may be missing.

Number of COVID-19 Cases by Age Group




Number of COVID-19-Associated Deaths by Age Group




Counts may not add up to total case count because demographic data may be missing.

Number of COVID-19 Cases by Gender

As of 02/02/2022




Number of COVID-19-Associated Deaths by Gender



Cumulative Number of COVID-19 Cases by Town

Map does not include 2702 cases pending address validation




APPENDIX A. The following graphs show the number of cases per 100,000 Connecticut residents statewide and by county, age group, and gender. Population estimate from: <u>DPH Population Statistics</u>


Rate of COVID-19 Cases Statewide and by County

As of 02/02/2022 21608 21185 20615 20000 19535 19131 Rate per 100,000 Population 16743 16119 15000 12928 10000 5000 0 Hen London Fairfield Hattord Litchfield Middleset HenHaver Windham Tolland


Rate of COVID-19-Associated Deaths Statewide and by County




Rate of COVID-19 Cases by Age Group




Rate of COVID-19-Associated Deaths by Age Group



Rate of COVID-19 Cases by Gender




Rate of COVID-19-Associated Deaths by Gender




APPENDIX B. The following graphs show the number of cases and deaths by race and ethnicity. Categories are mutually exclusive. The category "multiracial" includes people who answered 'yes' to more than one race category. NH=Non-Hispanic

Number of COVID-19 Cases by Race\Ethnicity





Number of COVID-19-Associated Deaths by Race\Ethnicity



The following graphs show the number of COVID-19 cases and COVID-19-associated deaths per 100,000 population by race and ethnicity. Crude rates represent the total cases or deaths per 100,000 people. Age-adjusted rates consider the age of the person at diagnosis or death when estimating the rate and use a standardized population to provide a fair comparison between population groups with different age distributions. Age-adjustment is important in Connecticut as the median age of among the non-Hispanic white population is 47 years, whereas it is 34 years among non-Hispanic blacks, and 29 years among Hispanics. Because most non-Hispanic white residents who died were over 75 years of age, the age-adjusted rates are lower than the unadjusted rates. In contrast, Hispanic residents who died tend to be younger than 75 years of age which results in higher age-adjusted rates.

The 2018 Connecticut and 2000 US Standard Million populations were used for age adjustment; population estimates from: DPH Population Statistics. Categories are mutually exclusive. Cases missing data on race/ethnicity are excluded from calculation of rates. NH=Non-Hispanic





^{*}Age adjusted rates only calculated for groups with at least 30 deaths