



STATE OF CONNECTICUT  
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)

Web Site: [portal.ct.gov/csc](http://portal.ct.gov/csc)

**VIA ELECTRONIC MAIL**

July 1, 2021

Kristen Motel, Esq.  
Lucia Chiocchio, Esq.  
Cuddy & Feder LLP  
445 Hamilton Avenue, 14th Floor  
White Plains, New York 10601  
[kmotel@cuddyfeder.com](mailto:kmotel@cuddyfeder.com)  
[lchiocchio@cuddyfeder.com](mailto:lchiocchio@cuddyfeder.com)

RE: **DOCKET NO. 500** - Arx Wireless Infrastructure, LLC application for a Certificate of Environmental Compatibility and Public Need for the construction, maintenance, and operation of a telecommunications facility located at 1061-1063 Boston Post Road, Milford, Connecticut.

Dear Attorneys Motel and Chiocchio:

The Connecticut Siting Council (Council) requests your responses to the enclosed questions no later than July 15, 2021. To help expedite the Council's review, please file individual responses as soon as they are available.

Please submit an original and 15 copies to the Council's office and an electronic copy to [siting.council@ct.gov](mailto:siting.council@ct.gov). In accordance with the State Solid Waste Management Plan and in accordance with Section 16-50j-12 of the Regulations of Connecticut State Agencies, the Council requests all filings be submitted on recyclable paper, primarily regular weight white office paper. Please avoid using heavy stock paper, colored paper, and metal or plastic binders and separators. Fewer copies of bulk material may be provided as appropriate.

**Please be advised that the original and 15 copies are required to be submitted to the Council's office on or before the July 15, 2021, deadline.**

Copies of your responses shall be provided to all parties and intervenors listed in the service list, which can be found on the Council's website under the "Pending Matters" link.

Any request for an extension of time to submit responses to interrogatories shall be submitted to the Council in writing pursuant to §16-50j-22a of the Regulations of Connecticut State Agencies.

Sincerely,

*s/Melanie Bachman*

Melanie Bachman  
Executive Director

MB/IN/lm

c: Service List dated May 6, 2021

**Docket No. 500**  
**New Cingular Wireless PCS, LLC**  
**Pre-Hearing Interrogatories**  
**July 1, 2021**  
**Set Two**

23. With reference to AT&T's response to Council interrogatory 3 and the Project summary shown on sheet T-1 of the Project Plans how many of the proposed RRUs would be installed on the tower?
24. With reference to the response to Council interrogatory 7, would a facility outside the half mile search area be able to provide the required coverage?
25. Would AT&T's ground equipment be alarmed?
26. Would the existing facility at 160 Wampus Lane be a viable alternative to the proposed facility at 1063 Boston Post Road? Please elaborate.
27. Would a facility located in the southerly parking lot of the Connecticut Post Mall at 1201 Boston Post Road be a viable alternative to the proposed facility at 1063 Boston Post Road? Please elaborate.
28. Would a facility located on the Schick-Wilkinson Billboard at 10 Leighton Road be a viable alternative to the proposed facility at 1063 Boston Post Road? Please elaborate.