

ADJACENT PROPERTY OWNERS

SITE NAME: NORTHFORD

OWNER NAME: ESTATE OF GAIL AND MICHAEL MONACO

PROPERTY ADDRESS: 222 CLINTONVILLE ROAD, NORTH BRANFORD, CT

PARCEL IDENTIFICATION: 67D6

THE FOLLOWING INFORMATION WAS COLLECTED FROM THE TOWN'S ONLINE GIS AND TAX ASSESSOR'S RECORDS ON JANUARY 13, 2022.

THE PARCEL IS ZONED RESIDENTIAL (R-40)

	<u>Property Address</u>	<u>Owner and Mailing Address</u>
1.	41 Pistapaug Road	Diane and Kenneth Martin, Jr. 41 Pistapaug Road Northford, CT 06472
2.	61 Pistapaug Road	Bonnie and Robert Mathews, Jr. 61 Pistapaug Road Northford, CT 06472
3.	26 Old Post Road	Area Cooperative Educational Services 350 State Street North Haven, CT 06473
4.	250 Clintonville Road	Henry T. Petry 86 E. Wharf Road Madison, CT 06443
5.	246 Clintonville Road	Janet Petry and Barbara Bellacicco P.O. Box 9 Northford, CT 06472
6.	277 Clintonville Road	Adrienne David P.O. Box 266 Northford, CT 06472
7.	261 Clintonville Road	Rene and Arthur Hausman, Jr. P.O. Box 143 Northford, CT 06472-0143

	<u>Property Address</u>	<u>Owner and Mailing Address</u>
8.	267 Clintonville Road	Darius Bakula 267 Clintonville Road Northford, CT 06472
9.	216 Clintonville Road	Town of Wallingford Electric Works 100 John Street Wallingford, CT 06492
10.	194 Clintonville Road	Town of North Branford 909 Foxon Road North Branford, CT 06471
11.	8 Woodhouse Avenue	Joseph Acampora III 8 Woodhouse Avenue Northford, CT 06472
12.	11 Woodhouse Avenue	Christopher and Sandra Kazes 11 Woodhouse Avenue Northford, CT 06472
13.	34 Pistapaug Road	Kathleen and John Delfino 34 Pistapaug Road Northford, CT 06472
14.	36 Pistapaug Road	Anna Dematteo and PA and Tobey Salvati 38 Pistapaug Road Northford, CT 06472
15.	38 Pistapaug Road	Anna Dematteo and PA and Tobey Salvati 38 Pistapaug Road Northford, CT 06472
16.	42 Pistapaug Road	Monica and Robert Cotton III 42 Pistapaug Road Northford, CT 06472

CERTIFICATION OF SERVICE

I hereby certify that a copy of the foregoing letter was sent by certified mail, return receipt requested, to each of the parties on the attached list of abutting landowners.

January 24, 2022

Date



Kenneth C. Baldwin, Esq.
Robinson & Cole LLP
280 Trumbull Street
Hartford, CT 06103

Attorneys for Homeland Towers

KENNETH C. BALDWIN

280 Trumbull Street
Hartford, CT 06103-3597
Main (860) 275-8200
Fax (860) 275-8299
kbaldwin@rc.com
Direct (860) 275-8345

Also admitted in Massachusetts
and New York

January 24, 2022

Via Certified Mail, Return Receipt Requested

«Name_and_Address»

Re: **Homeland Towers, LLC and Celco Partnership d/b/a Verizon Wireless – Proposed Telecommunications Facility at 222 Clintonville Road, North Branford, Connecticut**

Dear «Salutation»:

Homeland Towers, LLC (“Homeland”) and Celco Partnership d/b/a Verizon Wireless (“Celco”) will be submitting an application to the Connecticut Siting Council (“Council”) on or about January 27, 2022, for the construction of a new telecommunications facility in the Town of North Branford, Connecticut.

The proposed facility would consist of a new 110-foot monopine tower located in the easterly portion of a 7.86-acre parcel at 222 Clintonville Road in North Branford (the “Property”). The tower, wireless equipment, a backup generator and a propane fuel tank will be installed within a fenced facility compound. Access to the facility would extend from Clintonville Road. Site plan drawings for the proposed facility are attached for your review. The location and other features of the proposed facility, including tower height, are subject to change under the provisions of Connecticut General Statutes § 16-50g et seq. and 47 U.S.C. § 1455e.

State law provides that owners of record of property which abuts a parcel on which a facility is proposed to be located must receive notice of the submission of this application. This notice is directed to you either because you may be an abutting land owner or as a courtesy notice.

January 24, 2022

Page 2

If you have any questions concerning the application, please direct them to either the Connecticut Siting Council or me. My address and telephone number are listed above. The Siting Council may be reached at its New Britain, Connecticut office at (860) 827-2935.

Very truly yours,

A handwritten signature in black ink, appearing to read "Kenneth C. Baldwin". The signature is written in a cursive style with a long horizontal flourish at the end.

Kenneth C. Baldwin

KCB/kmd
Attachment



HOMELAND TOWERS, LLC
WIRELESS TELECOMMUNICATIONS FACILITY
 NORTH BRANFORD
 222 CLINTONVILLE ROAD
 NORTHFORD, CT 06472

HOMELAND TOWERS, LLC
 20th FLOOR
 200 ALEXANDER DRIVE
 NORTHFORD, CT 06472
 (800) 922-4455



ALL-POINTS
 TECHNOLOGY CORPORATION
 1000 WASHINGTON STREET
 SUITE 300
 DANBURY, CT 06810
 (800) 287-6345

NO.	DATE	REVISION
1	12/27/21	CLIENT COMMENTS - ACE
2	12/29/21	CLIENT COMMENTS - ACE
3	12/29/21	CLIENT COMMENTS - ACE
4	12/29/21	CLIENT COMMENTS - ACE
5	12/29/21	CLIENT COMMENTS - ACE
6	12/29/21	CLIENT COMMENTS - ACE
7	12/29/21	CLIENT COMMENTS - ACE
8	12/29/21	CLIENT COMMENTS - ACE

NO.	DATE	REVISION
1	12/27/21	CLIENT COMMENTS - ACE
2	12/29/21	CLIENT COMMENTS - ACE
3	12/29/21	CLIENT COMMENTS - ACE
4	12/29/21	CLIENT COMMENTS - ACE
5	12/29/21	CLIENT COMMENTS - ACE
6	12/29/21	CLIENT COMMENTS - ACE
7	12/29/21	CLIENT COMMENTS - ACE
8	12/29/21	CLIENT COMMENTS - ACE

PERMITTING DOCUMENTS

BROWN PROFESSIONALS OF RECORD
 PROF. ROBERT C. BURKS, P.E.
 2ND FLOOR
 9 WADSWORTH STREET
 DANBURY, CT 06810
 (800) 287-6345

HOMELAND TOWERS
 NORTH BRANFORD
 222 CLINTONVILLE ROAD
 NORTHFORD, CT 06472
 (800) 922-4455

TITLE SHEET & INDEX
 SHEET NUMBER: T-1

DATE: 08/27/21
 DRAWN BY: CH
 CHECKED BY: RB

GAL & MICHAEL MONACO
 200 ALEXANDER DRIVE
 NORTHFORD, CT 06472
 (800) 922-4455

HOMELAND TOWERS, LLC
 20th FLOOR
 200 ALEXANDER DRIVE
 NORTHFORD, CT 06472
 (800) 922-4455

APPLICANTS:
 CELCO PARTNERSHIP
 9 HUNTERS LANE
 2ND FLOOR
 DANBURY, CT 06810
 (800) 287-6345

HOMELAND PROJECT ATTORNEY:
 ROBINSON & COLE
 200 ALEXANDER DRIVE
 HARTFORD, CT 06103
 (800) 855-8579

POWER PROVIDER:
 WALLINGFORD ELECTRIC, (203) 294-2020

TELECO PROVIDER:
 FRONTIER (800) 821-8102

CALL BEFORE YOU DIG:
 (800) 922-4455

DRAWING INDEX

- T-1 TITLE SHEET & INDEX
- 1 OF 1 PROPERTY & TOPOGRAPHIC SURVEY
- SP-1 SITE PLAN & ABUTTERS MAP
- SP-2 PARTIAL SITE PLAN
- CP-1 COMPOUND PLAN & TOWER ELEVATION
- A-1 ALTERNATE MONOPOLE ELEVATION
- C-1 SITE DETAILS
- C-2 EROSION CONTROL & LANDSCAPING DETAILS
- C-3 VERIZON EQUIPMENT PLAN & DETAILS
- C-4 MUNICIPAL ANTENNA PLAN & DETAILS

SITE INFORMATION

PROJECT LOCATION: 222 CLINTONVILLE ROAD
 NORTHFORD, CT 06472
 PROJECT DESCRIPTION: RAWLAND SITE W/ GROUND
 TELECOMMUNICATIONS
 EQUIPMENT COMPOUND W/
 PROPOSED 110' E. AGL MONOPOLE
 PROPERTY DEVELOPER: HOMELAND TOWERS, LLC
 222 CLINTONVILLE ROAD
 NORTHFORD, CT 06472
 DEVELOPER CONTACT: RAY VERGATI
 (203) 287-6345
 ENGINEER CONTACT: ROBERT C. BURKS, P.E.
 (800) 922-2038
 LATITUDE: 41° 28' 44.9168"N
 LONGITUDE: 72° 47' 35.0815"W
 ELEVATION: 277.7' ± AMSL
 MAP: 87D
 LOT: 6
 ZONE: R40

DRAWING INDEX



- T-1 TITLE SHEET & INDEX
- 1 OF 1 PROPERTY & TOPOGRAPHIC SURVEY
- SP-1 SITE PLAN & ABUTTERS MAP
- SP-2 PARTIAL SITE PLAN
- CP-1 COMPOUND PLAN & TOWER ELEVATION
- A-1 ALTERNATE MONOPOLE ELEVATION
- C-1 SITE DETAILS
- C-2 EROSION CONTROL & LANDSCAPING DETAILS
- C-3 VERIZON EQUIPMENT PLAN & DETAILS
- C-4 MUNICIPAL ANTENNA PLAN & DETAILS

SITE INFORMATION

PROJECT LOCATION: 222 CLINTONVILLE ROAD
 NORTHFORD, CT 06472
 PROJECT DESCRIPTION: RAWLAND SITE W/ GROUND
 TELECOMMUNICATIONS
 EQUIPMENT COMPOUND W/
 PROPOSED 110' E. AGL MONOPOLE
 PROPERTY DEVELOPER: HOMELAND TOWERS, LLC
 222 CLINTONVILLE ROAD
 NORTHFORD, CT 06472
 DEVELOPER CONTACT: RAY VERGATI
 (203) 287-6345
 ENGINEER CONTACT: ROBERT C. BURKS, P.E.
 (800) 922-2038
 LATITUDE: 41° 28' 44.9168"N
 LONGITUDE: 72° 47' 35.0815"W
 ELEVATION: 277.7' ± AMSL
 MAP: 87D
 LOT: 6
 ZONE: R40

DRAWING INDEX

- T-1 TITLE SHEET & INDEX
- 1 OF 1 PROPERTY & TOPOGRAPHIC SURVEY
- SP-1 SITE PLAN & ABUTTERS MAP
- SP-2 PARTIAL SITE PLAN
- CP-1 COMPOUND PLAN & TOWER ELEVATION
- A-1 ALTERNATE MONOPOLE ELEVATION
- C-1 SITE DETAILS
- C-2 EROSION CONTROL & LANDSCAPING DETAILS
- C-3 VERIZON EQUIPMENT PLAN & DETAILS
- C-4 MUNICIPAL ANTENNA PLAN & DETAILS



SITE INFORMATION

PROJECT LOCATION: 222 CLINTONVILLE ROAD
 NORTHFORD, CT 06472
 PROJECT DESCRIPTION: RAWLAND SITE W/ GROUND
 TELECOMMUNICATIONS
 EQUIPMENT COMPOUND W/
 PROPOSED 110' E. AGL MONOPOLE
 PROPERTY DEVELOPER: HOMELAND TOWERS, LLC
 222 CLINTONVILLE ROAD
 NORTHFORD, CT 06472
 DEVELOPER CONTACT: RAY VERGATI
 (203) 287-6345
 ENGINEER CONTACT: ROBERT C. BURKS, P.E.
 (800) 922-2038
 LATITUDE: 41° 28' 44.9168"N
 LONGITUDE: 72° 47' 35.0815"W
 ELEVATION: 277.7' ± AMSL
 MAP: 87D
 LOT: 6
 ZONE: R40

GOVERNING CODES:

CONNECTICUT STATE BUILDING CODE, LATEST EDITION
 NATIONAL ELECTRIC CODE, LATEST EDITION
 11A-222-H

HOMELAND TOWERS, LLC
 2ND FLOOR
 100 WATERFORD STREET
 DANBURY, CT 06810
 (203) 297-6345



ALL-POINTS
 TECHNOLOGY CORPORATION
 100 WATERFORD STREET
 DANBURY, CT 06810
 (203) 297-6345

NO.	DATE	REVISION
1	10/27/21	CLIENT COMMENTS: ACE
2	10/27/21	CLIENT COMMENTS: ACE
3	10/27/21	CLIENT COMMENTS: ACE
4	10/27/21	CLIENT COMMENTS: ACE
5	10/27/21	CLIENT COMMENTS: ACE
6	10/27/21	CLIENT COMMENTS: ACE
7	10/27/21	CLIENT COMMENTS: ACE
8	10/27/21	CLIENT COMMENTS: ACE


DESIGN PROFESSIONALS OF RECORD
 ALL-POINTS TECHNOLOGY CORPORATION, P.C.
 100 WATERFORD STREET
 DANBURY, CT 06810
 (203) 297-6345

HOMELAND TOWERS
 NORTH BRANFORD
 100 WATERFORD STREET
 DANBURY, CT 06810

DATE: 10/27/21
 CHECKED BY: RCB
 DRAWN BY: RCB

SHEET TITLE:
 ALTERNATE
 MONOPOLE
 ELEVATION

SHEET NUMBER:
 A-1



2 WEST ELEVATION
 SCALE: 1/8" = 1'-0"

PROJ: CELCO PARTNERSHIP
 UNDERGROUND ELEC. & TELCO
 SERVICE FROM PROPOSED MULTIMETER CENTER TO
 PROPOSED VENTILATION CABINET. AS REQUIRED.

HOMELAND TOWERS, LLC
 9 FLOOR
 200 FLOOR
 200 FLOOR
 200 FLOOR
 (202) 557-2342

Calico Partnership dba
verizon
 WIRELESS
 1400 BROADWAY
 WASHINGTON, DC 20004

ALL-POINTS
 TECHNOLOGY CORPORATION
 67 WARDL STREET EXTENSION, SUITE 311
 WYANDHOUT COVE, WA 06096-0301
 (860) 682-0000

PERMITTING DOCUMENTS

NO.	DATE	REVISION
1	12/20/11	FOR REVIEW: RCB
2	12/20/11	FOR REVIEW: RCB
3	1/23/12	CLEAR COMMENTS: RCB
4	1/23/12	CLEAR COMMENTS: RCB
5	1/23/12	CLEAR COMMENTS: RCB
6	1/23/12	CLEAR COMMENTS: RCB
7	1/23/12	CLEAR COMMENTS: RCB
8	1/23/12	CLEAR COMMENTS: RCB

DESIGN PROFESSIONALS OF RECORD

ALL-POINTS TECHNOLOGY CORPORATION, P.C.
 67 WARDL STREET EXTENSION, SUITE 311
 WYANDHOUT COVE, WA 06096-0301
 (860) 682-0000

PROJECT INFORMATION

PROJECT NAME: **VERIZON WIRELESS**
 ADDRESS: **200 FLOOR, 200 FLOOR, 200 FLOOR, 200 FLOOR, WASHINGTON, DC 20004**

DATE: 02/28/12
DRAWN BY: CH
CHECKED BY: RCB
SHEET TITLE:

DESIGN PROFESSIONALS OF RECORD

ALL-POINTS TECHNOLOGY CORPORATION, P.C.
 67 WARDL STREET EXTENSION, SUITE 311
 WYANDHOUT COVE, WA 06096-0301
 (860) 682-0000

PROJECT INFORMATION

PROJECT NAME: **VERIZON WIRELESS**
 ADDRESS: **200 FLOOR, 200 FLOOR, 200 FLOOR, 200 FLOOR, WASHINGTON, DC 20004**



















DATE: 02/28/12
DRAWN BY: CH
CHECKED BY: RCB
SHEET TITLE:

HOMELAND TOWERS
NORTH BRANFORD
 200 FLOOR
 200 FLOOR
 200 FLOOR
 WASHINGTON, DC 20004

DATE: 02/28/12
DRAWN BY: CH
CHECKED BY: RCB
SHEET TITLE:

SITE DETAILS

SHEET NUMBER: C-1



HOMELAND TOWERS, LLC
 200 FLOOR
 200 FLOOR
 200 FLOOR
 WASHINGTON, DC 20004

DATE: 02/28/12
DRAWN BY: CH
CHECKED BY: RCB
SHEET TITLE:

SITE DETAILS

SHEET NUMBER: C-1

HOMELAND TOWERS, LLC
 200 FLOOR
 200 FLOOR
 200 FLOOR
 WASHINGTON, DC 20004

DATE: 02/28/12
DRAWN BY: CH
CHECKED BY: RCB
SHEET TITLE:

SITE DETAILS

SHEET NUMBER: C-1

HOMELAND TOWERS, LLC
 200 FLOOR
 200 FLOOR
 200 FLOOR
 WASHINGTON, DC 20004

DATE: 02/28/12
DRAWN BY: CH
CHECKED BY: RCB
SHEET TITLE:

SITE DETAILS

SHEET NUMBER: C-1

verizon
WIRELESS
Cellco Partnership dba
1
HOMELAND TOWERS, LLC
3100 WESTFIELD STREET
DANBURY, CONNECTICUT 06810
PHONE: 860.327.6246
WWW.VERIZONWIRELESS.COM


ALL-POINTS
TECHNOLOGY CORPORATION
100 NATIONAL STREET EXTENSION SUITE 311
DANBURY, CONNECTICUT 06810
WWW.ALLPOINTS.COM TEL: 860.327.6246

NO.	DATE	REVISION
1	02/20/12	FOR REVIEW: ECR
2	03/20/12	FOR REVIEW: ECR
3	03/20/12	CLIENT COMMENTS: ECR
4	03/20/12	CLIENT COMMENTS: ECR
5	03/20/12	CLIENT COMMENTS: ECR
6	03/20/12	CLIENT COMMENTS: ECR
7	03/20/12	CLIENT COMMENTS: ECR
8	03/20/12	CLIENT COMMENTS: ECR
9	03/20/12	CLIENT COMMENTS: ECR

DESIGN PROFESSIONAL OF RECORD
PROF. ROBERT C. BURRS, P.E.
REGISTERED PROFESSIONAL ENGINEER
CORPORATION, P.C.
ADDRESS: SUITE 311 WATERLOO, CT 06810
DEVELOPER: HOMELAND TOWERS, LLC
ADDRESS: 3100 WESTFIELD STREET
DANBURY, CT 06810


**HOMELAND TOWERS
NORTH BRANFORD**
SITE: 222 CLINTONVILLE ROAD
NORTH BRANFORD, CONNECTICUT 06462
PROJECT: WIRELESS COMMUNICATIONS
DATE: 03/20/12
CHECKED BY: ECR

**EROSION CONTROL &
LANDSCAPING DETAILS**
SHEET NUMBER: **C-2**




1. INSTALL AT LOCATION WHERE THE SOCKS TO BE INSTALLED BY EXCAVATING A 6" DEEP TRENCH 6" X 6" X 12" WIDE TRENCH ALONG THE CONTOUR OF THE SLOPE. EXCAVATED SOIL SHOULD BE PLACED UP SLOPE.
2. PLACE THE SOCK IN THE TRENCH SO THAT IT CONTOURS TO THE SOIL SURFACE. COMPACT SOIL FROM THE TRENCH WALLS TO THE SOCKS TO ENSURE THEY ARE SECURELY IN PLACE.
3. CONTINUED LENGTHS WITH ADJACENT SOCKS JOINED TOGETHER TO COVER 100% OF THE SLOPE. SOCKS SHALL BE SPACED 12" APART TO END. FOR AMBUSH AND REPTILE TRAVEL, THE OPEN SPACES SHALL BE FILLED WITH MULCH.
4. SECURE THE SOCK WITH 18-22 #31 CAT STAPLES EVERY 4-6 FT AND WITH A STAKE ON EACH END TO SECURE THE SOCK. STAPLES SHOULD BE PLACED PERPENDICULAR TO THE SLOPE FACE.
5. STAKE EXTENDING ABOVE THE SOCK. STAPLES SHOULD BE PLACED PERPENDICULAR TO THE SLOPE FACE.

**COMPOST FILTER SOCK
SEDIMENTATION CONTROL BARRIER**
SCALE: 1/4" = 1'-0"



STAKING FOR EVERGREEN TREES OVER 6' HIGH

EVERGREEN TREE PLANTING
SCALE: 1/4" = 1'-0"




CONSTRUCTION SPECIFICATIONS:
1. BARRIER SHALL BE 12" HIGH OR MORE, OR RECLAIMED OR RECYCLED CONCRETE EQUIVALENT
2. LENGTH - NOT LESS THAN 30 FEET (EXCEPT ON A SINGLE RESIDENCE LOT WHERE A 20 FOOT MINIMUM LENGTH WOULD APPLY)

3. THICKNESS - NOT LESS THAN 6 INCHES
4. WIDTH - TWELVE (12) FOOT MINIMUM, BUT NOT LESS THAN THE FULL WIDTH AT POINTS WHERE INGRESS OR EGRESS OCCURS. TWENTY-FOUR (24) INCHES FOR SMALL ENTRANCE TO SITE
5. OBSTRUCTION - WILL BE PLACED OVER THE ENTIRE AREA PRIOR TO PLACING OF STONE
6. SURFACE FINISH - ALL SURFACE WATER FLOWING OR DIVERTED TOWARD CONSTRUCTION ACCESS SHALL BE PREVENTED FROM ENTERING THE ENTRANCE. PERFORATED CURBS, AVAILABLE WITH 1/2" HOLES WILL BE PERMITTED
7. MAINTENANCE - THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION WHICH WILL PREVENT TRACKING OR SPREADING OF SOIL AND DEBRIS ONTO THE DRIVEWAY. WHEN WASHING, WASHED OR TRACKED ONTO PUBLIC RIGHT-OF-WAY MUST BE REMOVED IMMEDIATELY
8. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH STONE AND WHICH DRAINS INTO AN APPROVED SEDIMENT TRAPPING DEVICE
9. PERIODIC INSPECTION AND NEEDED MAINTENANCE SHALL BE PROVIDED AFTER EACH RAIN

CONSTRUCTION ENTRANCE DETAIL
SCALE: 1/4" = 1'-0"

- SEQUENCE OF CONSTRUCTION
1. PREPARE SOIL BEFORE INSTALLING ROLLED EROSION CONTROL PRODUCTS (REPPS), INCLUDING ANY NECESSARY BEDDING AT THE TOP OF THE SLOPE BY ANCHORING THE REPPS IN A 6" DEEP X 6" WIDE TRENCH WITH 1/2" DIA. ANCHORS. ANCHORS SHALL BE PLACED AT THE TOP OF THE TRENCH. BACKFILL TRENCH WITH SOIL TO THE TOP OF THE REPPS WITH A ROW OF STAPLES APPROXIMATELY 12" APART IN THE BOTTOM OF THE TRENCH. BACKFILL TRENCH WITH SOIL TO THE TOP OF THE REPPS WITH A ROW OF STAPLES APPROXIMATELY 12" APART IN THE BOTTOM OF THE TRENCH. BACKFILL TRENCH WITH SOIL TO THE TOP OF THE REPPS WITH A ROW OF STAPLES APPROXIMATELY 12" APART IN THE BOTTOM OF THE TRENCH.
 2. WITH A ROW OF STAPLES SPACED APPROXIMATELY 12" APART ACROSS THE WIDTH OF THE REPPS AGAINST THE SOIL SURFACE. ALL REPPS MUST BE SECURELY FASTENED TO SOIL SURFACE BY PLACING STAPLES THROUGH OVERLAP AREAS. STAPLES MUST BE PLACED THROUGH OVERLAP AREAS.
 3. THE EDGES OF PARALLEL REPPS MUST BE OVERLAP WITH APPROXIMATELY 2" - 4" OVERLAP DEPENDING ON THE APPROPRIATE OVERLAP. STAPLE THROUGH OVERLAP AREA, APPROXIMATELY 12" APART ACROSS ENTIRE AREA.

- NOTES:
1. PROVIDE ANCHOR TRENCH AT TOP OF SLOPE IN SIMILAR FASHION AS AT TOP OF SLOPE.
 2. REPPS SHALL HAVE GOOD CONTACT WITH UNDERLAYING SOIL THROUGHOUT ENTIRE LENGTH. LAY REPPS LOOSELY AND STAKE OR STAPLE TO MANTAIN DIRECT CONTACT WITH SOIL. DO NOT STRETCH.
 3. THE BLANKET SHALL BE SPACED IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS.
 4. VEGETATION IS ESTABLISHED TO A MINIMUM UNIFORM FOLIAGE COVERAGE THROUGHOUT THE BLANKET AREA DAMAGED OR DISPLACED BLANKETS SHALL BE REINSTALLED OR REPLACED WITHIN 4 CALIBRATED DATE.



EROSION CONTROL BLANKET STEEP SLOPES
SCALE: 1/4" = 1'-0"

HIRELLAND TOWERS, LLC
 9 HANCOCK STREET
 DANBURY, CT 06810
 (203) 297-0215

Calico Partnership dba
verizon
 WIRELESS
 23 ALAMOGADO DRIVE
 WASHINGTON, CT 06097

ALL-POINTS
 TECHNOLOGY CORPORATION
 100 VERNON STREET, SUITE 100
 WASHINGTON, CT 06097
 (203) 297-0215
 WWW.ALLPOINTS.COM


PERMITTING DOCUMENTS

1	070201	PERMIT FOR CONSTRUCTION
2	070201	PERMIT FOR CONSTRUCTION
3	070201	PERMIT FOR CONSTRUCTION
4	070201	PERMIT FOR CONSTRUCTION
5	070201	PERMIT FOR CONSTRUCTION
6	070201	PERMIT FOR CONSTRUCTION
7	070201	PERMIT FOR CONSTRUCTION
8	070201	PERMIT FOR CONSTRUCTION
9	070201	PERMIT FOR CONSTRUCTION
10	070201	PERMIT FOR CONSTRUCTION


DESIGN PROFESSIONALS OF RECORD
 PROF. ROBERT C. BURKE P.E.
 ALL-POINTS TECHNOLOGY
 100 VERNON STREET, SUITE 100
 WASHINGTON, CT 06097
 (203) 297-0215
 WWW.ALLPOINTS.COM

HIRELLAND TOWERS
 NORTH BRANFORD
 222 CLAYVILLE ROAD
 ADDRESS: NORTHBROOK, CT 06477
 DATE: 07/20/11
 DRAWN BY: JON
 CHECKED BY: RBK
 SHEET TITLE
 VERZON EQUIPMENT
 PLAN & DETAILS


SHEET NUMBER
C-3




3 OUTDOOR RBA84-32 EQUIPMENT CABINET
 SCALE: 3/4" = 1'-0"



2 CABLE BRIDGE & COAX HANGER DETAIL
 SCALE: 3/4" = 1'-0"




1 ENLARGED EQUIPMENT PLAN
 SCALE: 3/4" = 1'-0"




5 PROPANE GENERATOR SCHEMATICS
 SCALE: 3/4" = 1'-0"



7 ABOVE GROUND PROPANE TANK DETAIL
 SCALE: 3/4" = 1'-0"



4 GPS MOUNT
 SCALE: 3/4" = 1'-0"



6 EQUIPMENT PAD
 SCALE: 3/4" = 1'-0"

NOTES:
 1. PROPANE TANK SHALL BE REFILLED FROM HOSE PULLED FROM A REFILLING STATION WITH A 3/4" DIA. HOSE. ALL TANKS OUT MAY BE MANUA OR BACKWASH CHECK VALVE. NFPA 58 § 4.1 (C)(2)
 2. ALL ABOVE-GROUND GAS SERVICE LINES MUST MEET NYS CODE REGULATIONS

NOTE:
 GENERATOR SHALL BE INSTALLED IN A MANNER THAT SHALL COMPLY WITH NFPA 37

NOTE:
 GENERATOR SHALL BE INSTALLED IN A MANNER THAT SHALL COMPLY WITH NFPA 37

INTEL AND WIRELESS, LLC
 300 WATERBURY STREET
 DANBURY, CT 06810
 (203) 597-6340
 WWW.INTELWIRELESS.COM

Calico Partnership dba
verizon
 WIRELESS
 HARTFORD, CT 06103
 WWW.VERIZONWIRELESS.COM

ALL-POINTS
 TECHNOLOGY CORPORATION
 1000 WEST MAIN STREET
 HARTFORD, CT 06103
 (860) 234-1100
 WWW.ALLPOINTS.COM

NO	DATE	REVISION
1	07/20/11	ISSUE FOR PERMITTING DOCUMENTS
2	07/20/11	CLIENT COMMENTS: RCB
3	07/20/11	CLIENT COMMENTS: RCB
4	07/20/11	CLIENT COMMENTS: RCB
5	07/20/11	CLIENT COMMENTS: RCB
6	07/20/11	CLIENT COMMENTS: RCB

DESIGN PROFESSIONAL OF RECORD
 ALL-POINTS TECHNOLOGY CORPORATION
 1000 WEST MAIN STREET
 HARTFORD, CT 06103
 (860) 234-1100

ADD: CORPORATION, P.C.
 DEVELOPER: HOMELAND TOWERS, LLC
 ADDRESS: 310 WATERBURY STREET
 3RD FLOOR
 DANBURY, CT 06810

HOMELAND TOWERS
 NORTH BRANFORD
 100 CROFTVILLE ROAD
 DANBURY, CT 06810
 (203) 755-1100

DATE: 07/20/11
 DRAWN BY: CEN
 CHECKED BY: RCB
 SHEET NUMBER:
 MUNICIPAL ANTENNA
 PLAN & DETAILS



C-4




7'0" x 14" OMNI ANTENNA
 9.8 dBi Gain

Specifications


Model	Frequency	Gain	Beamwidth	Impedance	VSWR	Power Handling	Wind Load	Weight	Dimensions
700/800 MHz Omnidirectional, Low-PIM/HI-PIM, 9.8 dBi	700-800 MHz	9.8 dBi	360°	50 Ohms	1.5	100 W	150 mph	1.5 lbs	14" x 7" x 7"

Features and Benefits

- Wide-area configuration covers overall cell - allows tower antenna in one tower cell
- High IP Protection - independent antenna - independent performance and maintenance practices
- Tested and approved for harsh weather conditions - 150 mph wind, 150 lb hail, 150 lb ice
- IP Protection - High IP level is mandated by today's digital design.



Vertical (90°) Horizontal (90°) Vertical (45°) Horizontal (45°) Vertical (0°) Horizontal (0°)




7'0" x 14" OMNI ANTENNA
 9.8 dBi Gain

Specifications

Model	Frequency	Gain	Beamwidth	Impedance	VSWR	Power Handling	Wind Load	Weight	Dimensions
700/800 MHz Omnidirectional, Low-PIM/HI-PIM, 9.8 dBi	700-800 MHz	9.8 dBi	360°	50 Ohms	1.5	100 W	150 mph	1.5 lbs	14" x 7" x 7"

Features and Benefits

- Wide-area configuration covers overall cell - allows tower antenna in one tower cell
- High IP Protection - independent antenna - independent performance and maintenance practices
- Tested and approved for harsh weather conditions - 150 mph wind, 150 lb hail, 150 lb ice
- IP Protection - High IP level is mandated by today's digital design.



Vertical (90°) Horizontal (90°) Vertical (45°) Horizontal (45°) Vertical (0°) Horizontal (0°)



7'0" x 14" OMNI ANTENNA
 9.8 dBi Gain

Specifications


Model	Frequency	Gain	Beamwidth	Impedance	VSWR	Power Handling	Wind Load	Weight	Dimensions
700/800 MHz Omnidirectional, Low-PIM/HI-PIM, 9.8 dBi	700-800 MHz	9.8 dBi	360°	50 Ohms	1.5	100 W	150 mph	1.5 lbs	14" x 7" x 7"

Features and Benefits

- Wide-area configuration covers overall cell - allows tower antenna in one tower cell
- High IP Protection - independent antenna - independent performance and maintenance practices
- Tested and approved for harsh weather conditions - 150 mph wind, 150 lb hail, 150 lb ice
- IP Protection - High IP level is mandated by today's digital design.



Vertical (90°) Horizontal (90°) Vertical (45°) Horizontal (45°) Vertical (0°) Horizontal (0°)



7'0" x 14" OMNI ANTENNA
 9.8 dBi Gain

Specifications

Model	Frequency	Gain	Beamwidth	Impedance	VSWR	Power Handling	Wind Load	Weight	Dimensions
700/800 MHz Omnidirectional, Low-PIM/HI-PIM, 9.8 dBi	700-800 MHz	9.8 dBi	360°	50 Ohms	1.5	100 W	150 mph	1.5 lbs	14" x 7" x 7"

Features and Benefits

- Wide-area configuration covers overall cell - allows tower antenna in one tower cell
- High IP Protection - independent antenna - independent performance and maintenance practices
- Tested and approved for harsh weather conditions - 150 mph wind, 150 lb hail, 150 lb ice
- IP Protection - High IP level is mandated by today's digital design.



Vertical (90°) Horizontal (90°) Vertical (45°) Horizontal (45°) Vertical (0°) Horizontal (0°)

1) PROP. MUNICIPAL 24' COMB. ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET

2) PROP. MUNICIPAL 14' COMB. ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET

3) PROP. MUNICIPAL 14' COMB. ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET

4) PROP. MUNICIPAL 14' COMB. ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET

5) PROP. MUNICIPAL 14' COMB. ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET

6) PROP. MUNICIPAL 14' COMB. ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET, ANTENNA MOUNTING BRACKET

1) MUNICIPAL ANTENNA MOUNT
 C-4 SCALE 1/2" = 1'-0"

2) 14" OMNI ANTENNA
 C-4 SCALE 1/2" = 1'-0"

3) 24" OMNI ANTENNA
 C-4 SCALE 1/2" = 1'-0"