



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051
Phone: (860) 827-2935 Fax: (860) 827-2950
E-Mail: siting.council@ct.gov
Web Site: portal.ct.gov/csc

VIA ELECTRONIC MAIL

November 3, 2021

Lucia Chiocchio, Esq.
Cuddy & Feder, LLP
445 Hamilton Avenue, 14th Floor
White Plains, NY 10601

RE: **DOCKET NO. 488** - Homeland Towers, LLC Certificate of Environmental Compatibility and Public Need for the construction, maintenance, and operation of a telecommunications facility located at 93 Richards Road, Kent, Connecticut. **Development and Management Plan Revision.**

Dear Attorney Chiocchio:

The Connecticut Siting Council (Council) is in receipt of your correspondence dated October 29, 2021 regarding revisions to the Development and Management (D&M) Plan for the above-referenced facility that was approved by the Council on July 20, 2021. The revisions include the following:

- 1) Relocate the underground utility line from the existing driveway to a route parallel to the north side of the driveway to avoid subsurface ledge; and
- 2) Redesign the monopole with a yield point at 80 feet above ground level to ensure that the tower setback radius remains within the boundaries of the site property.

Pursuant to Regulations of Connecticut State Agencies §16-50j-77(b), your request for the modifications specified in your October 29, 2021 correspondence is hereby approved.

This approval applies only to the D&M Plan revision dated October 29, 2021. Any significant changes to the D&M Plan require advance Council notification and approval.

Please be advised that deviations from this plan are enforceable under the provisions of the Connecticut General Statutes § 16-50u. Furthermore, the Certificate Holder is responsible for reporting requirements pursuant to Regulations of Connecticut State Agencies Section 16-50j-77.

Thank you for your attention and cooperation.

Sincerely,

A handwritten signature in black ink, appearing to read 'Melanie A. Bachman'.

Melanie A. Bachman
Executive Director