

STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov


www.ct.gov/csc

DATE: December 17, 2008

TO: Parties and Intervenors

FROM: S. Derek Phelps, Executive Director


RE: **DOCKET NO. 366** - Optasite Towers LLC and Omnipoint Communications, Inc. application for a Certificate of Environmental Compatibility and Public Need for the construction, maintenance and operation of a telecommunications facility located at 52 Stadley Rough Road, Danbury, Connecticut.



Notice is hereby given that the transcript of the hearing held on October 28, 2008, was received at the office of the Connecticut Siting Council on December 17, 2008.

SDP/CDM/cm

c: Council Members



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

December 17, 2008

Jean Natale, City Clerk
City of Danbury
City Hall
155 Deer Hill Avenue
Danbury, CT 06810

RE: **DOCKET NO. 366** - Optasite Towers LLC and Omnipoint Communications, Inc.
application for a Certificate of Environmental Compatibility and Public Need for the
construction, maintenance and operation of a telecommunications facility located at 52
Stadley Rough Road, Danbury, Connecticut.


Dear Ms. Natale:

Pursuant to General Statutes § 16-50o(b), " A copy of the transcript of testimony at the hearing shall be filed at an appropriate public office, as determined by the Council, in each county in which the facility or any part thereof is to be located."

The Council has determined that the Town Clerk's Office in the Danbury City Hall is an appropriate public office for filing a copy of the transcript in Fairfield County.

Enclosed please find the transcript on the subject docket dated December 8, 2008.

Yours very truly,



S/ Derek Phelps
Executive Director

SDP/CDM/cm

c: Parties & Intervenors

Enclosure (1)