

JULIE D. KOHLER

PLEASE REPLY TO: Bridgeport
E-Mail Address: jkohler@cohenandwolf.com

October 26, 2011

VIA ELECTRONIC MAIL

Ms. Linda Roberts
Connecticut Siting Council
Ten Franklin Square
New Britain, CT 06051

Re: Docket No. 407 – Application by T-Mobile Northeast LLC for a Certificate of Environmental Compatibility and Public Need for a Telecommunications Facility at Pleasant Point Road in the Town of Branford, Connecticut

Dear Ms. Roberts:

The Applicant filed responses yesterday to the Connecticut Siting Council's Third Set of Interrogatories ("Responses"). Included in those Responses were coverage plots (Attachment A to the Responses) depicting anticipated coverage from the Town's proposed alternative location (West Point Park), in conjunction with a location on the existing Crown Castle facility at Acorn Lane. Plots were provided showing anticipated coverage from the Acorn Lane facility, at heights of 95 ft. AGL and 130 ft. AGL respectively.

We received information from Crown Castle yesterday afternoon confirming that the only possible available location on the Acorn Lane facility is at a height of 95 ft. AGL; the 130 ft. AGL is not available. As a result, the 3rd plot in Attachment A, which includes the Acorn Lane facility at a height of 130 ft. AGL, should not be considered in this Docket.

Please contact me if you have any questions.

Very truly yours,


Julie D. Kohler

cc: Service List