


**Existing Verizon Wireless PCS Coverage
Bloomfield, Connecticut and Surrounding Area
(*Map Scale is 1:30,000)**

Coverage plot assumes 55% site loading on the Cellco system




- Legend**
- Proposed Verizon Wireless Facility
 - Existing Verizon Wireless Facilities
 - Existing Verizon Wireless PCS Coverage
 - Municipal and Private Open Space
 - School
 - State Forest/Park
 - Town Line
 - Open Water

This coverage plot was generated in the geographic information system (GIS) software ArcView 3.2a. The map scale is 1:30,000. The map was generated on 11/11/2009. The map was generated by the following user: [redacted]. The map was generated by the following user: [redacted]. The map was generated by the following user: [redacted].



**Existing Verizon Wireless PCS Coverage
With Proposed Facility At 110 Feet AGL
Bloomfield, Connecticut and Surrounding Area
(*Map Scale is 1:30,000)**

Coverage plot assumes 55% site loading on the Cellco system



Legend


- Proposed Verizon Wireless Facility
- Existing Verizon Wireless Facilities
- Proposed Verizon Wireless PCS Coverage
- Municipal and Private Open Space
- School
- State Forest/Park
- Town Line
- Open Water

Note: This coverage plot was generated in Rappaport, No. 9 24 by a computer and has been reduced to 11" by 17" for the purposes of this application. Refer to graphic scale on lower portion of the map.



**Existing Verizon Wireless Cellular Coverage
Bloomfield, Connecticut and Surrounding Area
(*Map Scale is 1:30,000)**

Coverage plot assumes 55% site loading on the Cellco system



Legend


- Proposed Verizon Wireless Facility
- Existing Verizon Wireless Facilities
- Existing Verizon Wireless Cellular Coverage
- Municipal and Private Open Space
- School
- State Forest/Park
- Town Line
- Open Water

*Notes: The 1:30,000 scale coverage plot was generated in accordance with the FCC's Part 22.907(b) and has been reduced to 1:30,000 for the purposes of this application. Refer to graphics for the lower portion of the map.



**Existing Verizon Wireless Cellular Coverage
With Proposed Facility At 110 Feet AGL
Bloomfield, Connecticut and Surrounding Area
(*Map Scale is 1:30,000)**

Coverage plot assumes 55% site loading on the Cellco system



Legend


- Proposed Verizon Wireless Facility
- Existing Verizon Wireless Facilities
- Proposed Verizon Wireless Cellular Coverage
- Municipal and Private Open Space
- School
- State Forest/Park
- Town Line
- Open Water

Work at the 1:30,000 scale was generated in the geographic coordinate system of NAD 83. The map has been reduced to 1:30,000 for the purposes of this application. Refer to graphic scale on lower portion of the map.




**Verizon Wireless LTE Coverage
With Proposed Facility At 110 Feet AGL
Bloomfield, Connecticut and Surrounding Area
(*Map Scale is 1:30,000)**

Coverage plot assumes 55% site loading on the Cellco system



- Legend**
- Proposed Verizon Wireless Facility
 - Existing Verizon Wireless Facilities
 - Verizon Wireless LTE Coverage
 - Municipal and Private Open Space
 - School
 - State Forest/Park
 - Town Line
 - Open Water

Note: This 1:30,000 plot was generated in a 11" by 17" layout and has been reduced to 11" by 17" for the purposes of this application. Refer to graphic scale on lower portion of the map.




LPA-80063-6CF-EDIN-X

V-Pol | Log Periodic | 63° | 14.5 dBd

Replace "X" with desired electrical downtilt.

Antenna is also available with NE connector(s). Replace "EDIN" with "NE" in the model number when ordering.

| Electrical Characteristics | | |
|---|---|--|
| Frequency bands | 806-960 MHz | |
| Polarization | Vertical | |
| Horizontal beamwidth | 63° | |
| Vertical beamwidth | 10° | |
| Gain | 14.5 dBd (16.6 dBi) | |
| Electrical downtilt (X) | 0, 2, 4, 5, 6, 8, 10 | |
| Impedance | 50Ω | |
| VSWR | ≤1.4:1 | |
| Null fill | 5% (-26.02 dB) | |
| Input power | 500 W | |
| Lightning protection | Direct Ground | |
| Connector(s) | 1 Port / EDIN or NE / Female / Center (Back) | |
| Mechanical Characteristics | | |
| Dimensions Length x Width x Depth | 1805 x 385 x 332 mm 71.1 x 15.2 x 13.1 in | |
| Depth of antenna with z-bracket | 372 mm 14.6 in | |
| Weight without mounting brackets | 12.3 kg 27 lbs | |
| Survival wind speed | > 201 km/hr > 125 mph | |
| Wind area | Front: 0.70 m ² Side: 0.59 m ² Front: 7.5 ft ² Side: 6.3 ft ² | |
| Wind load @ 161 km/hr (100 mph) | Front: 885 N Side: 757 N Front: 199 lbf Side: 170 lbf | |
| Mounting Options | | |
| Part Number | Fits Pipe Diameter | |
| 3-Point Mounting & Downtilt Bracket Kit (0-20°) | 21700000 50-102 mm 2.0-4.0 in | |
| Weight | 11 kg 25 lbs | |
| Lock-Down Brace | If the lock-down brace is used, the maximum diameter of the mounting pipe is 88.9 mm or 3.5 in. | |



Quoted performance parameters are provided to offer typical or range values only and may vary as a result of normal manufacturing and operational conditions. Extreme operational conditions and/or stress on structural supports is beyond our control. Such conditions may result in damage to this product. Improvements to product may be made without notice.

Vertically Polarized, Log Periodic 63° / 18.5 dBi

LPA-185063/12CF

When ordering replace "___" with connector type.

Mechanical specifications

| | | |
|---|---------------------|---------------------|
| Length | 1806 mm | 71.1 in |
| Width | 167 mm | 6.6 in |
| Depth | 148 mm | 5.8 in |
| Depth with t-bracket | 176 mm | 6.9 in |
| 4) Weight | 6.1 kg | 13.5 lbs |
| Wind Area | | |
| Fore/Aft | 0.30 m ² | 3.3 ft ² |
| Side | 0.27 m ² | 2.9 ft ² |
| Rated Wind Velocity (Safety factor 2.0) | | |
| | >224 km/hr | >139 mph |
| Wind Load @ 100 mph (161 km/hr) | | |
| Fore/Aft | 479 N | 107.6 lbs |
| Side | 434 N | 97.6 lbs |

Antenna consisting of aluminum alloy with brass feedlines covered by a UV safe fiberglass radome.

Mounting and Downtilting

Mounting brackets attach to a pipe diameter of Ø50-102 mm (2.0-4.0 in).


Mounting bracket kit #26799997
Downtilt bracket kit #26799999

The downtilt bracket kit includes the mounting bracket kit.


Electrical specifications

| | |
|------------------------|--------------------------------|
| Frequency Range | 1850-1990 MHz |
| Impedance | 50Ω |
| 3) Connector(s) | NE or E-DIN 1 port / center |
| 1) VSWR | ≤ 1.4:1 |
| Polarization | Vertical |
| 1) Gain | 18.5 dBi |
| 2) Power Rating | 250 W |
| 1) Half Power Angle | |
| H-Plane | 63° |
| E-Plane | 5° |
| 1) Electrical Downtilt | 0° |
| 1) Null Fill | 10% |
| Lightning Protection | Direct Ground |

Radiation pattern¹⁾




Horizontal



Vertical

Radiation patterns for all antennas are measured with the antenna mounted on a fiberglass pole.

Mounting on a metal pole will typically improve the Front-to-Back ratio.



**Amphenol Antel's
Exclusive 3T (True
Transmission Line
Technology)
Antenna Design:**

- True log-periodic design allows for superior front-to-side characteristics to minimize sector overlap.
- Unique feedline design eliminates the need for conventional solder joints in the signal path.
- A non-collinear system with access to every radiating element for broad bandwidth and superior performance.
- Air as insulation for virtually no internal signal loss.

This Amphenol Antel antenna is under a five-year limited warranty for repair or replacement.

Antenna available with center-fed connector only.

1) Typical values.
2) Power rating limited by connector only.
3) NE indicates an elongated N connector.
E-DIN indicates an elongated DIN connector.
4) The antenna weight listed above does not include the bracket weight.
Improvements to mechanical and/or electrical performance of the antenna may be made without notice.

CF Denotes a Center-Fed Connector.

1850-1990 MHz

Slant $\pm 45^\circ$ Dual Polarized FET Panel 63° / 14.5 dBd 696-900 MHz

Mechanical specifications

| | | |
|---------------------------------|---------------------|---------------------|
| Length | 1804 mm | 71.0 in |
| Width | 285 mm | 11.2 in |
| Depth | 114 mm | 4.5 in |
| Depth with z-bracket | 154 mm | 6.1 in |
| Weight ⁴⁾ | 7.9 kg | 17.0 lbs |
| Wind Area Fore/Aft | 0.51 m ² | 5.5 ft ² |
| Wind Area Side | 0.21 m ² | 2.2 ft ² |
| Max Wind Survivability | >201 km/hr | >125 mph |
| Wind Load @ 100 mph (161 km/hr) | | |
| Fore/Aft | 753 N | 169 lbf |
| Side | 351 N | 79 lbf |

Antenna consisting of aluminum alloy with brass feedlines covered by a UV safe fiberglass radome.

Mounting & Downtilting

Mounting hardware attaches to pipe diameter $\varnothing 50$ -160 mm; $\varnothing 2.0$ -6.3 in

| | |
|----------------------|----------|
| Mounting Bracket Kit | 36210002 |
| Downtilt Bracket Kit | 36114003 |

Electrical specifications


| | |
|---------------------------------------|---|
| Frequency Range | 696-900 MHz |
| Impedance | 50 Ω |
| Connector ³⁾ | NE or E-DIN Female 2 ports / Center |
| VSWR ¹⁾ | $\leq 1.35:1$ |
| Polarization | Slant $\pm 45^\circ$ |
| Isolation Between Ports ¹⁾ | < -25 dB |
| Gain ¹⁾ | 14.5 dBd 16.5 dBi |
| Power Rating ²⁾ | 500 W |
| Half Power Angle ¹⁾ | |
| Horizontal Beamwidth | 63 $^\circ$ |
| Vertical Beamwidth | 11 $^\circ$ |
| Electrical downtilt ⁵⁾ | 0 $^\circ$ |
| Null fill ¹⁾ | 5% |
| Lightning protection | Direct ground |

Patented Dipole Design: U.S. Patent No. 6,608,600 B2


- 1) Typical values.
- 2) Power rating limited by connector only.
- 3) NE indicates an elongated N connector.
E-DIN indicates an elongated DIN connector.
- 4) Antenna weight does not include brackets.
- 5) Add'l downtilts may be available. Check website for details.

Improvements to mechanical and/or electrical performance of the antenna may be made without notice.

Radiation-pattern¹⁾
750 MHz




Horizontal




Vertical

850 MHz



Horizontal




Vertical

696-900 MHz

BXA-70063/6CF

When ordering replace " " with connector type.



Featuring our Exclusive
3T Technology™
Antenna Design:

- Watercut brass feedline assembly for consistent performance.
- Unique feedline design eliminates the need for conventional solder joints in the signal path.
- A non-collinear system with access to every radiating element for broad bandwidth and superior performance.
- Air as insulation for virtually no internal signal loss.


Warranty:

This antenna is under a five-year limited warranty for repair or replacement.

Revision Date: 01/08/09

Lucent CDMA Modular Cell 4.0B Indoor

For CDMA Networks



Lucent CDMA Modular Cell 4.0B is a high capacity base station equipped with the state-of-the-art technologies developed by Bell Labs. The product brings you outstanding carrier density and immediate OPEX savings. This indoor product can support up to 8 carriers/3 sectors per frame. It is twice the density of Modular Cell 4.0 (indoor). Modular Cell 4.0B offers full spectrum coverage in a single frame, dramatically simplifying growth patterns. As the leader in spread spectrum technology, Lucent Technologies continues to introduce innovations to the market: Multi-Carrier Radio (15MHz), Block Filters/Wideband Filters, and 40W Power Amplifier Modules are the latest assets integrated in the base station.

Features

The Modcell 4.0B indoor version offers a small footprint with exceptional carrier density in a standard ETSI cabinet.

- Indoor Single Frame Configuration
- 1-8 carriers per frame at 3 sectors (will support up to 11 carriers with Auxiliary Amplifier Frame)
- Dual Band: one cell to the ECP & mobile
- Close Loop Gain Control
- Timing and Controller Redundancy
- Integrated Power option
- Support CDMA2000™1X, and EV-DO Rev.0, with future support to EV-DO Rev. A
- IP Backhaul and Ethernet Backhaul capable
- 6-Sector option ready
- Intelligent Antenna option ready

Benefits

- Optimized for highest carrier density, smooth growth in one frame
- Conserves indoor footprint, reducing hardware and floor space requirements
- Minimizes configuration complexity
- Software-Only Carrier Add at certain carrier counts
- Flexible channel growth planning
- Designed to use existing power supply
- Grow CDMA carriers on only 2 antennas/sector
- Multi-Carrier Radio (15MHz), Block Filters/Wideband Filters, and 40W Power Amplifier Modules



Technical Specifications

| Description | Specification |
|---|--|
| 1. Configurations | 3, 4 and 6 1-8 per frame at 3 sectors (up to 11 with Auxiliary Amplifier Frame) |
| a. Sectors b. Carriers | |
| 2. CDMA Channel Card Capacity | 12 slots; CMU IVB capable |
| 3. T1, E1 Facilities | Maximum of 20 per cabinet when equipped with URC-II's |
| 4. User Alarms | 7 Power Alarms, 25 User Alarms |
| 5. GPS Antenna | Yes |
| 6. Air Interface Standards | T1A/E1A 95-A plus TSB-74; T1A/E1A 95-B for 850 MHz; CDMA 2000 |
| 7. Frequency Bands | 850MHz/1900 MHz; 300 to 2100 MHz capable |
| 8. Vocoder | 8 Kbps; 8 Kbps EVRC; 13 Kbps; SMV-ready |
| 9. Environmental Cabinet Housing | Standard ETSI cabinet; UL50 compliant; zero rear clearance |
| 10. Cabinet Access | Front Access |
| 11. Operating Temperature Range | Range: -5 to +40°C (continuous) |
| 12. Dimensions | 600 mm W x 600 mm D x 1880 mm H (23.6 x 23.6 x 74) inches |
| 13. Estimated Installed Weight | 365 kg (785 lbs.) DC [8 carriers in one cabinet] |
| 14. Power Options | Integrated Power, AC 120/240 Volt Input, -48V or +24 V DC Conversion Non-integrated Power requires either + 24 VDC Input or - 48 VDC Input |
| 15. Power Consumption | 2167 W 5449 W 10026 W |
| a. 3 Carrier/3 Sectors b. 6 Carrier/3 Sectors c. 11 Carrier/3 Sectors | |
| 16. RF Power (at J4) | 25 W per carrier (850) FCC Rated short-term average 20 W per carrier (850) FCC Rated long-term average 20 W per carrier (1900) FCC Rated short-term average 16 W per carrier (1900) FCC Rated long-term average |
| 17. Minimal Antenna Configuration | 2 antennas/sector |
| 18. Filter | Block and Wide Band Dual Duplex |
| 19. Growth Frame | PCS AUX Frame, Dual Band Growth Frame |
| 20. Operational Accessories | Integrated Power |
| 21. Channel Elements | Channel pooling across sectors or carriers |

To learn more about our comprehensive portfolio, please contact your Lucent Technologies Sales Representative or visit our web site at <http://www.lucnet.com>.

This document is for informational or planning purposes only, and is not intended to create, modify or supplement any Lucent Technologies specifications or warranties relating to these products or services. Information and/or technical specifications supplied within this document do not waive (directly or indirectly) any rights or licenses — including but not limited to patents or other protective rights — of Lucent Technologies or others. Specifications are subject to change without notice.

CDMA2000 is a trademark of the Telecommunication Industry Association

Copyright © 2006
Lucent Technologies Inc.
All rights reserved

MOB-Mod4B-i 0106


Lucent Technologies
Bell Labs Innovations



SG060

Liquid Cooled Gas Engine Generator Sets

Standby Power Rating
60KW 60 Hz



Power Matched

GENERAC 6.8 GN ENGINE

Naturally Aspirated

VERIZON WIRELESS MODELS

NATURAL GAS

4816 - 120/240 - 1Ø Open

4817 - 120/240 - 1Ø Sound Encl.

4874 - 120/208 - 3Ø Open

4875 - 120/208 - 3Ø Sound Encl.

LP VAPOR

4931 - 120/240 - 1Ø Open

4932 - 120/240 - 1Ø Sound Encl.

4935 - 120/208 - 3Ø Open

4936 - 120/208 - 3Ø Sound Encl.

FEATURES

- **INNOVATIVE DESIGN & PROTOTYPE TESTING** are key components of GENERAC'S success in "IMPROVING POWER BY DESIGN." But it doesn't stop there. Total commitment to component testing, reliability testing, environmental testing, destruction and life testing, plus testing to applicable CSA, NEMA, EGSA, and other standards, allows you to choose GENERAC POWER SYSTEMS with the confidence that these systems will provide superior performance.
- **TEST CRITERIA:**
 - ✓ PROTOTYPE TESTED
 - ✓ SYSTEM TORSIONAL TESTED
 - ✓ ELECTRO-MAGNETIC INTERFERENCE
 - ✓ NEMA MG1 EVALUATION
 - ✓ MOTOR STARTING ABILITY
 - ✓ SHORT CIRCUIT TESTING
 - ✓ UL 2200 COMPLIANCE AVAILABLE
- **SOLID-STATE, FREQUENCY COMPENSATED DIGITAL VOLTAGE REGULATION.** This state-of-the-art power maximizing regulation system is standard on all Generac models. It provides optimized FAST RESPONSE to changing load conditions and MAXIMUM MOTOR STARTING CAPABILITY by electronically torque-matching the surge loads to the engine.
- **SINGLE SOURCE SERVICE RESPONSE** from Generac's dealer network provides parts and service know-how for the entire unit, from the engine to the smallest electronic component. You are never on your own when you own a GENERAC POWER SYSTEM.
- **GENERAC TRANSFER SWITCHES, SWITCHGEAR AND ACCESSORIES.** Long life and reliability is synonymous with GENERAC POWER SYSTEMS. One reason for this confidence is that the GENERAC product line includes its own transfer systems, accessories, switchgear and controls for total system compatibility.

GENERAC[®]
POWER SYSTEMS, INC.

APPLICATION & ENGINEERING DATA

SG060

GENERATOR SPECIFICATIONS

| | |
|---|--------------------------------|
| TYPE | Four-pole, revolving field |
| ROTOR INSULATION | Class H |
| STATOR INSULATION | Class H |
| TOTAL HARMONIC DISTORTION | <3% |
| TELEPHONE INTERFERENCE FACTOR (TIF) | <50 |
| ALTERNATOR | Self-ventilated and drip-proof |
| BEARINGS (PRE-LUBED & SEALED) | 1 |
| COUPLING | Direct, Flexible Disc |
| LOAD CAPACITY (STANDBY) | 100% |
| LOAD CAPACITY (PRIME) | 110% |

NOTE: Generator rating and performance in accordance with ISO8528-5, BS5514, SAE J1349, ISO3046, and DIN6271 standards.

VOLTAGE REGULATOR

| | |
|------------------|---|
| TYPE | Full Digital |
| SENSING | 3 Phase |
| REGULATION | ± 1/4% |
| FEATURES | Built into H-100 Control Panel V/F Adjustable Adjustable Voltage and Gain |

GENERATOR FEATURES

- Revolving field heavy duty generator
- Operating temperature rise 120 °C above a 40 °C ambient
- Insulation is Class H rated at 150 °C rise
- All prototype models have passed three phase short circuit testing

CONTROL PANEL FEATURES

- TWO FOUR LINE LCD DISPLAYS READ:
 - Voltage (all phases)
 - Power factor
 - kVAR
 - Engine speed
 - Run hours
 - Fault history
 - Coolant temperature
 - Low oil pressure shutdown
 - Overvoltage
 - Low coolant level
 - Not in auto position (flashing light)
 - ATS selection
 - Current (all phases)
 - kW
 - Transfer switch status
 - Low fuel pressure
 - Service reminders
 - Oil pressure
 - Time and date
 - High coolant temperature shutdown
 - Overspeed
 - Low coolant level
 - Exercise speed
- INTERNAL FUNCTIONS:
 - PT function for alternator protection from line to neutral and line to line short circuits
 - Emergency stop
 - Programmable auto crank function
 - 2 wire start for any transfer switch
 - Communicates with the Generac HTS transfer switch
 - Built-in 7 day exerciser
 - Adjustable engine speed at exerciser
 - RS232 port for GenLink[®] control
 - RS485 port remote communication
 - Canbus addressable
 - Governor controller and voltage regulator are built into the master control board
 - Temperature range -40 °C to 70 °C

ENGINE SPECIFICATIONS

| | |
|-------------------------------|-------------------------|
| MAKE | GENERAC |
| MODEL | 6.8GN |
| CYLINDERS | V-10 |
| DISPLACEMENT | 6.8 Liter (417 cu. in.) |
| BORE | 90.2 mm (3.55 in.) |
| STROKE | 105.8 mm (4.17 in.) |
| COMPRESSION RATIO | 9:1 |
| INTAKE AIR | Naturally Aspirated |
| NUMBER OF MAIN BEARINGS | 6 |
| CONNECTING RODS | 10-Drop forged steel |
| CYLINDER HEAD | Aluminum |
| PISTONS | Aluminum Alloy |
| CRANKSHAFT | Forged Steel |

VALVE TRAIN

| | |
|------------------------------|------------------------------|
| CAM FOLLOWER | Hydraulic |
| INTAKE VALVE MATERIAL | Copper Infiltrated Iron Base |
| EXHAUST VALVE MATERIAL | Copper Infiltrated Iron Base |
| HARDENED VALVE SEATS | Standard |

ENGINE GOVERNOR

| | |
|--|----------|
| <input type="checkbox"/> ELECTRONIC | Standard |
| FREQUENCY REGULATION, NO-LOAD TO FULL LOAD | 0.5% |
| STEADY STATE REGULATION | ±0.25% |

LUBRICATION SYSTEM

| | |
|--------------------------|------------------------------|
| TYPE OF OIL PUMP | Gerotor |
| OIL FILTER | Full flow, Spin On Cartridge |
| CRANKCASE CAPACITY | (6 qts.) |

COOLING SYSTEM

| | |
|----------------------------|------------------------------|
| TYPE OF SYSTEM | Pressurized, closed recovery |
| WATER PUMP | Pre-lubed, self-sealing |
| TYPE OF FAN | Pusher |
| NUMBER OF FAN BLADES | 6 |
| DIAMETER OF FAN | 558.8 mm (22 in.) |
| COOLANT HEATER | 120V, 1500 W |

FUEL SYSTEM

| | |
|--|--------------------------------|
| FUEL | |
| <input type="checkbox"/> Natural Gas or L.P. Vapor | Standard |
| <input type="checkbox"/> L.P. Liquid Withdrawal | Optional |
| CARBURETOR | Down draft |
| SECONDARY FUEL REGULATOR | Nat. Gas or L.P. Vapor Systems |
| HOT WATER VAPORIZER | L.P. Liquid Withdrawal Systems |
| AUTOMATIC FUEL LOCKOFF SOLENOID | Standard |
| OPERATING FUEL PRESSURE VAPOR SYSTEMS | 7" to 14" H ₂ O |

ELECTRICAL SYSTEM

| | |
|---------------------------------|--------------------------|
| BATTERY CHARGE ALTERNATOR | 18 Amps at 12 V |
| STARTER MOTOR | 12 V |
| RECOMMENDED BATTERY | (1) - 12 V, 700 CCA, 27F |
| GROUND POLARITY | Negative |


Rating definitions - Standby: Applicable for supplying emergency power for the duration of the utility power outage. No overload capability is available for this rating. (All ratings in accordance with BS5514, ISO3046 and DIN6271). Prime (Unlimited Running Time): Applicable for supplying electric power in lieu of commercially purchased power. Prime power is the maximum power available at variable load. A 10% overload capacity is available for 1 hour in 12 hours. (All ratings in accordance with BS5514, ISO3046, ISO8528 and DIN6271).

STANDARD ENGINE & SAFETY FEATURES

SG060

- High Coolant Temperature Automatic Shutdown
 - Low Coolant Level Automatic Shutdown
 - Low Oil Pressure Automatic Shutdown
 - Overspeed Automatic Shutdown (Solid-state)
 - Crank Limiter (Solid-state)
 - Oil Drain Extension
 - Radiator Drain Extension
 - Factory-Installed Cool Flow Radiator
 - Closed Coolant Recovery System
 - UV/Ozone Resistant Hoses
 - Rubber-Booted Engine Electrical Connections
 - Secondary Fuel Filter
 - Fuel Shutdown Solenoid
 - Battery - 12 Volt 90 AH
 - Stainless Steel Flexible Exhaust Connection
 - Battery Charge Alternator
 - Battery Cables
 - Composite Battery Box
 - Vibration Isolation of Unit to Mounting Base
 - 12 Volt, Solenoid-Activated Starter Motor
 - Air Cleaner
 - Air Cleaner Service Indicator
 - Fan Guard (CSA Compliant)
 - CSA Guarding
 - Critical Grade Muffler (Shipped Loose With Open Unit)
 - High Temperature Exhaust Wrap
 - Alternator Tropicalization
 - Resists Moisture, Fungus and Abrasives
 - In Addition to Standard Class H Epoxy Impregnation Coating
 - Upsized Alternator For Increased Motor Starting
 - Propylene Glycol 50/50 Mix Antifreeze
 - Oil
 - Coolant Expansion and Recovery Tank
 - Extended Factory Test (2.5 Hr.)
 - Stepped Loads
 - Frame Temperature Test
 - Specification Sheet Does Not Reflect Any Verizon Wireless Corporate Authorized Variances.
- "H" Control Console – Digital Controller
 - Communication Software for Remote Access
 - Digital Reading AC Volts
 - Digital Reading AC Amps
 - Digital Frequency
 - Emergency Stop Button
 - Audible Alarm
 - Programmable Engine Control
(See Bulletin #0172110SBY For Details)
 - 20 Light Annunciator Generator Alarms
 - 8 Form C Dry Contact Output Relays
 - 120 Volt Coolant Heater 1500 Watt with 3 Wire Connection Cord
 - Mainline Circuit Breaker
 - 200 Amp & 100 Amp – 120/240 Single Phase
 - 200 Amp & 50 Amp – 120/208 Three Phase
 - Flexible Fuel Lines
 - Fuel Pressure Loss Protection System
 - UL2200 Listed
 - Five Year Extended Warranty
 - Enclosure Options
 - Open Generator Set w/ Duct Adapter
 - Weather Protective Level III Sound Attenuated Enclosure w/ Enclosed Critical Grade Muffler and Flex Exhaust
 - 12V Dual-Rate 10 Amp Battery Charger With 120V 3 Wire Connection Cord

Distributed by:



GENERAC POWER SYSTEMS, INC. • P.O. BOX 8 • WAUKESHA, WI 53187

262/544-4811 • FAX 262/544-4851

Site Search Summary
 North Bloomfield Facility
 Bloomfield, Connecticut

Section 16-50j-74(j) of the Regulations of Connecticut State Agencies requires the submission of a statement that describes “the narrowing process by which other possible sites were considered and eliminated.” In accordance with this requirement, descriptions of the general site search process, the identification of the applicable search area and the alternative locations considered for development of the proposed telecommunications facility in the Town of Bloomfield are provided below.

Site Search Process

To initiate its site selection process in an area where wireless service problems have been identified, Cellco first establishes a “site search ring” or “site search area.” In any search ring or search area, Cellco seeks to avoid the unnecessary proliferation of towers and to reduce the potential adverse environmental effects of the cell site, while at the same time maximizing the quality of service provided from a particular facility. These objectives are achieved by initially locating existing towers and other sufficiently tall structures within and near the site search area. If any are found, they are evaluated to determine whether they are capable of supporting Cellco’s telecommunications equipment at a location and elevation that satisfies its technical requirements.

Cellco maintains five (5) existing telecommunications facilities within approximately four (4) miles of the proposed North Bloomfield Facility. None of these existing or proposed facilities, however, can provide the service needed in the identified problem areas along portions of Routes 187 and 189 and local roads, as well as residential, agricultural, commercial and industrial land uses in northeast Bloomfield and portion of western portion of Windsor and southern portions of East Granby. (See Attachment 6).

Existing and Approved Telecommunication Facilities

| | Owner (Cellco Site Name) | Facility Height and Type | Location | Cellco Antenna Height |
|----|-------------------------------------|-------------------------------------|-------------------------------------|----------------------------------|
| 1. | Mariner Towers (Simsbury) | 150’ (Monopole) | Grist Mill Road Simsbury, CT | 140’ |
| 2. | CL&P (Tariffville) | 180’ (Monopole) | 8 Hoskins Road Bloomfield, CT | 148’ |
| 3. | AT&T (Windsor 2) | 100’ (Monopole) | 750 Rainbow Road Windsor, CT | 83’ |
| 4. | Verizon Wireless (Windsor) | 160’ (Lattice) | 482 Pigeon Hill Road Windsor, CT | 158’ |

| | <u>Owner (Cellco Site Name)</u> | <u>Facility Height and Type</u> | <u>Location</u> | <u>Cellco Antenna Height</u> |
|----|--------------------------------------|-------------------------------------|-------------------------------|----------------------------------|
| 5. | Town of Bloomfield (Bloomfield 3) | 140' (Monopole) | 21 Acorn Road Branford, CT | 116' |

If existing towers or structures are not available or technically feasible, other locations are investigated where the construction of a new tower is required to satisfy Cellco's service requirements. The list of available locations may be further reduced if, after preliminary negotiations, the property owners withdraw a site from further consideration. From among the remaining locations, the proposed sites are selected by eliminating those that have greater potential for adverse environmental effects and fewer benefits to the public (i.e., those requiring taller towers, possibly with lights; those with substantial adverse environmental impacts, or in densely populated residential areas; and those with limited ability to share space with other public or private telecommunications entities). It should be noted that in any given site search, the weight afforded to factors considered in the selection process will vary depending upon the availability and nature of sites within the search area.

Identification of the North Bloomfield Search Area

The purpose of the proposed North Bloomfield Facility is to provide reliable PCS, cellular and LTE service to significant gaps that have been identified along portions of Route 189, route 187 and local roads, as well as residential, agricultural, commercial and industrial areas in north Bloomfield, west Windsor and south East Granby. These coverage gaps were identified using system performance data including, but not limited to, baseline drive data and Cellco's best server propagation modeling tool.

Cellco issued its North Bloomfield search area in April of 2006. (See attached Search Area Map). As a matter of practice, Cellco's initial site search effort focuses on municipal or other quasi-public properties that might be available and appropriate locations for a telecommunications facility. If no public properties are available, Cellco investigates private land within or near the designated search area.

Sites Investigated in North Bloomfield

In addition to the existing and proposed facilities listed above, Cellco identified and investigated eleven (11) additional sites in the Bloomfield and Windsor area. A listing of the additional sites investigated is provided below.

1. River Bend Associates, Inc. – Day Hill Road, Bloomfield, CT

Cellco investigated and signed a lease for use of a portion of this 11.8 acre parcel south of Day Hill Road in the Town of Bloomfield. Cellco determined that it can satisfy its coverage objectives from this parcel with antennas mounted at a centerline height of 110 feet above ground level.

2. Center Fire Department No. 3 – 361 Tunxis Avenue, Bloomfield, CT

The Center Fire Department No. 3 parcel in Bloomfield is located at the southeast corner of Tunxis Avenue and Adams Road. This parcel is currently the location of the Center Fire Department Firehouse. In the rear of the property is another structure used for fire training purposes. A vast majority of the parcel is paved and utilized on a regular basis by the Center Fire Department members. This site was rejected due to the Fire Department's active use of all paved surfaces in the area and limitations imposed by a large wetland area in the rear portion of the property.

3. Griffin Center Development – 1975, 1985 and 1995 Blue Hills Avenue, Windsor, CT

These three (3) parcels are located south of Blue Hills Avenue Extension (Route 187) in the Town of Windsor. The parcel is currently used for agricultural purposes. The property owner was unwilling to lease space for a tower site due to his desire to develop the parcel in the future for industrial and mixed use purposes.

4. Griffin Road North – Windsor, CT


Cellco's real estate representatives met with the landowner of four (4) parcels identified as 4 Griffin Road North, 21 Griffin Road North, 29 Griffin Road North and 35 Griffin Road North regarding a potential lease for a tower site in the area. These parcels are all located in the existing Griffin Center Business Park in the Town of Windsor. The property owner was unwilling to lease land for a tower site due to future plans for development for industrial and mixed use purposes.

5. 1936 Blue Hills Avenue, Windsor, CT

This is a relatively small (5 acre) agricultural parcel located north of Blue Hills Avenue Extension (Route 187). The property owner was unwilling to lease land to Cellco for a tower site due to plans for future development.

6. 310 and 340 West Newberry Road, Bloomfield, CT

Cellco investigated two parcels located off West Newberry Road in Bloomfield. The property owner was unwilling to lease land to Cellco for a tower site due to plans for future development.



Legend

- ① Potential Sites Investigated
- Municipal and Private Open Space
- Parcels
- School
- Open Water



Vanasse Hangen Brustlin, Inc.

**Site Search Summary Map
Proposed Verizon Wireless
Telecommunications Facility
Bloomfield, Connecticut**



