

July 2, 2019

Melanie A. Bachman, Esq.  
Executive Director/Staff Attorney  
Connecticut Siting Council  
10 Franklin Square  
New Britain, CT 06051

Re: **Docket No. 456 – Celco Partnership d/b/a Verizon Wireless  
Certificate of Environmental Compatibility and Public Need for the Construction,  
Maintenance and Operation of a Telecommunications Facility Located at 33 Keegan  
Road, Plymouth, Connecticut**

Dear Ms. Bachman:


This is in response to your June 24, 2019 letter regarding final close out items related to the construction of the above-referenced telecommunications facility.

Immediately after receiving your June 24, 2019 letter, Verizon's construction team members were dispatched to the Plymouth cell site at 33 Keegan Road in Plymouth, Connecticut to attend to the open items discussed in your letter. In particular, soil erosion and sedimentation control measures that remained in place at the site have now been removed. In addition, overgrown vegetation and debris in the area around the catch basin near the north side of the access driveway has been cleaned. Enclosed are a series of photographs showing previously existing conditions and site conditions following the work described above.

If you have any questions regarding the activity described above or if additional work at the site is required please do not hesitate to contact me.

Melanie A. Bachman, Esq.  
July 2, 2019  
Page 2

Sincerely,



Kenneth C. Baldwin

KCB/kmd  
Enclosure  
Copy to:

Robert Hesselbach (*via electronic mail*)  
Bryon Morawski (*via electronic mail*)  
Andrew Candiello (*via electronic mail*)  
Anthony Befera (*via electronic mail*)

Area Around Access Drive  
Catch Basin



**Area Around Access Drive  
Catch Basin**




Area Around Access Drive  
Catch Basin



Area Around Access Drive  
Catch Basin



**Removal of Sedimentation  
Control Measures**



**Removal of Sedimentation  
Control Measures**





**Removal of Sedimentation  
Control Measures**



Removal of Sedimentation  
Control Measures



**Removal of Sedimentation  
Control Measures**



**Removal of Sedimentation  
Control Measures**



## Removal of Sedimentation Control Measures

