



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

February 3, 2012

TO: Council Members

FROM: Linda Roberts, Executive Director 

RE: **PETITION NO. 1010** - New Cingular Wireless PCS, LLC petition for a declaratory ruling that no Certificate of Environmental Compatibility and Public Need is required for the proposed installation of an concealed tower on a water tank and associated equipment at a water treatment plant located at 455 Valley Road, Greenwich, Connecticut.

The Connecticut Siting Council has scheduled a field review for this petition on Thursday, February 9, 2012, beginning at 2:00 p.m. Council members will meet at the site located at the Aquarion Water Company Plant at 455 Valley Road, Greenwich, Connecticut. Directions are enclosed.

A public hearing is scheduled for February 9, 2012, beginning at 3:00 p.m. at the Cone Conference Room, Greenwich Town Hall, 101 Field Point Road, Greenwich.

Bring change for the Town Hall parking meters.

Enclosure

c: Secretary of the State
Parties and Intervenors
Post Reporting Service
Tech Theatrical Services, LLC



DIRECTIONS – PETITION 1010 - GREENWICH

Field Review Location: 455 Valley Road, Greenwich (2:00 p.m.)

Hearing Location: Greenwich Town Hall – Cone Room
101 Field Point Road, Greenwich (3:00 p.m.)

TO FIELD REVIEW – 455 VALLEY ROAD

Directions via Route 15

Travel via Route 15 South to exit 33 (Den Road)
Continue straight onto Den Road
Turn slight left onto Bangall Road at a triangle (this is the 1st left)
Follow to a slight left onto Riverbank Road (at another triangle)
Cross under the Merritt Parkway
Take slight right onto Westover Road
Turn right onto Mianus Road (the turn is right after W. Glen Drive)
Mianus Road becomes Valley Road (will travel on this road for approximately 2 miles [1.8 on Mianus Road and 0.2 on Valley Road])
The water treatment plant is on the left

Directions via I-95

Travel via I-95 South to exit 5 (Riverside/Old Greenwich)
Take exit 5 turn left onto East Putnam Ave (Route 1)
Travel via East Putnam Avenue (Route 1) cross Mianus River
After the river crossing, turn right onto River Road Extension
Follow to end of road and turn right onto Valley Road
Travel on Valley Road for approximately 1.8 miles
The water treatment plant will be on the right


TO HEARING LOCATION – Greenwich Town Hall

From field review location

Turn left onto Valley Road
Follow Valley Road south. Turn left onto River Road Extension
Follow to intersection with Route 1
Turn left onto East Putnam Road/Route 1
Follow Route 1 to on ramp for I-95 South
Take Exit 3 (Greenwich Avenue/Arch Street).
Turn right at the traffic signal at the end of the ramp onto Arch Street.
Follow through the traffic signals bearing left at the "Y" intersection onto Soundview Drive.
Bear right at the top of the hill onto Field Point Road; the Town Hall is the third building on the right.

From I-95

Take Exit 3 (Greenwich Avenue/Arch Street).
Turn right at the traffic signal at the end of the ramp onto Arch Street.
Follow through the traffic signals bearing left at the "Y" intersection onto Soundview Drive.
Bear right at the top of the hill onto Field Point Road; the Town Hall is the third building on the right.



370 EAST PUTNAM AVE.

STAMFORD

Cob Harbor

9
8
7
6
5
4