



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

Julie D. Kohler, Esq.
Cohen and Wolf, P.C.
1115 Broad Street
Bridgeport, CT 06604

RE: **EM-T-MOBILE-004-130531** – T-Mobile Northeast LLC notice of intent to modify an existing telecommunications facility located at 81 Montevideo Road, Avon, Connecticut.

Dear Attorney Kohler:

The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies with the following conditions:

- Any deviation from the proposed modification as specified in this notice and supporting materials with the Council shall render this acknowledgement invalid;
- Any material changes to this modification as proposed shall require the filing of a new notice with the Council;
- Within 45 days after completion of construction, the Council shall be notified in writing that construction has been completed;
- The validity of this action shall expire one year from the date of this letter; and
- The applicant may file a request for an extension of time beyond the one year deadline provided that such request is submitted to the Council not less than 60 days prior to the expiration;

The proposed modifications including the placement of all necessary equipment and shelters within the tower compound are to be implemented as specified here and in your notice dated May 29, 2013. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Thank you for your attention and cooperation.

Very truly yours,

Melanie A. Bachman
Acting Executive Director

MAB/CDM/jb

c: The Honorable Mark W. Zacchio, Chairman, Town of Avon
Brandon Robertson, Town Manager, Town of Avon
Steven V. Kushner, Town Planner, Town of Avon
Message Center Management



ULIE D. KOHLER

PLEASE REPLY TO: Bridgeport
WRITER'S DIRECT DIAL: (203) 337-4157
E-Mail Address: jkohler@cohenandwolf.com

May 29, 2013

ORIGINAL

Attorney Melanie Bachman
Acting Executive Director
Connecticut Siting Council
Ten Franklin Square
New Britain, CT 06051

RECEIVED
MAY 31 2013
CONNECTICUT
SITING COUNCIL

**Re: Notice of Exempt Modification
Message Center Management/T-Mobile co-location
Site ID CT11284A
81 Montevideo Road, Avon, CT**

Dear Attorney Bachman:

This office represents T-Mobile Northeast LLC ("T-Mobile") and has been retained to file exempt modification filings with the Connecticut Siting Council on its behalf.

In this case, Message Center Management ("MCM") owns the existing lattice telecommunications tower and related facility at 81 Montevideo Road, Avon Connecticut (latitude 41.80333 / longitude 72.80111). T-Mobile intends to replace two antennas and related equipment at this existing telecommunications facility in Avon ("Avon Facility"). Please accept this letter as notification, pursuant to R.C.S.A. § 16-50j-73, of construction which constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to the Town Manager, Brandon Robertson and the property owner, Monte, LLC.

The existing Avon Facility consists of a 150 foot tall lattice structure. T-Mobile plans to replace two antennas at a centerline of 136 feet. (See the plans revised to May 3, 2013 attached hereto as Exhibit A). T-Mobile will also replace one of its equipment cabinets within the existing compound area near the base of the structure, as well as install hybrid cable and reuse existing coax cables. The existing Facility is structurally capable of supporting T-Mobile's proposed modifications, as indicated in the structural analysis dated May 8, 2013 and attached hereto as Exhibit B.

The planned modifications to the Avon Facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).

1115 BROAD STREET
P.O. Box 1821
BRIDGEPORT, CT 06601-1821
TEL: (203) 368-0211
FAX: (203) 394-9901

158 DEER HILL AVENUE
DANBURY, CT 06810
TEL: (203) 792-2771
FAX: (203) 791-8149

320 POST ROAD WEST
WESTPORT, CT 06880
TEL: (203) 222-1034
FAX: (203) 227-1373

657 ORANGE CENTER ROAD
ORANGE, CT 06477
TEL: (203) 298-4066
FAX: (203) 298-4068

May 29, 2013
Site ID CT11284A
Page 2

1. The proposed modification will not increase the height of the tower. T-Mobile's replacement antennas will be installed at the 136 foot level. The enclosed tower drawing confirms that the proposed modification will not increase the height of the tower.
2. The installation of the T-Mobile replacement equipment in the existing compound, as reflected on the attached site plan, will not require an extension of the site boundaries. T-Mobile's proposed equipment will be located entirely within the existing compound area.
3. The proposed modification to the Facility will not increase the noise levels at the existing facility by six decibels or more.
4. The operation of the replacement antennas will not increase the total radio frequency (RF) power density, measured at the base of the tower, to a level at or above the applicable standard. According to a Radio Frequency Emissions Analysis Report prepared by EBI dated May 23, 2013 T-Mobile's operations would add 0.206% of the FCC Standard. Therefore, the calculated "worst case" power density for the planned combined operation at the site including all of the proposed antennas would be 4.156% of the FCC Standard as calculated for a mixed frequency site as evidenced by the engineering exhibit attached hereto as Exhibit C.

For the foregoing reasons, T-Mobile respectfully submits that the proposed replacement antennas and equipment at the Avon Facility constitutes an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,


Julie D. Kohler, Esq.

cc: Town of Avon, Town Manager Brandon Robertson
Message Center Management
Monte, LLC
Scott Chase, Northeast Site Solutions

EXHIBIT A

T-MOBILE NORTHEAST LLC


SITE #: CT11284A

SITE NAME: AVON_1

SITE ADDRESS:

81 MONTEVIDEO ROAD
AVON, CT 06001

WIRELESS BROADBAND FACILITY
CONSTRUCTION DRAWINGS
(2C CONFIGURATION)



DO NOT SCALE DRAWINGS

CONTRACTOR SHALL VERIFY PLANS AND EXISTING DIMENSIONS AND CONDITIONS ON THE GROUND AND SHALL IMMEDIATELY NOTIFY THE ARCHITECT IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK OR BE RESPONSIBLE FOR SAME.

CALL BEFORE YOU DIG:

WWW.CBVD.COM
CALL 800 822 4448 OR 811
CALL THREE WORKING DAYS PRIOR TO DIGGING
SAFETY REGULATIONS SHALL BE ENFORCED FOR ALL
UTILITY LOCATIONS
COLOR CODE FOR UTILITY LOCATIONS:
ELECTRIC - RED
GAS/OIL - YELLOW
TELE/COV - ORANGE
WATER - BLUE
SEWER - GREEN
SLOTTED - PINK
PROPOSED EXCAVATION - WHITE
RECLAIMED WATER - PLAIN

GENERAL NOTES

1. THE CONTRACTOR SHALL OBTAIN ALL NOTICES AND COMPLY WITH ORDERS OF ANY PERMITS, RULES, REGULATIONS AND LOCAL, COUNTY, STATE, FEDERAL, MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND CODES. THE ARCHITECT SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE ARCHITECTURAL WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
2. THE ARCHITECT/ENGINEER HAS MADE EVERY EFFORT TO SET FORTH IN THE CONSTRUCTION AND CONSTRUCTION DOCUMENTS THE INTENT OF THE PROJECT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
3. THE CONTRACTOR OR OWNER SHALL BEAR THE RESPONSIBILITY OF OBTAINING ALL NECESSARY PERMITS AND APPROVALS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
11. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
12. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
13. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
14. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
15. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
16. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
17. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
18. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
19. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.
20. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PERFORMANCE OF THE CONSTRUCTION WORK.

CODE COMPLIANCE

CONNECTICUT STATE BUILDING CODE
2005 CONNECTICUT BUILDING CODE WITH 2009 SUPPLEMENT
2005 NATIONAL ELECTRICAL CODE

PROJECT SUMMARY

PARCEL: MAP 015 LOT 3180081
DEED BOOK/PAGE: 459/057 (1987)
CURRENT ZONING: R/2A
JURISDICTION: TOWN OF AVON, CT
DISTRICT: RESIDENTIAL
PROPERTY OWNER: MONTE LLC
40 WOODLAND STREET
HARTFORD, CT 06105
APPLICANT: T-MOBILE NORTHEAST, LLC
35 GREGFIELD, CT 06032
(860) 682-7100
ARCHITECT/ENGINEER: ATAVIS GROUP INC, SUITE 203
NEW CENTER, MA 02458
(617) 965-0789

PROJECT DESCRIPTION

- T-MOBILE PROPOSES TO MODIFY THE EXISTING WIRELESS TELECOMMUNICATIONS FACILITY AS FOLLOWS:
1. (1) NEW EMISSION RIS 6102 CABINET TO REPLACE
 2. (1) NEW EMISSION MODEL NO. A621 (84/82P) ANTENNAS TO REPLACE
 3. (1) EXISTING (48Y118-208014) ANTENNAS (ON TOWER)
 4. (1) NEW WIRELESS CABLES & (6) (E) 1-2/8 COAX CABLES (4) TO BE REUSED, (1) TO BE REMOVED.

SHEET INDEX

| SHEET | TITLE | REVISION |
|-------|------------------------------|----------|
| N-1 | GENERAL AND ELECTRICAL NOTES | 0 |
| A-1 | SITE PLAN | 0 |
| A-2 | ELEVATION AND ANTENNA PLAN | 0 |
| A-3 | EQUIPMENT DETAILS | 0 |
| E-1 | ANTENNA DETAILS | 0 |
| E-2 | GROUNDING AND POWER DIAGRAMS | 0 |
| E-3 | COAX/FIBER PLACEMENT DIAGRAM | 0 |
| | GROUNDING DETAILS | 0 |

PROFESSIONAL SEAL

THIS DOCUMENT IS THE PROPERTY OF ATAVIS GROUP INC AND IS NOT TO BE REPRODUCED OR USED WITHOUT EXPRESS WRITTEN PERMISSION. CONSENT IS STRICTLY PROHIBITED.

SITE NUMBER: CT11284A
SITE NAME: AVON_1
SITE ADDRESS: 81 MONTEVIDEO ROAD
AVON, CT 06001

SHEET TITLE: T-1



SHEET NUMBER: T-1

T-MOBILE NORTHEAST, LLC
1430 Centre Street, Suite 203
New Center, MA 02458
Office: 617-965-0749
Fax: 617-213-5056

ATLANTIS GROUP
1430 Centre Street, Suite 203
New Center, MA 02458
Office: 617-965-0749
Fax: 617-213-5056

| DATE | DESCRIPTION | BY | REVISION |
|----------|--------------------|----|----------|
| 06/21/11 | ISSUED FOR PERMITS | SM | 1 |
| 06/21/11 | ISSUED FOR PERMITS | SM | 2 |
| 06/21/11 | ISSUED FOR PERMITS | SM | 3 |
| 06/21/11 | ISSUED FOR PERMITS | SM | 4 |
| 06/21/11 | ISSUED FOR PERMITS | SM | 5 |
| 06/21/11 | ISSUED FOR PERMITS | SM | 6 |
| 06/21/11 | ISSUED FOR PERMITS | SM | 7 |
| 06/21/11 | ISSUED FOR PERMITS | SM | 8 |
| 06/21/11 | ISSUED FOR PERMITS | SM | 9 |
| 06/21/11 | ISSUED FOR PERMITS | SM | 10 |

PROJECT NO.: CT11284A
DRAWN BY: SM
CHECKED BY: SM



COMPOUND PLAN
 SCALE: 1" = 10'-0" (1"=17')
 1" = 5'-0" (24x36)

- GENERAL SITE NOTES**
1. SITE INFORMATION WAS OBTAINED FROM A FIELD INVESTIGATION PERFORMED BY JAMES P. STROCK, INC. CONTRACTORS TO FIELD VERIFY DIMENSIONS AS NECESSARY BEFORE CONSTRUCTION.
 2. THE PROPOSED DEVELOPMENT DOES NOT INCLUDE SIGNS OR ADVERTISING.
 3. THE PROPOSED DEVELOPMENT IS UNIMPAVED AND THEREFORE DOES NOT REQUIRE A MEANS OF WATER SUPPLY OR SEWER DISPOSAL.
 4. NO LANDSCAPING WORK IS PROPOSED IN CONJUNCTION WITH THIS DEVELOPMENT OTHER THAN THAT WHICH IS SHOWN.
 5. THE PROPOSED DEVELOPMENT DOES NOT INCLUDE OUTDOOR STORAGE OR ANY SOLID WASTE RECEPTACLES.
 6. UTILITIES SHOWN ON PLAN ARE TAKEN FROM OWNERS RECORDS AND FOR INFORMATION ONLY. NO EXISTING HORIZONTAL AND VERTICAL LOCATIONS FOR UTILITIES HAS BEEN VERIFIED. ANY CONTRACTOR PERFORMING WORK ON THESE UTILITIES MUST CONTACT CALL BEFORE YOU DIG THREE WORKING DAYS PRIOR TO COMMENCING WORK.
 7. ALL OBSCLETE OR UNUSED FEATURES SHALL BE REMOVED WITHIN 12 MONTHS OF CESSATION OF OPERATIONS.

SITE LEGEND

| | |
|--|------------------------|
| | SITE PROPERTY LINE |
| | STREET OR ROAD |
| | CHAIN LINK FENCE |
| | ORNATE WOODEN FENCE |
| | BOARD ON BOARD FENCE |
| | DECIDUOUS TREES/SHRUBS |
| | EVERGREEN TREES/SHRUBS |
| | TREE LINE |
| | UTILITY POLE |
| | EXISTING |
| | NEW |
| | PROPOSED |
| | FUTURE |
| | PROP. LTE. ANTENNA |
| | PROP. UMTS/GSM ANTENNA |
| | EX. GSM ANTENNA |
| | EX. UMTS ANTENNA |

JAMES P. STROCK, INC.
 No. 0603
 PROFESSIONAL SEAL

THIS DOCUMENT IS THE PROPERTY OF JAMES P. STROCK, INC. AND IS NOT TO BE REPRODUCED OR USED WITHOUT EXPRESS WRITTEN CONSENT IN STRICTLY CONFIDENTIAL.

SITE NUMBER
 CT11284A

SITE NAME
 AVON_1

SITE ADDRESS
 81 MONTEVIDEO ROAD
 AVON, CT 06001

SHEET TITLE
 SITE PLAN

SHEET NUMBER
 A-1

ATANTIS GROUP
 1340 North Street, Suite 203
 Northbrook, IL 60062
 Office: 617-885-0700
 Fax: 617-213-5058

Mobile
 T-Mobile
 T-Mobile Northeast, LLC
 10000 Northpark Drive
 Atlanta, GA 30339
 Tel: 404-525-1234

EXHIBIT B

**STRUCTURAL ANALYSIS REPORT
SELF SUPPORT TOWER**



Prepared For:

T-Mobile

35 Griffin Road South
Bloomfield, CT 06002



Tower Rating

Tower: Pass (55.3 %)
Foundation: Pass

Sincerely,
Atlantis Group, Inc.
5-8-2013



Ahmet Colakoglu, PE
CT Professional Engineer
License No: 27057

Site ID: CT11284A
Site Name: Avon_1
81 Montevideo Road,
Avon, CT 06001

Prepared By:
Atlantis Group, Inc.
1340 Centre Street, Suite 203
Newton, Massachusetts 02459
Phone: 617-965-0789, Fax: 617-965-0103
May 08, 2013

CONTENTS

1.0 – SUBJECT AND REFERENCES

2.0 – PROPOSED ADDITION

3.0 - CODES AND LOADING

4.0 - STANDARD CONDITIONS FOR ENGINEERING SERVICES ON EXISTING STRUCTURES

5.0 - ANALYSIS AND ASSUMPTIONS

6.0 – RESULTS AND CONCLUSION

APPENDICES

A – CALCULATIONS

1.0 SUBJECT AND REFERENCES

The purpose of this analysis is to evaluate the structural capacity of the existing 150 feet tall self-support tower, located at 81 Montevideo Road, Avon, CT 06001, for the additions and alterations proposed by T-Mobile.

The structural analysis of the site is based on the following documents provided to us:

1. Tower Structural Drawings prepared by Valmont Structures dated 11/29/2007.
2. Structural Assessment Letter prepared by Armor Tower, Inc., dated 06/07/2010.
3. Existing and proposed antenna information provided by T-Mobile.

1.1 STRUCTURE

The structure is a 150 feet tall, triangular based self-support tower, fabricated by Valmont. Truss legs and solid rod legs are braced along the tower height with bolted single angles and solid rods. The tower is 5 feet wide at the top and 14 feet wide at the bottom with a slope change at 90 feet AGL. Please refer to the software output in Appendix A, for tower geometry, member sizes and other details.

2.0 PROPOSED CONFIGURATION

Equipment Cabinets:

T-Mobile is proposing to have the following changes in the existing equipment room:

- (1) New Ericsson RBS 6102 (728 lbs.) to replace Existing S8000 Cabinet (1300 lbs.)

Antennas and Appurtenances:
Existing Configuration of T-MOBILE Appurtenances:

| SECTOR | RAD CENTER (FT) | ANTENNA & TMA | | MOUNT | FEED LINES |
|--------|-----------------|------------------------------------|------------------------------------------------------------------|------------------------|------------|
| GAMMA | 136 | UMTS Antenna GSM Antenna TMA | (1) APXV18-206516L (2) APXV18-209014 (1) dd B2 & (1) dd B4 | (1) Sector Mount | (6) 1½" |

Proposed Configuration of T-MOBILE Appurtenances:

| SECTOR | RAD CENTER (FT) | ANTENNA & TMA | | MOUNT | FEED LINES |
|--------|-----------------|--------------------------------------------------------|---------------------------------------------------------------------------|------------------------|-------------------------------------|
| GAMMA | 136 | GSM/UMTS Antenna UMTS Antenna LTE Antenna TMA | (1) AIR21 B2A/B4P (1) APXV18-206516L (1) AIR21 B4A/B2P (1) dd B4 | (1) Sector Mount | (5) 1½" + (1) Hybrid Cable |

Existing and Remaining Appurtenances by Others:

| RAD CENTER (FT) CARRIER | ANTENNA & TMA | MOUNT | FEED LINES |
|----------------------------------|--------------------|---------------------|------------|
| 150 Velocita | (1) 8' Omni | Leg Mount | (1) 7/8" |
| 147 Sprint | (3) Allgon 7184-05 | (1) Sector Mount | (4) 1-1/4" |
| 130 AM Messaging 158.10 | (1) DB222 | (1) Standoff | (1) 1/2" |
| 124 Metrocall | (1) DB871H105 | Leg Mount | (1) 7/8" |
| 124 AM Messaging 75.42 | (1) DB225 | (1) Standoff | (1) 1/2" |
| 118 AM Messaging 75.42 | (1) 20' Omni | (1) Standoff | (1) 1/2" |
| 108 Martel Trans. Repeater | (1) 17' Omni | (1) Standoff | (1) 7/8" |
| 108 Comsoft fka Aquis | (1) 10' Omni | (1) Standoff | (1) 7/8" |

| | | | |
|--------------------------------|---------------------------------------|--------------|----------------------|
| 96 Skytel | (1) 5' Omni (1) 8' Omni (Inverted) | (1) Standoff | (1) 7/8" (1) 1/2" |
| 93 AM Messaging 929.4125 | (1) PD-1110 | (1) Standoff | (1) 7/8" |
| 92 Sprint | (1) GPS | Leg Mount | (1) 1/2" |
| 86 Sprint | (1) Panel Antenna – Allgon 7184-05 | Leg Mount | (2) 1-1/4" |
| 78 Comsoft fka Aquis | (1) 1m Dish | (1) Standoff | (1) RG6 |
| 75 AM Messaging 928 | (1) Yagi | Leg Mount | (1) 1/2" |
| 74 AM Messaging RX | (1) 1.2m Dish | (1) Standoff | (1) RG6 |
| 70 Skytel | (1) 0.75m Dish | (1) Standoff | (1) RG6 |
| 69 Metrocall | (1) 1m Dish | (1) Standoff | (1) RG6 |
| 68 Skytel | (1) GPS | Leg Mount | (1) 1/2" |

3.0 CODES AND LOADING

The tower was analyzed per ANSI/TIA-222-F as referenced by the 2005 Connecticut Building Code with 2009 Supplement, which is the adopted building code in the county. The following wind loading was used in compliance with the standard for Hartford County, CT.

- Basic wind speed 80 mph (W) without ice.
- Basic wind speed 69.3 mph (W_i) with 1/2" radial and escalating ice.

The following load combinations were used with wind blowing at 0°, 60° and 90° measured from a line normal to the face of the tower.

- D + W
- D + W_i + I

D: Dead Load

W_i : Wind Load with ice

W: Wind Load, without ice

I: Ice Gravity Load

4.0 STANDARD CONDITIONS FOR ENGINEERING SERVICES ON EXISTING STRUCTURES

The analysis is based on the information provided to Atlantis Group and is assumed to be current and correct. Unless otherwise noted, the structure and the foundation system are assumed to be in good condition, free of defects and can achieve theoretical strength.

It is assumed that the structure has been maintained and shall be maintained during its service. The superstructure and the foundation system are assumed to be designed with proper engineering practice and fabricated, constructed and erected in accordance with the design documents. Atlantis Group will accept no liability which may arise due to any existing deficiency in design, material, fabrication, erection, construction, etc. or lack of maintenance. Contractor should inspect the condition of the existing structure, mounts and connections and notify Atlantis Group for any discrepancies and deficiencies before proceeding with the construction.

The analysis does not include a qualification of the mounts attached on the structure or their connections. The analysis is performed to verify the capacity of the main structural members, which is the current practice in the tower industry.

The evaluation results presented in this report are only applicable for the previously mentioned existing and proposed additions and alterations. Any deviation of the proposed equipment and placement, etc., will require Atlantis Group to generate an additional structural evaluation.

5.0 ANALYSIS and ASSUMPTIONS

The tower was analyzed by utilizing tnxTower, a non-linear 3-Dimensional finite element software, a product of Tower Numerics, Inc. Software output for this analysis is provided in Appendix-A of this report.

6.0 RESULTS and CONCLUSION

Equipment Room (Cabinets): The existing slab supporting equipment cabinets is assumed to have **adequate** strength for the changes proposed by T-Mobile. The proposed equipment configuration is lower than the design loads and therefore the initial design is still valid.

Tower: The existing tower is found to have **adequate** structural capacity for the proposed loading by T-mobile. For the aforementioned load combinations and as a maximum, the tower legs between 90-110 feet AGL will be stressed to **55.3%** of capacity. Maximum usage of tower bracing is 54.6%.

Based on the stress level of the legs and assuming the foundation system was designed to have at least the capacity of the superstructure, tower foundation system is considered to have adequate structural strength.

Reactions:

| Maximums | Atlantis Analysis | Valmont Structures Design |
|------------------------|-------------------|---------------------------|
| Leg Compression (kips) | 140.1 | 246 |
| Leg Uplift (kip) | 116.4 | 226 |
| Leg Shear (kips) | 15.0 | 40 |
| Total Moment (kip*ft) | 1563 | 2,877 |

Therefore, the proposed additions and alterations by T-Mobile can be implemented as intended with the conditions outlined in this report.

Should you have any questions or need any clarifications about this report, please contact Ahmet Colakoglu at (617) 965-0789.

Sincerely,
Atlantis Group, Inc.

EXHIBIT C



EBI Consulting

environmental | engineering | due diligence

RADIO FREQUENCY EMISSIONS ANALYSIS REPORT EVALUATION OF HUMAN EXPOSURE POTENTIAL TO NON-IONIZING EMISSIONS

T-Mobile Existing Facility

Site ID: CT11284A

Avon 1
81 Montevideo Road
Avon, CT 06001

May 23, 2013

EBI Project Number: 62136251

May 23, 2013

T-Mobile USA
Attn: Jason Overbey, RF Manager
35 Griffin Road South
Bloomfield, CT 06002

Re: Emissions Values for Site: CT11284A - Avon 1

EBI Consulting was directed to analyze the proposed T-Mobile facility located at 81 Montevideo Road, Avon, CT, for the purpose of determining whether the emissions from the Proposed T-Mobile Antenna Installation located on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01 and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$). The number of $\mu\text{W}/\text{cm}^2$ calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits, therefore it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) – (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general public would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Public exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$). The general population exposure limit for the cellular band is $567 \mu\text{W}/\text{cm}^2$, and the general population exposure limit for the PCS band is $1000 \mu\text{W}/\text{cm}^2$. Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.



Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.

CALCULATIONS

Calculations were done for the proposed T-Mobile Wireless antenna facility located at 81 Montevideo Road, Avon, CT, using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. Since T-Mobile is proposing highly focused directional panel antennas, which project most of the emitted energy out toward the horizon, the actual antenna pattern gain value in the direction of the sample area was used. For this report the sample point is a 6 foot person standing at the base of the tower

For all calculations, all equipment was calculated using the following assumptions:

- 1) 2 GSM channels (1935.000 MHz—to 1945.000 MHz) were considered for the one sector of the proposed installation.
- 2) 2 UMTS channels (2110.000 MHz to 2120.000 MHz / 2140.000 MHz to 2145.000 MHz) were considered for the one sector of the proposed installation
- 3) 2 LTE channels (2110.000 MHz to 2120.000 MHz / 2140.000 MHz to 2145.000 MHz) were considered for the one sector of the proposed installation
- 4) All radios at the proposed installation were considered to be running at full power and were uncombined in their RF transmissions paths per carrier prescribed configuration. Per FCC OET Bulletin No. 65 - Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. This is rarely the case, and if so, is never continuous.
- 5) For the following calculations the sample point was the top of a six foot person standing at the base of the tower. The actual gain in this direction was used per the manufactures supplied specifications.
- 6) The antenna used in this modeling is the Ericsson AIR21 for LTE, UMTS and GSM. This is based on feedback from the carrier with regards to anticipated antenna selection. This antenna has a 15.6 dBd gain value at its main lobe. Actual antenna gain values were used for all calculations as per the manufacturers specifications

- 7) The antenna mounting height centerline of the proposed antennas is **136 feet** above ground level (AGL)
- 8) Emissions values for additional carriers were taken from the Connecticut Siting Council active database. Values in this database are provided by the individual carriers themselves.

All calculation were done with respect to uncontrolled / general public threshold limits

| | |
|--------------|------------------------------------|
| Site ID | CT11284A - Avon 1 |
| Site Address | 81 Montevideo Road, Avon, CT 06001 |
| Site Type | Self Support Tower |

| Sector 3 | | | | | | | | | | | | | | | | | |
|----------------|--------------|-----------------|----------|----------------|------------|-------------------------------|--------------------|-----------------|-------------------------------------------------|---------------------|-----------------|------------|-----------------|------------------------------------------|-----------|---------------------|--------------------------|
| Antenna Number | Antenna Make | Antenna Model | Status | Frequency Band | Technology | Power Out Per Channel (Watts) | Number of Channels | Composite Power | Antenna Gain in direction of sample point (dbd) | Antenna Height (ft) | analysis height | Cable Size | Cable Loss (dB) | Additional Loss | ERP | Power Density Value | Power Density Percentage |
| 1a | Ericsson | AIR21 B4A/B2P | Active | AWS - 2100 MHz | LTE | 60 | 2 | 120 | -3.95 | 136 | 130 | None | 0 | 0 | 48.326044 | 1.028018 | 0.102800% |
| 1b | Ericsson | AIR21 B4A/B2P | Not Used | - | - | - | - | 0 | -3.95 | 136 | 130 | None | 0 | 0 | 0 | 0 | 0.00000% |
| 2 | RFS | APXV18-206516L | Not Used | - | - | - | - | - | - | 136 | 130 | NA | 0 | 0 | 0 | 0 | 0.00000% |
| 3a | Ericsson | AIR21 B2A / B4P | Active | PCS - 1950 MHz | GSM / UMTS | 30 | 2 | 60 | -3.95 | 136 | 130 | 1-5/8" | 0 | 0 | 24.163022 | 0.514009 | 0.051400% |
| 3B | Ericsson | AIR21 B2A / B4P | Passive | AWS - 2100 MHz | UMTS | 30 | 2 | 60 | -3.95 | 136 | 130 | 1-5/8" | 0 | 0 | 24.163022 | 0.514009 | 0.051400% |
| | | | | | | | | | | | | | | Sector total Power Density Value: 0.206% | | | |

| Site Composite MPE % | |
|-------------------------|---------------|
| Carrier | MPE % |
| T-Mobile | 0.206% |
| Sprint | 3.950% |
| Total Site MPE % | 4.156% |

Summary

All calculations performed for this analysis yielded results that were well within the allowable limits for general public exposure to RF Emissions.

The anticipated Maximum Composite contributions from the T-Mobile facility are **0.206% (0.206% from the one T-Mobile sector)** of the allowable FCC established general public limit.

The anticipated composite MPE value for this site assuming all carriers present is **4.156%** of the allowable FCC established general public limit sampled at the ground level. This is based upon values listed in the Connecticut Siting Council database for existing carrier emissions

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government



Scott Heffernan
RF Engineering Director

EBI Consulting
21 B Street
Burlington, MA 01803



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov
www.ct.gov/csc

June 10, 2013

The Honorable Mark W. Zacchio
Chairman
Town of Avon
60 West Main Street
Avon, CT 06001-3743

RE: **EM-T-MOBILE-004-130531** – T-Mobile Northeast LLC notice of intent to modify an existing telecommunications facility located at 81 Montevideo Road, Avon, Connecticut.

Dear Chairman Zacchio:

The Connecticut Siting Council (Council) received a request to modify an existing telecommunications facility, pursuant to Regulations of Connecticut State Agencies Section 16-50j-72, a copy of which has already been provided to you.

If you have any questions or comments regarding the proposal, please call me or inform the Council by June 24, 2013.

Thank you for your cooperation and consideration.

Very truly yours,

Melanie Bachman
Acting Executive Director

MB/jb

c: Brandon Robertson, Town Manager, Town of Avon
Steven V. Kushner, Town Planner, Town of Avon



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

December 24, 2014

Rachel A. Schwartzman, Esq.
Cohen and Wolf, P.C.
P.O. Box 1821
Bridgeport, CT 06601

RE:

| | | |
|-------------------------|------------------------------|---------------|
| EM-T-MOBILE-004-130531 | 81 Montevideo Road | Avon |
| EM-T-MOBILE-009-130611 | 38 Spring Hill Lane | Bethel |
| EM-T-MOBILE-014-130724 | 405 Brushy Plain Road | Branford |
| EM-T-MOBILE-017-130611 | 2 Willis Street | Bristol |
| EM-T-MOBILE-017-130729 | 985 Farmington Avenue | Bristol |
| EM-T-MOBILE-033-130719 | 179 Shunpike Road | Cromwell |
| EM-T-MOBILE-034-130531A | 41 Padanaram Road | Danbury |
| EM-T-MOBILE-034-130531B | 303 Boxwood Lane | Danbury |
| EM-T-MOBILE-034-130726 | 7 West View Drive | Danbury |
| EM-T-MOBILE-043-130222 | 1455 Forbes Street | East Hartford |
| EM-T-MOBILE-049-130718 | 1 Ecology Drive | Enfield |
| EM-T-MOBILE-057-130220 | 150 Butternut Hollow Road | Greenwich |
| EM-T-MOBILE-080-130903 | 11 West Peak Drive | Meriden |
| EM-T-MOBILE-091-130531A | 302 Ball Pond Road | New Fairfield |
| EM-T-MOBILE-091-130531B | 37 Titicus Mountain Road | New Fairfield |
| EM-T-MOBILE-101-130611 | 125 Washington Avenue | North Haven |
| EM-T-MOBILE-110-130621 | 335 S. Washington Street | Plainville |
| EM-T-MOBILE-135-130318 | 555 Main Street | Stamford |
| EM-T-MOBILE-148-130531 | 90 N. Plains Industrial Road | Wallingford |
| EM-T-MOBILE-166-130726 | Andrews Road | Wolcott |
| EM-T-MOBILE-166-130816 | Route 322/Meridian Road | Wolcott |

Dear Attorney Schwartzman:

The Connecticut Siting Council (Council) is in receipt of your letter dated December 23, 2014, submitted on behalf of T-Mobile, requesting an extension of time to submit a notice of completion of construction and associated post modification inspection reports for the above-referenced exempt modifications.

The Council hereby grants a 60-day extension of time to submit a notice of completion of construction and associated post modification inspection reports for the above-referenced exempt modifications to March 2, 2015.

This extension is granted with the understanding that the Council will be notified should T-Mobile need additional time beyond 60 days to submit a notice of completion and associated post modification inspection reports or decide not to proceed with construction.



CONNECTICUT SITING COUNCIL

Affirmative Action / Equal Opportunity Employer

Thank you for your attention to this matter.

Sincerley,

A handwritten signature in black ink, appearing to read "Melanie A. Bachman". The signature is fluid and cursive, with a long horizontal stroke at the end.

Melanie A. Bachman
Acting Executive Director

MAB/cm


RACHEL A. SCHWARTZMAN

Please Reply To: Bridgeport
Writer's Direct Dial: (203) 337-4110
E-Mail: rschwartzman@cohenandwolf.com

December 23, 2014

Via Electronic and Overnight Mail

Attorney Melanie Bachman
Acting Executive Director
Connecticut Siting Council
Ten Franklin Square
New Britain, CT 06051



Re: **T-Mobile Exempt Modification Compliance Filings**
Connecticut Siting Council Audit Letter dated November 3, 2014
Request For Extension of Time

Dear Attorney Bachman:

T-Mobile Northeast, LLC ("T-Mobile") respectfully requests a 60-day extension of time to March 2, 2015 to respond to the Council's request, dated November 3, 2014, for exempt modification compliance data. The attached spreadsheet provides a list of the sites for which T-Mobile seeks a requested extension.

T-Mobile is actively compiling all of the requested information but needs additional time to provide the necessary documentation.

Please do not hesitate to let me know if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Rachel A. Schwartzman".

Rachel A. Schwartzman, Esq.

RAS/lcc
Enclosure

cc: Samuel Simons, T-Mobile Northeast, LLC (via electronic mail)
Mark Richard, T-Mobile Northeast, LLC (via electronic mail)
Robert Stanford, Vertical Development, LLC (via electronic mail)
Julie Kohler, Esq.

| EM/TIS # | Address | Town | Council Additional Conditions | Compliance with Council Additional Conditions Received | Number of Completions Received | Decision Date |
|-------------------------|------------------------------|---------------|-------------------------------------|--------------------------------------------------------------------|--------------------------------------|------------------|
| EM-T-MOBILE-043-130222 | 1455 Forbes Street | East Hartford | Yes | No | No | 3/12/2013 |
| EM-T-MOBILE-057-130220 | 150 Butternut Hollow Road | Greenwich | N/A | N/A | No | 3/12/2013 |
| EM-T-MOBILE-135-130318 | 555 Main Street | Stamford | Yes | No | No | 4/9/2013 |
| EM-T-MOBILE-006-130528 | 60 Rice Lane | Beacon Falls | Yes | No | No | 6/26/2013 |
| EM-T-MOBILE-002-130529 | 401 Wakelee Avenue | Ansonia | N/A | N/A | No | 6/27/2013 |
| EM-T-MOBILE-004-130531 | 81 Montevideo Road | Avon | N/A | N/A | No | 7/9/2013 |
| EM-T-MOBILE-034-130531A | 41 Padaraan Road | Danbury | Yes | No | No | 7/9/2013 |
| EM-T-MOBILE-034-130531B | 303 Boxwood Lane | Danbury | N/A | N/A | No | 7/9/2013 |
| EM-T-MOBILE-091-130531A | 302 Ball Pond Road | New Fairfield | N/A | N/A | No | 7/9/2013 |
| EM-T-MOBILE-091-130531B | 37 Titicus Mountain Road | New Fairfield | N/A | N/A | No | 7/9/2013 |
| EM-T-MOBILE-148-130531 | 90 N. Plains Industrial Road | Wallingford | N/A | N/A | No | 7/9/2013 |
| EM-T-MOBILE-101-130611 | 125 Washington Avenue | North Haven | N/A | N/A | No | 7/10/2013 |
| EM-T-MOBILE-009-130611 | 38 Spring Hill Lane | Bethel | Yes | No | No | 7/11/2013 |
| EM-T-MOBILE-017-130611 | 2 Wallis Street | Bristol | Yes | No | No | 7/12/2013 |
| EM-T-MOBILE-110-130621 | 335 S. Washington Street | Plainville | N/A | N/A | No | 7/12/2013 |
| EM-T-MOBILE-033-130719 | 179 Shampke Road | Cromwell | Yes | No | No | 8/7/2013 |
| EM-T-MOBILE-049-130718 | 1 Ecology Drive | Enfield | N/A | N/A | No | 8/7/2013 |
| EM-T-MOBILE-014-130724 | 405 Brushy Plain Road | Brantford | Yes | No | No | 8/13/2013 |
| EM-T-MOBILE-017-130729 | 985 Farmington Avenue | Bristol | N/A | N/A | No | 8/20/2013 |
| EM-T-MOBILE-034-130726 | 7 West View Drive | Danbury | N/A | N/A | No | 8/20/2013 |
| EM-T-MOBILE-166-130726 | Andrews Road | Wolcott | Yes | No | No | 8/20/2013 |
| EM-T-MOBILE-166-130816 | Route 322/Medlan Road | Wolcott | N/A | N/A | No | 9/3/2013 |
| EM-T-MOBILE-080-130903 | 11 West Peak Drive | Meriden | Yes | No | No | 9/18/2013 |



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

VIA ELECTRONIC AND FIRST CLASS MAIL

March 2, 2015

Rachel A. Schwartzman, Esq.
Cohen and Wolf, P.C.
1115 Broad Street
Bridgeport, CT 06604

RE: EM-T-MOBILE-049-130724, 1 Ecology Drive, Enfield
EM-T-MOBILE-04-130724 405, Brushy Plains Road, Branford
EM-T-MOBILE-080-130903, 11 West Peak Drive, Meriden
EM-T-MOBILE-034-130531A, 41 Padnaram Road, Danbury
EM-T-MOBILE-09-130531A, 302 Ball Pond Road, New Fairfield
EM-T-MOBILE-009-130611, 38 Spring Hill Road, Bethel
EM-T-MOBILE-017-130611, 2 Willis Street, Bristol
EM-T-MOBILE-034-130726, 7 West View, Danbury
EM-T-MOBILE-166-130816, Route 322 aka Meriden Road aka 347 East Street, Wolcott
EM-T-MOBILE-004-130531, 81 Montevideo Road, Avon
EM-T-MOBILE-033-130719, 179 Shunpike Road, Cromwell
EM-T-MOBILE-166-130726, Andrew Road, Wolcott

Dear Attorney Schwartzman:

The Connecticut Siting Council (Council) is in receipt of your letter dated February 27, 2015, submitted on behalf of T-Mobile Northeast, LLC, requesting an extension of time to submit a notice of completion of construction and associated post modification inspection reports for the above-referenced exempt modifications.

The Council hereby grants a 60-day extension of time, until May 2, 2015, to submit a notice of completion of construction and associated post modification inspection reports for the above-referenced exempt modifications.

This extension is granted with the understanding that the Council will be notified should T-Mobile Northeast, LLC need additional time beyond 60 days to submit a notice of completion and associated post modification inspection reports or decide not to proceed with construction.

Thank you for your attention to this matter.

Sincerely,

Melanie A. Bachman
Acting Executive Director

MAB/cm

RACHEL A. SCHWARTZMAN

Please Reply To: Bridgeport
Writer's Direct Dial: (203) 337-4110
E-Mail: rschwartzman@cohenandwolf.com

February 27, 2015

Via Electronic and Overnight Mail

Attorney Melanie Bachman
Acting Executive Director
Connecticut Siting Council
Ten Franklin Square
New Britain, CT 06501

**Re: T-Mobile Notice of Completion Filings (Third Quarter Audit)
Connecticut Siting Council Letters, dated November 3, 2014 and February 20, 2015
Request for Extension of Time**

Dear Attorney Bachman:

T-Mobile Northeast, LLC ("T-Mobile") respectfully requests an additional two-month extension of time to respond to the Council's request for notice of completion of construction and associated post-modification inspection reports for the following sites:

**EM-T-MOBILE-049-130724, 1 Ecology Drive, Enfield (Site ID CT11534A)
EM-T-MOBILE-014-130724 405, Brushy Plains Road, Branford (Site ID NH102C)
EM-T-MOBILE-080-130903, 11 West Peak Drive, Meriden (Site ID11132B)
EM-T-MOBILE-034-130531A, 41 Padnaram Road, Danbury (CT11896A)
EM-T-MOBILE-091-130531A, 302 Ball Pond Road, New Fairfield (CT11797A)
EM-T-MOBILE-009-130611, 38 Spring Hill Road, Bethel (CT11115F)
EM-T-MOBILE-017-130611, 2 Willis Street, Bristol (CT11270C)
EM-T-MOBILE-034-130726, 7 West View, Danbury (CT11923C)
EM-T-MOBILE-166-130816, Route 322 aka Meridan Road aka 347 East Street,
Wolcott (CT11494B)
EM-T-MOBILE-004-130531, 81 Montevideo Road, Avon (CT11284A)
EM-T-MOBILE-033-130719, 179 Shunpike Road, Cromwell (CT11059C)
EM-T-MOBILE-166-130726, Andrew Road, Wolcott (CT11403A)**

T-Mobile has filed the appropriate compliance filings for several third quarter sites, but needs additional time to provide the requested information for the above-referenced sites. T-Mobile has diligently obtained much of the required documentation, and is working with its vendors and engineers to obtain the proper closeout records. T-Mobile continues to actively compile the requested information, but needs additional time to do so.

1115 BROAD STREET
PO. Box 1821
BRIDGEPORT, CT 06601-1821
TEL: (203) 368-0211
FAX: (203) 394-9901

158 DEER HILL AVENUE
DANBURY, CT 06810
TEL: (203) 792-2771
FAX: (203) 791-8149

320 POST ROAD WEST
WESTPORT, CT 06880
TEL: (203) 222-1034
FAX: (203) 227-1373

657 ORANGE CENTER ROAD
ORANGE, CT 06477
TEL: (203) 298-4066
FAX: (203) 298-4068

Please do not hesitate to let me know if you have any questions.

Sincerely,



Rachel A. Schwartzman

RAS/lcc

cc: Samuel Simons, T-Mobile Northeast, LLC (via electronic mail)
Mark Richard, T-Mobile Northeast, LLC (via electronic mail)
Robert Stanford, Vertical Development, LLC (via electronic mail)
Julie Kohler, Esq. (via electronic mail)



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

May 4, 2015

Rachel A. Schwartzman, Esq.
Cohen and Wolf, P.C.
P.O. Box 1821
Bridgeport, CT 06601

RE:

| | | |
|------------------------|--------------------|----------|
| EM-T-MOBILE-004-130531 | 81 Montevideo Road | Avon |
| EM-T-MOBILE-033-130719 | 179 Shunpike Road | Cromwell |
| EM-T-MOBILE-166-130726 | Andrews Road | Wolcott |

Dear Attorney Schwartzman:

The Connecticut Siting Council (Council) is in receipt of your letter dated May 1, 2015, submitted on behalf of T-Mobile, requesting an extension of time to submit a notice of completion of construction and associated post modification inspection reports for the above-referenced exempt modifications.

The Council hereby grants a 60-day extension of time to submit a notice of completion of construction and associated post modification inspection reports for the above-referenced exempt modifications to July 2, 2015.

This extension is granted with the understanding that the Council will be notified should T-Mobile need additional time beyond 60 days to submit a notice of completion and associated post modification inspection reports or decide not to proceed with construction.

Thank you for your attention to this matter.

Sincerely,

Melanie A. Bachman
Acting Executive Director

MAB/cm


RACHEL A. SCHWARTZMAN

Please Reply To: Bridgeport
Writer's Direct Dial: (203) 337-4110
E-Mail: rschwartzman@cohenandwolf.com

May 6, 2015

Attorney Melanie Bachman
Acting Executive Director
Connecticut Siting Council
Ten Franklin Square
New Britain, CT 06501

ORIGINAL



**Re: T-Mobile Compliance Filings - Third Quarter Audit (July 1, 2013 - Sept. 30, 2013)
Connecticut Siting Council Letter, dated May 4, 2013**

Dear Attorney Bachman:

In response to your letter dated May 4, 2015, enclosed herein are copies of T-Mobile's compliance filings for the Connecticut Siting Council's third quarter audit of T-Mobile's exempt modification acknowledgments for the following sites:

- EM-T-MOBILE-0004130531, 81 Montevideo Road, Avon ✓**
- EM-T-MOBILE-033-130719, 179 Shunpike Road, Cromwell ✓**
- EM-T-MOBILE-166-13076, Andrews Road, Wolcott ✓**

Copies were inadvertently omitted from T-Mobile's May 1, 2015 bulk filing, but were timely filed at the end of April. Copies have already been provided by electronic mail and overnight mail.

Please do not hesitate to let me know if you have any questions.

Sincerely,

A handwritten signature in blue ink that reads "Rachel A. Schwartzman".

Rachel A. Schwartzman

cc: Julie Kohler, Esq.



RACHEL A. SCHWARTZMAN

Please Reply To: Bridgeport
Writer's Direct Dial: (203) 337-4110
E-Mail: rschwartzman@cohenandwolf.com

April 23, 2015

Attorney Melanie Bachman
Acting Executive Director
Connecticut Siting Council
Ten Franklin Square
New Britain, CT 06501

Re: EM-T-MOBILE-004-130531
T-Mobile Site ID CT11284A
81 Montevideo Road, Avon, CT
Notice of Construction Completion

Dear Attorney Bachman:

The Connecticut Siting Council ("Council") acknowledged the above referenced T-Mobile Northeast LLC ("T-Mobile") notice of exempt modification on July 9, 2013. T-Mobile hereby notifies the Council that construction of the acknowledged modifications were complete as of December 12, 2013.

Please don't hesitate to contact me with any questions.

Sincerely,

Rachel A. Schwartzman

cc: Samuel Simons, T-Mobile
Mark Richard, T-Mobile
Robert Stanford, Vertical Development, LLC
Julie Kohler, Esq.

1115 BROAD STREET
P.O. Box 1821
BRIDGEPORT, CT 06601-1821
TEL: (203) 368-0211
FAX: (203) 394-9901

158 DEER HILL AVENUE
DANBURY, CT 06810
TEL: (203) 792-2771
FAX: (203) 791-8149

320 POST ROAD WEST
WESTPORT, CT 06880
TEL: (203) 222-1034
FAX: (203) 227-1373


657 ORANGE CENTER ROAD
ORANGE, CT 06477
TEL: (203) 298-4066
FAX: (203) 298-4068

RACHEL A. SCHWARTZMAN

Please Reply To: Bridgeport
Writer's Direct Dial: (203) 337-4110
E-Mail: rschwartzman@cohenandwolf.com

April 23, 2015

Attorney Melanie Bachman
Acting Executive Director
Connecticut Siting Council
Ten Franklin Square
New Britain, CT 06501



**Re: EM-T-MOBILE-004-130531
T-Mobile Site ID CT11284A
81 Montevideo Road, Avon, CT
Notice of Construction Completion**

ORIGINAL

Dear Attorney Bachman:

The Connecticut Siting Council ("Council") acknowledged the above referenced T-Mobile Northeast LLC ("T-Mobile") notice of exempt modification on July 9, 2013. T-Mobile hereby notifies the Council that construction of the acknowledged modifications were complete as of December 12, 2013.

Please don't hesitate to contact me with any questions.

Sincerely,

A handwritten signature in cursive script that reads "Rachel A. Schwartzman".

Rachel A. Schwartzman

cc: Samuel Simons, T-Mobile
Mark Richard, T-Mobile
Robert Stanford, Vertical Development, LLC
Julie Kohler, Esq.