

RECEIVED
MAY 3 1 2013

CONNECTICUT
SITING COUNCIL

**NEW CINGULAR WIRELESS PCS LLC NOTICE OF INTENT TO MODIFY
AN EXISTING TELECOMMUNICATIONS FACILITY AT
1320 CHOPSEY HILL ROAD, BRIDGEPORT, CT**

Pursuant to the Public Utility Environmental Standards Act, Connecticut General Statutes § 16 50g et. Seq. (“PUESA”), and Sections 16-50j-72(b) and 16-50j-73 of the Regulations of Connecticut State Agencies (“R.C.S.A”) adopted pursuant to the PUESA, New Cingular Wireless PCS LLC(“AT&T”) hereby notifies the Connecticut Siting Council of its intent to modify an existing facility located at 1320 Chopsey Hill Road, Bridgeport, Connecticut. The telecommunications facility is owned by Global Tower Partners (“GTP”) and leased to AT&T.

AT&T Proposed Wireless Modifications

AT&T currently has a cellular installation at this location. The facility consists of a two hundred forty (240) foot high lattice telecommunications tower (the “Tower”) within a fenced compound. AT&T now intends to modify the facility as shown on the enclosed plans prepared by Turning Mill Consultants Inc. and annexed hereto as Exhibit 1. The modifications will consist of ground work only and entail expanding the existing AT&T lease area to include a 4’x 8’ concrete pad with a 50 kw backup generator. In cases where a diesel generator will be used, the generators will have built-in 250 gallon fuel tanks with double walled construction to minimize risk of spills. AT&T will not be modifying the existing antennas and related equipment installed on the tower at this time and therefore; will not affect the structural capacity of the existing tower.

In accordance with R.C.S.A Section 16-50j-73, a copy of this submission is being sent to The City of Bridgeport. A copy of this submission is also being sent to GTP, the property owner on which the tower is located.

AT&T Proposed Wireless Modifications Constitutes An “Exempt Modification”

The proposed modification to the 1320 Chopsey Hill Road Facility constitutes an exempt modification of an existing facility provided for in R.C.S.A Section 16-50j-72(b)(2) and Council regulations promulgated pursuant thereto.

- 1) The proposed modifications are restricted to ground equipment only and will not result in an increase in the height of the existing tower.
- 2) The proposed modifications will not require expansion of the site boundaries.
- 3) The proposed modifications will not increase noise levels at the facility by six decibels or more.
- 4) AT&T’s proposed facility modification will not affect the existing RF power density levels as it is simply to add backup power in the event of an outage.

EM-CING-015-130531

For all the foregoing reasons, AT&T respectfully submits that the proposed modifications to the above-referenced telecommunications facility constitutes an exempt modification under R.C.S.A Section 16-50j-72(b)(2)

Respectfully submitted,



Bob Watson (508) 888-4383
On behalf of New Cingular Wireless PCS LLC

cc: The City of Bridgeport
Global Tower Partners

Exhibit 1

Site Plan


SUPPLEMENTAL NOTES

- ALL MATERIALS AS WELL AS METHODS AND PROCESSES USED IN THE PERFORMANCE OF THE WORK SHALL CONFORM TO THE STANDARDS OF THE CONNECTICUT STATE BUILDING CODE AND THE GENERAL CONTRACTOR SHALL BECOME FAMILIAR WITH SUCH REQUIREMENTS.
- THE GENERAL CONTRACTOR SHALL COMPLY WITH THE RULES OF THE SITE AS TO THE HOURS OF AVAILABILITY OF HANDLING MATERIALS, EQUIPMENT AND DEBRIS TO AVOID CONGESTION AND INTERFERENCE WITH FACILITY BUILDING OPERATIONS. CONTRACTORS SHALL BE RESPONSIBLE FOR HANDLING MATERIALS.
- GENERAL CONTRACTOR SHALL PROVIDE ADEQUATE PROTECTION OF OLD AND NEW WORK DURING THE CONSTRUCTION PERIOD, SHOULD DAMAGE OCCUR, THE CONTRACTOR SHALL REPAIR AT THEIR OWN EXPENSE.
- CONTRACTOR TO CONTROL CLEANING TO PREVENT DIRT OR DUST FROM LEAVING THE JOB SITE AND INTRUSING INTO AREAS NOT INVOLVED IN THE PROJECT. GENERAL CONTRACTOR SHALL KEEP THE AREA REASONABLY CLEAN AND DUST FREE DURING WORKING HOURS AND LEGALLY DISPOSE OF ALL RUBBISH DAILY.
- CONTRACTOR IS RESPONSIBLE FOR THE PROTECTION OF WORKERS, PUBLIC AND PROPERTY.
- WHATEVER WORK IS DONE WHERE NO DEFINITE DETAILS OR INSTRUCTIONS ARE GIVEN, THE CONTRACTOR SHALL PERFORM THE WORK IN ACCORDANCE WITH THE BEST PRACTICE; THAT IS, AS THE WORK IS IN ACCORDANCE WITH THE HIGHEST STANDARDS OF THE CONSTRUCTION INDUSTRY, WITHOUT EXTRA CHARGE.

- ALL WORK IS TO BE DONE IN A FIRST CLASS MANNER AND IN ACCORDANCE WITH THE BEST PRACTICES WITH FIRST CLASS MATERIALS. NO EXTRAS WILL BE PERMITTED UNLESS SUBMITTED IN WRITING BY THE CONTRACTOR.
- ALL WORK SHALL BE GUARANTEED FOR A PERIOD OF ONE YEAR, UNLESS OTHERWISE NOTED, ALL CONTRACTORS SHALL SUBMIT IN WRITING THIS GUARANTEE.
- UNLESS SPECIFICALLY NOTED OTHERWISE, ALL WORK SHOWN ON THESE DRAWINGS SHALL BE PERFORMED BY THE GENERAL CONTRACTOR.
- GENERAL CONTRACTOR SHALL COORDINATE THEIR WORK WITH THE WORK OF ALL OTHER CONTRACTORS, WHETHER THEIR OWN OR THOSE ON SEPARATE CONTRACT. PRIOR TO COMMENCING WORK, THE GENERAL CONTRACTOR SHALL PROVIDE A WORK SCHEDULE TO SHOW ESTIMATED COMMENCEMENT AND COMPLETION DATES OF EACH TRADE, IDENTIFYING ALSO LONG LEAD ITEMS.
- WHEN "APPROVED EQUAL", "EQUAL TO" OR OTHER GENERAL QUALIFYING TERMS ARE USED, IT SHALL BE BASED UPON THE REVIEW AND APPROVAL BY AT&T. NO MATERIAL SUBSTITUTION SHALL BE MADE WITHOUT FIRST INFORMING AT&T, SUBMIT SUBSTITUTE MATERIAL SPECIFICATIONS AND SAMPLES FOR APPROVAL, IN WRITING, PRIOR TO COMMENCEMENT OF WORK.

GENERAL PROJECT NOTES

- THE FACILITY IS AN UNOCCUPIED SPECIALIZED MOBILE RADIO FACILITY.
- PLANS ARE NOT TO BE SCALED AND ARE INTENDED TO BE A DIAGRAMMATIC OUTLINE ONLY, UNLESS NOTED OTHERWISE. THE WORK SHALL INCLUDE FURNISHING MATERIAL, EQUIPMENT, APPURTENANCES, AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.
- THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS ON THE SITE AND NOTIFY THE PROJECT MANAGER OF ANY DISCREPANCIES BEFORE STARTING ANY WORK.
- CONTRACTOR TO PROVIDE COMPLETE SET OF AS BUILT DRAWINGS WITHIN 10 WORKING DAYS OF PROJECT COMPLETION.
- NO FIELD PLANIMETRIC SURVEY WAS CONDUCTED BY TMC, TO VERIFY EXISTING FIELD CONDITIONS NOR EQUIPMENT. DRAWINGS ARE BASED ON CLIENT SUPPLIED PLANS AND SPECIFICATIONS.



at&t
Mobility

500 ENTERPRISE DRIVE
SUITE 3A
ROCKY HILL, CT 06067
TEL (860) 509-1042

SITE
BRIDGEPORT-BEARDSLEY
CT5035

PROJECT MANAGEMENT FIRM
GENERAL DYNAMICS
Wireless Services

FA NUMBER
10070948

A&E FIRM
TURNING MILL CONSULTANTS, INC.
DEVELOPERS, ENGINEERS AND CONSTRUCTION MANAGERS
68 TUPPER ROAD, UNIT 3
PO BOX 1159, SANDWICH, MA 02563
TEL: (508) 888-4383 ~ FAX: (508) 888-4246
www.turningmillconsultants.com

SITE ADDRESS:
1320 CHOPSEY HILL RD
BRIDGEPORT, CT 06606

SUBMITTALS

B 05/23/13 ISSUED FOR PERMIT
A 04/26/13 ISSUED FOR REVIEW

PROFESSIONAL STAMP
STATE OF CONNECTICUT
No. 8657
REGISTERED ENGINEER
MAY 24 2013
[Handwritten signature over the stamp]

DRAWN BY: TDC


CHECKED BY: MFJ

SHEET TITLE:


COMPOUND PLAN & SHELTER LAYOUT

SHEET NUMBER:

E-101




2 COMPOUND PLAN
E-101 SCALE: 1" = 60'



1 SHELTER LAYOUT
E-101 SCALE: 3/8" = 1'-0"


CONTRACTOR TO VERIFY EXISTING MUX LOCATION. IF MUX LOCATION IS OUTSIDE OF AT&T EQUIPMENT SHELTER, CONTRACTOR IS TO FIELD VERIFY THE PRESENCE OF EMERGENCY BACK-UP SERVICE TO THE MUX. IF EMERGENCY BACK-UP SERVICE IS NOT PRESENT, CONTRACTOR IS TO ROUTE NEW SERVICE FROM AT&T SHELTER.

EM-CING-015-130531



at&t
Mobility

BRIDGEPORT BEARDSLEY CT5034




CONSULTANTS	
TURNING MILL CONSULTANTS, INC. DEVELOPERS, ENGINEERS AND CONSTRUCTION MANAGERS	
68 TUPPER ROAD, UNIT 3 PO BOX 1159, SANDWICH, MA 02563 TEL: (508) 885-1200, FAX: (508) 885-4246 www.turningmillconsultants.com	
A&E FIRM _____	

PROJECT SUMMARY	
SITE NAME: BRIDGEPORT BEARDSLEY	
SITE NUMBER: CT5034	
SITE ADDRESS: 1320 CHOPSEY HILL ROAD BRIDGEPORT, CT 06606	
FA NUMBER: 10070948	
APPLICANT: AT&T MOBILITY	
5500 ENTERPRISE DRIVE SUITE 3A ROCKY HILL, CT 06067	
APPROX. CENTER OF ARRAY: LAT: 41° 13' 10.61" N LONG: -73° 12' 04.72" W	
SITE DESCRIPTION: AT&T MOBILITY TO INSTALL EMERGENCY POWER GENERATOR.	

APPROVALS	
OWNER/OWNER'S AGENT	DATE
GENERAL DYNAMICS CONSTRUCTION	DATE
AT&T MOBILITY	DATE

SHEET INDEX	
DRAWING DESCRIPTION	REV
G-001 TITLE SHEET	A
E-101 COMPOUND PLAN & SHELTER LAYOUT	A
E-401 CONSTRUCTION DETAILS	A
A 04/26/13 ISSUED FOR REVIEW	
PROFESSIONAL STAMP	
DRAWN BY: TDC	
CHECKED BY: MFJ	
SHEET TITLE: TITLE SHEET	
SHEET NUMBER: G-001	



Fontaine, Lisa

From: Bob Watson <bwatson@turningmillconsultants.com>
Sent: Thursday, June 13, 2013 11:34 PM
To: Cunliffe, Fred
Cc: Martin, David C.; Fontaine, Lisa
Subject: AT&T Generator Additions
Attachments: 10071358 West Hartford-Elmwood GD-Gen-13.57 CD Rev A.pdf; 10126685 Ansonia GD-Gen-13.77 CD Rev A.pdf; 10035415 North Waterbury GD-Gen-13.34 CD Rev A 05-01-2013.pdf; 10035397 Monroe Center GD-Gen-13.33 CD Rev A 05-08-2013.pdf; 10035243 Shelton Pwr MT GD-Gen-13.25 CD Rev A 05-08-2013.pdf; 10070948 Bridgeport Beardsley GD-Gen-13.42 CD Rev A 04-30-2013.pdf; 10071130 Milford GD-Gen-13.48 CD Rev A 04-30-2013.pdf; 10071197 Orange Transfer Station GD-Gen-13.52 CD Rev A 04-30-2013.pdf; 10034976 Wolcot-West GD-Gen-13.81 CD Rev A.pdf; 10035024 West Haven GD-Gen-13.13 CD Rev A.pdf

Mr. Cunliffe

As we discussed earlier this week 9 of the 10 sites we filed CSC applications for have diesel fueled generators proposed with 250 Gal double walled belly fuel tanks. They are:


FARMDALE DRIVE	WATERBURY
1 BURWELL ROAD	WEST HAVEN
17 DAYBREAK LANE	SHELTON
500 MOOSE HILL ROAD	MONROE
299 SHEFFIELD STREET	WATERBURY
<u>1320 CHOPSEY HILL ROAD</u>	<u>BRIDGEPORT</u>
434 BOSTON POST ROAD	MILFORD
617 SOUTH ORANGE CENTER ROAD	ORANGE
1030 NEW BRITAIN AVENUE	WEST HARTFORD

We also have one site where the generator will be fueled by liquid propane

1 DEERFIELD LANE ANSONIA

I am attaching electronic copies of the full construction drawings for your convenience and at Lisas request.

Thanks for your help and let me know if I can assist with anything else



Bob Watson
Turning Mill Consultants Inc.
68 Tupper Road #3
BOX 1159
Sandwich MA 02563
Tel: (508) 888-4383
Fax: (508) 888-4246
Cell: (508) 243-7129