

November 19, 2012

David Martin and Members of the Siting Council Connecticut Siting Council Ten Franklin Square New Britain, CT 06051

RE:

Notice of Exempt Modification 130 Tatnic Hill Rd. Brooklyn, CT 06234 N 41° 46′ 01.80″ W 71° 58′ 19.01″ ORIGINAL DEGETATION NOV 2 6 2012 CONNECTICUT SITING COUNCIL

Dear Mr. Martin and Members of the Siting Council:

On behalf of Sprint Spectrum, SBA Communications is submitting an exempt modification application to the Connecticut Siting council for modification of existing equipment at a tower facility located at 130 Tatnic Hill Rd. Brooklyn, CT.

The 130 Tatnic Hill Rd. facility consists of a 176′ MONOPOLE Tower owned and operated by SBA Communications. In order to accommodate technological changes and enhance system performance in the State of Connecticut, Sprint Spectrum plans to modify the equipment configurations at many of its existing cell sites. Please accept this letter and attachments as notification, pursuant to R.C.S.A. Section 16-50j-73, of construction which constitutes an exempt modification pursuant to R.C.S.A. Section 16-50j-72(b)(2). In compliance with R.C.S.A. Section 16-50j-73, a copy of this letter and attachments is being sent to the chief elected official of the municipality in which the affected cell site is located.

As part of Sprint's Network Vision modification project, Sprint desires to upgrade their equipment to meet the new standards of 4G technology. The new equipment will allow customers to download files and browse the internet at a high rate of speed while also allowing their phones to be compatible with the latest 4G technology.

Attached is a summary of the planned modifications, including power density calculations reflecting the change in Sprint's operations at the site along with the required fee of \$625.

The changes to the facility do not constitute modifications as defined in Connecticut General Statutes ("C.G.S.") Section 16-50i(d) because the general physical characteristics of the facility will not be



significantly changed or altered. Rather, the planned changes to the facility fall squarely within those activities explicitly provided for in R.C.S.A. Section 16-50j-72(b)(2).

- 1. The overall height of the structure will be unaffected.
- 2. The proposed changes will not extend the site boundaries. There will be no effect on the site compound other than the new equipment cabinets.
- 3. The proposed changes will not increase the noise level at the existing facility by six decibels or more.
- 4. The changes in radio frequency power density will not increase the calculated "worst case" power density for the combined operations at the site to a level at or above the applicable standard for uncontrolled environments as calculated for a mixed frequency site.

For the foregoing reasons, SBA Communications on behalf of Sprint Spectrum, respectfully submits that he proposed changes at the referenced site constitute exempt modifications under R.C.S.A. Section 16-50j-72(b)(2).

Please feel free to cal me at (508) 614-0389 with any questions you may have concerning this matter.

Thank you,

Rick Woods
SBA Communications Corporation
33 Boston Post Road West Suite 320
Marlborough, MA 01752
508-251-1691 x 319 + T
508-251-1755 + F
508-614-0389 + C
rwoods@sbasite.com



Sprint Spectrum Equipment Modification

130 Tatnic Hill Rd. Brooklyn, CT Site number CT33XC566

Tower Owner:

SBA Communications Corporation

Equipment Configuration:

MONOPOLE Tower

Current and/or approved:

Six (6) CDMA Antennas @ 155'

Six (6) lines of 1-5/8" coax Two (2) equipment cabinets

Planned Modifications:

Install One (1) Fiber Distribution Box

Install Three (3) RRHs on ground inside existing lease area

Replacing Two (2) equipment cabinets with Two (2) new equipment

cabinets


Structural Information:

No Structural information is required as there will be no work performed on the tower. Ground work only.

Power Density:

The anticipated Maximum Composite contributions from the Sprint facility are 8.078% of the allowable FCC established general public limit. The anticipated composite MPE value for this site assuming all carriers present is 43.968% of the allowable FCC established general public limit sampled at the ground level.

Stat	omposite MPE %
Carrier	MPE%
Sprint	8.07 5%
Nextel	2.420%
Vertxon Wireless	10.01%
T-Mobile	ing of leaf to the control of the co
AT&T	19.92%
Property and the	er en gjerne er Gjøren i Senness



November 19, 2012

Honorable Austin Tanner First Selectman Town of Brooklyn 4 Wolf Den Road Brooklyn, CT 06234

RE: Telecommunications Facility- 130 Tatnic Hill Rd. Brooklyn, CT 06234

Dear Mr. Tanner,

In order to accommodate technological changes and enhance system performance in the State of Connecticut, Sprint Spectrum will be changing its equipment configuration at certain cell sites.

As required by Regulations of Connecticut State Agencies (R.C.S.A.) Section 16-50j-73, the Connecticut Siting Council has been notified of the changes and will review Sprint's proposal. Please accept this letter as notification under Section 16-50j-73 of construction which constitutes an exempt modification pursuant to R.C.S.A. Section 16-50j-72(b)(2).

The accompanying letter to the Siting Council fully describes Sprint's proposal for the referenced cell site. However, if you have any questions or require any further information on our plans or the Siting Council's procedures, please call me at (508) 614-0389.

Thank you,

Rick Woods
SBA Communications Company
33 Boston Post Road West Suite 320
Marlborough, MA 01752
508-251-1691 x 319 + T
508-251-1755 + F
508-614-0389 + C
rwoods@sbasite.com



RADIO FREQUENCY EMISSIONS ANALYSIS REPORT EVALUATION OF HUMAN EXPOSURE POTENTIAL TO NON-IONIZING EMISSIONS

Sprint Existing Facility

Site ID: CT33XC566

Brooklyn - SBA 130 Tatnic Hill Road Brooklyn, CT 06234

October 30, 2012



October 30, 2012

Sprint Attn: RF Engineering Manager 1 International Boulevard, Suite 800 Mahwah, NJ 07495

Re: Emissions Values for Site: CT33XC566 - Brooklyn - SBA

EBI Consulting was directed to analyze the proposed upgrades to the existing Sprint facility located at 130 Tatnic Hill Road, Brooklyn, CT, for the purpose of determining whether the emissions from the proposed Sprint equipment upgrades on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01 and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter (μ W/cm2). The number of μ W/cm2 calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits, therefore it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) - (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general public would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Public exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter (μ W/cm²). The general population exposure limit for the cellular band is approximately 567 μ W/cm², and the general population exposure limit for the PCS band is 1000 μ W/cm². Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.



Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.

CALCULATIONS

Calculations were done for the proposed upgrades to the existing Sprint Wireless antenna facility located at 130 Tatnic Hill Road, Brooklyn, CT, using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. All calculations were performed assuming the main lobe of the antenna was focused at the base of the tower to present a worst case scenario. Actual values seen from this site will be dramatically less than those shown in this report. For this report the sample point is the top of a 6 foot person standing at the base of the tower.

For all calculations, all emissions were calculated using the following assumptions:

- 1) 3 CDMA Carriers (1900 MHz) were considered for each sector of the proposed installation.
- 2) All radios at the proposed installation were considered to be running at full power and were uncombined in their RF transmissions paths per carrier prescribed configuration. Per FCC OET Bulletin No. 65 Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. This is rarely the case, and if so, is never continuous.
- 3) For the following calculations the sample point was the top of a six foot person standing at the base of the tower. The actual gain in this direction was used per the manufactures supplied specifications.
- 4) The antenna used in this modeling is the DB980H90E-M. This is based on feedback from the carrier with regards to anticipated antenna selection. This antenna has a 14.95 dBd gain value at its main lobe at 1900 MHz. All calculations were performed assuming the main lobe of the antenna was focused at the base of the tower to present a worst case scenario.



- 5) The antenna mounting height centerline of the proposed antennas is **155.4 feet** above ground level (AGL)
- 6) Emissions values for additional carriers were taken from the Connecticut Siting Council active database. Values in this database are provided by the individual carriers themselves.

All calculation were done with respect to uncontrolled / general public threshold limits

The type		Site ID Site Addresss	CT33X 130 Tatnic H	IXC566 - Brooklyn - SBA Hill Road, Brooklyn, CT, 06234	n. SBA 🗠 💮 💮 yn, CT, 06234 S													
Antenna Male Anten		adk labe		новорон							H							
Anterna Made Anterna Model Radio Type Frequency Band Technology (Warts) Chamels Gain Description Brown Brown Brown Brown Description Brown Description Brown Description Brown								Secto	11		6					đ.		
Decibal Designing Model Frequency Band Technology (Watts) Charmel Decibal Designing Model Radio Type Frequency Band Technology (Watts) Charmel Decibal Decibal Decibal Decibal Cable Loss Additional Decibal Antenna Make Antenna Model Radio Type Frequency Band Technology (Watts) Charmel Decibal Decibal Mainber of Composite Cable Loss Additional Decibal Deci				1			Power Out Per Channel	Number of	Composite	Antenna Gain In direction of sample	Anterna	analysis		Cable Loss	Additional		Power Density	Power. Density
Power Powe	. Dec	Antenna Make	DB980H90E-M	RRH RRH	rrequency band	CDIMA / LTE	(watts)		Lower 60	14.95	155.4	149.4	1/2	(ap)	5507	1671.6727	26.92502	
Antenna Make Antenna Model Radio Type Frequency Band Technology (Waxts) Channels Power Decibel De9890H905-M RRH 1990 MHz CDMA/LTE 20 334 Frequency Band Technology (Waxts) Channels Power Doit (Bdb) Height (R) h			50 Bar (1880)	100 (Sept. 1885) 188		38 88 88						10000	Sector lota	Power De	nsity Value:	2.693%	1018	
Power Court Per								Secto	7									
Decibed Deci	eura								Composite	Antenna Galn In direction of sample	Antenna	analysis	;	Cable Loss	Additional	.		Power Density
		Decibel	M-306H086E0	RRH	1900 MHz	CDMA / LTE		Cilemiens 3	- 60	14.95	155.4	149.4	1/2 "	60	0	1671 6727	26.92502	2.69250%
Anterna Male Anterna Model Radio Type Frequency Band Technology (Warts) Channels Power point (864) Height (2) height (2016 2026 (83) Power	9898		6.0060000000000000000000000000000000000	STATES OF STATES						nest in the second			Sector tota	Power De	nsity Values	%669%	Big was served to	
Power Power Antenna Make Antenna Model Radio Type Technology Wasts) Composite Composite Composite Cable to Stational Mumber of Composite Cable Materna Cable to Stational Mumber of Composite Cable Materna Cable to Stational Materna Make Antenna Model Radio Type Technology Wasts) Cable Materna Cable to Stational Cable to St						转移等		Secto										1191 1192 1192 1193 1193 1193 1193 1193
DB980H90E-M RRH 1900 MHz CDMA / IT 70 3 6 60 14.95 155.4 149.4 172 0.5 0 167.16727 26.92002	anna Der	Antenna Make	4, 17, 17, 18, 17, 18, 18	Sadlo Tvne	Frequency Band	Technology	Power Out Per Channel		Composite	Antenna Galo in direction of sample	Antenna Heicht (ft)	analysis height	aris ele	Cable Loss	Additional	•	Power Density	
	a	Decibel		RRH	1900 MHz					14.95	155.4	149.4	1/5		0	1671,6727	26.92502	2.69250%

*******				200		-:::	2336	ä
		25		90.71	200	355	100	8
		200	1.00	322.	1	in-	2000	ĸ.
1300000		165	360	200	47.	233.	20.000	ž.
333434		200	.440	27.2.5	53.	332	220,000	23
		250	1337	200	44	.:::::		
	٠.	C	-30	223	***	· · · ·		ß
	- 33	644	1355	527	27.		33	S
	10.0	.~.	22.75	> × 4	***	110	30000	×
2000000000	7	wv	22	517	36	·YA	10000	S
1000000	50	æ	128	152	34	2	N 25 85	ř
***	-	ě.	18.		4	Ň	100	2
200	1	~	4	0	12	o.	200	я
	=	0	4		,,,	i m	200	х
100	2	aci		-		121	2000	σ
		493	. ^		200	M.h.	18903	ķ.
- A	11.	3,00	7,00	·	15	424	E	37
8000E-X		*> 0 *			PA'	. 22m		9
ALC: UNIVERSE	13.1	1221	. >> *	200	121	4 ram	8888	3
3300 A		X 2.	300		49.	1100		×
3033 E-1		1241	:22:	220	354		100000	ш
555530	200	1001	.500	100	. 45.2	2000	100,000	×
K 555	100	1867	450	13.	1450		100	83
200		+2.0				·		×
X200		***	3583	95	277	A.	· Contract	×
33337		-	77.				200	×
100	14.1	1327	200	****	7.		200	S
3000	100	1283	(577	107	20.	12.0	100	а
300 E	11	XXXX	222		100.00	11.00	200	₽
	N	X.0.	332	2	200			×
40%(0%)		225.	100.1		132	:::::	170	Ľ
	٠	122	3723	₩.	-		522	ο
		خد						3
200 GA	<u>.a</u>	2	2	5	Ā	-	1	ř
307 SS	20	=	- 4		0	.00		9
8.500	Carrier	7.		=	5		a sand	z.
EXPENSE.	Ü	30	12			24.3	3335	ď
335-52		200	200	-	-			Ħ
40,448.3			477	1	V	100	3300	'n,
3355333		1357	45.00		35.4	47.	33330	×
		170	000			- 32.	837A	п
2000022	S	143.	48.5	233		.000		S2
2600000	- 1	Ave	25.55	23.0	31.71	12.	200	88
00 C) EV 53	_						-	7



Summary

All calculations performed for this analysis yielded results that were well within the allowable limits for general public exposure to RF Emissions.

The anticipated Maximum Composite contributions from the Sprint facility are 8.078% (2.693% from each sector) of the allowable FCC established general public limit considering all three sectors simultaneously sampled at the ground level.

The anticipated composite MPE value for this site assuming all carriers present is **43.968% of** the allowable FCC established general public limit sampled at the ground level. This is based upon values listed in the Connecticut Siting Council database for existing carrier emissions

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government

Scott Heffernan

RF Engineering Director

EBI Consulting

21 B Street

Burlington, MA 01803



SITE NUMBER:

CT33XC566

SITE NAME:

BROOKLYN - SBA

SITE ADDRESS:

130 TATNIC HILL ROAD BROOKLYN, CT

OWNER AND TENANT MAY, FROM TIME TO TIME AT TENANT'S OPTION, REPLACE THIS EXHIBIT WITH AN EXHIBIT SETTING FORTH THE LEGAL DESCRIPTION OF THE SITE, OR WITH ENGINEERED OR AS-BUILT DRAWING DEPICTING THE SITE OR ILLUSTRATING STRUCTURAL MODIFICATIONS OR CONSTRUCTION PLANS OF THE SITE. ANY VISUAL OR TEXTUAL REPRESENTATION OF THE EQUIPMENT LOCATED WITHIN THE SITE CONTAINED IN THESE OTHER DOCUMENTS IS ILLUSTRATIVE ONLY, AND DOES NOT LIMIT THE RIGHTS OF SPRINT AS PROVIDED FOR IN THE AGREEMENT. THE LOCATIONS MAY BE DETERMINED BY TENANT AND/OR THE SERVICING UTILITY COMPANY IN COMPLIANCE WITH LOCAL LAWS AND REGULATIONS.

CALLING 800-922-4455 OR DIAL 811



NTERNAT(ONAL BLVD, SUITE BD0 HWAH, NJ 07495 DNE: [201] 684-4000 FAX (201) 684-4223




1 ROBBINS ROAD WESTFORD, MA 01886 OFFICE: (978) 692-1153



BOCA RATON, FL 3348





<u> </u>	sci	HEDULE OF REVISIONS
7		
 ٠		
5		-
4		
3		
Z	10/26/12	ISSUED FOR CONSTRUCTION
 1	10/09/12	REVISED PER CLIENT COMMENT
 ٥	09/17/12	CONSTRUCTION REVIEW
REV. ND.	DATE	DESCRIPTION OF CHANGES
DR	AWN BY:	PEC
 	ECKED BY	
 -	ALE:	AS NOTED
JOE	NO:	12039-SBA
	BR6 130 T. BR	CT33XC566 DOKLYN - SBA ATNIC HILL ROAD ROOKLYN, CT IDHAM COUNTY
0	RAWING 1	TITLE:
	T	ITLE SHEET
ם	RAWING S	SHEET: 1 OF 9

										INFORMAT NO	TION ON THIS SET OF DRAWINGS IS IT FOR OFFICIAL USE UNLESS PANIED BY THE STAMPED SEAL & RE OF A PROFESSIONAL ENGINEER
	SITE INFOR	RMATION		VI	ICINITY MA	AP (NOT TO SCALE)		CONSTRUCTION DRAWING SHEET INDEX		SIGNATUR	ANIED BY THE STAMPED SEAL & RE OF A PROFESSIONAL ENGINEER
SITE ID NUMBER:	CT33XC566 BROOKLYN - SBA	LOCAL POWER COMPANY	: NORTHEAST UTILITIES	A. C.		***************************************	SHEET NUMBER:	SHEET DESCRIPTION			A CONTRACTOR OF THE PARTY OF TH
SITE NAME: SITE ADDRESS:	130 TATNIC HILL ROAD	LOCAL TELEPHONE	SOUTHERN NEW ENGLAND		The same of the sa		हु T−1	TITLE SHEET			CHE CENSE CHE
	BROOKLYN, CT	COMPANY:	TELEPHONE	j			g GN-1	GENERAL NOTES			"Manufative
COUNTY:	WINDHAM COUNTY	APPLICANT:	SPRINT		11	The second secon	A-1	COMPOUND PLAN AND ELEVATION			HOLAS D. BARILE
COORDINATES(*):	N 41° 46' 01.80" W 71° 58' 19.01"	AFFEIGANT.	1 INTERNATIONAL BLVD - SUITE	'	If accepted		A-2	EQUIPMENT LAYOUT		PROFESS	SSIONAL ENGINEER CTUC No. 28643
GROUND ELEVATION(*):	535' AMSL		MAHWAH, NJ 07495		g. Now Tempor For the	ا علاق العام عوبي و التنام عوبي و التنام عوبي	A-3	DETAILS		SCF	HEDULE OF REVISIONS
STRUCTURE TYPE:	MONOPOLE		PHONE: (201) 684-4000			Berg Michigan	A-4	RF DATA SHEET	<u> </u>	'	
STRUCTURE HEIGHT:	176' AGL	APPLICANT REPRESENTATIVE:	ALCATEL-LUCENT 1 ROBBINS ROAD		:	*	A-5	CABINET AND ANTENNA WIRING DIAGRAM	,		
		REPRESENTATIVE:	WESTFORD, MA 01886		1		E-1	ELECTRIC , TELCO , GROUNDING PLANS AND DETAILS	•		
ANTENNA HEIGHT (RAD CENTER) (**):	SECTOR 1: ±155.4" AGL SECTOR 2: ±155.4" AGL		PHONE: (978) 952-1600			•	E-2	TYPICAL POWER AND GROUNDING ONE-LINE DIAGRAM			
PROPERTY OWNER:	SECTOR 3: ±155.4' AGL NEWELL D. HALE	SITE ACQUISITION REPRESENTATIVE:	SBA COMMUNICATIONS CORPORATION ONE RESEARCH DRIVE, SUITE 200C WESTBOROUGH, MA 01581			\		AAV DRAWING SHEET INDEX	3	<u> </u>	
	130 OLD TATNIC HILL ROAD BROOKLYN, CT	ARCHITECT/ENGINEER:	COM-EX CONSULTANTS			SITE	SHEET NUMBER:	SHEET DESCRIPTION	1	+	ISSUED FOR CONSTRUCTION REVISED PER CLIENT COMMENTS
STRUCTURE OWNER:	SBA TOWERS LLC.		4 SECOND AVENUE DENVILLE, NJ 07834		<i>}</i>		T-1	TITLE SHEET		09/17/12	CONSTRUCTION REVIEW
OMOGRANIE GVINCK	5900 BROKEN SOUND PARKWAY		PHONE (862) 209-4300	*			C-1	SITE SURVEY PHOTOS 1	REV	V. DATE	DESCRIPTION OF CHANGES
	BOCA RATON, FL 33487				ĺ		C-2	SITE SURVEY PHOTOS 2	DF	RAWN BY:	PEC
									CI-	HECKED BY:	
				A	Į.		C-3	SITE PLAN	sc	CALE:	AS NOTED
(I) COURGE OF COASS	NTES/ELAVATION - SBA AND			Paraus,	ēā⊱ [†]		C-4	SPECIFICATIONS & DETAILS	Jo	DB NO:	12039-SBA
SPRINT SITERRA DATAB						Street,				-	CT33XC566

GENERAL NOTES

- THIS IS AN UNMANNED TELECOMMUNICATIONS FACILITY AND NOT FOR HUMAN HABITATION:
 HANDICAP ACCESS REQUIREMENTS ARE NOT REQUIRED
- FACILITY HAS NO PLUMBING OR REFRIGERANTS

SBA SITE #: CT01915-S-01

SBA SITE NAME: SOUTH BROOKLYN

- THIS FACILITY SHALL MEET OR EXCEED ALL FAA AND FCC REGULATOR REQUIREMENTS
- 2. CONTRACTOR SHALL VERIFY ALL PLANS AND EXISTING DIMENSIONS AND CONDITIONS ON THE JOB SITE AND SHALL IMMEDIATELY NOTIFY THE PROJECT OWNER'S REPRESENTATIVE IN WRITING OF DISCREPANCIES BEFORE PROCEEDING WITH THE WORK OR BE RESPONSIBLE FOR SAME.
- 3. DEVELOPMENT AND USE OF THE SITE WILL CONFORM TO ALL APPLICABLE CODES AND ORDINACES. 2003 IBC; 2003 PRC (STATE BUILDING CODE, 2005 CT SUPPLEMENT) BUILDING CODE: ELECTRICAL CODE: 2005 NEC (NFPA-70)

SPRINT PROPOSES TO MODIFY THIS EXISTING WIRELESS COMMUNICATIONS

SCOPE OF WORK

- ONE (1) EXISTING CDMA OUTDOOR EQUIPMENT CABINET TO BE REPLACED WITH ONE (1) MULTIMODAL EQUIPMENT CABINET WITHIN THE EXISTING SPRINT LEASE AREA.
- 2. ONE (1) EXISTING POWERHOUSE CABINET TO BE REPLACED WITH ONE (1)
- ONE (1) PROPOSED FIBER DISTRIBUTION BOX (J-BOX) INSTALLED ON PROPOSED H-FRAME WITHIN EXISTING SPRINT LEASE AREA.
- THREE (3) PROPOSED RRH'S INSTALLED ON PROPOSED H-FRAME WITHIN EXISTING SPRINT LEASE AREA.
- 5. SIX (6) EXISTING ANTENNAS AND COAXIAL CABLE TO REMAIN, NO CHANGES EXCEPT FOR BOTTOM JUMPERS.
- REPLACED WITH PROPOSED ALTERNATIVE ACCESS VENDOR (AAV) FIBER OPTIC FACILITIES INCLUDING PROPOSED OVERHEAD/UNDERGROUND CONDUITS AND NETWORK INTERFACE DEVICE.

THE FOLLOWING PARTIES HEREBY APPROVE AND ACCEPT THESE DOCUMENTS AND AUTHORIZE THE CONTRACTOR TO PROCEED WITH THE CONSTRUCTION DESCRIBED HEREIN. ALL DOCUMENTS ARE SUBJECT TO REVIEW BY THE LOCAL BUILDING

DEPARTMENT AND MAY IMPOSE CHANGES OR MODIFICATIONS.

LANDLORD/ PROPERTY OWNER


CONSTRUCTION: DATE LEASING/ SITE ACQUISITION DATE


APPROVALS

DATE

DATE

R.F. ENGINEER EXISTING LOCAL EXCHANGE CARRIER LANDLINE BACKHAUL FACILITIES TO BE





(IN FEET) 1/16 Inch = 1 Foot (24°x36° SHEET SIZE)



1 (NTERNATIONAL BLVD, SUITE 800 MANWAH, NJ 07495 PHONE: (201) 684-4000 FAX (201) 684-4223



1 ROBBINS ROAD WESTFORD, MA 01886 OFFICE: (978) 692-1153



SBA COMMUNICATION CORP. 900 BROKEN SOUND PARKWAY BOCA RATON, FL 33487 TEL: (561) 226-9523 FAX: (561) 226-3572

COM → EX Consultants

4 SECOND AVENUE SUITE 204 DENVILLE, NJ 07834 HONE: B52,209,4300 FAX: 862,209,4301



NICHOLAS D. BARILE

Ľ									
	5C1	EDULE OF REVISIONS							
٠									
7									
*									
5									
4									
3									
2	10/26/12	ISSUED FOR CONSTRUCTION							
1	10/09/12	REVISED PER CLIENT COMMENTS							
0	09/17/12	CONSTRUCTION REVIEW							
REV. NO.	DATE	DESCRIPTION OF CHANGES							
DR	AWN BY:	PEC							
CHI	CKED BY	N8							
5C/	ALE:	AS NOTED							
JOI	B NO:	12039-SBA							


CT33XC566
BROOKLYN - SBA
130 TATNIC HILL ROAD
BROOKLYN, CT
WINDHAM COUNTY

DRAWING TITLE:

COMPOUND PLAN & ELEVATION

DRAWING SHEET: 3 OF 9

A-1



COM EX
Consultants

4 SCONIO AMPRILE
SUITE 204
DENNILE, NI 07234
PRIONE: 882,208,4300
FAX: 882,208,4301

SCREENLAND RIVERS OF THE SUITE SU



PHONE: (201) 584-4000 FAX (201) 684-4223

SBA

SBA COMMUNICATIONS CORP.

DNE RESEARCH DRIVE, SUITE 200C
WESTBOROUGH, MA 01581

FAX.(508) 366-550



1 ROBBINS ROAD WESTFORD, AVA 01886 TEL: [978] 952-1600

SCHEDULE OF REVISIONS

5

4

3

2

1

0 09/13/12 INITIAL SUBMISSION

REV DATE DESCRIPTION OF CHANGES

 DRAWN BY:
 ELP

 CHECKED BY:
 JCP

 SCALE:
 AS NOTED

 JOB NO:
 12039-S8A

Documents prepared by Com-Ex Consultants, including this document, are to be used only for the specific project and specific use for which they were intended. Any extension of use to any other projects, by owner or by any other party, without the expressed written consent of Com-Ex Consultants, is done unlawfully and at the users own risk. If used in a way other than that specifically intended, user will hold Com-Ex Consultants, harmless from all claims and losses.

CT33XC566

130 TATNIC HILL RD. BROOKLYN, CT 06234

DRAWING TITLE:

SITE PLAN

DRAWING SHEET: 1 OF 4

C-3