

0

November 19, 2012

ORIGINAL

David Martin and Members of the Siting Council Connecticut Siting Council Ten Franklin Square New Britain, CT 06051

RE:

Notice of Exempt Modification 96 Powder Mill Road Canton, CT 06019 N 41° 50' 03.28"

W 71° 55′ 57.62″

NOV 2 6 2012

CONNECTICUT
SITING COUNCIL

Dear Mr. Martin and Members of the Siting Council:

On behalf of Sprint Spectrum, SBA Communications is submitting an exempt modification application to the Connecticut Siting council for modification of existing equipment at a tower facility located at 96 Powder Mill Road Canton, CT.

The 96 Powder Mill Road facility consists of a180' MONOPOLE Tower owned and operated by SBA Communications. In order to accommodate technological changes and enhance system performance in the State of Connecticut, Sprint Spectrum plans to modify the equipment configurations at many of its existing cell sites. Please accept this letter and attachments as notification, pursuant to R.C.S.A. Section 16-50j-73, of construction which constitutes an exempt modification pursuant to R.C.S.A. Section 16-50j-72(b)(2). In compliance with R.C.S.A. Section 16-50j-73, a copy of this letter and attachments is being sent to the chief elected official of the municipality in which the affected cell site is located.

As part of Sprint's Network Vision modification project, Sprint desires to upgrade their equipment to meet the new standards of 4G technology. The new antennas and associated equipment will allow customers to download files and browse the internet at a high rate of speed while also allowing their phones to be compatible with the latest 4G technology.

Attached is a summary of the planned modifications, including power density calculations reflecting the change in Sprint's operations at the site along with the required fee of \$625.

The changes to the facility do not constitute modifications as defined in Connecticut General Statutes ("C.G.S.") Section 16-50i(d) because the general physical characteristics of the facility will not be



significantly changed or altered. Rather, the planned changes to the facility fall squarely within those activities explicitly provided for in R.C.S.A. Section 16-50j-72(b)(2).

- 1. The overall height of the structure will be unaffected.
- 2. The proposed changes will not extend the site boundaries. There will be no effect on the site compound other than the new equipment cabinets.
- 3. The proposed changes will not increase the noise level at the existing facility by six decibels or more.
- 4. The changes in radio frequency power density will not increase the calculated "worst case" power density for the combined operations at the site to a level at or above the applicable standard for uncontrolled environments as calculated for a mixed frequency site.

For the foregoing reasons, SBA Communications on behalf of Sprint Spectrum, respectfully submits that he proposed changes at the referenced site constitute exempt modifications under R.C.S.A. Section 16-50j-72(b)(2).

Please feel free to cal me at (508) 614-0389 with any questions you may have concerning this matter.

Thank you,

Rick Woods
SBA Communications Corporation
33 Boston Post Road West Suite 320
Marlborough, MA 01752
508-251-1691 x 319 + T
508-251-1755 + F
508-614-0389 + C
rwoods@sbasite.com



# Sprint Spectrum Equipment Modification

96 Powder Mill Road Canton, CT Site number CT33XC023

**Tower Owner:** 

**SBA Communications Corporation** 

**Equipment Configuration:** 

**MONOPOLE** Tower

Current and/or approved:

Six (6) CDMA Antennas @ 176' Six (6) lines of 1-5/8" coax

Two (2) equipment cabinets

**Planned Modifications:** 

Install One (1) Fiber Distribution Box

Install Three (3) RRHs on ground inside existing lease area

Replacing Two (2) equipment cabinets with Two (2) new equipment

cabinets

#### Structural Information:

No Structural information is required as there will be no work performed on the tower. Ground work only.

### **Power Density:**

The anticipated Maximum Composite contributions from the Sprint facility are 4.135% of the allowable FCC established general public limit. The anticipated composite MPE value for this site assuming all carriers present is 20.275% of the allowable FCC established general public limit sampled at the ground level.

Salah Salah	omposite MPF%
Carrier	MPE S
Sprint	
Pocket *******	2440%
Vercon Wireless	658
ATET	7.10%
Contract of the Contract of	LIGHTON CONTRACTOR STATE
Total Site NPE 3	20,275%



November 19, 2012

Honorable Richard Barlow First Selectman Town of Canton 4 Market Street Collinsville, CT 06022

RE: Telecommunications Facility- 96 Powder Mill Road Canton, CT 06019

Dear Mr. Rivers,

In order to accommodate technological changes and enhance system performance in the State of Connecticut, Sprint Spectrum will be changing its equipment configuration at certain cell sites.

As required by Regulations of Connecticut State Agencies (R.C.S.A.) Section 16-50j-73, the Connecticut Siting Council has been notified of the changes and will review Sprint's proposal. Please accept this letter as notification under Section 16-50j-73 of construction which constitutes an exempt modification pursuant to R.C.S.A. Section 16-50j-72(b)(2).

The accompanying letter to the Siting Council fully describes Sprint's proposal for the referenced cell site. However, if you have any questions or require any further information on our plans or the Siting Council's procedures, please call me at (508) 614-0389.

Thank you,

Rick Woods
SBA Communications Company
33 Boston Post Road West Suite 320
Marlborough, MA 01752
508-251-1691 x 319 + T
508-251-1755 + F
508-614-0389 + C
rwoods@sbasite.com



### RADIO FREQUENCY EMISSIONS ANALYSIS REPORT EVALUATION OF HUMAN EXPOSURE POTENTIAL TO NON-IONIZING EMISSIONS

**Sprint Existing Facility** 

Site ID: CT33XC023

Canton SBA 96 Powdermill Road Canton, CT 06019

October 25, 2012



October 25, 2012

Sprint Attn: RF Engineering Manager 1 International Boulevard, Suite 800 Mahwah, NJ 07495

Re: Emissions Values for Site: CT33XC023 - Canton SBA

EBI Consulting was directed to analyze the proposed upgrades to the existing Sprint facility located at 96 Powdermill Road, Canton, CT, for the purpose of determining whether the emissions from the proposed Sprint equipment upgrades on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter ( $\mu$ W/cm2). The number of  $\mu$ W/cm2 calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits, therefore it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) – (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general public would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Public exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter ( $\mu$ W/cm²). The general population exposure limit for the cellular band is approximately 567  $\mu$ W/cm², and the general population exposure limit for the PCS band is 1000  $\mu$ W/cm². Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.



Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.

### CALCULATIONS

Calculations were done for the proposed upgrades to the existing Sprint Wireless antenna facility located at 96 Powdermill Road, Canton, CT, using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. All calculations were performed assuming the main lobe of the antenna was focused at the base of the tower to present a worst case scenario. Actual values seen from this site will be dramatically less than those shown in this report. For this report the sample point is the top of a 6 foot person standing at the base of the tower.

For all calculations, all emissions were calculated using the following assumptions:

- 1) 2 CDMA Carriers (1900 MHz) were considered for each sector of the proposed installation.
- 2) All radios at the proposed installation were considered to be running at full power and were uncombined in their RF transmissions paths per carrier prescribed configuration. Per FCC OET Bulletin No. 65 Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. This is rarely the case, and if so, is never continuous.
- 3) For the following calculations the sample point was the top of a six foot person standing at the base of the tower. The actual gain in this direction was used per the manufactures supplied specifications.
- 4) The antenna used in this modeling is the DB980H90E-M. This is based on feedback from the carrier with regards to anticipated antenna selection. This antenna has a 14.95% dBd gain value at its main lobe at 1900 MHz. All calculations were performed assuming the main lobe of the antenna was focused at the base of the tower to present a worst case scenario.



- 5) The antenna mounting height centerline of the proposed antennas is **176.5 feet** above ground level (AGL)
- 6) Emissions values for additional carriers were taken from the Connecticut Siting Council active database. Values in this database are provided by the individual carriers themselves.

All calculation were done with respect to uncontrolled / general public threshold limits

		ity in	75%	200	o voc o voca	<b>a</b>	ily tage	72%	100	- 103-11-11-11-11-11-11-11-11-11-11-11-11-11	<u>5</u> ≧	age	×
		Power Density Percentage	1.378,				Density Percentage	1 378.	September 1		Power Density		1.37822%
		Power Bensity Value	13.78216			Power	Density Value	13.78216	3200		Power Density	Value	13.78216
		<b>KK</b>	1114.4485 13.78216 1.37822%	1.378%			2	1114.4485 13.78216 1.37822%	1,378%			ž	1114,4485 13,78216
		dditional Loss	0 1	Sector total Power Density Value: 1.378%			Additional	٠.	Sector total Power Density Value: 1,378%		litional	SSOI	
	18 (1 18 (1)			ver Density			~		ver Density			+	-
		Cable Los Cable Size (48)	1/2" 0.5	r total Pov			Size (d	1/2" 0.5	rtotal Pov		3	Cable Size (dB)	
				Secto			r is	5 1/2	Secto				7/7
		Ántenna analysis Height (ft.) height	176.5 170.5				a analysis (t) height	170.5	SHOKAK		e analysis	ri neigr	176.5 170.5 1/2" 0.5
			-	::::X21::::		5	Antenna Height (ft)	176.5	MARKET SHIP		Antenna		
		Antenna Gain In direction of sample point (d8d)	14.95	S. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.		Anterina Gain in direction	of sample. Antenna analysis Cable Loss boint (88d) Height (R) height Cable Size (48)	14.95			Antenna Galn In direction of sample	point (dBd) Height (H) height	14,35
		Composite	40	SAN NEW YORK	2			40		3	amposite	rower	40
	Sector 1	Number of Composite Channels Power	2		Sector 2		Number of Composite Channels Power	7		Sector3			7
	×	Power Out Per Channel N	20				Channel N			100		(watts)	22
		Ygolonia's	CDMA/LTE	30			Technology	_				Lechnology	
		7							15. 15. 15. 15. 15. 15. 15. 15. 15. 15.	6.00		_	-1
CT, 06019		Frequency Band	1900 MHz	100			Frequency Band	1900 MHz				requency Band	1900 MH2
83XC023 - Canton SB4 mill: Road, Canton, CT, 06019 Monopole		Radio Type	RRH	e de la companya de l			Radio Type	RRH	William Street			Kadio Iype	¥#
CT33XC		diamental de la companya de la comp					0.0	1	- Bill 1,128	100		1	۲
CT3 96 Powder		Antenna Mod	DB980H90E-M				Antenna Model	DB980H90E-M				Antenna Model	DBSROHSOE
Site Addresss Site Type		Antenna Make Antenna Model	Decibet	A COST OFFICE AND A COST			Antenna Number Antenna Make	1.5	David Hande			Antenna Make Antenna Model	Decibel
- 13i		Antenna Number Ant	1a	2000		estatur.	Antenna Number An	2a	161195				- -

	- site cemposite MPE W. MPE %	4,135%	Z.440%	stess 6.56%	201 100 100 100 100 100 WWW Court (September 100 100 100 100 100 100 100 100 100 10	
--	-------------------------------	--------	--------	-------------	---	--



### **Summary**

All calculations performed for this analysis yielded results that were well within the allowable limits for general public exposure to RF Emissions.

The anticipated Maximum Composite contributions from the Sprint facility are 4.135% (1.378% from each sector) of the allowable FCC established general public limit considering all three sectors simultaneously sampled at the ground level.

The anticipated composite MPE value for this site assuming all carriers present is **20.275%** of the allowable FCC established general public limit sampled at the ground level. This is based upon values listed in the Connecticut Siting Council database for existing carrier emissions

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government

Scott Heffernan

RF Engineering Director

**EBI Consulting** 

21 B Street

Burlington, MA 01803



SITE NUMBER:

CT33XC023

SITE NAME:

**CANTON / SBA** 

SITE ADDRESS:

**VICINITY MAP (NOT TO SCALE)** 

**96 POWDER MILL ROAD** SBA SITE NAME: SOUTH CANTON **CANTON, CT** 

SBA SITE #: CT01722-S-01

SITE INFORMATION

ELECTRICAL CODE: 2005 NEC (NFPA-70)

BUILDING CODE: 2003 IBC: 2003 IRC (STATE BUILDING CODE, 2005 CT SUPPLEMENT)

OWNER AND TENANT MAY, FROM TIME TO TIME AT TENANT'S OPTION, REPLACE THIS EXHIBIT WITH AN EXHIBIT SETTING FORTH THE LEGAL DESCRIPTION OF THE SITE, OR WITH ENGINEERED OR AS-BUILT DRAWING DEPICTING THE SITE OR ILLUSTRATING STRUCTURAL MODIFICATIONS OR CONSTRUCTION PLANS OF THE SITE, ANY VISUAL OR TEXTUAL REPRESENTATION OF THE EQUIPMENT LOCATED WITHIN THE SITE CONTAINED IN THESE OTHER DOCUMENTS IS ILLUSTRATIVE ONLY, AND DOES NOT LIMIT THE RIGHTS OF SPRINT AS PROVIDED FOR IN THE AGREEMENT. THE LOCATIONS MAY BE DETERMINED BY TENANT AND/OR THE SERVICING UTILITY COMPANY IN COMPLIANCE WITH LOCAL LAWS AND REGULATIONS.



1 INTERNATIONAL BLVD, SUITE 800 MAHWAH, NJ 07495 PHONE: (201) 584-4000 FAX (201) 684-4223




1 ROBBINS ROAD WESTFORD, MA 01886 OFF(CE: (978) 692-1153



**Com≫E**X Consultants

	L	PROFES	SIGNAL ENGINEER CT LIC No. 2864							
	⊨									
	L	SCI	HEDULE OF REVISIONS							
	•									
	•		_							
	7									
	6									
	5		-							
	4									
	,	10/18/12	REVISED PER CLIENT COM							
	2	10/10/12	REVISED PER CLIENT COM							
	1	09/17/12	CONSTRUCTION REVIEW							
	REV. NO.	DATE	DESCRIPTION OF CHANGES							
	DRAWN BY: PEC									
	CHI	ECKED BY	NB							
	SCALE: AS NOTED									
	Joi	B NO:	12031-SBA							
	Γ,									
	H	(	CT33XC023							
		C	ANTON / SBA							
	Ιí	96 PC	WEDER MILL ROA							
			ANTON, CT							
		HAK	TFORD COUNT							
	9	RAWING	ritle:							
	[		<u> </u>							
_		Т	ITLE SHEET							

DRAWING SHEET: 1 OF 9



DATE

DATE

DATE

SITE ID NUMBER: SITE NAME: SITE ADDRESS: COUNTY: COODINATES(*): GROUND ELEVATION(*): STRUCTURE TYPE: STRUCTURE HEIGHT: ANTENNA HEIGHT (RAD CENTER) (**): PROPERTY OWNER:	CT33XC023 CANTON / SBA  96 POWDER MILL RGAD CANTON, CT HARTFORD COUNTY  N 41° 50' 03.28" W 72° 55' 57.62" 314' AMSL MONOPOLE TOWER 180' AGL SECTOR 1: ±176.5' AGL SECTOR 2: ±176.5' AGL SECTOR 3: ±176.5' AGL PROPERTIES ONE, LLC P.O. BOX 125, 54 CHURCH STREET COLLINSVILLE, CT 06022  SBA TOWERS, LLC. 5900 BROKEN SOUND PARKWAY	LOCAL TELEPHONE COMPANY:  APPLICANT:  APPLICANT REPRESENTATIVE:  SITE ACQUISITION REPRESENTATIVE:	SOUTHERN NEW ENGLAND TELEPHONE  SPRINT 1 INTERNATIONAL BLVD - SUITE 800 MAHWAH, NJ 07495 PHONE: (201) 684-4000  ALCATEL-LUCENT 1 ROBBINS ROAD WESTFORD, MA 01886 PHONE: (978) 952-1600  SBA COMMUNICATIONS CORPORATION ONE RESEARCH DRIVE, SUITE 200C WESTBOROUGH, MA 01581  COM-EX CONSULTANTS 4 SECOND AVENUE DENVILLE, NJ 07834 PHONE: (862) 209-4300		SITE	5000 m	Compression of the Compression o	Toon to the state of the state	SHEET NUMBER:  T-1 GN-1 A-1 A-2 A-3 A-4 A-5 E-1 E-2 SHEET NUMBER: T-1 C-1	SHEET DESCRIPTION  TITLE SHEET GENERAL NOTES COMPOUND PLAN AND ELEVATION EQUIPMENT LAYOUT DETAILS RF DATA SHEET CABINET AND ANTENNA WIRING DIAGRAM ELECTRIC, TELCO, GROUNDING PLANS AND DETAILS TYPICAL POWER AND GROUNDING ONE-LINE DIAGRAM  AAV DRAWING SHEET INDEX  SHEET DESCRIPTION  TITLE SHEET SITE SURVEY PHOTOS 1	NICHOL PROFESSIONAL I  SCHEDUI  T  1  1  1  1  1  1  1  1  1  1  1  1
	BOCA RATON, FL 33487		PHUNE (652) 209-4300	The state of the s		grant.	Market S.		C-1 C-2 C-3 C-4	SITE SURVEY PHOTOS 2  SITE PLAN  SPECIFICATIONS & DETAILS	 DRAWN BY: CHECKED BY: SCALE: JOB NO:
	(*) SOURCE OF COORDINTES/ELAVATION - SBA AND SPRINT SITERRA DATABASE  GENERAL NOTES								APPROVALS	CT3 CAN1 96 POWE	
1. THIS IS AN UNMANNED TELECOMMUNICATIONS FACILITY AND NOT FOR HUMAN HABITATION:  - HANDICAP ACCESS REQUIREMENTS ARE NOT REQUIRED  - FACILITY HAS NO PLUMBING OR REFRIGERANTS  - THIS FACILITY SHALL MEET OR EXCEED ALL FAA AND FCC REGULATOR REQUIREMENTS  2. CONTRACTOR SHALL VERIFY ALL PLANS AND EXISTING DIMENSIONS AND CONDITIONS ON THE JOB SITE AND SHALL IMMEDIATELY NOTIFY THE PROJECT OWNER'S REPRESENTATIVE IN WRITING OF DISCREPANCIES BEFORE PROCEEDING WITH THE WORK OR BE RESPONSIBLE FOR SAME.  3. DEVELOPMENT AND USE OF THE SITE WILL CONFORM TO ALL APPLICABLE CODES AND ORDINACES.				1. ONE (1 SPRIN 2. ONE (1 BATTE 3. ONE (1	ROPOSES TO MODIFICAS FOLLOWS:  1) EXISTING CDMA (ONE (1) MULTIMOD, IT LEASE AREA.  (1) EXISTING POWEFERY CABINET.  (1) PROPOSED FIBE	OUTDOOR EQI DAL EQUIPMEN' ERHOUSE CABII	QUIPMENT CABINET IT CABINET WITHIN INET TO BE REPLAI ON BOX (FIBER DIS	TO BE REPLACED THE EXISTING ED WITH ONE (1) TRIBUTION BOX)	AUTHORIZ HEREIN. A	DWING PARTIES HEREBY APPROVE AND ACCEPT THESE DOCUMENTS AND E THE CONTRACTOR TO PROCEED WITH THE CONSTRUCTION DESCRIBED LL DOCUMENTS ARE SUBJECT TO REVIEW BY THE LOCAL BUILDING ENT AND MAY IMPOSE CHANGES OR MODIFICATIONS.	 CAN HARTFO DRAWING TITLE

INSTALLED ON PROPOSED H-FRAME WITHIN EXISTING SPRINT LEASE AREA.

LEASING/ SITE ACQUISITION

LANDLORD/ PROPERTY OWNER

R.F. ENGINEER


4. THREE (3) PROPOSED RRH'S INSTALLED ON PROPOSED H-FRAME WITHIN


5. SIX (6) EXISTING ANTENNAS AND COAXIAL CABLE TO REMAIN, NO CHANGES


6. EXISTING LOCAL EXCHANGE CARRIER LANDLINE BACKHAUL FACILITIES TO BE REPLACED WITH PROPOSED ALTERNATIVE ACCESS VENDOR (AAV) FIBER OPTIC FACILITIES INCLUDING PROPOSED OVERHEAD/UNDERGROUND CONDUITS AND NETWORK INTERFACE DEVICE.


EXISTING SPRINT LEASE AREA.

EXCEPT FOR BOTTOM JUMPERS.











1 INTERNATIONAL BLVD, SUITE 800 MAHWAH, NJ 07495 PHONE: (201) 584-4000 FAX (201) 584-4223



1 ROBBINS ROAD WESTFORD, MA 01886 OFFICE: (978) 692-1153



SBA COMMUNICATION CORP. 5900 BROKEN SOUND PARKWAY BOCA RATON, FL 33487 TEL: (561) 226-9523 FAX: (561) 226-3572

## Com≫Ex

Consultants 4 SECOND AVENUE SUITE 204 DENVILLE, NJ 07834 PHONE: 862.209.4300 FAX: 862.209.4301

INFORMATION ON THIS SET OF DRAWNOS IS NOT FOR OFFICIAL USE UNLESS ACCOMPANIED BY THE STAMPED SEAL & SIGNATURE OF A PROFESSIONAL ENGINER



NICHOLAS D. BARILE

l`									
	sci	HEDULE OF REVISIONS							
•									
٠									
7									
٠									
5									
4									
3	10/18/12	REVISED PER CLIENT COMMENTS							
2	10/10/12	REVISED PER CLIENT COMMENT							
1	09/17/12	CONSTRUCTION REVIEW							
REV. NO.	DATE	DESCRIPTION OF CHANGES							
DR	AWN BY:	PEC							
CHI	ECKED BY:	NB NB							
SC/	ALE:	AS NOTED							
joi	NO:	12031-SBA							


CT33XC023 **CANTON / SBA** 96 POWEDER MILL ROAD CANTON, CT HARTFORD COUNTY

DRAWING TITLE:

**COMPOUND PLAN ELEVATION** 

DRAWING SHEET: 3 OF 9

**A-1** 



**COM≫E**X Consultants 4 SECOND AVENUE SLATE 204 DENVILLE, NJ 07834 PHONE: 862.209.4300 FAX: 862.209.4301 CENTRALE OF AUTHORIZATION & SHAREFFELDS

Together with Nextel. 1 International BLVD, Suite 800 Mariwah, NJ 07495 Phone: (201) 684-4000 FAX (201) 684-4223



SCHEDULE OF REVISIONS INITIAL SUBMISSION ESCRIPTION OF CHANGES

ELP JCP AS NOTED

Documents prepared by Com-Ex Consultants, including this document, are to be used only for the specific project and specific use for which they were intended. Any extension of use to any other projects, by owner or by any other party, without the expressed written consent of Corn-Ex Consultants, is done unlawfully and at the users own risk. If used in a way other than that specifically intended, user will hold Corn-Ex Consultants, harmless from all claims and losses.

CT33XC023

CANTON, CT 06019