



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

Web Site: portal.ct.gov/csc

VIA ELECTRONIC MAIL

October 21, 2025

Colin Robinson
Centerline Communications, LLC
750 West Center Street, Floor 3
West Bridgewater, MA 02379
crobinson@clinellc.com

RE: **EM-VER-025-250922** – Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 1325 Cheshire Street, Cheshire, Connecticut.

EM-VER-105-250922 – Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 232 Shore Road, Old Lyme, Connecticut.

Notice of Incomplete Requests.

Dear Colin Robinson:

The Connecticut Siting Council (Council) received a notice of intent to modify the above-referenced facilities on September 22, 2025.

According to Section 16-50j-71 of the Regulations of Connecticut State Agencies, "...any modification, as defined in Section 16-50j-2a of the Regulations of Connecticut State Agencies, to an existing tower site, except as specified in Sections 16-50j-72 and 16-50j-88 of the Regulations of Connecticut State Agencies, may have a substantial adverse environmental effect."

Staff has reviewed these exempt modification requests for completeness and has identified deficiencies. The construction drawing Sheet R-601 prepared by Colliers Engineering & Design, includes a mount analysis cover letter. However, a mount analysis detailing the required reinforcements is not included with the requests for exempt modification; therefore, it is unclear what additional reinforcements would be required for the antenna mounts, which would alter the proposed loading on the structures and require updated structural analysis reports.

Therefore, the exempt modification requests are incomplete at this time. The Council recommends that Cellco provide a mount analysis for the proposed equipment that is stamped and signed by a professional engineer duly licensed in the State of Connecticut and, if applicable, an updated Structural Analysis Report accounting for any required antenna mount modifications on or before November 3, 2025. If additional time is needed to gather the requested information, please submit a written request for an extension of time prior to November 3, 2025. **Please provide an electronic version and one hard copy of the requested information for the incomplete exempt modification to be rendered complete and processed. Please include the Council's exempt modification identification number referenced above with the submittal.**

This notice of incompletion shall have the effect of tolling the Federal Communications Commission (FCC) 60-day timeframe in accordance with Paragraph 217 of the FCC Wireless Infrastructure Report and Order issued on October 21, 2014 (FCC 14-153).

Thank you for your attention to this matter. Should you have any questions, please feel free to contact me at 860-827-2951.

Sincerely,

A handwritten signature in dark ink, appearing to read "Melanie Bachman". The signature is fluid and cursive, with a long horizontal stroke at the end.

Melanie Bachman
Executive Director

MAB/ANM/cj