

VIA ELECTRONIC MAIL

September 12, 2022

Jack Andrews Zoning Manager Centerline Communications, LLC 10130 Donleigh Drive Columbia, MD 21046 jmandrews@clinellc.com

RE: **EM-AT&T-025-220804** – AT&T notice of intent to modify an existing telecommunications facility located at 1338 Highland Avenue, Cheshire, Connecticut.

Dear Mr. Andrews:

The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies with the following conditions:

- 1. Any RF transparent screening panels that are temporarily moved during equipment installation shall be restored and secured;
- 2. Installation and construction activities shall be coordinated with the underlying property owner;
- 3. Any deviation from the proposed modification as specified in this notice and supporting materials submitted to the Council shall render this acknowledgement invalid;
- 4. Any material changes to this modification as proposed shall require the filing of a new notice with the Council;
- 5. The Council shall be notified in writing at least two weeks prior to the commencement of site construction activities;
- 6. Within 45 days after completion of construction, the Council shall be notified in writing that construction has been completed;
- 7. Deployment of any 5G services must comply with FCC and FAA guidance relative to air navigation, as applicable;
- 8. Any nonfunctioning antenna and associated antenna mounting equipment, or other equipment at this facility owned and operated by AT&T shall be removed within 60 days of the date the antenna or equipment ceased to function;
- 9. The validity of this action shall expire one year from the date of this letter; and

10. The applicant may file a request for an extension of time beyond the one year deadline provided that such request is submitted to the Council not less than 60 days prior to the expiration.

The proposed modifications including the placement of all necessary equipment and shelters within the tower compound are to be implemented as specified here and in your notice dated August 1, 2022. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site by any dimension, increase noise levels at the tower site boundary by six decibels or more, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standards adopted by the Federal Communications Commission pursuant to Section 704 of the Telecommunications Act of 1996 and by the state Department of Energy and Environmental Protection pursuant to Connecticut General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below state and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Thank you for your attention and cooperation.

Sincerely,

Muliikhal

Melanie A. Bachman Executive Director

MAB/RDM/emr

c: The Honorable Tim Slocum, Chairman, Town of Cheshire (timslocum5@gmail.com) Sean M. Kimball, Town Manager, Town of Cheshire (skimball@cheshirect.org)