NORTHEAST SITE SOLUTIONS
Turnkey Wireless Development

Northeast Site Solutions
Denise Sabo
4 Angela's Way, Burlington CT 06013
203-435-3640
denise@northeastsitesolutions.com

September 3, 2021

Members of the Siting Council
Connecticut Siting Council
Ten Franklin Square
New Britain, CT 06051

RE: Tower Share Application
49 Wig Hill Road, Chester CT 06412
Latitude: 41.403861
Longitude: -72.472444
Site# 800515_Crown_Dish

Dear Ms. Bachman:

This letter and attachments are submitted on behalf of Dish Wireless LLC. Dish Wireless LLC plans to install antennas and related equipment to the tower site located at 49 Wig Hill Road in Chester, Connecticut.

Dish Wireless LLC proposes to remove the exiting equipment located at the 96-ft level and install three (3) 600/1900 5G MHz antenna and six (6) RRUs, at the 93-foot level of the existing 150-foot monopole tower, one (1) Fiber cables will also be installed. Dish Wireless LLC equipment cabinets will be placed within 7x5 lease area. Included are plans by Infinigy, dated June 14, 2021 Exhibit C. Also included is a structural analysis prepared by Crown Castle, dated May 5, 2021, confirming that the existing tower is structurally capable of supporting the proposed equipment. Attached as Exhibit D. This facility was approved by the CT Siting Council, Docket No. 181 on May 13, 1998. Please see attached Exhibit A.

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies 16-50aa, of Dish Wireless LLC intent to share a telecommunications facility pursuant to R.C.S.A. 16-50j-88. In accordance with R.C.S.A., a copy of this letter is being sent to Lauren Gister, First Selectwoman for the Town of Chester, Judy Brown, Zoning Enforcement Officer, as well as the tower owner (Crown Castle) and property owner (Negrelli Family Trust)

The planned modifications of the facility fall squarely within those activities explicitly provided for in R.C.S.A. 16-50j-89.

1. The proposed modification will not result in an increase in the height of the existing structure. The top of the tower is 150-feet; Dish Wireless LLC proposed antennas will be located at a center line height of 93-feet.

2. The proposed modifications will not result in the increase of the site boundary as depicted on the attached site plan.

NORTHEAST SITE SOLUTIONS
Turnkey Wireless Development

3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed local and state criteria. The incremental effect of the proposed changes will be negligent.

4. The operation of the proposed antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commission safety standard. As indicated in the attached power density calculations, the combined site operations will result in a total power density of 26.99% as evidenced by Exhibit F.

Connecticut General Statutes 16-50aa indicates that the Council must approve the shared use of a telecommunications facility provided it finds the shared use is technically, legally, environmentally, and economically feasible and meets public safety concerns. As demonstrated in this letter, Dish Wireless LLC respectfully indicates that the shared use of this facility satisfies these criteria.

A. Technical Feasibility. The existing monopole has been deemed structurally capable of supporting Dish Wireless LLC proposed loading. The structural analysis is included as Exhibit D.

B. Legal Feasibility. As referenced above, C.G.S. 16-50aa has been authorized to issue orders approving the shared use of an existing tower such as this support tower in Chester. Under the authority granted to the Council, an order of the Council approving the requested shared use would permit Dish Wireless LLC to obtain a building permit for the proposed installation. Further, a Letter of Authorization is included as Exhibit G, authorizing Dish Wireless LLC to file this application for shared use.

C. Environmental Feasibility. The proposed shared use of this facility would have a minimal environmental impact. The installation of Dish Wireless LLC equipment at the 93-foot level of the existing 150-foot tower would have an insignificant visual impact on the area around the tower. Dish Wireless LLC ground equipment would be installed within the existing facility compound. Dish Wireless LLC shared use would therefore not cause any significant alteration in the physical or environmental characteristics of the existing site. Additionally, as evidenced by Exhibit F, the proposed antennas would not increase radio frequency emissions to a level at or above the Federal Communications Commission safety standard.

D. Economic Feasibility. Dish Wireless LLC will be entering into an agreement with the owner of this facility to mutually agreeable terms. As previously mentioned, the Letter of Authorization has been provided by the owner to assist Dish Wireless LLC with this tower sharing application.

E. Public Safety Concerns. As discussed above, the tower is structurally capable of supporting Dish Wireless LLC proposed loading. Dish Wireless LLC is not aware of any public safety concerns relative to the proposed sharing of the existing guyed tower. Dish Wireless LLC intentions of providing new and improved wireless service through the shared use of this facility is expected to enhance the safety and welfare of local residents and individuals traveling through Chester.

Sincerely,

Denise Sabo

Denise Sabo
Mobile: 203-435-3640
Fax: 413-521-0558
Office: 4 Angela's Way, Burlington CT 06013
Email: denise@northeastsitesolutions.com

NORTHEAST SITE SOLUTIONS
Turnkey Wireless Development

Attachments
cc: Lauren Gister, First Selectwoman
Town of Chester
203 Middlesex Avenue Chester, CT 06412

Judy Brown, Zoning Enforcement Officer
Town of Chester
203 Middlesex Avenue Chester, CT 06412

Negrelli Family Trust (bwood74@comcast.net)
ATTN: Beth Wood
PO Box 1175 Truro, MA 02666

Crown Castle - Tower Owner

Exhibit A

Original Facility Approval

Filing Guides
Meetings & Minutes
Public Participation
Audio Link to New Britain Hearing Rooms
Programs & Services
Telecommunications Database
Publications
Other Resources
Statutes & Regulations
Electric Transmission Upgrade Projects
Frequently Asked Questions

Melanie Bachman,
Executive Director

DOCKET NO. 181 - Cellco Partnership d/b/a Bell Atlantic Mobile application for a Certificate of Environmental Compatibility and Public Need for the construction, maintenance, and operation of a cellular telecommunications tower and associated equipment located at 8 Inspiration Lane, or 49 Wig Hill Road in the Town of Chester, Connecticut

Connecticut Siting Council

May 13, 1998

Decision and Order

Pursuant to the foregoing Findings of Fact and Opinion, the Connecticut Siting Council (Council) finds that the effects associated with the construction, operation, and maintenance of a telecommunications facility at the proposed alternate site in Chester, Connecticut, including effects on the natural environment; ecological integrity and balance; public health and safety; scenic, historic, and recreational values; forests and parks; air and water purity; and fish and wildlife are not disproportionate either alone or cumulatively with other effects when compared to need, are not in conflict with the policies of the State concerning such effects, and are not sufficient reason to deny the application and therefore directs that a Certificate of Environmental Compatibility and Public Need, as provided by General Statutes § 16-50k, be issued to Bell Atlantic Mobile (BAM) for the construction, operation, and maintenance of a telecommunications tower, associated equipment, and buildings at the proposed alternate site, on an approximately 18 acre site at 49 Wig Hill Road in the Town of Chester, Connecticut. We deny certification of the proposed prime site, without prejudice, due to the potential effects to the environment associated with the construction of additional future towers that would be required to provide adequate coverage for all carriers along Route 9, with a tower configuration using the proposed prime site.

The facility shall be constructed, operated, and maintained substantially as specified in the Council's record in this matter, and subject to the following conditions:

1. The tower shall be constructed as a monopole, no taller than necessary to provide the proposed telecommunications services, sufficient to accommodate the antennas of BAM, Springwich Cellular Limited Partnership (Springwich), Sprint Spectrum L. P. (Sprint), Nextel Communications of the Mid-Atlantic, Inc. (Nextel); and other entities, both public and private, but such tower shall not exceed a height of 150 feet above ground level (AGL).

2. The Certificate Holder shall prepare a Development and Management (D&M) Plan for this site in compliance with Sections 16-50j-75 through 16-50j-77 of the Regulations of Connecticut State Agencies. The D&M Plan shall be submitted to and approved by the Council prior to the commencement of facility construction and shall include: a final site plan(s) for site development to include the location and specifications for the tower foundation, antennas, equipment buildings, emergency generator and fuel tank, security fence, access road, and utility line; construction plans for site clearing, tree trimming, water drainage, and erosion and sedimentation controls consistent with the Connecticut Guidelines for Soil Erosion and Sediment Control, as amended; provisions for the tower finish that may include painting; and provisions for the prevention and containment of spills and/or other discharge into surface water and groundwater bodies.

3. Upon the establishment of any new State or federal radio frequency standards applicable to frequencies of this facility, the facility granted herein shall be brought into compliance with such standards.

4. The Certificate Holder shall provide the Council a recalculated report of electromagnetic radio frequency power density if and when circumstances in operation cause a change in power density above the levels originally calculated and provided in the application.

5. The Certificate Holder shall permit public or private entities to share space on the proposed tower for fair consideration, or shall provide any requesting entity with specific legal, technical, environmental, or economic reasons precluding such tower sharing.

6. If the facility does not initially provide, or permanently ceases to provide cellular services following completion of construction, this Decision and Order shall be void, and the Certificate Holder shall dismantle the tower and remove all associated equipment or reapply for any continued or new use to the Council before any such use is made.

7. Any antenna that becomes obsolete and ceases to function shall be removed within 60 days after such antennas become obsolete and ceases to function.

8. Unless otherwise approved by the Council, this Decision and Order shall be void if all construction authorized herein is not completed within three years of the effective date of this Decision and Order or within three years after all appeals to this Decision and Order have been resolved.

Pursuant to General Statutes § 16-50p, we hereby direct that a copy of the Findings of Fact, Opinion, and Decision and Order be served on each person listed below, and notice of issuance shall be published in The Hartford Courant.

By this Decision and Order, the Council disposes of the legal rights, duties, and privileges of each party named or admitted to the proceeding in accordance with Section 16-50j-17 of the Regulations of Connecticut State Agencies.

The parties and intervenors to this proceeding are:

APPLICANT ITS REPRESENTATIVE

Bell Atlantic Mobile

Kenneth C. Baldwin, Esq.

Brian C. S. Freeman, Esq.

Robinson & Cole

One Commercial Plaza

Hartford, CT 06103-3597

Mr. David S. Malko, P.E.

Jennifer Young Gaudet

Bell Atlantic Mobile

20 Alexander Drive

Wallingford, CT 06492

INTERVENORS ITS REPRESENTATIVE

Springwich Cellular Limited Partnership

Peter J. Tyrrell, Esq.

General Counsel

500 Enterprise Drive

Rocky Hill, CT 06067-3900

Nextel Communications of the Mid-Atlantic, Inc. d/b/a Nextel Communications

Christopher B. Fisher, Esq.

Cuddy, Feder & Worby, Esq.

90 Maple Avenue

White Plains, NY 10601

Sprint Spectrum, L.P. d/b/a Sprint PCS

Elias A. Alexiades

Julie M. Cashin

Hurwitz and Sagarin, P.C.

147 North Broad Street

Milford, CT 06460

I:\siting\dockets\181\d&o.doc

Content Last Modified on 10/9/2002 1:06:39 PM

Exhibit B

Property Card

The Assessor's office is responsible for the maintenance of records on the ownership of properties. Assessments are computed at 70% of the estimated market value of real property at the time of the last revaluation which was 2018.

Information on the Property Records for the Municipality of Chester was last updated on 8/1/2020.

Property Summary Information

Parcel Data And Values | Outbuildings | Sales

Parcel Information

Location:	WIG HILL RD	Property Use:	Vacant Land	Primary Use:	Commercial Vacant Land
Unique ID:	99000300	Map Lot:	8/127-1	Acres:	6.77
490 Acres:		Zone:	C	Volume / Page:	166/ 79
Developers Map / Lot:		Census:			

Value Information

	Appraised Value	Assessed Value
Land	864,394	605,080
Buildings	0	0

	Appraised Value	Assessed Value
Detached Outbuildings	312,200	218,540
Total	1,176,594	823,620

Owner's Information

Owner's Data
NEGRELLI HAZEL C TRUSTEE PO BOX 1175 TRURO, MA 02666

Back To Search (JavaScript:window.history.back(1);)

Print View (PrintPage.aspx?towncode=026&uniqueid=99000300)


Chester Bowles Hwy
9
49 Wig Hill Road
Wig Hill Rd
Wig Hill Rd
Wig Hill Rd
Wig Hill Rd
Wig Hill Rd
Wig Hill Rd
S Wig Hill Rd
S Wig Hill Rd
6

Exhibit C

Construction Drawings

DISH WIRELESS, LLC. SITE ID:

BOBDL00034A

DISH WIRELESS, LLC. SITE ADDRESS:

49 WIG HILL ROAD
CHESTER, CT 06412

CONNECTICUT CODE COMPLIANCE

ALL WORK SHALL BE PERFORMED AND MATERIALS INSTALLED IN ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THESE CODES:

CODE TYPE	CODE
BUILDING	2018 CT STATE BUILDING CODE/2015 IBC W/ CT AMENDMENTS
MECHANICAL	2018 CT STATE BUILDING CODE/2015 IMC W/ CT AMENDMENTS
ELECTRICAL	2018 CT STATE BUILDING CODE/2017 NEC W/ CT AMENDMENTS

SHEET INDEX

SCOPE OF WORK

THIS IS NOT AN ALL INCLUSIVE LIST. CONTRACTOR SHALL UTILIZE SPECIFIED EQUIPMENT PART OR ENGINEER APPROVED EQUIVALENT. CONTRACTOR SHALL VERIFY ALL NEEDED EQUIPMENT TO PROVIDE A FUNCTIONAL SITE. THE PROJECT GENERALLY CONSISTS OF THE FOLLOWING:

TOWER SCOPE OF WORK:
- INSTALL (3) PROPOSED PANEL ANTENNAS (1 PER SECTOR)
- INSTALL (1) PROPOSED PLATFORM
- INSTALL PROPOSED JUMPERS
- INSTALL (6) PROPOSED RRUS (2 PER SECTOR)
- INSTALL (1) PROPOSED OVER VOLTAGE PROTECTION DEVICE (OVP)
- INSTALL (1) PROPOSED HYBRID CABLE
- REMOVE EXISTING EQUIPMENT AT 96'

GROUND SCOPE OF WORK:
- INSTALL (1) PROPOSED METAL PLATFORM
- INSTALL (1) PROPOSED ICE BRIDGE
- INSTALL (1) PROPOSED PPC CABINET
- INSTALL (1) PROPOSED EQUIPMENT CABINET
- INSTALL (1) PROPOSED POWER CONDUIT
- INSTALL (1) PROPOSED TELCO CONDUIT
- INSTALL (1) PROPOSED TELCO-FIBER BOX
- INSTALL (1) PROPOSED GPS UNIT
- EXISTING SAFETY SWITCH TO BE UTILIZED
- INSTALL (1) PROPOSED CIENA BOX (IF REQUIRED)
- EXISTING METER SOCKET ON EXISTING H-FRAME TO BE UTILIZED

SITE PHOTO



UNDERGROUND SERVICE ALERT CBYD 811
UTILITY NOTIFICATION CENTER OF CONNECTICUT
(800) 922-4455
WWW.CBYD.COM

CALL 2 WORKING DAYS UTILITY NOTIFICATION PRIOR TO CONSTRUCTION

811

GENERAL NOTES

THE FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION. A TECHNICIAN WILL VISIT THE SITE AS REQUIRED FOR ROUTINE MAINTENANCE. THE PROJECT WILL NOT RESULT IN ANY SIGNIFICANT DISTURBANCE OR EFFECT ON DRAINAGE. NO SANITARY SEWER SERVICE, POTABLE WATER, OR TRASH DISPOSAL IS REQUIRED AND NO COMMERCIAL SIGNAGE IS PROPOSED.

11"x17" PLOT WILL BE HALF SCALE UNLESS OTHERWISE NOTED

CONTRACTOR SHALL VERIFY ALL PLANS, EXISTING DIMENSIONS, AND CONDITIONS ON THE JOB SITE, AND SHALL IMMEDIATELY NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK.

SITE INFORMATION

PROPERTY OWNER:	HAZEL C NEGRELLI FAMILY TRUST
ADDRESS:	PO BOX 1175 HAZEL C NEGRELLI TRUSTEE TRURO, MA 02666
TOWER TYPE:	MONOPOLE
TOWER CO SITE ID:	800515
TOWER APP NUMBER:	553282
COUNTY:	MIDDLESEX
LATITUDE (NAD 83):	41° 24' 13.93" N 41.403861 N
LONGITUDE (NAD 83):	-72° 28' 20.82" W -72.472444 W
ZONING JURISDICTION:	CONNECTICUT SITING COUNCIL
ZONING DISTRICT:	TBD
PARCEL NUMBER:	TBD
OCCUPANCY GROUP:	U
CONSTRUCTION TYPE:	II-B
POWER COMPANY:	CONNECTICUT LIGHT & POWER
TELEPHONE COMPANY:	AT&T

PROJECT DIRECTORY

APPLICANT:	DISH WIRELESS, LLC. 5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120
TOWER OWNER:	CROWN CASTLE 2000 CORPORATE DRIVE CANONSBURG, PA 15317 (877) 486-9377
SITE DESIGNER:	INFINIGY 2500 W. HIGGINS RD. STE. 500 HOFFMAN ESTATES, IL 60169 (847) 648-4068
SITE ACQUISITION:	HEATHER RHODES TBD
CONSTRUCTION MANAGER:	JAVIER SOTO TBD
RF ENGINEER:	BOSSENER CHARLES TBD

DIRECTIONS

DIRECTIONS FROM ONONDAGA COUNTY SHERIFFS AIRPORT:

HEAD EAST ON CESSNA RD TOWARD POTTERY RD / COUNTY HWY-164, TURN LEFT ONTO POTTERY RD / COUNTY HWY-164, TURN RIGHT ONTO HERMAN RD, TURN LEFT ONTO VAN BUREN RD / COUNTY HWY-194, CONTINUE ON JONES RD / COUNTY HWY-118, TAKE THE RAMP ON THE LEFT AND FOLLOW SIGNS FOR NY-690 NORTH / I-90 EAST / I-90 WEST, KEEP STRAIGHT TO GET ONTO RAMP, KEEP STRAIGHT TO GET ONTO RAM, MERGE ONTO I-90 E / NEW YORK STATE THRUWAY E, KEEP STRAIGHT TO GET ONTO NEW YORK STATE THRUWAY S, KEEP STRAIGHT TO GET ONTO I-87 S / NEW YORK STATE THRUWAY S, AT EXIT 21A, HEAD RIGHT ON THE RAMP TOWARD BOSTON / MASS TPKE, KEEP STRAIGHT TO GET ONTO RAMP, KEEP STRAIGHT TO GET ONTO I-90 E / NYS THRUWAY BERKSHIRE SPUR E, AT EXIT 45, HEAD RIGHT ON THE RAMP FOR I-91 TOWARD HOLYOKE / SPRINGFIELD, AT EXIT 22S, HEAD LEFT ON THE RAMP FOR CT-9 SOUTH TOWARD MIDDLETOWN / OLD SAYBROOK, KEEP STRAIGHT TO GET ONTO CT-9 S, AT EXIT 6, HEAD RIGHT ON THE RAMP FOR CT-148 TOWARD CHESTER AIRPORT / KILLINGWORTH, TURN RIGHT ONTO CT-148 / W MAIN ST TOWARD CHESTER AIRPORT / KILLINGWORTH, TURN RIGHT ONTO S WIG HILL RD, TURN RIGHT ONTO WIG HILL RD, TURN RIGHT, ARRIVE AT, 49 WIG HILL ROAD, CHESTER, CT 06412

VICINITY MAP



NO SCALE

dish wireless.

5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
SHUHEI SAKANOUE
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER

2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION

BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE

TITLE SHEET

SHEET NUMBER

T-1

NOTES

1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS.
2. ANTENNAS AND MOUNTS OMITTED FOR CLARITY.



COMPOUND PLAN

8' 4' 0 8' 16'
1/8"=1'-0"

1

NOTES

1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS.
2. CONTRACTOR SHALL MAINTAIN A 10'-0" MINIMUM SEPARATION BETWEEN THE PROPOSED GPS UNIT, TRANSMITTING ANTENNAS AND EXISTING GPS UNITS.
3. ANTENNAS AND MOUNTS OMITTED FOR CLARITY.



ENLARGED SITE PLAN

12" 6" 0 1' 2' 3' 4' 5'
1/2"=1'-0"

2



SITE PLAN

200' 100' 0 200' 400'
1"=200'

3

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
SHUHEI SAKANOUE
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	08/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION
BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE
OVERALL AND ENLARGED SITE PLAN

SHEET NUMBER
A-1

NOTES

1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS.
2. ANTENNA AND MW DISH SPECIFICATIONS REFER TO ANTENNA SCHEDULE AND TO FINAL CONSTRUCTION RFDS FOR ALL RF DETAILS
3. EXISTING EQUIPMENT AND FENCE OMITTED FOR CLARITY.
4. INFINIGY HAS NOT EVALUATED THE TOWER OR MOUNT STRUCTURE AND ASSUMES NO RESPONSIBILITY FOR THEIR STRUCTURAL INTEGRITY REGARDING PROPOSED LOADINGS. FINAL INSTALLATION SHALL COMPLY WITH RESULTS OF PASSING STRUCTURAL ANALYSES PERFORMED BY OTHERS.



PROPOSED SOUTH ELEVATION — 12' 8' 4' 0 10' 20' — 3/32"=1'-0" — 1



ANTENNA LAYOUT — 12" 6" 0 1' 2' 3' — 3/4"=1'-0" — 2

SECTOR	POSITION	ANTENNA							TRANSMISSION CABLE
		EXISTING OR PROPOSED	MANUFACTURER – MODEL NUMBER	TECHNOLOGY	SIZE (HxW)	AZMUITH	RAD CENTER	FEED LINE TYPE AND LENGTH
ALPHA	A1	PROPOSED	JMA WIRELESS – MX08FRO665-21	5G	72.0" x 20.0"	0°	93'-0"	(1) HIGH-CAPACITY HYBRID CABLE (143' LONG)
BETA	B1	PROPOSED	JMA WIRELESS – MX08FRO665-21	5G	72.0" x 20.0"	120°	93'-0"	
GAMMA	C1	PROPOSED	JMA WIRELESS – MX08FRO665-21	5G	72.0" x 20.0"	240°	93'-0"	

NOTES

1. CONTRACTOR TO REFER TO FINAL CONSTRUCTION RFDS FOR ALL RF DETAILS.
2. ANTENNA OR RRH MODELS MAY CHANGE DUE TO EQUIPMENT AVAILABILITY. ALL EQUIPMENT CHANGES MUST BE APPROVED AND REMAIN IN COMPLIANCE WITH THE PROPOSED DESIGN AND STRUCTURAL ANALYSES.

SECTOR	POSITION	RRH	
		MANUFACTURER – MODEL NUMBER	TECHNOLOGY
ALPHA	A1	FUJITSU – TA08025-B604	5G
	A1	FUJITSU – TA08025-B605	5G
BETA	B1	FUJITSU – TA08025-B604	5G
	B1	FUJITSU – TA08025-B605	5G
GAMMA	C1	FUJITSU – TA08025-B604	5G
	C1	FUJITSU – TA08025-B605	5G

NOTES

1. CONTRACTOR TO REFER TO FINAL CONSTRUCTION RFDS FOR ALL RF DETAILS.
2. ANTENNA AND RRH MODELS MAY CHANGE DUE TO EQUIPMENT AVAILABILITY. ALL EQUIPMENT CHANGES MUST BE APPROVED AND REMAIN IN COMPLIANCE WITH THE PROPOSED DESIGN AND STRUCTURAL ANALYSES.

ANTENNA SCHEDULE — NO SCALE — 3

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT — SHUHEI SAKANOUE — 34916 — LICENSED PROFESSIONAL ENGINEER — 6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH WIRELESS, LLC. PROJECT INFORMATION
BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE
ELEVATION, ANTENNA LAYOUT AND SCHEDULE

SHEET NUMBER
A-2



PLATFORM EQUIPMENT PLAN

12" 9" 6" 3" 0 1' 2'
1"=1'-0"

1

COMMSCOPE MTC4045LP 5X7 PLATFORM	
DIMENSIONS (HxWxD)	16"x84"x60"
TOTAL WEIGHT	423 LBS





PLATFORM DETAIL | NO SCALE | 2

KENWOOD T1701KT5-5S H-FRAME	
UNISTRUT/SUPPORT RAIL	5
WEIGHT/ VOLUME	173.6 LBS



H-FRAME DETAIL | NO SCALE | 3

NOT USED | NO SCALE | 4

NOTES

1. CONTRACTOR TO BURY PLATFORM FEET WITH A MINIMUM OF 2" OF FILL PER EXISTING SITE SURFACE
2. WEED BARRIER FABRIC TO BE ADDED AT DISCRETION OF DISH WIRELESS, LLC. CONSTRUCTION MANAGER AT TIME OF CONSTRUCTION. ONE SHEET 8'x8' INSTALLED UNDER ALL FOUR FEET OF THE PLATFORM (4 MIL BLACK PLASTIC)
3. EQUIPMENT CABINET OMITTED FOR CLARITY



FRONT ELEVATION



BACK ELEVATION

H-FRAME EQUIPMENT ELEVATION | 12" 9" 6" 3" 0 1' 2' 1"=1'-0" | 5

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
SHUHEI SAKAMOTO
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION
BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE
EQUIPMENT PLATFORM AND H-FRAME DETAILS

SHEET NUMBER
A-3

CHARLES INDUSTRY HEX CUBE–PM639155N4	
DIMENSIONS (HxWxD):	74"x32"x32"
POWER PLANT:	–48VDC ABB/600W
TOTAL WEIGHT (EMPTY)	408 LBS



PLAN



SIDE BACK SIDE FRONT

CABINET DETAIL | NO SCALE | 1

RAYCAP PPC RDIAC–2465–P–240–MTS	
ENCLOSURE DIMENSIONS (HxWxD):	39"x22.855"x12.593
WEIGHT:	80 lbs
OPERATING AC VOLTAGE	240/120 1 PHASE 3W+G

TOP



BACK SIDE FRONT SIDE

POWER PROTECTION CABINET (PPC) DETAIL | NO SCALE | 2

NOT USED | NO SCALE | 3

ZAYO 5RU CABINET ("LIT" SITES)	
DIMENSIONS (HxWxD)	36.115"x29"x12.9"
WEIGHT	85 LBS
POWER INPUT	20A, –48VDC

PLAN



FRONT SIDE BACK

NETWORK INTERFACE UNIT DETAIL | NO SCALE | 5

CHARLES CFIT–PF2020DSH1 FIBER TELCO ENCLOSURE	
ENCLOSURE DIMS (HxWxD)	20"x20"x9"
ENCLOSURE WEIGHT	20 lbs
MOUNTING	WALL
COMPLIANCE	TYPE 4



FRONT

SIDE BACK FRONT

FIBER TELCO ENCLOSURE DETAIL | NO SCALE | 6

NOT USED | NO SCALE | 4

COMMSCOPE WB–K110–B WAVEGUIDE BRIDGE KIT	
DIMENSIONS (HxL)	160"x10'
WEIGHT/ VOLUME	325.0 LBS
CABLE RUN (QTY)	12

INCLUDED PRODUCTS:	WB–T12–3 TRAPEZE KIT, 3 RUNGS
	WB–LB12–3 SUPPORT BRACKET
	MF–130 DIRECT BURIAL PIPE COLUMN, 13'–4"



PLAN FRONT SIDE

ICE BRIDGE DETAIL | NO SCALE | 7



CONCRETE PIER A–A SECTION

TYPICAL ICE BRIDGE CONCRETE PIER DETAIL | NO SCALE | 8



HYBRID CABLE RUN | NO SCALE | 9

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT SHUHEI SAKAGUCHI 34916 LICENSED PROFESSIONAL ENGINEER 6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039–Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION
BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE
EQUIPMENT DETAILS

SHEET NUMBER
A-4

ROSENBERGER GPSGLONASS-36-N-S	
DIMENSION (DIA x H)	69mm x 98.5mm
WEIGHT (WITH ACCESSORIES)	515.74g
CONNECTOR	N-FEMALE
FREQUENCY RANGE	1559 MHz ~ 1610.5MHz



GPS ANTENNA DETAIL | NO SCALE | 1



GPS MINIMUM SKY VIEW REQUIREMENTS | NO SCALE | 2



CABLES UNLIMITED HYBRID CABLE MINIMUM BEND RADIUSES | NO SCALE | 3

NOT USED | NO SCALE | 4

NOT USED | NO SCALE | 5

NOT USED | NO SCALE | 6

NOT USED | NO SCALE | 7

NOT USED | NO SCALE | 8

NOT USED | NO SCALE | 9

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER

2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION

BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE

EQUIPMENT DETAILS

SHEET NUMBER

A-5

FUJITSU TA08025-B604 RRH	
DIMENSIONS (HxWxD) (KG/IN)	380x400x200/14.9"x15.7"x7.8"
WEIGHT(KG,LB)/ VOLUME	29kg,63.9lb/ 30L
POWER SUPPLY	DC-58~-36V



PLAN



SIDE



FRONT

NOTES

FINAL RRH SPECIFICATIONS TO BE CONFIRMED BY GC

REMOTE RADIO HEAD DETAIL | NO SCALE | 1

FUJITSU TA08025-B605 RRH	
DIMENSIONS (HxWxD) (KG/IN)	380x400x230/14.9"x15.7"x9.0"
WEIGHT(KG,LB)/ VOLUME	34kg,74.9lb/ 35L
POWER SUPPLY	DC-58~-36V



PLAN



SIDE



FRONT

NOTES

FINAL RRH SPECIFICATIONS TO BE CONFIRMED BY GC

REMOTE RADIO HEAD DETAIL | NO SCALE | 2

SABRE INDUSTRIES RRU BRACKET MOUNT C10123155	
DIMENSIONS (HxWxD) (1 BRACKET)	5"x20"x1-13/16"
WEIGHT (FULL ASSEMBLY)	35.79 lbs
PACKAGE QUANTITY	4

ITEM#	DESCRIPTION
1	PLATE, CHANNEL BRACKET
2	RRH Z BRACKET, 3/16"
3	THREADED ROD ASSEMBLY 1/2"x12"





REMOTE RADIO MOUNT DETAIL | NO SCALE | 3

RAYCAP RDIDC-9181-PF-48 DC SURGE PROTECTION	
DIMENSIONS (HxWxD)	18.98"x14.39"x8.15"
WEIGHT	21.82 LBS

PLAN



SIDE BACK FRONT

SURGE SUPPRESSION DETAIL | NO SCALE | 4

JMA WIRELESS MX08FRO665-21 ANTENNA	
DIMENSIONS (HxWxD)	72.0"x20.0"x8.0"
TOTAL WEIGHT	64.5 LB
RF PORTS, CONNECTOR TYPE	8 x 4.3-10 FEMALE

PLAN



BACK SIDE FRONT

NOTES

FINAL ANTENNA SPECIFICATIONS TO BE CONFIRMED BY GC

ANTENNA DETAIL | NO SCALE | 5

JMA 91900318 MOUNTING BRACKET	
WIDTH	8.3" (211mm)
DEPTH	7.5" (191mm)
HEIGHT	11.2" (284mm)
TOTAL WEIGHT (WITH BRACKETS)	18.5 LBS (8.4 Kg)
HOUSING MATERIAL	GALV. HIGH STRENGTH STEEL



ANTENNA MOUNTING DETAIL | NO SCALE | 6

COMMSCOPE XP-2040 CROSSOVER PLATE	
DIMENSIONS (HxW)	10"x12"
WEIGHT	11.023 LBS



PLAN PLATE SIDE PLATE PLAN U-BOLT SIDE U-BOLT



RRH/OVP MOUNT DETAIL | NO SCALE | 7

SITEPRO1 SNP8HR-396 SNUB-NOSE PLATFORM	
FACE SIZE	8'-0""
WEIGHT	1786.28 LB
ANTENNA PIPE MOUNTS	(6) 2-3/8" O.D.



ANTENNA PLATFORM DETAIL | NO SCALE | 8

NOT USED | NO SCALE | 9

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
SHUHEI SAKANO
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER

2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION

BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE

EQUIPMENT DETAILS

SHEET NUMBER

A-6



UTILITY ROUTE PLAN

8' 4' 0 8' 16'
1/8"=1'-0"

1

NOTES

1. CONTRACTOR SHALL FIELD VERIFY ALL PROPOSED UNDERGROUND UTILITY CONDUIT ROUTE.
2. ANTENNAS AND MOUNTS OMITTED FOR CLARITY.

DC POWER WIRING SHALL BE COLOR CODED AT EACH END FOR IDENTIFYING +24V AND -48V CONDUCTORS. RED MARKINGS SHALL IDENTIFY +24V AND BLUE MARKINGS SHALL IDENTIFY -48V.

1. CONTRACTOR SHALL INSPECT THE EXISTING CONDITIONS PRIOR TO SUBMITTING A BID. ANY QUESTIONS ARISING DURING THE BID PERIOD IN REGARDS TO THE CONTRACTOR'S FUNCTIONS, THE SCOPE OF WORK, OR ANY OTHER ISSUE RELATED TO THIS PROJECT SHALL BE BROUGHT UP DURING THE BID PERIOD WITH THE PROJECT MANAGER FOR CLARIFICATION, NOT AFTER THE CONTRACT HAS BEEN AWARDED.
2. ALL ELECTRICAL WORK SHALL BE DONE IN ACCORDANCE WITH CURRENT NATIONAL ELECTRICAL CODES AND ALL STATE AND LOCAL CODES, LAWS, AND ORDINANCES. PROVIDE ALL COMPONENTS AND WIRING SIZES AS REQUIRED TO MEET NEC STANDARDS.
3. LOCATION OF EQUIPMENT, CONDUIT AND DEVICES SHOWN ON THE DRAWINGS ARE APPROXIMATE AND SHALL BE COORDINATED WITH FIELD CONDITIONS PRIOR TO CONSTRUCTION.
4. CONDUIT ROUGH-IN SHALL BE COORDINATED WITH THE MECHANICAL EQUIPMENT TO AVOID LOCATION CONFLICTS. VERIFY WITH THE MECHANICAL EQUIPMENT CONTRACTOR AND COMPLY AS REQUIRED.
5. CONTRACTOR SHALL PROVIDE ALL BREAKERS, CONDUITS AND CIRCUITS AS REQUIRED FOR A COMPLETE SYSTEM.
6. CONTRACTOR SHALL PROVIDE PULL BOXES AND JUNCTION BOXES AS REQUIRED BY THE NEC ARTICLE 314.
7. CONTRACTOR SHALL PROVIDE ALL STRAIN RELIEF AND CABLE SUPPORTS FOR ALL CABLE ASSEMBLIES. INSTALLATION SHALL BE IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS AND RECOMMENDATIONS.
8. ALL DISCONNECTS AND CONTROLLING DEVICES SHALL BE PROVIDED WITH ENGRAVED PHENOLIC NAMEPLATES INDICATING EQUIPMENT CONTROLLED, BRANCH CIRCUITS INSTALLED ON, AND PANEL FIELD LOCATIONS FED FROM.
9. INSTALL AN EQUIPMENT GROUNDING CONDUCTOR IN ALL CONDUITS PER THE SPECIFICATIONS AND NEC 250. THE EQUIPMENT GROUNDING CONDUCTORS SHALL BE BONDED AT ALL JUNCTION BOXES, PULL BOXES, AND ALL DISCONNECT SWITCHES, AND EQUIPMENT CABINETS.
10. ALL NEW MATERIAL SHALL HAVE A U.L. LABEL.
11. PANEL SCHEDULE LOADING AND CIRCUIT ARRANGEMENTS REFLECT POST-CONSTRUCTION EQUIPMENT.
12. CONTRACTOR SHALL BE RESPONSIBLE FOR AS-BUILT PANEL SCHEDULE AND SITE DRAWINGS.
13. FIBER ROUTE IS PRELIMINARY, FINAL FIBER ROUTE TO BE DETERMINED ONCE UCR (UTILITY COORDINATION REPORT) HAS BEEN FINALIZED.

ELECTRICAL NOTES

2



OVERALL UTILITY ROUTE PLAN

200' 100' 0 200' 400'
1"=200'

3

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
MATTHEI SAKANO
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION
BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE
ELECTRICAL/FIBER ROUTE PLAN AND NOTES

SHEET NUMBER
E-1

CARLON EXPANSION FITTINGS

COUPLING END PART#	MALE TERMINAL ADAPTER END PART#	SIZE	STD CTN QTY.	TRAVEL LENGTH
E945D	E945DX	1/2"	20	4"
E945E	E945EX	3/4"	15	4"
E945F	E945FX	1"	10	4"
E945G	E945GX	1 1/4"	5	4"
E945H	E945HX	1 1/2"	5	4"
E945J	E945JX	2"	15	8"
E945K	E945KX	2 1/2"	10	8"
E945L	E945LX	3"	10	8"
E945M	E945MX	3 1/2"	5	8"
E945N	E945NX	4"	5	8"
E945P	E945PX	5"	1	8"
E945R	E945RX	6"	1	8"



NOTE:
CONTRACTOR TO INSTALL EXPANSION FITTING SLIP JOINT AT METER CENTER CONDUIT TERMINATION, AS PER LOCAL UTILITY POLICY, ORDINANCE AND/OR SPECIFIED REQUIREMENT.

EXPANSION JOINT DETAIL | NO SCALE | 1

TRENCHING NOTES

1. CONTRACTOR SHALL RESTORE THE TRENCH TO ITS ORIGINAL CONDITIONS BY EITHER SEEDING OR SODDING GRASS AREAS, OR REPLACING ASPHALT OR CONCRETE AREAS TO ITS ORIGINAL CROSS SECTION.
2. TRENCHING SAFETY; INCLUDING, BUT NOT LIMITED TO SOIL CLASSIFICATION, SLOPING, AND SHORING, SHALL BE GOVERNED BY THE CURRENT OSHA TRENCHING AND EXCAVATION SAFETY STANDARDS.
3. ALL CONDUITS SHALL BE INSTALLED IN COMPLIANCE WITH THE CURRENT NATIONAL ELECTRIC CODE (NEC) OR AS REQUIRED BY THE LOCAL JURISDICTION, WHICHEVER IS THE MOST STRINGENT.



TYPICAL UNDERGROUND TRENCH DETAIL | NO SCALE | 2



DARK TELCO BOX – INTERIOR WIRING LAYOUT | NO SCALE | 3



LIT TELCO BOX – INTERIOR WIRING LAYOUT (OPTIONAL) | NO SCALE | 4

NOT USED | NO SCALE | 5

NOT USED | NO SCALE | 6

NOT USED | NO SCALE | 7

NOT USED | NO SCALE | 8

NOT USED | NO SCALE | 9

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
KUHEI SAKANO
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION
BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE
ELECTRICAL DETAILS

SHEET NUMBER
E-2



NOTES

THE ENGINEER OF RECORD HAS PERFORMED ALL REQUIRED SHORT CIRCUIT CALCULATIONS AND THE AIC RATINGS FOR EACH DEVICE IS ADEQUATE TO PROTECT THE EQUIPMENT AND THE ELECTRICAL SYSTEM.

THE ENGINEER OF RECORD HAS PERFORMED ALL REQUIRED VOLTAGE DROP CALCULATIONS AND ALL BRANCH CIRCUIT AND FEEDERS COMPLY WITH THE NEC (LISTED ON T-1) ARTICLE 210.19(A)(1) FPN NO. 4.

THE (2) CONDUITS WITH (4) CURRENT CARRYING CONDUCTORS EACH, SHALL APPLY THE ADJUSTMENT FACTOR OF 80% PER 2014/17 NEC TABLE 310.15(B)(3)(a) OR 2020 NEC TABLE 310.15(C)(1).

#12 FOR 15A-20A/1P BREAKER: 0.8 x 30A = 24.0A
#10 FOR 25A-30A/2P BREAKER: 0.8 x 40A = 32.0A
#8 FOR 35A-40A/2P BREAKER: 0.8 x 55A = 44.0A
#6 FOR 45A-60A/2P BREAKER: 0.8 x 75A = 60.0A

CONDUIT SIZING: AT 40% FILL PER NEC CHAPTER 9, TABLE 4, ARTICLE 358.
0.75" CONDUIT - 0.213 SQ. IN AREA
2.0" CONDUIT - 1.316 SQ. IN AREA
3.0" CONDUIT - 2.907 SQ. IN AREA

[RECTIFIER 1 & 2 CONDUCTORS (1 CONDUIT)], AND
[CABINET CONVENIENCE OUTLET CONDUCTORS (1 CONDUIT)]: USING THWN-2, CU.

#6 - 0.0507 SQ. IN X 2 = 0.1014 SQ. IN
#6 - 0.0507 SQ. IN X 1 = 0.0507 SQ. IN <GROUND
TOTAL = 0.1521 SQ. IN

0.75" EMT CONDUIT IS ADEQUATE TO HANDLE THE TOTAL OF (3) WIRES, INCLUDING GROUND WIRE, AS INDICATED ABOVE.

RECTIFIER 3, 4, & 5 CONDUCTORS (1 CONDUIT): USING THWN-2, CU.

#6 - 0.0507 SQ. IN X 4 = 0.2028 SQ. IN
#6 - 0.0507 SQ. IN X 1 = 0.0507 SQ. IN <GROUND
TOTAL = 0.2535 SQ. IN

0.75" EMT CONDUIT IS ADEQUATE TO HANDLE THE TOTAL OF (5) WIRES, INCLUDING GROUND WIRE, AS INDICATED ABOVE.

PPC FEED CONDUCTORS (1 CONDUIT): USING THWN, CU.

3/0 - 0.2679 SQ. IN X 3 = 0.8037 SQ. IN
#6 - 0.0507 SQ. IN X 1 = 0.0507 SQ. IN <GROUND
TOTAL = 0.8544 SQ. IN

3.0" SCH 40 PVC CONDUIT IS ADEQUATE TO HANDLE THE TOTAL OF (4) WIRES, INCLUDING GROUND WIRE, AS INDICATED ABOVE.

PPC ONE-LINE DIAGRAM

NO SCALE | 1

PROPOSED ENERSYS PANEL SCHEDULE

LOAD SERVED	VOLT AMPS (WATTS) L1	VOLT AMPS (WATTS) L2	TRIP	CKT #	PHASE	CKT #	TRIP	VOLT AMPS (WATTS) L1	VOLT AMPS (WATTS) L2	LOAD SERVED
PPC GFCI OUTLET	180		15A	1	A	2	40A	3840		ABB/GE INFINITY RECTIFIERS 1 & 2
ENERSYS GFCI OUTLET		180	20A	3	B	4			3840	
-SPACE-				5	A	6	40A	3840		ABB/GE INFINITY RECTIFIER 3 & 4
-SPACE-				7	B	8			3840	
-SPACE-				9	A	10	20A	1920		ABB/GE INFINITY RECTIFIER 5
-SPACE-				11	B	12			1920	
-SPACE-				13	A	14				-SPACE-
-SPACE-				15	B	16				-SPACE-
-SPACE-				17	A	18				-SPACE-
-SPACE-				19	B	20				-SPACE-
-SPACE-				21	A	22				-SPACE-
-SPACE-				23	B	24				-SPACE-
VOLTAGE AMPS	180	180						9500	9500	
200A MCB, 1ϕ, 24 SPACE, 120/240V			L1		L2					
MB RATING: 65,000 AIC			9680		9680		VOLTAGE AMPS			
			81		81		AMPS			
			81				MAX AMPS			
			102				MAX 125%			

PANEL SCHEDULE | NO SCALE | 2

NOT USED | NO SCALE | 3

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
STUHEI SAKAI
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION
BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE
ELECTRICAL ONE-LINE, FAULT CALCS & PANEL SCHEDULE

SHEET NUMBER
E-3



TYPICAL EQUIPMENT GROUNDING PLAN

NO SCALE | 1

NOTES

1. ANTENNAS AND OVP SHOWN ARE GENERIC AND NOT REFERENCING TO A SPECIFIC MANUFACTURER. THIS LAYOUT IS FOR REFERENCE ONLY



TYPICAL ANTENNA GROUNDING PLAN

NO SCALE | 2

- EXOTHERMIC CONNECTION
- MECHANICAL CONNECTION
- GROUND BUS BAR
- GROUND ROD
- TEST GROUND ROD WITH INSPECTION SLEEVE
- #6 AWG STRANDED & INSULATED
- #2 AWG SOLID COPPER TINNED
- BUSS BAR INSULATOR

GROUNDING LEGEND

1. GROUNDING IS SHOWN DIAGRAMMATICALLY ONLY.
2. CONTRACTOR SHALL GROUND ALL EQUIPMENT AS A COMPLETE SYSTEM. GROUNDING SHALL BE IN COMPLIANCE WITH NEC SECTION 250 AND DISH WIRELESS, LLC. GROUNDING AND BONDING REQUIREMENTS AND MANUFACTURER'S SPECIFICATIONS.
3. ALL GROUND CONDUCTORS SHALL BE COPPER; NO ALUMINUM CONDUCTORS SHALL BE USED.

GROUNDING KEY NOTES

(A) EXTERIOR GROUND RING: #2 AWG SOLID COPPER, BURIED AT A DEPTH OF AT LEAST 30 INCHES BELOW GRADE, OR 6 INCHES BELOW THE FROST LINE AND APPROXIMATELY 24 INCHES FROM THE EXTERIOR WALL OR FOOTING.

(B) TOWER GROUND RING: THE GROUND RING SYSTEM SHALL BE INSTALLED AROUND AN ANTENNA TOWER'S LEGS, AND/OR GUY ANCHORS. WHERE SEPARATE SYSTEMS HAVE BEEN PROVIDED FOR THE TOWER AND THE BUILDING, AT LEAST TWO BONDS SHALL BE MADE BETWEEN THE TOWER RING GROUND SYSTEM AND THE BUILDING RING GROUND SYSTEM USING MINIMUM #2 AWG SOLID COPPER CONDUCTORS.

(C) INTERIOR GROUND RING: #2 AWG STRANDED GREEN INSULATED COPPER CONDUCTOR EXTENDED AROUND THE PERIMETER OF THE EQUIPMENT AREA. ALL NON-TELECOMMUNICATIONS RELATED METALLIC OBJECTS FOUND WITHIN A SITE SHALL BE GROUNDED TO THE INTERIOR GROUND RING WITH #6 AWG STRANDED GREEN INSULATED CONDUCTOR.

(D) BOND TO INTERIOR GROUND RING: #2 AWG SOLID TINNED COPPER WIRE PRIMARY BONDS SHALL BE PROVIDED AT LEAST AT FOUR POINTS ON THE INTERIOR GROUND RING, LOCATED AT THE CORNERS OF THE BUILDING.

(E) GROUND ROD: UL LISTED COPPER CLAD STEEL. MINIMUM 1/2" DIAMETER BY EIGHT FEET LONG. GROUND RODS SHALL BE INSTALLED WITH INSPECTION SLEEVES. GROUND RODS SHALL BE DRIVEN TO THE DEPTH OF GROUND RING CONDUCTOR.

(F) CELL REFERENCE GROUND BAR: POINT OF GROUND REFERENCE FOR ALL COMMUNICATIONS EQUIPMENT FRAMES. ALL BONDS ARE MADE WITH #2 AWG UNLESS NOTED OTHERWISE STRANDED GREEN INSULATED COPPER CONDUCTORS. BOND TO GROUND RING WITH (2) #2 SOLID TINNED COPPER CONDUCTORS.

(G) HATCH PLATE GROUND BAR: BOND TO THE INTERIOR GROUND RING WITH TWO #2 AWG STRANDED GREEN INSULATED COPPER CONDUCTORS. WHEN A HATCH-PLATE AND A CELL REFERENCE GROUND BAR ARE BOTH PRESENT, THE CRGB MUST BE CONNECTED TO THE HATCH-PLATE AND TO THE INTERIOR GROUND RING USING (2) TWO #2 AWG STRANDED GREEN INSULATED COPPER CONDUCTORS EACH.

(H) EXTERIOR CABLE ENTRY PORT GROUND BARS: LOCATED AT THE ENTRANCE TO THE CELL SITE BUILDING. BOND TO GROUND RING WITH A #2 AWG SOLID TINNED COPPER CONDUCTORS WITH AN EXOTHERMIC WELD AND INSPECTION SLEEVE.

(I) TELCO GROUND BAR: BOND TO BOTH CELL REFERENCE GROUND BAR OR EXTERIOR GROUND RING.

(J) FRAME BONDING: THE BONDING POINT FOR TELECOM EQUIPMENT FRAMES SHALL BE THE GROUND BUS THAT IS NOT ISOLATED FROM THE EQUIPMENTS METAL FRAMEWORK.

(K) INTERIOR UNIT BONDS: METAL FRAMES, CABINETS AND INDIVIDUAL METALLIC UNITS LOCATED WITH THE AREA OF THE INTERIOR GROUND RING REQUIRE A #6 AWG STRANDED GREEN INSULATED COPPER BOND TO THE INTERIOR GROUND RING.

(L) FENCE AND GATE GROUNDING: METAL FENCES WITHIN 7 FEET OF THE EXTERIOR GROUND RING OR OBJECTS BONDED TO THE EXTERIOR GROUND RING SHALL BE BONDED TO THE GROUND RING WITH A #2 AWG SOLID TINNED COPPER CONDUCTOR AT AN INTERVAL NOT EXCEEDING 25 FEET. BONDS SHALL BE MADE AT EACH GATE POST AND ACROSS GATE OPENINGS.

(M) EXTERIOR UNIT BONDS: METALLIC OBJECTS, EXTERNAL TO OR MOUNTED TO THE BUILDING, SHALL BE BONDED TO THE EXTERIOR GROUND RING. USING #2 TINNED SOLID COPPER WIRE

(N) ICE BRIDGE SUPPORTS: EACH ICE BRIDGE LEG SHALL BE BONDED TO THE GROUND RING WITH #2 AWG BARE TINNED COPPER CONDUCTOR. PROVIDE EXOTHERMIC WELDS AT BOTH THE ICE BRIDGE LEG AND BURIED GROUND RING.

(O) DURING ALL DC POWER SYSTEM CHANGES INCLUDING DC SYSTEM CHANGE OUTS, RECTIFIER REPLACEMENTS OR ADDITIONS, BREAKER DISTRIBUTION CHANGES, BATTERY ADDITIONS, BATTERY REPLACEMENTS AND INSTALLATIONS OR CHANGES TO DC CONVERTER SYSTEMS IT SHALL BE REQUIRED THAT SERVICE CONTRACTORS VERIFY ALL DC POWER SYSTEMS ARE EQUIPPED WITH A MASTER DC SYSTEM RETURN GROUND CONDUCTOR FROM THE DC POWER SYSTEM COMMON RETURN BUS DIRECTLY CONNECTED TO THE CELL SITE REFERENCE GROUND BAR

(P) TOWER TOP COLLECTOR BUSS BAR IS TO BE MECHANICALLY BONDED TO PROPOSED ANTENNA MOUNT COLLAR.

REFER TO DISH WIRELESS, LLC. GROUNDING NOTES.

GROUNDING KEY NOTES

NO SCALE | 3

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
MICHEI SAKANOUE
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION
BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE
GROUNDING PLANS AND NOTES

SHEET NUMBER
G-1

NOTES

EQUIPMENT CABINET OMITTED FOR CLARITY



H-FRAME GROUNDING DETAIL | NO SCALE | 1

NOTES

CABLE GROUNDING NOT REQUIRED WHEN ANTENNA IS LESS THAN 10' FROM CABINET



TYPICAL GPS UNIT GROUNDING | NO SCALE | 2



OUTDOOR CABINET GROUNDING | NO SCALE | 3



TRANSITIONING GROUND DETAIL | NO SCALE | 4



TYPICAL TEST GROUND ROD WITH INSPECTION SLEEVE | NO SCALE | 5



TYPICAL GROUND RING TRENCH | NO SCALE | 6

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT — JOSHUHEI SAKAN OURA — 34916 — LICENSED PROFESSIONAL ENGINEER — 6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER

2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION

BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE

GROUNDING DETAILS

SHEET NUMBER

G-2

1. EXOTHERMIC WELD (2) TWO, #2 AWG BARE TINNED SOLID COPPER CONDUCTORS TO GROUND BAR, ROUTE CONDUCTORS TO BURIED GROUND RING AND PROVIDE PARALLEL EXOTHERMIC WELD.
2. ALL EXTERIOR GROUNDING HARDWARE SHALL BE STAINLESS STEEL 3/8" DIAMETER OR LARGER. ALL HARDWARE 18-8 STAINLESS STEEL INCLUDING LOCK WASHERS, COAT ALL SURFACES WITH AN ANTI-OXIDANT COMPOUND BEFORE MATING.
3. FOR GROUND BOND TO STEEL ONLY: COAT ALL SURFACES WITH AN ANTI-OXIDANT COMPOUND BEFORE MATING.
4. DO NOT INSTALL CABLE GROUNDING KIT AT A BEND AND ALWAYS DIRECT GROUND CONDUCTOR DOWN TO GROUNDING BUS.
5. NUT & WASHER SHALL BE PLACED ON THE FRONT SIDE OF THE GROUND BAR AND BOLTED ON THE BACK SIDE.
6. ALL GROUNDING PARTS AND EQUIPMENT TO BE SUPPLIED AND INSTALLED BY CONTRACTOR.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLING ADDITIONAL GROUND BAR AS REQUIRED.
9. ENSURE THE WIRE INSULATION TERMINATION IS WITHIN 1/8" OF THE BARREL (NO SHINERS).

TYPICAL GROUNDING NOTES | NO SCALE | 1



TYPICAL EXTERIOR TWO HOLE LUG | NO SCALE | 2



TYPICAL INTERIOR TWO HOLE LUG | NO SCALE | 3



LUG DETAIL | NO SCALE | 4

NOT USED | NO SCALE | 5

NOT USED | NO SCALE | 6

NOT USED | NO SCALE | 7

NOT USED | NO SCALE | 8

NOT USED | NO SCALE | 9

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT · SHUHEI SAKANO · 34916 · LICENSED PROFESSIONAL ENGINEER · 6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION
BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE
GROUNDING DETAILS

SHEET NUMBER
G-3

RF JUMPER COLOR CODING

3/4" TAPE WIDTHS WITH 3/4" SPACING

LOW-BAND RRH –
(600MHz N71 BASEBAND) +
(850MHz N26 BAND) +
(700MHz N29 BAND) – OPTIONAL PER MARKET

ADD FREQUENCY COLOR TO SECTOR BAND
(CBRS WILL USE YELLOW BANDS)



MID-BAND RRH –
(AWS BANDS N66+N70)

ADD FREQUENCY COLOR TO SECTOR BAND
(CBRS WILL USE YELLOW BANDS)



HYBRID/DISCREET CABLES

INCLUDE SECTOR BANDS BEING SUPPORTED AM LONG WITH FREQUENCY BANDS

EXAMPLE 1 – HYBRID, OR DISCREET, SUPPORTS ALL SECTORS, BOTH LOW-BANDS AND MID-BANDS

EXAMPLE 2 – HYBRID, OR DISCREET, SUPPORTS CBRS ONLY, ALL SECTORS



HYBRID/DISCREET CABLES

LOW-BAND RRH FIBER CABLES HAVE SECTOR STRIPE ONLY



POWER CABLES TO RRHs

LOW-BAND RRH POWER CABLES HAVE SECTOR STRIPE ONLY



RET MOTORS AT ANTENNAS



MICROWAVE RADIO LINKS

LINKS WILL HAVE A 1.5–2 INCH WHITE WRAP WITH THE AZIMUTH COLOR OVERLAPPING IN THE MIDDLE. ADD ADDITIONAL SECTOR COLOR BANDS FOR EACH ADDITIONAL MW RADIO.

MICROWAVE CABINETS WILL REQUIRE P-TOUCH LABELS INSIDE THE CABINET TO IDENTIFY THE LOCAL AND REMOTE SITE ID'S.



RF CABLE COLOR CODES | NO SCALE | 1

LOW BANDS (N71–N28) OPTIONAL – (N29): ORANGE

AWS (N65+N70+H-BLOCK): PURPLE

CBRS TECH (3 GHz): YELLOW

NEGATIVE SLANT PORT ON ANTRRH: WHITE

ALPHA SECTOR: RED

BETA SECTOR: BLUE

GAMMA SECTOR: GREEN

COLOR IDENTIFIER | NO SCALE | 2

NOT USED | NO SCALE | 3

NOT USED | NO SCALE | 4

---

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
SHUHEI SAKANOUE
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION
BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE
RF
CABLE COLOR CODES

SHEET NUMBER
RF-1



PLUMBING DIAGRAM

NO SCALE

1

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
ROHEI SAKAMOTO
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER

2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION

BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE

RF
PLUMBING DIAGRAM

SHEET NUMBER

RF-2

EXOTHERMIC CONNECTION

MECHANICAL CONNECTION

BUSS BAR INSULATOR

CHEMICAL ELECTROLYTIC GROUNDING SYSTEM

TEST CHEMICAL ELECTROLYTIC GROUNDING SYSTEM

EXOTHERMIC WITH INSPECTION SLEEVE

GROUNDING BAR

GROUND ROD

TEST GROUND ROD WITH INSPECTION SLEEVE

SINGLE POLE SWITCH

DUPLEX RECEPTACLE

DUPLEX GFCI RECEPTACLE

FLUORESCENT LIGHTING FIXTURE
(2) TWO LAMPS 48–T8

SMOKE DETECTION (DC)

EMERGENCY LIGHTING (DC)

SECURITY LIGHT W/PHOTOCELL LITHONIA ALXW
LED–1–25A400/51K–SR4–120–PE–DDBTXD

CHAIN LINK FENCE

WOOD/WROUGHT IRON FENCE

WALL STRUCTURE

LEASE AREA

PROPERTY LINE (PL)

SETBACKS

ICE BRIDGE

CABLE TRAY

WATER LINE

UNDERGROUND POWER

UNDERGROUND TELCO

OVERHEAD POWER

OVERHEAD TELCO

UNDERGROUND TELCO/POWER

ABOVE GROUND POWER

ABOVE GROUND TELCO

ABOVE GROUND TELCO/POWER

WORKPOINT

SECTION REFERENCE

DETAIL REFERENCE

LEGEND

AB	ANCHOR BOLT
ABV	ABOVE
AC	ALTERNATING CURRENT
ADDL	ADDITIONAL
AFF	ABOVE FINISHED FLOOR
AFG	ABOVE FINISHED GRADE
AGL	ABOVE GROUND LEVEL
AIC	AMPERAGE INTERRUPTION CAPACITY
ALUM	ALUMINUM
ALT	ALTERNATE
ANT	ANTENNA
APPROX	APPROXIMATE
ARCH	ARCHITECTURAL
ATS	AUTOMATIC TRANSFER SWITCH
AWG	AMERICAN WIRE GAUGE
BATT	BATTERY
BLDG	BUILDING
BLK	BLOCK
BLKG	BLOCKING
BM	BEAM
BTC	BARE TINNED COPPER CONDUCTOR
BOF	BOTTOM OF FOOTING
CAB	CABINET
CANT	CANTILEVERED
CHG	CHARGING
CLG	CEILING
CLR	CLEAR
COL	COLUMN
COMM	COMMON
CONC	CONCRETE
CONSTR	CONSTRUCTION
DBL	DOUBLE
DC	DIRECT CURRENT
DEPT	DEPARTMENT
DF	DOUGLAS FIR
DIA	DIAMETER
DIAG	DIAGONAL
DIM	DIMENSION
DWG	DRAWING
DWL	DOWEL
EA	EACH
EC	ELECTRICAL CONDUCTOR
EL.	ELEVATION
ELEC	ELECTRICAL
EMT	ELECTRICAL METALLIC TUBING
ENG	ENGINEER
EQ	EQUAL
EXP	EXPANSION
EXT	EXTERIOR
EW	EACH WAY
FAB	FABRICATION
FF	FINISH FLOOR
FG	FINISH GRADE
FIF	FACILITY INTERFACE FRAME
FIN	FINISH(ED)
FLR	FLOOR
FDN	FOUNDATION
FOC	FACE OF CONCRETE
FOM	FACE OF MASONRY
FOS	FACE OF STUD
FOW	FACE OF WALL
FS	FINISH SURFACE
FT	FOOT
FTG	FOOTING
GA	GAUGE
GEN	GENERATOR
GFCI	GROUND FAULT CIRCUIT INTERRUPTER
GLB	GLUE LAMINATED BEAM
GLV	GALVANIZED
GPS	GLOBAL POSITIONING SYSTEM
GND	GROUND
GSM	GLOBAL SYSTEM FOR MOBILE
HDG	HOT DIPPED GALVANIZED
HDR	HEADER
HGR	HANGER
HVAC	HEAT/VENTILATION/AIR CONDITIONING
HT	HEIGHT
IGR	INTERIOR GROUND RING
IN	INCH
INT	INTERIOR
LB(S)	POUND(S)
LF	LINEAR FEET
LTE	LONG TERM EVOLUTION
MAS	MASONRY
MAX	MAXIMUM
MB	MACHINE BOLT
MECH	MECHANICAL
MFR	MANUFACTURER
MGB	MASTER GROUND BAR
MIN	MINIMUM
MISC	MISCELLANEOUS
MTL	METAL
MTS	MANUAL TRANSFER SWITCH
MW	MICROWAVE
NEC	NATIONAL ELECTRIC CODE
NM	NEWTON METERS
NO.	NUMBER
#	NUMBER
NTS	NOT TO SCALE
OC	ON–CENTER
OSHA	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
OPNG	OPENING
P/C	PRECAST CONCRETE
PCS	PERSONAL COMMUNICATION SERVICES
PCU	PRIMARY CONTROL UNIT
PRC	PRIMARY RADIO CABINET
PP	POLARIZING PRESERVING
PSF	POUNDS PER SQUARE FOOT
PSI	POUNDS PER SQUARE INCH
PT	PRESSURE TREATED
PWR	POWER CABINET
QTY	QUANTITY
RAD	RADIUS
RECT	RECTIFIER
REF	REFERENCE
REINF	REINFORCEMENT
REQ'D	REQUIRED
RET	REMOTE ELECTRIC TILT
RF	RADIO FREQUENCY
RMC	RIGID METALLIC CONDUIT
RRH	REMOTE RADIO HEAD
RRU	REMOTE RADIO UNIT
RWY	RACEWAY
SCH	SCHEDULE
SHT	SHEET
SIAD	SMART INTEGRATED ACCESS DEVICE
SIM	SIMILAR
SPEC	SPECIFICATION
SQ	SQUARE
SS	STAINLESS STEEL
STD	STANDARD
STL	STEEL
TEMP	TEMPORARY
THK	THICKNESS
TMA	TOWER MOUNTED AMPLIFIER
TN	TOE NAIL
TOA	TOP OF ANTENNA
TOC	TOP OF CURB
TOF	TOP OF FOUNDATION
TOP	TOP OF PLATE (PARAPET)
TOS	TOP OF STEEL
TOW	TOP OF WALL
TVSS	TRANSIENT VOLTAGE SURGE SUPPRESSION
TYP	TYPICAL
UG	UNDERGROUND
UL	UNDERWRITERS LABORATORY
UNO	UNLESS NOTED OTHERWISE
UMTS	UNIVERSAL MOBILE TELECOMMUNICATIONS SYSTEM
UPS	UNITERRUPTIBLE POWER SYSTEM (DC POWER PLANT)
VIF	VERIFIED IN FIELD
W	WIDE
W/	WITH
WD	WOOD
WP	WEATHERPROOF
WT	WEIGHT

ABBREVIATIONS

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
SHUHEI SAKANO
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER

2039–Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION

BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE

LEGEND AND ABBREVIATIONS

SHEET NUMBER

GN-1

SITE ACTIVITY REQUIREMENTS:

1. NOTICE TO PROCEED – NO WORK SHALL COMMENCE PRIOR TO CONTRACTOR RECEIVING A WRITTEN NOTICE TO PROCEED (NTP) AND THE ISSUANCE OF A PURCHASE ORDER. PRIOR TO ACCESSING/ENTERING THE SITE YOU MUST CONTACT THE DISH WIRELESS, LLC. AND TOWER OWNER NOC & THE DISH WIRELESS, LLC. AND TOWER OWNER CONSTRUCTION MANAGER.

2. "LOOK UP" – DISH WIRELESS, LLC. AND TOWER OWNER SAFETY CLIMB REQUIREMENT:

THE INTEGRITY OF THE SAFETY CLIMB AND ALL COMPONENTS OF THE CLIMBING FACILITY SHALL BE CONSIDERED DURING ALL STAGES OF DESIGN, INSTALLATION, AND INSPECTION. TOWER MODIFICATION, MOUNT REINFORCEMENTS, AND/OR EQUIPMENT INSTALLATIONS SHALL NOT COMPROMISE THE INTEGRITY OR FUNCTIONAL USE OF THE SAFETY CLIMB OR ANY COMPONENTS OF THE CLIMBING FACILITY ON THE STRUCTURE. THIS SHALL INCLUDE, BUT NOT BE LIMITED TO: PINCHING OF THE WIRE ROPE, BENDING OF THE WIRE ROPE FROM ITS SUPPORTS, DIRECT CONTACT OR CLOSE PROXIMITY TO THE WIRE ROPE WHICH MAY CAUSE FRICTIONAL WEAR, IMPACT TO THE ANCHORAGE POINTS IN ANY WAY, OR TO IMPEDE/BLOCK ITS INTENDED USE. ANY COMPROMISED SAFETY CLIMB, INCLUDING EXISTING CONDITIONS MUST BE TAGGED OUT AND REPORTED TO YOUR DISH WIRELESS, LLC. AND DISH WIRELESS, LLC. AND TOWER OWNER POC OR CALL THE NOC TO GENERATE A SAFETY CLIMB MAINTENANCE AND CONTRACTOR NOTICE TICKET.

3. PRIOR TO THE START OF CONSTRUCTION, ALL REQUIRED JURISDICTIONAL PERMITS SHALL BE OBTAINED. THIS INCLUDES, BUT IS NOT LIMITED TO, BUILDING, ELECTRICAL, MECHANICAL, FIRE, FLOOD ZONE, ENVIRONMENTAL, AND ZONING. AFTER ONSITE ACTIVITIES AND CONSTRUCTION ARE COMPLETED, ALL REQUIRED PERMITS SHALL BE SATISFIED AND CLOSED OUT ACCORDING TO LOCAL JURISDICTIONAL REQUIREMENTS.

4. ALL CONSTRUCTION MEANS AND METHODS; INCLUDING BUT NOT LIMITED TO, ERECTION PLANS, RIGGING PLANS, CLIMBING PLANS, AND RESCUE PLANS SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR RESPONSIBLE FOR THE EXECUTION OF THE WORK CONTAINED HEREIN, AND SHALL MEET ANSI/ASSE A10.48 (LATEST EDITION); FEDERAL, STATE, AND LOCAL REGULATIONS; AND ANY APPLICABLE INDUSTRY CONSENSUS STANDARDS RELATED TO THE CONSTRUCTION ACTIVITIES BEING PERFORMED. ALL RIGGING PLANS SHALL ADHERE TO ANSI/ASSE A10.48 (LATEST EDITION) AND DISH WIRELESS, LLC. AND TOWER OWNER STANDARDS, INCLUDING THE REQUIRED INVOLVEMENT OF A QUALIFIED ENGINEER FOR CLASS IV CONSTRUCTION, TO CERTIFY THE SUPPORTING STRUCTURE(S) IN ACCORDANCE WITH ANSI/TIA–322 (LATEST EDITION).

5. ALL SITE WORK TO COMPLY WITH DISH WIRELESS, LLC. AND TOWER OWNER INSTALLATION STANDARDS FOR CONSTRUCTION ACTIVITIES ON DISH WIRELESS, LLC. AND TOWER OWNER TOWER SITE AND LATEST VERSION OF ANSI/TIA–1019–A–2012 "STANDARD FOR INSTALLATION, ALTERATION, AND MAINTENANCE OF ANTENNA SUPPORTING STRUCTURES AND ANTENNAS."

6. IF THE SPECIFIED EQUIPMENT CAN NOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE CONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION FOR APPROVAL BY DISH WIRELESS, LLC. AND TOWER OWNER PRIOR TO PROCEEDING WITH ANY SUCH CHANGE OF INSTALLATION.

7. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS AND ORDINANCES. CONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.

8. THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.

9. THE CONTRACTOR SHALL CONTACT UTILITY LOCATING SERVICES INCLUDING PRIVATE LOCATES SERVICES PRIOR TO THE START OF CONSTRUCTION.

10. ALL EXISTING ACTIVE SEWER, WATER, GAS, ELECTRIC AND OTHER UTILITIES WHERE ENCOUNTERED IN THE WORK, SHALL BE PROTECTED AT ALL TIMES AND WHERE REQUIRED FOR THE PROPER EXECUTION OF THE WORK, SHALL BE RELOCATED AS DIRECTED BY CONTRACTOR. EXTREME CAUTION SHOULD BE USED BY THE CONTRACTOR WHEN EXCAVATING OR DRILLING PIERS AROUND OR NEAR UTILITIES. CONTRACTOR SHALL PROVIDE SAFETY TRAINING FOR THE WORKING CREW. THIS WILL INCLUDE BUT NOT BE LIMITED TO A) FALL PROTECTION B) CONFINED SPACE C) ELECTRICAL SAFETY D) TRENCHING AND EXCAVATION E) CONSTRUCTION SAFETY PROCEDURES.

11. ALL SITE WORK SHALL BE AS INDICATED ON THE STAMPED CONSTRUCTION DRAWINGS AND DISH PROJECT SPECIFICATIONS, LATEST APPROVED REVISION.

12. CONTRACTOR SHALL KEEP THE SITE FREE FROM ACCUMULATING WASTE MATERIAL, DEBRIS, AND TRASH AT THE COMPLETION OF THE WORK. IF NECESSARY, RUBBISH, STUMPS, DEBRIS, STICKS, STONES AND OTHER REFUSE SHALL BE REMOVED FROM THE SITE AND DISPOSED OF LEGALLY.

13. ALL EXISTING INACTIVE SEWER, WATER, GAS, ELECTRIC AND OTHER UTILITIES, WHICH INTERFERE WITH THE EXECUTION OF THE WORK, SHALL BE REMOVED AND/OR CAPPED, PLUGGED OR OTHERWISE DISCONTINUED AT POINTS WHICH WILL NOT INTERFERE WITH THE EXECUTION OF THE WORK, SUBJECT TO THE APPROVAL OF DISH WIRELESS, LLC. AND TOWER OWNER, AND/OR LOCAL UTILITIES.

14. THE CONTRACTOR SHALL PROVIDE SITE SIGNAGE IN ACCORDANCE WITH THE TECHNICAL SPECIFICATION FOR SITE SIGNAGE REQUIRED BY LOCAL JURISDICTION AND SIGNAGE REQUIRED ON INDIVIDUAL PIECES OF EQUIPMENT, ROOMS, AND SHELTERS.

15. THE SITE SHALL BE GRADED TO CAUSE SURFACE WATER TO FLOW AWAY FROM THE CARRIER'S EQUIPMENT AND TOWER AREAS.

16. THE SUB GRADE SHALL BE COMPACTED AND BROUGHT TO A SMOOTH UNIFORM GRADE PRIOR TO FINISHED SURFACE APPLICATION.

17. THE AREAS OF THE OWNERS PROPERTY DISTURBED BY THE WORK AND NOT COVERED BY THE TOWER, EQUIPMENT OR DRIVEWAY, SHALL BE GRADED TO A UNIFORM SLOPE, AND STABILIZED TO PREVENT EROSION AS SPECIFIED ON THE CONSTRUCTION DRAWINGS AND/OR PROJECT SPECIFICATIONS.

18. CONTRACTOR SHALL MINIMIZE DISTURBANCE TO EXISTING SITE DURING CONSTRUCTION. EROSION CONTROL MEASURES, IF REQUIRED DURING CONSTRUCTION, SHALL BE IN CONFORMANCE WITH THE LOCAL GUIDELINES FOR EROSION AND SEDIMENT CONTROL.

19. THE CONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT CONTRACTOR'S EXPENSE TO THE SATISFACTION OF OWNER.

20. CONTRACTOR SHALL LEGALLY AND PROPERLY DISPOSE OF ALL SCRAP MATERIALS SUCH AS COAXIAL CABLES AND OTHER ITEMS REMOVED FROM THE EXISTING FACILITY. ANTENNAS AND RADIOS REMOVED SHALL BE RETURNED TO THE OWNER'S DESIGNATED LOCATION.

21. CONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION. TRASH AND DEBRIS SHOULD BE REMOVED FROM SITE ON A DAILY BASIS.

22. NO FILL OR EMBANKMENT MATERIAL SHALL BE PLACED ON FROZEN GROUND. FROZEN MATERIALS, SNOW OR ICE SHALL NOT BE PLACED IN ANY FILL OR EMBANKMENT.

GENERAL NOTES:

1.FOR THE PURPOSE OF CONSTRUCTION DRAWING, THE FOLLOWING DEFINITIONS SHALL APPLY:

CONTRACTOR:GENERAL CONTRACTOR RESPONSIBLE FOR CONSTRUCTION

CARRIER:DISH WIRELESS, LLC.

TOWER OWNER:TOWER OWNER

2. THESE DRAWINGS HAVE BEEN PREPARED USING STANDARDS OF PROFESSIONAL CARE AND COMPLETENESS NORMALLY EXERCISED UNDER SIMILAR CIRCUMSTANCES BY REPUTABLE ENGINEERS IN THIS OR SIMILAR LOCALITIES. IT IS ASSUMED THAT THE WORK DEPICTED WILL BE PERFORMED BY AN EXPERIENCED CONTRACTOR AND/OR WORKPEOPLE WHO HAVE A WORKING KNOWLEDGE OF THE APPLICABLE CODE STANDARDS AND REQUIREMENTS AND OF INDUSTRY ACCEPTED STANDARD GOOD PRACTICE. AS NOT EVERY CONDITION OR ELEMENT IS (OR CAN BE) EXPLICITLY SHOWN ON THESE DRAWINGS, THE CONTRACTOR SHALL USE INDUSTRY ACCEPTED STANDARD GOOD PRACTICE FOR MISCELLANEOUS WORK NOT EXPLICITLY SHOWN.

3. THESE DRAWINGS REPRESENT THE FINISHED STRUCTURE. THEY DO NOT INDICATE THE MEANS OR METHODS OF CONSTRUCTION. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR THE CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, AND PROCEDURES. THE CONTRACTOR SHALL PROVIDE ALL MEASURES NECESSARY FOR PROTECTION OF LIFE AND PROPERTY DURING CONSTRUCTION. SUCH MEASURES SHALL INCLUDE, BUT NOT BE LIMITED TO, BRACING, FORMWORK, SHORING, ETC. SITE VISITS BY THE ENGINEER OR HIS REPRESENTATIVE WILL NOT INCLUDE INSPECTION OF THESE ITEMS AND IS FOR STRUCTURAL OBSERVATION OF THE FINISHED STRUCTURE ONLY.

4. NOTES AND DETAILS IN THE CONSTRUCTION DRAWINGS SHALL TAKE PRECEDENCE OVER GENERAL NOTES AND TYPICAL DETAILS. WHERE NO DETAILS ARE SHOWN, CONSTRUCTION SHALL CONFORM TO SIMILAR WORK ON THE PROJECT, AND/OR AS PROVIDED FOR IN THE CONTRACT DOCUMENTS. WHERE DISCREPANCIES OCCUR BETWEEN PLANS, DETAILS, GENERAL NOTES, AND SPECIFICATIONS, THE GREATER, MORE STRICT REQUIREMENTS, SHALL GOVERN. IF FURTHER CLARIFICATION IS REQUIRED CONTACT THE ENGINEER OF RECORD.

5. SUBSTANTIAL EFFORT HAS BEEN MADE TO PROVIDE ACCURATE DIMENSIONS AND MEASUREMENTS ON THE DRAWINGS TO ASSIST IN THE FABRICATION AND/OR PLACEMENT OF CONSTRUCTION ELEMENTS BUT IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO FIELD VERIFY THE DIMENSIONS, MEASUREMENTS, AND/OR CLEARANCES SHOWN IN THE CONSTRUCTION DRAWINGS PRIOR TO FABRICATION OR CUTTING OF ANY NEW OR EXISTING CONSTRUCTION ELEMENTS. IF IT IS DETERMINED THAT THERE ARE DISCREPANCIES AND/OR CONFLICTS WITH THE CONSTRUCTION DRAWINGS THE ENGINEER OF RECORD IS TO BE NOTIFIED AS SOON AS POSSIBLE.

6. PRIOR TO THE SUBMISSION OF BIDS, THE BIDDING CONTRACTOR SHALL VISIT THE CELL SITE TO FAMILIARIZE WITH THE EXISTING CONDITIONS AND TO CONFIRM THAT THE WORK CAN BE ACCOMPLISHED AS SHOWN ON THE CONSTRUCTION DRAWINGS. ANY DISCREPANCY FOUND SHALL BE BROUGHT TO THE ATTENTION OF CARRIER POC AND TOWER OWNER.

7. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS AND ORDINANCES. CONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.

8. UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.

9. THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.

10. IF THE SPECIFIED EQUIPMENT CAN NOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE CONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION FOR APPROVAL BY THE CARRIER AND TOWER OWNER PRIOR TO PROCEEDING WITH ANY SUCH CHANGE OF INSTALLATION.

11. CONTRACTOR IS TO PERFORM A SITE INVESTIGATION, BEFORE SUBMITTING BIDS, TO DETERMINE THE BEST ROUTING OF ALL CONDUITS FOR POWER, AND TELCO AND FOR GROUNDING CABLES AS SHOWN IN THE POWER, TELCO, AND GROUNDING PLAN DRAWINGS.

12. THE CONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT CONTRACTOR'S EXPENSE TO THE SATISFACTION OF DISH WIRELESS, LLC. AND TOWER OWNER

13. CONTRACTOR SHALL LEGALLY AND PROPERLY DISPOSE OF ALL SCRAP MATERIALS SUCH AS COAXIAL CABLES AND OTHER ITEMS REMOVED FROM THE EXISTING FACILITY. ANTENNAS REMOVED SHALL BE RETURNED TO THE OWNER'S DESIGNATED LOCATION.

14. CONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION. TRASH AND DEBRIS SHOULD BE REMOVED FROM SITE ON A DAILY BASIS.

dish wireless.

5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE

2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY

FROM ZERO TO INFINIGY

the solutions are endless

2500 W. HIGGINS RD. SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
MICHAEL SAKANO
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER

2039–Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION

BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE

GENERAL NOTES

SHEET NUMBER

GN-2

CONCRETE, FOUNDATIONS, AND REINFORCING STEEL:

1. ALL CONCRETE WORK SHALL BE IN ACCORDANCE WITH THE ACI 301, ACI 318, ACI 336, ASTM A184, ASTM A185 AND THE DESIGN AND CONSTRUCTION SPECIFICATION FOR CAST-IN-PLACE CONCRETE.

2. UNLESS NOTED OTHERWISE, SOIL BEARING PRESSURE USED FOR DESIGN OF SLABS AND FOUNDATIONS IS ASSUMED TO BE 1000 psf.

3. ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH (f'c) OF 3000 psi AT 28 DAYS, UNLESS NOTED OTHERWISE. NO MORE THAN 90 MINUTES SHALL ELAPSE FROM BATCH TIME TO TIME OF PLACEMENT UNLESS APPROVED BY THE ENGINEER OF RECORD. TEMPERATURE OF CONCRETE SHALL NOT EXCEED 90°f AT TIME OF PLACEMENT.

4. CONCRETE EXPOSED TO FREEZE-THAW CYCLES SHALL CONTAIN AIR ENTRAINING ADMIXTURES. AMOUNT OF AIR ENTRAINMENT TO BE BASED ON SIZE OF AGGREGATE AND F3 CLASS EXPOSURE (VERY SEVERE). CEMENT USED TO BE TYPE II PORTLAND CEMENT WITH A MAXIMUM WATER-TO-CEMENT RATIO (W/C) OF 0.45.

5. ALL STEEL REINFORCING SHALL CONFORM TO ASTM A615. ALL WELDED WIRE FABRIC (WWF) SHALL CONFORM TO ASTM A185. ALL SPLICES SHALL BE CLASS "B" TENSION SPLICES, UNLESS NOTED OTHERWISE. ALL HOOKS SHALL BE STANDARD 90 DEGREE HOOKS, UNLESS NOTED OTHERWISE. YIELD STRENGTH (Fy) OF STANDARD DEFORMED BARS ARE AS FOLLOWS:

#4 BARS AND SMALLER 40 ksi

#5 BARS AND LARGER 60 ksi

6. THE FOLLOWING MINIMUM CONCRETE COVER SHALL BE PROVIDED FOR REINFORCING STEEL UNLESS SHOWN OTHERWISE ON DRAWINGS:

- CONCRETE CAST AGAINST AND PERMANENTLY EXPOSED TO EARTH 3"
- CONCRETE EXPOSED TO EARTH OR WEATHER:
- #6 BARS AND LARGER 2"
- #5 BARS AND SMALLER 1-1/2"
- CONCRETE NOT EXPOSED TO EARTH OR WEATHER:
- SLAB AND WALLS 3/4"
- BEAMS AND COLUMNS 1-1/2"

7. A TOOLED EDGE OR A 3/4" CHAMFER SHALL BE PROVIDED AT ALL EXPOSED EDGES OF CONCRETE, UNLESS NOTED OTHERWISE, IN ACCORDANCE WITH ACI 301 SECTION 4.2.4.

ELECTRICAL INSTALLATION NOTES:

1. ALL ELECTRICAL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS, NEC AND ALL APPLICABLE FEDERAL, STATE, AND LOCAL CODES/ORDINANCES.

2. CONDUIT ROUTINGS ARE SCHEMATIC. CONTRACTOR SHALL INSTALL CONDUITS SO THAT ACCESS TO EQUIPMENT IS NOT BLOCKED AND TRIP HAZARDS ARE ELIMINATED.

3. WIRING, RACEWAY AND SUPPORT METHODS AND MATERIALS SHALL COMPLY WITH THE REQUIREMENTS OF THE NEC.

4. ALL CIRCUITS SHALL BE SEGREGATED AND MAINTAIN MINIMUM CABLE SEPARATION AS REQUIRED BY THE NEC.

4.1. ALL EQUIPMENT SHALL BEAR THE UNDERWRITERS LABORATORIES LABEL OF APPROVAL, AND SHALL CONFORM TO REQUIREMENT OF THE NATIONAL ELECTRICAL CODE.

4.2. ALL OVERCURRENT DEVICES SHALL HAVE AN INTERRUPTING CURRENT RATING THAT SHALL BE GREATER THAN THE SHORT CIRCUIT CURRENT TO WHICH THEY ARE SUBJECTED, 22,000 AIC MINIMUM. VERIFY AVAILABLE SHORT CIRCUIT CURRENT DOES NOT EXCEED THE RATING OF ELECTRICAL EQUIPMENT IN ACCORDANCE WITH ARTICLE 110.24 NEC OR THE MOST CURRENT ADOPTED CODE PRE THE GOVERNING JURISDICTION.

5. EACH END OF EVERY POWER PHASE CONDUCTOR, GROUNDING CONDUCTOR, AND TELCO CONDUCTOR OR CABLE SHALL BE LABELED WITH COLOR-CODED INSULATION OR ELECTRICAL TAPE (3M BRAND, 1/2" PLASTIC ELECTRICAL TAPE WITH UV PROTECTION, OR EQUAL). THE IDENTIFICATION METHOD SHALL CONFORM WITH NEC AND OSHA.

6. ALL ELECTRICAL COMPONENTS SHALL BE CLEARLY LABELED WITH LAMICOID TAGS SHOWING THEIR RATED VOLTAGE, PHASE CONFIGURATION, WIRE CONFIGURATION, POWER OR AMPACITY RATING AND BRANCH CIRCUIT ID NUMBERS (i.e. PANEL BOARD AND CIRCUIT ID'S).

7. PANEL BOARDS (ID NUMBERS) SHALL BE CLEARLY LABELED WITH PLASTIC LABELS.

8. TIE WRAPS ARE NOT ALLOWED.

9. ALL POWER AND EQUIPMENT GROUND WIRING IN TUBING OR CONDUIT SHALL BE SINGLE COPPER CONDUCTOR (#14 OR LARGER) WITH TYPE THHW, THWN, THWN-2, XHHW, XHHW-2, THW, THW-2, RHW, OR RHW-2 INSULATION UNLESS OTHERWISE SPECIFIED.

10. SUPPLEMENTAL EQUIPMENT GROUND WIRING LOCATED INDOORS SHALL BE SINGLE COPPER CONDUCTOR (#6 OR LARGER) WITH TYPE THHW, THWN, THWN-2, XHHW, XHHW-2, THW, THW-2, RHW, OR RHW-2 INSULATION UNLESS OTHERWISE SPECIFIED.

11. POWER AND CONTROL WIRING IN FLEXIBLE CORD SHALL BE MULTI-CONDUCTOR, TYPE SOOW CORD (#14 OR LARGER) UNLESS OTHERWISE SPECIFIED.

12. POWER AND CONTROL WIRING FOR USE IN CABLE TRAY SHALL BE MULTI-CONDUCTOR, TYPE TC CABLE (#14 OR LARGER), WITH TYPE THHW, THWN, THWN-2, XHHW, XHHW-2, THW, THW-2, RHW, OR RHW-2 INSULATION UNLESS OTHERWISE SPECIFIED.

13. ALL POWER AND GROUNDING CONNECTIONS SHALL BE CRIMP-STYLE, COMPRESSION WIRE LUGS AND WIRE NUTS BY THOMAS AND BETTS (OR EQUAL). LUGS AND WIRE NUTS SHALL BE RATED FOR OPERATION NOT LESS THAN 75° C (90° C IF AVAILABLE).

14. RACEWAY AND CABLE TRAY SHALL BE LISTED OR LABELED FOR ELECTRICAL USE IN ACCORDANCE WITH NEMA, UL, ANSI/IEEE AND NEC.

15. ELECTRICAL METALLIC TUBING (EMT), INTERMEDIATE METAL CONDUIT (IMC), OR RIGID METAL CONDUIT (RMC) SHALL BE USED FOR EXPOSED INDOOR LOCATIONS.

16. ELECTRICAL METALLIC TUBING (EMT) OR METAL-CLAD CABLE (MC) SHALL BE USED FOR CONCEALED INDOOR LOCATIONS.

17. SCHEDULE 40 PVC UNDERGROUND ON STRAIGHTS AND SCHEDULE 80 PVC FOR ALL ELBOWS/90s AND ALL APPROVED ABOVE GRADE PVC CONDUIT.

18. LIQUID-TIGHT FLEXIBLE METALLIC CONDUIT (LIQUID-TITE FLEX) SHALL BE USED INDOORS AND OUTDOORS, WHERE VIBRATION OCCURS OR FLEXIBILITY IS NEEDED.

19. CONDUIT AND TUBING FITTINGS SHALL BE THREADED OR COMPRESSION-TYPE AND APPROVED FOR THE LOCATION USED. SET SCREW FITTINGS ARE NOT ACCEPTABLE.

20. CABINETS, BOXES AND WIRE WAYS SHALL BE LABELED FOR ELECTRICAL USE IN ACCORDANCE WITH NEMA, UL, ANSI/IEEE AND THE NEC.

21. WIREWAYS SHALL BE METAL WITH AN ENAMEL FINISH AND INCLUDE A HINGED COVER, DESIGNED TO SWING OPEN DOWNWARDS (WIREMOLD SPECMATE WIREWAY).

22. SLOTTED WIRING DUCT SHALL BE PVC AND INCLUDE COVER (PANDUIT TYPE E OR EQUAL).

23. CONDUITS SHALL BE FASTENED SECURELY IN PLACE WITH APPROVED NON-PERFORATED STRAPS AND HANGERS. EXPLOSIVE DEVICES (i.e. POWDER-ACTUATED) FOR ATTACHING HANGERS TO STRUCTURE WILL NOT BE PERMITTED. CLOSELY FOLLOW THE LINES OF THE STRUCTURE, MAINTAIN CLOSE PROXIMITY TO THE STRUCTURE AND KEEP CONDUITS IN TIGHT ENVELOPES. CHANGES IN DIRECTION TO ROUTE AROUND OBSTACLES SHALL BE MADE WITH CONDUIT OUTLET BODIES. CONDUIT SHALL BE INSTALLED IN A NEAT AND WORKMANLIKE MANNER. PARALLEL AND PERPENDICULAR TO STRUCTURE WALL AND CEILING LINES. ALL CONDUIT SHALL BE FISHED TO CLEAR OBSTRUCTIONS. ENDS OF CONDUITS SHALL BE TEMPORARILY CAPPED FLUSH TO FINISH GRADE TO PREVENT CONCRETE, PLASTER OR DIRT FROM ENTERING. CONDUITS SHALL BE RIGIDLY CLAMPED TO BOXES BY GALVANIZED MALLEABLE IRON BUSHING ON INSIDE AND GALVANIZED MALLEABLE IRON LOCKNUT ON OUTSIDE AND INSIDE.

24. EQUIPMENT CABINETS, TERMINAL BOXES, JUNCTION BOXES AND PULL BOXES SHALL BE GALVANIZED OR EPOXY-COATED SHEET STEEL. SHALL MEET OR EXCEED UL 50 AND BE RATED NEMA 1 (OR BETTER) FOR INTERIOR LOCATIONS AND NEMA 3 (OR BETTER) FOR EXTERIOR LOCATIONS.

25. METAL RECEPTACLE, SWITCH AND DEVICE BOXES SHALL BE GALVANIZED, EPOXY-COATED OR NON-CORRODING; SHALL MEET OR EXCEED UL 514A AND NEMA OS 1 AND BE RATED NEMA 1 (OR BETTER) FOR INTERIOR LOCATIONS AND WEATHER PROTECTED (WP OR BETTER) FOR EXTERIOR LOCATIONS.

26. NONMETALLIC RECEPTACLE, SWITCH AND DEVICE BOXES SHALL MEET OR EXCEED NEMA OS 2 (NEWEST REVISION) AND BE RATED NEMA 1 (OR BETTER) FOR INTERIOR LOCATIONS AND WEATHER PROTECTED (WP OR BETTER) FOR EXTERIOR LOCATIONS.

27. THE CONTRACTOR SHALL NOTIFY AND OBTAIN NECESSARY AUTHORIZATION FROM THE CARRIER AND/OR DISH WIRELESS, LLC. AND TOWER OWNER BEFORE COMMENCING WORK ON THE AC POWER DISTRIBUTION PANELS.

28. THE CONTRACTOR SHALL PROVIDE NECESSARY TAGGING ON THE BREAKERS, CABLES AND DISTRIBUTION PANELS IN ACCORDANCE WITH THE APPLICABLE CODES AND STANDARDS TO SAFEGUARD LIFE AND PROPERTY.

29. INSTALL LAMICOID LABEL ON THE METER CENTER TO SHOW "DISH WIRELESS, LLC.".

30. ALL EMPTY/SPARE CONDUITS THAT ARE INSTALLED ARE TO HAVE A METERED MULE TAPE PULL CORD INSTALLED.

dish wireless.
5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 | HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
YUHEI SAKANO
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER

2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION

BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE

GENERAL NOTES

SHEET NUMBER

GN-3

GROUNDING NOTES:

1. ALL GROUND ELECTRODE SYSTEMS (INCLUDING TELECOMMUNICATION, RADIO, LIGHTNING PROTECTION AND AC POWER GES'S) SHALL BE BONDED TOGETHER AT OR BELOW GRADE, BY TWO OR MORE COPPER BONDING CONDUCTORS IN ACCORDANCE WITH THE NEC.

2. THE CONTRACTOR SHALL PERFORM IEEE FALL-OF-POTENTIAL RESISTANCE TO EARTH TESTING (PER IEEE 1100 AND 81) FOR GROUND ELECTRODE SYSTEMS, THE CONTRACTOR SHALL FURNISH AND INSTALL SUPPLEMENTAL GROUND ELECTRODES AS NEEDED TO ACHIEVE A TEST RESULT OF 5 OHMS OR LESS.

3. THE CONTRACTOR IS RESPONSIBLE FOR PROPERLY SEQUENCING GROUNDING AND UNDERGROUND CONDUIT INSTALLATION AS TO PREVENT ANY LOSS OF CONTINUITY IN THE GROUNDING SYSTEM OR DAMAGE TO THE CONDUIT AND PROVIDE TESTING RESULTS.

4. METAL CONDUIT AND TRAY SHALL BE GROUNDED AND MADE ELECTRICALLY CONTINUOUS WITH LISTED BONDING FITTINGS OR BY BONDING ACROSS THE DISCONTINUITY WITH #6 COPPER WIRE UL APPROVED GROUNDING TYPE CONDUIT CLAMPS.

5. METAL RACEWAY SHALL NOT BE USED AS THE NEC REQUIRED EQUIPMENT GROUND CONDUCTOR. STRANDED COPPER CONDUCTORS WITH GREEN INSULATION, SIZED IN ACCORDANCE WITH THE NEC, SHALL BE FURNISHED AND INSTALLED WITH THE POWER CIRCUITS TO BTS EQUIPMENT.

6. EACH CABINET FRAME SHALL BE DIRECTLY CONNECTED TO THE MASTER GROUND BAR WITH GREEN INSULATED SUPPLEMENTAL EQUIPMENT GROUND WIRES, #6 STRANDED COPPER OR LARGER FOR INDOOR BTS; #2 BARE SOLID TINNED COPPER FOR OUTDOOR BTS.

7. CONNECTIONS TO THE GROUND BUS SHALL NOT BE DOUBLED UP OR STACKED BACK TO BACK CONNECTIONS ON OPPOSITE SIDE OF THE GROUND BUS ARE PERMITTED.

8. ALL EXTERIOR GROUND CONDUCTORS BETWEEN EQUIPMENT/GROUND BARS AND THE GROUND RING SHALL BE #2 SOLID TINNED COPPER UNLESS OTHERWISE INDICATED.

9. ALUMINUM CONDUCTOR OR COPPER CLAD STEEL CONDUCTOR SHALL NOT BE USED FOR GROUNDING CONNECTIONS.

10. USE OF 90° BENDS IN THE PROTECTION GROUNDING CONDUCTORS SHALL BE AVOIDED WHEN 45° BENDS CAN BE ADEQUATELY SUPPORTED.

11. EXOTHERMIC WELDS SHALL BE USED FOR ALL GROUNDING CONNECTIONS BELOW GRADE.

12. ALL GROUND CONNECTIONS ABOVE GRADE (INTERIOR AND EXTERIOR) SHALL BE FORMED USING HIGH PRESS CRIMPS.

13. COMPRESSION GROUND CONNECTIONS MAY BE REPLACED BY EXOTHERMIC WELD CONNECTIONS.

14. ICE BRIDGE BONDING CONDUCTORS SHALL BE EXOTHERMICALLY BONDED OR BOLTED TO THE BRIDGE AND THE TOWER GROUND BAR.

15. APPROVED ANTIOXIDANT COATINGS (i.e. CONDUCTIVE GEL OR PASTE) SHALL BE USED ON ALL COMPRESSION AND BOLTED GROUND CONNECTIONS.

16. ALL EXTERIOR GROUND CONNECTIONS SHALL BE COATED WITH A CORROSION RESISTANT MATERIAL.

17. MISCELLANEOUS ELECTRICAL AND NON-ELECTRICAL METAL BOXES, FRAMES AND SUPPORTS SHALL BE BONDED TO THE GROUND RING, IN ACCORDANCE WITH THE NEC.

18. BOND ALL METALLIC OBJECTS WITHIN 6 ft OF MAIN GROUND RING WITH (1) #2 BARE SOLID TINNED COPPER GROUND CONDUCTOR.

19. GROUND CONDUCTORS USED FOR THE FACILITY GROUNDING AND LIGHTNING PROTECTION SYSTEMS SHALL NOT BE ROUTED THROUGH METALLIC OBJECTS THAT FORM A RING AROUND THE CONDUCTOR, SUCH AS METALLIC CONDUITS, METAL SUPPORT CLIPS OR SLEEVES THROUGH WALLS OR FLOORS. WHEN IT IS REQUIRED TO BE HOUSED IN CONDUIT TO MEET CODE REQUIREMENTS OR LOCAL CONDITIONS, NON-METALLIC MATERIAL SUCH AS PVC CONDUIT SHALL BE USED. WHERE USE OF METAL CONDUIT IS UNAVOIDABLE (i.e., NONMETALLIC CONDUIT PROHIBITED BY LOCAL CODE) THE GROUND CONDUCTOR SHALL BE BONDED TO EACH END OF THE METAL CONDUIT.

20. ALL GROUNDS THAT TRANSITION FROM BELOW GRADE TO ABOVE GRADE MUST BE #2 BARE SOLID TINNED COPPER IN 3/4" NON-METALLIC, FLEXIBLE CONDUIT FROM 24" BELOW GRADE TO WITHIN 3" TO 6" OF CAD-WELD TERMINATION POINT. THE EXPOSED END OF THE CONDUIT MUST BE SEALED WITH SILICONE CAULK. (ADD TRANSITIONING GROUND STANDARD DETAIL AS WELL).

21. BUILDINGS WHERE THE MAIN GROUNDING CONDUCTORS ARE REQUIRED TO BE ROUTED TO GRADE, THE CONTRACTOR SHALL ROUTE TWO GROUNDING CONDUCTORS FROM THE ROOFTOP, TOWERS, AND WATER TOWERS GROUNDING RING, TO THE EXISTING GROUNDING SYSTEM, THE GROUNDING CONDUCTORS SHALL NOT BE SMALLER THAN 2/0 COPPER. ROOFTOP GROUNDING RING SHALL BE BONDED TO THE EXISTING GROUNDING SYSTEM, THE BUILDING STEEL COLUMNS, LIGHTNING PROTECTION SYSTEM, AND BUILDING MAIN WATER LINE (FERROUS OR NONFERROUS METAL PIPING ONLY). DO NOT ATTACH GROUNDING TO FIRE SPRINKLER SYSTEM PIPES.

dish wireless.

5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

CROWN CASTLE
2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD. SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

STATE OF CONNECTICUT
TSUTOMU SAKANO
34916
LICENSED PROFESSIONAL ENGINEER
6/14/21

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	04/28/2021	ISSUED FOR REVIEW
0	06/11/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER

2039-Z5555C

DISH WIRELESS, LLC.
PROJECT INFORMATION

BOBDL00034A
49 WIG HILL ROAD
CHESTER, CT 06412

SHEET TITLE

GENERAL NOTES

SHEET NUMBER

GN-4

Exhibit D

Structural Analysis Report

Date: **May 05, 2021**

Crown Castle
2000 Corporate Drive
Canonsburg, PA 15317
(724) 416-2000

Subject:	**Structural Analysis Report**	
Carrier Designation:	***DISH Network* Co-Locate**	
	Site Number:	BOBDL00034A
	Site Name:	CT-CCI-T-800515
Crown Castle Designation:	**BU Number:**	800515
	Site Name:	CT CHESTER CAC 800515
	JDE Job Number:	645102
	Work Order Number:	1952379
	Order Number:	553282 Rev. 0
Engineering Firm Designation:	**Crown Castle Project Number:**	1952379
Site Data:	**49 Wig Hill Road, Chester, Middlesex County, CT** **Latitude *41° 24' 13.93"*, Longitude *-72° 28' 20.82"*** **150 Foot - Monopole Tower**	

Crown Castle is pleased to submit this **"Structural Analysis Report"** to determine the structural integrity of the above-mentioned tower.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC7: Proposed Equipment Configuration ***Sufficient Capacity**

***The structure has sufficient capacity once the loading changes, described in the Recommendations section of this report, are completed.**

This analysis utilizes an ultimate 3-second gust wind speed of 130 mph as required by the 2018 Connecticut State Building Code and Appendix N. Applicable Standard references and design criteria are listed in Section 2 - "Analysis Criteria".

Structural analysis prepared by: Kenneth Sukitch, E.I.T.

Respectfully submitted by:



Terry P Styran
2021.05.05
17:12:53 -04'00'

Terry P. Styran, P.E.
Senior Project Engineer

TABLE OF CONTENTS

1) INTRODUCTION

This tower is a 150 ft Monopole tower designed by ENGINEERED ENDEAVORS, INC.

The tower has been modified to accommodate additional loading.

2) ANALYSIS CRITERIA

TIA-222 Revision:	TIA-222-H
Risk Category:	II
Wind Speed:	130 mph
Exposure Category:	B
Topographic Factor:	1
Ice Thickness:	1.5 in
Wind Speed with Ice:	50 mph
Service Wind Speed:	60 mph

Table 1 - Proposed Equipment Configuration

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
93.0	93.0	3	fujitsu	TA08025-B604	1	1-1/2
		3	fujitsu	TA08025-B605		
		3	jma wireless	MX08FRO665-20 w/ Mount Pipe		
		1	raycap	RDIDC-9181-PF-48		
		1	tower mounts	Commscope MC-PK8-DSH		

Table 2 - Non-Carrier Equipment To Be Conditionally Removed

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
96.0	96.0	3	rfs celwave	APXV18-206517LS w/ Mount Pipe	6	1-1/4
		1	tower mounts	Side Arm Mount [SO 104-3]		

Table 3 - Other Considered Equipment

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
150.0	150.0	3	ericsson	AIR6449 B41_T-MOBILE w/ Mount Pipe	3	1-5/8
		3	ericsson	RADIO 4415 B66A_CCIV3		
		3	ericsson	RADIO 4424 B25_TMOV1		
		3	ericsson	RADIO 4449 B71 B85A_T-MOBILE		
		3	rfs celwave	APX16DWV-16DWV-S-E-A20 w/ Mount Pipe		
		3	rfs celwave	APXVAALL24_43-U-NA20_TMO w/ Mount Pipe		
		1	tower mounts	Platform Mount [LP 602-1]		

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
148.0	163.0	1	kreco	CO-40A	4	7/8
	162.0	1	telewave	ANT450F6		
	159.0	1	kreco	CO-40A		
		1	telewave	ANT450F6		
	148.0	1	tower mounts	Side Arm Mount [SO 102-3]		
		4	tower mounts	Side Arm Mount [SO 701-1]		
141.0	141.0	6	jma wireless	MX06FRO660-03 w/ Mount Pipe	2 6	1-1/4 1-5/8
		2	rfs celwave	DB-B1-6C-12AB-0Z		
		6	samsung telecommunications	RFV01U-D1A		
		6	samsung telecommunications	RFV01U-D2A		
		1	tower mounts	Platform Mount [LP 602-1]		
		3	vzw	Sub6 Antenna - VZS01 w/ Mount Pipe		
	140.0	6	antel	LPA-80080-4CF-EDIN-0 w/ Mount Pipe		
	139.0	1	pole mounts	8-ft Ladder		
132.0	134.0	3	cci antennas	DMP65R-BU6D w/ Mount Pipe	6 3 4 2	1-1/4 3/8 3/4 7/16
		3	cci antennas	TPA65R-BU6D w/ Mount Pipe		
		3	powerwave technologies	7770.00 w/ Mount Pipe		
	132.0	3	ericsson	RRUS 4449 B5/B12		
		3	ericsson	RRUS 4478 B14		
		3	ericsson	RRUS 8843 B2/B66A		
		2	raycap	DC6-48-60-18-8F		
		1	tower mounts	Platform Mount [LP 602-1]		
116.0	118.0	1	rad data communications	AIRMUX-400 w/ Mount Pipe	1 2	1/4 1-1/4
		1	telewave	ANT450F6		
		1	telewave	ANT450Y7-WR		
	116.0	2	tower mounts	Side Arm Mount [SO 102-1]		
106.0	108.0	3	ericsson	KRY 112 144/1	13	1-5/8
		3	ericsson	KRY 112 489/2		
		3	ericsson	RADIO 4449 B12/B71		
		3	rfs celwave	APXV18-206516S-C-A20 w/ Mount Pipe		
		3	rfs celwave	APXVAARR24_43-U-NA20 w/ Mount Pipe		
	106.0	1	tower mounts	Platform Mount [LP 602-1]		
75.0	75.0	1	gps	GPS_A	1	1/2
		1	tower mounts	Side Arm Mount [SO 701-1]		

3) ANALYSIS PROCEDURE

Table 4 - Documents Provided

Document	Reference	Source
4-GEOTECHNICAL REPORTS	2301672	CCISITES
4-TOWER FOUNDATION DRAWINGS/DESIGN/SPECS	671930	CCISITES
4-TOWER MANUFACTURER DRAWINGS	671925	CCISITES
4-POST-MODIFICATION INSPECTION	1285403	CCISITES
4-TOWER REINFORCEMENT DESIGN/DRAWINGS/DATA	1037702	CCISITES

3.1) Analysis Method

tnxTower (version 8.0.9.0), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A. When applicable, Crown Castle has calculated and provided the effective area for panel antennas using approved methods following the intent of the TIA-222 standard.

3.2) Assumptions

1) Tower and structures were maintained in accordance with the TIA-222 Standard.
2) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.

This analysis may be affected if any assumptions are not valid or have been made in error. Crown Castle should be notified to determine the effect on the structural integrity of the tower.

4) ANALYSIS RESULTS

Table 5 - Section Capacity (Summary)

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail
L1	150 - 122.92	Pole	TP28.83x21x0.1875	1	-12.67	1002.97	45.3	Pass
L2	122.92 - 84.26	Pole	TP39.51x27.2493x0.375	2	-26.58	2746.10	43.7	Pass
L3	84.26 - 41.55	Pole	TP50.99x37.1855x0.4375	3	-40.27	4143.17	49.1	Pass
L4	41.55 - 0	Pole	TP62x48.1364x0.5	4	-62.46	5995.11	47.2	Pass
							Summary	
						Pole (L3)	49.1	Pass
						Rating =	49.1	Pass

Table 6 - Tower Component Stresses vs. Capacity - LC7

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
1	Anchor Rods	0	44.4	Pass
1	Base Plate	0	32.5	Pass
1	Base Foundation (Structure)	0	57.1	Pass
1	Base Foundation (Soil Interaction)	0	52.0	Pass

Structure Rating (max from all components) =	57.1%

Notes:
1) See additional documentation in “Appendix C – Additional Calculations” for calculations supporting the % capacity consumed.

4.1) Recommendations

The tower and its foundation have sufficient capacity to carry the proposed load configuration. In order for the results of this analysis to be considered valid, the loading modification, as follows, must be completed.

Loading Changes:

a) Removal of the abandoned antennas, feed lines and mounts at the 96 ft level

No structural modifications are required at this time provided that the above-listed changes are completed.

APPENDIX A

TNXTOWER OUTPUT

Section	Length (ft)	Number of Sides	Thickness (in)	Socket Length (ft)	Top Dia (in)	Bot Dia (in)	Grade	Weight (K)
1	27.08	18	0.1875	4.17	21.0000	28.8300	A572-65	1.4
2	42.83	18	0.3750	5.50	27.2493	39.5100		5.7
3	48.21	18	0.4375	6.91	37.1855	50.9900		9.9
4	48.46	18	0.5000		48.1364	62.0000		14.3
								31.3



ALL REACTIONS ARE FACTORED

AXIAL 102 K
SHEAR 9 K
MOMENT 988 kip-ft
TORQUE 1 kip-ft
50.00 mph WIND - 1.5000 in ICE

AXIAL 62 K
SHEAR 37 K
MOMENT 4132 kip-ft
TORQUE 3 kip-ft
REACTIONS - 130.00 mph WIND

MATERIAL STRENGTH

GRADE	Fy	Fu	GRADE	Fy	Fu
A572-65	65 ksi	80 ksi			

TOWER DESIGN NOTES

1. Tower is located in Middlesex County, Connecticut.
2. Tower designed for Exposure B to the TIA-222-H Standard.
3. Tower designed for a 130.00 mph basic wind in accordance with the TIA-222-H Standard.
4. Tower is also designed for a 50.00 mph basic wind with 1.50 in ice. Ice is considered to increase in thickness with height.
5. Deflections are based upon a 60.00 mph wind.
6. Tower Risk Category II.
7. Topographic Category 1 with Crest Height of 0.00 ft
8. TOWER RATING: 49.1%

CROWN CASTLE
The Pathway to Possible

Crown Castle
2000 Corporate Drive
Canonsburg, PA 15317
Phone: (724) 416-2000
FAX:

Job: ***BU#: 800515***			
Project:			
Client: Crown Castle	Drawn by: KSukitch		App'd:
Code: TIA-222-H	Date: 05/05/21		Scale: NTS
Path: C:\Users\ksukitch\OneDrive - Crown Castle USA Inc\Desktop\Work Area\800515\WO 1952379 - SA\Prod\800515.eri			Dwg No. E-1

Tower Input Data

The tower is a monopole.
This tower is designed using the TIA-222-H standard.
The following design criteria apply:

- Tower is located in Middlesex County, Connecticut.
- Tower base elevation above sea level: 356.00 ft.
- Basic wind speed of 130.00 mph.
- Risk Category II.
- Exposure Category B.
- Simplified Topographic Factor Procedure for wind speed-up calculations is used.
- Topographic Category: 1.
- Crest Height: 0.00 ft.
- Nominal ice thickness of 1.5000 in.
- Ice thickness is considered to increase with height.
- Ice density of 56.00 pcf.
- A wind speed of 50.00 mph is used in combination with ice.
- Temperature drop of 50.00 °F.
- Deflections calculated using a wind speed of 60.00 mph.
- A non-linear (P-delta) analysis was used.
- Pressures are calculated at each section.
- Stress ratio used in pole design is 1.05.
- Tower analysis based on target reliabilities in accordance with Annex S.
- Load Modification Factors used: $K_{es}(F_w) = 0.95$, $K_{es}(t_i) = 0.85$.
- Maximum demand-capacity ratio is: 1.
- Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

	Consider Moments - Legs		Distribute Leg Loads As Uniform		Use ASCE 10 X-Brace Ly Rules
	Consider Moments - Horizontals		Assume Legs Pinned		Calculate Redundant Bracing Forces
	Consider Moments - Diagonals	√	Assume Rigid Index Plate		Ignore Redundant Members in FEA
	Use Moment Magnification	√	Use Clear Spans For Wind Area		SR Leg Bolts Resist Compression
	Use Code Stress Ratios		Use Clear Spans For KL/r		All Leg Panels Have Same Allowable
√	Use Code Safety Factors - Guys		Retension Guys To Initial Tension		Offset Girt At Foundation
	Escalate Ice	√	Bypass Mast Stability Checks	√	Consider Feed Line Torque
	Always Use Max Kz	√	Use Azimuth Dish Coefficients		Include Angle Block Shear Check
	Use Special Wind Profile	√	Project Wind Area of Appurt.		Use TIA-222-H Bracing Resist. Exemption
	Include Bolts In Member Capacity		Autocalc Torque Arm Areas		Use TIA-222-H Tension Splice Exemption
	Leg Bolts Are At Top Of Section		Add IBC .6D+W Combination		Poles
	Secondary Horizontal Braces Leg	√	Sort Capacity Reports By Component	√	Include Shear-Torsion Interaction
	Use Diamond Inner Bracing (4 Sided)		Triangulate Diamond Inner Bracing		Always Use Sub-Critical Flow
	SR Members Have Cut Ends		Treat Feed Line Bundles As Cylinder		Use Top Mounted Sockets
	SR Members Are Concentric		Ignore KL/ry For 60 Deg. Angle Legs		Pole Without Linear Attachments
					Pole With Shroud Or No Appurtenances
					Outside and Inside Corner Radii Are Known

Tapered Pole Section Geometry

Section	Elevation ft	Section Length ft	Splice Length ft	Number of Sides	Top Diameter in	Bottom Diameter in	Wall Thickness in	Bend Radius in	Pole Grade
L1	150.00-122.92	27.08	4.17	18	21.0000	28.8300	0.1875	0.7500	A572-65 (65 ksi)
L2	122.92-84.26	42.83	5.50	18	27.2493	39.5100	0.3750	1.5000	A572-65 (65 ksi)
L3	84.26-41.55	48.21	6.91	18	37.1855	50.9900	0.4375	1.7500	A572-65 (65 ksi)
L4	41.55-0.00	48.46		18	48.1364	62.0000	0.5000	2.0000	A572-65 (65 ksi)

Tapered Pole Properties

Section	Tip Dia. in	Area in^2	I in^4	r in	C in	I/C in^3	J in^4	It/Q in^2	w in	w/t
L1	21.2950	12.3860	677.8263	7.3884	10.6680	63.5383	1356.5444	6.1942	3.3660	17.952
	29.2458	17.0459	1766.7635	10.1681	14.6456	120.6341	3535.8517	8.5246	4.7441	25.302
L2	28.8239	31.9871	2918.6755	9.5404	13.8426	210.8469	5841.1915	15.9966	4.1359	11.029
	40.0617	46.5804	9013.0474	13.8929	20.0711	449.0564	18037.9544	23.2946	6.2938	16.783
L3	39.2909	51.0293	8706.1286	13.0456	18.8903	460.8793	17423.7129	25.5195	5.7747	13.199
	51.7091	70.1985	22664.7192	17.9461	25.9029	874.9870	45359.2613	35.1059	8.2042	18.753
L4	50.8092	75.5990	21673.5925	16.9109	24.4533	886.3264	43375.7037	37.8067	7.5920	15.184
	62.8793	97.6005	46637.9792	21.8325	31.4960	1480.7588	93337.3258	48.8095	10.0320	20.064

Tower Elevation ft	Gusset Area (per face) ft^2	Gusset Thickness in	Gusset Grade	Adjust. Factor A_f	Adjust. Factor A_r	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in	Double Angle Stitch Bolt Spacing Redundants in
L1 150.00-122.92				1	1	1			
L2 122.92-84.26				1	1	1			
L3 84.26-41.55				1	1	1			
L4 41.55-0.00				1	1	1			

Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Sector	Exclude From Torque Calculation	Component Type	Placement ft	Total Number	Number Per Row	Start/End Position	Width or Diameter in	Perimeter in	Weight plf
HJ5-50(7/8")	A	No	Surface Ar (CaAa)	148.00 - 0.00	1	1	-0.036 -0.036	1.1100		0.54
FB-L98B-002-75000(3/8")	A	No	Surface Ar (CaAa)	132.00 - 0.00	2	2	0.173 0.191	0.3937		0.06
WR-VG86ST-BRD (3/4") ******	A	No	Surface Ar (CaAa)	132.00 - 0.00	4	4	0.103 0.158	0.7740		0.88
CAT5e(1/4")	B	No	Surface Ar (CaAa)	116.00 - 0.00	1	1	-0.092 -0.092	0.2600		0.04
CR 1480 PE(1-1/4) ***	B	No	Surface Ar (CaAa)	116.00 - 0.00	2	2	-0.105 -0.059	1.5700		0.55
FLC 12-50J(1/2")	B	No	Surface Ar (CaAa)	75.00 - 0.00	1	1	0.292 0.292	0.6400		0.17

Description	Sector	Exclude From Torque Calculation	Component Type	Placement ft	Total Number	Number Per Row	Start/End Position	Width or Diameter in	Perimeter in	Weight plf
**										

Feed Line/Linear Appurtenances - Entered As Area

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Component Type	Placement ft	Total Number		C_AA_A ft^2/ft	Weight plf
HB158-1-08U8-S8F18(1-5/8)	C	No	No	Inside Pole	150.00 - 0.00	3	No Ice	0.00	1.70
							1/2" Ice	0.00	1.70
							1" Ice	0.00	1.70
							2" Ice	0.00	1.70
***									
HJ5-50(7/8")	C	No	No	Inside Pole	148.00 - 0.00	3	No Ice	0.00	0.54
							1/2" Ice	0.00	0.54
							1" Ice	0.00	0.54
							2" Ice	0.00	0.54
***									
HJ7-50A(1-5/8")	C	No	No	Inside Pole	141.00 - 0.00	6	No Ice	0.00	1.04
							1/2" Ice	0.00	1.04
							1" Ice	0.00	1.04
							2" Ice	0.00	1.04
HB114-U6S12-xxx-LI(1-1/4")	C	No	No	Inside Pole	141.00 - 0.00	2	No Ice	0.00	1.70
							1/2" Ice	0.00	1.70
							1" Ice	0.00	1.70
							2" Ice	0.00	1.70
***									
LCF114-50J(1-1/4")	C	No	No	Inside Pole	132.00 - 0.00	6	No Ice	0.00	0.70
							1/2" Ice	0.00	0.70
							1" Ice	0.00	0.70
							2" Ice	0.00	0.70
FB-L98B-002-75000(3/8")	C	No	No	Inside Pole	132.00 - 0.00	1	No Ice	0.00	0.06
							1/2" Ice	0.00	0.06
							1" Ice	0.00	0.06
							2" Ice	0.00	0.06
WR-VG122ST-BRDA(7/16")	C	No	No	Inside Pole	132.00 - 0.00	2	No Ice	0.00	0.14
							1/2" Ice	0.00	0.14
							1" Ice	0.00	0.14
							2" Ice	0.00	0.14
2" (Nominal) Conduit	C	No	No	Inside Pole	132.00 - 0.00	1	No Ice	0.00	0.72
							1/2" Ice	0.00	0.72
							1" Ice	0.00	0.72
							2" Ice	0.00	0.72
******									
******									
LDF7-50A(1-5/8")	C	No	No	Inside Pole	106.00 - 0.00	6	No Ice	0.00	0.82
							1/2" Ice	0.00	0.82
							1" Ice	0.00	0.82
							2" Ice	0.00	0.82
AVA7-50(1-5/8")	C	No	No	Inside Pole	106.00 - 0.00	6	No Ice	0.00	0.70
							1/2" Ice	0.00	0.70
							1" Ice	0.00	0.70
							2" Ice	0.00	0.70
HCS 6X12 4AWG(1-5/8")	C	No	No	Inside Pole	106.00 - 0.00	1	No Ice	0.00	2.40
							1/2" Ice	0.00	2.40
							1" Ice	0.00	2.40
							2" Ice	0.00	2.40
******									
***									
CU12PSM9P6XXX (1-1/2)	C	No	No	Inside Pole	93.00 - 0.00	1	No Ice	0.00	2.35
							1/2" Ice	0.00	2.35
							1" Ice	0.00	2.35
							2" Ice	0.00	2.35
**									

Feed Line/Linear Appurtenances Section Areas

Tower Section	Tower Elevation ft	Face	A_R ft^2	A_F ft^2	C_AA_A In Face ft^2	C_AA_A Out Face ft^2	Weight K
L1	150.00-122.92	A	0.000	0.000	6.310	0.000	0.05
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.000	0.40
L2	122.92-84.26	A	0.000	0.000	19.304	0.000	0.16
		B	0.000	0.000	10.792	0.000	0.04
		C	0.000	0.000	0.000	0.000	1.11
L3	84.26-41.55	A	0.000	0.000	21.327	0.000	0.18
		B	0.000	0.000	16.662	0.000	0.05
		C	0.000	0.000	0.000	0.000	1.52
L4	41.55-0.00	A	0.000	0.000	20.748	0.000	0.17
		B	0.000	0.000	16.786	0.000	0.05
		C	0.000	0.000	0.000	0.000	1.47

Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A_R ft^2	A_F ft^2	C_AA_A In Face ft^2	C_AA_A Out Face ft^2	Weight K
L1	150.00-122.92	A	1.469	0.000	0.000	21.226	0.000	0.26
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	0.000	0.40
L2	122.92-84.26	A	1.428	0.000	0.000	62.804	0.000	0.75
		B		0.000	0.000	34.261	0.000	0.37
		C		0.000	0.000	0.000	0.000	1.11
L3	84.26-41.55	A	1.359	0.000	0.000	68.179	0.000	0.80
		B		0.000	0.000	57.025	0.000	0.61
		C		0.000	0.000	0.000	0.000	1.52
L4	41.55-0.00	A	1.213	0.000	0.000	64.308	0.000	0.74
		B		0.000	0.000	56.751	0.000	0.58
		C		0.000	0.000	0.000	0.000	1.47

Feed Line Center of Pressure

Section	Elevation ft	CP_X in	CP_Z in	CP_X Ice in	CP_Z Ice in
L1	150.00-122.92	-1.3973	-1.0876	-2.1266	-1.6426
L2	122.92-84.26	-0.8533	-3.1373	-1.0910	-3.8330
L3	84.26-41.55	-0.3091	-3.4207	-0.1538	-4.2989
L4	41.55-0.00	-0.2468	-3.5601	0.0059	-4.6476

Note: For pole sections, center of pressure calculations do not consider feed line shielding.

Shielding Factor Ka

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K_a No Ice	K_a Ice
L1	4	HJ5-50(7/8")	122.92 - 148.00	1.0000	1.0000
L1	10	FB-L98B-002-75000(3/8")	122.92 - 132.00	1.0000	1.0000
L1	14	WR-VG86ST-BRD (3/4")	122.92 - 132.00	1.0000	1.0000
L2	4	HJ5-50(7/8")	84.26 - 122.92	1.0000	1.0000
L2	10	FB-L98B-002-75000(3/8")	84.26 - 122.92	1.0000	1.0000
L2	14	WR-VG86ST-BRD (3/4")	84.26 - 122.92	1.0000	1.0000
L2	16	CAT5e(1/4")	84.26 - 116.00	1.0000	1.0000
L2	17	CR 1480 PE(1-1/4)	84.26 - 116.00	1.0000	1.0000
L3	4	HJ5-50(7/8")	41.55 - 84.26	1.0000	1.0000
L3	10	FB-L98B-002-75000(3/8")	41.55 - 84.26	1.0000	1.0000
L3	14	WR-VG86ST-BRD (3/4")	41.55 - 84.26	1.0000	1.0000
L3	16	CAT5e(1/4")	41.55 - 84.26	1.0000	1.0000
L3	17	CR 1480 PE(1-1/4)	41.55 - 84.26	1.0000	1.0000
L3	28	FLC 12-50J(1/2")	41.55 - 75.00	1.0000	1.0000
L4	4	HJ5-50(7/8")	0.00 - 41.55	1.0000	1.0000
L4	10	FB-L98B-002-75000(3/8")	0.00 - 41.55	1.0000	1.0000
L4	14	WR-VG86ST-BRD (3/4")	0.00 - 41.55	1.0000	1.0000
L4	16	CAT5e(1/4")	0.00 - 41.55	1.0000	1.0000
L4	17	CR 1480 PE(1-1/4)	0.00 - 41.55	1.0000	1.0000
L4	28	FLC 12-50J(1/2")	0.00 - 41.55	1.0000	1.0000

Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets: Horz Lateral ft Vert ft ft	Azimuth Adjustment ° °	Placement ft ft		C_AA_A Front ft^2 ft^2	C_AA_A Side ft^2 ft^2	Weight K K
Lightning Rod 5/8" x 6'	C	From Leg	0.00 0.00 3.00	0.00	150.00	No Ice 1/2" Ice 1" Ice 2" Ice	0.38 0.99 1.62 2.46	0.38 0.99 1.62 2.46	0.01 0.01 0.02 0.05
** 150 **									
AIR6449 B41_T-MOBILE w/ Mount Pipe	A	From Leg	4.00 0.00 0.00	0.00	150.00	No Ice 1/2" Ice 1" Ice 2" Ice	5.19 5.59 6.02 6.90	2.71 3.04 3.38 4.12	0.13 0.17 0.23 0.35
AIR6449 B41_T-MOBILE w/ Mount Pipe	B	From Leg	4.00 0.00 0.00	0.00	150.00	No Ice 1/2" Ice 1" Ice 2" Ice	5.19 5.59 6.02 6.90	2.71 3.04 3.38 4.12	0.13 0.17 0.23 0.35
AIR6449 B41_T-MOBILE w/ Mount Pipe	C	From Leg	4.00 0.00	0.00	150.00	No Ice	5.19 5.59	2.71 3.04	0.13 0.17

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C_AA_A Front ft^2	C_AA_A Side ft^2	Weight K
			0.00			1/2" Ice	6.02	3.38	0.23
						1" Ice	6.90	4.12	0.35
						2" Ice			
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	A	From Leg	4.00	0.00	150.00	No Ice	6.29	2.76	0.06
			0.00			1/2" Ice	6.86	3.27	0.11
			0.00			1" Ice	7.45	3.79	0.16
						2" Ice	8.68	4.90	0.29
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	B	From Leg	4.00	0.00	150.00	No Ice	6.29	2.76	0.06
			0.00			1/2" Ice	6.86	3.27	0.11
			0.00			1" Ice	7.45	3.79	0.16
						2" Ice	8.68	4.90	0.29
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	C	From Leg	4.00	0.00	150.00	No Ice	6.29	2.76	0.06
			0.00			1/2" Ice	6.86	3.27	0.11
			0.00			1" Ice	7.45	3.79	0.16
						2" Ice	8.68	4.90	0.29
APXVAALL24_43-U-NA20_TMO w/ Mount Pipe	A	From Leg	4.00	0.00	150.00	No Ice	14.69	6.87	0.18
			0.00			1/2" Ice	15.46	7.55	0.31
			0.00			1" Ice	16.23	8.25	0.45
						2" Ice	17.82	9.67	0.78
APXVAALL24_43-U-NA20_TMO w/ Mount Pipe	B	From Leg	4.00	0.00	150.00	No Ice	14.69	6.87	0.18
			0.00			1/2" Ice	15.46	7.55	0.31
			0.00			1" Ice	16.23	8.25	0.45
						2" Ice	17.82	9.67	0.78
APXVAALL24_43-U-NA20_TMO w/ Mount Pipe	C	From Leg	4.00	0.00	150.00	No Ice	14.69	6.87	0.18
			0.00			1/2" Ice	15.46	7.55	0.31
			0.00			1" Ice	16.23	8.25	0.45
						2" Ice	17.82	9.67	0.78
RADIO 4449 B71 B85A_T-MOBILE	A	From Leg	4.00	0.00	150.00	No Ice	1.97	1.59	0.07
			0.00			1/2" Ice	2.15	1.75	0.09
			0.00			1" Ice	2.33	1.92	0.12
						2" Ice	2.72	2.28	0.17
RADIO 4449 B71 B85A_T-MOBILE	B	From Leg	4.00	0.00	150.00	No Ice	1.97	1.59	0.07
			0.00			1/2" Ice	2.15	1.75	0.09
			0.00			1" Ice	2.33	1.92	0.12
						2" Ice	2.72	2.28	0.17
RADIO 4449 B71 B85A_T-MOBILE	C	From Leg	4.00	0.00	150.00	No Ice	1.97	1.59	0.07
			0.00			1/2" Ice	2.15	1.75	0.09
			0.00			1" Ice	2.33	1.92	0.12
						2" Ice	2.72	2.28	0.17
RADIO 4415 B66A_CCIV3	A	From Leg	4.00	0.00	150.00	No Ice	1.64	0.68	0.05
			0.00			1/2" Ice	1.80	0.79	0.06
			0.00			1" Ice	1.97	0.91	0.07
						2" Ice	2.32	1.18	0.11
RADIO 4415 B66A_CCIV3	B	From Leg	4.00	0.00	150.00	No Ice	1.64	0.68	0.05
			0.00			1/2" Ice	1.80	0.79	0.06
			0.00			1" Ice	1.97	0.91	0.07
						2" Ice	2.32	1.18	0.11
RADIO 4415 B66A_CCIV3	C	From Leg	4.00	0.00	150.00	No Ice	1.64	0.68	0.05
			0.00			1/2" Ice	1.80	0.79	0.06
			0.00			1" Ice	1.97	0.91	0.07
						2" Ice	2.32	1.18	0.11
RADIO 4424 B25_TMOV1	A	From Leg	4.00	0.00	150.00	No Ice	2.05	1.61	0.10

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C_AA_A Front ft^2	C_AA_A Side ft^2	Weight K
			0.00 0.00			1/2" Ice 1" Ice 2" Ice	2.23 2.42 2.81	1.77 1.94 2.30	0.12 0.14 0.20
RADIO 4424 B25_TMOV1	B	From Leg	4.00 0.00 0.00	0.00	150.00	No Ice 1/2" Ice 1" Ice 2" Ice	2.05 2.23 2.42 2.81	1.61 1.77 1.94 2.30	0.10 0.12 0.14 0.20
RADIO 4424 B25_TMOV1	C	From Leg	4.00 0.00 0.00	0.00	150.00	No Ice 1/2" Ice 1" Ice 2" Ice	2.05 2.23 2.42 2.81	1.61 1.77 1.94 2.30	0.10 0.12 0.14 0.20
Platform Mount [LP 602-1]	C	None		0.00	150.00	No Ice 1/2" Ice 1" Ice 2" Ice	31.07 34.82 38.48 45.60	31.07 34.82 38.48 45.60	1.34 1.97 2.67 4.31
8-ft Ladder	C	From Leg	2.00 0.00 -2.00	0.00	150.00	No Ice 1/2" Ice 1" Ice 2" Ice	7.07 9.73 11.19 13.98	7.07 9.73 11.19 13.98	0.04 0.07 0.08 0.11
** 148 ** CO-40A	A	From Leg	4.00 0.00 15.00	30.00	148.00	No Ice 1/2" Ice 1" Ice 2" Ice	2.76 3.84 4.93 6.46	2.76 3.84 4.93 6.46	0.01 0.03 0.05 0.13
CO-40A	C	From Leg	4.00 0.00 11.00	-30.00	148.00	No Ice 1/2" Ice 1" Ice 2" Ice	2.76 3.84 4.93 6.46	2.76 3.84 4.93 6.46	0.01 0.03 0.05 0.13
ANT450F6	B	From Leg	4.00 0.00 14.00	10.00	148.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.90 2.73 3.40 4.40	1.90 2.73 3.40 4.40	0.01 0.02 0.04 0.10
ANT450F6	C	From Leg	4.00 0.00 11.00	60.00	148.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.90 2.73 3.40 4.40	1.90 2.73 3.40 4.40	0.01 0.02 0.04 0.10
Side Arm Mount [SO 701-1]	A	From Leg	1.50 0.00 0.00	30.00	148.00	No Ice 1/2" Ice 1" Ice 2" Ice	0.85 1.14 1.43 2.01	1.67 2.34 3.01 4.35	0.07 0.08 0.09 0.12
Side Arm Mount [SO 701-1]	B	From Leg	1.50 0.00 0.00	10.00	148.00	No Ice 1/2" Ice 1" Ice 2" Ice	0.85 1.14 1.43 2.01	1.67 2.34 3.01 4.35	0.07 0.08 0.09 0.12
Side Arm Mount [SO 701-1]	C	From Leg	1.50 0.00 0.00	-30.00	148.00	No Ice 1/2" Ice 1" Ice 2" Ice	0.85 1.14 1.43 2.01	1.67 2.34 3.01 4.35	0.07 0.08 0.09 0.12
Side Arm Mount [SO 701-1]	C	From Leg	1.50 0.00 0.00	60.00	148.00	No Ice 1/2" Ice 1" Ice 2" Ice	0.85 1.14 1.43 2.01	1.67 2.34 3.01 4.35	0.07 0.08 0.09 0.12

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C_AA_A Front ft^2	C_AA_A Side ft^2	Weight K
Side Arm Mount [SO 102-3]	C	None		0.00	148.00	No Ice 1/2" Ice 1" Ice 2" Ice	3.60 4.18 4.75 5.90	3.60 4.18 4.75 5.90	0.07 0.11 0.14 0.20
** 141 **									
(2) LPA-80080-4CF-EDIN-0 w/ Mount Pipe	A	From Leg	4.00 0.00 -1.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	2.86 3.22 3.59 4.34	6.57 7.19 7.84 9.17	0.03 0.08 0.13 0.25
(2) LPA-80080-4CF-EDIN-0 w/ Mount Pipe	B	From Leg	4.00 0.00 -1.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	2.86 3.22 3.59 4.34	6.57 7.19 7.84 9.17	0.03 0.08 0.13 0.25
(2) LPA-80080-4CF-EDIN-0 w/ Mount Pipe	C	From Leg	4.00 0.00 -1.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	2.86 3.22 3.59 4.34	6.57 7.19 7.84 9.17	0.03 0.08 0.13 0.25
(2) MX06FRO660-03 w/ Mount Pipe	A	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	6.54 7.06 7.60 8.70	5.55 6.05 6.57 7.65	0.10 0.18 0.28 0.50
(2) MX06FRO660-03 w/ Mount Pipe	B	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	6.54 7.06 7.60 8.70	5.55 6.05 6.57 7.65	0.10 0.18 0.28 0.50
(2) MX06FRO660-03 w/ Mount Pipe	C	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	6.54 7.06 7.60 8.70	5.55 6.05 6.57 7.65	0.10 0.18 0.28 0.50
Sub6 Antenna - VZS01 w/ Mount Pipe	A	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	4.92 5.26 5.62 6.37	2.69 3.15 3.63 4.64	0.10 0.14 0.19 0.29
Sub6 Antenna - VZS01 w/ Mount Pipe	B	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	4.92 5.26 5.62 6.37	2.69 3.15 3.63 4.64	0.10 0.14 0.19 0.29
Sub6 Antenna - VZS01 w/ Mount Pipe	C	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	4.92 5.26 5.62 6.37	2.69 3.15 3.63 4.64	0.10 0.14 0.19 0.29
DB-B1-6C-12AB-0Z	B	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	3.36 3.60 3.84 4.34	2.19 2.39 2.61 3.05	0.02 0.05 0.08 0.16
(2) RFV01U-D2A	A	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.88 2.05 2.22 2.60	1.01 1.14 1.28 1.59	0.07 0.09 0.11 0.15
(2) RFV01U-D2A	B	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice	1.88 2.05 2.22 2.60	1.01 1.14 1.28 1.59	0.07 0.09 0.11 0.15

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C_AA_A Front ft^2	C_AA_A Side ft^2	Weight K
						2" Ice			
(2) RFV01U-D2A	C	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.88 2.05 2.22 2.60	1.01 1.14 1.28 1.59	0.07 0.09 0.11 0.15
(2) RFV01U-D1A	A	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.88 2.05 2.22 2.60	1.25 1.39 1.54 1.86	0.08 0.10 0.12 0.18
(2) RFV01U-D1A	B	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.88 2.05 2.22 2.60	1.25 1.39 1.54 1.86	0.08 0.10 0.12 0.18
(2) RFV01U-D1A	C	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.88 2.05 2.22 2.60	1.25 1.39 1.54 1.86	0.08 0.10 0.12 0.18
DB-B1-6C-12AB-0Z	A	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	3.36 3.60 3.84 4.34	2.19 2.39 2.61 3.05	0.02 0.05 0.08 0.16
Platform Mount [LP 602-1]	C	None		0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	31.07 34.82 38.48 45.60	31.07 34.82 38.48 45.60	1.34 1.97 2.67 4.31
8-ft Ladder	C	From Leg	2.00 0.00 -2.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	7.07 9.73 11.19 13.98	7.07 9.73 11.19 13.98	0.04 0.07 0.08 0.11
(2) 2.375" OD x 6' Mount Pipe	A	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.43 1.92 2.29 3.06	1.43 1.92 2.29 3.06	0.03 0.04 0.05 0.09
(2) 2.375" OD x 6' Mount Pipe	B	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.43 1.92 2.29 3.06	1.43 1.92 2.29 3.06	0.03 0.04 0.05 0.09
(2) 2.375" OD x 6' Mount Pipe	C	From Leg	4.00 0.00 0.00	0.00	141.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.43 1.92 2.29 3.06	1.43 1.92 2.29 3.06	0.03 0.04 0.05 0.09
** 132 **									
7770.00 w/ Mount Pipe	A	From Leg	4.00 0.00 2.00	0.00	132.00	No Ice 1/2" Ice 1" Ice 2" Ice	5.75 6.18 6.61 7.49	4.25 5.01 5.71 7.16	0.06 0.10 0.16 0.29
7770.00 w/ Mount Pipe	B	From Leg	4.00 0.00 2.00	0.00	132.00	No Ice 1/2" Ice 1" Ice 2" Ice	5.75 6.18 6.61 7.49	4.25 5.01 5.71 7.16	0.06 0.10 0.16 0.29
7770.00 w/ Mount Pipe	C	From Leg	4.00 0.00 2.00	0.00	132.00	No Ice 1/2" Ice	5.75 6.18 6.61	4.25 5.01 5.71	0.06 0.10 0.16

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C_AA_A Front ft^2	C_AA_A Side ft^2	Weight K
						1" Ice	7.49	7.16	0.29
						2" Ice			
TPA65R-BU6D w/ Mount Pipe	A	From Leg	4.00 0.00 2.00	0.00	132.00	No Ice	12.25	6.05	0.10
						1/2" Ice	13.00	6.71	0.19
						1" Ice	13.76	7.39	0.28
						2" Ice	15.34	8.79	0.52
TPA65R-BU6D w/ Mount Pipe	B	From Leg	4.00 0.00 2.00	0.00	132.00	No Ice	12.25	6.05	0.10
						1/2" Ice	13.00	6.71	0.19
						1" Ice	13.76	7.39	0.28
						2" Ice	15.34	8.79	0.52
TPA65R-BU6D w/ Mount Pipe	C	From Leg	4.00 0.00 2.00	0.00	132.00	No Ice	12.25	6.05	0.10
						1/2" Ice	13.00	6.71	0.19
						1" Ice	13.76	7.39	0.28
						2" Ice	15.34	8.79	0.52
DMP65R-BU6D w/ Mount Pipe	A	From Leg	4.00 0.00 2.00	0.00	132.00	No Ice	11.96	5.97	0.11
						1/2" Ice	12.70	6.63	0.20
						1" Ice	13.46	7.30	0.30
						2" Ice	15.02	8.69	0.53
DMP65R-BU6D w/ Mount Pipe	B	From Leg	4.00 0.00 2.00	0.00	132.00	No Ice	11.96	5.97	0.11
						1/2" Ice	12.70	6.63	0.20
						1" Ice	13.46	7.30	0.30
						2" Ice	15.02	8.69	0.53
DMP65R-BU6D w/ Mount Pipe	C	From Leg	4.00 0.00 2.00	0.00	132.00	No Ice	11.96	5.97	0.11
						1/2" Ice	12.70	6.63	0.20
						1" Ice	13.46	7.30	0.30
						2" Ice	15.02	8.69	0.53
RRUS 4478 B14	A	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.84	1.06	0.06
						1/2" Ice	2.01	1.20	0.08
						1" Ice	2.19	1.34	0.09
						2" Ice	2.57	1.66	0.14
RRUS 4478 B14	B	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.84	1.06	0.06
						1/2" Ice	2.01	1.20	0.08
						1" Ice	2.19	1.34	0.09
						2" Ice	2.57	1.66	0.14
RRUS 4478 B14	C	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.84	1.06	0.06
						1/2" Ice	2.01	1.20	0.08
						1" Ice	2.19	1.34	0.09
						2" Ice	2.57	1.66	0.14
RRUS 8843 B2/B66A	A	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.64	1.35	0.07
						1/2" Ice	1.80	1.50	0.09
						1" Ice	1.97	1.65	0.11
						2" Ice	2.32	1.99	0.16
RRUS 8843 B2/B66A	B	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.64	1.35	0.07
						1/2" Ice	1.80	1.50	0.09
						1" Ice	1.97	1.65	0.11
						2" Ice	2.32	1.99	0.16
RRUS 8843 B2/B66A	C	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.64	1.35	0.07
						1/2" Ice	1.80	1.50	0.09
						1" Ice	1.97	1.65	0.11
						2" Ice	2.32	1.99	0.16
RRUS 4449 B5/B12	A	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.97	1.41	0.07
						1/2" Ice	2.14	1.56	0.09
						Ice	2.33	1.73	0.11

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C_AA_A Front ft^2	C_AA_A Side ft^2	Weight K
						1" Ice	2.72	2.07	0.16
						2" Ice			
RRUS 4449 B5/B12	B	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.97	1.41	0.07
						1/2" Ice	2.14	1.56	0.09
						1" Ice	2.33	1.73	0.11
						2" Ice	2.72	2.07	0.16
RRUS 4449 B5/B12	C	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.97	1.41	0.07
						1/2" Ice	2.14	1.56	0.09
						1" Ice	2.33	1.73	0.11
						2" Ice	2.72	2.07	0.16
DC6-48-60-18-8F	A	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.21	1.21	0.02
						1/2" Ice	1.89	1.89	0.04
						1" Ice	2.11	2.11	0.07
						2" Ice	2.57	2.57	0.13
DC6-48-60-18-8F	B	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.21	1.21	0.02
						1/2" Ice	1.89	1.89	0.04
						1" Ice	2.11	2.11	0.07
						2" Ice	2.57	2.57	0.13
Platform Mount [LP 602-1]	C	None		0.00	132.00	No Ice	31.07	31.07	1.34
						1/2" Ice	34.82	34.82	1.97
						1" Ice	38.48	38.48	2.67
						2" Ice	45.60	45.60	4.31
(2) 2.375" OD x 6' Mount Pipe	A	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.43	1.43	0.03
						1/2" Ice	1.92	1.92	0.04
						1" Ice	2.29	2.29	0.05
						2" Ice	3.06	3.06	0.09
(2) 2.375" OD x 6' Mount Pipe	B	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.43	1.43	0.03
						1/2" Ice	1.92	1.92	0.04
						1" Ice	2.29	2.29	0.05
						2" Ice	3.06	3.06	0.09
(2) 2.375" OD x 6' Mount Pipe	C	From Leg	4.00 0.00 0.00	0.00	132.00	No Ice	1.43	1.43	0.03
						1/2" Ice	1.92	1.92	0.04
						1" Ice	2.29	2.29	0.05
						2" Ice	3.06	3.06	0.09
8-ft Ladder	C	From Leg	2.00 0.00 -2.00	0.00	132.00	No Ice	7.07	7.07	0.04
						1/2" Ice	9.73	9.73	0.07
						1" Ice	11.19	11.19	0.08
						2" Ice	13.98	13.98	0.11
** 116 **									
ANT450F6	A	From Leg	1.00 0.00 2.00	0.00	116.00	No Ice	1.90	1.90	0.01
						1/2" Ice	2.73	2.73	0.02
						1" Ice	3.40	3.40	0.04
						2" Ice	4.40	4.40	0.10
ANT450Y7-WR	A	From Leg	1.00 0.00 2.00	0.00	116.00	No Ice	0.42	0.42	0.01
						1/2" Ice	0.51	0.51	0.01
						1" Ice	0.61	0.61	0.03
						2" Ice	0.80	0.80	0.05
AIRMUX-400 w/ Mount Pipe	B	From Leg	1.00 0.00 2.00	0.00	116.00	No Ice	2.00	0.87	0.02
						1/2" Ice	2.23	1.11	0.03
						1" Ice	2.48	1.37	0.05
						2" Ice	3.00	1.95	0.11
Side Arm Mount [SO 102-1]	A	None		0.00	116.00	No Ice	1.50	1.50	0.03
							1.74	1.74	0.04

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C_AA_A Front ft^2	C_AA_A Side ft^2	Weight K
						1/2" Ice	1.98	1.98	0.04
						1" Ice	2.46	2.46	0.07
						2" Ice			
Side Arm Mount [SO 102-1]	B	None		0.00	116.00	No Ice	1.50	1.50	0.03
						1/2" Ice	1.74	1.74	0.04
						1" Ice	1.98	1.98	0.04
						2" Ice	2.46	2.46	0.07
(2) 2.375" OD x 5' Mount Pipe	A	From Leg	1.00 0.00 0.00	0.00	116.00	No Ice	1.19	1.19	0.02
						1/2" Ice	1.50	1.50	0.03
						1" Ice	1.81	1.81	0.04
						2" Ice	2.46	2.46	0.08
2.375" OD x 5' Mount Pipe	B	From Leg	1.00 0.00 0.00	0.00	116.00	No Ice	1.19	1.19	0.02
						1/2" Ice	1.50	1.50	0.03
						1" Ice	1.81	1.81	0.04
						2" Ice	2.46	2.46	0.08
** 106 **									
APXV18-206516S-C-A20 w/ Mount Pipe	A	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice	2.55	2.15	0.04
						1/2" Ice	2.96	2.55	0.07
						1" Ice	3.38	2.96	0.11
						2" Ice	4.26	3.83	0.21
APXV18-206516S-C-A20 w/ Mount Pipe	B	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice	2.55	2.15	0.04
						1/2" Ice	2.96	2.55	0.07
						1" Ice	3.38	2.96	0.11
						2" Ice	4.26	3.83	0.21
APXV18-206516S-C-A20 w/ Mount Pipe	C	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice	2.55	2.15	0.04
						1/2" Ice	2.96	2.55	0.07
						1" Ice	3.38	2.96	0.11
						2" Ice	4.26	3.83	0.21
APXVAARR24_43-U-NA20 w/ Mount Pipe	A	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice	14.69	6.87	0.19
						1/2" Ice	15.46	7.55	0.31
						1" Ice	16.23	8.25	0.46
						2" Ice	17.82	9.67	0.79
APXVAARR24_43-U-NA20 w/ Mount Pipe	B	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice	14.69	6.87	0.19
						1/2" Ice	15.46	7.55	0.31
						1" Ice	16.23	8.25	0.46
						2" Ice	17.82	9.67	0.79
APXVAARR24_43-U-NA20 w/ Mount Pipe	C	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice	14.69	6.87	0.19
						1/2" Ice	15.46	7.55	0.31
						1" Ice	16.23	8.25	0.46
						2" Ice	17.82	9.67	0.79
KRY 112 489/2	A	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice	0.56	0.37	0.02
						1/2" Ice	0.66	0.45	0.02
						1" Ice	0.76	0.54	0.03
						2" Ice	1.00	0.75	0.05
KRY 112 489/2	B	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice	0.56	0.37	0.02
						1/2" Ice	0.66	0.45	0.02
						1" Ice	0.76	0.54	0.03
						2" Ice	1.00	0.75	0.05
KRY 112 489/2	C	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice	0.56	0.37	0.02
						1/2" Ice	0.66	0.45	0.02
						1" Ice	0.76	0.54	0.03
						2" Ice	1.00	0.75	0.05

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C_AA_A Front ft^2	C_AA_A Side ft^2	Weight K
(2) KRY 112 144/1	A	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice 1/2" Ice 1" Ice 2" Ice	0.35 0.43 0.51 0.70	0.17 0.23 0.30 0.46	0.01 0.01 0.02 0.03
KRY 112 144/1	B	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice 1/2" Ice 1" Ice 2" Ice	0.35 0.43 0.51 0.70	0.17 0.23 0.30 0.46	0.01 0.01 0.02 0.03
RADIO 4449 B12/B71	A	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.65 1.81 1.98 2.34	1.16 1.30 1.45 1.76	0.07 0.09 0.11 0.16
RADIO 4449 B12/B71	B	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.65 1.81 1.98 2.34	1.16 1.30 1.45 1.76	0.07 0.09 0.11 0.16
RADIO 4449 B12/B71	C	From Leg	4.00 0.00 2.00	0.00	106.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.65 1.81 1.98 2.34	1.16 1.30 1.45 1.76	0.07 0.09 0.11 0.16
Platform Mount [LP 602-1]	C	None		0.00	106.00	No Ice 1/2" Ice 1" Ice 2" Ice	31.07 34.82 38.48 45.60	31.07 34.82 38.48 45.60	1.34 1.97 2.67 4.31
(2) 2.375" OD x 6' Mount Pipe	A	From Leg	4.00 0.00 0.00	0.00	106.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.43 1.92 2.29 3.06	1.43 1.92 2.29 3.06	0.03 0.04 0.05 0.09
(2) 2.375" OD x 6' Mount Pipe	B	From Leg	4.00 0.00 0.00	0.00	106.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.43 1.92 2.29 3.06	1.43 1.92 2.29 3.06	0.03 0.04 0.05 0.09
(2) 2.375" OD x 6' Mount Pipe	C	From Leg	4.00 0.00 0.00	0.00	106.00	No Ice 1/2" Ice 1" Ice 2" Ice	1.43 1.92 2.29 3.06	1.43 1.92 2.29 3.06	0.03 0.04 0.05 0.09
8-ft Ladder	C	From Leg	2.00 0.00 -2.00	0.00	106.00	No Ice 1/2" Ice 1" Ice 2" Ice	7.07 9.73 11.19 13.98	7.07 9.73 11.19 13.98	0.04 0.07 0.08 0.11
** 96 **									
** 93 **									
MX08FRO665-20 w/ Mount Pipe	A	From Leg	4.00 0.00 0.00	0.00	93.00	No Ice 1/2" Ice 1" Ice 2" Ice	8.01 8.52 9.04 10.11	4.23 4.69 5.16 6.12	0.10 0.18 0.28 0.51
MX08FRO665-20 w/ Mount Pipe	B	From Leg	4.00 0.00 0.00	0.00	93.00	No Ice 1/2" Ice 1" Ice 2" Ice	8.01 8.52 9.04 10.11	4.23 4.69 5.16 6.12	0.10 0.18 0.28 0.51
MX08FRO665-20 w/ Mount Pipe	C	From Leg	4.00 0.00 0.00	0.00	93.00	No Ice 1/2" Ice	8.01 8.52 9.04	4.23 4.69 5.16	0.10 0.18 0.28

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C_AA_A Front ft^2	C_AA_A Side ft^2	Weight K
						1" Ice	10.11	6.12	0.51
						2" Ice			
TA08025-B604	A	From Leg	4.00	0.00	93.00	No Ice	1.96	0.98	0.06
			0.00			1/2" Ice	2.14	1.11	0.08
			0.00			1" Ice	2.32	1.25	0.10
						2" Ice	2.71	1.55	0.15
TA08025-B604	B	From Leg	4.00	0.00	93.00	No Ice	1.96	0.98	0.06
			0.00			1/2" Ice	2.14	1.11	0.08
			0.00			1" Ice	2.32	1.25	0.10
						2" Ice	2.71	1.55	0.15
TA08025-B604	C	From Leg	4.00	0.00	93.00	No Ice	1.96	0.98	0.06
			0.00			1/2" Ice	2.14	1.11	0.08
			0.00			1" Ice	2.32	1.25	0.10
						2" Ice	2.71	1.55	0.15
TA08025-B605	A	From Leg	4.00	0.00	93.00	No Ice	1.96	1.13	0.08
			0.00			1/2" Ice	2.14	1.27	0.09
			0.00			1" Ice	2.32	1.41	0.11
						2" Ice	2.71	1.72	0.16
TA08025-B605	B	From Leg	4.00	0.00	93.00	No Ice	1.96	1.13	0.08
			0.00			1/2" Ice	2.14	1.27	0.09
			0.00			1" Ice	2.32	1.41	0.11
						2" Ice	2.71	1.72	0.16
TA08025-B605	C	From Leg	4.00	0.00	93.00	No Ice	1.96	1.13	0.08
			0.00			1/2" Ice	2.14	1.27	0.09
			0.00			1" Ice	2.32	1.41	0.11
						2" Ice	2.71	1.72	0.16
RDIDC-9181-PF-48	A	From Leg	4.00	0.00	93.00	No Ice	2.31	1.29	0.02
			0.00			1/2" Ice	2.50	1.45	0.04
			0.00			1" Ice	2.70	1.61	0.06
						2" Ice	3.12	1.96	0.12
Commscope MC-PK8-DSH	C	None		0.00	93.00	No Ice	34.24	34.24	1.75
						1/2" Ice	62.95	62.95	2.10
						1" Ice	91.66	91.66	2.45
						2" Ice	149.08	149.08	3.15
(2) 8' x 2" Mount Pipe	A	From Leg	4.00	0.00	93.00	No Ice	1.90	1.90	0.03
			0.00			1/2" Ice	2.73	2.73	0.04
			0.00			1" Ice	3.40	3.40	0.06
						2" Ice	4.40	4.40	0.12
(2) 8' x 2" Mount Pipe	B	From Leg	4.00	0.00	93.00	No Ice	1.90	1.90	0.03
			0.00			1/2" Ice	2.73	2.73	0.04
			0.00			1" Ice	3.40	3.40	0.06
						2" Ice	4.40	4.40	0.12
(2) 8' x 2" Mount Pipe	C	From Leg	4.00	0.00	93.00	No Ice	1.90	1.90	0.03
			0.00			1/2" Ice	2.73	2.73	0.04
			0.00			1" Ice	3.40	3.40	0.06
						2" Ice	4.40	4.40	0.12
** 75 **									
GPS_A	C	From Leg	2.00	0.00	75.00	No Ice	0.26	0.26	0.00
			0.00			1/2" Ice	0.32	0.32	0.00
			0.00			1" Ice	0.39	0.39	0.01
						2" Ice	0.56	0.56	0.02
Side Arm Mount [SO 701-1]	C	None		0.00	75.00	No Ice	0.85	1.67	0.07
							1.14	2.34	0.08

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C_AA_A Front ft^2	C_AA_A Side ft^2	Weight K
***						1/2" Ice 1" Ice 2" Ice	1.43 2.01	3.01 4.35	0.09 0.12

Dishes

Description	Face or Leg	Dish Type	Offset Type	Offsets: Horz Lateral Vert ft	Azimuth Adjustment °	3 dB Beam Width °	Elevation ft	Outside Diameter ft	Aperture Area ft^2	Weight K
*										

Load Combinations

Comb. No.	Description
1	Dead Only
2	1.2 Dead+1.0 Wind 0 deg - No Ice
3	0.9 Dead+1.0 Wind 0 deg - No Ice
4	1.2 Dead+1.0 Wind 30 deg - No Ice
5	0.9 Dead+1.0 Wind 30 deg - No Ice
6	1.2 Dead+1.0 Wind 60 deg - No Ice
7	0.9 Dead+1.0 Wind 60 deg - No Ice
8	1.2 Dead+1.0 Wind 90 deg - No Ice
9	0.9 Dead+1.0 Wind 90 deg - No Ice
10	1.2 Dead+1.0 Wind 120 deg - No Ice
11	0.9 Dead+1.0 Wind 120 deg - No Ice
12	1.2 Dead+1.0 Wind 150 deg - No Ice
13	0.9 Dead+1.0 Wind 150 deg - No Ice
14	1.2 Dead+1.0 Wind 180 deg - No Ice
15	0.9 Dead+1.0 Wind 180 deg - No Ice
16	1.2 Dead+1.0 Wind 210 deg - No Ice
17	0.9 Dead+1.0 Wind 210 deg - No Ice
18	1.2 Dead+1.0 Wind 240 deg - No Ice
19	0.9 Dead+1.0 Wind 240 deg - No Ice
20	1.2 Dead+1.0 Wind 270 deg - No Ice
21	0.9 Dead+1.0 Wind 270 deg - No Ice
22	1.2 Dead+1.0 Wind 300 deg - No Ice
23	0.9 Dead+1.0 Wind 300 deg - No Ice
24	1.2 Dead+1.0 Wind 330 deg - No Ice
25	0.9 Dead+1.0 Wind 330 deg - No Ice
26	1.2 Dead+1.0 Ice+1.0 Temp
27	1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp
28	1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp
29	1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp
30	1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp
31	1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp
32	1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp
33	1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp
34	1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp
35	1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp
36	1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp
37	1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp

Comb. No.	Description
38	1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp
39	Dead+Wind 0 deg - Service
40	Dead+Wind 30 deg - Service
41	Dead+Wind 60 deg - Service
42	Dead+Wind 90 deg - Service
43	Dead+Wind 120 deg - Service
44	Dead+Wind 150 deg - Service
45	Dead+Wind 180 deg - Service
46	Dead+Wind 210 deg - Service
47	Dead+Wind 240 deg - Service
48	Dead+Wind 270 deg - Service
49	Dead+Wind 300 deg - Service
50	Dead+Wind 330 deg - Service

Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L1	150 - 122.92	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	26	-32.50	0.76	-0.04
			Max. Mx	20	-12.67	272.93	0.12
			Max. My	14	-12.67	0.04	-272.79
			Max. Vy	20	-19.06	272.93	0.12
			Max. Vx	2	-19.07	0.50	272.43
			Max. Torque	12			-2.73
L2	122.92 - 84.26	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	26	-56.89	1.11	1.60
			Max. Mx	20	-26.58	1128.20	1.81
			Max. My	2	-26.58	2.05	1127.93
			Max. Vy	20	-29.30	1128.20	1.81
			Max. Vx	2	-29.32	2.05	1127.93
			Max. Torque	12			-3.36
L3	84.26 - 41.55	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	26	-74.69	1.51	2.86
			Max. Mx	20	-40.27	2418.72	3.80
			Max. My	2	-40.27	4.08	2419.67
			Max. Vy	20	-33.12	2418.72	3.80
			Max. Vx	2	-33.14	4.08	2419.67
			Max. Torque	24			3.27
L4	41.55 - 0	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	26	-102.12	1.92	4.70
			Max. Mx	20	-62.46	4124.85	6.18
			Max. My	2	-62.46	6.43	4127.24
			Max. Vy	20	-37.24	4124.85	6.18
			Max. Vx	2	-37.27	6.43	4127.24
			Max. Torque	24			3.27

Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Pole	Max. Vert	26	102.12	-0.00	-0.00
	Max. H_x	21	46.86	37.21	0.04
	Max. H_z	3	46.86	0.04	37.24
	Max. M_x	2	4127.24	0.04	37.24
	Max. M_z	8	4122.58	-37.21	-0.04
	Max. Torsion	24	3.27	18.64	32.27
	Min. Vert	21	46.86	37.21	0.04
	Min. H_x	9	46.86	-37.21	-0.04

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
	Min. H_z	15	46.86	-0.04	-37.24
	Min. M_x	14	-4125.51	-0.04	-37.24
	Min. M_z	20	-4124.85	37.21	0.04
	Min. Torsion	12	-3.27	-18.64	-32.27

Tower Mast Reaction Summary

Load Combination	Vertical K	$Shear_x$ K	$Shear_z$ K	Overturning Moment, M_x kip-ft	Overturning Moment, M_z kip-ft	Torque kip-ft
Dead Only	52.06	-0.00	-0.00	-0.70	0.91	0.00
1.2 Dead+1.0 Wind 0 deg - No Ice	62.47	-0.04	-37.24	-4127.24	6.43	-3.12
0.9 Dead+1.0 Wind 0 deg - No Ice	46.86	-0.04	-37.24	-4093.04	6.10	-3.12
1.2 Dead+1.0 Wind 30 deg - No Ice	62.47	18.57	-32.23	-3571.87	-2056.33	-2.14
0.9 Dead+1.0 Wind 30 deg - No Ice	46.86	18.57	-32.23	-3542.21	-2039.66	-2.14
1.2 Dead+1.0 Wind 60 deg - No Ice	62.47	32.20	-18.58	-2059.52	-3567.80	-0.59
0.9 Dead+1.0 Wind 60 deg - No Ice	46.86	32.20	-18.58	-2042.33	-3538.67	-0.59
1.2 Dead+1.0 Wind 90 deg - No Ice	62.47	37.21	0.04	4.44	-4122.58	1.13
0.9 Dead+1.0 Wind 90 deg - No Ice	46.86	37.21	0.04	4.61	-4089.00	1.13
1.2 Dead+1.0 Wind 120 deg - No Ice	62.47	32.25	18.65	2066.97	-3573.11	2.54
0.9 Dead+1.0 Wind 120 deg - No Ice	46.86	32.25	18.65	2050.14	-3543.93	2.53
1.2 Dead+1.0 Wind 150 deg - No Ice	62.47	18.64	32.27	3575.43	-2065.53	3.27
0.9 Dead+1.0 Wind 150 deg - No Ice	46.86	18.64	32.27	3546.17	-2048.78	3.27
1.2 Dead+1.0 Wind 180 deg - No Ice	62.47	0.04	37.24	4125.51	-4.19	3.12
0.9 Dead+1.0 Wind 180 deg - No Ice	46.86	0.04	37.24	4091.75	-4.43	3.12
1.2 Dead+1.0 Wind 210 deg - No Ice	62.47	-18.57	32.23	3570.15	2058.59	2.14
0.9 Dead+1.0 Wind 210 deg - No Ice	46.86	-18.57	32.23	3540.93	2041.33	2.14
1.2 Dead+1.0 Wind 240 deg - No Ice	62.47	-32.20	18.58	2057.79	3570.07	0.59
0.9 Dead+1.0 Wind 240 deg - No Ice	46.86	-32.20	18.58	2041.04	3540.35	0.59
1.2 Dead+1.0 Wind 270 deg - No Ice	62.47	-37.21	-0.04	-6.18	4124.85	-1.13
0.9 Dead+1.0 Wind 270 deg - No Ice	46.86	-37.21	-0.04	-5.91	4090.68	-1.13
1.2 Dead+1.0 Wind 300 deg - No Ice	62.47	-32.25	-18.65	-2068.72	3575.36	-2.54
0.9 Dead+1.0 Wind 300 deg - No Ice	46.86	-32.25	-18.65	-2051.45	3545.60	-2.54
1.2 Dead+1.0 Wind 330 deg - No Ice	62.47	-18.64	-32.27	-3577.18	2067.77	-3.27
0.9 Dead+1.0 Wind 330 deg - No Ice	46.86	-18.64	-32.27	-3547.47	2050.44	-3.27
1.2 Dead+1.0 Ice+1.0 Temp	102.12	0.00	0.00	-4.70	1.92	0.00
1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp	102.12	-0.01	-8.85	-987.05	2.88	-0.87
1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp	102.12	4.42	-7.67	-855.10	-488.18	-0.59

Load Combination	Vertical	$Shear_x$	$Shear_z$	Overturning Moment, M_x	Overturning Moment, M_z	Torque
	K	K	K	kip-ft	kip-ft	kip-ft
1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp	102.12	7.66	-4.42	-495.37	-847.87	-0.15
1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp	102.12	8.85	0.01	-4.26	-979.80	0.33
1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp	102.12	7.67	4.43	486.65	-848.64	0.72
1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp	102.12	4.43	7.67	845.82	-489.51	0.92
1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp	102.12	0.01	8.85	977.00	1.35	0.87
1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp	102.12	-4.42	7.67	845.06	492.41	0.59
1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp	102.12	-7.66	4.42	485.33	852.10	0.15
1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp	102.12	-8.85	-0.01	-5.79	984.04	-0.33
1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp	102.12	-7.67	-4.43	-496.70	852.87	-0.72
1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp	102.12	-4.43	-7.67	-855.86	493.74	-0.92
Dead+Wind 0 deg - Service	52.06	-0.01	-7.47	-824.97	2.00	-0.62
Dead+Wind 30 deg - Service	52.06	3.73	-6.47	-714.01	-410.03	-0.43
Dead+Wind 60 deg - Service	52.06	6.46	-3.73	-411.93	-711.94	-0.12
Dead+Wind 90 deg - Service	52.06	7.47	0.01	0.34	-822.83	0.22
Dead+Wind 120 deg - Service	52.06	6.47	3.74	412.33	-713.00	0.51
Dead+Wind 150 deg - Service	52.06	3.74	6.48	713.64	-411.86	0.65
Dead+Wind 180 deg - Service	52.06	0.01	7.47	823.54	-0.12	0.62
Dead+Wind 210 deg - Service	52.06	-3.73	6.47	712.58	411.91	0.43
Dead+Wind 240 deg - Service	52.06	-6.46	3.73	410.49	713.82	0.12
Dead+Wind 270 deg - Service	52.06	-7.47	-0.01	-1.78	824.72	-0.22
Dead+Wind 300 deg - Service	52.06	-6.47	-3.74	-413.76	714.88	-0.51
Dead+Wind 330 deg - Service	52.06	-3.74	-6.48	-715.07	413.75	-0.65

Solution Summary

	Sum of Applied Forces			Sum of Reactions			
Load Comb.	PX	PY	PZ	PX	PY	PZ	% Error
	K	K	K	K	K	K	
1	0.00	-52.06	0.00	0.00	52.06	0.00	0.000%
2	-0.04	-62.47	-37.24	0.04	62.47	37.24	0.001%
3	-0.04	-46.86	-37.24	0.04	46.86	37.24	0.001%
4	18.57	-62.47	-32.23	-18.57	62.47	32.23	0.000%
5	18.57	-46.86	-32.23	-18.57	46.86	32.23	0.000%
6	32.20	-62.47	-18.58	-32.20	62.47	18.58	0.000%
7	32.20	-46.86	-18.58	-32.20	46.86	18.58	0.000%
8	37.21	-62.47	0.04	-37.21	62.47	-0.04	0.004%
9	37.21	-46.86	0.04	-37.21	46.86	-0.04	0.004%
10	32.25	-62.47	18.65	-32.25	62.47	-18.65	0.000%
11	32.25	-46.86	18.65	-32.25	46.86	-18.65	0.000%
12	18.64	-62.47	32.27	-18.64	62.47	-32.27	0.000%
13	18.64	-46.86	32.27	-18.64	46.86	-32.27	0.000%
14	0.04	-62.47	37.24	-0.04	62.47	-37.24	0.001%
15	0.04	-46.86	37.24	-0.04	46.86	-37.24	0.001%
16	-18.57	-62.47	32.23	18.57	62.47	-32.23	0.000%
17	-18.57	-46.86	32.23	18.57	46.86	-32.23	0.000%
18	-32.20	-62.47	18.58	32.20	62.47	-18.58	0.000%
19	-32.20	-46.86	18.58	32.20	46.86	-18.58	0.000%
20	-37.21	-62.47	-0.04	37.21	62.47	0.04	0.004%

Load Comb.	Sum of Applied Forces PX K	PY K	PZ K	Sum of Reactions PX K	PY K	PZ K	% Error
21	-37.21	-46.86	-0.04	37.21	46.86	0.04	0.004%
22	-32.25	-62.47	-18.65	32.25	62.47	18.65	0.000%
23	-32.25	-46.86	-18.65	32.25	46.86	18.65	0.000%
24	-18.64	-62.47	-32.27	18.64	62.47	32.27	0.000%
25	-18.64	-46.86	-32.27	18.64	46.86	32.27	0.000%
26	0.00	-102.12	0.00	-0.00	102.12	-0.00	0.000%
27	-0.01	-102.12	-8.86	0.01	102.12	8.85	0.001%
28	4.42	-102.12	-7.67	-4.42	102.12	7.67	0.001%
29	7.66	-102.12	-4.42	-7.66	102.12	4.42	0.001%
30	8.85	-102.12	0.01	-8.85	102.12	-0.01	0.001%
31	7.67	-102.12	4.43	-7.67	102.12	-4.43	0.001%
32	4.43	-102.12	7.67	-4.43	102.12	-7.67	0.001%
33	0.01	-102.12	8.86	-0.01	102.12	-8.85	0.001%
34	-4.42	-102.12	7.67	4.42	102.12	-7.67	0.001%
35	-7.66	-102.12	4.42	7.66	102.12	-4.42	0.001%
36	-8.85	-102.12	-0.01	8.85	102.12	0.01	0.001%
37	-7.67	-102.12	-4.43	7.67	102.12	4.43	0.001%
38	-4.43	-102.12	-7.67	4.43	102.12	7.67	0.001%
39	-0.01	-52.06	-7.47	0.01	52.06	7.47	0.001%
40	3.73	-52.06	-6.47	-3.73	52.06	6.47	0.001%
41	6.46	-52.06	-3.73	-6.46	52.06	3.73	0.001%
42	7.47	-52.06	0.01	-7.47	52.06	-0.01	0.001%
43	6.47	-52.06	3.74	-6.47	52.06	-3.74	0.001%
44	3.74	-52.06	6.48	-3.74	52.06	-6.48	0.001%
45	0.01	-52.06	7.47	-0.01	52.06	-7.47	0.001%
46	-3.73	-52.06	6.47	3.73	52.06	-6.47	0.001%
47	-6.46	-52.06	3.73	6.46	52.06	-3.73	0.001%
48	-7.47	-52.06	-0.01	7.47	52.06	0.01	0.001%
49	-6.47	-52.06	-3.74	6.47	52.06	3.74	0.001%
50	-3.74	-52.06	-6.48	3.74	52.06	6.48	0.001%

Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	6	0.00000001	0.00000001
2	Yes	13	0.00000001	0.00008754
3	Yes	13	0.00000001	0.00007168
4	Yes	15	0.00000001	0.00008011
5	Yes	15	0.00000001	0.00006066
6	Yes	15	0.00000001	0.00008390
7	Yes	15	0.00000001	0.00006361
8	Yes	12	0.00007009	0.00012929
9	Yes	12	0.00004769	0.00011031
10	Yes	15	0.00000001	0.00008825
11	Yes	15	0.00000001	0.00006701
12	Yes	15	0.00000001	0.00007902
13	Yes	15	0.00000001	0.00005979
14	Yes	13	0.00000001	0.00008352
15	Yes	13	0.00000001	0.00006851
16	Yes	15	0.00000001	0.00008674
17	Yes	15	0.00000001	0.00006582
18	Yes	15	0.00000001	0.00008259
19	Yes	15	0.00000001	0.00006257
20	Yes	12	0.00007008	0.00012215
21	Yes	12	0.00004769	0.00010464
22	Yes	15	0.00000001	0.00008009
23	Yes	15	0.00000001	0.00006058
24	Yes	15	0.00000001	0.00008969
25	Yes	15	0.00000001	0.00006809
26	Yes	6	0.00000001	0.00000373
27	Yes	13	0.00000001	0.00008312
28	Yes	13	0.00000001	0.00009492
29	Yes	13	0.00000001	0.00009540
30	Yes	13	0.00000001	0.00008185
31	Yes	13	0.00000001	0.00009579
32	Yes	13	0.00000001	0.00009420
33	Yes	13	0.00000001	0.00008225
34	Yes	13	0.00000001	0.00009584
35	Yes	13	0.00000001	0.00009495
36	Yes	13	0.00000001	0.00008244
37	Yes	13	0.00000001	0.00009575
38	Yes	13	0.00000001	0.00009781
39	Yes	12	0.00000001	0.00002575
40	Yes	12	0.00000001	0.00001931
41	Yes	12	0.00000001	0.00002171
42	Yes	12	0.00000001	0.00002398
43	Yes	12	0.00000001	0.00002589
44	Yes	12	0.00000001	0.00001934
45	Yes	12	0.00000001	0.00002567
46	Yes	12	0.00000001	0.00002463
47	Yes	12	0.00000001	0.00002062
48	Yes	12	0.00000001	0.00002404
49	Yes	12	0.00000001	0.00001933
50	Yes	12	0.00000001	0.00002751

Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	150 - 122.92	14.25	49	0.91	0.01
L2	127.09 - 84.26	10.08	49	0.79	0.00
L3	89.76 - 41.55	4.80	50	0.53	0.00
L4	48.46 - 0	1.33	50	0.25	0.00

Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
150.00	Lightning Rod 5/8" x 6'	49	14.25	0.91	0.01	34585
148.00	CO-40A	49	13.87	0.90	0.01	34585
141.00	(2) LPA-80080-4CF-EDIN-0 w/ Mount Pipe	49	12.56	0.87	0.00	19214
132.00	7770.00 w/ Mount Pipe	49	10.93	0.82	0.00	9607
116.00	ANT450F6	50	8.29	0.72	0.00	7824
106.00	APXV18-206516S-C-A20 w/ Mount Pipe	50	6.84	0.65	0.00	8090
93.00	MX08FRO665-20 w/ Mount Pipe	50	5.18	0.56	0.00	8449
75.00	GPS_A	50	3.27	0.43	0.00	8203

Maximum Tower Deflections - Design Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	150 - 122.92	71.26	24	4.54	0.03
L2	127.09 - 84.26	50.42	24	3.97	0.01
L3	89.76 - 41.55	24.01	24	2.68	0.01
L4	48.46 - 0	6.65	24	1.27	0.00

Critical Deflections and Radius of Curvature - Design Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
150.00	Lightning Rod 5/8" x 6'	24	71.26	4.54	0.03	7015
148.00	CO-40A	24	69.39	4.50	0.03	7015
141.00	(2) LPA-80080-4CF-EDIN-0 w/ Mount Pipe	24	62.85	4.33	0.02	3896
132.00	7770.00 w/ Mount Pipe	24	54.68	4.11	0.02	1947
116.00	ANT450F6	24	41.48	3.63	0.01	1579
106.00	APXV18-206516S-C-A20 w/ Mount Pipe	24	34.23	3.28	0.01	1628
93.00	MX08FRO665-20 w/ Mount Pipe	24	25.90	2.80	0.01	1696
75.00	GPS_A	24	16.36	2.15	0.00	1643

Compression Checks

Pole Design Data

Section No.	Elevation ft	Size	L ft	L_u ft	Kl/r	A in^2	P_u K	ϕP_n K	Ratio $\frac{P_u}{\phi P_n}$
L1	150 - 122.92 (1)	TP28.83x21x0.1875	27.08	0.00	0.0	16.3283	-12.67	955.21	0.013
L2	122.92 - 84.26 (2)	TP39.51x27.2493x0.375	42.83	0.00	0.0	44.7064	-26.58	2615.33	0.010
L3	84.26 - 41.55 (3)	TP50.99x37.1855x0.4375	48.21	0.00	0.0	67.4509	-40.27	3945.88	0.010
L4	41.55 - 0 (4)	TP62x48.1364x0.5	48.46	0.00	0.0	97.6005	-62.46	5709.63	0.011

Pole Bending Design Data

Section No.	Elevation ft	Size	M_{ux} kip-ft	ϕM_{nx} kip-ft	Ratio $\frac{M_{ux}}{\phi M_{nx}}$	M_{uy} kip-ft	ϕM_{ny} kip-ft	Ratio $\frac{M_{uy}}{\phi M_{ny}}$
L1	150 - 122.92 (1)	TP28.83x21x0.1875	273.03	597.04	0.457	0.00	597.04	0.000
L2	122.92 - 84.26 (2)	TP39.51x27.2493x0.375	1129.69	2527.26	0.447	0.00	2527.26	0.000
L3	84.26 - 41.55 (3)	TP50.99x37.1855x0.4375	2422.66	4799.61	0.505	0.00	4799.61	0.000
L4	41.55 - 0 (4)	TP62x48.1364x0.5	4131.82	8525.50	0.485	0.00	8525.50	0.000

Pole Shear Design Data

Section No.	Elevation ft	Size	Actual V_u K	ϕV_n K	Ratio $\frac{V_u}{\phi V_n}$	Actual T_u kip-ft	ϕT_n kip-ft	Ratio $\frac{T_u}{\phi T_n}$
L1	150 - 122.92 (1)	TP28.83x21x0.1875	19.08	286.56	0.067	2.30	688.54	0.003
L2	122.92 - 84.26 (2)	TP39.51x27.2493x0.375	29.34	784.60	0.037	2.51	2580.82	0.001
L3	84.26 - 41.55 (3)	TP50.99x37.1855x0.4375	33.18	1183.76	0.028	3.27	5035.56	0.001
L4	41.55 - 0 (4)	TP62x48.1364x0.5	37.30	1712.89	0.022	3.27	9225.42	0.000

Pole Interaction Design Data

Section No.	Elevation ft	Ratio $\frac{P_u}{\phi P_n}$	Ratio $\frac{M_{ux}}{\phi M_{nx}}$	Ratio $\frac{M_{uy}}{\phi M_{ny}}$	Ratio $\frac{V_u}{\phi V_n}$	Ratio $\frac{T_u}{\phi T_n}$	Comb. Stress Ratio	Allow. Stress Ratio	Criteria
L1	150 - 122.92 (1)	0.013	0.457	0.000	0.067	0.003	0.475	1.050	4.8.2
L2	122.92 - 84.26 (2)	0.010	0.447	0.000	0.037	0.001	0.459	1.050	4.8.2
L3	84.26 - 41.55 (3)	0.010	0.505	0.000	0.028	0.001	0.516	1.050	4.8.2
L4	41.55 - 0 (4)	0.011	0.485	0.000	0.022	0.000	0.496	1.050	4.8.2

Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	ϕP_{allow} K	% Capacity	Pass Fail
L1	150 - 122.92	Pole	TP28.83x21x0.1875	1	-12.67	1002.97	45.3	Pass
L2	122.92 - 84.26	Pole	TP39.51x27.2493x0.375	2	-26.58	2746.10	43.7	Pass
L3	84.26 - 41.55	Pole	TP50.99x37.1855x0.4375	3	-40.27	4143.17	49.1	Pass
L4	41.55 - 0	Pole	TP62x48.1364x0.5	4	-62.46	5995.11	47.2	Pass
							Summary	
						Pole (L3)	49.1	Pass
						RATING =	**49.1**	**Pass**

APPENDIX B

BASE LEVEL DRAWING


(OTHER CONSIDERED EQUIPMENT)
(4) 7/8" TO 148 FT LEVEL
(OTHER CONSIDERED EQUIPMENT)
(3) 3/8" TO 132 FT LEVEL
(2) 7/16" TO 132 FT LEVEL
(4) 3/4" TO 132 FT LEVEL
(6) 1-1/4" TO 132 FT LEVEL
(OTHER CONSIDERED EQUIPMENT)
(3) 1-5/8" TO 150 FT LEVEL
(PROPOSED EQUIPMENT CONFIGURATION)
(1) 1-1/2" TO 93 FT LEVEL
Q4
Q3
Q1
Q2
(OTHER CONSIDERED EQUIPMENT)
(1) 1/2" TO 75 FT LEVEL
(OTHER CONSIDERED EQUIPMENT)
(2) 1-1/4" TO 141 FT LEVEL
(6) 1-5/8" TO 141 FT LEVEL
(OTHER CONSIDERED EQUIPMENT-TO BE REMOVED)
(6) 1-1/4" TO 96 FT LEVEL
(OTHER CONSIDERED EQUIPMENT-TO BE REMOVED)
(1) WEP65 TO 70 FT LEVEL
(OTHER CONSIDERED EQUIPMENT)
(1) 1/4" TO 116 FT LEVEL
(2) 1-1/4" TO 116 FT LEVEL
(OTHER CONSIDERED EQUIPMENT)
(13) 1-5/8" TO 106 FT LEVEL
(OTHER CONSIDERED EQUIPMENT)
(1) 1/2" TO 75 FT LEVEL
CLIMBING PEGS
W/ SAFETY CLIMB

APPENDIX C

ADDITIONAL CALCULATIONS

Monopole Base Plate Connection

Site Info	
BU #	800515
Site Name	T CHESTER CAC 80051
Order #	553282 - Rev. 0

Analysis Considerations	
TIA-222 Revision	H
Grout Considered:	No
l_{ar} (in)	0.75

Applied Loads	
Moment (kip-ft)	4131.81
Axial Force (kips)	62.46
Shear Force (kips)	37.30

**TIA-222-H Section 15.5 Applied*



Connection Properties

Anchor Rod Data

(24) 2-1/4" ø bolts (A615-75 N; Fy=75 ksi, Fu=100 ksi) on 71" BC

Base Plate Data

77" OD x 2.25" Plate (A572-60; Fy=60 ksi, Fu=75 ksi)

Stiffener Data

(24) 16"H x 6"W x 1"T, Notch: 1"

plate: Fy= 65 ksi ; weld: Fy= 70 ksi

horiz. weld: 0.5" groove, 45° dbl bevelFALSE

vert. weld: 0.5" fillet

Pole Data

62" x 0.5" 18-sided pole (A572-65; Fy=65 ksi, Fu=80 ksi)

Analysis Results

Anchor Rod Summary		*(units of kips, kip-in)*
Pu_t = 113.74	ϕPn_t = 243.75	**Stress Rating**
Vu = 1.55	ϕVn = 149.1	**44.4%**
Mu = n/a	ϕMn = n/a	**Pass**

Base Plate Summary		
Max Stress (ksi):	18.42	(Roark's Flexural)
Allowable Stress (ksi):	54	
Stress Rating:	**32.5%**	**Pass**

Stiffener Summary		
Horizontal Weld:	**26.3%**	**Pass**
Vertical Weld:	**24.7%**	**Pass**
Plate Flexure+Shear:	**6.4%**	**Pass**
Plate Tension+Shear:	**25.5%**	**Pass**
Plate Compression:	**27.4%**	**Pass**

Pole Summary		
Punching Shear:	**7.4%**	**Pass**

Pier and Pad Foundation

BU # :	800515
Site Name:	CT CHESTER CAC
App. Number:	553282 - Rev. 0

TIA-222 Revision:	H
Tower Type:	Monopole

Top & Bot. Pad Rein. Different?:	☑
Block Foundation?:	☐
Rectangular Pad?:	☐

Superstructure Analysis Reactions

Compression, P_{comp}:	62.47	kips
Base Shear, Vu_comp:	37.27	kips
Moment, M_u:	4131.81	ft-kips
Tower Height, **H**:	150	ft
BP Dist. Above Fdn, bp_{dist}:	3	in

Foundation Analysis Checks

	Capacity	Demand	Rating*	Check
Lateral (Sliding) (kips)	234.73	37.27	**15.1%**	**Pass**
Bearing Pressure (ksf)	30.00	2.72	**9.1%**	**Pass**
*Overturning (kip*ft)*	8376.80	4352.45	**52.0%**	**Pass**
*Pier Flexure (Comp.) (kip*ft)*	7061.53	4231.32	**57.1%**	**Pass**
Pier Compression (kip)	28118.83	83.70	**0.3%**	**Pass**
*Pad Flexure (kip*ft)*	4874.58	1532.48	**29.9%**	**Pass**
Pad Shear - 1-way (kips)	924.40	217.42	**22.4%**	**Pass**
Pad Shear - 2-way (Comp) (ksi)	0.190	0.043	**21.7%**	**Pass**
*Flexural 2-way (Comp) (kip*ft)*	4340.76	2538.79	**55.7%**	**Pass**

**Rating per TIA-222-H Section 15.5*

Soil Rating*:	**52.0%**
Structural Rating*:	**57.1%**

Pier Properties

Pier Shape:	Circular	
Pier Diameter, **dpier**:	7.5	ft
Ext. Above Grade, **E**:	0.5	ft
Pier Rebar Size, **Sc**:	8	
Pier Rebar Quantity, **mc**:	51	
Pier Tie/Spiral Size, **St**:	4	
Pier Tie/Spiral Quantity, **mt**:	8	
Pier Reinforcement Type:	Tie	
Pier Clear Cover, cc_{pier}:	3	in

Pad Properties

Depth, **D**:	5.17	ft
Pad Width, W_1:	28	ft
Pad Thickness, **T**:	3	ft
Pad Rebar Size (Top dir.2), Sp_{top2}:	8	
Pad Rebar Quantity (Top dir. 2), mp_{top2}:	24	
Pad Rebar Size (Bottom dir. 2), Sp_2:	8	
Pad Rebar Quantity (Bottom dir. 2), mp_2:	49	
Pad Clear Cover, cc_{pad}:	5.5	in

Material Properties

Rebar Grade, **Fy**:	60	ksi
Concrete Compressive Strength, **F'c**:	4	ksi
Dry Concrete Density, δ**c**:	150	pcf

Soil Properties

Total Soil Unit Weight, γ:	165	pcf
Ultimate Gross Bearing, Qult:	40.000	ksf
Cohesion, **Cu**:	0.000	ksf
Friction Angle, φ:	30	degrees
SPT Blow Count, N_{blows}:		
Base Friction, μ:		
Neglected Depth, **N**:	3.75	ft
Foundation Bearing on Rock?	Yes	
Groundwater Depth, **gw**:	N/A	ft

<--Toggle between Gross and Net

ASCE 7 Hazards Report

Address:
No Address at This Location

Standard:	ASCE/SEI 7-10	**Elevation:**	356.21 ft (NAVD 88)
Risk Category:	II	**Latitude:**	41.403869
Soil Class:	D - Stiff Soil	**Longitude:**	-72.47245



Wind

Results:

Wind Speed:	130 Vmph per jurisdiction
10-year MRI	78 Vmph
25-year MRI	88 Vmph
50-year MRI	96 Vmph
100-year MRI	105 Vmph

Data Source: ASCE/SEI 7-10, Fig. 26.5-1A and Figs. CC-1–CC-4, and Section 26.5.2, incorporating errata of March 12, 2014

Date Accessed: Mon Apr 12 2021

Value provided is 3-second gust wind speeds at 33 ft above ground for Exposure C Category, based on linear interpolation between contours. Wind speeds are interpolated in accordance with the 7-10 Standard. Wind speeds correspond to approximately a 7% probability of exceedance in 50 years (annual exceedance probability = 0.00143, MRI = 700 years).

Site is in a hurricane-prone region as defined in ASCE/SEI 7-10 Section 26.2. Glazed openings need not be protected against wind-borne debris.

Seismic

Site Soil Class: D - Stiff Soil

Results:

S_S :	0.172	S_{DS} :	0.183
S_1 :	0.06	S_{D1} :	0.097
F_a :	1.6	T_L :	6
F_v :	2.4	PGA :	0.087
S_{MS} :	0.275	PGA_M :	0.139
S_{M1} :	0.145	F_{PGA} :	1.6
		I_e :	1

Seismic Design Category B





Data Accessed: Mon Apr 12 2021

Date Source: USGS Seismic Design Maps based on ASCE/SEI 7-10, incorporating Supplement 1 and errata of March 31, 2013, and ASCE/SEI 7-10 Table 1.5-2. Additional data for site-specific ground motion procedures in accordance with ASCE/SEI 7-10 Ch. 21 are available from USGS.

Ice

Results:

Ice Thickness:	0.75 in.
Concurrent Temperature:	15 F
Gust Speed:	50 mph
Data Source:	Standard ASCE/SEI 7-10, Figs. 10-2 through 10-8
Date Accessed:	Mon Apr 12 2021

Ice thicknesses on structures in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

Values provided are equivalent radial ice thicknesses due to freezing rain with concurrent 3-second gust speeds, for a 50-year mean recurrence interval, and temperatures concurrent with ice thicknesses due to freezing rain. Thicknesses for ice accretions caused by other sources shall be obtained from local meteorological studies. Ice thicknesses in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

Exhibit E

Mount Analysis

Date: **July 23, 2021**

Darcy Tarr
Crown Castle
3530 Toringdon Way, Suite 300
Charlotte, NC 28277
(704) 405-6589

Trylon
1825 W. Walnut Hill Lane,
Suite 302
Irving, TX 75038
214-930-1730

Subject:	**Mount Replacement Analysis Report**	
Carrier Designation:	**Dish Wireless Equipment Change Out**	
	Carrier Site Number:	BOBDL00034A
	Carrier Site Name:	CT-CCI-T-800515
Crown Castle Designation:	**Crown Castle BU Number:**	800515
	Crown Castle Site Name:	CT Chester CAC 800515
	Crown Castle JDE Job Number:	645102
	Crown Castle Order Number:	553282 Rev. *0*
Engineering Firm Designation:	**Trylon Report Designation:**	188196
Site Data:	**49 Wig Hill Road, Chester, Middlesex County, CT, 06412**	
	Latitude 41°24'13.93" Longitude -72°28'20.82"	
Structure Information:	**Tower Height & Type:**	**150.0 ft Monopole**
	Mount Elevation:	**93.0 ft**
	Mount Type:	**8.0 ft Platform**

Dear Darcy Tarr,

Trylon is pleased to submit this **"Mount Replacement Analysis Report"** to determine the structural integrity of Dish Wireless's antenna mounting system with the proposed appurtenance and equipment addition on the abovementioned supporting tower structure. Analysis of the existing supporting tower structure is to be completed by others and therefore is not part of this analysis. Analysis of the antenna mounting system as a tie-off point for fall protection or rigging is not part of this document.

The purpose of the analysis is to determine acceptability of the mount stress level. Based on our analysis we have determined the mount stress level to be:

Platform **Sufficient**
***Sufficient upon completion of the changes listed in the 'Recommendations' section of this report.**

This analysis utilizes an ultimate 3-second gust wind speed of 130 mph as required by the 2015 International Building Code. Applicable Standard references and design criteria are listed in Section 2 - Analysis Criteria.

Mount analysis prepared by: Trevor Leahy, E.I.T.

Respectfully Submitted by:
Jinshan Wang, P.E.

TABLE OF CONTENTS

1) INTRODUCTION

This is a proposed 3 sector 8.0 ft Platform Mount, designed by Commscope.

2) ANALYSIS CRITERIA

Building Code:	2015 IBC
TIA-222 Revision:	TIA-222-H
Risk Category:	II
Ultimate Wind Speed:	130 mph
Exposure Category:	B
Topographic Factor at Base:	1.0
Topographic Factor at Mount:	1.0
Ice Thickness:	1.50 in
Wind Speed with Ice:	50 mph
Seismic S_s:	0.172
Seismic S_1:	0.060
Live Loading Wind Speed:	30 mph
Man Live Load at Mid/End-Points:	250 lb
Man Live Load at Mount Pipes:	500 lb

Table 1 - Proposed Equipment Configuration

Mount Centerline (ft)	Antenna Centerline (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Mount / Modification Details
93.0	93.0	3	JMA Wireless	MX08FRO665-20	8.0 ft Platform [Commscope 1 MC-PK8-C]
		3	Fujitsu	TA08025-B604	
		3	Fujitsu	TA08025-B605	
		1	Raycap	RDIDC-9181-PF-48	

3) ANALYSIS PROCEDURE

Table 2 - Documents Provided

Document	Remarks	Reference	Source
Crown Application	Dish Wireless Application	553282 Rev. 0	CCI Sites
Mount Manufacturer Drawings	Commscope	MC-PK8-C	Trylon
Construction Drawings	Infinigy	BOBDL00034A	Dish Wireless

3.1) Analysis Method

RISA-3D (Version 17.0.4), a commercially available analysis software package, was used to create a three-dimensional model of the antenna mounting system and calculate member stresses for various loading cases.

A tool internally developed, using Microsoft Excel, by Trylon was used to calculate wind loading on all appurtenances, dishes, and mount members for various load cases. Selected output from the analysis is included in Appendix B.

This analysis was performed in accordance with Crown Castle's ENG-SOW-10208 *Tower Mount Analysis* (Revision B).

3.2) Assumptions

1) The antenna mounting system was properly fabricated, installed and maintained in good condition in accordance with its original design and manufacturer's specifications.
2) The configuration of antennas, mounts, and other appurtenances are as specified in Table 1 and the referenced drawings.
3) All member connections are assumed to have been designed to meet or exceed the load carrying capacity of the connected member unless otherwise specified in this report.
4) The analysis will be required to be revised if the existing conditions in the field differ from those shown in the above-referenced documents or assumed in this analysis. No allowance was made for any damaged, missing, or rusted members.
5) Prior structural modifications to the tower mounting system are assumed to be installed as shown per available data.
6) Steel grades have been assumed as follows, unless noted otherwise:

Channel, Solid Round, Angle, Plate	ASTM A36 (GR 36)
HSS (Rectangular)	ASTM A500 (GR B-46)
Pipe	ASTM A53 (GR 35)
Connection Bolts	ASTM A325

This analysis may be affected if any assumptions are not valid or have been made in error. Trylon should be notified to determine the effect on the structural integrity of the antenna mounting system.

4) ANALYSIS RESULTS

Table 3 - Mount Component Stresses vs. Capacity (Platform, All Sectors)

Notes	Component	Critical Member	Centerline (ft)	% Capacity	Pass / Fail
1, 2	Mount Pipe(s)	MP3	93.0	33.4	Pass
	Horizontal(s)	H3		10.3	Pass
	Standoff(s)	SA3		45.0	Pass
	Bracing(s)	B1		33.6	Pass
	Handrail(s)	HR2		16.5	Pass
	Plate(s)	HC1		24.5	Pass
	Mount Connection(s)	-		18.4	Pass

Structure Rating (max from all components) =	**45.0%**

Notes:
1) See additional documentation in "Appendix C - Software Analysis Output" for calculations supporting the % capacity consumed.
2) Rating per TIA-222-H, Section 15.5

4.1) Recommendations

The mount has sufficient capacity to carry the proposed loading configuration. In order for the results of the analysis to be considered valid, the proposed mount listed below must be installed.

1. Commscope MC-PK8-C.

No structural modifications are required at this time, provided that the above-listed changes are implemented.

APPENDIX A

WIRE FRAME AND RENDERED MODELS



Trylon	Dish BOBDL00034A	SK - 1
TL		July 23, 2021 at 11:16 AM
		MC-PK8-C (BU 800515)_loaded.r3d



Trylon	Dish BOBDL00034A	SK - 2
TL		July 23, 2021 at 11:16 AM
		MC-PK8-C (BU 800515)_loaded.r3d

APPENDIX B

SOFTWARE INPUT CALCULATIONS

ASCE 7 Hazards Report

Address:
No Address at This Location

Standard:	ASCE/SEI 7-10	**Elevation:**	356.21 ft (NAVD 88)
Risk Category:	II	**Latitude:**	41.403861
Soil Class:	D - Stiff Soil	**Longitude:**	-72.472444



Wind

Results:

Wind Speed:	129 Vmph
10-year MRI	78 Vmph
25-year MRI	88 Vmph
50-year MRI	96 Vmph
100-year MRI	105 Vmph

Data Source: ASCE/SEI 7-10, Fig. 26.5-1A and Figs. CC-1–CC-4, and Section 26.5.2, incorporating errata of March 12, 2014

Date Accessed: Wed Jul 21 2021

Value provided is 3-second gust wind speeds at 33 ft above ground for Exposure C Category, based on linear interpolation between contours. Wind speeds are interpolated in accordance with the 7-10 Standard. Wind speeds correspond to approximately a 7% probability of exceedance in 50 years (annual exceedance probability = 0.00143, MRI = 700 years).

Site is in a hurricane-prone region as defined in ASCE/SEI 7-10 Section 26.2. Glazed openings need not be protected against wind-borne debris.

Seismic

Site Soil Class: D - Stiff Soil

Results:

S_S :	0.172	S_{DS} :	0.183
S_1 :	0.06	S_{D1} :	0.097
F_a :	1.6	T_L :	6
F_v :	2.4	PGA :	0.087
S_{MS} :	0.275	PGA_M :	0.139
S_{M1} :	0.145	F_{PGA} :	1.6
		I_e :	1

Seismic Design Category B





Data Accessed: Wed Jul 21 2021

Date Source: USGS Seismic Design Maps based on ASCE/SEI 7-10, incorporating Supplement 1 and errata of March 31, 2013, and ASCE/SEI 7-10 Table 1.5-2. Additional data for site-specific ground motion procedures in accordance with ASCE/SEI 7-10 Ch. 21 are available from USGS.

Ice

Results:

Ice Thickness:	0.75 in.
Concurrent Temperature:	15 F
Gust Speed:	50 mph
Data Source:	Standard ASCE/SEI 7-10, Figs. 10-2 through 10-8
Date Accessed:	Wed Jul 21 2021

Ice thicknesses on structures in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

Values provided are equivalent radial ice thicknesses due to freezing rain with concurrent 3-second gust speeds, for a 50-year mean recurrence interval, and temperatures concurrent with ice thicknesses due to freezing rain. Thicknesses for ice accretions caused by other sources shall be obtained from local meteorological studies. Ice thicknesses in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

Trylon
1825 W. Walnut Hill Lane Suite 120
Irving, TX 75038

TIA LOAD CALCULATOR 2.0

PROJECT DATA	
Job Code:	188196
Carrier Site ID:	BOBDL00034A
Carrier Site Name:	CT-CCI-T-800515

CODES AND STANDARDS	
Building Code:	2015 IBC
Local Building Code:	2015 IBC
Design Standard:	TIA-222-H

STRUCTURE DETAILS		
Mount Type:	Platform	--
Mount Elevation:	93.0	ft.
Number of Sectors:	3	--
Structure Type:	Monopole	--
Structure Height:	150.0	ft.

ANALYSIS CRITERIA		
Structure Risk Category:	II	--
Exposure Category:	B	--
Site Class:	D - Stiff Soil	--
Ground Elevation:	356.21	ft.

TOPOGRAPHIC DATA		
Topographic Category:	1.00	--
Topographic Feature:	N/A	--
Crest Point Elevation:	0.00	ft.
Base Point Elevation:	0.00	ft.
Crest to Mid-Height (L/2):	0.00	ft.
Distance from Crest (x):	0.00	ft.
Base Topo Factor (K_{zt}):	1.00	--
Mount Topo Factor (K_{zt}):	1.00	--

WIND PARAMETERS		
Design Wind Speed:	130	mph
Wind Escalation Factor (K_s):	1.00	--
Velocity Coefficient (K_z):	0.97	--
Directionality Factor (K_d):	0.95	--
Gust Effect Factor (Gh):	1.00	--
Shielding Factor (K_a):	0.90	--
Velocity Pressure (q_z):	39.27	psf

ICE PARAMETERS		
Design Ice Wind Speed:	50	mph
Design Ice Thickness (t_i):	1.50	in
Importance Factor (I_i):	1.00	--
Ice Velocity Pressure (q_{zi}):	39.27	psf
Mount Ice Thickness (t_{iz}):	1.66	in

WIND STRUCTURE CALCULATIONS		
Flat Member Pressure:	70.69	psf
Round Member Pressure:	42.42	psf
Ice Wind Pressure:	7.19	psf

SEISMIC PARAMETERS		
Importance Factor (I_e):	1.00	--
Short Period Accel .(S_s):	0.17	g
1 Second Accel (S_1):	0.06	g
Short Period Des. (S_{DS}):	0.18	g
1 Second Des. (S_{D1}):	0.10	g
Short Period Coeff. (F_a):	1.60	--
1 Second Coeff. (F_v):	2.40	--
Response Coefficient (Cs):	0.09	--
Amplification Factor (A_S):	1.20	--

LOAD COMBINATIONS [LRFD]

#	Description
1	1.4DL
2	1.2DL + 1WL 0 AZI
3	1.2DL + 1WL 30 AZI
4	1.2DL + 1WL 45 AZI
5	1.2DL + 1WL 60 AZI
6	1.2DL + 1WL 90 AZI
7	1.2DL + 1WL 120 AZI
8	1.2DL + 1WL 135 AZI
9	1.2DL + 1WL 150 AZI
10	1.2DL + 1WL 180 AZI
11	1.2DL + 1WL 210 AZI
12	1.2DL + 1WL 225 AZI
13	1.2DL + 1WL 240 AZI
14	1.2DL + 1WL 270 AZI
15	1.2DL + 1WL 300 AZI
16	1.2DL + 1WL 315 AZI
17	1.2DL + 1WL 330 AZI
18	0.9DL + 1WL 0 AZI
19	0.9DL + 1WL 30 AZI
20	0.9DL + 1WL 45 AZI
21	0.9DL + 1WL 60 AZI
22	0.9DL + 1WL 90 AZI
23	0.9DL + 1WL 120 AZI
24	0.9DL + 1WL 135 AZI
25	0.9DL + 1WL 150 AZI
26	0.9DL + 1WL 180 AZI
27	0.9DL + 1WL 210 AZI
28	0.9DL + 1WL 225 AZI
29	0.9DL + 1WL 240 AZI
30	0.9DL + 1WL 270 AZI
31	0.9DL + 1WL 300 AZI
32	0.9DL + 1WL 315 AZI
33	0.9DL + 1WL 330 AZI
34	1.2DL + 1DLi + 1WLi 0 AZI
35	1.2DL + 1DLi + 1WLi 30 AZI
36	1.2DL + 1DLi + 1WLi 45 AZI
37	1.2DL + 1DLi + 1WLi 60 AZI
38	1.2DL + 1DLi + 1WLi 90 AZI
39	1.2DL + 1DLi + 1WLi 120 AZI
40	1.2DL + 1DLi + 1WLi 135 AZI
41	1.2DL + 1DLi + 1WLi 150 AZI

#	Description
42	1.2DL + 1DLi + 1WLi 180 AZI
43	1.2DL + 1DLi + 1WLi 210 AZI
44	1.2DL + 1DLi + 1WLi 225 AZI
45	1.2DL + 1DLi + 1WLi 240 AZI
46	1.2DL + 1DLi + 1WLi 270 AZI
47	1.2DL + 1DLi + 1WLi 300 AZI
48	1.2DL + 1DLi + 1WLi 315 AZI
49	1.2DL + 1DLi + 1WLi 330 AZI
50	(1.2+0.2Sds) + 1.0E 0 AZI
51	(1.2+0.2Sds) + 1.0E 30 AZI
52	(1.2+0.2Sds) + 1.0E 45 AZI
53	(1.2+0.2Sds) + 1.0E 60 AZI
54	(1.2+0.2Sds) + 1.0E 90 AZI
55	(1.2+0.2Sds) + 1.0E 120 AZI
56	(1.2+0.2Sds) + 1.0E 135 AZI
57	(1.2+0.2Sds) + 1.0E 150 AZI
58	(1.2+0.2Sds) + 1.0E 180 AZI
59	(1.2+0.2Sds) + 1.0E 210 AZI
60	(1.2+0.2Sds) + 1.0E 225 AZI
61	(1.2+0.2Sds) + 1.0E 240 AZI
62	(1.2+0.2Sds) + 1.0E 270 AZI
63	(1.2+0.2Sds) + 1.0E 300 AZI
64	(1.2+0.2Sds) + 1.0E 315 AZI
65	(1.2+0.2Sds) + 1.0E 330 AZI
66	(0.9-0.2Sds) + 1.0E 0 AZI
67	(0.9-0.2Sds) + 1.0E 30 AZI
68	(0.9-0.2Sds) + 1.0E 45 AZI
69	(0.9-0.2Sds) + 1.0E 60 AZI
70	(0.9-0.2Sds) + 1.0E 90 AZI
71	(0.9-0.2Sds) + 1.0E 120 AZI
72	(0.9-0.2Sds) + 1.0E 135 AZI
73	(0.9-0.2Sds) + 1.0E 150 AZI
74	(0.9-0.2Sds) + 1.0E 180 AZI
75	(0.9-0.2Sds) + 1.0E 210 AZI
76	(0.9-0.2Sds) + 1.0E 225 AZI
77	(0.9-0.2Sds) + 1.0E 240 AZI
78	(0.9-0.2Sds) + 1.0E 270 AZI
79	(0.9-0.2Sds) + 1.0E 300 AZI
80	(0.9-0.2Sds) + 1.0E 315 AZI
81	(0.9-0.2Sds) + 1.0E 330 AZI
82-88	1.2D + 1.5 Lv1

#	Description
89	1.2D + 1.5Lm + 1.0Wm 0 AZI - MP1
90	1.2D + 1.5Lm + 1.0Wm 30 AZI - MP1
91	1.2D + 1.5Lm + 1.0Wm 45 AZI - MP1
92	1.2D + 1.5Lm + 1.0Wm 60 AZI - MP1
93	1.2D + 1.5Lm + 1.0Wm 90 AZI - MP1
94	1.2D + 1.5Lm + 1.0Wm 120 AZI - MP1
95	1.2D + 1.5Lm + 1.0Wm 135 AZI - MP1
96	1.2D + 1.5Lm + 1.0Wm 150 AZI - MP1
97	1.2D + 1.5Lm + 1.0Wm 180 AZI - MP1
98	1.2D + 1.5Lm + 1.0Wm 210 AZI - MP1
99	1.2D + 1.5Lm + 1.0Wm 225 AZI - MP1
100	1.2D + 1.5Lm + 1.0Wm 240 AZI - MP1
101	1.2D + 1.5Lm + 1.0Wm 270 AZI - MP1
102	1.2D + 1.5Lm + 1.0Wm 300 AZI - MP1
103	1.2D + 1.5Lm + 1.0Wm 315 AZI - MP1
104	1.2D + 1.5Lm + 1.0Wm 330 AZI - MP1
105	1.2D + 1.5Lm + 1.0Wm 0 AZI - MP2
106	1.2D + 1.5Lm + 1.0Wm 30 AZI - MP2
107	1.2D + 1.5Lm + 1.0Wm 45 AZI - MP2
108	1.2D + 1.5Lm + 1.0Wm 60 AZI - MP2
109	1.2D + 1.5Lm + 1.0Wm 90 AZI - MP2
110	1.2D + 1.5Lm + 1.0Wm 120 AZI - MP2
111	1.2D + 1.5Lm + 1.0Wm 135 AZI - MP2
112	1.2D + 1.5Lm + 1.0Wm 150 AZI - MP2
113	1.2D + 1.5Lm + 1.0Wm 180 AZI - MP2
114	1.2D + 1.5Lm + 1.0Wm 210 AZI - MP2
115	1.2D + 1.5Lm + 1.0Wm 225 AZI - MP2
116	1.2D + 1.5Lm + 1.0Wm 240 AZI - MP2
117	1.2D + 1.5Lm + 1.0Wm 270 AZI - MP2
118	1.2D + 1.5Lm + 1.0Wm 300 AZI - MP2
119	1.2D + 1.5Lm + 1.0Wm 315 AZI - MP2
120	1.2D + 1.5Lm + 1.0Wm 330 AZI - MP2

#	Description
121	1.2D + 1.5Lm + 1.0Wm 0 AZI - MP3
122	1.2D + 1.5Lm + 1.0Wm 30 AZI - MP3
123	1.2D + 1.5Lm + 1.0Wm 45 AZI - MP3
124	1.2D + 1.5Lm + 1.0Wm 60 AZI - MP3
125	1.2D + 1.5Lm + 1.0Wm 90 AZI - MP3
126	1.2D + 1.5Lm + 1.0Wm 120 AZI - MP3
127	1.2D + 1.5Lm + 1.0Wm 135 AZI - MP3
128	1.2D + 1.5Lm + 1.0Wm 150 AZI - MP3
129	1.2D + 1.5Lm + 1.0Wm 180 AZI - MP3
130	1.2D + 1.5Lm + 1.0Wm 210 AZI - MP3
131	1.2D + 1.5Lm + 1.0Wm 225 AZI - MP3
132	1.2D + 1.5Lm + 1.0Wm 240 AZI - MP3
133	1.2D + 1.5Lm + 1.0Wm 270 AZI - MP3
134	1.2D + 1.5Lm + 1.0Wm 300 AZI - MP3
135	1.2D + 1.5Lm + 1.0Wm 315 AZI - MP3
136	1.2D + 1.5Lm + 1.0Wm 330 AZI - MP3
137	1.2D + 1.5Lm + 1.0Wm 0 AZI - MP4
138	1.2D + 1.5Lm + 1.0Wm 30 AZI - MP4
139	1.2D + 1.5Lm + 1.0Wm 45 AZI - MP4
140	1.2D + 1.5Lm + 1.0Wm 60 AZI - MP4
141	1.2D + 1.5Lm + 1.0Wm 90 AZI - MP4
142	1.2D + 1.5Lm + 1.0Wm 120 AZI - MP4
143	1.2D + 1.5Lm + 1.0Wm 135 AZI - MP4
144	1.2D + 1.5Lm + 1.0Wm 150 AZI - MP4
145	1.2D + 1.5Lm + 1.0Wm 180 AZI - MP4
146	1.2D + 1.5Lm + 1.0Wm 210 AZI - MP4
147	1.2D + 1.5Lm + 1.0Wm 225 AZI - MP4
148	1.2D + 1.5Lm + 1.0Wm 240 AZI - MP4
149	1.2D + 1.5Lm + 1.0Wm 270 AZI - MP4
150	1.2D + 1.5Lm + 1.0Wm 300 AZI - MP4
151	1.2D + 1.5Lm + 1.0Wm 315 AZI - MP4
152	1.2D + 1.5Lm + 1.0Wm 330 AZI - MP4

*This page shows an example of maintenance loads for (4) pipes, the number of mount pipe LCs may vary per site

EQUIPMENT LOADING

Appurtenance Name/Location	Qty.	Elevation [ft]	--	EPA $_N$ (ft2)	EPA $_T$ (ft2)	Weight (lbs)
MX08FRO665-20	3	93	No Ice	12.49	5.87	54.00
MP1/MP4/MP7, 0/120/240	--	--	w/ Ice	9.63	4.63	271.73
TA08025-B604	3	93	No Ice	1.96	0.98	63.90
MP1/MP4/MP7, 0/120/240	--	--	w/ Ice	2.37	1.30	66.51
TA08025-B605	3	93	No Ice	1.96	1.13	75.00
MP1/MP4/MP7, 0/120/240	--	--	w/ Ice	2.37	1.46	70.88
RDIDC-9181-PF-48	1	93	No Ice	2.01	1.17	21.85
RP1, 0	--	--	w/ Ice	2.42	1.51	69.85
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			

EQUIPMENT LOADING [CONT.]

Appurtenance Name/Location	Qty.	Elevation [ft]	--	EPA $_N$ (ft2)	EPA $_T$ (ft2)	Weight (lbs)
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			

EQUIPMENT WIND CALCULATIONS

Appurtenance Name	Qty.	Elevation [ft]	K_{zt}	K_z	K_d	t_d	q_z [psf]	q_{zi} [psf]
MX08FRO665-20	3	93	1.00	0.97	0.95	1.66	39.27	5.81
TA08025-B604	3	93	1.00	0.97	0.95	1.66	39.27	5.81
TA08025-B605	3	93	1.00	0.97	0.95	1.66	39.27	5.81
RDIDC-9181-PF-48	1	93	1.00	0.97	0.95	1.66	39.27	5.81

EQUIPMENT LATERAL WIND FORCE CALCULATIONS

Appurtenance Name	Qty.	--	0° 180°	30° 210°	60° 240°	90° 270°	120° 300°	150° 330°
MX08FRO665-20	3	No Ice	441.44	265.88	382.92	207.37	382.92	265.88
MP1/MP4/MP7, 0/120/240	--	w/ Ice	50.37	30.76	43.83	24.22	43.83	30.76
TA08025-B604	3	No Ice	69.40	43.36	60.72	34.68	60.72	43.36
MP1/MP4/MP7, 0/120/240	--	w/ Ice	12.39	8.18	10.99	6.78	10.99	8.18
TA08025-B605	3	No Ice	69.40	47.29	62.03	39.92	62.03	47.29
MP1/MP4/MP7, 0/120/240	--	w/ Ice	12.39	8.82	11.20	7.63	11.20	8.82
RDIDC-9181-PF-48	1	No Ice	71.11	48.75	63.66	41.29	63.66	48.75
RP1, 0	--	w/ Ice	12.67	9.09	11.48	7.90	11.48	9.09
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						

EQUIPMENT LATERAL WIND FORCE CALCULATIONS [CONT.]

Appurtenance Name	*Qty.*	*--*	*0° 180°*	*30° 210°*	*60° 240°*	*90° 270°*	*120° 300°*	*150° 330°*
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						

EQUIPMENT SEISMIC FORCE CALCULATIONS

Appurtenance Name	*Qty.*	*Elevation [ft]*	*Weight [lbs]*	F_p [lbs]
MX08FRO665-20	3	93	54	5.94
TA08025-B604	3	93	63.9	7.03
TA08025-B605	3	93	75	8.26
RDIDC-9181-PF-48	1	93	21.85	2.41

APPENDIX C

SOFTWARE ANALYSIS OUTPUT

(Global) Model Settings

Display Sections for Member Calcs	5
Max Internal Sections for Member Calcs	97
Include Shear Deformation?	Yes
Increase Nailing Capacity for Wind?	Yes
Include Warping?	Yes
Trans Load Btwn Intersecting Wood Wall?	Yes
Area Load Mesh (in^2)	144
Merge Tolerance (in)	.12
P-Delta Analysis Tolerance	0.50%
Include P-Delta for Walls?	Yes
Automatically Iterate Stiffness for Walls?	Yes
Max Iterations for Wall Stiffness	3
Gravity Acceleration (in/sec^2)	386.4
Wall Mesh Size (in)	24
Eigensolution Convergence Tol. (1.E-)	4
Vertical Axis	Y
Global Member Orientation Plane	XZ
Static Solver	Sparse Accelerated
Dynamic Solver	Accelerated Solver

Hot Rolled Steel Code	AISC 15th(360-16): LRFD
Adjust Stiffness?	Yes(Iterative)
RISAConnection Code	AISC 15th(360-16): LRFD
Cold Formed Steel Code	AISI S100-16: LRFD
Wood Code	AWC NDS-15: ASD
Wood Temperature	< 100F
Concrete Code	ACI 318-14
Masonry Code	ACI 530-13: Strength
Aluminum Code	AA ADM1-10: LRFD - Building
Stainless Steel Code	AISC 14th(360-10): LRFD
Adjust Stiffness?	Yes(Iterative)

Number of Shear Regions	4
Region Spacing Increment (in)	4
Biaxial Column Method	Exact Integration
Parme Beta Factor (PCA)	.65
Concrete Stress Block	Rectangular
Use Cracked Sections?	Yes
Use Cracked Sections Slab?	Yes
Bad Framing Warnings?	No
Unused Force Warnings?	Yes
Min 1 Bar Diam. Spacing?	No
Concrete Rebar Set	REBAR_SET_ASTMA615
Min % Steel for Column	1
Max % Steel for Column	8

(Global) Model Settings, Continued

Seismic Code	ASCE 7-10
Seismic Base Elevation (in)	Not Entered
Add Base Weight?	Yes
Ct X	.02
Ct Z	.02
T X (sec)	Not Entered
T Z (sec)	Not Entered
R X	3
R Z	3
Ct Exp. X	.75
Ct Exp. Z	.75
SD1	1
SDS	1
S1	1
TL (sec)	5
Risk Cat	I or II
Drift Cat	Other
Om Z	1
Om X	1
Cd Z	1
Cd X	1
Rho Z	1
Rho X	1

Hot Rolled Steel Properties

	Label	E [ksi]	G [ksi]	Nu	Therm (/1E...	Density[k/ft...	Yield[psi]	Ry	Fu[psi]	Rt
1	A992	29000	11154	.3	.65	.49	50000	1.1	65000	1.1
2	A36 Gr.36	29000	11154	.3	.65	.49	36000	1.5	58000	1.2
3	A572 Gr.50	29000	11154	.3	.65	.49	50000	1.1	65000	1.1
4	A500 Gr.B RND	29000	11154	.3	.65	.527	42000	1.4	58000	1.3
5	A500 Gr.B Rect	29000	11154	.3	.65	.527	46000	1.4	58000	1.3
6	A53 Gr.B	29000	11154	.3	.65	.49	35000	1.6	60000	1.2
7	A1085	29000	11154	.3	.65	.49	50000	1.4	65000	1.3

Cold Formed Steel Properties

	Label	E [ksi]	G [ksi]	Nu	Therm (/1E5 F)	Density[k/ft^3]	Yield[psi]	Fu[psi]
1	A653 SS Gr33	29500	11346	.3	.65	.49	33000	45000
2	A653 SS Gr50/1	29500	11346	.3	.65	.49	50000	65000

Hot Rolled Steel Section Sets

	Label	Shape	Type	Design List	Material	Design ...	A [in2]	Iyy [in4]	Izz [in4]	J [in4]
1	Plates	6.5"x0.37" Plate	Beam	RECT	A53 Gr.B	Typical	2.405	.027	8.468	.106
2	Grating Bracing	L2x2x3	Beam	Single Angle	A36 Gr.36	Typical	.722	.271	.271	.009
3	Standoffs	PIPE_3.5	Beam	Pipe	A53 Gr.B	Typical	2.5	4.52	4.52	9.04
4	Standoff Bracing	C3X5	Beam	Channel	A36 Gr.36	Typical	1.47	.241	1.85	.043
5	Handrails	PIPE_2.0	Beam	Pipe	A53 Gr.B	Typical	1.02	.627	.627	1.25
6	Handrail Corners	L6 5/8x4 7/16x...	Beam	Single Angle	A36 Gr.36	Typical	2.039	3.593	9.575	.023
7	Horizontals	PIPE_3.5	Beam	Pipe	A53 Gr.B	Typical	2.5	4.52	4.52	9.04
8	Mount Pipes	PIPE_2.0	Beam	Pipe	A53 Gr.B	Typical	1.02	.627	.627	1.25

Cold Formed Steel Section Sets

	Label	Shape	Type	Design List	Material	Design Rul...	A [in2]	Iyy [in4]	Izz [in4]	J [in4]
1	CF1A	8CU1.25X057	Beam	None	A653 SS Gr33	Typical	.581	.057	4.41	.00063

Joint Boundary Conditions

	Joint Label	X [k/in]	Y [k/in]	Z [k/in]	X Rot.[k-ft/rad]	Y Rot.[k-ft/rad]	Z Rot.[k-ft/rad]
1	N25	Reaction	Reaction	Reaction	Reaction	Reaction	Reaction
2	N1	Reaction	Reaction	Reaction	Reaction	Reaction	Reaction
3	N13	Reaction	Reaction	Reaction	Reaction	Reaction	Reaction

Basic Load Cases

	BLC Description	Category	X Gravity	Y Gravity	Z Gravity	Joint	Point	Distributed	Area(Me...	Surface(...
1	Self Weight	DL		-1			13		3	
2	Structure Wind Z	WLZ						53		
3	Structure Wind X	WLX						53		
4	Wind Load 0 AZI	WLZ					26			
5	Wind Load 30 AZI	None					26			
6	Wind Load 45 AZI	None					26			
7	Wind Load 60 AZI	None					26			
8	Wind Load 90 AZI	WLX					26			
9	Wind Load 120 AZI	None					26			
10	Wind Load 135 AZI	None					26			
11	Wind Load 150 AZI	None					26			
12	Ice Weight	OL1					13	53	3	
13	Ice Structure Wind Z	OL2						53		
14	Ice Structure Wind X	OL3						53		
15	Ice Wind Load 0 AZI	OL2					26			
16	Ice Wind Load 30 AZI	None					26			
17	Ice Wind Load 45 AZI	None					26			
18	Ice Wind Load 60 AZI	None					26			
19	Ice Wind Load 90 AZI	OL3					26			
20	Ice Wind Load 120 AZI	None					26			
21	Ice Wind Load 135 AZI	None					26			
22	Ice Wind Load 150 AZI	None					26			
23	Seismic Load Z	ELZ			-.11		13			
24	Seismic Load X	ELX	-.11				13			
25	Live Load 1 (Lv)	None					1			
26	Live Load 2 (Lv)	None					1			
27	Live Load 3 (Lv)	None					1			
28	Live Load 4 (Lv)	None					1			
29	Live Load 5 (Lv)	None					1			
30	Live Load 6 (Lv)	None					1			
31	Live Load 7 (Lv)	None					1			
32	Live Load 8 (Lv)	None					1			
33	Live Load 9 (Lv)	None					1			
34	Live Load 10 (Lv)	None					1			
35	Live Load 11 (Lv)	None					1			
36	Live Load 12 (Lv)	None					1			
37	Live Load 13 (Lv)	None					1			
38	Live Load 14 (Lv)	None					1			
39	Live Load 15 (Lv)	None					1			
40	Live Load 16 (Lv)	None					1			
41	Live Load 17 (Lv)	None					1			
42	Live Load 18 (Lv)	None					1			
43	Maintenance Load 1 (Lm)	None					1			

Basic Load Cases (Continued)

	BLC Description	Category	X Gravity	Y Gravity	Z Gravity	Joint	Point	Distributed	Area(Me...	Surface(...
44	Maintenance Load 2 (Lm)	None					1			
45	Maintenance Load 3 (Lm)	None					1			
46	Maintenance Load 4 (Lm)	None					1			
47	Maintenance Load 5 (Lm)	None					1			
48	Maintenance Load 6 (Lm)	None					1			
49	Maintenance Load 7 (Lm)	None					1			
50	Maintenance Load 8 (Lm)	None					1			
51	Maintenance Load 9 (Lm)	None					1			
52	BLC 1 Transient Area Loads	None						9		
53	BLC 12 Transient Area Loads	None						9		

Load Combinations

	Description	S...	P...	S...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...
1	1.4DL	Yes	Y		DL	1.4																		
2	1.2DL + 1WL 0 AZI	Yes	Y		DL	1.2	2	1	3		4	1												
3	1.2DL + 1WL 30 AZI	Yes	Y		DL	1.2	2	.866	3	.5	5	1												
4	1.2DL + 1WL 45 AZI	Yes	Y		DL	1.2	2	.707	3	.707	6	1												
5	1.2DL + 1WL 60 AZI	Yes	Y		DL	1.2	2	.5	3	.866	7	1												
6	1.2DL + 1WL 90 AZI	Yes	Y		DL	1.2	2		3	1	8	1												
7	1.2DL + 1WL 120 AZI	Yes	Y		DL	1.2	2	-.5	3	.866	9	1												
8	1.2DL + 1WL 135 AZI	Yes	Y		DL	1.2	2	-.7...	3	.707	10	1												
9	1.2DL + 1WL 150 AZI	Yes	Y		DL	1.2	2	-.8...	3	.5	11	1												
10	1.2DL + 1WL 180 AZI	Yes	Y		DL	1.2	2	-1	3		4	-1												
11	1.2DL + 1WL 210 AZI	Yes	Y		DL	1.2	2	-.8...	3	-.5	5	-1												
12	1.2DL + 1WL 225 AZI	Yes	Y		DL	1.2	2	-.7...	3	-.7...	6	-1												
13	1.2DL + 1WL 240 AZI	Yes	Y		DL	1.2	2	-.5	3	-.8...	7	-1												
14	1.2DL + 1WL 270 AZI	Yes	Y		DL	1.2	2		3	-1	8	-1												
15	1.2DL + 1WL 300 AZI	Yes	Y		DL	1.2	2	.5	3	-.8...	9	-1												
16	1.2DL + 1WL 315 AZI	Yes	Y		DL	1.2	2	.707	3	-.7...	10	-1												
17	1.2DL + 1WL 330 AZI	Yes	Y		DL	1.2	2	.866	3	-.5	11	-1												
18	0.9DL + 1WL 0 AZI	Yes	Y		DL	.9	2	1	3		4	1												
19	0.9DL + 1WL 30 AZI	Yes	Y		DL	.9	2	.866	3	.5	5	1												
20	0.9DL + 1WL 45 AZI	Yes	Y		DL	.9	2	.707	3	.707	6	1												
21	0.9DL + 1WL 60 AZI	Yes	Y		DL	.9	2	.5	3	.866	7	1												
22	0.9DL + 1WL 90 AZI	Yes	Y		DL	.9	2		3	1	8	1												
23	0.9DL + 1WL 120 AZI	Yes	Y		DL	.9	2	-.5	3	.866	9	1												
24	0.9DL + 1WL 135 AZI	Yes	Y		DL	.9	2	-.7...	3	.707	10	1												
25	0.9DL + 1WL 150 AZI	Yes	Y		DL	.9	2	-.8...	3	.5	11	1												
26	0.9DL + 1WL 180 AZI	Yes	Y		DL	.9	2	-1	3		4	-1												
27	0.9DL + 1WL 210 AZI	Yes	Y		DL	.9	2	-.8...	3	-.5	5	-1												
28	0.9DL + 1WL 225 AZI	Yes	Y		DL	.9	2	-.7...	3	-.7...	6	-1												
29	0.9DL + 1WL 240 AZI	Yes	Y		DL	.9	2	-.5	3	-.8...	7	-1												
30	0.9DL + 1WL 270 AZI	Yes	Y		DL	.9	2		3	-1	8	-1												
31	0.9DL + 1WL 300 AZI	Yes	Y		DL	.9	2	.5	3	-.8...	9	-1												
32	0.9DL + 1WL 315 AZI	Yes	Y		DL	.9	2	.707	3	-.7...	10	-1												
33	0.9DL + 1WL 330 AZI	Yes	Y		DL	.9	2	.866	3	-.5	11	-1												
34	1.2DL + 1DLi + 1WLi 0 AZI	Yes	Y		DL	1.2	O...	1	13	1	14		15	1										
35	1.2DL + 1DLi + 1WLi 30 AZI	Yes	Y		DL	1.2	O...	1	13	.866	14	.5	16	1										
36	1.2DL + 1DLi + 1WLi 45 AZI	Yes	Y		DL	1.2	O...	1	13	.707	14	.707	17	1										
37	1.2DL + 1DLi + 1WLi 60 AZI	Yes	Y		DL	1.2	O...	1	13	.5	14	.866	18	1										
38	1.2DL + 1DLi + 1WLi 90 AZI	Yes	Y		DL	1.2	O...	1	13		14	1	19	1										
39	1.2DL + 1DLi + 1WLi 120 AZI	Yes	Y		DL	1.2	O...	1	13	-.5	14	.866	20	1										
40	1.2DL + 1DLi + 1WLi 135 AZI	Yes	Y		DL	1.2	O...	1	13	-.7...	14	.707	21	1										
41	1.2DL + 1DLi + 1WLi 150 AZI	Yes	Y		DL	1.2	O...	1	13	-.8...	14	.5	22	1										
42	1.2DL + 1DLi + 1WLi 180 AZI	Yes	Y		DL	1.2	O...	1	13	-1	14		15	-1										

Load Combinations (Continued)

	Description	S...	P...	S...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...
43	1.2DL + 1DLi + 1WLi 210 AZI	Yes	Y		DL	1.2	O...	1	13	-.8...	14	-.5	16	-1										
44	1.2DL + 1DLi + 1WLi 225 AZI	Yes	Y		DL	1.2	O...	1	13	-.7...	14	-.7...	17	-1										
45	1.2DL + 1DLi + 1WLi 240 AZI	Yes	Y		DL	1.2	O...	1	13	-.5	14	-.8...	18	-1										
46	1.2DL + 1DLi + 1WLi 270 AZI	Yes	Y		DL	1.2	O...	1	13		14	-1	19	-1										
47	1.2DL + 1DLi + 1WLi 300 AZI	Yes	Y		DL	1.2	O...	1	13	.5	14	-.8...	20	-1										
48	1.2DL + 1DLi + 1WLi 315 AZI	Yes	Y		DL	1.2	O...	1	13	.707	14	-.7...	21	-1										
49	1.2DL + 1DLi + 1WLi 330 AZI	Yes	Y		DL	1.2	O...	1	13	.866	14	-.5	22	-1										
50	(1.2+0.2Sds)DL + 1E 0 AZI	Yes	Y		DL	1.2...	23	1	24															
51	(1.2+0.2Sds)DL + 1E 30 AZI	Yes	Y		DL	1.2...	23	.866	24	.5														
52	(1.2+0.2Sds)DL + 1E 45 AZI	Yes	Y		DL	1.2...	23	.707	24	.707														
53	(1.2+0.2Sds)DL + 1E 60 AZI	Yes	Y		DL	1.2...	23	.5	24	.866														
54	(1.2+0.2Sds)DL + 1E 90 AZI	Yes	Y		DL	1.2...	23		24	1														
55	(1.2+0.2Sds)DL + 1E 120 AZI	Yes	Y		DL	1.2...	23	-.5	24	.866														
56	(1.2+0.2Sds)DL + 1E 135 AZI	Yes	Y		DL	1.2...	23	-.7...	24	.707														
57	(1.2+0.2Sds)DL + 1E 150 AZI	Yes	Y		DL	1.2...	23	-.8...	24	.5														
58	(1.2+0.2Sds)DL + 1E 180 AZI	Yes	Y		DL	1.2...	23	-1	24															
59	(1.2+0.2Sds)DL + 1E 210 AZI	Yes	Y		DL	1.2...	23	-.8...	24	-.5														
60	(1.2+0.2Sds)DL + 1E 225 AZI	Yes	Y		DL	1.2...	23	-.7...	24	-.7...														
61	(1.2+0.2Sds)DL + 1E 240 AZI	Yes	Y		DL	1.2...	23	-.5	24	-.8...														
62	(1.2+0.2Sds)DL + 1E 270 AZI	Yes	Y		DL	1.2...	23		24	-1														
63	(1.2+0.2Sds)DL + 1E 300 AZI	Yes	Y		DL	1.2...	23	.5	24	-.8...														
64	(1.2+0.2Sds)DL + 1E 315 AZI	Yes	Y		DL	1.2...	23	.707	24	-.7...														
65	(1.2+0.2Sds)DL + 1E 330 AZI	Yes	Y		DL	1.2...	23	.866	24	-.5														
66	(0.9-0.2Sds)DL + 1E 0 AZI	Yes	Y		DL	.863	23	1	24															
67	(0.9-0.2Sds)DL + 1E 30 AZI	Yes	Y		DL	.863	23	.866	24	.5														
68	(0.9-0.2Sds)DL + 1E 45 AZI	Yes	Y		DL	.863	23	.707	24	.707														
69	(0.9-0.2Sds)DL + 1E 60 AZI	Yes	Y		DL	.863	23	.5	24	.866														
70	(0.9-0.2Sds)DL + 1E 90 AZI	Yes	Y		DL	.863	23		24	1														
71	(0.9-0.2Sds)DL + 1E 120 AZI	Yes	Y		DL	.863	23	-.5	24	.866														
72	(0.9-0.2Sds)DL + 1E 135 AZI	Yes	Y		DL	.863	23	-.7...	24	.707														
73	(0.9-0.2Sds)DL + 1E 150 AZI	Yes	Y		DL	.863	23	-.8...	24	.5														
74	(0.9-0.2Sds)DL + 1E 180 AZI	Yes	Y		DL	.863	23	-1	24															
75	(0.9-0.2Sds)DL + 1E 210 AZI	Yes	Y		DL	.863	23	-.8...	24	-.5														
76	(0.9-0.2Sds)DL + 1E 225 AZI	Yes	Y		DL	.863	23	-.7...	24	-.7...														
77	(0.9-0.2Sds)DL + 1E 240 AZI	Yes	Y		DL	.863	23	-.5	24	-.8...														
78	(0.9-0.2Sds)DL + 1E 270 AZI	Yes	Y		DL	.863	23		24	-1														
79	(0.9-0.2Sds)DL + 1E 300 AZI	Yes	Y		DL	.863	23	.5	24	-.8...														
80	(0.9-0.2Sds)DL + 1E 315 AZI	Yes	Y		DL	.863	23	.707	24	-.7...														
81	(0.9-0.2Sds)DL + 1E 330 AZI	Yes	Y		DL	.863	23	.866	24	-.5														
82	1.2DL + 1Lv1	Yes	Y		DL	1.2	25	1.5																
83	1.2DL + 1Lv2	Yes	Y		DL	1.2	26	1.5																
84	1.2DL + 1Lv3	Yes	Y		DL	1.2	27	1.5																
85	1.2DL + 1Lv4	Yes	Y		DL	1.2	28	1.5																
86	1.2DL + 1Lv5	Yes	Y		DL	1.2	29	1.5																
87	1.2DL + 1Lv6	Yes	Y		DL	1.2	30	1.5																
88	1.2DL + 1Lv7	Yes	Y		DL	1.2	31	1.5																
89	1.2DL + 1Lv8	Yes	Y		DL	1.2	32	1.5																
90	1.2DL + 1Lv9	Yes	Y		DL	1.2	33	1.5																
91	1.2DL + 1Lv10	Yes	Y		DL	1.2	34	1.5																
92	1.2DL + 1Lv11	Yes	Y		DL	1.2	35	1.5																
93	1.2DL + 1Lv12	Yes	Y		DL	1.2	36	1.5																
94	1.2DL + 1Lv13	Yes	Y		DL	1.2	37	1.5																
95	1.2DL + 1Lv14	Yes	Y		DL	1.2	38	1.5																
96	1.2DL + 1Lv15	Yes	Y		DL	1.2	39	1.5																
97	1.2DL + 1Lv16	Yes	Y		DL	1.2	40	1.5																
98	1.2DL + 1Lv17	Yes	Y		DL	1.2	41	1.5																
99	1.2DL + 1Lv18	Yes	Y		DL	1.2	42	1.5																

Load Combinations (Continued)

	Description	S...	P...	S...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...
100	1.2DL + 1.5Lm + 1Wm 0 AZI -...	Yes	Y		DL	1.2	43	1.5	2	.053	3		4	.053												
101	1.2DL + 1.5Lm + 1Wm 30 AZI...	Yes	Y		DL	1.2	43	1.5	2	.046	3	.027	5	.053												
102	1.2DL + 1.5Lm + 1Wm 45 AZI...	Yes	Y		DL	1.2	43	1.5	2	.038	3	.038	6	.053												
103	1.2DL + 1.5Lm + 1Wm 60 AZI...	Yes	Y		DL	1.2	43	1.5	2	.027	3	.046	7	.053												
104	1.2DL + 1.5Lm + 1Wm 90 AZI...	Yes	Y		DL	1.2	43	1.5	2		3	.053	8	.053												
105	1.2DL + 1.5Lm + 1Wm 120 A...	Yes	Y		DL	1.2	43	1.5	2	-.0...	3	.046	9	.053												
106	1.2DL + 1.5Lm + 1Wm 135 A...	Yes	Y		DL	1.2	43	1.5	2	-.0...	3	.038	10	.053												
107	1.2DL + 1.5Lm + 1Wm 150 A...	Yes	Y		DL	1.2	43	1.5	2	-.0...	3	.027	11	.053												
108	1.2DL + 1.5Lm + 1Wm 180 A...	Yes	Y		DL	1.2	43	1.5	2	-.0...	3		4	-.0...												
109	1.2DL + 1.5Lm + 1Wm 210 A...	Yes	Y		DL	1.2	43	1.5	2	-.0...	3	-.0...	5	-.0...												
110	1.2DL + 1.5Lm + 1Wm 225 A...	Yes	Y		DL	1.2	43	1.5	2	-.0...	3	-.0...	6	-.0...												
111	1.2DL + 1.5Lm + 1Wm 240 A...	Yes	Y		DL	1.2	43	1.5	2	-.0...	3	-.0...	7	-.0...												
112	1.2DL + 1.5Lm + 1Wm 270 A...	Yes	Y		DL	1.2	43	1.5	2		3	-.0...	8	-.0...												
113	1.2DL + 1.5Lm + 1Wm 300 A...	Yes	Y		DL	1.2	43	1.5	2	.027	3	-.0...	9	-.0...												
114	1.2DL + 1.5Lm + 1Wm 315 A...	Yes	Y		DL	1.2	43	1.5	2	.038	3	-.0...	10	-.0...												
115	1.2DL + 1.5Lm + 1Wm 330 A...	Yes	Y		DL	1.2	43	1.5	2	.046	3	-.0...	11	-.0...												
116	1.2DL + 1.5Lm + 1Wm 0 AZI -...	Yes	Y		DL	1.2	44	1.5	2	.053	3		4	.053												
117	1.2DL + 1.5Lm + 1Wm 30 AZI...	Yes	Y		DL	1.2	44	1.5	2	.046	3	.027	5	.053												
118	1.2DL + 1.5Lm + 1Wm 45 AZI...	Yes	Y		DL	1.2	44	1.5	2	.038	3	.038	6	.053												
119	1.2DL + 1.5Lm + 1Wm 60 AZI...	Yes	Y		DL	1.2	44	1.5	2	.027	3	.046	7	.053												
120	1.2DL + 1.5Lm + 1Wm 90 AZI...	Yes	Y		DL	1.2	44	1.5	2		3	.053	8	.053												
121	1.2DL + 1.5Lm + 1Wm 120 A...	Yes	Y		DL	1.2	44	1.5	2	-.0...	3	.046	9	.053												
122	1.2DL + 1.5Lm + 1Wm 135 A...	Yes	Y		DL	1.2	44	1.5	2	-.0...	3	.038	10	.053												
123	1.2DL + 1.5Lm + 1Wm 150 A...	Yes	Y		DL	1.2	44	1.5	2	-.0...	3	.027	11	.053												
124	1.2DL + 1.5Lm + 1Wm 180 A...	Yes	Y		DL	1.2	44	1.5	2	-.0...	3		4	-.0...												
125	1.2DL + 1.5Lm + 1Wm 210 A...	Yes	Y		DL	1.2	44	1.5	2	-.0...	3	-.0...	5	-.0...												
126	1.2DL + 1.5Lm + 1Wm 225 A...	Yes	Y		DL	1.2	44	1.5	2	-.0...	3	-.0...	6	-.0...												
127	1.2DL + 1.5Lm + 1Wm 240 A...	Yes	Y		DL	1.2	44	1.5	2	-.0...	3	-.0...	7	-.0...												
128	1.2DL + 1.5Lm + 1Wm 270 A...	Yes	Y		DL	1.2	44	1.5	2		3	-.0...	8	-.0...												
129	1.2DL + 1.5Lm + 1Wm 300 A...	Yes	Y		DL	1.2	44	1.5	2	.027	3	-.0...	9	-.0...												
130	1.2DL + 1.5Lm + 1Wm 315 A...	Yes	Y		DL	1.2	44	1.5	2	.038	3	-.0...	10	-.0...												
131	1.2DL + 1.5Lm + 1Wm 330 A...	Yes	Y		DL	1.2	44	1.5	2	.046	3	-.0...	11	-.0...												
132	1.2DL + 1.5Lm + 1Wm 0 AZI -...	Yes	Y		DL	1.2	45	1.5	2	.053	3		4	.053												
133	1.2DL + 1.5Lm + 1Wm 30 AZI...	Yes	Y		DL	1.2	45	1.5	2	.046	3	.027	5	.053												
134	1.2DL + 1.5Lm + 1Wm 45 AZI...	Yes	Y		DL	1.2	45	1.5	2	.038	3	.038	6	.053												
135	1.2DL + 1.5Lm + 1Wm 60 AZI...	Yes	Y		DL	1.2	45	1.5	2	.027	3	.046	7	.053												
136	1.2DL + 1.5Lm + 1Wm 90 AZI...	Yes	Y		DL	1.2	45	1.5	2		3	.053	8	.053												
137	1.2DL + 1.5Lm + 1Wm 120 A...	Yes	Y		DL	1.2	45	1.5	2	-.0...	3	.046	9	.053												
138	1.2DL + 1.5Lm + 1Wm 135 A...	Yes	Y		DL	1.2	45	1.5	2	-.0...	3	.038	10	.053												
139	1.2DL + 1.5Lm + 1Wm 150 A...	Yes	Y		DL	1.2	45	1.5	2	-.0...	3	.027	11	.053												
140	1.2DL + 1.5Lm + 1Wm 180 A...	Yes	Y		DL	1.2	45	1.5	2	-.0...	3		4	-.0...												
141	1.2DL + 1.5Lm + 1Wm 210 A...	Yes	Y		DL	1.2	45	1.5	2	-.0...	3	-.0...	5	-.0...												
142	1.2DL + 1.5Lm + 1Wm 225 A...	Yes	Y		DL	1.2	45	1.5	2	-.0...	3	-.0...	6	-.0...												
143	1.2DL + 1.5Lm + 1Wm 240 A...	Yes	Y		DL	1.2	45	1.5	2	-.0...	3	-.0...	7	-.0...												
144	1.2DL + 1.5Lm + 1Wm 270 A...	Yes	Y		DL	1.2	45	1.5	2		3	-.0...	8	-.0...												
145	1.2DL + 1.5Lm + 1Wm 300 A...	Yes	Y		DL	1.2	45	1.5	2	.027	3	-.0...	9	-.0...												
146	1.2DL + 1.5Lm + 1Wm 315 A...	Yes	Y		DL	1.2	45	1.5	2	.038	3	-.0...	10	-.0...												
147	1.2DL + 1.5Lm + 1Wm 330 A...	Yes	Y		DL	1.2	45	1.5	2	.046	3	-.0...	11	-.0...												
148	1.2DL + 1.5Lm + 1Wm 0 AZI -...	Yes	Y		DL	1.2	46	1.5	2	.053	3		4	.053												
149	1.2DL + 1.5Lm + 1Wm 30 AZI...	Yes	Y		DL	1.2	46	1.5	2	.046	3	.027	5	.053												
150	1.2DL + 1.5Lm + 1Wm 45 AZI...	Yes	Y		DL	1.2	46	1.5	2	.038	3	.038	6	.053												
151	1.2DL + 1.5Lm + 1Wm 60 AZI...	Yes	Y		DL	1.2	46	1.5	2	.027	3	.046	7	.053												
152	1.2DL + 1.5Lm + 1Wm 90 AZI...	Yes	Y		DL	1.2	46	1.5	2		3	.053	8	.053												
153	1.2DL + 1.5Lm + 1Wm 120 A...	Yes	Y		DL	1.2	46	1.5	2	-.0...	3	.046	9	.053												
154	1.2DL + 1.5Lm + 1Wm 135 A...	Yes	Y		DL	1.2	46	1.5	2	-.0...	3	.038	10	.053												
155	1.2DL + 1.5Lm + 1Wm 150 A...	Yes	Y		DL	1.2	46	1.5	2	-.0...	3	.027	11	.053												
156	1.2DL + 1.5Lm + 1Wm 180 A...	Yes	Y		DL	1.2	46	1.5	2	-.0...	3		4	-.0...												

Load Combinations (Continued)

	Description	S...	P...	S...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...
157	1.2DL + 1.5Lm + 1Wm 210 A...	Yes	Y		DL	1.2	46	1.5	2	-.0...	3	-.0...	5	-.0...										
158	1.2DL + 1.5Lm + 1Wm 225 A...	Yes	Y		DL	1.2	46	1.5	2	-.0...	3	-.0...	6	-.0...										
159	1.2DL + 1.5Lm + 1Wm 240 A...	Yes	Y		DL	1.2	46	1.5	2	-.0...	3	-.0...	7	-.0...										
160	1.2DL + 1.5Lm + 1Wm 270 A...	Yes	Y		DL	1.2	46	1.5	2		3	-.0...	8	-.0...										
161	1.2DL + 1.5Lm + 1Wm 300 A...	Yes	Y		DL	1.2	46	1.5	2	.027	3	-.0...	9	-.0...										
162	1.2DL + 1.5Lm + 1Wm 315 A...	Yes	Y		DL	1.2	46	1.5	2	.038	3	-.0...	10	-.0...										
163	1.2DL + 1.5Lm + 1Wm 330 A...	Yes	Y		DL	1.2	46	1.5	2	.046	3	-.0...	11	-.0...										
164	1.2DL + 1.5Lm + 1Wm 0 AZI -...	Yes	Y		DL	1.2	47	1.5	2	.053	3		4	.053										
165	1.2DL + 1.5Lm + 1Wm 30 AZI...	Yes	Y		DL	1.2	47	1.5	2	.046	3	.027	5	.053										
166	1.2DL + 1.5Lm + 1Wm 45 AZI...	Yes	Y		DL	1.2	47	1.5	2	.038	3	.038	6	.053										
167	1.2DL + 1.5Lm + 1Wm 60 AZI...	Yes	Y		DL	1.2	47	1.5	2	.027	3	.046	7	.053										
168	1.2DL + 1.5Lm + 1Wm 90 AZI...	Yes	Y		DL	1.2	47	1.5	2		3	.053	8	.053										
169	1.2DL + 1.5Lm + 1Wm 120 A...	Yes	Y		DL	1.2	47	1.5	2	-.0...	3	.046	9	.053										
170	1.2DL + 1.5Lm + 1Wm 135 A...	Yes	Y		DL	1.2	47	1.5	2	-.0...	3	.038	10	.053										
171	1.2DL + 1.5Lm + 1Wm 150 A...	Yes	Y		DL	1.2	47	1.5	2	-.0...	3	.027	11	.053										
172	1.2DL + 1.5Lm + 1Wm 180 A...	Yes	Y		DL	1.2	47	1.5	2	-.0...	3		4	-.0...										
173	1.2DL + 1.5Lm + 1Wm 210 A...	Yes	Y		DL	1.2	47	1.5	2	-.0...	3	-.0...	5	-.0...										
174	1.2DL + 1.5Lm + 1Wm 225 A...	Yes	Y		DL	1.2	47	1.5	2	-.0...	3	-.0...	6	-.0...										
175	1.2DL + 1.5Lm + 1Wm 240 A...	Yes	Y		DL	1.2	47	1.5	2	-.0...	3	-.0...	7	-.0...										
176	1.2DL + 1.5Lm + 1Wm 270 A...	Yes	Y		DL	1.2	47	1.5	2		3	-.0...	8	-.0...										
177	1.2DL + 1.5Lm + 1Wm 300 A...	Yes	Y		DL	1.2	47	1.5	2	.027	3	-.0...	9	-.0...										
178	1.2DL + 1.5Lm + 1Wm 315 A...	Yes	Y		DL	1.2	47	1.5	2	.038	3	-.0...	10	-.0...										
179	1.2DL + 1.5Lm + 1Wm 330 A...	Yes	Y		DL	1.2	47	1.5	2	.046	3	-.0...	11	-.0...										
180	1.2DL + 1.5Lm + 1Wm 0 AZI -...	Yes	Y		DL	1.2	48	1.5	2	.053	3		4	.053										
181	1.2DL + 1.5Lm + 1Wm 30 AZI...	Yes	Y		DL	1.2	48	1.5	2	.046	3	.027	5	.053										
182	1.2DL + 1.5Lm + 1Wm 45 AZI...	Yes	Y		DL	1.2	48	1.5	2	.038	3	.038	6	.053										
183	1.2DL + 1.5Lm + 1Wm 60 AZI...	Yes	Y		DL	1.2	48	1.5	2	.027	3	.046	7	.053										
184	1.2DL + 1.5Lm + 1Wm 90 AZI...	Yes	Y		DL	1.2	48	1.5	2		3	.053	8	.053										
185	1.2DL + 1.5Lm + 1Wm 120 A...	Yes	Y		DL	1.2	48	1.5	2	-.0...	3	.046	9	.053										
186	1.2DL + 1.5Lm + 1Wm 135 A...	Yes	Y		DL	1.2	48	1.5	2	-.0...	3	.038	10	.053										
187	1.2DL + 1.5Lm + 1Wm 150 A...	Yes	Y		DL	1.2	48	1.5	2	-.0...	3	.027	11	.053										
188	1.2DL + 1.5Lm + 1Wm 180 A...	Yes	Y		DL	1.2	48	1.5	2	-.0...	3		4	-.0...										
189	1.2DL + 1.5Lm + 1Wm 210 A...	Yes	Y		DL	1.2	48	1.5	2	-.0...	3	-.0...	5	-.0...										
190	1.2DL + 1.5Lm + 1Wm 225 A...	Yes	Y		DL	1.2	48	1.5	2	-.0...	3	-.0...	6	-.0...										
191	1.2DL + 1.5Lm + 1Wm 240 A...	Yes	Y		DL	1.2	48	1.5	2	-.0...	3	-.0...	7	-.0...										
192	1.2DL + 1.5Lm + 1Wm 270 A...	Yes	Y		DL	1.2	48	1.5	2		3	-.0...	8	-.0...										
193	1.2DL + 1.5Lm + 1Wm 300 A...	Yes	Y		DL	1.2	48	1.5	2	.027	3	-.0...	9	-.0...										
194	1.2DL + 1.5Lm + 1Wm 315 A...	Yes	Y		DL	1.2	48	1.5	2	.038	3	-.0...	10	-.0...										
195	1.2DL + 1.5Lm + 1Wm 330 A...	Yes	Y		DL	1.2	48	1.5	2	.046	3	-.0...	11	-.0...										
196	1.2DL + 1.5Lm + 1Wm 0 AZI -...	Yes	Y		DL	1.2	49	1.5	2	.053	3		4	.053										
197	1.2DL + 1.5Lm + 1Wm 30 AZI...	Yes	Y		DL	1.2	49	1.5	2	.046	3	.027	5	.053										
198	1.2DL + 1.5Lm + 1Wm 45 AZI...	Yes	Y		DL	1.2	49	1.5	2	.038	3	.038	6	.053										
199	1.2DL + 1.5Lm + 1Wm 60 AZI...	Yes	Y		DL	1.2	49	1.5	2	.027	3	.046	7	.053										
200	1.2DL + 1.5Lm + 1Wm 90 AZI...	Yes	Y		DL	1.2	49	1.5	2		3	.053	8	.053										
201	1.2DL + 1.5Lm + 1Wm 120 A...	Yes	Y		DL	1.2	49	1.5	2	-.0...	3	.046	9	.053										
202	1.2DL + 1.5Lm + 1Wm 135 A...	Yes	Y		DL	1.2	49	1.5	2	-.0...	3	.038	10	.053										
203	1.2DL + 1.5Lm + 1Wm 150 A...	Yes	Y		DL	1.2	49	1.5	2	-.0...	3	.027	11	.053										
204	1.2DL + 1.5Lm + 1Wm 180 A...	Yes	Y		DL	1.2	49	1.5	2	-.0...	3		4	-.0...										
205	1.2DL + 1.5Lm + 1Wm 210 A...	Yes	Y		DL	1.2	49	1.5	2	-.0...	3	-.0...	5	-.0...										
206	1.2DL + 1.5Lm + 1Wm 225 A...	Yes	Y		DL	1.2	49	1.5	2	-.0...	3	-.0...	6	-.0...										
207	1.2DL + 1.5Lm + 1Wm 240 A...	Yes	Y		DL	1.2	49	1.5	2	-.0...	3	-.0...	7	-.0...										
208	1.2DL + 1.5Lm + 1Wm 270 A...	Yes	Y		DL	1.2	49	1.5	2		3	-.0...	8	-.0...										
209	1.2DL + 1.5Lm + 1Wm 300 A...	Yes	Y		DL	1.2	49	1.5	2	.027	3	-.0...	9	-.0...										
210	1.2DL + 1.5Lm + 1Wm 315 A...	Yes	Y		DL	1.2	49	1.5	2	.038	3	-.0...	10	-.0...										
211	1.2DL + 1.5Lm + 1Wm 330 A...	Yes	Y		DL	1.2	49	1.5	2	.046	3	-.0...	11	-.0...										
212	1.2DL + 1.5Lm + 1Wm 0 AZI -...	Yes	Y		DL	1.2	50	1.5	2	.053	3		4	.053										
213	1.2DL + 1.5Lm + 1Wm 30 AZI...	Yes	Y		DL	1.2	50	1.5	2	.046	3	.027	5	.053										

Load Combinations (Continued)

	Description	S...	P...	S...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...
214	1.2DL + 1.5Lm + 1Wm 45 AZI...	Yes	Y		DL	1.2	50	1.5	2	.038	3	.038	6	.053										
215	1.2DL + 1.5Lm + 1Wm 60 AZI...	Yes	Y		DL	1.2	50	1.5	2	.027	3	.046	7	.053										
216	1.2DL + 1.5Lm + 1Wm 90 AZI...	Yes	Y		DL	1.2	50	1.5	2		3	.053	8	.053										
217	1.2DL + 1.5Lm + 1Wm 120 A...	Yes	Y		DL	1.2	50	1.5	2	-.0...	3	.046	9	.053										
218	1.2DL + 1.5Lm + 1Wm 135 A...	Yes	Y		DL	1.2	50	1.5	2	-.0...	3	.038	10	.053										
219	1.2DL + 1.5Lm + 1Wm 150 A...	Yes	Y		DL	1.2	50	1.5	2	-.0...	3	.027	11	.053										
220	1.2DL + 1.5Lm + 1Wm 180 A...	Yes	Y		DL	1.2	50	1.5	2	-.0...	3		4	-.0...										
221	1.2DL + 1.5Lm + 1Wm 210 A...	Yes	Y		DL	1.2	50	1.5	2	-.0...	3	-.0...	5	-.0...										
222	1.2DL + 1.5Lm + 1Wm 225 A...	Yes	Y		DL	1.2	50	1.5	2	-.0...	3	-.0...	6	-.0...										
223	1.2DL + 1.5Lm + 1Wm 240 A...	Yes	Y		DL	1.2	50	1.5	2	-.0...	3	-.0...	7	-.0...										
224	1.2DL + 1.5Lm + 1Wm 270 A...	Yes	Y		DL	1.2	50	1.5	2		3	-.0...	8	-.0...										
225	1.2DL + 1.5Lm + 1Wm 300 A...	Yes	Y		DL	1.2	50	1.5	2	.027	3	-.0...	9	-.0...										
226	1.2DL + 1.5Lm + 1Wm 315 A...	Yes	Y		DL	1.2	50	1.5	2	.038	3	-.0...	10	-.0...										
227	1.2DL + 1.5Lm + 1Wm 330 A...	Yes	Y		DL	1.2	50	1.5	2	.046	3	-.0...	11	-.0...										
228	1.2DL + 1.5Lm + 1Wm 0 AZI -...	Yes	Y		DL	1.2	51	1.5	2	.053	3		4	.053										
229	1.2DL + 1.5Lm + 1Wm 30 AZI...	Yes	Y		DL	1.2	51	1.5	2	.046	3	.027	5	.053										
230	1.2DL + 1.5Lm + 1Wm 45 AZI...	Yes	Y		DL	1.2	51	1.5	2	.038	3	.038	6	.053										
231	1.2DL + 1.5Lm + 1Wm 60 AZI...	Yes	Y		DL	1.2	51	1.5	2	.027	3	.046	7	.053										
232	1.2DL + 1.5Lm + 1Wm 90 AZI...	Yes	Y		DL	1.2	51	1.5	2		3	.053	8	.053										
233	1.2DL + 1.5Lm + 1Wm 120 A...	Yes	Y		DL	1.2	51	1.5	2	-.0...	3	.046	9	.053										
234	1.2DL + 1.5Lm + 1Wm 135 A...	Yes	Y		DL	1.2	51	1.5	2	-.0...	3	.038	10	.053										
235	1.2DL + 1.5Lm + 1Wm 150 A...	Yes	Y		DL	1.2	51	1.5	2	-.0...	3	.027	11	.053										
236	1.2DL + 1.5Lm + 1Wm 180 A...	Yes	Y		DL	1.2	51	1.5	2	-.0...	3		4	-.0...										
237	1.2DL + 1.5Lm + 1Wm 210 A...	Yes	Y		DL	1.2	51	1.5	2	-.0...	3	-.0...	5	-.0...										
238	1.2DL + 1.5Lm + 1Wm 225 A...	Yes	Y		DL	1.2	51	1.5	2	-.0...	3	-.0...	6	-.0...										
239	1.2DL + 1.5Lm + 1Wm 240 A...	Yes	Y		DL	1.2	51	1.5	2	-.0...	3	-.0...	7	-.0...										
240	1.2DL + 1.5Lm + 1Wm 270 A...	Yes	Y		DL	1.2	51	1.5	2		3	-.0...	8	-.0...										
241	1.2DL + 1.5Lm + 1Wm 300 A...	Yes	Y		DL	1.2	51	1.5	2	.027	3	-.0...	9	-.0...										
242	1.2DL + 1.5Lm + 1Wm 315 A...	Yes	Y		DL	1.2	51	1.5	2	.038	3	-.0...	10	-.0...										
243	1.2DL + 1.5Lm + 1Wm 330 A...	Yes	Y		DL	1.2	51	1.5	2	.046	3	-.0...	11	-.0...										

Envelope Joint Reactions

	Joint		X [lb]	LC	Y [lb]	LC	Z [lb]	LC	MX [lb-ft]	LC	MY [lb-ft]	LC	MZ [lb-ft]	LC
1	N25	max	1048.781	20	1857.176	39	1575.067	3	439.545	33	1847.831	19	425.619	30
2		min	-1053.471	12	-27.529	31	-1569.618	27	-1912.494	139	-1850.707	11	-3349.49	38
3	N1	max	860.692	8	1723.936	45	1547.664	17	456.153	19	1773.171	25	3034.604	45
4		min	-853.579	32	-60.3	21	-1546.377	25	-2006.217	125	-1775.873	17	-330.635	21
5	N13	max	1592.66	22	1730.837	34	390.164	18	3623.454	34	1564.403	30	744.654	176
6		min	-1594.926	14	-77.521	26	-397.314	10	-460.364	26	-1567.246	6	-630.964	232
7	Totals:	max	2960.4	6	4994.592	43	3138.911	18						
8		min	-2960.4	30	1284.631	67	-3138.911	10						

Envelope AISC 15th(360-16): LRFD Steel Code Checks

	Member	Shape	Code ...	Loc[in]	LC	Shear ...	Loc[in]	Dir	LC	phi*Pnc ...	phi*Pnt [...	phi*Mn ...	phi*Mn ...	Cb	Eqn
1	SA3	PIPE_3.5	.473	0	39	.190	0		3	75262.68	78750	7953.75	7953.75	2.149	H1-1b
2	SA1	PIPE_3.5	.456	0	34	.165	0		14	75262.68	78750	7953.75	7953.75	2.106	H1-1b
3	SA2	PIPE_3.5	.454	0	45	.175	0		9	75262.68	78750	7953.75	7953.75	2.107	H1-1b
4	B1	C3X5	.353	34.8...	34	.122	63.1...	y	46	37027.8...	47628	981.263	4020.228	1	H1-1b
5	MP3	PIPE_2.0	.351	57	5	.035	57		10	20866.7...	32130	1871.625	1871.625	1.679	H1-1b
6	MP9	PIPE_2.0	.351	57	10	.031	57		15	20866.7...	32130	1871.625	1871.625	1.262	H1-1b
7	B2	C3X5	.351	34.8...	44	.123	63.1...	y	40	11202.9...	47628	981.263	4104	1.34	H1-1b
8	B3	C3X5	.348	34.8...	40	.124	63.1...	y	35	11202.9...	47628	981.263	4104	1.337	H1-1b
9	MP8	PIPE_2.0	.339	57	10	.043	57		14	20866.7...	32130	1871.625	1871.625	1.599	H1-1b
10	MP2	PIPE_2.0	.338	57	5	.049	57		9	20866.7...	32130	1871.625	1871.625	1.679	H1-1b

Envelope AISC 15th(360-16): LRFD Steel Code Checks (Continued)

	Member	Shape	Code ...	Loc[in]	LC	Shear ...	Loc[in]	Dir	LC	phi*Pnc ...	phi*Pnt [...	phi*Mn ...	phi*Mn ...	Cb	Eqn
11	MP6	PIPE_2.0	.330	57	15	.035	57		5	20866.7...	32130	1871.625	1871.625	1.78	H1-1b
12	MP1	PIPE_2.0	.326	57	16	.043	57		17	20866.7...	32130	1871.625	1871.625	1.456	H1-1b
13	MP5	PIPE_2.0	.326	57	16	.050	57		3	20866.7...	32130	1871.625	1871.625	1.711	H1-1b
14	MP4	PIPE_2.0	.324	57	11	.044	57		11	20866.7...	32130	1871.625	1871.625	1.843	H1-1b
15	MP7	PIPE_2.0	.311	57	10	.037	57		6	20866.7...	32130	1871.625	1871.625	1.313	H1-1b
16	HC1	6.5"x0.37" P...	.257	21	2	.088	21	y	48	3513.807	75757.5	583.963	6328.703	1.172	H1-1b
17	HC3	6.5"x0.37" P...	.253	21	7	.088	21	y	37	3513.807	75757.5	583.963	6317.161	1.17	H1-1b
18	HC2	6.5"x0.37" P...	.244	21	12	.088	21	y	42	3513.807	75757.5	583.963	6556.26	1.214	H1-1b
19	HRC3	L6 5/8x4 7/1...	.188	0	21	.035	42	y	12	15453.0...	66065.6...	1040.591	3031.076	1.741	H2-1
20	GS6	L2x2x3	.188	0	14	.024	0	z	43	18051.7...	23392.8	557.717	1239.29	2.37	H2-1
21	HRC2	L6 5/8x4 7/1...	.182	0	26	.035	42	y	17	15453.0...	66065.6...	1040.591	3031.076	1.648	H2-1
22	GS4	L2x2x3	.174	0	3	.024	0	z	49	18051.7...	23392.8	557.717	1239.29	2.397	H2-1
23	HR2	PIPE_2.0	.173	72	5	.156	72		13	14916.0...	32130	1871.625	1871.625	1.464	H1-1b
24	HR1	PIPE_2.0	.172	72	10	.159	72		2	14916.0...	32130	1871.625	1871.625	1.457	H1-1b
25	HRC1	L6 5/8x4 7/1...	.167	0	32	.033	42	y	6	15453.0...	66065.6...	1040.591	3031.076	1.544	H2-1
26	M8	L2x2x3	.166	0	9	.024	0	z	38	18051.7...	23392.8	557.717	1239.29	2.363	H2-1
27	GS2	PIPE_2.0	.166	72	15	.155	72		8	14916.0...	32130	1871.625	1871.625	1.433	H1-1b
28	GS3	L2x2x3	.138	0	13	.026	0	y	41	18051.7...	23392.8	557.717	1239.29	2.202	H2-1
29	GS1	L2x2x3	.125	0	2	.026	0	y	46	18051.7...	23392.8	557.717	1239.29	2.251	H2-1
30	GS5	L2x2x3	.113	0	7	.026	0	y	36	18051.7...	23392.8	557.717	1239.29	2.182	H2-1
31	H3	PIPE_3.5	.108	31	10	.102	24		16	60666.0...	78750	7953.75	7953.75	1.081	H1-1b
32	H2	PIPE_3.5	.105	31	15	.097	24		5	60666.0...	78750	7953.75	7953.75	1.08	H1-1b
33	H1	PIPE_3.5	.104	31	5	.100	24		10	60666.0...	78750	7953.75	7953.75	1.081	H1-1b
34	RP1	PIPE_2.0	.076	26.25	10	.009	26.25		10	28843.4...	32130	1871.625	1871.625	1.963	H1-1b

Envelope AISI S100-16: LRFD Cold Formed Steel Code Checks

Member	Shape	Code Check	Loc[in]	LC	Shea...	Loc[i...	Dir	LC	phi*Pn[...	phi*Tn[...	phi*Mn...	phi*Mn...	phi*...	phi*...	Cb	Eqn
No Data to Print ...																

APPENDIX D

ADDITIONAL CALCULATIONS

Trylon

Analysis date: 7/23/2021

BOLT TOOL 1.5.2

Project Data	
Job Code:	188200
Carrier Site ID:	BOBDL00090A
Carrier Site Name:	BOBDL00090A

Code	
Design Standard:	TIA-222-H
Slip Check:	No
Pretension Standard:	TIA-222-H

Bolt Properties		
Connection Type:	Bolt	
Diameter:	0.625	in
Grade:	A325	--
Yield Strength (Fy):	92	ksi
Ultimate Strength (Fu):	120	ksi
Number of Bolts:	4	--
Threads Included:	Yes	--
Double Shear:	No	--
Connection Pipe Size:	-	in



Connection Description
Mount Standoff to Collar

Bolt Check*		
Tensile Capacity (ϕT_n):	20340.1	lbs
Shear Capacity (ϕV_n):	13805.8	lbs
Tension Force (T_u):	3935.1	lbs
Shear Force (V_u):	491.6	lbs
Tension Usage:	18.4%	--
Shear Usage:	3.4%	--
Interaction:	18.4%	Pass
Controlling Member:	SA3	--
Controlling LC:	42	--

**Rating per TIA-222-H Section 15.5*

1825 W. Walnut Hill Lane, Suite 120
Irving, Texas 75038

APPENDIX E

SUPPLEMENTAL DRAWINGS

ITEM	PART NO.	DESCRIPTION	QTY.	WEIGHT	NOTE NO.
1	MTC3006SB	STEEL BUNDLE FOR SNUB NOSE PLATFORM	1	402.64 LBS	
2	MCPK8CSB	PIPE STEEL BUNDLE FOR MC-PK8-C	1	464.27 LBS	
3	MCPK8CHWK	HARDWARE KIT FOR MC-PK8-C	1	543.22 LBS	

C

REVISIONS				
REV.	ECN	DESCRIPTION	BY	DATE
A		INITIAL RELEASE	DRR	12/27/11
B	8000005979	CHANGE NOSE CORNER BRKT, ADD GUB-4240	MSM	11/25/14
C	8000007579	NEW RINGMOUNT WELDMENT DESIGN	RJC	04/07/15

FOR BOM ENTRY ONLY



NOTES:
1. CUSTOMER ASSEMBLY SHEETS 2–3.

ALL DIMENSIONS ARE IN INCHES U.O.S.
TOLERANCES UNLESS OTHERWISE SPECIFIED:
.X = ± .12 ANGLES ±2°
.XX = ± .06 FRACTIONS ±1/32
.XXX= ± .03

REMOVE BURRS AND BREAK EDGES .005

DO NOT SCALE THIS PRINT

DRAWN BY: MSM	SHEET: 1 of 3	PART NUMBER: MC-PK8-C	
CHECKED BY: TP	SCALE: NTS	DESCRIPTION: LOW PROFILE PLATFORM KIT 8' FACE	
DATE: 10/18/11	MATERIAL: A36, A500	DRAWING TYPE: ASSEMBLY DRAWING	
REVISION: C	FINISH: GALV A123	WEIGHT: 1410.14 LBS	ANDREW® WESTCHESTER, IL. 60154 U.S.A.







ITEM	PART NO.	DESCRIPTION	QTY.	WEIGHT
C 1	MC-RM1550-3	12" - 50" OD RINGMOUNT	1	230.42 LBS
2	MTC300601	Low Profile Co-Location Platform Snub Nose	3	134.21 LBS
3	MT195801	Corner Weldment Snub Nose Handrail	3	27.10 LBS
4	XA2020.01	CROSS OVER ANGLE	9	2.65 LBS
5	GUB-4356	1/2" X 3-5/8" X 6" GALV U-BOLT	18	0.82 LBS
6	GUB-4355	1/2" X 3-5/8" X 5" GALV U-BOLT	12	0.71 LBS
7	GUB-4240	1/2" X 2-1/2" X 4" GALV U-BOLT	48	0.56 LBS
8	GB-04145	1/2" X 1-1/2" GALV BOLT KIT	12	0.13 LBS
9	GWF-04	1/2" GALV FLAT WASHER	24	0.03 LBS
10	GB-0520A	5/8" X 2" GALV BOLT KIT (A325)	12	0.27 LBS
11	MT54796	3.50" OD X 96" GALV PIPE	3	60.28 LBS
12	MT-651-96	Ø2.375" OD X 96" PIPE	3	29.07 LBS
13	MT-651	2.375" OD x 72" PIPE	9	21.80 LBS
14	MT19617	MT196 Pipe Mount Plate	6	2.49 LBS
15	MT21701	PIPE MOUNT PLATE	9	7.93 LBS

NOTES:
1. ALL METRIC DIMENSIONS ARE IN BRACKETS.
2. WILL FIT MONOPOLES 15"–38" OD.

ALL DIMENSIONS ARE IN INCHES U.O.S.
TOLERANCES UNLESS OTHERWISE SPECIFIED:
.X = ± .12 ANGLES ±2°
.XX = ± .06 FRACTIONS ±1/32
.XXX= ± .03
REMOVE BURRS AND BREAK EDGES .005
DO NOT SCALE THIS PRINT

DRAWN BY: MSM	SHEET: 2 of 3	PART NUMBER: MC-PK8-C	
CHECKED BY: TP	SCALE: NTS	DESCRIPTION: 25" OD Snub Nose MT-196	
DATE: 10/18/11	MATERIAL: A36, A53	DRAWING TYPE: ASSEMBLY DRAWING	
REVISION: C	FINISH: GALV A123	ANDREW® WESTCHESTER, IL. 60154 U.S.A.	
	WEIGHT: 1361.27 LBS		



DETAIL A
SCALE 1 : 8



WITH ANTENNAS



DETAIL C
SCALE 1 : 8



DETAIL B
SCALE 1 : 8

NOTES:
1. ALL METRIC DIMENSIONS ARE IN BRACKETS.

ALL DIMENSIONS ARE IN INCHES U.O.S.
TOLERANCES UNLESS OTHERWISE SPECIFIED:
.X = ± .12 ANGLES ±2°
.XX = ± .06 FRACTIONS ±1/32
.XXX= ± .03
REMOVE BURRS AND BREAK EDGES .005

DO NOT SCALE THIS PRINT

DRAWN BY: MSM	SHEET: 3 of 3	PART NUMBER: MC-PK8-C	
CHECKED BY: TP	SCALE: NTS	DESCRIPTION: 25" OD Snub Nose MT-196	
DATE: 10/18/11	MATERIAL: A36, A53	DRAWING TYPE: ASSEMBLY DRAWING	
REVISION: C	FINISH: GALV A123	ANDREW® WESTCHESTER, IL. 60154 U.S.A.	
	WEIGHT: 1361.27 LBS		

Exhibit F

Power Density/RF Emissions Report

EBI Consulting

environmental | engineering | due diligence

RADIO FREQUENCY EMISSIONS ANALYSIS REPORT
EVALUATION OF HUMAN EXPOSURE POTENTIAL TO NON-IONIZING EMISSIONS

Dish Wireless Existing Facility

Site ID: BOBDL00034A

800515
49 Wig Hill Road
Chester, Connecticut 06412

August 31, 2021

EBI Project Number: 6221004810

Site Compliance Summary	
Compliance Status:	**COMPLIANT**
Site total MPE% of FCC general population allowable limit:	**29.66%**

August 31, 2021

Dish Wireless

Emissions Analysis for Site: BOBDL00034A - 800515

EBI Consulting was directed to analyze the proposed Dish Wireless facility located at **49 Wig Hill Road** in **Chester, Connecticut** for the purpose of determining whether the emissions from the Proposed Dish Wireless Antenna Installation located on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter ($\mu W/cm^2$). The number of $\mu W/cm^2$ calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits; therefore, it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) – (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general population may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general population would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Public exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter ($\mu W/cm^2$). The general population exposure limits for the 600 MHz and 700 MHz frequency bands are approximately 400 $\mu W/cm^2$ and 467 $\mu W/cm^2$, respectively. The general population exposure limit for the 1900 MHz (PCS), 2100 MHz (AWS) and 11 GHz frequency bands is 1000 $\mu W/cm^2$. Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.

Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure.

Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.

CALCULATIONS

Calculations were done for the proposed Dish Wireless Wireless antenna facility located at 49 Wig Hill Road in Chester, Connecticut using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. Since Dish Wireless is proposing highly focused directional panel antennas, which project most of the emitted energy out toward the horizon, all calculations were performed assuming a lobe representing the maximum gain of the antenna per the antenna manufacturer's supplied specifications, minus 20 dB for directional panel antennas and 20 dB for highly focused parabolic microwave dishes, was focused at the base of the tower. For this report, the sample point is the top of a 6-foot person standing at the base of the tower.

For all calculations, all equipment was calculated using the following assumptions:

1) 4 n71 channels (600 MHz Band) were considered for each sector of the proposed installation. These Channels have a transmit power of 30 Watts per Channel.

2) 4 n70 channels (PCS Band - 1900 MHz) were considered for each sector of the proposed installation. These Channels have a transmit power of 40 Watts per Channel.

3) All radios at the proposed installation were considered to be running at full power and were uncombined in their RF transmissions paths per carrier prescribed configuration. Per FCC OET Bulletin No. 65 - Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. This is rarely the case, and if so, is never continuous.

4) For the following calculations, the sample point was the top of a 6-foot person standing at the base of the tower. The maximum gain of the antenna per the antenna manufacturer's supplied specifications, minus 20 dB for directional panel antennas and 20 dB for highly focused parabolic microwave dishes, was used in this direction. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.

5) The antennas used in this modeling are the JMA MX08FRO665-20 for the 600 MHz / 1900 MHz channel(s) in Sector A, the JMA MX08FRO665-20 for the 600 MHz / 1900 MHz channel(s) in Sector B, the JMA MX08FRO665-20 for the 600 MHz / 1900 MHz channel(s) in Sector C. This is based on feedback from the carrier with regard to anticipated antenna selection. All Antenna gain values and associated transmit power levels are shown in the Site Inventory and Power Data table below. The maximum gain of the antenna per the antenna manufacturer's supplied specifications, minus 20 dB for directional panel antennas and 20 dB for highly focused parabolic microwave dishes, was used for all calculations. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.

6) The antenna mounting height centerline of the proposed antennas is 93 feet above ground level (AGL).

7) Emissions values for additional carriers were taken from the Connecticut Siting Council active database. Values in this database are provided by the individual carriers themselves.

8) All calculations were done with respect to uncontrolled / general population threshold limits.

Dish Wireless Site Inventory and Power Data

Sector:	A	Sector:	B	Sector:	C
Antenna #:	1	Antenna #:	1	Antenna #:	1
Make / Model:	JMA MX08FRO665-20	Make / Model:	JMA MX08FRO665-20	Make / Model:	JMA MX08FRO665-20
Frequency Bands:	600 MHz / 1900 MHz	Frequency Bands:	600 MHz / 1900 MHz	Frequency Bands:	600 MHz / 1900 MHz
Gain:	17.45 dBd / 22.65 dBd	Gain:	17.45 dBd / 22.65 dBd	Gain:	17.45 dBd / 22.65 dBd
Height (AGL):	93 feet	Height (AGL):	93 feet	Height (AGL):	93 feet
Channel Count:	8	Channel Count:	8	Channel Count:	8
Total TX Power (W):	280 Watts	Total TX Power (W):	280 Watts	Total TX Power (W):	280 Watts
ERP (W):	3,065.51	ERP (W):	3,065.51	ERP (W):	3,065.51
Antenna A1 MPE %:	**2.09%**	Antenna B1 MPE %:	**2.09%**	Antenna C1 MPE %:	**2.09%**

Site Composite MPE %	
Carrier	**MPE %**
Dish Wireless (Max at Sector A):	2.09%
AT&T	5.53%
T-Mobile	4.18%
Verizon	14.79%
Sprint	2.66%
VSECI	0.41%
Site Total MPE % :	29.66%

Dish Wireless MPE % Per Sector	
Dish Wireless Sector A Total:	2.09%
Dish Wireless Sector B Total:	2.09%
Dish Wireless Sector C Total:	2.09%
Site Total MPE % :	29.66%

Dish Wireless Maximum MPE Power Values (Sector A)

Dish Wireless Frequency Band / Technology (Sector A)	# Channels	Watts ERP (Per Channel)	Height (feet)	Total Power Density (μW/cm²)	Frequency (MHz)	Allowable MPE (μW/cm²)	Calculated % MPE
Dish Wireless 600 MHz n71	4	223.68	93.0	4.25	600 MHz n71	400	1.06%
Dish Wireless 1900 MHz n70	4	542.70	93.0	10.31	1900 MHz n70	1000	1.03%
						Total:	**2.09%**

• NOTE: Totals may vary by approximately 0.01% due to summation of remainders in calculations.

Summary

All calculations performed for this analysis yielded results that were **within** the allowable limits for general population exposure to RF Emissions.

The anticipated maximum composite contributions from the Dish Wireless facility as well as the site composite emissions value with regards to compliance with FCC's allowable limits for general population exposure to RF Emissions are shown here:

Dish Wireless Sector	Power Density Value (%)
Sector A:	2.09%
Sector B:	2.09%
Sector C:	2.09%
Dish Wireless Maximum MPE % (Sector A):	2.09%
Site Total:	29.66%
Site Compliance Status:	**COMPLIANT**

The anticipated composite MPE value for this site assuming all carriers present is **29.66%** of the allowable FCC established general population limit sampled at the ground level. This is based upon values listed in the Connecticut Siting Council database for existing carrier emissions.

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government.

Exhibit G

Letter of Authorization

4545 E River Rd, Suite 320
West Henrietta, NY 14586

Phone: (585) 445-5896
Fax: (724) 416-4461
www.crowncastle.com

Crown Castle Letter of Authorization

CT - CONNECTICUT SITING COUNCIL
Melanie A. Bachman
Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

Re: Tower Share Application
Crown Castle telecommunications site at:
49 WIG HILL ROAD, CHESTER, CT 06412

CROWN ATLANTIC COMPANY LLC ("Crown Castle") hereby authorizes DISH Wireless LLC, including their Agent, to act as our Agent in the processing of all zoning applications, building permits and approvals through the CT - CONNECTICUT SITING COUNCIL for the existing wireless communications site described below:

Crown Site ID/Name: 800515/CT CHESTER CAC 800515
Customer Site ID: BOBDL00034A/CT-CCI-T-800515
Site Address: 49 Wig Hill Road, Chester, CT 06412

Crown Castle

By: _____ Date: 8/26/2021

Richard Zajac
Site Acquisition Specialist

Exhibit H

Recipient Mailings



Cut on dotted line.

Instructions

1. **Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.**
2. **Place your label so it does not wrap around the edge of the package.**
3. **Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.**
4. **To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.**
5. **Mail your package on the "Ship Date" you selected when creating this label.**

Click-N-Ship® Label Record

USPS TRACKING # :
9405 5036 9930 0498 1168 24

Trans. #:	543112726
Print Date:	09/08/2021
Ship Date:	09/08/2021
Expected Delivery Date:	09/11/2021

Priority Mail® Postage:	**$7.95**
Total:	**$7.95**

From: DEBORAH CHASE
NORTHEAST SITE SOLUTIONS
420 MAIN ST
STE 1
STURBRIDGE MA 01566-1359

Ref#: DS-800515

To: LAUREN GISTER
FIRST SELECTWOMAN
203 MIDDLESEX AVE
CHESTER CT 06412-1221

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.

Thank you for shipping with the United States Postal Service!
Check the status of your shipment on the USPS Tracking® page at usps.com



Cut on dotted line.

Instructions

1. **Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.**
2. **Place your label so it does not wrap around the edge of the package.**
3. **Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.**
4. **To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.**
5. **Mail your package on the "Ship Date" you selected when creating this label.**

Click-N-Ship® Label Record

USPS TRACKING # :
9405 5036 9930 0498 1168 48

Trans. #:	543112726
Print Date:	09/08/2021
Ship Date:	09/08/2021
Expected Delivery Date:	09/11/2021

Priority Mail® Postage:	**$7.95**
Total:	**$7.95**

From: DEBORAH CHASE
NORTHEAST SITE SOLUTIONS
420 MAIN ST
STE 1
STURBRIDGE MA 01566-1359

Ref#: DS-800515

To: JUDY BROWN
ZONING ENFORCEMENT OFFFICER
203 MIDDLESEX AVE
CHESTER CT 06412-1221

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.

Thank you for shipping with the United States Postal Service!
Check the status of your shipment on the USPS Tracking® page at usps.com



Cut on dotted line.

Instructions

1. **Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.**
2. **Place your label so it does not wrap around the edge of the package.**
3. **Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.**
4. **To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.**
5. **Mail your package on the "Ship Date" you selected when creating this label.**

Click-N-Ship® Label Record

USPS TRACKING # :
9405 5036 9930 0498 1168 79

Trans. #:	543112726
Print Date:	09/08/2021
Ship Date:	09/08/2021
Expected Delivery Date:	09/11/2021

Priority Mail® Postage:	**$7.95**
Total:	**$7.95**

From: DEBORAH CHASE
NORTHEAST SITE SOLUTIONS
420 MAIN ST
STE 1
STURBRIDGE MA 01566-1359

Ref#: DS-800515

To: BETH WOOD
NEGRELLI FAMILY TRUST
PO BOX 1175
TRURO MA 02666-1175

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.

Thank you for shipping with the United States Postal Service!
Check the status of your shipment on the USPS Tracking® page at usps.com



Cut on dotted line.

Instructions

1. **Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.**
2. **Place your label so it does not wrap around the edge of the package.**
3. **Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.**
4. **To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.**
5. **Mail your package on the "Ship Date" you selected when creating this label.**

Click-N-Ship® Label Record

USPS TRACKING # :
9405 5036 9930 0498 1168 93

Trans. #:	543112726
Print Date:	09/08/2021
Ship Date:	09/08/2021
Expected Delivery Date:	09/11/2021

Priority Mail® Postage:	**$7.95**
Total:	**$7.95**

From: DEBORAH CHASE
NORTHEAST SITE SOLUTIONS
420 MAIN ST
STE 1
STURBRIDGE MA 01566-1359

Ref#: DS-800515

To: RICH ZAJAC
CROWN CASTLE
4545 E RIVER RD
STE 320
W HENRIETTA NY 14586-9024

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.

Thank you for shipping with the United States Postal Service!
Check the status of your shipment on the USPS Tracking® page at usps.com

800515

FISKDALE
458 MAIN ST
FISKDALE, MA 01518-9998
(800)275-8777

09/10/2021 10:54 AM

Product	Qty	Unit Price	Price
Prepaid Mail Chester, CT 06412 Weight: 1 lb 4.70 oz Acceptance Date: Fri 09/10/2021 Tracking #: 9405 5036 9930 0498 1168 24	1		$0.00
Prepaid Mail Truro, MA 02666 Weight: 1 lb 4.70 oz Acceptance Date: Fri 09/10/2021 Tracking #: 9405 5036 9930 0498 1168 79	1		$0.00
Prepaid Mail Chester, CT 06412 Weight: 1 lb 4.70 oz Acceptance Date: Fri 09/10/2021 Tracking #: 9405 5036 9930 0498 1168 48	1		$0.00
Prepaid Mail West Henrietta, NY 14586 Weight: 0 lb 2.00 oz Acceptance Date: Fri 09/10/2021 Tracking #: 9405 5036 9930 0498 1168 93	1		$0.00
Grand Total:			$0.00