

T-Mobile Northeast LLC, a subsidiary of T-Mobile USA, Inc.

Connecticut Market

March 18, 2025

Honorable Robert Stein, Chairman, and members of the Council Connecticut Siting Council 10 Franklin Square New Britain, CT 06051

Re: T-MOBILE Northeast LLC notice of intent to install a temporary cellular telephone facility located at 1 Golf Club Rd Cromwell, Connecticut

Dear Chairman Stein and Members of the Council:

Centerline is pleased to submit this Notice of Exempt Modification on behalf of T-MOBILE Northeast LLC

T-MOBILE Northeast LLC hereby notifies the Connecticut Siting Council of its intent for the temporary use of telecommunications equipment by placing a Cell On Light Truck (COLT) on the grounds of TPC River Highlands located at 1 Golf Club Rd Cromwell, Connecticut for the Travelers Championship Golf Tournament. Please accept this Notice to the Connecticut Siting Council, Pursuant to RCSA Section 16-50j-73, of construction that constitutes an exempt modification under RSCA Section 16-50j-72 (d). In compliance with RCSA Section 16-50j-73, copies of this Notice of Exempt Modification are being sent to the Mayor of Cromwell and TPC River Highlands, where the event takes place.

The proposed temporary cell site meets the criteria set forth in RCSA 16-50j-72(d) for temporary cellular service for events of statewide significance. The site is necessary to provide additional system capacity to accommodate the increased communication needs during the Travelers Championship.

The Traveler's Championship is June 16-22, 2025 but T-Mobile will need to do testing beforehand to make sure the site is up and running before the event.

Proposed Temporary Facility

The temporary site will be located at 1 Golf Club Rd. in Cromwell, Connecticut on the property known as TPC River Highlands. (See attached location map) Coordinates for the location are N 41.624589, W 72.640581. A 15 kw diesel generator will be used for power and the proposed temporary cell site will not increase the noise level by six decibels or more.

Equipment installation will start on June 2, 2025 and the site will be on-air until June 27, 2025. The COLT will be removed on June 27, 2025.

T-Mobile's temporary cell site will consist of a "Cell On Light Truck" ("COLT") (See attached photo) which needs a 25' x 25' footprint, contains three indoor RBS6201's and PBC6200 with battery backup, a backup generator, dual masts and can support 5 sector multibeam antennas.

Power Density Calculations

T-Mobile's temporary cell site will not result in a total radio frequency electromagnetic radiation power density, measured at ground level at the COLT location, at or above State or Federal standards. The following table shows the power density at the site from the proposed temporary cellular transmissions form the COLT:

Site Complia	ance Summary
Compliance Status:	COMPLIANT
Site total MPE% of FCC general population allowable limit:	8.92%

See attached full report

Conclusion

For the reasons above, we respectfully request the Council acknowledge T-Mobile's Notice of Exempt Modification for the temporary cell site to be operated during the Travelers Championship pursuant to RCSA Section 16-50j-72(d).

Please call me with any questions concerning this Notice at 203-417-4446. Thank you.

Respectfully,

Thomas White Agent of T-Mobile

Cc: Mayor James Demetriades

TPC River Highlands



T-Mobile Northeast LLC, a subsidiary of T-Mobile USA, Inc.

New England Market

Nathan Grube Executive Director Travelers Championship 90 State House Square 11th Floor Hartford, CT 06103

February 20, 2025

Re: STANDARD AGREEMENT by and between The Greater Hartford Community Foundation, Inc. dba Travelers Championship ("Lessor") and T-Mobile Northeast LLC as successor-in interest to Omnipoint Communications, Inc. ("Lessee").

Site Number:

CTCLT08A

Site Address:

1 Golf Club Rd Cromwell, CT("Property")

To Whom It May Concern,

Tenant has the right to place a Cell On Light Truck ("COLT") at 1 Golf Club Rd Cromwell, CT from 6/9/25 to 6/24/25. The COW will be removed by 6/26/25. (See exhibit A for placement)

Please signify your approval by signing and dating one (1) original of this Consent Letter in the space provided below. Kindly return the Consent Letter to Thomas White via email at twhite@clinellc.com.

Should you have any questions, please contact Thomas White at 203-417-4446. Thank you in advance for your cooperation in this matter.

Very truly yours,

Thomas White Agent for T-Mobile

Acknowledged, Accepted and Agreed:

By: Employee TO NO 17 ALLON

Date:

03/13/25

Exhibit A





Empowering Real People

Magnum Mobile Lite Generator - MLG15 Specifications

ENGINE

- Mitsubishi® S4L2-Y461ML naturally aspirated, diesel engine o Prime 22.3 hp @ 1800 rpm o 4 cylinder o 1.8 L displacement o
 - Interim Tier IV approved
 Polyethylene fuel tank o 56 gal. capacity o
 43 hr. run time full load o 3 ½" fill port
- Fuel consumption at prime:

 100% 1.30 gph (4.92 Lph)
 75%


 0.98 gph (3.71 Lph)
 50% 0.65 gph (2.46 Lph)
- Cooling system capable of operating at 120°F ambient
- Rubber vibration dampers isolate engine/generator from frame
- Full flow oil filter, spin on type
- Fuel filter with replaceable element
- Dry type cartridge air filter
- 60 Hz engine/generator

ENGINE CONTROLS

- Engraved aluminum punched and anodized control panel
- Four position keyed switch glow plugs (preheat, off, run, start)
- Hour meter
- Automatic low oil/high temperature shutdown system

GENERATOR

- Marathon Electric[®] o Brushless o 4 pole o Class H insulation
- Single phase output o Prime 13 kW / 13 kVA (54A @ 240V) o Standby - 14 kW / 14 kVA (58A @ 240V)
- Voltage regulation +/- 1% with Marathon SE350 Voltage Regulator





MLG15 Specifications Continued

ELECTRICAL SYSTEM AND CONTROLS

- 70A start limit breaker (assures no load condition exists before starting)
- Convenience receptacles with individual breakers o (2) 120V 20 Amp GFCI duplex outlets (Nema 5-20R type) o (2) 240V 30 Amp twistlock outlets (Nema L6-30R type) o (2) 240V 50 Amp twistlock outlets (Non-Nema 6369)
- 440 CCA wet cell battery

ENCLOSURE


- Steel, 14-gauge, sound attenuated enclosure o UV & fade resistant, high temperature cured, white polyester powder paint o Insulated and baffled o 70 dB(A) at 23 feet - prime power
- Fully lockable enclosure
- · Stainless steel hinges, door latches and exterior hardware
- · Emergency stop switch located on front panel
- · License plate holder with light
- Multi-lingual operating/safety decals
- Document holder with operating/parts manuals including AC/DC wiring diagrams


TRAILER

- DOT approved tail, side, brake, and directional lights o Recessed rear lights
- Transportation tie downs
- Safety chains with spring loaded safety hooks
- Single wall polyethylene fenders
- 2" ball hitch
- · 2200 lb. leaf spring axle
- 2000 lb. tongue jack with footplate
- ST205/75R15 tubeless tires 6 ply
- 48" track width

WEIGHTS & DIMENSIONS

- Dry weight: 1425 lbs (646 kg)
- Operating weight: 1823 lbs (827 kg)
- 105 x 68 x 56 in (2.67 x 1.73 x 1.42 m)





WARRANTY

Engine and generator covered under OEM warranty – consult factory for details

CERTIFICATIONS

CSA certified



MLG15 Specifications Continued:

MLG15 Options

ENGINE OPTIONS

- ♦ Heated fuel filter
- ♦ Lower radiator hose engine heater
- ♦ Oil drain valve kit

ELECTRICAL CONTROLS OPTIONS

- ♦ 720 CCA gel cell battery
- ♦ 720 CCA wet cell battery
- ♦ 685 CCA gel cell battery
- ◆ Battery disconnect
- ◆ Battery charger 2A trickle

VOLTAGE OUTPUT OPTIONS

♦ Alternative receptacle panel – consult factory for configurations

COOLANT OPTIONS

♦ 60/40 Coolant - cold weather applications

ENCLOSURE OPTIONS

- ♦ Interior cabinet light
- ♦ Level indicator
- ♦ Tamper pack
- ♦ Liquid containment / Quiet pack
- **♦** Lift structure

FUEL TANK OPTIONS

- ♦ 56 gal. fuel tank
- ♦ Tethered fuel tank cap

TRAILER OPTIONS

- ♦ 6 pin or 7 spade electrical connectors
- ♦ Outrigger package
- ♦ Tube and sleeve jack
- ♦ Spare tire/wheel kit

HITCH OPTIONS

- ♦ 2.5" lunette ring
- •



3" lunette ring

3" HD lunette ring

215 Power Drive Berlin, Wt \$4923-2420 Phone: 800-925-9768 Fax: 920-361-2214 www.m-p-Ec.com Page 3 of 3

DocuSign Envelope ID: 172ED768-810B-4B79-B14A-4578EEA4F160

- ♦ 2 5/16" ball
- ♦ Combination hitch 2.5" lunette ring / 2" ball

05/09



DocuSign Envelope ID: 172ED768-810B-4B79-B14A-4578EEA4F160





HOTE:

ALL COUPMENT LOCATIONS ARE APPROXIMATE AND ARE SUBJECT
TO APPROVAL, BY 1-AMOBILE MORTHEAST LLC STRUCTURIAL & P.
ENGHESTES. LOCATIONS OF PORTER & RELEDINGER PACIFIES
ARE SUBJECT TO APPROVAL BY OTHER UTILLY COMPANIES.

1 CALL THE FOLLOWING FOR ALL PRE CONSTRUCTION NOTIFICATION 72 HOLIPS PRIOR TO ANY EXCAVATION ACTIVITY NOTES:

T-MOBILE NORTHEAST LLC

SA CHEMIN HOND SOURS BLOOMFELL, CT DEDD OWNER, BARR 480 1114

DAG SARE SYSTEM (MA, ME, NH, RLV) :-1-800-922-4455

CALL BEFORE YOU DIG (CT): 1-800-922-4455


2. CONTRACTOR TO FRED VERIEY DESIGN AND MOTHY THE CONSTRUCTION MANAGER AND ENGINEER OF ANY DISCREPANCES.

© CENTERLINE

APPROXIMATE COORDINATES OF SITE LOCATION LATITUDE: 41.624589 LONG/JUDE: 72.640583

ISSUED FOR REMEW 750 WEST CENTER ST, SUITE 301 WEST BRIDGEWATER, MA 02379 PHONE: 781.713.4725 REVISIONS 0 4/29/20 NO. DATE DESCHED BY: TC

APPROVED BY: DESCRIPTION







STAFFORD MOTOR SPEEDWAY 55 WEST ST. STAFFORD SPRINGS, CT 06076

CTCLTSTA

SHEET THE CONTROL MAP & COLOR PLANT PLANT

CBYD







RADIO FREQUENCY EMISSIONS ANALYSIS REPORT EVALUATION OF HUMAN EXPOSURE POTENTIAL TO NON-IONIZING EMISSIONS

T-Mobile Existing Facility

Site ID: Travelers

Glenwood Terrace Cromwell, Connecticut 06416

May 3, 2023

EBI Project Number: 6223001578

Site Compl	liance Summary
Compliance Status:	COMPLIANT
Site total MPE% of FCC general population allowable limit:	8.92%



May 3, 2023

T-Mobile
Attn: Jason Overbey, RF Manager
35 Griffin Road South
Bloomfield, Connecticut 06002

Emissions Analysis for Site: Travelers

EBI Consulting was directed to analyze the proposed T-Mobile facility located at **Glenwood Terrace** in **Cromwell, Connecticut** for the purpose of determining whether the emissions from the Proposed T-Mobile Antenna Installation located on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01 and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter (μ W/cm²). The number of μ W/cm² calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits; therefore, it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) - (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general population may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general population would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Public exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter (μ W/cm²). The general population exposure limits for the 600 MHz and 700 MHz frequency bands are approximately 400 μ W/cm² and 467 μ W/cm², respectively. The general population exposure limit for the 1900 MHz (PCS), 2100 MHz (AWS) and 11 GHz frequency bands is 1000 μ W/cm². Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.



environmental | engineering | due diligence

Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.

CALCULATIONS

Calculations were done for the proposed T-Mobile Wireless antenna facility located at Glenwood Terrace in Cromwell, Connecticut using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. Since T-Mobile is proposing highly focused directional panel antennas, which project most of the emitted energy out toward the horizon, all calculations were performed assuming a lobe representing the maximum gain of the antenna per the antenna manufacturer's supplied specifications at the base of the tower. For this report, the sample point is the top of a 6-foot person standing at the base of the tower. All calculations were performed using Far Field Analysis.

For all calculations, all equipment was calculated using the following assumptions:

- 1) 2 LTE channels (PCS Band 1900 MHz) were considered for each sector of the proposed installation. These Channels have a total transmit power of 120 Watts per Channel.
- 2) 2 LTE channels (AWS Band 2100 MHz) were considered for each sector of the proposed installation. These Channels have a total transmit power of 120 Watts per Channel.
- 3) I LTE Traffic channel (LTE IC and 2C BRS Band 2500 MHz) was considered for each sector of the proposed installation. This Channel has a transmit power of 45 Watts.
- 4) I LTE Broadcast channel (LTE IC and 2C BRS Band 2500 MHz) was considered for each sector of the proposed installation. This Channel has a transmit power of 15 Watts.
- 5) I NR Traffic channel (BRS Band 2500 MHz) was considered for each sector of the proposed installation. This Channel has a transmit power of 90 Watts.
- 6) I NR Broadcast channel (BRS Band 2500 MHz) was considered for each sector of the proposed installation. This Channel has a transmit power of 30 Watts.



environmental | engineering | due diligence

- 7) All radios at the proposed installation were considered to be running at full power and were uncombined in their RF transmissions paths per carrier prescribed configuration. Per FCC OET Bulletin No. 65 Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. This is rarely the case, and if so, is never continuous.
- 8) For the following far field calculations, the sample point was the top of a 6-foot person standing at the base of the tower. The maximum gain of the antenna per the antenna manufacturer's supplied specifications was used in this direction. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.
- 9) The antennas used in this modeling are the COMMSCOPE SON_5NPX1006F Beam I 06DT I 1900 for the 1900 MHz / 2100 MHz channel(s), the ERICSSON SON_AIR6449 2500 LTE TB for the 2500 MHz / 2500 MHz / 2500 MHz / 2500 MHz channel(s) in Sector A. This is based on feedback from the carrier with regard to anticipated antenna selection. All Antenna gain values and associated transmit power levels are shown in the Site Inventory and Power Data table below. The maximum gain of the antenna per the antenna manufacturer's supplied specifications was used for all calculations. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.
- 10) The antenna mounting height centerline of the proposed antennas is 48 feet above ground level (AGL).
- 11) Emissions from additional carriers were not included because there are no other carriers on this site.
- 12) All calculations were done with respect to uncontrolled / general population threshold limits.

Tel: (781) 273.2500

Fax: (781) 273 3311



T-Mobile Site Inventory and Power Data

Sector:	Α		
Antenna #:	1		
I NUMBER OF STREET	COMMSCOPE		
Make / Model:	SON_5NPX1006F		
	Beam I 06DT 1900		
	1900 MHz / 1900		
	MHz / 1900 MHz /		
Market Street or Street	1900 MHz / 1900		
Frequency Bands:	MHz / 1900 MHz /		
	2100 MHz / 2100		
	MHz / 2100 MHz /		
	2100 MHz		
	18.45 dBd / 19.94		
No. of Contrasting	dBd / 20.4 dBd /		
	19.93 dBd / 18.51		
Gain:	dBd / 18.73 dBd / 20.33 dBd / 20.43		
and the state of t	dBd / 20.19 dBd /		
U TOUR WALL	19.02 dBd		
Height (AGL):	48 feet		
Channel Count:	20		
Total TX Power (W):	480.00 Watts		
ERP (W):	26,212.40		
Antenna Al MPE %:	53.42%		
Antenna #:	2		
To the second second second	ERICSSON		
Make / Model:	SON_AIR6449 2500		
SERVICE	LTE TB		
	2500 MHz / 2500		
Frequency Bands:	MHz / 2500 MHz /		
	2500 MHz		
	22.35 dBd / 22.35		
Gain:	dBd / 17.3 dBd / 17.3		
	dBd		
Height (AGL):	48 feet		
Channel Count:	4		
Total TX Power (W):	180.00 Watts		
ERP (W):	25,608.41		
Antenna A2 MPE %:	52.19%		



environmental | engineering | due diligence

Site Composite MPE %					
Carrier	MPE %				
T-Mobile (Max at Sector A):	8.92%				
no additional carriers	N/A				
Site Total MPE % :	8.92%				

All the same of the same	100000000
T-Mobile Sector A Total:	8.92%
THE REAL PROPERTY.	
Site Total MPE % :	8.92%

T-Mobile Frequency Band / Technology (Sector A)	# Channels	Watts ERP (Per Channel)	Height (feet)	Total Power Density (µW/cm²)	Frequency (MHz)	Allowable MPE (µW/cm²)	Calculated % MPE
T-Mobile 1900 MHz LTE	2	991.7706269	48	40.42585352	1900 MHz LTE	1000.0	4.04%
T-Mobile 1900 MHz LTE	2	1397.691235	48	56.97170254	1900 MHz LTE	1000.0	5.70%
T-Mobile 1900 MHz LTE	2	1553.857691	48	63.33724927	1900 MHz LTE	1000.0	6.33%
T-Mobile 1900 MHz LTE	2	1394.476634	48	56.84067126	1900 MHz LTE	1000.0	5.68%
T-Mobile 1900 MHz LTE	2	1005.567531	48	40.98823316	1900 MHz LTE	1000.0	4.10%
T-Mobile 2100 MHz LTE	2	1057.818704	48	43.11805856	2100 MHz LTE	1000.0	4.31%
T-Mobile 2100 MHz LTE	2	1529.013225	48	62,32455669	2100 MHz LTE	1000.0	6.23%
T-Mobile 2100 MHz LTE	2	1564.628518	48	63.7762821	2100 MHz LTE	1000.0	6.38%
T-Mobile 2100 MHz LTE	2	1480.509647	48	60.34748814	2100 MHz LTE	1000.0	6.03%
T-Mobile 2100 MHz LTE	2	1130.866247	48	46,09557089	2100 MHz LTE	1000.0	4.61%
T-Mobile 2500 MHz LTE	1	7730.587742	48	157.5543776	2500 MHz LTE	1000.0	15.76%
T-Mobile 2500 MHz NR	1	15461,17548	48	315.1087552	2500 MHz NR	1000.0	31.51%
T-Mobile 2500 MHz LTE	I	805,5476946	48	16,41758297	2500 MHz LTE	1000.0	1.64%
T-Mobile 2500 MHz NR	ı	1611.095389	48	32.83516594	2500 MHz NR	1000.0	3.28%
	Turnis		ICUS RO		TELL W S HAND	Total:	8.92%

[•] NOTE: Totals may vary by approximately 0.01% due to summation of remainders in calculations.

Tel: (781) 273.2500 Fax: (781) 273.3311



Summary

All calculations performed for this analysis yielded results that were within the allowable limits for general population exposure to RF Emissions.

The anticipated maximum composite contributions from the T-Mobile facility as well as the site composite emissions value with regards to compliance with FCC's allowable limits for general population exposure to RF Emissions are shown here:

T-Mobile Sector	Power Density Value (%)
Sector A:	8.92%
T-Mobile Maximum MPE % (Sector A):	8.92%
Site Total:	8.92%
Site Compliance Status:	COMPLIANT

The anticipated composite MPE value for this site assuming all carriers present is **8.92**% of the allowable FCC established general population limit sampled at the ground level. This is based upon values listed in the Connecticut Siting Council database for existing carrier emissions.

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government.

Tel: (781) 273.2500

Fax: (781) 273.3311

Parcel ID: 00457800	Location:		100 GOLF CLUB ROAD	٥		Map-Lot	60-17	7	ast Revalu	ation - Oc	Last Revaluation - October 1, 2017	Ī	
Current Owner		Percent	Current Value Information	alue Inf		₹	Mkt Adj Cost						
TOURNAMENT PLAYERS CLUB OF CT	JB OF CT	100	Use Code	Land	2200	PA 490 Vatue B	Building Value	Outbuildings		Total Value	Total Assessed		
INC 1 GOLF CLUB ROAD	AD 04	3	201 TOTAL	6,19	6,198,700 6,198,700	0 0	302,100 302,100	452	452,600 452,600	6,953,400 6,953,400	4,867,380		Patriot Properties Inc.
CROMWELL CT	06416											Pro	Property Factors
			Previous Tex Yr	Value In	Previous Value Information Tex Yr Land Value	Bldg Vatue	, no	Outbuildings	Total Value	ilue	Total Assessment	Census Flood:	5703
Previous Owner(s)			2019	6.15	6.198.700 6.198.700	302,100 302,100		452,600 452,600	6 9 9 9 9 9	6.953,400 6.953,400	4,867,380	Topo: Street:	Paved
			2017	6,15	6,198,700	1,176,600		615,100	7.99(7,990,400	5,593,280	Dev. Map	
General Notes			2016 2015	20.00	5 929 490 5 929 490	1,204,210		359,400	7 49	7,493,100	5,222,500	Dev. Map	
TPC Golf Course			2014	5.92	5.929.490	1,171,810		359,400	7,46	7,460,700	5,222,500		Zoning Data
			Sales Information	rmation								Desc. R-25	% 100.00
			Grantee	Market Segment	Vol-Page	Type SaleDate	Sept.	SalePrice S	Sale Verif	GeneralNotes	ytes sept		
			TOURNAMENT PLAYERS CLU	T PLAYERS	CLU 242-84	04/25/1984	984	0				74 6	Utilities Public Water
												, 6	BAA
												USK;U/K	¥
Activity information	rmation						Building Permit Information	Permit In	formation				
Date Results	Visited By	×	Date	Permit #	Description	Amount	% Comp	Visit Date	CO Date	Gener	GeneralNotes		
09/27/2018 Permit- Drive By 08/31/2018 Permit- Drive By	Kare	Karen Vaiciulis Assessor Office	03/21/2019	25929	Other	15,000	100	31-410-2018	18_11/2018	20	TEMP TENT 50' X 70'		
		John Valente	06/08/2018	25431	Propane Tank	3,000		7					
05/17/2017 No Change - Field Review 07/22/2016 Permit: Miscellaneous	Dave	Dave Stannard	05/17/2018	25392	Other	35,000	100						
	Asse	Assessor Office	05/11/2018	25386	Electric	30 000							
	Asse	Assessor Office	04/30/2018	25361	New Construction	8,000,000		27-Sep-2018					
06/28/2015 Permit Miscellaneous 06/28/2016 Permit Miscellaneous 03/29/2016 Permit Miscellaneous	A886 A886 A886 A886 A886	Assessor Unice Assessor Office Assessor Office	04/30/2018	25356 25363	Other	15,000 748,000	8 8 8						
						Land Data							
	Calt						Special		Appraised P.	PA 490 Neigh	Parent Service Service	STREET, STREET	
3		ž			Land Adjustments		Land Calc			Asmt Order		Notes	
201 Commercial	217,800 SF	3 2	Ailia	50%				4 1	457,400	0 4300			
		3						200	1,300				

ParcellD: 00457800

2	25		
ŏ	no	ara	
٦ _	nformation	Pre-Eng Gara	1 Story
Bldg Sed	terior In	ding Type:	¥ ±

Pre-finsh Me Concrete 16.00 퍒 Prim. Ext. Wall: Roof Type: Roof Cover: Avg. Wall Ht: Exterior
Building Type:
Story Ht:
Liwing Units:
Foundation: Sec. Ext. Wall:

General Information

Year Bit: Grade:

Interior Information

Average

Phys Cond Func

Depreciation

Rem. Kitchen Yr. Rem. Bath Yr.

Remodeled Yr.

Prime Wall: Minimum Sec. Wall:	Concrete	Gas	Hot Air No D	0	Add. Kit: Ges:
Prime Wall: Sec. Wall:	Floor Type: Sec. Floor:	Heat Fuel:	Heat Type: Sec. Ht Type:	* A/C: * Sprinkled: Bsmt. Gar:	Kitchens: Fireplaces: Int. Condition:

57.00 378,778 76,703 302,075

Basic \$/SQ Replacement Cost Depreciation Depreciated Value

20.25

Calculation

Total %Dep:

302,100

Final Total mounded

Room Count

Total Rooms:

Bath Features

Addl, Full Baths: Half Baths: Full Baths:

Addi. Haff Baths: Full Biths Below: Haff Biths Below: Other Fixtures; Total Baths:


252	(9640)	
	4.4 8)	78
	81	

			48
48			

	Z
	inoe
wit :	40
	404
	Home
	Vard
	Southeen
	Evtes
	35 C 6 20 8 C
	19

Sode Desc. Living Gross Area	8,640	8.640	First Floor	4
	Gross Area	Living		ode

	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	P-000000000000000000000000000000000000	Complete State of State of	304	10000	1	2	Everal carmics / Jain Mellis (154.15 Pilles Pisbladed)	alayed)	A STATE OF THE PARTY OF THE PAR
Code	Description Oty	Q	Size	Cond.	Year	Cond. Year Unit Price Dep%	Dep%	UndepValue	Appraised Value	Assessment
TEN	Tennis Court	-	2	AV	1997	20,000.00	18	48.000	39,400	27,580
GAR1	Garage Frame	-	6.875	۸۸	1978	25.00	30	206.250	144,400	101,080
GAR1	Garage Frame	-	7,500	۸۸	1983	25.00	25	225,000	168,800	118,160
FDC	Foundation C	-	-	٩٨		100,000.00	0	100,000	100.000	70,000
ofal Sn	otal Sp. Eastures		Tota	Total Yand Hame	. 04	462 600	Total An	469 600 Total Appraised: 452 600	500 Total Assessed Value:	often 246 000



POSTAL S

02:43 PM CHEPACHET 1151 PUTNAM PIKE CHEPACHET, RI 02814-1960 (800)275-8777

03/18/2025

\$10.10 \$0.00 \$10.10 Price Tracking #: 9505 5105 4887 5077 0853 57 Unit Price Insurance Up to \$100.00 included Priority Mail® 1 Flat Rate Env Cromwell, CT 06416 Flat Rate Expected Delivery Date Fri 03/21/2025 Qty Product

Total

\$10.10

Priority Mail® 1 Flat Rate Env Hartford, CT 06103 Flat Rate Expected Delivery Date Fri 03/21/2025 Tracking #: 9505 5105 4887 5077 0853 71

Insurance Up to \$100.00 included Total

\$10.10 \$0.00

> Debit Card Remit Grand Total:

\$20.20 \$20.20

Chip