



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

Internet: ct.gov/csc

Daniel F. Caruso
Chairman

February 25, 2009

Steven L. Levine
Real Estate Consultant
New Cingular Wireless PCS, LLC
500 Enterprise Drive
Rocky Hill, CT 06067-3900

RE: **EM-CING-036-081229** - New Cingular Wireless PCS, LLC notice of intent to modify an existing telecommunications facility located at 220 Winthrop Road, Deep River, Connecticut.

Dear Mr. Levine:


The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies.

The proposed modifications are to be implemented as specified here and in your notice dated December 23, 2008, including the placement of all necessary equipment and shelters within the tower compound. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.

Thank you for your attention and cooperation.

Very truly yours,


S. Derek Phelps
Executive Director


SDP/MP/laf

c: The Honorable Richard H. Smith, First Selectman, Town of Deep River
Amy Petrone, Zoning Enforcement Officer, Town of Deep River
Thomas J. Regan, Esq., Brown Rudnick LLP



CONNECTICUT SITING COUNCIL

Affirmative Action / Equal Opportunity Employer



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

December 29, 2008

The Honorable Richard H. Smith
First Selectman
Town of Deep River
Town Hall
174 Main Street
Deep River, CT 06417

RE: **EM-CING-036-081229** - New Cingular Wireless PCS, LLC notice of intent to modify an existing telecommunications facility located at 220 Winthrop Road, Deep River, Connecticut.


Dear Mr. Smith:

The Connecticut Siting Council (Council) received this request to modify an existing telecommunications facility, pursuant to Regulations of Connecticut State Agencies Section 16-50j-72.

If you have any questions or comments regarding this proposal, please call me or inform the Council by January 12, 2009.

Thank you for your cooperation and consideration.

Very truly yours,



S/ Derek Phelps
Executive Director

SDP/jb

Enclosure: Notice of Intent

c: Amy Petrone, Zoning Enforcement Officer, Town of Deep River

EM-CING-036-081229



New Cingular Wireless PCS, LLC
500 Enterprise Drive
Rocky Hill, Connecticut 06067-3900
Phone: (860) 513-7636
Fax: (860) 513-7190

ORIGINAL

Steven L. Levine
Real Estate Consultant

HAND DELIVERED

December 23, 2008

RECEIVED
DEC 29 2008

Honorable Daniel F. Caruso, Chairman,
and Members of the Connecticut Siting Council
Connecticut Siting Council
10 Franklin Square
New Britain, Connecticut 06051

CONNECTICUT
SITING COUNCIL

Re: New Cingular Wireless PCS, LLC notice of intent to modify an existing tele-communications facility located at 220 Winthrop Road, Deep River (owner, TowerCo)

Dear Chairman Caruso and Members of the Council:

In order to accommodate technological changes, implement Uniform Mobile Telecommunications System ("UMTS") capability, and enhance system performance in the State of Connecticut, New Cingular Wireless PCS, LLC ("AT&T") plans to modify the equipment configurations at many of its existing cell sites. Please accept this letter and attachments as notification, pursuant to R.C.S.A. Section 16-50j-73, of construction which constitutes an exempt modification pursuant to R.C.S.A. Section 16-50j-72(b)(2). In compliance with R.C.S.A. Section 16-50j-73, a copy of this letter and attachments is being sent to the chief elected official of the municipality in which the affected cell site is located.


UMTS technology offers services to mobile computer and phone users anywhere in the world. Based on the Global System for Mobile (GSM) communication standard, UMTS is the planned worldwide standard for mobile users. UMTS, fully implemented, gives computer and phone users high-speed access to the Internet as they travel. They have the same capabilities even when they roam, through both terrestrial wireless and satellite transmissions.

Attached is a summary of the planned modifications, including power density calculations reflecting the change in AT&T's operations at the site. Also included is documentation of the structural sufficiency of the tower to accommodate the revised antenna configuration.

The changes to the facility do not constitute modifications as defined in Connecticut General Statutes ("C.G.S.") Section 16-50i(d) because the general physical characteristics of the facility will not be significantly changed or altered. Rather, the planned changes to the facility fall squarely within those activities explicitly provided for in R.C.S.A. Section 16-50j-72(b)(2).

Newington, Connecticut, USA
The information on this page is for informational purposes only. It is not intended to be used for any other purpose.

Original



ORIGINAL

RECEIVED

December 22, 2008

RECEIVED
DEC 23 2008

CONNECTICUT
SITING COUNCIL

Honorable Dwight Connor, Chairman
and Member of the Connecticut Siting Council
Connecticut Siting Council
10 Franklin Square
New Britain, Connecticut 06051

Re: New Cellular Wireless PCS LLC notice of intent to modify siting table
containing siting table located at 250 Washington Road, Westport, Connecticut

Dear Chairman, I am a member of the Council:

In order to accommodate technological changes, management of the New Britain
Telecommunications System (NBT) is expanding and expects to see performance in the
State of Connecticut. New Cellular Wireless PCS, LLC (NWC) plans to modify the
current siting table at many of its existing cell sites. I have noted this letter and
that amounts as an additional purpose to the A section 16-207 of the statute which
contains an explicit notice of intent to modify a section 16-207 (a) (2) (i) in
conjunction with the A section 16-207 (a) (2) (i) notice and amendments of being sent
to the chief elected official of the municipality in which the affected site is located.

UMTS technology offers services to mobile equipment and provide users anywhere in the world.
Based on the Global System for Mobile (GSM) a non-proprietary standard, UMTS is the standard
worldwide standard for mobile users. UMTS has implemented given competition that
users have access to the Internet, e-mail, TV, and other services. They have the same quality of service
when they call, although both terrestrial wireless and satellite transmissions.

Attached is a summary of the proposed modifications, including how we identify modifications
to be made to the A section 16-207 (a) (2) (i) notice. Also included is documentation of the
technical and policy of the proposed modifications to the A section 16-207 (a) (2) (i) notice.

The change to the facility do not constitute modifications as set out in Connecticut General
Statutes (C.G.S.) Section 16-207 (a) (2) (i) because the general physical characteristics of the facility will
not be significantly changed. Rather, the proposed changes to the facility do
impact with those activities explicitly provided for in C.G.S. Section 16-207 (a) (2) (i).

1. The height of the overall structure will be unaffected.
2. The proposed changes will not extend the site boundaries. There will be no effect on the site compound other than some enlarged equipment pads as may be noted in the attachments.
3. The proposed changes will not increase the noise level at the existing facility by six decibels or more.
4. Radio frequency power density may increase due to use of one or more GSM channel for UMTS transmissions. However, the changes will not increase the calculated "worst case" power density for the combined operations at the site to a level at or above the applicable standard for uncontrolled environments as calculated for a mixed frequency site.

For the foregoing reasons, New Cingular Wireless respectfully submits that the proposed changes at the referenced site constitute exempt modifications under R.C.S.A. Section 16-50j-72(b)(2).

Please feel free to call me at (860) 513-7636 with questions concerning this matter. Thank you for your consideration.

Sincerely,

A handwritten signature in blue ink, appearing to read "S. L. Levine".

Steven L. Levine
Real Estate Consultant

Attachments

**NEW CINGULAR WIRELESS
Equipment Modification**

220 Winthrop Road
Site Number 5873
Former AT&T cell site
Exempt Modification approved 8/02

Tower Owner/Manager: TowerCo

Equipment Configuration: Monopole

Current and/or Approved: Three Allgon 7250 panel antennas @ 150 ft AGL
Six runs 1 ¼ inch coax cable
Concrete pad with outdoor cabinets

Planned Modifications: Remove all existing antennas
Install new low profile platform @ 150 ft
Install six Powerwave 7770 antennas (or equivalent) @ 150 ft
Install six TMA's and six diplexers @ 150 ft
Install six additional lines 1 ¼ inch coax
Remove one outdoor cabinet
Install one new outdoor cabinet for UMTS

Power Density:

Worst-case calculations for existing wireless operations at the site indicate a radio frequency electromagnetic radiation power density, measured at ground level beside the tower, of approximately 10.2 % of the standard adopted by the FCC. As depicted in the second table below, the total radio frequency electromagnetic radiation power density following proposed modifications would be approximately 14.6 % of the standard.

Existing

Company	Centerline Ht (feet)	Frequency (MHz)	Number of Channels	Power Per Channel (Watts)	Power Density (mW/cm ²)	Standard Limits (mW/cm ²)	Percent of Limit
Other Users *							8.65
AT&T GSM *	150	1900 Band	4	250	0.0160	1.0000	1.60
Total							10.2%

* Per CSC records

Proposed

Company	Centerline Ht (feet)	Frequency (MHz)	Number of Channels	Power Per Channel (Watts)	Power Density (mW/cm ²)	Standard Limits (mW/cm ²)	Percent of Limit
Other Users *							8.65
AT&T UMTS	150	880 - 894	1	500	0.0080	0.5867	1.36
AT&T GSM	150	1900 Band	2	427	0.0136	1.0000	1.36
AT&T GSM	150	880 - 894	4	296	0.0189	0.5867	3.23
Total							14.6%

* Per CSC records



Structural information:

The attached structural analysis demonstrates that the tower and foundation will have adequate structural capacity to accommodate the proposed equipment modifications. (Semaan Engineering Solutions, 12/4/08)



SITE NUMBER
5873
SITE NAME
Deep River North West

TITLE:	EQUIPMENT PLAN
MISC. INFO:	
DWG. BY:	SGB
DATE:	07/07/08
SCALE:	N.T.S.
SHEET:	1 OF 1





New Cingular Wireless PCS, LLC
500 Enterprise Drive
Rocky Hill, Connecticut 06067-3900
Phone: (860) 513-7636
Fax: (860) 513-7190

Steven L. Levine
Real Estate Consultant

December 23, 2008

Honorable Richard H. Smith
Town of Deep River
Town Hall 174 Main St.
Deep River, CT 06417

Re: Telecommunications Facility – 220 Winthrop Road

Dear Mr. Smith:

In order to accommodate technological changes, implement Uniform Mobile Telecommunications System (“UMTS”) capability, and enhance system performance in the State of Connecticut, New Cingular Wireless PCS, LLC (“AT&T”) will be changing its equipment configuration at certain cell sites.

As required by Regulations of Connecticut State Agencies (“R.C.S.A.”) Section 16-50j-73, the Connecticut Siting Council has been notified of the changes and will review AT&T’s proposal. Please accept this letter as notification under Section 16-50j-73 of construction which constitutes an exempt modification pursuant to R.C.S.A. Section 16-50j-72(b)(2).

The accompanying letter to the Siting Council fully describes AT&T’s proposal for the referenced cell site. However, if you have any questions or require any further information on our plans or the Siting Council’s procedures, please call me at (860) 513-7636 or Mr. Derek Phelps, Executive Director, Connecticut Siting Council at (860) 827-2935.

Sincerely,

Steven L. Levine
Real Estate Consultant

Enclosure



Structural Analysis Report

Prepared for:

TowerCo LLC
5000 Valleystone Drive
Cary, NC 27519

ATTN: Ms. Amanda Adams

Structure : 180 ft Valmont Monopole
Proposed Carrier : AT&T Wireless
Site ID : CT2006
Site Name : Deep River, CT #5873
 WINTHROP ROAD
County : Middlesex
Date : December 4, 2008
Usage : 75.4%

Semaan Engineering Solutions, LLC
1079 N. 205th Street
Elkhorn, NE 68022
Phone: 402-289-1888



Introduction

The purpose of this report is to summarize results of the structural analysis performed on the 180 ft Valmont Monopole located at Deep River, CT, Middlesex County (site #CT2006). The tower was originally designed and manufactured by Valmont (Drawing #order # 17593-98 dated June 22, 1998).

Analysis

The tower was analyzed using Semaan Engineering Solutions, Inc., Software. The analysis assumes that the tower is in good, undamaged, and non-corroded condition. The analysis was performed in conformance with **TIA/EIA-222 Rev F and local building codes for a basic wind speed of 85 mph and 1/2" radial ice with reduced wind speed (fastest mile)**. This is in conformance with the IBC 2006: Section 1609.1.1, Exception (4) and Section 3108.4.

Basic Wind Speed: 85.0 mph
 Radial Ice: 74 mph w/ 0.50" ice
 Code: TIA/EIA-222 Rev F

Antenna Loads

The following antenna loads were used in the tower analysis.

Existing Antennas

Elev. (ft)	Qty	Antennas	Mount	Coax (in)	Carrier
178.0	9	DB844H90E-XY	Low Profile Platform	(9) 1 5/8"	Nextel
166.0	6	DB980H90EMS	Low Profile Platform	(6) 1 5/8"	Sprint
157.5	6	1900 HMA	Low Profile Platform	(6) 1 5/8"	T-Mobile
	6	RR90-17-02DP			

Proposed Antennas

Elev. (ft)	Qty	Antennas	Mount	Coax (in)	Carrier
150.0	6	21401 TMA	Low Profile Platform	(12) 1 1/4"	AT&T Wireless
	6	21903 diplexer			
	6	Powerwave 7770			

All transmission lines are assumed running inside of pole shaft.

Results

The existing monopole is structurally capable of supporting the existing and proposed antennas. The maximum structure usage is: 75.4%.

Pole Reactions	Original Design Reactions	Current Analysis Reactions	% Of Design
Moment (ft-kips)	5,076.42	3,823.17	75.3
Shear (kips)	41.74	34.60	82.9

The analysis reactions are less than the design reactions therefore no foundation modifications are required.

Conclusion

Based on the analysis results, the existing structure meets the requirements per the TIA/EIA-222 Rev F standards for a basic wind speed of 85 mph and 1/2" radial ice with reduced wind speed.

If you have any questions or require additional information, please call 402-289-1888.

Standard Conditions

All engineering services are performed on the basis that the information used is current and correct. This information may consist of, but is not necessary limited, to:

- Information supplied by the client regarding the structure itself, the antenna and feed line loading on the structure and its components, or other relevant information.
- Information from drawings in the possession of Semaan Engineering Solutions, or generated by field inspections or measurements of the structure.

It is the responsibility of the client to ensure that the information provided to Semaan Engineering Solutions and used in the performance of our engineering services is correct and complete. In the absence of information to the contrary, we assume that all structures were constructed in accordance with the drawings and specifications and are in an un-corroded condition and have not deteriorated; and we, therefore, assume that their capacity has not significantly changed from the "as new" condition.

All services will be performed to the codes specified by the client, and we do not imply to meet any other codes or requirements unless explicitly agreed in writing. If wind and ice loads or other relevant parameters are to be different from the minimum values recommended by the codes, the client shall specify the exact requirement. In the absence of information to the contrary, all work will be performed in accordance with the latest relevant revision of ANSI/EIA-222.

All services are performed, results obtained, and recommendations made in accordance with generally accepted engineering principles and practices. Semaan Engineering Solutions is not responsible for the conclusions, opinions and recommendations made by others based on the information we supply.

SEMAAN ENGINEERING SOLUTIONS

1079 N.204th Avenue
 Elkhorn, NE 68022
 Phone: 402-289-1888
 Fax: 402-289-1861

Copyright Semaan Engineering Solutions, Inc

Job Information	
Pole :	CT2006
Code :	TIA/EIA-222 Rev F
Description :	
Client :	TowerCo LLC
Location :	Deep River, CT
Shape :	12 Sides
Base Elev (ft):	0.00
Height :	180.00 (ft)
Taper:	0.248001(in/ft)

Sections Properties							
Shaft Section	Length (ft)	Diameter (in)		Thick Joint (in)	Overlap Length (in)	Taper (in/ft)	Steel Grade (ksi)
		Across Top	Flats Bottom				
1	51.000	49.35	62.00	0.438	0.000	0.248001	65
2	52.083	39.00	51.92	0.406 Slip Joint	85.000	0.248001	65
3	47.833	29.27	41.13	0.344 Slip Joint	70.000	0.248001	65
4	46.667	19.36	30.93	0.250 Slip Joint	56.000	0.248001	65

Discrete Appurtenance			
Attach Elev (ft)	Force Elev (ft)	Qty	Description
178.000	178.000	1	Low Profile Platform
178.000	178.000	9	DB844H90E-XY
166.000	166.000	1	Low Profile Platform
166.000	166.000	6	DB980H90EMS
157.500	157.500	1	Low Profile Platform
157.500	157.500	6	1900 HMA
157.500	157.500	6	RR90-17-02DP
150.000	150.000	6	21401 TMA
150.000	150.000	1	Low Profile Platform
150.000	150.000	6	21903 diplexer
150.000	150.000	6	Powerwave 7770

Linear Appurtenance			
Elev (ft)		Description	Exposed To Wind
From	To		
0.000	150.0	1 1/4" Coax	No
0.000	157.5	1 5/8" Coax	No
0.000	166.0	1 5/8" Coax	No
0.000	178.0	1 5/8" Coax	No

Load Cases	
No Ice	85.00 mph Wind with No Ice
Ice	73.61 mph Wind with Ice

Reactions			
Load Case	Moment (Kip-ft)	Shear (Kips)	Axial (Kips)
No Ice	3823.17	34.60	45.16
Ice	3089.46	27.30	52.52

