



Daniel F. Caruso  
Chairman

# STATE OF CONNECTICUT

## CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)

Internet: [ct.gov/csc](http://ct.gov/csc)

December 29, 2006

Kenneth C. Baldwin, Esq.  
Robinson & Cole LLP  
280 Trumbull Street  
Hartford, CT 06103-3597

RE: **EM-VER-054-028-061115** - Cellco Partnership d/b/a Verizon Wireless notice of intent to modify existing telecommunications facilities located at 48 Birch Mountain Road, Glastonbury; and 112 Munn Road, Colchester, Connecticut.

Dear Attorney Baldwin:


At a public meeting held on December 12, 2006, the Connecticut Siting Council (Council) acknowledged your notice to modify these existing telecommunications facilities, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies with the condition that all modifications on the executive summary of the structural analysis report for the Glastonbury tower are completed prior to the antenna installation and that a signed letter from a Professional Engineer is submitted to the Council to certify that the modifications have been properly completed.

The proposed modifications are to be implemented as specified here and in your notice dated November 15, 2006, including the placement of all necessary equipment and shelters within the tower compounds. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to existing facility sites that would not increase tower heights, extend the boundaries of the tower sites, increase noise levels at the tower site boundaries by six decibels, and increase the total radio frequencies electromagnetic radiation power densities measured at the tower site boundaries to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. These facilities have also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on these towers.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to any of these facilities will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.

Thank you for your attention and cooperation.

Very truly yours,

  
Daniel F. Caruso  
Chairman

DFC/MP/laf

- c: The Honorable Jenny Contois, First Selectman, Town of Colchester
- Christopher Beauchemin, Town Planner, Town of Colchester
- The Honorable Susan Karp, Chairman Town Council, Town of Glastonbury
- Richard J. Johnson, Town Manager, Town of Glastonbury
- Kenith Leslie, Community Development Director, Town of Glastonbury
- Brian Benito, Bureau of Police Support, Telecommunications
- Thomas J. Regan, Esq., Brown Rudnick Berlack Israels, LLP
- Christine Farrell, T-Mobile, Inc.
- Michele G. Briggs, New Cingular Wireless PCS, LLC
- Christopher B. Fisher, Esq., Cuddy & Feder LLP

KENNETH C. BALDWIN  
280 Trumbull Street  
Hartford, CT 06103-3597  
Main (860) 275-8200  
Fax (860) 275-8299  
kbaldwin@rc.com  
Direct (860) 275-8345

November 15, 2006

*Via Hand Delivery*

EM-VER-054-028-061115

S. Derek Phelps  
Executive Director  
Connecticut Siting Council  
10 Franklin Square  
New Britain, CT 06051

Re: Notice of Exempt Modification  
48 Birch Mountain Road, Glastonbury, CT  
112 Munn Road, Colchester, CT

Dear Mr. Phelps:

Cellico Partnership d/b/a Verizon Wireless ("Cellico") intends to install microwave dish antennas on each of the existing telecommunications towers described below. Please accept this letter as notification pursuant to R.C.S.A. § 16-50j-73, for construction at each facility tower that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-73, a § 16-50j-73, a copy of this letter and attachments are being sent to Richard J. Johnson, Town Manager for the Town of Glastonbury and Jenny Contois, First Selectman for the Town of Colchester.

**Birch Mountain Road, Glastonbury, CT**

The Birch Mountain Road facility consists of a 225-foot self-supporting lattice tower capable of supporting multiple carriers within a fenced compound at 48 Birch Mountain Road in Glastonbury. The tower currently supports antennas of Sprint Nextel at the 177-foot level; Cellico at the 164-foot level and several emergency service providers at various locations on the tower. Cellico proposes to install one (1) microwave dish antenna at the 125-foot level on the existing tower. Attached behind Tab 1 is a tower elevation plan; a structural report; and an updated power density table for Cellico's existing and proposed antennas.

**Munn Road, Colchester, CT**

The Munn Road facility consists of a 320-foot self-supporting lattice tower capable of supporting multiple carriers within a fenced compound at 112 Munn Road

Law Offices



BOSTON

HARTFORD

NEW LONDON

STAMFORD

WHITE PLAINS

NEW YORK CITY

SARASOTA

www.rc.com

HARTI-1366151-1

RECEIVED  
NOV 15 2006  
CONNECTICUT  
SITING COUNCIL

ROBINSON & COLE LLP



S. Derek Phelps  
November 15, 2006  
Page 2

The tower currently supports antennas of the Connecticut State Police in Colchester. The tower currently supports antennas of the Connecticut State Police and other emergency service providers at various locations on the tower; Celloco at the 220-foot level; and Cingular at the 200-foot level. Celloco proposes to install two (2) microwave dish antennas, one at the 175-foot level and one at the 15-foot level on the existing tower. Attached behind Tab 2 is a tower elevation plan; a structural report; and an updated power density table for Celloco's existing and proposed antennas.

The planned modifications to each of these facilities fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).


1. Celloco's proposed modifications will not result in any increase in the overall height of either of the existing structures.

2. Celloco's proposed modifications will not require the extension of the existing site boundaries at either of the sites identified.

3. Celloco's proposed modifications will not increase noise levels at the facility by six decibels or more at either of the facilities.

4. Celloco's proposed modifications will not result in radio frequency (RF) power density levels at either of the facilities that would exceed the Federal Communications Commission (FCC) adopted safety standard.

For the foregoing reasons, Celloco respectfully submits that the proposed modifications to the above-referenced telecommunications facilities constitute an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,  
  
Kenneth C. Baldwin

Enclosures  
Copy to:

Richard J. Johnson, Glastonbury Town Manager  
Jenny Contois, Colchester First Selectman  
Sandy M. Carter

---

**DETAILED STRUCTURAL ANALYSIS AND  
EVALUATION OF EXISTING 225' GUYED  
LATTICE TOWER FOR PROPOSED ANTENNA  
ARRANGEMENT**

**48 Birch Mountain Road  
Glastonbury, Connecticut**

---

*prepared for*



**Verizon Wireless  
99 East River Drive  
East Hartford, Connecticut 06108**

*prepared by*



**URS CORPORATION  
500 ENTERPRISE DRIVE, SUITE 3B  
ROCKY HILL, CT 06067  
TEL. 860-529-8882**

**36930993.00008  
VZ1-168**

**Revision 2 October 20, 2006**

## **TABLE OF CONTENTS**

- 1. EXECUTIVE SUMMARY**
- 2. INTRODUCTION**
- 3. ANALYSIS METHODOLOGY AND LOADING CONDITIONS**
- 4. FINDINGS AND EVALUATION**
- 5. CONCLUSIONS**
- 6. DRAWINGS AND DATA**
  - **SK-1 – TOWER ELEVATION AND GUY ANCHOR DETAILS**
  - **RISA TOWER INPUT / OUTPUT SUMMARY**
  - **RISA TOWER FEEDLINE DISTRIBUTION CHART**
  - **RISA TOWER DETAILED OUTPUT**

1. EXECUTIVE SUMMARY

This report summarizes the structural analysis of the existing 225' guyed lattice tower located at 48 Birch Mountain Road in Glastonbury, Connecticut. The analysis was conducted in accordance with the 2005 Connecticut State Building Code and the TIA/EIA-222-F standard for wind velocity of 80 mph (fastest mile) and 69 mph (fastest mile) concurrent with 1/2" ice. The antenna loading considered in the analysis consists of all existing and proposed antennas, transmission lines, and ancillary items as outlined in Section 6 of this report. The proposed Verizon Wireless modification is as follows:

Proposed Structural Modification		Elevation
<b>Remove:</b>		
(1) Torque Arm	(Proposed)	@ 87'
(6) 3/8" EHS guy wires		
<b>Install:</b>		
(3) new outer guy anchors	(Proposed)	@ Grade
<b>Install:</b>		
(3) new 3/8" EHS guy wires to the outer anchors	(Proposed)	@ 44'-10"
<b>Install:</b>		
(3) new 1/2" EHS guy wires to the outer anchors	(Proposed)	@ 84'-10"
<b>Install:</b>		
(3) new 1/2" EHS guy wires to the outer anchors	(Proposed)	@ 116'-10"
<b>Remove:</b>		
All guy wires attached to inner anchors	(Proposed)	Varies

Proposed Antenna and Mount	Carrier	Antenna Center Elevation
<b>Install:</b>		
(1) PL6-59D dish on (1) new dish mount with (1) EW63 coax cable.	Verizon (Proposed)	@ 125'
<b>Remove:</b>		
(1) 6 FT dish, (1) dish mount, and (1) EW63 coax cable.	(Proposed)	@ 89'-6"
<b>Remove:</b>		
(1) 7.3 FT dish, (1) dish mount, and (1) EW63 coax cable.	(Proposed)	@ 88'-6"
<b>Remove:</b>		
(1) 7.3 FT dish, (1) dish mount, and (1) EW63 coax cable.	(Proposed)	@ 87'
<b>Remove:</b>		
(1) 4 FT dish, (1) dish mount, and (1) EW63 coax cable.	(Proposed)	@ 79'
<b>Remove:</b>		
(1) 6.5 FT dish, (1) dish mount, and (1) EW63 coax cable.	(Proposed)	@ 73'-3"

The results of the analysis, with the modifications outlined in this report, indicate that the tower structure will be in compliance with the proposed loading conditions. **With the proposed modifications, the tower and foundations will be structurally adequate for the wind load classification specified above and all the existing and proposed antenna loading.**

This analysis is based on:


- 1) The tower structure's theoretical capacity, not including any assessment of the condition of the tower.
- 2) Tower geometry and structural member sizes taken from Guyed Tower Inventory and Mapping Report prepared by CSB Communications, dated January 19, 2006.
- 3) New guy anchors are installed per Section 6 of this report.
- 4) Antenna and mount configuration as specified in Section 6 of this report.

This report is only valid as per the assumptions and data utilized in this report for antenna inventory, mounts and associated cables. The user of this report shall field verify the assumption of the antenna and mount configuration as well as the physical condition of the tower and connections. Notify the engineer in writing immediately if any of the information in this report is found to be other than specified.

If you should have any questions, please call.

Sincerely,

**URS Corporation**




Richard A. Sambor, P.E.  
Manager Facilities Design




RAS/jek

cc: AA, DR, IA, CF/Book – URS





1 TOWER ELEVATION  
L-1 SCALE: 1" = 40'-0"



SITE ID NO:  
36930993  
Designed by:  
DBP  
Drawn by:  
Checked by:  
Approved by:

**URS CORPORATION AES**  
500 ENTERPRISE DRIVE  
ROCKY HILL, CONNECTICUT  
1-(860)-529-8882

CELLCO PARTNERSHIP DBA  
VERIZON WIRELESS  
WIRELESS COMMUNICATIONS FACILITY  
SITE ADDRESS:  
**BIRCH MOUNTAIN**  
48 BIRCH MOUNTAIN ROAD  
GLASTONBURY, CONNECTICUT

REV.	DATE	DESCRIPTION

Scale: AS NOTED Date: 10-31-06  
Job No. VZ1-168 File No. L-1

Dwg. No.  
**L-1**  
Dwg. 1 of 1

## 2. INTRODUCTION

The subject tower is located at 48 Birch Mountain Road in Glastonbury, Connecticut. The structure is a 225' guyed lattice tower.

The tower geometry and structure member sizes were taken from Guyed Tower Inventory and Mapping Report prepared by CSB Communications, dated January 19, 2006.

The inventory is summarized in Section 6 of this report.

This structural analysis of the communications tower was performed by URS Corporation (URS) for Verizon Wireless. The purpose of this analysis was to investigate the structural integrity of the existing tower with its existing and proposed antenna loads. This analysis was conducted to evaluate stress on the tower, tension in the guy wires and the effect of forces to the foundation of the tower resulting from existing and proposed antenna arrangements.

### 3. ANALYSIS METHODOLOGY AND LOADING CONDITIONS

The structural analysis was done in accordance with the 2005 Connecticut State Building Code, TIA/EIA-222-F—Structural Standard for Steel Antenna Towers and Antenna Supporting Structures, and the American Institute of Steel Construction (AISC) Manual of Steel Construction—Allowable Stress Design (ASD).

The analysis was conducted using RISA Tower 4.6. Two load conditions were evaluated as shown below which were compared to allowable stresses according to AISC and TIA/EIA.

Load Condition 1 = 80 mph (fastest mile) Wind Load (without ice) + Tower Dead Load  
Load Condition 2 = 69 mph (fastest mile) Wind Load (with ice) + Ice Load + Tower Dead Load

Please note that wind pressure is a function of velocity squared. Under Load Condition 2, a 25 percent reduction in wind pressure is allowed by code to account for the unlikelihood of the full wind pressure and ice load occurring at the same time. The same results may be achieved by utilizing a lower wind pressure without taking the 25 percent reduction, as shown above.

The TIA/EIA standard permits a one-third increase in allowable stresses for towers and monopoles less than 700 feet tall. For the purposes of this analysis, in computing the load capacity the allowable stresses of the tower members were increased by one-third.

### 4. FINDINGS AND EVALUATION

Stresses on the structure were evaluated to compare with allowable stresses in accordance with AISC. The calculated stresses under the proposed loading were within the allowable stresses. Detailed analysis and calculations for the proposed load condition are provided in section 6 of this report.

## 5. CONCLUSIONS

The results of the analysis, with the modifications outlined in this report, indicate that the tower structure will be in compliance with the proposed loading conditions. **With the proposed modifications, the tower and foundations will be structurally adequate for the wind load classification specified above and all the existing and proposed antenna loading.**

### Limitations/Assumptions:

This report is based on the following:

1. Tower inventory as listed in this report.
2. Tower is properly installed and maintained.
3. All members are as specified in the original design documents and are in good condition.
4. All required members are in place.
5. All bolts are in place and are properly tightened.
6. Tower is in plumb condition.
7. All member protective coatings are in good condition.
8. All tower members were properly designed, detailed, fabricated, and installed and have been properly maintained since erection.
9. Foundations were properly constructed to support original design loads as specified in the original design documents.
10. All coaxial cable is installed per section 6 of this report.

URS is not responsible for any modifications completed prior to or hereafter in which URS is not or was not directly involved. Modifications include but are not limited to:

- A. Adding antennas
- B. Removing/replacing antennas
- C. Adding coaxial cables

URS hereby states that this document represents the entire report and that it assumes no liability for any factual changes that may occur after the date of this report. All representations, recommendations, and conclusions are based upon information contained and set forth herein. If you are aware of any information which conflicts with that which is contained herein, or you are aware of any defects arising from original design, material, fabrication, or erection deficiencies, you should disregard this report and immediately contact URS. URS disclaims all liability for any representation, recommendation, or conclusion not expressly stated herein.

### Ongoing and Periodic Inspection and Maintenance:

After the Contractor has successfully completed the installation and the work has been accepted, the owner will be responsible for the ongoing and periodic inspection and maintenance of the tower.

The owner shall refer to TIA/EIA-222-F for recommendations for maintenance and inspection. The frequency of the inspection and maintenance intervals is to be determined by the owner based upon actual site and environmental conditions. It is recommended that a complete and thorough inspection of the entire tower structural system be performed at least yearly and more frequently as conditions warrant. According to TIA/EIA-222-F section 14.1, Note 1: It is recommended that the structure be inspected after severe wind and/or ice storms or other extreme loading conditions.

## 6. DRAWINGS AND DATA

## **SK-1 — TOWER ELEVATION AND GUY ANCHOR DETAILS**



**VERIZON WIRELESS**  
 500 ENTERPRISE DRIVE  
 ROCKY HILL, CONNECTICUT  
 06067-1500  
 1-800-932-4882

AME INC.  
 PROJECT NO. SW430893  
 JOB NO. V01-188  
 DRAWN BY:  
 CHECKED BY:


ISSUED FOR  
 10-30-08 STRUCTURAL

THE INFORMATION CONTAINED  
 HEREIN IS THE PROPERTY OF VERIZON  
 WIRELESS. IT IS TO BE USED ONLY FOR  
 THE PROJECT AND SITE SPECIFICALLY  
 IDENTIFIED. ANY REUSE OR  
 OTHER USE WITHOUT THE WRITTEN  
 PERMISSION OF VERIZON WIRELESS  
 IS STRICTLY PROHIBITED.


BIRCH MOUNTAIN  
 48 BIRCH MOUNTAIN ROAD  
 CLASTONBURY, CONNECTICUT

SCALE AS NOTED  
 TOWER ELEVATION  
 AND GUY ANCHOR  
 DETAILS


SK-1




3 ANCHOR ROD DETAIL  
 SK-1 SCALE: 3/8"=1'-0"



4 ANCHOR ROD DETAIL  
 SK-1 SCALE: 3/8"=1'-0"



1 TOWER ELEVATION  
 SK-1 N.T.S.



2 TOWER PLAN  
 SK-1 N.T.S.

**NOTES**

1. THE FOLLOWING STANDARD SPECIFICATIONS ARE INCORPORATED INTO THE REGULATIONS: CONNECTICUT STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION - 2003 EDITION, WITH SUPPLEMENT DATED JANUARY 2002.
2. THE CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS FROM THE CONNECTICUT DEPARTMENT OF TRANSPORTATION AND CONSTRUCTION, AND SHALL OBTAIN ALL NECESSARY PERMITS FROM THE CONNECTICUT DEPARTMENT OF ENVIRONMENT AND ENERGY SERVICES.
3. ALL DISTURBED AREAS SHALL BE RESTORED TO MATCH PRECONSTRUCTION CONDITIONS.
4. FOUNDATION EXCAVATION SHALL BE INSPECTED PRIOR TO PLACEMENT OF REINFORCEMENT AND GUY ANCHOR RODS.
5. THE CONTRACTOR SHALL INSTALL ALL EXHOSION AND SEDIMENTATION CONTROL MEASURES PRIOR TO ANY GRADING ACTIVITIES.

1. ALL CONCRETE WORK SHALL BE IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
2. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
3. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
4. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
5. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
6. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
7. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
8. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
9. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.

1. ALL CONCRETE WORK SHALL BE IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
2. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
3. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
4. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
5. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
6. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
7. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
8. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.
9. ALL CONCRETE SHALL BE PLACED IN ACCORDANCE WITH THE ACI 308.1R-05 AND THE SPECIFICATION GOVT-BUILDING CONCRETE.

## **RISA TOWER INPUT/OUTPUT SUMMARY**






## RISA TOWER FEEDLINE DISTRIBUTION CHART

# Feedline Distribution Chart

## 4'9" - 224'9"

Round      Flat      App In Face      App Out Face      Truss Leg



<b>URS Corporation</b>			
500 Enterprise Drive, Suite 3B			
Rocky Hill, CT 06067			
Phone: (860) 529-8882			
FAX: (860) 529-3991			
Job: <b>225' Guyed Lattice Tower</b>		Project: <b>Glastonbury, CT</b>	
Client: Verizon Wireless	Drawn by: Staff	App'd:	
Code: TIA/EIA-222-F	Date: 10/20/06	Scale: NTS	
Patt: P:\08\10.6.2006 Rev2\ERI Files\Copy of GlastonburyREV2.dwg		Dwg No. E-7	

## RISA TOWER DETAILED OUTPUT

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 1 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

## Tower Input Data

The main tower is a 3x guyed tower with an overall height of 224.75 ft above the ground line.

The base of the tower is set at an elevation of 0.00 ft above the ground line.

The face width of the tower is 3.42 ft at the top and tapered at the base.

This tower is designed using the TIA/EIA-222-F standard.

The following design criteria apply:

Basic wind speed of 80 mph.

Nominal ice thickness of 0.5000 in.

Ice density of 56 pcf.

A wind speed of 69 mph is used in combination with ice.

Temperature drop of 50 °F.

Deflections calculated using a wind speed of 50 mph.

Pressures are calculated at each section.

Safety factor used in guy design is 2.


Stress ratio used in tower member design is 1.333.

Local bending stresses due to climbing loads, feedline supports, and appurtenance mounts are not considered.

## Options


- |  |  |  |
|--|--|--|
| <ul style="list-style-type: none"> <li>Consider Moments - Legs</li> <li>Consider Moments - Horizontals</li> <li>Consider Moments - Diagonals</li> <li>Use Moment Magnification</li> <li>√ Use Code Stress Ratios</li> <li>√ Use Code Safety Factors - Guys</li> <li>Escalate Ice</li> <li>Always Use Max Kz</li> <li>Use Special Wind Profile</li> <li>√ Include Bolts In Member Capacity</li> <li>√ Leg Bolts Are At Top Of Section</li> <li>√ Secondary Horizontal Braces Leg</li> <li>Use Diamond Inner Bracing (4 Sided)</li> <li>Add IBC .6D+W Combination</li> </ul> | <ul style="list-style-type: none"> <li>Distribute Leg Loads As Uniform</li> <li>Assume Legs Pinned</li> <li>√ Assume Rigid Index Plate</li> <li>√ Use Clear Spans For Wind Area</li> <li>√ Use Clear Spans For KL/r</li> <li>√ Retension Guys To Initial Tension</li> <li>Bypass Mast Stability Checks</li> <li>√ Use Azimuth Dish Coefficients</li> <li>√ Project Wind Area of Appurt.</li> <li>√ Autocalc Torque Arm Areas</li> <li>√ SR Members Have Cut Ends</li> <li>√ Sort Capacity Reports By Component</li> <li>Triangulate Diamond Inner Bracing</li> </ul> | <ul style="list-style-type: none"> <li>Treat Feedline Bundles As Cylinder</li> <li>Use ASCE 10 X-Brace Ly Rules</li> <li>√ Calculate Redundant Bracing Forces</li> <li>Ignore Redundant Members in FEA</li> <li>SR Leg Bolts Resist Compression</li> <li>√ All Leg Panels Have Same Allowable</li> <li>Offset Girt At Foundation</li> <li>√ Consider Feedline Torque</li> <li>Include Angle Block Shear Check</li> <li style="background-color: #cccccc;">Poles</li> <li>Include Shear-Torsion Interaction</li> <li>Always Use Sub-Critical Flow</li> <li>Use Top Mounted Sockets</li> </ul> |
|--|--|--|

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 2 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff



**Corner & Starmount Guyed Tower**

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 3 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff



**Face Guyed**

**Tower Section Geometry**

Tower Section	Tower Elevation	Assembly Database	Description	Section Width	Number of Sections	Section Length
	<i>ft</i>			<i>ft</i>		<i>ft</i>
T1	224.75-204.75			3.42	1	20.00
T2-T3	204.75-164.75			3.42	2	20.00
T4	164.75-144.75			3.42	1	20.00
T5-T6	144.75-104.75			3.42	2	20.00
T7-T11	104.75-4.75			3.42	5	20.00
T12	4.75-0.00			3.42	1	4.75

**Tower Section Geometry (cont'd)**

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 4 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Section	Tower Elevation	Diagonal Spacing	Bracing Type	Has K Brace End Panels	Has Horizontals	Top Girt Offset	Bottom Girt Offset
	ft	ft				in	in
T1	224.75-204.75	2.42	X Brace	No	No	7.3750	0.0000
T2-T3	204.75-164.75	2.42	CX Brace	No	No	7.3750	0.0000
T4	164.75-144.75	2.42	X Brace	No	No	7.3750	0.0000
T5-T6	144.75-104.75	2.42	CX Brace	No	No	7.3750	0.0000
T7-T11	104.75-4.75	2.41	K Brace Left	No	No	7.3750	1.0000
T12	4.75-0.00	0.94	X Brace	No	Yes	1.0000	11.0000

### Tower Section Geometry (cont'd)

Tower Elevation	Leg Type	Leg Size	Leg Grade	Diagonal Type	Diagonal Size	Diagonal Grade
ft						
T1 224.75-204.75	Pipe	ROHN 2.5 EH	A572-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x3/16	A36 (36 ksi)
T2-T3 204.75-164.75	Pipe	ROHN 2.5 STD	A572-50 (50 ksi)	Pipe	ROHN TS1.5x16 ga	A53-B-42 (42 ksi)
T4 164.75-144.75	Pipe	ROHN 2.5 EH	A572-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x3/16	A36 (36 ksi)
T5-T6 144.75-104.75	Pipe	ROHN 2.5 STD	A572-50 (50 ksi)	Pipe	ROHN TS1.5x16 ga	A53-B-42 (42 ksi)
T7-T11 104.75-4.75	Pipe	ROHN 2.5 EH	A572-50 (50 ksi)	Pipe	ROHN TS1.5x16 ga	A53-B-42 (42 ksi)
T12 4.75-0.00	Pipe	ROHN 2.5 EH	A572-50 (50 ksi)	Pipe		A36 (36 ksi)

### Tower Section Geometry (cont'd)

Tower Elevation	Top Girt Type	Top Girt Size	Top Girt Grade	Bottom Girt Type	Bottom Girt Size	Bottom Girt Grade
ft						
T1 224.75-204.75	Equal Angle	L1 3/4x1 3/4x3/16	A36 (36 ksi)	Equal Angle	L1 3/4x1 3/4x3/16	A36 (36 ksi)
T2-T3 204.75-164.75	Pipe	ROHN TS1.5x16 ga	A53-B-42 (42 ksi)	Pipe	ROHN TS1.5x16 ga	A53-B-42 (42 ksi)
T4 164.75-144.75	Equal Angle	L1 3/4x1 3/4x3/16	A36 (36 ksi)	Equal Angle	L1 3/4x1 3/4x3/16	A36 (36 ksi)
T5-T6 144.75-104.75	Pipe	ROHN TS1.5x16 ga	A53-B-42 (42 ksi)	Pipe	ROHN TS1.5x16 ga	A53-B-42 (42 ksi)
T7-T11 104.75-4.75	Pipe	ROHN TS1.5x16 ga	A53-B-42 (42 ksi)	Pipe	ROHN TS1.5x16 ga	A53-B-42 (42 ksi)
T12 4.75-0.00	Channel	C14x2x3/16	A36 (36 ksi)	Channel	C14x2x3/16	A36 (36 ksi)

### Tower Section Geometry (cont'd)



<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 5 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Elevation ft	No. of Mid Girts	Mid Girt Type	Mid Girt Size	Mid Girt Grade	Horizontal Type	Horizontal Size	Horizontal Grade
T12 4.75-0.00	1	Channel	C14x2x3/16	A36 (36 ksi)	Channel		A36 (36 ksi)

### Tower Section Geometry (cont'd)

Tower Elevation ft	Gusset Area (per face) ft <sup>2</sup>	Gusset Thickness in	Gusset Grade	Adjust. Factor A <sub>f</sub>	Adjust. Factor A <sub>r</sub>	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in
T1 224.75-204.75	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T2-T3 204.75-164.75	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T4 164.75-144.75	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T5-T6 144.75-104.75	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T7-T11 104.75-4.75	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T12 4.75-0.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000

### Tower Section Geometry (cont'd)

Tower Elevation ft	Calc K Single Angles	Calc K Solid Rounds	K Factors <sup>1</sup>								
			Legs	X Brace Diags	K Brace Diags	Single Diags	Girts	Horiz.	Sec. Horiz.	Inner Brace	
				X Y	X Y	X Y	X Y	X Y	X Y	X Y	
T1 224.75-204.75	Yes	No	1	1	1	1	1	1	1	1	1
T2-T3 204.75-164.75	Yes	No	1	1	1	1	1	1	1	1	1
T4 164.75-144.75	Yes	No	1	1	1	1	1	1	1	1	1
T5-T6 144.75-104.75	Yes	No	1	1	1	1	1	1	1	1	1
T7-T11 104.75-4.75	Yes	No	1	1	1	1	1	1	1	1	1
T12 4.75-0.00	Yes	No	1	1	1	1	1	1	1	1	1

<sup>1</sup>Note: K factors are applied to member segment lengths. K-braces without inner supporting members will have the K factor in the out-of-plane direction applied to the overall length.

### Tower Section Geometry (cont'd)

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 6 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Elevation ft	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U
T1 224.75-204.75	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T2-T3	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
204.75-164.75	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T4 164.75-144.75	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T5-T6	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
144.75-104.75	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T7-T11	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
104.75-4.75	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T12 4.75-0.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75

### Tower Section Geometry (cont'd)

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T1 224.75-204.75	Flange	0.7500	4	0.6250	1	0.6250	1	0.6250	1	0.6250	0	0.6250	0	0.6250	0
T2-T3	Flange	0.7500	4	0.5000	1	0.5000	1	0.5000	1	0.6250	0	0.6250	0	0.6250	0
204.75-164.75	Flange	0.7500	4	0.6250	1	0.6250	1	0.6250	1	0.6250	0	0.6250	0	0.6250	0
T4 164.75-144.75	Flange	0.7500	4	0.5000	1	0.5000	1	0.5000	1	0.6250	0	0.6250	0	0.6250	0
T5-T6	Flange	0.7500	4	0.6250	1	0.6250	1	0.6250	1	0.6250	0	0.6250	0	0.6250	0
144.75-104.75	Flange	0.7500	4	0.5000	1	0.5000	1	0.5000	1	0.6250	0	0.6250	0	0.6250	0
T7-T11	Flange	0.7500	4	0.6250	1	0.6250	1	0.6250	1	0.6250	0	0.6250	0	0.6250	0
104.75-4.75	Flange	0.7500	4	0.5000	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
T12 4.75-0.00	Flange	0.7500	4	0.6250	1	0.6250	1	0.6250	1	0.6250	0	0.6250	0	0.6250	0

### Guy Data

Guy Elevation ft	Guy Grade	Guy Size	Initial Tension K	%	Guy Modulus ksi	Guy Weight plf	L <sub>u</sub> ft	Anchor Radius ft	Anchor Azimuth Adj. °	Anchor Elevation ft	End Fitting Efficiency %
84.8333	EHS	A 1/2	2.69	10%	21000	0.517	193.45	176.00	0.0000	0.00	100%
		B 1/2	2.69	10%	21000	0.517	198.40	181.50	0.0000	0.00	100%
		C 1/2	2.69	10%	21000	0.517	206.01	184.00	0.0000	-12.00	100%
116.866	EHS	A 1/2	2.69	10%	21000	0.517	209.45	176.00	0.0000	0.00	100%
		B 1/2	2.69	10%	21000	0.517	214.04	181.50	0.0000	0.00	100%
		C 1/2	2.69	10%	21000	0.517	222.84	184.00	0.0000	-12.00	100%
152.02	EHS	A 1/2	2.69	10%	21000	0.517	229.24	176.00	0.0000	0.00	100%
		B 1/2	2.69	10%	21000	0.517	233.38	181.50	0.0000	0.00	100%
		C 1/2	2.69	10%	21000	0.517	243.19	184.00	0.0000	-12.00	100%

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	225' Guyed Lattice Tower	<b>Page</b>	7 of 56
	<b>Project</b>	Glastonbury, CT	<b>Date</b>	10:25:36 10/20/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

212.02	EHS	A	1/2	2.69	10%	21000	0.517	272.68	176.00	0.0000	0.00	100%
		B	1/2	2.69	10%	21000	0.517	276.17	181.50	0.0000	0.00	100%
		C	1/2	2.69	10%	21000	0.517	287.03	184.00	0.0000	-12.00	100%
212.02	EHS	A	1/2	2.69	10%	21000	0.517	274.07	176.00	0.0000	0.00	100%
		B	1/2	2.69	10%	21000	0.517	277.59	181.50	0.0000	0.00	100%
		C	1/2	2.69	10%	21000	0.517	288.41	184.00	0.0000	-12.00	100%
44.8333	EHS	A	3/8	1.54	10%	21000	0.273	179.55	176.00	0.0000	0.00	100%
		B	3/8	1.54	10%	21000	0.273	184.88	181.50	0.0000	0.00	100%
		C	3/8	1.54	10%	21000	0.273	190.52	184.00	0.0000	-12.00	100%

**Guy Data (cont'd)**

Guy Elevation ft	Mount Type	Torque-Arm Spread ft	Torque-Arm Leg Angle °	Torque-Arm Style	Torque-Arm Grade	Torque-Arm Type	Torque-Arm Size
84.8333	Corner						
116.866	Corner						
152.02	Torque Arm	15.00	45.0000	Bat Ear	A53-B-35 (35 ksi)	Pipe	XP34.5x.03325 P2.5x.203
212.02	Torque Arm	15.00	45.0000	Bat Ear	A53-B-35 (35 ksi)	Pipe	XP34.5x.03325 P2.5x.203
212.02	Corner						
44.8333	Corner						

**Guy Data (cont'd)**

Guy Elevation ft	Diagonal Grade	Diagonal Type	Upper Diagonal Size	Lower Diagonal Size	Is Strap	Pull-Off Grade	Pull-Off Type	Pull-Off Size
84.83	A572-50 (50 ksi)	Solid Round			No	A36 (36 ksi)	Flat Bar	4 1/2x3/8
116.87	A572-50 (50 ksi)	Solid Round			No	A36 (36 ksi)	Flat Bar	4 1/2x3/8
152.02	A572-50 (50 ksi)	Solid Round				A36 (36 ksi)	Solid Round	
212.02	A572-50 (50 ksi)	Solid Round				A36 (36 ksi)	Solid Round	
212.02	A572-50 (50 ksi)	Solid Round			No	A36 (36 ksi)	Equal Angle	L1 1/8x1 1/8x1/8
44.83	A572-50 (50 ksi)	Solid Round			No	A36 (36 ksi)	Flat Bar	4 1/2x3/8

**Guy Data (cont'd)**

Guy Elevation ft	Cable Weight A K	Cable Weight B K	Cable Weight C K	Cable Weight D K	Tower Intercept A ft	Tower Intercept B ft	Tower Intercept C ft	Tower Intercept D ft
84.8333	0.10	0.10	0.11		3.57	3.76	4.04	

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 8 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Guy Elevation ft	Cable Weight A K	Cable Weight B K	Cable Weight C K	Cable Weight D K	Tower Intercept		Tower Intercept	
					A ft	B ft	C ft	D ft
116.866	0.11	0.11	0.12		3.3 sec/pulse 4.17	3.3 sec/pulse 4.36	3.5 sec/pulse 4.72	
152.02	0.12	0.12	0.13		3.5 sec/pulse 4.98	3.6 sec/pulse 5.16	3.8 sec/pulse 5.60	
212.02	0.14	0.14	0.15		3.9 sec/pulse 7.01	3.9 sec/pulse 7.19	4.1 sec/pulse 7.76	
212.02	0.14	0.14	0.15		4.6 sec/pulse 7.08	4.6 sec/pulse 7.26	4.8 sec/pulse 7.83	
44.8333	0.05	0.05	0.05		4.6 sec/pulse 2.85	4.7 sec/pulse 3.02	4.8 sec/pulse 3.20	
					2.9 sec/pulse	3.0 sec/pulse	3.1 sec/pulse	

**Guy Data (cont'd)**

Guy Elevation ft	Calc K Single Angles	Calc K Solid Rounds	Torque Arm		Pull Off		Diagonal	
			K <sub>x</sub>	K <sub>y</sub>	K <sub>x</sub>	K <sub>y</sub>	K <sub>x</sub>	K <sub>y</sub>
84.8333	No	No			1	1	1	1
116.866	No	No			1	1	1	1
152.02	No	No	0.65	0.65	1	1	1	1
212.02	No	No	0.65	0.65	1	1	1	1
212.02	No	No			1	1	1	1
44.8333	No	No			1	1	1	1

**Guy Data (cont'd)**

Guy Elevation ft	Torque-Arm				Pull Off				Diagonal			
	Bolt Size in	Number	Net Width Deduct in	U	Bolt Size in	Number	Net Width Deduct in	U	Bolt Size in	Number	Net Width Deduct in	U
84.8333	0.6250 A325N	0	0.0000	0.75	0.6250 A325N	0	0.0000	0.75	0.6250 A325N	0	0.0000	0.75
116.866	0.6250 A325N	0	0.0000	0.75	0.6250 A325N	0	0.0000	0.75	0.6250 A325N	0	0.0000	0.75
152.02	0.0000 A325N	0	0.0000	1	0.0000 A325N	0	0.0000	1	0.0000 A325N	0	0.0000	1
212.02	0.0000 A325N	0	0.0000	1	0.6250 A325N	0	0.0000	0.75	0.6250 A325N	0	0.0000	0.75
212.02	0.6250 A325N	0	0.0000	0.75	0.6250 A325N	0	0.0000	0.75	0.6250 A325N	0	0.0000	0.75
44.8333	0.6250 A325N	0	0.0000	0.75	0.6250 A325N	0	0.0000	0.75	0.6250 A325N	0	0.0000	0.75

**Guy Pressures**

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 9 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Guy Elevation ft	Guy Location	z ft	q <sub>z</sub> psf	q <sub>z</sub> Ice psf	Ice Thickness in
84.8333	A	42.42	18	13	0.5000
	B	42.42	18	13	0.5000
	C	36.42	17	13	0.5000
116.866	A	58.43	19	14	0.5000
	B	58.43	19	14	0.5000
	C	52.43	19	14	0.5000
152.02	A	76.01	21	16	0.5000
	B	76.01	21	16	0.5000
	C	70.01	20	15	0.5000
212.02	A	106.01	23	17	0.5000
	B	106.01	23	17	0.5000
	C	100.01	22	17	0.5000
212.02	A	106.01	23	17	0.5000
	B	106.01	23	17	0.5000
	C	100.01	22	17	0.5000
44.8333	A	22.42	16	12	0.5000
	B	22.42	16	12	0.5000
	C	16.42	16	12	0.5000

### Guy-Mast Forces (Excluding Wind) - No Ice

Guy Elevation ft	Guy Location	Chord Angle °	Guy Tension Top Bottom K	F <sub>x</sub> K	F <sub>y</sub> K	F <sub>z</sub> K	M <sub>x</sub> kip-ft	M <sub>y</sub> kip-ft	M <sub>z</sub> kip-ft
84.8333	A	25.9879	2.73 2.69	0.00	1.24	-2.44	-2.44	0.00	0.00
	B	25.2925	2.73 2.69	2.12	1.21	1.23	1.19	0.00	-2.07
	C	28.0117	2.74 2.69	-2.08	1.33	1.20	1.31	0.00	2.27
116.866	A	33.8828	Sum: 2.75 2.69	0.05 0.00	3.78 1.57	-0.01 -2.26	0.06 -3.10	0.00 0.00	0.20 0.00
	B	33.0627	2.75 2.69	1.97	1.54	1.14	1.52	0.00	-2.63
	C	35.2965	2.76 2.69	-1.92	1.63	1.11	1.61	0.00	2.79
152.02	A	41.4989	Sum: 2.77 2.69	0.05 -0.09	4.74 1.87	-0.01 -2.04	0.03 -8.09	0.00 15.70	0.16 -14.01
	A	41.4989	2.77 2.69	0.09	1.87	-2.04	-8.09	-15.70	14.01
	B	40.6057	2.77 2.69	1.84	1.84	0.96	15.91	15.90	0.00
212.02	B	40.6057	2.77 2.69	1.75	1.84	1.11	-7.95	-15.90	-13.77
	C	42.3679	2.77 2.69	-1.70	1.90	1.08	-8.24	15.49	14.28
	C	42.3679	2.77 2.69	-1.79	1.90	0.94	16.49	-15.49	0.00
212.02	A	50.9766	Sum: 2.80 2.69	0.09 -0.08	11.22 2.20	0.00 -1.73	0.02 -9.54	0.00 13.27	0.51 -16.52
	A	50.9766	2.80 2.69	0.08	2.20	-1.73	-9.54	-13.27	16.52
	B	50.0916	2.80	1.56	2.18	0.81	18.85	13.51	0.00

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	225' Guyed Lattice Tower	Page	10 of 56
	Project	Glastonbury, CT	Date	10:25:36 10/20/06
	Client	Verizon Wireless	Designed by	Staff

Guy Elevation	Guy Location	Chord Angle	Guy Tension Top Bottom K	F <sub>x</sub>	F <sub>y</sub>	F <sub>z</sub>	M <sub>x</sub>	M <sub>y</sub>	M <sub>z</sub>
ft		°	K	K	K	kip-ft	kip-ft	kip-ft	kip-ft
			2.69						
	B	50.0916	2.80	1.49	2.18	0.94	-9.43	-13.51	-16.33
			2.69						
	C	51.2451	2.81	-1.45	2.22	0.92	-9.60	13.20	16.63
			2.69						
	C	51.2451	2.81	-1.52	2.22	0.80	19.20	-13.20	0.00
			2.69						
			Sum:	0.07	13.19	0.02	-0.05	0.00	0.30
212.02	A	50.6206	2.80	0.00	2.19	-1.74	-4.32	0.00	0.00
			2.69						
	B	49.7438	2.80	1.54	2.17	0.89	2.14	0.00	-3.70
			2.69						
	C	50.9044	2.81	-1.50	2.21	0.87	2.18	0.00	3.77
			2.69						
			Sum:	0.04	6.57	0.01	-0.01	0.00	0.07
44.8333	A	14.4465	1.55	0.00	0.41	-1.50	-0.81	0.00	0.00
			1.54						
	B	14.0217	1.55	1.30	0.40	0.75	0.39	0.00	-0.68
			1.54						
	C	17.3396	1.56	-1.28	0.49	0.74	0.48	0.00	0.83
			1.54						
			Sum:	0.02	1.30	-0.01	0.07	0.00	0.15

### Guy-Mast Forces (Excluding Wind) - Ice

Guy Elevation	Guy Location	Chord Angle	Guy Tension Top Bottom K	F <sub>x</sub>	F <sub>y</sub>	F <sub>z</sub>	M <sub>x</sub>	M <sub>y</sub>	M <sub>z</sub>
ft		°	K	K	K	kip-ft	kip-ft	kip-ft	kip-ft
84.8333	A	25.9879	3.96	0.00	1.82	-3.52	-3.60	0.00	0.00
			3.87						
	B	25.2925	3.97	3.07	1.79	1.77	1.76	0.00	-3.06
			3.88						
	C	28.0117	3.99	-3.01	1.96	1.74	1.94	-0.00	3.35
			3.88						
			Sum:	0.07	5.58	-0.01	0.10	0.00	0.30
116.866	A	33.8828	3.99	0.00	2.31	-3.26	-4.55	0.00	0.00
			3.86						
	B	33.0627	4.00	2.86	2.27	1.65	2.24	0.00	-3.87
			3.87						
	C	35.2965	4.02	-2.79	2.40	1.61	2.37	-0.00	4.11
			3.87						
			Sum:	0.07	6.98	-0.00	0.06	0.00	0.23
152.02	A	41.4989	4.02	-0.13	2.73	-2.94	-11.84	22.61	-20.51
			3.85						
	A	41.4989	4.02	0.13	2.73	-2.94	-11.84	-22.61	20.51
			3.85						
	B	40.6057	4.03	2.65	2.70	1.38	23.36	22.96	0.00
			3.86						
	B	40.6057	4.03	2.52	2.70	1.60	-11.68	-22.96	-20.23
			3.86						
	C	42.3679	4.04	-2.46	2.80	1.56	-12.12	22.38	20.99
			3.86						

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 11 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Guy Elevation	Guy Location	Chord Angle	Guy Tension Top Bottom K	F <sub>x</sub>	F <sub>y</sub>	F <sub>z</sub>	M <sub>x</sub>	M <sub>y</sub>	M <sub>z</sub>
ft		°	K	K	K	kip-ft	kip-ft	kip-ft	kip-ft
212.02	C	42.3679	4.04 3.86	-2.58	2.80	1.35	24.23	-22.38	0.00
			Sum:	0.13	16.46	0.02	0.12	0.00	0.76
	A	50.9766	4.07 3.83	-0.11	3.22	-2.48	-13.94	19.08	-24.15
	A	50.9766	4.07 3.83	0.11	3.22	-2.48	-13.94	-19.08	24.15
	B	50.0916	4.08 3.84	2.25	3.19	1.17	27.64	19.48	0.00
212.02	B	50.0916	4.08 3.84	2.14	3.19	1.36	-13.82	-19.48	-23.93
	C	51.2451	4.09 3.84	-2.09	3.25	1.33	-14.09	19.03	24.40
	C	51.2451	4.09 3.84	-2.20	3.25	1.15	28.18	-19.03	0.00
			Sum:	0.10	19.33	0.05	0.02	0.00	0.47
	A	50.6206	4.07 3.83	0.00	3.21	-2.51	-6.33	0.00	0.00
44.8333	B	49.7438	4.08 3.84	2.22	3.18	1.28	3.14	0.00	-5.43
	C	50.9044	4.10 3.84	-2.17	3.24	1.25	3.20	-0.00	5.54
			Sum:	0.05	9.63	0.02	0.00	0.00	0.11
	A	14.4465	2.30 2.26	0.00	0.64	-2.21	-1.27	0.00	0.00
	B	14.0217	2.31 2.27	1.93	0.63	1.11	0.62	0.00	-1.08
	C	17.3396	2.32 2.28	-1.90	0.76	1.10	0.75	0.00	1.30
			Sum:	0.03	2.03	-0.00	0.11	0.00	0.23

### Guy-Mast Forces (Excluding Wind) - Service

Guy Elevation	Guy Location	Chord Angle	Guy Tension Top Bottom K	F <sub>x</sub>	F <sub>y</sub>	F <sub>z</sub>	M <sub>x</sub>	M <sub>y</sub>	M <sub>z</sub>
ft		°	K	K	K	kip-ft	kip-ft	kip-ft	kip-ft
84.8333	A	25.9879	2.73 2.69	0.00	1.24	-2.44	-2.44	0.00	0.00
	B	25.2925	2.73 2.69	2.12	1.21	1.23	1.19	0.00	-2.07
116.866	C	28.0117	2.74 2.69	-2.08	1.33	1.20	1.31	0.00	2.27
			Sum:	0.05	3.78	-0.01	0.06	0.00	0.20
	A	33.8828	2.75 2.69	0.00	1.57	-2.26	-3.10	0.00	0.00
152.02	B	33.0627	2.75 2.69	1.97	1.54	1.14	1.52	0.00	-2.63
	C	35.2965	2.76 2.69	-1.92	1.63	1.11	1.61	0.00	2.79
			Sum:	0.05	4.74	-0.01	0.03	0.00	0.16
	A	41.4989	2.77 2.69	-0.09	1.87	-2.04	-8.09	15.70	-14.01

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 12 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Guy Elevation	Guy Location	Chord Angle	Guy Tension Top Bottom K	F <sub>x</sub>	F <sub>y</sub>	F <sub>z</sub>	M <sub>x</sub>	M <sub>y</sub>	M <sub>z</sub>
ft		°	K	K	K	K	kip-ft	kip-ft	kip-ft
212.02	A	41.4989	2.77 2.69	0.09	1.87	-2.04	-8.09	-15.70	14.01
	B	40.6057	2.77 2.69	1.84	1.84	0.96	15.91	15.90	0.00
	B	40.6057	2.77 2.69	1.75	1.84	1.11	-7.95	-15.90	-13.77
	C	42.3679	2.77 2.69	-1.70	1.90	1.08	-8.24	15.49	14.28
	C	42.3679	2.77 2.69	-1.79	1.90	0.94	16.49	-15.49	0.00
	Sum:			0.09	11.22	0.00	0.02	0.00	0.51
	A	50.9766	2.80 2.69	-0.08	2.20	-1.73	-9.54	13.27	-16.52
	A	50.9766	2.80 2.69	0.08	2.20	-1.73	-9.54	-13.27	16.52
	B	50.0916	2.80 2.69	1.56	2.18	0.81	18.85	13.51	0.00
	B	50.0916	2.80 2.69	1.49	2.18	0.94	-9.43	-13.51	-16.33
212.02	C	51.2451	2.81 2.69	-1.45	2.22	0.92	-9.60	13.20	16.63
	C	51.2451	2.81 2.69	-1.52	2.22	0.80	19.20	-13.20	0.00
	Sum:			0.07	13.19	0.02	-0.05	0.00	0.30
	A	50.6206	2.80 2.69	0.00	2.19	-1.74	-4.32	0.00	0.00
	B	49.7438	2.80 2.69	1.54	2.17	0.89	2.14	0.00	-3.70
	C	50.9044	2.81 2.69	-1.50	2.21	0.87	2.18	0.00	3.77
	Sum:			0.04	6.57	0.01	-0.01	0.00	0.07
	A	14.4465	1.55 1.54	0.00	0.41	-1.50	-0.81	0.00	0.00
	B	14.0217	1.55 1.54	1.30	0.40	0.75	0.39	0.00	-0.68
	C	17.3396	1.56 1.54	-1.28	0.49	0.74	0.48	0.00	0.83
Sum:			0.02	1.30	-0.01	0.07	0.00	0.15	

### Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	# Per Row	# Per Row	Clear Spacing in	Width or Diameter in	Perimeter in	Weight plf
1 5/8 (Verizon)	C	Yes	Ar (CfAe)	165.00 - 6.00	0.0000	0	12	4	0.7500	1.9800		1.04
EW63 (Verizon Proposed)	C	Yes	Af (CfAe)	108.00 - 6.00	0.0000	-0.3	2	2	1.5742	1.5742	5.0668	0.51
EW63 (Verizon Proposed)	C	Yes	Af (CfAe)	125.00 - 6.00	0.0000	-0.4	1	1	1.5742	1.5742	5.0668	0.51
7/8	B	Yes	Ar (CfAe)	177.00 - 6.00	0.0000	0	12	4	0.7500	1.1100		0.54
1 5/8	A	Yes	Ar (CfAe)	215.00 - 6.00	0.0000	0.45	2	2	0.5000	1.9800		1.04
3/8	B	Yes	Ar (CfAe)	29.00 - 6.00	-1.0000	-0.24	1	1	0.4500	0.4500		0.09
3/8	B	Yes	Ar (CfAe)	35.00 - 6.00	-1.0000	-0.25	1	1	0.4500	0.4500		0.09



<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 13 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	# Per Row	Clear Spacing in	Width or Diameter in	Perimeter in	Weight plf
3/8	B	Yes	Ar (CfAe)	40.00 - 6.00	-1.0000	-0.26	1	1	0.4500	0.4500		0.09
1/2	A	Yes	Ar (CfAe)	48.00 - 6.00	2.2000	0.45	2	2	0.5000	0.5800		0.25
7/8	B	Yes	Ar (CfAe)	88.00 - 6.00	1.5000	0.4	1	1	1.1100	1.1100		0.54
1/2	B	Yes	Ar (CfAe)	91.00 - 6.00	-1.5000	-0.26	1	1	0.5800	0.5800		0.25
7/8	A	Yes	Ar (CfAe)	106.00 - 6.00	0.0000	-0.47	1	1	1.1100	1.1100		0.54
7/8	C	No	Ar (Leg)	113.00 - 6.00	0.0000	0	1	1	1.1100	1.1100		0.54
1 5/8	A	Yes	Ar (CfAe)	126.00 - 6.00	0.0000	-0.41	1	1	1.9800	1.9800		1.04
7/8	C	No	Ar (Leg)	127.00 - 6.00	0.0000	0	1	1	1.1100	1.1100		0.54
7/8	C	No	Ar (Leg)	145.00 - 6.00	0.0000	0	3	2	1.1100	1.1100		0.54
1/2	B	Yes	Ar (CfAe)	144.00 - 6.00	-1.5000	-0.28	1	1	0.5800	0.5800		0.25
1/2	B	Yes	Ar (CfAe)	148.00 - 6.00	-1.0000	-0.28	1	1	0.5800	0.5800		0.25
1/2	B	Yes	Ar (CfAe)	157.00 - 6.00	-1.0000	-0.3	3	2	0.5800	0.5800		0.25
EW63	B	Yes	Af (CfAe)	152.00 - 6.00	0.0000	-0.4	1	1	0.2500	1.5742	5.0668	0.51
7/8	C	No	Ar (Leg)	185.00 - 6.00	0.0000	0	1	1	1.1100	1.1100		0.54
1 5/8	C	No	Ar (Leg)	200.00 - 6.00	0.0000	0	1	1	1.9800	1.9800		1.04
1 1/4	B	Yes	Ar (CfAe)	209.00 - 6.00	0.0000	0.35	1	1	1.5500	1.5500		0.66
7/8	B	Yes	Ar (CfAe)	217.00 - 6.00	1.5000	0.15	2	2	0.7500	1.1100		0.54
7/8	B	Yes	Ar (CfAe)	205.00 - 6.00	0.0000	0.2	4	4	0.7500	1.1100		0.54
7/8	B	Yes	Ar (CfAe)	224.75 - 6.00	-2.0000	-0.25	3	3	0.2500	1.1100		0.54
1 1/4	B	Yes	Ar (CfAe)	224.75 - 6.00	-2.0000	-0.2	3	2	0.2500	1.5500		0.66
1 1/4	B	Yes	Ar (CfAe)	215.00 - 6.00	0.0000	-0.45	3	2	0.2500	1.5500		0.66
7/8	C	Yes	Ar (CfAe)	219.00 - 6.00	-1.5000	-0.35	1	1	1.1100	1.1100		0.54

### Feed Line/Linear Appurtenances Section Areas

Tower Section	Tower Elevation ft	Face	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>AA</sub> In Face ft <sup>2</sup>	C <sub>AA</sub> Out Face ft <sup>2</sup>	Weight K
T1	224.75-204.75	A	3.382	0.000	0.000	0.000	0.02
		B	16.272	0.000	0.000	0.000	0.11
		C	1.318	0.000	0.000	0.000	0.01
T2	204.75-184.75	A	9.139	0.000	0.000	0.000	0.04
		B	29.567	0.000	0.000	0.000	0.19
		C	4.389	0.000	0.000	0.000	0.03
T3	184.75-164.75	A	11.750	0.000	0.000	0.000	0.04
		B	34.099	0.000	0.000	0.000	0.27
		C	7.165	0.000	0.000	0.000	0.05
T4	164.75-144.75	A	11.796	0.000	0.000	0.000	0.04
		B	38.308	0.951	0.000	0.000	0.33
		C	20.246	0.000	0.000	0.000	0.29
T5	144.75-124.75	A	15.864	0.000	0.000	0.000	0.04
		B	40.797	2.624	0.000	0.000	0.35
		C	24.108	0.033	0.000	0.000	0.33
T6	124.75-104.75	A	21.479	0.000	0.000	0.000	0.06
		B	40.833	2.624	0.000	0.000	0.35
		C	26.513	3.476	0.000	0.000	0.35
T7	104.75-84.75	A	24.300	0.000	0.000	0.000	0.07
		B	41.436	2.624	0.000	0.000	0.36
		C	27.600	7.871	0.000	0.000	0.38
T8	84.75-64.75	A	24.300	0.000	0.000	0.000	0.07
		B	43.650	2.624	0.000	0.000	0.37
		C	27.600	7.871	0.000	0.000	0.38
T9	64.75-44.75	A	24.614	0.000	0.000	0.000	0.07
		B	43.650	2.624	0.000	0.000	0.37
		C	27.600	7.871	0.000	0.000	0.38
T10	44.75-24.75	A	26.233	0.000	0.000	0.000	0.08
		B	44.766	2.624	0.000	0.000	0.37

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 14 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Section	Tower Elevation ft	Face	$A_R$ ft <sup>2</sup>	$A_F$ ft <sup>2</sup>	$C_{AA}$ In Face ft <sup>2</sup>	$C_{AA}$ Out Face ft <sup>2</sup>	Weight K
T11	24.75-4.75	C	27.600	7.871	0.000	0.000	0.38
		A	24.594	0.000	0.000	0.000	0.08
		B	43.031	2.460	0.000	0.000	0.35
T12	4.75-0.00	C	25.875	7.379	0.000	0.000	0.35
		A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.000	0.00

**Feed Line/Linear Appurtenances Section Areas - With Ice**

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	$A_R$ ft <sup>2</sup>	$A_F$ ft <sup>2</sup>	$C_{AA}$ In Face ft <sup>2</sup>	$C_{AA}$ Out Face ft <sup>2</sup>	Weight K
T1	224.75-204.75	A	0.500	2.545	2.118	0.000	0.000	0.05
		B		13.046	11.086	0.000	0.000	0.29
		C		2.506	0.000	0.000	0.000	0.02
T2	204.75-184.75	A	0.500	8.798	4.133	0.000	0.000	0.11
		B		23.300	22.933	0.000	0.000	0.52
		C		7.348	0.000	0.000	0.000	0.07
T3	184.75-164.75	A	0.500	13.450	4.133	0.000	0.000	0.11
		B		25.454	28.630	0.000	0.000	0.76
		C		12.062	0.171	0.000	0.000	0.12
T4	164.75-144.75	A	0.500	13.538	4.133	0.000	0.000	0.11
		B		28.858	34.771	0.000	0.000	0.95
		C		17.055	13.650	0.000	0.000	0.79
T5	144.75-124.75	A	0.500	21.189	4.133	0.000	0.000	0.11
		B		34.618	37.901	0.000	0.000	1.03
		C		24.396	13.697	0.000	0.000	0.89
T6	124.75-104.75	A	0.500	30.637	4.133	0.000	0.000	0.16
		B		34.717	37.901	0.000	0.000	1.03
		C		28.967	18.599	0.000	0.000	0.98
T7	104.75-84.75	A	0.500	36.000	4.133	0.000	0.000	0.19
		B		36.111	37.901	0.000	0.000	1.04
		C		31.033	24.854	0.000	0.000	1.06
T8	84.75-64.75	A	0.500	36.000	4.133	0.000	0.000	0.19
		B		40.867	37.901	0.000	0.000	1.08
		C		31.033	24.854	0.000	0.000	1.06
T9	64.75-44.75	A	0.500	36.428	4.426	0.000	0.000	0.19
		B		40.867	37.901	0.000	0.000	1.08
		C		31.033	24.854	0.000	0.000	1.06
T10	44.75-24.75	A	0.500	38.633	5.933	0.000	0.000	0.22
		B		44.461	37.901	0.000	0.000	1.10
		C		31.033	24.854	0.000	0.000	1.06
T11	24.75-4.75	A	0.500	36.219	5.563	0.000	0.000	0.21
		B		45.109	35.533	0.000	0.000	1.05
		C		29.094	23.301	0.000	0.000	0.99
T12	4.75-0.00	A	0.500	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	0.000	0.00

**Feed Line Shielding**

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 15 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section	Elevation	Face	$A_R$	$A_R$	$A_F$	$A_F$
			ft <sup>2</sup>	Ice ft <sup>2</sup>	ft <sup>2</sup>	Ice ft <sup>2</sup>
T1	224.75-204.75	A	0.000	0.000	0.549	1.050
		B	0.000	0.000	2.641	5.433
		C	0.000	0.000	0.214	0.564
T2	204.75-184.75	A	0.892	2.049	0.000	0.000
		B	3.994	10.410	0.000	0.000
		C	0.250	0.792	0.000	0.000
T3	184.75-164.75	A	0.892	2.049	0.000	0.000
		B	4.607	12.177	0.000	0.000
		C	0.272	0.844	0.000	0.000
T4	164.75-144.75	A	0.000	0.000	1.040	1.981
		B	0.000	0.000	6.188	13.893
		C	0.000	0.000	2.372	4.817
T5	144.75-124.75	A	0.919	2.119	0.000	0.000
		B	5.866	16.454	0.000	0.000
		C	2.038	4.996	0.000	0.000
T6	124.75-104.75	A	1.353	3.217	0.188	0.308
		B	5.871	16.476	0.815	1.575
		C	2.503	6.264	0.347	0.599
T7	104.75-84.75	A	0.793	1.977	0.220	0.379
		B	2.972	8.384	0.826	1.605
		C	1.546	3.936	0.430	0.754
T8	84.75-64.75	A	0.866	2.160	0.000	0.000
		B	3.411	9.745	0.000	0.000
		C	1.690	4.300	0.000	0.000
T9	64.75-44.75	A	0.814	2.058	0.226	0.394
		B	3.122	8.919	0.868	1.708
		C	1.546	3.936	0.430	0.754
T10	44.75-24.75	A	1.009	2.705	0.000	0.000
		B	3.493	10.187	0.000	0.000
		C	1.690	4.300	0.000	0.000
T11	24.75-4.75	A	0.946	2.536	0.000	0.000
		B	3.353	9.971	0.000	0.000
		C	1.584	4.032	0.000	0.000
T12	4.75-0.00	A	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000
		C	0.000	0.000	0.000	0.000

### Feed Line Center of Pressure

Section	Elevation	$CP_x$	$CP_z$	$CP_x$	$CP_z$
		in	in	Ice in	Ice in
T1	224.75-204.75	1.1297	-2.8269	0.6652	-0.6743
T2	204.75-184.75	2.0454	-3.1178	1.1352	-0.2646
T3	184.75-164.75	1.8082	-2.7823	0.7063	-0.0451
T4	164.75-144.75	1.7528	-1.2821	0.8485	0.4922
T5	144.75-124.75	1.1471	-1.3587	0.0168	0.4103
T6	124.75-104.75	0.5877	-0.5851	-0.5767	1.0261
T7	104.75-84.75	0.7747	-0.1654	-0.3258	1.2979
T8	84.75-64.75	1.0241	-0.1696	-0.0246	1.2439
T9	64.75-44.75	0.9683	-0.1975	-0.0655	1.2324
T10	44.75-24.75	0.9934	-0.5523	0.0138	0.8797
T11	24.75-4.75	0.9965	-0.6366	0.0698	0.6606
T12	4.75-0.00	0.0000	0.0000	0.0000	0.0000

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 16 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

## Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C <sub>AA</sub> Front	C <sub>AA</sub> Side	Weight
			Horz	Lateral					
			ft	ft	°	ft	ft <sup>2</sup>	ft <sup>2</sup>	K
10' 4 Bay Di-Pole	A	From Leg	0.75	0.0000	244.00	No Ice	2.00	2.00	0.03
			0.00			1/2" Ice	3.00	3.00	0.05
			0.00						
21'x4.5" Pipe Mount	A	From Leg	0.50	0.0000	232.50	No Ice	9.45	9.45	0.23
			0.00			1/2" Ice	11.55	11.55	0.29
			0.00						
Beacon	C	From Leg	0.50	0.0000	225.00	No Ice	1.20	1.20	0.05
			0.00			1/2" Ice	1.36	1.36	0.21
			0.00						
3"x20' Omni	B	From Leg	0.50	0.0000	235.00	No Ice	6.00	6.00	0.03
			0.00			1/2" Ice	8.00	8.00	0.07
			0.00						
3"x20' Omni	C	From Leg	0.50	0.0000	235.00	No Ice	6.00	6.00	0.03
			0.00			1/2" Ice	8.00	8.00	0.07
			0.00						
48"x11"x6" Panel	C	From Leg	0.50	0.0000	222.50	No Ice	5.13	2.87	0.03
			0.00			1/2" Ice	5.52	3.18	0.06
			0.00						
44"x12"x6" Panel	A	From Leg	0.50	0.0000	218.33	No Ice	5.13	2.59	0.03
			0.00			1/2" Ice	5.50	2.90	0.06
			0.00						
10' x 3" Dia Omni	B	From Face	8.00	0.0000	222.00	No Ice	3.00	3.00	0.03
			0.00			1/2" Ice	4.03	4.03	0.05
			0.00						
12' x 3" Dia Omni	A	From Face	8.00	0.0000	221.00	No Ice	3.60	3.60	0.04
			0.00			1/2" Ice	4.83	4.83	0.06
			0.00						
11' x 3" Dia Omni	B	From Face	8.00	0.0000	210.00	No Ice	3.30	3.30	0.04
			0.00			1/2" Ice	4.43	4.43	0.06
			0.00						
(2) 10' Side Arm	A	From Face	0.50	0.0000	214.00	No Ice	6.60	6.60	0.30
			0.00			1/2" Ice	8.80	8.80	0.55
			0.00						
(2) 10' Side Arm	B	From Face	0.50	0.0000	214.00	No Ice	6.60	6.60	0.30
			0.00			1/2" Ice	8.80	8.80	0.55
			0.00						
(2) 10' Side Arm	C	From Face	0.50	0.0000	214.00	No Ice	6.60	6.60	0.30
			0.00			1/2" Ice	8.80	8.80	0.55
			0.00						
10' Dipole	C	From Face	8.00	0.0000	209.00	No Ice	4.00	4.00	0.05
			0.00			1/2" Ice	6.00	6.00	0.07
			0.00						
10' x 3" Dia Omni	B	From Leg	10.00	0.0000	215.00	No Ice	3.00	3.00	0.03
			0.00			1/2" Ice	4.03	4.03	0.05
			0.00						
8'-6" x 3" Dia Omni	B	From Leg	10.00	0.0000	216.25	No Ice	2.55	2.55	0.03
			0.00			1/2" Ice	3.43	3.43	0.04
			0.00						
20' 4-Bay Dipole	C	From Leg	10.00	0.0000	211.00	No Ice	4.00	4.00	0.06
			0.00			1/2" Ice	6.00	6.00	0.10
			0.00						
8'-6" Dipole	A	From Leg	10.00	0.0000	205.75	No Ice	4.00	4.00	0.05







<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 20 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert	Azimuth Adjustment	Placement	C <sub>AA</sub> Front	C <sub>AA</sub> Side	Weight
			ft ft ft	°	ft	ft <sup>2</sup>	ft <sup>2</sup>	K
			0.00		1/2" Ice	1.57	1.57	0.05
			0.00					
5'3"x4" Pipe Mount (Verizon Proposed)	C	From Leg	0.50	0.0000	125.00	No Ice	1.88	1.88
			0.00		1/2" Ice	2.21	2.21	0.07
			0.00					

### Dishes

Description	Face or Leg	Dish Type	Offset Type	Offsets: Horz Lateral Vert	Azimuth Adjustment	3 dB Beam Width	Elevation	Outside Diameter	Aperture Area	Weight
				ft	°	°	ft	ft	ft <sup>2</sup>	K
6 FT DISH	A	Paraboloid w/Shroud (HP)	From Leg	1.00	0.0000		107.67	6.00	No Ice	28.30
				0.00					1/2" Ice	29.05
				0.00						0.11
6 FT DISH	B	Paraboloid w/Shroud (HP)	From Leg	1.00	0.0000		108.42	6.00	No Ice	28.30
				0.00					1/2" Ice	29.05
				0.00						0.11
4 FT DISH	C	Paraboloid w/Radome	From Leg	1.00	0.0000		105.83	4.00	No Ice	12.56
				0.00					1/2" Ice	13.09
				0.00						0.17
6 FT DISH	A	Paraboloid w/Radome	From Leg	3.00	0.0000		151.00	6.00	No Ice	28.27
				0.00					1/2" Ice	29.05
				0.00						0.14
4'-4" DISH	C	Paraboloid w/o Radome	From Leg	1.00	0.0000		29.00	4.00	No Ice	14.79
				0.00					1/2" Ice	15.00
				0.00						0.17
1.2M	C	Paraboloid w/o Radome	From Leg	1.00	0.0000		34.42	4.00	No Ice	12.17
				0.00					1/2" Ice	13.09
				0.00						0.17
1.2M	C	Paraboloid w/o Radome	From Leg	1.00	0.0000		29.00	4.00	No Ice	12.17
				0.00					1/2" Ice	13.09
				0.00						0.17
6 FT DISH (Verizon Proposed)	B	Paraboloid w/Radome	From Leg	1.00	0.0000		125.00	6.00	No Ice	28.27
				0.00					1/2" Ice	29.05
				0.00						0.14

### Tower Pressures - No Ice

$$G_H = 1.106$$

Section Elevation	z	K <sub>Z</sub>	q <sub>z</sub>	A <sub>G</sub>	F <sub>a</sub>	A <sub>F</sub>	A <sub>R</sub>	A <sub>leg</sub>	Leg %	C <sub>AA</sub> In Face	C <sub>AA</sub> Out Face
ft	ft		psf	ft <sup>2</sup>	A	ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>		ft <sup>2</sup>	ft <sup>2</sup>
T1 224.75-	214.75	1.708	28	73.126	A	9.764	12.966	9.583	42.16	0.000	0.000



<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 21 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	z	K <sub>Z</sub>	q <sub>z</sub>	A <sub>G</sub>	F <sub>a c e</sub>	A <sub>F</sub>	A <sub>R</sub>	A <sub>leg</sub>	Leg %	C <sub>AA</sub> <sub>In</sub> Face	C <sub>AA</sub> <sub>Out</sub> Face
ft	ft		psf	ft <sup>2</sup>	e	ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>		ft <sup>2</sup>	ft <sup>2</sup>
204.75					B	7.672	25.856		28.58		
					C	10.099	10.901		45.63		
T2 204.75-184.75	194.75	1.661	27	73.126	A	0.000	26.415	9.583	36.28	0.000	0.000
					B	0.000	43.740		21.91		
					C	0.000	22.307		42.96		
T3 184.75-164.75	174.75	1.61	26	73.126	A	0.000	29.026	9.583	33.02	0.000	0.000
					B	0.000	47.660		20.11		
					C	0.000	25.060		38.24		
T4 164.75-144.75	154.75	1.555	25	73.126	A	8.975	21.380	9.583	31.57	0.000	0.000
					B	4.778	47.891		18.20		
					C	7.643	29.830		25.57		
T5 144.75-124.75	134.75	1.495	24	73.126	A	0.000	33.113	9.583	28.94	0.000	0.000
					B	2.624	53.099		17.20		
					C	0.033	40.238		23.80		
T6 124.75-104.75	114.75	1.428	23	73.126	A	1.004	38.293	9.583	24.39	0.000	0.000
					B	3.000	53.130		17.07		
					C	4.320	42.178		20.61		
T7 104.75-84.75	94.75	1.352	22	73.126	A	0.971	37.377	9.583	24.99	0.000	0.000
					B	2.989	52.334		17.32		
					C	8.633	39.924		19.74		
T8 84.75-64.75	74.75	1.263	21	73.126	A	0.000	37.701	9.583	25.42	0.000	0.000
					B	2.624	54.506		16.77		
					C	7.871	40.178		19.95		
T9 64.75-44.75	54.75	1.156	19	73.126	A	0.965	37.670	9.583	24.80	0.000	0.000
					B	2.947	54.398		16.71		
					C	8.633	39.924		19.74		
T10 44.75-24.75	34.75	1.015	17	73.126	A	0.000	39.492	9.583	24.27	0.000	0.000
					B	2.624	55.540		16.48		
					C	7.871	40.178		19.95		
T11 24.75-4.75	14.75	1	16	73.126	A	0.000	37.915	9.583	25.28	0.000	0.000
					B	2.460	53.945		16.99		
					C	7.379	38.558		20.86		
T12 4.75-0.00	2.38	1	16	9.324	A	6.190	2.465	2.465	28.48	0.000	0.000
					B	6.190	2.465		28.48		
					C	6.190	2.465		28.48		

**Tower Pressure - With Ice**

$G_H = 1.106$

Section Elevation	z	K <sub>Z</sub>	q <sub>z</sub>	t <sub>z</sub>	A <sub>G</sub>	F <sub>a c e</sub>	A <sub>F</sub>	A <sub>R</sub>	A <sub>leg</sub>	Leg %	C <sub>AA</sub> <sub>In</sub> Face	C <sub>AA</sub> <sub>Out</sub> Face
ft	ft		psf	in	ft <sup>2</sup>	e	ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>		ft <sup>2</sup>	ft <sup>2</sup>
T1 224.75-204.75	214.75	1.708	21	0.5000	74.792	A	15.373	15.462	12.917	41.89	0.000	0.000
						B	19.958	25.962		28.13		
						C	13.741	15.422		44.29		
T2 204.75-184.75	194.75	1.661	20	0.5000	74.792	A	4.133	33.973	12.917	33.90	0.000	0.000
						B	22.933	40.114		20.49		
						C	0.000	33.780		38.24		
T3 184.75-164.75	174.75	1.61	20	0.5000	74.792	A	4.133	38.625	12.917	30.21	0.000	0.000
						B	28.630	40.500		18.68		
						C	0.171	38.442		33.45		
T4 164.75-144.75	154.75	1.555	19	0.5000	74.792	A	15.983	26.455	12.917	30.44	0.000	0.000
						B	34.709	41.774		16.89		
						C	22.663	29.971		24.54		

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 22 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	z	K <sub>Z</sub>	q <sub>z</sub>	t <sub>z</sub>	A <sub>G</sub>	F a c e	A <sub>F</sub>	A <sub>R</sub>	A <sub>leg</sub>	Leg %	C <sub>AA</sub> <sub>In</sub> Face ft <sup>2</sup>	C <sub>AA</sub> <sub>Out</sub> Face ft <sup>2</sup>
ft	ft		psf	in	ft <sup>2</sup>		ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>			
T5 144.75-124.75	134.75	1.495	18	0.5000	74.792	A	4.133	46.294	12.917	25.61	0.000	0.000
						B	37.901	45.388	15.51			
						C	13.697	46.624	21.41			
T6 124.75-104.75	114.75	1.428	18	0.5000	74.792	A	5.194	54.644	12.917	21.59	0.000	0.000
						B	37.694	45.465	15.53			
						C	19.368	49.928	18.64			
T7 104.75-84.75	94.75	1.352	17	0.5000	74.792	A	5.123	54.084	12.917	21.82	0.000	0.000
						B	37.664	47.788	15.12			
						C	25.469	47.159	17.78			
T8 84.75-64.75	74.75	1.263	16	0.5000	74.792	A	4.133	54.563	12.917	22.01	0.000	0.000
						B	37.901	51.845	14.39			
						C	24.854	47.456	17.86			
T9 64.75-44.75	54.75	1.156	14	0.5000	74.792	A	5.400	54.431	12.917	21.59	0.000	0.000
						B	37.562	52.009	14.42			
						C	25.469	47.159	17.78			
T10 44.75-24.75	34.75	1.015	12	0.5000	74.792	A	5.933	56.651	12.917	20.64	0.000	0.000
						B	37.901	54.998	13.90			
						C	24.854	47.456	17.86			
T11 24.75-4.75	14.75	1	12	0.5000	74.792	A	5.563	54.406	12.917	21.54	0.000	0.000
						B	35.533	55.861	14.13			
						C	23.301	45.785	18.70			
T12 4.75-0.00	2.38	1	12	0.5000	9.745	A	6.484	3.322	3.322	33.87	0.000	0.000
						B	6.484	3.322	33.87			
						C	6.484	3.322	33.87			

### Tower Pressure - Service

$G_H = 1.106$

Section Elevation	z	K <sub>Z</sub>	q <sub>z</sub>	A <sub>G</sub>	F a c e	A <sub>F</sub>	A <sub>R</sub>	A <sub>leg</sub>	Leg %	C <sub>AA</sub> <sub>In</sub> Face ft <sup>2</sup>	C <sub>AA</sub> <sub>Out</sub> Face ft <sup>2</sup>
ft	ft		psf	ft <sup>2</sup>		ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>			
T1 224.75-204.75	214.75	1.708	11	73.126	A	9.764	12.966	9.583	42.16	0.000	0.000
					B	7.672	25.856	28.58			
					C	10.099	10.901	45.63			
T2 204.75-184.75	194.75	1.661	11	73.126	A	0.000	26.415	9.583	36.28	0.000	0.000
					B	0.000	43.740	21.91			
					C	0.000	22.307	42.96			
T3 184.75-164.75	174.75	1.61	10	73.126	A	0.000	29.026	9.583	33.02	0.000	0.000
					B	0.000	47.660	20.11			
					C	0.000	25.060	38.24			
T4 164.75-144.75	154.75	1.555	10	73.126	A	8.975	21.380	9.583	31.57	0.000	0.000
					B	4.778	47.891	18.20			
					C	7.643	29.830	25.57			
T5 144.75-124.75	134.75	1.495	10	73.126	A	0.000	33.113	9.583	28.94	0.000	0.000
					B	2.624	53.099	17.20			
					C	0.033	40.238	23.80			
T6 124.75-104.75	114.75	1.428	9	73.126	A	1.004	38.293	9.583	24.39	0.000	0.000
					B	3.000	53.130	17.07			
					C	4.320	42.178	20.61			
T7 104.75-84.75	94.75	1.352	9	73.126	A	0.971	37.377	9.583	24.99	0.000	0.000
					B	2.989	52.334	17.32			
					C	8.633	39.924	19.74			
T8 84.75-64.75	74.75	1.263	8	73.126	A	0.000	37.701	9.583	25.42	0.000	0.000

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 23 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation ft	z ft	K <sub>Z</sub>	q <sub>z</sub> psf	A <sub>G</sub> ft <sup>2</sup>	F a c e	A <sub>F</sub> ft <sup>2</sup>	A <sub>R</sub> ft <sup>2</sup>	A <sub>leg</sub> ft <sup>2</sup>	Leg %	C <sub>AA</sub> In Face ft <sup>2</sup>	C <sub>AA</sub> Out Face ft <sup>2</sup>
T9 64.75-44.75	54.75	1.156	7	73.126	B	2.624	54.506		16.77	0.000	0.000
					C	7.871	40.178	19.95			
					A	0.965	37.670	24.80			
T10 44.75-24.75	34.75	1.015	6	73.126	B	2.947	54.398	9.583	16.71	0.000	0.000
					C	8.633	39.924	19.74			
					A	0.000	39.492	24.27			
T11 24.75-4.75	14.75	1	6	73.126	B	2.624	55.540	9.583	16.48	0.000	0.000
					C	7.871	40.178	19.95			
					A	0.000	37.915	25.28			
T12 4.75-0.00	2.38	1	6	9.324	B	2.460	53.945	9.583	16.99	0.000	0.000
					C	7.379	38.558	20.86			
					A	6.190	2.465	28.48			
					B	6.190	2.465		28.48		
					C	6.190	2.465	2.465	28.48		

### Tower Forces - No Ice - Wind Normal To Face

Section Elevation ft	Add Weight K	Self Weight K	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub> ft <sup>2</sup>	F K	w plf	Ctrl. Face
T1 224.75-204.75	0.14	0.94 TA 0.95	A	0.311	2.268	0.619	1	1	17.793	1.53	76.37	B
			B	0.458	1.96	0.677	1	1	25.182			
			C	0.287	2.331	0.612	1	1	16.771			
T2 204.75-184.75	0.26	0.55	A	0.361	2.146	0.637	1	1	16.815	1.79	89.41	B
			B	0.598	1.805	0.752	1	1	32.913			
			C	0.305	2.283	0.617	1	1	13.774			
T3 184.75-164.75	0.36	0.55	A	0.397	2.07	0.65	1	1	18.877	1.95	97.42	B
			B	0.652	1.781	0.787	1	1	37.491			
			C	0.343	2.189	0.63	1	1	15.786			
T4 164.75-144.75	0.67	0.93 TA 0.95	A	0.415	2.035	0.658	1	1	23.040	2.24	112.15	B
			B	0.72	1.779	0.835	1	1	44.747			
			C	0.512	1.884	0.704	1	1	28.641			
T5 144.75-124.75	0.72	0.55	A	0.453	1.969	0.675	1	1	22.337	2.36	118.05	B
			B	0.762	1.793	0.866	1	1	48.614			
			C	0.551	1.843	0.725	1	1	29.192			
T6 124.75-104.75	0.77	0.60	A	0.537	1.856	0.717	1	1	28.471	2.29	114.41	B
			B	0.768	1.796	0.87	1	1	49.249			
			C	0.636	1.786	0.776	1	1	37.059			
T7 104.75-84.75	0.81	0.62	A	0.524	1.87	0.71	1	1	27.519	2.11	105.46	B
			B	0.757	1.79	0.862	1	1	48.095			
			C	0.664	1.778	0.795	1	1	40.367			
T8 84.75-64.75	0.82	0.57	A	0.516	1.881	0.706	1	1	26.600	2.09	104.57	B
			B	0.781	1.803	0.881	1	1	50.659			
			C	0.657	1.78	0.79	1	1	39.619			
T9 64.75-44.75	0.82	0.62	A	0.528	1.866	0.712	1	1	27.800	1.93	96.44	B
			B	0.784	1.805	0.884	1	1	51.016			
			C	0.664	1.778	0.795	1	1	40.367			
T10 44.75-24.75	0.83	0.57	A	0.54	1.853	0.719	1	1	28.385	1.74	87.02	B
			B	0.795	1.813	0.893	1	1	52.201			
			C	0.657	1.78	0.79	1	1	39.619			
T11 24.75-4.75	0.78	0.57	A	0.518	1.877	0.707	1	1	26.810	1.62	80.76	B
			B	0.771	1.798	0.873	1	1	49.577			
			C	0.628	1.789	0.771	1	1	37.118			
T12 4.75-0.00	0.00	0.32	A	0.928	1.967	1	1	1	8.654	0.31	64.94	C
			B	0.928	1.967	1	1	1	8.654			
			C	0.928	1.967	1	1	1	8.654			

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	225' Guyed Lattice Tower	Page	24 of 56
	Project	Glastonbury, CT	Date	10:25:36 10/20/06
	Client	Verizon Wireless	Designed by	Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
Sum Weight:	6.98	9.27								21.95		

**Tower Forces - No Ice - Wind 60 To Face**

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 224.75-204.75	0.14	0.94 TA 0.95	A	0.311	2.268	0.619	0.8	1	15.841	1.43	71.72	B
			B	0.458	1.96	0.677	0.8	1	23.647			
			C	0.287	2.331	0.612	0.8	1	14.752			
T2 204.75-184.75	0.26	0.55	A	0.361	2.146	0.637	0.8	1	16.815	1.79	89.41	B
			B	0.598	1.805	0.752	0.8	1	32.913			
			C	0.305	2.283	0.617	0.8	1	13.774			
T3 184.75-164.75	0.36	0.55	A	0.397	2.07	0.65	0.8	1	18.877	1.95	97.42	B
			B	0.652	1.781	0.787	0.8	1	37.491			
			C	0.343	2.189	0.63	0.8	1	15.786			
T4 164.75-144.75	0.67	0.93 TA 0.95	A	0.415	2.035	0.658	0.8	1	21.245	2.20	109.76	B
			B	0.72	1.779	0.835	0.8	1	43.792			
			C	0.512	1.884	0.704	0.8	1	27.112			
T5 144.75-124.75	0.72	0.55	A	0.453	1.969	0.675	0.8	1	22.337	2.34	116.78	B
			B	0.762	1.793	0.866	0.8	1	48.090			
			C	0.551	1.843	0.725	0.8	1	29.186			
T6 124.75-104.75	0.77	0.60	A	0.537	1.856	0.717	0.8	1	28.270	2.26	113.01	B
			B	0.768	1.796	0.87	0.8	1	48.649			
			C	0.636	1.786	0.776	0.8	1	36.195			
T7 104.75-84.75	0.81	0.62	A	0.524	1.87	0.71	0.8	1	27.324	2.08	104.15	B
			B	0.757	1.79	0.862	0.8	1	47.498			
			C	0.664	1.778	0.795	0.8	1	38.640			
T8 84.75-64.75	0.82	0.57	A	0.516	1.881	0.706	0.8	1	26.600	2.07	103.48	B
			B	0.781	1.803	0.881	0.8	1	50.134			
			C	0.657	1.78	0.79	0.8	1	38.045			
T9 64.75-44.75	0.82	0.62	A	0.528	1.866	0.712	0.8	1	27.607	1.91	95.32	B
			B	0.784	1.805	0.884	0.8	1	50.427			
			C	0.664	1.778	0.795	0.8	1	38.640			
T10 44.75-24.75	0.83	0.57	A	0.54	1.853	0.719	0.8	1	28.385	1.72	86.14	B
			B	0.795	1.813	0.893	0.8	1	51.676			
			C	0.657	1.78	0.79	0.8	1	38.045			
T11 24.75-4.75	0.78	0.57	A	0.518	1.877	0.707	0.8	1	26.810	1.60	79.96	B
			B	0.771	1.798	0.873	0.8	1	49.085			
			C	0.628	1.789	0.771	0.8	1	35.642			
T12 4.75-0.00	0.00	0.32	A	0.928	1.967	1	0.8	1	7.416	0.26	55.65	C
			B	0.928	1.967	1	0.8	1	7.416			
			C	0.928	1.967	1	0.8	1	7.416			
Sum Weight:	6.98	9.27								21.61		

**Tower Forces - No Ice - Wind 90 To Face**

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	225' Guyed Lattice Tower	Page	25 of 56
	Project	Glastonbury, CT	Date	10:25:36 10/20/06
	Client	Verizon Wireless	Designed by	Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 224.75-204.75	0.14	0.94 TA 0.95	A	0.311	2.268	0.619	0.85	1	16.329	1.46	72.88	B
			B	0.458	1.96	0.677	0.85	1	24.031			
			C	0.287	2.331	0.612	0.85	1	15.257			
T2 204.75-184.75	0.26	0.55	A	0.361	2.146	0.637	0.85	1	16.815	1.79	89.41	B
			B	0.598	1.805	0.752	0.85	1	32.913			
			C	0.305	2.283	0.617	0.85	1	13.774			
T3 184.75-164.75	0.36	0.55	A	0.397	2.07	0.65	0.85	1	18.877	1.95	97.42	B
			B	0.652	1.781	0.787	0.85	1	37.491			
			C	0.343	2.189	0.63	0.85	1	15.786			
T4 164.75-144.75	0.67	0.93 TA 0.95	A	0.415	2.035	0.658	0.85	1	21.694	2.21	110.36	B
			B	0.72	1.779	0.835	0.85	1	44.031			
			C	0.512	1.884	0.704	0.85	1	27.494			
T5 144.75-124.75	0.72	0.55	A	0.453	1.969	0.675	0.85	1	22.337	2.34	117.10	B
			B	0.762	1.793	0.866	0.85	1	48.221			
			C	0.551	1.843	0.725	0.85	1	29.187			
T6 124.75-104.75	0.77	0.60	A	0.537	1.856	0.717	0.85	1	28.320	2.27	113.36	B
			B	0.768	1.796	0.87	0.85	1	48.799			
			C	0.636	1.786	0.776	0.85	1	36.411			
T7 104.75-84.75	0.81	0.62	A	0.524	1.87	0.71	0.85	1	27.373	2.09	104.48	B
			B	0.757	1.79	0.862	0.85	1	47.647			
			C	0.664	1.778	0.795	0.85	1	39.072			
T8 84.75-64.75	0.82	0.57	A	0.516	1.881	0.706	0.85	1	26.600	2.08	103.76	B
			B	0.781	1.803	0.881	0.85	1	50.266			
			C	0.657	1.78	0.79	0.85	1	38.438			
T9 64.75-44.75	0.82	0.62	A	0.528	1.866	0.712	0.85	1	27.655	1.91	95.60	B
			B	0.784	1.805	0.884	0.85	1	50.574			
			C	0.664	1.778	0.795	0.85	1	39.072			
T10 44.75-24.75	0.83	0.57	A	0.54	1.853	0.719	0.85	1	28.385	1.73	86.36	B
			B	0.795	1.813	0.893	0.85	1	51.807			
			C	0.657	1.78	0.79	0.85	1	38.438			
T11 24.75-4.75	0.78	0.57	A	0.518	1.877	0.707	0.85	1	26.810	1.60	80.16	B
			B	0.771	1.798	0.873	0.85	1	49.208			
			C	0.628	1.789	0.771	0.85	1	36.011			
T12 4.75-0.00	0.00	0.32	A	0.928	1.967	1	0.85	1	7.726	0.28	57.97	C
			B	0.928	1.967	1	0.85	1	7.726			
			C	0.928	1.967	1	0.85	1	7.726			
Sum Weight:	6.98	9.27								21.69		

### Tower Forces - With Ice - Wind Normal To Face

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 224.75-204.75	0.36	1.46 TA 2.09	A	0.412	2.04	0.657	1	1	25.527	1.66	82.89	B
			B	0.614	1.796	0.762	1	1	39.748			
			C	0.39	2.084	0.648	1	1	23.727			
T2 204.75-184.75	0.70	0.94	A	0.509	1.888	0.702	1	1	27.995	2.53	126.32	B
			B	0.843	1.854	0.932	1	1	60.336			
			C	0.452	1.971	0.674	1	1	22.769			
T3 184.75-164.75	0.98	0.94	A	0.572	1.824	0.737	1	1	32.588	2.97	148.37	B
			B	0.924	1.961	1	1	1	69.130			
			C	0.516	1.88	0.706	1	1	27.308			
T4 164.75-144.75	1.85	1.44 TA 2.09	A	0.567	1.828	0.734	1	1	35.406	3.16*	158.17	B
			B	1	2.1	1	1	1	76.483			
			C	0.704	1.776	0.823	1	1	47.316			

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 26 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K	e						ft <sup>2</sup>	K	plf	
T5 144.75-124.75	2.03	0.94	A	0.674	1.777	0.802	1	1	41.254	3.04*	152.04	B
			B	1	2.1	1	1	1	83.290			
			C	0.807	1.821	0.902	1	1	55.739			
T6 124.75-104.75	2.16	1.02	A	0.8	1.816	0.896	1	1	54.179	2.90*	145.22	B
			B	1	2.1	1	1	1	83.159			
			C	0.927	1.964	1	1	1	69.295			
T7 104.75-84.75	2.28	0.90	A	0.792	1.81	0.89	1	1	53.236	2.75*	137.49	B
			B	1	2.1	1	1	1	85.452			
			C	0.971	2.042	1	1	1	72.627			
T8 84.75-64.75	2.32	0.84	A	0.785	1.806	0.884	1	1	52.372	2.57*	128.48	B
			B	1	2.1	1	1	1	89.746			
			C	0.967	2.034	1	1	1	72.310			
T9 64.75-44.75	2.33	0.90	A	0.8	1.816	0.896	1	1	54.190	2.35*	117.55	B
			B	1	2.1	1	1	1	89.571			
			C	0.971	2.042	1	1	1	72.627			
T10 44.75-24.75	2.38	0.84	A	0.837	1.848	0.927	1	1	58.455	2.06*	103.23	B
			B	1	2.1	1	1	1	92.899			
			C	0.967	2.034	1	1	1	72.310			
T11 24.75-4.75	2.25	0.84	A	0.802	1.817	0.898	1	1	54.412	2.03*	101.71	B
			B	1	2.1	1	1	1	91.394			
			C	0.924	1.96	1	1	1	69.086			
T12 4.75-0.00	0.00	0.49	A	1	2.1	1	1	1	9.806	0.27*	55.80	C
			B	1	2.1	1	1	1	9.806			
			C	1	2.1	1	1	1	9.806			
Sum Weight:	19.65	15.73			*2A <sub>B</sub> limit					28.29		

### Tower Forces - With Ice - Wind 60 To Face

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K	e						ft <sup>2</sup>	K	plf	
T1 224.75-204.75	0.36	1.46	A	0.412	2.04	0.657	0.8	1	22.452	1.49	74.57	B
		TA 2.09	B	0.614	1.796	0.762	0.8	1	35.756			
			C	0.39	2.084	0.648	0.8	1	20.979			
T2 204.75-184.75	0.70	0.94	A	0.509	1.888	0.702	0.8	1	27.169	2.33	116.72	B
			B	0.843	1.854	0.932	0.8	1	55.749			
			C	0.452	1.971	0.674	0.8	1	22.769			
T3 184.75-164.75	0.98	0.94	A	0.572	1.824	0.737	0.8	1	31.761	2.72	136.09	B
			B	0.924	1.961	1	0.8	1	63.404			
			C	0.516	1.88	0.706	0.8	1	27.274			
T4 164.75-144.75	1.85	1.44	A	0.567	1.828	0.734	0.8	1	32.209	3.09	154.42	B
		TA 2.09	B	1	2.1	1	0.8	1	69.541			
			C	0.704	1.776	0.823	0.8	1	42.784			
T5 144.75-124.75	2.03	0.94	A	0.674	1.777	0.802	0.8	1	40.428	3.04*	152.04	B
			B	1	2.1	1	0.8	1	75.709			
			C	0.807	1.821	0.902	0.8	1	53.000			
T6 124.75-104.75	2.16	1.02	A	0.8	1.816	0.896	0.8	1	53.140	2.90*	145.22	B
			B	1	2.1	1	0.8	1	75.620			
			C	0.927	1.964	1	0.8	1	65.422			
T7 104.75-84.75	2.28	0.90	A	0.792	1.81	0.89	0.8	1	52.211	2.75*	137.49	B
			B	1	2.1	1	0.8	1	77.919			
			C	0.971	2.042	1	0.8	1	67.534			
T8 84.75-64.75	2.32	0.84	A	0.785	1.806	0.884	0.8	1	51.546	2.57*	128.48	B
			B	1	2.1	1	0.8	1	82.166			

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 27 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T9 64.75-44.75	2.33	0.90	C	0.967	2.034	1	0.8	1	67.339	2.35*	117.55	B
			A	0.8	1.816	0.896	0.8	1	53.110			
			B	1	2.1	1	0.8	1	82.058			
T10 44.75-24.75	2.38	0.84	C	0.971	2.042	1	0.8	1	67.534	2.06*	103.23	B
			A	0.837	1.848	0.927	0.8	1	57.268			
			B	1	2.1	1	0.8	1	85.319			
T11 24.75-4.75	2.25	0.84	C	0.967	2.034	1	0.8	1	67.339	2.03*	101.71	B
			A	0.802	1.817	0.898	0.8	1	53.299			
			B	1	2.1	1	0.8	1	84.287			
T12 4.75-0.00	0.00	0.49	C	0.924	1.96	1	0.8	1	64.426	0.24	51.16	C
			A	1	2.1	1	0.8	1	8.509			
			B	1	2.1	1	0.8	1	8.509			
Sum Weight:	19.65	15.73	C	1	2.1	1	0.8	1	8.509	27.59		

**Tower Forces - With Ice - Wind 90 To Face**

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 224.75-204.75	0.36	1.46	A	0.412	2.04	0.657	0.85	1	23.221	1.53	76.65	B
		TA 2.09	B	0.614	1.796	0.762	0.85	1	36.754			
		C	0.39	2.084	0.648	0.85	1	21.666				
T2 204.75-184.75	0.70	0.94	A	0.509	1.888	0.702	0.85	1	27.375	2.38	119.12	B
			B	0.843	1.854	0.932	0.85	1	56.896			
			C	0.452	1.971	0.674	0.85	1	22.769			
T3 184.75-164.75	0.98	0.94	A	0.572	1.824	0.737	0.85	1	31.968	2.78	139.16	B
			B	0.924	1.961	1	0.85	1	64.836			
			C	0.516	1.88	0.706	0.85	1	27.282			
T4 164.75-144.75	1.85	1.44	A	0.567	1.828	0.734	0.85	1	33.008	3.16*	158.17	B
		TA 2.09	B	1	2.1	1	0.85	1	71.277			
		C	0.704	1.776	0.823	0.85	1	43.917				
T5 144.75-124.75	2.03	0.94	A	0.674	1.777	0.802	0.85	1	40.634	3.04*	152.04	B
			B	1	2.1	1	0.85	1	77.604			
			C	0.807	1.821	0.902	0.85	1	53.684			
T6 124.75-104.75	2.16	1.02	A	0.8	1.816	0.896	0.85	1	53.400	2.90*	145.22	B
			B	1	2.1	1	0.85	1	77.505			
			C	0.927	1.964	1	0.85	1	66.390			
T7 104.75-84.75	2.28	0.90	A	0.792	1.81	0.89	0.85	1	52.467	2.75*	137.49	B
			B	1	2.1	1	0.85	1	79.803			
			C	0.971	2.042	1	0.85	1	68.807			
T8 84.75-64.75	2.32	0.84	A	0.785	1.806	0.884	0.85	1	51.752	2.57*	128.48	B
			B	1	2.1	1	0.85	1	84.061			
			C	0.967	2.034	1	0.85	1	68.582			
T9 64.75-44.75	2.33	0.90	A	0.8	1.816	0.896	0.85	1	53.380	2.35*	117.55	B
			B	1	2.1	1	0.85	1	83.936			
			C	0.971	2.042	1	0.85	1	68.807			
T10 44.75-24.75	2.38	0.84	A	0.837	1.848	0.927	0.85	1	57.565	2.06*	103.23	B
			B	1	2.1	1	0.85	1	87.214			
			C	0.967	2.034	1	0.85	1	68.582			
T11 24.75-4.75	2.25	0.84	A	0.802	1.817	0.898	0.85	1	53.578	2.03*	101.71	B
			B	1	2.1	1	0.85	1	86.064			
			C	0.924	1.96	1	0.85	1	65.591			
T12 4.75-0.00	0.00	0.49	A	1	2.1	1	0.85	1	8.833	0.25	53.11	C

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 28 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
Sum Weight:	19.65	15.73	B C	1 1	2.1 2.1 2A <sub>8</sub> limit	1 1	0.85 0.85	1 1	8.833 8.833	27.83		

**Tower Forces - Service - Wind Normal To Face**

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 224.75-204.75	0.14	0.94 TA 0.95	A B C	0.311 0.458 0.287	2.268 1.96 2.331	0.619 0.677 0.612	1 1 1	1 1 1	17.793 25.182 16.771	0.60	29.83	B
T2 204.75-184.75	0.26	0.55	A B C	0.361 0.598 0.305	2.146 1.805 2.283	0.637 0.752 0.617	1 1 1	1 1 1	16.815 32.913 13.774	0.70	34.92	B
T3 184.75-164.75	0.36	0.55	A B C	0.397 0.652 0.343	2.07 1.781 2.189	0.65 0.787 0.63	1 1 1	1 1 1	18.877 37.491 15.786	0.76	38.05	B
T4 164.75-144.75	0.67	0.93 TA 0.95	A B C	0.415 0.72 0.512	2.035 1.779 1.884	0.658 0.835 0.704	1 1 1	1 1 1	23.040 44.747 28.641	0.88	43.81	B
T5 144.75-124.75	0.72	0.55	A B C	0.453 0.762 0.551	1.969 1.793 1.843	0.675 0.866 0.725	1 1 1	1 1 1	22.337 48.614 29.192	0.92	46.12	B
T6 124.75-104.75	0.77	0.60	A B C	0.537 0.768 0.636	1.856 1.796 1.786	0.717 0.87 0.776	1 1 1	1 1 1	28.471 49.249 37.059	0.89	44.69	B
T7 104.75-84.75	0.81	0.62	A B C	0.524 0.757 0.664	1.87 1.79 1.778	0.71 0.862 0.795	1 1 1	1 1 1	27.519 48.095 40.367	0.82	41.20	B
T8 84.75-64.75	0.82	0.57	A B C	0.516 0.781 0.657	1.881 1.803 1.78	0.706 0.881 0.79	1 1 1	1 1 1	26.600 50.659 39.619	0.82	40.85	B
T9 64.75-44.75	0.82	0.62	A B C	0.528 0.784 0.664	1.866 1.805 1.778	0.712 0.884 0.795	1 1 1	1 1 1	27.800 51.016 40.367	0.75	37.67	B
T10 44.75-24.75	0.83	0.57	A B C	0.54 0.795 0.657	1.853 1.813 1.78	0.719 0.893 0.79	1 1 1	1 1 1	28.385 52.201 39.619	0.68	33.99	B
T11 24.75-4.75	0.78	0.57	A B C	0.518 0.771 0.628	1.877 1.798 1.789	0.707 0.873 0.771	1 1 1	1 1 1	26.810 49.577 37.118	0.63	31.55	B
T12 4.75-0.00	0.00	0.32	A B C	0.928 0.928 0.928	1.967 1.967 1.967	1 1 1	1 1 1	1 1 1	8.654 8.654 8.654	0.12	25.37	C
Sum Weight:	6.98	9.27								8.57		

**Tower Forces - Service - Wind 60 To Face**



<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	225' Guyed Lattice Tower	Page	29 of 56
	Project	Glastonbury, CT	Date	10:25:36 10/20/06
	Client	Verizon Wireless	Designed by	Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 224.75-204.75	0.14	0.94	A	0.311	2.268	0.619	0.8	1	15.841	0.56	28.01	B
		TA 0.95	B	0.458	1.96	0.677	0.8	1	23.647			
			C	0.287	2.331	0.612	0.8	1	14.752			
T2 204.75-184.75	0.26	0.55	A	0.361	2.146	0.637	0.8	1	16.815	0.70	34.92	B
			B	0.598	1.805	0.752	0.8	1	32.913			
			C	0.305	2.283	0.617	0.8	1	13.774			
T3 184.75-164.75	0.36	0.55	A	0.397	2.07	0.65	0.8	1	18.877	0.76	38.05	B
			B	0.652	1.781	0.787	0.8	1	37.491			
			C	0.343	2.189	0.63	0.8	1	15.786			
T4 164.75-144.75	0.67	0.93	A	0.415	2.035	0.658	0.8	1	21.245	0.86	42.87	B
		TA 0.95	B	0.72	1.779	0.835	0.8	1	43.792			
			C	0.512	1.884	0.704	0.8	1	27.112			
T5 144.75-124.75	0.72	0.55	A	0.453	1.969	0.675	0.8	1	22.337	0.91	45.62	B
			B	0.762	1.793	0.866	0.8	1	48.090			
			C	0.551	1.843	0.725	0.8	1	29.186			
T6 124.75-104.75	0.77	0.60	A	0.537	1.856	0.717	0.8	1	28.270	0.88	44.15	B
			B	0.768	1.796	0.87	0.8	1	48.649			
			C	0.636	1.786	0.776	0.8	1	36.195			
T7 104.75-84.75	0.81	0.62	A	0.524	1.87	0.71	0.8	1	27.324	0.81	40.69	B
			B	0.757	1.79	0.862	0.8	1	47.498			
			C	0.664	1.778	0.795	0.8	1	38.640			
T8 84.75-64.75	0.82	0.57	A	0.516	1.881	0.706	0.8	1	26.600	0.81	40.42	B
			B	0.781	1.803	0.881	0.8	1	50.134			
			C	0.657	1.78	0.79	0.8	1	38.045			
T9 64.75-44.75	0.82	0.62	A	0.528	1.866	0.712	0.8	1	27.607	0.74	37.24	B
			B	0.784	1.805	0.884	0.8	1	50.427			
			C	0.664	1.778	0.795	0.8	1	38.640			
T10 44.75-24.75	0.83	0.57	A	0.54	1.853	0.719	0.8	1	28.385	0.67	33.65	B
			B	0.795	1.813	0.893	0.8	1	51.676			
			C	0.657	1.78	0.79	0.8	1	38.045			
T11 24.75-4.75	0.78	0.57	A	0.518	1.877	0.707	0.8	1	26.810	0.62	31.23	B
			B	0.771	1.798	0.873	0.8	1	49.085			
			C	0.628	1.789	0.771	0.8	1	35.642			
T12 4.75-0.00	0.00	0.32	A	0.928	1.967	1	0.8	1	7.416	0.10	21.74	C
			B	0.928	1.967	1	0.8	1	7.416			
			C	0.928	1.967	1	0.8	1	7.416			
Sum Weight:	6.98	9.27								8.44		

### Tower Forces - Service - Wind 90 To Face

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 224.75-204.75	0.14	0.94	A	0.311	2.268	0.619	0.85	1	16.329	0.57	28.47	B
		TA 0.95	B	0.458	1.96	0.677	0.85	1	24.031			
			C	0.287	2.331	0.612	0.85	1	15.257			
T2 204.75-184.75	0.26	0.55	A	0.361	2.146	0.637	0.85	1	16.815	0.70	34.92	B
			B	0.598	1.805	0.752	0.85	1	32.913			
			C	0.305	2.283	0.617	0.85	1	13.774			
T3 184.75-164.75	0.36	0.55	A	0.397	2.07	0.65	0.85	1	18.877	0.76	38.05	B
			B	0.652	1.781	0.787	0.85	1	37.491			
			C	0.343	2.189	0.63	0.85	1	15.786			
T4 164.75-144.75	0.67	0.93	A	0.415	2.035	0.658	0.85	1	21.694	0.86	43.11	B
		TA 0.95	B	0.72	1.779	0.835	0.85	1	44.031			
			C	0.512	1.884	0.704	0.85	1	27.494			

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 30 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T5 144.75-124.75	0.72	0.55	A	0.453	1.969	0.675	0.85	1	22.337	0.91	45.74	B
			B	0.762	1.793	0.866	0.85	1	48.221			
			C	0.551	1.843	0.725	0.85	1	29.187			
T6 124.75-104.75	0.77	0.60	A	0.537	1.856	0.717	0.85	1	28.320	0.89	44.28	B
			B	0.768	1.796	0.87	0.85	1	48.799			
			C	0.636	1.786	0.776	0.85	1	36.411			
T7 104.75-84.75	0.81	0.62	A	0.524	1.87	0.71	0.85	1	27.373	0.82	40.81	B
			B	0.757	1.79	0.862	0.85	1	47.647			
			C	0.664	1.778	0.795	0.85	1	39.072			
T8 84.75-64.75	0.82	0.57	A	0.516	1.881	0.706	0.85	1	26.600	0.81	40.53	B
			B	0.781	1.803	0.881	0.85	1	50.266			
			C	0.657	1.78	0.79	0.85	1	38.438			
T9 64.75-44.75	0.82	0.62	A	0.528	1.866	0.712	0.85	1	27.655	0.75	37.35	B
			B	0.784	1.805	0.884	0.85	1	50.574			
			C	0.664	1.778	0.795	0.85	1	39.072			
T10 44.75-24.75	0.83	0.57	A	0.54	1.853	0.719	0.85	1	28.385	0.67	33.74	B
			B	0.795	1.813	0.893	0.85	1	51.807			
			C	0.657	1.78	0.79	0.85	1	38.438			
T11 24.75-4.75	0.78	0.57	A	0.518	1.877	0.707	0.85	1	26.810	0.63	31.31	B
			B	0.771	1.798	0.873	0.85	1	49.208			
			C	0.628	1.789	0.771	0.85	1	36.011			
T12 4.75-0.00	0.00	0.32	A	0.928	1.967	1	0.85	1	7.726	0.11	22.65	C
			B	0.928	1.967	1	0.85	1	7.726			
			C	0.928	1.967	1	0.85	1	7.726			
Sum Weight:	6.98	9.27								8.47		

### Force Totals (Does not include forces on guys)

Load Case	Vertical Forces	Sum of Forces X	Sum of Forces Z	Sum of Torques
	K	K	K	kip-ft
Leg Weight	4.73			
Bracing Weight	4.54			
Total Member Self-Weight	9.27			
Guy Weight	2.82			
Total Weight	28.49			
Wind 0 deg - No Ice		0.47	-40.81	0.96
Wind 90 deg - No Ice		40.33	-0.35	-4.79
Wind 180 deg - No Ice		0.10	40.17	-0.46
Member Ice	6.46			
Guy Ice	3.45			
Total Weight Ice	56.38			
Wind 0 deg - Ice		0.38	-45.12	-1.09
Wind 90 deg - Ice		44.49	-0.28	-1.05
Wind 180 deg - Ice		0.08	44.19	1.51
Total Weight	28.49			
Wind 0 deg - Service		0.19	-15.94	0.37
Wind 90 deg - Service		15.76	-0.14	-1.87
Wind 180 deg - Service		0.04	15.69	-0.18

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 31 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

### Load Combinations

Comb. No.	Description
1	Dead Only
2	Dead+Wind 0 deg - No Ice+Guy
3	Dead+Wind 90 deg - No Ice+Guy
4	Dead+Wind 180 deg - No Ice+Guy
5	Dead+Ice+Temp+Guy
6	Dead+Wind 0 deg+Ice+Temp+Guy
7	Dead+Wind 90 deg+Ice+Temp+Guy
8	Dead+Wind 180 deg+Ice+Temp+Guy
9	Dead+Wind 0 deg - Service+Guy
10	Dead+Wind 90 deg - Service+Guy
11	Dead+Wind 180 deg - Service+Guy

### Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft	
T1	224.75 - 204.75	Leg	Max Tension	4	8.12	-0.01	0.05	
			Max. Compression	8	-14.52	-0.01	-0.15	
			Max. Mx	3	-2.24	-0.86	-0.27	
		Diagonal	Max. My	6	2.18	0.03	0.90	
			Max. Vy	3	-1.13	-0.86	-0.27	
			Max. Vx	2	1.24	0.08	0.85	
			Max Tension	6	3.87	0.00	0.00	
			Max. Compression	6	-3.08	-0.01	0.00	
			Max. Mx	8	2.10	0.05	-0.00	
			Max. My	7	-2.03	0.03	0.01	
			Max. Vy	8	-0.03	0.05	-0.00	
			Max. Vx	7	-0.01	0.03	0.01	
			Top Girt	Max Tension	2	0.11	0.00	0.00
				Max. Compression	8	-0.21	0.00	0.00
				Max. Mx	5	-0.04	-0.01	0.00
		Max. My		7	-0.08	0.00	-0.00	
		Max. Vy		5	0.01	0.00	0.00	
		Max. Vx		7	0.00	0.00	0.00	
		Bottom Girt		Max Tension	1	0.00	0.00	0.00
				Max. Compression	6	-2.44	0.00	0.00
			Max. Mx	5	-0.82	-0.01	0.00	
			Max. My	7	-1.30	0.00	-0.00	
			Max. Vy	5	0.01	0.00	0.00	
			Max. Vx	7	0.00	0.00	0.00	
			Guy A	Bottom Tension	8	10.09		
				Top Tension	8	10.32		
		Top Cable Vert		8	8.20			
		Top Cable Norm		8	6.27			
		Top Cable Tan		8	0.01			
		Bot Cable Vert		8	-7.60			
		Bot Cable Norm		8	6.63			
		Bot Cable Tan		8	0.01			
Guy A	Bottom Tension	8		10.24				
	Top Tension	8		10.47				
	Top Cable Vert	8		8.28				
	Top Cable Norm	8		6.41				
	Top Cable Tan	8	0.00					
	Bot Cable Vert	8	-7.68					

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 32 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
			Bot Cable Norm	8	6.77		
			Bot Cable Tan	8	0.00		
		Guy B	Bottom Tension	6	8.48		
			Top Tension	6	8.71		
			Top Cable Vert	6	6.83		
			Top Cable Norm	6	5.41		
			Top Cable Tan	6	0.28		
			Bot Cable Vert	6	-6.32		
			Bot Cable Norm	6	5.64		
			Bot Cable Tan	6	0.34		
		Guy B	Bottom Tension	6	8.01		
			Top Tension	6	8.25		
			Top Cable Vert	6	6.43		
			Top Cable Norm	6	5.15		
			Top Cable Tan	6	0.29		
			Bot Cable Vert	6	-5.94		
			Bot Cable Norm	6	5.37		
			Bot Cable Tan	6	0.35		
		Guy C	Bottom Tension	7	9.83		
			Top Tension	7	10.08		
			Top Cable Vert	7	8.05		
			Top Cable Norm	7	6.07		
			Top Cable Tan	7	0.13		
			Bot Cable Vert	7	-7.43		
			Bot Cable Norm	7	6.43		
			Bot Cable Tan	7	0.18		
		Guy C	Bottom Tension	7	9.69		
			Top Tension	7	9.94		
			Top Cable Vert	7	7.90		
			Top Cable Norm	7	6.03		
			Top Cable Tan	7	0.15		
			Bot Cable Vert	7	-7.29		
			Bot Cable Norm	7	6.38		
			Bot Cable Tan	7	0.19		
		Top Guy Pull-Off	Max Tension	8	6.05	0.00	0.00
			Max. Compression	2	-1.08	0.00	0.00
			Max. Mx	5	1.71	-0.00	0.00
			Max. My	7	2.90	0.00	-0.00
			Max. Vy	5	0.00	0.00	0.00
			Max. Vx	7	0.00	0.00	0.00
		Torque Arm Top	Max Tension	8	12.41	0.00	0.00
			Max. Compression	2	-0.45	0.00	0.00
			Max. Mx	5	4.04	0.26	0.00
			Max. My	7	11.08	0.00	-0.00
			Max. Vy	5	-0.13	0.00	0.00
			Max. Vx	7	0.00	0.00	0.00
		Torque Arm Bottom	Max Tension	2	0.02	0.00	0.00
			Max. Compression	8	-13.18	0.00	0.00
			Max. Mx	6	-8.99	0.08	0.00
			Max. My	7	-1.32	0.00	0.00
			Max. Vy	6	0.03	0.00	0.00
			Max. Vx	7	0.00	0.00	0.00
T2	204.75 - 184.75	Leg	Max Tension	6	18.13	0.00	-0.20
			Max. Compression	8	-48.73	-0.00	0.14
			Max. Mx	7	0.06	-0.69	-0.17
			Max. My	6	1.00	0.02	0.78
			Max. Vy	7	-1.87	-0.69	-0.17
			Max. Vx	6	2.06	0.02	0.78
		Diagonal	Max Tension	7	1.81	0.00	0.00
			Max. Compression	7	-2.19	0.00	0.00

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	225' Guyed Lattice Tower	<b>Page</b>	33 of 56
	<b>Project</b>	Glastonbury, CT	<b>Date</b>	10:25:36 10/20/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft	
T3	184.75 - 164.75	Top Girt	Max. Mx	7	1.81	0.00	0.00	
			Max. My	7	0.09	0.00	0.00	
			Max. Vy	7	-0.00	0.00	0.00	
			Max. Vx	7	-0.00	0.00	0.00	
			Max Tension	7	0.23	0.00	0.00	
			Max. Compression	6	-0.48	0.00	0.00	
			Max. Mx	5	-0.01	0.00	0.00	
			Max. My	7	-0.03	0.00	0.00	
			Max. Vy	5	-0.00	0.00	0.00	
			Max. Vx	7	-0.00	0.00	0.00	
			Max Tension	6	0.57	0.00	0.00	
			Max. Compression	4	-0.15	0.00	0.00	
		Bottom Girt	Max. Mx	5	0.13	0.00	0.00	
			Max. Vy	5	-0.00	0.00	0.00	
			Max Tension	6	19.82	0.00	-0.08	
			Leg	Max. Compression	8	-50.07	-0.00	0.16
				Max. Mx	7	-35.79	0.58	-0.23
				Max. My	8	-36.50	-0.00	0.72
				Max. Vy	7	-0.49	-0.10	0.01
				Max. Vx	2	0.57	0.01	0.11
				Max Tension	8	1.64	0.00	0.00
				Max. Compression	8	-2.09	0.00	0.00
				Max. Mx	8	1.55	0.00	0.00
				Max. My	8	-0.11	0.00	-0.00
		Max. Vy		8	0.00	0.00	0.00	
		Max. Vx		8	0.00	0.00	0.00	
		Max Tension		6	0.41	0.00	0.00	
		Top Girt	Max. Compression	4	-0.05	0.00	0.00	
			Max. Mx	5	0.13	0.00	0.00	
			Max. Vy	5	-0.00	0.00	0.00	
Max Tension	8		0.34	0.00	0.00			
Bottom Girt	Max. Compression		1	0.00	0.00	0.00		
	Max. Mx		5	0.11	0.00	0.00		
	Max. Vy		5	-0.00	0.00	0.00		
	Max. Vx		7	0.00	0.00	0.00		
	Leg		Max Tension	2	6.09	0.00	-0.42	
			Diagonal	Max. Compression	8	-35.51	-0.00	-0.57
				Max. Mx	7	-27.96	-2.45	-0.58
				Max. My	6	-17.03	0.71	1.98
		Max. Vy		7	2.46	-0.64	-0.20	
		Max. Vx		8	2.81	-0.00	-0.57	
		Max Tension		7	7.77	-0.13	0.02	
		Max. Compression		6	-5.41	0.00	0.00	
Max. Mx		8		7.08	0.15	0.00		
Max. My		7		-1.68	-0.04	-0.05		
Max. Vy		8		-0.07	0.15	0.00		
Max. Vx		7		-0.02	0.00	0.00		
Max Tension	6	1.22		0.00	0.00			
Top Girt	Max. Compression	4	-0.63	0.00	0.00			
	Max. Mx	5	0.21	-0.01	0.00			
	Max. My	7	0.25	0.00	0.00			
	Max. Vy	5	0.01	0.00	0.00			
	Max. Vx	7	-0.00	0.00	0.00			
	Bottom Girt	Max Tension	8	1.83	0.00	0.00		
		Max. Compression	6	-4.27	0.00	0.00		
		Max. Mx	5	-0.64	-0.01	0.00		
		Max. My	7	-1.11	0.00	0.00		
		Max. Vy	5	0.01	0.00	0.00		
		Max. Vx	7	-0.00	0.00	0.00		

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	225' Guyed Lattice Tower	Page	34 of 56
	Project	Glastonbury, CT	Date	10:25:36 10/20/06
	Client	Verizon Wireless	Designed by	Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft		
T5	144.75 - 124.75	Guy A	Bottom Tension	8	12.45				
			Top Tension	8	12.62				
			Top Cable Vert	8	8.50				
			Top Cable Norm	8	9.33				
			Top Cable Tan	8	0.01				
			Bot Cable Vert	8	-8.05				
			Bot Cable Norm	8	9.50				
			Bot Cable Tan	8	0.01				
			Guy B	Bottom Tension	6	9.78			
				Top Tension	6	9.95			
				Top Cable Vert	6	6.60			
				Top Cable Norm	6	7.44			
				Top Cable Tan	6	0.19			
				Bot Cable Vert	6	-6.19			
				Bot Cable Norm	6	7.56			
		Bot Cable Tan		6	0.28				
		Guy C		Bottom Tension	7	11.97			
			Top Tension	7	12.15				
			Top Cable Vert	7	8.34				
			Top Cable Norm	7	8.84				
			Top Cable Tan	7	0.07				
			Bot Cable Vert	7	-7.86				
			Bot Cable Norm	7	9.03				
			Bot Cable Tan	7	0.14				
			Torque Arm Top	Max Tension	8	16.35	0.00	0.00	
		Max. Compression		2	-2.00	0.00	0.00		
		Max. Mx		5	4.07	0.26	0.00		
		Max. My		8	16.15	0.00	-0.00		
		Max. Vy		5	0.13	0.00	0.00		
		Max. Vx		8	-0.00	0.00	0.00		
		Torque Arm Bottom		Max Tension	7	3.87	0.00	0.00	
				Max. Compression	7	-17.52	0.00	0.00	
				Max. Mx	8	-2.88	0.08	0.00	
				Max. My	8	-16.83	0.00	-0.00	
				Max. Vy	8	0.03	0.00	0.00	
				Max. Vx	8	0.00	0.00	0.00	
				Leg	Max Tension	1	0.00	0.00	0.00
					Max. Compression	7	-38.17	0.12	-0.06
					Max. Mx	7	-31.66	0.56	-0.17
		Max. My	8		-28.61	0.00	0.60		
		Max. Vy	6		0.70	-0.03	-0.17		
		Max. Vx	7		-0.69	0.21	-0.32		
		Diagonal	Max Tension		8	1.07	0.00	0.00	
			Max. Compression		6	-1.74	0.00	0.00	
			Max. Mx		7	1.01	0.00	0.00	
Max. My	6		-0.36		0.00	0.00			
Max. Vy	7		-0.00		0.00	0.00			
Max. Vx	6		-0.00		0.00	0.00			
Top Girt	Max Tension		8		0.30	0.00	0.00		
	Max. Compression		2		-0.20	0.00	0.00		
	Max. Mx		5		0.06	0.00	0.00		
Bottom Girt	Max. Vy	5	-0.00	0.00	0.00				
	Max Tension	8	0.60	0.00	0.00				
	Max. Compression	1	0.00	0.00	0.00				
T6	124.75 - 104.75	Leg	Max. Mx	5	0.26	0.00	0.00		
			Max. Vy	5	-0.00	0.00	0.00		
			Max Tension	1	0.00	0.00	0.00		
		Max. Compression	7	-40.29	-0.04	-0.17			
		Max. Mx	7	-30.83	0.56	-0.17			

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 35 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
			Max. My	6	-28.68	-0.01	0.62
			Max. Vy	7	1.49	-0.35	0.03
			Max. Vx	6	-1.63	-0.01	0.62
		Diagonal	Max Tension	7	2.03	0.00	0.00
			Max. Compression	7	-2.20	0.00	0.00
			Max. Mx	7	2.03	0.00	0.00
			Max. My	6	-0.47	0.00	0.00
			Max. Vy	7	-0.00	0.00	0.00
			Max. Vx	6	-0.00	0.00	0.00
		Top Girt	Max Tension	6	0.70	0.00	0.00
			Max. Compression	1	0.00	0.00	0.00
			Max. Mx	5	0.25	0.00	0.00
			Max. Vy	5	-0.00	0.00	0.00
		Bottom Girt	Max Tension	6	0.49	0.00	0.00
			Max. Compression	1	0.00	0.00	0.00
			Max. Mx	5	0.27	0.00	0.00
			Max. Vy	5	-0.00	0.00	0.00
			Max. Vx	7	-0.00	0.00	0.00
		Guy A	Bottom Tension	8	11.92		
			Top Tension	8	12.05		
			Top Cable Vert	8	6.84		
			Top Cable Norm	8	9.92		
			Top Cable Tan	8	0.00		
			Bot Cable Vert	8	-6.47		
			Bot Cable Norm	8	10.01		
			Bot Cable Tan	8	0.00		
		Guy B	Bottom Tension	6	9.77		
			Top Tension	6	9.90		
			Top Cable Vert	6	5.52		
			Top Cable Norm	6	8.21		
			Top Cable Tan	6	0.16		
			Bot Cable Vert	6	-5.17		
			Bot Cable Norm	6	8.28		
			Bot Cable Tan	6	0.25		
		Guy C	Bottom Tension	7	11.76		
			Top Tension	7	11.91		
			Top Cable Vert	7	7.02		
			Top Cable Norm	7	9.62		
			Top Cable Tan	7	-0.06		
			Bot Cable Vert	7	-6.61		
			Bot Cable Norm	7	9.73		
			Bot Cable Tan	7	0.13		
		Top Guy Pull-Off	Max Tension	6	5.58	0.00	0.00
			Max. Compression	1	0.00	0.00	0.00
			Max. Mx	5	2.27	0.01	0.00
			Max. My	3	2.84	0.00	-0.00
			Max. Vy	5	-0.01	0.00	0.00
			Max. Vx	3	0.00	0.00	0.00
			Max Tension	1	0.00	0.00	0.00
			Max. Compression	6	-48.94	0.13	0.92
			Max. Mx	7	-46.62	-1.08	0.05
			Max. My	6	-47.65	0.12	1.07
			Max. Vy	7	-1.98	-0.99	0.05
			Max. Vx	8	-2.24	0.08	-1.03
		Diagonal	Max Tension	6	2.13	0.00	0.00
			Max. Compression	6	-2.12	0.00	0.00
			Max. Mx	7	1.21	0.00	0.00
			Max. My	7	-1.08	0.00	-0.00
			Max. Vy	7	-0.00	0.00	0.00
			Max. Vx	7	0.00	0.00	0.00
		Top Girt	Max Tension	2	0.26	0.00	0.00
T7	104.75 - 84.75	Leg					

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 36 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
			Max. Compression	7	-0.20	0.00	0.00
			Max. Mx	5	0.06	0.00	0.00
			Max. My	7	0.11	0.00	0.00
			Max. Vy	5	-0.00	0.00	0.00
			Max. Vx	7	-0.00	0.00	0.00
		Guy A	Bottom Tension	8	11.20		
			Top Tension	8	11.30		
			Top Cable Vert	8	5.06		
			Top Cable Norm	8	10.10		
			Top Cable Tan	8	0.00		
			Bot Cable Vert	8	-4.77		
			Bot Cable Norm	8	10.14		
			Bot Cable Tan	8	0.00		
		Guy B	Bottom Tension	6	9.25		
			Top Tension	6	9.34		
			Top Cable Vert	6	4.11		
			Top Cable Norm	6	8.39		
			Top Cable Tan	6	0.13		
			Bot Cable Vert	6	-3.81		
			Bot Cable Norm	6	8.42		
			Bot Cable Tan	6	0.20		
		Guy C	Bottom Tension	7	11.25		
			Top Tension	7	11.36		
			Top Cable Vert	7	5.46		
			Top Cable Norm	7	9.96		
			Top Cable Tan	7	0.04		
			Bot Cable Vert	7	-5.13		
			Bot Cable Norm	7	10.01		
			Bot Cable Tan	7	0.10		
		Top Guy Pull-Off	Max Tension	6	5.41	0.00	0.00
			Max. Compression	1	0.00	0.00	0.00
			Max. Mx	5	1.92	0.01	0.00
			Max. My	7	2.50	0.00	0.00
			Max. Vy	5	-0.01	0.00	0.00
			Max. Vx	7	-0.00	0.00	0.00
			Max Tension	1	0.00	0.00	0.00
T8	84.75 - 64.75	Leg	Max. Compression	7	-51.92	-0.15	-0.18
			Max. Mx	7	-48.00	-0.94	0.07
			Max. My	6	-48.94	0.13	0.92
			Max. Vy	7	-1.99	-0.83	0.02
			Max. Vx	8	-2.25	0.07	-0.84
		Diagonal	Max Tension	7	3.87	0.00	0.00
			Max. Compression	6	-3.48	0.00	0.00
			Max. Mx	6	-1.19	0.00	0.00
			Max. My	7	1.74	0.00	-0.00
			Max. Vy	6	-0.00	0.00	0.00
			Max. Vx	7	0.00	0.00	0.00
		Top Girt	Max Tension	6	1.73	0.00	0.00
			Max. Compression	7	-1.57	0.00	0.00
			Max. Mx	5	0.11	0.00	0.00
			Max. My	7	-1.57	0.00	0.00
			Max. Vy	5	-0.00	0.00	0.00
			Max. Vx	7	-0.00	0.00	0.00
		Bottom Girt	Max Tension	8	0.65	0.00	0.00
			Max. Compression	6	-0.34	0.00	0.00
			Max. Mx	5	0.07	0.00	0.00
			Max. My	7	0.53	0.00	0.00
			Max. Vy	5	-0.00	0.00	0.00
			Max. Vx	7	-0.00	0.00	0.00
T9	64.75 - 44.75	Leg	Max Tension	1	0.00	0.00	0.00
			Max. Compression	7	-56.55	-0.33	-0.13



<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	225' Guyed Lattice Tower	<b>Page</b>	37 of 56
	<b>Project</b>	Glastonbury, CT	<b>Date</b>	10:25:36 10/20/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
			Max. Mx	7	-35.00	-0.61	-0.01
			Max. My	6	-31.93	0.06	0.56
			Max. Vy	7	-1.05	-0.42	-0.11
			Max. Vx	8	-1.05	0.16	-0.33
		Diagonal	Max Tension	8	1.19	0.00	0.00
			Max. Compression	6	-1.20	0.00	0.00
			Max. Mx	7	0.44	0.00	0.00
			Max. My	6	0.13	0.00	0.00
			Max. Vy	7	-0.00	0.00	0.00
			Max. Vx	6	-0.00	0.00	0.00
		Top Girt	Max Tension	6	0.43	0.00	0.00
			Max. Compression	8	-0.35	0.00	0.00
			Max. Mx	5	0.08	0.00	0.00
			Max. My	7	-0.25	0.00	0.00
			Max. Vy	5	-0.00	0.00	0.00
			Max. Vx	7	-0.00	0.00	0.00
		Guy A	Bottom Tension	8	5.48		
			Top Tension	8	5.52		
			Top Cable Vert	8	1.45		
			Top Cable Norm	8	5.33		
			Top Cable Tan	8	0.00		
			Bot Cable Vert	8	-1.29		
			Bot Cable Norm	8	5.33		
			Bot Cable Tan	8	0.00		
		Guy B	Bottom Tension	6	4.49		
			Top Tension	6	4.52		
			Top Cable Vert	6	1.18		
			Top Cable Norm	6	4.37		
			Top Cable Tan	6	0.12		
			Bot Cable Vert	6	-1.00		
			Bot Cable Norm	6	4.38		
			Bot Cable Tan	6	0.14		
		Guy C	Bottom Tension	7	5.52		
			Top Tension	7	5.56		
			Top Cable Vert	7	1.75		
			Top Cable Norm	7	5.28		
			Top Cable Tan	7	0.04		
			Bot Cable Vert	7	-1.55		
			Bot Cable Norm	7	5.30		
			Bot Cable Tan	7	0.06		
		Top Guy Pull-Off	Max Tension	6	3.10	0.00	0.00
			Max. Compression	1	0.00	0.00	0.00
			Max. Mx	5	1.29	0.01	0.00
			Max. My	6	1.57	0.00	0.00
			Max. Vy	5	-0.01	0.00	0.00
			Max. Vx	6	-0.00	0.00	0.00
T10	44.75 - 24.75	Leg	Max Tension	1	0.00	0.00	0.00
			Max. Compression	7	-64.77	0.16	0.20
			Max. Mx	7	-35.59	-0.54	0.00
			Max. My	6	-32.51	0.07	0.48
			Max. Vy	7	-1.06	-0.33	-0.13
			Max. Vx	8	-1.06	0.15	-0.24
		Diagonal	Max Tension	7	1.87	0.00	0.00
			Max. Compression	6	-2.07	0.00	0.00
			Max. Mx	7	0.57	0.00	0.00
			Max. My	8	-0.25	0.00	-0.00
			Max. Vy	7	-0.00	0.00	0.00
			Max. Vx	8	0.00	0.00	0.00
		Top Girt	Max Tension	6	0.94	0.00	0.00
			Max. Compression	7	-0.71	0.00	0.00
			Max. Mx	5	0.11	0.00	0.00

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 38 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
T11	24.75 - 4.75	Bottom Girt	Max. My	8	0.60	0.00	-0.00
			Max. Vy	5	-0.00	0.00	0.00
			Max. Vx	8	0.00	0.00	0.00
			Max Tension	6	0.45	0.00	0.00
			Max. Compression	7	-0.23	0.00	0.00
			Max. Mx	5	0.08	0.00	0.00
			Max. My	8	0.10	0.00	-0.00
			Max. Vy	5	-0.00	0.00	0.00
			Max. Vx	8	0.00	0.00	0.00
			Max Tension	1	0.00	0.00	0.00
			Max. Compression	7	-64.15	-0.10	-0.21
			Max. Mx	7	-51.85	-0.48	0.07
		Leg	Max. My	8	-50.23	0.11	-0.42
			Max. Vy	7	3.34	-0.48	0.07
			Max. Vx	8	3.06	0.11	-0.42
			Max Tension	7	2.39	0.00	0.00
			Max. Compression	7	-2.45	0.00	0.00
			Max. Mx	7	2.39	0.00	0.00
			Max. My	6	-0.19	0.00	0.00
			Max. Vy	7	-0.00	0.00	0.00
			Max. Vx	6	0.00	0.00	0.00
			Max Tension	8	0.50	0.00	0.00
			Max. Compression	6	-0.31	0.00	0.00
			Max. Mx	5	0.09	0.00	0.00
		Diagonal	Max. My	8	0.08	0.00	-0.00
			Max. Vy	5	-0.00	0.00	0.00
			Max. Vx	8	0.00	0.00	0.00
			Max Tension	7	0.99	0.00	0.00
Max. Compression	1		0.00	0.00	0.00		
Max. Mx	5		0.64	0.00	0.00		
Max. My	8		0.94	0.00	-0.00		
Max. Vy	5		-0.00	0.00	0.00		
Max. Vx	8		0.00	0.00	0.00		
Max Tension	7		0.99	0.00	0.00		
Max. Compression	1		0.00	0.00	0.00		
T12	4.75 - 0		Top Girt	Max. Mx	5	0.09	0.00
		Max. My		8	0.08	0.00	-0.00
		Max. Vy		5	-0.00	0.00	0.00
		Max. Vx		8	0.00	0.00	0.00
		Max Tension		7	0.99	0.00	0.00
		Max. Compression		1	0.00	0.00	0.00
		Max. Mx		5	0.64	0.00	0.00
		Max. My		8	0.94	0.00	-0.00
		Max. Vy		5	-0.00	0.00	0.00
		Max. Vx		8	0.00	0.00	0.00
		Max Tension		7	0.99	0.00	0.00
		Max. Compression		1	0.00	0.00	0.00
		Bottom Girt	Max. Mx	5	0.64	0.00	0.00
			Max. My	8	0.94	0.00	-0.00
			Max. Vy	5	-0.00	0.00	0.00
			Max. Vx	8	0.00	0.00	0.00
			Max Tension	7	0.99	0.00	0.00
			Max. Compression	1	0.00	0.00	0.00
			Max. Mx	5	0.64	0.00	0.00
			Max. My	8	0.94	0.00	-0.00
			Max. Vy	5	-0.00	0.00	0.00
			Max. Vx	8	0.00	0.00	0.00
			Max Tension	7	0.99	0.00	0.00
			Max. Compression	1	0.00	0.00	0.00
		Leg	Max. Mx	5	0.64	0.00	0.00
			Max. My	8	0.94	0.00	-0.00
			Max. Vy	5	-0.00	0.00	0.00
			Max. Vx	8	0.00	0.00	0.00
Max Tension	7		0.99	0.00	0.00		
Max. Compression	1		0.00	0.00	0.00		
Max. Mx	5		0.64	0.00	0.00		
Max. My	8		0.94	0.00	-0.00		
Max. Vy	5		-0.00	0.00	0.00		
Max. Vx	8		0.00	0.00	0.00		
Max Tension	7		0.99	0.00	0.00		
Max. Compression	1		0.00	0.00	0.00		
Top Girt	Max. Mx	5	0.64	0.00	0.00		
	Max. My	8	0.94	0.00	-0.00		
	Max. Vy	5	-0.00	0.00	0.00		
	Max. Vx	8	0.00	0.00	0.00		
	Max Tension	7	0.99	0.00	0.00		
	Max. Compression	1	0.00	0.00	0.00		
	Max. Mx	5	0.64	0.00	0.00		
	Max. My	8	0.94	0.00	-0.00		
	Max. Vy	5	-0.00	0.00	0.00		
	Max. Vx	8	0.00	0.00	0.00		
	Max Tension	7	0.99	0.00	0.00		
	Max. Compression	1	0.00	0.00	0.00		
Bottom Girt	Max. Mx	5	0.64	0.00	0.00		
	Max. My	8	0.94	0.00	-0.00		
	Max. Vy	5	-0.00	0.00	0.00		
	Max. Vx	8	0.00	0.00	0.00		
	Max Tension	7	0.99	0.00	0.00		
	Max. Compression	1	0.00	0.00	0.00		
	Max. Mx	5	0.64	0.00	0.00		
	Max. My	8	0.94	0.00	-0.00		
	Max. Vy	5	-0.00	0.00	0.00		
	Max. Vx	8	0.00	0.00	0.00		
	Max Tension	7	0.99	0.00	0.00		
	Max. Compression	1	0.00	0.00	0.00		
Mid Girt	Max. Mx	5	0.64	0.00	0.00		
	Max. My	8	0.94	0.00	-0.00		
	Max. Vy	5	-0.00	0.00	0.00		
	Max. Vx	8	0.00	0.00	0.00		
	Max Tension	7	0.99	0.00	0.00		
	Max. Compression	1	0.00	0.00	0.00		
	Max. Mx	5	0.64	0.00	0.00		
	Max. My	8	0.94	0.00	-0.00		
	Max. Vy	5	-0.00	0.00	0.00		
	Max. Vx	8	0.00	0.00	0.00		
	Max Tension	7	0.99	0.00	0.00		
	Max. Compression	1	0.00	0.00	0.00		

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	225' Guyed Lattice Tower	Page	39 of 56
	Project	Glastonbury, CT	Date	10:25:36 10/20/06
	Client	Verizon Wireless	Designed by	Staff

### Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K	
Mast	Max. Vert	6	142.67	-0.31	1.39	
	Max. H <sub>x</sub>	4	86.54	0.06	-1.77	
	Max. H <sub>z</sub>	2	99.92	-0.44	1.61	
	Max. M <sub>x</sub>	1	0.00	-0.02	0.02	
	Max. M <sub>z</sub>	1	0.00	-0.02	0.02	
	Max. Torsion	6	0.35	-0.31	1.39	
	Min. Vert	1	66.43	-0.02	0.02	
	Min. H <sub>x</sub>	3	95.35	-1.77	0.47	
	Min. H <sub>z</sub>	8	135.46	0.06	-1.80	
	Min. M <sub>x</sub>	1	0.00	-0.02	0.02	
	Min. M <sub>z</sub>	1	0.00	-0.02	0.02	
	Min. Torsion	8	-0.61	0.06	-1.80	
	Guy C @ 184 ft Elev -12 ft Azimuth 240 deg	Max. Vert	4	-8.72	-8.71	3.98
		Max. H <sub>x</sub>	4	-8.72	-8.71	3.98
Max. H <sub>z</sub>		7	-50.62	-54.15	29.89	
Min. Vert		7	-50.62	-54.15	29.89	
Min. H <sub>x</sub>		7	-50.62	-54.15	29.89	
Min. H <sub>z</sub>		4	-8.72	-8.71	3.98	
Guy B @ 181.5 ft Elev 0 ft Azimuth 120 deg		Max. Vert	3	-2.79	2.23	1.76
		Max. H <sub>x</sub>	6	-39.96	43.81	27.91
		Max. H <sub>z</sub>	6	-39.96	43.81	27.91
		Min. Vert	6	-39.96	43.81	27.91
	Min. H <sub>x</sub>	3	-2.79	2.23	1.76	
	Min. H <sub>z</sub>	3	-2.79	2.23	1.76	
Guy A @ 176 ft Elev 0 ft Azimuth 0 deg	Max. Vert	2	-1.46	-0.00	-1.28	
	Max. H <sub>x</sub>	8	-51.45	0.00	-64.42	
	Max. H <sub>z</sub>	2	-1.46	-0.00	-1.28	
	Min. Vert	8	-51.45	0.00	-64.42	
	Min. H <sub>x</sub>	7	-27.47	-2.62	-33.84	
	Min. H <sub>z</sub>	8	-51.45	0.00	-64.42	

### Tower Mast Reaction Summary

Load Combination	Vertical K	Shear <sub>x</sub> K	Shear <sub>z</sub> K	Overturning Moment, M <sub>x</sub> kip-ft	Overturning Moment, M <sub>z</sub> kip-ft	Torque kip-ft
Dead Only	66.43	0.02	-0.02	0.00	0.00	0.01
Dead+Wind 0 deg - No Ice+Guy	99.92	0.44	-1.61	0.00	0.00	-0.01
Dead+Wind 90 deg - No Ice+Guy	95.35	1.77	-0.47	0.00	0.00	-0.20
Dead+Wind 180 deg - No Ice+Guy	86.54	-0.06	1.77	0.00	0.00	0.32
Dead+Ice+Temp+Guy	102.36	0.01	-0.04	0.00	0.00	0.01
Dead+Wind 0 deg+Ice+Temp+Guy	142.67	0.31	-1.39	0.00	0.00	-0.35
Dead+Wind 90 deg+Ice+Temp+Guy	140.21	1.59	-0.56	0.00	0.00	0.35

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 40 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Load Combination	Vertical K	Shear <sub>x</sub> K	Shear <sub>z</sub> K	Overturning Moment, M <sub>x</sub> kip-ft	Overturning Moment, M <sub>z</sub> kip-ft	Torque kip-ft
Dead+Wind 180 deg+Ice+Temp+Guy	135.46	-0.06	1.80	0.00	0.00	0.61
Dead+Wind 0 deg - Service+Guy	67.97	0.19	-0.84	0.00	0.00	0.01
Dead+Wind 90 deg - Service+Guy	68.33	0.87	-0.14	0.00	0.00	-0.08
Dead+Wind 180 deg - Service+Guy	68.87	-0.01	0.74	0.00	0.00	0.13

### Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0.00	-28.49	0.00	0.00	28.49	-0.00	0.009%
2	0.49	-28.77	-44.97	-0.49	28.77	44.97	0.005%
3	44.44	-28.52	-0.36	-44.44	28.52	0.36	0.004%
4	0.09	-28.22	44.33	-0.09	28.22	-44.33	0.003%
5	0.00	-56.38	0.00	0.00	56.38	0.00	0.006%
6	0.41	-57.00	-54.57	-0.41	57.00	54.57	0.003%
7	53.82	-56.44	-0.29	-53.82	56.44	0.30	0.005%
8	0.05	-55.75	53.64	-0.04	55.75	-53.64	0.005%
9	0.19	-28.60	-17.57	-0.19	28.60	17.57	0.004%
10	17.36	-28.51	-0.14	-17.36	28.51	0.14	0.008%
11	0.03	-28.39	17.32	-0.03	28.39	-17.31	0.009%

### Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	9	0.0000001	0.00008836
2	Yes	19	0.00006610	0.00006902
3	Yes	19	0.00005567	0.00005114
4	Yes	15	0.0000001	0.00003174
5	Yes	8	0.0000001	0.00006750
6	Yes	20	0.00005025	0.00003958
7	Yes	19	0.00008667	0.00005636
8	Yes	14	0.00009818	0.00005279
9	Yes	13	0.0000001	0.00004762
10	Yes	12	0.0000001	0.00008315
11	Yes	10	0.0000001	0.00009536

### Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T1	224.75 - 204.75	2.670	11	0.1321	0.0706
T2	204.75 - 184.75	3.125	11	0.1474	0.0609

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 41 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T3	184.75 - 164.75	3.427	11	0.0558	0.0508
T4	164.75 - 144.75	3.252	10	0.0946	0.0352
T5	144.75 - 124.75	2.905	10	0.0814	0.0282
T6	124.75 - 104.75	2.579	9	0.0984	0.0302
T7	104.75 - 84.75	2.280	9	0.0802	0.0406
T8	84.75 - 64.75	1.951	9	0.0638	0.0396
T9	64.75 - 44.75	1.742	9	0.0701	0.0301
T10	44.75 - 24.75	1.391	9	0.0997	0.0313
T11	24.75 - 4.75	0.912	9	0.1440	0.0432
T12	4.75 - 0	0.184	9	0.1806	0.0227

### Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
244.00	10' 4 Bay Di-Pole	11	2.670	0.1321	0.0706	403439
235.00	3"x20' Omni	11	2.670	0.1321	0.0706	403439
232.50	21'x4.5" Pipe Mount	11	2.670	0.1321	0.0706	403439
225.00	Beacon	11	2.670	0.1321	0.0706	403439
222.50	48"x11"x6" Panel	11	2.722	0.1378	0.0694	403439
222.00	10' x 3" Dia Omni	11	2.734	0.1390	0.0692	403439
221.00	12' x 3" Dia Omni	11	2.757	0.1414	0.0687	403439
218.33	44"x12"x6" Panel	11	2.818	0.1472	0.0673	314207
217.67	16' Dipole	11	2.834	0.1485	0.0670	284916
216.25	8'-6" x 3" Dia Omni	11	2.866	0.1509	0.0663	237318
215.17	14' x 3" Dia Omni	11	2.891	0.1525	0.0658	210564
215.00	10' x 3" Dia Omni	11	2.895	0.1527	0.0657	206892
214.00	(2) 10' Side Arm	11	2.918	0.1539	0.0652	187647
212.02	Guy	11	2.963	0.1553	0.0642	158454
212.02	Guy	11	2.963	0.1553	0.0642	158454
211.00	20' 4-Bay Dipole	11	2.986	0.1555	0.0637	146705
210.00	11' x 3" Dia Omni	11	3.008	0.1553	0.0633	136759
209.00	10' Dipole	11	3.031	0.1548	0.0628	127777
205.75	8'-6" Dipole	11	3.103	0.1499	0.0613	82002
205.25	8' Dipole	11	3.114	0.1487	0.0611	73425
199.67	5' x 8" Dia Omni	11	3.233	0.1276	0.0587	21986
196.83	18'-6" Di-Pole	11	3.288	0.1131	0.0575	15298
184.33	16" Corner Reflector	11	3.428	0.0547	0.0505	7185
177.50	(4) DB844H90E-XY	11	3.405	0.0464	0.0450	9285
176.75	13'-6" T-Frame Sector Mount	11	3.398	0.0464	0.0444	9652
164.17	13'-6" T-Frame Sector Mount	11	3.243	0.0961	0.0349	26011
156.25	Yagi	10	3.112	0.0988	0.0317	55425
155.58	3'-6" x 3" Dia Omni	10	3.100	0.0979	0.0315	60723
153.00	14" Corner Reflector	10	3.054	0.0938	0.0308	96096
152.02	Guy	10	3.036	0.0921	0.0305	123418
151.00	6 FT DISH	10	3.018	0.0902	0.0302	175222
149.50	3' Side Mount Standoff	10	2.990	0.0876	0.0298	387601
147.58	3' Yagi	10	2.956	0.0845	0.0292	149663
144.83	10' Dipole	10	2.906	0.0815	0.0282	91130
144.67	12' x 3" Dia Omni	10	2.904	0.0813	0.0282	89864
143.67	6' x 3" Dia Omni	10	2.886	0.0809	0.0278	84583
143.58	44"x8"x3" Panel	10	2.884	0.0808	0.0277	84286
139.67	4' Side Mount Standoff	10	2.817	0.0818	0.0259	85765
139.50	4' Side Mount Standoff	10	2.814	0.0819	0.0259	86134
135.00	1' Side Mount Standoff	10	2.738	0.0868	0.0240	97198
127.00	24"x16"x12" Horn	9	2.609	0.0969	0.0278	127168

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 42 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Elevation	Appurtenance	Gov. Load Comb.	Deflection	Tilt	Twist	Radius of Curvature
ft			in	°	°	ft
126.00	3' Side Mount Standoff	9	2.596	0.0977	0.0289	134152
125.00	6 FT DISH	9	2.582	0.0983	0.0300	143609
124.50	2' Side Mount Standoff	9	2.575	0.0985	0.0305	149686
116.87	Guy	9	2.469	0.0959	0.0365	79930
113.00	44"x3"x8" Panel	9	2.412	0.0915	0.0384	64152
108.42	6 FT DISH	9	2.340	0.0852	0.0399	52196
107.67	6 FT DISH	9	2.328	0.0842	0.0401	51167
107.00	15'-2" Dish Mount	9	2.317	0.0832	0.0403	50758
105.83	4 FT DISH	9	2.298	0.0816	0.0405	51610
93.17	10'6"x4" Pipe Mount	9	2.078	0.0688	0.0409	31005
90.75	4' Omni	9	2.038	0.0672	0.0407	24408
84.83	Guy	9	1.952	0.0639	0.0396	18175
81.00	20' Pipe Mount	9	1.907	0.0635	0.0387	24041
48.17	(2) Yagi	9	1.460	0.0932	0.0304	64574
44.83	Guy	9	1.393	0.0995	0.0313	81945
38.17	2' Side Mount Standoff	9	1.253	0.1131	0.0370	31639
34.42	1.2M	9	1.169	0.1213	0.0410	21963
33.00	2'6"x4" Pipe Mount	9	1.135	0.1245	0.0421	19684
29.00	4'-4" DISH	9	1.033	0.1338	0.0439	15236
27.00	2' Side Mount Standoff	9	0.978	0.1385	0.0439	13900

### Maximum Tower Deflections - Design Wind

Section No.	Elevation	Horz. Deflection	Gov. Load Comb.	Tilt	Twist
	ft	in		°	°
T1	224.75 - 204.75	14.150	6	0.4193	0.2360
T2	204.75 - 184.75	16.004	6	0.4482	0.2116
T3	184.75 - 164.75	17.342	6	0.1260	0.1336
T4	164.75 - 144.75	16.893	6	0.3688	0.0935
T5	144.75 - 124.75	15.518	6	0.3272	0.0773
T6	124.75 - 104.75	13.917	6	0.4249	0.0691
T7	104.75 - 84.75	12.131	6	0.4212	0.1002
T8	84.75 - 64.75	10.273	6	0.3998	0.1402
T9	64.75 - 44.75	8.767	6	0.4321	0.1577
T10	44.75 - 24.75	6.731	6	0.5475	0.1988
T11	24.75 - 4.75	4.196	6	0.7039	0.2004
T12	4.75 - 0	0.835	6	0.8262	0.1084

### Critical Deflections and Radius of Curvature - Design Wind

Elevation	Appurtenance	Gov. Load Comb.	Deflection	Tilt	Twist	Radius of Curvature
ft			in	°	°	ft
244.00	10' 4 Bay Di-Pole	6	14.150	0.4193	0.2360	79817
235.00	3"x20' Omni	6	14.150	0.4193	0.2360	79817
232.50	21'x4.5" Pipe Mount	6	14.150	0.4193	0.2360	79817
225.00	Beacon	6	14.150	0.4193	0.2360	79817
222.50	48"x11"x6" Panel	6	14.362	0.4377	0.2349	79817
222.00	10' x 3" Dia Omni	6	14.409	0.4417	0.2346	79817
221.00	12' x 3" Dia Omni	6	14.503	0.4494	0.2340	79817
218.33	44"x12"x6" Panel	6	14.753	0.4679	0.2323	62162

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 43 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Elevation	Appurtenance	Gov. Load	Deflection	Tilt	Twist	Radius of Curvature
ft		Comb.	in	°	°	ft
217.67	16' Dipole	6	14.815	0.4718	0.2318	56368
216.25	8'-6" x 3" Dia Omni	6	14.948	0.4791	0.2307	46951
215.17	14' x 3" Dia Omni	6	15.048	0.4836	0.2296	41658
215.00	10' x 3" Dia Omni	6	15.064	0.4841	0.2295	40932
214.00	(2) 10' Side Arm	6	15.157	0.4870	0.2284	37124
212.02	Guy	6	15.341	0.4894	0.2259	31349
212.02	Guy	6	15.341	0.4894	0.2259	31349
211.00	20' 4-Bay Dipole	6	15.435	0.4887	0.2244	29024
210.00	11' x 3" Dia Omni	6	15.527	0.4866	0.2228	27056
209.00	10' Dipole	6	15.619	0.4829	0.2211	25306
205.75	8'-6" Dipole	6	15.914	0.4594	0.2141	18071
205.25	8' Dipole	6	15.959	0.4541	0.2129	16705
199.67	5' x 8" Dia Omni	6	16.450	0.3650	0.1955	6344
196.83	18'-6" Di-Pole	6	16.681	0.3071	0.1848	4491
184.33	16" Corner Reflector	6	17.352	0.1247	0.1318	2098
177.50	(4) DB844H90E-XY	6	17.373	0.1563	0.1153	2616
176.75	13'-6" T-Frame Sector Mount	6	17.361	0.1641	0.1139	2710
164.17	13'-6" T-Frame Sector Mount	6	16.861	0.3743	0.0928	6305
156.25	Yagi	6	16.363	0.3868	0.0860	10087
155.58	3'-6" x 3" Dia Omni	6	16.317	0.3840	0.0855	10566
153.00	14" Corner Reflector	6	16.135	0.3705	0.0839	12930
152.02	Guy	6	16.064	0.3646	0.0833	14131
151.00	6 FT DISH	6	15.990	0.3583	0.0826	15642
149.50	3' Side Mount Standoff	6	15.878	0.3492	0.0815	18563
147.58	3' Yagi	6	15.734	0.3385	0.0800	24093
144.83	10' Dipole	6	15.524	0.3274	0.0773	31302
144.67	12' x 3" Dia Omni	6	15.512	0.3270	0.0772	30842
143.67	6' x 3" Dia Omni	6	15.435	0.3250	0.0760	28811
143.58	44"x8"x3" Panel	6	15.428	0.3248	0.0759	28685
139.67	4' Side Mount Standoff	6	15.125	0.3266	0.0709	27491
139.50	4' Side Mount Standoff	6	15.111	0.3276	0.0706	27520
135.00	1' Side Mount Standoff	6	14.756	0.3584	0.0651	28314
127.00	24"x16"x12" Horn	6	14.105	0.4138	0.0629	27375
126.00	3' Side Mount Standoff	6	14.022	0.4191	0.0657	26766
125.00	6 FT DISH	6	13.938	0.4239	0.0684	26175
124.50	2' Side Mount Standoff	6	13.896	0.4260	0.0697	25887
116.87	Guy	6	13.240	0.4394	0.0850	20641
113.00	44"x3"x8" Panel	6	12.896	0.4363	0.0921	18604
108.42	6 FT DISH	6	12.476	0.4284	0.0982	16709
107.67	6 FT DISH	6	12.407	0.4269	0.0990	16575
107.00	15'-2" Dish Mount	6	12.344	0.4256	0.0996	16587
105.83	4 FT DISH	6	12.234	0.4232	0.1002	17045
93.17	10'6"x4" Pipe Mount	6	11.018	0.4058	0.1018	8784
90.75	4' Omni	6	10.793	0.4038	0.1141	7217
84.83	Guy	6	10.280	0.3998	0.1399	5676
81.00	20' Pipe Mount	6	9.981	0.3980	0.1513	7704
48.17	(2) Yagi	6	7.114	0.5425	0.1937	14102
44.83	Guy	6	6.740	0.5476	0.1987	16121
38.17	2' Side Mount Standoff	6	5.969	0.5321	0.2023	8920
34.42	1.2M	6	5.511	0.5331	0.2019	6599
33.00	2'6"x4" Pipe Mount	6	5.331	0.5399	0.2016	6007
29.00	4'-4" DISH	6	4.802	0.5880	0.2005	4797
27.00	2' Side Mount Standoff	6	4.523	0.6328	0.2003	4421

### Bolt Design Data

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 44 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt K	Allowable Load K	Ratio Load Allowable	Allowable Ratio	Criteria
T1	224.75	Leg	A325N	0.7500	4	0.56	19.44	0.029 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.6250	1	3.87	6.80	0.569 ✓	1.333	Member Bearing
		Top Girt	A325N	0.6250	1	0.21	6.44	0.033 ✓	1.333	Bolt Shear
		Bottom Girt	A325N	0.6250	1	2.44	6.44	0.379 ✓	1.333	Bolt Shear
T2	204.75	Leg	A325N	0.7500	4	0.25	19.41	0.013 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.5000	1	2.19	4.38	0.499 ✓	1.333	Member Bearing
		Top Girt	A325N	0.5000	1	0.48	4.12	0.116 ✓	1.333	Bolt Shear
		Bottom Girt	A325N	0.5000	1	0.57	3.65	0.156 ✓	1.333	Member Bearing
T3	184.75	Leg	A325N	0.7500	4	4.66	19.44	0.240 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.5000	1	2.09	4.38	0.477 ✓	1.333	Member Bearing
		Top Girt	A325N	0.5000	1	0.41	3.65	0.112 ✓	1.333	Member Bearing
		Bottom Girt	A325N	0.5000	1	0.34	3.65	0.093 ✓	1.333	Member Bearing
T4	164.75	Leg	A325N	0.7500	4	1.52	19.40	0.078 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.6250	1	7.77	6.80	1.143 ✓	1.333	Member Bearing
		Top Girt	A325N	0.6250	1	1.22	6.44	0.190 ✓	1.333	Bolt Shear
		Bottom Girt	A325N	0.6250	1	4.27	6.44	0.662 ✓	1.333	Bolt Shear
T5	144.75	Leg	A325N	0.7500	4	0.00	19.43	0.000 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.5000	1	1.74	4.38	0.397 ✓	1.333	Member Bearing
		Top Girt	A325N	0.5000	1	0.30	3.65	0.083 ✓	1.333	Member Bearing
		Bottom Girt	A325N	0.5000	1	0.60	3.65	0.165 ✓	1.333	Member Bearing
T6	124.75	Leg	A325N	0.7500	4	0.00	19.42	0.000 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.5000	1	2.03	3.65	0.557 ✓	1.333	Member Bearing
		Top Girt	A325N	0.5000	1	0.70	3.65	0.191 ✓	1.333	Member Bearing
		Bottom Girt	A325N	0.5000	1	0.49	3.65	0.135 ✓	1.333	Member Bearing
T7	104.75	Leg	A325N	0.7500	4	0.00	19.44	0.000 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.5000	1	2.13	3.65	0.583 ✓	1.333	Member Bearing
		Top Girt	A325N	0.5000	1	0.26	3.65	0.070 ✓	1.333	Member Bearing
T8	84.75	Leg	A325N	0.7500	4	0.00	19.40	0.000 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.5000	1	3.87	3.65	1.059 ✓	1.333	Member Bearing
		Top Girt	A325N	0.5000	1	1.73	3.65	0.474 ✓	1.333	Member Bearing
		Bottom Girt	A325N	0.5000	1	0.65	3.65	0.178 ✓	1.333	Member Bearing
T9	64.75	Leg	A325N	0.7500	4	0.00	19.43	0.000 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.5000	1	1.19	3.65	0.326 ✓	1.333	Member Bearing
		Top Girt	A325N	0.5000	1	0.43	3.65	0.118 ✓	1.333	Member Bearing
T10	44.75	Leg	A325N	0.7500	4	0.00	19.43	0.000 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.5000	1	1.87	3.65	0.511 ✓	1.333	Member Bearing
		Top Girt	A325N	0.5000	1	0.94	3.65	0.258 ✓	1.333	Member Bearing
		Bottom Girt	A325N	0.5000	1	0.45	3.65	0.125 ✓	1.333	Member Bearing
T11	24.75	Leg	A325N	0.7500	4	0.00	19.44	0.000 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.5000	1	2.39	3.65	0.654 ✓	1.333	Member Bearing



<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	225' Guyed Lattice Tower	<b>Page</b>	45 of 56
	<b>Project</b>	Glastonbury, CT	<b>Date</b>	10:25:36 10/20/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt K	Allowable Load K	Ratio Load Allowable	Allowable Ratio	Criteria
T12	4.75	Top Girt	A325N	0.5000	1	0.50	3.65	0.137 ✓	1.333	Member Bearing
		Bottom Girt	A325N	0.5000	1	0.99	3.65	0.270 ✓	1.333	Member Bearing
		Leg	A325N	0.7500	4	0.00	17.05	0.000 ✓	1.333	Bolt Tension

### Guy Design Data

Section No.	Elevation ft	Size	Initial Tension K	Breaking Load K	Actual T K	Allowable T <sub>a</sub> K	Required S.F.	Actual S.F.
T1	212.02 (A) (559)	1/2 EHS	2.69	26.90	10.28	13.45	2.000	2.616 ✓
	212.02 (A) (560)	1/2 EHS	2.69	26.90	10.32	13.45	2.000	2.606 ✓
	212.02 (B) (553)	1/2 EHS	2.69	26.90	7.59	13.45	2.000	3.544 ✓
	212.02 (B) (554)	1/2 EHS	2.69	26.90	8.71	13.45	2.000	3.087 ✓
	212.02 (C) (547)	1/2 EHS	2.69	26.90	9.49	13.45	2.000	2.834 ✓
	212.02 (C) (548)	1/2 EHS	2.69	26.90	10.08	13.45	2.000	2.669 ✓
	212.02 (A) (570)	1/2 EHS	2.69	26.90	10.47	13.45	2.000	2.569 ✓
	212.02 (B) (569)	1/2 EHS	2.69	26.90	8.25	13.45	2.000	3.263 ✓
	212.02 (C) (565)	1/2 EHS	2.69	26.90	9.94	13.45	2.000	2.706 ✓
	T4	152.02 (A) (541)	1/2 EHS	2.69	26.90	12.58	13.45	2.000
152.02 (A) (542)		1/2 EHS	2.69	26.90	12.62	13.45	2.000	2.132 ✓
152.02 (B) (535)		1/2 EHS	2.69	26.90	9.71	13.45	2.000	2.770 ✓
152.02 (B) (536)		1/2 EHS	2.69	26.90	9.95	13.45	2.000	2.704 ✓
152.02 (C) (529)		1/2 EHS	2.69	26.90	12.03	13.45	2.000	2.237 ✓
152.02 (C) (530)		1/2 EHS	2.69	26.90	12.15	13.45	2.000	2.214 ✓
T6	116.87 (A) (528)	1/2 EHS	2.69	26.90	12.05	13.45	2.000	2.232 ✓
	116.87 (B) (527)	1/2 EHS	2.69	26.90	9.90	13.45	2.000	2.718 ✓
	116.87 (C) (523)	1/2 EHS	2.69	26.90	11.91	13.45	2.000	2.259 ✓
T7	84.83 (A) (522)	1/2 EHS	2.69	26.90	11.30	13.45	2.000	2.381 ✓
	84.83 (B) (521)	1/2 EHS	2.69	26.90	9.34	13.45	2.000	2.880 ✓
	84.83 (C) (520)	1/2 EHS	2.69	26.90	11.36	13.45	2.000	2.369 ✓
T9	44.83 (A) (573)	3/8 EHS	1.54	15.40	5.52	7.70	2.000	2.790 ✓

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 46 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Size	Initial Tension K	Breaking Load K	Actual T K	Allowable T <sub>a</sub> K	Required S.F.	Actual S.F.
	44.83 (B) (572)	3/8 EHS	1.54	15.40	4.52	7.70	2.000	3.403 ✓
	44.83 (C) (571)	3/8 EHS	1.54	15.40	5.56	7.70	2.000	2.768 ✓

### Compression Checks

### Leg Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	Mast Stability Index	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P/P <sub>a</sub>
T1	224.75 - 204.75	ROHN 2.5 EH	20.00	2.42	31.5 K=1.00	1.00	26.969	2.2535	-14.52	60.78	0.239 ✓
T2	204.75 - 184.75	ROHN 2.5 STD	20.00	2.42	30.7 K=1.00	0.98	26.602	1.7040	-48.73	45.33	1.075 ✓
T3	184.75 - 164.75	ROHN 2.5 STD	20.00	2.42	30.7 K=1.00	0.98	26.601	1.7040	-50.07	45.33	1.105 ✓
T4	164.75 - 144.75	ROHN 2.5 EH	20.00	2.42	31.5 K=1.00	0.97	26.265	2.2535	-35.51	59.19	0.600 ✓
T5	144.75 - 124.75	ROHN 2.5 STD	20.00	2.42	30.7 K=1.00	1.00	27.067	1.7040	-38.17	46.12	0.828 ✓
T6	124.75 - 104.75	ROHN 2.5 STD	20.00	2.42	30.7 K=1.00	1.00	27.067	1.7040	-40.29	46.12	0.874 ✓
T7	104.75 - 84.75	ROHN 2.5 EH	20.00	2.41	62.7 K=2.00	1.00	22.257	2.2535	-48.94	50.16	0.976 ✓
T8	84.75 - 64.75	ROHN 2.5 EH	20.00	2.41	62.7 K=2.00	1.00	22.257	2.2535	-51.92	50.16	1.035 ✓
T9	64.75 - 44.75	ROHN 2.5 EH	20.00	2.41	62.7 K=2.00	1.00	22.257	2.2535	-56.55	50.16	1.127 ✓
T10	44.75 - 24.75	ROHN 2.5 EH	20.00	2.41	62.7 K=2.00	1.00	22.257	2.2535	-64.77	50.16	1.291 ✓
T11	24.75 - 4.75	ROHN 2.5 EH	20.00	2.41	62.7 K=2.00	1.00	22.257	2.2535	-64.15	50.16	1.279 ✓
T12	4.75 - 0	ROHN 2.5 EH	5.14	2.03	26.4 K=1.00	0.98	27.052	2.2535	-55.98	60.96	0.918 ✓

### Diagonal Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P/P <sub>a</sub>
T1	224.75 - 204.75	L1 3/4x1 3/4x3/16	4.19	1.78	76.7 K=1.23	15.722	0.6211	-3.08	9.76	0.316 ✓
T2	204.75 - 184.75	ROHN TS1.5x16 ga	4.19	3.90	91.6	15.296	0.2627	-2.19	4.02	0.545 ✓

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 47 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T3	184.75 - 164.75	ROHN TS1.5x16 ga	4.19	3.90	K=1.00 91.6	15.296	0.2627	-2.09	4.02	0.520
T4	164.75 - 144.75	L1 3/4x1 3/4x3/16	4.19	1.78	K=1.00 76.7	15.722	0.6211	-5.41	9.76	0.554
T5	144.75 - 124.75	ROHN TS1.5x16 ga	4.19	3.90	K=1.23 91.6	15.296	0.2627	-1.74	4.02	0.433
T6	124.75 - 104.75	ROHN TS1.5x16 ga	4.19	3.90	K=1.00 91.6	15.296	0.2627	-2.20	4.02	0.548
T7	104.75 - 84.75	ROHN TS1.5x16 ga	4.18	3.89	K=1.00 91.5	15.317	0.2627	-2.12	4.02	0.528
T8	84.75 - 64.75	ROHN TS1.5x16 ga	4.18	3.89	K=1.00 91.5	15.317	0.2627	-3.48	4.02	0.865
T9	64.75 - 44.75	ROHN TS1.5x16 ga	4.18	3.89	K=1.00 91.5	15.317	0.2627	-1.20	4.02	0.297
T10	44.75 - 24.75	ROHN TS1.5x16 ga	4.18	3.89	K=1.00 91.5	15.317	0.2627	-2.07	4.02	0.515
T11	24.75 - 4.75	ROHN TS1.5x16 ga	4.18	3.89	K=1.00 91.5	15.317	0.2627	-2.45	4.02	0.609

### Top Girt Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T1	224.75 - 204.75	L1 3/4x1 3/4x3/16	3.42	2.84	109.7	11.715	0.6211	-0.21	7.28	0.029
T2	204.75 - 184.75	ROHN TS1.5x16 ga	3.42	3.18	K=1.10 74.7	17.822	0.2627	-0.48	4.68	0.102
T3	184.75 - 164.75	ROHN TS1.5x16 ga	3.42	3.18	K=1.00 74.7	17.822	0.2627	-0.05	4.68	0.012
T4	164.75 - 144.75	L1 3/4x1 3/4x3/16	3.42	2.84	K=1.10 109.7	11.715	0.6211	-0.63	7.28	0.087
T5	144.75 - 124.75	ROHN TS1.5x16 ga	3.42	3.18	K=1.00 74.7	17.822	0.2627	-0.20	4.68	0.044
T7	104.75 - 84.75	ROHN TS1.5x16 ga	3.42	3.18	K=1.00 74.7	17.822	0.2627	-0.20	4.68	0.043
T8	84.75 - 64.75	ROHN TS1.5x16 ga	3.42	3.18	K=1.00 74.7	17.822	0.2627	-1.57	4.68	0.335
T9	64.75 - 44.75	ROHN TS1.5x16 ga	3.42	3.18	K=1.00 74.7	17.822	0.2627	-0.35	4.68	0.075
T10	44.75 - 24.75	ROHN TS1.5x16 ga	3.42	3.18	K=1.00 74.7	17.822	0.2627	-0.71	4.68	0.152
T11	24.75 - 4.75	ROHN TS1.5x16 ga	3.42	3.18	K=1.00 74.7	17.822	0.2627	-0.31	4.68	0.066

### Bottom Girt Design Data (Compression)

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 48 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P/P <sub>a</sub>
T1	224.75 - 204.75	L1 3/4x1 3/4x3/16	3.42	2.84	109.7 K=1.10	11.715	0.6211	-2.44	7.28	0.336
T2	204.75 - 184.75	ROHN TS1.5x16 ga	3.42	3.18	74.7 K=1.00	17.822	0.2627	-0.15	4.68	0.033
T4	164.75 - 144.75	L1 3/4x1 3/4x3/16	3.42	2.84	109.7 K=1.10	11.715	0.6211	-4.27	7.28	0.587
T8	84.75 - 64.75	ROHN TS1.5x16 ga	3.42	3.18	74.7 K=1.00	17.822	0.2627	-0.34	4.68	0.072
T10	44.75 - 24.75	ROHN TS1.5x16 ga	3.42	3.18	74.7 K=1.00	17.822	0.2627	-0.23	4.68	0.049
T12	4.75 - 0	C14x2x3/16	0.66	0.42	17.2 K=1.00	20.767	3.3047	-1.00	68.63	0.015

### Top Guy Pull-Off Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P/P <sub>a</sub>
T1	224.75 - 204.75	L1 1/8x1 1/8x1/8	3.42	3.18	172.8 K=1.00	5.000	0.2656	-1.08	1.33	0.814
T6	124.75 - 104.75	4 1/2x3/8	3.42	3.18	352.2 K=1.00	21.600	1.6875	0.00	2.03	0.000*
T7	104.75 - 84.75	4 1/2x3/8	3.42	3.18	352.2 K=1.00	21.600	1.6875	0.00	2.03	0.000*
T9	64.75 - 44.75	4 1/2x3/8	3.42	3.18	352.2 K=1.00	21.600	1.6875	0.00	2.03	0.000*

\* DL controls

### Top Guy Pull-Off Bending Design Data

Section No.	Elevation ft	Size	Actual M <sub>x</sub> kip-ft	Actual f <sub>bx</sub> ksi	Allow. F <sub>bx</sub> ksi	Ratio f <sub>bx</sub> /F <sub>bx</sub>	Actual M <sub>y</sub> kip-ft	Actual f <sub>by</sub> ksi	Allow. F <sub>by</sub> ksi	Ratio f <sub>by</sub> /F <sub>by</sub>
T1	224.75 - 204.75	L1 1/8x1 1/8x1/8	-0.00	-0.168	23.760	0.007	-0.00	-0.324	23.760	0.014
T6	124.75 - 104.75	4 1/2x3/8	0.01	-0.110	27.000	0.004	0.00	0.000	27.000	0.000
T7	104.75 - 84.75	4 1/2x3/8	0.01	-0.110	27.000	0.004	0.00	0.000	27.000	0.000
T9	64.75 - 44.75	4 1/2x3/8	0.01	-0.110	27.000	0.004	0.00	0.000	27.000	0.000

### Top Guy Pull-Off Interaction Design Data

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	225' Guyed Lattice Tower	<b>Page</b>	49 of 56
	<b>Project</b>	Glastonbury, CT	<b>Date</b>	10:25:36 10/20/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Section No.	Elevation ft	Size	Ratio	Ratio	Ratio	Comb. Stress Ratio	Allow. Stress Ratio	Criteria
			$\frac{P}{P_a}$	$\frac{f_{bx}}{F_{bx}}$	$\frac{f_{by}}{F_{by}}$			
T1	224.75 - 204.75	L1 1/8x1 1/8x1/8	0.814	0.007	0.014	0.835 ✓	1.333	H1-3 ✓
T6	124.75 - 104.75	4 1/2x3/8	0.000	0.004	0.000	0.004* ✓	1.000	H1-3 ✓
T7	104.75 - 84.75	4 1/2x3/8	0.000	0.004	0.000	0.004* ✓	1.000	H1-3 ✓
T9	64.75 - 44.75	4 1/2x3/8	0.000	0.004	0.000	0.004* ✓	1.000	H1-3 ✓

\* DL controls

### Torque-Arm Top Design Data

Section No.	Elevation ft	Size	L ft	$L_u$ ft	$KI/r$	$F_a$ ksi	A in <sup>2</sup>	Actual P K	Allow. $P_a$ K	Ratio $\frac{P}{P_a}$
T1	224.75 - 204.75 (549)	XP34.5x.03325	7.86	7.74	5.0 K=0.65	14.638	3.6003	-0.34	52.70	0.006 ✓
T1	224.75 - 204.75 (556)	d/t > 13000/Fy - 549 XP34.5x.03325	7.86	7.74	5.0 K=0.65	14.638	3.6003	-0.07	52.70	0.001 ✓
T1	224.75 - 204.75 (561)	d/t > 13000/Fy - 556 XP34.5x.03325	7.86	7.74	5.0 K=0.65	14.638	3.6003	-0.45	52.70	0.009 ✓
T4	164.75 - 144.75 (531)	d/t > 13000/Fy - 561 XP34.5x.03325	7.86	7.74	5.0 K=0.65	14.638	3.6003	-1.82	52.70	0.035 ✓
T4	164.75 - 144.75 (532)	d/t > 13000/Fy - 531 XP34.5x.03325	7.86	7.74	5.0 K=0.65	14.638	3.6003	-0.75	52.70	0.014 ✓
T4	164.75 - 144.75 (538)	d/t > 13000/Fy - 532 XP34.5x.03325	7.86	7.74	5.0 K=0.65	14.638	3.6003	-1.70	52.70	0.032 ✓
T4	164.75 - 144.75 (543)	d/t > 13000/Fy - 538 XP34.5x.03325	7.86	7.74	5.0 K=0.65	14.638	3.6003	-2.00	52.70	0.038 ✓
T4	164.75 - 144.75 (544)	d/t > 13000/Fy - 543 XP34.5x.03325	7.86	7.74	5.0 K=0.65	14.638	3.6003	-0.76	52.70	0.014 ✓
		d/t > 13000/Fy - 544								✓

### Torque-Arm Bottom Design Data

Section No.	Elevation ft	Size	L ft	$L_u$ ft	$KI/r$	$F_a$ ksi	A in <sup>2</sup>	Actual P K	Allow. $P_a$ K	Ratio $\frac{P}{P_a}$
T1	224.75 - 204.75 (551)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-11.89	24.39	0.488 ✓
T1	224.75 - 204.75 (552)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-13.17	24.39	0.540 ✓

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 50 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T1	224.75 - 204.75 (557)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-12.92	24.39	0.530
T1	224.75 - 204.75 (558)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-9.05	24.39	0.371
T1	224.75 - 204.75 (563)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-11.17	24.39	0.458
T1	224.75 - 204.75 (564)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-13.18	24.39	0.541
T4	164.75 - 144.75 (533)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-14.67	24.39	0.601
T4	164.75 - 144.75 (534)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-16.89	24.39	0.693
T4	164.75 - 144.75 (539)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-17.52	24.39	0.719
T4	164.75 - 144.75 (540)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-9.98	24.39	0.409
T4	164.75 - 144.75 (545)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-14.41	24.39	0.591
T4	164.75 - 144.75 (546)	P2.5x.203	10.71	10.54	86.8 K=0.65	14.312	1.7040	-16.92	24.39	0.694

### Tension Checks

### Leg Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T1	224.75 - 204.75	ROHN 2.5 EH	20.00	2.42	31.5	30.000	2.2535	8.12	67.61	0.120
T2	204.75 - 184.75	ROHN 2.5 STD	20.00	2.42	30.7	30.000	1.7040	18.13	51.12	0.355
T3	184.75 - 164.75	ROHN 2.5 STD	20.00	2.42	30.7	30.000	1.7040	19.82	51.12	0.388
T4	164.75 - 144.75	ROHN 2.5 EH	20.00	2.42	31.5	30.000	2.2535	6.09	67.61	0.090

### Diagonal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T1	224.75 - 204.75	L1 3/4x1 3/4x3/16	4.19	1.78	43.5	29.000	0.3604	3.87	10.45	0.370
T2	204.75 - 184.75	ROHN TS1.5x16 ga	4.19	3.90	91.6	25.200	0.2627	1.81	6.62	0.274

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 51 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T3	184.75 - 164.75	ROHN TS1.5x16 ga	4.19	3.90	91.6	25.200	0.2627	1.64	6.62	0.247
T4	164.75 - 144.75	L1 3/4x1 3/4x3/16	4.19	1.78	43.5	29.000	0.3604	7.77	10.45	0.744
T5	144.75 - 124.75	ROHN TS1.5x16 ga	4.19	3.90	91.6	25.200	0.2627	1.07	6.62	0.161
T6	124.75 - 104.75	ROHN TS1.5x16 ga	4.19	3.90	91.6	25.200	0.2627	2.03	6.62	0.307
T7	104.75 - 84.75	ROHN TS1.5x16 ga	4.18	3.89	91.5	25.200	0.2627	2.13	6.62	0.322
T8	84.75 - 64.75	ROHN TS1.5x16 ga	4.18	3.89	91.5	25.200	0.2627	3.87	6.62	0.584
T9	64.75 - 44.75	ROHN TS1.5x16 ga	4.18	3.89	91.5	25.200	0.2627	1.19	6.62	0.180
T10	44.75 - 24.75	ROHN TS1.5x16 ga	4.18	3.89	91.5	25.200	0.2627	1.87	6.62	0.282
T11	24.75 - 4.75	ROHN TS1.5x16 ga	4.18	3.89	91.5	25.200	0.2627	2.39	6.62	0.361

**Top Girt Design Data (Tension)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T1	224.75 - 204.75	L1 3/4x1 3/4x3/16	3.42	2.84	71.0	29.000	0.3604	0.11	10.45	0.010
T2	204.75 - 184.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.23	6.62	0.035
T3	184.75 - 164.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.41	6.62	0.062
T4	164.75 - 144.75	L1 3/4x1 3/4x3/16	3.42	2.84	71.0	29.000	0.3604	1.22	10.45	0.117
T5	144.75 - 124.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.30	6.62	0.046
T6	124.75 - 104.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.70	6.62	0.105
T7	104.75 - 84.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.26	6.62	0.039
T8	84.75 - 64.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	1.73	6.62	0.262
T9	64.75 - 44.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.43	6.62	0.065
T10	44.75 - 24.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.94	6.62	0.143
T11	24.75 - 4.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.50	6.62	0.076
T12	4.75 - 0	C14x2x3/16	3.36	3.12	100.0	21.600	3.3047	11.29	71.38	0.158

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 52 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

### Bottom Girt Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T2	204.75 - 184.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.57	6.62	0.086
T3	184.75 - 164.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.34	6.62	0.051
T4	164.75 - 144.75	L1 3/4x1 3/4x3/16	3.42	2.84	71.0	29.000	0.3604	1.83	10.45	0.176
T5	144.75 - 124.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.60	6.62	0.091
T6	124.75 - 104.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.49	6.62	0.075
T8	84.75 - 64.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.65	6.62	0.098
T10	44.75 - 24.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.45	6.62	0.069
T11	24.75 - 4.75	ROHN TS1.5x16 ga	3.42	3.18	74.7	25.200	0.2627	0.99	6.62	0.149

### Mid Girt Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T12	4.75 - 0	C14x2x3/16	2.01	1.77	56.7	21.600	3.3047	0.04	71.38	0.001*

\* DL controls

### Top Guy Pull-Off Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T1	224.75 - 204.75	L1 1/8x1 1/8x1/8	3.42	3.18	110.6	21.600	0.2656	6.05	5.74	1.054
T6	124.75 - 104.75	4 1/2x3/8	3.42	3.18	352.2	21.600	1.6875	5.58	36.45	0.153
T7	104.75 - 84.75	4 1/2x3/8	3.42	3.18	352.2	21.600	1.6875	5.41	36.45	0.148
T9	64.75 - 44.75	4 1/2x3/8	3.42	3.18	352.2	21.600	1.6875	3.10	36.45	0.085

### Top Guy Pull-Off Bending Design Data



<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	225' Guyed Lattice Tower	Page	53 of 56
	Project	Glastonbury, CT	Date	10:25:36 10/20/06
	Client	Verizon Wireless	Designed by	Staff

Section No.	Elevation ft	Size	Actual $M_x$ kip-ft	Actual $f_{bx}$ ksi	Allow. $F_{bx}$ ksi	Ratio $\frac{f_{bx}}{F_{bx}}$	Actual $M_y$ kip-ft	Actual $f_{by}$ ksi	Allow. $F_{by}$ ksi	Ratio $\frac{f_{by}}{F_{by}}$
T1	224.75 - 204.75	L1 1/8x1 1/8x1/8	-0.00	0.401	23.760	0.017	-0.00	0.780	23.760	0.033
T6	124.75 - 104.75	4 1/2x3/8	0.01	0.110	27.000	0.004	0.00	0.000	27.000	0.000
T7	104.75 - 84.75	4 1/2x3/8	0.01	0.110	27.000	0.004	0.00	0.000	27.000	0.000
T9	64.75 - 44.75	4 1/2x3/8	0.01	0.110	27.000	0.004	0.00	0.000	27.000	0.000

### Top Guy Pull-Off Interaction Design Data

Section No.	Elevation ft	Size	Ratio	Ratio	Ratio	Comb. Stress Ratio	Allow. Stress Ratio	Criteria
			$\frac{P}{P_a}$	$\frac{f_{bx}}{F_{bx}}$	$\frac{f_{by}}{F_{by}}$			
T1	224.75 - 204.75	L1 1/8x1 1/8x1/8	1.054	0.017	0.033	1.104 ✓	1.333	H2-1 ✓
T6	124.75 - 104.75	4 1/2x3/8	0.153	0.004	0.000	0.157 ✓	1.333	H2-1 ✓
T7	104.75 - 84.75	4 1/2x3/8	0.148	0.004	0.000	0.152 ✓	1.333	H2-1 ✓
T9	64.75 - 44.75	4 1/2x3/8	0.085	0.004	0.000	0.089 ✓	1.333	H2-1 ✓

### Torque-Arm Top Design Data

Section No.	Elevation ft	Size	L ft	$L_u$ ft	$Kl/r$	$F_a$ ksi	A in <sup>2</sup>	Actual P K	Allow. $P_a$ K	Ratio $\frac{P}{P_a}$
T1	224.75 - 204.75 (549)	XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	12.41	75.61	0.164 ✓
T1	224.75 - 204.75 (550)	d/t > 13000/Fy - 549 XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	11.30	75.61	0.149 ✓
T1	224.75 - 204.75 (555)	d/t > 13000/Fy - 550 XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	12.39	75.61	0.164 ✓
T1	224.75 - 204.75 (556)	d/t > 13000/Fy - 555 XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	8.89	75.61	0.118 ✓
T1	224.75 - 204.75 (561)	d/t > 13000/Fy - 556 XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	12.18	75.61	0.161 ✓
T1	224.75 - 204.75 (562)	d/t > 13000/Fy - 561 XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	11.16	75.61	0.148 ✓
T4	164.75 - 144.75 (531)	d/t > 13000/Fy - 562 XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	16.35	75.61	0.216 ✓
T4	164.75 - 144.75 (532)	d/t > 13000/Fy - 531 XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	14.65	75.61	0.194 ✓
T4	164.75 - 144.75	d/t > 13000/Fy - 532 XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	15.73	75.61	0.208 ✓

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 54 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
	(537)									✓
T4	164.75 - 144.75 (538)	d/t > 13000/Fy - 537 XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	10.81	75.61	0.143
T4	164.75 - 144.75 (543)	d/t > 13000/Fy - 538 XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	16.15	75.61	0.214
T4	164.75 - 144.75 (544)	d/t > 13000/Fy - 543 XP34.5x.03325	7.86	7.74	7.6	21.000	3.6003	13.43	75.61	0.178
		d/t > 13000/Fy - 544								✓

### Torque-Arm Bottom Design Data

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T1	224.75 - 204.75 (564)	P2.5x.203	10.71	10.54	133.6	21.000	1.7040	0.02	35.79	0.000
T4	164.75 - 144.75 (533)	P2.5x.203	10.71	10.54	133.6	21.000	1.7040	1.92	35.79	0.054
T4	164.75 - 144.75 (534)	P2.5x.203	10.71	10.54	133.6	21.000	1.7040	3.56	35.79	0.100
T4	164.75 - 144.75 (540)	P2.5x.203	10.71	10.54	133.6	21.000	1.7040	3.87	35.79	0.108
T4	164.75 - 144.75 (545)	P2.5x.203	10.71	10.54	133.6	21.000	1.7040	2.28	35.79	0.064
T4	164.75 - 144.75 (546)	P2.5x.203	10.71	10.54	133.6	21.000	1.7040	3.86	35.79	0.108

### Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P <sub>allow</sub> K	% Capacity	Pass Fail
T1	224.75 - 204.75	Leg	ROHN 2.5 EH	3	-14.52	81.02	17.9	Pass
T2	204.75 - 184.75	Leg	ROHN 2.5 STD	60	-48.73	60.43	80.6	Pass
T3	184.75 - 164.75	Leg	ROHN 2.5 STD	117	-50.07	60.42	82.9	Pass
T4	164.75 - 144.75	Leg	ROHN 2.5 EH	174	-35.51	78.90	45.0	Pass
T5	144.75 - 124.75	Leg	ROHN 2.5 STD	229	-38.17	61.48	62.1	Pass
T6	124.75 - 104.75	Leg	ROHN 2.5 STD	288	-40.29	61.48	65.5	Pass
T7	104.75 - 84.75	Leg	ROHN 2.5 EH	345	-48.94	66.86	73.2	Pass
T8	84.75 - 64.75	Leg	ROHN 2.5 EH	376	-51.92	66.86	77.7	Pass
T9	64.75 - 44.75	Leg	ROHN 2.5 EH	409	-56.55	66.86	84.6	Pass
T10	44.75 - 24.75	Leg	ROHN 2.5 EH	442	-64.77	66.86	96.9	Pass
T11	24.75 - 4.75	Leg	ROHN 2.5 EH	475	-64.15	66.86	95.9	Pass
T12	4.75 - 0	Leg	ROHN 2.5 EH	508	-55.98	81.26	68.9	Pass
T1	224.75 - 204.75	Diagonal	L1 3/4x1 3/4x3/16	26	3.87	13.93	27.8	Pass
T2	204.75 - 184.75	Diagonal	ROHN TS1.5x16 ga	109	-2.19	5.36	42.7 (b) 40.9	Pass

<b>RISA Tower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 55 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P <sub>allow</sub> K	% Capacity	Pass Fail
T3	184.75 - 164.75	Diagonal	ROHN TS1.5x16 ga	129	-2.09	5.36	39.0	Pass
T4	164.75 - 144.75	Diagonal	L1 3/4x1 3/4x3/16	202	7.77	13.93	55.8	Pass
							85.8 (b)	
T5	144.75 - 124.75	Diagonal	ROHN TS1.5x16 ga	242	-1.74	5.36	32.5	Pass
T6	124.75 - 104.75	Diagonal	ROHN TS1.5x16 ga	338	-2.20	5.36	41.1	Pass
							41.8 (b)	
T7	104.75 - 84.75	Diagonal	ROHN TS1.5x16 ga	356	-2.12	5.36	39.6	Pass
							43.7 (b)	
T8	84.75 - 64.75	Diagonal	ROHN TS1.5x16 ga	408	-3.48	5.36	64.9	Pass
							79.4 (b)	
T9	64.75 - 44.75	Diagonal	ROHN TS1.5x16 ga	441	-1.20	5.36	22.3	Pass
							24.5 (b)	
T10	44.75 - 24.75	Diagonal	ROHN TS1.5x16 ga	474	-2.07	5.36	38.6	Pass
T11	24.75 - 4.75	Diagonal	ROHN TS1.5x16 ga	487	-2.45	5.36	45.7	Pass
							49.1 (b)	
T1	224.75 - 204.75	Top Girt	L1 3/4x1 3/4x3/16	4	-0.21	9.70	2.2	Pass
							2.5 (b)	
T2	204.75 - 184.75	Top Girt	ROHN TS1.5x16 ga	61	-0.48	6.24	7.6	Pass
							8.7 (b)	
T3	184.75 - 164.75	Top Girt	ROHN TS1.5x16 ga	118	0.41	8.83	4.6	Pass
							8.4 (b)	
T4	164.75 - 144.75	Top Girt	L1 3/4x1 3/4x3/16	175	1.22	13.93	8.8	Pass
							14.3 (b)	
T5	144.75 - 124.75	Top Girt	ROHN TS1.5x16 ga	232	0.30	8.83	3.4	Pass
							6.2 (b)	
T6	124.75 - 104.75	Top Girt	ROHN TS1.5x16 ga	289	0.70	8.83	7.9	Pass
							14.3 (b)	
T7	104.75 - 84.75	Top Girt	ROHN TS1.5x16 ga	347	-0.20	6.24	3.2	Pass
							5.2 (b)	
T8	84.75 - 64.75	Top Girt	ROHN TS1.5x16 ga	379	-1.57	6.24	25.1	Pass
							35.6 (b)	
T9	64.75 - 44.75	Top Girt	ROHN TS1.5x16 ga	414	-0.35	6.24	5.6	Pass
							8.8 (b)	
T10	44.75 - 24.75	Top Girt	ROHN TS1.5x16 ga	445	-0.71	6.24	11.4	Pass
							19.4 (b)	
T11	24.75 - 4.75	Top Girt	ROHN TS1.5x16 ga	480	0.50	8.83	5.7	Pass
							10.3 (b)	
T12	4.75 - 0	Top Girt	C14x2x3/16	513	11.29	95.15	11.9	Pass
T1	224.75 - 204.75	Bottom Girt	L1 3/4x1 3/4x3/16	7	-2.44	9.70	25.2	Pass
							28.5 (b)	
T2	204.75 - 184.75	Bottom Girt	ROHN TS1.5x16 ga	64	0.57	8.83	6.5	Pass
							11.7 (b)	
T3	184.75 - 164.75	Bottom Girt	ROHN TS1.5x16 ga	121	0.34	8.83	3.8	Pass
							7.0 (b)	
T4	164.75 - 144.75	Bottom Girt	L1 3/4x1 3/4x3/16	178	-4.27	9.70	44.0	Pass
							49.7 (b)	
T5	144.75 - 124.75	Bottom Girt	ROHN TS1.5x16 ga	235	0.60	8.83	6.8	Pass
							12.4 (b)	
T6	124.75 - 104.75	Bottom Girt	ROHN TS1.5x16 ga	293	0.49	8.83	5.6	Pass
							10.1 (b)	
T8	84.75 - 64.75	Bottom Girt	ROHN TS1.5x16 ga	384	0.65	8.83	7.4	Pass
							13.4 (b)	
T10	44.75 - 24.75	Bottom Girt	ROHN TS1.5x16 ga	450	0.45	8.83	5.2	Pass
							9.3 (b)	
T11	24.75 - 4.75	Bottom Girt	ROHN TS1.5x16 ga	483	0.99	8.83	11.2	Pass
							20.2 (b)	
T12	4.75 - 0	Bottom Girt	C14x2x3/16	516	-0.95	91.48	11.3	Pass
T12	4.75 - 0	Mid Girt	C14x2x3/16	519	0.04	71.38	0.1	Pass
T1	224.75 - 204.75	Guy A@212.02	1/2	560	10.32	13.45	76.7	Pass
		Guy A@212.02	1/2	570	10.47	13.45	77.9	Pass
T4	164.75 - 144.75	Guy A@152.02	1/2	542	12.62	13.45	93.8	Pass

<b>RISATower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 225' Guyed Lattice Tower	<b>Page</b> 56 of 56
	<b>Project</b> Glastonbury, CT	<b>Date</b> 10:25:36 10/20/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P <sub>allow</sub> K	% Capacity	Pass Fail	
T6	124.75 - 104.75	Guy A@116.866	1/2	528	12.05	13.45	89.6	Pass	
T7	104.75 - 84.75	Guy A@84.8333	1/2	522	11.30	13.45	84.0	Pass	
T9	64.75 - 44.75	Guy A@44.8333	3/8	573	5.52	7.70	71.7	Pass	
T1	224.75 - 204.75	Guy B@212.02	1/2	554	8.71	13.45	64.8	Pass	
		Guy B@212.02	1/2	569	8.25	13.45	61.3	Pass	
T4	164.75 - 144.75	Guy B@152.02	1/2	536	9.95	13.45	74.0	Pass	
T6	124.75 - 104.75	Guy B@116.866	1/2	527	9.90	13.45	73.6	Pass	
T7	104.75 - 84.75	Guy B@84.8333	1/2	521	9.34	13.45	69.4	Pass	
T9	64.75 - 44.75	Guy B@44.8333	3/8	572	4.52	7.70	58.8	Pass	
T1	224.75 - 204.75	Guy C@212.02	1/2	548	10.08	13.45	74.9	Pass	
		Guy C@212.02	1/2	565	9.94	13.45	73.9	Pass	
T4	164.75 - 144.75	Guy C@152.02	1/2	530	12.15	13.45	90.3	Pass	
T6	124.75 - 104.75	Guy C@116.866	1/2	523	11.91	13.45	88.5	Pass	
T7	104.75 - 84.75	Guy C@84.8333	1/2	520	11.36	13.45	84.4	Pass	
T9	64.75 - 44.75	Guy C@44.8333	3/8	571	5.56	7.70	72.3	Pass	
T1	224.75 - 204.75	Top Guy Pull-Off@212.02	L1 1/8x1 1/8x1/8	566	6.05	7.65	82.8	Pass	
T6	124.75 - 104.75	Top Guy Pull-Off@116.866	4 1/2x3/8	524	5.58	48.59	11.8	Pass	
T7	104.75 - 84.75	Top Guy Pull-Off@84.8333	4 1/2x3/8	349	5.41	48.59	11.4	Pass	
T9	64.75 - 44.75	Top Guy Pull-Off@44.8333	4 1/2x3/8	415	3.10	48.59	6.7	Pass	
T1	224.75 - 204.75	Torque Arm Top@212.02	XP34.5x.03325	549	12.41	100.78	12.3	Pass	
T4	164.75 - 144.75	Torque Arm Top@152.02	XP34.5x.03325	531	16.35	100.78	16.2	Pass	
T1	224.75 - 204.75	Torque Arm Bottom@212.02	P2.5x.203	564	-13.18	32.51	40.6	Pass	
T4	164.75 - 144.75	Torque Arm Bottom@152.02	P2.5x.203	539	-17.52	32.51	53.9	Pass	
							Summary		
							Leg (T10)	96.9	Pass
							Diagonal (T4)	85.8	Pass
							Top Girt (T8)	35.6	Pass
							Bottom Girt (T4)	49.7	Pass
							Mid Girt (T12)	0.1	Pass
							Guy A (T4)	93.8	Pass
							Guy B (T4)	74.0	Pass
							Guy C (T4)	90.3	Pass
							Top Guy Pull-Off (T1)	82.8	Pass
							Torque Arm Top (T4)	16.2	Pass
							Torque Arm Bottom (T4)	53.9	Pass
							Bolt Checks	85.8	Pass
							<b>RATING =</b>	<b>96.9</b>	<b>Pass</b>

General Power Density

Site Name: Glastonbury, CT  
 Cumulative Power Density

Operator	Operating Frequency (MHz)	Number of Trans	ERP Per Trans (watts)	Total ERP (watts)	Distance to Target (feet)	Calculated Power Density (mW/cm <sup>2</sup> )	Maximum Permissible Exposure (mW/cm <sup>2</sup> )	Fraction of MPE (%)
VZW	875	9	200	1800	164.17	0.0240	0.583	4.12%
VZW PCS	1970	3	485	1455	164.17	0.0194	1.0	1.94%
VZW Microwave	6256.54	1	4265.8	4265.8	125	0.0982	1.0	9.82%

**Total Percentage of Maximum Permissible Exposure**

15.88%


\*Guidelines adopted by the FCC on August 1, 1996, 47 CFR Part 1 based on NCRP Report 86, 1986 and generally on ANSI/IEEE C95.1-1992

MHz = Megahertz

mW/cm<sup>2</sup> = milliwatts per square centimeter

ERP = Effective Radiated Power

Absolute worst case maximum values used.



1 TOWER ELEVATION  
 L-1 SCALE: 1" = 40'-0"  
 0 10 20 40 80

SITE ID NO:  
36930982  
 Designed by:  
BAL  
 Drawn by:  
 Checked by:  
 Approved by:

**URS CORPORATION AES**  
 500 ENTERPRISE DRIVE  
 ROCKY HILL, CONNECTICUT  
 1-(860)-529-8882

CELLCO PARTNERSHIP DBA  
 VERIZON WIRELESS  
 WIRELESS COMMUNICATIONS FACILITY  
 SITE ADDRESS:  
 MUNN ROAD  
 112 MUNN ROAD  
 COLCHESTER, CT 06415

REV.	DATE	DESCRIPTION

Scale: AS NOTED Date: 10-12-06  
 Job No. VZ1-166 File No. L-1

Dwg. No.  
 L-1  
 Dwg. 1 of 1

---

**DETAILED STRUCTURAL ANALYSIS AND  
EVALUATION OF 320' SELF SUPPORTING  
LATTICE TOWER FOR NEW ANTENNA  
ARRANGEMENT**

112 Munn Road  
Colchester, Connecticut

---

*prepared for*



**Verizon Wireless**  
99 East River Drive  
East Hartford, Connecticut 06108

*prepared by*



**URS CORPORATION**  
500 ENTERPRISE DRIVE, SUITE 3B  
ROCKY HILL, CT 06067  
TEL. 860-529-8882

36930991.00008  
VZ1-166

Revision 2 October 12, 2006

## **TABLE OF CONTENTS**

- 1. EXECUTIVE SUMMARY**
- 2. INTRODUCTION**
- 3. ANALYSIS METHODOLOGY AND LOADING CONDITIONS**
- 4. FINDINGS AND EVALUATION**
- 5. CONCLUSIONS**
- 6. DRAWINGS AND DATA**
  - **ERI TOWER FEEDLINE DISTRIBUTION CHART**
  - **ERI TOWER FEEDLINE PLAN**
  - **ERI TOWER DEFLECTION, TILT, AND TWIST**
  - **ERI TOWER INPUT / OUTPUT SUMMARY**
  - **ERI TOWER DETAILED OUTPUT**
  - **ERI TOWER DETAILED OUTPUT FOR DEFLECTION**
  - **ANCHOR BOLT ANALYSIS**
  - **FOUNDATION ANALYSIS**



1. EXECUTIVE SUMMARY

This report summarizes the structural analysis of the existing 320' self-supporting lattice tower structure located at 112 Munn Road in Colchester, Connecticut. The analysis was conducted in accordance with the 2005 Connecticut State Building Code, the TIA/EIA-222-F standard, and the Connecticut State Police Requirements for a wind velocity of 90 mph (fastest mile), 90 mph (fastest mile) concurrent with 1/2" ice, and 90 mph (fastest mile) concurrent with 1/2" ice at 90' AGL. The antenna loading considered in the analysis consists of all existing and proposed antennas, transmission lines, and ancillary items as outlined in the Introduction Section of this report. The proposed Verizon Wireless modification is as follows:

Proposed Antenna and Mount	Carrier	Antenna Center Elevation
Install (1) PL6-59D dish on (1) Dish Mount with (1) EW-63 coax cable routed up existing Verizon cable ladder.	Verizon Wireless (Proposed)	@ 175'
Install (1) PL6-59D dish on (1) Dish Mount with (1) EW-63 coax cable routed up existing Verizon cable ladder.	Verizon Wireless (Proposed)	@ 115'

The results of the analysis indicate that the existing tower structure is in compliance with the proposed loading conditions. **The tower and foundation are considered structurally adequate with the wind load specified above and the existing and proposed antenna loadings.** The tower sway is 0.61 degrees, and the tower twist is 0.26 degrees. These are within the Connecticut State Police specification of 0.75 degrees for twist and sway.

This analysis is based on:


- 1) The tower structure's theoretical capacity, not including any assessment of the condition of the tower.
- 2) Tower geometry and structural member sizes taken from original construction drawings (Rohn File #: 43233AE) prepared by Rohn Industries, Inc., approved May 10, 2001.
- 3) Antenna and mount configuration as specified on the following page of this report.
- 4) Coax cable orientation as specified in section 6 of this report.


This report is only valid as per the assumptions and data utilized in this report for antenna inventory, mounts and associated cables. The user of this report shall field verify the assumption of the antenna and mount configuration. Notify the engineer in writing immediately if any of the information in this report is found to be other than specified.

If you should have any questions, please call.

Sincerely,

URS Corporation

  
Richard A. Sambor, P.E.  
Manager Facilities Design



RAS/jek

cc: AA, DR, IA – URS  
CF/Book

## 2. INTRODUCTION

The subject tower is located at 112 Munn Road in Colchester, Connecticut. The structure is a 320' self-supporting lattice tower structure designed by Rohn Industries, Inc.

The tower geometry and structure member sizes were taken from the original construction drawings (Rohn File #: 43233AE) prepared by Rohn Industries, Inc., approved May 10, 2001.

The inventory provided by the Connecticut State Police is summarized in the table below:

Antenna Type	Carrier	Mount	Antenna Centerline Elevation	Cable
(3) 6 FT dishes	(wind load)	(3) Dish Mount	320'	(3) EW63 coax cables
(1) PD128 antenna	CSP/FBI (existing)	Side Arm Mount	320'	(1) 7/8" coax cable
(1) PD128 antenna	CSP (existing)	Side Arm Mount	318'	(1) 7/8" coax cable
(1) 8 FT dish	CSP (existing)	Dish Mount	315'	(1) 7/8" coax cable
(1) DB224 antenna	SHF (existing)	Side Arm Mount	294'	(1) 7/8" coax cable
(1) PD320 antenna	DEP (existing)	Side Arm Mount	292'	(1) 7/8" coax cable
(2) DB809 antenna	CSP (existing)	Side Arm Mount	285'	(2) 1 5/8" coax cables
(2) OGT9 antenna	CSP (existing)	Side Arm Mount	275'	(2) 1 5/8" coax cables
(1) PD440 antenna	OEM (existing)	Side Arm Mount	257'	(1) 7/8" coax cable
(1) PD128 antenna	OEM (existing)	Side Arm Mount	243'	(1) 7/8" coax cable
(1) PD320 antenna	CSP (existing)	Side Arm Mount	227'	(1) 7/8" coax cable
(6) DB844 antennas and (6) DB948F85T2E-M antennas	Verizon (existing)	(3) T-Arms	220'	(12) 1 5/8" coax cables
(12) Powerwave 7770.00 antennas, (12) LPG21401 TMA's and (12) LPG13519 Diplexers	Cingular (existing)	(3) T-Arms	200'	(24) 1 5/8" coax cables
(1) 6 FT dish	Verizon (proposed)	Dish Mount	175'	(1) EW63 coax cable
(1) BA1012 antenna	OEM (existing)	Side Arm Mount	140'	(1) 7/8" coax cable
(1) PD688S antenna	NEU (existing)	Side Arm Mount	140'	(1) 7/8" coax cable
(1) DB212 antenna	NEU (existing)	Side Arm Mount	140'	(1) 7/8" coax cable
(1) PD156S antenna	DEP (existing)	Flush Mount	138'	(1) 7/8" coax cable
(1) 6 FT dish	Verizon (proposed)	Dish Mount	115'	(1) EW63 coax cable
(1) 4 FT dish	CSP (existing)	Dish Mount	112'	(1) EW108 coax cable
(1) 6 FT dish	CSP (existing)	Dish Mount	105'	(1) EW65 coax cable

Antenna Type	Carrier	Mount	Antenna Centerline Elevation	Cable
(1) PD458 antenna	CTT (existing)	Side Arm Mount	100'	(1) 7/8" coax cable
(1) DB437 antenna	FBI (existing)	Side Arm Mount (listed above)	100'	(1) 7/8" coax cable
(1) 6 FT dish	CSP (existing)	Dish Mount	97'	(1) 7/8" coax cable
(1) 4 FT dish	CSP (existing)	Dish Mount	90'	(1) 7/8" coax cable

This structural analysis of the communications tower was performed by URS Corporation (URS) for Verizon Wireless. The purpose of this analysis was to investigate the structural integrity of the existing tower with its existing and proposed antenna loads. This analysis was conducted to evaluate stress on the tower and the effect of forces to the foundation of the tower resulting from existing and proposed antenna arrangements.

### **3. ANALYSIS METHODOLOGY AND LOADING CONDITIONS**

The structural analysis was done in accordance with the 2005 Connecticut State Building Code, TIA/EIA-222-F—Structural Standard for Steel Antenna Towers and Antenna Supporting Structures, and the American Institute of Steel Construction (AISC) Manual of Steel Construction—Allowable Stress Design (ASD).

The analysis was conducted using ERI Tower 3.0. Three load conditions were evaluated as shown below which were compared to allowable stresses according to AISC and TIA/EIA.

Load Condition 1 = 90 mph (fastest mile) Wind Load + Tower Dead Load  
Load Condition 2 = 90 mph (fastest mile) Wind Load (with ice) + Ice Load + Tower Dead Load  
Load Condition 3 = 78 mph (fastest mile) Wind Load (with ice) + Ice Load + Tower Dead Load  
(equivalent to 90 mph at the lowest dish level— 90' AGL)

The TIA/EIA standard permits a one-third increase in allowable stresses for towers and monopoles less than 700 feet tall. For the purposes of this analysis, in computing the load capacity the allowable stresses of the tower members were increased by one-third.

### **4. FINDINGS AND EVALUATION**

The stresses on the tower structure were evaluated to compare with the allowable stress in accordance with AISC. The results of the analysis indicate that the existing tower structure is in compliance with the proposed loading conditions. The anchor bolts and foundation were found to be within allowable limits. Additionally, the tower sway is 0.61 degrees, and the tower twist is 0.26 degrees. These are within the Connecticut State Police specification of 0.75 degrees for twist and sway.

## 5. CONCLUSIONS

The results of the analysis indicate that the existing tower structure is in compliance with the proposed loading conditions. **The tower and foundation are considered structurally adequate with the wind load specified above and the existing and proposed antenna loadings.** The tower sway is 0.61 degrees, and the tower twist is 0.26 degrees. These are within the Connecticut State Police specification of 0.75 degrees for twist and sway.

### **Limitations/Assumptions:**

This report is based on the following:

1. Tower inventory as listed in this report.
2. Tower is properly installed and maintained.
3. All members are as specified in the original design documents and are in good condition.
4. All required members are in place.
5. All bolts are in place and are properly tightened.
6. Tower is in plumb condition.
7. All member protective coatings are in good condition.
8. All tower members were properly designed, detailed, fabricated, and installed and have been properly maintained since erection.
9. Foundations were properly constructed to support original design loads as specified in the original design documents.

URS is not responsible for any modifications completed prior to or hereafter in which URS is not or was not directly involved. Modifications include but are not limited to:

- A. Adding antennas
- B. Removing/replacing antennas
- C. Adding coaxial cables

URS hereby states that this document represents the entire report and that it assumes no liability for any factual changes that may occur after the date of this report. All representations, recommendations, and conclusions are based upon information contained and set forth herein. If you are aware of any information which conflicts with that which is contained herein, or you are aware of any defects arising from original design, material, fabrication, or erection deficiencies, you should disregard this report and immediately contact URS. URS disclaims all liability for any representation, recommendation, or conclusion not expressly stated herein.

### **Ongoing and Periodic Inspection and Maintenance:**

After the Contractor has successfully completed the installation and the work has been accepted, the owner will be responsible for the ongoing and periodic inspection and maintenance of the tower.

The owner shall refer to TIA/EIA-222-F for recommendations for maintenance and inspection. The frequency of the inspection and maintenance intervals is to be determined by the owner based upon actual site and environmental conditions. It is recommended that a complete and thorough inspection of the entire tower structural system be performed at least yearly and more frequently as conditions warrant. According to TIA/EIA-222-F section 14.1, Note 1: It is recommended that the structure be inspected after severe wind and/or ice storms or other extreme loading conditions.


## 6. DRAWINGS AND DATA

## ERI TOWER FEEDLINE DISTRIBUTION CHART

# Feedline Distribution Chart

## 0' - 320'

Round
Flat
App In Face
App Out Face
Truss Leg




<b>URS Corporation</b>		
500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991		
<b>Job: 320' Rohn SSMW</b>		
Project: CSP Tower - Colchester, CT		
Client: Verizon Wireless	Drawn by: Staff	App'd:
Code: TIA/EIA-222-F	Date: 10/12/06	Scale: NTS
Path: P:\0810.12.2006 Rev 2\ERI Files\Reinforced 320' Rohn SSMW.dwg		Dwg No. E-7



# ERI TOWER FEEDLINE PLAN




# Feedline Plan

\_\_\_\_\_ Round \_\_\_\_\_ Flat \_\_\_\_\_ App In Face \_\_\_\_\_ App Out Face



<b>URS Corporation</b>		<b>Job: 320' Rohn SSMW</b>	
500 Enterprise Drive, Suite 3B		Project: <b>CSP Tower - Colchester, CT</b>	
Rocky Hill, CT 06067		Client: Verizon Wireless	Drawn by: Staff
Phone: (860) 529-8882		Code: TIA/EIA-222-F	Date: 10/12/06
FAX: (860) 529-3991		Path: P:\08110_12_2006_Rev 2\ERI Files\Reinforced 320' Rohn SSMW.er	Scale: NTS
			Dwg No. E-7

## ERI TOWER DEFLECTION, TILT, TWIST



<b>URS Corporation</b>		
500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991		
Job: <b>320' Rohn SSMW</b>		
Project: <b>CSP Tower - Colchester, CT</b>		
Client: Verizon Wireless	Drawn by: Staff	App'd:
Code: TIA/EIA-222-F	Date: 10/12/06	Scale: NTS
Path:		Dwg No. E-5

## ERI TOWER INPUT/OUTPUT SUMMARY



## ERI TOWER DETAILED OUTPUT

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSMW	<b>Page</b> 1 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

## Tower Input Data

The main tower is a 3x free standing tower with an overall height of 320.00 ft above the ground line.

The base of the tower is set at an elevation of 0.00 ft above the ground line.

The face width of the tower is 6.81 ft at the top and 40.69 ft at the base.

This tower is designed using the TIA/EIA-222-F standard.

The following design criteria apply:

Basic wind speed of 90 mph.

Nominal ice thickness of 0.5000 in.

Ice density of 56 pcf.

A wind speed of 90 mph is used in combination with ice.

Temperature drop of 50 °F.

Deflections calculated using a wind speed of 90 mph.

Pressures are calculated at each section.

Stress ratio used in tower member design is 1.333.

Local bending stresses due to climbing loads, feedline supports, and appurtenance mounts are not considered.

## Options

- |  |  |  |
|--|--|--|
| <ul style="list-style-type: none"> <li>Consider Moments - Legs</li> <li>Consider Moments - Horizontals</li> <li>Consider Moments - Diagonals</li> <li>Use Moment Magnification</li> <li>√ Use Code Stress Ratios</li> <li>√ Use Code Safety Factors - Guys</li> <li>Escalate Ice</li> <li>Always Use Max Kz</li> <li>Use Special Wind Profile</li> <li>√ Include Bolts In Member Capacity</li> <li>Leg Bolts Are At Top Of Section</li> <li>Secondary Horizontal Braces Leg</li> <li>Use Diamond Inner Bracing (4 Sided)</li> <li>Add IBC .6D+W Combination</li> </ul> | <ul style="list-style-type: none"> <li>Distribute Leg Loads As Uniform</li> <li>Assume Legs Pinned</li> <li>√ Assume Rigid Index Plate</li> <li>√ Use Clear Spans For Wind Area</li> <li>√ Use Clear Spans For KL/r</li> <li>Retension Guys To Initial Tension</li> <li>Bypass Mast Stability Checks</li> <li>Use Azimuth Dish Coefficients</li> <li>√ Project Wind Area of Appurt.</li> <li>Autocalc Torque Arm Areas</li> <li>SR Members Have Cut Ends</li> <li>√ Sort Capacity Reports By Component</li> <li>Triangulate Diamond Inner Bracing</li> </ul> | <ul style="list-style-type: none"> <li>Treat Feedline Bundles As Cylinder</li> <li>Use ASCE 10 X-Brace Ly Rules</li> <li>√ Calculate Redundant Bracing Forces</li> <li>Ignore Redundant Members in FEA</li> <li>SR Leg Bolts Resist Compression</li> <li>√ All Leg Panels Have Same Allowable</li> <li>Offset Girt At Foundation</li> <li>√ Consider Feedline Torque</li> <li>Include Angle Block Shear Check</li> <li>Include Shear-Torsion Interaction</li> <li>Always Use Sub-Critical Flow</li> <li>Use Top Mounted Sockets</li> </ul> |
|--|--|--|





<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSMW	<b>Page</b> 3 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Section	Tower Elevation	Diagonal Spacing	Bracing Type	Has K Brace End Panels	Has Horizontals	Top Girt Offset	Bottom Girt Offset
	ft	ft				in	in
T1	320.00-300.00	4.00	X Brace	No	No	0.0000	0.0000
T2	300.00-280.00	5.00	X Brace	No	No	0.0000	0.0000
T3	280.00-260.00	6.67	X Brace	No	No	0.0000	0.0000
T4	260.00-240.00	6.67	X Brace	No	No	0.0000	0.0000
T5	240.00-220.00	6.67	X Brace	No	No	0.0000	0.0000
T6	220.00-200.00	10.00	X Brace	No	No	0.0000	0.0000
T7	200.00-180.00	10.00	X Brace	No	No	0.0000	0.0000
T8	180.00-160.00	10.00	X Brace	No	No	0.0000	0.0000
T9	160.00-140.00	10.00	X Brace	No	No	0.0000	0.0000
T10	140.00-120.00	10.00	X Brace	No	No	0.0000	0.0000
T11	120.00-100.00	20.00	K1 Down	No	Yes	0.0000	0.0000
T12	100.00-80.00	20.00	K1 Down	No	Yes	0.0000	0.0000
T13	80.00-60.00	20.00	K1 Down	No	Yes	0.0000	0.0000
T14	60.00-30.00	30.00	K2 Down	No	Yes	0.0000	0.0000
T15	30.00-0.00	30.00	K2 Down	No	Yes	0.0000	0.0000

### Tower Section Geometry (cont'd)

Tower Elevation	Leg Type	Leg Size	Leg Grade	Diagonal Type	Diagonal Size	Diagonal Grade
ft						
T1 320.00-300.00	Pipe	ROHN 5 EH	A572-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x3/16	A36 (36 ksi)
T2 300.00-280.00	Pipe	ROHN 6 EH	A572-50 (50 ksi)	Equal Angle	L2x2x1/4	A36 (36 ksi)
T3 280.00-260.00	Pipe	ROHN 8 EH	A572-50 (50 ksi)	Equal Angle	L2 1/2x2 1/2x1/4	A36 (36 ksi)
T4 260.00-240.00	Pipe	ROHN 8 EH	A572-50 (50 ksi)	Equal Angle	L3x3x1/4	A572-50 (50 ksi)
T5 240.00-220.00	Pipe	ROHN 8 EH	A572-50 (50 ksi)	Equal Angle	L4x4x5/16	A572-50 (50 ksi)
T6 220.00-200.00	Pipe	ROHN 8 EH	A572-50 (50 ksi)	Equal Angle	L4x4x3/8	A572-50 (50 ksi)
T7 200.00-180.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Equal Angle	L4x4x3/8	A572-50 (50 ksi)
T8 180.00-160.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Equal Angle	L4x4x3/8	A572-50 (50 ksi)
T9 160.00-140.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Equal Angle	L5x5x3/8	A572-50 (50 ksi)
T10 140.00-120.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Equal Angle	L5x5x3/8	A572-50 (50 ksi)
T11 120.00-100.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Pipe	ROHN 3 EH	A572-50 (50 ksi)
T12 100.00-80.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Pipe	ROHN 3 EH	A572-50 (50 ksi)
T13 80.00-60.00	Pipe	ROHN 12 EH	A572-50 (50 ksi)	Pipe	ROHN 3 EH	A572-50 (50 ksi)
T14 60.00-30.00	Pipe	ROHN 12 EH	A572-50 (50 ksi)	Pipe	ROHN 3.5 EH	A572-50 (50 ksi)
T15 30.00-0.00	Pipe	ROHN 12 EHS	A572-50 (50 ksi)	Pipe	ROHN 3.5 EH	A572-50 (50 ksi)

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 4 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

### Tower Section Geometry (cont'd)

Tower Elevation ft	Top Girt Type	Top Girt Size	Top Girt Grade	Bottom Girt Type	Bottom Girt Size	Bottom Girt Grade
T1 320.00-300.00	Equal Angle	L1 3/4x1 3/4x3/16	A36 (36 ksi)	Solid Round		A36 (36 ksi)
T2 300.00-280.00	Equal Angle	L2x2x1/4	A36 (36 ksi)	Solid Round		A36 (36 ksi)

### Tower Section Geometry (cont'd)

Tower Elevation ft	No. of Mid Girts	Mid Girt Type	Mid Girt Size	Mid Girt Grade	Horizontal Type	Horizontal Size	Horizontal Grade
T11 120.00-100.00	None	Flat Bar		A36 (36 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T12 100.00-80.00	None	Flat Bar		A36 (36 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T13 80.00-60.00	None	Flat Bar		A36 (36 ksi)	Pipe	ROHN 3 EH	A572-50 (50 ksi)
T14 60.00-30.00	None	Flat Bar		A36 (36 ksi)	Pipe	ROHN 3.5 EH	A572-50 (50 ksi)
T15 30.00-0.00	None	Flat Bar		A36 (36 ksi)	Pipe	ROHN 4 STD	A572-50 (50 ksi)

### Tower Section Geometry (cont'd)

Tower Elevation ft	Secondary Horizontal Type	Secondary Horizontal Size	Secondary Horizontal Grade	Inner Bracing Type	Inner Bracing Size	Inner Bracing Grade
T11 120.00-100.00	Pipe		A572-50 (50 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T12 100.00-80.00	Pipe		A572-50 (50 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T13 80.00-60.00	Pipe		A572-50 (50 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T14 60.00-30.00	Pipe		A572-50 (50 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T15 30.00-0.00	Pipe		A572-50 (50 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)

### Tower Section Geometry (cont'd)

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 5 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Elevation	Redundant Bracing Grade	Redundant Type	Redundant Size	K Factor
ft				
T11 120.00-100.00	A572-50 (50 ksi)	Horizontal (1) Diagonal (1) Hip (1) Hip Diagonal	Pipe Pipe Pipe ROHN 2.5 STD	1 1 1 1
T12 100.00-80.00	A572-50 (50 ksi)	Horizontal (1) Diagonal (1) Hip (1) Hip Diagonal	Pipe Pipe Pipe ROHN 2.5 STD	1 1 1 1
T13 80.00-60.00	A572-50 (50 ksi)	Horizontal (1) Diagonal (1) Hip (1) Hip Diagonal	Pipe Pipe Pipe ROHN 2.5 STD	1 1 1 1
T14 60.00-30.00	A572-50 (50 ksi)	Horizontal (1) Horizontal (2) Diagonal (1) Diagonal (2) Hip (1) Hip (2) Hip Diagonal	Pipe Pipe Pipe Pipe Pipe Pipe ROHN 2.5 STD	1 1 1 1 1 1 1
T15 30.00-0.00	A572-50 (50 ksi)	Horizontal (1) Horizontal (2) Diagonal (1) Diagonal (2) Hip (1) Hip (2) Hip Diagonal	Pipe Pipe Pipe Pipe Pipe Pipe ROHN 2.5 STD	1 1 1 1 1 1 1

### Tower Section Geometry (cont'd)

Tower Elevation	Gusset Area (per face)	Gusset Thickness	Gusset Grade	Adjust. Factor $A_f$	Adjust. Factor $A_r$	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in
ft	ft <sup>2</sup>	in						
T1 320.00-300.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T2 300.00-280.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T3 280.00-260.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T4 260.00-240.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T5 240.00-220.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T6 220.00-200.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T7 200.00-180.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T8 180.00-160.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T9 160.00-140.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T10 140.00-120.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T11 120.00-100.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T12 100.00-0.00	0.00	0.0000	A36	1	1	1	36.0000	36.0000

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8832 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 6 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Elevation	Gusset Area (per face)	Gusset Thickness	Gusset Grade	Adjust. Factor $A_f$	Adjust. Factor $A_r$	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in
ft	ft <sup>2</sup>	in						
80.00			(36 ksi)					
T13 80.00-60.00	0.00	0.0000	A36	1	1	1	36.0000	36.0000
T14 60.00-30.00	0.00	0.0000	(36 ksi)	1	1	1	36.0000	36.0000
T15 30.00-0.00	0.00	0.0000	A36	1	1	1	36.0000	36.0000
			(36 ksi)					

### Tower Section Geometry (cont'd)

Tower Elevation	Calc K Single Angles	Calc K Solid Rounds	Legs	K Factors <sup>1</sup>							
				X Brace Diags	K Brace Diags	Single Diags	Girts	Horiz.	Sec. Horiz.	Inner Brace	
											X
ft			Y	Y	Y	Y	Y	Y	Y	Y	
T1 320.00-300.00	Yes	No	1	1	1	1	1	1	1	1	1
T2 300.00-280.00	Yes	No	1	1	1	1	1	1	1	1	1
T3 280.00-260.00	Yes	No	1	1	1	1	1	1	1	1	1
T4 260.00-240.00	Yes	No	1	1	1	1	1	1	1	1	1
T5 240.00-220.00	Yes	No	1	1	1	1	1	1	1	1	1
T6 220.00-200.00	Yes	No	1	1	1	1	1	1	1	1	1
T7 200.00-180.00	Yes	No	1	1	1	1	1	1	1	1	1
T8 180.00-160.00	Yes	No	1	1	1	1	1	1	1	1	1
T9 160.00-140.00	Yes	No	1	1	1	1	1	1	1	1	1
T10 140.00-120.00	Yes	No	1	1	1	1	1	1	1	1	1
T11 120.00-100.00	No	No	1	1	0.95	1	1	1	1	1	1
T12 100.00-80.00	No	No	1	1	0.95	1	1	1	1	1	1
T13 80.00-60.00	No	No	1	1	0.95	1	1	1	1	1	1
T14 60.00-30.00	No	No	1	1	0.95	1	1	1	1	1	1
T15 30.00-0.00	No	No	1	1	1	1	1	1	1	1	1

<sup>1</sup>Note: K factors are applied to member segment lengths. K-braces without inner supporting members will have the K factor in the out-of-plane direction applied to the overall length.

### Tower Section Geometry (cont'd)

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 7 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Elevation ft	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U
T1 320.00-300.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T2 300.00-280.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T3 280.00-260.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T4 260.00-240.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T5 240.00-220.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T6 220.00-200.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T7 200.00-180.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T8 180.00-160.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T9 160.00-140.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T10 140.00-120.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T11 120.00-100.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T12 100.00-80.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T13 80.00-60.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T14 60.00-30.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T15 30.00-0.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75

### Tower Section Geometry (cont'd)

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T1 320.00-300.00	Flange	1.0000	6	0.6250	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T2 300.00-280.00	Flange	1.0000	8	0.6250	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T3 280.00-260.00	Flange	1.0000	8	0.7500	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T4 260.00-240.00	Flange	1.0000	8	0.7500	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T5 240.00-220.00	Flange	1.0000	8	0.7500	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T6 220.00-200.00	Flange	1.0000	12	0.7500	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T7 200.00-180.00	Flange	1.0000	12	0.8750	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 8 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T8 180.00-160.00	Flange	1.0000	12	0.8750	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N	A325X	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N
T9 160.00-140.00	Flange	1.0000	12	0.8750	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N	A325X	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N
T10 140.00-120.00	Flange	1.0000	12	0.8750	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N	A325X	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N
T11 120.00-100.00	Flange	1.0000	12	0.7500	3	0.6250	0	0.6250	0	0.6250	0	0.7500	2	0.6250	0
		A325N	A325X	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325X	A325N	A325N	A325N
T12 100.00-80.00	Flange	1.0000	16	0.7500	3	0.6250	0	0.6250	0	0.6250	0	0.7500	2	0.6250	0
		A325N	A325X	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325X	A325N	A325N	A325N
T13 80.00-60.00	Flange	1.0000	16	0.7500	3	0.6250	0	0.6250	0	0.6250	0	0.7500	2	0.6250	0
		A325N	A325X	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325X	A325N	A325N	A325N
T14 60.00-30.00	Flange	1.0000	16	0.8750	3	0.6250	0	0.6250	0	0.6250	0	0.7500	2	0.6250	0
		A325N	A325X	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325X	A325N	A325N	A325N
T15 30.00-0.00	Flange	1.0000	24	0.8750	3	0.6250	0	0.6250	0	0.6250	0	0.7500	2	0.6250	0
		A325N	A325X	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325N	A325X	A325N	A325N	A325N

**Feed Line/Linear Appurtenances - Entered As Round Or Flat**

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	# Per Row	Clear Spacing in	Width or Diameter in	Perimeter in	Weight plf
1 5/8 (Verizon)	C	Yes	Ar (CfAe)	220.00 - 0.00	0.0000	-0.4	12	12	1.9800	1.9800		1.04
3/4 Electrical	B	Yes	Ar (CfAe)	320.00 - 0.00	0.0000	0.48	2	2	1.1100	1.1100		0.54
7/8	B	Yes	Ar (CfAe)	320.00 - 0.00	0.0000	0.46	3	3	1.1100	1.1100		0.54
EW63	B	Yes	Af (CfAe)	320.00 - 0.00	0.0000	0.44	3	3	1.5742	1.5742	5.0668	0.51
7/8	B	Yes	Ar (CfAe)	294.00 - 0.00	0.0000	0.42	2	2	1.1100	1.1100		0.54
1 5/8	B	Yes	Ar (CfAe)	280.00 - 0.00	0.0000	0.4	4	4	1.9800	1.9800		1.04
7/8	B	Yes	Ar (CfAe)	250.00 - 0.00	0.0000	0.38	3	3	1.1100	1.1100		0.54
7/8	B	Yes	Ar (CfAe)	140.00 - 0.00	0.0000	0.36	4	4	1.1100	1.1100		0.54
EW108	B	Yes	Af (CfAe)	112.00 - 0.00	0.0000	0.34	1	1	0.5899	0.5899	2.0063	0.15
EW65	B	Yes	Af (CfAe)	105.00 - 0.00	0.0000	0.32	1	1	1.5742	1.5742	5.0668	0.51
7/8	B	Yes	Ar (CfAe)	105.00 - 0.00	0.0000	0.3	2	2	1.1100	1.1100		0.54
7/8	B	Yes	Ar (CfAe)	95.00 - 0.00	0.0000	0.28	2	2	1.1100	1.1100		0.54
EW63 (Verizon)	C	Yes	Af (CfAe)	175.00 - 0.00	0.0000	-0.45	1	1	1.5742	1.5742	5.0668	0.51
EW63 (Verizon)	C	Yes	Af (CfAe)	115.00 - 0.00	0.0000	-0.47	1	1	1.5742	1.5742	5.0668	0.51
1 5/8 (Cingular)	A	Yes	Ar (CfAe)	200.00 - 0.00	0.0000	-0.42	24	12	1.9800	1.9800		1.04

**Feed Line/Linear Appurtenances Section Areas**

Tower Section	Tower Elevation ft	Face	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> In Face ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> Out Face ft <sup>2</sup>	Weight K
T1	320.00-300.00	A	0.000	0.000	0.000	0.000	0.00
		B	9.250	7.871	0.000	0.000	0.08
		C	0.000	0.000	0.000	0.000	0.00

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSMW	<b>Page</b> 9 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Section	Tower Elevation ft	Face	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>AA</sub> In Face ft <sup>2</sup>	C <sub>AA</sub> Out Face ft <sup>2</sup>	Weight K
T2	300.00-280.00	A	0.000	0.000	0.000	0.000	0.00
		B	11.840	7.871	0.000	0.000	0.10
		C	0.000	0.000	0.000	0.000	0.00
T3	280.00-260.00	A	0.000	0.000	0.000	0.000	0.00
		B	26.150	7.871	0.000	0.000	0.19
		C	0.000	0.000	0.000	0.000	0.00
T4	260.00-240.00	A	0.000	0.000	0.000	0.000	0.00
		B	28.925	7.871	0.000	0.000	0.21
		C	0.000	0.000	0.000	0.000	0.00
T5	240.00-220.00	A	0.000	0.000	0.000	0.000	0.00
		B	31.700	7.871	0.000	0.000	0.22
		C	0.000	0.000	0.000	0.000	0.00
T6	220.00-200.00	A	0.000	0.000	0.000	0.000	0.00
		B	31.700	7.871	0.000	0.000	0.22
		C	39.600	0.000	0.000	0.000	0.25
T7	200.00-180.00	A	39.600	0.000	0.000	0.000	0.50
		B	31.700	7.871	0.000	0.000	0.22
		C	39.600	0.000	0.000	0.000	0.25
T8	180.00-160.00	A	39.600	0.000	0.000	0.000	0.50
		B	31.700	7.871	0.000	0.000	0.22
		C	39.600	1.968	0.000	0.000	0.26
T9	160.00-140.00	A	39.600	0.000	0.000	0.000	0.50
		B	31.700	7.871	0.000	0.000	0.22
		C	39.600	2.624	0.000	0.000	0.26
T10	140.00-120.00	A	39.600	0.000	0.000	0.000	0.50
		B	39.100	7.871	0.000	0.000	0.27
		C	39.600	2.624	0.000	0.000	0.26
T11	120.00-100.00	A	39.600	0.000	0.000	0.000	0.50
		B	40.025	9.117	0.000	0.000	0.27
		C	39.600	4.591	0.000	0.000	0.27
T12	100.00-80.00	A	39.600	0.000	0.000	0.000	0.50
		B	45.575	11.478	0.000	0.000	0.32
		C	39.600	5.247	0.000	0.000	0.27
T13	80.00-60.00	A	39.600	0.000	0.000	0.000	0.50
		B	46.500	11.478	0.000	0.000	0.32
		C	39.600	5.247	0.000	0.000	0.27
T14	60.00-30.00	A	59.400	0.000	0.000	0.000	0.75
		B	69.750	17.217	0.000	0.000	0.48
		C	59.400	7.871	0.000	0.000	0.41
T15	30.00-0.00	A	59.400	0.000	0.000	0.000	0.75
		B	69.750	17.217	0.000	0.000	0.48
		C	59.400	7.871	0.000	0.000	0.41

### Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>AA</sub> In Face ft <sup>2</sup>	C <sub>AA</sub> Out Face ft <sup>2</sup>	Weight K
T1	320.00-300.00	A	0.500	0.000	0.000	0.000	0.000	0.00
		B		17.583	11.204	0.000	0.000	0.26
		C		0.000	0.000	0.000	0.000	0.00
T2	300.00-280.00	A	0.500	0.000	0.000	0.000	0.000	0.00
		B		22.507	11.204	0.000	0.000	0.31
		C		0.000	0.000	0.000	0.000	0.00
T3	280.00-260.00	A	0.500	0.000	0.000	0.000	0.000	0.00
		B		44.483	11.204	0.000	0.000	0.53
		C		0.000	0.000	0.000	0.000	0.00
T4	260.00-240.00	A	0.500	0.000	0.000	0.000	0.000	0.00



<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 10 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	$A_R$ ft <sup>2</sup>	$A_F$ ft <sup>2</sup>	$C_{AA}$ In Face ft <sup>2</sup>	$C_{AA}$ Out Face ft <sup>2</sup>	Weight K
		B		49.758	11.204	0.000	0.000	0.58
		C		0.000	0.000	0.000	0.000	0.00
T5	240.00-220.00	A	0.500	0.000	0.000	0.000	0.000	0.00
		B		55.033	11.204	0.000	0.000	0.62
		C		0.000	0.000	0.000	0.000	0.00
T6	220.00-200.00	A	0.500	0.000	0.000	0.000	0.000	0.00
		B		55.033	11.204	0.000	0.000	0.62
		C		59.600	0.000	0.000	0.000	0.61
T7	200.00-180.00	A	0.500	59.600	0.000	0.000	0.000	1.23
		B		55.033	11.204	0.000	0.000	0.62
		C		59.600	0.000	0.000	0.000	0.61
T8	180.00-160.00	A	0.500	59.600	0.000	0.000	0.000	1.23
		B		55.033	11.204	0.000	0.000	0.62
		C		59.600	0.000	0.000	0.000	0.61
T9	160.00-140.00	A	0.500	59.600	0.000	0.000	0.000	1.23
		B		55.033	11.204	0.000	0.000	0.62
		C		59.600	3.735	0.000	0.000	0.65
T10	140.00-120.00	A	0.500	59.600	0.000	0.000	0.000	1.23
		B		69.100	11.204	0.000	0.000	0.74
		C		59.600	3.735	0.000	0.000	0.65
T11	120.00-100.00	A	0.500	59.600	0.000	0.000	0.000	1.23
		B		70.858	13.395	0.000	0.000	0.78
		C		59.600	6.536	0.000	0.000	0.68
T12	100.00-80.00	A	0.500	59.600	0.000	0.000	0.000	1.23
		B		81.408	17.033	0.000	0.000	0.90
		C		59.600	7.470	0.000	0.000	0.69
T13	80.00-60.00	A	0.500	59.600	0.000	0.000	0.000	1.23
		B		83.167	17.033	0.000	0.000	0.92
		C		59.600	7.470	0.000	0.000	0.69
T14	60.00-30.00	A	0.500	89.400	0.000	0.000	0.000	1.84
		B		124.750	25.550	0.000	0.000	1.38
		C		89.400	11.204	0.000	0.000	1.03
T15	30.00-0.00	A	0.500	89.400	0.000	0.000	0.000	1.84
		B		124.750	25.550	0.000	0.000	1.38
		C		89.400	11.204	0.000	0.000	1.03

### Feed Line Shielding

Section	Elevation ft	Face	$A_R$ ft <sup>2</sup>	$A_R$ Ice ft <sup>2</sup>	$A_F$ ft <sup>2</sup>	$A_F$ Ice ft <sup>2</sup>
T1	320.00-300.00	A	0.000	0.000	0.000	0.000
		B	0.000	0.000	1.573	3.863
		C	0.000	0.000	0.000	0.000
T2	300.00-280.00	A	0.000	0.000	0.000	0.000
		B	0.000	0.000	1.727	4.132
		C	0.000	0.000	0.000	0.000
T3	280.00-260.00	A	0.000	0.000	0.000	0.000
		B	0.000	0.000	2.564	5.474
		C	0.000	0.000	0.000	0.000
T4	260.00-240.00	A	0.000	0.000	0.000	0.000
		B	0.000	0.000	3.155	6.564
		C	0.000	0.000	0.000	0.000
T5	240.00-220.00	A	0.000	0.000	0.000	0.000
		B	0.000	0.000	4.380	8.768
		C	0.000	0.000	0.000	0.000
T6	220.00-200.00	A	0.000	0.000	0.000	0.000

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 11 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section	Elevation ft	Face	$A_R$	$A_{R\ Ice}$	$A_F$	$A_{F\ Ice}$
			ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>
T7	200.00-180.00	B	0.000	0.000	3.107	6.220
		C	0.000	0.000	3.109	5.460
		A	0.000	0.000	3.015	5.294
T8	180.00-160.00	B	0.000	0.000	3.013	6.031
		C	0.000	0.000	3.015	5.294
		A	0.000	0.000	2.945	5.170
T9	160.00-140.00	B	0.000	0.000	2.942	5.891
		C	0.000	0.000	3.091	5.449
		A	0.000	0.000	3.618	6.172
T10	140.00-120.00	B	0.000	0.000	3.616	7.032
		C	0.000	0.000	3.858	6.616
		A	0.000	0.000	3.569	6.087
T11	120.00-100.00	B	0.000	0.000	4.233	8.372
		C	0.000	0.000	3.805	6.526
		A	2.688	5.475	0.000	0.000
T12	100.00-80.00	B	3.335	7.936	0.000	0.000
		C	2.999	6.165	0.000	0.000
		A	2.572	5.239	0.000	0.000
T13	80.00-60.00	B	3.706	8.898	0.000	0.000
		C	2.913	5.993	0.000	0.000
		A	2.560	5.173	0.000	0.000
T14	60.00-30.00	B	3.748	8.938	0.000	0.000
		C	2.899	5.918	0.000	0.000
		A	4.171	8.402	0.000	0.000
T15	30.00-0.00	B	6.106	14.518	0.000	0.000
		C	4.723	9.612	0.000	0.000
		A	4.315	8.525	0.000	0.000
		B	6.318	14.730	0.000	0.000
		C	4.887	9.752	0.000	0.000

**Feed Line Center of Pressure**

Section	Elevation ft	$CP_x$	$CP_z$	$CP_x\ Ice$	$CP_z\ Ice$
		in	in	in	in
T1	320.00-300.00	5.7821	2.9520	7.1025	3.6441
T2	300.00-280.00	6.6750	3.3779	8.5933	4.3612
T3	280.00-260.00	11.0518	5.2903	14.1421	6.8116
T4	260.00-240.00	12.7911	6.0842	16.6398	7.9470
T5	240.00-220.00	13.1492	6.2185	17.5579	8.3243
T6	220.00-200.00	26.2723	15.6197	32.4306	19.0842
T7	200.00-180.00	10.5398	19.5179	13.8444	23.4557
T8	180.00-160.00	12.1105	21.5914	15.7775	25.9400
T9	160.00-140.00	12.1464	21.3930	16.0555	26.1545
T10	140.00-120.00	15.0912	23.2372	20.2284	28.4681
T11	120.00-100.00	19.9795	28.9268	24.9235	33.1525
T12	100.00-80.00	24.3917	31.5250	30.3482	36.0111
T13	80.00-60.00	24.7156	31.5797	31.3068	36.6933
T14	60.00-30.00	26.5159	33.8668	33.5485	39.3179
T15	30.00-0.00	28.0485	35.8107	35.7092	41.8405

**Discrete Tower Loads**

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	320' Rohn SSVMW	<b>Page</b>	12 of 55
	<b>Project</b>	CSP Tower - Colchester, CT	<b>Date</b>	12:49:15 10/12/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	CAA		Weight
			Horz	Lateral			Front	Side	
			ft	ft	°	ft	ft <sup>2</sup>	ft <sup>2</sup>	K
Dual Lights	C	None			0.0000	320.00	No Ice 4.00 1/2" Ice 4.80	4.00 4.80	0.25 0.40
5'3"x4" Pipe Mount (CSP future)	A	From Leg	0.50 0.00 0.00		0.0000	320.00	No Ice 1.88 1/2" Ice 2.21	1.88 2.21	0.06 0.07
5'3"x4" Pipe Mount (CSP future)	B	From Leg	0.50 0.00 0.00		0.0000	320.00	No Ice 1.88 1/2" Ice 2.21	1.88 2.21	0.06 0.07
5'3"x4" Pipe Mount (CSP future)	C	From Leg	0.50 0.00 0.00		0.0000	320.00	No Ice 1.88 1/2" Ice 2.21	1.88 2.21	0.06 0.07
PD128 (CSP)	C	From Leg	6.00 0.00 0.00		0.0000	320.00	No Ice 1.00 1/2" Ice 1.80	1.00 1.80	0.01 0.02
6' Side Mount Standoff	C	None			0.0000	320.00	No Ice 6.50 1/2" Ice 8.50	6.50 8.50	0.10 0.17
PD128 (CSP)	C	From Leg	6.00 0.00 0.00		0.0000	318.00	No Ice 1.00 1/2" Ice 1.80	1.00 1.80	0.01 0.02
6' Side Mount Standoff	C	None			0.0000	318.00	No Ice 6.50 1/2" Ice 8.50	6.50 8.50	0.10 0.17
6'8"x4" Pipe Mount (CSP)	C	From Leg	0.50 0.00 0.00		0.0000	315.00	No Ice 2.60 1/2" Ice 3.01	2.60 3.01	0.07 0.09
DB224 (SHF)	A	From Leg	6.00 0.00 0.00		0.0000	294.00	No Ice 3.15 1/2" Ice 5.67	3.15 5.67	0.03 0.04
6' Side Mount Standoff	A	None			0.0000	294.00	No Ice 6.50 1/2" Ice 8.50	6.50 8.50	0.10 0.17
PD320 (DEP)	C	From Leg	6.00 0.00 0.00		0.0000	292.00	No Ice 2.25 1/2" Ice 4.05	2.25 4.05	0.03 0.04
6' Side Mount Standoff	C	None			0.0000	292.00	No Ice 6.50 1/2" Ice 8.50	6.50 8.50	0.10 0.17
(2) DB809 (CSP)	A	From Leg	6.00 0.00 0.00		0.0000	285.00	No Ice 3.39 1/2" Ice 4.55	3.39 4.55	0.03 0.06
6' Side Mount Standoff	A	None			0.0000	285.00	No Ice 6.50 1/2" Ice 8.50	6.50 8.50	0.10 0.17
(2) OGT9 (CSP)	A	From Leg	6.00 0.00 0.00		0.0000	275.00	No Ice 3.15 1/2" Ice 5.67	3.15 5.67	0.03 0.04
6' Side Mount Standoff	A	None			0.0000	275.00	No Ice 6.50 1/2" Ice 8.50	6.50 8.50	0.10 0.17
PD440 (OEM)	B	From Leg	6.00 0.00 0.00		0.0000	257.00	No Ice 1.38 1/2" Ice 2.48	1.38 2.48	0.02 0.02
6' Side Mount Standoff	B	None			0.0000	257.00	No Ice 6.50 1/2" Ice 8.50	6.50 8.50	0.10 0.17
PD128 (OEM)	C	From Leg	6.00 0.00 0.00		0.0000	243.00	No Ice 1.00 1/2" Ice 1.80	1.00 1.80	0.01 0.02
6' Side Mount Standoff	C	None			0.0000	243.00	No Ice 6.50 1/2" Ice 8.50	6.50 8.50	0.10 0.17
PD320 (CSP)	A	From Leg	6.00 0.00		0.0000	227.00	No Ice 2.25 1/2" Ice 4.05	2.25 4.05	0.03 0.04

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	320' Rohn SSVMW	<b>Page</b>	13 of 55
	<b>Project</b>	CSP Tower - Colchester, CT	<b>Date</b>	12:49:15 10/12/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	CAA		Weight	
			Horz	Lateral			Front	Side		
			Vert							
			ft	ft	°	ft	ft <sup>2</sup>	ft <sup>2</sup>	K	
			ft							
			ft							
6' Side Mount Standoff	A	None	0.00		0.0000	227.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
DB844 (Verizon)	A	From Leg	5.00 6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB844 (Verizon)	A	From Leg	5.00 -6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB948F85T2E-M (Verizon)	A	From Leg	5.00 4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
DB948F85T2E-M (Verizon)	A	From Leg	5.00 -4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
DB844 (Verizon)	B	From Leg	5.00 6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB844 (Verizon)	B	From Leg	5.00 -6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB948F85T2E-M (Verizon)	B	From Leg	5.00 4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
DB948F85T2E-M (Verizon)	B	From Leg	5.00 -4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
DB844 (Verizon)	C	From Leg	5.00 6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB844 (Verizon)	C	From Leg	5.00 -6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB948F85T2E-M (Verizon)	C	From Leg	5.00 4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
DB948F85T2E-M (Verizon)	C	From Leg	5.00 -4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
Mounting Frame (Verizon)	A	From Leg	5.00 0.00 0.00		0.0000	220.00	No Ice 1/2" Ice	17.00 20.00	17.00 20.00	0.56 0.70
Mounting Frame (Verizon)	B	From Leg	5.00 0.00 0.00		0.0000	220.00	No Ice 1/2" Ice	17.00 20.00	17.00 20.00	0.56 0.70
Mounting Frame (Verizon)	C	From Leg	5.00 0.00 0.00		0.0000	220.00	No Ice 1/2" Ice	17.00 20.00	17.00 20.00	0.56 0.70
PiROD 12' Lightweight T-Frame (Cingular)	A	None	0.00		0.0000	200.00	No Ice 1/2" Ice	10.20 16.20	10.20 16.20	0.25 0.35
PiROD 12' Lightweight T-Frame (Cingular)	B	None	0.00		0.0000	200.00	No Ice 1/2" Ice	10.20 16.20	10.20 16.20	0.25 0.35
PiROD 12' Lightweight T-Frame (Cingular)	C	None	0.00		0.0000	200.00	No Ice 1/2" Ice	10.20 16.20	10.20 16.20	0.25 0.35

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	320' Rohn SSVMW	Page	14 of 55
	Project	CSP Tower - Colchester, CT	Date	12:49:15 10/12/06
	Client	Verizon Wireless	Designed by	Staff

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C <sub>A</sub> A <sub>Front</sub> ft <sup>2</sup>	C <sub>A</sub> A <sub>Side</sub> ft <sup>2</sup>	Weight K
(4) 7770.00 (Cingular)	A	From Leg	3.00 0.00 0.00	0.0000	200.00	No Ice 5.88 1/2" Ice 6.31	2.93 3.27	0.04 0.07
(4) 7770.00 (Cingular)	B	From Leg	3.00 0.00 0.00	0.0000	200.00	No Ice 5.88 1/2" Ice 6.31	2.93 3.27	0.04 0.07
(4) 7770.00 (Cingular)	C	From Leg	3.00 0.00 0.00	0.0000	200.00	No Ice 5.88 1/2" Ice 6.31	2.93 3.27	0.04 0.07
(4) LPG21401 TMA (Cingular)	A	From Leg	3.00 0.00 0.00	0.0000	200.00	No Ice 0.95 1/2" Ice 1.09	0.37 0.48	0.02 0.02
(4) LPG21401 TMA (Cingular)	B	From Leg	3.00 0.00 0.00	0.0000	200.00	No Ice 0.95 1/2" Ice 1.09	0.37 0.48	0.02 0.02
(4) LPG21401 TMA (Cingular)	C	From Leg	3.00 0.00 0.00	0.0000	200.00	No Ice 0.95 1/2" Ice 1.09	0.37 0.48	0.02 0.02
(4) LPG13519 Diplexer (Cingular)	A	From Leg	3.00 0.00 0.00	0.0000	200.00	No Ice 0.27 1/2" Ice 0.34	0.18 0.25	0.01 0.01
(4) LPG13519 Diplexer (Cingular)	B	From Leg	3.00 0.00 0.00	0.0000	200.00	No Ice 0.27 1/2" Ice 0.34	0.18 0.25	0.01 0.01
(4) LPG13519 Diplexer (Cingular)	C	From Leg	3.00 0.00 0.00	0.0000	200.00	No Ice 0.27 1/2" Ice 0.34	0.18 0.25	0.01 0.01
5'3"x4" Pipe Mount (Verizon)	B	From Leg	0.50 0.00 0.00	0.0000	175.00	No Ice 1.88 1/2" Ice 2.21	1.88 2.21	0.06 0.07
PD688S-4 (NEU)	A	From Leg	6.00 0.00 0.00	0.0000	140.00	No Ice 0.35 1/2" Ice 0.63	0.35 0.63	0.00 0.00
DB212-1 (NEU)	B	None		0.0000	140.00	No Ice 4.40 1/2" Ice 8.42	4.40 8.42	0.03 0.07
6' Side Mount Standoff	B	None		0.0000	140.00	No Ice 6.50 1/2" Ice 8.50	6.50 8.50	0.10 0.17
BA1012-0 (OEM)	A	From Leg	6.00 0.00 0.00	0.0000	140.00	No Ice 0.47 1/2" Ice 0.96	0.47 0.96	0.00 0.01
6' Side Mount Standoff	A	None		0.0000	140.00	No Ice 6.50 1/2" Ice 8.50	6.50 8.50	0.10 0.17
PD156S (DEP)	C	From Leg	1.00 0.00 0.00	0.0000	138.00	No Ice 0.44 1/2" Ice 0.79	0.44 0.79	0.01 0.01
3'4"x4" Pipe Mount (DEP)	C	From Leg	0.50 0.00 0.00	0.0000	138.00	No Ice 1.05 1/2" Ice 1.27	1.05 1.27	0.04 0.05
5'3"x4" Pipe Mount (Verizon)	A	From Leg	0.50 0.00 0.00	0.0000	115.00	No Ice 1.88 1/2" Ice 2.21	1.88 2.21	0.06 0.07
3'4"x4" Pipe Mount (CSP)	C	From Leg	0.50 0.00 0.00	0.0000	112.00	No Ice 1.05 1/2" Ice 1.27	1.05 1.27	0.04 0.05
5'3"x4" Pipe Mount (CSP)	A	From Leg	0.50 0.00 0.00	0.0000	105.00	No Ice 1.88 1/2" Ice 2.21	1.88 2.21	0.06 0.07

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 15 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C <sub>AA</sub> Front ft <sup>2</sup>	C <sub>AA</sub> Side ft <sup>2</sup>	Weight K
PD458 (CT)	B	From Leg	6.00 0.00 0.00	0.0000	100.00	No Ice 2.88 1/2" Ice 4.34	2.88 4.34	0.02 0.05
DB437 (FBI)	B	From Leg	6.00 0.00 0.00	0.0000	100.00	No Ice 0.45 1/2" Ice 0.81	0.45 0.81	0.01 0.01
6' Side Mount Standoff	B	None		0.0000	100.00	No Ice 6.50 1/2" Ice 8.50	6.50 8.50	0.10 0.17
5'3"x4" Pipe Mount (CSP)	A	From Leg	0.50 0.00 0.00	0.0000	97.00	No Ice 1.88 1/2" Ice 2.21	1.88 2.21	0.06 0.07
3'4"x4" Pipe Mount (CSP)	C	From Leg	0.50 0.00 0.00	0.0000	90.00	No Ice 1.05 1/2" Ice 1.27	1.05 1.27	0.04 0.05

### Dishes

Description	Face or Leg	Dish Type	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	3 dB Beam Width °	Elevation ft	Outside Diameter ft	Aperture Area ft <sup>2</sup>	Weight K
8 FT DISH	B	Paraboloid w/Radome	From Leg	1.00 0.00 0.00	Worst		315.00	8.00	No Ice 50.30 1/2" Ice 51.29	0.25 0.51
6 FT DISH	A	Paraboloid w/Radome	From Leg	1.00 0.00 0.00	Worst		320.00	6.00	No Ice 28.27 1/2" Ice 29.05	0.14 0.29
6 FT DISH	B	Paraboloid w/Radome	From Leg	1.00 0.00 0.00	Worst		320.00	6.00	No Ice 28.27 1/2" Ice 29.05	0.14 0.29
6 FT DISH	C	Paraboloid w/Radome	From Leg	1.00 0.00 0.00	Worst		320.00	6.00	No Ice 28.27 1/2" Ice 29.05	0.14 0.29
4 FT DISH	C	Paraboloid w/Radome	From Leg	1.00 0.00 0.00	Worst		112.00	4.00	No Ice 12.56 1/2" Ice 13.09	0.17 0.24
6 FT DISH	A	Paraboloid w/Radome	From Leg	1.00 0.00 0.00	Worst		105.00	6.00	No Ice 28.27 1/2" Ice 29.05	0.14 0.29
6 FT DISH	A	Paraboloid w/Radome	From Leg	1.00 0.00 0.00	Worst		97.00	6.00	No Ice 28.27 1/2" Ice 29.05	0.14 0.29
4 FT DISH	C	Paraboloid w/Radome	From Leg	1.00 0.00 0.00	Worst		90.00	4.00	No Ice 12.56 1/2" Ice 13.09	0.17 0.24
6 FT DISH (Verizon)	B	Paraboloid w/Radome	From Leg	1.00 0.00 0.00	Worst		175.00	6.00	No Ice 28.27 1/2" Ice 29.05	0.14 0.29
6 FT DISH (Verizon)	A	Paraboloid w/Radome	From Leg	1.00 0.00 0.00	Worst		115.00	6.00	No Ice 28.27 1/2" Ice 29.05	0.14 0.29

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMMW	<b>Page</b> 16 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Description	Face or Leg	Dish Type	Offset Type	Offsets: Horz Lateral Vert	Azimuth Adjustment	3 dB Beam Width	Elevation	Outside Diameter	Aperture Area	Weight
				ft	°	°	ft	ft	ft <sup>2</sup>	K
				0.00						

**Tower Pressures - No Ice**

$G_H = 1.084$

Section Elevation	z	K <sub>Z</sub>	q <sub>z</sub>	A <sub>G</sub>	F a c e	A <sub>F</sub>	A <sub>R</sub>	A <sub>RG</sub>	Leg %	C <sub>A A A</sub> In Face	C <sub>A A A</sub> Out Face
ft	ft		psf	ft <sup>2</sup>	e	ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>		ft <sup>2</sup>	ft <sup>2</sup>
T1 320.00-300.00	310.00	1.897	39	145.472	A	11.659	18.543	18.543	61.40	0.000	0.000
					B	17.958	27.793		40.53		
					C	11.659	18.543		61.40		
T2 300.00-280.00	290.00	1.861	39	167.656	A	12.596	22.122	22.122	63.72	0.000	0.000
					B	18.740	33.962		41.97		
					C	12.596	22.122		63.72		
T3 280.00-260.00	270.00	1.823	38	213.297	A	13.934	28.807	28.807	67.40	0.000	0.000
					B	19.241	54.957		38.82		
					C	13.934	28.807		67.40		
T4 260.00-240.00	250.00	1.783	37	255.594	A	19.443	28.800	28.800	59.70	0.000	0.000
					B	24.159	57.725		35.17		
					C	19.443	28.800		59.70		
T5 240.00-220.00	230.00	1.741	36	296.093	A	29.581	28.798	28.798	49.33	0.000	0.000
					B	33.073	60.498		30.78		
					C	29.581	28.798		49.33		
T6 220.00-200.00	210.00	1.697	35	336.193	A	24.136	28.798	28.798	54.40	0.000	0.000
					B	28.900	60.498		32.21		
					C	21.026	68.398		32.20		
T7 200.00-180.00	190.00	1.649	34	381.042	A	23.330	75.501	35.901	36.33	0.000	0.000
					B	31.203	67.601		36.34		
					C	23.330	75.501		36.33		
T8 180.00-160.00	170.00	1.597	33	423.141	A	25.852	75.498	35.898	35.42	0.000	0.000
					B	33.725	67.598		35.43		
					C	27.674	75.498		34.79		
T9 160.00-140.00	150.00	1.541	32	463.037	A	35.413	75.488	35.888	32.36	0.000	0.000
					B	43.287	67.588		32.37		
					C	37.797	75.488		31.68		
T10 140.00-120.00	130.00	1.48	31	503.943	A	38.616	75.504	35.904	31.46	0.000	0.000
					B	45.823	75.004		29.72		
					C	41.004	75.504		30.82		
T11 120.00-100.00	110.00	1.411	29	551.554	A	0.000	108.112	35.933	33.24	0.000	0.000
					B	9.117	104.259		31.69		
					C	4.591	100.540		34.18		
T12 100.00-80.00	90.00	1.332	28	602.352	A	0.000	110.303	35.927	32.57	0.000	0.000
					B	11.478	111.311		29.26		
					C	5.247	102.296		33.41		
T13 80.00-60.00	70.00	1.24	26	657.397	A	0.000	121.332	42.626	35.13	0.000	0.000
					B	11.478	122.122		31.91		
					C	5.247	111.148		36.62		
T14 60.00-30.00	45.00	1.093	23	1081.03	A	0.000	181.831	63.908	35.15	0.000	0.000
				4	B	17.217	186.700		31.34		
					C	7.871	174.188		35.10		
T15 30.00-0.00	15.00	1	21	1194.29	A	0.000	191.513	63.928	33.38	0.000	0.000
				2	B	17.217	195.240		30.09		
					C	7.871	181.701		33.72		

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSMW	<b>Page</b> 17 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

**Tower Pressure - With Ice**

$G_H = 1.084$

Section Elevation	z	$K_z$	$q_z$	$t_z$	$A_G$	F a c e	$A_F$	$A_R$	$A_{leg}$	Leg %	$C_{AA}$ In Face	$C_{AA}$ Out Face
ft	ft		psf	in	ft <sup>2</sup>		ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>		ft <sup>2</sup>	ft <sup>2</sup>
T1 320.00-300.00	310.00	1.897	39	0.5000	147.138	A	16.101	21.877	21.877	57.60	0.000	0.000
						B	23.442	39.460		34.78		
						C	16.101	21.877		57.60		
T2 300.00-280.00	290.00	1.861	39	0.5000	169.325	A	16.795	25.461	25.461	60.25	0.000	0.000
						B	23.867	47.967		35.44		
						C	16.795	25.461		60.25		
T3 280.00-260.00	270.00	1.823	38	0.5000	214.966	A	17.649	32.147	32.147	64.56	0.000	0.000
						B	23.380	76.631		32.14		
						C	17.649	32.147		64.56		
T4 260.00-240.00	250.00	1.783	37	0.5000	257.263	A	23.764	32.139	32.139	57.49	0.000	0.000
						B	28.404	81.897		29.14		
						C	23.764	32.139		57.49		
T5 240.00-220.00	230.00	1.741	36	0.5000	297.762	A	34.511	32.137	32.137	48.22	0.000	0.000
						B	36.948	87.171		25.89		
						C	34.511	32.137		48.22		
T6 220.00-200.00	210.00	1.697	35	0.5000	337.862	A	28.158	32.137	32.137	53.30	0.000	0.000
						B	33.142	87.170		26.71		
						C	22.699	91.737		28.08		
T7 200.00-180.00	190.00	1.649	34	0.5000	382.711	A	25.442	98.841	39.241	31.57	0.000	0.000
						B	35.909	94.274		30.14		
						C	25.442	98.841		31.57		
T8 180.00-160.00	170.00	1.597	33	0.5000	424.810	A	28.426	98.837	39.237	30.83	0.000	0.000
						B	38.910	94.271		29.46		
						C	30.948	98.837		30.23		
T9 160.00-140.00	150.00	1.541	32	0.5000	464.706	A	38.064	98.826	39.226	28.66	0.000	0.000
						B	48.408	94.259		27.49		
						C	41.354	98.826		27.98		
T10 140.00-120.00	130.00	1.48	31	0.5000	505.612	A	41.722	98.844	39.244	27.92	0.000	0.000
						B	50.642	108.344		24.68		
						C	45.019	98.844		27.28		
T11 120.00-100.00	110.00	1.411	29	0.5000	553.224	A	0.000	140.454	39.275	27.96	0.000	0.000
						B	13.395	144.358		24.90		
						C	6.536	129.978		28.77		
T12 100.00-80.00	90.00	1.332	28	0.5000	604.022	A	0.000	143.481	39.269	27.37	0.000	0.000
						B	17.033	156.464		22.63		
						C	7.470	132.394		28.08		
T13 80.00-60.00	70.00	1.24	26	0.5000	659.068	A	0.000	155.248	45.969	29.61	0.000	0.000
						B	17.033	168.720		24.75		
						C	7.470	141.845		30.79		
T14 60.00-30.00	45.00	1.093	23	0.5000	1083.539	A	0.000	233.054	68.920	29.57	0.000	0.000
						B	25.550	257.251		24.37		
						C	11.204	221.769		29.58		
T15 30.00-0.00	15.00	1	21	0.5000	1196.797	A	0.000	244.216	68.942	28.23	0.000	0.000
						B	25.550	267.134		23.56		
						C	11.204	230.535		28.52		

**Tower Pressure - Service**



<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	320' Rohn SSVMW	Page	18 of 55
	Project	CSP Tower - Colchester, CT	Date	12:49:15 10/12/06
	Client	Verizon Wireless	Designed by	Staff

$$G_H = 1.084$$

Section Elevation	z	K <sub>z</sub>	q <sub>z</sub>	A <sub>G</sub>	F <sub>a c e</sub>	A <sub>F</sub>	A <sub>R</sub>	A <sub>leg</sub>	Leg %	C <sub>AA</sub> In Face	C <sub>AA</sub> Out Face
ft	ft		psf	ft <sup>2</sup>	e	ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>		ft <sup>2</sup>	ft <sup>2</sup>
T1 320.00-300.00	310.00	1.897	39	145.472	A	11.659	18.543	18.543	61.40	0.000	0.000
					B	17.958	27.793		40.53		
					C	11.659	18.543		61.40		
T2 300.00-280.00	290.00	1.861	39	167.656	A	12.596	22.122	22.122	63.72	0.000	0.000
					B	18.740	33.962		41.97		
					C	12.596	22.122		63.72		
T3 280.00-260.00	270.00	1.823	38	213.297	A	13.934	28.807	28.807	67.40	0.000	0.000
					B	19.241	54.957		38.82		
					C	13.934	28.807		67.40		
T4 260.00-240.00	250.00	1.783	37	255.594	A	19.443	28.800	28.800	59.70	0.000	0.000
					B	24.159	57.725		35.17		
					C	19.443	28.800		59.70		
T5 240.00-220.00	230.00	1.741	36	296.093	A	29.581	28.798	28.798	49.33	0.000	0.000
					B	33.073	60.498		30.78		
					C	29.581	28.798		49.33		
T6 220.00-200.00	210.00	1.697	35	336.193	A	24.136	28.798	28.798	54.40	0.000	0.000
					B	28.900	60.498		32.21		
					C	21.026	68.398		32.20		
T7 200.00-180.00	190.00	1.649	34	381.042	A	23.330	75.501	35.901	36.33	0.000	0.000
					B	31.203	67.601		36.34		
					C	23.330	75.501		36.33		
T8 180.00-160.00	170.00	1.597	33	423.141	A	25.852	75.498	35.898	35.42	0.000	0.000
					B	33.725	67.598		35.43		
					C	27.674	75.498		34.79		
T9 160.00-140.00	150.00	1.541	32	463.037	A	35.413	75.488	35.888	32.36	0.000	0.000
					B	43.287	67.588		32.37		
					C	37.797	75.488		31.68		
T10 140.00-120.00	130.00	1.48	31	503.943	A	38.616	75.504	35.904	31.46	0.000	0.000
					B	45.823	75.004		29.72		
					C	41.004	75.504		30.82		
T11 120.00-100.00	110.00	1.411	29	551.554	A	0.000	108.112	35.933	33.24	0.000	0.000
					B	9.117	104.259		31.69		
					C	4.591	100.540		34.18		
T12 100.00-80.00	90.00	1.332	28	602.352	A	0.000	110.303	35.927	32.57	0.000	0.000
					B	11.478	111.311		29.26		
					C	5.247	102.296		33.41		
T13 80.00-60.00	70.00	1.24	26	657.397	A	0.000	121.332	42.626	35.13	0.000	0.000
					B	11.478	122.122		31.91		
					C	5.247	111.148		36.62		
T14 60.00-30.00	45.00	1.093	23	1081.03	A	0.000	181.831	63.908	35.15	0.000	0.000
				4	B	17.217	186.700		31.34		
					C	7.871	174.188		35.10		
T15 30.00-0.00	15.00	1	21	1194.29	A	0.000	191.513	63.928	33.38	0.000	0.000
				2	B	17.217	195.240		30.09		
					C	7.871	181.701		33.72		

### Tower Forces - No Ice - Wind Normal To Face

Section Elevation	Add Weight	Self Weight	F <sub>a c e</sub>	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K	e						ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.08	1.79	A	0.208	2.571	0.592	1	1	22.637	3.39	169.39	B
			B	0.315	2.258	0.62	1	1	35.202			

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 19 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T2 300.00-280.00	0.10	2.50	C	0.208	2.571	0.592	1	1	22.637	3.76	187.98	B
			A	0.207	2.573	0.592	1	1	25.689			
			B	0.314	2.259	0.62	1	1	39.810			
T3 280.00-260.00	0.19	3.48	C	0.207	2.573	0.592	1	1	25.689	4.81	240.57	B
			A	0.2	2.595	0.59	1	1	30.944			
			B	0.348	2.176	0.632	1	1	53.959			
T4 260.00-240.00	0.21	3.83	C	0.2	2.595	0.59	1	1	30.944	5.40	270.09	B
			A	0.189	2.634	0.588	1	1	36.382			
			B	0.32	2.243	0.622	1	1	60.084			
T5 240.00-220.00	0.22	4.90	C	0.189	2.634	0.588	1	1	36.382	6.23	311.58	B
			A	0.197	2.605	0.59	1	1	46.567			
			B	0.316	2.254	0.621	1	1	70.638			
T6 220.00-200.00	0.47	4.82	C	0.197	2.605	0.59	1	1	46.567	5.98	298.83	B
			A	0.157	2.744	0.583	1	1	40.915			
			B	0.266	2.391	0.606	1	1	65.565			
T7 200.00-180.00	0.97	5.71	C	0.266	2.39	0.606	1	1	62.481	6.43	321.72	B
			A	0.259	2.41	0.604	1	1	68.956			
			B	0.259	2.41	0.604	1	1	72.054			
T8 180.00-160.00	0.98	5.93	C	0.259	2.41	0.604	1	1	68.956	6.58	329.02	B
			A	0.24	2.469	0.599	1	1	71.095			
			B	0.239	2.47	0.599	1	1	74.233			
T9 160.00-140.00	0.98	6.89	C	0.244	2.456	0.6	1	1	72.996	7.17	358.33	B
			A	0.24	2.469	0.599	1	1	80.649			
			B	0.239	2.47	0.599	1	1	83.788			
T10 140.00-120.00	1.02	7.17	C	0.245	2.454	0.601	1	1	83.129	7.45	372.51	B
			A	0.226	2.51	0.596	1	1	83.628			
			B	0.24	2.469	0.599	1	1	90.774			
T11 120.00-100.00	1.04	6.34	C	0.231	2.495	0.597	1	1	86.099	5.78	289.19	B
			A	0.196	2.609	0.59	1	1	63.742			
			B	0.206	2.578	0.592	1	1	70.791			
T12 100.00-80.00	1.09	6.51	C	0.191	2.628	0.589	1	1	63.762	5.98	298.78	B
			A	0.183	2.653	0.587	1	1	64.759			
			B	0.204	2.583	0.591	1	1	77.284			
T13 80.00-60.00	1.09	7.71	C	0.179	2.669	0.586	1	1	65.219	6.03	301.26	B
			A	0.185	2.648	0.587	1	1	71.267			
			B	0.203	2.585	0.591	1	1	83.660			
T14 60.00-30.00	1.64	11.86	C	0.177	2.674	0.586	1	1	70.379	8.22	273.89	B
			A	0.168	2.706	0.584	1	1	106.267			
			B	0.189	2.634	0.588	1	1	127.024			
T15 30.00-0.00	1.64	14.02	C	0.168	2.705	0.584	1	1	109.678	7.90	263.46	B
			A	0.16	2.734	0.583	1	1	111.674			
			B	0.178	2.671	0.586	1	1	131.655			
Sum Weight:	11.72	93.46	C	0.159	2.74	0.583	1	1	113.776			
								OTM	13947.19	91.11		

**Tower Forces - No Ice - Wind 45 To Face**

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.08	1.79	A	0.208	2.571	0.592	0.825	1	20.596	3.09	154.27	B
			B	0.315	2.258	0.62	0.825	1	32.059			
			C	0.208	2.571	0.592	0.825	1	20.596			
T2 300.00-	0.10	2.50	A	0.207	2.573	0.592	0.825	1	23.485	3.45	172.49	B

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	320' Rohn SSVMW	Page	20 of 55
	Project	CSP Tower - Colchester, CT	Date	12:49:15 10/12/06
	Client	Verizon Wireless	Designed by	Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K	e						ft <sup>2</sup>	K	plf	
280.00			B	0.314	2.259	0.62	0.825	1	36.530			
			C	0.207	2.573	0.592	0.825	1	23.485			
T3 280.00-260.00	0.19	3.48	A	0.2	2.595	0.59	0.825	1	28.505	4.51	225.56	B
			B	0.348	2.176	0.632	0.825	1	50.591			
			C	0.2	2.595	0.59	0.825	1	28.505			
T4 260.00-240.00	0.21	3.83	A	0.189	2.634	0.588	0.825	1	32.980	5.02	251.08	B
			B	0.32	2.243	0.622	0.825	1	55.856			
			C	0.189	2.634	0.588	0.825	1	32.980			
T5 240.00-220.00	0.22	4.90	A	0.197	2.605	0.59	0.825	1	41.390	5.72	286.05	B
			B	0.316	2.254	0.621	0.825	1	64.850			
			C	0.197	2.605	0.59	0.825	1	41.390			
T6 220.00-200.00	0.47	4.82	A	0.157	2.744	0.583	0.825	1	36.691	5.52	275.78	B
			B	0.266	2.391	0.606	0.825	1	60.508			
			C	0.266	2.39	0.606	0.825	1	58.802			
T7 200.00-180.00	0.97	5.71	A	0.259	2.41	0.604	0.825	1	64.873	5.95	297.34	B
			B	0.259	2.41	0.604	0.825	1	66.594			
			C	0.259	2.41	0.604	0.825	1	64.873			
T8 180.00-160.00	0.98	5.93	A	0.24	2.469	0.599	0.825	1	66.571	6.06	302.86	B
			B	0.239	2.47	0.599	0.825	1	68.331			
			C	0.244	2.456	0.6	0.825	1	68.154			
T9 160.00-140.00	0.98	6.89	A	0.24	2.469	0.599	0.825	1	74.452	6.52	325.93	B
			B	0.239	2.47	0.599	0.825	1	76.213			
			C	0.245	2.454	0.601	0.825	1	76.515			
T10 140.00-120.00	1.02	7.17	A	0.226	2.51	0.596	0.825	1	76.871	6.79	339.60	B
			B	0.24	2.469	0.599	0.825	1	82.755			
			C	0.231	2.495	0.597	0.825	1	78.924			
T11 120.00-100.00	1.04	6.34	A	0.196	2.609	0.59	0.825	1	63.742	5.65	282.68	B
			B	0.206	2.578	0.592	0.825	1	69.196			
			C	0.191	2.628	0.589	0.825	1	62.958			
T12 100.00-80.00	1.09	6.51	A	0.183	2.653	0.587	0.825	1	64.759	5.82	291.01	B
			B	0.204	2.583	0.591	0.825	1	75.276			
			C	0.179	2.669	0.586	0.825	1	64.301			
T13 80.00-60.00	1.09	7.71	A	0.185	2.648	0.587	0.825	1	71.267	5.88	294.03	B
			B	0.203	2.585	0.591	0.825	1	81.651			
			C	0.177	2.674	0.586	0.825	1	69.460			
T14 60.00-30.00	1.64	11.86	A	0.168	2.706	0.584	0.825	1	106.267	8.02	267.39	B
			B	0.189	2.634	0.588	0.825	1	124.011			
			C	0.168	2.705	0.584	0.825	1	108.301			
T15 30.00-0.00	1.64	14.02	A	0.16	2.734	0.583	0.825	1	111.674	7.72	257.43	B
			B	0.178	2.671	0.586	0.825	1	128.642			
			C	0.159	2.74	0.583	0.825	1	112.398			
Sum Weight:	11.72	93.46						OTM	12959.01 kip-ft	85.72		

**Tower Forces - No Ice - Wind 60 To Face**

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K	e						ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.08	1.79	A	0.208	2.571	0.592	0.8	1	20.305	3.04	152.11	B
			B	0.315	2.258	0.62	0.8	1	31.610			
			C	0.208	2.571	0.592	0.8	1	20.305			
T2 300.00-280.00	0.10	2.50	A	0.207	2.573	0.592	0.8	1	23.170	3.41	170.28	B
			B	0.314	2.259	0.62	0.8	1	36.062			
			C	0.207	2.573	0.592	0.8	1	23.170			

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 21 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T3 280.00-260.00	0.19	3.48	A	0.2	2.595	0.59	0.8	1	28.157	4.47	223.41	B
			B	0.348	2.176	0.632	0.8	1	50.110			
			C	0.2	2.595	0.59	0.8	1	28.157			
T4 260.00-240.00	0.21	3.83	A	0.189	2.634	0.588	0.8	1	32.494	4.97	248.37	B
			B	0.32	2.243	0.622	0.8	1	55.252			
			C	0.189	2.634	0.588	0.8	1	32.494			
T5 240.00-220.00	0.22	4.90	A	0.197	2.605	0.59	0.8	1	40.651	5.65	282.40	B
			B	0.316	2.254	0.621	0.8	1	64.023			
			C	0.197	2.605	0.59	0.8	1	40.651			
T6 220.00-200.00	0.47	4.82	A	0.157	2.744	0.583	0.8	1	36.088	5.45	272.49	B
			B	0.266	2.391	0.606	0.8	1	59.785			
			C	0.266	2.39	0.606	0.8	1	58.276			
T7 200.00-180.00	0.97	5.71	A	0.259	2.41	0.604	0.8	1	64.290	5.88	293.85	B
			B	0.259	2.41	0.604	0.8	1	65.813			
			C	0.259	2.41	0.604	0.8	1	64.290			
T8 180.00-160.00	0.98	5.93	A	0.24	2.469	0.599	0.8	1	65.924	5.98	299.13	B
			B	0.239	2.47	0.599	0.8	1	67.488			
			C	0.244	2.456	0.6	0.8	1	67.462			
T9 160.00-140.00	0.98	6.89	A	0.24	2.469	0.599	0.8	1	73.567	6.43	321.31	B
			B	0.239	2.47	0.599	0.8	1	75.131			
			C	0.245	2.454	0.601	0.8	1	75.570			
T10 140.00-120.00	1.02	7.17	A	0.226	2.51	0.596	0.8	1	75.905	6.70	334.90	B
			B	0.24	2.469	0.599	0.8	1	81.610			
			C	0.231	2.495	0.597	0.8	1	77.898			
T11 120.00-100.00	1.04	6.34	A	0.196	2.609	0.59	0.8	1	63.742	5.63	281.74	B
			B	0.206	2.578	0.592	0.8	1	68.968			
			C	0.191	2.628	0.589	0.8	1	62.844			
T12 100.00-80.00	1.09	6.51	A	0.183	2.653	0.587	0.8	1	64.759	5.80	289.91	B
			B	0.204	2.583	0.591	0.8	1	74.989			
			C	0.179	2.669	0.586	0.8	1	64.170			
T13 80.00-60.00	1.09	7.71	A	0.185	2.648	0.587	0.8	1	71.267	5.86	292.99	B
			B	0.203	2.585	0.591	0.8	1	81.364			
			C	0.177	2.674	0.586	0.8	1	69.329			
T14 60.00-30.00	1.64	11.86	A	0.168	2.706	0.584	0.8	1	106.267	7.99	266.46	B
			B	0.189	2.634	0.588	0.8	1	123.581			
			C	0.168	2.705	0.584	0.8	1	108.104			
T15 30.00-0.00	1.64	14.02	A	0.16	2.734	0.583	0.8	1	111.674	7.70	256.57	B
			B	0.178	2.671	0.586	0.8	1	128.212			
			C	0.159	2.74	0.583	0.8	1	112.201			
Sum Weight:	11.72	93.46						OTM	12817.84 kip-ft	84.95		

### Tower Forces - No Ice - Wind 90 To Face

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.08	1.79	A	0.208	2.571	0.592	0.85	1	20.888	3.13	156.43	B
			B	0.315	2.258	0.62	0.85	1	32.508			
			C	0.208	2.571	0.592	0.85	1	20.888			
T2 300.00-280.00	0.10	2.50	A	0.207	2.573	0.592	0.85	1	23.800	3.49	174.71	B
			B	0.314	2.259	0.62	0.85	1	36.999			
			C	0.207	2.573	0.592	0.85	1	23.800			
T3 280.00-260.00	0.19	3.48	A	0.2	2.595	0.59	0.85	1	28.854	4.55	227.70	B
			B	0.348	2.176	0.632	0.85	1	51.072			

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	320' Rohn SSVMW	Page	22 of 55
	Project	CSP Tower - Colchester, CT	Date	12:49:15 10/12/06
	Client	Verizon Wireless	Designed by	Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T4 260.00-240.00	0.21	3.83	C	0.2	2.595	0.59	0.85	1	28.854	5.08	253.80	B
			A	0.189	2.634	0.588	0.85	1	33.466			
			B	0.32	2.243	0.622	0.85	1	56.460			
T5 240.00-220.00	0.22	4.90	C	0.189	2.634	0.588	0.85	1	33.466	5.79	289.70	B
			A	0.197	2.605	0.59	0.85	1	42.130			
			B	0.316	2.254	0.621	0.85	1	65.677			
T6 220.00-200.00	0.47	4.82	C	0.197	2.605	0.59	0.85	1	42.130	5.58	279.07	B
			A	0.157	2.744	0.583	0.85	1	37.294			
			B	0.266	2.391	0.606	0.85	1	61.230			
T7 200.00-180.00	0.97	5.71	C	0.266	2.39	0.606	0.85	1	59.327	6.02	300.82	B
			A	0.259	2.41	0.604	0.85	1	65.457			
			B	0.259	2.41	0.604	0.85	1	67.374			
T8 180.00-160.00	0.98	5.93	C	0.259	2.41	0.604	0.85	1	65.457	6.13	306.60	B
			A	0.24	2.469	0.599	0.85	1	67.217			
			B	0.239	2.47	0.599	0.85	1	69.174			
T9 160.00-140.00	0.98	6.89	C	0.244	2.456	0.6	0.85	1	68.845	6.61	330.56	B
			A	0.24	2.469	0.599	0.85	1	75.337			
			B	0.239	2.47	0.599	0.85	1	77.295			
T10 140.00-120.00	1.02	7.17	C	0.245	2.454	0.601	0.85	1	77.460	6.89	344.31	B
			A	0.226	2.51	0.596	0.85	1	77.836			
			B	0.24	2.469	0.599	0.85	1	83.901			
T11 120.00-100.00	1.04	6.34	C	0.231	2.495	0.597	0.85	1	79.949	5.67	283.61	B
			A	0.196	2.609	0.59	0.85	1	63.742			
			B	0.206	2.578	0.592	0.85	1	69.424			
T12 100.00-80.00	1.09	6.51	C	0.191	2.628	0.589	0.85	1	63.073	5.84	292.12	B
			A	0.183	2.653	0.587	0.85	1	64.759			
			B	0.204	2.583	0.591	0.85	1	75.563			
T13 80.00-60.00	1.09	7.71	C	0.179	2.669	0.586	0.85	1	64.432	5.90	295.06	B
			A	0.185	2.648	0.587	0.85	1	71.267			
			B	0.203	2.585	0.591	0.85	1	81.938			
T14 60.00-30.00	1.64	11.86	C	0.177	2.674	0.586	0.85	1	69.592	8.05	268.32	B
			A	0.168	2.706	0.584	0.85	1	106.267			
			B	0.189	2.634	0.588	0.85	1	124.441			
T15 30.00-0.00	1.64	14.02	C	0.168	2.705	0.584	0.85	1	108.497	7.75	258.29	B
			A	0.16	2.734	0.583	0.85	1	111.674			
			B	0.178	2.671	0.586	0.85	1	129.072			
Sum Weight:	11.72	93.46	C	0.159	2.74	0.583	0.85	1	112.595	86.49		
								OTM	13100.18			
									kip-ft			

### Tower Forces - With Ice - Wind Normal To Face

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.26	2.46	A	0.258	2.413	0.604	1	1	29.314	4.25	212.72	B
			B	0.428	2.012	0.663	1	1	49.612			
			C	0.258	2.413	0.604	1	1	29.314			
T2 300.00-280.00	0.31	3.23	A	0.25	2.439	0.602	1	1	32.116	4.69	234.63	B
			B	0.424	2.018	0.662	1	1	55.611			
			C	0.25	2.439	0.602	1	1	32.116			
T3 280.00-260.00	0.53	4.32	A	0.232	2.494	0.597	1	1	36.853	6.03	301.55	B
			B	0.465	1.949	0.68	1	1	75.518			
			C	0.232	2.494	0.597	1	1	36.853			
T4 260.00-	0.58	4.83	A	0.217	2.539	0.594	1	1	42.857	6.67	333.34	B

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 23 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
240.00			B	0.429	2.01	0.664	1	1	82.764			
			C	0.217	2.539	0.594	1	1	42.857			
T5 240.00-220.00	0.62	6.22	A	0.224	2.518	0.596	1	1	53.651	7.50	375.11	B
			B	0.417	2.032	0.659	1	1	94.359			
			C	0.224	2.518	0.596	1	1	53.651			
T6 220.00-200.00	1.23	5.95	A	0.178	2.67	0.586	1	1	46.998	7.28	363.89	B
			B	0.356	2.157	0.635	1	1	88.467			
			C	0.339	2.198	0.629	1	1	80.356			
T7 200.00-180.00	2.46	7.00	A	0.325	2.232	0.624	1	1	87.097	7.74	387.14	B
			B	0.34	2.195	0.629	1	1	95.208			
			C	0.325	2.232	0.624	1	1	87.097			
T8 180.00-160.00	2.49	7.29	A	0.3	2.297	0.616	1	1	89.287	7.90	395.08	B
			B	0.314	2.261	0.62	1	1	97.369			
			C	0.306	2.281	0.618	1	1	91.990			
T9 160.00-140.00	2.50	8.55	A	0.295	2.311	0.614	1	1	98.768	8.41	420.71	B
			B	0.307	2.278	0.618	1	1	106.667			
			C	0.302	2.292	0.616	1	1	102.271			
T10 140.00-120.00	2.62	8.93	A	0.278	2.356	0.609	1	1	101.960	8.85	442.47	B
			B	0.314	2.258	0.62	1	1	117.861			
			C	0.285	2.338	0.611	1	1	105.441			
T11 120.00-100.00	2.68	7.69	A	0.254	2.426	0.603	1	1	84.676	7.53	376.44	B
			B	0.285	2.336	0.611	1	1	101.665			
			C	0.247	2.447	0.601	1	1	84.660			
T12 100.00-80.00	2.82	7.91	A	0.238	2.475	0.599	1	1	85.913	7.87	393.43	B
			B	0.287	2.331	0.612	1	1	112.802			
			C	0.232	2.494	0.597	1	1	86.554			
T13 80.00-60.00	2.83	9.27	A	0.236	2.482	0.598	1	1	92.884	7.84	392.16	B
			B	0.282	2.345	0.611	1	1	120.039			
			C	0.227	2.51	0.596	1	1	92.034			
T14 60.00-30.00	4.25	14.28	A	0.215	2.546	0.594	1	1	138.339	10.70	356.51	B
			B	0.261	2.405	0.605	1	1	181.120			
			C	0.215	2.547	0.594	1	1	142.842			
T15 30.00-0.00	4.25	16.66	A	0.204	2.583	0.591	1	1	144.389	10.25	341.83	B
			B	0.245	2.454	0.601	1	1	185.965			
			C	0.202	2.589	0.591	1	1	147.406			
Sum Weight:	30.44	114.60						OTM	17175.97 kip-ft	113.52		

**Tower Forces - With Ice - Wind 45 To Face**

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.26	2.46	A	0.258	2.413	0.604	0.825	1	26.496	3.90	195.13	B
			B	0.428	2.012	0.663	0.825	1	45.510			
			C	0.258	2.413	0.604	0.825	1	26.496			
T2 300.00-280.00	0.31	3.23	A	0.25	2.439	0.602	0.825	1	29.177	4.34	217.00	B
			B	0.424	2.018	0.662	0.825	1	51.435			
			C	0.25	2.439	0.602	0.825	1	29.177			
T3 280.00-260.00	0.53	4.32	A	0.232	2.494	0.597	0.825	1	33.765	5.70	285.21	B
			B	0.465	1.949	0.68	0.825	1	71.427			
			C	0.232	2.494	0.597	0.825	1	33.765			
T4 260.00-240.00	0.58	4.83	A	0.217	2.539	0.594	0.825	1	38.698	6.27	313.32	B
			B	0.429	2.01	0.664	0.825	1	77.793			
			C	0.217	2.539	0.594	0.825	1	38.698			

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSMW	<b>Page</b> 24 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T5 240.00-220.00	0.62	6.22	A	0.224	2.518	0.596	0.825	1	47.611	6.99	349.40	B
			B	0.417	2.032	0.659	0.825	1	87.894			
			C	0.224	2.518	0.596	0.825	1	47.611			
T6 220.00-200.00	1.23	5.95	A	0.178	2.67	0.586	0.825	1	42.071	6.80	340.03	B
			B	0.356	2.157	0.635	0.825	1	82.667			
			C	0.339	2.198	0.629	0.825	1	76.384			
T7 200.00-180.00	2.46	7.00	A	0.325	2.232	0.624	0.825	1	82.645	7.23	361.58	B
			B	0.34	2.195	0.629	0.825	1	88.924			
			C	0.325	2.232	0.624	0.825	1	82.645			
T8 180.00-160.00	2.49	7.29	A	0.3	2.297	0.616	0.825	1	84.312	7.35	367.45	B
			B	0.314	2.261	0.62	0.825	1	90.560			
			C	0.306	2.281	0.618	0.825	1	86.574			
T9 160.00-140.00	2.50	8.55	A	0.295	2.311	0.614	0.825	1	92.107	7.75	387.30	B
			B	0.307	2.278	0.618	0.825	1	98.195			
			C	0.302	2.292	0.616	0.825	1	95.034			
T10 140.00-120.00	2.62	8.93	A	0.278	2.356	0.609	0.825	1	94.658	8.18	409.20	B
			B	0.314	2.258	0.62	0.825	1	108.999			
			C	0.285	2.338	0.611	0.825	1	97.563			
T11 120.00-100.00	2.68	7.69	A	0.254	2.426	0.603	0.825	1	84.676	7.36	367.76	B
			B	0.285	2.336	0.611	0.825	1	99.321			
			C	0.247	2.447	0.601	0.825	1	83.516			
T12 100.00-80.00	2.82	7.91	A	0.238	2.475	0.599	0.825	1	85.913	7.66	383.03	B
			B	0.287	2.331	0.612	0.825	1	109.821			
			C	0.232	2.494	0.597	0.825	1	85.247			
T13 80.00-60.00	2.83	9.27	A	0.236	2.482	0.598	0.825	1	92.884	7.65	382.42	B
			B	0.282	2.345	0.611	0.825	1	117.058			
			C	0.227	2.51	0.596	0.825	1	90.727			
T14 60.00-30.00	4.25	14.28	A	0.215	2.546	0.594	0.825	1	138.339	10.43	347.71	B
			B	0.261	2.405	0.605	0.825	1	176.649			
			C	0.215	2.547	0.594	0.825	1	140.881			
T15 30.00-0.00	4.25	16.66	A	0.204	2.583	0.591	0.825	1	144.389	10.01	333.61	B
			B	0.245	2.454	0.601	0.825	1	181.494			
			C	0.202	2.589	0.591	0.825	1	145.445			
Sum Weight:	30.44	114.60						OTM	16113.15 kip-ft	107.62		

**Tower Forces - With Ice - Wind 60 To Face**

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.26	2.46	A	0.258	2.413	0.604	0.8	1	26.094	3.85	192.62	B
			B	0.428	2.012	0.663	0.8	1	44.924			
			C	0.258	2.413	0.604	0.8	1	26.094			
T2 300.00-280.00	0.31	3.23	A	0.25	2.439	0.602	0.8	1	28.757	4.29	214.49	B
			B	0.424	2.018	0.662	0.8	1	50.838			
			C	0.25	2.439	0.602	0.8	1	28.757			
T3 280.00-260.00	0.53	4.32	A	0.232	2.494	0.597	0.8	1	33.323	5.66	282.87	B
			B	0.465	1.949	0.68	0.8	1	70.842			
			C	0.232	2.494	0.597	0.8	1	33.323			
T4 260.00-240.00	0.58	4.83	A	0.217	2.539	0.594	0.8	1	38.104	6.21	310.46	B
			B	0.429	2.01	0.664	0.8	1	77.083			
			C	0.217	2.539	0.594	0.8	1	38.104			
T5 240.00-220.00	0.62	6.22	A	0.224	2.518	0.596	0.8	1	46.748	6.91	345.73	B
			B	0.417	2.032	0.659	0.8	1	86.970			

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	320' Rohn SSSVMW	Page	25 of 55
	Project	CSP Tower - Colchester, CT	Date	12:49:15 10/12/06
	Client	Verizon Wireless	Designed by	Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K	e						ft <sup>2</sup>	K	plf	
T6 220.00-200.00	1.23	5.95	C	0.224	2.518	0.596	0.8	1	46.748	6.73	336.62	B
			A	0.178	2.67	0.586	0.8	1	41.367			
			B	0.356	2.157	0.635	0.8	1	81.838			
T7 200.00-180.00	2.46	7.00	C	0.339	2.198	0.629	0.8	1	75.816	7.16	357.93	B
			A	0.325	2.232	0.624	0.8	1	82.009			
			B	0.34	2.195	0.629	0.8	1	88.027			
T8 180.00-160.00	2.49	7.29	C	0.325	2.232	0.624	0.8	1	82.009	7.27	363.50	B
			A	0.3	2.297	0.616	0.8	1	83.602			
			B	0.314	2.261	0.62	0.8	1	89.587			
T9 160.00-140.00	2.50	8.55	C	0.306	2.281	0.618	0.8	1	85.800	7.65	382.52	B
			A	0.295	2.311	0.614	0.8	1	91.155			
			B	0.307	2.278	0.618	0.8	1	96.985			
T10 140.00-120.00	2.62	8.93	C	0.302	2.292	0.616	0.8	1	94.000	8.09	404.45	B
			A	0.278	2.356	0.609	0.8	1	93.615			
			B	0.314	2.258	0.62	0.8	1	107.733			
T11 120.00-100.00	2.68	7.69	C	0.285	2.338	0.611	0.8	1	96.437	7.33	366.52	B
			A	0.254	2.426	0.603	0.8	1	84.676			
			B	0.285	2.336	0.611	0.8	1	98.986			
T12 100.00-80.00	2.82	7.91	C	0.247	2.447	0.601	0.8	1	83.353	7.63	381.55	B
			A	0.238	2.475	0.599	0.8	1	85.913			
			B	0.287	2.331	0.612	0.8	1	109.395			
T13 80.00-60.00	2.83	9.27	C	0.232	2.494	0.597	0.8	1	85.061	7.62	381.03	B
			A	0.236	2.482	0.598	0.8	1	92.884			
			B	0.282	2.345	0.611	0.8	1	116.632			
T14 60.00-30.00	4.25	14.28	C	0.227	2.51	0.596	0.8	1	90.540	10.39	346.45	B
			A	0.215	2.546	0.594	0.8	1	138.339			
			B	0.261	2.405	0.605	0.8	1	176.010			
T15 30.00-0.00	4.25	16.66	C	0.215	2.547	0.594	0.8	1	140.601	9.97	332.44	B
			A	0.204	2.583	0.591	0.8	1	144.389			
			B	0.245	2.454	0.601	0.8	1	180.855			
Sum Weight:	30.44	114.60	C	0.202	2.589	0.591	0.8	1	145.165	106.77		
								OTM	15961.32 kip-ft			

### Tower Forces - With Ice - Wind 90 To Face

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K	e						ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.26	2.46	A	0.258	2.413	0.604	0.85	1	26.899	3.95	197.64	B
			B	0.428	2.012	0.663	0.85	1	46.096			
			C	0.258	2.413	0.604	0.85	1	26.899			
T2 300.00-280.00	0.31	3.23	A	0.25	2.439	0.602	0.85	1	29.597	4.39	219.52	B
			B	0.424	2.018	0.662	0.85	1	52.031			
			C	0.25	2.439	0.602	0.85	1	29.597			
T3 280.00-260.00	0.53	4.32	A	0.232	2.494	0.597	0.85	1	34.206	5.75	287.54	B
			B	0.465	1.949	0.68	0.85	1	72.011			
			C	0.232	2.494	0.597	0.85	1	34.206			
T4 260.00-240.00	0.58	4.83	A	0.217	2.539	0.594	0.85	1	39.293	6.32	316.18	B
			B	0.429	2.01	0.664	0.85	1	78.503			
			C	0.217	2.539	0.594	0.85	1	39.293			
T5 240.00-220.00	0.62	6.22	A	0.224	2.518	0.596	0.85	1	48.474	7.06	353.08	B
			B	0.417	2.032	0.659	0.85	1	88.817			
			C	0.224	2.518	0.596	0.85	1	48.474			
T6 220.00-	1.23	5.95	A	0.178	2.67	0.586	0.85	1	42.775	6.87	343.44	B



<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 26 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
200.00			B	0.356	2.157	0.635	0.85	1	83.495			
T7 200.00-180.00	2.46	7.00	C	0.339	2.198	0.629	0.85	1	76.951	7.30	365.23	B
			A	0.325	2.232	0.624	0.85	1	83.281			
			B	0.34	2.195	0.629	0.85	1	89.822			
T8 180.00-160.00	2.49	7.29	C	0.325	2.232	0.624	0.85	1	83.281	7.43	371.40	B
			A	0.3	2.297	0.616	0.85	1	85.023			
			B	0.314	2.261	0.62	0.85	1	91.533			
T9 160.00-140.00	2.50	8.55	C	0.306	2.281	0.618	0.85	1	87.348	7.84	392.07	B
			A	0.295	2.311	0.614	0.85	1	93.058			
			B	0.307	2.278	0.618	0.85	1	99.406			
T10 140.00-120.00	2.62	8.93	C	0.302	2.292	0.616	0.85	1	96.068	8.28	413.95	B
			A	0.278	2.356	0.609	0.85	1	95.701			
			B	0.314	2.258	0.62	0.85	1	110.265			
T11 120.00-100.00	2.68	7.69	C	0.285	2.338	0.611	0.85	1	98.688	7.38	369.00	B
			A	0.254	2.426	0.603	0.85	1	84.676			
			B	0.285	2.336	0.611	0.85	1	99.656			
T12 100.00-80.00	2.82	7.91	C	0.247	2.447	0.601	0.85	1	83.679	7.69	384.52	B
			A	0.238	2.475	0.599	0.85	1	85.913			
			B	0.287	2.331	0.612	0.85	1	110.247			
T13 80.00-60.00	2.83	9.27	C	0.232	2.494	0.597	0.85	1	85.434	7.68	383.81	B
			A	0.236	2.482	0.598	0.85	1	92.884			
			B	0.282	2.345	0.611	0.85	1	117.484			
T14 60.00-30.00	4.25	14.28	C	0.227	2.51	0.596	0.85	1	90.914	10.47	348.97	B
			A	0.215	2.546	0.594	0.85	1	138.339			
			B	0.261	2.405	0.605	0.85	1	177.288			
T15 30.00-0.00	4.25	16.66	C	0.215	2.547	0.594	0.85	1	141.161	10.04	334.79	B
			A	0.204	2.583	0.591	0.85	1	144.389			
			B	0.245	2.454	0.601	0.85	1	182.132			
Sum Weight:	30.44	114.60	C	0.202	2.589	0.591	0.85	1	145.725	108.46		
								OTM	16264.98 kip-ft			

### Tower Forces - Service - Wind Normal To Face

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.08	1.79	A	0.208	2.571	0.592	1	1	22.637	3.39	169.39	B
			B	0.315	2.258	0.62	1	1	35.202			
			C	0.208	2.571	0.592	1	1	22.637			
T2 300.00-280.00	0.10	2.50	A	0.207	2.573	0.592	1	1	25.689	3.76	187.98	B
			B	0.314	2.259	0.62	1	1	39.810			
			C	0.207	2.573	0.592	1	1	25.689			
T3 280.00-260.00	0.19	3.48	A	0.2	2.595	0.59	1	1	30.944	4.81	240.57	B
			B	0.348	2.176	0.632	1	1	53.959			
			C	0.2	2.595	0.59	1	1	30.944			
T4 260.00-240.00	0.21	3.83	A	0.189	2.634	0.588	1	1	36.382	5.40	270.09	B
			B	0.32	2.243	0.622	1	1	60.084			
			C	0.189	2.634	0.588	1	1	36.382			
T5 240.00-220.00	0.22	4.90	A	0.197	2.605	0.59	1	1	46.567	6.23	311.58	B
			B	0.316	2.254	0.621	1	1	70.638			
			C	0.197	2.605	0.59	1	1	46.567			
T6 220.00-200.00	0.47	4.82	A	0.157	2.744	0.583	1	1	40.915	5.98	298.83	B
			B	0.266	2.391	0.606	1	1	65.565			
			C	0.266	2.39	0.606	1	1	62.481			

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	320' Rohn SSSVMW	<b>Page</b>	27 of 55
	<b>Project</b>	CSP Tower - Colchester, CT	<b>Date</b>	12:49:15 10/12/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T7 200.00-180.00	0.97	5.71	A	0.259	2.41	0.604	1	1	68.956	6.43	321.72	B
			B	0.259	2.41	0.604	1	1	72.054			
			C	0.259	2.41	0.604	1	1	68.956			
T8 180.00-160.00	0.98	5.93	A	0.24	2.469	0.599	1	1	71.095	6.58	329.02	B
			B	0.239	2.47	0.599	1	1	74.233			
			C	0.244	2.456	0.6	1	1	72.996			
T9 160.00-140.00	0.98	6.89	A	0.24	2.469	0.599	1	1	80.649	7.17	358.33	B
			B	0.239	2.47	0.599	1	1	83.788			
			C	0.245	2.454	0.601	1	1	83.129			
T10 140.00-120.00	1.02	7.17	A	0.226	2.51	0.596	1	1	83.628	7.45	372.51	B
			B	0.24	2.469	0.599	1	1	90.774			
			C	0.231	2.495	0.597	1	1	86.099			
T11 120.00-100.00	1.04	6.34	A	0.196	2.609	0.59	1	1	63.742	5.78	289.19	B
			B	0.206	2.578	0.592	1	1	70.791			
			C	0.191	2.628	0.589	1	1	63.762			
T12 100.00-80.00	1.09	6.51	A	0.183	2.653	0.587	1	1	64.759	5.98	298.78	B
			B	0.204	2.583	0.591	1	1	77.284			
			C	0.179	2.669	0.586	1	1	65.219			
T13 80.00-60.00	1.09	7.71	A	0.185	2.648	0.587	1	1	71.267	6.03	301.26	B
			B	0.203	2.585	0.591	1	1	83.660			
			C	0.177	2.674	0.586	1	1	70.379			
T14 60.00-30.00	1.64	11.86	A	0.168	2.706	0.584	1	1	106.267	8.22	273.89	B
			B	0.189	2.634	0.588	1	1	127.024			
			C	0.168	2.705	0.584	1	1	109.678			
T15 30.00-0.00	1.64	14.02	A	0.16	2.734	0.583	1	1	111.674	7.90	263.46	B
			B	0.178	2.671	0.586	1	1	131.655			
			C	0.159	2.74	0.583	1	1	113.776			
Sum Weight:	11.72	93.46						OTM	13947.19 kip-ft	91.11		

### Tower Forces - Service - Wind 45 To Face

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.08	1.79	A	0.208	2.571	0.592	0.825	1	20.596	3.09	154.27	B
			B	0.315	2.258	0.62	0.825	1	32.059			
			C	0.208	2.571	0.592	0.825	1	20.596			
T2 300.00-280.00	0.10	2.50	A	0.207	2.573	0.592	0.825	1	23.485	3.45	172.49	B
			B	0.314	2.259	0.62	0.825	1	36.530			
			C	0.207	2.573	0.592	0.825	1	23.485			
T3 280.00-260.00	0.19	3.48	A	0.2	2.595	0.59	0.825	1	28.505	4.51	225.56	B
			B	0.348	2.176	0.632	0.825	1	50.591			
			C	0.2	2.595	0.59	0.825	1	28.505			
T4 260.00-240.00	0.21	3.83	A	0.189	2.634	0.588	0.825	1	32.980	5.02	251.08	B
			B	0.32	2.243	0.622	0.825	1	55.856			
			C	0.189	2.634	0.588	0.825	1	32.980			
T5 240.00-220.00	0.22	4.90	A	0.197	2.605	0.59	0.825	1	41.390	5.72	286.05	B
			B	0.316	2.254	0.621	0.825	1	64.850			
			C	0.197	2.605	0.59	0.825	1	41.390			
T6 220.00-200.00	0.47	4.82	A	0.157	2.744	0.583	0.825	1	36.691	5.52	275.78	B
			B	0.266	2.391	0.606	0.825	1	60.508			
			C	0.266	2.39	0.606	0.825	1	58.802			
T7 200.00-180.00	0.97	5.71	A	0.259	2.41	0.604	0.825	1	64.873	5.95	297.34	B
			B	0.259	2.41	0.604	0.825	1	66.594			

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	320' Rohn SSVMW	Page	28 of 55
	Project	CSP Tower - Colchester, CT	Date	12:49:15 10/12/06
	Client	Verizon Wireless	Designed by	Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K	e						ft <sup>2</sup>	K	plf	
T8 180.00-160.00	0.98	5.93	C	0.259	2.41	0.604	0.825	1	64.873	6.06	302.86	B
			A	0.24	2.469	0.599	0.825	1	66.571			
			B	0.239	2.47	0.599	0.825	1	68.331			
T9 160.00-140.00	0.98	6.89	C	0.244	2.456	0.6	0.825	1	68.154	6.52	325.93	B
			A	0.24	2.469	0.599	0.825	1	74.452			
			B	0.239	2.47	0.599	0.825	1	76.213			
T10 140.00-120.00	1.02	7.17	C	0.245	2.454	0.601	0.825	1	76.515	6.79	339.60	B
			A	0.226	2.51	0.596	0.825	1	76.871			
			B	0.24	2.469	0.599	0.825	1	82.755			
T11 120.00-100.00	1.04	6.34	C	0.231	2.495	0.597	0.825	1	78.924	5.65	282.68	B
			A	0.196	2.609	0.59	0.825	1	63.742			
			B	0.206	2.578	0.592	0.825	1	69.196			
T12 100.00-80.00	1.09	6.51	C	0.191	2.628	0.589	0.825	1	62.958	5.82	291.01	B
			A	0.183	2.653	0.587	0.825	1	64.759			
			B	0.204	2.583	0.591	0.825	1	75.276			
T13 80.00-60.00	1.09	7.71	C	0.179	2.669	0.586	0.825	1	64.301	5.88	294.03	B
			A	0.185	2.648	0.587	0.825	1	71.267			
			B	0.203	2.585	0.591	0.825	1	81.651			
T14 60.00-30.00	1.64	11.86	C	0.177	2.674	0.586	0.825	1	69.460	8.02	267.39	B
			A	0.168	2.706	0.584	0.825	1	106.267			
			B	0.189	2.634	0.588	0.825	1	124.011			
T15 30.00-0.00	1.64	14.02	C	0.168	2.705	0.584	0.825	1	108.301	7.72	257.43	B
			A	0.16	2.734	0.583	0.825	1	111.674			
			B	0.178	2.671	0.586	0.825	1	128.642			
Sum Weight:	11.72	93.46	C	0.159	2.74	0.583	0.825	1	112.398	85.72		
								OTM	12959.01			
									kip-ft			

### Tower Forces - Service - Wind 60 To Face

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K	e						ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.08	1.79	A	0.208	2.571	0.592	0.8	1	20.305	3.04	152.11	B
			B	0.315	2.258	0.62	0.8	1	31.610			
			C	0.208	2.571	0.592	0.8	1	20.305			
T2 300.00-280.00	0.10	2.50	A	0.207	2.573	0.592	0.8	1	23.170	3.41	170.28	B
			B	0.314	2.259	0.62	0.8	1	36.062			
			C	0.207	2.573	0.592	0.8	1	23.170			
T3 280.00-260.00	0.19	3.48	A	0.2	2.595	0.59	0.8	1	28.157	4.47	223.41	B
			B	0.348	2.176	0.632	0.8	1	50.110			
			C	0.2	2.595	0.59	0.8	1	28.157			
T4 260.00-240.00	0.21	3.83	A	0.189	2.634	0.588	0.8	1	32.494	4.97	248.37	B
			B	0.32	2.243	0.622	0.8	1	55.252			
			C	0.189	2.634	0.588	0.8	1	32.494			
T5 240.00-220.00	0.22	4.90	A	0.197	2.605	0.59	0.8	1	40.651	5.65	282.40	B
			B	0.316	2.254	0.621	0.8	1	64.023			
			C	0.197	2.605	0.59	0.8	1	40.651			
T6 220.00-200.00	0.47	4.82	A	0.157	2.744	0.583	0.8	1	36.088	5.45	272.49	B
			B	0.266	2.391	0.606	0.8	1	59.785			
			C	0.266	2.39	0.606	0.8	1	58.276			
T7 200.00-180.00	0.97	5.71	A	0.259	2.41	0.604	0.8	1	64.290	5.88	293.85	B
			B	0.259	2.41	0.604	0.8	1	65.813			
			C	0.259	2.41	0.604	0.8	1	64.290			
T8 180.00-	0.98	5.93	A	0.24	2.469	0.599	0.8	1	65.924	5.98	299.13	B

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 29 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
160.00			B	0.239	2.47	0.599	0.8	1	67.488			
T9 160.00-140.00	0.98	6.89	C	0.244	2.456	0.6	0.8	1	67.462	6.43	321.31	B
			A	0.24	2.469	0.599	0.8	1	73.567			
			B	0.239	2.47	0.599	0.8	1	75.131			
T10 140.00-120.00	1.02	7.17	C	0.245	2.454	0.601	0.8	1	75.570	6.70	334.90	B
			A	0.226	2.51	0.596	0.8	1	75.905			
			B	0.24	2.469	0.599	0.8	1	81.610			
T11 120.00-100.00	1.04	6.34	C	0.231	2.495	0.597	0.8	1	77.898	5.63	281.74	B
			A	0.196	2.609	0.59	0.8	1	63.742			
			B	0.206	2.578	0.592	0.8	1	68.968			
T12 100.00-80.00	1.09	6.51	C	0.191	2.628	0.589	0.8	1	62.844	5.80	289.91	B
			A	0.183	2.653	0.587	0.8	1	64.759			
			B	0.204	2.583	0.591	0.8	1	74.989			
T13 80.00-60.00	1.09	7.71	C	0.179	2.669	0.586	0.8	1	64.170	5.86	292.99	B
			A	0.185	2.648	0.587	0.8	1	71.267			
			B	0.203	2.585	0.591	0.8	1	81.364			
T14 60.00-30.00	1.64	11.86	C	0.177	2.674	0.586	0.8	1	69.329	7.99	266.46	B
			A	0.168	2.706	0.584	0.8	1	106.267			
			B	0.189	2.634	0.588	0.8	1	123.581			
T15 30.00-0.00	1.64	14.02	C	0.168	2.705	0.584	0.8	1	108.104	7.70	256.57	B
			A	0.16	2.734	0.583	0.8	1	111.674			
			B	0.178	2.671	0.586	0.8	1	128.212			
Sum Weight:	11.72	93.46	C	0.159	2.74	0.583	0.8	1	112.201	84.95		
								OTM	12817.84 kip-ft			

**Tower Forces - Service - Wind 90 To Face**

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T1 320.00-300.00	0.08	1.79	A	0.208	2.571	0.592	0.85	1	20.888	3.13	156.43	B
			B	0.315	2.258	0.62	0.85	1	32.508			
			C	0.208	2.571	0.592	0.85	1	20.888			
T2 300.00-280.00	0.10	2.50	A	0.207	2.573	0.592	0.85	1	23.800	3.49	174.71	B
			B	0.314	2.259	0.62	0.85	1	36.999			
			C	0.207	2.573	0.592	0.85	1	23.800			
T3 280.00-260.00	0.19	3.48	A	0.2	2.595	0.59	0.85	1	28.854	4.55	227.70	B
			B	0.348	2.176	0.632	0.85	1	51.072			
			C	0.2	2.595	0.59	0.85	1	28.854			
T4 260.00-240.00	0.21	3.83	A	0.189	2.634	0.588	0.85	1	33.466	5.08	253.80	B
			B	0.32	2.243	0.622	0.85	1	56.460			
			C	0.189	2.634	0.588	0.85	1	33.466			
T5 240.00-220.00	0.22	4.90	A	0.197	2.605	0.59	0.85	1	42.130	5.79	289.70	B
			B	0.316	2.254	0.621	0.85	1	65.677			
			C	0.197	2.605	0.59	0.85	1	42.130			
T6 220.00-200.00	0.47	4.82	A	0.157	2.744	0.583	0.85	1	37.294	5.58	279.07	B
			B	0.266	2.391	0.606	0.85	1	61.230			
			C	0.266	2.39	0.606	0.85	1	59.327			
T7 200.00-180.00	0.97	5.71	A	0.259	2.41	0.604	0.85	1	65.457	6.02	300.82	B
			B	0.259	2.41	0.604	0.85	1	67.374			
			C	0.259	2.41	0.604	0.85	1	65.457			
T8 180.00-160.00	0.98	5.93	A	0.24	2.469	0.599	0.85	1	67.217	6.13	306.60	B
			B	0.239	2.47	0.599	0.85	1	69.174			
			C	0.244	2.456	0.6	0.85	1	68.845			

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 30 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section Elevation	Add Weight	Self Weight	F a c e	e	C <sub>F</sub>	R <sub>R</sub>	D <sub>F</sub>	D <sub>R</sub>	A <sub>E</sub>	F	w	Ctrl. Face
ft	K	K							ft <sup>2</sup>	K	plf	
T9 160.00-140.00	0.98	6.89	A	0.24	2.469	0.599	0.85	1	75.337	6.61	330.56	B
			B	0.239	2.47	0.599	0.85	1	77.295			
			C	0.245	2.454	0.601	0.85	1	77.460			
T10 140.00-120.00	1.02	7.17	A	0.226	2.51	0.596	0.85	1	77.836	6.89	344.31	B
			B	0.24	2.469	0.599	0.85	1	83.901			
			C	0.231	2.495	0.597	0.85	1	79.949			
T11 120.00-100.00	1.04	6.34	A	0.196	2.609	0.59	0.85	1	63.742	5.67	283.61	B
			B	0.206	2.578	0.592	0.85	1	69.424			
			C	0.191	2.628	0.589	0.85	1	63.073			
T12 100.00-80.00	1.09	6.51	A	0.183	2.653	0.587	0.85	1	64.759	5.84	292.12	B
			B	0.204	2.583	0.591	0.85	1	75.563			
			C	0.179	2.669	0.586	0.85	1	64.432			
T13 80.00-60.00	1.09	7.71	A	0.185	2.648	0.587	0.85	1	71.267	5.90	295.06	B
			B	0.203	2.585	0.591	0.85	1	81.938			
			C	0.177	2.674	0.586	0.85	1	69.592			
T14 60.00-30.00	1.64	11.86	A	0.168	2.706	0.584	0.85	1	106.267	8.05	268.32	B
			B	0.189	2.634	0.588	0.85	1	124.441			
			C	0.168	2.705	0.584	0.85	1	108.497			
T15 30.00-0.00	1.64	14.02	A	0.16	2.734	0.583	0.85	1	111.674	7.75	258.29	B
			B	0.178	2.671	0.586	0.85	1	129.072			
			C	0.159	2.74	0.583	0.85	1	112.595			
Sum Weight:	11.72	93.46						OTM	13100.18 kip-ft	86.49		

### Force Totals

Load Case	Vertical Forces	Sum of Forces X	Sum of Forces Z	Sum of Overturning Moments, M <sub>x</sub>	Sum of Overturning Moments, M <sub>z</sub>	Sum of Torques
	K	K	K	kip-ft	kip-ft	kip-ft
Leg Weight	50.33					
Bracing Weight	43.13					
Total Member Self-Weight	93.46					
Total Weight	112.48			67.25	-5.07	
Wind 0 deg - No Ice		0.00	-112.12	-18679.55	-5.07	140.35
Wind 30 deg - No Ice		53.75	-93.10	-15434.43	-8954.97	177.85
Wind 45 deg - No Ice		75.47	-75.47	-12490.00	-12562.32	180.39
Wind 60 deg - No Ice		91.77	-52.98	-8741.48	-15262.24	170.58
Wind 90 deg - No Ice		107.50	0.00	67.25	-17904.86	122.56
Wind 120 deg - No Ice		97.10	56.06	9440.65	-16240.28	41.69
Wind 135 deg - No Ice		75.47	75.47	12624.49	-12562.32	-8.63
Wind 150 deg - No Ice		53.75	93.10	15568.92	-8954.97	-55.30
Wind 180 deg - No Ice		0.00	105.96	17684.70	-5.07	-132.70
Wind 210 deg - No Ice		-53.75	93.10	15568.92	8944.82	-177.85
Wind 225 deg - No Ice		-75.47	75.47	12624.49	12552.17	-180.39
Wind 240 deg - No Ice		-97.10	56.06	9440.65	16230.13	-182.03
Wind 270 deg - No Ice		-107.50	0.00	67.25	17894.72	-122.56
Wind 300 deg - No Ice		-91.77	-52.98	-8741.48	15252.09	-37.88
Wind 315 deg - No Ice		-75.47	-75.47	-12490.00	12552.17	8.63
Wind 330 deg - No Ice		-53.75	-93.10	-15434.43	8944.82	55.30
Member Ice	21.14					
Total Weight Ice	156.52			176.65	-37.88	
Wind 0 deg - Ice		0.00	-138.25	-22647.11	-37.88	221.13
Wind 30 deg - Ice		66.59	-115.34	-18800.37	-10994.27	281.42
Wind 45 deg - Ice		93.58	-93.58	-15210.66	-15425.19	285.76
Wind 60 deg - Ice		113.88	-65.75	-10627.91	-18751.92	270.60

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 31 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Load Case	Vertical Forces K	Sum of Forces X K	Sum of Forces Z K	Sum of Overturning Moments, $M_x$ kip-ft	Sum of Overturning Moments, $M_z$ kip-ft	Sum of Torques kip-ft
Wind 90 deg - Ice		133.19	0.00	176.65	-21950.66	194.14
Wind 120 deg - Ice		119.73	69.13	11588.53	-19803.84	65.32
Wind 135 deg - Ice		93.58	93.58	15563.96	-15425.19	-13.32
Wind 150 deg - Ice		66.59	115.34	19153.67	-10994.27	-87.28
Wind 180 deg - Ice		0.00	131.50	21785.77	-37.88	-210.11
Wind 210 deg - Ice		-66.59	115.34	19153.67	10918.51	-281.42
Wind 225 deg - Ice		-93.58	93.58	15563.96	15349.44	-285.76
Wind 240 deg - Ice		-119.73	69.13	11588.53	19728.08	-286.45
Wind 270 deg - Ice		-133.19	0.00	176.65	21874.90	-194.14
Wind 300 deg - Ice		-113.88	-65.75	-10627.91	18676.17	-60.49
Wind 315 deg - Ice		-93.58	-93.58	-15210.66	15349.44	13.32
Wind 330 deg - Ice		-66.59	-115.34	-18800.37	10918.51	87.28
Total Weight	112.48			67.25	-5.07	
Wind 0 deg - Service		0.00	-112.12	-18752.35	3.74	140.35
Wind 30 deg - Service		53.75	-93.10	-15507.22	-8946.16	177.85
Wind 45 deg - Service		75.47	-75.47	-12562.79	-12553.51	180.39
Wind 60 deg - Service		91.77	-52.98	-8814.28	-15253.43	170.58
Wind 90 deg - Service		107.50	0.00	-5.55	-17896.05	122.56
Wind 120 deg - Service		97.10	56.06	9367.85	-16231.47	41.69
Wind 135 deg - Service		75.47	75.47	12551.69	-12553.51	-8.63
Wind 150 deg - Service		53.75	93.10	15496.12	-8946.16	-55.30
Wind 180 deg - Service		0.00	105.96	17611.91	3.74	-132.70
Wind 210 deg - Service		-53.75	93.10	15496.12	8953.63	-177.85
Wind 225 deg - Service		-75.47	75.47	12551.69	12560.98	-180.39
Wind 240 deg - Service		-97.10	56.06	9367.85	16238.94	-182.03
Wind 270 deg - Service		-107.50	0.00	-5.55	17903.53	-122.56
Wind 300 deg - Service		-91.77	-52.98	-8814.28	15260.90	-37.88
Wind 315 deg - Service		-75.47	-75.47	-12562.79	12560.98	8.63
Wind 330 deg - Service		-53.75	-93.10	-15507.22	8953.63	55.30

### Load Combinations

Comb. No.	Description
1	Dead Only
2	Dead+Wind 0 deg - No Ice
3	Dead+Wind 30 deg - No Ice
4	Dead+Wind 45 deg - No Ice
5	Dead+Wind 60 deg - No Ice
6	Dead+Wind 90 deg - No Ice
7	Dead+Wind 120 deg - No Ice
8	Dead+Wind 135 deg - No Ice
9	Dead+Wind 150 deg - No Ice
10	Dead+Wind 180 deg - No Ice
11	Dead+Wind 210 deg - No Ice
12	Dead+Wind 225 deg - No Ice
13	Dead+Wind 240 deg - No Ice
14	Dead+Wind 270 deg - No Ice
15	Dead+Wind 300 deg - No Ice
16	Dead+Wind 315 deg - No Ice
17	Dead+Wind 330 deg - No Ice
18	Dead+Ice+Temp
19	Dead+Wind 0 deg+Ice+Temp
20	Dead+Wind 30 deg+Ice+Temp
21	Dead+Wind 45 deg+Ice+Temp
22	Dead+Wind 60 deg+Ice+Temp

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	320' Rohn SSMW	Page	32 of 55
	Project	CSP Tower - Colchester, CT	Date	12:49:15 10/12/06
	Client	Verizon Wireless	Designed by	Staff

Comb. No.	Description
23	Dead+Wind 90 deg+Ice+Temp
24	Dead+Wind 120 deg+Ice+Temp
25	Dead+Wind 135 deg+Ice+Temp
26	Dead+Wind 150 deg+Ice+Temp
27	Dead+Wind 180 deg+Ice+Temp
28	Dead+Wind 210 deg+Ice+Temp
29	Dead+Wind 225 deg+Ice+Temp
30	Dead+Wind 240 deg+Ice+Temp
31	Dead+Wind 270 deg+Ice+Temp
32	Dead+Wind 300 deg+Ice+Temp
33	Dead+Wind 315 deg+Ice+Temp
34	Dead+Wind 330 deg+Ice+Temp
35	Dead+Wind 0 deg - Service
36	Dead+Wind 30 deg - Service
37	Dead+Wind 45 deg - Service
38	Dead+Wind 60 deg - Service
39	Dead+Wind 90 deg - Service
40	Dead+Wind 120 deg - Service
41	Dead+Wind 135 deg - Service
42	Dead+Wind 150 deg - Service
43	Dead+Wind 180 deg - Service
44	Dead+Wind 210 deg - Service
45	Dead+Wind 225 deg - Service
46	Dead+Wind 240 deg - Service
47	Dead+Wind 270 deg - Service
48	Dead+Wind 300 deg - Service
49	Dead+Wind 315 deg - Service
50	Dead+Wind 330 deg - Service

### Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft			
T1	320 - 300	Leg	Max Tension	27	22.23	0.05	0.02			
			Max. Compression	24	-26.22	-0.71	-0.39			
			Max. Mx	30	-25.52	0.97	0.07			
			Max. My	19	9.81	-0.16	0.99			
			Max. Vy	31	1.51	0.00	0.00			
			Max. Vx	19	1.53	0.00	0.00			
		Diagonal	Max Tension	31	4.35	0.00	0.00			
			Max. Compression	31	-4.39	0.00	0.00			
			Max. Mx	24	3.41	0.01	-0.00			
			Max. My	21	-3.58	0.01	-0.00			
			Max. Vy	24	-0.01	0.01	-0.00			
			Max. Vx	21	-0.00	0.00	0.00			
		Top Girt	Max Tension	24	0.58	0.00	0.00			
			Max. Compression	22	-0.60	0.00	0.00			
			Max. Mx	18	-0.01	-0.02	0.00			
			Max. Vy	18	-0.01	0.00	0.00			
			T2	300 - 280	Leg	Max Tension	27	49.70	-0.14	-0.01
						Max. Compression	24	-57.65	0.87	0.07
Max. Mx	24	-57.65				0.87	0.07			
Diagonal	Max. My	28			-2.29	0.03	1.06			
	Max. Vy	24			-0.27	0.49	0.02			
	Max. Vx	31			-0.45	-0.01	-0.11			
Diagonal	Max Tension	34	4.89	0.00	0.00					
	Max. Compression	34	-4.91	0.00	0.00					
	Max. Mx	27	3.06	0.02	0.00					

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	320' Rohn SSVMW	Page	33 of 55
	Project	CSP Tower - Colchester, CT	Date	12:49:15 10/12/06
	Client	Verizon Wireless	Designed by	Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
T3	280 - 260	Top Girt	Max. My	29	-4.05	0.01	0.01
			Max. Vy	27	0.02	0.02	0.00
			Max. Vx	21	0.00	0.00	0.00
		Leg	Max. Tension	24	0.14	0.00	0.00
			Max. Compression	27	-0.16	0.00	0.00
			Max. Mx	18	-0.01	-0.03	0.00
			Max. My	18	-0.01	0.00	0.00
			Max. Vy	18	0.02	0.00	0.00
			Max. Vx	18	-0.00	0.00	0.00
			Max. Tension	22	77.68	-0.63	-0.01
			Max. Compression	24	-90.51	1.08	0.05
			Max. Mx	19	-89.74	1.08	-0.06
		Diagonal	Max. My	20	-5.34	-0.02	-1.08
			Max. Vy	27	0.31	-0.72	0.00
			Max. Vx	23	-0.51	-0.02	0.69
Max. Tension	34		6.58	0.00	0.00		
Max. Compression	34		-6.61	0.00	0.00		
Max. Mx	27		3.93	0.04	0.01		
T4	260 - 240	Leg	Max. My	19	-6.24	0.02	-0.01
			Max. Vy	27	0.02	0.04	0.01
			Max. Vx	19	0.00	0.00	0.00
		Leg	Max. Tension	22	108.92	-0.69	0.01
			Max. Compression	24	-127.44	1.98	0.07
			Max. Mx	19	-126.29	1.99	-0.28
			Max. My	20	-7.47	0.03	-1.81
			Max. Vy	19	-0.37	1.99	-0.28
			Max. Vx	28	-0.39	0.03	1.81
			Max. Tension	34	8.02	0.00	0.00
			Max. Compression	34	-8.08	0.00	0.00
			Max. Mx	27	4.83	0.06	0.01
		Diagonal	Max. My	19	-7.59	0.02	-0.01
			Max. Vy	27	0.03	0.06	0.01
			Max. Vx	19	0.00	0.00	0.00
Max. Tension	22		142.01	-0.91	-0.02		
Max. Compression	24		-167.42	1.74	0.03		
Max. Mx	19		-138.79	1.99	-0.28		
T5	240 - 220	Leg	Max. My	20	-7.78	0.03	-1.81
			Max. Vy	30	-0.30	1.02	0.02
			Max. Vx	28	0.29	0.03	1.81
		Diagonal	Max. Tension	34	9.92	0.00	0.00
			Max. Compression	34	-9.92	0.00	0.00
			Max. Mx	22	6.49	0.14	-0.02
			Max. My	19	-9.71	0.03	-0.02
			Max. Vy	22	0.06	0.14	-0.02
			Max. Vx	19	0.00	0.00	0.00
			Max. Tension	22	177.02	-0.88	-0.24
			Max. Compression	24	-211.01	1.95	-0.03
			Max. Mx	19	-208.70	1.96	-0.22
		Diagonal	Max. My	20	-12.11	-0.11	-2.73
			Max. Vy	32	-1.58	-1.64	-0.04
			Max. Vx	28	1.45	0.01	0.85
Max. Tension	34		13.61	0.00	0.00		
Max. Compression	34		-13.69	0.00	0.00		
Max. Mx	24		10.17	0.23	0.03		
T6	220 - 200	Leg	Max. My	19	-12.81	0.03	-0.04
			Max. Vy	21	0.08	0.21	-0.04
			Max. Vx	19	0.01	0.00	0.00
		Leg	Max. Tension	27	218.42	-1.98	0.02
			Max. Compression	24	-262.38	2.48	-0.06
			Max. Mx	19	-259.40	2.49	-0.23
			Max. My	26	-14.47	-0.11	-2.85
			Max. Vy	26	-14.47	-0.11	-2.85
			Max. Vx	26	-14.47	-0.11	-2.85
			Max. Tension	27	218.42	-1.98	0.02
			Max. Compression	24	-262.38	2.48	-0.06
			Max. Mx	19	-259.40	2.49	-0.23
		Diagonal	Max. My	26	-14.47	-0.11	-2.85
			Max. Vy	26	-14.47	-0.11	-2.85
			Max. Vx	26	-14.47	-0.11	-2.85
Max. Tension	27		218.42	-1.98	0.02		
Max. Compression	24		-262.38	2.48	-0.06		
Max. Mx	19		-259.40	2.49	-0.23		
T7	200 - 180	Leg	Max. My	26	-14.47	-0.11	-2.85
			Max. Vy	26	-14.47	-0.11	-2.85
			Max. Vx	26	-14.47	-0.11	-2.85
		Diagonal	Max. Tension	27	218.42	-1.98	0.02
			Max. Compression	24	-262.38	2.48	-0.06
			Max. Mx	19	-259.40	2.49	-0.23



<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMMW	<b>Page</b> 34 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft	
T8	180 - 160	Diagonal	Max. Vy	32	-1.72	-1.75	0.03	
			Max. Vx	20	-1.56	0.05	-0.50	
			Max Tension	34	15.59	0.00	0.00	
			Max. Compression	34	-15.64	0.00	0.00	
			Max. Mx	27	9.83	0.23	0.03	
			Max. My	19	-15.19	0.08	-0.04	
			Max. Vy	27	0.08	0.23	0.03	
		Leg	Max. Vx	19	0.01	0.00	0.00	
			Max Tension	27	261.36	-2.40	0.22	
			Max. Compression	24	-314.36	3.14	-0.08	
			Max. Mx	24	-314.36	3.14	-0.08	
			Max. My	28	-21.20	0.10	2.78	
			Max. Vy	32	0.38	-2.41	0.07	
			Max. Vx	20	0.65	-0.10	-2.52	
Diagonal	Max Tension	31	17.24	0.00	0.00			
	Max. Compression	31	-17.40	0.00	0.00			
	Max. Mx	27	10.62	0.27	0.04			
	Max. My	28	-10.51	0.20	0.04			
	Max. Vy	27	0.09	0.27	0.04			
	Max. Vx	28	-0.01	0.00	0.00			
	Max Tension	27	305.23	-1.99	0.04			
T9	160 - 140	Leg	Max. Compression	24	-367.82	3.80	-0.11	
			Max. Mx	24	-367.82	3.80	-0.11	
			Max. My	28	-23.07	-0.23	3.57	
			Max. Vy	19	-0.40	3.78	-0.17	
			Max. Vx	28	0.61	-0.23	3.57	
			Max Tension	31	19.56	0.00	0.00	
			Max. Compression	30	-20.23	0.00	0.00	
		Diagonal	Max. Mx	24	14.71	0.44	-0.04	
			Max. My	28	13.87	0.41	0.06	
			Max. Vy	21	0.13	0.41	-0.06	
			Max. Vx	28	-0.01	0.00	0.00	
			Max Tension	27	347.16	-2.63	0.06	
			Max. Compression	24	-420.61	-3.76	0.10	
			Max. Mx	24	-394.54	3.80	-0.11	
T10	140 - 120	Leg	Max. My	28	-29.04	-0.89	6.17	
			Max. Vy	19	0.79	2.50	-0.04	
			Max. Vx	28	-0.76	-0.13	4.96	
			Max Tension	31	20.23	0.00	0.00	
			Max. Compression	30	-20.76	0.00	0.00	
			Max. Mx	25	11.36	0.51	0.06	
			Max. My	28	13.91	0.46	0.09	
		Diagonal	Max. Vy	25	-0.14	0.51	0.06	
			Max. Vx	28	-0.01	0.00	0.00	
			Max Tension	27	353.38	1.89	0.14	
			Max. Compression	24	-430.44	-14.84	-0.08	
			Max. Mx	24	-429.58	18.61	0.37	
			Max. My	28	-31.29	-2.18	11.68	
			Max. Vy	24	3.60	18.61	0.37	
T11	120 - 100	Leg	Max. Vx	28	-2.10	-2.18	11.68	
			Max Tension	31	30.71	-0.22	-0.05	
			Max. Compression	30	-33.08	0.00	0.00	
			Max. Mx	27	20.76	-0.28	0.08	
			Max. My	31	-32.06	-0.01	-0.16	
			Max. Vy	27	-0.07	-0.28	0.08	
			Max. Vx	31	0.01	-0.01	-0.16	
		Diagonal	Max Tension	31	17.23	-0.21	0.00	
			Max. Compression	30	-17.33	-0.26	-0.02	
			Max. Mx	27	-3.17	-0.31	-0.03	
			Max. My	19	3.37	-0.12	0.04	
			Max. Vy	27	0.09	-0.31	-0.03	
			Horizontal	Max. Vy	27	0.09	-0.31	-0.03

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 35 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft		
T12	100 - 80	Redund Horz 1 Bracing	Max. Vx	19	-0.00	0.00	0.00		
			Max Tension	24	6.48	0.00	0.00		
			Max. Compression	24	-6.48	0.00	0.00		
			Max. Mx	18	0.47	0.02	0.00		
			Max. Vy	18	0.01	0.00	0.00		
			Redund Diag 1 Bracing	Max Tension	24	5.88	0.00	0.00	
				Max. Compression	24	-5.88	0.00	0.00	
				Max. Mx	18	0.35	0.04	0.00	
				Max. Vy	18	-0.02	0.00	0.00	
				Redund Hip 1 Bracing	Max Tension	31	0.02	0.00	0.00
					Max. Compression	23	-0.04	0.00	0.00
			Max. Mx		18	-0.01	0.02	0.00	
		Redund Hip Diagonal Bracing	Max. Vy	18	-0.01	0.00	0.00		
			Max Tension	19	0.09	0.00	0.00		
			Max. Compression	27	-0.09	0.00	0.00		
		Inner Bracing	Max. Mx	18	0.04	0.17	0.00		
			Max. Vy	18	0.04	0.00	0.00		
			Max Tension	30	0.30	0.00	0.00		
			Max. Compression	30	-0.31	0.00	0.00		
			Max. Mx	18	-0.01	0.20	0.00		
			Max. Vy	18	-0.06	0.00	0.00		
		Leg	Max Tension	27	386.21	10.16	1.39		
			Max. Compression	24	-473.15	-15.81	-0.39		
			Max. Mx	24	-472.26	20.23	0.38		
			Max. My	28	-35.03	-2.41	12.26		
			Max. Vy	24	3.84	20.23	0.38		
			Max. Vx	28	2.39	-2.18	11.68		
			Diagonal	Max Tension	31	32.43	-0.22	-0.04	
				Max. Compression	30	-35.00	0.00	0.00	
				Max. Mx	27	19.62	-0.28	0.08	
				Max. My	31	-34.04	-0.04	-0.15	
				Max. Vy	27	0.07	-0.28	0.08	
				Max. Vx	31	-0.01	0.00	0.00	
			Horizontal	Max Tension	31	19.21	-0.25	0.00	
				Max. Compression	30	-19.74	-0.30	-0.02	
				Max. Mx	27	0.76	-0.33	-0.04	
				Max. My	19	4.57	-0.17	0.04	
				Max. Vy	27	-0.09	-0.33	-0.04	
				Max. Vx	19	-0.00	0.00	0.00	
		Redund Horz 1 Bracing	Max Tension	24	7.12	0.00	0.00		
			Max. Compression	24	-7.12	0.00	0.00		
			Max. Mx	18	0.53	0.03	0.00		
Max. Vy	18		-0.01	0.00	0.00				
Redund Diag 1 Bracing	Max Tension		24	6.04	0.00	0.00			
	Max. Compression		24	-6.04	0.00	0.00			
	Max. Mx	18	0.37	0.05	0.00				
	Max. Vy	18	-0.02	0.00	0.00				
	Redund Hip 1 Bracing	Max Tension	31	0.02	0.00	0.00			
		Max. Compression	23	-0.04	0.00	0.00			
Max. Mx		18	-0.01	0.03	0.00				
Redund Hip Diagonal Bracing	Max. Vy	18	-0.01	0.00	0.00				
	Max Tension	19	0.08	0.00	0.00				
	Max. Compression	27	-0.09	0.00	0.00				

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	320' Rohn SSVMW	Page	36 of 55
	Project	CSP Tower - Colchester, CT	Date	12:49:15 10/12/06
	Client	Verizon Wireless	Designed by	Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
T13	80 - 60	Inner Bracing	Max. Mx	18	0.04	0.20	0.00
			Max. Vy	18	-0.05	0.00	0.00
			Max Tension	30	0.34	0.00	0.00
			Max. Compression	30	-0.35	0.00	0.00
			Max. Mx	18	0.00	0.25	0.00
			Max. Vy	18	-0.07	0.00	0.00
		Leg	Max Tension	27	421.92	10.69	1.64
			Max. Compression	24	-518.76	-15.83	-0.52
			Max. Mx	24	-517.76	24.10	0.39
			Max. My	28	-39.15	-3.22	20.24
			Max. Vy	24	4.10	24.10	0.39
			Max. Vx	28	-3.01	-3.22	20.24
		Diagonal	Max Tension	31	30.56	-0.22	-0.03
			Max. Compression	30	-33.80	0.00	0.00
			Max. Mx	27	21.66	-0.27	0.06
			Max. My	31	-30.87	-0.09	-0.13
			Max. Vy	27	-0.07	-0.27	0.06
			Max. Vx	31	-0.01	0.00	0.00
		Horizontal	Max Tension	31	19.32	-0.38	0.00
			Max. Compression	30	-20.03	-0.42	-0.02
			Max. Mx	27	-4.69	-0.45	-0.03
			Max. My	19	4.65	-0.30	0.04
			Max. Vy	27	0.13	-0.45	-0.03
			Max. Vx	19	-0.00	0.00	0.00
		Redund Horz 1 Bracing	Max Tension	24	7.82	0.00	0.00
			Max. Compression	24	-7.80	0.00	0.00
			Max. Mx	18	0.52	0.04	0.00
		Redund Diag 1 Bracing	Max. Vy	18	-0.02	0.00	0.00
			Max Tension	24	6.24	0.00	0.00
			Max. Compression	24	-6.25	0.00	0.00
		Redund Hip 1 Bracing	Max. Mx	18	0.39	0.06	0.00
			Max. Vy	18	-0.02	0.00	0.00
			Max Tension	31	0.01	0.00	0.00
Max. Compression	23		-0.03	0.00	0.00		
Redund Hip Diagonal Bracing	Max. Mx	18	-0.01	0.03	0.00		
	Max. Vy	18	-0.02	0.00	0.00		
	Max Tension	19	0.08	0.00	0.00		
	Max. Compression	27	-0.09	0.00	0.00		
Inner Bracing	Max. Mx	18	0.05	0.29	0.00		
	Max. Vy	18	-0.07	0.00	0.00		
	Max Tension	30	0.35	0.00	0.00		
	Max. Compression	30	-0.36	0.00	0.00		
	Max. Mx	18	0.00	0.29	0.00		
	Max. Vy	18	0.08	0.00	0.00		
	Leg	Max Tension	27	456.04	9.18	2.23	
		Max. Compression	24	-563.60	4.37	0.37	
		Max. Mx	24	-555.29	31.19	0.50	
		Max. My	28	-44.80	-1.94	25.35	
		Max. Vy	24	5.81	31.19	0.50	
		Max. Vx	20	3.53	-1.93	-25.34	
Diagonal	Max Tension	31	45.16	-0.34	-0.08		
	Max. Compression	30	-49.28	0.00	0.00		
	Max. Mx	27	33.43	-0.42	0.24		
	Max. My	31	-44.58	0.22	-0.41		
	Max. Vy	30	-0.09	-0.18	0.19		
	Max. Vx	30	0.05	-0.18	0.19		
Horizontal	Max Tension	31	22.99	-0.55	0.00		

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSMW	<b>Page</b> 37 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
			Max. Compression	31	-22.87	-0.55	0.00
			Max. Mx	27	-3.45	-0.72	-0.04
			Max. My	19	-2.25	-0.37	0.05
			Max. Vy	27	0.17	-0.72	-0.04
			Max. Vx	19	-0.00	0.00	0.00
		Redund Horiz 1 Bracing	Max Tension	24	8.50	0.00	0.00
			Max. Compression	24	-8.68	0.00	0.00
			Max. Mx	18	0.67	0.02	0.00
			Max. Vy	18	-0.01	0.00	0.00
		Redund Horiz 2 Bracing	Max Tension	24	8.50	0.00	0.00
			Max. Compression	24	-8.56	0.00	0.00
			Max. Mx	18	0.67	0.10	0.00
			Max. Vy	18	0.04	0.00	0.00
		Redund Diag 1 Bracing	Max Tension	24	8.76	0.00	0.00
			Max. Compression	24	-8.57	0.00	0.00
			Max. Mx	18	0.76	0.04	0.00
			Max. Vy	18	-0.01	0.00	0.00
		Redund Diag 2 Bracing	Max Tension	24	5.62	0.00	0.00
			Max. Compression	24	-5.56	0.00	0.00
			Max. Mx	18	0.43	0.15	0.00
			Max. Vy	18	-0.04	0.00	0.00
		Redund Hip 1 Bracing	Max Tension	30	0.09	0.00	0.00
			Max. Compression	23	-0.10	0.00	0.00
			Max. Mx	18	-0.01	0.02	0.00
			Max. Vy	18	-0.01	0.00	0.00
		Redund Hip 2 Bracing	Max Tension	31	0.03	0.00	0.00
			Max. Compression	23	-0.05	0.00	0.00
			Max. Mx	18	-0.01	0.08	0.00
			Max. Vy	18	-0.03	0.00	0.00
		Redund Hip Diagonal Bracing	Max Tension	23	0.20	0.00	0.00
			Max. Compression	31	-0.21	0.00	0.00
			Max. Mx	18	0.02	0.18	0.00
			Max. Vy	18	-0.04	0.00	0.00
		Inner Bracing	Max Tension	31	0.39	0.00	0.00
			Max. Compression	31	-0.41	0.00	0.00
			Max. Mx	18	-0.01	0.34	0.00
			Max. Vy	18	-0.08	0.00	0.00
T15	30 - 0	Leg	Max Tension	27	507.99	21.53	3.50
			Max. Compression	24	-631.44	5.69	0.48
			Max. Mx	24	-628.12	27.35	0.73
			Max. My	28	-49.05	-1.94	25.35
			Max. Vy	24	-3.24	5.69	0.48
			Max. Vx	20	-3.45	-1.92	-25.34
		Diagonal	Max Tension	31	42.76	-0.32	-0.08
			Max. Compression	30	-45.25	0.00	0.00
			Max. Mx	27	28.55	-0.41	0.20
			Max. My	31	-44.77	0.15	-0.36
			Max. Vy	30	-0.09	-0.23	0.18
			Max. Vx	30	0.04	-0.23	0.18
		Horizontal	Max Tension	22	23.14	0.00	0.00
			Max. Compression	30	-24.88	-0.63	-0.03
			Max. Mx	27	-0.75	-0.70	-0.06
			Max. My	19	6.90	-0.41	0.07
			Max. Vy	27	-0.17	-0.70	-0.06

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 38 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
			Max. Vx	19	0.00	-0.41	0.07
		Redund Horz 1 Bracing	Max Tension	24	9.57	0.00	0.00
			Max. Compression	24	-9.53	0.00	0.00
			Max. Mx	18	0.83	0.02	0.00
			Max. Vy	18	-0.01	0.00	0.00
		Redund Horz 2 Bracing	Max Tension	24	9.53	0.00	0.00
			Max. Compression	24	-9.73	0.00	0.00
			Max. Mx	18	0.80	0.18	0.00
			Max. Vy	18	-0.06	0.00	0.00
		Redund Diag 1 Bracing	Max Tension	24	8.86	0.00	0.00
			Max. Compression	24	-8.90	0.00	0.00
			Max. Mx	18	0.61	0.06	0.00
			Max. Vy	18	-0.02	0.00	0.00
		Redund Diag 2 Bracing	Max Tension	24	6.12	0.00	0.00
			Max. Compression	24	-5.96	0.00	0.00
			Max. Mx	18	0.58	0.18	0.00
			Max. Vy	18	0.05	0.00	0.00
		Redund Hip 1 Bracing	Max Tension	30	0.08	0.00	0.00
			Max. Compression	23	-0.09	0.00	0.00
			Max. Mx	18	-0.01	0.02	0.00
			Max. Vy	18	-0.01	0.00	0.00
		Redund Hip 2 Bracing	Max Tension	31	0.01	0.00	0.00
			Max. Compression	23	-0.05	0.00	0.00
			Max. Mx	18	-0.02	0.10	0.00
			Max. Vy	18	-0.03	0.00	0.00
		Redund Hip Diagonal Bracing	Max Tension	23	0.17	0.00	0.00
			Max. Compression	31	-0.19	0.00	0.00
			Max. Mx	18	0.03	0.31	0.00
			Max. Vy	18	-0.06	0.00	0.00
		Inner Bracing	Max Tension	30	0.44	0.00	0.00
			Max. Compression	30	-0.44	0.00	0.00
			Max. Mx	18	0.01	0.42	0.00
			Max. Vy	18	0.09	0.00	0.00

### Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Leg C	Max. Vert	30	689.65	75.48	-38.79
	Max. H <sub>x</sub>	30	689.65	75.48	-38.79
	Max. H <sub>z</sub>	21	-531.64	-60.80	33.95
	Min. Vert	22	-548.02	-64.01	32.62
	Min. H <sub>x</sub>	22	-548.02	-64.01	32.62
	Min. H <sub>z</sub>	30	689.65	75.48	-38.79
Leg B	Max. Vert	24	691.52	-73.93	-41.54
	Max. H <sub>x</sub>	32	-546.16	62.50	35.17
	Max. H <sub>z</sub>	33	-529.77	58.66	37.59
	Min. Vert	32	-546.16	62.50	35.17
	Min. H <sub>x</sub>	24	691.52	-73.93	-41.54

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	320' Rohn SSVMW	<b>Page</b>	39 of 55
	<b>Project</b>	CSP Tower - Colchester, CT	<b>Date</b>	12:49:15 10/12/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Leg A	Min. H <sub>z</sub>	25	640.99	-66.58	-42.01
	Max. Vert	19	683.06	3.15	84.65
	Max. H <sub>x</sub>	32	348.04	9.05	42.51
	Max. H <sub>z</sub>	19	683.06	3.15	84.65
	Min. Vert	27	-554.61	-2.96	-71.86
	Min. H <sub>x</sub>	24	-270.79	-9.37	-35.74
	Min. H <sub>z</sub>	27	-554.61	-2.96	-71.86

### Tower Mast Reaction Summary

Load Combination	Vertical K	Shear <sub>x</sub> K	Shear <sub>z</sub> K	Overturning Moment, M <sub>x</sub> kip-ft	Overturning Moment, M <sub>z</sub> kip-ft	Torque kip-ft
Dead Only	112.48	0.00	0.00	67.25	-5.07	0.00
Dead+Wind 0 deg - No Ice	112.48	-0.00	-112.12	-18389.25	-5.07	140.35
Dead+Wind 30 deg - No Ice	112.48	53.75	-93.10	-15188.12	-8812.76	177.86
Dead+Wind 45 deg - No Ice	112.48	75.47	-75.47	-12289.58	-12361.90	180.39
Dead+Wind 60 deg - No Ice	112.48	91.77	-52.98	-8600.26	-15017.63	170.58
Dead+Wind 90 deg - No Ice	112.48	107.50	-0.00	67.25	-17620.45	122.56
Dead+Wind 120 deg - No Ice	112.48	97.10	56.06	9295.50	-15988.87	41.69
Dead+Wind 135 deg - No Ice	112.48	75.47	75.47	12424.08	-12361.90	-8.62
Dead+Wind 150 deg - No Ice	112.48	53.75	93.10	15322.62	-8812.76	-55.29
Dead+Wind 180 deg - No Ice	112.48	0.00	105.96	17402.26	-5.07	-132.70
Dead+Wind 210 deg - No Ice	112.48	-53.75	93.10	15322.62	8802.62	-177.86
Dead+Wind 225 deg - No Ice	112.48	-75.47	75.47	12424.08	12351.76	-180.39
Dead+Wind 240 deg - No Ice	112.48	-97.10	56.06	9295.50	15978.72	-182.04
Dead+Wind 270 deg - No Ice	112.48	-107.50	0.00	67.25	17610.31	-122.56
Dead+Wind 300 deg - No Ice	112.48	-91.77	-52.98	-8600.26	15007.49	-37.89
Dead+Wind 315 deg - No Ice	112.48	-75.47	-75.47	-12289.58	12351.76	8.62
Dead+Wind 330 deg - No Ice	112.48	-53.75	-93.10	-15188.12	8802.62	55.29
Dead+Ice+Temp	156.52	0.00	0.00	176.65	-37.88	0.00
Dead+Wind 0 deg+Ice+Temp	156.52	-0.00	-138.25	-22231.76	-37.88	221.13
Dead+Wind 30 deg+Ice+Temp	156.52	66.59	-115.34	-18448.23	-10790.96	281.42
Dead+Wind 45 deg+Ice+Temp	156.52	93.58	-93.58	-14924.17	-15138.70	285.77
Dead+Wind 60 deg+Ice+Temp	156.52	113.88	-65.75	-10426.06	-18402.31	270.60
Dead+Wind 90 deg+Ice+Temp	156.52	133.19	0.00	176.65	-21544.04	194.14
Dead+Wind 120 deg+Ice+Temp	156.52	119.73	69.13	11380.86	-19444.13	65.33
Dead+Wind 135 deg+Ice+Temp	156.52	93.58	93.58	15277.48	-15138.70	-13.32
Dead+Wind 150 deg+Ice+Temp	156.52	66.59	115.34	18801.54	-10790.96	-87.27
Dead+Wind 180 deg+Ice+Temp	156.52	0.00	131.50	21382.07	-37.88	-210.11
Dead+Wind 210 deg+Ice+Temp	156.52	-66.59	115.34	18801.54	10715.21	-281.42
Dead+Wind 225 deg+Ice+Temp	156.52	-93.58	93.58	15277.48	15062.95	-285.77
Dead+Wind 240 deg+Ice+Temp	156.52	-119.73	69.13	11380.86	19368.37	-286.46
Dead+Wind 270 deg+Ice+Temp	156.52	-133.19	0.00	176.65	21468.29	-194.14
Dead+Wind 300 deg+Ice+Temp	156.52	-113.88	-65.75	-10426.06	18326.55	-60.49
Dead+Wind 315 deg+Ice+Temp	156.52	-93.58	-93.58	-14924.17	15062.95	13.32
Dead+Wind 330 deg+Ice+Temp	156.52	-66.59	-115.34	-18448.23	10715.21	87.27
Dead+Wind 0 deg - Service	112.48	-0.00	-112.12	-18389.25	-5.07	140.35
Dead+Wind 30 deg - Service	112.48	53.75	-93.10	-15188.12	-8812.76	177.86
Dead+Wind 45 deg - Service	112.48	75.47	-75.47	-12289.58	-12361.90	180.39
Dead+Wind 60 deg - Service	112.48	91.77	-52.98	-8600.26	-15017.63	170.58
Dead+Wind 90 deg - Service	112.48	107.50	-0.00	67.25	-17620.45	122.56
Dead+Wind 120 deg - Service	112.48	97.10	56.06	9295.50	-15988.87	41.69
Dead+Wind 135 deg - Service	112.48	75.47	75.47	12424.08	-12361.90	-8.62
Dead+Wind 150 deg - Service	112.48	53.75	93.10	15322.62	-8812.76	-55.29
Dead+Wind 180 deg - Service	112.48	0.00	105.96	17402.26	-5.07	-132.70
Dead+Wind 210 deg - Service	112.48	-53.75	93.10	15322.62	8802.62	-177.86

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 40 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Load Combination	Vertical K	Shear <sub>x</sub> K	Shear <sub>y</sub> K	Overturning Moment, M <sub>x</sub> kip-ft	Overturning Moment, M <sub>y</sub> kip-ft	Torque kip-ft
Dead+Wind 225 deg - Service	112.48	-75.47	75.47	12424.08	12351.76	-180.39
Dead+Wind 240 deg - Service	112.48	-97.10	56.06	9295.50	15978.72	-182.04
Dead+Wind 270 deg - Service	112.48	-107.50	0.00	67.25	17610.31	-122.56
Dead+Wind 300 deg - Service	112.48	-91.77	-52.98	-8600.26	15007.49	-37.89
Dead+Wind 315 deg - Service	112.48	-75.47	-75.47	-12289.58	12351.76	8.62
Dead+Wind 330 deg - Service	112.48	-53.75	-93.10	-15188.12	8802.62	55.29

### Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0.00	-112.48	0.00	-0.00	112.48	-0.00	0.000%
2	0.00	-112.48	-112.12	0.00	112.48	112.12	0.000%
3	53.75	-112.48	-93.10	-53.75	112.48	93.10	0.000%
4	75.47	-112.48	-75.47	-75.47	112.48	75.47	0.000%
5	91.77	-112.48	-52.98	-91.77	112.48	52.98	0.000%
6	107.50	-112.48	0.00	-107.50	112.48	0.00	0.000%
7	97.10	-112.48	56.06	-97.10	112.48	-56.06	0.000%
8	75.47	-112.48	75.47	-75.47	112.48	-75.47	0.000%
9	53.75	-112.48	93.10	-53.75	112.48	-93.10	0.000%
10	-0.00	-112.48	105.96	-0.00	112.48	-105.96	0.000%
11	-53.75	-112.48	93.10	53.75	112.48	-93.10	0.000%
12	-75.47	-112.48	75.47	75.47	112.48	-75.47	0.000%
13	-97.10	-112.48	56.06	97.10	112.48	-56.06	0.000%
14	-107.50	-112.48	0.00	107.50	112.48	-0.00	0.000%
15	-91.77	-112.48	-52.98	91.77	112.48	52.98	0.000%
16	-75.47	-112.48	-75.47	75.47	112.48	75.47	0.000%
17	-53.75	-112.48	-93.10	53.75	112.48	93.10	0.000%
18	0.00	-156.52	0.00	-0.00	156.52	-0.00	0.000%
19	0.00	-156.52	-138.25	0.00	156.52	138.25	0.000%
20	66.59	-156.52	-115.34	-66.59	156.52	115.34	0.000%
21	93.58	-156.52	-93.58	-93.58	156.52	93.58	0.000%
22	113.88	-156.52	-65.75	-113.88	156.52	65.75	0.000%
23	133.19	-156.52	0.00	-133.19	156.52	-0.00	0.000%
24	119.73	-156.52	69.13	-119.73	156.52	-69.13	0.000%
25	93.58	-156.52	93.58	-93.58	156.52	-93.58	0.000%
26	66.59	-156.52	115.34	-66.59	156.52	-115.34	0.000%
27	-0.00	-156.52	131.50	-0.00	156.52	-131.50	0.000%
28	-66.59	-156.52	115.34	66.59	156.52	-115.34	0.000%
29	-93.58	-156.52	93.58	93.58	156.52	-93.58	0.000%
30	-119.73	-156.52	69.13	119.73	156.52	-69.13	0.000%
31	-133.19	-156.52	0.00	133.19	156.52	-0.00	0.000%
32	-113.88	-156.52	-65.75	113.88	156.52	65.75	0.000%
33	-93.58	-156.52	-93.58	93.58	156.52	93.58	0.000%
34	-66.59	-156.52	-115.34	66.59	156.52	115.34	0.000%
35	0.00	-112.48	-112.12	0.00	112.48	112.12	0.000%
36	53.75	-112.48	-93.10	-53.75	112.48	93.10	0.000%
37	75.47	-112.48	-75.47	-75.47	112.48	75.47	0.000%
38	91.77	-112.48	-52.98	-91.77	112.48	52.98	0.000%
39	107.50	-112.48	0.00	-107.50	112.48	0.00	0.000%
40	97.10	-112.48	56.06	-97.10	112.48	-56.06	0.000%
41	75.47	-112.48	75.47	-75.47	112.48	-75.47	0.000%
42	53.75	-112.48	93.10	-53.75	112.48	-93.10	0.000%
43	-0.00	-112.48	105.96	-0.00	112.48	-105.96	0.000%
44	-53.75	-112.48	93.10	53.75	112.48	-93.10	0.000%
45	-75.47	-112.48	75.47	75.47	112.48	-75.47	0.000%
46	-97.10	-112.48	56.06	97.10	112.48	-56.06	0.000%

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	320' Rohn SSVMW	<b>Page</b>	41 of 55
	<b>Project</b>	CSP Tower - Colchester, CT	<b>Date</b>	12:49:15 10/12/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
47	-107.50	-112.48	0.00	107.50	112.48	-0.00	0.000%
48	-91.77	-112.48	-52.98	91.77	112.48	52.98	0.000%
49	-75.47	-112.48	-75.47	75.47	112.48	75.47	0.000%
50	-53.75	-112.48	-93.10	53.75	112.48	93.10	0.000%

### Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T1	320 - 300	24.889	40	0.6707	0.2638
T2	300 - 280	22.017	40	0.6528	0.2140
T3	280 - 260	19.282	40	0.6180	0.1761
T4	260 - 240	16.686	40	0.5872	0.1572
T5	240 - 220	14.227	40	0.5495	0.1409
T6	220 - 200	11.954	40	0.5054	0.1303
T7	200 - 180	9.876	40	0.4555	0.1213
T8	180 - 160	7.976	40	0.4124	0.1112
T9	160 - 140	6.252	40	0.3656	0.0993
T10	140 - 120	4.737	40	0.3151	0.0893
T11	120 - 100	3.435	40	0.2620	0.0789
T12	100 - 80	2.384	40	0.2105	0.0621
T13	80 - 60	1.534	40	0.1590	0.0485
T14	60 - 30	0.885	35	0.1157	0.0365
T15	30 - 0	0.274	35	0.0519	0.0182

### Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
320.00	6 FT DISH	40	24.889	0.6707	0.2638	111605
318.00	PD128	40	24.599	0.6694	0.2587	111605
315.00	8 FT DISH	40	24.164	0.6674	0.2509	111605
294.00	DB224	40	21.180	0.6434	0.2007	29726
292.00	PD320	40	20.904	0.6398	0.1966	30388
285.00	(2) DB809	40	19.951	0.6270	0.1837	32959
275.00	(2) OGT9	40	18.621	0.6099	0.1701	36205
257.00	PD440	40	16.308	0.5821	0.1548	36341
243.00	PD128	40	14.585	0.5557	0.1431	25582
227.00	PD320	40	12.727	0.5218	0.1336	24216
220.00	DB844	40	11.954	0.5054	0.1303	24408
200.00	PiROD 12' Lightweight T-Frame	40	9.876	0.4555	0.1213	26860
175.00	6 FT DISH	40	7.528	0.4012	0.1083	27069
140.00	PD688S-4	40	4.737	0.3151	0.0893	24466
138.00	PD156S	40	4.597	0.3099	0.0884	23848
115.00	6 FT DISH	40	3.150	0.2491	0.0751	18636
112.00	4 FT DISH	40	2.987	0.2414	0.0726	19866
105.00	6 FT DISH	40	2.626	0.2235	0.0664	23482
100.00	PD458	40	2.384	0.2105	0.0621	26144
97.00	6 FT DISH	40	2.244	0.2026	0.0597	26239
90.00	4 FT DISH	40	1.935	0.1841	0.0547	24812



<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMMW	<b>Page</b> 42 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

**Maximum Tower Deflections - Design Wind**

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T1	320 - 300	30.157	24	0.8074	0.3437
T2	300 - 280	26.706	24	0.7872	0.2925
T3	280 - 260	23.406	24	0.7475	0.2520
T4	260 - 240	20.264	24	0.7116	0.2313
T5	240 - 220	17.281	24	0.6669	0.2105
T6	220 - 200	14.521	24	0.6139	0.1960
T7	200 - 180	11.996	24	0.5535	0.1830
T8	180 - 160	9.688	24	0.5011	0.1685
T9	160 - 140	7.593	24	0.4443	0.1516
T10	140 - 120	5.754	24	0.3829	0.1375
T11	120 - 100	4.173	24	0.3183	0.1229
T12	100 - 80	2.901	24	0.2557	0.0980
T13	80 - 60	1.870	24	0.1931	0.0767
T14	60 - 30	1.084	19	0.1405	0.0578
T15	30 - 0	0.341	19	0.0631	0.0288

**Critical Deflections and Radius of Curvature - Design Wind**

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
320.00	6 FT DISH	24	30.157	0.8074	0.3437	102157
318.00	PD128	24	29.809	0.8059	0.3384	102157
315.00	8 FT DISH	24	29.287	0.8036	0.3306	102157
294.00	DB224	24	25.698	0.7765	0.2785	26984
292.00	PD320	24	25.366	0.7725	0.2741	27502
285.00	(2) DB809	24	24.215	0.7578	0.2602	29486
275.00	(2) OGT9	24	22.607	0.7382	0.2456	31828
257.00	PD440	24	19.805	0.7057	0.2283	30908
243.00	PD128	24	17.715	0.6742	0.2134	21370
227.00	PD320	24	15.459	0.6336	0.2004	20006
220.00	DB844	24	14.521	0.6139	0.1960	20090
200.00	PiROD 12' Lightweight T-Frame	24	11.996	0.5535	0.1830	22297
175.00	6 FT DISH	24	9.143	0.4876	0.1643	22165
140.00	PD688S-4	24	5.754	0.3829	0.1375	20232
138.00	PD156S	24	5.584	0.3765	0.1363	19684
115.00	6 FT DISH	24	3.828	0.3026	0.1173	15158
112.00	4 FT DISH	24	3.630	0.2932	0.1136	16217
105.00	6 FT DISH	24	3.193	0.2714	0.1045	19378
100.00	PD458	24	2.901	0.2557	0.0980	21764
97.00	6 FT DISH	24	2.731	0.2461	0.0944	21882
90.00	4 FT DISH	24	2.356	0.2236	0.0867	20682

**Bolt Design Data**

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSMW	<b>Page</b> 43 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt K	Allowable Load K	Ratio Load Allowable	Allowable Ratio	Criteria
T1	320	Leg	A325N	1.0000	6	3.71	34.56	0.107 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.6250	1	4.35	6.80	0.640 ✓	1.333	Member Bearing
T2	300	Leg	A325N	1.0000	8	6.20	34.56	0.179 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.6250	1	4.89	9.06	0.539 ✓	1.333	Member Bearing
T3	280	Leg	A325N	1.0000	8	9.71	34.56	0.281 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.7500	1	6.58	10.88	0.605 ✓	1.333	Member Bearing
T4	260	Leg	A325N	1.0000	8	13.62	34.56	0.394 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.7500	1	8.02	12.19	0.658 ✓	1.333	Member Bearing
T5	240	Leg	A325N	1.0000	8	17.75	34.56	0.514 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.7500	1	9.92	13.25	0.749 ✓	1.333	Bolt Shear
T6	220	Leg	A325N	1.0000	12	14.75	34.56	0.427 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.7500	1	13.69	13.25	1.033 ✓	1.333	Bolt Shear
T7	200	Leg	A325N	1.0000	12	18.20	34.56	0.527 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.8750	1	15.64	18.04	0.867 ✓	1.333	Bolt Shear
T8	180	Leg	A325N	1.0000	12	21.78	34.56	0.630 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.8750	1	17.40	18.04	0.964 ✓	1.333	Bolt Shear
T9	160	Leg	A325N	1.0000	12	25.44	34.56	0.736 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.8750	1	20.23	18.04	1.121 ✓	1.333	Bolt Shear
T10	140	Leg	A325N	1.0000	12	28.93	34.56	0.837 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.8750	1	20.76	18.04	1.151 ✓	1.333	Bolt Shear
T11	120	Leg	A325N	1.0000	12	29.37	34.55	0.850 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.7500	3	11.03	13.25	0.832 ✓	1.333	Bolt Shear
		Horizontal	A325X	0.7500	2	8.66	13.25	0.654 ✓	1.333	Bolt Shear
T12	100	Leg	A325N	1.0000	16	24.07	34.56	0.697 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.7500	3	11.67	13.25	0.880 ✓	1.333	Bolt Shear
		Horizontal	A325X	0.7500	2	9.87	13.25	0.745 ✓	1.333	Bolt Shear
T13	80	Leg	A325N	1.0000	16	26.32	34.56	0.762 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.7500	3	11.27	13.25	0.850 ✓	1.333	Bolt Shear
		Horizontal	A325X	0.7500	2	10.02	13.25	0.756 ✓	1.333	Bolt Shear
T14	60	Leg	A325N	1.0000	16	27.93	34.55	0.808 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.8750	3	16.43	18.04	0.911 ✓	1.333	Bolt Shear
		Horizontal	A325X	0.7500	2	11.50	13.25	0.867 ✓	1.333	Bolt Shear
T15	30	Leg	A325N	1.0000	24	20.92	34.56	0.605 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.8750	3	15.08	18.04	0.836 ✓	1.333	Bolt Shear
		Horizontal	A325X	0.7500	2	12.44	13.25	0.939 ✓	1.333	Bolt Shear

### Compression Checks

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 44 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

### Leg Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P/P <sub>a</sub>
T1	320 - 300	ROHN 5 EH	20.00	4.00	26.1 K=1.00	27.622	6.1120	-26.22	168.82	0.155
T2	300 - 280	ROHN 6 EH	20.03	5.01	27.4 K=1.00	27.470	8.4049	-57.65	230.89	0.250
T3	280 - 260	ROHN 8 EH	20.04	6.68	27.9 K=1.00	27.414	12.7627	-90.51	349.88	0.259
T4	260 - 240	ROHN 8 EH	20.03	6.68	27.8 K=1.00	27.415	12.7627	-127.44	349.89	0.364
T5	240 - 220	ROHN 8 EH	20.03	6.68	27.8 K=1.00	27.415	12.7627	-167.42	349.89	0.478
T6	220 - 200	ROHN 8 EH	20.03	10.02	41.8 K=1.00	25.582	12.7627	-211.01	326.50	0.646
T7	200 - 180	ROHN 10 EH	20.04	10.02	33.1 K=1.00	26.757	16.1007	-262.38	430.80	0.609
T8	180 - 160	ROHN 10 EH	20.04	10.02	33.1 K=1.00	26.757	16.1007	-314.36	430.81	0.730
T9	160 - 140	ROHN 10 EH	20.03	10.02	33.1 K=1.00	26.758	16.1007	-367.82	430.82	0.854
T10	140 - 120	ROHN 10 EH	20.04	10.02	33.1 K=1.00	26.756	16.1007	-420.61	430.79	0.976
T11	120 - 100	ROHN 10 EH	20.06	10.03	33.2 K=1.00	26.753	16.1007	-430.44	430.74	0.999
T12	100 - 80	ROHN 10 EH	20.05	10.03	33.2 K=1.00	26.753	16.1007	-473.15	430.75	1.098
T13	80 - 60	ROHN 12 EH	20.06	10.03	27.8 K=1.00	27.425	19.2423	-518.76	527.71	0.983
T14	60 - 30	ROHN 12 EH	30.07	10.02	27.8 K=1.00	27.426	19.2423	-563.60	527.74	1.068
T15	30 - 0	ROHN 12 EHS	30.08	10.03	28.0 K=1.00	27.392	23.8074	-631.44	652.14	0.968

### Diagonal Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P/P <sub>a</sub>
T1	320 - 300	L1 3/4x1 3/4x3/16	7.90	3.51	122.8 K=1.00	9.884	0.6211	-4.39	6.14	0.715
T2	300 - 280	L2x2x1/4	9.94	4.63	142.2 K=1.00	7.383	0.9380	-4.91	6.93	0.709
T3	280 - 260	L2 1/2x2 1/2x1/4	12.59	5.92	144.6 K=1.00	7.137	1.1900	-6.61	8.49	0.778
T4	260 - 240	L3x3x1/4	14.38	6.81	138.0 K=1.00	7.837	1.4400	-8.08	11.29	0.716
T5	240 - 220	L4x4x5/16	16.19	7.72	117.8	10.756	2.4000	-9.92	25.82	0.384

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 45 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P/P <sub>a</sub>
T6	220 - 200	L4x4x3/8	19.37	9.39	K=1.01 143.0	7.300	2.8600	-13.69	20.88	0.656
T7	200 - 180	L4x4x3/8	21.20	10.23	K=1.00 155.7	6.158	2.8600	-15.64	17.61	0.888
T8	180 - 160	L4x4x3/8	23.06	11.16	K=1.00 169.9	5.174	2.8600	-17.40	14.80	1.176
T9	160 - 140	L5x5x3/8	24.84	12.02	K=1.00 145.7	7.031	3.6100	-20.23	25.38	0.797
T10	140 - 120	L5x5x3/8	26.78	13.04	K=1.00 158.0	5.981	3.6100	-20.76	21.59	0.962
T11	120 - 100	ROHN 3 EH	24.42	12.21	K=0.95 122.5	9.956	3.0159	-33.08	30.03	1.102
T12	100 - 80	ROHN 3 EH	25.15	12.58	K=0.95 126.2	9.381	3.0159	-35.00	28.29	1.237
T13	80 - 60	ROHN 3 EH	25.98	12.99	K=0.95 130.3	8.790	3.0159	-33.80	26.51	1.275
T14	60 - 30	ROHN 3.5 EH	35.21	11.74	K=1.00 107.8	12.854	3.6784	-49.28	47.28	1.042
T15	30 - 0	ROHN 3.5 EH	36.27	12.09	K=1.00 111.0	12.116	3.6784	-45.25	44.57	1.015

### Horizontal Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P/P <sub>a</sub>
T11	120 - 100	ROHN 3 STD	25.39	12.25	K=1.00 126.3	9.361	2.2285	-17.33	20.86	0.831
T12	100 - 80	ROHN 3 STD	27.97	13.54	K=1.00 139.6	7.662	2.2285	-19.74	17.07	1.156
T13	80 - 60	ROHN 3 EH	30.47	14.79	K=1.00 156.2	6.124	3.0159	-20.03	18.47	1.085
T14	60 - 30	ROHN 3.5 EH	33.14	16.04	K=1.00 147.3	6.883	3.6784	-22.87	25.32	0.903
T15	30 - 0	ROHN 4 STD	36.80	17.87	K=1.00 142.0	7.401	3.1741	-24.88	23.49	1.059

### Top Girt Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P/P <sub>a</sub>
T1	320 - 300	L1 3/4x1 3/4x3/16	6.81	6.35	K=0.82 182.6	4.480	0.6211	-0.60	2.78	0.217
T2	300 - 280	L2x2x1/4	6.81	6.35	K=0.85 166.0	5.420	0.9380	-0.16	5.08	0.031

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 46 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
-------------	-----------------	------	---------	----------------------	------	-----------------------	----------------------	---------------	----------------------------	---------------------------

### Redundant Horizontal (1) Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T11	120 - 100	ROHN 1.5 STD	6.35	5.90	113.7 K=1.00	11.550	0.7995	-6.48	9.23	0.701
T12	100 - 80	ROHN 1.5 STD	6.99	6.54	126.1 K=1.00	9.385	0.7995	-7.12	7.50	0.949
T13	80 - 60	ROHN 2 STD	7.62	7.09	108.0 K=1.00	12.795	1.0745	-7.80	13.75	0.567
T14	60 - 30	ROHN 1.5 STD	5.52	4.99	96.2 K=1.00	15.570	0.7995	-8.68	12.45	0.698
T15	30 - 0	ROHN 1.5 STD	6.13	5.60	108.0 K=1.00	12.809	0.7995	-9.53	10.24	0.931

### Redundant Horizontal (2) Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T14	60 - 30	ROHN 2 EH	11.05	10.52	164.2 K=1.00	5.535	1.4807	-8.56	8.20	1.045
T15	30 - 0	ROHN 2.5 EH	12.27	11.74	152.4 K=1.00	6.430	2.2535	-9.73	14.49	0.671

### Redundant Diagonal (1) Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T11	120 - 100	ROHN 2 STD	11.52	10.61	161.8 K=1.00	5.702	1.0745	-5.88	6.13	0.959
T12	100 - 80	ROHN 2 STD	11.86	11.03	168.1 K=1.00	5.283	1.0745	-6.04	5.68	1.063
T13	80 - 60	ROHN 2 STD	12.18	11.40	173.8 K=1.00	4.944	1.0745	-6.25	5.31	1.176
T14	60 - 30	ROHN 2 STD	11.15	9.95	151.6 K=1.00	6.496	1.0745	-8.57	6.98	1.228
T15	30 - 0	ROHN 2.5 STD	11.41	10.31	130.6 K=1.00	8.759	1.7040	-8.90	14.93	0.596

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 47 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

**Redundant Diagonal (2) Design Data (Compression)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T14	60 - 30	ROHN 2.5 STD	14.46	13.72	173.8 K=1.00	4.943	1.7040	-5.56	8.42	0.660 ✓
T15	30 - 0	ROHN 2.5 STD	15.33	14.63	185.3 K=1.00	4.347	1.7040	-5.96	7.41	0.804 ✓

**Redundant Hip (1) Design Data (Compression)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T11	120 - 100	ROHN 1.5 STD	6.35	6.35	122.3 K=1.00	9.977	0.7995	-0.04	7.98	0.005 ✓
T12	100 - 80	ROHN 1.5 STD	6.99	6.99	134.8 K=1.00	8.221	0.7995	-0.04	6.57	0.006 ✓
T13	80 - 60	ROHN 1.5 STD	7.62	7.62	146.8 K=1.00	6.928	0.7995	-0.03	5.54	0.006 ✓
T14	60 - 30	ROHN 1.5 STD	5.52	5.52	106.5 K=1.00	13.175	0.7995	-0.10	10.53	0.010 ✓
T15	30 - 0	ROHN 1.5 STD	6.13	6.13	118.2 K=1.00	10.686	0.7995	-0.09	8.54	0.011 ✓

**Redundant Hip (2) Design Data (Compression)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T14	60 - 30	ROHN 2 STD	11.05	11.05	168.4 K=1.00	5.265	1.0745	-0.05	5.66	0.009 ✓
T15	30 - 0	ROHN 2 STD	12.27	12.27	187.0 K=1.00	4.270	1.0745	-0.05	4.59	0.010 ✓

**Redundant Hip Diagonal Design Data (Compression)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T11	120 - 100	ROHN 2.5 STD	15.15	15.15	191.9 K=1.00	4.054	1.7040	-0.09	6.91	0.013 ✓
T12	100 - 80	ROHN 2.5 STD	16.00	16.00	202.6 K=1.00	3.637	1.7040	-0.09	6.20	0.014 ✓
T13	80 - 60	ROHN 3 STD	16.88	16.88	174.1	4.929	2.2285	-0.09	10.98	0.008 ✓

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	320' Rohn SSVMW	<b>Page</b>	48 of 55
	<b>Project</b>	CSP Tower - Colchester, CT	<b>Date</b>	12:49:15 10/12/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T14	60 - 30	ROHN 2 STD	14.10	14.10	K=1.00 214.9	3.233	1.0745	-0.21	3.47	0.059
T15	30 - 0	ROHN 2.5 STD	14.88	14.88	K=1.00 188.4 K=1.00	4.205	1.7040	-0.19	7.17	0.026

### Inner Bracing Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T11	120 - 100	ROHN 3 STD	12.69	12.69	130.9 K=1.00	8.712	2.2285	-0.31	19.41	0.016
T12	100 - 80	ROHN 3 STD	13.99	13.99	144.2 K=1.00	7.179	2.2285	-0.35	16.00	0.022
T13	80 - 60	ROHN 3 STD	15.24	15.24	157.1 K=1.00	6.049	2.2285	-0.36	13.48	0.027
T14	60 - 30	ROHN 3 STD	16.57	16.57	170.9 K=1.00	5.114	2.2285	-0.41	11.40	0.036
T15	30 - 0	ROHN 3 STD	18.40	18.40	189.8 K=1.00	4.147	2.2285	-0.44	9.24	0.048

### Tension Checks

### Leg Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T1	320 - 300	ROHN 5 EH	20.00	4.00	26.1	30.000	6.1120	22.23	183.36	0.121
T2	300 - 280	ROHN 6 EH	20.03	5.01	27.4	30.000	8.4049	49.57	252.15	0.197
T3	280 - 260	ROHN 8 EH	20.04	6.68	27.9	30.000	12.7627	77.68	382.88	0.203
T4	260 - 240	ROHN 8 EH	20.03	6.68	27.8	30.000	12.7627	108.92	382.88	0.284
T5	240 - 220	ROHN 8 EH	20.03	6.68	27.8	30.000	12.7627	142.01	382.88	0.371
T6	220 - 200	ROHN 8 EH	20.03	10.02	41.8	30.000	12.7627	177.02	382.88	0.462
T7	200 - 180	ROHN 10 EH	20.04	10.02	33.1	30.000	16.1007	218.42	483.02	0.452
T8	180 - 160	ROHN 10 EH	20.04	10.02	33.1	30.000	16.1007	261.36	483.02	0.541

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 49 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T9	160 - 140	ROHN 10 EH	20.03	10.02	33.1	30.000	16.1007	305.23	483.02	0.632
T10	140 - 120	ROHN 10 EH	20.04	10.02	33.1	30.000	16.1007	347.16	483.02	0.719
T11	120 - 100	ROHN 10 EH	20.06	10.03	33.2	30.000	16.1007	353.38	483.02	0.732
T12	100 - 80	ROHN 10 EH	20.05	10.03	33.2	30.000	16.1007	386.21	483.02	0.800
T13	80 - 60	ROHN 12 EH	20.06	10.03	27.8	30.000	19.2423	421.92	577.27	0.731
T14	60 - 30	ROHN 12 EH	30.07	10.02	27.8	30.000	19.2423	456.04	577.27	0.790
T15	30 - 0	ROHN 12 EHS	30.08	10.03	28.0	30.000	23.8074	507.99	714.22	0.711

### Diagonal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T1	320 - 300	L1 3/4x1 3/4x3/16	7.90	3.51	82.2	29.000	0.3604	4.35	10.45	0.416
T2	300 - 280	L2x2x1/4	9.94	4.63	94.6	29.000	0.5629	4.89	16.32	0.299
T3	280 - 260	L2 1/2x2 1/2x1/4	12.59	5.92	95.0	29.000	0.7284	6.58	21.12	0.312
T4	260 - 240	L3x3x1/4	14.38	6.81	90.0	32.500	0.9159	8.02	29.77	0.269
T5	240 - 220	L4x4x5/16	16.19	7.72	76.3	32.500	1.5949	9.92	51.84	0.191
T6	220 - 200	L4x4x3/8	19.37	9.39	93.3	32.500	1.8989	13.61	61.71	0.221
T7	200 - 180	L4x4x3/8	21.20	10.23	101.4	32.500	1.8637	15.59	60.57	0.257
T8	180 - 160	L4x4x3/8	23.06	11.16	110.5	32.500	1.8637	17.24	60.57	0.285
T9	160 - 140	L5x5x3/8	24.84	12.02	93.8	32.500	2.4262	19.56	78.85	0.248
T10	140 - 120	L5x5x3/8	26.78	13.04	101.6	32.500	2.4262	20.23	78.85	0.257
T11	120 - 100	ROHN 3 EH	24.42	12.21	128.9	30.000	3.0159	30.71	90.48	0.339
T12	100 - 80	ROHN 3 EH	25.15	12.58	132.8	30.000	3.0159	32.43	90.48	0.358
T13	80 - 60	ROHN 3 EH	25.98	12.99	137.2	30.000	3.0159	30.56	90.48	0.338
T14	60 - 30	ROHN 3.5 EH	35.21	11.74	107.8	30.000	3.6784	45.16	110.35	0.409
T15	30 - 0	ROHN 3.5 EH	36.27	12.09	111.0	30.000	3.6784	42.76	110.35	0.387



<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 50 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
-------------	-----------------	------	---------	----------------------	------	-----------------------	----------------------	---------------	----------------------------	---------------------------

**Horizontal Design Data (Tension)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T11	120 - 100	ROHN 3 STD	25.39	12.25	126.3	30.000	2.2285	17.23	66.85	0.258
T12	100 - 80	ROHN 3 STD	27.97	13.54	139.6	30.000	2.2285	19.21	66.85	0.287 ✓
T13	80 - 60	ROHN 3 EH	30.47	14.79	156.2	30.000	3.0159	19.32	90.48	0.214 ✓
T14	60 - 30	ROHN 3.5 EH	33.14	16.04	147.3	30.000	3.6784	22.99	110.35	0.208 ✓
T15	30 - 0	ROHN 4 STD	36.80	17.87	142.0	30.000	3.1741	23.14	95.22	0.243 ✓

**Top Girt Design Data (Tension)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T1	320 - 300	L1 3/4x1 3/4x3/16	6.81	6.35	141.8	21.600	0.6211	0.58	13.42	0.044 ✓
T2	300 - 280	L2x2x1/4	6.81	6.35	125.1	21.600	0.9380	0.14	20.26	0.007 ✓

**Redundant Horizontal (1) Design Data (Tension)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T11	120 - 100	ROHN 1.5 STD	6.35	5.90	113.7	30.000	0.7995	6.48	23.98	0.270 ✓
T12	100 - 80	ROHN 1.5 STD	6.99	6.54	126.1	30.000	0.7995	7.12	23.98	0.297 ✓
T13	80 - 60	ROHN 2 STD	7.62	7.09	108.0	30.000	1.0745	7.82	32.24	0.243 ✓
T14	60 - 30	ROHN 1.5 STD	5.52	4.99	96.2	30.000	0.7995	8.50	23.98	0.354 ✓
T15	30 - 0	ROHN 1.5 STD	6.13	5.60	108.0	30.000	0.7995	9.57	23.98	0.399 ✓

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 51 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

**Redundant Horizontal (2) Design Data (Tension)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T14	60 - 30	ROHN 2 EH	11.05	10.52	164.2	30.000	1.4807	8.50	44.42	0.191
T15	30 - 0	ROHN 2.5 EH	12.27	11.74	152.4	30.000	2.2535	9.53	67.61	0.141

**Redundant Diagonal (1) Design Data (Tension)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T11	120 - 100	ROHN 2 STD	11.52	10.61	161.8	30.000	1.0745	5.88	32.24	0.182
T12	100 - 80	ROHN 2 STD	11.86	11.03	168.1	30.000	1.0745	6.04	32.24	0.187
T13	80 - 60	ROHN 2 STD	12.18	11.40	173.8	30.000	1.0745	6.24	32.24	0.194
T14	60 - 30	ROHN 2 STD	11.15	9.95	151.6	30.000	1.0745	8.76	32.24	0.272
T15	30 - 0	ROHN 2.5 STD	11.41	10.31	130.6	30.000	1.7040	8.86	51.12	0.173

**Redundant Diagonal (2) Design Data (Tension)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T14	60 - 30	ROHN 2.5 STD	14.46	13.72	173.8	30.000	1.7040	5.62	51.12	0.110
T15	30 - 0	ROHN 2.5 STD	15.33	14.63	185.3	30.000	1.7040	6.12	51.12	0.120

**Redundant Hip (1) Design Data (Tension)**

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T11	120 - 100	ROHN 1.5 STD	6.35	6.35	122.3	30.000	0.7995	0.02	23.98	0.001
T12	100 - 80	ROHN 1.5 STD	6.99	6.99	134.8	30.000	0.7995	0.02	23.98	0.001
T13	80 - 60	ROHN 1.5 STD	7.62	7.62	146.8	30.000	0.7995	0.01	23.98	0.000

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	320' Rohn SSVMW	Page	52 of 55
	Project	CSP Tower - Colchester, CT	Date	12:49:15 10/12/06
	Client	Verizon Wireless	Designed by	Staff

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T14	60 - 30	ROHN 1.5 STD	5.52	5.52	106.5	30.000	0.7995	0.09	23.98	0.004 ✓
T15	30 - 0	ROHN 1.5 STD	6.13	6.13	118.2	30.000	0.7995	0.08	23.98	0.003 ✓

### Redundant Hip (2) Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T14	60 - 30	ROHN 2 STD	11.05	11.05	168.4	30.000	1.0745	0.03	32.24	0.001 ✓
T15	30 - 0	ROHN 2 STD	12.27	12.27	187.0	30.000	1.0745	0.01	32.24	0.000 ✓

### Redundant Hip Diagonal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T11	120 - 100	ROHN 2.5 STD	15.15	15.15	191.9	30.000	1.7040	0.09	51.12	0.002 ✓
T12	100 - 80	ROHN 2.5 STD	16.00	16.00	202.6	30.000	1.7040	0.08	51.12	0.002 ✓
T13	80 - 60	ROHN 3 STD	16.88	16.88	174.1	30.000	2.2285	0.08	66.85	0.001 ✓
T14	60 - 30	ROHN 2 STD	14.10	14.10	214.9	30.000	1.0745	0.20	32.24	0.006 ✓
T15	30 - 0	ROHN 2.5 STD	14.88	14.88	188.4	30.000	1.7040	0.17	51.12	0.003 ✓

### Inner Bracing Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	KI/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T11	120 - 100	ROHN 3 STD	12.69	12.69	130.9	30.000	2.2285	0.30	66.85	0.004 ✓
T12	100 - 80	ROHN 3 STD	13.99	13.99	144.2	30.000	2.2285	0.34	66.85	0.005 ✓
T13	80 - 60	ROHN 3 STD	15.24	15.24	157.1	30.000	2.2285	0.35	66.85	0.005 ✓
T14	60 - 30	ROHN 3 STD	16.57	16.57	170.9	30.000	2.2285	0.39	66.85	0.006 ✓

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 53 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Size	L ft	L <sub>n</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
T15	30 - 0	ROHN 3 STD	18.40	18.40	189.8	30.000	2.2285	0.44	66.85	0.007

### Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P <sub>allow</sub> K	% Capacity	Pass Fail
T1	320 - 300	Leg	ROHN 5 EH	2	-26.22	225.04	11.7	Pass
T2	300 - 280	Leg	ROHN 6 EH	38	-57.65	307.77	18.7	Pass
T3	280 - 260	Leg	ROHN 8 EH	68	-90.51	466.39	19.4	Pass
T4	260 - 240	Leg	ROHN 8 EH	89	-127.44	466.41	21.1 (b)	Pass
T5	240 - 220	Leg	ROHN 8 EH	110	-167.42	466.41	27.3	Pass
T6	220 - 200	Leg	ROHN 8 EH	131	-211.01	435.22	29.6 (b)	Pass
T7	200 - 180	Leg	ROHN 10 EH	146	-262.38	574.26	35.9	Pass
T8	180 - 160	Leg	ROHN 10 EH	161	-314.36	574.26	38.5 (b)	Pass
T9	160 - 140	Leg	ROHN 10 EH	176	-367.82	574.29	48.5	Pass
T10	140 - 120	Leg	ROHN 10 EH	191	-420.61	574.25	45.7	Pass
T11	120 - 100	Leg	ROHN 10 EH	206	-430.44	574.17	54.7	Pass
T12	100 - 80	Leg	ROHN 10 EH	239	-473.15	574.19	64.0	Pass
T13	80 - 60	Leg	ROHN 12 EH	272	-518.76	703.44	73.2	Pass
T14	60 - 30	Leg	ROHN 12 EH	305	-563.60	703.48	75.0	Pass
T15	30 - 0	Leg	ROHN 12 EHS	356	-631.44	869.31	82.4	Pass
T1	320 - 300	Diagonal	L1 3/4x1 3/4x3/16	7	-4.39	8.18	80.1	Pass
T2	300 - 280	Diagonal	L2x2x1/4	46	-4.91	9.23	72.6	Pass
T3	280 - 260	Diagonal	L2 1/2x2 1/2x1/4	73	-6.61	11.32	53.7	Pass
T4	260 - 240	Diagonal	L3x3x1/4	94	-8.08	15.04	28.8	Pass
T5	240 - 220	Diagonal	L4x4x5/16	115	-9.92	34.41	56.2 (b)	Pass
T6	220 - 200	Diagonal	L4x4x3/8	136	-13.69	27.83	49.2	Pass
T7	200 - 180	Diagonal	L4x4x3/8	151	-15.64	23.48	77.5 (b)	Pass
T8	180 - 160	Diagonal	L4x4x3/8	163	-17.40	19.72	66.6	Pass
T9	160 - 140	Diagonal	L5x5x3/8	178	-20.23	33.84	88.2	Pass
T10	140 - 120	Diagonal	L5x5x3/8	193	-20.76	28.78	59.8	Pass
T11	120 - 100	Diagonal	ROHN 3 EH	209	-33.08	40.02	84.1 (b)	Pass
T12	100 - 80	Diagonal	ROHN 3 EH	242	-35.00	37.72	72.1	Pass
T13	80 - 60	Diagonal	ROHN 3 EH	275	-33.80	35.34	86.3 (b)	Pass
T14	60 - 30	Diagonal	ROHN 3.5 EH	308	-49.28	63.03	82.6	Pass
T15	30 - 0	Diagonal	ROHN 3.5 EH	359	-45.25	59.41	92.8	Pass
T11	120 - 100	Horizontal	ROHN 3 STD	208	-17.33	27.81	95.6	Pass
T12	100 - 80	Horizontal	ROHN 3 STD	241	-19.74	22.76	78.2	Pass
T13	80 - 60	Horizontal	ROHN 3 EH	274	-20.03	24.62	76.2	Pass
T14	60 - 30	Horizontal	ROHN 3.5 EH	307	-22.87	33.75	62.3	Pass
T15	30 - 0	Horizontal	ROHN 4 STD	358	-24.88	31.31	86.7	Pass
T1	320 - 300	Top Girt	L1 3/4x1 3/4x3/16	5	-0.60	3.71	81.4	Pass
T2	300 - 280	Top Girt	L2x2x1/4	40	-0.16	6.78	67.8	Pass
T11	120 - 100	Redund Horz 1 Bracing	ROHN 1.5 STD	213	-6.48	12.31	79.5	Pass
T12	100 - 80	Redund Horz 1 Bracing	ROHN 1.5 STD	250	-7.12	10.00	16.3	Pass

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	320' Rohn SSMW	<b>Page</b>	54 of 55
	<b>Project</b>	CSP Tower - Colchester, CT	<b>Date</b>	12:49:15 10/12/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF* Pallow K	% Capacity	Pass Fail	
T13	80 - 60	Redund Horz 1 Bracing	ROHN 2 STD	279	-7.80	18.33	42.6	Pass	
T14	60 - 30	Redund Horz 1 Bracing	ROHN 1.5 STD	314	-8.68	16.59	52.3	Pass	
T15	30 - 0	Redund Horz 1 Bracing	ROHN 1.5 STD	371	-9.53	13.65	69.8	Pass	
T14	60 - 30	Redund Horz 2 Bracing	ROHN 2 EH	321	-8.56	10.93	78.4	Pass	
T15	30 - 0	Redund Horz 2 Bracing	ROHN 2.5 EH	372	-9.73	19.31	50.4	Pass	
T11	120 - 100	Redund Diag 1 Bracing	ROHN 2 STD	214	-5.88	8.17	71.9	Pass	
T12	100 - 80	Redund Diag 1 Bracing	ROHN 2 STD	247	-6.04	7.57	79.8	Pass	
T13	80 - 60	Redund Diag 1 Bracing	ROHN 2 STD	284	-6.25	7.08	88.2	Pass	
T14	60 - 30	Redund Diag 1 Bracing	ROHN 2 STD	316	-8.57	9.30	92.1	Pass	
T15	30 - 0	Redund Diag 1 Bracing	ROHN 2.5 STD	367	-8.90	19.90	44.7	Pass	
T14	60 - 30	Redund Diag 2 Bracing	ROHN 2.5 STD	323	-5.56	11.23	49.5	Pass	
T15	30 - 0	Redund Diag 2 Bracing	ROHN 2.5 STD	374	-5.96	9.87	60.3	Pass	
T11	120 - 100	Redund Hip 1 Bracing	ROHN 1.5 STD	233	-0.04	10.63	0.4	Pass	
T12	100 - 80	Redund Hip 1 Bracing	ROHN 1.5 STD	266	-0.04	8.76	0.4	Pass	
T13	80 - 60	Redund Hip 1 Bracing	ROHN 1.5 STD	299	-0.03	7.38	0.4	Pass	
T14	60 - 30	Redund Hip 1 Bracing	ROHN 1.5 STD	348	-0.10	14.04	0.7	Pass	
T15	30 - 0	Redund Hip 1 Bracing	ROHN 1.5 STD	399	-0.09	11.39	0.8	Pass	
T14	60 - 30	Redund Hip 2 Bracing	ROHN 2 STD	349	-0.05	7.54	0.7	Pass	
T15	30 - 0	Redund Hip 2 Bracing	ROHN 2 STD	400	-0.05	6.12	0.7	Pass	
T11	120 - 100	Redund Hip Diagonal Bracing	ROHN 2.5 STD	223	-0.09	9.21	1.0	Pass	
T12	100 - 80	Redund Hip Diagonal Bracing	ROHN 2.5 STD	256	-0.09	8.26	1.0	Pass	
T13	80 - 60	Redund Hip Diagonal Bracing	ROHN 3 STD	289	-0.09	14.64	0.6	Pass	
T14	60 - 30	Redund Hip Diagonal Bracing	ROHN 2 STD	350	-0.21	4.63	4.5	Pass	
T15	30 - 0	Redund Hip Diagonal Bracing	ROHN 2.5 STD	401	-0.19	9.55	1.9	Pass	
T11	120 - 100	Inner Bracing	ROHN 3 STD	235	-0.31	25.88	1.2	Pass	
T12	100 - 80	Inner Bracing	ROHN 3 STD	268	-0.35	21.33	1.6	Pass	
T13	80 - 60	Inner Bracing	ROHN 3 STD	301	-0.36	17.97	2.0	Pass	
T14	60 - 30	Inner Bracing	ROHN 3 STD	352	-0.41	15.19	2.7	Pass	
T15	30 - 0	Inner Bracing	ROHN 3 STD	403	-0.44	12.32	3.6	Pass	
							Summary		
							Leg (T12)	82.4	Pass
							Diagonal (T13)	95.6	Pass
							Horizontal (T12)	86.7	Pass
							Top Girt (T1)	16.3	Pass

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 55 of 55
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 12:49:15 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P <sub>allow</sub> K	% Capacity	Pass Fail
						Redund Horz 1 Bracing (T12)	71.2	Pass
						Redund Horz 2 Bracing (T14)	78.4	Pass
						Redund Diag 1 Bracing (T14)	92.1	Pass
						Redund Diag 2 Bracing (T15)	60.3	Pass
						Redund Hip 1 Bracing (T15)	0.8	Pass
						Redund Hip 2 Bracing (T15)	0.7	Pass
						Redund Hip Diagonal Bracing (T14)	4.5	Pass
						Inner Bracing (T15)	3.6	Pass
						Bolt Checks	86.3	Pass
						<b>RATING =</b>	<b>95.6</b>	<b>Pass</b>

## ERI TOWER DETAILED OUTPUT FOR DEFLECTION

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 1 of 1
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

## Tower Input Data

The main tower is a 3x free standing tower with an overall height of 320.00 ft above the ground line.

The base of the tower is set at an elevation of 0.00 ft above the ground line.

The face width of the tower is 6.81 ft at the top and 40.69 ft at the base.

This tower is designed using the TIA/EIA-222-F standard.

The following design criteria apply:

Basic wind speed of 78 mph.

Nominal ice thickness of 0.5000 in.

Ice density of 56 pcf.

A wind speed of 78 mph is used in combination with ice.

Temperature drop of 50 °F.

Deflections calculated using a wind speed of 78 mph.

Pressures are calculated at each section.

Stress ratio used in tower member design is 1.333.

Local bending stresses due to climbing loads, feedline supports, and appurtenance mounts are not considered.

## Options

- |  |  |  |
|--|--|--|
| <ul style="list-style-type: none"> <li>Consider Moments - Legs</li> <li>Consider Moments - Horizontals</li> <li>Consider Moments - Diagonals</li> <li>Use Moment Magnification</li> <li>√ Use Code Stress Ratios</li> <li>√ Use Code Safety Factors - Guys</li> <li>Escalate Ice</li> <li>Always Use Max Kz</li> <li>Use Special Wind Profile</li> <li>√ Include Bolts In Member Capacity</li> <li>Leg Bolts Are At Top Of Section</li> <li>Secondary Horizontal Braces Leg</li> <li>Use Diamond Inner Bracing (4 Sided)</li> <li>Add IBC .6D+W Combination</li> </ul> | <ul style="list-style-type: none"> <li>Distribute Leg Loads As Uniform</li> <li>Assume Legs Pinned</li> <li>√ Assume Rigid Index Plate</li> <li>√ Use Clear Spans For Wind Area</li> <li>√ Use Clear Spans For KL/r</li> <li>Retension Guys To Initial Tension</li> <li>Bypass Mast Stability Checks</li> <li>Use Azimuth Dish Coefficients</li> <li>√ Project Wind Area of Appurt.</li> <li>Autocalc Torque Arm Areas</li> <li>SR Members Have Cut Ends</li> <li>√ Sort Capacity Reports By Component</li> <li>Triangulate Diamond Inner Bracing</li> </ul> | <ul style="list-style-type: none"> <li>Treat Feedline Bundles As Cylinder</li> <li>Use ASCE 10 X-Brace Ly Rules</li> <li>√ Calculate Redundant Bracing Forces</li> <li>Ignore Redundant Members in FEA</li> <li>SR Leg Bolts Resist Compression</li> <li>√ All Leg Panels Have Same Allowable</li> <li>Offset Girt At Foundation</li> <li>√ Consider Feedline Torque</li> <li>Include Angle Block Shear Check</li> <li style="background-color: #cccccc;">Poles</li> <li>Include Shear-Torsion Interaction</li> <li>Always Use Sub-Critical Flow</li> <li>Use Top Mounted Sockets</li> </ul> |
|--|--|--|





<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	Job	320' Rohn SSVMW	Page	3 of 3
	Project	CSP Tower - Colchester, CT	Date	13:11:25 10/12/06
	Client	Verizon Wireless	Designed by	Staff

Tower Section	Tower Elevation	Diagonal Spacing	Bracing Type	Has K Brace End Panels	Has Horizontals	Top Girt Offset	Bottom Girt Offset
	ft	ft				in	in
T1	320.00-300.00	4.00	X Brace	No	No	0.0000	0.0000
T2	300.00-280.00	5.00	X Brace	No	No	0.0000	0.0000
T3	280.00-260.00	6.67	X Brace	No	No	0.0000	0.0000
T4	260.00-240.00	6.67	X Brace	No	No	0.0000	0.0000
T5	240.00-220.00	6.67	X Brace	No	No	0.0000	0.0000
T6	220.00-200.00	10.00	X Brace	No	No	0.0000	0.0000
T7	200.00-180.00	10.00	X Brace	No	No	0.0000	0.0000
T8	180.00-160.00	10.00	X Brace	No	No	0.0000	0.0000
T9	160.00-140.00	10.00	X Brace	No	No	0.0000	0.0000
T10	140.00-120.00	10.00	X Brace	No	No	0.0000	0.0000
T11	120.00-100.00	20.00	K1 Down	No	Yes	0.0000	0.0000
T12	100.00-80.00	20.00	K1 Down	No	Yes	0.0000	0.0000
T13	80.00-60.00	20.00	K1 Down	No	Yes	0.0000	0.0000
T14	60.00-30.00	30.00	K2 Down	No	Yes	0.0000	0.0000
T15	30.00-0.00	30.00	K2 Down	No	Yes	0.0000	0.0000

### Tower Section Geometry (cont'd)

Tower Elevation	Leg Type	Leg Size	Leg Grade	Diagonal Type	Diagonal Size	Diagonal Grade
ft						
T1 320.00-300.00	Pipe	ROHN 5 EH	A572-50 (50 ksi)	Equal Angle	L1 3/4x1 3/4x3/16	A36 (36 ksi)
T2 300.00-280.00	Pipe	ROHN 6 EH	A572-50 (50 ksi)	Equal Angle	L2x2x1/4	A36 (36 ksi)
T3 280.00-260.00	Pipe	ROHN 8 EH	A572-50 (50 ksi)	Equal Angle	L2 1/2x2 1/2x1/4	A36 (36 ksi)
T4 260.00-240.00	Pipe	ROHN 8 EH	A572-50 (50 ksi)	Equal Angle	L3x3x1/4	A572-50 (50 ksi)
T5 240.00-220.00	Pipe	ROHN 8 EH	A572-50 (50 ksi)	Equal Angle	L4x4x5/16	A572-50 (50 ksi)
T6 220.00-200.00	Pipe	ROHN 8 EH	A572-50 (50 ksi)	Equal Angle	L4x4x3/8	A572-50 (50 ksi)
T7 200.00-180.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Equal Angle	L4x4x3/8	A572-50 (50 ksi)
T8 180.00-160.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Equal Angle	L4x4x3/8	A572-50 (50 ksi)
T9 160.00-140.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Equal Angle	L5x5x3/8	A572-50 (50 ksi)
T10 140.00-120.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Equal Angle	L5x5x3/8	A572-50 (50 ksi)
T11 120.00-100.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Pipe	ROHN 3 EH	A572-50 (50 ksi)
T12 100.00-80.00	Pipe	ROHN 10 EH	A572-50 (50 ksi)	Pipe	ROHN 3 EH	A572-50 (50 ksi)
T13 80.00-60.00	Pipe	ROHN 12 EH	A572-50 (50 ksi)	Pipe	ROHN 3 EH	A572-50 (50 ksi)
T14 60.00-30.00	Pipe	ROHN 12 EH	A572-50 (50 ksi)	Pipe	ROHN 3.5 EH	A572-50 (50 ksi)
T15 30.00-0.00	Pipe	ROHN 12 EHS	A572-50 (50 ksi)	Pipe	ROHN 3.5 EH	A572-50 (50 ksi)

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMMW	<b>Page</b> 4 of 4
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

**Tower Section Geometry (cont'd)**

Tower Elevation ft	Top Girt Type	Top Girt Size	Top Girt Grade	Bottom Girt Type	Bottom Girt Size	Bottom Girt Grade
T1 320.00-300.00	Equal Angle	L1 3/4x1 3/4x3/16	A36 (36 ksi)	Solid Round		A36 (36 ksi)
T2 300.00-280.00	Equal Angle	L2x2x1/4	A36 (36 ksi)	Solid Round		A36 (36 ksi)

**Tower Section Geometry (cont'd)**

Tower Elevation ft	No. of Mid Girts	Mid Girt Type	Mid Girt Size	Mid Girt Grade	Horizontal Type	Horizontal Size	Horizontal Grade
T11 120.00-100.00	None	Flat Bar		A36 (36 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T12 100.00-80.00	None	Flat Bar		A36 (36 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T13 80.00-60.00	None	Flat Bar		A36 (36 ksi)	Pipe	ROHN 3 EH	A572-50 (50 ksi)
T14 60.00-30.00	None	Flat Bar		A36 (36 ksi)	Pipe	ROHN 3.5 EH	A572-50 (50 ksi)
T15 30.00-0.00	None	Flat Bar		A36 (36 ksi)	Pipe	ROHN 4 STD	A572-50 (50 ksi)

**Tower Section Geometry (cont'd)**

Tower Elevation ft	Secondary Horizontal Type	Secondary Horizontal Size	Secondary Horizontal Grade	Inner Bracing Type	Inner Bracing Size	Inner Bracing Grade
T11 120.00-100.00	Pipe		A572-50 (50 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T12 100.00-80.00	Pipe		A572-50 (50 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T13 80.00-60.00	Pipe		A572-50 (50 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T14 60.00-30.00	Pipe		A572-50 (50 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)
T15 30.00-0.00	Pipe		A572-50 (50 ksi)	Pipe	ROHN 3 STD	A572-50 (50 ksi)

**Tower Section Geometry (cont'd)**

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSMW	<b>Page</b> 5 of 5
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Elevation	Redundant Bracing Grade	Redundant Type	Redundant Size	K Factor
ft				
T11 120.00-100.00	A572-50 (50 ksi)	Horizontal (1) Diagonal (1) Hip (1)	Pipe Pipe Pipe	1 1 1
T12 100.00-80.00	A572-50 (50 ksi)	Hip Diagonal Horizontal (1) Diagonal (1) Hip (1)	Pipe Pipe Pipe Pipe	1 1 1 1
T13 80.00-60.00	A572-50 (50 ksi)	Hip Diagonal Horizontal (1) Diagonal (1) Hip (1)	Pipe Pipe Pipe Pipe	1 1 1 1
T14 60.00-30.00	A572-50 (50 ksi)	Hip Diagonal Horizontal (1) Horizontal (2) Diagonal (1) Diagonal (2) Hip (1) Hip (2)	Pipe Pipe Pipe Pipe Pipe Pipe Pipe	1 1 1 1 1 1 1
T15 30.00-0.00	A572-50 (50 ksi)	Hip Diagonal Horizontal (1) Horizontal (2) Diagonal (1) Diagonal (2) Hip (1) Hip (2)	Pipe Pipe Pipe Pipe Pipe Pipe Pipe	1 1 1 1 1 1 1
		Hip Diagonal	Pipe	1

### Tower Section Geometry (cont'd)

Tower Elevation	Gusset Area (per face)	Gusset Thickness	Gusset Grade	Adjust. Factor $A_f$	Adjust. Factor $A_r$	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals	Double Angle Stitch Bolt Spacing Horizontals
ft	ft <sup>2</sup>	in					in	in
T1 320.00-300.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T2 300.00-280.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T3 280.00-260.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T4 260.00-240.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T5 240.00-220.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T6 220.00-200.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T7 200.00-180.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T8 180.00-160.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T9 160.00-140.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T10 140.00-120.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T11 120.00-100.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000
T12 100.00-0.00	0.00	0.0000	A36 (36 ksi)	1	1	1	36.0000	36.0000

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMMW	<b>Page</b> 6 of 6
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Elevation	Gusset Area (per face)	Gusset Thickness	Gusset Grade	Adjust. Factor $A_f$	Adjust. Factor $A_r$	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in
ft	ft <sup>2</sup>	in						
80.00			(36 ksi)					
T13 80.00-60.00	0.00	0.0000	A36	1	1	1	36.0000	36.0000
T14 60.00-30.00	0.00	0.0000	A36	1	1	1	36.0000	36.0000
T15 30.00-0.00	0.00	0.0000	A36	1	1	1	36.0000	36.0000

### Tower Section Geometry (cont'd)

Tower Elevation	Calc K Single Angles	Calc K Solid Rounds	Legs	K Factors <sup>1</sup>							
				X Brace Diags	K Brace Diags	Single Diags	Girts	Horiz.	Sec. Horiz.	Inner Brace	
											X
ft			Y	Y	Y	Y	Y	Y	Y	Y	
T1 320.00-300.00	Yes	No	1	1	1	1	1	1	1	1	1
T2 300.00-280.00	Yes	No	1	1	1	1	1	1	1	1	1
T3 280.00-260.00	Yes	No	1	1	1	1	1	1	1	1	1
T4 260.00-240.00	Yes	No	1	1	1	1	1	1	1	1	1
T5 240.00-220.00	Yes	No	1	1	1	1	1	1	1	1	1
T6 220.00-200.00	Yes	No	1	1	1	1	1	1	1	1	1
T7 200.00-180.00	Yes	No	1	1	1	1	1	1	1	1	1
T8 180.00-160.00	Yes	No	1	1	1	1	1	1	1	1	1
T9 160.00-140.00	Yes	No	1	1	1	1	1	1	1	1	1
T10 140.00-120.00	Yes	No	1	1	1	1	1	1	1	1	1
T11 120.00-100.00	No	No	1	1	0.95	1	1	1	1	1	1
T12 100.00-80.00	No	No	1	1	0.95	1	1	1	1	1	1
T13 80.00-60.00	No	No	1	1	0.95	1	1	1	1	1	1
T14 60.00-30.00	No	No	1	1	0.95	1	1	1	1	1	1
T15 30.00-0.00	No	No	1	1	1	1	1	1	1	1	1

<sup>1</sup>Note: K factors are applied to member segment lengths. K-braces without inner supporting members will have the K factor in the out-of-plane direction applied to the overall length.

### Tower Section Geometry (cont'd)

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSMW	<b>Page</b> 7 of 7
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Elevation ft	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U
T1 320.00-300.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T2 300.00-280.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T3 280.00-260.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T4 260.00-240.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T5 240.00-220.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T6 220.00-200.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T7 200.00-180.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T8 180.00-160.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T9 160.00-140.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T10 140.00-120.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T11 120.00-100.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T12 100.00-80.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T13 80.00-60.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T14 60.00-30.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75
T15 30.00-0.00	0.0000	1	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75	0.0000	0.75

### Tower Section Geometry (cont'd)

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T1 320.00-300.00	Flange	1.0000	6	0.6250	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T2 300.00-280.00	Flange	1.0000	8	0.6250	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T3 280.00-260.00	Flange	1.0000	8	0.7500	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T4 260.00-240.00	Flange	1.0000	8	0.7500	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T5 240.00-220.00	Flange	1.0000	8	0.7500	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T6 220.00-200.00	Flange	1.0000	12	0.7500	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T7 200.00-180.00	Flange	1.0000	12	0.8750	1	0.6250	0	0.6250	0	0.6250	0	0.6250	0	0.6250	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 8 of 8
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Elevation ft	Leg Connection Type	Leg Bolt Size in	Leg No.	Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
				Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T8 180.00-160.00	Flange	1.0000 A325N	12	0.8750 A325X	1	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0
T9 160.00-140.00	Flange	1.0000 A325N	12	0.8750 A325X	1	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0
T10 140.00-120.00	Flange	1.0000 A325N	12	0.8750 A325X	1	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0
T11 120.00-100.00	Flange	1.0000 A325N	12	0.7500 A325X	3	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0	0.7500 A325X	2	0.6250 A325N	0
T12 100.00-80.00	Flange	1.0000 A325N	16	0.7500 A325X	3	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0	0.7500 A325X	2	0.6250 A325N	0
T13 80.00-60.00	Flange	1.0000 A325N	16	0.7500 A325X	3	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0	0.7500 A325X	2	0.6250 A325N	0
T14 60.00-30.00	Flange	1.0000 A325N	16	0.8750 A325X	3	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0	0.7500 A325X	2	0.6250 A325N	0
T15 30.00-0.00	Flange	1.0000 A325N	24	0.8750 A325X	3	0.6250 A325N	0	0.6250 A325N	0	0.6250 A325N	0	0.7500 A325X	2	0.6250 A325N	0

**Feed Line/Linear Appurtenances - Entered As Round Or Flat**

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	# Per Row	Clear Spacing in	Width or Diameter in	Perimeter in	Weight plf
1 5/8 (Verizon)	C	Yes	Ar (CfAe)	220.00 - 0.00	0.0000	-0.4	12	12	1.9800	1.9800		1.04
3/4 Electrical	B	Yes	Ar (CfAe)	320.00 - 0.00	0.0000	0.48	2	2	1.1100	1.1100		0.54
7/8	B	Yes	Ar (CfAe)	320.00 - 0.00	0.0000	0.46	3	3	1.1100	1.1100		0.54
EW63	B	Yes	Af (CfAe)	320.00 - 0.00	0.0000	0.44	3	3	1.5742	1.5742	5.0668	0.51
7/8	B	Yes	Ar (CfAe)	294.00 - 0.00	0.0000	0.42	2	2	1.1100	1.1100		0.54
1 5/8	B	Yes	Ar (CfAe)	280.00 - 0.00	0.0000	0.4	4	4	1.9800	1.9800		1.04
7/8	B	Yes	Ar (CfAe)	250.00 - 0.00	0.0000	0.38	3	3	1.1100	1.1100		0.54
7/8	B	Yes	Ar (CfAe)	140.00 - 0.00	0.0000	0.36	4	4	1.1100	1.1100		0.54
EW108	B	Yes	Af (CfAe)	112.00 - 0.00	0.0000	0.34	1	1	0.5899	0.5899	2.0063	0.15
EW65	B	Yes	Af (CfAe)	105.00 - 0.00	0.0000	0.32	1	1	1.5742	1.5742	5.0668	0.51
7/8	B	Yes	Ar (CfAe)	105.00 - 0.00	0.0000	0.3	2	2	1.1100	1.1100		0.54
7/8	B	Yes	Ar (CfAe)	95.00 - 0.00	0.0000	0.28	2	2	1.1100	1.1100		0.54
EW63 (Verizon)	C	Yes	Af (CfAe)	175.00 - 0.00	0.0000	-0.45	1	1	1.5742	1.5742	5.0668	0.51
EW63 (Verizon)	C	Yes	Af (CfAe)	115.00 - 0.00	0.0000	-0.47	1	1	1.5742	1.5742	5.0668	0.51
1 5/8 (Cingular)	A	Yes	Ar (CfAe)	200.00 - 0.00	0.0000	-0.42	24	12	1.9800	1.9800		1.04

**Feed Line/Linear Appurtenances Section Areas**

Tower Section	Tower Elevation ft	Face	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>AA</sub> In Face ft <sup>2</sup>	C <sub>AA</sub> Out Face ft <sup>2</sup>	Weight K
T1	320.00-300.00	A	0.000	0.000	0.000	0.000	0.00
		B	9.250	7.871	0.000	0.000	0.08
		C	0.000	0.000	0.000	0.000	0.00

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSMW	<b>Page</b> 9 of 9
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Section	Tower Elevation ft	Face	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>AA</sub> In Face ft <sup>2</sup>	C <sub>AA</sub> Out Face ft <sup>2</sup>	Weight K
T2	300.00-280.00	A	0.000	0.000	0.000	0.000	0.00
		B	11.840	7.871	0.000	0.000	0.10
		C	0.000	0.000	0.000	0.000	0.00
T3	280.00-260.00	A	0.000	0.000	0.000	0.000	0.00
		B	26.150	7.871	0.000	0.000	0.19
		C	0.000	0.000	0.000	0.000	0.00
T4	260.00-240.00	A	0.000	0.000	0.000	0.000	0.00
		B	28.925	7.871	0.000	0.000	0.21
		C	0.000	0.000	0.000	0.000	0.00
T5	240.00-220.00	A	0.000	0.000	0.000	0.000	0.00
		B	31.700	7.871	0.000	0.000	0.22
		C	0.000	0.000	0.000	0.000	0.00
T6	220.00-200.00	A	0.000	0.000	0.000	0.000	0.00
		B	31.700	7.871	0.000	0.000	0.22
		C	39.600	0.000	0.000	0.000	0.25
T7	200.00-180.00	A	39.600	0.000	0.000	0.000	0.50
		B	31.700	7.871	0.000	0.000	0.22
		C	39.600	0.000	0.000	0.000	0.25
T8	180.00-160.00	A	39.600	0.000	0.000	0.000	0.50
		B	31.700	7.871	0.000	0.000	0.22
		C	39.600	1.968	0.000	0.000	0.26
T9	160.00-140.00	A	39.600	0.000	0.000	0.000	0.50
		B	31.700	7.871	0.000	0.000	0.22
		C	39.600	2.624	0.000	0.000	0.26
T10	140.00-120.00	A	39.600	0.000	0.000	0.000	0.50
		B	39.100	7.871	0.000	0.000	0.27
		C	39.600	2.624	0.000	0.000	0.26
T11	120.00-100.00	A	39.600	0.000	0.000	0.000	0.50
		B	40.025	9.117	0.000	0.000	0.27
		C	39.600	4.591	0.000	0.000	0.27
T12	100.00-80.00	A	39.600	0.000	0.000	0.000	0.50
		B	45.575	11.478	0.000	0.000	0.32
		C	39.600	5.247	0.000	0.000	0.27
T13	80.00-60.00	A	39.600	0.000	0.000	0.000	0.50
		B	46.500	11.478	0.000	0.000	0.32
		C	39.600	5.247	0.000	0.000	0.27
T14	60.00-30.00	A	59.400	0.000	0.000	0.000	0.75
		B	69.750	17.217	0.000	0.000	0.48
		C	59.400	7.871	0.000	0.000	0.41
T15	30.00-0.00	A	59.400	0.000	0.000	0.000	0.75
		B	69.750	17.217	0.000	0.000	0.48
		C	59.400	7.871	0.000	0.000	0.41

### Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>AA</sub> In Face ft <sup>2</sup>	C <sub>AA</sub> Out Face ft <sup>2</sup>	Weight K
T1	320.00-300.00	A	0.500	0.000	0.000	0.000	0.000	0.00
		B		17.583	11.204	0.000	0.000	0.26
		C		0.000	0.000	0.000	0.000	0.00
T2	300.00-280.00	A	0.500	0.000	0.000	0.000	0.000	0.00
		B		22.507	11.204	0.000	0.000	0.31
		C		0.000	0.000	0.000	0.000	0.00
T3	280.00-260.00	A	0.500	0.000	0.000	0.000	0.000	0.00
		B		44.483	11.204	0.000	0.000	0.53
		C		0.000	0.000	0.000	0.000	0.00
T4	260.00-240.00	A	0.500	0.000	0.000	0.000	0.000	0.00



<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 10 of 10
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	$A_R$	$A_F$	$C_{AA}$	$C_{AA}$	Weight K
				$ft^2$	$ft^2$	In Face $ft^2$	Out Face $ft^2$	
		B		49.758	11.204	0.000	0.000	0.58
		C		0.000	0.000	0.000	0.000	0.00
T5	240.00-220.00	A	0.500	0.000	0.000	0.000	0.000	0.00
		B		55.033	11.204	0.000	0.000	0.62
		C		0.000	0.000	0.000	0.000	0.00
T6	220.00-200.00	A	0.500	0.000	0.000	0.000	0.000	0.00
		B		55.033	11.204	0.000	0.000	0.62
		C		59.600	0.000	0.000	0.000	0.61
T7	200.00-180.00	A	0.500	59.600	0.000	0.000	0.000	1.23
		B		55.033	11.204	0.000	0.000	0.62
		C		59.600	0.000	0.000	0.000	0.61
T8	180.00-160.00	A	0.500	59.600	0.000	0.000	0.000	1.23
		B		55.033	11.204	0.000	0.000	0.62
		C		59.600	0.000	0.000	0.000	0.61
T9	160.00-140.00	A	0.500	59.600	2.801	0.000	0.000	0.64
		B		55.033	11.204	0.000	0.000	1.23
		C		59.600	0.000	0.000	0.000	0.62
T10	140.00-120.00	A	0.500	59.600	3.735	0.000	0.000	0.65
		B		69.100	11.204	0.000	0.000	1.23
		C		59.600	0.000	0.000	0.000	0.74
T11	120.00-100.00	A	0.500	59.600	0.000	0.000	0.000	0.65
		B		70.858	13.395	0.000	0.000	1.23
		C		59.600	6.536	0.000	0.000	0.78
T12	100.00-80.00	A	0.500	59.600	6.536	0.000	0.000	0.68
		B		59.600	0.000	0.000	0.000	1.23
		C		81.408	17.033	0.000	0.000	0.90
T13	80.00-60.00	A	0.500	59.600	7.470	0.000	0.000	0.69
		B		59.600	0.000	0.000	0.000	1.23
		C		83.167	17.033	0.000	0.000	0.92
T14	60.00-30.00	A	0.500	59.600	7.470	0.000	0.000	0.69
		B		89.400	0.000	0.000	0.000	1.84
		C		124.750	25.550	0.000	0.000	1.38
T15	30.00-0.00	A	0.500	89.400	11.204	0.000	0.000	1.03
		B		89.400	0.000	0.000	0.000	1.84
		C		124.750	25.550	0.000	0.000	1.38
		C		89.400	11.204	0.000	0.000	1.03

### Feed Line Shielding

Section	Elevation ft	Face	$A_R$	$A_R$	$A_F$	$A_F$
			$ft^2$	Ice $ft^2$	$ft^2$	Ice $ft^2$
T1	320.00-300.00	A	0.000	0.000	0.000	0.000
		B	0.000	0.000	1.573	3.863
		C	0.000	0.000	0.000	0.000
T2	300.00-280.00	A	0.000	0.000	0.000	0.000
		B	0.000	0.000	1.727	4.132
		C	0.000	0.000	0.000	0.000
T3	280.00-260.00	A	0.000	0.000	0.000	0.000
		B	0.000	0.000	2.564	5.474
		C	0.000	0.000	0.000	0.000
T4	260.00-240.00	A	0.000	0.000	0.000	0.000
		B	0.000	0.000	3.155	6.564
		C	0.000	0.000	0.000	0.000
T5	240.00-220.00	A	0.000	0.000	0.000	0.000
		B	0.000	0.000	4.380	8.768
		C	0.000	0.000	0.000	0.000
T6	220.00-200.00	A	0.000	0.000	0.000	0.000

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 11 of 11
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section	Elevation	Face	$A_R$	$A_{R_{Ice}}$	$A_F$	$A_{F_{Ice}}$
	ft		ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>
		B	0.000	0.000	3.107	6.220
		C	0.000	0.000	3.109	5.460
T7	200.00-180.00	A	0.000	0.000	3.015	5.294
		B	0.000	0.000	3.013	6.031
		C	0.000	0.000	3.015	5.294
T8	180.00-160.00	A	0.000	0.000	2.945	5.170
		B	0.000	0.000	2.942	5.891
		C	0.000	0.000	3.091	5.449
T9	160.00-140.00	A	0.000	0.000	3.618	6.172
		B	0.000	0.000	3.616	7.032
		C	0.000	0.000	3.858	6.616
T10	140.00-120.00	A	0.000	0.000	3.569	6.087
		B	0.000	0.000	4.233	8.372
		C	0.000	0.000	3.805	6.526
T11	120.00-100.00	A	2.688	5.475	0.000	0.000
		B	3.335	7.936	0.000	0.000
		C	2.999	6.165	0.000	0.000
T12	100.00-80.00	A	2.572	5.239	0.000	0.000
		B	3.706	8.898	0.000	0.000
		C	2.913	5.993	0.000	0.000
T13	80.00-60.00	A	2.560	5.173	0.000	0.000
		B	3.748	8.938	0.000	0.000
		C	2.899	5.918	0.000	0.000
T14	60.00-30.00	A	4.171	8.402	0.000	0.000
		B	6.106	14.518	0.000	0.000
		C	4.723	9.612	0.000	0.000
T15	30.00-0.00	A	4.315	8.525	0.000	0.000
		B	6.318	14.730	0.000	0.000
		C	4.887	9.752	0.000	0.000

### Feed Line Center of Pressure

Section	Elevation	$CP_x$	$CP_z$	$CP_x$	$CP_z$
	ft	in	in	Ice in	Ice in
T1	320.00-300.00	5.7821	2.9520	7.1025	3.6441
T2	300.00-280.00	6.6750	3.3779	8.5933	4.3612
T3	280.00-260.00	11.0518	5.2903	14.1421	6.8116
T4	260.00-240.00	12.7911	6.0842	16.6398	7.9470
T5	240.00-220.00	13.1492	6.2185	17.5579	8.3243
T6	220.00-200.00	26.2723	15.6197	32.4306	19.0842
T7	200.00-180.00	10.5398	19.5179	13.8444	23.4557
T8	180.00-160.00	12.1105	21.5914	15.7775	25.9400
T9	160.00-140.00	12.1464	21.3930	16.0555	26.1545
T10	140.00-120.00	15.0912	23.2372	20.2284	28.4681
T11	120.00-100.00	19.9795	28.9268	24.9235	33.1525
T12	100.00-80.00	24.3917	31.5250	30.3482	36.0111
T13	80.00-60.00	24.7156	31.5797	31.3068	36.6933
T14	60.00-30.00	26.5159	33.8668	33.5485	39.3179
T15	30.00-0.00	28.0485	35.8107	35.7092	41.8405

### Discrete Tower Loads

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	320' Rohn SSVMW	<b>Page</b>	12 of 12
	<b>Project</b>	CSP Tower - Colchester, CT	<b>Date</b>	13:11:25 10/12/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	CAA		Weight	
			Horz Lateral	Vert			Front	Side		
			ft	ft	°	ft	ft <sup>2</sup>	ft <sup>2</sup>	K	
Dual Lights	C	None			0.0000	320.00	No Ice 1/2" Ice	4.00 4.80	4.00 4.80	0.25 0.40
5'3"x4" Pipe Mount (CSP future)	A	From Leg	0.50 0.00 0.00		0.0000	320.00	No Ice 1/2" Ice	1.88 2.21	1.88 2.21	0.06 0.07
5'3"x4" Pipe Mount (CSP future)	B	From Leg	0.50 0.00 0.00		0.0000	320.00	No Ice 1/2" Ice	1.88 2.21	1.88 2.21	0.06 0.07
5'3"x4" Pipe Mount (CSP future)	C	From Leg	0.50 0.00 0.00		0.0000	320.00	No Ice 1/2" Ice	1.88 2.21	1.88 2.21	0.06 0.07
PD128 (CSP)	C	From Leg	6.00 0.00 0.00		0.0000	320.00	No Ice 1/2" Ice	1.00 1.80	1.00 1.80	0.01 0.02
6' Side Mount Standoff	C	None			0.0000	320.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
PD128 (CSP)	C	From Leg	6.00 0.00 0.00		0.0000	318.00	No Ice 1/2" Ice	1.00 1.80	1.00 1.80	0.01 0.02
6' Side Mount Standoff	C	None			0.0000	318.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
6'8"x4" Pipe Mount (CSP)	C	From Leg	0.50 0.00 0.00		0.0000	315.00	No Ice 1/2" Ice	2.60 3.01	2.60 3.01	0.07 0.09
DB224 (SHF)	A	From Leg	6.00 0.00 0.00		0.0000	294.00	No Ice 1/2" Ice	3.15 5.67	3.15 5.67	0.03 0.04
6' Side Mount Standoff	A	None			0.0000	294.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
PD320 (DEP)	C	From Leg	6.00 0.00 0.00		0.0000	292.00	No Ice 1/2" Ice	2.25 4.05	2.25 4.05	0.03 0.04
6' Side Mount Standoff	C	None			0.0000	292.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
(2) DB809 (CSP)	A	From Leg	6.00 0.00 0.00		0.0000	285.00	No Ice 1/2" Ice	3.39 4.55	3.39 4.55	0.03 0.06
6' Side Mount Standoff	A	None			0.0000	285.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
(2) OGT9 (CSP)	A	From Leg	6.00 0.00 0.00		0.0000	275.00	No Ice 1/2" Ice	3.15 5.67	3.15 5.67	0.03 0.04
6' Side Mount Standoff	A	None			0.0000	275.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
PD440 (OEM)	B	From Leg	6.00 0.00 0.00		0.0000	257.00	No Ice 1/2" Ice	1.38 2.48	1.38 2.48	0.02 0.02
6' Side Mount Standoff	B	None			0.0000	257.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
PD128 (OEM)	C	From Leg	6.00 0.00 0.00		0.0000	243.00	No Ice 1/2" Ice	1.00 1.80	1.00 1.80	0.01 0.02
6' Side Mount Standoff	C	None			0.0000	243.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
PD320 (CSP)	A	From Leg	6.00 0.00		0.0000	227.00	No Ice 1/2" Ice	2.25 4.05	2.25 4.05	0.03 0.04

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>	320' Rohn SSVMW	<b>Page</b>	13 of 13
	<b>Project</b>	CSP Tower - Colchester, CT	<b>Date</b>	13:11:25 10/12/06
	<b>Client</b>	Verizon Wireless	<b>Designed by</b>	Staff

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C <sub>AA</sub>		Weight	
			Horz	Lateral			Front	Side		
			ft	ft	°	ft	ft <sup>2</sup>	ft <sup>2</sup>	K	
			0.00							
6' Side Mount Standoff	A	None			0.0000	227.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
DB844 (Verizon)	A	From Leg	5.00 6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB844 (Verizon)	A	From Leg	5.00 -6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB948F85T2E-M (Verizon)	A	From Leg	5.00 4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
DB948F85T2E-M (Verizon)	A	From Leg	5.00 -4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
DB844 (Verizon)	B	From Leg	5.00 6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB844 (Verizon)	B	From Leg	5.00 -6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB948F85T2E-M (Verizon)	B	From Leg	5.00 4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
DB948F85T2E-M (Verizon)	B	From Leg	5.00 -4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
DB844 (Verizon)	C	From Leg	5.00 6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB844 (Verizon)	C	From Leg	5.00 -6.00 0.00		0.0000	220.00	No Ice 1/2" Ice	3.06 3.39	3.73 4.10	0.01 0.04
DB948F85T2E-M (Verizon)	C	From Leg	5.00 4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
DB948F85T2E-M (Verizon)	C	From Leg	5.00 -4.00 0.00		0.0000	220.00	No Ice 1/2" Ice	1.92 2.22	3.26 3.62	0.01 0.03
Mounting Frame (Verizon)	A	From Leg	5.00 0.00 0.00		0.0000	220.00	No Ice 1/2" Ice	17.00 20.00	17.00 20.00	0.56 0.70
Mounting Frame (Verizon)	B	From Leg	5.00 0.00 0.00		0.0000	220.00	No Ice 1/2" Ice	17.00 20.00	17.00 20.00	0.56 0.70
Mounting Frame (Verizon)	C	From Leg	5.00 0.00 0.00		0.0000	220.00	No Ice 1/2" Ice	17.00 20.00	17.00 20.00	0.56 0.70
PiROD 12' Lightweight T-Frame (Cingular)	A	None			0.0000	200.00	No Ice 1/2" Ice	10.20 16.20	10.20 16.20	0.25 0.35
PiROD 12' Lightweight T-Frame (Cingular)	B	None			0.0000	200.00	No Ice 1/2" Ice	10.20 16.20	10.20 16.20	0.25 0.35
PiROD 12' Lightweight T-Frame (Cingular)	C	None			0.0000	200.00	No Ice 1/2" Ice	10.20 16.20	10.20 16.20	0.25 0.35

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b>		320' Rohn SSMW				<b>Page</b>		14 of 14
	<b>Project</b>		CSP Tower - Colchester, CT				<b>Date</b>		13:11:25 10/12/06
	<b>Client</b>		Verizon Wireless				<b>Designed by</b>		Staff

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C <sub>AA</sub> Front	C <sub>AA</sub> Side	Weight	
			Horz	Lateral Vert						
			ft	ft	°	ft	ft <sup>2</sup>	ft <sup>2</sup>	K	
(4) 7770.00 (Cingular)	A	From Leg	3.00	0.00	0.0000	200.00	No Ice 1/2" Ice	5.88 6.31	2.93 3.27	0.04 0.07
(4) 7770.00 (Cingular)	B	From Leg	3.00	0.00	0.0000	200.00	No Ice 1/2" Ice	5.88 6.31	2.93 3.27	0.04 0.07
(4) 7770.00 (Cingular)	C	From Leg	3.00	0.00	0.0000	200.00	No Ice 1/2" Ice	5.88 6.31	2.93 3.27	0.04 0.07
(4) LPG21401 TMA (Cingular)	A	From Leg	3.00	0.00	0.0000	200.00	No Ice 1/2" Ice	0.95 1.09	0.37 0.48	0.02 0.02
(4) LPG21401 TMA (Cingular)	B	From Leg	3.00	0.00	0.0000	200.00	No Ice 1/2" Ice	0.95 1.09	0.37 0.48	0.02 0.02
(4) LPG21401 TMA (Cingular)	C	From Leg	3.00	0.00	0.0000	200.00	No Ice 1/2" Ice	0.95 1.09	0.37 0.48	0.02 0.02
(4) LPG13519 Diplexer (Cingular)	A	From Leg	3.00	0.00	0.0000	200.00	No Ice 1/2" Ice	0.27 0.34	0.18 0.25	0.01 0.01
(4) LPG13519 Diplexer (Cingular)	B	From Leg	3.00	0.00	0.0000	200.00	No Ice 1/2" Ice	0.27 0.34	0.18 0.25	0.01 0.01
(4) LPG13519 Diplexer (Cingular)	C	From Leg	3.00	0.00	0.0000	200.00	No Ice 1/2" Ice	0.27 0.34	0.18 0.25	0.01 0.01
5'3"x4" Pipe Mount (Verizon)	B	From Leg	0.50	0.00	0.0000	175.00	No Ice 1/2" Ice	1.88 2.21	1.88 2.21	0.06 0.07
PD688S-4 (NEU)	A	From Leg	6.00	0.00	0.0000	140.00	No Ice 1/2" Ice	0.35 0.63	0.35 0.63	0.00 0.00
DB212-1 (NEU)	B	None			0.0000	140.00	No Ice 1/2" Ice	4.40 8.42	4.40 8.42	0.03 0.07
6' Side Mount Standoff	B	None			0.0000	140.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
BA1012-0 (OEM)	A	From Leg	6.00	0.00	0.0000	140.00	No Ice 1/2" Ice	0.47 0.96	0.47 0.96	0.00 0.01
6' Side Mount Standoff	A	None			0.0000	140.00	No Ice 1/2" Ice	6.50 8.50	6.50 8.50	0.10 0.17
PD156S (DEP)	C	From Leg	1.00	0.00	0.0000	138.00	No Ice 1/2" Ice	0.44 0.79	0.44 0.79	0.01 0.01
3/4"x4" Pipe Mount (DEP)	C	From Leg	0.50	0.00	0.0000	138.00	No Ice 1/2" Ice	1.05 1.27	1.05 1.27	0.04 0.05
5'3"x4" Pipe Mount (Verizon)	A	From Leg	0.50	0.00	0.0000	115.00	No Ice 1/2" Ice	1.88 2.21	1.88 2.21	0.06 0.07
3/4"x4" Pipe Mount (CSP)	C	From Leg	0.50	0.00	0.0000	112.00	No Ice 1/2" Ice	1.05 1.27	1.05 1.27	0.04 0.05
5'3"x4" Pipe Mount (CSP)	A	From Leg	0.50	0.00	0.0000	105.00	No Ice 1/2" Ice	1.88 2.21	1.88 2.21	0.06 0.07



<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSMW	<b>Page</b> 16 of 16
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Description	Face or Leg	Dish Type	Offset Type	Offsets: Horz Lateral Vert	Azimuth Adjustment	3 dB Beam Width	Elevation	Outside Diameter	Aperture Area	Weight
				ft	°	°	ft	ft	ft <sup>2</sup>	K
				0.00						

### Load Combinations

Comb. No.	Description
1	Dead Only
2	Dead+Wind 0 deg - No Ice
3	Dead+Wind 30 deg - No Ice
4	Dead+Wind 45 deg - No Ice
5	Dead+Wind 60 deg - No Ice
6	Dead+Wind 90 deg - No Ice
7	Dead+Wind 120 deg - No Ice
8	Dead+Wind 135 deg - No Ice
9	Dead+Wind 150 deg - No Ice
10	Dead+Wind 180 deg - No Ice
11	Dead+Wind 210 deg - No Ice
12	Dead+Wind 225 deg - No Ice
13	Dead+Wind 240 deg - No Ice
14	Dead+Wind 270 deg - No Ice
15	Dead+Wind 300 deg - No Ice
16	Dead+Wind 315 deg - No Ice
17	Dead+Wind 330 deg - No Ice
18	Dead+Ice+Temp
19	Dead+Wind 0 deg+Ice+Temp
20	Dead+Wind 30 deg+Ice+Temp
21	Dead+Wind 45 deg+Ice+Temp
22	Dead+Wind 60 deg+Ice+Temp
23	Dead+Wind 90 deg+Ice+Temp
24	Dead+Wind 120 deg+Ice+Temp
25	Dead+Wind 135 deg+Ice+Temp
26	Dead+Wind 150 deg+Ice+Temp
27	Dead+Wind 180 deg+Ice+Temp
28	Dead+Wind 210 deg+Ice+Temp
29	Dead+Wind 225 deg+Ice+Temp
30	Dead+Wind 240 deg+Ice+Temp
31	Dead+Wind 270 deg+Ice+Temp
32	Dead+Wind 300 deg+Ice+Temp
33	Dead+Wind 315 deg+Ice+Temp
34	Dead+Wind 330 deg+Ice+Temp
35	Dead+Wind 0 deg - Service
36	Dead+Wind 30 deg - Service
37	Dead+Wind 45 deg - Service
38	Dead+Wind 60 deg - Service
39	Dead+Wind 90 deg - Service
40	Dead+Wind 120 deg - Service
41	Dead+Wind 135 deg - Service
42	Dead+Wind 150 deg - Service
43	Dead+Wind 180 deg - Service
44	Dead+Wind 210 deg - Service
45	Dead+Wind 225 deg - Service
46	Dead+Wind 240 deg - Service
47	Dead+Wind 270 deg - Service
48	Dead+Wind 300 deg - Service
49	Dead+Wind 315 deg - Service

<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 17 of 17
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Comb. No.	Description
50	Dead+Wind 330 deg - Service

**Maximum Tower Deflections - Service Wind**

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T1	320 - 300	18.709	40	0.5043	0.1982
T2	300 - 280	16.549	40	0.4908	0.1607
T3	280 - 260	14.493	40	0.4646	0.1323
T4	260 - 240	12.542	40	0.4414	0.1181
T5	240 - 220	10.694	40	0.4132	0.1059
T6	220 - 200	8.985	40	0.3800	0.0979
T7	200 - 180	7.423	40	0.3425	0.0911
T8	180 - 160	5.995	40	0.3100	0.0836
T9	160 - 140	4.698	40	0.2749	0.0746
T10	140 - 120	3.560	40	0.2369	0.0671
T11	120 - 100	2.581	40	0.1969	0.0593
T12	100 - 80	1.791	40	0.1582	0.0467
T13	80 - 60	1.152	40	0.1195	0.0364
T14	60 - 30	0.665	35	0.0870	0.0274
T15	30 - 0	0.206	35	0.0390	0.0137

**Critical Deflections and Radius of Curvature - Service Wind**

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
320.00	6 FT DISH	40	18.709	0.5043	0.1982	148070
318.00	PD128	40	18.491	0.5033	0.1943	148070
315.00	8 FT DISH	40	18.164	0.5018	0.1885	148070
294.00	DB224	40	15.920	0.4837	0.1508	39468
292.00	PD320	40	15.713	0.4810	0.1477	40359
285.00	(2) DB809	40	14.997	0.4714	0.1380	43821
275.00	(2) OGT9	40	13.996	0.4585	0.1278	48169
257.00	PD440	40	12.258	0.4377	0.1162	48324
243.00	PD128	40	10.963	0.4177	0.1075	34030
227.00	PD320	40	9.566	0.3923	0.1003	32211
220.00	DB844	40	8.985	0.3800	0.0979	32463
200.00	PiROD 12' Lightweight T-Frame	40	7.423	0.3425	0.0911	35712
175.00	6 FT DISH	40	5.657	0.3016	0.0814	35996
140.00	PD688S-4	40	3.560	0.2369	0.0671	32543
138.00	PD156S	40	3.454	0.2329	0.0664	31719
115.00	6 FT DISH	40	2.367	0.1872	0.0564	24776
112.00	4 FT DISH	40	2.244	0.1814	0.0545	26416
105.00	6 FT DISH	40	1.973	0.1680	0.0499	31238
100.00	PD458	40	1.791	0.1582	0.0467	34789
97.00	6 FT DISH	40	1.686	0.1523	0.0449	34916
90.00	4 FT DISH	40	1.454	0.1384	0.0411	33017

**Maximum Tower Deflections - Design Wind**



<b>ERITower</b>  <b>URS Corporation</b> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: (860) 529-8882 FAX: (860) 529-3991	<b>Job</b> 320' Rohn SSVMW	<b>Page</b> 18 of 18
	<b>Project</b> CSP Tower - Colchester, CT	<b>Date</b> 13:11:25 10/12/06
	<b>Client</b> Verizon Wireless	<b>Designed by</b> Staff

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T1	320 - 300	22.696	24	0.6080	0.2581
T2	300 - 280	20.098	24	0.5927	0.2197
T3	280 - 260	17.614	24	0.5628	0.1893
T4	260 - 240	15.248	24	0.5357	0.1737
T5	240 - 220	13.003	24	0.5021	0.1581
T6	220 - 200	10.925	24	0.4621	0.1472
T7	200 - 180	9.025	24	0.4167	0.1375
T8	180 - 160	7.288	24	0.3772	0.1265
T9	160 - 140	5.711	24	0.3345	0.1139
T10	140 - 120	4.327	24	0.2882	0.1033
T11	120 - 100	3.138	24	0.2396	0.0923
T12	100 - 80	2.180	24	0.1925	0.0736
T13	80 - 60	1.405	24	0.1453	0.0576
T14	60 - 30	0.814	19	0.1058	0.0434
T15	30 - 0	0.257	19	0.0475	0.0216

### Critical Deflections and Radius of Curvature - Design Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
320.00	6 FT DISH	24	22.696	0.6080	0.2581	134951
318.00	PD128	24	22.434	0.6069	0.2542	134951
315.00	8 FT DISH	24	22.041	0.6051	0.2483	134951
294.00	DB224	24	19.339	0.5846	0.2092	35699
292.00	PD320	24	19.088	0.5816	0.2059	36404
285.00	(2) DB809	24	18.223	0.5705	0.1954	39109
275.00	(2) OGT9	24	17.012	0.5558	0.1845	42272
257.00	PD440	24	14.903	0.5313	0.1715	41022
243.00	PD128	24	13.330	0.5076	0.1603	28392
227.00	PD320	24	11.632	0.4770	0.1506	26575
220.00	DB844	24	10.925	0.4621	0.1472	26682
200.00	PiROD 12' Lightweight T-Frame	24	9.025	0.4167	0.1375	29592
175.00	6 FT DISH	24	6.878	0.3670	0.1234	29430
140.00	PD688S-4	24	4.327	0.2882	0.1033	26881
138.00	PD156S	24	4.199	0.2834	0.1024	26149
115.00	6 FT DISH	24	2.878	0.2278	0.0881	20111
112.00	4 FT DISH	24	2.729	0.2207	0.0853	21523
105.00	6 FT DISH	24	2.400	0.2043	0.0785	25740
100.00	PD458	24	2.180	0.1925	0.0736	28930
97.00	6 FT DISH	24	2.053	0.1852	0.0709	29090
90.00	4 FT DISH	24	1.771	0.1683	0.0651	27490

# **ANCHOR BOLT ANALYSIS**



Job 320' Rohn SSVMW - Colchester, CT

Project No. VZ1-166

Page \_\_\_ of \_\_\_

Description Anchor Bolt Analysis

Computed by JEK

Sheet 1 of 3

Date 10/12/06

Checked by \_\_\_\_\_

Date \_\_\_\_\_

## ANCHOR BOLT ANALYSIS

### Input Data

#### Max Pier Reactions:

Uplift:	Uplift := 555-kips	<i>user input</i>
Shear:	Shear := 85-kips	<i>user input</i>
Compression:	Compression := 692-kips	<i>user input</i>

#### Anchor Bolt Data:

Use ASTM A354 Grade BC

Number of Anchor Bolts = N	$N_{\text{max}} := 24$	<i>user input</i>
Bolt Ultimate Strength:	$F_u := 125\text{-ksi}$	<i>user input</i>
Bolt Yield Strength:	$F_y := 60\text{-ksi}$	<i>user input</i>
Bolt Modulus:	$E := 29000\text{-ksi}$	<i>user input</i>
Thickness of Anchor Bolts	$D := 1\text{in}$	<i>user input</i>
Threads per Inch:	$n := 8$	<i>user input</i>
Coefficient of Friction:	$\mu := 0.55$	<i>user input</i> (for baseplate with grout ASCE 10-97)



Job	320' Rohn SSVMW - Colchester, CT	Project No.	VZ1-166	Page	of
Description	Anchor Bolt Analysis	Computed by	JEK	Sheet	2 of 3
		Checked by		Date	10/12/06
				Date	

**Anchor Bolt Area:**

Gross Area of Bolt:

$$A_g := \frac{\pi}{4} \cdot D^2 \qquad A_g = 0.785 \text{ in}^2$$

Net Area of Bolt:

$$A_n := \frac{\pi}{4} \cdot \left( D - \frac{0.9743 \cdot \text{in}}{n} \right)^2 \qquad A_n = 0.606 \text{ in}^2$$

**Check Tensile Forces:**

Maximum Tensile Force (Gross Area):

$$\text{AllowableTension} := 1.33 \cdot (0.33 \cdot A_g \cdot F_u) \qquad \text{AllowableTension} = 43.1 \text{ kips}$$

Note: 1.33 increase allowed per TIA/EIA

Maximum Tensile Force (Net Area):

$$F_{\text{net.area}} := 1.33 \cdot (0.60 \cdot A_n \cdot F_y) \qquad F_{\text{net.area}} = 29.0 \text{ kips}$$

Note: 1.33 increase allowed per TIA/EIA

Applied Tension:

$$\text{MaxTension} := \frac{\text{Uplift}}{N} \qquad \text{MaxTension} = 23.1 \text{ kips}$$

Check Stresses:

$$\frac{\text{MaxTension}}{F_{\text{net.area}}} = 0.80$$

$$\text{Condition1} := \text{if} \left( \frac{\text{MaxTension}}{F_{\text{net.area}}} \leq 1.00, \text{"OK"}, \text{"Overstressed"} \right)$$

$$\text{Condition1} = \text{"OK"}$$

Job 320' Rohn SSVMW - Colchester, CTProject No. VZ1-166Sheet 3 of 3Description Anchor Bolt AnalysisComputed by JEKDate 10/12/06Checked by                     Date                     **Check Anchor Bolt Area:**

Based on the ASCE 10-97 Design of Latticed Steel Transmission Structures

Required Area:

$$A_{s1} := \frac{\text{Uplift}}{F_y} + \frac{\text{Shear}}{\mu \cdot 0.85 \cdot F_y} \quad A_{s1} = 12.3 \text{ in}^2$$

$$A_{s2} := \left| \frac{\text{Shear} - (0.3 \cdot \text{Compression})}{\mu \cdot 0.85 \cdot F_y} \right| \quad A_{s2} = 4.4 \text{ in}^2$$

Provided Area:

$$A_{\text{provided}} := A_n \cdot N \quad A_{\text{provided}} = 14.5 \text{ in}^2$$

$$\text{Condition2} := \text{if} \left( \frac{A_{s1}}{A_{\text{provided}}} \leq 1.00, \text{"OK"}, \text{"Overstressed"} \right) \quad \frac{A_{s1}}{A_{\text{provided}}} = 0.84$$

**Condition2 = "OK"**

$$\text{Condition3} := \text{if} \left( \frac{A_{s2}}{A_{\text{provided}}} \leq 1.00, \text{"OK"}, \text{"Overstressed"} \right) \quad \frac{A_{s2}}{A_{\text{provided}}} = 0.30$$

**Condition3 = "OK"**

# FOUNDATION ANALYSIS



Job	320' Rohn SSVMW - Colchester, CT	Project No.	VZ1-166	Page	of
Description	Evaluation of Drilled Pier Caisson	Computed by	JEK	Sheet	1 of 2
		Checked by		Date	10/12/06
				Date	

.....

Compression:	Download := 692 kips	$\gamma_c = 150 \text{pcf}$	Concrete unit weight
Uplift:	uplift := 553 kips	$\gamma_w = 62.4 \text{pcf}$	Water unit weight
Depth Neglected for Skin Friction at the top	Depthunbond := 4 ft	$\gamma_s = 120 \text{pcf}$	Soil unit weight
Drill Caisson length	CaissonLength := 35.5 ft	Pier $\phi$ := 7.5 ft	Pier diameter
Water Table Below grade:	Wd := 10 ft	hg := 0.5 ft	Height of Pier Above grade
Ave allowable Shear at Depth of 4' to 10'	f1 := 380psf	Per BL Companies	SoilBearingCapacity := 6.7ksf
Ave allowable Shear at Depth of 10' to 35'	f2 := 700psf	Report 9.13.2000	Allowable Bearing Pressure at Depth 35'

**Loading:**

$$\text{TotalDownload} := \text{Download} + \pi \cdot \frac{\text{Pier}\phi^2}{4} \cdot [\text{hg} \cdot \gamma_c + [(\gamma_c - \gamma_s) \cdot (\text{CaissonLength} - \text{hg})]]$$

TotalDownload = 741.7 kips

$$\text{Pierweight} := \pi \cdot \frac{\text{Pier}\phi^2}{4} \cdot [(\text{Wd} + \text{hg}) \cdot \gamma_c + (\text{CaissonLength} - \text{Wd} - \text{hg}) \cdot (\gamma_c - \gamma_w)]$$

Pierweight = 166.33 kips

$$\text{Soilshear} := \pi \cdot \text{Pier}\phi \cdot [f1 \cdot (\text{Wd} - \text{Depthunbond}) + f2 \cdot (\text{CaissonLength} - \text{Wd} - \text{hg})]$$

Soilshear = 466.06 kips

**Compression Capacity:**

$$\text{TotalDownloadCapacity} := \text{Soilshear} + \text{SoilBearingCapacity} \cdot \left( \pi \cdot \frac{\text{Pier}\phi^2}{4} \right)$$

TotalDownloadCapacity = 762.05 kips

$$\text{CheckDownloadCapacity} := \text{if}(\text{TotalDownload} < \text{TotalDownloadCapacity}, \text{"Okay"}, \text{"No Good"})$$

CheckDownloadCapacity = "Okay"



Job	<u>320' Rohn SSVMW - Colchester, CT</u>	Project No.	<u>VZ1-166</u>	Page	<u>    </u>	of	<u>    </u>
Description	<u>Evaluation of Drilled Pier Caisson</u>	Computed by	<u>JEK</u>	Sheet	<u>2</u>	of	<u>2</u>
		Checked by	<u>    </u>	Date	<u>10/12/06</u>		
				Date	<u>    </u>		

**Tension Capacity:**

TotalUpLiftCapacity := Soilshear + Pierweight

TotalUpLiftCapacity = 632.39 kips

CkcekUpLiftCapacity := if(uptift < TotalUpLiftCapacity, "Okay", "No Good")

CkcekUpLiftCapacity = "Okay"

Check Cone Failure

ConeFailureCapacity :=  $\frac{[(\text{CaissonLength} - \text{hg}) \cdot \tan(30 \cdot \text{deg}) \cdot 2 + \text{Pier}\phi]^2 \cdot \pi \cdot \text{CaissonLength} - \text{hg}}{4 \cdot 3} \cdot \gamma_s$

ConeFailureCapacity = 2524.37 kips

CheckConeFailureCapacity := if(uptift < ConeFailureCapacity, "Okay", "No Good")

CheckConeFailureCapacity = "Okay"



General Power Density

Site Name: Colchester, CT  
 Cumulative Power Density

Operator	Operating Frequency (MHz)	Number of Trans	ERP/Per Trans (watts)	Total ERP (watts)	Distance to Target (feet)	Calculated Power Density (mW/cm <sup>2</sup> )	Maximum Permissible Exposure (mW/cm <sup>2</sup> )	Fraction of MPE (%)
VZW	875	9	200	1800	220	0.0134	0.583	2.29%
VZW PCS	1970	3	485	1455	220	0.0108	1.0	1.08%
VZW Microwave	6004.5	1	4265.8	4265.8	115	0.1160	1.0	11.60%
VZW Microwave	6093.45	1	4265.8	4265.8	175	0.0501	1.0	5.01%

**Total Percentage of Maximum Permissible Exposure**

19.98%

\*Guidelines adopted by the FCC on August 1, 1996, 47 CFR Part 1 based on NCRP Report 86, 1986 and generally on ANSI/IEEE C95.1.1-1992

MHz = Megahertz

mW/cm<sup>2</sup> = milliwatts per square centimeter

ERP = Effective Radiated Power

Absolute worst case maximum values used.