


280 Trumbull Street
Hartford, CT 06103-3597
Main (860) 275-8200
Fax (860) 275-8299
kbaldwin@rc.com
Direct (860) 275-8345

ORIGINAL

August 19, 2010

Via Hand Delivery

Linda Roberts
Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051



Re: **Notice of Exempt Modification – Facility Modification
1 Butternut Hollow Road, Greenwich, Connecticut**

Dear Ms. Roberts:

Cellco Partnership d/b/a Verizon Wireless ("Cellco") currently maintains twelve (12) wireless telecommunications antennas at the 130-foot level of the existing 180-foot tower at the above-referenced address. The tower and property are owned by the Connecticut Department of Public Safety (State Police). The Council approved Cellco's use of this tower in 1992 in Docket No. 150. Cellco now intends to modify its installation by replacing six (6) existing PCS antennas with three (3) model MG D3-800T0 PCS antennas; two (2) model P65-16-X1-2 LTE antennas; and one (1) model LNX-6514DS-T4M LTE antenna, all at the same 130-foot level on the tower. Attached behind Tab 1 are the specifications for the proposed replacement antennas.

*Law Offices*

BOSTON

PROVIDENCE

HARTFORD

NEW LONDON

STAMFORD

WHITE PLAINS

NEW YORK CITY

ALBANY

SARASOTA

www.rc.com

Please accept this letter as notification pursuant to R.C.S.A. § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Peter J. Tesei, First Selectman for the Town of Greenwich. A copy of this letter is also being sent to the Connecticut Department of Public Safety, the owner of the property at 1 Butternut Hollow Road.

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).

1. The proposed modifications will not result in any increase in the height of the existing tower. Cellco's antennas will be located at the same 130-foot level on the existing tower.

Linda Roberts
August 19, 2010
Page 2

2. The proposed modifications will not involve any changes to ground-mounted equipment and, therefore, will not require the extension of the site boundary.

3. The proposed modifications will not increase noise levels at the facility by six decibels or more.

4. The operation of the replacement antennas will not increase radio frequency (RF) power density levels at the facility to a level at or above the Federal Communications Commission (FCC) adopted safety standard. A power density table for Cellco's modified facility is included behind Tab 2.

Also attached is a Structural Analysis confirming that the tower can support Cellco's proposed antenna modifications. (See Tab 3).

For the foregoing reasons, Cellco respectfully submits that the proposed modifications to the above-referenced telecommunications facility constitutes an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,




Kenneth C. Baldwin

Enclosures

Copy to:

Peter J. Tesei, Greenwich First Selectman
Katie Blankley, Deputy Director,
Planning and Zoning/Assistant Town Planner
Connecticut State Police
Sandy M. Carter





SINGLE-BAND PANEL ANTENNA

BROADBAND 1700-2170 MHZ

MGD3-800TX

1710-1880	1850-1990	1920-2170
H66° V7.2°	H64° V6.6°	H63° V6.3°
Fixed Tilt 0°, 2°, 4°, 6°	Fixed Tilt 0°, 2°, 4°, 6°	Fixed Tilt 0°, 2°, 4°, 6°

ELECTRICAL SPECIFICATIONS


BROADBAND 1710-2170 MHz

Antenna Model	MGD3-800TX		
Polarization	± 45°		
Frequency	1710 - 1880	1850 - 1990	1920 - 2170
Horizontal Beamwidth	66°	64°	63°
Vertical Beamwidth	7.2°	6.6°	6.3°
Gain (dBi)	17.9	18	18.5
Vertical Electrical Tilt	FIXED 0°, 2°, 4°, 6°	FIXED 0°, 2°, 4°, 6°	FIXED 0°, 2°, 4°, 6°
Upper Sidelobe Suppression for the 1 st lobe above main beam (dB)	20	20	20
Front-to-Back Ratio /Cpol @ ± 20° (dB)	> 30	> 30	> 30
VSWR	< 1.4 : 1	< 1.4 : 1	< 1.4 : 1
Cross Polar Ratio @ ± 60° (dB)	> 10	> 10	> 10
Isolation Between Ports (dB)	> 30	> 30	> 30
Maximum Power Per Input (W)		250	
Intermodulation (dBc)		< -150	
Impedance (Ω)		50	

MECHANICAL SPECIFICATIONS

Connectors	2 X 7/16 Female
Connector Position	Bottom
Survival Wind Speed mph (km/h)	124 (200)
Front Windload lbs (N) @ 160 km/h	83 (370)
Lateral Windload lbs (N) @ 160 km/h	38 (170)
Radome Color	Grey, paintable
Temperature Range F (°C)	-67° to 140° (-55° to +60°)
Humidity	100%
Antenna Weight lbs (kg)	15.43 (7)
Antenna Dimension in (mm) H X W X D	53 X 6.29 X 3.54 (1340 X 160 X 90)

H&V Pattern



RYMSA Telecom Group (Headquarters)



www.rymsawireless.com

RYMSA México:

Ph: +52 55 1 2 12 12

RYMSA Wireless U.S.A. 813 250 1212

+

1 800 7 12 12

le 8.

P65-15-XL-2

Very Low Broadband Antennas

POLARIZATION: Dual linear $\pm 45^\circ$
 FREQUENCY (MHz): 698-894
 HORIZONTAL BEAM WIDTH ($^\circ$): 65
 GAIN (dBi/dBd): 14.5/12.4
 TILT: 2
 LENGTH: 48"

ELECTRICAL SPECIFICATIONS*

	698-806	698-894	806-894
Frequency range (MHz)			
Frequency band (MHz)	698-806		806-894
Gain (dBi/dBd)	14.0/11.9		14.5/12.4
Polarization		Dual Linear $\pm 45^\circ$	
Nominal Impedance (Ω)		50	
VSWR		< 1.33:1	
Horizontal beam width, -3 dB ($^\circ$)	68		65
Vertical beam width, -3 dB ($^\circ$)	16.5		15.5
Electrical down tilt ($^\circ$)		2	
Side lobe suppression, vertical 1st upper (dB)	> 15		> 15
Tracking, horizontal plane $\pm 60^\circ$ (dB)	< 2		< 2
Isolation between inputs (dB)	> 30		> 30
First null fill (dB)	-		-
Vertical beam squint ($^\circ$)	< 0.5		< 0.5
Front to back ratio (dB)	> 30		> 30
Front to back ratio, total power (dB)	> 25		> 25
Cross polar discrimination (XPD) 0° (dB)	> 15		> 15
Cross polar discrimination (XPD) $\pm 60^\circ$ (dB)	> 10		> 10
IM3, 2xTx@43dBm (dBc)		-153	
Power handling, average per input (W)		400	
Power handling, average total (W)		800	

MECHANICAL SPECIFICATIONS*

Connector	2 X 7/16 DIN Female
Connector position	Bottom
Dimensions, HxWxD, in (mm)	48"x12"x5" (1219x305x125)
Mounting	Pre-mounted Tilt Brackets
Weight, with brackets, lbs (kg)	33 (15)
Weight, without brackets, lbs (kg)	22 (10)
Wind load, frontal/lateral/rear side 42 m/s Cd=1.0 (N)	920
Maximum operational wind speed, mph (m/s)	100 (45)
Survival wind speed, mph (m/s)	125 (55)
Lightning protection	DC Ground
Radome material	PVC
Packet size, HxWxD, in (mm)	58" x 16" x 10" (1475 x 400 x 255)
Radome colour	Light Grey
Shipping weight, lbs (kg)	44 (20)
RET	N/A
Brackets	7256.00, 7454.00, 2210.00

*All specifications subject to change without notice. Please contact your Powerwave representative for complete performance data.

ANTENNA PATTERNS*

For detailed patterns visit <http://www.powerwave.com/rpa/>.

Product Specifications



LNx-6514DS-T4M

DualPol® Antenna, 698–896 MHz, 65° horizontal beamwidth, fixed electrical tilt



- Broadband, providing future-ready single antenna for application in 700 MHz and existing 850 MHz cellular operation
- Air dielectric design provides superior PIM performance with repeatable antenna-to-antenna gain and pattern consistency
- Single piece radome provides long term mechanical stability
- Proven core design technology, with over 1,000,000 similar antennas deployed
- Exceptional USLS pattern shaping for optimizing coverage and interference mitigation for LTE applications
- Specifically designed to have physical dimensions similar to most existing cellular antennas

CHARACTERISTICS

General Specifications

Antenna Type	DualPol®
Brand	DualPol®
Operating Frequency Band	698 – 896 MHz

Electrical Specifications

Frequency Band, MHz

	698–806	806–896
Beamwidth, Horizontal, degrees	66	64
Gain, dBd	13.8	14.5
Gain, dBi	15.9	16.6
Beamwidth, Vertical, degrees	12.0	11.0
Beam Tilt, degrees	4	4
Upper Sidelobe Suppression (USLS), typical, dB	18	18
Front-to-Back Ratio at 180°, dB	33	33
Isolation, dB	30	30
VSWR Return Loss, db	1.35:1 16.5	1.35:1 16.5
Intermodulation Products, 3rd Order, 2 x 20 W, dBc	-150	-150
Input Power, maximum, watts	500	500
Polarization	±45°	±45°
Impedance, ohms	50	50
Lightning Protection	dc Ground	dc Ground

Product Specifications

INX-6514DS-T4M



Mechanical Specifications

Color	Light gray
Connector Interface	7-16 DIN Female
Connector Location	Bottom
Connector Quantity	2
Wind Loading, maximum	617.7 N @ 150 km/h 138.9 lbf @ 150 km/h
Wind Speed, maximum	241.0 km/h 149.8 mph

Dimensions

Depth	181.0 mm 7.1 in
Length	1847.0 mm 72.7 in
Width	301.0 mm 11.9 in
Net Weight	17.4 kg 38.4 lb

Regulatory Compliance/Certifications

Agency

RoHS 2002/95/EC
China RoHS SJ/T 11364-2006

Classification

Compliant by Exemption
Above Maximum Concentration Value (MCV)



INCLUDED PRODUCTS

MTG-L-STD


Downtilt Mounting Kit for panel Antennas

Product Specifications




INX-6514DS-T4M



Horizontal Pattern



Vertical Pattern



DETAILED STRUCTURAL ANALYSIS AND EVALUATION OF 180' SELF SUPPORTING LATTICE TOWER WITH STACK-N-BOLT SYSTEM AND FOUNDATION FOR NEW ANTENNA ARRANGEMENT

Connecticut State Police
Butternut Hollow Road
Greenwich, Connecticut

prepared for



Verizon Wireless
99 East River Drive
East Hartford, Connecticut 06108

prepared by



URS CORPORATION
500 ENTERPRISE DR, SUITE 3B
ROCKY HILL, CT 06067
TEL. 860-529-8882

36931188
VZ5-041

August 2, 2010

TABLE OF CONTENTS

- 1. EXECUTIVE SUMMARY**
- 2. INTRODUCTION**
- 3. ANALYSIS METHODOLOGY AND LOADING CONDITIONS**
- 4. FINDINGS AND EVALUATION**
- 5. CONCLUSIONS**
- 6. DRAWINGS AND DATA**
 - **PLS-TOWER INPUT / OUTPUT SUMMARY**
 - **PLS-TOWER NODE LOCATIONS**
 - **PLS-TOWER MEMBER LOCATIONS**
 - **PLS-TOWER DETAILED OUTPUT**
 - **CONNECTION BETWEEN TOWERS EVALUATION**
 - **ANCHOR BOLT**
 - **FOUNDATION EVALUATION**

2. INTRODUCTION

The subject tower is located off of Butternut Hollow Rd in Greenwich, Connecticut. The structure is a self-supporting three-legged 180' steel tapered lattice tower manufactured by Rohn Industries with a Stack-N-Bolt system installed inside the original tower, designed by Towertek.

The existing structure supports several communication antennas. The inventory is summarized below:

Antenna Type	Carrier	Mount	Centerline Elevation	Cable
DB314	Unknown (existing)	3' Stand-Off	180	See note below
DB-224	Unknown (existing)	3' Stand-Off	180	See note below
PD1110	Unknown (existing)	3' Stand-Off	180	See note below
(2) Scala OGT9-806N	CSP (existing)	Side Arm	180	See note below
DB-583	Unknown (existing)	3' Stand-Off	180	See note below
(3) 6' HP Dish	CSP (reserved)	Dish Mount	180	See note below
6' HP Dish with Radome	CSP (existing)	Dish Mount	176	See note below
(2) Scala OGT9-806N	CSP (existing)	Side Arm	173	See note below
DB806M-XT	CSP (existing)	Side Arm	173	See note below
4' Dish	Greenwich PD (existing)	Dish Mount	170	See note below
Gabriel GLF6-940	NU (existing)	Dish Mount	163.5	See note below
(12) CSS Duo 4	Cingular (existing)	Face Mount	151	(9) 1-1/4"
PD 1167	NU (existing)	Side Arm (shared with below)	146	See note below
(12) Allgon 7184-14	AT&T (existing)	Side Arm	145	(6) 1-5/8"
(6) DB 844	Verizon (existing)	Boom Gate	130	(12) 1-5/8"
(2) P65-16-XL-2 (1) LNX-6514DS-T4M (3) MG D3-800T0	Verizon (proposed)	Boom Gate (shared with above)	130	Shared with above
DB 225K Yagi	Unknown (existing)	Leg Mount	126.5	See note below
PD 1142	Unknown (existing)	Leg Mount	120	See note below
(6) DB 980	Sprint (existing)	Boom Gate	117	(6) 1-5/8"
PD 1142	CSP (existing)	Leg Mounted	120	See note below
PD 654	CSP (existing)	Leg Mounted	64	See note below
GPS	Sprint (existing)	Leg Mounted	62	See note below
GPS	Verizon (existing)	Leg Mounted	60	See note below

For simplicity of design it was assumed that all cables extend to the top of the tower. The cables not associated with Cingular, AT&T, Verizon and Sprint totaled (5) 1-5/8", (4) 1/2", (16) 7/8", (3) 1-1/4", 2 Elliptical and (3) 3/8" diameter coaxial cables.

1. **EXECUTIVE SUMMARY**

This report summarizes the structural analysis and reinforcement of the 180' lattice tower located off of Butternut Hollow Rd in Greenwich, Connecticut. The analysis was conducted in accordance with the 2005 Connecticut State Building Code and the TIA/EIA-222-F standard for a wind velocity of 90 mph (fastest mile) and 90 mph (fastest mile) concurrent with ½" ice. The antenna loading considered in the analysis consists of all existing and proposed antennas, transmission lines, and ancillary items as outlined in the Introduction of this report. The proposed Verizon modification is listed below:

Proposed Antenna and Mount	Carrier	Antenna Center Elevation
<u>Remove</u> (6) 948F85T2E-M		
<u>Install</u> (2) Powerwave P65-16-XL-2 (1) Andrew LNX-6514DS-T4M (3) Rysma MG D3-800T0	Verizon (Proposed)	130'

The results of the analysis indicate that the tower structure is in compliance with the proposed loading conditions. **The tower and its foundation are considered structurally adequate under the wind load specified above and the existing and proposed antenna loadings.** The calculated tower sway is 0.78 degrees, and the tower twist is 0.10 degrees. These are above the Connecticut State Police specification of 0.75 degrees for twist and sway, however there are redundant members in the tower not utilized in the analysis which will give additional stiffness and will reduce the twist and sway values below the Connecticut State Police specification.

This analysis is based on:

- 1) The tower structure's theoretical capacity not including any assessment of the condition of the tower.
- 2) Member sizes and tower geometry of the outer tower taken from manufacturers drawings prepared by Rohn Industries, Inc., file number 28325, dated December 28, 1992.
- 3) Member sizes and tower geometry of the inner tower taken from design calculations and drawings prepared by Towertek Industries Inc., signed and sealed May 9, 2002.
- 4) Foundation modifications taken from drawings prepared by Walker Engineering Incorporated, Job number 0206-237R2, signed and sealed November 26, 2002.
- 5) Existing tower inventory taken from Tower Climb Report prepared by Terracon, dated July 30, 2010.
- 6) Antenna inventory as specified in section 2 and 6 of this report.
- 7) Coax cable orientation as specified in section 6 of this report.

This report is only valid as per the assumptions and data utilized in this report for antenna inventory, mounts and associated cables. The contractor shall field verify the antenna and mount configuration used, as well as the physical condition of the tower members and connections. The engineer is to be notified in writing immediately if any of the information in the Structural Analysis is found to be other than specified.


If you should have any questions, please call.

Sincerely,

URS Corporation

Richard A. Sambor,
Senior Structural Engineer

RAS/kab



This structural analysis of the communications tower was performed by URS Corporation (URS) for Verizon Wireless. The purpose of this analysis was to investigate the structural integrity of the existing tower with its existing and proposed antenna loads. The analysis was conducted to evaluate twist (rotation), sway (deflection), and stress on the tower.

3. ANALYSIS METHODOLOGY AND LOADING CONDITIONS

The structural analysis was done in accordance with the 2005 Connecticut State Building Code, TIA/EIA-222-F—Structural Standard for Steel Antenna Towers and Antenna Supporting Structures, and the American Institute of Steel Construction (AISC) Manual of Steel Construction—Allowable Stress Design (ASD).

The analysis was conducted using PLS-Tower. Two load conditions were evaluated as shown below which were compared to allowable stresses according to AISC and TIA/EIA.

Load Condition 1 = 90 mph (fastest mile) Wind Load + Tower Dead Load

Load Condition 2 = 90 mph (fastest mile) Wind Load (with ice) + Ice Load + Tower Dead Load

The TIA/EIA standard permits one-third increase in allowable stresses for towers and monopoles less than 700 feet tall. For purposes of this analysis, in computing the load capacity the allowable stresses of the tower members were increased by one-third.

4. FINDINGS AND EVALUATION

The stresses on the tower structure were evaluated to compare with the allowable stress in accordance with AISC. The results of the analysis indicate that the reinforced tower structure is in compliance with the proposed loading conditions. The anchor bolts and reinforced foundation were found to be within allowable limits. Additionally, the tower sway and the tower twist are within the Connecticut State Police specification for twist and sway.

Component	Allowable	Actual
Twist	0.75°	0.78°
Sway		0.10°

Note: During the installation of the Stank-N-Bolt system redundant members were installed which will give additional stiffness to the tower and reduce the twist and sway. These are internal bracing members which connect the new horizontal members.

Component	Component Size	Controlling Member	Stress (% Capacity)	Pass/Fail
Rohn Diagonal	L4x4x0.25	Rohn-DI21	56.82	Pass
Rohn Leg	Pipe6EH	Rohn-LH2P	73.56	Pass
Rohn Horizontal	L1.75x1.75x0.1875	RohnH12	5.01	Pass
SNB Diagonal	L5x5x0.625	SNB-DI11	70.40	Pass
SNB Leg	Pipe8XS	SNB-LH2P	82.98	Pass
SNB Horizontal	Pipe4x0.494	SNB-H51	5.77	Pass
Tower Connection	N/A	3/4" Bolt	73.6	Pass
Foundation	36.5' Square	Overturning Moment	51.5	Pass

5. CONCLUSIONS

The results of the analysis indicate that the tower structure is not overstressed with the proposed loading conditions. **The tower and foundation are considered structurally adequate under the TIA/EIA-222-F wind load specified above and the existing and proposed antenna loadings.** The tower sway and the tower twist are within the Connecticut State Police specification of 0.75 degrees for twist and sway.

Limitations/Assumptions:

This report is based on the following:

- A. Tower is properly installed and maintained.
- B. All members and their geometry are as specified in the original Project File and are in good condition.
- C. All required members are in place.
- D. All bolts are in place and are properly tightened.
- E. Tower is in plumb condition.
- F. All member protective coatings are in good condition.
- G. All tower members were properly designed, detailed, fabricated, installed, and have been properly maintained since erection.
- F. All coaxial cables are installed as specified in Section 6 of this report.

URS is not responsible for any modifications completed prior to or hereafter in which URS is not or was not directly involved. Modifications include but are not limited to:

- A. Adding antennas
- B. Removing/replacing antennas
- C. Adding coaxial cables

URS hereby states that this document represents the entire report and that it assumes no liability for any factual changes that may occur after the date of this report. All representations, recommendations, and conclusions are based upon information contained and set forth herein. If you are aware of any information which conflicts with that which is contained herein, or you are aware of any defects arising from original design, material, fabrication, or erection deficiencies, you should disregard this report and immediately contact URS. URS disclaims all liability for any representation, recommendation, or conclusion not expressly stated herein.

Ongoing and Periodic Inspection and Maintenance:

After the Contractor has successfully completed the installation and the work has been accepted, the owner will be responsible for the ongoing and periodic inspection and maintenance of the tower.

The owner shall refer to TIA/EIA-222-F for recommendations for maintenance and inspection. The frequency of the inspection and maintenance intervals is to be determined by the owner based upon actual site and environmental conditions. It is recommended that a complete and thorough inspection of the entire tower structural system be performed at least yearly and more frequently as conditions warrant. According to TIA/EIA-222-F section 14.1, Note 1: It is recommended that the structure be inspected after severe wind and/or ice storms or other extreme loading conditions.

6. DRAWINGS AND DATA

PLS-TOWER INPUT / OUTPUT SUMMARY

Project Name : VZ5-041 Greenwich, CT
Project Notes: Butternut Hollow
Project File : c:\p1s\tower\vz5-041\butternut hollow greenwich, ct.tow
Date run : 2:42:13 PM Monday, August 02, 2010
By : Tower Version 10.20
Licensed to : URS Connecticut
Successfully performed nonlinear analysis

Unusual number of fixed joints found: 6. Towers normally have from between 1 and 4 fixed joints. ??
Linear appearance "1-5/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "1/2" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "7/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "1-1/4" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "elliptical" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "3/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
The model has 7 warnings. ??

Member check option: TIA/EIA 222-F
Connection rupture check: ASCE 10
Crossing diagonal check: ASCE 10 [Alternate Unsupported RLOUT = 1]
Loads from file: c:\p1s\tower\vz5-041\vz5-041.eia

*** Analysis Results:

Maximum element usage is 82.98% for Angle "SNB-LH2P" in load case "W+I 0 deg"

Summary of Joint Support Reactions For All Load Cases:

Load Case	Joint Label	Long. Force (kips)	Trans. Force (kips)	Vert. Force (kips)	Shear Force (kips)	Long. Moment (ft-k)	Trans. Moment (ft-k)	Vert. Bending Moment (ft-k)	Found. Usage %
W+I -90 deg	RohnJ2	5.15	2.53	22.37	5.74	-0.00	-0.00	-0.00	0.00
W+I -90 deg	SNB-JP	11.55	6.00	18.59	13.01	-0.00	-0.00	-0.00	0.00
W+I -90 deg	RohnJ1	3.36	8.23	222.71	8.89	-0.00	-0.00	-0.00	0.00
W+I -90 deg	RohnJ2	-8.47	16.91	-178.28	18.91	-0.00	-0.00	-0.00	0.00
W+I -90 deg	SNB-J1	4.73	14.37	315.30	15.13	-0.00	-0.00	-0.00	0.00
W+I -90 deg	SNB-J2	-16.33	34.10	-278.25	37.81	-0.00	-0.00	-0.00	0.00
W+I -60 deg	RohnJ2	-2.81	2.09	137.22	3.50	-0.00	-0.00	-0.00	0.00
W+I -60 deg	SNB-JP	-3.50	5.22	188.59	6.28	-0.00	-0.00	-0.00	0.00
W+I -60 deg	RohnJ1	-0.51	3.54	137.16	3.57	-0.00	-0.00	-0.00	0.00
W+I -60 deg	RohnJ2	-10.36	18.07	-207.58	20.83	-0.00	-0.00	-0.00	0.00
W+I -60 deg	SNB-J1	-2.78	5.64	188.51	6.28	-0.00	-0.00	-0.00	0.00
W+I -60 deg	SNB-J2	-20.71	35.88	-321.47	41.43	-0.00	-0.00	-0.00	0.00
W+I 0 deg	RohnJ2	-11.44	-0.24	258.95	11.44	-0.00	-0.00	-0.00	0.00
W+I 0 deg	SNB-JP	-19.80	-0.01	369.31	19.80	-0.00	-0.00	-0.00	0.00
W+I 0 deg	RohnJ1	-8.76	-10.34	-96.03	13.55	-0.00	-0.00	-0.00	0.00
W+I 0 deg	RohnJ2	-8.32	10.59	-96.12	13.47	-0.00	-0.00	-0.00	0.00
W+I 0 deg	SNB-J1	-18.14	-20.85	-156.79	27.63	-0.00	-0.00	-0.00	0.00
W+I 0 deg	SNB-J2	-18.12	20.85	-156.87	27.63	-0.00	-0.00	-0.00	0.00
W+I 60 deg	RohnJ2	-2.81	-2.33	137.23	3.65	-0.00	-0.00	-0.00	0.00
W+I 60 deg	SNB-JP	-3.49	-5.23	188.59	6.29	-0.00	-0.00	-0.00	0.00
W+I 60 deg	RohnJ1	-10.58	-17.94	-207.51	20.83	-0.00	-0.00	-0.00	0.00
W+I 60 deg	RohnJ2	-0.30	-3.41	137.08	3.43	-0.00	-0.00	-0.00	0.00
W+I 60 deg	SNB-J1	-20.72	-35.88	-321.38	41.43	-0.00	-0.00	-0.00	0.00
W+I 60 deg	SNB-J2	-2.77	-5.64	188.43	6.28	-0.00	-0.00	-0.00	0.00
W+I 90 deg	RohnJ2	5.15	-2.53	22.37	5.74	-0.00	-0.00	-0.00	0.00
W+I 90 deg	SNB-JP	11.55	-6.00	18.59	13.02	-0.00	-0.00	-0.00	0.00
W+I 90 deg	RohnJ1	-8.47	-16.90	-178.21	18.91	-0.00	-0.00	-0.00	0.00
W+I 90 deg	RohnJ2	3.36	-8.23	222.64	8.89	-0.00	-0.00	-0.00	0.00
W+I 90 deg	SNB-J1	-16.33	-34.10	-278.16	37.81	-0.00	-0.00	-0.00	0.00
W+I 90 deg	SNB-J2	4.73	-14.37	315.21	15.13	-0.00	-0.00	-0.00	0.00
DL + Ice Only	RohnJ2	5.00	-0.00	22.38	5.00	-0.00	-0.00	-0.00	0.00
DL + Ice Only	SNB-JP	11.41	-0.00	18.58	11.41	-0.00	-0.00	-0.00	0.00
DL + Ice Only	RohnJ1	-2.50	-4.33	22.32	5.01	-0.00	-0.00	-0.00	0.00
DL + Ice Only	RohnJ2	-2.50	4.34	22.24	5.01	-0.00	-0.00	-0.00	0.00
DL + Ice Only	SNB-J1	-5.70	-9.88	18.51	11.41	-0.00	-0.00	-0.00	0.00
DL + Ice Only	SNB-J2	-5.70	9.88	18.42	11.41	-0.00	-0.00	-0.00	0.00

Summary of Joint Support Reactions For All Load Cases in Direction of Leg:

Load Case	Support	Origin	Leg Force	In Residual	Shear	Residual Shear	Shear	Residual	Total	Shear	Residual	Total
-----------	---------	--------	-----------	-------------	-------	----------------	-------	----------	-------	-------	----------	-------

URS Connecticut - butternut hollow greenwich, ct

Joint		Joint	Member	Leg Dir.	Perpendicular	Horizontal	Horizontal	Horizontal	Horizontal	Long.	Tran.	Vert.
					To Leg (kips)	To Leg - Res. (kips)	To Leg - Long. (kips)	To Leg - Tran. (kips)	Force (kips)	Force (kips)	Force (kips)	Force (kips)
W+I -90 deg	Rohn-JP	Rohn-JP	Rohn-JP	Rohn-JP	6.543	6.547	-2.334	-6.037	5.15	2.53	22.37	
W+I -90 deg	SNE-JP	SNE-JP	SNE-JP	SNE-JP	13.659	13.666	-5.999	-12.281	11.55	6.00	18.59	
W+I -90 deg	Rohn-J1	Rohn-J1	Rohn-J1	Rohn-J1	1.204	1.204	-0.614	1.036	3.36	8.23	222.71	
W+I -90 deg	Rohn-J2	Rohn-J2	Rohn-J2	Rohn-J2	11.876	11.885	-10.807	4.948	-8.47	16.91	178.28	
W+I -90 deg	SNE-J1	SNE-J1	SNE-J1	SNE-J1	3.907	3.908	-3.622	1.469	4.73	14.37	315.30	
W+I -90 deg	SNE-J2	SNE-J2	SNE-J2	SNE-J2	26.887	26.907	-24.620	10.856	-16.33	34.10	278.25	
W+I -90 deg	Rohn-JP	Rohn-JP	Rohn-JP	Rohn-JP	3.343	3.344	-2.087	-2.613	-2.81	2.09	137.22	
W+I -90 deg	SNE-JP	SNE-JP	SNE-JP	SNE-JP	6.530	6.530	-5.219	-3.925	-3.50	5.22	188.59	
W+I -90 deg	Rohn-J1	Rohn-J1	Rohn-J1	Rohn-J1	3.422	3.423	-1.157	3.222	-0.51	3.54	137.16	
W+I -90 deg	Rohn-J2	Rohn-J2	Rohn-J2	Rohn-J2	12.619	12.629	-10.369	6.259	-10.36	18.07	207.58	
W+I -90 deg	SNE-J1	SNE-J1	SNE-J1	SNE-J1	6.531	6.532	0.786	6.485	-2.78	5.64	188.51	
W+I -90 deg	SNE-J2	SNE-J2	SNE-J2	SNE-J2	28.779	28.779	-24.925	14.387	-20.71	35.88	321.47	
W+I 0 deg	Rohn-JP	Rohn-JP	Rohn-JP	Rohn-JP	1.232	1.233	0.243	1.209	-11.44	-0.24	258.95	
W+I 0 deg	SNE-JP	SNE-JP	SNE-JP	SNE-JP	5.264	5.264	0.010	5.264	-19.80	-0.01	369.31	
W+I 0 deg	Rohn-J1	Rohn-J1	Rohn-J1	Rohn-J1	9.834	9.841	7.054	6.862	-8.76	-10.34	-96.03	
W+I 0 deg	Rohn-J2	Rohn-J2	Rohn-J2	Rohn-J2	9.718	9.729	-7.299	6.426	-8.32	10.59	-96.12	
W+I 60 deg	SNE-J1	SNE-J1	SNE-J1	SNE-J1	21.595	21.611	15.505	15.055	-18.14	-20.85	-156.79	
W+I 60 deg	SNE-J2	SNE-J2	SNE-J2	SNE-J2	21.584	21.600	-15.506	15.037	-18.12	20.85	-156.07	
W+I 60 deg	Rohn-JP	Rohn-JP	Rohn-JP	Rohn-JP	3.503	3.504	2.333	-2.615	-2.81	-2.33	137.23	
W+I 60 deg	SNE-JP	SNE-JP	SNE-JP	SNE-JP	6.537	6.539	5.228	-3.927	-3.49	-5.23	188.59	
W+I 60 deg	Rohn-J1	Rohn-J1	Rohn-J1	Rohn-J1	12.622	12.632	10.844	6.478	-10.58	-17.94	-207.51	
W+I 60 deg	Rohn-J2	Rohn-J2	Rohn-J2	Rohn-J2	3.266	3.267	-1.276	3.008	-0.30	-3.41	137.08	
W+I 60 deg	SNE-J1	SNE-J1	SNE-J1	SNE-J1	28.761	28.783	24.525	14.395	-20.72	-35.88	-321.38	
W+I 60 deg	SNE-J2	SNE-J2	SNE-J2	SNE-J2	6.521	6.523	-0.785	6.475	-2.77	-5.64	188.43	
W+I 90 deg	Rohn-JP	Rohn-JP	Rohn-JP	Rohn-JP	6.543	6.547	2.534	-6.037	5.15	-2.53	22.37	
W+I 90 deg	SNE-JP	SNE-JP	SNE-JP	SNE-JP	13.660	13.668	6.000	-12.281	11.55	-6.00	18.59	
W+I 90 deg	Rohn-J1	Rohn-J1	Rohn-J1	Rohn-J1	11.878	11.887	10.808	4.948	-8.47	-16.90	-178.21	
W+I 90 deg	Rohn-J2	Rohn-J2	Rohn-J2	Rohn-J2	1.205	1.205	0.615	1.036	3.36	-8.23	222.64	
W+I 90 deg	SNE-J1	SNE-J1	SNE-J1	SNE-J1	26.890	26.911	24.623	10.857	-16.33	-34.10	-278.16	
W+I 90 deg	SNE-J2	SNE-J2	SNE-J2	SNE-J2	3.910	3.911	3.625	1.468	4.73	-14.37	315.21	
DL + Ice Only	Rohn-JP	Rohn-JP	Rohn-JP	Rohn-JP	5.884	5.888	0.000	-5.888	5.00	-0.00	22.38	
DL + Ice Only	SNE-JP	SNE-JP	SNE-JP	SNE-JP	12.132	12.132	0.001	-12.142	11.41	-0.00	18.58	
DL + Ice Only	Rohn-J1	Rohn-J1	Rohn-J1	Rohn-J1	5.882	5.887	5.098	2.943	-2.50	4.34	22.32	
DL + Ice Only	Rohn-J2	Rohn-J2	Rohn-J2	Rohn-J2	5.881	5.885	-5.097	2.942	-2.50	4.34	22.32	
DL + Ice Only	SNE-J1	SNE-J1	SNE-J1	SNE-J1	12.129	12.129	10.513	6.068	-5.70	-9.88	18.51	
DL + Ice Only	SNE-J2	SNE-J2	SNE-J2	SNE-J2	12.125	12.135	-10.509	6.067	-5.70	9.88	18.42	

EIA Sections Information:

Section Label	Top Z (ft)	Bottom Z (ft)	Joint Count	Member Count	Width (ft)	Gross Area (ft²)	Face Adjust	Max Comp.	Dead Load
A	180.000	160.000	30	99	7.50	8.87 163.75	0.9000	0.9000	1.000
B	160.000	140.000	30	87	8.87	10.23 191.05	0.9000	0.9000	1.000
C	140.000	120.000	24	66	10.23	11.60 218.31	0.9000	0.9000	1.000
D	120.000	100.000	24	66	11.60	12.96 245.54	0.9000	0.9000	1.000
E	100.000	80.000	24	66	12.96	14.32 272.78	0.9000	0.9000	1.000
F	80.000	60.000	18	45	14.32	15.68 300.04	0.9000	0.9000	1.000
G	60.000	40.000	18	45	15.68	17.05 327.29	0.9000	0.9000	1.000
H	40.000	20.000	18	45	17.05	18.41 354.57	0.9000	0.9000	1.000
I	20.000	0.000	18	39	18.41	19.78 381.92	0.9000	0.9000	1.000

*** Overall summary for all load cases - Usage = Maximum Stress / Allowable Stress
Printed capacities do not include EIA allowable stress increase for wind load cases.
Printed capacities do not include the strength factor entered for each loadcase.

Group Summary (Compression Portion):

Group Label	Group Desc.	Angle Type	Angle Size	Steel Strength (ksi)	Max Usage	Max Comp.	Comp. Force (kips)	Comp. Control Load Case	L/R Capacity (kips)	Comp. Shear Capacity (kips)	Conn. Bearing Capacity (kips)	Conn. RLY	Conn. RLY	L/R Length (ft)	Curve No.	No. Of Bolts
Rohn-D1	Rohn Diagonal 1	SAE	1.75X1.75X0.1875	36.0	31.07	31.07	Rohn-D171	-3.378 W+I 0 deg	13.392	16.200	8.156	0.000	0.000	0.00	10.034	1
Rohn-D2	Rohn Diagonal 2	SAE	2X2X0.1875	36.0	48.07	48.07	Rohn-D871	-5.227W+I 90 deg	15.336	16.200	8.156	0.000	0.000	0.00	11.238	1
Rohn-D3	Rohn Diagonal 3	SAE	2.5X2.5X0.1875	36.0	59.28	59.28	Rohn-D051	-6.446W+I 90 deg	19.483	16.200	8.156	0.000	0.000	0.00	13.177	1
Rohn-D4	Rohn Diagonal 4	SAE	2.5X2.5X0.25	36.0	47.53	47.53	Rohn-D042	-6.891W+I -90 de	25.704	16.200	8.156	0.000	0.000	0.00	13.977	1
Rohn-D5	Rohn Diagonal 5	SAE	3X3X0.25	50.0	43.07	43.07	Rohn-D561	-6.999 W+I 0 deg	43.200	16.200	8.156	0.000	0.000	0.00	15.589	1

URS Connecticut - butternut hollow greenwich, ct

Group Summary (Tension Portion):																			
Group Label	Group Desc.	Angle	Steel	Max	Max	Max	Max	Max	Max	Tension	Tension	Section	Net Tens.	Shear	Conn. Tens.	Conn. Tens.	Length	No. of	Hole
		Size	Strength	Usage	Use In	Tens.	%	%	%	Member	Force	Control	Capacity	Capacity	Capacity	Capacity	Member	Bolts	Diameter
			(ksi)								(kips)	Load Case	(kips)	(kips)	(kips)	(kips)	(ft)		(in)
Rohn-D1	Rohn Diagonal 1	SAE 1.75X1.75X0.1875	36.0	31.07	28.52	50.0	52.52	52.52	50.0	Rohn-D11	-3.101W+I -60 de	0 deg	10.681	16.200	8.156	8.684	10.034	1	1.000
Rohn-D2	Rohn Diagonal 2	SAE 2X2X0.1875	36.0	48.07	46.45	50.0	56.82	56.82	50.0	Rohn-D21	5.051W+I -90 de	0 deg	12.639	16.200	8.156	9.527	11.238	1	1.000
Rohn-D3	Rohn Diagonal 3	SAE 2.5X2.5X0.1875	36.0	59.28	57.78	50.0	67.86	67.86	50.0	Rohn-D31	6.284W+I 90 deg	0 deg	16.815	16.200	8.156	10.195	12.798	1	1.000
Rohn-D4	Rohn Diagonal 4	SAE 2.5X2.5X0.25	36.0	47.53	46.64	50.0	43.07	39.40	50.0	Rohn-D41	6.762W+I 90 deg	0 deg	22.144	16.200	10.875	13.594	13.977	1	1.000
Rohn-D5	Rohn Diagonal 5	SAE 3X3X0.25	50.0	52.52	48.08	50.0	56.82	52.35	50.0	Rohn-D51	7.812W+I 90 deg	0 deg	30.910	16.200	12.187	15.234	15.589	1	1.000
Rohn-D6	Rohn Diagonal 6	SAE 3.5X3.5X0.25	50.0	56.82	52.35	50.0	67.86	67.86	50.0	Rohn-D61	8.507W+I 90 deg	0 deg	37.004	16.200	12.187	15.234	17.748	1	1.000
Rohn-L1	Rohn Leg 1	Pipe3.5EH	50.0	13.58	10.62	50.0	13.58	10.62	50.0	Rohn-L11	12.024W+I 90 deg	0 deg	84.900	0.000	0.000	0.000	5.004	0	0.000
Rohn-L2	Rohn Leg 2	Pipe3.5EH	50.0	41.33	37.48	50.0	46.33	37.48	50.0	Rohn-L21	33.744W+I -60 de	0 deg	103.200	0.000	0.000	0.000	5.004	0	0.000
Rohn-L3	Rohn Leg 3	Pipe3.5EH	50.0	69.28	56.90	50.0	69.28	56.90	50.0	Rohn-L31	62.062W+I -60 de	0 deg	124.200	0.000	0.000	0.000	5.665	0	0.000
Rohn-L4	Rohn Leg 4	Pipe3.5EH	50.0	61.99	51.07	50.0	64.45	53.33	50.0	Rohn-L41	71.728W+I -60 de	0 deg	120.900	0.000	0.000	0.000	6.665	0	0.000
Rohn-L5	Rohn Leg 5	Pipe3.5EH	50.0	64.45	53.33	50.0	67.86	59.96	50.0	Rohn-L51	123.143W+I -60 de	0 deg	171.600	0.000	0.000	0.000	6.665	0	0.000
Rohn-L6	Rohn Leg 6	Pipe3.5EH	50.0	73.56	59.96	50.0	73.56	59.96	50.0	Rohn-L61	188.996W+I -60 de	0 deg	236.400	0.000	0.000	0.000	10.008	0	0.000
Rohn-L7	Rohn Leg 7	Pipe3.5EH	50.0	65.33	51.09	50.0	65.33	51.09	50.0	Rohn-L71	201.475W+I -60 de	0 deg	299.800	0.000	0.000	0.000	10.008	0	0.000
Rohn-L8	Rohn Leg 8	Pipe3.5EH	50.0	52.52	48.08	50.0	52.52	48.08	50.0	Rohn-L81	21.475W+I -60 de	0 deg	299.800	0.000	0.000	0.000	10.008	0	0.000
Rohn-H1	Rohn Horizontal 1	SAE 1.75X1.75X0.1875	36.0	5.01	4.71	36.0	5.01	4.71	36.0	Rohn-H11	0.733W+I -90 de	0 deg	13.392	0.000	0.000	0.000	7.505	0	0.000
Rohn-D1	SNB Diagonal 1	SAE 2X2X0.3125	36.0	14.71	14.71	36.0	14.71	14.71	36.0	SNB-D11	2.667W+I -90 de	0 deg	20.304	16.200	13.594	15.879	7.240	1	1.000
Rohn-D2	SNB Diagonal 2	SAE 2X2X0.3125	36.0	25.50	25.50	36.0	25.50	25.50	36.0	SNB-D21	3.697W+I -90 de	0 deg	16.707	16.200	10.875	12.703	8.279	1	1.000
Rohn-D3	SNB Diagonal 3	SAE 3X3X0.5	36.0	39.87	39.29	36.0	39.87	39.29	36.0	SNB-D31	7.121W+I -90 de	0 deg	27.082	16.200	13.594	16.982	11.412	1	1.000
Rohn-D4	SNB Diagonal 4	SAE 3X3X0.5	36.0	41.79	41.61	36.0	41.79	41.61	36.0	SNB-D41	8.988W+I -90 de	0 deg	52.336	16.200	13.594	27.187	11.784	1	1.000
Rohn-D5	SNB Diagonal 5	SAE 4X4X0.5	36.0	67.86	27.84	36.0	67.86	27.84	36.0	SNB-D51	8.910W+I 90 deg	0 deg	72.726	24.000	26.100	32.825	15.529	1	1.000
Rohn-D6	SNB Diagonal 6	SAE 4X4X0.625	36.0	37.86	37.86	36.0	37.86	37.86	36.0	SNB-D61	12.114W+I 90 deg	0 deg	89.222	24.000	32.625	40.781	17.841	1	1.000
Rohn-L1	SNB Leg 1	Pipe P3-437	36.0	11.26	9.52	36.0	11.26	9.52	36.0	SNB-L11	21.433W+I -60 de	0 deg	116.410	0.000	0.000	0.000	5.004	0	0.000
Rohn-L2	SNB Leg 2	Pipe P4-494	36.0	43.80	38.71	36.0	43.80	38.71	36.0	SNB-L21	69.231W+I -60 de	0 deg	134.136	0.000	0.000	0.000	6.665	0	0.000
Rohn-L3	SNB Leg 3	Pipe P4-494	36.0	67.86	65.65	36.0	67.86	65.65	36.0	SNB-L31	108.141W+I -60 de	0 deg	231.552	0.000	0.000	0.000	6.665	0	0.000
Rohn-L4	SNB Leg 4	Pipe P4-494	36.0	82.98	80.82	36.0	82.98	80.82	36.0	SNB-L41	187.413W+I -60 de	0 deg	276.480	0.000	0.000	0.000	10.008	0	0.000
Rohn-L5	SNB Leg 5	Pipe P4-494	36.0	68.78	72.10	36.0	68.78	72.10	36.0	SNB-L51	265.796W+I -60 de	0 deg	347.759	0.000	0.000	0.000	10.008	0	0.000
Rohn-L6	SNB Leg 6	Pipe P4-494	36.0	78.71	65.13	36.0	78.71	65.13	36.0	SNB-L61	465.796W+I -60 de	0 deg	88.668	0.000	0.000	0.000	2.002	0	0.000
Connect	Connect Towers	BIG 0.1X0.1X1	36.0	0.03	0.03	36.0	0.03	0.03	36.0	Connect IP	7.816 W+I 0 deg	17279.973	88.668	0.000	0.000	0.000	0.000	0.000	0
Rohn-H1	SNB Horizontal 1	Pipe P3-425	36.0	1.83	1.83	36.0	1.83	1.83	36.0	SNB-H11	2.164W+I 60 deg	0 deg	88.668	0.000	0.000	0.000	8.132	1	1.000
Rohn-H2	SNB Horizontal 2	Pipe P4-494	36.0	5.77	5.77	36.0	5.77	5.77	36.0	SNB-H21	10.314W+I -90 de	0 deg	134.136	0.000	0.000	0.000	14.944	0	0.000

*** Maximum Stress Summary for Each Load Case

URS Connecticut - butternut hollow greenwich, ct


Summary of Maximum Usages by Load Case:

Load Case	Maximum Usage %	Element Label	Element Type
W+I -90 deg	71.02	SNB-LH21	Angle
W+I -60 deg	72.10	SNB-LH22	Angle
W+I 0 deg	82.98	SNB-LH2P	Angle
W+I 60 deg	72.08	SNB-LH21	Angle
W+I 90 deg	70.99	SNB-LH22	Angle
DL + Ice Only	30.09	SNB-DY2P	Angle

*** Weight of structure (lbs):
Weight of Angles*Section DLF: 62644.6
Weight of Equipment: 11550.1
Total: 74194.7


*** End of Report


PLS-TOWER NODE LOCATIONS







PLS-TOWER MEMBER LOCATIONS









PLS-TOWER DETAILED OUTPUT

 * TOWER - Analysis and Design - Copyright Power Line Systems, Inc. 1986-2006 *

Project Name : VZ5-041 Greenwich, CT
 Project Notes: Butternut Hollow
 Project File : c:\pls\tower\VZ5-041\butternut hollow greenwich, ct.tow
 Date run : 2:42:11 PM Monday, August 02, 2010
 by : Tower Version 10.20
 Licensed to : URS Connecticut

Successfully performed nonlinear analysis

Unusual number of fixed joints found: 6. Towers normally have from between 1 and 4 fixed joints. ??
 Linear appearance "1-5/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "1/2" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "7/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "1-1/4" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "Elliptical" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "3/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 The model has 7 warnings. ??

Nonlinear convergence parameters: Use Standard Parameters
 Member check option: TIA/EIA 222-F
 Connection rupture check: ASCE 10
 Crossing diagonal check: ASCE 10 [Alternate Unsupported RLOUT = 1]

Joints Geometry:

Joint Label	Symmetry Code	X Coord. (ft)	Y Coord. (ft)	Z Coord. (ft)	X Disp. (ft)	Y Disp. (ft)	Z Disp. (ft)	X Rot. Rest.	Y Rot. Rest.	Z Rot. Rest.
RohnAP	Tri-Symmetry	4.333	0	180	Free	Free	Free	Free	Free	Free
RohnBP	Tri-Symmetry	5.121	0	160	Free	Free	Free	Free	Free	Free
RohnCP	Tri-Symmetry	5.909	0	140	Free	Free	Free	Free	Free	Free
RohnDP	Tri-Symmetry	6.695	0	120	Free	Free	Free	Free	Free	Free
RohnEP	Tri-Symmetry	7.481	0	100	Free	Free	Free	Free	Free	Free
RohnFP	Tri-Symmetry	8.268	0	80	Free	Free	Free	Free	Free	Free
RohnGP	Tri-Symmetry	9.055	0	60	Free	Free	Free	Free	Free	Free
RohnHP	Tri-Symmetry	9.841	0	40	Free	Free	Free	Free	Free	Free
RohnIP	Tri-Symmetry	10.63	0	20	Free	Free	Free	Free	Free	Free
RohnJP	Tri-Symmetry	11.42	0	0	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
SNB-AP	Tri-Symmetry	2.333	0	180	Free	Free	Free	Free	Free	Free
SNB-BP	Tri-Symmetry	3.121	0	160	Free	Free	Free	Free	Free	Free
SNB-CP	Tri-Symmetry	3.908	0	140	Free	Free	Free	Free	Free	Free
SNB-DP	Tri-Symmetry	4.695	0	120	Free	Free	Free	Free	Free	Free
SNB-EP	Tri-Symmetry	5.481	0	100	Free	Free	Free	Free	Free	Free
SNB-FP	Tri-Symmetry	6.268	0	80	Free	Free	Free	Free	Free	Free
SNB-GP	Tri-Symmetry	7.055	0	60	Free	Free	Free	Free	Free	Free
SNB-HP	Tri-Symmetry	7.841	0	40	Free	Free	Free	Free	Free	Free
SNB-IP	Tri-Symmetry	8.628	0	20	Free	Free	Free	Free	Free	Free
SNB-JP	Tri-Symmetry	9.415	0	0	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
RohnA1	Tri-Gen 1	-2.167	-3.752	180	Free	Free	Free	Free	Free	Free
RohnA2	Tri-Gen 2	-2.167	3.752	180	Free	Free	Free	Free	Free	Free
RohnB1	Tri-Gen 1	-2.561	-4.435	160	Free	Free	Free	Free	Free	Free
RohnB2	Tri-Gen 2	-2.561	4.435	160	Free	Free	Free	Free	Free	Free
RohnC1	Tri-Gen 1	-2.954	-5.117	140	Free	Free	Free	Free	Free	Free
RohnC2	Tri-Gen 2	-2.954	5.117	140	Free	Free	Free	Free	Free	Free
RohnD1	Tri-Gen 1	-3.348	-5.798	120	Free	Free	Free	Free	Free	Free
RohnD2	Tri-Gen 2	-3.348	5.798	120	Free	Free	Free	Free	Free	Free
RohnE1	Tri-Gen 1	-3.741	-6.479	100	Free	Free	Free	Free	Free	Free
RohnE2	Tri-Gen 2	-3.741	6.479	100	Free	Free	Free	Free	Free	Free
RohnF1	Tri-Gen 1	-4.134	-7.16	80	Free	Free	Free	Free	Free	Free
RohnF2	Tri-Gen 2	-4.134	7.16	80	Free	Free	Free	Free	Free	Free
RohnG1	Tri-Gen 1	-4.527	-7.842	60	Free	Free	Free	Free	Free	Free
RohnG2	Tri-Gen 2	-4.527	7.842	60	Free	Free	Free	Free	Free	Free
RohnH1	Tri-Gen 1	-4.92	-8.523	40	Free	Free	Free	Free	Free	Free
RohnH2	Tri-Gen 2	-4.92	8.523	40	Free	Free	Free	Free	Free	Free
RohnI1	Tri-Gen 1	-5.315	-9.206	20	Free	Free	Free	Free	Free	Free
RohnI2	Tri-Gen 2	-5.315	9.206	20	Free	Free	Free	Free	Free	Free
RohnJ1	Tri-Gen 1	-5.71	-9.89	0	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed

URS Connecticut - butternut hollow greenwich, ct

SNB-L3	SNB Leg 3	Pipe	Pipe3EH	A 36	Leg	0.000
SNB-L4	SNB Leg 4	Pipe	P6-562	A 36	Leg	0.000
SNB-L5	SNB Leg 5	Pipe	Pipe8XS	A 36	Leg	0.000
SNB-L6	SNB Leg 6	Pipe	Pipe10XS	A 36	Leg	0.000
Connect	Connect Towers	BIG	0.1X0.1X1	A 36	Other	0.000
SNB-H1	SNB Horizontal 1	Pipe	P3-423	A 36	Other	0.000
SNB-H2	SNB Horizontal 2	Pipe	P4-494	A 36	Other	0.000

Aggregate Angle Information:

Note: Estimate of surface area reported for painting purposes, not wind loading.

Angle Type	Angle Size	Material	Total Length (ft)	Surface Area (ft ²)	Total Weight (lbs)
SAE	1.75X1.75X0.1875	A 36	279.43	163.00	592.39
SAE	2X2X0.1875	A 36	258.81	172.54	631.49
SAE	2.5X2.5X0.1875	A 36	230.26	191.89	706.91
SAE	2.5X2.5X0.25	A 36	251.49	209.58	1031.12
SAE	3X3X0.25	A572-50	273.29	273.29	1339.11
SAE	3.5X3.5X0.25	A572-50	445.54	520.96	2389.91
SAE	4X4X0.25	A572-50	502.96	670.61	3319.52
Pipe	Pipe3EH	A572-50	60.05	64.05	618.48
Pipe	Pipe3.5EH	A572-50	60.05	73.70	750.58
Pipe	Pipe4EH	A572-50	60.05	83.32	900.69
Pipe	Pipe5STD	A572-50	60.05	106.18	876.68
Pipe	Pipe5EH	A572-50	60.05	103.84	1248.97
Pipe	Pipe6EHS	A572-50	60.05	125.95	1463.93
Pipe	Pipe6EH	A572-50	120.09	247.91	3434.66
Pipe	Pipe8EHS	A572-50	60.05	166.38	2148.47
SAE	2X2X0.3125	A 36	165.23	110.15	647.69
SAE	2X2X0.25	A 36	189.16	126.11	603.43
SAE	3X3X0.25	A 36	378.99	315.82	1894.94
SAE	4X4X0.5	A 36	219.00	219.00	2058.63
SAE	4X4X0.625	A 36	183.26	244.34	2345.69
SAE	5X5X0.625	A 36	404.95	539.94	6357.75
Pipe	P3-437	A 36	222.64	371.07	4452.86
Pipe	P4-494	A 36	60.05	61.31	900.70
Pipe	Pipe5EH	A 36	303.38	405.11	6492.26
Pipe	P6-562	A 36	60.05	103.84	1248.96
Pipe	Pipe8XS	A 36	120.09	242.69	4395.40
Pipe	Pipe10XS	A 36	60.05	325.25	5210.82
BIG	0.1X0.1X1	A 36	150.03	205.16	3286.94
Pipe	P3-425	A 36	73.04	5.00	0.00
				74.87	1095.63

Sections:

The adjustment factors below only apply to dead load and wind areas that are calculated for members in the model. They do not apply to equipment or to manually input dead load and drag areas.

Section Label	Joint Defining Section	Bottom Factor	Load Adjust. Factor	Dead Transverse Drag x Area Factor	Longitudinal Transverse Drag x Area Factor	Af Flat Area Factor (CD From Code)	Longitudinal Transverse Drag x Area Factor (CD From Code)	SAPS Angle Factor	SAPS Round Force Factor	Long Edge Dist. (in)	End Bolt Rest. Spacing Coef. (in)
A	RehndP	1.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000	0.000	None
B	RehndP	1.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000	0.000	None
C	RehndP	1.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000	0.000	None
D	RehndP	1.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000	0.000	None
E	RehndP	1.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000	0.000	None
F	RehndP	1.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000	0.000	None
G	RehndP	1.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000	0.000	None
H	RehndP	1.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000	0.000	None
I	RehndP	1.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000	0.000	None
						0.900	0.900	0.000	0.000	0.000	None
						0.900	0.900	0.000	0.000	0.000	None

Angle Member Connectivity:

Member Label	Group Section Label	Symmetry Code	Origin Joint	End Ecc. Joint Code	Rest. Code	Ratio RLY	Ratio RUX	Bolt Type	# Bolt Type	Shear Bolts	Holes	Planes	Connect Leg Dist. (in)	Short Edge Dist. (in)	Long Edge Dist. (in)	End Bolt Rest. Spacing Coef. (in)

SNB-H5P	SNB-H2	134.136	L/R	134.136	Net Sect	0	9.49	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H51	SNB-H2	134.136	L/R	134.136	Net Sect	0	9.49	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H52	SNB-H2	134.136	L/R	134.136	Net Sect	0	9.49	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H61	SNB-H2	134.136	L/R	134.136	Net Sect	0	10.86	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H62	SNB-H2	134.136	L/R	134.136	Net Sect	0	10.86	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H7P	SNB-H2	134.136	L/R	134.136	Net Sect	0	10.86	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H71	SNB-H2	134.136	L/R	134.136	Net Sect	0	12.22	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H72	SNB-H2	134.136	L/R	134.136	Net Sect	0	12.22	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H8P	SNB-H2	134.136	L/R	134.136	Net Sect	0	13.58	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H81	SNB-H2	134.136	L/R	134.136	Net Sect	0	13.58	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H82	SNB-H2	134.136	L/R	134.136	Net Sect	0	14.94	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H9P	SNB-H2	134.136	L/R	134.136	Net Sect	0	14.94	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H91	SNB-H2	134.136	L/R	134.136	Net Sect	0	14.94	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic
SNB-H92	SNB-H2	134.136	L/R	134.136	Net Sect	0	14.94	134.136	0.000	0.000	0.000	0.000	0.000	0.000	Automatic

Section Joint Information:

Section Label	Joint Label	Joint Elevation (ft)
A	RohnAP	180.000
A	RohnAa1	175.000
A	RohnA1	180.000
A	RohnAa2	175.000
A	RohnA2	180.000
A	RohnAa5	175.000
A	RohnAB1	170.000
A	RohnAB2	170.000
A	RohnAB5	170.000
A	RohnAC1	165.000
A	RohnAC2	165.000
A	RohnAC5	165.000
A	RohnB2	160.000
A	RohnBP	160.000
A	RohnB1	160.000
A	SNB-AP	180.000
A	SNB-Aa1	175.000
A	SNB-A1	180.000
A	SNB-Aa2	175.000
A	SNB-A2	180.000
A	SNB-Aa5	175.000
A	SNB-AB1	170.000
A	SNB-AB2	170.000
A	SNB-AB5	170.000
A	SNB-AC1	165.000
A	SNB-AC2	165.000
A	SNB-ACS	165.000
A	SNB-B1	160.000
A	SNB-B2	160.000
A	SNB-BP	160.000
B	RohnBP	160.000
B	RohnB1	155.000
B	RohnB2	155.000
B	RohnB5	155.000
B	RohnBC1	145.000
B	RohnBC2	145.000
B	RohnBC5	145.000
B	RohnC1	140.000
B	RohnC2	140.000
B	RohnCP	140.000
B	SNB-BP	160.000
B	SNB-Ba1	155.000
B	SNB-B1	160.000
B	SNB-Ba2	155.000
B	SNB-B2	160.000
B	SNB-Ba5	155.000
S	SNB-Bb1	150.000

B SNB-Bb2 150.000
 B SNB-BbS 150.000
 B SNB-Bc1 145.000
 B SNB-Bc2 145.000
 B SNB-BcS 145.000
 B SNB-C1 140.000
 B SNB-C2 140.000
 B SNB-CP 140.000
 C RohnCa1 133.340
 C RohnCa1 140.000
 C RohnCa2 133.340
 C RohnCa2 140.000
 C RohnCaS 133.340
 C RohnCb1 126.660
 C RohnCb2 126.660
 C RohnCbS 126.660
 C RohnD1 120.000
 C RohnD2 120.000
 C RohnDP 120.000
 C SNB-CP 140.000
 C SNB-Ca1 133.340
 C SNB-C1 140.000
 C SNB-Ca2 133.340
 C SNB-C2 140.000
 C SNB-CaS 133.340
 C SNB-Cb1 126.660
 C SNB-Cb2 126.660
 C SNB-CbS 126.660
 C SNB-D1 120.000
 C SNB-D2 120.000
 C SNB-DP 120.000
 D RohnDa1 113.340
 D RohnDa1 120.000
 D RohnDa2 113.340
 D RohnDa2 120.000
 D RohnDaS 113.340
 D RohnDb1 106.660
 D RohnDb2 106.660
 D RohnDbS 106.660
 D RohnE1 100.000
 D RohnE2 100.000
 D RohnEP 100.000
 D SNB-DP 120.000
 D SNB-Da1 113.340
 D SNB-D1 120.000
 D SNB-Da2 113.340
 D SNB-D2 120.000
 D SNB-DaS 113.340
 D SNB-Db1 106.660
 D SNB-Db2 106.660
 D SNB-DbS 106.660
 D SNB-E1 100.000
 D SNB-E2 100.000
 D SNB-EP 100.000
 E RohnEP 100.000
 E RohnEa1 93.340
 E RohnEa2 93.340
 E RohnE2 100.000
 E RohnEaS 93.340
 E RohnEb1 86.660
 E RohnEb2 86.660
 E RohnEbS 86.660
 E RohnF1 80.000
 E RohnF2 80.000
 E RohnFP 80.000
 E SNB-EP 100.000
 E SNB-Ea1 93.340
 E SNB-E1 100.000
 E SNB-Ea2 93.340
 E SNB-E2 100.000
 E SNB-EaS 93.340

URS Connecticut - butternut hollow greenwich, ct

I SNB-IAS 10.000
I SNB-J1 0.000
I SNB-J2 0.000
I SNB-JP 0.000

EIA Sections Information:

Section Label	Top Z (ft)	Bottom Z (ft)	Joint Count	Member Width (ft)	Top Width (ft)	Bottom Width (ft)	Gross Area (ft²)	Face Adjust Factor	Ar Adjust Factor	Dead Load
A	180.000	160.000	30	89	7.50	8.87	163.75	0.9000	0.9000	1.000
B	160.000	140.000	30	87	8.87	10.23	191.05	0.9000	0.9000	1.000
C	140.000	120.000	24	66	10.23	11.60	218.31	0.9000	0.9000	1.000
D	120.000	100.000	24	66	11.60	12.96	245.54	0.9000	0.9000	1.000
E	100.000	80.000	24	66	12.96	14.32	272.78	0.9000	0.9000	1.000
F	80.000	60.000	18	45	14.32	15.68	300.04	0.9000	0.9000	1.000
G	60.000	40.000	18	45	15.68	17.05	327.29	0.9000	0.9000	1.000
H	40.000	20.000	18	45	17.05	18.41	354.57	0.9000	0.9000	1.000
I	20.000	0.000	18	39	18.41	19.78	381.92	0.9000	0.9000	1.000

Equipment Library:

Equipment Property Label	Stock Number	Weight (lbs)	Wind Area (ft²)	Ice Area (ft²)	Shape or Drag Coef.	Antenna Type	Height (ft)
Decibel DB224 w/ ice	Dipole	41.6	5.67	0.00	Circle	1.00	0.00
Decibel DB225-K w/ ice	Dipole	3.9	0.81	0.00	Circle	1.00	0.00
RFS PD1110 w/ ice	Omni	32.8	3.05	0.00	Circle	1.00	0.00
RFS PD1142 w/ ice	Omni	21.5	2.80	0.00	Circle	1.00	0.00
Allgon 7184 w/ ice	Panel	27.0	3.00	0.00	Square	1.00	0.00
Andrew DB-383 w/ ice	Omni	11.6	0.71	0.00	Circle	1.00	0.00
Celwave PD1167 w/ ice	Omni	18.2	2.25	0.00	Circle	1.00	0.00
CSS DUO-4-6060 w/ ice	Panel	80.6	3.30	0.00	Square	1.00	0.00
Scala OGT6-806 w/ ice	Omni	22.7	1.98	0.00	Circle	1.00	0.00
Sysma MG D3-800T0	Panel	36.0	3.56	0.00	Square	1.00	0.00
Andrew DB844H80-XY	Panel	40.0	3.58	0.00	Square	1.00	0.00
Powerwave P65-15-XL-2	Panel	70.0	8.54	0.00	Square	1.00	0.00
Andrew LNX-6514DS-74M	Panel	60.0	8.51	0.00	Square	1.00	0.00
12' T-Arm	Mount	600.0	10.00	0.00	Square	1.00	0.00
3' Stand-Off	Mount	75.0	1.50	0.00	Square	1.00	0.00
Dipole	Dish	71.0	6.00	0.00	Circle	1.00	0.00
6' Dish with Radome	Dish	220.0	29.00	0.00	Circle	1.00	0.00
TMA	Dish	13.0	1.00	0.00	Circle	1.00	0.00
Decibel DB806M-XT	Omni	20.0	2.50	0.00	Circle	1.00	0.00
4' Dish with Radome	Dish	120.0	13.10	0.00	Circle	1.00	0.00
GRF-940 Grid Dish	Dish	120.0	20.00	0.00	Circle	1.00	0.00
Decibel DB980	Panel	30.0	4.30	0.00	Square	1.00	0.00
GPS	GPS	20.0	1.00	0.00	Circle	1.00	0.00
Yagi	Yagi	30.0	1.00	0.00	Circle	1.00	0.00

Equipment Connectivity:

Equipment Label	Attach Label	Equipment Property Label	EIA Antenna Set	Orientation Angle (deg)
Top-A RohnAP		3' Stand-Off		0.00
Top-B RohnA1		3' Stand-Off		120.00
Top-C RohnA2		3' Stand-Off		240.00
Top-1 RohnAP		Dipole		0.00
Top-2 RohnA1		Decibel DB224 w/ ice		120.00
Top-3 RohnA1		RFS PD1110 w/ ice		120.00
Top-4 RohnA2		Andrew DB-583 w/ ice		120.00
Top-5 RohnAP		Scala OGT6-806 w/ ice		240.00
Top-6 RohnA2		Scala OGT6-806 w/ ice		0.00
Top-7 RohnAP		6' Dish with Radome		240.00
Top-8 RohnA1		6' Dish with Radome		0.00
Top-9 RohnA2		6' Dish with Radome		120.00
178 RohnAAS		6' Dish with Radome		240.00
176 RohnA1		TMA		0.00
173-A RohnABS		6' Dish with Radome		120.00
		3' Stand-Off		0.00

URS Connecticut - butternut hollow greenwich, ct

173-B RohnAb1	3' Stand-Off	120.00
173-C RohnAb2	3' Stand-Off	240.00
Scala OGT6-806 w/ ice		0.00
173-1 RohnAbS	Decibel DB806M-XT	0.00
173-2 RohnAbS	Scala OGT6-806 w/ ice	120.00
173-3 RohnAb1	Decibel DB806M-XT	240.00
173-4 RohnAb2	4' Dish with Radome	0.00
170 RohnAcS	GLF-940	120.00
163.5 RohnAc1	12' T-Arm	0.00
Cingular-A RohnBBS	12' T-Arm	120.00
Cingular-B RohnBb1	12' T-Arm	240.00
Cingular-C RohnBb1	12' T-Arm	0.00
Cingular-1 RohnBBS	CSS DUO-4-6060 w/ ice	0.00
Cingular-2 RohnBBS	CSS DUO-4-6060 w/ ice	0.00
Cingular-3 RohnBBS	CSS DUO-4-6060 w/ ice	0.00
Cingular-4 RohnBBS	CSS DUO-4-6060 w/ ice	0.00
Cingular-5 RohnBb1	CSS DUO-4-6060 w/ ice	120.00
Cingular-6 RohnBb1	CSS DUO-4-6060 w/ ice	120.00
Cingular-7 RohnBb1	CSS DUO-4-6060 w/ ice	120.00
Cingular-8 RohnBb1	CSS DUO-4-6060 w/ ice	240.00
Cingular-9 RohnBb2	CSS DUO-4-6060 w/ ice	240.00
Cingular-10 RohnBb2	CSS DUO-4-6060 w/ ice	240.00
Cingular-11 RohnBb2	CSS DUO-4-6060 w/ ice	240.00
Cingular-12 RohnBb2	CSS DUO-4-6060 w/ ice	240.00
Cingular-13 RohnBbS	CSS DUO-4-6060 w/ ice	0.00
Cingular-14 RohnBb1	TWA	120.00
Cingular-15 RohnBb2	TWA	240.00
146-A RohnBcS	3' Stand-Off	0.00
146-1 RohnBcS	Celwave P01167 w/ ice	0.00
ATT-A RohnBcS	12' T-Arm	0.00
ATT-B RohnBc1	12' T-Arm	120.00
ATT-C RohnBc2	12' T-Arm	240.00
ATT-1 RohnBcS	Alligon 7184 w/ ice	0.00
ATT-2 RohnBcS	Alligon 7184 w/ ice	0.00
ATT-3 RohnBcS	Alligon 7184 w/ ice	0.00
ATT-4 RohnBcS	Alligon 7184 w/ ice	0.00
ATT-5 RohnBc1	Alligon 7184 w/ ice	120.00
ATT-6 RohnBc1	Alligon 7184 w/ ice	120.00
ATT-7 RohnBc1	Alligon 7184 w/ ice	120.00
ATT-8 RohnBc1	Alligon 7184 w/ ice	120.00
ATT-9 RohnBc2	Alligon 7184 w/ ice	240.00
ATT-10 RohnBc2	Alligon 7184 w/ ice	240.00
ATT-11 RohnBc2	Alligon 7184 w/ ice	240.00
ATT-12 RohnBc2	Alligon 7184 w/ ice	240.00
Verizon-A RohnCaS	12' T-Arm	0.00
Verizon-B RohnCa1	12' T-Arm	120.00
Verizon-C RohnCa2	12' T-Arm	240.00
Verizon-1 RohnCaS	Powerwave P65-15-XL-2	0.00
Verizon-2 RohnCaS	Andrew DB844H80-XY	0.00
Verizon-3 RohnCaS	Andrew DB844H80-XY	0.00
Verizon-4 RohnCaS	Rysma MG D3-800T0	0.00
Verizon-5 RohnCa1	Andrew LNX-6514DS-T4M	120.00
Verizon-6 RohnCa1	Andrew DB844H80-XY	120.00
Verizon-7 RohnCa1	Andrew DB844H80-XY	120.00
Verizon-8 RohnCa1	Rysma MG D3-800T0	120.00
Verizon-9 RohnCa2	Powerwave P65-15-XL-2	240.00
Verizon-10 RohnCa2	Andrew DB844H80-XY	240.00
Verizon-11 RohnCa2	Andrew DB844H80-XY	240.00
Verizon-12 RohnCa2	Rysma MG D3-800T0	240.00
126.5-A RohnCbS	3' Stand-Off	0.00
126.5-1 RohnCbS	Decibel DB225-K w/ ice	0.00
120-1 RohnD1	RFS PD1142 w/ ice	120.00
Sprint-A RohnDaS	12' T-Arm	0.00
Sprint-B RohnDa1	12' T-Arm	120.00
Sprint-C RohnDa2	12' T-Arm	240.00
Sprint-1 RohnDaS	Decibel DB980	0.00
Sprint-2 RohnDaS	Decibel DB980	0.00
Sprint-3 RohnDa1	Decibel DB980	120.00
Sprint-4 RohnDa1	Decibel DB980	120.00
Sprint-5 RohnDa2	Decibel DB980	240.00
Sprint-6 RohnDa2	Decibel DB980	240.00
114-A RohnDaS	3' Stand-Off	0.00
114-1 RohnDaS	RFS PD1142 w/ ice	0.00
95 RohnDaS	Dipole	0.00
60-1 RohnGrP	GPS	0.00

60-2 RohuG1
60-3 RohuG2

GPS 120.00
Yagi 240.00

Linear Aperturances:

Description	From (ft)	To (ft)	Quantity	Shape	Width or Diameter (in)	Perimeter (in)	Unit Weight (lbs/ft)	In Face Zone	In Include in Wind Load
1-5/8"	2	180	29	Round	0	0	2.55	Yes	No
1/2"	2	180	4	Round	0	0	0.91	Yes	No
7/8"	2	180	16	Round	0	0	1.52	Yes	No
1-1/4"	2	180	12	Round	0	0	1.91	Yes	No
Full Cable Tray (wind only)	2	180	2	Round	24	0	0	Yes	No
Elliptical	2	180	2	Round	0	0	2	Yes	No
3/8"	2	180	3	Round	0	0	0.65	Yes	No

*** Loads Data

Loads from file: c:\pls\tower\wz5-041\wz5-041.eia

Structure Height Summary (used for calculating wind/ice adjust with height):
 Structure height above ground 180.00 (ft)
 Elevation of structure bottom for wind height adjustment: 0.00 (ft)
 Structure height for structure gust response factor: 180.00 (ft)
 Structure gust response factor, G_s: 1.1209
 Guy installation temperature: 60.00 (deg F)
 Tower Type: Triangular Latticed

ETA Rev. F Load Cases:

Equipment Load Case Information for "W+I -90 deg":																	
Equipment Label	Equipment Property Set	Equipment Elevation Above Ground (ft)	Ice Thickness (in)	Ice Total Area (ft ²)	Wind Incidence Angle (deg)	222-G CA	222-G CS	222-G CM	Ice Density (lbs/ft ³)	Ice Temperature (deg F)	Point Loads	Joint Displ.	Antenna Axial Load (lbs)	Antenna Side Moment (ft-lbs)	Antenna Long. Moment (ft-lbs)	Trans. Load (lbs)	Vert. Load (lbs)
Load Case Dead Load Wind Load Ice Load Strength Allowable Stress Increase Factor																	
Description	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor
W+I -90 deg	1.0000	1.0000	1.0000	1.0000	1.3333	90.000	-90	0.5000	56.0000	0.0							
W+I -60 deg	1.0000	1.0000	1.0000	1.0000	1.3333	90.000	-60	0.5000	56.0000	0.0							
W+I 0 deg	1.0000	1.0000	1.0000	1.0000	1.3333	90.000	0	0.5000	56.0000	0.0							
W+I 60 deg	1.0000	1.0000	1.0000	1.0000	1.3333	90.000	60	0.5000	56.0000	0.0							
W+I 90 deg	1.0000	1.0000	1.0000	1.0000	1.3333	90.000	90	0.5000	56.0000	0.0							
DL + Ice Only	1.0000	1.0000	1.0000	1.0000	1.3333	0.000	0	0.5000	56.0000	0.0							
Equipment Load Case Information for "W+I -90 deg":																	
Equipment Label	Equipment Property Set	Equipment Elevation Above Ground (ft)	Ice Thickness (in)	Ice Total Area (ft ²)	Wind Incidence Angle (deg)	222-G CA	222-G CS	222-G CM	Ice Density (lbs/ft ³)	Ice Temperature (deg F)	Point Loads	Joint Displ.	Antenna Axial Load (lbs)	Antenna Side Moment (ft-lbs)	Antenna Long. Moment (ft-lbs)	Trans. Load (lbs)	Vert. Load (lbs)
Top-A	3' Stand-Off	180.00	37.72	0.50	1.50	90.00							0.00			-56.58	75.00
Top-B	3' Stand-Off	180.00	37.72	0.50	1.50	210.00							0.00			-56.58	75.00
Top-C	3' Stand-Off	180.00	37.72	0.50	1.50	330.00							0.00			-56.58	75.00
Top-1	Dipole	180.00	37.72	0.50	6.00	90.00							0.00			-226.30	71.00
Top-2	Decibel DB224 w/ ice	180.00	37.72	0.50	5.67	210.00							0.00			-213.86	41.60
Top-3	RFS PD1110 w/ ice	180.00	37.72	0.50	3.05	210.00							0.00			-115.04	32.80
Top-4	Andrew DB-583 w/ ice	180.00	37.72	0.50	0.71	330.00							0.00			-26.78	11.60
Top-5	Scala OGT6-806 w/ ice	180.00	37.72	0.50	1.98	330.00							0.00			-74.68	22.70
Top-6	Scala OGT6-806 w/ ice	180.00	37.72	0.50	1.98	330.00							0.00			-74.68	22.70
Top-7	6' Dish with Radome	180.00	37.72	0.50	29.00	90.00							0.00			-1093.80	220.00
Top-8	6' Dish with Radome	180.00	37.72	0.50	29.00	210.00							0.00			-1093.80	220.00
Top-9	6' Dish with Radome	180.00	37.72	0.50	29.00	330.00							0.00			-1093.80	220.00
Top-10	6' Dish with Radome	180.00	37.72	0.50	29.00	330.00							0.00			-1093.80	220.00
Top-11	TWA	175.00	37.41	0.50	1.00	90.00							0.00			-37.41	15.00
Top-12	6' Dish with Radome	175.00	37.41	0.50	29.00	210.00							0.00			-1085.03	220.00
Top-13	3' Stand-Off	170.00	37.11	0.50	1.50	90.00							0.00			-55.66	75.00
Top-14	3' Stand-Off	170.00	37.11	0.50	1.50	210.00							0.00			-55.66	75.00
Top-15	3' Stand-Off	170.00	37.11	0.50	1.50	330.00							0.00			-55.66	75.00
Top-16	Scala OGT6-806 w/ ice	170.00	37.11	0.50	1.98	90.00							0.00			-73.47	22.70
Top-17	Decibel DB806M-XI	170.00	37.11	0.50	2.50	210.00							0.00			-92.77	20.00
Top-18	Scala OGT6-806 w/ ice	170.00	37.11	0.50	1.98	210.00							0.00			-73.47	22.70
Top-19	Decibel DB806M-XI	170.00	37.11	0.50	2.50	330.00							0.00			-92.77	20.00
Top-20	4' Dish with Radome	165.00	36.79	0.50	13.10	90.00							0.00			-481.96	120.00
Top-21	4' Dish with Radome	165.00	36.79	0.50	20.00	210.00							0.00			-735.82	120.00
Top-22	GLF-940	165.00	36.79	0.50	20.00	210.00							0.00			-735.82	120.00
Top-23	12" T-Arm	150.00	35.80	0.50	10.00	90.00							0.00			-358.03	600.00
Top-24	12" T-Arm	150.00	35.80	0.50	10.00	210.00							0.00			-358.03	600.00
Top-25	12" T-Arm	150.00	35.80	0.50	10.00	330.00							0.00			-358.03	600.00
Top-26	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-27	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-28	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-29	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-30	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-31	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-32	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-33	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-34	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-35	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-36	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-37	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-38	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-39	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-40	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-41	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-42	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-43	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-44	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-45	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-46	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-47	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-48	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-49	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60
Top-50	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	90.00							0.00			-118.15	80.60

URS Connecticut - butternut hollow greenwich, ct

Section Label	2 of Ave. Elev. (ft)	Top Bottom Above Gnd. (ft)	Ice Thick. (in)	Ice Elev. (ft)	Face AR (ft ²)	Face AR-AR (ft ²)	Face AG (ft ²)	Face e (ft ²)	Face DR (ft ²)	Face RR (ft ²)	Face CF (ft ²)	Face AE (ft ²)	Face WF (ft ²)	NotF CAF (ft ²)	NotF ARF (ft ²)	NotF CAR (ft ²)	NotF ANR-CAR (ft ²)	NotF WA (ft ²)	NotF Total (lbs)	Total Weight (lbs)
Cingular-12	CSS DUO-4-6060 w/ ice		150.00	35.80	0.50	3.30	330.00													
Cingular-13	TMA		150.00	35.80	0.50	1.00	90.00													
Cingular-14	TMA		150.00	35.80	0.50	1.00	210.00													
Cingular-15	TMA		150.00	35.80	0.50	1.00	330.00													
146-A	3' Stand-Off		145.00	35.46	0.50	1.50	90.00													
146-1	Celwave PD1167 w/ ice		145.00	35.46	0.50	2.25	90.00													
ATT-A	12' T-Arm		145.00	35.46	0.50	10.00	90.00													
ATT-B	12' T-Arm		145.00	35.46	0.50	10.00	210.00													
ATT-C	12' T-Arm		145.00	35.46	0.50	10.00	330.00													
ATT-1	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	90.00													
ATT-2	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	90.00													
ATT-3	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	90.00													
ATT-4	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	90.00													
ATT-5	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	210.00													
ATT-6	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	210.00													
ATT-7	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	210.00													
ATT-8	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	210.00													
ATT-9	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	330.00													
ATT-10	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	330.00													
ATT-11	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	330.00													
ATT-12	Alligon 7184 w/ ice		145.00	35.46	0.50	3.00	330.00													
Verizon-A	12' T-Arm		133.34	34.62	0.50	10.00	90.00													
Verizon-B	12' T-Arm		133.34	34.62	0.50	10.00	210.00													
Verizon-C	12' T-Arm		133.34	34.62	0.50	10.00	330.00													
Verizon-1	Powerwave P65-15-XL-2		133.34	34.62	0.50	8.54	90.00													
Verizon-2	Andrew DB84H80-XY		133.34	34.62	0.50	3.58	90.00													
Verizon-3	Andrew DB84H80-XY		133.34	34.62	0.50	3.58	90.00													
Verizon-4	Rysma MG D3-80070		133.34	34.62	0.50	3.56	90.00													
Verizon-5	Andrew INX-6514DS-T4M		133.34	34.62	0.50	8.51	210.00													
Verizon-6	Andrew DB84H80-XY		133.34	34.62	0.50	3.58	210.00													
Verizon-7	Andrew DB84H80-XY		133.34	34.62	0.50	3.58	210.00													
Verizon-8	Rysma MG D3-80070		133.34	34.62	0.50	3.56	210.00													
Verizon-9	Powerwave P65-15-XL-2		133.34	34.62	0.50	8.54	330.00													
Verizon-10	Andrew DB84H80-XY		133.34	34.62	0.50	3.58	330.00													
Verizon-11	Andrew DB84H80-XY		133.34	34.62	0.50	3.58	330.00													
Verizon-12	Rysma MG D3-80070		133.34	34.62	0.50	3.56	330.00													
126.5-A	3' Stand-Off		126.66	34.11	0.50	1.50	90.00													
126.5-1	Decibel DB225-K w/ ice		126.66	34.11	0.50	0.81	90.00													
120-1	RFS PD1142 w/ ice		120.00	33.59	0.50	2.80	210.00													
Sprint-A	12' T-Arm		113.34	33.05	0.50	10.00	90.00													
Sprint-B	12' T-Arm		113.34	33.05	0.50	10.00	210.00													
Sprint-C	12' T-Arm		113.34	33.05	0.50	10.00	330.00													
Sprint-1	Decibel DB980		113.34	33.05	0.50	4.30	90.00													
Sprint-2	Decibel DB980		113.34	33.05	0.50	4.30	90.00													
Sprint-3	Decibel DB980		113.34	33.05	0.50	4.30	210.00													
Sprint-4	Decibel DB980		113.34	33.05	0.50	4.30	210.00													
Sprint-5	Decibel DB980		113.34	33.05	0.50	4.30	330.00													
Sprint-6	Decibel DB980		113.34	33.05	0.50	4.30	330.00													
114-A	3' Stand-Off		113.34	33.05	0.50	1.50	90.00													
114-1	RFS PD1142 w/ ice		113.34	33.05	0.50	2.80	90.00													
95	Dipole		93.34	31.26	0.50	6.00	90.00													
60-1	GFS		60.00	27.56	0.50	1.00	90.00													
60-2	GFS		60.00	27.56	0.50	1.00	210.00													
60-3	Yagi		60.00	27.56	0.50	1.00	330.00													

EIA Section Load Case Information for "W1 -90 deg":

Section Label	Z of Top (ft)	Z of Bottom (ft)	Ave. Elev. Above Gnd. (ft)	qGh (psf)	Thick. (in)	Ice (ft²)	Face AR (ft²)	Face AR-AR (ft²)	Face AG (ft²)	Face e (ft²)	Face DR (ft²)	Face RR (ft²)	Face CF (ft²)	Face AE (ft²)	Face WF (lbs)	NotF CAF (ft²)	NotF AAR (ft²)	NotF CAR (ft²)	NotF AAR-CAR (ft²)	NotF WA (lbs)	NotF Total (lbs)	Total Weight (lbs)	
A	180.00	160.00	170.00	37.11	0.50	20.58	114.04	104.31	163.7	0.82	0.85	1.00	0.91	1.83	121.8	8289	0.00	2.00	0.00	1.20	0	8289	7949
B	160.00	140.00	150.00	35.80	0.50	22.52	121.21	104.08	191.0	0.75	0.85	1.00	0.86	1.79	123.2	7890	0.00	2.00	0.00	1.20	0	7890	8433
C	140.00	120.00	130.00	34.37	0.50	25.73	121.93	97.95	218.3	0.68	0.85	1.00	0.80	1.78	119.8	7316	0.00	2.00	0.00	1.20	0	7316	9133
D	120.00	100.00	110.00	32.77	0.50	28.24	130.49	102.19	245.5	0.58	0.85	1.00	0.78	1.78	126.2	7371	0.00	2.00	0.00	1.20	0	7371	9931
E	100.00	80.00	90.00	30.94	0.50	37.01	135.28	104.64	272.8	0.53	0.85	1.00	0.77	1.79	136.1	7528	0.00	2.00	0.00	1.20	0	7528	13048
F	80.00	60.00	70.00	28.80	0.50	37.32	136.42	101.08	300.0	0.56	0.85	1.00	0.74	1.82	132.8	6955	0.00	2.00	0.00	1.20	0	6955	13585
G	60.00	40.00	50.00	26.16	0.50	39.79	143.64	104.89	327.3	0.58	0.85	1.00	0.73	1.83	138.7	6654	0.00	2.00	0.00	1.20	0	6654	15314
H	40.00	20.00	30.00	23.23	0.50	45.39	144.89	103.87	354.6	0.54	0.85	1.00	0.72	1.85	142.5	6145	0.00	2.00	0.00	1.20	0	6145	16080
I	20.00	0.00	10.00	23.23	0.50	53.73	144.01	101.77	381.9	0.52	0.85	1.00	0.71	1.88	147.4	6432	0.00	2.00	0.00	1.20	0	6432	17419

Equipment Load Case Information for "WAT - 500

Equipment Load Case Information for "W1 -60 deg":

Equipment	Equipment Elevation	qzGh	Ice Total	Wind	222-G	222-G	222-G	Antenna	Antenna	Antenna	Long.	Trans.	Vert.
-----------	---------------------	------	-----------	------	-------	-------	-------	---------	---------	---------	-------	--------	-------

URS Connecticut - butternut hollow greenwich, ct

Label	Property Set	Above Ground (ft)	Thick. (in)	Wind Incidence Angle (deg)	CA	CS	CM	Axial Load FEM (lbs)	Side Load FEM (lbs)	Moment MM (ft-lbs)	Load (lbs)	Load (lbs)
Top-A	3' Stand-Off	180.00 37.72	0.50	1.50	60.00						28.29	-49.00 75.00
Top-B	3' Stand-Off	180.00 37.72	0.50	1.50	180.00						28.29	-49.00 75.00
Top-C	3' Stand-Off	180.00 37.72	0.50	1.50	300.00						28.29	-49.00 75.00
Top-1	Dipole	180.00 37.72	0.50	6.00	60.00						113.15	-195.98 71.00
Top-2	Decibel DB224 w/ ice	180.00 37.72	0.50	5.67	180.00						106.93	-185.21 41.60
Top-3	RFS P1110 w/ ice	180.00 37.72	0.50	3.05	180.00						57.52	-99.63 32.80
Top-4	Andrew DB-383 w/ ice	180.00 37.72	0.50	0.71	300.00						13.39	-23.19 11.60
Top-5	Scala OGR6-806 w/ ice	180.00 37.72	0.50	1.98	60.00						37.34	-64.67 22.70
Top-6	Scala OGR6-806 w/ ice	180.00 37.72	0.50	29.00	300.00						546.90	-947.26 220.00
Top-7	6' Dish with Radome	180.00 37.72	0.50	29.00	180.00						546.90	-947.26 220.00
Top-8	6' Dish with Radome	180.00 37.72	0.50	29.00	300.00						546.90	-947.26 220.00
Top-9	6' Dish with Radome	180.00 37.72	0.50	29.00	180.00						542.51	-939.66 220.00
176	TMA	175.00 37.41	0.50	1.00	60.00						18.71	-32.40 15.00
173-A	3' Stand-Off	170.00 37.11	0.50	1.50	180.00						27.83	-48.20 75.00
173-B	3' Stand-Off	170.00 37.11	0.50	1.50	300.00						27.83	-48.20 75.00
173-C	3' Stand-Off	170.00 37.11	0.50	1.50	60.00						27.83	-48.20 75.00
173-1	Scala OGR6-806 w/ ice	170.00 37.11	0.50	1.98	60.00						36.74	-63.63 22.70
173-2	Decibel DB806M-X1	170.00 37.11	0.50	2.50	180.00						36.74	-63.63 22.70
173-3	Scala OGR6-806 w/ ice	170.00 37.11	0.50	2.50	300.00						36.74	-63.63 22.70
173-4	Decibel DB806M-X1	170.00 37.11	0.50	2.50	60.00						46.38	-80.34 20.00
170	4' Dish with Radome	165.00 36.79	0.50	13.10	300.00						240.98	-417.39 120.00
163.5	G1P-940	165.00 36.79	0.50	20.00	180.00						367.91	-637.24 120.00
Cingular-A	12' T-Arm	150.00 35.80	0.50	10.00	60.00						179.01	-310.06 600.00
Cingular-B	12' T-Arm	150.00 35.80	0.50	10.00	180.00						179.01	-310.06 600.00
Cingular-C	12' T-Arm	150.00 35.80	0.50	10.00	300.00						59.07	-102.32 80.60
Cingular-1	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-2	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-3	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-4	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-5	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-6	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-7	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-8	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-9	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-10	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-11	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-12	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-13	CSS DUO-4-6060 w/ ice	150.00 35.80	0.50	3.30	60.00						59.07	-102.32 80.60
Cingular-14	TMA	150.00 35.80	0.50	1.00	60.00						17.90	-31.01 15.00
Cingular-15	TMA	150.00 35.80	0.50	1.00	180.00						17.90	-31.01 15.00
146-A	3' Stand-Off	145.00 35.46	0.50	1.50	300.00						26.59	-46.06 75.00
146-1	Celwave PD1167 w/ ice	145.00 35.46	0.50	1.50	60.00						26.59	-46.06 75.00
ATT-A	12' T-Arm	145.00 35.46	0.50	2.25	60.00						177.29	-307.07 600.00
ATT-B	12' T-Arm	145.00 35.46	0.50	10.00	60.00						177.29	-307.07 600.00
ATT-C	12' T-Arm	145.00 35.46	0.50	10.00	180.00						177.29	-307.07 600.00
ATT-1	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
ATT-2	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
ATT-3	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
ATT-4	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
ATT-5	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
ATT-6	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
ATT-7	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
ATT-8	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
ATT-9	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
ATT-10	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
ATT-11	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
ATT-12	Allgon 7184 w/ ice	145.00 35.46	0.50	3.00	60.00						53.19	-92.12 27.00
Verizon-A	12' T-Arm	133.34 34.62	0.50	10.00	60.00						173.09	-299.80 600.00
Verizon-B	12' T-Arm	133.34 34.62	0.50	10.00	180.00						173.09	-299.80 600.00
Verizon-C	12' T-Arm	133.34 34.62	0.50	10.00	300.00						173.09	-299.80 600.00
Verizon-1	Powerwave P65-15-XL-2	133.34 34.62	0.50	8.54	60.00						147.82	-256.03 70.00
Verizon-2	Andrew DB844H80-XY	133.34 34.62	0.50	3.58	60.00						61.97	-107.33 40.00
Verizon-3	Andrew DB844H80-XY	133.34 34.62	0.50	3.58	60.00						61.97	-107.33 40.00
Verizon-4	Andrew DB844H80-XY	133.34 34.62	0.50	3.58	60.00						61.97	-107.33 40.00
Verizon-5	Rysma MG D3-800T0	133.34 34.62	0.50	3.56	60.00						61.97	-107.33 40.00
Verizon-6	Andrew LNX-6514DS-T4M	133.34 34.62	0.50	8.51	180.00						147.30	-255.13 60.00
Verizon-7	Andrew DB844H80-XY	133.34 34.62	0.50	3.58	180.00						61.97	-107.33 40.00
Verizon-8	Andrew DB844H80-XY	133.34 34.62	0.50	3.58	180.00						61.97	-107.33 40.00
Verizon-9	Rysma MG D3-600T0	133.34 34.62	0.50	3.56	180.00						61.97	-107.33 40.00
	Powerwave P65-15-XL-2	133.34 34.62	0.50	8.54	300.00						147.82	-256.03 70.00

URS Connecticut - butternut hollow greenwich, ct

EIA Section Load Case Information for "W+I -60 deg":

Equipment Load Case Information for "W+I 0 deg":

URS Connecticut - butternut hollow greenwich. ct

F 80.00 60.00 70.00 28.80 0.50 37.32 136.42 101.08 300.0 0.58 1.00 1.00 0.74 1.82 138.4 7248 0.00 2.00 0.00 1.20 0.00 0 7248 13585
 G 60.00 40.00 50.00 26.16 0.50 39.79 143.64 104.89 327.3 0.56 1.00 1.00 0.73 1.83 144.7 6940 0.00 2.00 0.00 1.20 0.00 0 6940 15314
 H 40.00 20.00 30.00 23.23 0.50 45.39 144.89 103.87 354.6 0.54 1.00 1.00 0.72 1.86 149.3 6438 0.00 2.00 0.00 1.20 0.00 0 6438 16080
 I 20.00 0.00 10.00 23.23 0.50 53.73 144.01 101.77 381.9 0.52 1.00 1.00 0.71 1.88 155.5 6784 0.00 2.00 0.00 1.20 0.00 0 6784 17419

Equipment Load Case Information for "W+I 60 deg":

Equipment Label	Equipment Property	Elevation Above Ground (ft)	qzCh (psf)	Ice Thick. (in)	Total Wind Area (ft ²)	Wind Incidence Angle (deg)	222-G CA	222-G CS	222-G CM	Antenna Load FEM (lbs)	Antenna Side Load FEM (lbs)	Antenna Moment (ft-lbs)	Long. Trans. Load (lbs)	Vert. Load (lbs)
Top-A	3' Stand-Off	180.00	37.72	0.50	1.50	300.00							28.29	49.00 75.00
Top-B	3' Stand-Off	180.00	37.72	0.50	1.50	60.00							28.29	49.00 75.00
Top-C	3' Stand-Off	180.00	37.72	0.50	1.50	180.00							28.29	49.00 75.00
Top-1	Dipole	180.00	37.72	0.50	6.00	300.00							113.15	195.98 71.00
Top-2	Decibel DB224 w/ ice	180.00	37.72	0.50	5.67	60.00							106.93	185.21 41.60
Top-3	RFS PD110 w/ ice	180.00	37.72	0.50	3.05	60.00							57.52	99.63 32.80
Top-4	Andrew DB-583 w/ ice	180.00	37.72	0.50	0.71	180.00							13.39	23.19 11.60
Top-5	Scala OGT6-806 w/ ice	180.00	37.72	0.50	1.98	300.00							37.34	64.67 22.70
Top-6	Scala OGT6-806 w/ ice	180.00	37.72	0.50	1.98	180.00							37.34	64.67 22.70
Top-7	6' Dish with Radome	180.00	37.72	0.50	29.00	60.00							546.90	947.26 220.00
Top-8	6' Dish with Radome	180.00	37.72	0.50	29.00	60.00							546.90	947.26 220.00
Top-9	6' Dish with Radome	180.00	37.72	0.50	29.00	180.00							18.71	32.40 15.00
176	TMA	175.00	37.41	0.50	1.00	300.00							542.51	939.66 220.00
173-A	6' Dish with Radome	175.00	37.41	0.50	29.00	60.00							27.83	48.20 75.00
173-B	3' Stand-Off	170.00	37.11	0.50	1.50	60.00							27.83	48.20 75.00
173-C	3' Stand-Off	170.00	37.11	0.50	1.50	60.00							27.83	48.20 75.00
173-1	Scala OGT6-806 w/ ice	170.00	37.11	0.50	1.98	300.00							36.74	63.63 22.70
173-2	Decibel DB806M-XI	170.00	37.11	0.50	2.50	300.00							46.38	80.34 20.00
173-3	Scala OGT6-806 w/ ice	170.00	37.11	0.50	1.98	60.00							36.74	63.63 22.70
173-4	Decibel DB806M-XI	170.00	37.11	0.50	2.50	180.00							46.38	80.34 20.00
170	4' Dish with Radome	165.00	36.79	0.50	13.10	300.00							240.98	417.39 120.00
163.5	GF-940	165.00	36.79	0.50	20.00	60.00							367.91	637.24 120.00
Cingular-A	12' T-Arm	150.00	35.80	0.50	10.00	300.00							179.01	310.06 600.00
Cingular-B	12' T-Arm	150.00	35.80	0.50	10.00	60.00							179.01	310.06 600.00
Cingular-C	12' T-Arm	150.00	35.80	0.50	10.00	180.00							179.01	310.06 600.00
Cingular-1	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-2	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-3	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-4	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-5	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-6	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-7	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-8	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-9	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-10	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-11	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-12	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-13	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	300.00							59.07	102.32 80.60
Cingular-14	TMA	150.00	35.80	0.50	1.00	60.00							17.90	31.01 15.00
Cingular-15	TMA	150.00	35.80	0.50	1.00	60.00							17.90	31.01 15.00
146-A	3' Stand-Off	145.00	35.46	0.50	1.00	180.00							26.59	46.06 75.00
145-1	Celwave P0167 w/ ice	145.00	35.46	0.50	1.50	300.00							39.89	69.09 18.20
ATT-A	12' T-Arm	145.00	35.46	0.50	2.25	300.00							177.29	307.07 600.00
ATT-B	12' T-Arm	145.00	35.46	0.50	10.00	300.00							177.29	307.07 600.00
ATT-C	12' T-Arm	145.00	35.46	0.50	10.00	180.00							53.19	92.12 27.00
ATT-1	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
ATT-2	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
ATT-3	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
ATT-4	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
ATT-5	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
ATT-6	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
ATT-7	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
ATT-8	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
ATT-9	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
ATT-10	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
ATT-11	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
ATT-12	Allgon 7184 w/ ice	145.00	35.46	0.50	3.00	300.00							53.19	92.12 27.00
Verizon-A	12' T-Arm	133.34	34.62	0.50	10.00	60.00							173.09	299.80 600.00
Verizon-B	12' T-Arm	133.34	34.62	0.50	10.00	60.00							173.09	299.80 600.00
Verizon-C	12' T-Arm	133.34	34.62	0.50	10.00	60.00							173.09	299.80 600.00
Verizon-1	Powerwave P65-15-XI-2	133.34	34.62	0.50	8.54	300.00							147.82	256.03 70.00

URS Connecticut - butternut hollow greenwich, ct

EIA Section Load Case Information for "W+I 60 deg":		Equipment Load Case Information for "W+I 90 deg":															
Section Label	Z of Ave. Elev. (ft)	Equipment Property Set	Equipment Elevation Above Ground (ft)	Ice Thick. (in)	qzGh (psf)	Ice Face AF (ft^2)	Face AR (ft^2)	Face RRVAR (ft^2)	Face AG (ft^2)	Face DR (ft^2)	Face CS (ft^2)	Face CM (ft^2)	Antenna Side Load FEM (lbs)	Antenna Moment (ft-lbs)	Trans. Load (lbs)	Vert. Load (lbs)	
Verizon-2	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	300.00									61.97	107.33	40.00
Verizon-3	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	300.00									61.97	107.33	40.00
Verizon-4	Rysma MG D3-800T0	133.34	34.62	0.50	3.56	300.00									61.62	106.73	40.00
Verizon-5	Andrew INX-6514DS-74M	133.34	34.62	0.50	8.51	60.00									147.30	255.13	60.00
Verizon-6	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	60.00									61.97	107.33	40.00
Verizon-7	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	60.00									61.97	107.33	40.00
Verizon-8	Rysma MG D3-800T0	133.34	34.62	0.50	3.56	60.00									61.62	106.73	40.00
Verizon-9	Powerwave P65-15-XI-2	133.34	34.62	0.50	8.54	180.00									147.82	256.03	70.00
Verizon-10	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	180.00									61.97	107.33	40.00
Verizon-11	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	180.00									61.97	107.33	40.00
Verizon-12	Rysma MG D3-800T0	133.34	34.62	0.50	3.56	180.00									61.62	106.73	40.00
Verizon-13	3' Stand-Off	126.66	34.11	0.50	1.50	300.00									25.59	44.32	75.00
Verizon-14	126.5-A	126.66	34.11	0.50	0.81	300.00									13.82	23.93	3.90
Verizon-15	120-1	120.00	33.59	0.50	2.80	60.00									47.03	81.45	21.50
Verizon-16	Sprint-A	113.34	33.05	0.50	10.00	300.00									165.24	286.20	600.00
Verizon-17	Sprint-B	113.34	33.05	0.50	10.00	60.00									165.24	286.20	600.00
Verizon-18	Sprint-C	113.34	33.05	0.50	10.00	180.00									165.24	286.20	600.00
Verizon-19	Sprint-D	113.34	33.05	0.50	4.30	300.00									71.05	123.07	30.00
Verizon-20	Decibel DB980	113.34	33.05	0.50	4.30	60.00									71.05	123.07	30.00
Verizon-21	Decibel DB980	113.34	33.05	0.50	4.30	60.00									71.05	123.07	30.00
Verizon-22	Decibel DB980	113.34	33.05	0.50	4.30	60.00									71.05	123.07	30.00
Verizon-23	Decibel DB980	113.34	33.05	0.50	4.30	60.00									71.05	123.07	30.00
Verizon-24	Decibel DB980	113.34	33.05	0.50	4.30	60.00									71.05	123.07	30.00
Verizon-25	Decibel DB980	113.34	33.05	0.50	4.30	60.00									71.05	123.07	30.00
Verizon-26	Decibel DB980	113.34	33.05	0.50	4.30	60.00									71.05	123.07	30.00
Verizon-27	114-A	113.34	33.05	0.50	1.50	300.00									24.79	42.93	75.00
Verizon-28	3' Stand-Off	113.34	33.05	0.50	2.80	300.00									46.27	80.14	21.50
Verizon-29	114-1	113.34	33.05	0.50	6.00	300.00									93.79	162.46	71.00
Verizon-30	Dipole	93.34	31.26	0.50	1.00	300.00									13.78	23.86	20.00
Verizon-31	60-1	GFS	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-32	60-2	GFS	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-33	60-3	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-34	60-4	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-35	60-5	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-36	60-6	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-37	60-7	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-38	60-8	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-39	60-9	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-40	60-10	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-41	60-11	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-42	60-12	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-43	60-13	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-44	60-14	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-45	60-15	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-46	60-16	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-47	60-17	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-48	60-18	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-49	60-19	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-50	60-20	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-51	60-21	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-52	60-22	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-53	60-23	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-54	60-24	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-55	60-25	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-56	60-26	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-57	60-27	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-58	60-28	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-59	60-29	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-60	60-30	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-61	60-31	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-62	60-32	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-63	60-33	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-64	60-34	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-65	60-35	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-66	60-36	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-67	60-37	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-68	60-38	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-69	60-39	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-70	60-40	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-71	60-41	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-72	60-42	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-73	60-43	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-74	60-44	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-75	60-45	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-76	60-46	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-77	60-47	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-78	60-48	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-79	60-49	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-80	60-50	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-81	60-51	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-82	60-52	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-83	60-53	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-84	60-54	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-85	60-55	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-86	60-56	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon-87	60-57	Yagi	60.00	27.56	0.50	1.00	300.00								13.78	23.86	20.00
Verizon																	

170	4' Dish with Radome	165.00	36.79	0.50	13.10	270.00	0.00	481.96	120.00
163.5	GLF-940	165.00	36.79	0.50	20.00	30.00	0.00	735.82	120.00
Cingular-A	12' T-Arm	150.00	35.80	0.50	10.00	270.00	0.00	358.03	600.00
Cingular-B	12' T-Arm	150.00	35.80	0.50	10.00	30.00	0.00	358.03	600.00
Cingular-C	12' T-Arm	150.00	35.80	0.50	10.00	150.00	0.00	358.03	600.00
Cingular-1	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	270.00	0.00	118.15	80.60
Cingular-2	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	270.00	0.00	118.15	80.60
Cingular-3	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	270.00	0.00	118.15	80.60
Cingular-4	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	270.00	0.00	118.15	80.60
Cingular-5	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	30.00	0.00	118.15	80.60
Cingular-6	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	30.00	0.00	118.15	80.60
Cingular-7	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	30.00	0.00	118.15	80.60
Cingular-8	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	30.00	0.00	118.15	80.60
Cingular-9	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	150.00	0.00	118.15	80.60
Cingular-10	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	150.00	0.00	118.15	80.60
Cingular-11	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	150.00	0.00	118.15	80.60
Cingular-12	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	3.30	150.00	0.00	118.15	80.60
Cingular-13	CSS DUO-4-6060 w/ ice	150.00	35.80	0.50	1.00	270.00	0.00	35.80	15.00
Cingular-14	TMA	150.00	35.80	0.50	1.00	30.00	0.00	35.80	15.00
Cingular-15	TMA	150.00	35.80	0.50	1.00	150.00	0.00	35.80	15.00
146-A	3' Stand-Off	145.00	35.46	0.50	1.50	270.00	0.00	53.19	75.00
146-1	Celwave PD1167 w/ ice	145.00	35.46	0.50	1.50	270.00	0.00	53.19	75.00
ATT-A	12' T-Arm	145.00	35.46	0.50	2.25	270.00	0.00	79.78	18.20
ATT-B	12' T-Arm	145.00	35.46	0.50	10.00	270.00	0.00	354.58	600.00
ATT-C	12' T-Arm	145.00	35.46	0.50	10.00	30.00	0.00	354.58	600.00
ATT-1	Alligon 7184 w/ ice	145.00	35.46	0.50	10.00	150.00	0.00	106.37	27.00
ATT-2	Alligon 7184 w/ ice	145.00	35.46	0.50	3.00	270.00	0.00	106.37	27.00
ATT-3	Alligon 7184 w/ ice	145.00	35.46	0.50	3.00	270.00	0.00	106.37	27.00
ATT-4	Alligon 7184 w/ ice	145.00	35.46	0.50	3.00	270.00	0.00	106.37	27.00
ATT-5	Alligon 7184 w/ ice	145.00	35.46	0.50	3.00	30.00	0.00	106.37	27.00
ATT-6	Alligon 7184 w/ ice	145.00	35.46	0.50	3.00	30.00	0.00	106.37	27.00
ATT-7	Alligon 7184 w/ ice	145.00	35.46	0.50	3.00	30.00	0.00	106.37	27.00
ATT-8	Alligon 7184 w/ ice	145.00	35.46	0.50	3.00	30.00	0.00	106.37	27.00
ATT-9	Alligon 7184 w/ ice	145.00	35.46	0.50	3.00	30.00	0.00	106.37	27.00
ATT-10	Alligon 7184 w/ ice	145.00	35.46	0.50	3.00	150.00	0.00	106.37	27.00
ATT-11	Alligon 7184 w/ ice	145.00	35.46	0.50	3.00	150.00	0.00	106.37	27.00
ATT-12	Alligon 7184 w/ ice	145.00	35.46	0.50	3.00	150.00	0.00	106.37	27.00
Verizon-A	12' T-Arm	133.34	34.62	0.50	10.00	270.00	0.00	346.18	600.00
Verizon-B	12' T-Arm	133.34	34.62	0.50	10.00	30.00	0.00	346.18	600.00
Verizon-C	12' T-Arm	133.34	34.62	0.50	10.00	150.00	0.00	346.18	600.00
Verizon-1	Powerwave P65-15-XL-2	133.34	34.62	0.50	8.54	270.00	0.00	295.64	70.00
Verizon-2	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	270.00	0.00	123.93	40.00
Verizon-3	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	270.00	0.00	123.93	40.00
Verizon-4	Rysma MG D3-800T0	133.34	34.62	0.50	3.56	270.00	0.00	123.93	40.00
Verizon-5	Andrew INX-6514DS-T4M	133.34	34.62	0.50	8.51	30.00	0.00	294.60	60.00
Verizon-6	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	30.00	0.00	123.93	40.00
Verizon-7	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	30.00	0.00	123.93	40.00
Verizon-8	Rysma MG D3-800T0	133.34	34.62	0.50	3.56	30.00	0.00	123.93	40.00
Verizon-9	Powerwave P65-15-XL-2	133.34	34.62	0.50	8.54	150.00	0.00	295.64	70.00
Verizon-10	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	150.00	0.00	123.93	40.00
Verizon-11	Andrew DB844H80-XY	133.34	34.62	0.50	3.58	150.00	0.00	123.93	40.00
Verizon-12	Rysma MG D3-800T0	133.34	34.62	0.50	3.56	150.00	0.00	123.93	40.00
126.5-A	3' Stand-Off	126.66	34.11	0.50	1.50	270.00	0.00	51.17	75.00
126.5-1	Decibel DB225-K w/ ice	126.66	34.11	0.50	0.81	270.00	0.00	27.63	3.90
120-1	RFS PD1142 w/ ice	120.00	33.59	0.50	2.80	30.00	0.00	94.06	21.50
Sprint-A	12' T-Arm	113.34	33.05	0.50	10.00	270.00	0.00	330.48	600.00
Sprint-B	12' T-Arm	113.34	33.05	0.50	10.00	30.00	0.00	330.48	600.00
Sprint-C	12' T-Arm	113.34	33.05	0.50	10.00	150.00	0.00	330.48	600.00
Sprint-1	Decibel DB980	113.34	33.05	0.50	4.30	270.00	0.00	142.11	30.00
Sprint-2	Decibel DB980	113.34	33.05	0.50	4.30	270.00	0.00	142.11	30.00
Sprint-3	Decibel DB980	113.34	33.05	0.50	4.30	30.00	0.00	142.11	30.00
Sprint-4	Decibel DB980	113.34	33.05	0.50	4.30	30.00	0.00	142.11	30.00
Sprint-5	Decibel DB980	113.34	33.05	0.50	4.30	150.00	0.00	142.11	30.00
Sprint-6	Decibel DB980	113.34	33.05	0.50	4.30	150.00	0.00	142.11	30.00
114-A	3' Stand-Off	113.34	33.05	0.50	1.50	270.00	0.00	49.57	75.00
114-1	RFS PD1142 w/ ice	113.34	33.05	0.50	2.80	270.00	0.00	92.53	21.50
95	Dipole	93.34	31.26	0.50	6.00	270.00	0.00	187.59	71.00
60-1	GPS	60.00	27.56	0.50	1.00	270.00	0.00	27.56	20.00
60-2	GPS	60.00	27.56	0.50	1.00	30.00	0.00	27.56	20.00
60-3	Yagi	60.00	27.56	0.50	1.00	150.00	0.00	27.56	30.00

EIA Section Load Case Information for "W1 90 deg":

Section	2 of	2 of Ave. Elev.	qzch	Ice	Face	Face	Face	Face	Face	Face	NotF	NotF	NotF	NotF	Total	Total
---------	------	-----------------	------	-----	------	------	------	------	------	------	------	------	------	------	-------	-------

URS Connecticut - butternut hollow greenwich, ct

Label	Top Bottom Above Gnd.	Thick.	AF	AR	RR*AR	AG	e	DF	DR	RR	CF	AZ	WF	RAF	CAF	ARR	CAR	ARR*CAR	WA	Wind Weight	
(ft)	(ft)	(in)	(psf)	(in)	(ft²)	(ft²)	(ft²)	(ft²)				(ft²)	(lbs)	(ft²)		(ft²)		(ft²)	(lbs)	(lbs)	
A	180.00 160.00	170.00	37.11	0.50	22.58	114.04	104.31	163.7	0.82	0.85	1.00	0.91	1.83	121.8	8289	0.00	2.00	0.00	1.20	0.00	0 8289 7949
B	160.00 140.00	150.00	35.80	0.50	20.52	121.21	104.08	191.0	0.75	0.85	1.00	0.86	1.79	123.2	7890	0.00	2.00	0.00	1.20	0.00	0 7890 8433
C	140.00 120.00	130.00	34.37	0.50	25.73	121.93	97.95	218.3	0.68	0.85	1.00	0.80	1.78	119.8	7316	0.00	2.00	0.00	1.20	0.00	0 7316 9133
D	120.00 100.00	110.00	32.77	0.50	28.24	130.49	102.19	243.5	0.65	0.85	1.00	0.78	1.78	126.2	7371	0.00	2.00	0.00	1.20	0.00	0 7371 9931
E	100.00 80.00	90.00	30.94	0.50	37.01	135.28	104.64	272.8	0.63	0.85	1.00	0.77	1.79	136.1	7528	0.00	2.00	0.00	1.20	0.00	0 7528 13048
F	80.00 60.00	70.00	28.80	0.50	37.32	136.42	101.08	300.0	0.58	0.85	1.00	0.74	1.82	132.8	6955	0.00	2.00	0.00	1.20	0.00	0 6955 13585
G	60.00 40.00	50.00	26.16	0.50	39.79	143.64	104.89	327.3	0.56	0.85	1.00	0.73	1.83	138.7	6854	0.00	2.00	0.00	1.20	0.00	0 6854 15314
H	40.00 20.00	30.00	23.23	0.50	45.39	144.89	103.87	354.6	0.54	0.85	1.00	0.72	1.86	142.5	6145	0.00	2.00	0.00	1.20	0.00	0 6145 16060
I	20.00 0.00	10.00	23.23	0.50	53.73	144.01	101.77	381.9	0.52	0.85	1.00	0.71	1.88	147.4	6432	0.00	2.00	0.00	1.20	0.00	0 6432 17419
Equipment Load Case Information for "DL + Ice Only":																					
Equipment Label	Equipment Property	Elevation	qzqh	Ice Thick.	Total Wind Area	Wind Incidence Angle	222-G CA	222-G CS	222-G CM	Antenna Axial Load	Antenna Side Moment	Antenna Long. Load	Trans. Load	Vert. Load							
	Set	(ft)	(psf)	(in)	(ft²)	(deg)				(lbs)	(ft-lbs)	(lbs)	(lbs)	(lbs)							
Top-A	3' Stand-Off	180.00	0.00	0.50	1.50	0.00						0.00	0.00	75.00							
Top-B	3' Stand-Off	180.00	0.00	0.50	1.50	120.00						0.00	0.00	75.00							
Top-C	3' Stand-Off	180.00	0.00	0.50	1.50	240.00						0.00	0.00	75.00							
Top-1	Dipole	180.00	0.00	0.50	6.00	0.00						0.00	0.00	71.00							
Top-2	Decibel DB224 w/ ice	180.00	0.00	0.50	5.67	120.00						0.00	0.00	41.60							
Top-3	RFS PD1110 w/ ice	180.00	0.00	0.50	5.67	120.00						0.00	0.00	41.60							
Top-4	Andrew DB-583 w/ ice	180.00	0.00	0.50	3.05	120.00						0.00	0.00	32.80							
Top-5	Scala OGR6-806 w/ ice	180.00	0.00	0.50	0.71	240.00						0.00	0.00	11.60							
Top-6	Scala OGR6-806 w/ ice	180.00	0.00	0.50	1.98	0.00						0.00	0.00	22.70							
Top-7	6' Dish with Radome	180.00	0.00	0.50	29.00	240.00						0.00	0.00	220.00							
Top-8	6' Dish with Radome	180.00	0.00	0.50	29.00	120.00						0.00	0.00	220.00							
Top-9	6' Dish with Radome	180.00	0.00	0.50	29.00	240.00						0.00	0.00	220.00							
178	TWA	175.00	0.00	0.50	1.00	0.00						0.00	0.00	20.00							
176	6' Dish with Radome	175.00	0.00	0.50	29.00	120.00						0.00	0.00	22.70							
173-A	3' Stand-Off	170.00	0.00	0.50	1.50	0.00						0.00	0.00	20.00							
173-B	3' Stand-Off	170.00	0.00	0.50	1.50	120.00						0.00	0.00	20.00							
173-C	3' Stand-Off	170.00	0.00	0.50	1.50	240.00						0.00	0.00	20.00							
173-1	Scala OGR6-806 w/ ice	170.00	0.00	0.50	1.50	240.00						0.00	0.00	75.00							
173-2	Decibel DB806M-XR	170.00	0.00	0.50	1.98	0.00						0.00	0.00	75.00							
173-3	Scala OGR6-806 w/ ice	170.00	0.00	0.50	2.50	120.00						0.00	0.00	75.00							
173-4	Decibel DB806M-XR	170.00	0.00	0.50	1.98	120.00						0.00	0.00	22.70							
170	4' Dish with Radome	165.00	0.00	0.50	2.50	240.00						0.00	0.00	20.00							
163.5	GIF-940	165.00	0.00	0.50	13.10	0.00						0.00	0.00	22.70							
Cingular-A	12' T-Arm	150.00	0.00	0.50	20.00	120.00						0.00	0.00	20.00							
Cingular-B	12' T-Arm	150.00	0.00	0.50	10.00	0.00						0.00	0.00	120.00							
Cingular-C	12' T-Arm	150.00	0.00	0.50	10.00	120.00						0.00	0.00	600.00							
Cingular-1	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-2	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-3	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-4	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-5	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-6	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-7	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-8	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-9	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-10	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-11	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-12	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-13	CSS DUO-4-6060 w/ ice	150.00	0.00	0.50	3.30	0.00						0.00	0.00	600.00							
Cingular-14	TWA	150.00	0.00	0.50	1.00	0.00						0.00	0.00	600.00							
Cingular-15	TWA	150.00	0.00	0.50	1.00	120.00						0.00	0.00	600.00							
146-A	3' Stand-Off	145.00	0.00	0.50	1.50	0.00						0.00	0.00	15.00							
146-1	Celwave PD1167 w/ ice	145.00	0.00	0.50	1.50	0.00						0.00	0.00	15.00							
ATT-A	12' T-Arm	145.00	0.00	0.50	10.00	0.00						0.00	0.00	75.00							
ATT-B	12' T-Arm	145.00	0.00	0.50	10.00	120.00						0.00	0.00	18.20							
ATT-C	12' T-Arm	145.00	0.00	0.50	10.00	240.00						0.00	0.00	600.00							
ATT-1	Allgon 7184 w/ ice	145.00	0.00	0.50	3.00	0.00						0.00	0.00	600.00							
ATT-2	Allgon 7184 w/ ice	145.00	0.00	0.50	3.00	0.00						0.00	0.00	600.00							
ATT-3	Allgon 7184 w/ ice	145.00	0.00	0.50	3.00	0.00						0.00	0.00	600.00							
ATT-4	Allgon 7184 w/ ice	145.00	0.00	0.50	3.00	0.00						0.00	0.00	600.00							
ATT-5	Allgon 7184 w/ ice	145.00	0.00	0.50	3.00	0.00						0.00	0.00	600.00							
ATT-6	Allgon 7184 w/ ice	145.00	0.00	0.50	3.00	120.00						0.00	0.00	27.00							
ATT-7	Allgon 7184 w/ ice	145.00	0.00	0.50	3.00	120.00						0.00	0.00	27.00							
ATT-8	Allgon 7184 w/ ice	145.00	0.00	0.50	3.00	120.00						0.00	0.00	27.00							

URS Connecticut - butternut hollow greenwich, ct

*** Analysis Results:

Maximum element usage is 92.98% for Angle "SMB-LH2P" in load case "W+1 0 deg"

Angle Forces For All Load Cases:

Positive for tension - negative for compression

Group Label	Angle Label	Max. Usage For All LC	Max. Tens. For All LC	Max. Comp. For All LC	LC 1 (kips)	LC 2 (kips)	LC 3 (kips)	LC 4 (kips)	LC 5 (kips)	LC 6 (kips)
Rohn-D1	Rohn-DALP	15.27	1.660	-1.296	-1.296	-0.558	1.125	1.560	1.269	-0.014
Rohn-D1	Rohn-DAL1	19.95	2.109	-2.170	-2.170	2.045	-0.422	-1.651	-2.170	-0.032
Rohn-D1	Rohn-DAL2	13.97	0.697	-1.519	-1.519	-1.366	-0.519	-1.451	-0.697	-0.013
Rohn-D1	Rohn-DALP	14.63	1.591	-1.116	-1.116	1.068	1.591	1.333	-1.116	-0.025
Rohn-D1	Rohn-DAL1	20.01	0.710	-2.176	-2.176	0.710	-0.453	-2.176	-0.761	-0.026
Rohn-D1	Rohn-DAL2	13.66	1.463	-1.486	-1.486	1.072	-1.072	1.483	1.472	-0.007
Rohn-D1	Rohn-DAL3	18.92	2.047	-1.018	-1.018	1.018	1.018	1.018	1.018	-0.028
Rohn-D1	Rohn-DAL4	22.39	2.435	-2.434	-2.434	2.435	2.435	2.435	2.435	-0.047
Rohn-D1	Rohn-DAL5	15.69	0.848	-1.707	-1.707	-1.604	-1.707	-0.995	0.848	-0.027
Rohn-D1	Rohn-DAL6	15.07	1.639	-1.147	-1.147	1.639	1.639	1.639	1.639	-0.041
Rohn-D1	Rohn-DAL7	24.24	0.987	-2.636	-2.636	-0.779	-2.636	-1.862	-0.666	-0.041
Rohn-D1	Rohn-DAL8	20.32	2.166	-2.209	-2.209	2.209	2.209	2.209	2.209	-0.021
Rohn-D1	Rohn-DAL9	21.31	2.318	-1.394	-1.394	2.318	2.318	2.318	2.318	-0.019
Rohn-D1	Rohn-DAL10	22.33	2.361	-2.429	-2.429	2.429	2.429	2.429	2.429	-0.034
Rohn-D1	Rohn-DAL11	14.88	0.667	-1.618	-1.618	1.618	1.618	1.618	1.618	-0.019
Rohn-D1	Rohn-DAL12	15.77	1.715	-1.228	-1.228	1.715	1.715	1.715	1.715	-0.019
Rohn-D1	Rohn-DAL13	23.36	0.765	-2.540	-2.540	-0.579	-2.540	-1.948	-0.818	-0.028
Rohn-D1	Rohn-DAL14	22.12	2.382	-2.405	-2.405	2.382	2.382	2.382	2.382	-0.013
Rohn-D1	Rohn-DAL15	20.22	0.904	-1.630	-1.630	1.630	1.630	1.630	1.630	-0.043
Rohn-D1	Rohn-DAL16	31.07	0.904	-3.378	-3.378	2.587	-2.417	-0.397	1.993	-0.027
Rohn-D1	Rohn-DAL17	23.95	2.531	-2.587	-2.587	2.531	2.531	2.531	2.531	-0.035
Rohn-D1	Rohn-DAL18	28.56	3.101	-3.106	-3.106	3.101	3.101	3.101	3.101	-0.035
Rohn-D1	Rohn-DAL19	17.17	1.077	-1.868	-1.868	1.132	-1.868	-1.852	0.037	-0.029
Rohn-D1	Rohn-DAL20	33.24	3.615	-1.672	-1.672	0.351	3.615	3.186	1.619	-0.029
Rohn-D1	Rohn-DAL21	32.33	3.439	-3.516	-3.516	3.439	3.439	3.439	3.439	-0.038
Rohn-D1	Rohn-DAL22	23.96	1.601	-2.606	-2.606	2.606	2.606	2.606	2.606	-0.024
Rohn-D1	Rohn-DAL23	33.37	2.542	-1.666	-1.666	1.666	1.666	1.666	1.666	-0.037
Rohn-D1	Rohn-DAL24	33.38	2.542	-1.666	-1.666	1.666	1.666	1.666	1.666	-0.037
Rohn-D1	Rohn-DAL25	32.61	3.499	-3.547	-3.547	3.499	3.499	3.499	3.499	-0.023
Rohn-D1	Rohn-DAL26	31.34	3.408	-1.914	-1.914	0.041	3.408	3.266	1.833	-0.042
Rohn-D1	Rohn-DAL27	32.92	3.482	-3.580	-3.580	3.482	3.482	3.482	3.482	-0.048
Rohn-D1	Rohn-DAL28	24.34	1.416	-2.647	-2.647	2.647	2.647	2.647	2.647	-0.053
Rohn-D1	Rohn-DAL29	24.81	2.698	-1.919	-1.919	1.919	1.919	1.919	1.919	-0.049
Rohn-D1	Rohn-DAL30	34.96	1.401	-3.802	-3.802	1.401	1.401	1.401	1.401	-0.042
Rohn-D1	Rohn-DAL31	32.64	3.472	-3.550	-3.550	3.472	3.472	3.472	3.472	-0.036
Rohn-D1	Rohn-DAL32	37.85	4.116	-4.116	-4.116	4.116	4.116	4.116	4.116	-0.066
Rohn-D1	Rohn-DAL33	39.23	4.178	-4.267	-4.267	4.178	4.178	4.178	4.178	-0.069
Rohn-D1	Rohn-DAL34	32.54	1.301	-3.539	-3.539	1.301	1.301	1.301	1.301	-0.059
Rohn-D1	Rohn-DAL35	32.73	3.559	-2.721	-2.721	2.721	2.721	2.721	2.721	-0.070
Rohn-D1	Rohn-DAL36	42.55	1.305	-4.627	-4.627	1.305	1.305	1.305	1.305	-0.063
Rohn-D1	Rohn-DAL37	39.28	4.159	-4.272	-4.272	4.159	4.159	4.159	4.159	-0.081
Rohn-D1	Rohn-DAL38	45.04	4.898	-4.898	-4.898	4.898	4.898	4.898	4.898	-0.074
Rohn-D1	Rohn-DAL39	48.07	5.051	-5.051	-5.051	5.051	5.051	5.051	5.051	-0.085
Rohn-D1	Rohn-DAL40	37.79	4.110	-4.162	-4.162	4.110	4.110	4.110	4.110	-0.076
Rohn-D1	Rohn-DAL41	46.77	2.402	-5.086	-5.086	2.402	2.402	2.402	2.402	-0.075
Rohn-D1	Rohn-DAL42	47.94	5.048	-5.214	-5.214	5.048	5.048	5.048	5.048	-0.182
Rohn-D1	Rohn-DAL43	45.85	4.986	-5.383	-5.383	4.986	4.986	4.986	4.986	-0.180
Rohn-D1	Rohn-DAL44	51.20	5.196	-5.568	-5.568	5.196	5.196	5.196	5.196	-0.170
Rohn-D1	Rohn-DAL45	43.38	1.977	-4.718	-4.718	1.977	1.977	1.977	1.977	-0.185
Rohn-D1	Rohn-DAL46	40.87	4.444	-4.444	-4.444	4.444	4.444	4.444	4.444	-0.175
Rohn-D1	Rohn-DAL47	53.23	1.979	-5.788	-5.788	1.979	1.979	1.979	1.979	-0.174
Rohn-D1	Rohn-DAL48	54.14	5.203	-5.561	-5.561	5.203	5.203	5.203	5.203	-0.054
Rohn-D1	Rohn-DAL49	58.77	5.888	-6.368	-6.368	5.888	5.888	5.888	5.888	-0.044
Rohn-D1	Rohn-DAL50	49.07	6.271	-6.391	-6.391	6.271	6.271	6.271	6.271	-0.054
Rohn-D1	Rohn-DAL51	49.34	2.686	-5.336	-5.336	2.686	2.686	2.686	2.686	-0.044
Rohn-D1	Rohn-DAL52	58.30	5.387	-6.340	-6.340	5.387	5.387	5.387	5.387	-0.058
Rohn-D1	Rohn-DAL53	58.79	6.284	-6.394	-6.394	6.284	6.284	6.284	6.284	-0.046
Rohn-D1	Rohn-DAL54	53.33	5.799	-3.219	-3.219	5.799	5.799	5.799	5.799	-0.186
Rohn-D1	Rohn-DAL55	59.28	6.030	-6.446	-6.446	6.030	6.030	6.030	6.030	-0.183

URS Connecticut - butternut hollow greenwich, ct

Rohn-D3	49.51	3.080	-5.384	-3.414	-5.384	-5.102	0.251	3.080	-0.174
Rohn-DC52	44.80	4.871	-3.195	2.848	4.871	4.843	-0.302	3.195	-0.188
Rohn-DC6P	56.00	3.082	-6.089	3.082	-0.240	-6.089	-5.884	3.423	-0.177
Rohn-D3	59.03	6.015	-6.419	-6.419	-5.840	-6.015	4.869	6.015	-0.178
Rohn-D4	39.47	5.723	-4.052	-0.778	5.340	5.723	3.519	5.723	-0.263
Rohn-D01P	44.86	5.960	-6.505	5.960	5.727	-4.992	-4.992	6.505	-0.261
Rohn-D012	39.22	2.200	-5.686	-2.692	-4.992	-5.686	-0.783	2.200	-0.248
Rohn-D02P	36.25	5.256	-4.059	-2.692	-4.992	-5.686	-0.783	2.200	-0.248
Rohn-D021	46.03	2.164	-6.875	3.319	5.256	-1.251	-1.251	4.059	-0.266
Rohn-D022	44.61	5.935	-6.468	-2.164	-1.303	-6.468	-2.665	5.935	-0.253
Rohn-D03P	44.53	6.456	-3.947	-3.547	6.456	5.207	5.207	6.456	-0.038
Rohn-D031	47.48	6.741	-6.884	6.741	6.029	6.741	6.029	6.741	-0.038
Rohn-D032	39.55	3.416	-5.735	-3.489	-5.735	-5.593	0.253	3.416	-0.026
Rohn-D04P	39.30	5.698	-6.516	3.426	-0.197	-6.516	-0.342	5.698	-0.043
Rohn-D041	44.94	3.426	-6.516	3.426	-0.197	-6.516	-0.342	3.426	-0.043
Rohn-D042	47.53	6.762	-6.891	6.762	-6.891	6.762	6.762	6.762	-0.031
Rohn-D05P	38.48	5.580	-3.891	-6.891	-6.891	-6.891	5.580	3.891	-0.258
Rohn-D051	44.60	5.875	-6.467	-3.891	-6.467	-5.875	5.875	5.875	-0.258
Rohn-D052	38.88	5.775	-5.637	-2.906	-5.637	-5.062	-5.062	5.775	-0.256
Rohn-D06P	35.47	5.142	-3.892	-3.892	-3.892	-3.892	5.142	5.142	-0.244
Rohn-D061	45.08	2.453	-6.537	2.453	-6.537	-5.637	-5.637	2.453	-0.248
Rohn-D062	44.51	5.872	-6.454	-6.454	-6.454	-6.454	5.872	5.872	-0.249
Rohn-D061P	29.62	4.813	-3.551	-3.551	-3.551	-3.551	4.813	4.813	-0.296
Rohn-D0621	33.55	4.853	-5.452	4.853	-5.452	-5.452	4.853	4.853	-0.294
Rohn-D0612	26.99	1.750	-4.818	-2.330	-4.818	-4.818	1.750	1.750	-0.282
Rohn-D062P	34.87	1.752	-3.534	2.961	4.385	3.586	-1.217	3.554	-0.300
Rohn-D0621	33.54	4.864	-5.450	-1.752	-5.450	-5.450	4.864	4.864	-0.286
Rohn-D063P	36.83	5.985	-2.589	-2.589	-2.589	-2.589	5.985	5.985	-0.287
Rohn-D0631	37.45	5.775	-6.085	5.775	-6.085	-6.085	5.775	5.775	-0.105
Rohn-D0632	34.17	3.678	-5.552	-3.852	-5.552	-5.552	3.678	3.678	-0.104
Rohn-D064P	31.79	5.166	-2.592	2.427	4.806	5.166	1.000	5.166	-0.094
Rohn-D0641	36.67	3.675	-5.959	3.675	-5.959	-5.959	3.675	3.675	-0.094
Rohn-D0642	37.41	5.778	-6.079	-6.079	-6.079	-6.079	5.778	5.778	-0.095
Rohn-D065P	37.39	6.076	-4.264	-4.264	-4.264	-4.264	6.076	6.076	-0.099
Rohn-D0651	42.80	6.398	-6.954	6.398	-6.954	-6.954	6.398	6.398	-0.279
Rohn-D0652	38.26	2.801	-6.217	-3.311	-6.217	-6.217	2.801	2.801	-0.278
Rohn-D066P	34.98	5.685	-4.265	3.644	5.685	5.089	-1.099	5.685	-0.271
Rohn-D0661	43.07	2.800	-6.992	2.800	-6.992	-6.992	2.800	2.800	-0.281
Rohn-D0662	42.78	6.402	-6.952	-6.952	-6.952	-6.952	6.402	6.402	-0.273
Rohn-D0671P	46.16	7.501	-4.250	-4.250	-4.250	-4.250	7.501	7.501	-0.274
Rohn-D0671	52.52	7.809	-7.496	-7.496	-7.496	-7.496	7.809	7.809	-0.281
Rohn-D0672P	46.13	4.166	-7.496	-7.496	-7.496	-7.496	4.166	4.166	-0.281
Rohn-D0672	41.12	6.681	-4.252	3.851	6.681	6.681	0.340	6.681	-0.274
Rohn-D06711	48.67	4.164	-7.909	4.164	-0.071	-7.909	-0.287	4.164	-0.283
Rohn-D06722	52.49	7.812	-8.530	-8.530	-8.530	-8.530	7.812	7.812	-0.276
Rohn-D0673P	43.24	7.026	-4.960	-4.960	-4.960	-4.960	7.026	7.026	-0.277
Rohn-D06731	49.63	7.449	-8.064	-8.064	-8.064	-8.064	7.449	7.449	-0.266
Rohn-D06732	45.00	3.261	-7.312	-3.647	-7.312	-7.312	3.261	3.261	-0.261
Rohn-D0674P	40.87	6.641	-4.962	4.310	6.641	6.019	-1.212	6.641	-0.268
Rohn-D06741	49.77	3.261	-8.087	3.261	-8.087	-8.087	3.261	3.261	-0.262
Rohn-D06742	49.61	7.452	-8.087	-8.087	-8.087	-8.087	7.452	7.452	-0.263
Rohn-D06743P	40.55	6.589	-4.392	-4.392	-4.392	-4.392	6.589	6.589	-0.308
Rohn-D067411	47.40	6.963	-7.703	6.963	6.411	6.532	-6.319	6.963	-0.308
Rohn-D067422	41.41	3.092	-6.728	-3.817	-6.728	-6.728	-0.399	3.092	-0.304
Rohn-D06742P	38.31	6.226	-4.393	3.988	6.226	5.609	-0.953	6.226	-0.304
Rohn-D067421	45.91	3.091	-7.459	3.091	-7.459	-7.459	3.091	3.091	-0.310
Rohn-D06743P	38.11	6.193	-3.953	-3.953	-3.953	-3.953	6.193	6.193	-0.305
Rohn-D067431	43.25	6.479	-7.027	6.479	-7.027	-7.027	6.479	6.479	-0.310
Rohn-D067432	38.02	3.266	-6.178	-3.500	-6.178	-6.178	3.266	3.266	-0.212
Rohn-D067433P	34.13	5.545	-3.954	3.380	5.545	5.499	-0.601	5.545	-0.217
Rohn-D0674341	42.28	3.265	-6.871	3.265	-6.871	-6.871	3.265	3.265	-0.213
Rohn-D0674342	43.23	6.481	-7.025	-7.025	-7.025	-7.025	6.481	6.481	-0.213
Rohn-D0674343P	38.31	6.083	-4.649	-4.649	-4.649	-4.649	6.083	6.083	-0.213
Rohn-D06743431	50.23	6.582	-8.161	6.582	-8.161	-8.161	6.582	6.582	-0.213
Rohn-D06743432	43.84	2.818	-7.123	-4.407	-7.123	-7.123	2.818	2.818	-0.213
Rohn-D06743433P	35.42	5.756	-4.450	3.407	5.756	5.347	-1.167	5.756	-0.213
Rohn-D067434331	47.88	2.817	-7.781	-2.817	-7.781	-7.781	2.817	2.817	-0.213
Rohn-D067434332	50.21	6.584	-8.159	-8.159	-8.159	-8.159	6.584	6.584	-0.213
Rohn-D067434333P	37.66	6.120	-3.726	-3.726	-3.726	-3.726	6.120	6.120	-0.213
Rohn-D0674343331	40.25	6.340	-6.481	6.340	-6.481	-6.481	6.340	6.340	-0.213
Rohn-D0674343322	35.92	3.230	-5.837	-5.837	-5.837	-5.837	3.230	3.230	-0.213
Rohn-D06743433221	35.66	5.794	-3.727	3.855	5.794	5.492	-0.501	5.794	-0.213

URS Connecticut - butternut hollow greenwich, ct

Rohn-D7	39.78	3.229	-6.464	3.229	-0.343	-6.464	-5.509	-2.758	0.124
Rohn-DH01	40.26	6.542	-6.478	-6.478	-5.356	0.365	5.644	6.542	0.123
Rohn-D1P	43.27	2.112	-7.031	-7.031	-4.175	1.442	2.112	0.248	-3.438
Rohn-D11	56.15	2.154	-9.124	-9.124	-1.967	-2.324	-7.630	-9.124	-3.438
Rohn-D12	53.16	0.000	-8.638	-5.777	-7.973	-8.638	-4.025	-1.287	-3.455
Rohn-D12P	56.82	1.815	-7.032	-7.032	-1.815	0.846	-4.474	-7.032	-3.455
Rohn-D7	53.27	0.000	-9.233	-1.288	-4.325	-9.233	-8.270	-5.777	-3.456
Rohn-D12P	56.14	2.155	-9.123	-9.123	-8.125	-2.913	1.672	2.155	-3.456
Rohn-D13P	52.08	8.462	-0.000	1.379	4.058	8.462	8.130	6.401	3.875
Rohn-D13	52.34	8.505	-1.016	8.505	7.990	4.293	-0.083	-1.016	3.875
Rohn-D13P	52.34	8.462	-0.000	1.379	4.058	8.462	8.130	6.401	3.875
Rohn-D13	52.34	8.505	-1.016	8.505	7.990	4.293	-0.083	-1.016	3.875
Rohn-D7	39.82	6.471	-0.294	1.478	-0.221	-0.294	4.200	6.471	3.877
Rohn-D14P	48.56	7.890	0.000	6.400	7.845	7.890	0.000	6.471	3.877
Rohn-D14	39.82	6.471	-0.864	6.471	3.913	-0.864	-0.505	1.477	3.876
Rohn-D14P	52.35	8.507	-1.972	-0.506	-1.195	3.729	7.707	8.507	3.876
Rohn-L1	1.90	1.232	-1.972	-0.506	-1.195	3.729	7.707	8.507	3.876
Rohn-L1P	1.90	1.232	-1.972	-0.506	-1.195	3.729	7.707	8.507	3.876
Rohn-L1	1.55	0.756	-1.759	0.631	1.481	0.347	1.232	0.989	-0.603
Rohn-L1P	5.39	0.000	-6.106	-0.815	-3.409	0.030	-1.307	-1.759	-0.584
Rohn-L2	5.03	4.359	-5.689	-5.689	-3.714	1.697	4.359	3.558	-0.898
Rohn-L2P	4.78	4.406	-5.410	3.752	4.406	1.776	-3.502	-5.410	-0.854
Rohn-L1	9.45	0.000	-10.693	-1.242	-5.897	-10.693	-5.936	-1.276	-1.290
Rohn-L1P	8.27	7.852	-9.361	-9.361	-5.951	3.335	7.852	6.626	-1.410
Rohn-LA32	8.15	8.021	-9.361	-9.361	-5.951	3.335	7.852	6.626	-1.410
Rohn-LA4P	13.58	0.000	-15.367	-1.571	-8.349	-15.367	-8.446	-1.568	-1.244
Rohn-LA4	12.05	12.024	-13.640	-8.565	5.274	12.024	10.212	-1.768	-1.516
Rohn-LA2	11.63	11.954	-13.166	10.207	11.954	5.342	-8.206	-13.166	-2.209
Rohn-LB1P	13.60	0.000	-21.408	-2.190	-11.655	-21.408	-11.828	-2.139	-2.312
Rohn-LB1	13.47	16.948	-18.720	-18.720	-11.740	7.344	16.886	14.218	-2.312
Rohn-L2	19.85	0.000	-27.309	-2.428	-14.654	-27.309	-14.673	-2.428	-2.083
Rohn-L2P	17.31	21.991	-23.824	-23.824	-14.780	9.928	21.991	18.801	-2.576
Rohn-LB2	17.17	22.185	-23.626	18.995	22.185	10.166	-14.560	-23.626	-3.666
Rohn-LB3P	25.08	0.000	-34.512	-3.611	-18.779	-34.512	-18.794	-3.601	-3.668
Rohn-LB3	21.87	26.845	-30.090	-18.874	11.739	26.845	22.698	-3.772	-3.772
Rohn-LB32	21.74	26.841	-29.917	22.891	26.841	11.982	-18.669	-29.917	-3.576
Rohn-LB4P	31.41	0.000	-43.215	-4.670	-23.592	-43.215	-23.612	-4.665	-4.733
Rohn-LB4	27.32	33.198	-37.585	-37.585	-33.600	14.821	-23.398	28.272	-4.749
Rohn-LB42	27.19	33.374	-37.413	28.448	33.374	14.821	-23.398	28.272	-4.749
Rohn-LC1P	31.68	0.000	-52.464	-5.197	-28.386	-52.464	-18.433	-5.193	-5.264
Rohn-LC1	27.55	41.261	-45.614	-45.614	-28.448	18.433	41.261	35.231	-5.289
Rohn-LC2	27.45	41.428	-45.428	35.399	41.428	18.662	-28.252	-45.452	-5.113
Rohn-LC2P	39.12	0.000	-64.784	-6.470	-35.060	-64.784	-35.085	-6.463	-6.551
Rohn-LC21	33.96	50.731	-56.234	56.234	35.078	22.664	50.731	43.305	-6.578
Rohn-LC22	33.87	50.885	-56.094	43.458	50.885	22.886	-34.897	-56.094	-6.421
Rohn-LC3P	46.33	0.000	-76.724	-6.796	-41.079	-76.724	-41.125	-6.812	-6.868
Rohn-LC3	40.13	61.938	-66.447	-66.447	-41.079	28.230	61.938	53.029	-6.830
Rohn-LC32	40.54	62.062	-68.303	53.160	62.062	28.425	-40.900	-68.303	-6.882
Rohn-LD1P	54.07	0.000	-76.963	-7.493	-46.913	-76.963	-46.962	-7.512	-7.579
Rohn-LD1	47.22	71.438	-76.124	-76.124	-46.932	32.749	71.438	61.215	-7.576
Rohn-LD12	47.13	71.570	-75.966	61.356	71.570	32.954	-46.746	-75.966	-7.417
Rohn-LD2P	62.61	0.000	-100.923	-8.888	-53.958	-100.923	-53.983	-8.876	-8.957
Rohn-LD21	54.11	81.438	-87.224	-87.224	-53.852	37.245	81.438	69.756	-8.872
Rohn-LD22	54.03	81.592	-87.092	69.306	81.592	37.473	-53.674	-87.092	-8.722
Rohn-LD3P	59.28	0.000	-111.674	-9.098	-59.340	-111.674	-59.344	-9.099	-9.155
Rohn-LD31	59.86	91.597	-86.494	-86.494	-59.283	42.320	91.597	78.589	-9.085
Rohn-LD32	59.78	91.728	-86.363	-86.363	-59.283	42.320	91.597	78.589	-9.085
Rohn-LD3P	53.28	0.000	-105.227	-9.997	-64.733	-105.227	-64.762	-9.994	-10.072
Rohn-LD31	45.99	99.589	-105.227	-105.227	-64.657	46.019	99.589	85.437	-10.016
Rohn-LD32	45.94	99.716	-105.106	85.565	99.716	46.215	-64.499	-105.106	-9.884
Rohn-LD21	57.76	0.000	-132.152	-10.800	-70.134	-132.152	-70.168	-10.801	-10.948
Rohn-LD22	49.82	108.143	-113.995	-113.995	-70.010	50.049	108.143	92.801	-10.734
Rohn-LD3P	49.77	108.259	-113.879	92.919	108.259	50.233	-69.860	-113.879	-11.235
Rohn-LD31	61.99	0.000	-141.826	-11.157	-74.994	-141.826	-75.025	-11.158	-11.235
Rohn-LD32	53.45	116.727	-122.290	-122.290	-74.916	54.303	116.727	100.260	-11.132
Rohn-LF1P	53.40	116.839	-122.180	100.373	116.839	54.479	-74.773	-122.180	-11.014
Rohn-LF1	58.41	0.000	-136.778	-12.449	-82.942	-136.778	-82.971	-12.450	-12.447
Rohn-LF2	50.35	128.961	-135.140	-135.140	-82.857	59.951	128.961	110.754	-12.353
Rohn-LF11	50.31	129.068	-135.034	110.862	129.068	60.118	-82.720	-135.034	-12.240
Rohn-LF2P	64.45	0.000	-172.991	-13.190	-91.147	-172.991	-91.174	-13.190	-13.219
Rohn-LF21	55.50	143.044	-148.958	-148.958	-91.077	66.888	143.044	122.969	-13.133
Rohn-LF22	55.46	143.146	-148.857	123.073	143.146	67.046	-90.948	-148.857	-13.026
Rohn-LG1P	60.08	0.000	-189.372	-14.804	-98.889	-189.372	-99.923	-14.805	-14.803
Rohn-LG1	51.72	155.755	-163.033	-163.033	-99.829	72.684	155.755	133.865	-14.724
Rohn-LG12	51.70	155.844	-162.946	133.955	155.844	72.821	-99.718	-162.946	-14.631

URS Connecticut - butternut hollow greenwich, ct

Rohn-L7	64.65	0.000	-203.756	-15.753	-107.320	-203.756	-107.341	-15.754	-15.754
Rohn-L7	55.82	167.726	-175.304	-175.304	-107.320	-107.341	167.726	144.211	-15.679
Rohn-L7	55.59	167.811	-175.221	144.297	167.811	78.568	-107.149	-175.221	-15.591
Rohn-L7	69.13	0.000	-217.885	-174.766	-217.885	-114.784	-17.004	-16.993	-16.993
Rohn-L7	59.45	178.876	-187.392	-187.392	-114.701	83.637	178.876	153.805	-16.922
Rohn-L7	59.43	178.958	-187.312	153.887	178.958	83.754	-114.603	-18.732	-16.838
Rohn-L7	73.56	0.000	-231.852	-18.757	-122.395	-231.852	-122.411	-18.758	-18.724
Rohn-L7	63.27	168.916	-199.418	-169.418	-122.395	88.012	188.916	162.364	-18.575
Rohn-L7	63.24	168.996	-199.341	162.444	188.996	88.120	-122.241	199.341	-17.207
Rohn-L8	61.05	0.000	-240.763	-17.198	-125.835	-240.763	-125.848	-17.199	-17.142
Rohn-L8	52.39	200.316	-206.640	-206.640	-125.773	94.728	200.316	172.547	-17.064
Rohn-L8	52.38	200.393	-206.566	172.624	200.393	94.829	-125.686	-206.566	-17.064
Rohn-L8	65.33	0.000	-257.651	-25.057	-138.052	-257.651	-138.063	-25.058	-24.978
Rohn-L8	56.31	201.400	-222.086	-222.086	-137.992	91.498	201.400	172.501	-24.915
Rohn-L8	56.29	201.475	-222.014	172.575	201.475	91.593	-137.908	-222.014	-24.839
Rohn-H1	4.13	0.638	-0.737	-0.714	-0.737	-0.280	0.434	0.638	-0.039
Rohn-H1	3.16	0.565	-0.149	-0.149	0.173	0.565	0.373	0.081	-0.035
Rohn-H1	5.01	0.733	-0.894	0.733	0.427	-0.450	-0.894	-0.732	-0.029
Rohn-H1	0.61	0.102	-0.109	0.058	0.102	0.073	-0.043	-0.109	-0.026
Rohn-H1	0.88	0.088	-0.137	-0.137	-0.157	-0.104	0.037	-0.088	-0.027
Rohn-H1	0.82	0.000	-0.110	-0.035	-0.067	-0.110	-0.060	-0.024	-0.028
Rohn-H1	2.03	0.369	-0.011	-0.011	0.160	0.369	0.226	0.065	0.027
Rohn-H1	5.15	0.933	-0.838	0.933	0.827	0.083	-0.707	-0.838	0.050
Rohn-H1	3.33	0.460	-0.604	-0.604	-0.604	-0.487	0.142	0.460	0.029
Rohn-H1	4.25	0.771	-0.233	0.317	0.639	0.771	0.166	-0.233	0.042
Rohn-H1	3.89	0.433	-0.704	0.433	0.006	-0.704	-0.672	0.348	0.044
Rohn-H1	1.48	0.268	-0.263	-0.230	-0.263	-0.109	0.164	0.268	0.019
Rohn-H1	7.04	1.276	-0.825	-0.825	-0.163	1.124	1.276	0.842	0.009
Rohn-H1	7.58	1.373	-1.324	1.373	1.164	-0.015	-1.169	-1.324	0.025
Rohn-H1	6.03	0.447	-0.103	-0.430	-0.918	-1.093	-0.159	0.447	0.009
Rohn-H1	5.87	1.065	-0.674	0.715	1.065	0.929	-0.133	-0.674	0.023
Rohn-H1	6.73	1.383	-1.377	-1.377	0.098	-1.144	-1.219	-0.745	0.018
Rohn-H1	10.39	1.843	-0.785	-0.785	1.083	0.226	1.300	1.843	0.002
Rohn-H1	1.843	0.990	-1.759	1.843	1.603	0.066	-1.505	-1.759	0.044
Rohn-H1	1.090	1.090	-1.737	-1.737	-1.737	-1.688	0.096	1.090	0.030
Rohn-H1	1.828	0.989	-1.070	1.070	1.807	1.828	0.033	-0.989	0.042
Rohn-H1	0.962	-1.482	0.962	0.114	-1.425	-1.482	0.889	0.038	0.027
Rohn-H1	11.37	2.060	-2.007	-2.007	-1.822	-0.152	1.688	2.060	0.027
Rohn-H1	11.24	2.038	-1.279	-1.279	-0.158	1.860	2.038	1.315	0.019
Rohn-H1	14.71	2.667	-2.623	2.667	2.369	0.164	-2.197	-2.623	0.024
Rohn-H1	10.85	0.990	-0.955	-0.955	-1.798	-1.966	-0.120	0.990	0.017
Rohn-H1	11.67	2.115	-1.222	1.274	2.115	2.095	-0.031	-1.222	0.026
Rohn-H1	12.91	1.189	-2.340	-1.136	-2.340	-2.157	-1.153	0.019	0.019
Rohn-H1	11.35	2.057	-2.031	-1.615	0.293	1.909	2.057	0.015	0.015
Rohn-H1	16.15	2.342	-1.361	-0.703	2.278	2.342	1.445	0.042	0.042
Rohn-H1	18.32	2.656	-2.574	2.656	2.365	0.194	-2.140	-2.574	0.043
Rohn-H1	15.82	1.257	-2.294	-1.181	-2.158	-2.294	-0.054	1.257	0.038
Rohn-H1	16.43	2.382	-1.381	1.472	2.382	2.316	-0.072	-1.381	0.045
Rohn-H1	15.82	1.207	-2.294	1.207	-0.099	-2.294	-2.111	-1.129	0.039
Rohn-H1	18.19	2.637	-2.565	-2.565	-2.158	0.140	2.325	2.637	0.039
Rohn-H1	20.03	2.904	-1.409	2.904	2.510	0.050	-2.447	-2.904	0.030
Rohn-H1	17.29	1.460	-2.507	-1.410	-2.453	-2.507	0.024	1.460	0.025
Rohn-H1	17.65	2.560	-1.403	1.461	2.456	2.560	0.036	-1.403	0.031
Rohn-H1	17.39	1.464	-2.521	1.464	0.018	-2.521	-2.462	-1.415	0.025
Rohn-H1	19.93	2.889	-2.842	-2.842	-2.436	0.050	2.499	2.889	0.026
Rohn-H1	21.64	3.137	-1.601	-1.601	0.138	3.137	2.993	1.712	0.053
Rohn-H1	24.17	3.504	-3.412	3.504	2.995	-0.011	-2.970	-3.412	0.049
Rohn-H1	20.54	1.852	-2.979	-1.763	2.979	-2.934	0.145	1.852	0.048
Rohn-H1	21.49	3.117	-1.610	1.720	2.990	3.117	0.124	-1.610	0.053
Rohn-H1	20.48	1.649	-2.969	1.649	0.146	-2.922	-2.969	-1.763	0.046
Rohn-H1	24.31	3.524	-3.430	-3.430	-0.221	3.008	3.524	3.524	0.051
Rohn-H1	22.97	3.330	-1.938	-1.938	-0.126	3.202	3.330	2.081	0.077
Rohn-H1	23.50	3.697	-3.562	3.697	3.297	0.298	-2.946	-3.562	0.072
Rohn-H1	22.11	1.692	-3.206	-1.538	-2.921	-3.206	-0.138	1.692	0.072
Rohn-H1	22.91	3.321	-1.929	2.070	3.321	3.210	-0.110	-1.929	0.075
Rohn-H1	22.29	1.687	-3.232	1.687	-0.155	3.232	-2.932	-1.538	0.070
Rohn-H1	25.36	3.677	-3.535	-3.535	-2.926	0.294	3.280	3.677	0.076
Rohn-H1	26.81	4.863	-3.441	-3.441	-1.014	3.961	4.863	3.374	-0.037
Rohn-H1	28.63	5.097	-3.165	5.097	-4.887	-0.969	-3.985	-5.165	-0.041
Rohn-H1	27.83	1.683	-5.045	-1.784	-4.001	-5.045	-1.003	1.683	-0.042
Rohn-H1	26.85	4.867	-3.440	3.377	4.867	3.960	-1.012	-3.440	-0.036
Rohn-H1	27.95	1.668	-5.066	1.668	-1.028	-5.066	-3.999	-1.778	-0.047

URS Connecticut - butternut hollow greenwich, ct

SNB-D3	28.53	5.088	-5.171	-5.171	-3.978	0.961	4.874	5.088	-0.038
SNB-DC22	30.03	5.443	-1.736	-1.736	1.096	5.443	4.488	2.229	0.247
SNB-DC32	31.09	5.635	-5.212	-5.212	5.635	4.469	-4.874	5.212	0.238
SNB-D3	26.80	3.677	-4.857	-4.857	-4.857	-4.090	1.103	3.677	0.236
SNB-DC42	29.90	5.419	-1.735	-1.735	2.219	4.467	1.092	-1.735	0.242
SNB-D3	26.83	3.684	-4.863	-4.863	1.102	-4.097	-4.863	-3.215	0.237
SNB-DC41	26.83	3.684	-4.863	-4.863	1.102	-4.097	-4.863	-3.215	0.237
SNB-D3	26.81	5.222	-3.527	-3.527	-0.840	-0.840	4.474	5.641	0.241
SNB-DC52	30.46	5.498	-5.520	-5.520	5.498	4.465	5.222	3.551	0.016
SNB-D3	29.56	1.993	-3.357	-3.357	-1.949	-1.949	-0.894	-0.894	0.013
SNB-DC62	28.88	5.235	-3.552	-3.552	5.235	5.235	4.454	-0.863	3.552
SNB-D3	29.51	1.979	-5.348	-5.348	1.979	-0.899	-5.348	-4.297	1.942
SNB-DC61	30.51	5.513	-4.621	-4.621	-4.621	-4.300	0.929	5.188	0.008
SNB-D3	34.49	6.251	-4.621	-4.621	-4.621	-4.300	0.929	5.188	0.016
SNB-D3	35.37	6.314	-6.428	-6.428	6.314	6.224	4.745	6.251	-0.044
SNB-D3	35.41	1.721	-6.400	-6.400	-4.716	-4.716	-6.400	-1.616	1.721
SNB-D3	34.34	6.224	-6.400	-6.400	-4.716	-4.716	-6.400	-1.616	1.721
SNB-D3	35.41	1.745	-6.419	-6.419	-1.606	-1.606	-6.419	-4.744	-1.886
SNB-D3	35.52	6.326	-6.438	-6.438	-6.438	-6.438	6.243	6.326	-0.043
SNB-D3	37.22	6.746	-1.735	-1.735	1.732	6.746	5.197	2.363	0.312
SNB-D3	37.11	6.726	-6.237	-6.237	6.726	5.153	-5.994	-6.237	0.305
SNB-D3	33.16	4.742	-6.011	-6.011	-6.011	-6.011	-1.054	-1.054	1.054
SNB-D3	37.10	6.724	-1.746	-1.746	2.370	5.192	-4.767	1.694	4.742
SNB-D3	33.12	4.738	-6.003	-6.003	4.738	1.687	-4.767	-6.003	4.742
SNB-D3	37.15	6.734	-6.243	-6.243	-6.243	-6.243	-1.076	-1.076	6.734
SNB-D3	36.73	6.657	-4.503	-4.503	-1.035	-1.035	5.159	6.657	4.513
SNB-D3	38.17	2.686	-7.121	-7.121	6.678	1.147	-5.654	-7.121	0.001
SNB-D3	36.67	6.646	-6.918	-6.918	-5.675	-5.675	-1.030	-1.030	2.686
SNB-D3	36.30	2.680	-6.942	-6.942	6.646	5.646	-1.027	-1.027	4.494
SNB-D3	39.79	7.110	-7.212	-7.212	-1.047	-1.047	-6.942	-6.942	-0.004
SNB-D3	41.79	8.988	-6.179	-6.179	-1.921	-1.921	6.971	8.693	6.140
SNB-D3	41.04	2.814	-8.865	-8.865	-8.865	-8.865	-1.889	-1.889	-0.010
SNB-D3	41.13	2.808	-8.885	-8.885	-1.905	-1.905	-1.905	-1.905	-0.015
SNB-D3	41.79	8.987	-9.025	-9.025	-6.942	-6.942	8.671	8.987	-0.017
SNB-D3	25.56	8.498	-2.661	-2.661	1.891	1.891	8.671	8.987	-0.010
SNB-D3	22.80	5.529	-7.296	-7.296	-6.300	-6.300	-7.279	-7.279	0.386
SNB-D3	22.83	8.234	-2.662	-2.662	3.446	6.801	1.636	-2.662	0.388
SNB-D3	22.83	5.529	-7.304	-7.304	1.599	1.599	-6.320	-6.320	0.388
SNB-D3	22.47	7.191	-5.190	-5.190	-7.287	-7.287	0.794	6.780	4.733
SNB-D3	23.32	7.356	-7.462	-7.462	7.356	7.356	7.221	1.825	5.531
SNB-D3	23.35	2.208	-7.472	-7.472	-2.211	-2.211	-5.554	-5.554	0.001
SNB-D3	23.42	7.183	-5.191	-5.191	5.223	5.223	-1.704	-1.704	-0.001
SNB-D3	23.31	7.361	-7.461	-7.461	-5.540	-5.540	1.809	7.219	7.361
SNB-D3	24.25	7.761	-4.012	-4.012	0.343	0.343	7.761	7.542	4.607
SNB-D3	23.03	8.651	-8.471	-8.471	7.534	7.534	4.412	-7.169	-8.471
SNB-D3	23.27	4.560	-7.446	-7.446	-3.952	-3.952	-7.446	0.344	4.560
SNB-D3	24.18	7.736	-4.013	-4.013	4.605	4.605	7.329	7.736	0.332
SNB-D3	23.34	4.558	-7.469	-7.469	4.558	0.330	-7.469	-7.184	-3.955
SNB-D3	27.05	8.655	-8.468	-8.468	-1.176	-1.176	0.396	7.528	8.655
SNB-D3	23.67	4.716	-8.637	-8.637	6.905	7.748	0.416	-7.337	-8.637
SNB-D3	24.88	7.963	-4.048	-4.048	4.727	7.734	7.963	0.409	4.716
SNB-D3	27.84	8.910	-8.634	-8.634	4.715	0.398	-7.595	-7.595	-0.294
SNB-D3	31.56	9.979	-10.098	-10.098	9.979	8.293	0.293	7.741	8.910
SNB-D3	27.80	5.253	-8.886	-8.886	-4.864	-4.864	8.607	5.140	0.123
SNB-D3	28.05	8.975	-4.831	-4.831	5.139	8.594	0.300	5.253	0.127
SNB-D3	27.87	5.251	-8.919	-8.919	5.251	0.287	-8.919	-8.605	4.866
SNB-D3	31.55	9.982	-10.095	-10.095	-8.600	-8.600	8.596	9.982	0.127
SNB-D3	29.96	9.587	-4.691	-4.691	0.595	0.595	9.587	9.202	5.581
SNB-D3	33.19	10.621	-10.234	-10.234	9.198	0.420	-8.742	-10.234	0.377
SNB-D3	27.93	5.704	-8.938	-8.938	-4.901	-4.901	8.838	0.603	0.382
SNB-D3	27.88	9.563	-4.694	-4.694	5.189	9.189	5.563	-4.694	0.376
SNB-D3	33.20	5.703	-8.959	-8.959	5.703	0.591	-8.959	-8.752	-4.902
SNB-D3	26.25	8.399	-10.231	-10.231	-8.749	-8.749	0.403	9.191	10.624
SNB-D3	26.25	8.399	-5.986	-5.986	-0.680	-0.680	8.399	8.065	4.522

URS Connecticut - butternut hollow greenwich, ct


SNB-D6	35.61	9.442	-11.394	9.442	8.062	-0.570	-9.776	-11.394	-0.769
SNB-DH11	31.90	4.471	-10.208	-5.866	-9.776	-10.208	-0.672	4.471	-0.769
SNB-DH12	26.18	8.376	-5.987	4.521	8.054	8.376	-0.651	-5.987	-0.770
SNB-DH2P	31.97	4.469	-10.231	4.469	-0.685	-10.231	-9.787	-0.767	-0.766
SNB-D6	35.60	9.445	-11.392	-9.783	-0.586	-0.586	-8.055	9.445	-0.766
SNB-DH22	34.99	11.196	-3.887	-9.887	-1.196	10.470	6.567	1.270	1.270
SNB-DH31	37.85	12.111	-10.020	12.111	1.466	1.071	-8.533	-10.020	1.269
SNB-DH32	26.68	7.170	-8.533	-8.533	-8.533	1.789	7.170	1.273	1.268
SNB-DH4P	34.92	11.173	-3.889	6.565	10.458	11.173	1.770	-3.889	1.268
SNB-DH41	26.75	7.169	-8.560	7.169	-8.560	-8.560	-4.535	1.272	1.272
SNB-DH42	37.86	12.114	-10.018	-8.540	-8.540	1.055	10.459	12.114	1.272
SNB-DH1P	49.90	1.692	-15.969	-9.533	1.692	1.183	3.271	-9.628	-9.628
SNB-DH11	70.40	2.959	-22.527	2.959	-1.180	-9.587	-20.652	-22.527	-9.628
SNB-DH12	65.92	0.000	-21.095	-16.013	-20.652	-21.095	-9.524	-3.212	-9.623
SNB-DH2P	49.91	1.667	-15.970	-3.272	1.172	1.667	-9.546	-15.970	-9.629
SNB-DH21	66.00	0.000	-21.120	-3.214	-9.538	-21.120	-20.663	-16.015	-9.626
SNB-DH22	70.39	2.962	-22.524	-22.524	-20.659	-9.602	1.173	2.962	-9.624
SNB-DH3P	63.39	20.283	0.000	2.050	8.821	20.283	19.513	14.915	8.431
SNB-DH31	66.97	21.430	-5.020	21.430	19.509	8.405	-3.101	-5.020	8.431
SNB-DH32	47.93	15.336	-3.443	1.727	-3.100	-3.443	8.829	15.336	8.436
SNB-DH4P	63.31	20.259	0.000	14.913	19.502	20.259	8.807	2.048	8.429
SNB-DH41	47.92	15.335	-3.467	15.335	8.816	-3.467	-3.110	1.725	8.434
SNB-DH42	66.98	21.433	-5.017	-5.017	-3.107	8.392	19.503	21.433	8.434
SNB-LA1P	0.94	0.000	-1.135	-0.495	-0.874	-0.495	-0.563	-0.133	-0.319
SNB-LA11	0.794	0.794	-1.308	-0.899	0.214	0.794	0.647	0.337	-0.302
SNB-LA12	0.403	0.403	-0.819	0.222	0.403	0.195	-0.496	-0.819	-0.302
SNB-L1	3.16	0.000	-3.827	-0.651	-2.261	-3.827	-2.076	-0.433	-0.581
SNB-L11	2.777	2.601	-3.348	3.348	-2.175	1.011	2.601	2.173	-0.599
SNB-L12	2.69	2.744	-3.255	2.255	2.744	1.228	-2.016	-3.255	-0.505
SNB-LA2P	6.94	0.000	-8.400	-0.860	-4.593	-8.400	-4.559	-0.816	-0.851
SNB-LA21	5.99	6.382	-7.246	-7.246	4.586	2.720	6.382	5.451	-0.915
SNB-LA22	11.26	6.679	-13.622	-1.169	6.679	2.960	-4.518	-7.249	-0.776
SNB-LA4P	9.83	11.215	-12.171	-12.171	-7.340	-13.622	-7.199	-0.999	-1.098
SNB-LA41	9.83	11.215	-11.582	9.599	11.215	5.209	-7.069	-11.582	-1.167
SNB-LA42	11.30	0.000	-20.206	-1.621	-10.759	-20.206	-10.829	-1.694	-1.679
SNB-LB1P	9.83	16.542	-17.578	-17.578	10.833	7.550	16.542	14.146	-1.746
SNB-LB11	9.72	16.656	-17.381	14.284	16.656	7.669	-10.866	-17.381	-1.566
SNB-LB12	15.02	0.000	-26.858	-1.916	-14.176	-26.858	-14.194	-1.928	-1.948
SNB-LB21	13.03	22.552	-23.301	-23.301	10.484	22.552	19.352	-2.007	-2.007
SNB-LB22	12.92	22.707	-23.111	19.511	22.707	10.654	-14.052	-23.111	-1.821
SNB-LB3P	19.17	0.000	-34.292	-2.234	-17.982	-34.292	-17.995	-2.261	-2.261
SNB-LB31	16.59	29.216	-29.670	-29.670	13.726	29.216	25.121	-2.312	-2.312
SNB-LB32	16.49	29.392	-29.499	25.297	29.392	13.907	-17.859	-29.499	-2.126
SNB-LB4P	23.34	0.000	-42.104	-2.540	-21.962	-42.104	-21.985	-2.357	-2.580
SNB-LB41	20.32	36.238	-36.346	-36.346	31.992	17.166	36.238	31.195	-2.615
SNB-LB42	29.14	36.385	-36.161	31.347	36.385	17.328	-21.814	-36.161	-2.433
SNB-LC1P	29.14	0.000	-52.119	-3.063	-27.138	-52.119	-27.156	-3.076	-3.107
SNB-LC11	25.21	45.086	-44.980	-44.980	45.235	21.450	45.086	38.824	3.125
SNB-LC12	25.29	45.235	-44.810	38.976	45.235	21.609	-25.991	-44.810	-2.952
SNB-LC2P	37.31	0.000	-66.732	-3.844	-34.704	-66.732	-34.715	-3.850	-3.877
SNB-LC21	32.39	57.930	-57.528	-57.528	34.703	27.610	57.930	49.913	-3.875
SNB-LC22	32.48	58.087	-57.367	50.069	58.087	27.771	-34.544	-57.367	-3.705
SNB-LC3P	43.80	0.000	-78.333	-3.939	-40.427	-78.333	-40.418	-3.922	-3.964
SNB-LC31	38.62	69.067	-67.372	-67.372	40.375	33.286	69.067	59.600	-3.944
SNB-LC32	38.71	69.231	-67.227	59.757	69.231	33.459	-40.220	-67.227	-3.784
SNB-LD1P	55.80	0.000	-91.926	-4.658	-47.433	-91.926	-47.426	-4.643	-4.696
SNB-LD11	49.12	80.917	-79.032	-79.032	81.074	39.171	80.917	69.036	4.659
SNB-LD12	49.22	81.074	-78.889	69.987	81.074	39.171	-47.217	-78.889	-4.503
SNB-LD2P	65.85	0.000	-108.480	-5.526	-55.976	-108.480	-55.988	-5.533	-5.550
SNB-LD21	58.00	95.341	-93.276	-93.276	55.976	46.046	95.341	82.160	-5.496
SNB-LD22	58.09	95.685	-93.126	82.604	95.685	46.193	-55.779	-93.126	-5.339
SNB-LD3P	73.68	0.000	-121.370	-5.579	-62.285	-121.370	-62.239	-5.588	-5.602
SNB-LD31	65.57	108.009	-104.242	-104.242	62.220	52.440	108.009	93.312	-5.535
SNB-LD32	65.65	108.141	-104.092	93.446	108.141	52.583	-62.072	-104.092	-5.384
SNB-LA1P	44.88	0.000	-138.311	-6.502	-71.002	-138.311	-71.011	-6.504	-6.555
SNB-LA11	39.77	122.542	-118.722	-118.722	70.917	59.445	122.542	105.882	6.476
SNB-LA12	39.81	122.680	-118.578	106.020	122.680	59.593	-70.772	-118.578	-6.327
SNB-LA2P	51.26	0.000	-157.952	-7.524	-81.107	-157.952	-81.113	-7.524	-7.545
SNB-LA21	45.37	139.821	-135.572	-135.572	81.023	67.809	139.821	120.809	7.456
SNB-LA22	45.42	139.962	-135.430	120.948	139.962	67.955	-80.880	-135.430	-7.308
SNB-LA3P	55.62	0.000	-171.382	-7.653	-87.691	-171.382	-87.694	-7.651	-7.667
SNB-LA31	49.55	152.630	-146.980	-146.980	87.601	74.367	152.630	131.961	-7.574
SNB-LA32	49.57	152.765	-146.844	132.095	152.765	74.509	-87.462	-146.844	-7.431


URS Connecticut - butternut hollow greenwich, ct

SNB-L4	61.97	0.000	-190.970	-9.351	-98.096	-190.970	-98.100	-9.350	-9.306
SNB-L4	54.70	168.544	-163.811	-97.995	81.710	168.544	145.622	-9.210	-9.210
SNB-L4	54.74	168.674	-163.680	145.750	168.674	81.847	-97.863	-163.680	-9.074
SNB-L4	58.78	0.000	-211.954	-10.146	-108.660	-211.954	-108.663	-10.145	-10.102
SNB-L4	60.78	187.290	-181.669	-108.669	-108.560	91.013	187.290	161.889	-10.006
SNB-L4	63.63	187.413	-181.545	162.011	187.413	91.143	187.433	-181.545	-9.877
SNB-L5	55.98	206.374	-234.554	-11.535	-120.285	-234.554	-120.289	-11.534	-11.478
SNB-L5	56.02	206.490	-200.949	-209.949	-120.188	100.228	206.374	178.391	-11.384
SNB-L5	61.52	0.000	-200.833	178.505	206.490	100.351	-120.068	-200.833	-11.263
SNB-L5	61.55	226.786	-258.068	-12.687	-132.222	-258.068	-132.225	-12.685	-12.628
SNB-L5	61.55	226.896	-220.956	-120.956	110.253	226.786	196.085	-12.537	-12.537
SNB-L5	76.07	0.000	-280.418	-13.099	-143.196	-280.418	-143.198	-13.098	-13.017
SNB-L5	76.15	247.536	-239.837	-239.837	-143.108	120.828	247.536	214.175	-12.930
SNB-L5	76.18	247.640	-239.751	214.279	247.640	120.938	-142.998	-239.751	-12.821
SNB-L5	82.98	0.000	-305.906	-16.331	-157.127	-305.906	-157.128	-16.330	-16.241
SNB-L5	72.08	265.697	-261.789	-261.789	157.039	128.721	265.697	229.655	-16.157
SNB-L5	72.10	265.796	-261.688	229.754	265.796	128.824	-156.937	-261.688	-16.053
SNB-L6	68.86	0.000	-319.289	-6.171	-158.235	-319.289	-158.234	-6.170	-6.115
SNB-L6	64.33	298.276	-271.383	-271.383	-158.151	150.593	298.276	259.447	-6.035
SNB-L6	64.35	298.370	-271.287	259.541	298.370	150.687	-158.055	-271.287	-5.937
SNB-L6	78.71	0.000	-364.952	-26.692	-190.805	-364.952	-190.801	-26.691	-26.586
SNB-L6	67.50	301.901	-312.996	-312.996	-190.724	142.666	301.901	260.062	-26.510
SNB-L6	67.48	301.990	-312.904	260.151	301.990	142.750	-190.635	-312.904	-26.417
Connect	0.00	0.528	-0.005	0.128	0.344	0.528	0.229	-0.005	0.063
Connect	0.00	0.166	0.000	0.160	0.166	0.147	0.019	0.000	0.062
Connect	0.00	0.315	-0.267	-0.221	-0.267	-0.075	0.199	0.315	0.047
Connect	0.00	0.327	-0.040	-0.040	0.097	0.327	-0.279	0.172	0.069
Connect	0.00	0.940	-0.948	0.940	0.580	-0.409	-0.948	-0.821	0.066
Connect	0.00	0.301	-0.172	-0.172	-0.138	0.086	0.272	0.301	0.066
Connect	0.00	0.794	-0.243	0.384	0.693	0.794	0.151	-0.243	0.073
Connect	0.00	0.291	-0.158	0.291	0.249	0.060	-0.139	-0.158	0.068
Connect	0.00	0.621	-0.693	-0.481	-0.693	-0.487	0.259	0.621	0.073
Connect	0.00	0.462	-0.034	-0.034	0.162	0.462	0.359	0.188	0.079
Connect	0.00	0.629	-0.578	0.629	0.389	-0.242	-0.578	-0.487	0.074
Connect	0.00	0.179	0.000	0.026	0.075	0.179	0.168	0.132	0.081
Connect	0.00	0.182	-0.194	0.182	0.001	-0.194	-0.101	0.060	0.126
Connect	0.00	0.695	-0.341	-0.341	-0.109	0.503	0.695	0.581	0.123
Connect	0.00	0.336	-0.057	0.306	0.336	0.281	0.029	-0.057	0.128
Connect	0.00	0.356	0.000	0.062	0.187	0.356	0.253	0.135	0.101
Connect	0.00	0.300	-0.146	0.300	-0.025	-0.021	-0.146	-0.110	0.097
Connect	0.00	0.258	-0.082	0.000	-0.069	-0.082	0.046	0.213	0.268
Connect	0.00	0.860	0.000	0.128	0.128	0.491	0.860	0.481	0.101
Connect	0.00	0.775	-0.636	0.775	0.517	0.213	-0.636	-0.555	0.114
Connect	0.00	0.787	-0.653	-0.561	-0.653	-0.228	0.523	0.787	0.117
Connect	0.00	0.428	0.000	0.161	0.278	0.428	0.301	0.177	0.180
Connect	0.00	0.284	0.000	0.284	0.227	0.122	0.068	0.082	0.180
Connect	0.00	0.280	0.000	0.093	0.081	0.132	0.231	0.280	0.183
Connect	0.01	1.211	0.000	0.372	0.798	1.211	0.787	0.359	0.362
Connect	0.00	1.129	-0.552	1.129	0.821	-0.059	-0.552	-0.441	0.358
Connect	0.00	1.140	-0.577	-0.454	-0.577	-0.066	0.833	1.140	0.358
Connect	0.00	0.803	0.000	0.264	0.512	0.803	0.541	0.286	0.286
Connect	0.00	0.732	-0.217	0.732	0.540	0.040	-0.217	-0.164	0.285
Connect	0.00	0.686	-0.203	-0.153	-0.203	0.049	0.541	0.723	0.285
Connect	0.00	0.521	0.000	0.345	0.517	0.686	0.488	0.303	0.333
Connect	0.00	0.541	0.000	0.321	0.429	0.214	0.430	0.541	0.334
Connect	0.01	1.249	0.000	0.118	0.065	0.172	0.946	0.636	0.633
Connect	0.01	1.353	-0.237	1.353	0.935	1.249	0.946	0.636	0.633
Connect	0.01	1.266	-0.143	-0.057	-0.143	0.297	1.032	-0.141	0.629
Connect	0.00	0.853	0.000	0.391	0.615	0.853	0.583	1.266	0.626
Connect	0.00	0.627	0.000	0.627	0.501	0.232	0.127	0.344	0.388
Connect	0.00	0.651	0.000	0.138	0.081	0.181	0.501	0.651	0.392
Connect	0.01	1.628	0.000	0.427	1.015	1.628	1.039	0.445	0.429
Connect	0.01	1.495	-0.818	1.495	1.060	-0.170	-0.818	-0.664	0.429
Connect	0.01	1.488	-0.806	-0.655	-0.806	-0.164	1.061	1.408	0.430
Connect	0.01	3.364	0.000	0.768	2.034	3.364	2.029	0.759	0.801
Connect	0.01	3.025	-1.806	3.025	2.075	-0.526	-1.806	-1.492	0.799
Connect	0.01	3.029	-1.823	-1.500	-1.823	-0.530	2.093	3.029	0.798
Connect	0.00	0.575	-0.420	0.544	0.058	-0.420	0.072	0.552	0.575
Connect	0.01	1.724	-0.427	-0.427	-0.027	1.132	1.724	-0.427	0.579
Connect	0.01	1.729	-0.427	1.580	1.729	1.137	-0.021	-0.427	0.582
Connect	0.00	0.608	-0.768	0.608	-0.047	-0.768	-0.047	0.606	0.569
Connect	0.01	1.710	-0.481	-0.481	0.023	1.233	1.710	1.555	0.572

URS Connecticut - butternut hollow greenwich, ct

Connect	Connect Eb2	0.01	1.706	-0.478	1.555	1.706	1.237	0.031	-0.478	0.574
Connect	Connect FP	0.00	0.780	0.000	0.636	0.444	0.331	0.448	0.638	0.780
Connect	Connect F1	0.01	1.355	0.000	0.324	0.419	0.953	1.355	1.247	0.782
Connect	Connect F2	0.01	1.353	0.000	0.247	1.353	0.958	0.424	0.323	0.782
Connect	Connect Fa1	0.01	1.260	0.000	0.873	1.117	1.260	1.121	0.872	0.751
Connect	Connect Fa2	0.01	1.235	-0.038	0.123	1.132	0.482	-0.038	0.101	0.753
Connect	Connect G1	0.01	1.236	-0.040	0.101	-0.040	0.476	1.132	1.236	0.754
Connect	Connect GP	0.01	2.503	0.000	0.529	1.405	2.503	1.408	0.530	0.770
Connect	Connect G1	0.01	2.159	-0.693	2.159	1.402	-0.194	-0.693	-0.576	0.772
Connect	Connect G2	0.01	2.159	-0.695	0.917	-0.577	1.597	1.403	2.159	0.772
Connect	Connect GaP	0.01	1.597	0.000	0.917	1.336	1.597	1.337	0.917	0.734
Connect	Connect Ga1	0.01	1.529	-0.534	1.529	1.338	0.273	-0.534	-0.308	0.734
Connect	Connect Ga2	0.01	1.530	-0.536	0.308	-0.536	0.271	1.340	1.530	0.734
Connect	Connect HP	0.01	1.348	0.000	1.051	1.024	1.340	1.025	1.051	1.348
Connect	Connect H1	0.01	1.766	0.000	1.136	1.023	1.301	1.766	1.625	1.349
Connect	Connect H2	0.01	1.765	0.000	1.625	1.765	1.302	1.024	1.136	1.348
Connect	Connect HaP	0.01	2.190	0.000	1.035	1.686	2.190	1.686	1.035	0.840
Connect	Connect Ha1	0.01	2.044	0.000	1.035	1.686	2.190	1.686	1.035	0.840
Connect	Connect Ha2	0.01	2.044	0.000	1.035	1.686	2.190	1.686	1.035	0.840
Connect	Connect IF	0.01	2.045	-0.917	2.044	1.686	0.132	-0.917	-0.625	0.840
Connect	Connect I1	0.03	7.816	0.000	4.858	6.186	7.816	6.186	2.045	0.841
Connect	Connect I2	0.03	7.300	0.000	7.300	6.186	3.659	2.772	2.986	5.128
Connect	Connect Iap	0.00	0.589	-0.945	-0.854	-0.112	0.589	-0.112	-0.853	0.945
Connect	Connect Ia1	0.01	0.375	-2.690	0.375	-1.754	-2.690	-0.111	-0.853	-0.945
Connect	Connect Ia2	0.01	0.376	-2.690	-2.437	-1.754	-1.753	-0.111	0.376	-0.944
SNB-H1	SNB-H1P	0.25	0.295	-0.204	-0.204	-0.075	0.219	0.295	0.227	0.012
SNB-H1	SNB-H12	0.27	0.319	-0.259	-0.259	-0.144	0.190	0.319	0.276	0.008
SNB-H1	SNB-H2P	0.12	0.136	-0.146	0.136	0.084	-0.054	-0.146	-0.132	0.002
SNB-H1	SNB-H21	0.32	0.268	-0.241	-0.241	-0.174	0.088	0.268	0.267	0.015
SNB-H1	SNB-H22	0.21	0.178	-0.280	-0.280	-0.134	0.249	0.383	0.312	0.015
SNB-H1	SNB-H3P	0.84	0.995	-0.245	0.178	0.045	-0.202	-0.245	-0.156	0.014
SNB-H1	SNB-H31	0.56	0.168	-0.561	0.888	0.995	0.564	-0.267	-0.561	0.167
SNB-H1	SNB-H32	0.82	0.973	-0.660	0.134	-0.271	-0.660	0.240	0.168	0.164
SNB-H1	SNB-H4P	1.82	2.157	-0.585	-0.585	-0.274	0.538	0.973	0.876	0.165
SNB-H1	SNB-H41	1.23	0.386	-1.453	0.386	-0.508	-1.453	-0.608	-1.239	0.375
SNB-H2	SNB-H42	1.83	2.164	-1.233	1.233	-0.587	1.233	2.164	0.319	0.389
SNB-H2	SNB-H5P	1.82	3.246	-2.039	2.888	3.246	1.843	-1.005	-2.039	0.452
SNB-H2	SNB-H51	1.37	0.446	-2.448	0.404	-0.998	-2.448	0.986	0.418	0.446
SNB-H2	SNB-H52	1.81	3.233	-2.038	-2.038	-1.012	1.827	3.233	2.879	0.448
SNB-H2	SNB-H6P	0.53	0.953	-0.657	0.884	0.953	0.728	-0.181	-0.657	0.226
SNB-H2	SNB-H61	0.49	0.316	-0.881	0.316	-0.213	-0.881	-0.214	0.314	0.223
SNB-H2	SNB-H62	0.53	0.954	-0.660	-0.660	-0.183	0.729	0.954	0.884	0.224
SNB-H2	SNB-H7P	0.13	0.156	-0.232	-0.118	-0.232	0.131	0.156	-0.069	0.089
SNB-H2	SNB-H72	0.13	0.262	-0.189	0.262	0.151	-0.189	0.151	0.262	0.088
SNB-H2	SNB-H71	0.13	0.156	-0.232	-0.069	0.156	0.131	-0.232	-0.118	0.088
SNB-H2	SNB-H8P	0.79	1.415	0.000	0.396	0.193	0.873	1.415	1.333	1.082
SNB-H2	SNB-H81	0.79	1.415	0.000	1.295	1.414	1.271	1.415	1.295	1.082
SNB-H2	SNB-H82	0.79	1.416	0.000	1.333	1.416	0.875	0.193	0.397	1.082
SNB-H2	SNB-H9P	5.70	10.196	0.000	9.946	9.826	10.196	10.175	9.917	10.131
SNB-H2	SNB-H91	5.77	10.314	0.000	10.314	10.175	9.780	10.175	10.314	10.131
SNB-H2	SNB-H92	5.70	10.196	0.000	9.917	10.175	10.196	9.827	9.946	10.131





Twist and Out-of-Plumb for "W+I -90 deg":

Elevation (ft)	Twist (deg)	Sway (deg)	Out of Plumb (in)
0.00	0.00	0.00	0.00
10.00	-0.00	0.04	0.03
20.00	-0.00	0.07	0.23
30.00	-0.00	0.11	0.42
40.00	-0.00	0.18	0.84
50.00	-0.00	0.21	1.24
60.00	-0.00	0.28	1.86
70.00	-0.00	0.31	2.47
80.00	-0.00	0.38	3.29
90.00	-0.00	0.41	3.85
100.00	-0.01	0.45	4.47
110.00	-0.01	0.48	5.15
120.00	-0.01	0.52	5.86
130.00	-0.01	0.57	6.66
140.00	-0.01	0.60	7.50

126.66	-0.01	0.64	8.39
133.34	-0.01	0.66	9.35
140.00	-0.01	0.69	10.31
145.00	-0.01	0.73	11.08
150.00	-0.01	0.73	11.85
155.00	-0.00	0.74	12.62
160.00	-0.00	0.75	13.41
165.00	-0.00	0.76	14.20
170.00	-0.00	0.76	15.00
175.00	0.00	0.77	15.80
180.00	0.00	0.77	16.61

Twist and Out-of-Plumb for "W+I -60 deg":

Elevation	Twist	Sway	Out of Plumb
(ft)	(deg)	(deg)	(in)
0.00	0.00	0.00	0.00
10.00	0.00	0.04	0.02
20.00	0.00	0.07	0.23
30.00	0.00	0.11	0.42
40.00	0.00	0.18	0.83
50.00	0.00	0.21	1.23
60.00	0.00	0.28	1.85
70.00	0.00	0.31	2.45
80.00	0.00	0.37	3.26
86.66	0.00	0.41	3.82
93.34	0.00	0.44	4.44
100.00	0.01	0.48	5.11
106.66	0.01	0.51	5.82
113.34	0.01	0.57	6.62
120.00	0.01	0.60	7.45
126.66	0.01	0.64	8.34
133.34	0.02	0.67	9.29
140.00	0.02	0.69	10.25
145.00	0.02	0.72	11.01
150.00	0.03	0.73	11.78
155.00	0.03	0.74	12.54
160.00	0.03	0.75	13.33
165.00	0.04	0.76	14.12
170.00	0.04	0.76	14.91
175.00	0.05	0.76	15.72
180.00	0.05	0.76	16.51

Twist and Out-of-Plumb for "W+I 0 deg":

Elevation	Twist	Sway	Out of Plumb
(ft)	(deg)	(deg)	(in)
0.00	0.00	0.00	0.00
10.00	0.00	0.04	0.03
20.00	0.00	0.07	0.23
30.00	0.00	0.12	0.43
40.00	0.01	0.18	0.85
50.00	0.01	0.22	1.27
60.00	0.01	0.28	1.90
70.00	0.01	0.32	2.52
80.00	0.01	0.38	3.35
86.66	0.02	0.42	3.93
93.34	0.02	0.45	4.57
100.00	0.02	0.49	5.25
106.66	0.02	0.53	5.98
113.34	0.03	0.58	6.80
120.00	0.03	0.61	7.65
126.66	0.04	0.65	8.56
133.34	0.04	0.69	9.53
140.00	0.05	0.70	10.51
145.00	0.05	0.74	11.29
150.00	0.06	0.75	12.08
155.00	0.07	0.75	12.86

160.00 0.08 0.77 13.66
 165.00 0.08 0.77 14.47
 170.00 0.09 0.78 15.28
 175.00 0.10 0.78 16.10
 180.00 0.10 0.78 16.92

Twist and Out-of-Plumb for "W+I 60 deg":

Elevation	Twist (ft)	Sway (deg)	Out of Plumb (deg)	Out of Plumb (in)
0.00	0.00	0.00	0.00	0.00
10.00	0.00	0.04	0.02	0.02
20.00	0.00	0.07	0.23	0.23
30.00	0.00	0.11	0.42	0.42
40.00	0.00	0.18	0.83	0.83
50.00	0.01	0.21	1.23	1.23
60.00	0.01	0.28	1.85	1.85
70.00	0.01	0.31	2.45	2.45
80.00	0.01	0.37	3.26	3.26
90.00	0.01	0.41	3.82	3.82
100.00	0.02	0.47	5.11	5.11
110.00	0.02	0.51	5.82	5.82
120.00	0.02	0.57	6.62	6.62
130.00	0.02	0.60	7.45	7.45
140.00	0.03	0.67	8.34	8.34
150.00	0.03	0.69	9.29	9.29
160.00	0.04	0.73	10.24	10.24
170.00	0.04	0.73	11.77	11.77
180.00	0.04	0.73	12.53	12.53
190.00	0.04	0.75	13.32	13.32
200.00	0.04	0.75	14.11	14.11
210.00	0.05	0.76	14.91	14.91
220.00	0.05	0.76	15.70	15.70
230.00	0.05	0.76	16.50	16.50

Twist and Out-of-Plumb for "W+I 90 deg":

Elevation	Twist (ft)	Sway (deg)	Out of Plumb (deg)	Out of Plumb (in)
0.00	0.00	0.00	0.00	0.00
10.00	0.00	0.04	0.03	0.03
20.00	0.00	0.07	0.23	0.23
30.00	0.00	0.11	0.42	0.42
40.00	0.00	0.18	0.84	0.84
50.00	0.00	0.21	1.24	1.24
60.00	0.00	0.28	1.86	1.86
70.00	0.00	0.31	2.47	2.47
80.00	0.00	0.37	3.28	3.28
90.00	0.00	0.41	3.85	3.85
100.00	0.01	0.45	4.47	4.47
110.00	0.01	0.48	5.15	5.15
120.00	0.01	0.52	5.85	5.85
130.00	0.01	0.57	6.66	6.66
140.00	0.01	0.60	7.49	7.49
150.00	0.01	0.64	8.39	8.39
160.00	0.01	0.68	9.34	9.34
170.00	0.01	0.69	10.30	10.30
180.00	0.01	0.73	11.07	11.07
190.00	0.01	0.73	11.84	11.84
200.00	0.00	0.74	12.61	12.61
210.00	0.00	0.75	13.40	13.40
220.00	0.00	0.76	14.19	14.19
230.00	0.00	0.76	14.99	14.99
240.00	0.00	0.76	15.79	15.79
250.00	0.00	0.77	16.59	16.59

Twist and Out-of-Plumb for "DL + Ice Only":

Elevation	Twist	Sway	Out of Plumb
(ft)	(deg)	(deg)	(in)
0.00	0.00	0.00	0.00
10.00	-0.00	0.04	0.00
20.00	-0.00	-0.01	0.00
30.00	-0.00	0.00	0.00
40.00	-0.00	-0.00	0.00
50.00	-0.00	-0.00	0.00
60.00	-0.00	0.00	0.00
70.00	-0.00	-0.00	0.00
80.00	-0.00	0.00	0.00
86.66	-0.00	-0.00	0.00
93.34	-0.00	-0.00	0.00
100.00	0.00	-0.00	0.00
106.66	0.00	-0.00	0.00
113.34	0.00	-0.00	0.00
120.00	0.00	0.00	0.00
126.66	0.00	-0.00	0.00
133.34	0.00	-0.00	0.01
140.00	0.00	0.00	0.01
145.00	0.00	-0.00	0.01
150.00	0.00	0.00	0.01
155.00	0.00	-0.00	0.01
160.00	0.00	0.00	0.01
165.00	0.00	-0.00	0.01
170.00	0.00	0.00	0.01
175.00	0.00	-0.00	0.01
180.00	0.00	-0.00	0.01

Equilibrium Joint Positions and Rotations for Load Case "W-I -90 deg":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnAP	-0.0002187	-1.384	-0.0377	0.0000	0.0000	0.0000	4.333	-1.384	179.9
RohnBP	-0.0008076	-1.118	-0.0778	0.0000	0.0000	0.0000	5.112	-1.118	159.9
RohnCP	-0.001404	-0.8398	-0.0677	0.0000	0.0000	0.0000	5.908	-0.8398	139.9
RohnDP	-0.001969	-0.6256	-0.0576	0.0000	0.0000	0.0000	6.693	-0.6256	119.9
RohnEP	-0.002749	-0.4297	-0.0473	0.0000	0.0000	0.0000	7.479	-0.4297	99.9
RohnFP	-0.002974	-0.2744	-0.0377	0.0000	0.0000	0.0000	8.265	-0.2744	79.9
RohnGP	-0.003412	-0.1454	-0.0282	0.0000	0.0000	0.0000	9.052	-0.1454	59.9
RohnHP	-0.003754	-0.0695	-0.0189	0.0000	0.0000	0.0000	9.837	-0.0695	39.9
RohnIP	-0.003662	-0.0191	-0.0094	0.0000	0.0000	0.0000	10.63	-0.0191	19.9
RohnJP	0	0	0	0.0000	0.0000	0.0000	11.42	0	0
SNB-AP	0.0005695	-1.384	-0.0819	0.0000	0.0000	0.0000	2.334	-1.384	179.9
SNB-BP	-1.982e-003	-1.118	-0.0722	0.0000	0.0000	0.0000	3.121	-1.118	159.9
SNB-CP	-0.0006168	-0.8601	-0.0625	0.0000	0.0000	0.0000	3.907	-0.8601	139.9
SNB-DP	-0.001184	-0.626	-0.0530	0.0000	0.0000	0.0000	4.694	-0.626	119.9
SNB-EP	-0.001707	-0.4293	-0.0436	0.0000	0.0000	0.0000	5.479	-0.4293	99.9
SNB-FP	-0.002192	-0.2741	-0.0347	0.0000	0.0000	0.0000	6.266	-0.2741	79.9
SNB-GP	-0.00263	-0.1445	-0.0259	0.0000	0.0000	0.0000	7.052	-0.1445	59.9
SNB-HP	-0.002973	-0.0694	-0.0173	0.0000	0.0000	0.0000	7.838	-0.0694	39.9
SNB-IP	-0.002881	-0.0183	-0.0086	0.0000	0.0000	0.0000	8.625	-0.0183	19.9
SNB-JP	0	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnA1	0.002546	-1.382	-0.137	0.0000	0.0000	0.0000	-2.164	-5.135	179.9
RohnA2	0.002041	-1.386	-0.0387	0.0000	0.0000	0.0000	-2.164	2.367	180
RohnB1	0.001861	-1.115	-0.1346	0.0000	0.0000	0.0000	-2.559	-5.55	159.9
RohnB2	0.002461	-1.119	-0.0209	0.0000	0.0000	0.0000	-2.559	3.316	160
RohnC1	0.00107	-0.8571	-0.1284	0.0000	0.0000	0.0000	-2.953	-5.974	139.9
RohnC2	0.003003	-0.8619	-0.0691	0.0000	0.0000	0.0000	-2.951	4.255	140
RohnD1	0.0007388	-0.6228	-0.1178	0.0000	0.0000	0.0000	-3.347	-6.421	119.9
RohnD2	0.003141	-0.628	-0.00289	0.0000	0.0000	0.0000	-3.344	5.17	120
RohnE1	0.001038	-0.4262	-0.1009	0.0000	0.0000	0.0000	-3.739	-6.905	99.9
RohnE2	0.002698	-0.4317	-0.06362	0.0000	0.0000	0.0000	-3.738	6.047	100
RohnF1	0.001213	-0.2709	-0.08406	0.0000	0.0000	0.0000	-4.133	-7.431	79.92
RohnF2	0.002574	-0.2767	-0.008835	0.0000	0.0000	0.0000	-4.133	6.894	80.01
RohnG1	0.001786	-0.1513	-0.06535	0.0000	0.0000	0.0000	-4.526	-7.993	59.93
RohnG2	0.00213	-0.1575	-0.00936	0.0000	0.0000	0.0000	-4.526	7.684	60.01
RohnH1	0.001913	-0.06606	-0.04544	0.0000	0.0000	0.0000	-4.919	-8.589	39.95
RohnH2	0.002142	-0.07261	-0.00725	0.0000	0.0000	0.0000	-4.918	8.45	40.01
RohnI1	0.002065	-0.02528	-0.02235	0.0000	0.0000	0.0000	-5.313	-9.221	19.98
RohnI2	0.001759	-0.02156	-0.003493	0.0000	0.0000	0.0000	-5.313	9.184	20
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-5.71	-9.89	0
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-5.71	9.89	0
SNB-A1	0.001933	-1.383	-0.1088	0.0000	0.0000	0.0000	-1.165	-3.403	179.9
SNB-A2	0.001933	-1.385	-0.05498	0.0000	0.0000	0.0000	-1.165	0.6356	179.9
SNB-B1	0.001804	-1.115	-0.1073	0.0000	0.0000	0.0000	-1.559	-3.819	159.9
SNB-B2	0.001803	-1.119	-0.03704	0.0000	0.0000	0.0000	-1.559	1.584	160
SNB-C1	0.001631	-0.8585	-0.1037	0.0000	0.0000	0.0000	-1.952	-4.243	139.9
SNB-C2	0.00169	-0.8617	-0.02132	0.0000	0.0000	0.0000	-1.952	2.523	140
SNB-D1	0.001471	-0.6243	-0.09618	0.0000	0.0000	0.0000	-2.346	-4.69	119.9
SNB-D2	0.00161	-0.6279	-0.009686	0.0000	0.0000	0.0000	-2.346	3.438	120
SNB-E1	0.001399	-0.4274	-0.08297	0.0000	0.0000	0.0000	-2.739	-5.174	99.92
SNB-E2	0.00156	-0.4314	-0.004118	0.0000	0.0000	0.0000	-2.739	4.315	100
SNB-F1	0.00144	-0.272	-0.07122	0.0000	0.0000	0.0000	-3.133	-5.7	79.93
SNB-F2	0.001504	-0.2764	-0.001853	0.0000	0.0000	0.0000	-3.133	5.152	80
SNB-G1	0.001506	-0.152	-0.05599	0.0000	0.0000	0.0000	-3.526	-6.262	59.94
SNB-G2	0.001511	-0.1569	-0.004164	0.0000	0.0000	0.0000	-3.526	5.953	60
SNB-H1	0.001563	-0.06678	-0.03952	0.0000	0.0000	0.0000	-3.919	-6.857	39.96
SNB-H2	0.001598	-0.07205	-0.004937	0.0000	0.0000	0.0000	-3.919	6.718	40
SNB-I1	0.001459	-0.01584	-0.01984	0.0000	0.0000	0.0000	-4.313	-7.488	19.98
SNB-I2	0.001463	-0.02083	-0.002594	0.0000	0.0000	0.0000	-4.313	7.451	20
SNB-J1	0	0	0	0.0000	0.0000	0.0000	-4.707	-8.154	0
SNB-J2	0	0	0	0.0000	0.0000	0.0000	-4.707	8.154	0
RohnAas	-0.0003328	-1.317	-0.08527	0.0000	0.0000	0.0000	4.53	-1.317	174.9
RohnAas	-0.0005184	-1.25	-0.08283	0.0000	0.0000	0.0000	4.726	-1.25	169.9
RohnAas	-0.0006076	-1.184	-0.08037	0.0000	0.0000	0.0000	4.923	-1.184	164.9
RohnAas	-0.0008999	-1.032	-0.07539	0.0000	0.0000	0.0000	5.317	-1.032	154.9
RohnBbs	-0.00117	-0.9877	-0.07292	0.0000	0.0000	0.0000	5.514	-0.9877	149.9

URS Connecticut ~ butternut hollow greenwich, ct

RohnBcs	-0.00118	-0.9236	-0.07038	0.0000	0.0000	0.0000	0.0000	5.711	-0.9236	144.9
RohnCbs	-0.001503	-0.7797	-0.06442	0.0000	0.0000	0.0000	0.0000	6.169	-0.7797	133.3
RohnDbs	-0.001669	-0.7002	-0.06099	0.0000	0.0000	0.0000	0.0000	6.432	-0.7002	126.6
RohnEbs	-0.002026	-0.556	-0.05421	0.0000	0.0000	0.0000	0.0000	6.955	-0.556	113.3
RohnFas	-0.002171	-0.4888	-0.05076	0.0000	0.0000	0.0000	0.0000	7.217	-0.4888	106.6
RohnGas	-0.002574	-0.3736	-0.04416	0.0000	0.0000	0.0000	0.0000	7.74	-0.3736	93.6
RohnHas	-0.00271	-0.3214	-0.04091	0.0000	0.0000	0.0000	0.0000	8.003	-0.3214	86.62
RohnIas	-0.002822	-0.2061	-0.03292	0.0000	0.0000	0.0000	0.0000	8.659	-0.2061	69.97
RohnJas	-0.003276	-0.104	-0.02354	0.0000	0.0000	0.0000	0.0000	9.445	-0.104	49.98
RohnKas	-0.003844	-0.03532	-0.0142	0.0000	0.0000	0.0000	0.0000	10.23	-0.03532	29.99
RohnLas	-0.004553	-0.002155	-0.005028	0.0000	0.0000	0.0000	0.0000	11.02	-0.002155	9.995
RohnMas	-0.005157	-1.317	-0.07953	0.0000	0.0000	0.0000	0.0000	2.53	-1.317	174.9
RohnNas	-0.005696	-1.25	-0.0712	0.0000	0.0000	0.0000	0.0000	2.727	-1.25	169.9
RohnOas	-0.006184	-1.183	-0.07468	0.0000	0.0000	0.0000	0.0000	2.924	-1.183	164.9
RohnPas	-0.006699	-1.052	-0.06983	0.0000	0.0000	0.0000	0.0000	3.318	-1.052	154.9
RohnQas	-0.007288	-0.9869	-0.06741	0.0000	0.0000	0.0000	0.0000	3.711	-0.9869	149.9
RohnRas	-0.007924	-0.9225	-0.06498	0.0000	0.0000	0.0000	0.0000	4.169	-0.9225	144.9
RohnSas	-0.008593	-0.778	-0.05936	0.0000	0.0000	0.0000	0.0000	4.432	-0.778	133.3
RohnTas	-0.00924	-0.6993	-0.05615	0.0000	0.0000	0.0000	0.0000	4.955	-0.6993	126.6
RohnUas	-0.010124	-0.5542	-0.04984	0.0000	0.0000	0.0000	0.0000	5.218	-0.5542	113.3
RohnVas	-0.011387	-0.4878	-0.04669	0.0000	0.0000	0.0000	0.0000	5.741	-0.4878	106.6
RohnWas	-0.012791	-0.3732	-0.04064	0.0000	0.0000	0.0000	0.0000	6.004	-0.3732	93.3
RohnXas	-0.013928	-0.321	-0.03767	0.0000	0.0000	0.0000	0.0000	6.659	-0.321	86.62
RohnYas	-0.015053	-0.2053	-0.0303	0.0000	0.0000	0.0000	0.0000	7.446	-0.2053	69.97
RohnZas	-0.01647	-0.1037	-0.02161	0.0000	0.0000	0.0000	0.0000	8.231	-0.1037	49.98
RohnAa1	-0.01746	-0.03498	-0.01301	0.0000	0.0000	0.0000	0.0000	9.016	-0.03498	29.99
RohnBa1	-0.01848	-0.001647	-0.004691	0.0000	0.0000	0.0000	0.0000	-2.262	-0.001647	9.995
RohnCa1	-0.01946	-1.316	-0.1367	0.0000	0.0000	0.0000	0.0000	-2.263	-1.316	174.9
RohnDa1	-0.02044	-1.319	-0.1363	0.0000	0.0000	0.0000	0.0000	-2.361	-1.319	170
RohnEa1	-0.02146	-1.252	-0.12919	0.0000	0.0000	0.0000	0.0000	-2.46	-1.252	165
RohnFa1	-0.022154	-1.182	-0.1255	0.0000	0.0000	0.0000	0.0000	-2.657	-1.182	155
RohnGa1	-0.022595	-1.185	-0.1255	0.0000	0.0000	0.0000	0.0000	-2.756	-1.185	149.9
RohnHa1	-0.023169	-1.054	-0.11701	0.0000	0.0000	0.0000	0.0000	-2.855	-1.054	144.9
RohnIa1	-0.02377	-0.9845	-0.11328	0.0000	0.0000	0.0000	0.0000	-2.853	-0.9845	133.3
RohnJa1	-0.02448	-0.989	-0.11338	0.0000	0.0000	0.0000	0.0000	-3.083	-0.989	126.6
RohnKa1	-0.02486	-0.9205	-0.10338	0.0000	0.0000	0.0000	0.0000	-3.215	-0.9205	126.7
RohnLa1	-0.025376	-0.869	-0.09573	0.0000	0.0000	0.0000	0.0000	-3.478	-0.869	113.3
RohnMa1	-0.02574	-0.7811	-0.09098	0.0000	0.0000	0.0000	0.0000	-3.475	-0.7811	113.3
RohnNa1	-0.02611	-0.6978	-0.08453	0.0000	0.0000	0.0000	0.0000	-3.61	-0.6978	106.6
RohnOa1	-0.02653	-0.6026	-0.07791	0.0000	0.0000	0.0000	0.0000	-3.606	-0.6026	106.7
RohnPa1	-0.02693	-0.5529	-0.07129	0.0000	0.0000	0.0000	0.0000	-3.871	-0.5529	93.35
RohnQa1	-0.027376	-0.4869	-0.06474	0.0000	0.0000	0.0000	0.0000	-3.868	-0.4869	86.67
RohnRa1	-0.02781	-0.4921	-0.05908	0.0000	0.0000	0.0000	0.0000	-4.003	-0.4921	86.67
RohnSa1	-0.02824	-0.3764	-0.04767	0.0000	0.0000	0.0000	0.0000	-4.332	-0.3764	70.01
RohnTa1	-0.02869	-0.319	-0.03929	0.0000	0.0000	0.0000	0.0000	-4.725	-0.319	70.01
RohnUa1	-0.029169	-0.246	-0.03425	0.0000	0.0000	0.0000	0.0000	-5.119	-0.246	50.01
RohnVa1	-0.02963	-0.2069	-0.02919	0.0000	0.0000	0.0000	0.0000	-5.113	-0.2069	29.97
RohnWa1	-0.03004	-0.1818	-0.02457	0.0000	0.0000	0.0000	0.0000	-5.512	-0.1818	30.01
RohnXa1	-0.030452	-0.1316	-0.01866	0.0000	0.0000	0.0000	0.0000	-5.507	-0.1316	30.01
RohnYa1	-0.030863	-0.1046	-0.01429	0.0000	0.0000	0.0000	0.0000	-5.512	-0.1046	174.9
RohnZa1	-0.03125	-0.1046	-0.01429	0.0000	0.0000	0.0000	0.0000	-5.512	-0.1046	174.9
RohnAa2	-0.03164	-1.249	-0.1084	0.0000	0.0000	0.0000	0.0000	-1.263	-1.249	174.9
RohnBa2	-0.032042	-1.1252	-0.04573	0.0000	0.0000	0.0000	0.0000	-1.362	-1.1252	169.9
RohnCa2	-0.03242	-1.183	-0.108	0.0000	0.0000	0.0000	0.0000	-1.362	-1.183	169.9
RohnDa2	-0.03282	-1.185	-0.1067	0.0000	0.0000	0.0000	0.0000	-1.46	-1.185	170
RohnEa2	-0.03324	-1.051	-0.1067	0.0000	0.0000	0.0000	0.0000	-1.657	-1.051	164.9
RohnFa2	-0.03366	-0.9856	-0.1059	0.0000	0.0000	0.0000	0.0000	-1.657	-0.9856	154.9
RohnGa2	-0.03408	-0.9856	-0.1059	0.0000	0.0000	0.0000	0.0000	-1.756	-0.9856	154.9
RohnHa2	-0.03450	-0.9215	-0.1049	0.0000	0.0000	0.0000	0.0000	-1.756	-0.9215	149.9
RohnIa2	-0.03492	-0.9244	-0.1049	0.0000	0.0000	0.0000	0.0000	-1.854	-0.9244	149.9
RohnJa2	-0.03534	-0.7773	-0.1017	0.0000	0.0000	0.0000	0.0000	-2.084	-0.7773	145
RohnKa2	-0.03576	-0.7805	-0.1017	0.0000	0.0000	0.0000	0.0000	-2.084	-0.7805	133.2
RohnLa2	-0.03618	-0.6989	-0.09913	0.0000	0.0000	0.0000	0.0000	-2.083	-0.6989	133.3
RohnMa2	-0.03660	-0.6989	-0.09913	0.0000	0.0000	0.0000	0.0000	-2.216	-0.6989	126.6

Joint Displacements, Loads and Member Forces on Joints for Load Case "W+I -90 deg":

URS Connecticut - butternut hollow greenwich, ct

Rohn11	0.0000	-0.6987	-1.8611	0.0000	0.6987	1.8611	0.0021	-0.0153	-0.0224
Rohn12	0.0000	-0.5987	-1.8611	0.0000	0.6987	1.8611	0.0018	-0.0216	0.0035
RohnJ1	0.0000	-0.3573	-3.3622	-0.9677	-7.8748	-221.7455	0.0000	0.0000	0.0000
RohnJ2	0.0000	-0.3573	-0.9677	-8.4688	-16.5478	179.2468	0.0000	0.0000	0.0000
SNB-A1	0.0000	-0.2763	-0.2650	-0.0000	-0.2763	0.2650	0.0019	-1.3829	-0.1068
SNB-A2	0.0000	-0.2763	-0.2650	-0.0000	-0.2763	0.2650	0.0019	-1.3829	-0.1068
SNB-B1	0.0000	-0.5393	-0.5461	-0.0000	0.5393	0.5461	0.0018	-1.1162	-0.1073
SNB-B2	0.0000	-0.5393	-0.5461	-0.0000	0.5393	0.5461	0.0018	-1.1162	-0.1073
SNB-C1	0.0000	-0.5678	-0.6616	-0.0000	0.5678	0.6616	0.0016	-0.8585	-0.1037
SNB-C2	0.0000	-0.5678	-0.6616	-0.0000	0.5678	0.6616	0.0016	-0.8585	-0.1037
SNB-D1	0.0000	-0.6119	-0.7943	-0.0000	0.6119	0.7943	0.0015	-0.6243	-0.0962
SNB-D2	0.0000	-0.6119	-0.7943	-0.0000	0.6119	0.7943	0.0015	-0.6243	-0.0962
SNB-E1	0.0000	-0.6208	-0.9574	-0.0000	0.6208	0.9574	0.0014	-0.6279	-0.0097
SNB-E2	0.0000	-0.6208	-0.9574	-0.0000	0.6208	0.9574	0.0014	-0.6279	-0.0097
SNB-F1	0.0000	-0.7000	-1.2984	-0.0000	0.7000	1.2984	0.0016	-0.4274	-0.0830
SNB-F2	0.0000	-0.7000	-1.2984	-0.0000	0.7000	1.2984	0.0016	-0.4274	-0.0830
SNB-G1	0.0000	-0.7560	-1.6055	-0.0000	0.7560	1.6055	0.0015	-0.2764	0.0019
SNB-G2	0.0000	-0.7560	-1.6055	-0.0000	0.7560	1.6055	0.0015	-0.2764	0.0019
SNB-H1	0.0000	-0.7110	-1.7441	-0.0000	0.7110	1.7441	0.0016	-0.1569	0.0042
SNB-H2	0.0000	-0.7110	-1.7441	-0.0000	0.7110	1.7441	0.0016	-0.1569	0.0042
SNB-I1	0.0000	-0.6987	-1.8611	-0.0000	0.6987	1.8611	0.0015	-0.0721	0.0049
SNB-I2	0.0000	-0.6987	-1.8611	-0.0000	0.6987	1.8611	0.0015	-0.0721	0.0049
SNB-J1	0.0000	-0.3573	-0.9677	-0.0000	0.3573	0.9677	0.0015	-0.0208	0.0026
SNB-J2	0.0000	-0.3573	-0.9677	-0.0000	0.3573	0.9677	0.0015	-0.0208	0.0026
RohnAAs	0.0000	-0.3137	-0.9677	16.3307	-33.7448	279.2180	0.0000	0.0000	0.0000
RohnABs	0.0000	-0.4982	-0.3827	0.0000	0.4982	0.3827	-0.0003	-1.3168	-0.0853
RohnACs	0.0000	-0.7582	-0.3850	0.0000	0.7582	0.3850	-0.0005	-1.2504	-0.0828
RohnBAs	0.0000	-0.2630	-0.2811	0.0000	0.2630	0.2811	-0.0006	-1.1838	-0.0804
RohnBSs	0.0000	-1.1294	-1.2185	0.0000	1.1294	1.2185	-0.0009	-1.0518	-0.0754
RohnGAs	0.0000	-1.1760	-1.0823	0.0000	1.1760	1.0823	-0.0011	-0.9877	-0.0729
RohnCAs	0.0000	-1.3178	-1.1605	0.0000	1.3178	1.1605	-0.0012	-0.9236	-0.0704
RohnCSs	0.0000	-0.3836	-0.4594	0.0000	0.3836	0.4594	-0.0017	-0.7002	-0.0610
RohnDAs	0.0000	-1.0639	-1.1703	0.0000	1.0639	1.1703	-0.0020	-0.5560	-0.0542
RohnEAs	0.0000	-0.3071	-0.4138	0.0000	0.3071	0.4138	-0.0022	-0.4888	-0.0508
RohnFAs	0.0000	-0.5013	-0.6147	0.0000	0.5013	0.6147	-0.0026	-0.3736	-0.0442
RohnGAs	0.0000	-0.3137	-0.5437	0.0000	0.3137	0.5437	-0.0027	-0.3214	-0.0409
RohnHAs	0.0000	-0.3864	-0.7547	0.0000	0.3864	0.7547	-0.0028	-0.2661	-0.0329
RohnIAs	0.0000	-0.3414	-0.3696	0.0000	0.3414	0.3696	-0.0038	-0.0353	-0.0142
RohnJAs	0.0000	-0.3573	-0.9677	0.0000	0.3573	0.9677	-0.0062	-0.0022	-0.0050
SNB-AAs	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	0.0005	-1.3170	-0.0795
SNB-ABs	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	0.0003	-1.2503	-0.0771
SNB-ABs	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	0.0002	-1.1833	-0.0747
SNB-ABs	0.0000	-0.2630	-0.2811	0.0000	0.2630	0.2811	-0.0001	-1.0516	-0.0698
SNB-ABs	0.0000	-0.2630	-0.2811	0.0000	0.2630	0.2811	-0.0003	-0.9869	-0.0674
SNB-ABs	0.0000	-0.3048	-0.3805	0.0000	0.3048	0.3805	-0.0004	-0.9225	-0.0650
SNB-ABs	0.0000	-0.3071	-0.4138	0.0000	0.3071	0.4138	-0.0009	-0.6993	-0.0562
SNB-ABs	0.0000	-0.3137	-0.5437	0.0000	0.3137	0.5437	-0.0012	-0.5542	-0.0498
SNB-ABs	0.0000	-0.3696	-0.8508	0.0000	0.3696	0.8508	-0.0019	-0.3732	-0.0406
SNB-ABs	0.0000	-0.3414	-0.3696	0.0000	0.3414	0.3696	-0.0020	-0.3210	-0.0377
SNB-ABs	0.0000	-0.3573	-0.9677	0.0000	0.3573	0.9677	-0.0025	-0.2653	-0.0303
SNB-ABs	0.0000	-0.3137	-0.5437	0.0000	0.3137	0.5437	-0.0031	-0.1037	-0.0216
SNB-ABs	0.0000	-0.3696	-0.8508	0.0000	0.3696	0.8508	-0.0034	-0.0016	-0.0130
SNB-ABs	0.0000	-1.3513	-1.2185	0.0000	1.3513	1.2185	-0.0034	-0.0016	-0.0047
SNB-ABs	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	-0.0026	-1.3155	-0.1367
SNB-ABs	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	0.0024	-1.3187	-0.0336
SNB-ABs	0.0000	-0.4054	-0.3627	0.0000	0.4054	0.3627	0.0021	-1.2480	-0.1363
SNB-ABs	0.0000	-0.4247	-0.3600	0.0000	0.4247	0.3600	0.0021	-1.2523	-0.0292
SNB-ABs	0.0000	-1.0121	-0.3850	0.0000	1.0121	0.3850	0.0022	-1.1817	-0.1356
SNB-ABs	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	0.0026	-1.1853	-0.0249
SNB-ABs	0.0000	-0.2630	-0.2811	0.0000	0.2630	0.2811	0.0015	-1.0495	-0.1335
SNB-ABs	0.0000	-0.2630	-0.2811	0.0000	0.2630	0.2811	0.0028	-1.0537	-0.0170
SNB-ABs	0.0000	-1.1294	-1.2185	0.0000	1.1294	1.2185	0.0017	-0.9845	-0.1322
SNB-ABs	0.0000	-1.1294	-1.2185	0.0000	1.1294	1.2185	0.0025	-0.9890	-0.0134
SNB-ABs	0.0000	-1.0431	-0.9891	0.0000	1.0431	0.9891	0.0015	-0.9205	-0.1305
SNB-ABs	0.0000	-1.0431	-0.9891	0.0000	1.0431	0.9891	0.0026	-0.9250	-0.0100
SNB-ABs	0.0000	-1.3167	-1.1905	0.0000	1.3167	1.1905	0.0013	-0.7764	-0.1255
SNB-ABs	0.0000	-1.3178	-1.1605	0.0000	1.3177	1.1605	0.0027	-0.7811	-0.0030
SNB-ABs	0.0000	-0.3048	-0.3805	0.0000	0.3049	0.3805	0.0006	-0.4978	-0.1220
SNB-ABs	0.0000	-0.3048	-0.3805	0.0000	0.3048	0.3805	0.0032	-0.7026	0.0003
SNB-ABs	0.0000	-0.9218	-1.0738	0.0000	0.9218	1.0738	0.0008	-0.5529	-0.1129
SNB-ABs	0.0000	-0.9218	-1.0738	0.0000	0.9218	1.0738	0.0029	-0.5580	0.0047

URS Connecticut - butternut hollow greenwich, ct

RohnDb1	0.0000	-0.3071	-0.4138	0.0000	0.3071	0.4138	0.0001	-0.4869	-0.1072
RohnDb2	0.0000	-0.3071	-0.4138	0.0000	0.3071	0.4138	0.0035	-0.4921	0.0059
RohnEa1	0.0000	-0.3137	-0.5437	0.0000	0.3137	0.5437	0.0005	-0.3709	-0.0957
RohnEa2	0.0000	-0.3137	-0.5437	0.0000	0.3137	0.5437	0.0031	-0.3764	0.0076
RohnEb1	0.0000	-0.3137	-0.5437	0.0000	0.3137	0.5437	0.0004	-0.3190	-0.0901
RohnEb2	0.0000	-0.3137	-0.5437	0.0000	0.3137	0.5437	0.0032	-0.3246	0.0085
RohnFa1	0.0000	-0.3864	-0.7547	0.0000	0.3864	0.7547	-0.0013	-0.2069	-0.0751
RohnFa2	0.0000	-0.3864	-0.7547	0.0000	0.3864	0.7547	0.0045	-0.2125	0.0094
RohnGa1	0.0000	-0.3696	-0.8508	0.0000	0.3696	0.8508	-0.0011	-0.1046	-0.0557
RohnGa2	0.0000	-0.3696	-0.8508	0.0000	0.3696	0.8508	0.0044	-0.1108	0.0087
RohnHa1	0.0000	-0.3414	-0.8934	0.0000	0.3414	0.8934	-0.0009	-0.0360	-0.0343
RohnHa2	0.0000	-0.3414	-0.8934	0.0000	0.3414	0.8934	0.0046	-0.0429	0.0059
RohnIa1	0.0000	-0.3573	-0.9677	-0.0000	0.3573	0.9677	0.0009	-0.0001	-0.0117
RohnIa2	0.0000	-0.3573	-0.9677	-0.0000	0.3573	0.9677	0.0051	-0.0109	0.0017
SNB-Ra1	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	0.0018	-1.3162	-0.1086
SNB-Ra2	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	0.0020	-1.3180	-0.0503
SNB-Rb1	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	0.0018	-1.2490	-0.1084
SNB-Rb2	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	0.0016	-1.2515	-0.0457
SNB-Rc1	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	0.0020	-1.1826	-0.1080
SNB-Rc2	0.0000	-0.2763	-0.2650	0.0000	0.2763	0.2650	0.0020	-1.1847	-0.0413
SNB-Rd1	0.0000	-0.2630	-0.2811	-0.0000	0.2630	0.2811	0.0015	-1.0506	-0.1067
SNB-Rd2	0.0000	-0.2630	-0.2811	-0.0000	0.2630	0.2811	0.0019	-1.0532	-0.0328
SNB-Rb1	0.0000	-0.2630	-0.2811	-0.0000	0.2630	0.2811	0.0016	-0.9856	-0.1059
SNB-Rb2	0.0000	-0.2630	-0.2811	-0.0000	0.2630	0.2811	0.0018	-0.9885	-0.0288
SNB-Rc1	0.0000	-0.2630	-0.2811	-0.0000	0.2630	0.2811	0.0014	-0.9215	-0.1049
SNB-Rc2	0.0000	-0.2630	-0.2811	-0.0000	0.2630	0.2811	0.0020	-0.9244	-0.0249
SNB-Ca1	0.0000	-0.3048	-0.3805	-0.0000	0.3048	0.3805	0.0010	-0.7773	-0.1017
SNB-Cb1	0.0000	-0.3048	-0.3805	-0.0000	0.3048	0.3805	0.0021	-0.7805	-0.0169
SNB-Cb2	0.0000	-0.3048	-0.3805	-0.0000	0.3048	0.3805	0.0007	-0.6989	-0.0391
SNB-Da1	0.0000	-0.3071	-0.4138	-0.0000	0.3071	0.4138	0.0023	-0.7022	-0.0130
SNB-Da2	0.0000	-0.3071	-0.4138	-0.0000	0.3071	0.4138	0.0006	-0.5558	-0.0924
SNB-Db1	0.0000	-0.3071	-0.4138	-0.0000	0.3071	0.4138	0.0023	-0.5574	-0.0071
SNB-Db2	0.0000	-0.3071	-0.4138	-0.0000	0.3071	0.4138	0.0002	-0.4880	-0.0879
SNB-Ea1	0.0000	-0.3137	-0.5437	-0.0000	0.3137	0.5437	0.0020	-0.3761	-0.0795
SNB-Ea2	0.0000	-0.3137	-0.5437	-0.0000	0.3137	0.5437	0.0009	-0.3721	-0.0755
SNB-Eb1	0.0000	-0.3137	-0.5437	-0.0000	0.3137	0.5437	0.0021	-0.3201	-0.0755
SNB-Eb2	0.0000	-0.3137	-0.5437	-0.0000	0.3137	0.5437	0.0007	-0.3243	0.0003
SNB-Fa1	0.0000	-0.3864	-0.7547	-0.0000	0.3864	0.7547	-0.0014	-0.2078	-0.0640
SNB-Fa2	0.0000	-0.3864	-0.7547	-0.0000	0.3864	0.7547	0.0039	-0.2119	0.0034
SNB-Ga1	0.0000	-0.3696	-0.8508	-0.0000	0.3696	0.8508	-0.0011	-0.1055	-0.0481
SNB-Ga2	0.0000	-0.3696	-0.8508	-0.0000	0.3696	0.8508	0.0038	-0.1102	0.0049
SNB-Ha1	0.0000	-0.3414	-0.8934	-0.0000	0.3414	0.8934	-0.0011	-0.0368	-0.0301
SNB-Ha2	0.0000	-0.3414	-0.8934	-0.0000	0.3414	0.8934	0.0042	-0.0423	0.0041
SNB-Ia1	0.0000	-0.3573	-0.9677	-0.0000	0.3573	0.9677	0.0005	-0.0008	-0.0106
SNB-Ia2	0.0000	-0.3573	-0.9677	-0.0000	0.3573	0.9677	0.0049	-0.0102	0.0012

*** Analysis Results for Load Case No. 2 "w1 -60 deg" - Number of iterations in SAPS 12

Equilibrium Joint Positions and Rotations for Load Case "w1 -60 deg":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnAP	0.6865	-1.188	-0.1159	0.0000	0.0000	0.0000	5.019	-1.188	179.9
RohnBP	0.5537	-0.9588	-0.1104	0.0000	0.0000	0.0000	5.675	-0.9588	159.9
RohnCP	0.4253	-0.7375	-0.1025	0.0000	0.0000	0.0000	6.334	-0.7375	139.9
RohnDP	0.3086	-0.5364	-0.09216	0.0000	0.0000	0.0000	7.004	-0.5364	119.9
RohnEP	0.2105	-0.3683	-0.07811	0.0000	0.0000	0.0000	7.691	-0.3683	99.92
RohnFP	0.133	-0.235	-0.0643	0.0000	0.0000	0.0000	8.401	-0.235	79.94
RohnGP	0.07318	-0.1329	-0.04653	0.0000	0.0000	0.0000	9.128	-0.1329	59.95
RohnHP	0.03065	-0.08974	-0.03413	0.0000	0.0000	0.0000	9.872	-0.08974	39.97
RohnIP	0.005427	-0.01624	-0.01685	0.0000	0.0000	0.0000	10.64	-0.01624	19.98
RohnJP	0	0	0	0.0000	0.0000	0.0000	11.42	0	0
SNB-AP	0.6874	-1.192	-0.0973	0.0000	0.0000	0.0000	3.02	-1.192	179.9
SNB-BP	0.5545	-0.962	-0.09235	0.0000	0.0000	0.0000	3.676	-0.962	159.9
SNB-CP	0.4261	-0.7402	-0.08615	0.0000	0.0000	0.0000	4.334	-0.7402	139.9
SNB-DP	0.3094	-0.5387	-0.07778	0.0000	0.0000	0.0000	5.004	-0.5387	119.9
SNB-EP	0.2113	-0.3693	-0.0662	0.0000	0.0000	0.0000	5.692	-0.3693	99.93
SNB-FP	0.1338	-0.2358	-0.05368	0.0000	0.0000	0.0000	6.402	-0.2358	79.94
SNB-GP	0.07397	-0.1328	-0.04319	0.0000	0.0000	0.0000	7.129	-0.1328	59.96
SNB-HP	0.03144	-0.08971	-0.03006	0.0000	0.0000	0.0000	7.872	-0.08971	39.97
SNB-IP	0.006208	-0.01576	-0.01507	0.0000	0.0000	0.0000	8.634	-0.01576	19.98
SNB-JP	0	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnA1	0.6925	-1.192	-0.116	0.0000	0.0000	0.0000	-1.874	-4.944	179.9
RohnA2	0.686	-1.195	-0.0309	0.0000	0.0000	0.0000	-1.481	2.557	180
RohnB1	0.5593	-0.9617	-0.1104	0.0000	0.0000	0.0000	-2.001	-5.397	159.9
RohnB2	0.5543	-0.9657	-0.1243	0.0000	0.0000	0.0000	-2.006	3.469	160
RohnC1	0.4297	-0.7887	-0.1026	0.0000	0.0000	0.0000	-2.525	-5.856	139.9
RohnC2	0.4274	-0.7437	-0.002109	0.0000	0.0000	0.0000	-2.527	4.374	140
RohnD1	0.3126	-0.5366	-0.09214	0.0000	0.0000	0.0000	-3.035	-6.335	119.9
RohnD2	0.3118	-0.542	-0.1183	0.0000	0.0000	0.0000	-3.035	5.256	120
RohnE1	0.2152	-0.3671	-0.07808	0.0000	0.0000	0.0000	-3.525	-6.846	99.92
RohnE2	0.2144	-0.3726	-0.1428	0.0000	0.0000	0.0000	-3.526	6.106	100
RohnF1	0.138	-0.2331	-0.06429	0.0000	0.0000	0.0000	-3.996	-7.393	79.94
RohnF2	0.1375	-0.2391	-0.1358	0.0000	0.0000	0.0000	-3.997	6.921	80.02
RohnG1	0.07923	-0.1302	-0.04952	0.0000	0.0000	0.0000	-4.448	-7.972	59.95
RohnG2	0.07822	-0.1362	-0.1451	0.0000	0.0000	0.0000	-4.449	7.706	60.01
RohnH1	0.03685	-0.05665	-0.03412	0.0000	0.0000	0.0000	-4.884	-8.579	39.97
RohnH2	0.03617	-0.06311	-0.1163	0.0000	0.0000	0.0000	-4.884	8.459	40.01
RohnI1	0.01157	-0.01294	-0.01685	0.0000	0.0000	0.0000	-5.303	-9.219	19.98
RohnI2	0.01082	-0.01899	-0.005388	0.0000	0.0000	0.0000	-5.304	9.187	20.01
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-5.71	-9.89	0
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-5.71	9.89	0
SNB-A1	0.6887	-1.191	-0.0973	0.0000	0.0000	0.0000	-0.4778	-3.211	179.9
SNB-A2	0.6889	-1.193	-0.05091	0.0000	0.0000	0.0000	-0.4776	0.8278	179.9
SNB-B1	0.5564	-0.961	-0.09234	0.0000	0.0000	0.0000	-1.004	-3.668	159.9
SNB-B2	0.5565	-0.9634	-0.03178	0.0000	0.0000	0.0000	-1.004	1.739	160
SNB-C1	0.4284	-0.739	-0.08613	0.0000	0.0000	0.0000	-1.526	-4.123	139.9
SNB-C2	0.4286	-0.742	-0.01519	0.0000	0.0000	0.0000	-1.525	2.642	140
SNB-D1	0.312	-0.5372	-0.07776	0.0000	0.0000	0.0000	-2.035	-4.603	119.9
SNB-D2	0.3123	-0.5407	-0.003271	0.0000	0.0000	0.0000	-2.035	3.525	120
SNB-E1	0.2143	-0.3675	-0.06618	0.0000	0.0000	0.0000	-2.526	-5.114	99.93
SNB-E2	0.2146	-0.3715	-0.00171	0.0000	0.0000	0.0000	-2.526	4.375	100
SNB-F1	0.1374	-0.2337	-0.05566	0.0000	0.0000	0.0000	-2.997	-5.662	79.94
SNB-F2	0.1375	-0.2391	-0.007242	0.0000	0.0000	0.0000	-2.996	5.19	80.01
SNB-G1	0.07812	-0.1305	-0.04319	0.0000	0.0000	0.0000	-3.449	-6.24	59.96
SNB-G2	0.07816	-0.1353	-0.008586	0.0000	0.0000	0.0000	-3.449	5.974	60.01
SNB-H1	0.03601	-0.05707	-0.03005	0.0000	0.0000	0.0000	-3.884	-6.848	39.97
SNB-H2	0.03598	-0.06231	-0.068198	0.0000	0.0000	0.0000	-3.885	6.728	40.01
SNB-I1	0.01055	-0.01325	-0.01506	0.0000	0.0000	0.0000	-4.303	-7.485	19.98
SNB-I2	0.01054	-0.01825	-0.004225	0.0000	0.0000	0.0000	-4.303	7.454	20
SNB-J1	0	0	0	0.0000	0.0000	0.0000	-4.707	-8.154	0
SNB-J2	0	0	0	0.0000	0.0000	0.0000	-4.707	8.154	0
RohnAas	0.6532	-1.13	-0.1147	0.0000	0.0000	0.0000	5.183	-1.13	174.9
RohnBAs	0.6199	-1.073	-0.1134	0.0000	0.0000	0.0000	5.347	-1.073	169.9
RohnCAs	0.5867	-1.016	-0.112	0.0000	0.0000	0.0000	5.511	-1.016	164.9
RohnDAs	0.5211	-0.9022	-0.1087	0.0000	0.0000	0.0000	5.839	-0.9022	154.9
RohnBbs	0.4886	-0.8472	-0.1069	0.0000	0.0000	0.0000	6.004	-0.8472	149.9

URS Connecticut - butternut hollow greenwich, ct

RohnBcs	0.4568	-0.7923	-0.1048	0.0000	0.0000	0.0000	6.169	-0.7923	144.9
RohnCas	0.385	-0.6688	-0.0947	0.0000	0.0000	0.0000	6.556	-0.6688	133.2
RohnCbs	0.3461	-0.6005	-0.0598	0.0000	0.0000	0.0000	6.779	-0.6005	126.6
RohnDas	0.2738	-0.4767	-0.0878	0.0000	0.0000	0.0000	7.231	-0.4767	113.3
RohnEbs	0.2411	-0.419	-0.0831	0.0000	0.0000	0.0000	7.46	-0.419	106.6
RohnFas	0.1831	-0.3201	-0.0737	0.0000	0.0000	0.0000	7.926	-0.3201	93.27
RohnGas	0.1573	-0.2752	-0.0691	0.0000	0.0000	0.0000	8.163	-0.2752	86.59
RohnHas	0.102	-0.1763	-0.0571	0.0000	0.0000	0.0000	8.763	-0.1763	69.94
RohnIas	-0.05088	-0.0887	-0.042	0.0000	0.0000	0.0000	9.499	-0.0887	49.96
RohnJas	-0.02985	-0.02985	-0.0257	0.0000	0.0000	0.0000	10.25	-0.02985	29.97
RohnKas	-0.002826	-0.01626	-0.008852	0.0000	0.0000	0.0000	11.02	-0.01626	9.991
RohnLas	0.6541	-1.134	-0.09618	0.0000	0.0000	0.0000	3.184	-1.134	174.9
RohnMas	0.6207	-1.076	-0.09501	0.0000	0.0000	0.0000	3.348	-1.076	169.9
RohnNas	0.5876	-1.019	-0.09373	0.0000	0.0000	0.0000	3.512	-1.019	164.9
RohnOas	0.5219	-0.9052	-0.09095	0.0000	0.0000	0.0000	3.84	-0.9052	154.9
RohnPas	0.4895	-0.8495	-0.08947	0.0000	0.0000	0.0000	4.004	-0.8495	149.9
RohnQas	0.4577	-0.794	-0.08786	0.0000	0.0000	0.0000	4.169	-0.794	144.9
RohnRas	0.3859	-0.6696	-0.08363	0.0000	0.0000	0.0000	4.556	-0.6696	133.3
RohnSas	0.3469	-0.6017	-0.08081	0.0000	0.0000	0.0000	4.78	-0.6017	126.6
RohnTas	0.2746	-0.4768	-0.07426	0.0000	0.0000	0.0000	5.231	-0.4768	113.3
RohnUas	0.2419	-0.4196	-0.07036	0.0000	0.0000	0.0000	5.461	-0.4196	106.6
RohnVas	0.1839	-0.321	-0.06291	0.0000	0.0000	0.0000	5.927	-0.321	93.28
RohnWas	0.1581	-0.2761	-0.05937	0.0000	0.0000	0.0000	6.164	-0.2761	86.6
RohnXas	0.1028	-0.1765	-0.0496	0.0000	0.0000	0.0000	6.764	-0.1765	69.95
RohnYas	0.05167	-0.08907	-0.0368	0.0000	0.0000	0.0000	7.5	-0.08907	49.96
RohnZas	0.01726	-0.02999	-0.02279	0.0000	0.0000	0.0000	8.252	-0.02999	29.98
RohnAa1	-0.002045	-0.01368	-0.008078	0.0000	0.0000	0.0000	9.019	-0.01368	9.992
RohnAa2	0.6596	-1.135	-0.1148	0.0000	0.0000	0.0000	-1.605	-5.058	174.9
RohnAb1	0.653	-1.138	-0.02593	0.0000	0.0000	0.0000	-1.605	-5.058	174.9
RohnAb2	0.6256	-1.076	-0.1135	0.0000	0.0000	0.0000	-1.612	-5.17	169.9
RohnAc1	0.5196	-1.08	-0.02119	0.0000	0.0000	0.0000	-1.738	-5.013	170
RohnAc2	0.5927	-1.019	-0.112	0.0000	0.0000	0.0000	-1.744	-5.284	164.9
RohnBa1	-0.587	-1.023	-0.01668	0.0000	0.0000	0.0000	-1.859	-5.242	165
RohnBa2	0.526	-0.9049	-0.1087	0.0000	0.0000	0.0000	-2.133	-5.51	154.9
RohnBb1	0.522	-0.9049	-0.008338	0.0000	0.0000	0.0000	-2.137	-3.696	135
RohnBb2	0.4941	-0.849	-0.1069	0.0000	0.0000	0.0000	-2.263	-5.625	149.9
RohnBc1	0.49	-0.8532	-0.004544	0.0000	0.0000	0.0000	-2.267	-5.74	144.9
RohnBc2	0.4618	-0.7937	-0.1049	0.0000	0.0000	0.0000	-2.394	-6.013	133.2
RohnCa1	0.4584	-0.798	-0.001025	0.0000	0.0000	0.0000	-2.398	-6.173	126.6
RohnCa2	0.3898	-0.6693	-0.09947	0.0000	0.0000	0.0000	-2.656	-6.173	126.6
RohnCb1	0.3497	-0.612	0.006058	0.0000	0.0000	0.0000	-2.656	-6.173	126.6
RohnCb2	0.3487	-0.6065	0.09597	0.0000	0.0000	0.0000	-2.656	-6.173	126.6
RohnDc1	0.2779	-0.4765	0.009338	0.0000	0.0000	0.0000	-2.867	-6.173	126.6
RohnDc2	0.277	-0.4816	0.08787	0.0000	0.0000	0.0000	-2.868	-6.173	126.6
RohnDa1	0.244	-0.4191	0.01345	0.0000	0.0000	0.0000	-3.201	-6.501	113.3
RohnDa2	0.2445	-0.4251	-0.08313	0.0000	0.0000	0.0000	-3.201	-6.501	113.3
RohnEa1	0.1869	-0.3192	0.01427	0.0000	0.0000	0.0000	-3.366	-6.671	106.6
RohnEa2	0.1871	-0.3252	-0.07373	0.0000	0.0000	0.0000	-3.366	-6.671	106.6
RohnEb1	0.1609	-0.2743	0.01525	0.0000	0.0000	0.0000	-3.685	-7.025	93.27
RohnEb2	0.1614	-0.2806	0.06911	0.0000	0.0000	0.0000	-3.684	-7.025	93.27
RohnFa1	0.1025	-0.1769	0.01572	0.0000	0.0000	0.0000	-3.842	-7.208	86.59
RohnFa2	0.1062	-0.1848	0.05712	0.0000	0.0000	0.0000	-3.842	-7.208	86.59
RohnGa1	0.05195	-0.08971	0.01561	0.0000	0.0000	0.0000	-4.228	-7.678	69.94
RohnGa2	0.05573	-0.09713	0.04199	0.0000	0.0000	0.0000	-4.225	-7.316	70.02
RohnHa1	0.01794	-0.02937	0.01346	0.0000	0.0000	0.0000	-4.672	-8.271	49.96
RohnHa2	0.02217	-0.03876	-0.02569	0.0000	0.0000	0.0000	-4.668	-8.085	50.01
RohnIa1	0.002929	0.001573	0.008839	0.0000	0.0000	0.0000	-5.1	-8.894	29.97
RohnIa2	0.006376	-0.01117	0.002634	0.0000	0.0000	0.0000	-5.095	-8.825	30.01
RohnJa1	0.6555	-1.133	0.09617	0.0000	0.0000	0.0000	-5.506	-9.546	9.991
RohnJa2	0.6557	-1.135	-0.04591	0.0000	0.0000	0.0000	-5.506	-9.546	9.991
RohnAb1	0.6223	-1.075	0.09501	0.0000	0.0000	0.0000	-6.093	-3.324	174.9
RohnAb2	0.6224	-1.078	-0.09501	0.0000	0.0000	0.0000	-6.093	-3.324	174.9
RohnAc1	0.5889	-1.018	-0.04102	0.0000	0.0000	0.0000	-7.412	-3.437	169.9
RohnAc2	0.5894	-1.02	-0.09373	0.0000	0.0000	0.0000	-7.411	-3.437	169.9
RohnBa1	0.5234	-0.9044	-0.03629	0.0000	0.0000	0.0000	-8.731	-3.55	164.9
RohnBa2	0.5239	-0.907	-0.09094	0.0000	0.0000	0.0000	-8.726	-3.55	164.9
RohnBb1	0.4914	-0.8484	-0.0273	0.0000	0.0000	0.0000	-1.135	-3.778	154.9
RohnBb2	0.4917	-0.8512	-0.08945	0.0000	0.0000	0.0000	-1.135	-3.778	154.9
RohnBc1	0.4592	-0.7931	-0.02303	0.0000	0.0000	0.0000	-1.266	-3.892	149.9
RohnBc2	0.4599	-0.7961	-0.08784	0.0000	0.0000	0.0000	-1.266	-3.892	149.9
RohnCa1	0.3873	-0.6688	-0.01998	0.0000	0.0000	0.0000	-1.396	-4.007	144.9
RohnCa2	0.3884	-0.6723	-0.08361	0.0000	0.0000	0.0000	-1.396	-4.007	144.9
RohnCb1	0.348	-0.6011	-0.01061	0.0000	0.0000	0.0000	-1.697	-4.28	133.3
RohnCb2	0.348	-0.6011	-0.08078	0.0000	0.0000	0.0000	-1.697	-4.28	133.3
RohnCb3	0.348	-0.6011	-0.08078	0.0000	0.0000	0.0000	-1.697	-4.44	126.6

URS Connecticut - butternut hollow greenwich, ct

Joint Label	X	Y	Z	Comp. Usage	Force Usage	Result. Force	Usage Force	X-M. Moment	Y-M. Moment	Z-M. Moment	Max. Usage
(kips)	(kips)	(kips)	(kips)	(kips)	(kips)	(kips)	(kips)	(ft-k)	(ft-k)	(ft-k)	(ft-k)
SNB-CH2	0.3495	-0.6051	-0.006647	0.0000	0.0000	0.0000	-1.867	3.234	126.7		
SNB-Ba1	0.2759	-0.4761	-0.07424	0.0000	0.0000	0.0000	-2.202	-4.769	113.3		
SNB-Ba2	0.2775	-0.4804	-0.008244	0.0000	0.0000	0.0000	-2.201	3.812	113.3		
SNB-Db1	0.2427	-0.4192	-0.07034	0.0000	0.0000	0.0000	-2.367	4.939	106.6		
SNB-Db2	0.2449	-0.4239	0.0008043	0.0000	0.0000	0.0000	-2.365	4.096	106.7		
SNB-Ea1	0.1862	-0.3197	-0.0629	0.0000	0.0000	0.0000	-2.685	-5.293	93.28		
SNB-Ea2	0.1872	-0.3242	0.004051	0.0000	0.0000	0.0000	-2.684	4.649	93.34		
SNB-Ed1	0.1602	-0.2749	-0.05936	0.0000	0.0000	0.0000	-2.843	-5.476	86.6		
SNB-Ed2	0.1615	-0.2797	0.005864	0.0000	0.0000	0.0000	-2.841	4.922	86.67		
SNB-Ea1	0.1062	-0.1772	-0.04959	0.0000	0.0000	0.0000	-3.229	-5.946	69.95		
SNB-Ea2	0.1062	-0.1772	0.008366	0.0000	0.0000	0.0000	-3.225	5.585	70.01		
SNB-Ga1	0.09134	-0.08927	-0.03679	0.0000	0.0000	0.0000	-3.673	-6.539	49.96		
SNB-Ga2	0.05561	-0.09629	0.008794	0.0000	0.0000	0.0000	-3.668	6.354	50.01		
SNB-Ha1	0.01736	-0.02994	-0.02279	0.0000	0.0000	0.0000	-4.11	-7.161	29.98		
SNB-Ha2	0.02194	-0.03799	0.005657	0.0000	0.0000	0.0000	-4.095	7.093	30.01		
SNB-Ta1	0.002208	-0.001087	-0.008077	0.0000	0.0000	0.0000	-4.509	-7.812	9.992		
SNB-Ta2	0.006039	-0.01046	0.002089	0.0000	0.0000	0.0000	-4.505	7.802	10		

Joint Support Reactions for Load Case "WTI -60 deg":

Joint Label	X	Y	Z	Comp. Usage	Force Usage	Result. Force	Usage Force	X-M. Moment	Y-M. Moment	Z-M. Moment	Max. Usage
(kips)	(kips)	(kips)	(kips)	(kips)	(kips)	(kips)	(kips)	(ft-k)	(ft-k)	(ft-k)	(ft-k)
RohnJP	-2.81	0.0	2.09	0.0	137.22	0.0	0.0	137.27	0.0	-0.00	0.0
SNB-JP	-3.50	0.0	5.22	0.0	188.59	0.0	0.0	188.70	0.0	-0.00	0.0
RohnJ1	-0.51	0.0	3.54	0.0	137.16	0.0	0.0	137.21	0.0	-0.00	0.0
RohnJ2	-10.36	0.0	18.07	0.0	-207.58	0.0	0.0	208.62	0.0	-0.00	0.0
SNB-J1	-2.78	0.0	5.64	0.0	186.51	0.0	0.0	188.62	0.0	-0.00	0.0
SNB-J2	-20.71	0.0	35.88	0.0	-321.47	0.0	0.0	324.13	0.0	-0.00	0.0

Joint Displacements, Loads and Member Forces on Joints for Load Case "WTI -60 deg":

Joint Label	X External Load (kips)	Y External Load (kips)	Z External Load (kips)	X Member Force (kips)	Y Member Force (kips)	Z Member Force (kips)	X Disp. (ft)	Y Disp. (ft)	Z Disp. (ft)
RohnAP	0.8627	-1.4942	-0.6537	-0.8627	1.4942	0.6537	0.6865	-1.1880	-0.1159
RohnBP	0.2673	-0.4629	-0.5461	-0.2673	0.4629	0.5461	0.5537	-0.9588	-0.1104
RohnCP	0.2811	-0.4868	-0.5616	-0.2811	0.4868	0.5616	0.4253	-0.7375	-0.1025
RohnDP	0.3026	-0.5241	-0.7943	-0.3026	0.5241	0.7943	0.3086	-0.5364	-0.0922
RohnEP	0.3065	-0.5309	-0.9574	-0.3065	0.5309	0.9574	0.2105	-0.3683	-0.0781
RohnFP	0.3452	-0.5979	-1.2984	-0.3452	0.5979	1.2984	0.1330	-0.2350	-0.0643
RohnGP	0.3864	-0.6693	-1.6255	-0.3864	0.6693	1.6255	0.0732	-0.1329	-0.0495
RohnHP	0.3501	-0.6065	-1.7441	-0.3501	0.6065	1.7441	0.0307	-0.0597	-0.0341
RohnJP	0.3434	-0.5947	-1.8611	-0.3434	0.5947	1.8611	0.0054	-0.0162	-0.0169
RohnJF	0.1754	-0.3038	-0.9677	-0.1754	0.3038	0.9677	0.0000	0.0000	0.0000
SNB-AP	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.6874	-1.1915	-0.0973
SNB-BP	0.2673	-0.4629	-0.5461	-0.2673	0.4629	0.5461	0.5545	-0.9620	-0.0923
SNB-CP	0.2811	-0.4868	-0.5616	-0.2811	0.4868	0.5616	0.4261	-0.7402	-0.0861
SNB-DP	0.3026	-0.5241	-0.7943	-0.3026	0.5241	0.7943	0.3094	-0.5387	-0.0778
SNB-EP	0.3065	-0.5309	-0.9574	-0.3065	0.5309	0.9574	0.2113	-0.3693	-0.0662
SNB-FP	0.3452	-0.5979	-1.2984	-0.3452	0.5979	1.2984	0.1338	-0.2358	-0.0557
SNB-GP	0.3726	-0.6454	-1.6055	-0.3726	0.6454	1.6055	0.0740	-0.1328	-0.0432
SNB-HP	0.3501	-0.6065	-1.7441	-0.3501	0.6065	1.7441	0.0314	-0.0597	-0.0301
SNB-IP	0.3434	-0.5947	-1.8611	-0.3434	0.5947	1.8611	0.0062	-0.0158	-0.0151
SNB-JP	0.1754	-0.3038	-0.9677	-0.1754	0.3038	0.9677	0.0000	0.0000	0.0000
RohnA1	0.8766	-1.5163	-0.6344	-0.8766	1.5163	0.6344	0.6925	-1.1920	-0.1160
RohnA2	0.7629	-1.3214	-0.5943	-0.7629	1.3214	0.5943	0.6860	-1.1953	-0.0309
RohnB1	0.2673	-0.4629	-0.5461	-0.2673	0.4629	0.5461	0.5593	-0.9617	-0.1104
RohnB2	0.2673	-0.4629	-0.5461	-0.2673	0.4629	0.5461	0.5593	-0.9617	-0.1104
RohnC1	0.2811	-0.4868	-0.5616	-0.2811	0.4868	0.5616	0.4297	-0.7387	-0.1026
RohnC2	0.2811	-0.4868	-0.5616	-0.2811	0.4868	0.5616	0.4297	-0.7387	-0.1026
RohnD1	0.3496	-0.6056	-0.8158	-0.3496	0.6056	0.8158	0.3126	-0.5366	-0.0921
RohnD2	0.3496	-0.6056	-0.8158	-0.3496	0.6056	0.8158	0.3126	-0.5366	-0.0921
RohnE1	0.3065	-0.5309	-0.9574	-0.3065	0.5309	0.9574	0.2152	-0.3671	-0.0781
RohnE2	0.3065	-0.5309	-0.9574	-0.3065	0.5309	0.9574	0.2152	-0.3671	-0.0781
RohnF1	0.3452	-0.5979	-1.2984	-0.3452	0.5979	1.2984	0.1380	-0.2326	-0.0643
RohnF2	0.3452	-0.5979	-1.2984	-0.3452	0.5979	1.2984	0.1380	-0.2326	-0.0643
RohnG1	0.3864	-0.6693	-1.6255	-0.3864	0.6693	1.6255	0.0792	-0.1302	-0.0495
RohnG2	0.3864	-0.6693	-1.6255	-0.3864	0.6693	1.6255	0.0792	-0.1302	-0.0495
RohnH1	0.3501	-0.6065	-1.7441	-0.3501	0.6065	1.7441	0.0368	-0.0566	-0.0341
RohnH2	0.3501	-0.6065	-1.7441	-0.3501	0.6065	1.7441	0.0368	-0.0566	-0.0341

URS Connecticut - butternut hollow greenwich, ct

RohnJ1	0.3434	-0.5947	-1.8611	-0.3434	0.5947	1.8611	0.0116	-0.0129	-0.0158
RohnJ2	0.3434	-0.5947	-1.8611	-0.3434	0.5947	1.8611	0.0108	-0.0190	0.0054
RohnJ3	0.1754	-0.3038	-0.9677	-0.3373	-3.2314	-136.1944	0.0000	0.0000	0.0000
RohnJ4	0.1754	-0.3038	-0.9677	10.1828	-17.7662	208.5467	0.0000	0.0000	0.0000
SNB-A1	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.6889	-1.1926	-0.0973
SNB-A2	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.6889	-1.1926	-0.0973
SNB-B1	0.2673	-0.4629	-0.5461	-0.2673	0.4629	0.5461	0.5564	-0.9610	-0.0923
SNB-B2	0.2673	-0.4629	-0.5461	-0.2673	0.4629	0.5461	0.5564	-0.9610	-0.0923
SNB-C1	0.2811	-0.4868	-0.6616	-0.2811	0.4868	0.6616	0.4284	-0.7390	-0.0318
SNB-C2	0.2811	-0.4868	-0.6616	-0.2811	0.4868	0.6616	0.4284	-0.7390	-0.0318
SNB-D1	0.3026	-0.5241	-0.7943	-0.3026	0.5241	0.7943	0.3120	-0.5372	-0.0778
SNB-D2	0.3026	-0.5241	-0.7943	-0.3026	0.5241	0.7943	0.3120	-0.5372	-0.0778
SNB-E1	0.3065	-0.5309	-0.9574	-0.3065	0.5309	0.9574	0.2143	-0.3675	-0.0662
SNB-E2	0.3065	-0.5309	-0.9574	-0.3065	0.5309	0.9574	0.2143	-0.3675	-0.0662
SNB-F1	0.3452	-0.5979	-1.2984	-0.3452	0.5979	1.2984	0.9574	0.2146	-0.3715
SNB-F2	0.3452	-0.5979	-1.2984	-0.3452	0.5979	1.2984	0.9574	0.2146	-0.3715
SNB-G1	0.3726	-0.6454	-1.6055	-0.3726	0.6454	1.6055	0.0781	-0.1305	-0.0072
SNB-G2	0.3726	-0.6454	-1.6055	-0.3726	0.6454	1.6055	0.0781	-0.1305	-0.0072
SNB-H1	0.3501	-0.6065	-1.7441	-0.3501	0.6065	1.7441	0.0360	-0.0571	-0.0300
SNB-H2	0.3501	-0.6065	-1.7441	-0.3501	0.6065	1.7441	0.0360	-0.0571	-0.0300
SNB-I1	0.3434	-0.5947	-1.8611	-0.3434	0.5947	1.8611	0.0105	-0.0133	-0.0151
SNB-I2	0.3434	-0.5947	-1.8611	-0.3434	0.5947	1.8611	0.0105	-0.0133	-0.0151
SNB-J1	0.1754	-0.3038	-0.9677	-0.3373	-3.2314	-136.1944	0.0000	0.0000	0.0000
SNB-J2	0.1754	-0.3038	-0.9677	-0.3373	-3.2314	-136.1944	0.0000	0.0000	0.0000
RohnAAS	0.1557	-0.2697	-0.4294	-0.2697	0.4294	0.7943	0.3120	-0.5372	-0.0778
RohnBAS	0.3780	-0.6546	-1.3303	-0.3780	0.6546	1.3303	0.0360	-0.0571	-0.0300
RohnBAS	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.4895	-0.8495	-0.0895
RohnBAS	0.5635	-0.9760	-1.2185	-0.5635	0.9760	1.2185	0.4895	-0.8495	-0.0895
RohnBAS	0.5868	-1.0164	-1.0823	-0.5868	1.0164	1.0823	0.4568	-0.8472	-0.1069
RohnCAS	0.6572	-1.1384	-1.1605	-0.6572	1.1384	1.1605	0.3850	-0.7923	-0.1048
RohnCAS	0.1502	-0.3294	-0.4594	-0.1502	0.3294	0.4594	0.3461	-0.6005	-0.0960
RohnDAS	0.5302	-0.9184	-1.1703	-0.5302	0.9184	1.1703	0.2738	-0.4767	-0.0879
RohnDAS	0.1518	-0.2630	-0.4138	-0.1518	0.2630	0.4138	0.2411	-0.4190	-0.0832
RohnEAS	0.2485	-0.4304	-0.6147	-0.2485	0.4304	0.6147	0.1831	-0.3201	-0.0737
RohnFAS	0.1547	-0.2680	-0.5437	-0.1547	0.2680	0.5437	0.1573	-0.2752	-0.0691
RohnFAS	0.1905	-0.3155	-0.8508	-0.1905	0.3155	0.8508	0.0509	-0.0887	-0.0420
RohnGAS	0.1822	-0.3155	-0.8508	-0.1822	0.3155	0.8508	0.0509	-0.0887	-0.0420
RohnHAS	0.1680	-0.2909	-0.9934	-0.1680	0.2909	0.9934	0.0165	-0.0299	-0.0237
RohnIAS	0.1754	-0.3038	-0.9677	-0.1754	0.3038	0.9677	0.0028	-0.0016	-0.0089
SNB-AAS	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.6541	-1.1339	-0.0962
SNB-ABS	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.6207	-1.0764	-0.0950
SNB-BAS	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.5219	-0.9052	-0.0910
SNB-BBS	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.4895	-0.8495	-0.0895
SNB-BGS	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.4577	-0.7940	-0.0879
SNB-CAS	0.1508	-0.2611	-0.3805	-0.1508	0.2611	0.3805	0.3859	-0.6696	-0.0836
SNB-CHS	0.1508	-0.2611	-0.3805	-0.1508	0.2611	0.3805	0.3469	-0.6017	-0.0808
SNB-DAS	0.1518	-0.2630	-0.4138	-0.1518	0.2630	0.4138	0.2746	-0.4768	-0.0743
SNB-DAS	0.1518	-0.2630	-0.4138	-0.1518	0.2630	0.4138	0.2411	-0.4196	-0.0704
SNB-EAS	0.1547	-0.2680	-0.5437	-0.1547	0.2680	0.5437	0.1839	-0.3210	-0.0629
SNB-EBS	0.1547	-0.2680	-0.5437	-0.1547	0.2680	0.5437	0.1581	-0.2761	-0.0594
SNB-FAS	0.1905	-0.3155	-0.8508	-0.1905	0.3155	0.8508	0.0517	-0.0891	-0.0368
SNB-FAS	0.1822	-0.3155	-0.8508	-0.1822	0.3155	0.8508	0.0517	-0.0891	-0.0368
SNB-GAS	0.1680	-0.2909	-0.9934	-0.1680	0.2909	0.9934	0.0173	-0.0300	-0.0228
SNB-IAS	0.1754	-0.3038	-0.9677	-0.1754	0.3038	0.9677	0.0020	-0.0014	-0.0081
RohnAa1	0.6795	-1.1769	-0.4850	-0.6795	1.1769	0.4850	0.6596	-1.1347	-0.1148
RohnAb1	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.6530	-1.1377	-0.0259
RohnAb2	0.2015	-0.3491	-0.3627	-0.2015	0.3491	0.3627	0.6256	-1.0763	-0.1135
RohnAc1	0.5049	-0.8745	-0.3658	-0.5049	0.8745	0.3658	0.6196	-1.0804	-0.0212
RohnAc2	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.5870	-1.0227	-0.1120
RohnBa1	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.5260	-0.9049	-0.1087
RohnBa2	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.5220	-0.9032	-0.0083
RohnBb1	0.5635	-0.9760	-1.2185	-0.5635	0.9760	1.2185	0.4900	-0.8532	-0.0045
RohnBb2	0.5635	-0.9760	-1.2185	-0.5635	0.9760	1.2185	0.4900	-0.8532	-0.0045
RohnBc1	0.5203	-0.9012	-0.9891	-0.5203	0.9012	0.9891	0.4618	-0.7937	-0.1049
RohnBc2	0.5203	-0.9012	-0.9891	-0.5203	0.9012	0.9891	0.4584	-0.7980	-0.0010
RohnCa1	0.6567	-1.1375	-1.1375	-0.6567	1.1375	1.1375	0.3898	-0.6693	-0.0395
RohnCa2	0.6572	-1.1384	-1.1605	-0.6572	1.1384	1.1605	0.3874	-0.6739	0.0061
RohnCb1	0.1508	-0.2611	-0.3805	-0.1508	0.2611	0.3805	0.3497	-0.6012	-0.0360
RohnCb2	0.1508	-0.2611	-0.3805	-0.1508	0.2611	0.3805	0.3487	-0.6012	-0.0360
RohnDa1	0.4592	-0.7953	-1.0738	-0.4592	0.7953	1.0738	0.2779	-0.4763	-0.0879
RohnDa2	0.4592	-0.7953	-1.0738	-0.4592	0.7953	1.0738	0.2770	-0.4816	0.0134

URS Connecticut - butternut hollow greenwich, ct

Rehnb1	0.1518	-0.2630	-0.4138	-0.1518	0.2630	0.4138	0.2440	-0.4191	-0.0831
Rehnb2	0.1518	-0.2630	-0.4138	-0.1518	0.2630	0.4138	0.2445	-0.4251	0.0143
Rohna1	0.1547	-0.2680	-0.5437	-0.1547	0.2680	0.5437	0.1869	-0.3192	-0.0737
Rohna2	0.1547	-0.2680	-0.5437	-0.1547	0.2680	0.5437	0.1871	-0.3252	0.0153
Rohnb1	0.1547	-0.2680	-0.5437	-0.1547	0.2680	0.5437	0.1609	-0.2743	-0.0691
Rohnb2	0.1547	-0.2680	-0.5437	-0.1547	0.2680	0.5437	0.1614	-0.2806	0.0157
RohnFa1	0.1905	-0.3299	-0.7547	-0.1905	0.3299	0.7547	0.1025	-0.1769	-0.0571
RohnFa2	0.1905	-0.3299	-0.7547	-0.1905	0.3299	0.7547	0.1062	-0.1848	0.0156
RohnGa1	0.1822	-0.3155	-0.8508	-0.1822	0.3155	0.8508	0.0519	-0.0887	-0.0420
RohnGa2	0.1822	-0.3155	-0.8508	-0.1822	0.3155	0.8508	0.0557	-0.0971	0.0135
RohnHa1	0.1680	-0.2909	-0.8934	-0.1680	0.2909	0.8934	0.0179	-0.0294	-0.0257
RohnHa2	0.1680	-0.2909	-0.8934	-0.1680	0.2909	0.8934	0.0222	-0.0388	0.0088
RohnIa1	0.1754	-0.3038	-0.9677	-0.1754	0.3038	0.9677	0.0029	0.0016	-0.0089
RohnIa2	0.1754	-0.3038	-0.9677	-0.1754	0.3038	0.9677	0.0064	-0.0112	0.0026
SNB-Aa1	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.6555	-1.1333	-0.0962
SNB-Aa2	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.6557	-1.1351	-0.0459
SNB-Ab1	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.6223	-1.0754	-0.0950
SNB-Ab2	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.6224	-1.0778	-0.0410
SNB-Ac1	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.5889	-1.0180	-0.0937
SNB-Ac2	0.1370	-0.2372	-0.2650	-0.1370	0.2372	0.2650	0.5894	-1.0203	-0.0363
SNB-Ba1	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.5234	-0.9044	-0.0909
SNB-Ba2	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.5239	-0.9070	-0.0273
SNB-Bb1	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.4914	-0.8484	-0.0895
SNB-Bb2	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.4917	-0.8512	-0.0230
SNB-Bc1	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.4592	-0.7931	-0.0878
SNB-Bc2	0.1303	-0.2257	-0.2811	-0.1303	0.2257	0.2811	0.4599	-0.7961	-0.0190
SNB-Ca1	0.1508	-0.2611	-0.3805	-0.1508	0.2611	0.3805	0.3873	-0.5688	-0.0836
SNB-Cb1	0.1508	-0.2611	-0.3805	-0.1508	0.2611	0.3805	0.3884	-0.5688	-0.0836
SNB-Cb2	0.1508	-0.2611	-0.3805	-0.1508	0.2611	0.3805	0.3880	-0.5723	-0.0406
SNB-Da1	0.1518	-0.2630	-0.4138	-0.1518	0.2630	0.4138	0.3495	-0.6051	-0.0066
SNB-Da2	0.1518	-0.2630	-0.4138	-0.1518	0.2630	0.4138	0.2759	-0.4761	-0.0742
SNB-Db1	0.1518	-0.2630	-0.4138	-0.1518	0.2630	0.4138	0.2775	-0.4804	-0.0008
SNB-Db2	0.1518	-0.2630	-0.4138	-0.1518	0.2630	0.4138	0.2427	-0.4192	-0.0703
SNB-Ea1	0.1547	-0.2680	-0.5437	-0.1547	0.2680	0.5437	0.2449	-0.4239	0.0008
SNB-Ea2	0.1547	-0.2680	-0.5437	-0.1547	0.2680	0.5437	0.1862	-0.3197	-0.0629
SNB-Eb1	0.1547	-0.2680	-0.5437	-0.1547	0.2680	0.5437	0.1872	-0.3242	0.0041
SNB-Eb2	0.1547	-0.2680	-0.5437	-0.1547	0.2680	0.5437	0.1602	-0.2749	-0.0594
SNB-Fa1	0.1905	-0.3299	-0.7547	-0.1905	0.3299	0.7547	0.1615	-0.2797	0.0059
SNB-Fa2	0.1905	-0.3299	-0.7547	-0.1905	0.3299	0.7547	0.1016	-0.1772	-0.0496
SNB-Ga1	0.1822	-0.3155	-0.8508	-0.1822	0.3155	0.8508	0.1062	-0.1839	0.0084
SNB-Ga2	0.1822	-0.3155	-0.8508	-0.1822	0.3155	0.8508	0.0513	-0.0893	-0.0368
SNB-Ha1	0.1680	-0.2909	-0.8934	-0.1680	0.2909	0.8934	0.0556	-0.0963	0.0088
SNB-Ha2	0.1680	-0.2909	-0.8934	-0.1680	0.2909	0.8934	0.0174	-0.0299	-0.0228
SNB-Ia1	0.1754	-0.3038	-0.9677	-0.1754	0.3038	0.9677	0.0219	-0.0380	0.0066
SNB-Ia2	0.1754	-0.3038	-0.9677	-0.1754	0.3038	0.9677	0.0022	0.0011	-0.0081
							0.0060	-0.0105	0.0021

Equilibrium Joint Positions and Rotations for Load Case "W+I 0 deg":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnAP	1.407	0.006746	-0.1458	0.0000	0.0000	0.0000	5.74	0.006746	179.9
RohnBP	1.136	0.006289	-0.1448	0.0000	0.0000	0.0000	6.257	0.006289	159.9
RohnCP	0.8739	0.00462	-0.1392	0.0000	0.0000	0.0000	6.783	0.00462	139.9
RohnDP	0.6355	0.003508	-0.1286	0.0000	0.0000	0.0000	7.331	0.003508	119.9
RohnEP	0.435	0.00269	-0.1105	0.0000	0.0000	0.0000	7.916	0.00269	99.99
RohnFP	0.2766	0.001992	-0.09235	0.0000	0.0000	0.0000	8.545	0.001992	79.91
RohnGP	0.1542	0.001481	-0.07201	0.0000	0.0000	0.0000	9.209	0.001481	59.93
RohnHP	0.06714	0.000508	-0.05021	0.0000	0.0000	0.0000	9.908	0.000508	39.95
RohnIP	0.01511	0.0004839	-0.02468	0.0000	0.0000	0.0000	10.65	0.0004839	19.98
RohnJP	0	0	0	0.0000	0.0000	0.0000	11.42	0	0
SNB-AP	1.408	-0.0006955	-0.1138	0.0000	0.0000	0.0000	3.741	-0.0006955	179.9
SNB-BP	1.137	-0.0004365	-0.1137	0.0000	0.0000	0.0000	4.258	-0.0004365	159.9
SNB-CP	0.8749	-0.0002587	-0.111	0.0000	0.0000	0.0000	4.783	-0.0002587	139.9
SNB-DP	0.6365	-0.0001399	-0.1039	0.0000	0.0000	0.0000	5.331	-0.0001399	119.9
SNB-EP	0.4359	-7.488e-005	-0.09001	0.0000	0.0000	0.0000	5.917	-7.488e-005	99.91
SNB-FP	0.2774	-3.499e-005	-0.07775	0.0000	0.0000	0.0000	6.545	-3.499e-005	79.92
SNB-GP	0.155	-1.11e-005	-0.06138	0.0000	0.0000	0.0000	7.21	-1.11e-005	59.94
SNB-HP	0.06793	1.181e-006	-0.04352	0.0000	0.0000	0.0000	7.909	1.181e-006	39.96
SNB-IP	0.01589	3.714e-006	-0.02187	0.0000	0.0000	0.0000	8.644	3.714e-006	19.98
SNB-JP	0	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnA1	1.417	-0.003087	-0.05906	0.0000	0.0000	0.0000	-0.7495	-3.756	179.9
RohnA2	1.404	-0.005789	-0.0588	0.0000	0.0000	0.0000	-0.7623	3.747	179.9
RohnB1	1.145	-0.002077	-0.04474	0.0000	0.0000	0.0000	-1.415	-4.437	160
RohnB2	1.134	-0.005587	-0.0448	0.0000	0.0000	0.0000	-1.427	4.429	160
RohnC1	0.8816	-0.003562	-0.03223	0.0000	0.0000	0.0000	-2.073	-5.118	140
RohnC2	0.8731	-0.005138	-0.03205	0.0000	0.0000	0.0000	-2.081	5.112	140
RohnD1	0.6423	0.0007231	-0.02217	0.0000	0.0000	0.0000	-2.705	-5.797	120
RohnD2	0.6339	-0.004807	-0.02204	0.0000	0.0000	0.0000	-2.712	5.793	120
RohnE1	0.4419	0.001206	-0.01585	0.0000	0.0000	0.0000	-3.298	-6.478	99.98
RohnE2	0.437	-0.004203	-0.01576	0.0000	0.0000	0.0000	-3.303	6.475	99.98
RohnF1	0.2831	0.001917	-0.01035	0.0000	0.0000	0.0000	-3.851	-7.158	79.99
RohnF2	0.2795	-0.004077	-0.0103	0.0000	0.0000	0.0000	-3.854	7.156	79.99
RohnG1	0.1613	0.002117	-0.006303	0.0000	0.0000	0.0000	-4.366	-7.84	59.99
RohnG2	0.1597	-0.003676	-0.006269	0.0000	0.0000	0.0000	-4.369	7.838	59.99
RohnH1	0.07386	0.002725	-0.003221	0.0000	0.0000	0.0000	-4.847	-8.52	40
RohnH2	0.0722	-0.003703	-0.003202	0.0000	0.0000	0.0000	-4.848	8.519	40
RohnI1	0.02145	0.002694	-0.001822	0.0000	0.0000	0.0000	-5.294	-9.203	20
RohnI2	0.02061	-0.003182	-0.001814	0.0000	0.0000	0.0000	-5.294	9.203	20
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-5.71	-9.89	0
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-5.71	9.89	0
SNB-A1	1.41	3.508e-005	-0.06638	0.0000	0.0000	0.0000	0.2435	-2.02	179.9
SNB-A2	1.41	-0.001534	-0.06632	0.0000	0.0000	0.0000	0.2434	2.019	179.9
SNB-B1	1.139	0.0005443	-0.0518	0.0000	0.0000	0.0000	-0.4212	-2.702	159.9
SNB-B2	1.139	-0.001552	-0.05174	0.0000	0.0000	0.0000	-0.4212	2.701	159.9
SNB-C1	0.8776	-0.001019	-0.0385	0.0000	0.0000	0.0000	-1.076	-3.363	140
SNB-C2	0.8775	-0.001658	-0.03844	0.0000	0.0000	0.0000	-1.076	3.363	140
SNB-D1	0.6395	0.001441	-0.02765	0.0000	0.0000	0.0000	-1.708	-4.065	120
SNB-D2	0.6395	-0.001829	-0.0276	0.0000	0.0000	0.0000	-1.708	4.064	120
SNB-E1	0.4393	0.001798	-0.02044	0.0000	0.0000	0.0000	-2.301	-4.745	99.98
SNB-E2	0.4392	-0.002033	-0.02041	0.0000	0.0000	0.0000	-2.301	4.745	99.98
SNB-F1	0.2812	0.002076	-0.01323	0.0000	0.0000	0.0000	-2.853	-5.426	79.99
SNB-F2	0.2812	-0.002211	-0.01321	0.0000	0.0000	0.0000	-2.853	5.426	79.99
SNB-G1	0.1593	0.002354	-0.008229	0.0000	0.0000	0.0000	-3.368	-6.107	59.99
SNB-G2	0.1593	-0.002424	-0.008214	0.0000	0.0000	0.0000	-3.368	6.107	59.99
SNB-H1	0.07255	0.002565	-0.004206	0.0000	0.0000	0.0000	-3.848	-6.788	40
SNB-H2	0.07253	-0.002615	-0.004197	0.0000	0.0000	0.0000	-3.848	6.788	40
SNB-I1	0.02022	0.002022	-0.00202	0.0000	0.0000	0.0000	-4.294	-7.47	20
SNB-I2	0.02021	-0.002512	-0.002016	0.0000	0.0000	0.0000	-4.294	7.47	20
SNB-J1	0	0	0	0.0000	0.0000	0.0000	-4.707	-8.154	0
SNB-J2	0	0	0	0.0000	0.0000	0.0000	-4.707	8.154	0
RohnAAs	1.339	0.006662	-0.146	0.0000	0.0000	0.0000	5.869	0.006662	174.9
RohnABs	1.271	0.007115	-0.1458	0.0000	0.0000	0.0000	5.998	0.007115	169.9
RohnACs	1.204	0.006433	-0.1455	0.0000	0.0000	0.0000	6.128	0.006433	164.9
RohnBAs	1.069	0.005827	-0.1439	0.0000	0.0000	0.0000	6.387	0.005827	154.9
RohnBbs	1.003	0.005465	-0.1428	0.0000	0.0000	0.0000	6.518	0.005465	149.9

URS Connecticut - butternut hollow greenwich, ct

RohnBcs	0.9382	0.005028	-0.1412	0.0000	0.0000	0.0000	6.65	0.005028	144.9
RohnCas	0.7916	0.004255	-0.1364	0.0000	0.0000	0.0000	6.962	0.004255	133.2
RohnCbs	0.712	0.003916	-0.1329	0.0000	0.0000	0.0000	7.145	0.003916	126.5
RohnDbs	0.5643	0.003273	-0.1234	0.0000	0.0000	0.0000	7.521	0.003273	113.2
RohnEbs	0.4974	0.002976	-0.1173	0.0000	0.0000	0.0000	7.717	0.002976	106.5
RohnFas	0.379	0.002464	-0.1049	0.0000	0.0000	0.0000	8.122	0.002464	93.24
RohnGas	0.3261	0.002231	-0.09888	0.0000	0.0000	0.0000	8.332	0.002231	86.56
RohnHas	0.2127	0.001174	-0.08269	0.0000	0.0000	0.0000	8.874	0.001174	69.92
RohnIas	0.1082	0.001219	-0.06151	0.0000	0.0000	0.0000	9.556	0.001219	49.94
RohnKas	0.03803	0.0007207	-0.03786	0.0000	0.0000	0.0000	10.27	0.0007207	29.96
RohnLas	0.0007119	0.0002454	-0.0129	0.0000	0.0000	0.0000	11.03	0.0002454	9.987
SNB-As	1.34	-0.0007019	-0.114	0.0000	0.0000	0.0000	3.87	-0.0007019	174.9
SNB-BS	1.272	-0.0004271	-0.114	0.0000	0.0000	0.0000	3.999	-0.0004271	169.9
SNB-Bs	1.205	-0.0005713	-0.114	0.0000	0.0000	0.0000	4.129	-0.0005713	164.9
SNB-Bbs	1.07	-0.0003971	-0.1134	0.0000	0.0000	0.0000	4.368	-0.0003971	154.9
SNB-Bcs	1.004	-0.0003263	-0.1128	0.0000	0.0000	0.0000	4.519	-0.0003263	149.9
SNB-Bcs	0.9392	-0.0003019	-0.1121	0.0000	0.0000	0.0000	4.65	-0.0003019	144.9
SNB-Cas	0.7926	-0.0002153	-0.1092	0.0000	0.0000	0.0000	4.963	-0.0002153	133.2
SNB-Cbs	0.7129	-0.0001693	-0.1068	0.0000	0.0000	0.0000	5.522	-0.0001693	126.5
SNB-Das	0.5652	-0.000109	-0.1	0.0000	0.0000	0.0000	5.718	-0.000109	113.2
SNB-Dbs	0.4983	-9.399e-005	-0.09533	0.0000	0.0000	0.0000	6.123	-9.399e-005	106.6
SNB-Eas	0.3798	-5.914e-005	-0.08641	0.0000	0.0000	0.0000	6.333	-5.914e-005	93.25
SNB-Ebs	0.3269	-4.541e-005	-0.08227	0.0000	0.0000	0.0000	6.875	-4.541e-005	86.58
SNB-Fas	0.2135	-1.901e-005	-0.06999	0.0000	0.0000	0.0000	7.557	-1.901e-005	69.93
SNB-Gas	0.109	-2.172e-006	-0.05285	0.0000	0.0000	0.0000	8.273	-2.172e-006	49.95
SNB-Has	0.03882	4.716e-006	-0.03315	0.0000	0.0000	0.0000	9.023	4.716e-006	29.97
SNB-Ias	0.001501	3.13e-006	-0.01167	0.0000	0.0000	0.0000	-0.9154	-3.926	174.9
RohnAa1	1.35	-0.003132	-0.05534	0.0000	0.0000	0.0000	-0.9251	3.917	174.9
RohnAa2	1.336	-0.005946	-0.05504	0.0000	0.0000	0.0000	-1.093	-4.096	169.9
RohnAb1	1.281	-0.002664	-0.05168	0.0000	0.0000	0.0000	-1.093	4.088	169.9
RohnAb2	1.268	-0.005943	-0.0514	0.0000	0.0000	0.0000	-1.249	-4.267	165
RohnAc1	1.213	-0.002542	-0.04815	0.0000	0.0000	0.0000	-1.261	4.258	165
RohnAc2	1.201	-0.005836	-0.04787	0.0000	0.0000	0.0000	-1.592	-4.607	155
RohnBa1	1.078	-0.001548	-0.04139	0.0000	0.0000	0.0000	-1.745	-4.778	150
RohnBa2	1.067	-0.005583	-0.04115	0.0000	0.0000	0.0000	-1.755	4.771	150
RohnBb1	1.012	-0.00151	-0.03821	0.0000	0.0000	0.0000	-1.909	-4.948	145
RohnBb2	1.002	-0.005075	-0.03798	0.0000	0.0000	0.0000	-1.929	4.942	145
RohnBc1	0.9466	-0.001081	-0.03513	0.0000	0.0000	0.0000	-2.286	-5.344	133.3
RohnBc2	0.9373	-0.004965	-0.03493	0.0000	0.0000	0.0000	-2.294	5.339	133.3
RohnCa1	0.7995	-0.0004295	-0.02853	0.0000	0.0000	0.0000	-2.498	-5.571	126.6
RohnCa2	0.7917	-0.00459	-0.02836	0.0000	0.0000	0.0000	-2.505	5.566	126.6
RohnCb1	0.7185	-0.0004798	-0.03513	0.0000	0.0000	0.0000	-2.907	-6.024	113.3
RohnCb2	0.7114	-0.005017	-0.02499	0.0000	0.0000	0.0000	-3.107	6.02	113.3
RohnDa1	0.5709	0.000804	-0.01966	0.0000	0.0000	0.0000	-3.112	-6.25	106.6
RohnDa2	0.565	-0.004308	-0.01954	0.0000	0.0000	0.0000	-3.487	6.247	106.6
RohnDb1	0.5028	0.001657	-0.01752	0.0000	0.0000	0.0000	-3.491	-6.704	93.33
RohnDb2	0.4974	-0.005007	-0.01743	0.0000	0.0000	0.0000	-3.671	6.701	93.33
RohnEa1	0.3847	0.001879	-0.01375	0.0000	0.0000	0.0000	-3.675	-6.931	86.65
RohnEa2	0.3803	-0.004597	-0.01368	0.0000	0.0000	0.0000	-4.116	6.929	86.65
RohnEb1	0.3315	0.002197	-0.01191	0.0000	0.0000	0.0000	-4.119	-7.497	69.99
RohnEb2	0.3276	-0.004636	-0.01185	0.0000	0.0000	0.0000	-4.119	7.495	69.99
RohnFa1	0.2147	0.000147	-0.00803	0.0000	0.0000	0.0000	-4.614	-8.176	50
RohnFa2	0.2116	-0.006004	-0.007987	0.0000	0.0000	0.0000	-4.614	8.176	50
RohnGa1	0.1103	0.004678	-0.004539	0.0000	0.0000	0.0000	-5.079	-8.859	30
RohnGa2	0.1082	-0.005947	-0.004513	0.0000	0.0000	0.0000	-5.506	8.858	30
RohnHa1	0.04015	0.005537	-0.002354	0.0000	0.0000	0.0000	-5.506	-9.541	9.999
RohnHa2	0.0389	-0.006269	-0.002341	0.0000	0.0000	0.0000	-5.506	9.54	9.999
RohnIa1	0.006725	0.007221	-0.001086	0.0000	0.0000	0.0000	0.07717	-2.191	174.9
RohnIa2	0.006304	-0.007465	-0.001082	0.0000	0.0000	0.0000	-0.08536	2.19	174.9
SNB-Aa1	1.342	0.0002217	-0.06285	0.0000	0.0000	0.0000	-0.08536	-2.361	169.9
SNB-Aa2	1.342	-0.001523	-0.06258	0.0000	0.0000	0.0000	-0.2558	2.532	164.9
SNB-Ab1	1.274	0.0002987	-0.05893	0.0000	0.0000	0.0000	-0.2558	-2.872	155
SNB-Ab2	1.274	-0.001543	-0.05888	0.0000	0.0000	0.0000	-0.5866	2.872	155
SNB-Ac1	1.206	0.0005894	-0.05531	0.0000	0.0000	0.0000	-0.7506	-3.043	150
SNB-Ac2	1.206	-0.001659	-0.05525	0.0000	0.0000	0.0000	-0.9144	3.042	150
SNB-Ba1	1.072	0.0008125	-0.0483	0.0000	0.0000	0.0000	-0.9145	-3.213	145
SNB-Ba2	1.072	-0.0001704	-0.04824	0.0000	0.0000	0.0000	-1.291	3.212	145
SNB-Bb1	1.007	0.0008761	-0.04491	0.0000	0.0000	0.0000	-1.291	-3.61	133.3
SNB-Bb2	1.007	-0.001678	-0.04485	0.0000	0.0000	0.0000	-1.291	3.609	133.3
SNB-Bc1	0.9412	0.001122	-0.04183	0.0000	0.0000	0.0000	-1.502	-3.837	126.6
SNB-Bc2	0.9411	-0.001838	-0.04158	0.0000	0.0000	0.0000			
SNB-Ca1	0.7944	-0.001585	-0.03455	0.0000	0.0000	0.0000			
SNB-Ca2	0.7943	-0.002132	-0.0345	0.0000	0.0000	0.0000			
SNB-Cb1	0.7144	0.001935	-0.03093	0.0000	0.0000	0.0000			

URS Connecticut - butternut hollow greenwich, ct

RohnI1	0.7346	0.0000	-1.8611	-0.7346	0.0000	1.8611	0.0214	0.0027	-0.0018
RohnI2	0.7346	0.0000	-1.8611	-0.7346	0.0000	1.8611	0.0206	-0.0032	-0.0018
RohnJ1	0.3769	0.0000	-0.9677	8.3820	10.3387	96.9960	0.0000	0.0000	0.0000
RohnJ2	0.3769	0.0000	-0.9677	7.9477	-10.5872	97.0878	0.0000	0.0000	0.0000
SNB-A1	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.2650	1.4100	0.0000	0.0000
SNB-A2	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.2650	1.4099	-0.0015	-0.0664
SNB-B1	0.5535	0.0000	-0.5461	-0.5535	0.0000	0.5461	1.1393	0.0005	-0.0518
SNB-B2	0.5535	0.0000	-0.5461	-0.5535	0.0000	0.5461	1.1393	-0.0016	-0.0517
SNB-C1	0.5848	0.0000	-0.6616	-0.5848	0.0000	0.6616	0.8776	0.0010	-0.0385
SNB-C2	0.5848	0.0000	-0.6616	-0.5848	0.0000	0.6616	0.8775	-0.0017	-0.0384
SNB-D1	0.6321	0.0000	-0.7943	-0.6321	0.0000	0.7943	0.6395	0.0014	-0.0276
SNB-D2	0.6321	0.0000	-0.7943	-0.6321	0.0000	0.7943	0.6395	-0.0018	-0.0276
SNB-E1	0.6439	0.0000	-0.9574	-0.6439	0.0000	0.9574	0.4393	0.0018	-0.0204
SNB-E2	0.6439	0.0000	-0.9574	-0.6439	0.0000	0.9574	0.4393	0.0018	-0.0204
SNB-F1	0.7291	0.0000	-1.2984	-0.7291	0.0000	1.2984	0.2812	0.0021	-0.0132
SNB-F2	0.7291	0.0000	-1.2984	-0.7291	0.0000	1.2984	0.2812	-0.0022	-0.0132
SNB-G1	0.7882	0.0000	-1.6055	-0.7882	0.0000	1.6055	0.1593	0.0024	-0.0082
SNB-G2	0.7882	0.0000	-1.6055	-0.7882	0.0000	1.6055	0.1593	-0.0024	-0.0082
SNB-H1	0.7432	0.0000	-1.7441	-0.7432	0.0000	1.7441	0.0725	0.0026	-0.0042
SNB-H2	0.7432	0.0000	-1.7441	-0.7432	0.0000	1.7441	0.0725	-0.0026	-0.0042
SNB-I1	0.7346	0.0000	-1.8611	-0.7346	0.0000	1.8611	0.0202	0.0025	-0.0020
SNB-I2	0.7346	0.0000	-1.8611	-0.7346	0.0000	1.8611	0.0202	-0.0025	-0.0020
SNB-J1	0.3769	0.0000	-0.9677	17.7627	20.8478	157.7617	0.0000	0.0000	0.0000
SNB-J2	0.3769	0.0000	-0.9677	17.7627	-20.8478	157.8397	0.0000	0.0000	0.0000
RohnA5	0.3207	0.0000	-0.2800	-0.3207	0.0000	0.2800	1.3393	0.0067	-0.1460
RohnB5	0.5052	0.0000	-0.3827	-0.5052	0.0000	0.3827	1.2712	0.0071	-0.1458
RohnC5	0.7652	0.0000	-0.3850	-0.7653	0.0000	0.3850	1.2035	0.0054	-0.1455
RohnD5	0.2702	0.0000	-0.2811	-0.2702	0.0000	0.2811	1.0694	0.0038	-0.1439
RohnE5	1.1366	0.0000	-1.1823	-1.1366	0.0000	1.2185	1.0032	0.0055	-0.1428
RohnF5	1.3276	0.0000	-1.1605	-1.3276	0.0000	1.0823	0.9382	0.0050	-0.1412
RohnG5	0.3934	0.0000	-0.4594	-0.3934	0.0000	1.1605	0.7916	0.0043	-0.1364
RohnH5	1.0742	0.0000	-1.1703	-0.3174	0.0000	0.4594	0.7120	0.0039	-0.1329
RohnI5	0.3146	0.0000	-0.4138	-0.3174	0.0000	1.1703	0.5643	0.0033	-0.1234
RohnJ5	0.3146	0.0000	-0.4138	-0.3174	0.0000	0.4138	0.4974	0.0030	-0.1173
RohnK5	0.3265	0.0000	-0.5437	-0.3265	0.0000	0.6147	0.3790	0.0025	-0.1043
RohnL5	0.4027	0.0000	-0.7547	-0.4027	0.0000	0.5437	0.3261	0.0022	-0.0989
RohnM5	0.3856	0.0000	-0.8508	-0.3856	0.0000	0.7547	0.2127	0.0017	-0.0827
RohnN5	0.3577	0.0000	-0.8934	-0.3577	0.0000	0.8508	0.1082	0.0012	-0.0615
RohnO5	0.3769	0.0000	-0.9677	-0.3769	0.0000	0.8934	0.0380	0.0007	-0.0379
RohnP5	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.9677	0.0007	0.0002	-0.0129
RohnQ5	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.2650	1.3403	-0.0067	-0.1140
RohnR5	0.2702	0.0000	-0.2811	-0.2702	0.0000	0.2650	1.2723	-0.0004	-0.1141
RohnS5	0.2702	0.0000	-0.2811	-0.2702	0.0000	0.2650	1.2045	-0.0006	-0.1140
RohnT5	0.2702	0.0000	-0.2811	-0.2702	0.0000	0.2811	1.0704	-0.0004	-0.1134
RohnU5	0.3146	0.0000	-0.3805	-0.3146	0.0000	0.2811	1.0042	-0.0003	-0.1128
RohnV5	0.3174	0.0000	-0.4138	-0.3174	0.0000	0.2811	0.9392	-0.0003	-0.1121
RohnW5	0.3174	0.0000	-0.4138	-0.3174	0.0000	0.3805	0.7926	-0.0002	-0.1092
RohnX5	0.3265	0.0000	-0.5437	-0.3265	0.0000	0.3805	0.7129	-0.0002	-0.1068
RohnY5	0.3265	0.0000	-0.5437	-0.3265	0.0000	0.4138	0.5652	-0.0001	-0.1000
RohnZ5	0.4027	0.0000	-0.7547	-0.4027	0.0000	0.4138	0.4983	-0.0001	-0.0953
RohnA6	0.3856	0.0000	-0.8508	-0.3856	0.0000	0.5437	0.3798	0.0001	-0.0864
RohnB6	0.3577	0.0000	-0.8934	-0.3577	0.0000	0.5437	0.3269	0.0000	-0.0823
RohnC6	0.3769	0.0000	-0.9677	-0.3769	0.0000	0.7547	0.2135	0.0000	-0.0700
RohnD6	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.8508	0.1090	-0.0000	-0.0529
RohnE6	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.8934	0.0388	0.0000	-0.0332
RohnF6	0.4124	0.0000	-0.3627	-0.4124	0.0000	0.9677	0.0015	0.0000	-0.0117
RohnG6	0.4317	0.0000	-0.3600	-0.4317	0.0000	0.4950	1.3496	-0.0031	-0.0553
RohnH6	1.0191	0.0000	-0.3850	-1.0191	0.0000	0.2650	1.3359	-0.0059	-0.0550
RohnI6	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.3627	1.2809	-0.0027	-0.0517
RohnJ6	0.2702	0.0000	-0.2811	-0.2702	0.0000	0.3627	1.2682	-0.0027	-0.0517
RohnK6	1.1366	0.0000	-1.2185	-1.1366	0.0000	0.3650	1.2134	-0.0025	-0.0514
RohnL6	1.3276	0.0000	-1.2185	-1.3276	0.0000	0.3850	1.2005	-0.0025	-0.0482
RohnM6	0.3934	0.0000	-0.4594	-0.3934	0.0000	0.2650	1.2005	-0.0005	-0.0479
RohnN6	1.0503	0.0000	-0.9891	-1.0503	0.0000	0.2811	1.0781	-0.0015	-0.0414
RohnO6	1.3265	0.0000	-1.1505	-1.3265	0.0000	0.2811	1.0672	-0.0056	-0.0411
RohnP6	1.3276	0.0000	-1.1605	-1.3276	0.0000	1.2185	1.0123	-0.0015	-0.0382
RohnQ6	0.3146	0.0000	-0.3805	-0.3146	0.0000	1.2185	1.0023	-0.0015	-0.0380
RohnR6	0.3146	0.0000	-0.3805	-0.3146	0.0000	0.9891	0.9466	-0.0011	-0.0351
RohnS6	0.9321	0.0000	-1.0738	-0.9321	0.0000	0.9891	0.9373	-0.0050	-0.0349
RohnT6	0.9321	0.0000	-1.0738	-0.9321	0.0000	1.1505	0.7995	-0.0004	-0.0285
RohnU6	0.9321	0.0000	-1.0738	-0.9321	0.0000	1.1605	0.7917	-0.0046	-0.0284
RohnV6	0.9321	0.0000	-1.0738	-0.9321	0.0000	1.1605	0.7917	-0.0046	-0.0284
RohnW6	0.9321	0.0000	-1.0738	-0.9321	0.0000	0.3805	0.7114	-0.0005	-0.0251
RohnX6	0.9321	0.0000	-1.0738	-0.9321	0.0000	0.3805	0.7114	-0.0005	-0.0250
RohnY6	0.9321	0.0000	-1.0738	-0.9321	0.0000	1.0738	0.5709	0.0008	-0.0197
RohnZ6	0.9321	0.0000	-1.0738	-0.9321	0.0000	1.0738	0.5650	-0.0045	-0.0195

URS Connecticut - butternut hollow greenwich, ct

RohnDb1	0.3174	0.0000	-0.4138	-0.3174	0.0000	0.4138	0.5028	0.0017	-0.0175
RohnDb2	0.3174	0.0000	-0.4138	-0.3174	0.0000	0.4138	0.4974	-0.0050	-0.0174
RohnEa1	0.3265	0.0000	-0.5437	-0.3265	0.0000	0.5437	0.3847	0.0019	-0.0137
RohnEa2	0.3265	0.0000	-0.5437	-0.3265	0.0000	0.5437	0.3803	-0.0046	-0.0137
RohnEb1	0.3265	0.0000	-0.5437	-0.3265	0.0000	0.5437	0.3315	0.0022	-0.0119
RohnEb2	0.3265	0.0000	-0.5437	-0.3265	0.0000	0.5437	0.3276	-0.0046	-0.0118
RohnFa1	0.4027	0.0000	-0.7547	-0.4027	0.0000	0.7547	0.2147	0.0041	-0.0080
RohnFa2	0.4027	0.0000	-0.7547	-0.4027	0.0000	0.7547	0.2116	-0.0060	-0.0080
RohnGa1	0.3856	0.0000	-0.8508	-0.3856	0.0000	0.8508	0.1103	0.0047	-0.0045
RohnGa2	0.3856	0.0000	-0.8508	-0.3856	0.0000	0.8508	0.1082	-0.0059	-0.0045
RohnHa1	0.3577	0.0000	-0.8934	-0.3577	0.0000	0.8934	0.0402	0.0053	-0.0024
RohnHa2	0.3577	0.0000	-0.8934	-0.3577	0.0000	0.8934	0.0389	-0.0063	-0.0023
RohnIa1	0.3769	0.0000	-0.9677	-0.3769	0.0000	0.9677	0.0067	0.0072	-0.0011
RohnIa2	0.3769	0.0000	-0.9677	-0.3769	0.0000	0.9677	0.0063	-0.0075	-0.0011
SNB-Aa1	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.2650	1.3422	0.0002	-0.0626
SNB-Aa2	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.2650	1.3420	-0.0015	-0.0626
SNB-Ab1	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.2650	1.2741	0.0003	-0.0589
SNB-Ab2	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.2650	1.2742	-0.0015	-0.0589
SNB-Ac1	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.2650	1.2063	0.0006	-0.0553
SNB-Ac2	0.2833	0.0000	-0.2650	-0.2833	0.0000	0.2650	1.2062	-0.0017	-0.0552
SNB-Ba1	0.2702	0.0000	-0.2811	-0.2702	0.0000	0.2811	1.0724	0.0008	-0.0483
SNB-Ba2	0.2702	0.0000	-0.2811	-0.2702	0.0000	0.2811	1.0723	-0.0017	-0.0482
SNB-Bb1	0.2702	0.0000	-0.2811	-0.2702	0.0000	0.2811	1.0066	0.0009	-0.0449
SNB-Bb2	0.2702	0.0000	-0.2811	-0.2702	0.0000	0.2811	1.0065	-0.0017	-0.0449
SNB-Bc1	0.2702	0.0000	-0.2811	-0.2702	0.0000	0.2811	0.9412	0.0011	-0.0416
SNB-Bc2	0.2702	0.0000	-0.2811	-0.2702	0.0000	0.2811	0.9411	-0.0018	-0.0416
SNB-Ca1	0.3146	0.0000	-0.3805	-0.3146	0.0000	0.3805	0.7944	0.0016	-0.0346
SNB-Ca2	0.3146	0.0000	-0.3805	-0.3146	0.0000	0.3805	0.7943	-0.0021	-0.0345
SNB-Cb1	0.3146	0.0000	-0.3805	-0.3146	0.0000	0.3805	0.7144	0.0019	-0.0309
SNB-Cb2	0.3146	0.0000	-0.3805	-0.3146	0.0000	0.3805	0.7144	-0.0024	-0.0309
SNB-Da1	0.3174	0.0000	-0.4138	-0.3174	0.0000	0.4138	0.5668	0.0022	-0.0248
SNB-Da2	0.3174	0.0000	-0.4138	-0.3174	0.0000	0.4138	0.5668	-0.0026	-0.0248
SNB-Db1	0.3174	0.0000	-0.4138	-0.3174	0.0000	0.4138	0.4994	0.0027	-0.0224
SNB-Db2	0.3174	0.0000	-0.4138	-0.3174	0.0000	0.4138	0.4994	-0.0030	-0.0224
SNB-Ea1	0.3265	0.0000	-0.5437	-0.3265	0.0000	0.5437	0.3824	0.0023	-0.0178
SNB-Ea2	0.3265	0.0000	-0.5437	-0.3265	0.0000	0.5437	0.3823	-0.0025	-0.0177
SNB-Eb1	0.3265	0.0000	-0.5437	-0.3265	0.0000	0.5437	0.3293	0.0026	-0.0154
SNB-Eb2	0.3265	0.0000	-0.5437	-0.3265	0.0000	0.5437	0.3293	-0.0027	-0.0154
SNB-Fa1	0.4027	0.0000	-0.7547	-0.4027	0.0000	0.7547	0.2125	-0.0046	-0.0104
SNB-Fa2	0.4027	0.0000	-0.7547	-0.4027	0.0000	0.7547	0.2125	-0.0046	-0.0104
SNB-Ga1	0.3856	0.0000	-0.8508	-0.3856	0.0000	0.8508	0.1088	0.0047	-0.0060
SNB-Ga2	0.3856	0.0000	-0.8508	-0.3856	0.0000	0.8508	0.1088	-0.0047	-0.0060
SNB-Ha1	0.3577	0.0000	-0.8934	-0.3577	0.0000	0.8934	0.0390	0.0053	-0.0029
SNB-Ha2	0.3577	0.0000	-0.8934	-0.3577	0.0000	0.8934	0.0390	-0.0053	-0.0029
SNB-Ia1	0.3769	0.0000	-0.9677	-0.3769	0.0000	0.9677	0.0057	0.0069	-0.0012
SNB-Ia2	0.3769	0.0000	-0.9677	-0.3769	0.0000	0.9677	0.0057	-0.0069	-0.0012

*** Analysis Results for Load Case No. 4 "W+I 60 deg" - Number of iterations in SAPS 12

Equilibrium Joint Positions and Rotations for Load Case "W+I 60 deg":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnAP	0.6865	1.1894	-0.116	0.0000	0.0000	0.0000	5.02	1.194	179.9
RohnBP	0.5537	0.9646	-0.1104	0.0000	0.0000	0.0000	5.675	0.9646	159.9
RohnCP	0.4233	0.7418	-0.1026	0.0000	0.0000	0.0000	6.334	0.7418	139.9
RohnDP	0.3086	0.5398	-0.09219	0.0000	0.0000	0.0000	7.004	0.5398	119.9
RohnEP	0.2105	0.3709	-0.07813	0.0000	0.0000	0.0000	7.691	0.3709	99.92
RohnFP	0.133	0.2369	-0.06432	0.0000	0.0000	0.0000	8.401	0.2369	79.94
RohnGP	0.07318	0.1344	-0.04954	0.0000	0.0000	0.0000	9.128	0.1344	59.95
RohnHP	0.03065	0.06068	-0.03413	0.0000	0.0000	0.0000	9.872	0.06068	39.97
RohnIP	0.005426	0.01672	-0.01885	0.0000	0.0000	0.0000	10.64	0.01672	19.98
RohnJP	0	0	0	0.0000	0.0000	0.0000	11.42	0	0
SNB-AP	0.6874	1.19	-0.09726	0.0000	0.0000	0.0000	3.02	1.19	179.9
SNB-BP	0.5545	0.9611	-0.09235	0.0000	0.0000	0.0000	3.676	0.9611	159.9
SNB-CP	0.4261	0.7397	-0.08614	0.0000	0.0000	0.0000	4.334	0.7397	139.9
SNB-DP	0.3094	0.5384	-0.07778	0.0000	0.0000	0.0000	5.004	0.5384	119.9
SNB-EP	0.2113	0.3691	-0.0662	0.0000	0.0000	0.0000	5.692	0.3691	99.93
SNB-FP	0.1338	0.2357	-0.05368	0.0000	0.0000	0.0000	6.402	0.2357	79.94
SNB-GP	0.07397	0.1328	-0.04319	0.0000	0.0000	0.0000	7.129	0.1328	59.96
SNB-HP	0.03143	0.0597	-0.03006	0.0000	0.0000	0.0000	7.872	0.0597	39.97
SNB-IP	0.006207	0.01576	-0.01507	0.0000	0.0000	0.0000	8.634	0.01576	19.98
SNB-JP	0	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnA1	0.6925	1.19	-0.03095	0.0000	0.0000	0.0000	-1.474	-2.562	180
RohnA2	0.5682	1.187	-0.1157	0.0000	0.0000	0.0000	-1.48	4.939	179.9
RohnB1	0.5602	0.9614	-0.01253	0.0000	0.0000	0.0000	-2	-3.474	160
RohnB2	0.5535	0.9574	-0.01102	0.0000	0.0000	0.0000	-2.007	5.392	159.9
RohnC1	0.4317	0.7406	-0.002039	0.0000	0.0000	0.0000	-2.523	-4.377	140
RohnC2	0.4234	0.7357	-0.1024	0.0000	0.0000	0.0000	-2.529	5.853	139.9
RohnD1	0.315	0.5398	-0.01177	0.0000	0.0000	0.0000	-3.033	-5.258	120
RohnD2	0.3084	0.5343	-0.09205	0.0000	0.0000	0.0000	-3.038	6.332	119.9
RohnE1	0.2168	0.371	-0.01425	0.0000	0.0000	0.0000	-3.524	-6.108	100
RohnE2	0.2127	0.3655	-0.07802	0.0000	0.0000	0.0000	-3.528	6.844	99.92
RohnF1	0.1393	0.238	-0.01565	0.0000	0.0000	0.0000	-3.995	-6.922	80.02
RohnF2	0.1362	0.232	-0.06425	0.0000	0.0000	0.0000	-4.448	7.392	79.94
RohnG1	0.07953	0.1354	-0.01449	0.0000	0.0000	0.0000	-4.45	7.971	59.95
RohnG2	0.07793	0.1294	-0.0495	0.0000	0.0000	0.0000	-4.884	-8.46	40.01
RohnH1	0.037	0.06261	-0.01162	0.0000	0.0000	0.0000	-4.884	8.579	39.97
RohnH2	0.03602	0.05615	-0.03411	0.0000	0.0000	0.0000	-5.304	-9.187	20.01
RohnI1	0.01124	0.01874	-0.005382	0.0000	0.0000	0.0000	-5.304	9.219	19.98
RohnI2	0.01115	0.0127	-0.01684	0.0000	0.0000	0.0000	-5.71	-9.89	0
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-5.71	9.89	0
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-0.4776	-0.8293	179.9
SNB-A1	0.6889	1.191	-0.05092	0.0000	0.0000	0.0000	-0.4776	3.21	179.9
SNB-A2	0.6888	1.189	-0.0972	0.0000	0.0000	0.0000	-1.004	-1.74	160
SNB-B1	0.5566	0.9625	-0.03182	0.0000	0.0000	0.0000	-1.004	3.663	159.9
SNB-B2	0.5563	0.96	-0.09227	0.0000	0.0000	0.0000	-1.525	-2.643	140
SNB-C1	0.4287	0.7414	-0.01523	0.0000	0.0000	0.0000	-2.035	4.123	139.9
SNB-C2	0.4284	0.7384	-0.08607	0.0000	0.0000	0.0000	-2.035	-3.526	120
SNB-D1	0.3124	0.5404	-0.003307	0.0000	0.0000	0.0000	-2.035	4.603	119.9
SNB-D2	0.312	0.5368	-0.07771	0.0000	0.0000	0.0000	-2.526	-4.375	100
SNB-E1	0.2146	0.3713	-0.001686	0.0000	0.0000	0.0000	-2.526	5.114	99.93
SNB-E2	0.2143	0.3673	-0.08615	0.0000	0.0000	0.0000	-2.996	-5.19	80.01
SNB-F1	0.1376	0.238	-0.007222	0.0000	0.0000	0.0000	-2.997	5.662	79.94
SNB-F2	0.1374	0.2336	-0.05564	0.0000	0.0000	0.0000	-3.449	-6.24	59.96
SNB-G1	0.07817	0.1353	-0.008573	0.0000	0.0000	0.0000	-3.885	-6.728	40.01
SNB-G2	0.0781	0.1304	-0.04316	0.0000	0.0000	0.0000	-4.303	7.454	20
SNB-H1	0.03599	0.06229	-0.008189	0.0000	0.0000	0.0000	-4.303	7.485	19.98
SNB-H2	0.036	0.05705	-0.03404	0.0000	0.0000	0.0000	-4.707	-8.154	0
SNB-I1	0.01054	0.01874	-0.004221	0.0000	0.0000	0.0000	-4.707	8.154	0
SNB-I2	0.01054	0.01325	-0.01506	0.0000	0.0000	0.0000	5.183	1.136	174.9
SNB-J1	0	0	0	0.0000	0.0000	0.0000	5.347	1.079	169.9
SNB-J2	0	0	0	0.0000	0.0000	0.0000	5.311	1.022	164.9
RohnAAS	0.6532	1.136	-0.1148	0.0000	0.0000	0.0000	6.004	0.6524	149.9
RohnBAS	0.6199	1.079	-0.1135	0.0000	0.0000	0.0000	6.004	0.6524	149.9
RohnCAS	0.5868	1.022	-0.112	0.0000	0.0000	0.0000	6.004	0.6524	149.9
RohnBAS	0.5211	0.9076	-0.1088	0.0000	0.0000	0.0000	6.004	0.6524	149.9
RohnBSAS	0.4886	0.8524	-0.1069	0.0000	0.0000	0.0000	6.004	0.6524	149.9

URS Connecticut - butternut hollow greenwich, ct

RohnBcs	0.4568	0.797	-0.1049	0.0000	0.0000	0.0000	0.0000	6.169	0.797	144.9
RohnCas	0.385	0.678	-0.09952	0.0000	0.0000	0.0000	0.0000	6.556	0.678	133.2
RohnCbs	0.3461	0.6042	-0.09602	0.0000	0.0000	0.0000	0.0000	6.779	0.6042	126.6
RohnDas	0.2738	0.4798	-0.08792	0.0000	0.0000	0.0000	0.0000	7.231	0.4798	113.3
RohnEbs	0.2411	0.4218	-0.08318	0.0000	0.0000	0.0000	0.0000	7.46	0.4218	106.6
RohnFas	0.1831	0.3225	-0.07377	0.0000	0.0000	0.0000	0.0000	7.926	0.3225	93.27
RohnEbs	0.1573	0.2774	-0.06915	0.0000	0.0000	0.0000	0.0000	8.163	0.2774	86.59
RohnFas	0.102	0.178	-0.05714	0.0000	0.0000	0.0000	0.0000	8.763	0.178	69.94
RohnGas	0.05088	0.08991	-0.04201	0.0000	0.0000	0.0000	0.0000	9.499	0.08991	49.96
RohnHas	0.01648	0.03057	-0.0257	0.0000	0.0000	0.0000	0.0000	10.25	0.03057	29.97
RohnIas	0.002826	0.001871	-0.008853	0.0000	0.0000	0.0000	0.0000	11.02	0.001871	9.991
RohnAas	0.6541	1.133	-0.09616	0.0000	0.0000	0.0000	0.0000	3.184	1.133	174.9
RohnAbs	0.6208	1.075	-0.095	0.0000	0.0000	0.0000	0.0000	3.348	1.075	169.9
RohnAcs	0.5876	1.018	-0.09372	0.0000	0.0000	0.0000	0.0000	3.512	1.018	164.9
RohnBas	0.5219	0.9044	-0.09095	0.0000	0.0000	0.0000	0.0000	3.84	0.9044	154.9
RohnBbs	0.4895	0.8488	-0.08946	0.0000	0.0000	0.0000	0.0000	4.004	0.8488	149.9
RohnBcs	0.4577	0.7934	-0.08785	0.0000	0.0000	0.0000	0.0000	4.169	0.7934	144.9
RohnBcs	0.3859	0.6691	-0.08362	0.0000	0.0000	0.0000	0.0000	4.556	0.6691	133.3
RohnCbs	0.3469	0.6014	-0.0808	0.0000	0.0000	0.0000	0.0000	4.78	0.6014	126.6
RohnDas	0.2746	0.4766	-0.07426	0.0000	0.0000	0.0000	0.0000	5.231	0.4766	113.3
RohnDbs	0.2419	0.4194	-0.07036	0.0000	0.0000	0.0000	0.0000	5.461	0.4194	106.6
RohnEas	0.1839	0.3209	-0.06291	0.0000	0.0000	0.0000	0.0000	5.927	0.3209	93.28
RohnEbs	0.1581	0.2759	-0.05937	0.0000	0.0000	0.0000	0.0000	6.164	0.2759	86.6
RohnFas	0.1028	0.1764	-0.0496	0.0000	0.0000	0.0000	0.0000	6.764	0.1764	69.95
RohnGas	0.05167	0.08905	-0.0368	0.0000	0.0000	0.0000	0.0000	7.5	0.08905	49.96
RohnHas	0.01726	0.02939	-0.02279	0.0000	0.0000	0.0000	0.0000	8.252	0.02939	29.98
RohnIas	0.002045	0.001371	-0.008078	0.0000	0.0000	0.0000	0.0000	9.019	0.001371	9.992
RohnAas	0.6595	1.133	-0.02603	0.0000	0.0000	0.0000	0.0000	-1.606	-2.79	175
RohnAbs	0.6525	1.129	-0.02603	0.0000	0.0000	0.0000	0.0000	-1.613	-2.79	175
RohnAcs	0.6262	1.075	-0.02128	0.0000	0.0000	0.0000	0.0000	-1.737	-3.018	170
RohnAbs	0.6196	1.072	-0.02128	0.0000	0.0000	0.0000	0.0000	-1.744	-3.018	170
RohnAcs	0.5931	1.018	-0.01133	0.0000	0.0000	0.0000	0.0000	-1.869	-3.246	165
RohnAcs	0.586	1.014	-0.01133	0.0000	0.0000	0.0000	0.0000	-1.876	-3.246	165
RohnAcs	0.5274	0.9052	-0.009428	0.0000	0.0000	0.0000	0.0000	-2.132	-3.7	155
RohnBbs	0.5206	0.9009	-0.009428	0.0000	0.0000	0.0000	0.0000	-2.138	-3.7	155
RohnBbs	0.4931	0.8495	-0.009428	0.0000	0.0000	0.0000	0.0000	-2.262	-3.927	150
RohnBbs	0.4891	0.8454	-0.009428	0.0000	0.0000	0.0000	0.0000	-2.268	-3.927	150
RohnBbs	0.4631	0.7946	-0.01101	0.0000	0.0000	0.0000	0.0000	-2.353	-4.152	145
RohnBbs	0.4572	0.7903	-0.01101	0.0000	0.0000	0.0000	0.0000	-2.359	-4.152	145
RohnCbs	0.3913	0.6711	0.005593	0.0000	0.0000	0.0000	0.0000	-2.694	-4.673	133.3
RohnCbs	0.3859	0.6665	0.005593	0.0000	0.0000	0.0000	0.0000	-2.699	-4.673	133.3
RohnCbs	0.3523	0.604	0.00928	0.0000	0.0000	0.0000	0.0000	-2.864	-4.967	126.7
RohnCbs	0.3462	0.5987	0.00928	0.0000	0.0000	0.0000	0.0000	-2.87	-4.967	126.7
RohnDbs	0.2749	0.4796	-0.03986	0.0000	0.0000	0.0000	0.0000	-3.198	-5.545	113.4
RohnDbs	0.2749	0.4796	-0.03986	0.0000	0.0000	0.0000	0.0000	-3.198	-5.545	113.4
RohnDbs	0.2472	0.4233	-0.03986	0.0000	0.0000	0.0000	0.0000	-3.203	-5.545	113.4
RohnDbs	0.2413	0.4173	-0.03986	0.0000	0.0000	0.0000	0.0000	-3.362	-5.829	106.7
RohnEas	0.1893	0.3238	-0.08306	0.0000	0.0000	0.0000	0.0000	-3.368	-5.829	106.7
RohnEas	0.1847	0.3177	-0.08306	0.0000	0.0000	0.0000	0.0000	-3.582	-6.669	106.6
RohnEbs	0.1634	0.2794	-0.07367	0.0000	0.0000	0.0000	0.0000	-3.687	-6.382	93.36
RohnEbs	0.1589	0.273	-0.07367	0.0000	0.0000	0.0000	0.0000	-3.84	-6.382	93.36
RohnFas	0.1077	0.1838	-0.05906	0.0000	0.0000	0.0000	0.0000	-4.223	-7.023	93.27
RohnFas	0.1077	0.1838	-0.05906	0.0000	0.0000	0.0000	0.0000	-4.223	-7.023	93.27
RohnGas	0.0568	0.09648	-0.05708	0.0000	0.0000	0.0000	0.0000	-4.23	-7.023	93.27
RohnGas	0.0568	0.09648	-0.05708	0.0000	0.0000	0.0000	0.0000	-4.23	-7.023	93.27
RohnGas	0.05088	0.08906	-0.04197	0.0000	0.0000	0.0000	0.0000	-4.567	-8.086	50.01
RohnGas	0.05088	0.08906	-0.04197	0.0000	0.0000	0.0000	0.0000	-4.567	-8.086	50.01
RohnGas	0.01731	0.029	-0.02568	0.0000	0.0000	0.0000	0.0000	-5.095	-8.826	30.01
RohnGas	0.01731	0.029	-0.02568	0.0000	0.0000	0.0000	0.0000	-5.095	-8.826	30.01
RohnGas	0.006587	0.01105	-0.002632	0.0000	0.0000	0.0000	0.0000	-5.1	-8.893	29.97
RohnGas	0.006587	0.01105	-0.002632	0.0000	0.0000	0.0000	0.0000	-5.1	-8.893	29.97
RohnGas	0.002718	-0.001696	-0.008847	0.0000	0.0000	0.0000	0.0000	-5.506	-9.437	10
RohnGas	0.002718	-0.001696	-0.008847	0.0000	0.0000	0.0000	0.0000	-5.506	-9.437	10
RohnGas	0.6558	1.134	-0.04596	0.0000	0.0000	0.0000	0.0000	-5.51	-9.546	9.991
RohnGas	0.6558	1.134	-0.04596	0.0000	0.0000	0.0000	0.0000	-5.51	-9.546	9.991
RohnGas	0.6225	1.076	-0.04105	0.0000	0.0000	0.0000	0.0000	-6.092	-1.057	175
RohnGas	0.6225	1.076	-0.04105	0.0000	0.0000	0.0000	0.0000	-6.092	-1.057	175
RohnGas	0.5895	1.019	-0.03493	0.0000	0.0000	0.0000	0.0000	-7.411	-1.285	170
RohnGas	0.5895	1.019	-0.03493	0.0000	0.0000	0.0000	0.0000	-7.411	-1.285	170
RohnGas	0.5889	1.017	-0.03363	0.0000	0.0000	0.0000	0.0000	-8.725	-1.436	169.9
RohnGas	0.5889	1.017	-0.03363	0.0000	0.0000	0.0000	0.0000	-8.725	-1.436	169.9
RohnGas	0.524	0.9062	-0.02735	0.0000	0.0000	0.0000	0.0000	-8.731	-1.513	165
RohnGas	0.524	0.9062	-0.02735	0.0000	0.0000	0.0000	0.0000	-8.731	-1.513	165
RohnGas	0.5234	0.9035	-0.02735	0.0000	0.0000	0.0000	0.0000	-8.731	-1.513	165
RohnGas	0.5234	0.9035	-0.02735	0.0000	0.0000	0.0000	0.0000	-8.731	-1.513	165
RohnGas	0.4918	0.8505	-0.02307	0.0000	0.0000	0.0000	0.0000	-1.135	-1.967	155
RohnGas	0.4918	0.8505	-0.02307	0.0000	0.0000	0.0000	0.0000	-1.135	-1.967	155
RohnGas	0.4914	0.8477	-0.02307	0.0000	0.0000	0.0000	0.0000	-1.265	-2.193	150
RohnGas	0.4914	0.8477	-0.02307	0.0000	0.0000	0.0000	0.0000	-1.265	-2.193	150
RohnGas	0.4599	0.7955	-0.01903	0.0000	0.0000	0.0000	0.0000	-1.396	-2.419	145
RohnGas	0.4599	0.7955	-0.01903	0.0000	0.0000	0.0000	0.0000	-1.396	-2.419	145
RohnGas	0.4592	0.7924	-0.018778	0.0000	0.0000	0.0000	0.0000	-1.697	-2.94	133.3
RohnGas	0.4592	0.7924	-0.018778	0.0000	0.0000	0.0000	0.0000	-1.697	-2.94	133.3
RohnGas	0.3872	0.6718	-0.01065	0.0000	0.0000	0.0000	0.0000	-1.698	-3.234	126.7
RohnGas	0.3872	0.6718	-0.01065	0.0000	0.0000	0.0000	0.0000	-1.698	-3.234	126.7
RohnGas	0.3495	0.6046	-0.006685	0.0000	0.0000	0.0000	0.0000	-1.867	-3.234	126.7
RohnGas	0.3495	0.6046	-0.006685	0.0000	0.0000	0.0000	0.0000	-1.867	-3.234	126.7

URS Connecticut - butternut hollow greenwich, ct

Joint Label	X Force Usage (kips)	X %	Y Force Usage (kips)	Y %	Z Comp. Usage %	Uplift Result. Force Usage %	Result. Force Usage (kips)	X-M. Moment Usage % (ft-k)	Y-M. Moment Usage % (ft-k)	Z 2-M. Moment Usage % (ft-k)	Max. Usage %
SNB-Cb2	0.348	0.0007	-0.08074	0.0000	0.0000	0.0000	-1.869	4.44	126.6		
SNB-Ba1	0.2775	0.48	-0.008561	0.0000	0.0000	0.0000	-2.201	-3.813	113.3		
SNB-Ba2	0.2759	0.4758	-0.0742	0.0000	0.0000	0.0000	-2.203	4.168	113.3		
SNB-Bb1	0.2437	0.0007759	0.0000	0.0000	0.0000	0.0000	-2.365	-4.096	106.7		
SNB-Bb2	0.2426	0.419	-0.0703	0.0000	0.0000	0.0000	-2.367	4.939	106.6		
SNB-Ea1	0.1873	0.324	0.004028	0.0000	0.0000	0.0000	-2.884	-4.65	93.34		
SNB-Ea2	0.1862	0.3195	-0.06287	0.0000	0.0000	0.0000	-2.895	5.293	93.28		
SNB-Bb1	0.1615	0.2795	0.005843	0.0000	0.0000	0.0000	-2.941	-4.922	86.67		
SNB-Bb2	0.1601	0.2747	-0.05933	0.0000	0.0000	0.0000	-2.843	5.476	86.6		
SNB-Ea1	0.1062	0.1838	0.00835	0.0000	0.0000	0.0000	-3.225	-5.595	70.01		
SNB-Ea2	0.1015	0.1771	-0.04957	0.0000	0.0000	0.0000	-3.229	5.946	69.95		
SNB-Ga1	0.05562	0.09625	0.008783	0.0000	0.0000	0.0000	-3.658	-6.354	50.01		
SNB-Ga2	0.05133	0.08923	-0.03677	0.0000	0.0000	0.0000	-3.673	6.539	49.96		
SNB-Ha1	0.02194	0.03798	0.006561	0.0000	0.0000	0.0000	-4.095	-7.093	30.01		
SNB-Ha2	0.01735	0.02992	-0.02278	0.0000	0.0000	0.0000	-4.1	7.161	29.98		
SNB-Ia1	0.00604	0.01046	0.002087	0.0000	0.0000	0.0000	-4.505	-7.802	10		
SNB-Ia2	0.002207	-0.001089	-0.008075	0.0000	0.0000	0.0000	-4.509	7.812	9.992		

Joint Support Reactions for Load Case "W+I 60 deg":

Joint Label	X Force Usage (kips)	X %	Y Force Usage (kips)	Y %	Z Comp. Usage %	Uplift Result. Force Usage %	Result. Force Usage (kips)	X-M. Moment Usage % (ft-k)	Y-M. Moment Usage % (ft-k)	Z 2-M. Moment Usage % (ft-k)	Max. Usage %
RohnJP	-2.81	0.0	-2.33	0.0	137.23	0.0	0.0	137.28	0.0	-0.00	0.0
SNB-JP	-3.49	0.0	-5.23	0.0	188.59	0.0	0.0	188.69	0.0	-0.00	0.0
RohnJ2	-10.58	0.0	-17.94	0.0	-207.51	0.0	0.0	208.55	0.0	-0.00	0.0
RohnJ2	-0.30	0.0	-3.41	0.0	137.08	0.0	0.0	137.12	0.0	-0.00	0.0
SNB-J1	-20.72	0.0	-35.88	0.0	-321.38	0.0	0.0	324.04	0.0	-0.00	0.0
SNB-J2	-2.77	0.0	-5.64	0.0	188.43	0.0	0.0	188.53	0.0	-0.00	0.0

Joint Displacements, Loads and Member Forces on Joints for Load Case "W+I 60 deg":

Joint Label	X External Load (kips)	Y External Load (kips)	Z External Load (kips)	X Member Force (kips)	Y Member Force (kips)	Z Member Force (kips)	X Disp. (ft)	Y Disp. (ft)	Z Disp. (ft)
RohnAP	0.8627	1.4942	-0.6537	-0.8627	-1.4942	0.6537	0.6865	1.1940	-0.1160
RohnBP	0.2673	0.4629	-0.5461	-0.2673	-0.4629	0.5461	0.5837	0.9646	-0.1104
RohnCP	0.2811	0.4868	-0.6616	-0.2811	-0.4868	0.6616	0.4253	0.7418	-0.1026
RohnDP	0.3026	0.5241	-0.7943	-0.3026	-0.5241	0.7943	0.3086	0.5398	-0.0922
RohnEP	0.3065	0.5309	-0.8059	-0.3065	-0.5309	0.8059	0.2105	0.3709	-0.0781
RohnFP	0.3452	0.5979	-1.2984	-0.3452	-0.5979	1.2984	0.1330	0.2389	-0.0643
RohnGP	0.3864	0.6693	-1.6255	-0.3864	-0.6693	1.6255	0.0732	0.1344	-0.0495
RohnHP	0.3501	0.6065	-1.7441	-0.3501	-0.6065	1.7441	0.0307	0.0607	-0.0341
RohnJP	0.3434	0.5947	-1.6611	-0.3434	-0.5947	1.6611	0.0054	0.0167	-0.0169
RohnAP	0.1754	0.3038	-0.9677	-0.1754	-0.3038	0.9677	0.0000	0.0000	0.0000
SNB-AP	0.1370	0.2372	-0.2650	-0.1370	-0.2372	0.2650	0.6874	1.1901	-0.0973
SNB-BP	0.2673	0.4629	-0.5461	-0.2673	-0.4629	0.5461	0.5837	0.9611	-0.0923
SNB-CP	0.2811	0.4868	-0.6616	-0.2811	-0.4868	0.6616	0.4261	0.7387	-0.0861
SNB-DP	0.3026	0.5241	-0.7943	-0.3026	-0.5241	0.7943	0.3094	0.5384	-0.0778
SNB-EP	0.3065	0.5309	-0.8059	-0.3065	-0.5309	0.8059	0.2113	0.3691	-0.0662
SNB-FP	0.3452	0.5979	-1.2984	-0.3452	-0.5979	1.2984	0.1338	0.2357	-0.0557
SNB-GP	0.3726	0.6454	-1.6055	-0.3726	-0.6454	1.6055	0.0740	0.1328	-0.0432
SNB-HP	0.3501	0.6065	-1.7441	-0.3501	-0.6065	1.7441	0.0314	0.0597	-0.0301
SNB-JP	0.3434	0.5947	-1.6611	-0.3434	-0.5947	1.6611	0.0062	0.0158	-0.0151
RohnA1	0.1754	0.3038	-0.9677	-0.1754	-0.3038	0.9677	0.0000	0.0000	0.0000
RohnA2	0.8766	1.5193	-0.6344	-0.8766	-1.5193	0.6344	0.6925	1.1901	-0.0309
RohnB1	0.7629	1.3214	-0.5943	-0.7629	-1.3214	0.5943	0.6862	1.1869	-0.1157
RohnB2	0.2673	0.4629	-0.5461	-0.2673	-0.4629	0.5461	0.5837	0.9611	-0.0923
RohnC1	0.2811	0.4868	-0.6616	-0.2811	-0.4868	0.6616	0.4317	0.7406	-0.1102
RohnC2	0.3026	0.5241	-0.7943	-0.3026	-0.5241	0.7943	0.3094	0.5398	-0.0920
RohnD1	0.3065	0.5309	-0.8059	-0.3065	-0.5309	0.8059	0.2122	0.3655	-0.0780
RohnD2	0.3452	0.5979	-1.2984	-0.3452	-0.5979	1.2984	0.1362	0.2320	-0.0642
RohnE1	0.3065	0.5309	-0.8059	-0.3065	-0.5309	0.8059	0.2122	0.3655	-0.0780
RohnE2	0.3452	0.5979	-1.2984	-0.3452	-0.5979	1.2984	0.1362	0.2320	-0.0642
RohnF1	0.3864	0.6693	-1.6255	-0.3864	-0.6693	1.6255	0.0795	0.1354	-0.0495
RohnG1	0.3864	0.6693	-1.6255	-0.3864	-0.6693	1.6255	0.0795	0.1354	-0.0495
RohnH1	0.3501	0.6065	-1.7441	-0.3501	-0.6065	1.7441	0.0370	0.0626	-0.0116
RohnH2	0.3501	0.6065	-1.7441	-0.3501	-0.6065	1.7441	0.0370	0.0626	-0.0116

URS Connecticut - butternut hollow greenwich, ct

RohnDb1	0.1518	0.2630	-0.4138	-0.1518	-0.2630	0.4138	0.2472	0.4233	0.0142
RohnDb2	0.1518	0.2630	-0.4138	-0.1518	-0.2630	0.4138	0.2413	0.4173	-0.0831
RohnEa1	0.1547	0.2680	-0.5437	-0.1547	-0.2680	0.5437	0.1893	0.3238	0.0152
RohnEa2	0.1547	0.2680	-0.5437	-0.1547	-0.2680	0.5437	0.1847	0.3177	-0.0737
RohnEb1	0.1547	0.2680	-0.5437	-0.1547	-0.2680	0.5437	0.1634	0.2794	0.0157
RohnEb2	0.1547	0.2680	-0.5437	-0.1547	-0.2680	0.5437	0.1599	0.2730	-0.0691
RohnFa1	0.1905	0.3299	-0.7547	-0.1905	-0.3299	0.7547	0.1077	0.1838	0.0156
RohnFa2	0.1905	0.3299	-0.7547	-0.1905	-0.3299	0.7547	0.1010	0.1759	-0.0571
RohnGa1	0.1822	0.3155	-0.8508	-0.1822	-0.3155	0.8508	0.0568	0.0965	0.0134
RohnGa2	0.1822	0.3155	-0.8508	-0.1822	-0.3155	0.8508	0.0509	0.0881	0.0134
RohnHa1	0.1680	0.2909	-0.8934	-0.1680	-0.2909	0.8934	0.0228	0.0384	0.0088
RohnHa2	0.1680	0.2909	-0.8934	-0.1680	-0.2909	0.8934	0.0228	0.0384	0.0088
RohnIa1	0.1754	0.3038	-0.9677	-0.1754	-0.3038	0.9677	0.0666	0.0290	-0.0257
RohnIa2	0.1754	0.3038	-0.9677	-0.1754	-0.3038	0.9677	0.0666	0.0290	-0.0257
SNB-Aa1	0.1370	0.2372	-0.2650	-0.1370	-0.2372	0.2650	0.0027	-0.0017	-0.0088
SNB-Aa2	0.1370	0.2372	-0.2650	-0.1370	-0.2372	0.2650	0.6358	1.1340	-0.0460
SNB-Ab1	0.1370	0.2372	-0.2650	-0.1370	-0.2372	0.2650	0.6554	1.1318	-0.0961
SNB-Ab2	0.1370	0.2372	-0.2650	-0.1370	-0.2372	0.2650	0.6224	1.0744	-0.0949
SNB-Ac1	0.1370	0.2372	-0.2650	-0.1370	-0.2372	0.2650	0.5895	1.0194	-0.0363
SNB-Ac2	0.1370	0.2372	-0.2650	-0.1370	-0.2372	0.2650	0.5869	1.0168	-0.0936
SNB-Ba1	0.1303	0.2257	-0.2811	-0.1303	-0.2257	0.2811	0.5234	0.9062	-0.0273
SNB-Ba2	0.1303	0.2257	-0.2811	-0.1303	-0.2257	0.2811	0.4918	0.8505	-0.0909
SNB-Bb1	0.1303	0.2257	-0.2811	-0.1303	-0.2257	0.2811	0.4914	0.8477	-0.0231
SNB-Bb2	0.1303	0.2257	-0.2811	-0.1303	-0.2257	0.2811	0.4599	0.7955	-0.0894
SNB-Bc1	0.1303	0.2257	-0.2811	-0.1303	-0.2257	0.2811	0.4592	0.7924	-0.0190
SNB-Bc2	0.1303	0.2257	-0.2811	-0.1303	-0.2257	0.2811	0.3884	0.7924	-0.0878
SNB-Ca1	0.1508	0.2611	-0.3805	-0.1508	-0.2611	0.3805	0.3872	0.6683	-0.0107
SNB-Ca2	0.1508	0.2611	-0.3805	-0.1508	-0.2611	0.3805	0.3495	0.6046	-0.0836
SNB-Cb1	0.1508	0.2611	-0.3805	-0.1508	-0.2611	0.3805	0.3480	0.6007	-0.0067
SNB-Cb2	0.1508	0.2611	-0.3805	-0.1508	-0.2611	0.3805	0.2775	0.4800	-0.0807
SNB-Da1	0.1518	0.2630	-0.4138	-0.1518	-0.2630	0.4138	0.2759	0.4758	-0.0009
SNB-Da2	0.1518	0.2630	-0.4138	-0.1518	-0.2630	0.4138	0.2759	0.4758	-0.0742
SNB-Db1	0.1518	0.2630	-0.4138	-0.1518	-0.2630	0.4138	0.2449	0.4237	0.0008
SNB-Db2	0.1518	0.2630	-0.4138	-0.1518	-0.2630	0.4138	0.2426	0.4190	0.0703
SNB-Ea1	0.1547	0.2680	-0.5437	-0.1547	-0.2680	0.5437	0.1873	0.3240	0.0040
SNB-Ea2	0.1547	0.2680	-0.5437	-0.1547	-0.2680	0.5437	0.1862	0.3195	-0.0629
SNB-Eb1	0.1547	0.2680	-0.5437	-0.1547	-0.2680	0.5437	0.1615	0.2795	0.0058
SNB-Eb2	0.1547	0.2680	-0.5437	-0.1547	-0.2680	0.5437	0.1601	0.2747	-0.0593
SNB-Fa1	0.1905	0.3299	-0.7547	-0.1905	-0.3299	0.7547	0.1062	0.1838	0.0083
SNB-Fa2	0.1905	0.3299	-0.7547	-0.1905	-0.3299	0.7547	0.1015	0.1771	-0.0496
SNB-Ga1	0.1822	0.3155	-0.8508	-0.1822	-0.3155	0.8508	0.0556	0.0963	0.0088
SNB-Ga2	0.1822	0.3155	-0.8508	-0.1822	-0.3155	0.8508	0.0513	0.0892	0.0368
SNB-Ha1	0.1680	0.2909	-0.8934	-0.1680	-0.2909	0.8934	0.0219	0.0380	0.0066
SNB-Ha2	0.1680	0.2909	-0.8934	-0.1680	-0.2909	0.8934	0.0174	0.0299	-0.0228
SNB-Ia1	0.1754	0.3038	-0.9677	-0.1754	-0.3038	0.9677	0.0660	0.0105	0.0021
SNB-Ia2	0.1754	0.3038	-0.9677	-0.1754	-0.3038	0.9677	0.0022	-0.0011	-0.0081

Equilibrium Joint Positions and Rotations for Load Case "Wti 90 deg":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnAP	-0.0001838	1.383	-0.08771	0.0000	0.0000	0.0000	4.333	1.383	179.9
RohnBP	-0.0008115	1.117	-0.07788	0.0000	0.0000	0.0000	5.112	1.117	159.9
RohnCP	-0.001404	0.8592	-0.06779	0.0000	0.0000	0.0000	5.908	0.8592	139.9
RohnDP	-0.001963	0.6252	-0.0576	0.0000	0.0000	0.0000	6.693	0.6252	119.9
RohnEP	-0.002491	0.4295	-0.04739	0.0000	0.0000	0.0000	7.479	0.4295	99.9
RohnFP	-0.002974	0.2742	-0.03771	0.0000	0.0000	0.0000	8.265	0.2742	79.9
RohnGP	-0.003412	0.1553	-0.02823	0.0000	0.0000	0.0000	9.052	0.1553	59.9
RohnHP	-0.003754	0.06993	-0.01891	0.0000	0.0000	0.0000	9.837	0.06993	39.9
RohnIP	-0.003662	0.01909	-0.009452	0.0000	0.0000	0.0000	10.63	0.01909	19.9
RohnJP	0	0	0	0.0000	0.0000	0.0000	11.42	0	0
SNB-AP	0.0006045	1.382	-0.0819	0.0000	0.0000	0.0000	2.334	1.382	179.9
SNB-BP	-2.369e-005	1.117	-0.07225	0.0000	0.0000	0.0000	3.121	1.117	159.9
SNB-CP	-0.0006171	0.8595	-0.06257	0.0000	0.0000	0.0000	3.907	0.8595	139.9
SNB-DP	-0.001178	0.6257	-0.05301	0.0000	0.0000	0.0000	4.694	0.6257	119.9
SNB-EP	-0.001707	0.4291	-0.04361	0.0000	0.0000	0.0000	5.479	0.4291	99.9
SNB-FP	-0.002192	0.274	-0.03475	0.0000	0.0000	0.0000	6.266	0.274	79.9
SNB-GP	-0.00263	0.1544	-0.02596	0.0000	0.0000	0.0000	7.052	0.1544	59.9
SNB-HP	-0.002974	0.06944	-0.01733	0.0000	0.0000	0.0000	7.838	0.06944	39.9
SNB-IP	-0.002881	0.01833	-0.009645	0.0000	0.0000	0.0000	8.625	0.01833	19.9
SNB-JP	0	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnA1	0.002146	1.384	-0.03834	0.0000	0.0000	0.0000	-2.164	-2.368	180
RohnA2	0.002648	1.381	-0.1368	0.0000	0.0000	0.0000	-2.164	5.133	179.9
RohnB1	0.002532	1.118	-0.021	0.0000	0.0000	0.0000	-2.558	3.317	160
RohnB2	0.001937	1.114	-0.1345	0.0000	0.0000	0.0000	-2.559	5.549	159.9
RohnC1	0.003013	0.8613	-0.00698	0.0000	0.0000	0.0000	-2.951	4.256	140
RohnC2	0.001084	0.8565	-0.1283	0.0000	0.0000	0.0000	-2.953	5.974	139.9
RohnD1	0.003105	0.6276	0.002833	0.0000	0.0000	0.0000	-3.344	5.117	120
RohnD2	0.0007035	0.6225	-0.1178	0.0000	0.0000	0.0000	-3.347	6.421	119.9
RohnE1	0.002701	0.4315	0.006324	0.0000	0.0000	0.0000	-3.738	6.905	99.9
RohnE2	0.001043	0.426	-0.1009	0.0000	0.0000	0.0000	-3.739	7.431	79.92
RohnF1	0.002573	0.2766	0.008808	0.0000	0.0000	0.0000	-4.131	7.684	60.01
RohnF2	0.001213	0.2768	-0.08403	0.0000	0.0000	0.0000	-4.526	7.993	59.93
RohnG1	0.00213	0.1574	0.009018	0.0000	0.0000	0.0000	-4.918	8.45	40.01
RohnG2	0.001796	0.1512	-0.06534	0.0000	0.0000	0.0000	-5.313	9.221	19.98
RohnH1	0.002142	0.07259	0.007713	0.0000	0.0000	0.0000	-5.71	9.89	0
RohnH2	0.001913	0.06604	-0.04543	0.0000	0.0000	0.0000	-5.71	-0.637	179.9
RohnI1	0.001759	0.02155	0.003488	0.0000	0.0000	0.0000	-5.71	3.402	179.9
RohnI2	0.002065	0.01528	-0.02235	0.0000	0.0000	0.0000	-5.71	-1.585	160
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-5.71	3.818	159.9
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-5.71	-2.523	140
SNB-A1	0.001971	1.383	-0.05498	0.0000	0.0000	0.0000	-5.71	4.242	139.9
SNB-A2	0.001969	1.381	-0.1087	0.0000	0.0000	0.0000	-5.71	-3.438	120
SNB-B1	0.001803	1.118	-0.03708	0.0000	0.0000	0.0000	-1.165	4.69	119.9
SNB-B2	0.001803	1.115	-0.1073	0.0000	0.0000	0.0000	-1.165	5.174	99.92
SNB-C1	0.001691	0.8611	-0.02136	0.0000	0.0000	0.0000	-1.559	5.152	80
SNB-C2	0.001631	0.8579	-0.1036	0.0000	0.0000	0.0000	-1.559	5.7	79.93
SNB-D1	0.001616	0.6276	-0.009722	0.0000	0.0000	0.0000	-1.952	-5.953	60
SNB-D2	0.001477	0.6229	-0.09614	0.0000	0.0000	0.0000	-2.346	6.262	59.94
SNB-E1	0.00156	0.4312	-0.004142	0.0000	0.0000	0.0000	-2.739	6.718	40
SNB-E2	0.001399	0.4272	-0.08294	0.0000	0.0000	0.0000	-2.739	7.451	20
SNB-F1	0.001504	0.2763	0.001834	0.0000	0.0000	0.0000	-4.313	7.488	19.98
SNB-F2	0.00144	0.2718	-0.0712	0.0000	0.0000	0.0000	-4.313	-8.154	0
SNB-G1	0.001511	0.1569	0.00415	0.0000	0.0000	0.0000	-3.132	8.154	0
SNB-G2	0.001505	0.152	-0.05598	0.0000	0.0000	0.0000	-3.526	1.316	174.9
SNB-H1	0.001548	0.07203	0.004928	0.0000	0.0000	0.0000	-3.919	1.249	169.9
SNB-H2	0.001583	0.06676	-0.03951	0.0000	0.0000	0.0000	-3.919	1.183	164.9
SNB-I1	0.001463	0.02082	0.002581	0.0000	0.0000	0.0000	-4.313	1.051	154.9
SNB-I2	0.001459	0.01593	-0.01964	0.0000	0.0000	0.0000	-4.313	0.987	149.9
SNB-J1	0	0	0	0.0000	0.0000	0.0000	-4.707	8.154	0
SNB-J2	0	0	0	0.0000	0.0000	0.0000	-4.707	1.316	174.9
RohnA5	-0.0003109	1.316	-0.08527	0.0000	0.0000	0.0000	4.53	1.249	169.9
RohnA6	-0.0004905	1.249	-0.08283	0.0000	0.0000	0.0000	4.727	1.183	164.9
RohnA7	-0.0006009	1.183	-0.08036	0.0000	0.0000	0.0000	4.923	1.051	154.9
RohnB5	-0.0008698	1.051	-0.07539	0.0000	0.0000	0.0000	5.317	0.987	149.9
RohnB6	-0.001119	0.987	-0.07291	0.0000	0.0000	0.0000	5.514		

URS Connecticut - butternut hollow greenwich, ct

RohnCAs	-0.001175	0.923	-0.07037	0.0000	0.0000	0.0000	0.0000	5.711	0.923	144.9
RohnCAs	-0.001499	0.7792	-0.06442	0.0000	0.0000	0.0000	0.0000	6.169	0.7792	133.3
RohnCAs	-0.001672	0.5998	-0.06098	0.0000	0.0000	0.0000	0.0000	6.432	0.6998	126.6
RohnCAs	-0.00203	0.5537	-0.05421	0.0000	0.0000	0.0000	0.0000	6.955	0.5537	113.3
RohnCAs	-0.002169	0.4886	-0.05076	0.0000	0.0000	0.0000	0.0000	7.217	0.4886	106.6
RohnCAs	-0.002573	0.3734	-0.04416	0.0000	0.0000	0.0000	0.0000	8.74	0.3734	93.3
RohnCAs	-0.002711	0.3212	-0.04051	0.0000	0.0000	0.0000	0.0000	8.503	0.3212	86.62
RohnCAs	-0.002822	0.2061	-0.03292	0.0000	0.0000	0.0000	0.0000	8.659	0.2061	69.97
RohnCAs	-0.003276	0.104	-0.02354	0.0000	0.0000	0.0000	0.0000	9.445	0.104	49.98
RohnCAs	-0.003844	0.03531	-0.0142	0.0000	0.0000	0.0000	0.0000	10.23	0.03531	29.99
RohnCAs	-0.006157	0.002156	-0.005028	0.0000	0.0000	0.0000	0.0000	11.02	0.002156	9.995
RohnCAs	-0.0004773	1.316	-0.0785	0.0000	0.0000	0.0000	0.0000	2.53	1.316	174.9
RohnCAs	-0.0002976	1.249	-0.0771	0.0000	0.0000	0.0000	0.0000	2.727	1.249	169.9
RohnCAs	-0.0001872	1.182	-0.07467	0.0000	0.0000	0.0000	0.0000	2.924	1.182	164.9
RohnCAs	-0.0001021	1.051	-0.06982	0.0000	0.0000	0.0000	0.0000	3.318	1.051	154.9
RohnCAs	-0.0003313	0.9861	-0.0674	0.0000	0.0000	0.0000	0.0000	3.514	0.9861	149.9
RohnCAs	-0.0003869	0.9218	-0.06498	0.0000	0.0000	0.0000	0.0000	3.711	0.9218	144.9
RohnCAs	-0.0007118	0.7775	-0.05936	0.0000	0.0000	0.0000	0.0000	4.169	0.7775	133.3
RohnCAs	-0.0008856	0.6988	-0.05615	0.0000	0.0000	0.0000	0.0000	4.432	0.6988	126.6
RohnCAs	-0.001244	0.5539	-0.04984	0.0000	0.0000	0.0000	0.0000	4.955	0.5539	113.3
RohnCAs	-0.001385	0.4875	-0.04668	0.0000	0.0000	0.0000	0.0000	5.218	0.4875	106.6
RohnCAs	-0.00179	0.373	-0.04064	0.0000	0.0000	0.0000	0.0000	5.741	0.373	93.3
RohnCAs	-0.001928	0.3208	-0.03767	0.0000	0.0000	0.0000	0.0000	6.004	0.3208	86.62
RohnCAs	-0.002041	0.2052	-0.0303	0.0000	0.0000	0.0000	0.0000	6.659	0.2052	69.97
RohnCAs	-0.002495	0.1036	-0.02161	0.0000	0.0000	0.0000	0.0000	7.446	0.1036	49.98
RohnCAs	-0.003064	0.03497	-0.01301	0.0000	0.0000	0.0000	0.0000	8.231	0.03497	29.99
RohnCAs	-0.005375	0.001647	-0.004691	0.0000	0.0000	0.0000	0.0000	9.016	0.001647	9.995
RohnCAs	-0.002017	1.318	-0.03373	0.0000	0.0000	0.0000	0.0000	2.263	1.318	174.9
RohnCAs	-0.002162	1.251	-0.03366	0.0000	0.0000	0.0000	0.0000	2.361	1.251	169.9
RohnCAs	-0.002424	1.182	-0.02927	0.0000	0.0000	0.0000	0.0000	2.46	1.182	164.9
RohnCAs	-0.002258	1.1247	-0.02502	0.0000	0.0000	0.0000	0.0000	2.656	1.1247	154.9
RohnCAs	-0.001822	1.18	-0.02134	0.0000	0.0000	0.0000	0.0000	2.855	1.18	149.9
RohnCAs	-0.002738	1.053	-0.0171	0.0000	0.0000	0.0000	0.0000	3.083	1.053	144.9
RohnCAs	-0.001485	1.049	-0.01334	0.0000	0.0000	0.0000	0.0000	3.213	1.049	133.3
RohnCAs	-0.002508	0.9883	-0.01346	0.0000	0.0000	0.0000	0.0000	3.478	0.9883	126.6
RohnCAs	-0.00177	0.9838	-0.01321	0.0000	0.0000	0.0000	0.0000	3.61	0.9838	113.3
RohnCAs	-0.002662	0.9243	-0.01006	0.0000	0.0000	0.0000	0.0000	3.868	0.9243	106.6
RohnCAs	-0.001478	0.9199	-0.01304	0.0000	0.0000	0.0000	0.0000	4.003	0.9199	93.3
RohnCAs	-0.002643	0.8706	-0.003095	0.0000	0.0000	0.0000	0.0000	4.326	0.8706	86.62
RohnCAs	-0.001282	0.7759	-0.01255	0.0000	0.0000	0.0000	0.0000	4.725	0.7759	70.01
RohnCAs	-0.003195	0.7022	-0.0002201	0.0000	0.0000	0.0000	0.0000	5.113	0.7022	50.01
RohnCAs	-0.002307	0.6974	-0.01219	0.0000	0.0000	0.0000	0.0000	5.507	0.6974	30.01
RohnCAs	-0.002896	0.5577	-0.004695	0.0000	0.0000	0.0000	0.0000	5.957	0.5577	29.97
RohnCAs	-0.0008182	0.5526	-0.01129	0.0000	0.0000	0.0000	0.0000	6.329	0.5526	10
RohnCAs	-0.003479	0.4918	-0.005865	0.0000	0.0000	0.0000	0.0000	6.512	0.4918	9.988
RohnCAs	-0.00252	0.4867	-0.01072	0.0000	0.0000	0.0000	0.0000	6.739	0.4867	174.9
RohnCAs	-0.003101	0.3762	-0.007594	0.0000	0.0000	0.0000	0.0000	7.076	0.3762	169.9
RohnCAs	-0.005367	0.3708	-0.00957	0.0000	0.0000	0.0000	0.0000	7.252	0.3708	164.9
RohnCAs	-0.003168	0.3245	-0.008423	0.0000	0.0000	0.0000	0.0000	7.289	0.3245	154.9
RohnCAs	-0.0004	0.3189	-0.009006	0.0000	0.0000	0.0000	0.0000	7.708	0.3189	149.9
RohnCAs	-0.004518	0.2124	-0.009371	0.0000	0.0000	0.0000	0.0000	8.071	0.2124	145
RohnCAs	-0.0003	0.2068	-0.00751	0.0000	0.0000	0.0000	0.0000	8.287	0.2068	133.3
RohnCAs	-0.004382	0.1107	-0.008712	0.0000	0.0000	0.0000	0.0000	8.821	0.1107	126.6
RohnCAs	-0.00105	0.1046	-0.005572	0.0000	0.0000	0.0000	0.0000	9.537	0.1046	113.3
RohnCAs	-0.004594	0.0429	-0.005889	0.0000	0.0000	0.0000	0.0000	9.548	0.0429	106.6
RohnCAs	-0.0008779	0.03596	-0.003425	0.0000	0.0000	0.0000	0.0000	9.821	0.03596	93.3
RohnCAs	-0.005077	0.01093	-0.001654	0.0000	0.0000	0.0000	0.0000	10	0.01093	86.62
RohnCAs	-0.0009313	0.0001343	-0.01169	0.0000	0.0000	0.0000	0.0000	10.23	0.0001343	70.01
RohnCAs	-0.001981	1.317	-0.05034	0.0000	0.0000	0.0000	0.0000	1.263	1.317	169.9
RohnCAs	-0.001827	1.315	-0.04575	0.0000	0.0000	0.0000	0.0000	1.362	1.315	164.9
RohnCAs	-0.001912	1.248	-0.04575	0.0000	0.0000	0.0000	0.0000	1.46	1.248	154.9
RohnCAs	-0.001369	1.184	-0.04132	0.0000	0.0000	0.0000	0.0000	1.657	1.184	149.9
RohnCAs	-0.001585	1.181	-0.04132	0.0000	0.0000	0.0000	0.0000	1.755	1.181	145
RohnCAs	-0.001925	1.052	-0.03286	0.0000	0.0000	0.0000	0.0000	1.854	1.052	140.9
RohnCAs	-0.00153	1.05	-0.03286	0.0000	0.0000	0.0000	0.0000	1.854	1.05	133.3
RohnCAs	-0.001842	0.9877	-0.02882	0.0000	0.0000	0.0000	0.0000	2.083	0.9877	126.6
RohnCAs	-0.001641	0.9849	-0.02882	0.0000	0.0000	0.0000	0.0000	2.214	0.9849	121.4
RohnCAs	-0.001947	0.9237	-0.02498	0.0000	0.0000	0.0000	0.0000	2.46	0.9237	116.6
RohnCAs	-0.001348	0.9209	-0.02498	0.0000	0.0000	0.0000	0.0000	2.656	0.9209	111.3
RohnCAs	-0.00211	0.78	-0.01695	0.0000	0.0000	0.0000	0.0000	2.855	0.78	106.6
RohnCAs	-0.001018	0.7769	-0.01016	0.0000	0.0000	0.0000	0.0000	3.083	0.7769	101.6
RohnCAs	-0.002288	0.7018	-0.01307	0.0000	0.0000	0.0000	0.0000	3.213	0.7018	96.6

URS Connecticut ~ butternut hollow greenwich, ct

RohnI1	0.0000	0.6987	-1.8611	0.0000	-0.6987	1.8611	0.0018	0.0216	0.0035
RohnI2	0.0000	0.6987	-1.8611	0.0000	-0.6987	1.8611	0.0021	0.0153	-0.0223
RohnJ1	0.0000	0.3573	-0.9677	8.4678	16.5467	179.1730	0.0000	0.0000	0.0000
RohnJ2	0.0000	0.3573	-0.9677	-3.3614	7.8739	-221.6743	0.0000	0.0000	0.0000
SNB-A1	0.0000	0.2763	-0.2650	-0.0000	-0.2763	0.2650	0.0020	1.3834	-0.0550
SNB-A2	0.0000	0.2763	-0.2650	-0.0000	-0.2763	0.2650	0.0020	1.3834	-0.0550
SNB-B1	0.0000	0.5393	-0.5461	-0.0000	-0.5393	0.5461	0.0018	1.1178	-0.0371
SNB-B2	0.0000	0.5393	-0.5461	-0.0000	-0.5393	0.5461	0.0018	1.1178	-0.0371
SNB-C1	0.0000	0.5678	-0.6616	-0.0000	-0.5678	0.6616	0.0017	0.8611	-0.0214
SNB-C2	0.0000	0.5678	-0.6616	-0.0000	-0.5678	0.6616	0.0017	0.8611	-0.0214
SNB-D1	0.0000	0.6119	-0.7943	-0.0000	-0.6119	0.7943	0.0016	0.8579	-0.1036
SNB-D2	0.0000	0.6119	-0.7943	-0.0000	-0.6119	0.7943	0.0016	0.8579	-0.1036
SNB-E1	0.0000	0.6208	-0.9574	-0.0000	-0.6208	0.9574	0.0015	0.6276	-0.0097
SNB-E2	0.0000	0.6208	-0.9574	-0.0000	-0.6208	0.9574	0.0015	0.6276	-0.0097
SNB-F1	0.0000	0.7000	-1.2984	-0.0000	-0.7000	1.2984	0.0014	0.4312	-0.0041
SNB-F2	0.0000	0.7000	-1.2984	-0.0000	-0.7000	1.2984	0.0014	0.4312	-0.0041
SNB-G1	0.0000	0.7560	-1.6055	-0.0000	-0.7560	1.6055	0.0015	0.1520	-0.0560
SNB-G2	0.0000	0.7560	-1.6055	-0.0000	-0.7560	1.6055	0.0015	0.1520	-0.0560
SNB-H1	0.0000	0.7110	-1.7441	-0.0000	-0.7110	1.7441	0.0015	0.0720	0.0049
SNB-H2	0.0000	0.7110	-1.7441	-0.0000	-0.7110	1.7441	0.0015	0.0720	0.0049
SNB-I1	0.0000	0.6987	-1.8611	-0.0000	-0.6987	1.8611	0.0015	0.0208	0.0026
SNB-I2	0.0000	0.6987	-1.8611	-0.0000	-0.6987	1.8611	0.0015	0.0208	0.0026
SNB-J1	0.0000	0.3573	-0.9677	16.3303	33.7453	279.1315	0.0015	0.0158	-0.0198
SNB-J2	0.0000	0.3573	-0.9677	16.3303	33.7453	279.1315	0.0015	0.0158	-0.0198
RohnAas	0.0000	0.3137	-0.2900	0.0000	-0.3137	0.2900	0.0000	0.0000	0.0000
RohnAbs	0.0000	0.4982	-0.3827	0.0000	-0.4982	0.3827	-0.0003	1.3156	-0.0853
RohnAcs	0.0000	0.7582	-0.3850	0.0000	-0.7582	0.3850	-0.0005	1.2492	-0.0828
RohnBas	0.0000	0.2630	-0.2811	0.0000	-0.2630	0.2811	-0.0006	1.1828	-0.0804
RohnBbs	0.0000	1.1294	-1.2185	0.0000	-1.1294	1.2185	-0.0009	1.0509	-0.0754
RohnBcs	0.0000	1.1760	-1.0823	0.0000	-1.1760	1.0823	-0.0011	0.9870	-0.0729
RohnCbs	0.0000	1.3178	-1.1605	0.0000	-1.3178	1.1605	-0.0012	0.9230	-0.0704
RohnDas	0.0000	0.3836	-0.4594	0.0000	-0.3836	0.4594	-0.0017	0.6998	-0.0610
RohnEas	0.0000	1.0639	-1.1703	0.0000	-1.0639	1.1703	-0.0020	0.5557	-0.0542
RohnEbs	0.0000	0.3071	-0.4138	0.0000	-0.3071	0.4138	-0.0022	0.4886	-0.0508
RohnEcs	0.0000	0.5013	-0.6147	0.0000	-0.5013	0.6147	-0.0026	0.3734	-0.0442
RohnEbs	0.0000	0.3137	-0.5437	0.0000	-0.3137	0.5437	-0.0027	0.3212	-0.0409
RohnFas	0.0000	0.3864	-0.7547	0.0000	-0.3864	0.7547	-0.0028	0.2061	-0.0329
RohnGas	0.0000	0.3696	-0.8508	0.0000	-0.3696	0.8508	-0.0038	0.1040	-0.0235
RohnHas	0.0000	0.3414	-0.8934	0.0000	-0.3414	0.8934	-0.0038	0.0353	-0.0142
RohnIas	0.0000	0.3573	-0.9677	0.0000	-0.3573	0.9677	-0.0062	0.0022	-0.0050
RohnAas	0.0000	0.2763	-0.2650	0.0000	-0.2763	0.2650	0.0005	1.3157	-0.0795
RohnAbs	0.0000	0.2763	-0.2650	0.0000	-0.2763	0.2650	0.0003	1.2492	-0.0771
RohnAcs	0.0000	0.2630	-0.2811	0.0000	-0.2630	0.2811	-0.0002	1.1822	-0.0747
RohnBas	0.0000	0.2630	-0.2811	0.0000	-0.2630	0.2811	-0.0001	1.0507	-0.0698
RohnBbs	0.0000	0.3048	-0.3805	0.0000	-0.3048	0.3805	-0.0004	0.9218	-0.0674
RohnBcs	0.0000	0.3071	-0.4138	0.0000	-0.3071	0.4138	-0.0009	0.6988	-0.0561
RohnBbs	0.0000	0.3071	-0.4138	0.0000	-0.3071	0.4138	-0.0012	0.5539	-0.0498
RohnBcs	0.0000	0.3137	-0.5437	0.0000	-0.3137	0.5437	-0.0014	0.4875	-0.0467
RohnEas	0.0000	0.3137	-0.5437	0.0000	-0.3137	0.5437	-0.0019	0.3730	-0.0406
RohnEbs	0.0000	0.3864	-0.7547	0.0000	-0.3864	0.7547	-0.0019	0.3208	-0.0377
RohnEcs	0.0000	0.3696	-0.8508	0.0000	-0.3696	0.8508	-0.0020	0.2052	-0.0303
RohnFas	0.0000	0.3414	-0.8934	0.0000	-0.3414	0.8934	-0.0031	0.1036	-0.0216
RohnGas	0.0000	0.3573	-0.9677	0.0000	-0.3573	0.9677	-0.0031	0.0350	-0.0130
RohnHas	0.0000	1.3613	-0.4850	0.0000	-1.3613	0.4850	0.0020	1.3179	-0.0337
RohnIas	0.0000	0.2763	-0.2650	0.0000	-0.2763	0.2650	0.0022	1.3138	-0.1366
RohnAa2	0.0000	0.4054	-0.3627	0.0000	-0.4054	0.3627	0.0024	1.2508	-0.0293
RohnAb2	0.0000	0.4247	-0.3600	0.0000	-0.4247	0.3600	0.0024	1.2473	-0.1361
RohnAc2	0.0000	1.0121	-0.3850	0.0000	-1.0121	0.3850	0.0023	1.1847	-0.0250
RohnAa2	0.0000	0.2763	-0.2650	0.0000	-0.2763	0.2650	0.0018	1.1803	-0.1354
RohnBb2	0.0000	0.2630	-0.2811	0.0000	-0.2630	0.2811	0.0027	1.0529	-0.0171
RohnBb2	0.0000	1.1294	-1.2185	0.0000	-1.1294	1.2185	0.0015	1.0486	-0.1334
RohnBc2	0.0000	1.0431	-0.9891	0.0000	-1.0431	0.9891	0.0018	0.9838	-0.1321
RohnCa2	0.0000	1.3167	-1.1505	0.0000	-1.3167	1.1505	0.0015	0.9199	-0.1304
RohnCb2	0.0000	1.3178	-1.1605	0.0000	-1.3178	1.1605	0.0013	0.7759	-0.1255
RohnCb2	0.0000	0.3048	-0.3805	0.0000	-0.3048	0.3805	0.0032	0.7022	0.0002
RohnCb2	0.0000	0.3048	-0.3805	0.0000	-0.3048	0.3805	0.0006	0.6974	-0.1219
RohnDa2	0.0000	0.9218	-1.0738	0.0000	-0.9218	1.0738	0.0029	0.5577	0.0047
RohnDa2	0.0000	0.9218	-1.0738	0.0000	-0.9218	1.0738	0.0008	0.5526	-0.1129

URS Connecticut - butternut hollow greenwich, ct

RohnDb1	0.0000	0.3071	-0.4138	0.0000	-0.3071	0.4138	0.0035	0.4918	0.0059
RohnDb2	0.0000	0.3071	-0.4138	0.0000	-0.3071	0.4138	0.0001	0.4867	-0.1072
RohnEa1	0.0000	0.3137	-0.5437	0.0000	-0.3137	0.5437	0.0031	0.3762	0.0076
RohnEa2	0.0000	0.3137	-0.5437	0.0000	-0.3137	0.5437	0.0005	0.3708	-0.0957
RohnEb1	0.0000	0.3137	-0.5437	0.0000	-0.3137	0.5437	0.0032	0.3243	0.0084
RohnEb2	0.0000	0.3137	-0.5437	0.0000	-0.3137	0.5437	0.0004	0.3189	-0.0901
RohnFa1	0.0000	0.3864	-0.7547	0.0000	-0.3864	0.7547	0.0045	0.2124	0.0094
RohnFa2	0.0000	0.3864	-0.7547	0.0000	-0.3864	0.7547	-0.0013	0.2068	-0.0751
RohnGa1	0.0000	0.3696	-0.8508	0.0000	-0.3696	0.8508	0.0044	0.1107	0.0087
RohnGa2	0.0000	0.3696	-0.8508	0.0000	-0.3696	0.8508	-0.0011	0.1046	-0.0657
RohnHa1	0.0000	0.3414	-0.8934	0.0000	-0.3414	0.8934	0.0046	0.0429	0.0059
RohnHa2	0.0000	0.3414	-0.8934	0.0000	-0.3414	0.8934	-0.0009	0.0360	-0.0342
RohnIa1	0.0000	0.3573	-0.9677	0.0000	-0.3573	0.9677	0.0051	0.0109	0.0017
RohnIa2	0.0000	0.3573	-0.9677	0.0000	-0.3573	0.9677	0.0009	0.0001	-0.0117
SNB-Aa1	0.0000	0.2763	-0.2650	0.0000	-0.2763	0.2650	0.0020	1.3170	-0.0503
SNB-Aa2	0.0000	0.2763	-0.2650	0.0000	-0.2763	0.2650	0.0019	1.2501	-0.0457
SNB-Ab1	0.0000	0.2763	-0.2650	0.0000	-0.2763	0.2650	0.0020	1.2481	-0.1083
SNB-Ab2	0.0000	0.2763	-0.2650	0.0000	-0.2763	0.2650	0.0020	1.1838	-0.0413
SNB-Ac1	0.0000	0.2763	-0.2650	0.0000	-0.2763	0.2650	0.0016	1.1813	-0.1079
SNB-Ac2	0.0000	0.2763	-0.2650	0.0000	-0.2763	0.2650	0.0019	1.0524	-0.0329
SNB-Ba1	0.0000	0.2630	-0.2811	0.0000	-0.2630	0.2811	0.0015	1.0497	-0.1066
SNB-Ba2	0.0000	0.2630	-0.2811	0.0000	-0.2630	0.2811	0.0018	0.9877	-0.0288
SNB-Bb1	0.0000	0.2630	-0.2811	0.0000	-0.2630	0.2811	0.0016	0.9849	-0.1058
SNB-Bb2	0.0000	0.2630	-0.2811	0.0000	-0.2630	0.2811	0.0019	0.9237	-0.0250
SNB-Bc1	0.0000	0.2630	-0.2811	0.0000	-0.2630	0.2811	0.0013	0.9209	-0.1048
SNB-Bc2	0.0000	0.2630	-0.2811	0.0000	-0.2630	0.2811	0.0021	0.7800	-0.0169
SNB-Ca1	0.0000	0.3048	-0.3805	0.0000	-0.3048	0.3805	0.0010	0.7769	-0.1016
SNB-Ca2	0.0000	0.3048	-0.3805	0.0000	-0.3048	0.3805	0.0023	0.7018	-0.0131
SNB-Cb1	0.0000	0.3048	-0.3805	0.0000	-0.3048	0.3805	0.0007	0.6985	-0.0991
SNB-Cb2	0.0000	0.3048	-0.3805	0.0000	-0.3048	0.3805	0.0023	0.5571	-0.0072
SNB-Da1	0.0000	0.3071	-0.4138	0.0000	-0.3071	0.4138	0.0006	0.5535	-0.0924
SNB-Da2	0.0000	0.3071	-0.4138	0.0000	-0.3071	0.4138	0.0026	0.4914	-0.0053
SNB-Db1	0.0000	0.3071	-0.4138	0.0000	-0.3071	0.4138	0.0002	0.4877	-0.0879
SNB-Db2	0.0000	0.3071	-0.4138	0.0000	-0.3071	0.4138	0.0020	0.3760	-0.0017
SNB-Ea1	0.0000	0.3137	-0.5437	0.0000	-0.3137	0.5437	0.0009	0.3719	-0.0794
SNB-Ea2	0.0000	0.3137	-0.5437	0.0000	-0.3137	0.5437	0.0021	0.3241	0.0003
SNB-Eb1	0.0000	0.3137	-0.5437	0.0000	-0.3137	0.5437	0.0007	0.3200	-0.0755
SNB-Eb2	0.0000	0.3137	-0.5437	0.0000	-0.3137	0.5437	0.0039	0.2118	0.0034
SNB-Fa1	0.0000	0.3864	-0.7547	0.0000	-0.3864	0.7547	-0.0014	0.2077	-0.0639
SNB-Fa2	0.0000	0.3864	-0.7547	0.0000	-0.3864	0.7547	0.0038	0.1102	0.0049
SNB-Ga1	0.0000	0.3696	-0.8508	0.0000	-0.3696	0.8508	-0.0011	0.1055	-0.0481
SNB-Ga2	0.0000	0.3696	-0.8508	0.0000	-0.3696	0.8508	0.0042	0.0423	0.0041
SNB-Ha1	0.0000	0.3414	-0.8934	0.0000	-0.3414	0.8934	-0.0011	0.0367	-0.0301
SNB-Ha2	0.0000	0.3414	-0.8934	0.0000	-0.3414	0.8934	0.0049	0.0102	0.0012
SNB-Ia1	0.0000	0.3573	-0.9677	0.0000	-0.3573	0.9677	0.0005	0.0008	-0.0106
SNB-Ia2	0.0000	0.3573	-0.9677	0.0000	-0.3573	0.9677	0.0005	0.0008	-0.0106

*** Analysis Results for Load Case No. 6 "DL + Ice Only" - Number of iterations in SAPS 8

Equilibrium Joint Positions and Rotations for Load Case "DL + Ice Only":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnAP	-0.0003693	-0.0007615	-0.08077	0.0000	0.0000	0.0000	4.332	-0.0007615	179.9
RohnBP	-0.001443	-0.0004856	-0.0727	0.0000	0.0000	0.0000	5.12	-0.0004856	159.9
RohnCP	-0.001906	-0.0003029	-0.06426	0.0000	0.0000	0.0000	5.907	-0.0003029	139.9
RohnDP	-0.00234	-0.0001807	-0.05542	0.0000	0.0000	0.0000	6.693	-0.0001807	119.9
RohnEP	-0.002734	-0.0001042	-0.04616	0.0000	0.0000	0.0000	7.478	-0.0001042	99.95
RohnFP	-0.00313	-0.000005	-0.03707	0.0000	0.0000	0.0000	8.265	-0.000005	79.96
RohnGP	-0.003485	-2.836e-005	-0.02795	0.0000	0.0000	0.0000	9.052	-2.836e-005	59.97
RohnHP	-0.003774	-1.085e-005	-0.01882	0.0000	0.0000	0.0000	9.837	-1.085e-005	39.98
RohnIP	-0.003636	-2.07e-006	-0.009435	0.0000	0.0000	0.0000	10.63	-2.07e-006	19.99
RohnJP	0	0	0	0.0000	0.0000	0.0000	11.42	0	0
SNB-AP	-0.0001809	-0.0007586	-0.07494	0.0000	0.0000	0.0000	2.333	-0.0007586	179.9
SNB-BP	-0.0006554	-0.0004865	-0.06703	0.0000	0.0000	0.0000	3.12	-0.0004865	159.9
SNB-CP	-0.001119	-0.0003037	-0.059	0.0000	0.0000	0.0000	3.907	-0.0003037	139.9
SNB-DP	-0.001555	-0.0001816	-0.0508	0.0000	0.0000	0.0000	4.693	-0.0001816	119.9
SNB-EP	-0.001967	-0.0001048	-0.04237	0.0000	0.0000	0.0000	5.479	-0.0001048	99.96
SNB-FP	-0.002348	-5.814e-005	-0.0341	0.0000	0.0000	0.0000	6.266	-5.814e-005	79.97
SNB-GP	-0.002704	-2.844e-005	-0.02568	0.0000	0.0000	0.0000	7.052	-2.844e-005	59.97
SNB-HP	-0.002994	-1.083e-005	-0.01723	0.0000	0.0000	0.0000	7.838	-1.083e-005	39.98
SNB-IP	-0.002876	-2.118e-006	-0.008627	0.0000	0.0000	0.0000	8.625	-2.118e-006	19.99
SNB-JP	0	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnA1	0.001579	0.0007711	-0.09078	0.0000	0.0000	0.0000	-2.165	-3.752	179.9
RohnA2	0.001576	-0.00223	-0.08065	0.0000	0.0000	0.0000	-2.165	3.75	179.9
RohnB1	0.001563	0.00125	-0.07269	0.0000	0.0000	0.0000	-2.559	-4.434	159.9
RohnB2	0.001564	-0.00222	-0.07258	0.0000	0.0000	0.0000	-2.559	4.433	159.9
RohnC1	0.001551	0.001693	-0.06422	0.0000	0.0000	0.0000	-2.953	-5.116	139.9
RohnC2	0.001552	-0.0023	-0.06414	0.0000	0.0000	0.0000	-2.953	5.115	139.9
RohnD1	0.00156	-0.002071	-0.05539	0.0000	0.0000	0.0000	-3.346	-5.796	119.9
RohnD2	0.001561	-0.002435	-0.05533	0.0000	0.0000	0.0000	-3.346	5.796	119.9
RohnE1	0.00161	-0.002413	-0.04613	0.0000	0.0000	0.0000	-3.739	-6.476	99.95
RohnE2	0.00161	-0.002622	-0.04609	0.0000	0.0000	0.0000	-3.739	6.476	99.95
RohnF1	0.001696	-0.002729	-0.03705	0.0000	0.0000	0.0000	-4.132	-7.157	79.96
RohnF2	0.001697	-0.002846	-0.03702	0.0000	0.0000	0.0000	-4.132	7.157	79.96
RohnG1	0.001807	-0.003084	-0.02792	0.0000	0.0000	0.0000	-4.526	-7.839	59.97
RohnG2	0.001807	-0.003084	-0.02792	0.0000	0.0000	0.0000	-4.526	7.839	59.97
RohnH1	0.001912	-0.003272	-0.01881	0.0000	0.0000	0.0000	-4.919	-8.519	39.98
RohnH2	0.001912	-0.003294	-0.01879	0.0000	0.0000	0.0000	-4.919	8.519	39.98
RohnI1	0.001833	-0.003167	-0.00943	0.0000	0.0000	0.0000	-5.313	-9.203	19.99
RohnI2	0.001833	-0.003171	-0.009425	0.0000	0.0000	0.0000	-5.313	9.203	19.99
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-5.71	-9.89	0
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-5.71	9.89	0
SNB-A1	0.001183	2.888e-005	-0.07494	0.0000	0.0000	0.0000	-1.165	-2.02	179.9
SNB-A2	0.001184	-0.001546	-0.07488	0.0000	0.0000	0.0000	-1.165	2.019	179.9
SNB-B1	0.001169	0.0005571	-0.06702	0.0000	0.0000	0.0000	-1.559	-2.702	159.9
SNB-B2	0.00117	-0.00154	-0.06696	0.0000	0.0000	0.0000	-1.559	2.701	159.9
SNB-C1	0.001159	0.001011	-0.05898	0.0000	0.0000	0.0000	-1.953	-3.383	139.9
SNB-C2	0.001159	-0.001619	-0.05893	0.0000	0.0000	0.0000	-1.953	3.383	139.9
SNB-D1	0.001169	0.001391	-0.05078	0.0000	0.0000	0.0000	-2.346	-4.065	119.9
SNB-D2	0.001169	-0.001755	-0.05074	0.0000	0.0000	0.0000	-2.346	4.064	119.9
SNB-E1	0.001218	0.001734	-0.04235	0.0000	0.0000	0.0000	-2.739	-4.745	99.96
SNB-E2	0.001218	-0.001944	-0.04232	0.0000	0.0000	0.0000	-2.739	4.745	99.96
SNB-F1	0.001306	0.002052	-0.03409	0.0000	0.0000	0.0000	-3.133	-5.426	79.97
SNB-F2	0.001306	-0.002168	-0.03407	0.0000	0.0000	0.0000	-3.133	5.426	79.97
SNB-G1	0.001417	-0.002351	-0.02567	0.0000	0.0000	0.0000	-3.526	-6.107	59.97
SNB-G2	0.001417	-0.002408	-0.02566	0.0000	0.0000	0.0000	-3.526	6.107	59.97
SNB-H1	0.001522	0.002596	-0.01722	0.0000	0.0000	0.0000	-3.919	-6.788	39.98
SNB-H2	0.001522	-0.002618	-0.01722	0.0000	0.0000	0.0000	-3.919	6.788	39.98
SNB-I1	0.001443	0.002491	-0.008624	0.0000	0.0000	0.0000	-4.313	-7.47	19.99
SNB-I2	0.001443	-0.002495	-0.00862	0.0000	0.0000	0.0000	-4.313	7.47	19.99
SNB-J1	0	0	0	0.0000	0.0000	0.0000	-4.707	-8.154	0
SNB-J2	0	0	0	0.0000	0.0000	0.0000	-4.707	8.154	0
RohnAa5	-0.001056	-0.0006806	-0.07878	0.0000	0.0000	0.0000	4.529	-0.0006806	174.9
RohnAb5	-0.001205	-0.0006095	-0.07578	0.0000	0.0000	0.0000	4.726	-0.0006095	169.9
RohnAc5	-0.001271	-0.0005421	-0.07475	0.0000	0.0000	0.0000	4.923	-0.0005421	164.9
RohnBb5	-0.001495	-0.0004304	-0.07064	0.0000	0.0000	0.0000	5.317	-0.0004304	154.9
RohnBb5	-0.001685	-0.0003849	-0.06857	0.0000	0.0000	0.0000	5.513	-0.0003849	149.9

URS Connecticut - butternut hollow greenwich, ct

RohnBc5	-0.001709	-0.0003402	-0.06544	0.0000	0.0000	0.0000	5.71	-0.0003402	144.9
RohnCAs	-0.001954	-0.0002354	-0.06136	0.0000	0.0000	0.0000	6.169	-0.0002354	133.3
RohnCDS	-0.002083	-0.0002158	-0.0584	0.0000	0.0000	0.0000	6.431	-0.0002158	126.6
RohnDAs	-0.002353	-0.0001498	-0.05239	0.0000	0.0000	0.0000	6.954	-0.0001498	113.3
RohnDBs	-0.002466	-0.0001246	-0.04927	0.0000	0.0000	0.0000	7.217	-0.0001246	106.6
RohnEAs	-0.002796	-8.626e-005	-0.04316	0.0000	0.0000	0.0000	7.74	-8.626e-005	93.3
RohnEBs	-0.002908	-7.076e-005	-0.04012	0.0000	0.0000	0.0000	8.003	-7.076e-005	86.62
RohnFAs	-0.002952	-3.968e-005	-0.03252	0.0000	0.0000	0.0000	8.659	-3.968e-005	69.97
RohnGAs	-0.003347	-1.722e-005	-0.02329	0.0000	0.0000	0.0000	9.445	-1.722e-005	49.98
RohnIAs	-0.006166	-4.417e-006	-0.01417	0.0000	0.0000	0.0000	10.23	-4.417e-006	29.99
SNB-AAs	-0.0002675	-3.545e-007	-0.005026	0.0000	0.0000	0.0000	11.02	-3.545e-007	9.995
SNB-ABS	-0.0004169	-0.0006823	-0.07297	0.0000	0.0000	0.0000	2.53	-0.0006823	174.9
SNB-ACS	-0.0004827	-0.000543	-0.071	0.0000	0.0000	0.0000	2.727	-0.000543	164.9
SNB-BAs	-0.0007068	-0.0004317	-0.06503	0.0000	0.0000	0.0000	2.924	-0.0004317	154.9
SNB-BBS	-0.0008969	-0.0003856	-0.05303	0.0000	0.0000	0.0000	3.514	-0.0003856	149.9
SNB-BCS	-0.0009219	-0.0003408	-0.05102	0.0000	0.0000	0.0000	3.71	-0.0003408	144.9
SNB-CAs	-0.001168	-0.0002553	-0.05629	0.0000	0.0000	0.0000	4.169	-0.0002553	133.3
SNB-CDS	-0.001297	-0.0002154	-0.05354	0.0000	0.0000	0.0000	4.432	-0.0002154	126.6
SNB-DAs	-0.001568	-0.0001497	-0.04801	0.0000	0.0000	0.0000	4.955	-0.0001497	113.3
SNB-DBS	-0.002013	-8.647e-005	-0.03963	0.0000	0.0000	0.0000	5.218	-8.647e-005	93.3
SNB-EAs	-0.002126	-7.098e-005	-0.03686	0.0000	0.0000	0.0000	5.741	-7.098e-005	86.62
SNB-EBS	-0.00217	-3.965e-005	-0.02989	0.0000	0.0000	0.0000	6.004	-3.965e-005	69.97
SNB-FAs	-0.002567	-1.717e-005	-0.02146	0.0000	0.0000	0.0000	7.445	-1.717e-005	49.98
SNB-HAs	-0.003099	-4.458e-006	-0.01298	0.0000	0.0000	0.0000	8.231	-4.458e-006	29.99
SNB-IAs	-0.003384	-2.586e-007	-0.004689	0.0000	0.0000	0.0000	9.016	-2.586e-007	9.995
RohnAa1	0.001557	0.0008274	-0.07879	0.0000	0.0000	0.0000	-2.263	-3.922	174.9
RohnAa2	0.00156	-0.002193	-0.07866	0.0000	0.0000	0.0000	-2.263	-3.921	174.9
RohnAb1	0.001571	0.0003904	-0.07678	0.0000	0.0000	0.0000	-2.362	-4.083	169.9
RohnAb2	0.001573	-0.002212	-0.07666	0.0000	0.0000	0.0000	-2.362	-4.081	169.9
RohnAc1	0.001538	-0.001078	-0.07475	0.0000	0.0000	0.0000	-2.46	-4.263	164.9
RohnAc2	0.001542	-0.002168	-0.07463	0.0000	0.0000	0.0000	-2.46	-4.262	164.9
RohnBa1	0.001525	-0.001311	-0.07062	0.0000	0.0000	0.0000	-2.657	-4.604	154.9
RohnBa2	0.001528	-0.002178	-0.07032	0.0000	0.0000	0.0000	-2.657	-4.603	154.9
RohnBb1	0.00156	-0.001488	-0.06855	0.0000	0.0000	0.0000	-2.756	-4.775	149.9
RohnBb2	0.001561	-0.002259	-0.06846	0.0000	0.0000	0.0000	-2.756	-4.774	149.9
RohnBc1	0.001511	-0.001518	-0.06641	0.0000	0.0000	0.0000	-2.854	-4.945	144.9
RohnBc2	0.001513	-0.002203	-0.06632	0.0000	0.0000	0.0000	-2.854	-4.945	144.9
RohnCa1	0.001501	0.001739	-0.06133	0.0000	0.0000	0.0000	-3.084	-5.342	133.3
RohnCa2	0.001503	-0.002253	-0.06126	0.0000	0.0000	0.0000	-3.084	-5.342	133.3
RohnCb1	0.001496	-0.001881	-0.05836	0.0000	0.0000	0.0000	-3.215	-5.57	126.6
RohnCb2	0.001497	-0.002285	-0.05829	0.0000	0.0000	0.0000	-3.215	-5.569	126.6
RohnDa1	0.001507	-0.002079	-0.05235	0.0000	0.0000	0.0000	-3.477	-6.023	113.3
RohnDa2	0.001509	-0.002381	-0.05233	0.0000	0.0000	0.0000	-3.477	-6.022	113.3
RohnDb1	0.00151	0.002173	-0.04924	0.0000	0.0000	0.0000	-3.608	-6.25	106.6
RohnDb2	0.001512	-0.002448	-0.04919	0.0000	0.0000	0.0000	-3.608	-6.25	106.6
RohnEa1	0.001593	-0.002448	-0.04313	0.0000	0.0000	0.0000	-3.87	-6.703	93.3
RohnEa2	0.001594	-0.002622	-0.04309	0.0000	0.0000	0.0000	-4.001	-6.931	86.62
RohnEb1	0.001614	0.002542	-0.04006	0.0000	0.0000	0.0000	-4.329	-7.459	69.97
RohnEb2	0.001615	-0.002685	-0.04006	0.0000	0.0000	0.0000	-4.329	-7.458	69.97
RohnFa1	0.001568	-0.002572	-0.0325	0.0000	0.0000	0.0000	-4.722	-8.179	49.98
RohnFa2	0.00157	-0.002654	-0.03248	0.0000	0.0000	0.0000	-4.722	-8.179	49.98
RohnGa1	0.001714	-0.002906	-0.02337	0.0000	0.0000	0.0000	-5.116	-8.861	29.99
RohnGa2	0.001715	-0.002943	-0.02338	0.0000	0.0000	0.0000	-5.116	-8.861	29.99
RohnHa1	0.001951	-0.003362	-0.01416	0.0000	0.0000	0.0000	-1.264	-2.191	174.9
RohnHa2	0.001952	-0.003373	-0.01415	0.0000	0.0000	0.0000	-1.264	-2.19	174.9
RohnIa1	0.003083	0.005341	-0.005024	0.0000	0.0000	0.0000	-1.362	-2.361	169.9
RohnIa2	0.003084	-0.005341	-0.005021	0.0000	0.0000	0.0000	-1.451	-2.36	169.9
SNB-Aa1	0.001164	0.0001442	-0.07297	0.0000	0.0000	0.0000	-5.509	-9.543	9.995
SNB-Aa2	0.001165	-0.00151	-0.07291	0.0000	0.0000	0.0000	-5.509	-9.543	9.995
SNB-Ab1	0.001176	-0.0003084	-0.071	0.0000	0.0000	0.0000	-1.264	-2.191	174.9
SNB-Ab2	0.001177	-0.001531	-0.07094	0.0000	0.0000	0.0000	-1.362	-2.361	169.9
SNB-Ac1	0.001145	0.0003954	-0.06901	0.0000	0.0000	0.0000	-1.451	-2.332	164.9
SNB-Ac2	0.001147	-0.001486	-0.06895	0.0000	0.0000	0.0000	-1.451	-2.331	164.9
SNB-Ba1	0.001132	0.0006289	-0.06502	0.0000	0.0000	0.0000	-1.658	-2.873	154.9
SNB-Ba2	0.001134	-0.001496	-0.06496	0.0000	0.0000	0.0000	-1.658	-2.872	154.9
SNB-Bb1	0.001166	0.0008058	-0.06302	0.0000	0.0000	0.0000	-1.756	-3.043	149.9
SNB-Bb2	0.001167	-0.001577	-0.06296	0.0000	0.0000	0.0000	-1.756	-3.042	149.9
SNB-Bc1	0.001117	0.0008358	-0.061	0.0000	0.0000	0.0000	-1.855	-3.213	144.9
SNB-Bc2	0.001119	-0.001521	-0.06095	0.0000	0.0000	0.0000	-1.855	-3.213	144.9
SNB-Ca1	0.001107	0.001058	-0.05627	0.0000	0.0000	0.0000	-2.084	-3.61	133.3
SNB-Ca2	0.00111	-0.001573	-0.05622	0.0000	0.0000	0.0000	-2.084	-3.61	133.3
SNB-Cb1	0.001102	0.00117	-0.05352	0.0000	0.0000	0.0000	-2.215	-3.838	126.6

URS Connecticut - butternut hollow greenwich, ct

RohnI1	0.0000	0.0000	-1.8611	0.0000	-0.0000	1.8611	0.0018	0.0032	-0.0094
RohnI2	0.0000	0.0000	-1.8611	0.0000	-0.0000	1.8611	0.0018	-0.0032	-0.0094
RohnJ1	0.0000	0.0000	-0.9677	2.5022	-4.3350	-21.2749	0.0000	0.0000	0.0000
RohnJ2	0.0000	0.0000	-0.9677	2.5031	-4.3360	-21.2749	0.0000	0.0000	0.0000
SNB-A1	0.0000	0.0000	-0.2650	0.0000	-0.0000	0.2650	0.0012	0.0000	-0.0749
SNB-A2	0.0000	0.0000	-0.2650	0.0000	-0.0000	0.2650	0.0012	0.0000	-0.0749
SNB-B1	0.0000	0.0000	-0.5461	0.0000	-0.0000	0.5461	0.0012	0.0006	-0.0670
SNB-B2	0.0000	0.0000	-0.5461	0.0000	-0.0000	0.5461	0.0012	0.0015	-0.0670
SNB-C1	0.0000	0.0000	-0.6616	0.0000	-0.0000	0.6616	0.0012	0.0015	-0.0670
SNB-C2	0.0000	0.0000	-0.6616	0.0000	-0.0000	0.6616	0.0012	0.0015	-0.0670
SNB-D1	0.0000	0.0000	-0.7943	0.0000	-0.0000	0.7943	0.0012	0.0016	-0.0590
SNB-D2	0.0000	0.0000	-0.7943	0.0000	-0.0000	0.7943	0.0012	0.0016	-0.0590
SNB-E1	0.0000	0.0000	-0.9574	0.0000	-0.0000	0.9574	0.0012	0.0018	-0.0507
SNB-E2	0.0000	0.0000	-0.9574	0.0000	-0.0000	0.9574	0.0012	0.0017	-0.0423
SNB-F1	0.0000	0.0000	-1.2984	0.0000	-0.0000	1.2984	0.0013	0.0021	-0.0341
SNB-F2	0.0000	0.0000	-1.2984	0.0000	-0.0000	1.2984	0.0013	0.0022	-0.0341
SNB-G1	0.0000	0.0000	-1.6055	0.0000	-0.0000	1.6055	0.0014	0.0024	-0.0257
SNB-G2	0.0000	0.0000	-1.6055	0.0000	-0.0000	1.6055	0.0014	0.0024	-0.0257
SNB-H1	0.0000	0.0000	-1.7441	0.0000	-0.0000	1.7441	0.0015	0.0026	-0.0172
SNB-H2	0.0000	0.0000	-1.7441	0.0000	-0.0000	1.7441	0.0015	0.0026	-0.0172
SNB-I1	0.0000	0.0000	-1.8611	0.0000	-0.0000	1.8611	0.0014	0.0025	-0.0086
SNB-I2	0.0000	0.0000	-1.8611	0.0000	-0.0000	1.8611	0.0014	0.0025	-0.0086
SNB-J1	0.0000	0.0000	-0.9677	5.7043	9.8824	-17.5382	0.0000	0.0000	0.0000
SNB-J2	0.0000	0.0000	-0.9677	5.7047	9.8818	-17.4482	0.0000	0.0000	0.0000
RohnAas	0.0000	0.0000	-0.2800	0.0000	-0.0000	0.2800	0.0011	0.0007	-0.0788
RohnAbs	0.0000	0.0000	-0.3827	0.0000	-0.0000	0.3827	0.0012	0.0006	-0.0748
RohnBas	0.0000	0.0000	-0.3850	0.0000	-0.0000	0.3850	0.0013	0.0005	-0.0748
RohnBbs	0.0000	0.0000	-1.2185	0.0000	-0.0000	1.2185	0.0015	0.0004	-0.0706
RohnCbs	0.0000	0.0000	-1.0823	0.0000	-0.0000	1.0823	0.0017	0.0004	-0.0686
RohnCas	0.0000	0.0000	-1.1605	0.0000	-0.0000	1.1605	0.0017	0.0003	-0.0664
RohnCbs	0.0000	0.0000	-1.1605	0.0000	-0.0000	1.1605	0.0017	0.0003	-0.0664
RohnDbs	0.0000	0.0000	-1.1703	0.0000	-0.0000	1.1703	0.0024	0.0001	-0.0524
RohnEbs	0.0000	0.0000	-0.4138	0.0000	-0.0000	0.4138	0.0025	0.0001	-0.0493
RohnFas	0.0000	0.0000	-0.5437	0.0000	-0.0000	0.5437	0.0028	0.0001	-0.0432
RohnGas	0.0000	0.0000	-0.7547	0.0000	-0.0000	0.7547	0.0030	0.0000	-0.0401
RohnHas	0.0000	0.0000	-0.8508	0.0000	-0.0000	0.8508	0.0033	0.0000	-0.0325
RohnIas	0.0000	0.0000	-0.8934	0.0000	-0.0000	0.8934	0.0039	0.0000	-0.0234
RohnJas	0.0000	0.0000	-0.9677	0.0000	-0.0000	0.9677	0.0062	0.0000	-0.0142
SNB-Abs	0.0000	0.0000	-0.2650	0.0000	-0.0000	0.2650	0.0003	0.0007	-0.0730
SNB-Acs	0.0000	0.0000	-0.2650	0.0000	-0.0000	0.2650	0.0004	0.0006	-0.0710
SNB-Bas	0.0000	0.0000	-0.2811	0.0000	-0.0000	0.2811	0.0007	0.0004	-0.0690
SNB-Bbs	0.0000	0.0000	-0.2811	0.0000	-0.0000	0.2811	0.0009	0.0004	-0.0630
SNB-Cas	0.0000	0.0000	-0.3805	0.0000	-0.0000	0.3805	0.0012	0.0003	-0.0610
SNB-Cbs	0.0000	0.0000	-0.3805	0.0000	-0.0000	0.3805	0.0013	0.0003	-0.0563
SNB-Das	0.0000	0.0000	-0.4138	0.0000	-0.0000	0.4138	0.0016	0.0001	-0.0480
SNB-Dbs	0.0000	0.0000	-0.5437	0.0000	-0.0000	0.5437	0.0020	0.0001	-0.0452
SNB-Eas	0.0000	0.0000	-0.7547	0.0000	-0.0000	0.7547	0.0021	0.0001	-0.0396
SNB-Ebs	0.0000	0.0000	-0.8508	0.0000	-0.0000	0.8508	0.0026	0.0000	-0.0299
SNB-Fas	0.0000	0.0000	-0.8934	0.0000	-0.0000	0.8934	0.0031	0.0000	-0.0215
SNB-Fbs	0.0000	0.0000	-0.9677	0.0000	-0.0000	0.9677	0.0054	0.0000	-0.0130
SNB-Gas	0.0000	0.0000	-0.4850	0.0000	-0.0000	0.4850	0.0016	0.0008	-0.0788
SNB-Gbs	0.0000	0.0000	-0.2650	0.0000	-0.0000	0.2650	0.0016	0.0022	-0.0787
SNB-Has	0.0000	0.0000	-0.3627	0.0000	-0.0000	0.3627	0.0016	0.0010	-0.0768
SNB-Hbs	0.0000	0.0000	-0.3627	0.0000	-0.0000	0.3627	0.0016	0.0022	-0.0767
SNB-Ias	0.0000	0.0000	-0.3850	0.0000	-0.0000	0.3850	0.0015	0.0011	-0.0747
SNB-Ibs	0.0000	0.0000	-0.3850	0.0000	-0.0000	0.3850	0.0015	0.0011	-0.0746
SNB-Jas	0.0000	0.0000	-0.2811	0.0000	-0.0000	0.2811	0.0015	0.0013	-0.0706
SNB-Jbs	0.0000	0.0000	-0.2811	0.0000	-0.0000	0.2811	0.0015	0.0022	-0.0705
RohnBd1	0.0000	0.0000	-1.2185	0.0000	-0.0000	1.2185	0.0016	0.0015	-0.0685
RohnBd2	0.0000	0.0000	-1.2185	0.0000	-0.0000	1.2185	0.0016	0.0015	-0.0685
RohnBc1	0.0000	0.0000	-0.9891	0.0000	-0.0000	0.9891	0.0015	0.0015	-0.0664
RohnBc2	0.0000	0.0000	-0.9891	0.0000	-0.0000	0.9891	0.0015	0.0022	-0.0663
RohnCd1	0.0000	0.0000	-1.1505	0.0000	-0.0000	1.1505	0.0015	0.0017	-0.0613
RohnCd2	0.0000	0.0000	-1.1505	0.0000	-0.0000	1.1505	0.0015	0.0023	-0.0613
RohnCb1	0.0000	0.0000	-0.3805	0.0000	-0.0000	0.3805	0.0015	0.0019	-0.0584
RohnCb2	0.0000	0.0000	-0.3805	0.0000	-0.0000	0.3805	0.0015	0.0023	-0.0583
RohnDd1	0.0000	0.0000	-1.0738	0.0000	-0.0000	1.0738	0.0015	0.0021	-0.0524
RohnDd2	0.0000	0.0000	-1.0738	0.0000	-0.0000	1.0738	0.0015	0.0024	-0.0523

URS Connecticut - butternut hollow greenwich, ct

RohnDb1	0.0000	0.0000	0.0000	-0.4138	0.0000	-0.0000	0.4138	0.0015	0.0022	-0.0492
RohnDb2	0.0000	0.0000	0.0000	-0.4138	0.0000	-0.0000	0.4138	0.0015	0.0024	-0.0492
RohnEa1	0.0000	0.0000	0.0000	-0.5437	0.0000	-0.0000	0.5437	0.0016	0.0024	-0.0431
RohnEa2	0.0000	0.0000	0.0000	-0.5437	0.0000	-0.0000	0.5437	0.0016	0.0026	-0.0431
RohnEb1	0.0000	0.0000	0.0000	-0.5437	0.0000	-0.0000	0.5437	0.0016	0.0025	-0.0401
RohnEb2	0.0000	0.0000	0.0000	-0.5437	0.0000	-0.0000	0.5437	0.0016	0.0027	-0.0401
RohnFa1	0.0000	0.0000	0.0000	-0.7547	0.0000	-0.0000	0.7547	0.0016	0.0026	-0.0325
RohnFa2	0.0000	0.0000	0.0000	-0.7547	0.0000	-0.0000	0.7547	0.0016	0.0027	-0.0325
RohnGa1	0.0000	0.0000	0.0000	-0.8508	0.0000	-0.0000	0.8508	0.0017	0.0029	-0.0234
RohnGa2	0.0000	0.0000	0.0000	-0.8508	0.0000	-0.0000	0.8508	0.0017	0.0029	-0.0234
RohnHa1	0.0000	0.0000	0.0000	-0.8934	0.0000	-0.0000	0.8934	0.0020	0.0034	-0.0142
RohnHa2	0.0000	0.0000	0.0000	-0.8934	0.0000	-0.0000	0.8934	0.0020	0.0034	-0.0142
RohnIa1	0.0000	0.0000	0.0000	-0.9677	0.0000	-0.0000	0.9677	0.0031	0.0053	-0.0050
RohnIa2	0.0000	0.0000	0.0000	-0.9677	0.0000	-0.0000	0.9677	0.0031	0.0053	-0.0050
SNB-Aa1	0.0000	0.0000	0.0000	-0.2650	0.0000	-0.0000	0.2650	0.0012	0.0001	-0.0730
SNB-Aa2	0.0000	0.0000	0.0000	-0.2650	0.0000	-0.0000	0.2650	0.0012	0.0015	-0.0729
SNB-Ab1	0.0000	0.0000	0.0000	-0.2650	0.0000	-0.0000	0.2650	0.0012	0.0015	-0.0710
SNB-Ab2	0.0000	0.0000	0.0000	-0.2650	0.0000	-0.0000	0.2650	0.0011	0.0015	-0.0690
SNB-Ac1	0.0000	0.0000	0.0000	-0.2650	0.0000	-0.0000	0.2650	0.0011	0.0015	-0.0690
SNB-Ac2	0.0000	0.0000	0.0000	-0.2650	0.0000	-0.0000	0.2650	0.0011	0.0015	-0.0690
SNB-Ba1	0.0000	0.0000	0.0000	-0.2811	0.0000	-0.0000	0.2811	0.0011	0.0015	-0.0650
SNB-Ba2	0.0000	0.0000	0.0000	-0.2811	0.0000	-0.0000	0.2811	0.0011	0.0015	-0.0650
SNB-Bb1	0.0000	0.0000	0.0000	-0.2811	0.0000	-0.0000	0.2811	0.0012	0.0016	-0.0630
SNB-Bb2	0.0000	0.0000	0.0000	-0.2811	0.0000	-0.0000	0.2811	0.0012	0.0016	-0.0630
SNB-Bc1	0.0000	0.0000	0.0000	-0.2811	0.0000	-0.0000	0.2811	0.0011	0.0015	-0.0610
SNB-Bc2	0.0000	0.0000	0.0000	-0.2811	0.0000	-0.0000	0.2811	0.0011	0.0015	-0.0609
SNB-Ca1	0.0000	0.0000	0.0000	-0.3805	0.0000	-0.0000	0.3805	0.0011	0.0011	-0.0563
SNB-Ca2	0.0000	0.0000	0.0000	-0.3805	0.0000	-0.0000	0.3805	0.0011	0.0011	-0.0563
SNB-Cb1	0.0000	0.0000	0.0000	-0.3805	0.0000	-0.0000	0.3805	0.0011	0.0012	-0.0562
SNB-Cb2	0.0000	0.0000	0.0000	-0.3805	0.0000	-0.0000	0.3805	0.0011	0.0012	-0.0535
SNB-Da1	0.0000	0.0000	0.0000	-0.4138	0.0000	-0.0000	0.4138	0.0011	0.0014	-0.0480
SNB-Da2	0.0000	0.0000	0.0000	-0.4138	0.0000	-0.0000	0.4138	0.0011	0.0017	-0.0480
SNB-Db1	0.0000	0.0000	0.0000	-0.4138	0.0000	-0.0000	0.4138	0.0011	0.0015	-0.0452
SNB-Db2	0.0000	0.0000	0.0000	-0.4138	0.0000	-0.0000	0.4138	0.0011	0.0015	-0.0451
SNB-Ea1	0.0000	0.0000	0.0000	-0.5437	0.0000	-0.0000	0.5437	0.0012	0.0018	-0.0396
SNB-Ea2	0.0000	0.0000	0.0000	-0.5437	0.0000	-0.0000	0.5437	0.0012	0.0018	-0.0396
SNB-Eb1	0.0000	0.0000	0.0000	-0.5437	0.0000	-0.0000	0.5437	0.0012	0.0019	-0.0368
SNB-Eb2	0.0000	0.0000	0.0000	-0.5437	0.0000	-0.0000	0.5437	0.0012	0.0019	-0.0368
SNB-Fa1	0.0000	0.0000	0.0000	-0.7547	0.0000	-0.0000	0.7547	0.0012	0.0019	-0.0299
SNB-Fa2	0.0000	0.0000	0.0000	-0.7547	0.0000	-0.0000	0.7547	0.0012	0.0019	-0.0299
SNB-Ga1	0.0000	0.0000	0.0000	-0.8508	0.0000	-0.0000	0.8508	0.0013	0.0022	-0.0215
SNB-Ga2	0.0000	0.0000	0.0000	-0.8508	0.0000	-0.0000	0.8508	0.0013	0.0022	-0.0215
SNB-Ha1	0.0000	0.0000	0.0000	-0.8934	0.0000	-0.0000	0.8934	0.0016	0.0027	-0.0130
SNB-Ha2	0.0000	0.0000	0.0000	-0.8934	0.0000	-0.0000	0.8934	0.0016	0.0027	-0.0130
SNB-Ia1	0.0000	0.0000	0.0000	-0.9677	0.0000	-0.0000	0.9677	0.0027	0.0047	-0.0047
SNB-Ia2	0.0000	0.0000	0.0000	-0.9677	0.0000	-0.0000	0.9677	0.0027	0.0047	-0.0047

*** Overall summary for all load cases - Usage = Maximum Stress / Allowable Stress
Printed capacities do not include EIA allowable stress increase for wind load cases.
Printed capacities do not include the strength factor entered for each loadcase.

Group Summary (Compression Portion):

Group Label	Group Desc.	Angle Size	Steel Max Strength	Max Use In Comp.	Comp. Member	Comp. Force (kips)	Comp. Load Case	L/R Capacity (kips)	Conn. Shear Capacity (kips)	Conn. Bearing Capacity (kips)	RLX	ELY	Length Member (ft)	Curve No.	No. Bolts	Comp.
Rohn-D1	Rohn Diagonal 1	SAE 1.75X1.75X0.1875	36.0 31.07	31.07	Rohn-D1	-3.378 W+I 0 deg	13.392	16.200	8.156	0.000	0.000	0.000	0.000	10.034	1	1
Rohn-D2	Rohn Diagonal 2	SAE 2X2X0.1875	36.0 48.07	48.07	Rohn-D2	-5.227W+I 90 deg	15.336	16.200	8.156	0.000	0.000	0.000	0.000	11.238	1	1
Rohn-D3	Rohn Diagonal 3	SAE 2.5X2.5X0.1875	36.0 59.28	59.28	Rohn-D3	-6.446W+I 90 deg	19.483	16.200	8.156	0.000	0.000	0.000	0.000	13.177	1	1
Rohn-D4	Rohn Diagonal 4	SAE 2.5X2.5X0.25	36.0 47.53	47.53	Rohn-D4	-6.891W+I -90 de	25.704	16.200	10.875	0.000	0.000	0.000	0.000	13.977	1	1
Rohn-D5	Rohn Diagonal 5	SAE 3X3X0.25	50.0 43.07	43.07	Rohn-D5	-8.993 W+I 0 deg	43.200	16.200	12.187	0.000	0.000	0.000	0.000	15.589	1	1
Rohn-D6	Rohn Diagonal 6	SAE 3.5X3.5X0.25	50.0 52.52	52.52	Rohn-D6	-8.534W+I 90 deg	50.135	16.200	12.187	0.000	0.000	0.000	0.000	17.748	1	1
Rohn-D7	Rohn Diagonal 7	SAE 4X4X0.25	50.0 56.82	56.82	Rohn-D7	-9.233 W+I 0 deg	50.586	16.200	12.187	0.000	0.000	0.000	0.000	21.254	1	1
Rohn-L1	Rohn Leg 1	Pipe 3EH	50.0 13.58	13.58	Rohn-L1	-15.367 W+I 0 deg	84.900	0.000	0.000	0.000	0.000	0.000	0.000	5.004	1	0
Rohn-L2	Rohn Leg 2	Pipe 3EH	50.0 31.41	31.41	Rohn-L2	-43.215 W+I 0 deg	103.200	0.000	0.000	0.000	0.000	0.000	0.000	5.004	1	0
Rohn-L3	Rohn Leg 3	Pipe 4EH	50.0 46.33	46.33	Rohn-L3	-76.724 W+I 0 deg	124.200	0.000	0.000	0.000	0.000	0.000	0.000	5.004	1	0
Rohn-L4	Rohn Leg 4	Pipe 5STD	50.0 69.28	69.28	Rohn-L4	-111.674 W+I 0 deg	120.900	0.000	0.000	0.000	0.000	0.000	0.000	6.665	1	0
Rohn-L5	Rohn Leg 5	Pipe 5EH	50.0 61.99	61.99	Rohn-L5	-141.826 W+I 0 deg	171.600	0.000	0.000	0.000	0.000	0.000	0.000	6.665	1	0
Rohn-L6	Rohn Leg 6	Pipe 6EH	50.0 64.45	64.45	Rohn-L6	-172.981 W+I 0 deg	201.300	0.000	0.000	0.000	0.000	0.000	0.000	6.665	1	0
Rohn-L7	Rohn Leg 7	Pipe 6EH	50.0 73.56	73.56	Rohn-L7	-231.852 W+I 0 deg	236.400	0.000	0.000	0.000	0.000	0.000	0.000	10.008	1	0
Rohn-L8	Rohn Leg 8	Pipe 6EH	50.0 65.33	65.33	Rohn-L8	-257.651 W+I 0 deg	295.800	0.000	0.000	0.000	0.000	0.000	0.000	10.008	1	0
Rohn-H1	Rohn Horizontal 1	SAE 1.75X1.75X0.1875	36.0 5.01	5.01	Rohn-H1	-0.894W+I 60 deg	13.392	0.000	0.000	0.000	0.000	0.000	0.000	10.008	1	0
Rohn-D1	Rohn Diagonal 1	SAE 2X2X0.3125	36.0 14.71	14.71	Rohn-D1	-2.623W+I 90 deg	24.840	16.200	13.594	0.000	0.000	0.000	0.000	7.505	1	0
Rohn-D2	Rohn Diagonal 2	SAE 2X2X0.25	36.0 23.50	23.50	Rohn-D2	-3.562W+I 90 deg	20.304	16.200	13.594	0.000	0.000	0.000	0.000	7.240	1	1
Rohn-D3	Rohn Diagonal 3	SAE 2.5X2.5X0.3125	36.0 39.87	39.87	Rohn-D3	-7.226W+I 90 deg	31.536	16.200	13.594	0.000	0.000	0.000	0.000	11.412	1	1
Rohn-D4	Rohn Diagonal 4	SAE 3X3X0.5	36.0 41.79	41.79	Rohn-D4	-9.027W+I 90 deg	59.400	16.200	21.750	0.000	0.000	0.000	0.000	11.784	1	1
Rohn-D5	Rohn Diagonal 5	SAE 4X4X0.5	36.0 27.84	27.84	Rohn-D5	-8.637W+I 90 deg	81.000	24.000	26.100	0.000	0.000	0.000	0.000	15.529	1	1
Rohn-D6	Rohn Diagonal 6	SAE 5X5X0.625	36.0 37.86	35.61	Rohn-D6	-11.394W+I 90 deg	99.576	24.000	32.625	0.000	0.000	0.000	0.000	17.142	1	1
Rohn-L1	Rohn Leg 1	Pipe 3-437	36.0 11.26	11.26	Rohn-L1	-22.527W+I 90 deg	126.576	0.000	0.000	0.000	0.000	0.000	0.000	18.267	1	1
Rohn-L2	Rohn Leg 2	Pipe 4-494	36.0 43.80	43.80	Rohn-L2	-13.622 W+I 0 deg	90.720	0.000	0.000	0.000	0.000	0.000	0.000	5.004	1	0
Rohn-L3	Rohn Leg 3	Pipe 5EH	36.0 73.68	73.68	Rohn-L3	-78.333 W+I 0 deg	134.136	0.000	0.000	0.000	0.000	0.000	0.000	6.665	1	0
Rohn-L4	Rohn Leg 4	Pipe 5EH	36.0 68.78	68.78	Rohn-L4	-121.370 W+I 0 deg	123.552	0.000	0.000	0.000	0.000	0.000	0.000	6.665	1	0
Rohn-L5	Rohn Leg 5	Pipe 5EH	36.0 82.98	82.98	Rohn-L5	-211.954 W+I 0 deg	231.120	0.000	0.000	0.000	0.000	0.000	0.000	10.008	1	0
Rohn-L6	Rohn Leg 6	Pipe 6EH	36.0 82.98	82.98	Rohn-L6	-305.906 W+I 0 deg	276.480	0.000	0.000	0.000	0.000	0.000	0.000	10.008	1	0
Rohn-L7	Rohn Leg 7	Pipe 6EH	36.0 78.71	78.71	Rohn-L7	-364.952 W+I 0 deg	347.759	0.000	0.000	0.000	0.000	0.000	0.000	10.008	1	0
Rohn-L8	Rohn Leg 8	Pipe 6EH	36.0 13.58	10.62	Rohn-L8	-12.024W+I 60 deg	103.200	0.000	0.000	0.000	0.000	0.000	0.000	5.004	0	0
Rohn-L1	Rohn Leg 1	Pipe 3EH	50.0 31.41	24.25	Rohn-L1	33.374W+I -60 de	103.200	0.000	0.000	0.000	0.000	0.000	0.000	5.004	0	0
Rohn-L2	Rohn Leg 2	Pipe 3EH	50.0 46.33	37.48	Rohn-L2	62.062W+I -60 de	124.200	0.000	0.000	0.000	0.000	0.000	0.000	5.004	0	0
Rohn-L3	Rohn Leg 3	Pipe 4EH	50.0 69.28	56.90	Rohn-L3	91.728W+I -60 de	120.900	0.000	0.000	0.000	0.000	0.000	0.000	5.004	0	0
Rohn-L4	Rohn Leg 4	Pipe 5STD	50.0 61.99	51.07	Rohn-L4	116.839W+I -60 de	171.600	0.000	0.000	0.000	0.000	0.000	0.000	6.665	0	0
Rohn-L5	Rohn Leg 5	Pipe 5EH	50.0 64.45	53.33	Rohn-L5	143.146W+I -60 de	201.300	0.000	0.000	0.000	0.000	0.000	0.000	6.665	0	0
Rohn-L6	Rohn Leg 6	Pipe 6EH	50.0 73.56	59.96	Rohn-L6	188.996W+I -60 de	236.400	0.000	0.000	0.000	0.000	0.000	0.000	10.008	0	0
Rohn-L7	Rohn Leg 7	Pipe 6EH	50.0 65.33	51.09	Rohn-L7	201.475W+I -60 de	295.800	0.000	0.000	0.000	0.000	0.000	0.000	10.008	0	0
Rohn-L8	Rohn Leg 8	Pipe 6EH	50.0 5.01	4.10	Rohn-L8	0.733W+I -90 de	13.392	0.000	0.000	0.000	0.000	0.000	0.000	7.505	0	0
Rohn-H1	Rohn Horizontal 1	SAE 1.75X1.75X0.1875	36.0 14.71	14.71	Rohn-H1	2.667W+I -90 de	20.340	0.000	0.000	0.000	0.000	0.000	0.000	7.505	0	0
Rohn-D1	Rohn Diagonal 1	SAE 2X2X0.3125	36.0 25.50	25.50	Rohn-D1	3.697W+I -90 de	16.707	16.200	13.594	0.000	0.000	0.000	0.000	10.008	1	0
Rohn-D2	Rohn Diagonal 2	SAE 2X2X0.25	36.0 39.87	39.29	Rohn-D2	7.121W+I -90 de	27.082	16.200	13.594	0.000	0.000	0.000	0.000	11.412	1	0

Group Summary (Tension Portion):

Group Label	Group Desc.	Angle Size	Steel Max Strength	Max Use In Tens.	Tension Member	Tension Force (kips)	Tension Load Case	Net Section Capacity (kips)	Conn. Shear Capacity (kips)	Conn. Bearing Capacity (kips)	Conn. Tens. Capacity (kips)	Length Member (ft)	No. Bolts	Hole Diameter (in)
Rohn-D1	Rohn Diagonal 1	SAE 1.75X1.75X0.1875	36.0 31.07	28.52	Rohn-D1	3.101W+I -60 de	10.681	16.200	8.156	8.684	10.034	1	1.000	0.6875
Rohn-D2	Rohn Diagonal 2	SAE 2X2X0.1875	36.0 48.07	46.45	Rohn-D2	5.051W+I -90 de	12.639	16.200	8.156	9.527	11.238	1	1.000	0.6875
Rohn-D3	Rohn Diagonal 3	SAE 2.5X2.5X0.1875	36.0 59.28	57.78	Rohn-D3	6.284W+I 90 deg	16.815	16.200	8.156	10.195	12.798	1	1.000	0.6875
Rohn-D4	Rohn Diagonal 4	SAE 2.5X2.5X0.25	36.0 47.53	46.64	Rohn-D4	6.762W+I 90 deg	22.144	16.200	10.875	13.594	13.977	1	1.000	0.6875
Rohn-D5	Rohn Diagonal 5	SAE 3X3X0.25	50.0 43.07	39.40	Rohn-D5	6.402W+I 90 deg	30.910	16.200	12.187	15.234	15.589	1	1.000	0.6875
Rohn-D6	Rohn Diagonal 6	SAE 3.5X3.5X0.25	50.0 52.52	48.08	Rohn-D6	7.812W+I 90 deg	37.004	16.200	12.187	15.234	17.748	1	1.000	0.6875
Rohn-D7	Rohn Diagonal 7	SAE 4X4X0.25	50.0 56.82	52.35	Rohn-D7	8.507W+I 90 deg	43.098	16.200	12.187	15.234	21.860	1	1.000	0.6875
Rohn-L1	Rohn Leg 1	Pipe 3EH	50.0 13.58	10.62	Rohn-L1	12.024W+I 60 deg	103.200	0.000	0.000	0.000	5.004	0	0.000	0
Rohn-L2	Rohn Leg 2	Pipe 3EH	50.0 31.41	24.25	Rohn-L2	33.374W+I -60 de	103.200	0.000	0.000	0.000	5.004	0	0.000	0
Rohn-L3	Rohn Leg 3	Pipe 4EH	50.0 46.33	37.48	Rohn-L3	62.062W+I -60 de	124.200	0.000	0.000	0.000	5.004	0	0.000	0
Rohn-L4	Rohn Leg 4	Pipe 5STD	50.0 69.28	56.90	Rohn-L4	91.728W+I -60 de	120.900	0.000	0.000	0.000	5.004	0	0.000	0
Rohn-L5	Rohn Leg 5	Pipe 5EH	50.0 61.99	51.07	Rohn-L5	116.839W+I -60 de	171.600	0.000	0.000	0.000	6.665	0	0.000	0
Rohn-L6	Rohn Leg 6	Pipe 6EH	50.0 64.45	53.33	Rohn-L6	143.146W+I -60 de	201.300	0.000	0.000	0.000	6.665	0	0.000	0
Rohn-L7	Rohn Leg 7	Pipe 6EH	50.0 73.56	59.96	Rohn-L7	188.996W+I -60 de	236.400	0.000	0.000	0.000	10.008	0	0.000	0
Rohn-L8	Rohn Leg 8	Pipe 6EH	50.0 65.33	51.09	Rohn-L8	201.475W+I -60 de	295.800	0.000	0.000	0.000	10.008	0	0.000	0
Rohn-H1	Rohn Horizontal 1	SAE 1.75X1.75X0.1875	36.0 5.01	4.10	Rohn-H1	0.733W+I -90 de	13.392	0.000	0.000	0.000	7.505	0	0.000	0
Rohn-D1	Rohn Diagonal 1	SAE 2X2X0.3125	36.0 14.71	14.71	Rohn-D1	2.667W+I -90 de	20.340	0.000	0.000	0.000	7.505	0	0.000	0
Rohn-D2	Rohn Diagonal 2	SAE 2X2X0.25	36.0 25.50	25.50	Rohn-D2	3.697W+I -90 de	16.707	16.200	13.594	0.000	10.008	1	1.000	0.6875
Rohn-D3	Rohn Diagonal 3	SAE 2.5X2.5X0.3125	36.0 39.87	39.29	Rohn-D3	7.121W+I -90 de	27.082	16.200	13.594	0.000	11.412	1	1.000	0.6875

URS Connecticut - butternut hollow greenwich, ct

SNB-D4	SNB Diagonal 4	SAE	3X3X0.5	36.0	41.79	41.61	SNB-DE11	8.988W+I	-90 de	52.336	16.200	21.750	27.187	11.784	1	1.000	0.6875
SNB-D5	SNB Diagonal 5	SAE	4X4X0.5	36.0	27.84	27.84	SNB-DE42	8.910W+I	90 deg	72.726	24.000	26.100	32.625	15.529	1	1.000	0.8125
SNB-D6	SNB Diagonal 6	SAE	4X4X0.625	36.0	37.86	37.86	SNB-DH42	12.114W+I	90 deg	89.222	24.000	32.625	40.781	17.700	1	1.000	0.8125
SNB-D7	SNB Diagonal 7	SAE	5X5X0.625	36.0	70.40	66.98	SNB-DH42	21.433W+I	90 deg	116.410	24.000	32.625	40.781	18.841	1	1.000	0.8125
SNB-L1	SNB Leg 1	Pipe	P3-437	36.0	11.26	9.52	SNB-LA41	11.516W+I	60 deg	90.720	0.000	0.000	0.000	5.004	0	0.000	0
SNB-L2	SNB Leg 2	Pipe	P4-494	36.0	43.80	38.71	SNB-LC32	69.231W+I	-60 de	134.136	0.000	0.000	0.000	6.665	0	0.000	0
SNB-L3	SNB Leg 3	Pipe	PipeSEH	36.0	73.68	55.65	SNB-LD32	108.141W+I	-60 de	123.552	0.000	0.000	0.000	6.665	0	0.000	0
SNB-L4	SNB Leg 4	Pipe	P6-562	36.0	68.78	60.82	SNB-LE22	187.413W+I	-60 de	231.120	0.000	0.000	0.000	10.008	0	0.000	0
SNB-L5	SNB Leg 5	Pipe	Pipe8XS	36.0	82.98	72.10	SNB-LH22	265.786W+I	-60 de	276.480	0.000	0.000	0.000	10.008	0	0.000	0
SNB-L6	SNB Leg 6	Pipe	Pipe10XS	36.0	78.71	65.13	SNB-LH22	301.990W+I	-60 de	347.759	0.000	0.000	0.000	2.002	0	0.000	0
Connect	Connect Towers	RIG	0.1X0.1X1	36.0	0.03	0.03	Connect IP	7.816 W+I	0 deg	17279.973	0.000	0.000	0.000	8.132	0	0.000	0
SNB-H1	SNB Horizontal 1	Pipe	P3-425	36.0	1.83	1.83	SNB-H42	2.164W+I	60 deg	88.668	0.000	0.000	0.000	8.132	0	0.000	0
SNB-H2	SNB Horizontal 2	Pipe	P4-494	36.0	5.77	5.77	SNB-H91	10.314W+I	-90 de	139.136	0.000	0.000	0.000	14.944	0	0.000	0

*** Maximum Stress Summary for Each Load Case

Summary of Maximum Usages by Load Case:

Load Case	Maximum Usage %	Element Label	Type

W+I -90 deg	71.02	SNB-LH21	Angle
W+I -60 deg	72.10	SNB-LH22	Angle
W+I 0 deg	82.98	SNB-LH2P	Angle
W+I 60 deg	72.08	SNB-LH21	Angle
W+I 90 deg	70.99	SNB-LH22	Angle
DL + Ice Only	30.09	SNB-DH2P	Angle

*** Weight of structure (lbs):
Weight of Angles*Section DUF: 62644.6
Weight of Equipment: 11350.1
Total: 74194.7

*** End of Report

CONNECTION BETWEEN TOWERS EVALUATION

Bolt Diameter	$\text{Dia}_{\text{bolt}} := \frac{3}{4} \text{ in}$	
Bolt Shear Capacity	$\text{Capacity}_{\text{bolt}} := 5.3 \text{ kip}$	Per AISC 9th Edition p. 4-5 for 3/4" A325 slip critical bolt
Shear Plane Area	$\text{Area}_{\text{plate}} := \frac{3}{8} \text{ in} \cdot \left(\frac{3}{4} \text{ in} + 1 \text{ in} \right)$	$\text{Area}_{\text{plate}} = 0.6563 \cdot \text{in}^2$
Yield Strength of Plate	$\text{Fy}_{\text{plate}} := 36 \text{ ksi}$	
Plate Capacity	$\text{Capacity}_{\text{plate}} := \text{Area}_{\text{plate}} \cdot \text{Fy}_{\text{plate}}$	$\text{Capacity}_{\text{plate}} = 23.625 \cdot \text{kip}$
U-Bolt Size	$\text{Dia}_{\text{ubolt}} := \frac{1}{2} \text{ in}$	
U-Bolt Area	$\text{Area}_{\text{ubolt}} := 2 \cdot \pi \cdot \left(\frac{\text{Dia}_{\text{ubolt}}}{2} \right)^2$	$\text{Area}_{\text{ubolt}} = 0.3927 \cdot \text{in}^2$
	$\text{Fy}_{\text{ubolt}} := 58 \text{ ksi}$	
	$\text{Capacity}_{\text{ubolt}} := \text{Area}_{\text{ubolt}} \cdot \text{Fy}_{\text{ubolt}}$	$\text{Capacity}_{\text{ubolt}} = 22.7765 \cdot \text{kip}$
Connection Capacity	$\text{Capacity}_{\text{connection}} := \min(\text{Capacity}_{\text{bolt}}, \text{Capacity}_{\text{plate}}, \text{Capacity}_{\text{ubolt}})$	
	$\text{Capacity}_{\text{connection}} = 5.3 \cdot \text{kip}$	
Max Connection Spacing	$\text{Spacing} := 5 \text{ ft}$	
Connection Capacity per Foot	$\text{Capacity}_{\text{LF}} := \frac{\text{Capacity}_{\text{connection}}}{\text{Spacing}}$	$\text{Capacity}_{\text{LF}} = 1.06 \cdot \frac{\text{kip}}{\text{ft}}$
Max Connection Force	$\text{F}_{\text{max}} := 7.8 \text{ kip}$	
Connection Spacing in PLS-Tower	$\text{Spacing}_{\text{PLS.Tower}} := 10 \text{ ft}$	
Connection Force per Foot	$\text{Force}_{\text{LF}} := \frac{\text{F}_{\text{max}}}{\text{Spacing}_{\text{PLS.Tower}}}$	$\text{Force}_{\text{LF}} = 0.78 \cdot \text{kip}$
Percent Capacity	$\text{Percent}_{\text{capacity}} := \frac{\text{Force}_{\text{LF}}}{\text{Capacity}_{\text{LF}}}$	$\text{Percent}_{\text{capacity}} = 73.6\%$

Note: 1/3 increase in allowable stress per TIA/EIA-222-F is not included in these calculations


FOUNDATION EVALUATION

Overturning Moment Calculation

Load Case	Joint Label	Vert. Tower Forces (k)	Leg Moment Arm (ft)	Moment (ft-k)	Total Moment (ft-k)
W+I -90 deg	RohnJP	-0.01	0	0.00	5081.9
W+I -90 deg	SNB-JP	0.01	0	0.00	
W+I -90 deg	RohnJ1	200.39	5.7075	1143.73	
W+I -90 deg	RohnJ2	-200.52	-5.7075	1144.47	
W+I -90 deg	SNB-J1	296.79	4.7075	1397.14	
W+I -90 deg	SNB-J2	-296.67	-4.7075	1396.57	
W+I -60 deg	RohnJP	114.84	3.2952	378.42	5043.2
W+I -60 deg	SNB-JP	170.01	2.7179	462.07	
W+I -60 deg	RohnJ1	114.84	3.2952	378.42	
W+I -60 deg	RohnJ2	-229.82	-6.5905	1514.63	
W+I -60 deg	SNB-J1	170	2.7179	462.04	
W+I -60 deg	SNB-J2	-339.89	-5.4358	1847.57	
W+I 0 deg	RohnJP	236.57	6.5905	1559.11	5198.5
W+I 0 deg	SNB-JP	350.73	5.4358	1906.50	
W+I 0 deg	RohnJ1	-118.35	-3.2952	389.99	
W+I 0 deg	RohnJ2	-118.36	-3.2952	390.02	
W+I 0 deg	SNB-J1	-175.3	-2.7179	476.45	
W+I 0 deg	SNB-J2	-175.29	-2.7179	476.42	
W+I 60 deg	RohnJP	114.85	3.2952	378.45	5043.3
W+I 60 deg	SNB-JP	170.01	2.7179	462.07	
W+I 60 deg	RohnJ1	-229.83	-6.5905	1514.69	
W+I 60 deg	RohnJ2	114.84	3.2952	378.42	
W+I 60 deg	SNB-J1	-339.89	-5.4358	1847.57	
W+I 60 deg	SNB-J2	170.01	2.7179	462.07	
W+I 90 deg	RohnJP	-0.01	0	0.00	5082.0
W+I 90 deg	SNB-JP	0.01	0	0.00	
W+I 90 deg	RohnJ1	-200.53	-5.7075	1144.52	
W+I 90 deg	RohnJ2	200.4	5.7075	1143.78	
W+I 90 deg	SNB-J1	-296.67	-4.7075	1396.57	
W+I 90 deg	SNB-J2	296.79	4.7075	1397.14	

Vertical forces taken from PLS-Tower output with DL + Ice Only case subtracted from Vertical Tower Forces

Dimensions taken from CAD drawing



PIER AND MAT FOUNDATION ANALYSIS - 3 PIERS

TOWER FORCES:

Moment Caused by Tower $M_t := 5198.5 \cdot \text{kip} \cdot \text{ft}$
 Shear at Base of Tower $S_t := 113.52 \cdot \text{kip}$
 Height of Tower $H_t := 180 \cdot \text{ft}$
 Width of Tower at Base $W_t := 22.833 \cdot \text{ft}$
 Weight of Tower $WT_t := 1.0 \cdot \text{kip}$

NOTE: Weight of Tower is incorporated into the other loads listed above and is therefore set equal to one for programming.

FOOTING DIMENSIONS:


Width of Footing $W_f := 36.5 \cdot \text{ft}$
 Overall Depth of Footing $D_f := 3.5 \cdot \text{ft}$
 Thickness of Footing $T_f := 6.0 \cdot \text{ft}$

MATERIAL PROPERTIES:


Compressive Strength of Concrete	$f_c := 3000 \cdot \text{psi}$	Unit Weight of Soil	$\gamma_s := 130 \cdot \text{pcf}$
Yield Strength of Steel Reinforcement	$f_y := 60000 \cdot \text{psi}$	Unit Weight of Concrete	$\gamma_c := 150 \cdot \text{pcf}$
Internal Friction Angle of Soil	$\phi_s := 36 \cdot \text{deg}$	Depth to Neglect	$n := 0 \cdot \text{ft}$
Allowable Bearing Capacity	$q_s := 8000 \cdot \text{psf}$	Cohesion of Clay Type Soil	$c := 0 \cdot \text{ksf}$
Coefficient of Lateral Soil Pressure	$K_p := \frac{1 + \sin(\phi_s)}{1 - \sin(\phi_s)}$	Note: Use 0 for Sandy Soil	
		$K_p = 3.8518$	

What is Position of Center of Tower with respect to Center of Pad?
 1=Offset $Pos_{tower} := 2$
 2=Not Offset

FOUNDATION OVERVIEW



ELEVATION



PLAN

STABILITY OF FOOTING

Factor of Safety Req'd: $FS_{req} := 2.0$

Passive Pressure: $P_{pn} := K_p \cdot \gamma_s \cdot n + c \cdot 2 \cdot \sqrt{K_p}$ $P_{pn} = 0 \cdot \text{ksf}$
 $P_{pt} := K_p \cdot \gamma_s \cdot (D_f - T_f) + c \cdot 2 \cdot \sqrt{K_p}$ $P_{pt} = -1.2518 \cdot \text{ksf}$
 $P_{top} := \text{if}[n < (D_f - T_f), P_{pt}, P_{pn}]$ $P_{top} = 0 \cdot \text{ksf}$
 $P_{bot} := K_p \cdot \gamma_s \cdot D_f + c \cdot 2 \cdot \sqrt{K_p}$ $P_{bot} = 1.7526 \cdot \text{ksf}$
 $P_{ave} := \frac{P_{top} + P_{bot}}{2}$ $P_{ave} = 0.8763 \cdot \text{ksf}$

Shear: $T_{pp} := \text{if}[n < (D_f - T_f), T_f, (D_f - n)]$ $T_{pp} = 3.5 \cdot \text{ft}$
 $A_{pp} := W_f \cdot T_{pp}$ $A_{pp} = 127.75 \cdot \text{ft}^2$
 Ultimate Shear: $S_u := P_{ave} \cdot A_{pp}$ $S_u = 111.9465 \cdot \text{kip}$
 Weight of Concrete Pad: $WT_c := (W_f^2 \cdot T_f) \cdot \gamma_c$ $WT_c = 1199.025 \cdot \text{kip}$

Weight of Soil above Footing: $WT_{s1} := 0$ $WT_{s1} = 0 \cdot \text{kip}$
 Weight of Soil Wedge at back face: $WT_{s2} := \left[\frac{(D_f - n)^2 \cdot \tan(\phi_s)}{2} \cdot W_f \right] \cdot \gamma_s$ $WT_{s2} = 21.1156 \cdot \text{kip}$

Distance to center of Tower Leg from Edge of Footing: $X_{t1} := \frac{W_f}{2} - \frac{W_t \cdot \cos(30 \cdot \text{deg})}{2}$ $X_{t2} := \frac{W_f}{2} - \frac{W_t \cdot \cos(30 \cdot \text{deg})}{3}$
 $X_t := \text{if}(\text{Pos}_{tower} = 1, X_{t1}, X_{t2})$ $X_t = 11.6587 \cdot \text{ft}$

Additional Offset of Footing: $X_{off1} := \frac{W_f}{2} - \left(\frac{W_t \cdot \cos(30 \cdot \text{deg})}{3} + X_t \right)$ $X_{off2} := 0$
 $X_{off} := \text{if}(\text{Pos}_{tower} = 1, X_{off1}, X_{off2})$ $X_{off} = 0 \cdot \text{ft}$

Resisting Moment: $M_r := (WT_c + WT_{s1}) \cdot \frac{W_f}{2} + W_t \cdot \left(\frac{W_f}{2} - X_{off} \right) + S_u \cdot \frac{T_{pp}}{3} + WT_{s2} \cdot \left(W_f + \frac{T_{pp} \cdot \tan(\phi_s)}{3} \right)$ $M_r = 22819.678 \cdot \text{kip} \cdot \text{ft}$

Overturning Moment: $M_{ot} := M_t + S_t \cdot (T_f) + W_t \cdot X_{off}$ $M_{ot} = 5879.62 \cdot \text{kip} \cdot \text{ft}$

Factor of Safety: $FS := \frac{M_r}{M_{ot}}$ $FS = 3.8811$
 SafetyCheck := $\text{if}(FS > FS_{req}, \text{"Okay"}, \text{"No Good"})$ SafetyCheck = "Okay"

BEARING PRESSURE CHECK:

Pressure Applied:

$$\text{LOAD}_{\text{tot}} := \text{WT}_c + \text{WT}_{s1} + \text{WT}_t$$

$$\text{LOAD}_{\text{tot}} = 1200.025 \cdot \text{kip}$$

$$A_{\text{mat}} := W_f^2$$

$$A_{\text{mat}} = 1332.25 \cdot \text{ft}^2$$

$$S := \frac{W_f^3}{6}$$

$$S = 8104.5208 \cdot \text{ft}^3$$

$$P_{\text{max}} := \frac{\text{LOAD}_{\text{tot}}}{A_{\text{mat}}} + \frac{M_{\text{ot}}}{S}$$

$$P_{\text{max}} = 1.6262 \cdot \text{ksf}$$

$$P_{\text{min}} := \frac{\text{LOAD}_{\text{tot}}}{A_{\text{mat}}} - \frac{M_{\text{ot}}}{S}$$

$$P_{\text{min}} = 0.1753 \cdot \text{ksf}$$

$$\text{MaxPressure} := \text{if}(P_{\text{max}} < q_s, \text{"Okay"}, \text{"No Good"})$$

$$\text{MaxPressure} = \text{"Okay"}$$

$$\text{MinPressure} := \text{if}[(P_{\text{min}} \geq 0) \cdot (P_{\text{min}} < q_s), \text{"Okay"}, \text{"No Good"}]$$

$$\text{MinPressure} = \text{"Okay"}$$

Distance to Resultant of Pressure Distribution:

$$X_p := \frac{\frac{P_{\text{max}}}{P_{\text{max}} - P_{\text{min}}} \cdot \frac{1}{3}}{W_f}$$

$$X_p = 13.6364 \cdot \text{ft}$$

Distance to Kern:

$$X_k := \frac{W_f}{3}$$

$$X_k = 12.1667 \cdot \text{ft}$$

Since Resultant Force is Not in Kern, Area to which Pressure is Applied Must be Reduced.

Eccentricity:

$$e := \frac{M_{\text{ot}}}{\text{LOAD}_{\text{tot}}}$$

$$e = 4.8996$$

Adjusted Soil Pressure:

$$q_a := \frac{2 \cdot \text{LOAD}_{\text{tot}}}{3 \cdot W_f \left(\frac{W_f}{2} - e \right)}$$

$$q_a = 1.6418 \cdot \text{ksf}$$

Revised Maximum:

$$q_{\text{max}} := \text{if}(X_p < X_k, q_a, P_{\text{max}})$$

$$q_{\text{max}} = 1.6262 \cdot \text{kip}$$

$$\text{PressureCheck} := \text{if}(q_{\text{max}} < q_s, \text{"Okay"}, \text{"No Good"})$$

$$\text{PressureCheck} = \text{"Okay"}$$