

280 Trumbull Street
Hartford, CT 06103-3597
Main (860) 275-8200
Fax (860) 275-8299
kbaldwin@rc.com
Direct (860) 275-8345

ORIGINAL

Also admitted in Massachusetts

February 12, 2013

Linda Roberts
Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

RECEIVED
FEB 14 2013
CONNECTICUT
SITING COUNCIL

Re: **Notice of Exempt Modification – Antenna Swap
Butternut Hollow Road, Greenwich, Connecticut**

Dear Ms. Roberts:

Cellco Partnership d/b/a Verizon Wireless (“Cellco”) currently maintains twelve (12) wireless telecommunications antennas at the 130-foot level on an existing 180-foot tower at the above-referenced address. The tower and underlying property are owned by the Connecticut State Police. The Council approved Cellco’s shared use of this tower in 1992. Cellco now intends to replace all of its antennas with four (4) model APL866513-42T0 cellular antennas; two (2) model SWCP-2X5514 cellular antennas; three (3) model BXA-171063-8BF PCS antennas; and three (3) model SLCP 2X6014 LTE antennas, all at the same 130-foot level. Cellco also intends to install six (6) coax cable diplexers behind its antennas. Attached behind Tab 1 are the specifications for the replacement antennas and cable diplexers.

*Law Offices*

BOSTON

PROVIDENCE

HARTFORD

NEW LONDON

STAMFORD

WHITE PLAINS

NEW YORK CITY

ALBANY

SARASOTA

www.rc.com

Please accept this letter as notification pursuant to R.C.S.A. § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Peter Tesei, First Selectman for the Town of Greenwich. A copy of this letter is being sent to the Connecticut State Police, the owner of the property on which the tower is located.

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).

ROBINSON & COLE LLP

Linda Roberts
February 12, 2013
Page 2

1. The proposed modifications will not result in an increase in the height of the existing tower. Cellco's replacement antennas and cable diplexers will be located at the 130-foot level on the 180-foot tower.
2. The proposed modifications will not involve any change to ground-mounted equipment and, therefore, will not require the extension of the site boundary.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the replacement antennas will not increase radio frequency (RF) emissions at the facility to a level at or above the Federal Communications Commission (FCC) adopted safety standard. A cumulative power density table for Cellco's modified facility is included behind Tab 2.
5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The tower and its foundation can support Cellco's proposed modifications. (See Detailed Structural Analysis report attached behind Tab 3).

For the foregoing reasons, Cellco respectfully submits that the proposed modifications to the above-referenced telecommunications facility constitutes an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,



Kenneth C. Baldwin

Enclosures
Copy to:

Peter Tesei, Greenwich First Selectman
Connecticut State Police
Sandy M. Carter




Maximizer® Log Periodic Antenna, 806-894, 65deg, 15.1dBi, 1.2m, FET, 0deg

Product Description

The Celwave® Maximizer series is a log periodic dipole array which uses a patented design to achieve a front-to-back ratio of 45 dB, the highest front-to-back ratio in the industry. Maximizers are available to cover ESMR, AMPS, PCS and DCS frequency ranges. They use RFS's patented monolithic CELite® technology, which eliminates cable and soldered joints to reduce the possibility of inter-modulation products. The CELite technology assures high reliability and excellent repeatability of electrical characteristics. The cellular Maximizers are available in 65°, 80° and 90° horizontal beamwidths and the PCS/DCS Maximizers are available in 65° and 90° horizontal beamwidths. Patent number 6,133,889.

Features/Benefits

- 45 dB front-to-back ratio reduces co-channel interference.
- Monolithic construction reduces IM.
- No solder joints, high reliability.
- Surface treated components prevent galvanic corrosion.
- UV stabilized radome assures long life without radome deterioration due to UV exposure.



Technical Specifications

Electrical Specifications


Frequency Range, MHz	806-894
Horizontal Beamwidth, deg	65
Vertical Beamwidth, deg	15
Electrical Downtilt, deg	0
Gain, dBi (dBd)	15.1 (13)
1st Upper Sidelobe Suppression, dB	>20
Upper Sidelobe Suppression, dB	>20
Front-To-Back Ratio, dB	45
Polarization	Vertical
VSWR	< 1.5:1
Impedance, Ohms	50
Maximum Power Input, W	500
Lightning Protection	Direct Ground

Mechanical Specifications


Dimensions - HxWxD, mm (in)	1219 x 234 x 203 (48 x 9.2 x 8)
Weight w/o Mtg Hardware, kg (lb)	7 (15.7)
Shipping Weight, kg (lb)	9.1 (20)
Packing Dimensions, HxWxD, mm (in)	1594 x 343 x 349 (62.75 x 13.5 x 13.75)

Ordering Information

Mounting Hardware	APM21-3
-------------------	---------



Vertical Pattern



Horizontal Pattern


Other Documentation

SWCP 2x5514

698 - 896 MHz Dual (2x) CP log-periodic antenna

Features

- ❑ Transmit Diversity Gain
- ❑ Can be configured to combine space & polarization diversity
- ❑ Outstanding performance over the entire band (698 - 896 MHz)
- ❑ Excellent Axial Ratio
- ❑ Optimized for 4G & 3G systems
- ❑ Low intermodulation
- ❑ Improved Side-to-side rejection
- ❑ Fading reduction
- ❑ Excellent isolation between ports



Electrical specifications

Frequency range:	698-896 MHz
Impedance:	50 ohm
Connector type:	7/16 Din
Return loss:	18 dB
Polarization:	Circular
Gain ea. port [Circular]:	2x14 dBdC
Gain ea. port [Linear]:	2x11 dBdL
Axial Ratio:	2 dB
Isolation between ports (TX band):	30 dB
Front-to-back ratio:	30 dB
Intermodulation (2x20W):	IM3 150 dB IM5 160 dB IM7/9 170 dB
Power rating:	2x 500 W
H-plane (-3 dB point):	2x 55°
V-plane (-3 dB point):	2x 16°
Lightning protection:	DC grounded

Mechanical specifications

Overall height:	51.9 in	[1318 mm]
Width:	13.9 in	[353 mm]
Depth:	11.3 in	[287 mm]
Weight (excluding brackets):	20 lbs	[9 Kg]
Wind load measured up to:	150 mph	[240 Km/h]
Wind area (front of antenna):	5.01 sq. ft.	[0.46 sq.m]
Lateral thrust at 113 mph/ 180 Km/h (worst case):	256 lbs	[1138 N]

Materials

Radiating Elements:	Aluminum
Transformer (Power distribution)	Ceramic PCB
Chassis:	Aluminum
Radome:	Grey Fiberglass/PVC
Mounting bolts:	Stainless steel

The SWCP 2x5514 is made in the U.S.A.

BXA-171063-8BF-EDIN-X



Replace "X" with desired electrical downtilt.

X-Pol | FET Panel | 63° | 17.4 dBi

Electrical Characteristics	1710-2170 MHz		
Frequency bands	1710-1880 MHz	1850-1990 MHz	1920-2170 MHz
Polarization	±45°	±45°	±45°
Horizontal beamwidth	68°	65°	60°
Vertical beamwidth	7°	7°	7°
Gain	14.5 dBd / 16.6 dBi	14.9 dBd / 17.0 dBi	15.3 dBd / 17.4 dBi
Electrical downtilt (X)	0, 2, 4, 8		
Impedance	50Ω		
VSWR	≤1.5:1		
First upper sidelobe	< -17 dB		
Front-to-back isolation	> 30 dB		
In-band isolation	> 28 dB		
IM3 (20W carrier)	< -150 dBc		
Input power	300 W		
Lightning protection	Direct Ground		
Connector(s)	2 Ports / EDIN / Female / Bottom		
Operating temperature	-40° to +60° C / -40° to +140° F		
Mechanical Characteristics			
Dimensions Length x Width x Depth	1232 x 154 x 105 mm	48.5 x 6.1 x 4.1 in	
Depth with t-brackets	133 mm	5.2 in	
Weight without mounting brackets	4.8 kg	10.5 lbs	
Survival wind speed	296 km/hr	184 mph	
Wind area	Front: 0.19 m ² Side: 0.14 m ²	Front: 2.0 ft ² Side: 1.5 ft ²	
Wind load @ 161 km/hr (100 mph)	Front: 281 N Side: 223 N	Front: 63 lbf Side: 50 lbf	
Mounting Options	Part Number	Fits Pipe Diameter	Weight
2-Point Mounting Bracket Kit	26799997	50-102 mm 2.0-4.0 in	2.3 kg 5 lbs
2-Point Mounting & Downtilt Bracket Kit	26799999	50-102 mm 2.0-4.0 in	3.6 kg 8 lbs
Concealment Configurations	For concealment configurations, order BXA-171063-8BF-EDIN-X-FP		





BXA-171063-8BF-EDIN-X

Horizontal | 1710-1880 MHz
BXA-171063-8BF-EDIN-0



0° | Vertical | 1710-1880 MHz

BXA-171063-8BF-EDIN-X

Horizontal | 1850-1990 MHz
BXA-171063-8BF-EDIN-0

0° | Vertical | 1850-1990 MHz

BXA-171063-8BF-EDIN-X

Horizontal | 1920-2170 MHz
BXA-171063-8BF-EDIN-0


0° | Vertical | 1920-2170 MHz

Quoted performance parameters are provided to offer typical or range values only and may vary as a result of normal manufacturing and operational conditions. Extreme operational conditions and/or stress on structural supports is beyond our control. Such conditions may result in damage to this product. Improvements to product may be made without notice.

BXA-171063-8BF-EDIN-X


X-Pol | FET Panel | 63° | 17.4 dBi

BXA-171063-8BF-EDIN-2




2° | Vertical | 1710-1880 MHz

BXA-171063-8BF-EDIN-4




4° | Vertical | 1710-1880 MHz

BXA-171063-8BF-EDIN-8




8° | Vertical | 1710-1880 MHz

BXA-171063-8BF-EDIN-2




2° | Vertical | 1850-1990 MHz

BXA-171063-8BF-EDIN-4




4° | Vertical | 1850-1990 MHz

BXA-171063-8BF-EDIN-8




8° | Vertical | 1850-1990 MHz

BXA-171063-8BF-EDIN-2




2° | Vertical | 1920-2170 MHz

BXA-171063-8BF-EDIN-4



4° | Vertical | 1920-2170 MHz

BXA-171063-8BF-EDIN-8



8° | Vertical | 1920-2170 MHz


Quoted performance parameters are provided to offer typical or range values only and may vary as a result of normal manufacturing and operational conditions. Extreme operational conditions and/or stress on structural supports is beyond our control. Such conditions may result in damage to this product. Improvements to product may be made without notice.

SLCP 2x6014

Dual (2x) Circularly Polarized log-periodic antenna

Features

- ☐ Transmit Diversity Gain
- ☐ Can be configured to combine space & polarization diversity
- ☐ Outstanding performance over the entire band (700 - 800 MHz)
- ☐ Excellent Axial Ratio
- ☐ Optimized for 4G & 3G systems
- ☐ Low intermodulation
- ☐ Improved Side-to-side rejection
- ☐ Fading reduction
- ☐ Excellent isolation between ports



Electrical specifications

Frequency range:	700-800 MHz	
Impedance:	50 ohm	
Connector type:	7/16 Din	
Return loss:	18 dB	
Polarization:	Circular	
Gain ea. port [Circular]:	2x14 dBdC	
Gain ea. port [Linear]:	2x11 dBdL	
Axial Ratio:	2 dB	
Isolation between ports (TX band):	30 dB	
Front-to-back ratio:	30 dB	
Intermodulation (2x20W):	IM3	150 dB
	IM5	160 dB
	IM7/9	170 dB
Power rating:	2x 500 W	
H-plane (-3 dB point):	2x 55°	
V-plane (-3 dB point):	2x 16°	
Lightning protection:	DC grounded	

Mechanical specifications

Overall height:	53 in	[1346 mm]
Width:	14 in	[356 mm]
Depth:	11 in	[279 mm]
Weight (excluding brackets):	20 lbs	[9 Kg]
Wind load measured up to:	150 mph	[240 Km/h]
Wind area (side of antenna):	5.15 sq. ft.	[0.48 sq.m]
Lateral thrust at 113 mph/ 180 Km/h (worst case):	263 lbs	[1171 N]

Materials

Radiating Elements:	Aluminum
Transformer (Power distribution)	Ceramic PCB
Chassis:	Aluminum
Radome:	Grey Fiberglass/PVC
Mounting bolts:	Stainless steel

The SLCP 2x6014 is made in the U.S.A.



ShareLite Wideband Diplexer – In-line 698-960 MHz/1710-2200 MHz, DC pass in high frequency path

Product Description

The ShareLite FD9R6004 Series of diplexers are designed to enable feeder sharing between systems in the 698-960 MHz range and in the 1710-2200 MHz range. The diplexer is equipped with in-line connector placement so it can be installed in the BTS cabinet or at the tower top. This is especially valuable in crowded sites or when the feeders are not easily accessible. Due to its wideband design, the FD9R6004 Series can accommodate many combining solutions between 698-960 MHz and 1710-2200 MHz systems such as LTE 700 MHz, Cellular 800 MHz with PCS, GSM900 with GSM1800, or GSM900 with UMTS. This diplexer features a highly selective filter. It provides a high level of isolation between ports, while keeping the insertion loss on both paths at an extremely low level. The FD9R6004 diplexers are available with various DC pass options, helpful in configurations with or without the Tower Mount Amplifiers installed.



Features/Benefits

- LTE ready design
- Extremely Low Insertion Loss
- High level of Rejection between bands – Protection against interferences
- Extremely High Power Handling Capability
- Integrated DC block/bypass versions available
- Very compact & small size design – Easy installation and reduced tower load
- In-line long-neck connectors for easy connection & waterproofing
- Exceptional reliability & environmental protection (IP 67)
- Equipped with 1 * Breathable Vent – Prevent any humidity inside the product
- Mounting hardware for Wall and Pole mount provided (P/N SEM2-1A)
- Grounding already provided through the mounting bracket
- Kit available for easy dual mount

Technical Specifications


Product Type	Diplexer/Cross Band Coupler
Application	LTE700, GSM900, UMTS, GSM1800, Cellular 800, PCS
Frequency Range 1, MHz	698-960
Frequency Range 2, MHz	1710-2200
Configuration	Sharelite Single diplexer, outdoor, DC pass in the 1710-2170MHz path, with mounting hardware SEM2-1A
Mounting	Wall Mounting: With 4 screws (maximum 6mm diameter); Pole Mounting: With included clamp set 40-110mm (1.57-4.33)
Return Loss All Ports Min/Typ, dB	19/23
Power Handling Continuous, Max, W	1250 at common port; 750 in low frequency path & 500 in high frequency path
Power Handling Peak, Max, W	15000 in low frequency path & 8000 in high frequency path
Impedance, Ohms	50
Insertion Loss, Path 1, dB	0.07 typ.
Insertion Loss, Path 2, dB	0.13 typ.
Rejection Between Bands Min/Typ, dB	58/64@698-960MHz; 57/70@1710-2200MHz
IMP Level at the COM Port, Typ, dBm	-112 @ 2x43
DC Pass in Low Frequency Path	No
DC Pass in High Frequency Path	Yes
Temperature Range, °C (°F)	-40 to +60 (-40 to +140)
Environmental	ETSI 300-019-2-4 Class 4.1E
Ingress Protection	IP 67
Lightning Protection	EN/IEC61000-4-5 Level 4
Connectors	In-line long-neck 7-16-Female
Weight, kg (lb)	1.2 (2.6)
Shipping Weight, kg (lb)	3.2 (7) for 2 * single units in 1 * box, 9.8 (21.6) for 6 * units = 3 * Boxes in 1 * overwrap
Dimensions, H x W x D, mm (in)	147 x 164 x 37 (5.8 x 6.5 x 1.5)
Shipping Dimensions, H x W x D, mm (in)	254 x 406 x 82 (10 x 16 x 3.2) for 2 * Single Units in 1 * box, 280 x 406 x 241 (11 x 16 x 9.5) for 6 * units = 3 * Boxes in 1 * overwrap
Volume, L	0.43
Housing	Aluminum

Notes

Other Documentation

FD9R6004/2C-3L Installation Instructions: Wideband_Diplexer_Installation_Rev5.pdf

Selection Guide Diplexer 698-960 / 1710-2200MHz					
	Model Number	Full DC Pass	DC Pass High Band	DC Pass Low Band	Mounting Hardware Included
Single	FD9R6004/1C-3L				X
	FD9R6004/2C-3L				X
	FD9R6004/3C-3L				X
Dual	KIT-FD9R6004/1C-DL				X
	KIT-FD9R6004/2C-DL				X
	KIT-FD9R6004/3C-DL				X



The FD9R6004 Series is upgradeable to a Dual Diplexer kit by means of 2 diplexers and mounting hardware kits SEM2-1A and SEM2-3

Mounting Hardware and Ground Cable Ordering Information	
Model Number	Description
SEM2-1A	Mounting Hardware, Pole mount ø40-110mm (Included with the Single and Dual Diplexer) Wall Screws M6 (Not included with the product)
SEM2-3	Assembly kit for 2 pcs of FD9R6004/xC-3L (Can be ordered separately but included with the Dual Diplexer Kit)
CA020-2	Ground Cable, 2m, includes lugs (Optional)
CA030-2	Ground Cable, 2m, includes lugs (Optional)
SEM6	Mounting Hardware for 6 Diplexers, Tower Base (Optional)

DETAILED STRUCTURAL ANALYSIS AND EVALUATION OF 180' SELF SUPPORTING LATTICE TOWER WITH STACK-N-BOLT SYSTEM AND FOUNDATION FOR NEW ANTENNA ARRANGEMENT

Connecticut State Police
Butternut Hollow Road
Greenwich, Connecticut

prepared for



Verizon Wireless
99 East River Drive
East Hartford, Connecticut 06108

prepared by



URS CORPORATION
500 ENTERPRISE DR, SUITE 3B
ROCKY HILL, CT 06067
TEL. 860-529-8882

36922298
VZ5-140

October 16, 2012

TABLE OF CONTENTS

- 1. EXECUTIVE SUMMARY**
- 2. INTRODUCTION**
- 3. ANALYSIS METHODOLOGY AND LOADING CONDITIONS**
- 4. FINDINGS AND EVALUATION**
- 5. CONCLUSIONS**
- 6. DRAWINGS AND DATA**
 - **PLS-TOWER INPUT / OUTPUT SUMMARY**
 - **PLS-TOWER NODE LOCATIONS**
 - **PLS-TOWER MEMBER LOCATIONS**
 - **PLS-TOWER DETAILED OUTPUT**
 - **CONNECTION BETWEEN TOWERS EVALUATION**
 - **FOUNDATION EVALUATION**

1. EXECUTIVE SUMMARY

This report summarizes the structural analysis and evaluation of the 180' lattice tower located off of Butternut Hollow Road in Greenwich, Connecticut. The analysis was conducted in accordance with the 2005 Connecticut State Building Code, the TIA/EIA-222-F standard and additional requirements of the Connecticut State Police for wind velocity of 90 mph concurrent with ½" ice design wind load. The antenna loading considered in the analysis consists of all existing and proposed antennas, transmission lines, and ancillary items as outlined in the Introduction Section of this report. The proposed Verizon installation is as follows:

Proposed Antenna and Mount	Carrier	Antenna Center Elevation
<u>Remove</u> (6) DB 844 (2) P65-16-XL-2 (1) LNX-6514DS-T4M (3) MG D3-800T0	Verizon (Existing)	130'
<u>Install</u> (3) SLCP 2x6014 (4) APL866513-42T0 (Alpha & Gamma) (2) SWCP 2x5514 (Beta) (3) BXA-171063-8BF (6) Diplexers	Verizon (Proposed)	

The results of this analysis indicate that the existing tower structure has sufficient capacity to support the proposed loading conditions without modification. **The tower and its foundation are considered structurally adequate under the wind load specified above and the existing and proposed antenna loadings.** The twist and sway of the tower is considered within the Connecticut State Police requirements.

This analysis is based on:

- 1) The tower structure's theoretical capacity not including any assessment of the condition of the tower.
- 2) Member sizes and tower geometry of the outer tower taken from manufacturers drawings prepared by Rohn Industries, Inc., file number 28325, dated December 28, 1992.
- 3) Member sizes and tower geometry of the inner tower taken from design calculations and drawings prepared by Towertek Industries Inc., signed and sealed May 9, 2002.
- 4) Foundation modifications taken from drawings prepared by Walker Engineering Incorporated, Job number 0206-237R2, signed and sealed November 26, 2002.
- 5) Previous structural analysis performed by URS Corporation, project number VZ5-041 / 36931188, signed and sealed August 2, 2010.
- 6) Previous structural analysis performed by URS Corporation, project number SAI067 (Rev 3) / 36924454, signed and sealed January 27, 2012.
- 7) Previous structural analysis performed by URS Corporation, project number HPC-051 / 36917365, signed and sealed September 27, 2012.
- 8) Tower Mapping and Inventory by Northeast Towers, Inc., climbed November 10, 2011.
- 9) Antenna inventory provided by the Connecticut State Police via email on July 31, 2012.
- 10) Antenna inventory as specified in section 2 and 6 of this report.
- 11) Coax cable orientation as specified in section 6 of this report.


1. **EXECUTIVE SUMMARY** *(continued)*

This report is only valid as per the assumptions and data utilized in this report for antenna inventory, mounts and associated cables. The contractor shall field verify the antenna and mount configuration used, as well as the physical condition of the tower members and connections. The engineer is to be notified in writing immediately if any of the information in the Structural Analysis is found to be other than specified.


If you should have any questions, please call.

Sincerely,

URS Corporation AES


Richard A. Sambor, P.E.
Senior Structural Engineer

RAS/kab



2. INTRODUCTION

The subject tower is located off of Butternut Hollow Road in Greenwich, Connecticut. The structure is a self-supporting three-legged 180' steel tapered lattice tower manufactured by Rohn Industries with a Stack-N-Bolt system installed inside the original tower, designed by Towertek.

The existing structure supports numerous communication antennas. The inventory is summarized below:

Antenna Type	Carrier	Mount	Centerline Elevation / Leg	Cable
(3) 6' HP Dish	CSP 74 to 76 (reserved)	Dish Mount	180 / ABC	N/A
(1) PD-420	NEU – 55 (existing)	3' Stand-Off	180 / A	(1) 7/8"
(1) DB-583	TOG – 5 (existing)	<i>Shared with Above</i>	180 / A	(1) 1-5/8"
(2) Scala OGT9-806N (1 upright & 1 inverted)	CSP – 1 & 2 (existing)	3' Stand-Off	180 / B	(2) 1-5/8"
(2) Sinclair SC479- HF1LDF (1 upright & 1 inverted) (1) TMA	CSP 3, 4 & 73 (existing)	3' Stand-Off	180 / C	(2) 1-5/8" (1) 1/2"
(1) PD-420	NEU – 20 (existing)	<i>Shared with Above (Omni @ 180)</i>	178 / A	(1) 7/8"
4' Dipole	CSP – 8 (existing)	<i>Shared with Above (Omni @ 180)</i>	178 / A	(1) 7/8"
6' HP Dish with Radome	TOG – 7 (existing)	Dish Mount	177 / B	(1) Elliptical Cable
(1) ANT900D69 Dipole	CSP – 67 (existing)	Leg Mount	176 / C	(1) 1-5/8"
6' Dish	CSP – 31 (existing)	Dish Mount	176 / A	(1) WEP65
DB-586-Y	TOG - 6 (existing)	Leg Mounted	174 / A	(1) 1-5/8"
(1) AP1185	Stamford 63 (existing)	3' Arm	165 / A	(1) 1-1/4"
(1) AP1185 (1) TMA	Stamford 64 & 65 (existing)	3' Arm	160 / A	(1) 1-1/4" (1) 3/8"
Gabriel GLF6-940	SPD - 9 (existing)	Dish Mount	160 / A	(1) EW90
(3) Sinclair SC-479- HF1LDF (1) TMA	CSP 69 to 72 (existing)	3' Stand-Off	160	(3) 1-5/8" (1) 1/2"
(6) Powerwave 7770 (12) TMAs (3) Powerwave P65-16- XLH-RR (6) Ericsson RRU (1) Raycap Surge Suppressor	AT&T (existing)	Side Arm	150 / ABC	(12) 1-5/8" (1) Fiber Optic Cable (2) DC Cables
(3) EMS RR901700DP (6) TMAs	T-Mobile (existing)	Face Mounted	137 / ABC	(6) 1-5/8"

Antenna Type	Carrier	Mount	Centerline Elevation / Leg	Cable
(1) Celwave PD1142 (1) DB-586Y	NEU – 16 & 19 (existing)	Shared with Above	135 / B	(1) 1-5/8" (1) 7/8"
(1) Kreco CO41AN	NEU – 18 (existing)	Shared with Above	130 / A	(1) 7/8"
(3) SLCP 2x6014 (4) APL866513-42T0 (Alpha & Gamma) (2) SWCP 2x5514 (Beta) (3) BXA-171063-8BF (6) Diplexers	Verizon (Proposed)	Boom Gate (existing)	130 / ABC	(12) 1-5/8" (existing)
(3) APXVSP18-C Panel Antennas (6) RRH	Sprint (existing, see note below)	Boom Gate (existing)	117 / ABC	(3) Hybriflex Cables
(1) PD1142	NEU – 16 (existing)	Leg Mounted	110 / A	(1) 1-5/8"
(1) PD1142	CSP – 66 (existing)	Leg Mounted	80 / A	(1) 7/8"
(1) 10' Dipole	DOT – 56 (existing)	3' Arm	80 / B	(1) 7/8"
(1) PD-1142	DEP – 54 (existing)	Leg Mounted	80 / C	(1) 7/8"
GPS	GPS (existing)	Leg Mounted	60 / B	(1) 1/2"
GPS	GPS (existing)	Leg Mounted	60 / C	(1) 1/2"

Note: Sprint antennas shown are from the final antenna plan as indicated in previous structural analysis signed and sealed October 2, 2012

This structural analysis and evaluation of the communications tower was performed by URS Corporation AES (URS) for Verizon. The purpose of this analysis was to investigate the structural integrity of the existing tower with its existing and proposed antenna loads. The analysis was also conducted to evaluate twist (rotation), sway (deflection), and stress on the tower.

3. ANALYSIS METHODOLOGY AND LOADING CONDITIONS

The structural analysis was done in accordance with the 2005 Connecticut State Building Code, TIA/EIA-222-F—Structural Standard for Steel Antenna Towers and Antenna Supporting Structures, and the American Institute of Steel Construction (AISC) Manual of Steel Construction—Allowable Stress Design (ASD).

The analysis was conducted using PLS-Tower. Two load conditions were evaluated as shown below which were compared to allowable stresses according to AISC and TIA/EIA.

Load Condition 1 = 90 mph (fastest mile) Wind Load + Tower Dead Load

Load Condition 2 = 90 mph (fastest mile) Wind Load (with ice) + Ice Load + Tower Dead Load

The TIA/EIA standard permits one-third increase in allowable stresses for towers and monopoles less than 700 feet tall. For purposes of this analysis, in computing the load capacity the allowable stresses of the tower members were increased by one-third.

4. FINDINGS AND EVALUATION

The stresses on the tower structure were evaluated to compare with the allowable stress in accordance with AISC. The results of the analysis indicate that the tower structure is in compliance with the proposed loading conditions. The anchor bolts and foundation were found to be within allowable limits.

Component	Allowable	Actual
Twist	0.75°	0.10°
Sway		0.78° (see note below)

Note: During the installation of the Stack-N-Bolt system redundant members were installed which will give additional stiffness to the tower and reduce the twist and sway to a level below the allowable of 0.75 degrees. These members are internal bracing members which connect the new horizontal members.

Component	Component Size	Controlling Member	Stress (% Capacity)	Pass/Fail
Rohn Diagonal	L2x2x3/16	Rohn-DB61	97.48	Pass
Rohn Leg	Pipe6EH	Rohn-LH2P	97.45	Pass
Rohn Horizontal	L1.75x1.75x3/16	RohnH12	15.63	Pass
SNB Diagonal	L5x5x5/8	SNB-DI11	72.17	Pass
SNB Leg	Pipe8XS	SNB-LH2P	98.47	Pass
SNB Horizontal	Pipe4x0.494	SNB-H91	5.77	Pass
Tower Connection	N/A	3/4" Bolt	76.4	Pass
Foundation	36.5' Square	Overturning Moment	93.9	Pass

5. CONCLUSIONS

The results of the analysis indicate that the tower structure is not overstressed with the proposed loading conditions. **The tower and foundation are considered structurally adequate under the TIA/EIA-222-F wind load specified above and the existing and proposed antenna loadings.** The calculated tower deflection (sway) is 0.78 degrees, and the tower rotation (twist) is 0.10 degrees. These are above the Connecticut State Police specification of 0.75 degrees for twist and sway, however there are redundant members in the tower not utilized in the analysis which will give additional stiffness and will reduce the deflection and rotation values below the Connecticut State Police specification.

Limitations/Assumptions:

This report is based on the following:

- A. Tower is properly installed and maintained.
- B. All members and their geometry are as specified in the original Project File and are in good condition.
- C. All required members are in place.
- D. All bolts are in place and are properly tightened.
- E. Tower is in plumb condition.
- F. All member protective coatings are in good condition.
- G. All tower members were properly designed, detailed, fabricated, installed, and have been properly maintained since erection.

URS is not responsible for any modifications completed prior to or hereafter in which URS is not or was not directly involved. Modifications include but are not limited to:

- A. Adding antennas
- B. Removing/replacing antennas
- C. Adding coaxial cables

URS hereby states that this document represents the entire report and that it assumes no liability for any factual changes that may occur after the date of this report. All representations, recommendations, and conclusions are based upon information contained and set forth herein. If you are aware of any information which conflicts with that which is contained herein, or you are aware of any defects arising from original design, material, fabrication, or erection deficiencies, you should disregard this report and immediately contact URS. URS disclaims all liability for any representation, recommendation, or conclusion not expressly stated herein.

Ongoing and Periodic Inspection and Maintenance:

After the Contractor has successfully completed the installation and the work has been accepted, the owner will be responsible for the ongoing and periodic inspection and maintenance of the tower.

The owner shall refer to TIA/EIA-222-F for recommendations for maintenance and inspection. The frequency of the inspection and maintenance intervals is to be determined by the owner based upon actual site and environmental conditions. It is recommended that a complete and thorough inspection of the entire tower structural system be performed at least yearly and more frequently as conditions warrant. According to TIA/EIA-222-F section 14.1, Note 1: It is recommended that the structure be inspected after severe wind and/or ice storms or other extreme loading conditions.

6. DRAWINGS AND DATA

PLS-TOWER INPUT / OUTPUT SUMMARY

Project Name : V25-140 / Verizon
Project Notes: Butternut Hollow
Project File : c:\Users\Kevin_Barker\Documents\pls tower\vs5-140 - greenwich\butternut hollow greenwich, ct.tow
Date run : 11:38:07 AM Tuesday, October 16, 2012
by : Tower Version 10.62
Licensed to : URS Connecticut

Successfully performed nonlinear analysis

Unusual number of fixed joints found: 6. Towers normally have from between 1 and 4 fixed joints. ??
Linear appearance "1-5/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "1/2" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "7/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "1-1/4" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "Elliptical" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "3/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "Optic Fiber Cable" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "DC Cable" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
Linear appearance "Hydriflex Cables" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
The model has 10 warnings. ??

Member check option: TIA/EIA 222-F
Connection rupture check: ASCE 10
Crossing diagonal check: ASCE 10 [Alternate Unsupported RLOUT = 1]
Loads from file: c:\Users\Kevin_Barker\Documents\pls tower\vs5-140 - greenwich\vs5-140.eia

*** Analysis Results:

Maximum element usage is 98.47% for Angle "SNB-LH2p" in load case "W-I 0 deg"

Summary of Joint Support Reactions For All Load Cases:

Load Case	Joint Label	Joint Long. Force (kips)	Joint Tran. Force (kips)	Joint Vert. Force (kips)	Shear Force (kips)	Trans. Moment (ft-k)	Long. Moment (ft-k)	Vert. Moment (ft-k)	Bending Moment (ft-k)	Found. Usage %
W-I 90 deg	RohnJ1	5.18	2.61	21.90	5.80	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ2	11.55	6.26	18.23	13.14	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ3	3.44	8.55	223.95	9.22	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ4	-8.57	17.27	-180.19	19.28	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ5	5.02	15.13	318.54	15.94	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ6	-16.62	34.87	-281.90	38.63	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ7	-2.83	2.07	135.75	3.51	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ8	-3.67	5.33	187.33	6.47	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ9	-0.60	3.62	135.90	3.67	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ10	-10.36	18.22	-206.00	20.96	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ11	-2.79	5.85	187.49	6.48	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ12	-20.89	36.19	-319.95	41.78	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ1	-12.68	-0.31	271.39	12.69	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ2	-22.47	-0.01	389.92	22.47	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ3	-9.36	-10.77	-102.76	14.26	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ4	-8.80	11.09	-103.00	14.16	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ5	-19.29	-21.75	-167.39	29.07	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ6	-19.27	21.75	-167.64	29.06	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ7	-2.83	-2.39	135.76	3.70	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ8	-3.67	-5.35	187.32	6.48	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ9	-10.64	-18.05	-205.78	20.95	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ10	-0.33	-3.46	135.67	3.48	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ11	-20.90	-36.18	-319.68	41.78	-0.00	-0.00	-0.00	0.00	0.00
W-I 0 deg	RohnJ12	-2.78	-5.85	187.23	6.48	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ1	5.18	-2.61	21.90	5.80	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ2	11.55	-6.26	18.23	13.14	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ3	-8.56	-17.27	-179.98	19.27	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ4	3.43	-8.55	223.74	9.22	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ5	-16.62	-34.87	-281.64	38.63	-0.00	-0.00	-0.00	0.00	0.00
W-I 90 deg	RohnJ6	5.02	-15.13	318.28	15.94	-0.00	-0.00	-0.00	0.00	0.00
DL + Ice Only	RohnJ1	5.03	-0.00	21.92	5.80	-0.00	-0.00	-0.00	0.00	0.00
DL + Ice Only	RohnJ2	11.41	-0.00	18.22	11.41	-0.00	-0.00	-0.00	0.00	0.00
DL + Ice Only	RohnJ3	-2.51	-4.35	22.06	5.03	-0.00	-0.00	-0.00	0.00	0.00
DL + Ice Only	RohnJ4	-2.52	4.36	21.84	5.03	-0.00	-0.00	-0.00	0.00	0.00
DL + Ice Only	RohnJ5	-5.71	-9.88	18.38	11.41	-0.00	-0.00	-0.00	0.00	0.00
DL + Ice Only	RohnJ6	-5.71	9.88	18.11	11.41	-0.00	-0.00	-0.00	0.00	0.00

Summary of Joint Support Reactions For All Load Cases in Direction of Leg:

Load Case	Support Joint	Origin Joint	Leg Force In Residual Shear (kips)	Leg Force In Residual Shear (kips)	Residual Shear (kips)	Horizontal Residual Shear (kips)	Total Horizontal Residual Shear (kips)	Total Vertical Residual Shear (kips)
W-I 90 deg	RohnJ1	5.18	2.61	21.90	5.80	-0.00	-0.00	0.00
W-I 90 deg	RohnJ2	11.55	6.26	18.23	13.14	-0.00	-0.00	0.00
W-I 90 deg	RohnJ3	3.44	8.55	223.95	9.22	-0.00	-0.00	0.00
W-I 90 deg	RohnJ4	-8.57	17.27	-180.19	19.28	-0.00	-0.00	0.00
W-I 90 deg	RohnJ5	5.02	15.13	318.54	15.94	-0.00	-0.00	0.00
W-I 90 deg	RohnJ6	-16.62	34.87	-281.90	38.63	-0.00	-0.00	0.00
W-I 90 deg	RohnJ7	-2.83	2.07	135.75	3.51	-0.00	-0.00	0.00
W-I 90 deg	RohnJ8	-3.67	5.33	187.33	6.47	-0.00	-0.00	0.00
W-I 90 deg	RohnJ9	-0.60	3.62	135.90	3.67	-0.00	-0.00	0.00
W-I 90 deg	RohnJ10	-10.36	18.22	-206.00	20.96	-0.00	-0.00	0.00
W-I 90 deg	RohnJ11	-2.79	5.85	187.49	6.48	-0.00	-0.00	0.00
W-I 90 deg	RohnJ12	-20.89	36.19	-319.95	41.78	-0.00	-0.00	0.00
W-I 0 deg	RohnJ1	-12.68	-0.31	271.39	12.69	-0.00	-0.00	0.00
W-I 0 deg	RohnJ2	-22.47	-0.01	389.92	22.47	-0.00	-0.00	0.00
W-I 0 deg	RohnJ3	-9.36	-10.77	-102.76	14.26	-0.00	-0.00	0.00
W-I 0 deg	RohnJ4	-8.80	11.09	-103.00	14.16	-0.00	-0.00	0.00
W-I 0 deg	RohnJ5	-19.29	-21.75	-167.39	29.07	-0.00	-0.00	0.00
W-I 0 deg	RohnJ6	-19.27	21.75	-167.64	29.06	-0.00	-0.00	0.00
W-I 0 deg	RohnJ7	-2.83	-2.39	135.76	3.70	-0.00	-0.00	0.00
W-I 0 deg	RohnJ8	-3.67	-5.35	187.32	6.48	-0.00	-0.00	0.00
W-I 0 deg	RohnJ9	-10.64	-18.05	-205.78	20.95	-0.00	-0.00	0.00
W-I 0 deg	RohnJ10	-0.33	-3.46	135.67	3.48	-0.00	-0.00	0.00
W-I 0 deg	RohnJ11	-20.90	-36.18	-319.68	41.78	-0.00	-0.00	0.00
W-I 0 deg	RohnJ12	-2.78	-5.85	187.23	6.48	-0.00	-0.00	0.00
W-I 90 deg	RohnJ1	5.18	-2.61	21.90	5.80	-0.00	-0.00	0.00
W-I 90 deg	RohnJ2	11.55	-6.26	18.23	13.14	-0.00	-0.00	0.00
W-I 90 deg	RohnJ3	-8.56	-17.27	-179.98	19.27	-0.00	-0.00	0.00
W-I 90 deg	RohnJ4	3.43	-8.55	223.74	9.22	-0.00	-0.00	0.00
W-I 90 deg	RohnJ5	-16.62	-34.87	-281.64	38.63	-0.00	-0.00	0.00
W-I 90 deg	RohnJ6	5.02	-15.13	318.28	15.94	-0.00	-0.00	0.00
DL + Ice Only	RohnJ1	5.03	-0.00	21.92	5.80	-0.00	-0.00	0.00
DL + Ice Only	RohnJ2	11.41	-0.00	18.22	11.41	-0.00	-0.00	0.00
DL + Ice Only	RohnJ3	-2.51	-4.35	22.06	5.03	-0.00	-0.00	0.00
DL + Ice Only	RohnJ4	-2.52	4.36	21.84	5.03	-0.00	-0.00	0.00
DL + Ice Only	RohnJ5	-5.71	-9.88	18.38	11.41	-0.00	-0.00	0.00
DL + Ice Only	RohnJ6	-5.71	9.88	18.11	11.41	-0.00	-0.00	0.00


URS Connecticut - butternut hollow greenwich, ct

*** Weight of structure (lbs): 62797.0
Weight of Angles Section DLF: 11201.7
Weight of Equipment: 71998.7
Total:


*** End of Report

PLS-TOWER NODE LOCATIONS

Tower geometry unchanged
from previous analysis




Tower geometry unchanged
from previous analysis




PLS-TOWER MEMBER LOCATIONS


Tower geometry unchanged
from previous analysis




Tower geometry unchanged
from previous analysis



Tower geometry unchanged
from previous analysis



Tower geometry unchanged
from previous analysis



PLS-TOWER DETAILED OUTPUT

 * TOWER - Analysis and Design - Copyright Power Line Systems, Inc. 1986-2006 *

Project Name : VZ5-140 / Verizon
 Project Notes : Butternut Hollow
 Project File : c:\users\Kevin.Baier\documents\pls tower\vz5-140 - greenwich\butternut hollow greenwich, ct.tow
 Date run : 11:38:06 AM Tuesday, October 16, 2012
 by : Tower Version 10.62
 Licensed to : URS Connecticut

Successfully performed nonlinear analysis

Unusual number of fixed joints found: 6. Towers normally have from between 1 and 4 fixed joints. ??
 Linear appearance "1-5/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "1/2" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "7/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "1-1/4" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "Elliptical" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "3/8" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "Optic Fiber Cable" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "DC Cable" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 Linear appearance "Hybridflex Cables" is included in the face zone (face solidity ratio for Rev. F), but does not contribute to wind load: this is nonsensical ??
 The model has 10 warnings. ??

Nonlinear convergence parameters: Use Standard Parameters
 Member check option: TIA/EIA 222-F
 Connection rupture check: ASCE 10
 Crossing diagonal check: ASCE 10 [Alternate Unsupported RLOUT = 1]

Joints Geometry:

Joint Label	Symmetry Code	X Coord. (ft)	Y Coord. (ft)	Z Coord. (ft)	X Disp. Rest.	Y Disp. Rest.	Z Disp. Rest.	X Rot. Rest.	Y Rot. Rest.	Z Rot. Rest.
RohnAP Tri-Symmetry		4.333	0	180	Free	Free	Free	Free	Free	Free
RohnBP Tri-Symmetry		5.121	0	160	Free	Free	Free	Free	Free	Free
RohnCP Tri-Symmetry		5.909	0	140	Free	Free	Free	Free	Free	Free
RohnDP Tri-Symmetry		6.695	0	120	Free	Free	Free	Free	Free	Free
RohnEP Tri-Symmetry		7.481	0	100	Free	Free	Free	Free	Free	Free
RohnFP Tri-Symmetry		8.268	0	80	Free	Free	Free	Free	Free	Free
RohnGP Tri-Symmetry		9.055	0	60	Free	Free	Free	Free	Free	Free
RohnHP Tri-Symmetry		9.841	0	40	Free	Free	Free	Free	Free	Free
RohnIP Tri-Symmetry		10.63	0	20	Free	Free	Free	Free	Free	Free
RohnJP Tri-Symmetry		11.42	0	0	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
SNB-AP Tri-Symmetry		2.333	0	180	Free	Free	Free	Free	Free	Free
SNB-BP Tri-Symmetry		3.121	0	160	Free	Free	Free	Free	Free	Free
SNB-CP Tri-Symmetry		3.908	0	140	Free	Free	Free	Free	Free	Free
SNB-DP Tri-Symmetry		4.695	0	120	Free	Free	Free	Free	Free	Free
SNB-EP Tri-Symmetry		5.481	0	100	Free	Free	Free	Free	Free	Free
SNB-FP Tri-Symmetry		6.268	0	80	Free	Free	Free	Free	Free	Free
SNB-GP Tri-Symmetry		7.055	0	60	Free	Free	Free	Free	Free	Free
SNB-HP Tri-Symmetry		7.841	0	40	Free	Free	Free	Free	Free	Free
SNB-IP Tri-Symmetry		8.628	0	20	Free	Free	Free	Free	Free	Free
SNB-JP Tri-Symmetry		9.415	0	0	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
RohnA1 Tri-Gen 1		-2.167	-1.752	180	Free	Free	Free	Free	Free	Free
RohnA2 Tri-Gen 2		-2.167	3.752	180	Free	Free	Free	Free	Free	Free
RohnB1 Tri-Gen 1		-2.561	-4.435	160	Free	Free	Free	Free	Free	Free
RohnB2 Tri-Gen 2		-2.561	4.435	160	Free	Free	Free	Free	Free	Free
RohnC1 Tri-Gen 1		-2.954	-5.117	140	Free	Free	Free	Free	Free	Free
RohnC2 Tri-Gen 2		-2.954	5.117	140	Free	Free	Free	Free	Free	Free
RohnD1 Tri-Gen 1		-3.348	-5.798	120	Free	Free	Free	Free	Free	Free
RohnD2 Tri-Gen 2		-3.348	5.798	120	Free	Free	Free	Free	Free	Free
RohnE1 Tri-Gen 1		-3.741	-6.479	100	Free	Free	Free	Free	Free	Free
RohnE2 Tri-Gen 2		-3.741	6.479	100	Free	Free	Free	Free	Free	Free
RohnF1 Tri-Gen 1		-4.134	-7.16	80	Free	Free	Free	Free	Free	Free
RohnF2 Tri-Gen 2		-4.134	7.16	80	Free	Free	Free	Free	Free	Free
RohnG1 Tri-Gen 1		-4.527	-7.842	60	Free	Free	Free	Free	Free	Free
RohnG2 Tri-Gen 2		-4.527	7.842	60	Free	Free	Free	Free	Free	Free
RohnH1 Tri-Gen 1		-4.921	-8.523	40	Free	Free	Free	Free	Free	Free
RohnH2 Tri-Gen 2		-4.921	8.523	40	Free	Free	Free	Free	Free	Free
RohnI1 Tri-Gen 1		-5.315	-9.206	20	Free	Free	Free	Free	Free	Free
RohnI2 Tri-Gen 2		-5.315	9.206	20	Free	Free	Free	Free	Free	Free
RohnJ1 Tri-Gen 1		-5.71	-9.89	0	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
RohnJ2 Tri-Gen 2		-5.71	9.89	0	Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
SNB-A1 Tri-Gen 1		-1.167	-2.02	180	Free	Free	Free	Free	Free	Free
SNB-A2 Tri-Gen 2		-1.167	2.02	180	Free	Free	Free	Free	Free	Free
SNB-B1 Tri-Gen 1		-1.561	-2.703	160	Free	Free	Free	Free	Free	Free

URS Connecticut - butternut hollow greenwich, ct

SAE	4X4X0.625	4	4	0.625	15.7	4.61	4.8	1.2	1.22	0.779	1	4	2	0	1.0000	0
SAE	4X4X0.5	4	4	0.5	12.8	3.75	6.25	1.22	1.22	0.782	1	4	2	0	1.0000	0
SAE	4X4X0.25	4	4	0.25	6.6	1.94	13.5	1.25	1.25	0.795	1	4	2	0	1.0000	0
SAE	3.5X3.5X0.25	3.5	3.5	0.25	5.8	1.69	11.5	1.09	1.09	0.694	1	3.5	1.75	0	1.0000	0
SAE	3X3X0.5	3	3	0.5	9.4	2.75	4.38	0.898	0.898	0.584	1	3	1.5	0	1.0000	0
SAE	3X3X0.25	3	3	0.25	4.9	1.44	9.75	0.93	0.93	0.593	1	3	1.5	0	1.0000	0
SAE	2.5X2.5X0.3125	2.5	2.5	0.3125	4.5	1.46	6	0.761	0.761	0.489	1	2.5	1.25	0	1.0000	0
SAE	2.5X2.5X0.25	2.5	2.5	0.25	4.1	1.19	7.75	0.750	0.750	0.491	1	2.5	1.25	0	1.0000	0
SAE	2.5X2.5X0.1875	2.5	2.5	0.1875	3.07	0.902	10.67	0.778	0.778	0.489	1	2.5	1.25	0	1.0000	0
SAE	2X2X0.375	2	2	0.375	4.7	1.36	3	0.594	0.594	0.389	1	2	1	0	1.0000	0
SAE	2X2X0.3125	2	2	0.3125	3.92	1.15	3.8	0.601	0.601	0.391	1	2	1	0	1.0000	0
SAE	2X2X0.25	2	2	0.25	3.19	0.91	5	0.609	0.609	0.394	1	2	1	0	1.0000	0
SAE	2X2X0.1875	2	2	0.1875	2.13	0.71	8	0.617	0.617	0.394	1	2	1	0	1.0000	0
SAE	1.75X1.75X0.1875	1.75	1.75	0.1875	2.12	0.62	6	0.537	0.537	0.343	1	1.75	0.875	0	1.0000	0
BIG	0.1X0.1X1	0.1	0.1	1	800	2.17		9.59	9.59	0.93	1	0.1	0.05	0	1.0000	0
Pipe	Pipe3EH	3	5	2.9	0	10.3		1.14	1.14	1.14	1	0	0	0	0.0000	0
Pipe	Pipe3EH	4	5	3.826	0	13		1.46	1.46	1.46	1	0	0	0	0.0000	0
Pipe	Pipe3EH	5	5	5.097	0	14.6		1.88	1.88	1.88	1	0	0	0	0.0000	0
Pipe	Pipe3EH	5.583	5.583		0	20.8		1.85	1.85	1.85	1	0	0	0	0.0000	0
Pipe	Pipe6EH	6.523	6.523		0	26.6		2.2	2.2	2.2	1	0	0	0	0.0000	0
Pipe	Pipe6EH	8.525	8.525		0	35.78		2.36	2.36	2.36	1	0	0	0	0.0000	0
Pipe	Pipe3.5EH	4	4	3.94	0	12.5		1.31	1.31	1.31	1	0	0	0	0.0000	0
Pipe	Pipe6EH	6.525	6.525		0	24.38		2.22	2.22	2.22	1	0	0	0	0.0000	0
Pipe	P4-494	3.5	3.5	2.626	0	15		1.09	1.09	1.09	1	0	0	0	0.0000	0
Pipe	P4-494	4.5	4.5	3.512	0	21.4		1.42	1.42	1.42	1	0	0	0	0.0000	0
Pipe	P6-562	6.525	6.525		0	36.6		2.15	2.15	2.15	1	0	0	0	0.0000	0
Pipe	Pipe6EH	8.525	8.525		0	43.39		2.88	2.88	2.88	1	0	0	0	0.0000	0
Pipe	Pipe10X8	10.75	10.75		0	54.74		3.63	3.63	3.63	1	0	0	0	0.0000	0
Pipe	P3-425	3.5	3.5	2.65	0	15		1.097	1.097	1.097	1	0	0	0	0.0000	0

Angle Groups:

Group Label	Description	Group Angle Type	Angle Material Size	Element Type	Group Type	Optimize Group Angle Width For Optimize	Allow. Add. Angle Width
Rohn-D1	Rohn Diagonal 1	SAE 1.75X1.75X0.1875	A 36	Truss	Other	None	0.000
Rohn-D2	Rohn Diagonal 2	SAE 2X2X0.1875	A 36	Truss	Other	None	0.000
Rohn-D3	Rohn Diagonal 3	SAE 2.5X2.5X0.1875	A 36	Truss	Other	None	0.000
Rohn-D4	Rohn Diagonal 4	SAE 2.5X2.5X0.25	A 36	Truss	Other	None	0.000
Rohn-D5	Rohn Diagonal 5	SAE 3X3X0.25	A572-50	Truss	Other	None	0.000
Rohn-D6	Rohn Diagonal 6	SAE 3.5X3.5X0.25	A572-50	Truss	Other	None	0.000
Rohn-D7	Rohn Diagonal 7	SAE 4X4X0.25	A572-50	Truss	Other	None	0.000
Rohn-L1	Rohn Leg 1	Pipe Pipe3EH	A572-50	Leg	Leg	None	0.000
Rohn-L2	Rohn Leg 2	Pipe Pipe3.5EH	A572-50	Leg	Leg	None	0.000
Rohn-L3	Rohn Leg 3	Pipe Pipe4EH	A572-50	Leg	Leg	None	0.000
Rohn-L4	Rohn Leg 4	Pipe Pipe5STD	A572-50	Leg	Leg	None	0.000
Rohn-L5	Rohn Leg 5	Pipe Pipe5EH	A572-50	Leg	Leg	None	0.000
Rohn-L6	Rohn Leg 6	Pipe Pipe6EH	A572-50	Leg	Leg	None	0.000
Rohn-L7	Rohn Leg 7	Pipe Pipe6EH	A572-50	Leg	Leg	None	0.000
Rohn-L8	Rohn Leg 8	Pipe Pipe8EH	A572-50	Leg	Leg	None	0.000
Rohn-H1	Rohn Horizontal 1	SAE 1.75X1.75X0.1875	A 36	Truss	Other	None	0.000
Rohn-H2	Rohn Horizontal 2	SAE 2X2X0.1875	A 36	Truss	Other	None	0.000
Rohn-H3	Rohn Horizontal 3	SAE 2.5X2.5X0.1875	A 36	Truss	Other	None	0.000
Rohn-H4	Rohn Horizontal 4	SAE 2.5X2.5X0.25	A 36	Truss	Other	None	0.000
Rohn-H5	Rohn Horizontal 5	SAE 3X3X0.25	A 36	Truss	Other	None	0.000
Rohn-H6	Rohn Horizontal 6	SAE 3.5X3.5X0.25	A 36	Truss	Other	None	0.000
Rohn-H7	Rohn Horizontal 7	SAE 4X4X0.25	A 36	Truss	Other	None	0.000
Rohn-H8	Rohn Horizontal 8	SAE 5X5X0.25	A 36	Truss	Other	None	0.000
Rohn-H9	Rohn Horizontal 9	Pipe Pipe3.5EH	A 36	Leg	Leg	None	0.000
Rohn-H10	Rohn Horizontal 10	Pipe Pipe4EH	A 36	Leg	Leg	None	0.000
Rohn-H11	Rohn Horizontal 11	Pipe Pipe5STD	A 36	Leg	Leg	None	0.000
Rohn-H12	Rohn Horizontal 12	Pipe Pipe5EH	A 36	Leg	Leg	None	0.000
Rohn-H13	Rohn Horizontal 13	Pipe Pipe6EH	A 36	Leg	Leg	None	0.000
Rohn-H14	Rohn Horizontal 14	Pipe Pipe6EH	A 36	Leg	Leg	None	0.000
Rohn-H15	Rohn Horizontal 15	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H16	Rohn Horizontal 16	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H17	Rohn Horizontal 17	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H18	Rohn Horizontal 18	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H19	Rohn Horizontal 19	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H20	Rohn Horizontal 20	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H21	Rohn Horizontal 21	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H22	Rohn Horizontal 22	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H23	Rohn Horizontal 23	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H24	Rohn Horizontal 24	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H25	Rohn Horizontal 25	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H26	Rohn Horizontal 26	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H27	Rohn Horizontal 27	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H28	Rohn Horizontal 28	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H29	Rohn Horizontal 29	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H30	Rohn Horizontal 30	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H31	Rohn Horizontal 31	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H32	Rohn Horizontal 32	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H33	Rohn Horizontal 33	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H34	Rohn Horizontal 34	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H35	Rohn Horizontal 35	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H36	Rohn Horizontal 36	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H37	Rohn Horizontal 37	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H38	Rohn Horizontal 38	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H39	Rohn Horizontal 39	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H40	Rohn Horizontal 40	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H41	Rohn Horizontal 41	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H42	Rohn Horizontal 42	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H43	Rohn Horizontal 43	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H44	Rohn Horizontal 44	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H45	Rohn Horizontal 45	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H46	Rohn Horizontal 46	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H47	Rohn Horizontal 47	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H48	Rohn Horizontal 48	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H49	Rohn Horizontal 49	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H50	Rohn Horizontal 50	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H51	Rohn Horizontal 51	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H52	Rohn Horizontal 52	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H53	Rohn Horizontal 53	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H54	Rohn Horizontal 54	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H55	Rohn Horizontal 55	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H56	Rohn Horizontal 56	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H57	Rohn Horizontal 57	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H58	Rohn Horizontal 58	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H59	Rohn Horizontal 59	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H60	Rohn Horizontal 60	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H61	Rohn Horizontal 61	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H62	Rohn Horizontal 62	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H63	Rohn Horizontal 63	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H64	Rohn Horizontal 64	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H65	Rohn Horizontal 65	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H66	Rohn Horizontal 66	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H67	Rohn Horizontal 67	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H68	Rohn Horizontal 68	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H69	Rohn Horizontal 69	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H70	Rohn Horizontal 70	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H71	Rohn Horizontal 71	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H72	Rohn Horizontal 72	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H73	Rohn Horizontal 73	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H74	Rohn Horizontal 74	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H75	Rohn Horizontal 75	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H76	Rohn Horizontal 76	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H77	Rohn Horizontal 77	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H78	Rohn Horizontal 78	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H79	Rohn Horizontal 79	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H80	Rohn Horizontal 80	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H81	Rohn Horizontal 81	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H82	Rohn Horizontal 82	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H83	Rohn Horizontal 83	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H84	Rohn Horizontal 84	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H85	Rohn Horizontal 85	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H86	Rohn Horizontal 86	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H87	Rohn Horizontal 87	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H88	Rohn Horizontal 88	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H89	Rohn Horizontal 89	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H90	Rohn Horizontal 90	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H91	Rohn Horizontal 91	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H92	Rohn Horizontal 92	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H93	Rohn Horizontal 93	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H94	Rohn Horizontal 94	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H95	Rohn Horizontal 95	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H96	Rohn Horizontal 96	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H97	Rohn Horizontal 97	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H98	Rohn Horizontal 98	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H99	Rohn Horizontal 99	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000
Rohn-H100	Rohn Horizontal 100	Pipe Pipe8EH	A 36	Leg	Leg	None	0.000

Aggregate Angle Information:

Note: Estimate of surface area reported for painting purposes, not wind loading.

Angle Type	Angle Material Size	Angle Material Type	Angle Material Total Length (ft)	Angle Material Total Surface Area (ft ²)	Angle Material Total Weight (
------------	---------------------	---------------------	----------------------------------	--	-------------------------------

SAE 1.75X1.75X0.1875	A 36 179.43	163.00	592.39
SAE 2X2X0.1875	A 36 161.38	127.50	466.96
SAE 2X2X0.375	A 36 171.33	141.95	316.82
SAE 2.5X2.5X0.1875	A 36 170.26	191.89	706.91
SAE 2.5X2.5X0.25	A 36 161.26	209.58	1031.12
SAE 3X3X0.25	A572-50 173.29	273.29	1031.12
SAE 3.5X3.5X0.25	A572-50 146.34	320.96	2589.91
SAE 4X4X0.25	A572-50 102.96	670.61	3316.32
Pipe	Pipe3EH A572-50 60.05	64.05	616.48
Pipe	Pipe4EH A572-50 60.05	73.70	750.58
Pipe	Pipe5STD A572-50 60.05	83.32	900.68
Pipe	Pipe5EH A572-50 60.05	106.18	876.68
Pipe	Pipe6EH A572-50 60.05	101.84	1248.97
Pipe	Pipe6EH A572-50 60.05	125.95	1463.93
Pipe	Pipe6EH A572-50 120.09	247.91	3434.66
Pipe	Pipe6EH A572-50 60.05	166.38	2148.47
Pipe	Pipe6EH A572-50 60.05	110.15	647.69
SAE 2X2X0.3125	A 36 165.23	126.11	603.43
SAE 2X2X0.25	A 36 189.16	315.82	1894.94
SAE 2.5X2.5X0.3125	A 36 178.99	219.00	2058.63
SAE 3X3X0.5	A 36 219.00	244.34	2345.69
SAE 4X4X0.5	A 36 183.26	339.94	6357.75
SAE 4X4X0.625	A 36 404.95	371.07	4452.86
SAE 5X5X0.625	A 36 222.64	61.31	900.70
Pipe	P3-437 A 36 60.05	405.11	6492.26
Pipe	P4-494 A 36 103.38	103.84	1248.96
Pipe	Pipe5EH A 36 60.05	242.69	4393.40
Pipe	P6-562 A 36 120.09	325.25	5210.82
Pipe	Pipe6XS A 36 120.09	205.16	3286.94
Pipe	Pipe10XS A 36 60.05	5.00	0.00
Big	0.1X0.1X1 A 36 150.03		
Pipe	P3-425 A 36 13.04	74.87	1095.63

Sections:
The adjustment factors below only apply to dead load and wind areas that are calculated for members in the model.
They do not apply to equipment or to manually input dead load and drag areas.

Section Label	Defining Label	Joint Label	Dead Load Drag x Area Factor	Transverse Longitudinal Drag x Area Factor	Transverse Longitudinal Area Factor	AF Flat Ar Round Factor	Longitudinal Drag x Area Factor	Transverse Drag x Area Factor	SAPS Angle Drag x Area Factor	SAPS Round Force Drag x Area Factor
Bottom Factor	Adjust. Factor	For Face	For Face	For Face	For Face	For Face	For Face	For Face	For Face	For Face
A	RehBP	1.000	3.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000
B	RehCP	1.000	3.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000
C	RehDP	1.000	3.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000
D	RehEP	1.000	3.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000
E	RehFP	1.000	3.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000
F	RehGP	1.000	3.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000
G	RehHP	1.000	3.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000
H	RehIP	1.000	3.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000
I	RehJP	1.000	3.000	0.000	0.000	0.000	0.900	0.900	0.000	0.000

Angle Member Connectivity:

Member Label	Group Section Label	Symmetry Code	Origin Joint	End Ecc. Joint Code	Rest. Code	Ratio RIX	Ratio RLY	Ratio RLZ	Bolt Type	# Bolts	# Shear Holes	Connect Leg	Short Edge Dist. (in)	Long Edge Dist. (in)	End Spacing Coef.	Bolt Rest.	
Rohn-DAP Rohn-D1		Tri-Symmetry	RohnAP	RohnA1	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAL1 Rohn-D1		Tri-Symmetry	RohnA1	RohnA2	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAP2 Rohn-D1		Tri-Symmetry	RohnA2	RohnA3	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAL2 Rohn-D1		Tri-Symmetry	RohnA3	RohnA4	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAP3 Rohn-D1		Tri-Symmetry	RohnA4	RohnA5	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAL3 Rohn-D1		Tri-Symmetry	RohnA5	RohnA6	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAP4 Rohn-D1		Tri-Symmetry	RohnA6	RohnA7	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAL4 Rohn-D1		Tri-Symmetry	RohnA7	RohnA8	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAP5 Rohn-D1		Tri-Symmetry	RohnA8	RohnA9	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAL5 Rohn-D1		Tri-Symmetry	RohnA9	RohnA10	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAP6 Rohn-D1		Tri-Symmetry	RohnA10	RohnA11	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAL6 Rohn-D1		Tri-Symmetry	RohnA11	RohnA12	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAP7 Rohn-D1		Tri-Symmetry	RohnA12	RohnA13	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAL7 Rohn-D1		Tri-Symmetry	RohnA13	RohnA14	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0
Rohn-DAP8 Rohn-D1		Tri-Symmetry	RohnA14	RohnA15	1	4	0.5	0.5	0.5	5/8 A325-N	1	1	Long only	0	0	0	0

Connect F8 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect F1 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect F3 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect F3P Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect F41 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect F42 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect F6 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect G1 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect G2 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect G41 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect G42 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect H1 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect H2 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect H3 Connect 17203.103	L/F	17279.973	Net Sect	2	2.00	17203.103	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect H41 Connect 17203.063	L/F	17279.973	Net Sect	2	2.00	17203.063	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect H42 Connect 17203.063	L/F	17279.973	Net Sect	2	2.00	17203.063	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect I1 Connect 17203.023	L/F	17279.973	Net Sect	2	2.00	17203.023	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect I2 Connect 17203.023	L/F	17279.973	Net Sect	2	2.00	17203.023	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect I3 Connect 17203.023	L/F	17279.973	Net Sect	2	2.00	17203.023	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect I41 Connect 17202.963	L/F	17279.973	Net Sect	2	2.00	17202.963	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
Connect I42 Connect 17202.963	L/F	17279.973	Net Sect	2	2.00	17202.963	0.000	0.000	17279.973	0.000	0.000	0.000	0.000	Automatic
SNB-H1P SNB-H1 84.029	L/F	88.668	Net Sect	22	4.04	84.029	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H11 SNB-H1 84.029	L/F	88.668	Net Sect	22	4.04	84.029	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H12 SNB-H1 84.029	L/F	88.668	Net Sect	22	4.04	84.029	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H2P SNB-H1 81.989	L/F	88.668	Net Sect	30	5.41	81.989	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H21 SNB-H1 81.989	L/F	88.668	Net Sect	30	5.41	81.989	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H22 SNB-H1 81.989	L/F	88.668	Net Sect	30	5.41	81.989	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H3P SNB-H1 79.736	L/F	88.668	Net Sect	37	6.77	79.736	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H31 SNB-H1 79.736	L/F	88.668	Net Sect	37	6.77	79.736	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H32 SNB-H1 79.736	L/F	88.668	Net Sect	37	6.77	79.736	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H4P SNB-H1 77.281	L/F	88.668	Net Sect	44	8.13	77.281	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H41 SNB-H1 77.281	L/F	88.668	Net Sect	44	8.13	77.281	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H42 SNB-H1 77.281	L/F	88.668	Net Sect	44	8.13	77.281	0.000	0.000	88.668	0.000	0.000	0.000	0.000	Automatic
SNB-H5P SNB-H2 119.111	L/F	134.136	Net Sect	40	9.49	119.111	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H51 SNB-H2 119.111	L/F	134.136	Net Sect	40	9.49	119.111	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H52 SNB-H2 119.111	L/F	134.136	Net Sect	40	9.49	119.111	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H6P SNB-H2 116.171	L/F	134.136	Net Sect	46	10.86	116.171	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H61 SNB-H2 116.171	L/F	134.136	Net Sect	46	10.86	116.171	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H62 SNB-H2 116.171	L/F	134.136	Net Sect	46	10.86	116.171	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H7P SNB-H2 113.058	L/F	134.136	Net Sect	52	12.22	113.058	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H71 SNB-H2 113.058	L/F	134.136	Net Sect	52	12.22	113.058	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H72 SNB-H2 113.058	L/F	134.136	Net Sect	52	12.22	113.058	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H8P SNB-H2 109.782	L/F	134.136	Net Sect	57	13.58	109.782	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H81 SNB-H2 109.782	L/F	134.136	Net Sect	57	13.58	109.782	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H82 SNB-H2 109.782	L/F	134.136	Net Sect	57	13.58	109.782	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H9P SNB-H2 106.339	L/F	134.136	Net Sect	63	14.94	106.339	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H91 SNB-H2 106.339	L/F	134.136	Net Sect	63	14.94	106.339	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic
SNB-H92 SNB-H2 106.339	L/F	134.136	Net Sect	63	14.94	106.339	0.000	0.000	134.136	0.000	0.000	0.000	0.000	Automatic

The model contains 558 angle ment-rs.

Section Joint Information:

Section Label	Joint Label	Joint Elevation (ft)

A	RohnAP	180.000
A	RohnAa1	175.000
A	RohnA1	180.000
A	RohnAa2	175.000
A	RohnA2	180.000
A	RohnAa3	175.000
A	RohnAb1	170.000
A	RohnAb2	170.000
A	RohnAbs	170.000
A	RohnAc1	165.000
A	RohnAc2	165.000
A	RohnAc3	165.000
A	RohnB2	160.000
A	RohnBP	160.000
A	RohnB1	160.000
A	SNB-AP	180.000
A	SNB-Aa1	175.000
A	SNB-A1	180.000
A	SNB-Aa2	175.000
A	SNB-A2	180.000

A SNB-AaS 175.000
A SNB-Ab1 170.000
A SNB-Ab2 170.000
A SNB-Ab3 170.000
A SNB-Ac1 165.000
A SNB-Ac2 165.000
A SNB-Ac3 165.000
A SNB-B1 160.000
A SNB-B2 160.000
A SNB-BF 160.000
B RohnBf 160.000
B RohnB1 155.000
B RohnB2 155.000
B RohnB3 155.000
B RohnBb1 150.000
B RohnBb2 150.000
B RohnBb3 150.000
B RohnBc1 145.000
B RohnBc2 145.000
B RohnBc3 145.000
B RohnC1 140.000
B RohnC2 140.000
B RohnCf 140.000
B SNB-BF 160.000
B SNB-Ba1 155.000
B SNB-B1 160.000
B SNB-Ba2 155.000
B SNB-B2 160.000
B SNB-Ba3 155.000
B SNB-Bb1 150.000
B SNB-Bb2 150.000
B SNB-Bb3 150.000
B SNB-Bc1 145.000
B SNB-Bc2 145.000
B SNB-Bc3 145.000
B SNB-C1 140.000
B SNB-C2 140.000
B SNB-Cf 140.000
C RohnCf 140.000
C RohnCa1 133.340
C RohnC1 140.000
C RohnCa2 133.340
C RohnC2 140.000
C RohnCa3 133.340
C RohnCb1 126.660
C RohnCb2 126.660
C RohnCb3 126.660
C RohnD1 120.000
C RohnD2 120.000
C RohnDf 120.000
C SNB-CP 140.000
C SNB-Ca1 133.340
C SNB-C1 140.000
C SNB-Ca2 133.340
C SNB-C2 140.000
C SNB-C3 133.340
C SNB-C35 126.660
C SNB-Cb1 126.660
C SNB-Cb2 126.660
C SNB-Cb3 126.660
C SNB-D1 120.000
C SNB-D2 120.000
C SNB-Df 120.000
D RohnDf 120.000
D RohnDa1 113.340
D RohnD1 120.000
D RohnDa2 113.340
D RohnD2 120.000
D RohnDa3 113.340
D RohnDb1 106.660
D RohnDb2 106.660
D RohnDb3 106.660
D RohnE1 100.000
D RohnE2 100.000
D RohnEf 100.000
D SNB-DP 120.000
D SNB-Da1 113.340
D SNB-D1 120.000
D SNB-Da2 113.340
D SNB-D2 120.000

D SNB-DaS 113.340
D SNB-Db1 106.660
D SNB-Db2 106.660
D SNB-Db3 106.660
D SNB-E1 100.000
D SNB-E2 100.000
D SNB-EP 100.000
E RohnCa1 93.340
E RohnCa2 100.000
E RohnE2 93.340
E RohnE2 100.000
E RohnE2 93.340
E RohnE2 86.660
E RohnE2 86.660
E RohnE2 86.660
E RohnF1 80.000
E RohnF2 80.000
E RohnFP 80.000
E SNB-EP 100.000
E SNB-Ea1 93.340
E SNB-E1 100.000
E SNB-E2 93.340
E SNB-E2 100.000
E SNB-Ea3 93.340
E SNB-Eb1 86.660
E SNB-Eb2 86.660
E SNB-Eb3 86.660
E SNB-F1 80.000
E SNB-F2 80.000
E SNB-FP 80.000
E RohnF1 70.000
E RohnF1 80.000
E RohnF2 80.000
E RohnF2 80.000
E RohnF2 80.000
E RohnF2 80.000
E RohnG1 60.000
E RohnG2 60.000
E RohnGP 60.000
E SNB-FP 80.000
E SNB-Fa1 70.000
E SNB-F1 80.000
E SNB-Fa2 70.000
E SNB-F2 80.000
E SNB-F2 80.000
E SNB-Fa3 70.000
E SNB-G1 60.000
E SNB-G2 60.000
E SNB-GP 60.000
E SNB-GP 60.000
G RohnGa1 50.000
G RohnG1 60.000
G RohnGa2 50.000
G RohnG2 60.000
G RohnGa3 50.000
G RohnH1 40.000
G RohnH2 40.000
G RohnH2 40.000
G RohnH2 40.000
G SNB-GP 60.000
G SNB-G1 50.000
G SNB-G3 50.000
G SNB-Ga2 50.000
G SNB-G2 50.000
G SNB-Ga3 50.000
G SNB-H1 40.000
G SNB-H2 40.000
G SNB-H3 40.000
H RohnH1 30.000
H RohnH1 40.000
H RohnH2 30.000
H RohnH2 40.000
H RohnH2 40.000
H RohnH2 40.000
H RohnH2 40.000
H RohnH2 40.000
H RohnH2 40.000
H SNB-H1 30.000
H SNB-H1 40.000
H SNB-Ha2 30.000
H SNB-H2 40.000

H SNE-HAS 30.000
H SNE-I1 20.000
H SNE-I2 20.000
H SNE-IP 20.000
I RohnIP 20.000
I RohnIa1 10.000
I RohnI1 20.000
I RohnIa2 10.000
I RohnI2 20.000
I RohnIa5 10.000
I RohnI1 0.000
I RohnI2 0.000
I RohnI5 0.000
I SNE-I1 20.000
I SNE-I2 20.000
I SNE-Ia5 10.000
I SNE-I1 0.000
I SNE-I2 0.000
I SNE-I5 0.000

EIA Sections Information:

Section Label	Top Z (ft)	Bottom Z (ft)	Joint Count	Member Count	Top Width (ft)	Bottom Width (ft)	Gross Area (ft^2)	Face Area (ft^2)	Adjust Factor	Dead Load Factor
A	180.000	160.000	30	99	7.50	8.87	163.75	0.9000	0.9000	1.000
B	160.000	140.000	30	87	8.87	10.23	191.05	0.9000	0.9000	1.000
C	140.000	120.000	24	66	10.23	11.60	218.31	0.9000	0.9000	1.000
D	120.000	100.000	24	66	11.60	12.96	245.54	0.9000	0.9000	1.000
E	100.000	80.000	24	66	12.96	14.32	272.78	0.9000	0.9000	1.000
F	80.000	60.000	18	45	14.32	15.68	300.04	0.9000	0.9000	1.000
G	60.000	40.000	18	45	15.68	17.05	327.29	0.9000	0.9000	1.000
H	40.000	20.000	18	45	17.05	18.41	354.57	0.9000	0.9000	1.000
I	20.000	0.000	18	39	18.41	19.78	381.92	0.9000	0.9000	1.000

Equipment Library:

Property Label	Equipment Label	Stock Number	Weight (lbs)	Wind Area (ft^2)	Ice Area (ft^2)	EIA Antenna Type	Shape or Drag Diameter	Height (ft)
RFS PD142 w/ ice	Andrew DB-S81 w/ ice	Panel	21.5	2.80	0.00	Circle	Circle	0.00
EMS RRSQ-17-XXDP w/ ice	12 T-Arm Mount	600.0	40.4	4.77	0.00	Square	Square	0.00
3' Stand-Off Dipole	Mount	75.0	1.50	0.00	0.00	Square	Square	0.00
6' Dish with Radome TMA	Dish	220.0	6.00	0.00	0.00	Circle	Circle	0.00
GIF-940 Grid Dish	TMA	15.0	1.00	0.00	0.00	Square	Square	0.00
GPS	GES	20.0	20.00	0.00	0.00	Circle	Circle	0.00
Powerwave 7770	Panel	35.0	5.88	0.00	0.00	Square	Square	0.00
Powerwave P65-16-XLR-RR	Panel	65.0	8.40	0.00	0.00	Square	Square	0.00
Raycap Surge Suppressor	Other	20.0	1.27	0.00	0.00	Circle	Circle	0.00
Ericason RRU	Other	80.0	5.45	0.00	0.00	Square	Square	0.00
9' Omni	Omni	172.0	5.85	0.00	0.00	Circle	Circle	0.00
4' Dipole	Dipole	40.0	2.00	0.00	0.00	Circle	Circle	0.00
5' Dish	Dish	200.0	20.00	0.00	0.00	Square	Square	0.00
10x1.6x4 Panel	Panel	20.0	0.50	0.00	0.00	Circle	Circle	0.00
8586-Y	Omni	10.0	0.40	0.00	0.00	Circle	Circle	0.00
8' Omni	Omni	160.0	1.60	0.00	0.00	Circle	Circle	0.00
12' Omni	Omni	170.0	2.40	0.00	0.00	Circle	Circle	0.00
Boom Gate	Mount	470.0	24.40	0.00	0.00	Square	Square	0.00
Scala GGS-806 w/ ice	Omni	22.7	1.98	0.00	0.00	Circle	Circle	0.00
Sinclair SC479-HFLDP w/ ice	Omni	69.8	6.54	0.00	0.00	Circle	Circle	0.00
RFS APXSPF18-C w/ ice	Panel	106.5	8.81	0.00	0.00	Square	Square	0.00
ALU RKH	RRH	66.7	2.44	0.00	0.00	Square	Square	0.00
Swedcom SC1P 2x6014	Panel	70.5	7.65	0.00	0.00	Square	Square	0.00
RFS AP186613-42T0	Panel	51.3	4.67	0.00	0.00	Square	Square	0.00
Swedcom SWCP 2x5514	Panel	70.0	7.44	0.00	0.00	Square	Square	0.00
Amphenol BXA-171063-BBF	Panel	33.7	3.25	0.00	0.00	Square	Square	0.00
Diplexer	Diplexer	10.0	0.50	0.00	0.00	Square	Square	0.00

Equipment Connectivity:

Equipment Attach Equipment EIA Antenna

URS Connecticut - butternut hollow greenwich, ct

Label	Label	Property	Orientation
		Set	(deg)
Top-A	RohnAP	3' Stand-Off	0.00
Top-B	RohnA1	3' Stand-Off	120.00
Top-C1	RohnA2	3' Stand-Off	280.00
Top-C2	RohnA2	3' Stand-Off	220.00
CSP-67	RohnAP	Dipole	0.00
NEU-20	RohnA1	9' Omni	120.00
CSP-8	RohnA1	4' Dipole	120.00
CSP-3	RohnAP	Sinclair SC479-HFL1DF w/ ice	0.00
CSP-4	RohnA2	Sinclair SC479-HFL1DF w/ ice	240.00
CSP-74	RohnAP	6' Dish with Radome	0.00
CSP-75	RohnA1	6' Dish with Radome	120.00
CSP-76	RohnA2	6' Dish with Radome	240.00
CSP-31	RohnA1	6' Dish with Radome	120.00
CSP-1	RohnA4S	Scala 8079-806 w/ ice	0.00
CSP-2	RohnA2	Scala 8079-806 w/ ice	240.00
CSP-73	RohnAP	TMA	0.00
TGC-7	RohnABS	5' Dish	0.00
TGC-5	RohnAP	Andrew UB-583 w/ ice	0.00
TGC-6	RohnA1	DB586-Y	120.00
SPD-9	RohnA1	GLF-940	120.00
159-A	RohnB1	3' Stand-Off	120.00
159-B	RohnB2	3' Stand-Off	240.00
STAM-63	RohnB1	10x4.6x4 Panel	120.00
STAM-65	RohnB2	10x4.6x4 Panel	240.00
ATT-A	RohnBBS	12' T-Arm	0.00
ATT-B	RohnBb1	12' T-Arm	120.00
ATT-C	RohnBb2	12' T-Arm	240.00
ATT-A1	RohnBBS	Powerwave 7770	0.00
ATT-A2	RohnBBS	Powerwave P65-16-XLH-RR	0.00
ATT-A3	RohnBBS	Powerwave 7770	0.00
ATT-A4	RohnBBS	Ericsson RRU	0.00
ATT-A5	RohnBBS	Ericsson RRU	0.00
ATT-A6	RohnBBS	TMA	0.00
ATT-A7	RohnBBS	TMA	0.00
ATT-A8	RohnBBS	TMA	0.00
ATT-A9	RohnBBS	TMA	0.00
ATT-A10	RohnBBS	Raycap Surge Suppressor	0.00
ATT-B1	RohnBb1	Powerwave 7770	120.00
ATT-B2	RohnBb1	Powerwave P65-16-XLH-RR	120.00
ATT-B3	RohnBb1	Powerwave 7770	120.00
ATT-B4	RohnBb1	Ericsson RRU	120.00
ATT-B5	RohnBb1	Ericsson RRU	120.00
ATT-B6	RohnBb1	TMA	120.00
ATT-B7	RohnBb1	TMA	120.00
ATT-B8	RohnBb1	TMA	120.00
ATT-B9	RohnBb1	TMA	120.00
ATT-C1	RohnBb2	Powerwave 7770	240.00
ATT-C2	RohnBb2	Powerwave P65-16-XLH-RR	240.00
ATT-C3	RohnBb2	Powerwave 7770	240.00
ATT-C4	RohnBb2	Ericsson RRU	240.00
ATT-C5	RohnBb2	Ericsson RRU	240.00
ATT-C6	RohnBb2	TMA	240.00
ATT-C7	RohnBb2	TMA	240.00
ATT-C8	RohnBb2	TMA	240.00
ATT-C9	RohnBb2	TMA	240.00
143-A	RohnBc1	3' Stand-Off	120.00
NEU-18	RohnCP	12' Omni	0.00
NEU-16	RohnC2	8' Omni	240.00
T-Mobile-1	RohnCP	EMS RR90-17-XXDP w/ ice	0.00
T-Mobile-2	RohnCP	TMA	0.00
T-Mobile-3	RohnCP	TMA	0.00
T-Mobile-4	RohnC1	EMS RR90-17-XXDP w/ ice	120.00
T-Mobile-5	RohnC1	TMA	120.00
T-Mobile-6	RohnC1	TMA	120.00
T-Mobile-7	RohnC2	EMS RR90-17-XXDP w/ ice	240.00
T-Mobile-8	RohnC2	TMA	240.00
T-Mobile-9	RohnC2	TMA	240.00
Verizon-A	RohnCaS	Boom Gate	0.00
Verizon-B	RohnCa1	Boom Gate	120.00
Verizon-C	RohnCa2	Boom Gate	240.00
Verizon-1	RohnCaS	Sweden SCLP 2x6014	0.00
Verizon-2	RohnCaS	RFS APL866513-42T0	0.00
Verizon-3	RohnCaS	RFS APL866513-42T0	0.00
Verizon-4	RohnCaS	Amphenol BXA-171063-8BF	0.00
Verizon-5	RohnCa1	Sweden SCLP 2x6014	120.00
Verizon-6	RohnCa1	Sweden SWCP 2x5514	120.00

Verizon-7 RohnCal	120.00
Verizon-8 RohnCal	120.00
Verizon-9 RohnCal	240.00
Verizon-10 RohnCal	240.00
Verizon-11 RohnCal	240.00
Verizon-12 RohnCal	240.00
Verizon-13 RohnCal	0.00
Verizon-14 RohnCal	120.00
Verizon-15 RohnCal	120.00
Verizon-16 RohnCal	240.00
Verizon-17 RohnCal	240.00
Verizon-18 RohnCal	0.00
Sprint-A RohnDP	120.00
Sprint-B RohnDP	120.00
Sprint-C RohnDP	120.00
Sprint-1 RohnDP	0.00
Sprint-2 RohnDP	0.00
Sprint-3 RohnDP	0.00
Sprint-4 RohnDP	120.00
Sprint-5 RohnDP	120.00
Sprint-6 RohnDP	120.00
Sprint-7 RohnDP	240.00
Sprint-8 RohnDP	240.00
Sprint-9 RohnDP	240.00
115-A RohnDal	120.00
NEU-17 RohnDal	120.00
105-A RohnDal	120.00
NEU-19 RohnDal	120.00
85-A RohnEbl	120.00
GPS-53 RohnI2	240.00
GPS-68 RohnGP	0.00
CSP-69 RohnGP	0.00
CSP-70 RohnGP	0.00
CSP-71 RohnB1	120.00
CSP-72 RohnBP	0.00
160 RohnBP	0.00
CSP-66 RohnFP	0.00
DEP-54 RohnF2	240.00
DOT-56 RohnF1	120.00

Swedcom SWCP 2x5514	120.00
Amphenol BXA-171063-8BF	120.00
Swedcom SC1P 2x6014	240.00
RFS AP1866513-42T0	240.00
RFS AP1866513-42T0	240.00
Amphenol BXA-171063-8BF	0.00
Duplexer	0.00
Duplexer	0.00
Duplexer	120.00
Duplexer	120.00
Duplexer	240.00
Duplexer	240.00
12" T-Arm	0.00
12" T-Arm	120.00
12" T-Arm	240.00
RFS APXVSP18-C w/ ice	0.00
ALU R8H	0.00
ALU R8H	0.00
RFS APXVSP18-C w/ ice	120.00
ALU R8H	120.00
ALU R8H	120.00
RFS APXVSP18-C w/ ice	240.00
ALU R8H	240.00
ALU R8H	240.00
3" Stand-Off	120.00
12" Omnl	120.00
3" Stand-Off	120.00
DB596-Y	120.00
3" Stand-Off	120.00
GPS	240.00
GPS	0.00
Sinclair SC479-HFLDF w/ ice	0.00
Sinclair SC479-HFLDF w/ ice	0.00
Sinclair SC479-HFLDF w/ ice	120.00
TWA	0.00
3" Stand-Off	0.00
RFS PD1142 w/ ice	0.00
RFS PD1142 w/ ice	240.00
Dipole	120.00

Linear Appurtenances:

Description	From (ft)	To (ft)	Quantity	Shape	Width or Diameter (in)	Perimeter (in)	Unit Weight (lbs/ft)	In Face Zone	Include in Wind Load
1-5/8"	2	180	47	Round	0	0	2.55	Yes	No
1/2"	2	180	3	Round	0	0	0.91	Yes	No
7/8"	2	180	9	Round	0	0	1.52	Yes	No
1-1/4"	2	180	2	Round	0	0	1.91	Yes	No
Full Cable Tray 2-150 (wind only)	2	150	2	Flat	24	0	0	Yes	Yes
Full Cable Tray 150-top	150	180	1	Flat	24	0	0	Yes	Yes
Elliptical	2	180	3	Round	0	0	0.65	Yes	No
3/8"	2	180	2	Round	0	0	0.3	Yes	No
Optic Fiber Cable	2	180	1	Round	0	0	0.3	Yes	No
DC Cable	2	180	2	Round	0	0	0.37	Yes	No
Hybriflex Cables	2	115	3	Round	0	0	0.37	Yes	No

*** Loads Data

Loads from file: c:\users\kevin_burke\documents\pls tower\vs5-140 - greenwich\vs5-140.eia

Structure Height Summary used for calculating wind/ice adjust with height):

Structure height above ground 180.00 (ft)
Elevation of structure bottom for wind height adjustment: 0.00 (ft)
Structure height for structure gust response factor: 180.00 (ft)
Structure gust response factor: 1.1209
Guy installation temperature: 60.00 (deg F)
Tower Type: Triangular Lattice

EIA Rev. F Load Cases:

Description	Factor	Dead Load	Wind Load	Ice Load	Strength Factor	Allowable Stress Factor	Ice Density	Ice Thickness	Basic Wind Dir.	Wind Speed (mph)	Wind Incidence Angle (deg)	Ice Density (lb/ft ³)	Ice Temperature (deg F)	Point Loads	Joint Displ.
W+I -90 deg	1.0000	1.0000	1.0000	1.0000	1.0000	1.3333	90.000	-90	0.5000	56.0000	0.0	0.0	0.0	0.0	0.0
W+I -60 deg	1.0000	1.0000	1.0000	1.0000	1.0000	1.3333	90.000	-60	0.5000	56.0000	0.0	0.0	0.0	0.0	0.0
W+I 0 deg	1.0000	1.0000	1.0000	1.0000	1.0000	1.3333	90.000	0	0.5000	56.0000	0.0	0.0	0.0	0.0	0.0
W+I 60 deg	1.0000	1.0000	1.0000	1.0000	1.0000	1.3333	90.000	60	0.5000	56.0000	0.0	0.0	0.0	0.0	0.0
W+I 90 deg	1.0000	1.0000	1.0000	1.0000	1.0000	1.3333	90.000	90	0.5000	56.0000	0.0	0.0	0.0	0.0	0.0
DL + Ice Only	1.0000	1.0000	1.0000	1.3333	0.000	0.000	0.000	0.000	0.000	0.000	0.0	0.0	0.0	0.0	0.0

Equipment Load Case Information for "W+I -90 deg":

Equipment Label	Equipment Property Set	Elevation Above Ground (ft)	qzCh (psf)	Ice Thick. (in)	Ice Area (ft ²)	Wind Incidence Angle (deg)	222-G CA	222-G CS	222-G CM	Antenna Load FEM (lbs)	Antenna Side Moment (ft-lbs)	Antenna Long. Load (lbs)	Trans. Vert. Load (lbs)
Top-A	3' Stand-Off	180.00	37.72	0.50	1.50	90.00							
Top-B	3' Stand-Off	180.00	37.72	0.50	1.50	210.00							
Top-C1	3' Stand-Off	180.00	37.72	0.50	1.50	330.00							
Top-C2	3' Stand-Off	180.00	37.72	0.50	1.50	310.00							
CSP-67	Dipole	180.00	37.72	0.50	6.00	90.00							
NEU-20	Omni	180.00	37.72	0.50	5.85	210.00							
CSP-8	4' Dipole	170.00	37.11	0.50	2.00	210.00							
CSP-3	Sinclair SC479-HFLDF w/ ice	180.00	37.72	0.50	6.54	90.00							
CSP-4	Sinclair SC479-HFLDF w/ ice	180.00	37.72	0.50	6.54	330.00							
CSP-74	6' Dish with Radome	180.00	37.72	0.50	29.00	90.00							
CSP-75	6' Dish with Radome	180.00	37.72	0.50	29.00	210.00							
CSP-76	6' Dish with Radome	180.00	37.72	0.50	29.00	330.00							
CSP-31	6' Dish with Radome	175.00	37.41	0.50	29.00	210.00							
CSP-1	Scala OCT9-806 w/ ice	175.00	37.41	0.50	1.98	90.00							
CSP-2	Scala OCT9-806 w/ ice	175.00	37.41	0.50	1.98	330.00							
CSP-73	5' Dish	180.00	37.72	0.50	1.00	90.00							
TGG-7	Andrew DB-553 w/ ice	170.00	37.11	0.50	20.00	90.00							
TGG-5	Andrew DB-553 w/ ice	180.00	37.72	0.50	0.71	90.00							
TGG-6	Andrew DB-553 w/ ice	165.00	36.79	0.50	0.40	210.00							
SPD-9	Andrew DB-553 w/ ice	165.00	36.79	0.50	20.00	210.00							
159-A	3' Stand-Off	160.00	36.47	0.50	1.50	330.00							
159-B	3' Stand-Off	160.00	36.47	0.50	1.50	330.00							
STM-63	10x4.6x1 Panel	160.00	36.47	0.50	0.50	210.00							
STM-65	10x4.6x1 Panel	160.00	36.47	0.50	0.50	330.00							
ATT-A	12' T-Arm	150.00	35.80	0.50	10.00	90.00							
ATT-B	12' T-Arm	150.00	35.80	0.50	10.00	210.00							
ATT-C	12' T-Arm	150.00	35.80	0.50	10.00	330.00							
ATT-A1	Powerwave P85-16-31H-RR	150.00	35.80	0.50	5.88	90.00							
ATT-A2	Powerwave P85-16-31H-RR	150.00	35.80	0.50	5.88	90.00							
ATT-A3	Powerwave P85-16-31H-RR	150.00	35.80	0.50	5.88	90.00							
ATT-A4	Ericsson RR0	150.00	35.80	0.50	5.45	90.00							
ATT-A5	Ericsson RR0	150.00	35.80	0.50	5.45	90.00							
ATT-A6	Ericsson RR0	150.00	35.80	0.50	1.00	90.00							
ATT-A7	TNA	150.00	35.80	0.50	1.00	90.00							
ATT-A8	TNA	150.00	35.80	0.50	1.00	90.00							
ATT-A9	TNA	150.00	35.80	0.50	1.00	90.00							
ATT-A10	Raycap Surge Suppressor	150.00	35.80	0.50	1.27	90.00							
ATT-B1	Powerwave 7770	150.00	35.80	0.50	5.88	210.00							
ATT-B2	Powerwave P85-16-31H-RR	150.00	35.80	0.50	5.88	210.00							
ATT-B3	Powerwave P85-16-31H-RR	150.00	35.80	0.50	5.88	210.00							
ATT-B4	Ericsson RR0	150.00	35.80	0.50	5.45	210.00							
ATT-B5	Ericsson RR0	150.00	35.80	0.50	5.45	210.00							
ATT-B6	Ericsson RR0	150.00	35.80	0.50	1.00	210.00							

B 160.00 140.00 150.00 35.80 0.50 76.52 48.46 38.20 191.0 0.65 0.85 1.00 0.79 1.78 103.2 6581 0.00 2.00 0.00 1.20 0.00 0.00 6581 8365
C 140.00 120.00 130.00 34.37 0.50 97.73 49.93 40.11 218.3 0.68 0.86 1.00 0.80 1.78 123.2 7321 0.00 2.00 0.00 1.20 0.00 0.00 7321 8914
D 120.00 100.00 110.00 32.77 0.50 109.24 58.49 43.80 245.5 0.63 0.85 1.00 0.77 1.79 141.6 7833 0.00 2.00 0.00 1.20 0.00 0.00 7833 9743
E 100.00 80.00 90.00 30.94 0.50 109.22 64.28 48.95 272.8 0.63 0.85 1.00 0.77 1.79 141.6 7833 0.00 2.00 0.00 1.20 0.00 0.00 7833 12870
F 80.00 60.00 70.00 28.80 0.50 109.22 64.28 48.95 272.8 0.63 0.85 1.00 0.77 1.79 141.6 7833 0.00 2.00 0.00 1.20 0.00 0.00 7833 13407
G 60.00 40.00 50.00 26.16 0.50 111.75 71.64 52.31 327.3 0.56 0.89 1.00 0.73 1.83 147.3 7067 0.00 2.00 0.00 1.20 0.00 0.00 7067 15136
H 40.00 20.00 30.00 23.23 0.50 117.39 72.89 52.83 354.6 0.54 0.93 1.00 0.72 1.86 152.0 6558 0.00 2.00 0.00 1.20 0.00 0.00 6558 15903
I 20.00 0.00 10.00 23.23 0.50 118.53 79.21 55.98 381.9 0.52 0.95 1.00 0.71 1.88 156.7 6837 0.00 2.00 0.00 1.20 0.00 0.00 6837 17259

Equipment Load Case Information for "W-I -60 deg":

Equipment Label	Equipment Property Set	Elevation Above Ground (ft)	Ice Thick. (in)	Ice Area (ft^2)	Wind Incidence Angle (deg)	222-G CA	222-G CS	222-G CM	Antenna Axial Load (lbs)	Antenna Side Load FEM (lbs)	Antenna Moment (ft-lbs)	Long. Load (lbs)	Trans. Load (lbs)	Vert. Load (lbs)
Top-A	3" Stand-Off	180.00 37.72	0.50	1.50	60.00							28.29	-49.00	75.00
Top-B	3" Stand-Off	180.00 37.72	0.50	1.50	180.00							28.29	-49.00	75.00
Top-C1	3" Stand-Off	180.00 37.72	0.50	1.50	320.00							28.29	-49.00	75.00
Top-C2	3" Stand-Off	180.00 37.72	0.50	1.50	280.00							28.29	-49.00	75.00
CSP-67	Dipole	180.00 37.72	0.50	6.00	60.00							113.18	-195.98	71.00
NEU-20	4" Omni	180.00 37.72	0.50	5.85	180.00							110.32	-191.08	172.00
CSP-8	4 Dipole	170.00 37.11	0.50	2.00	180.00							37.11	-64.27	40.00
CSP-3	Sinclair SC479-RELIOR w/ ice	180.00 37.72	0.50	6.54	60.00							123.34	-213.62	69.80
CSP-4	Sinclair SC479-RELIOR w/ ice	180.00 37.72	0.50	6.54	300.00							123.34	-213.62	69.80
CSP-74	6" Dish with Radome	180.00 37.72	0.50	29.00	60.00							546.90	-947.26	220.00
CSP-75	6" Dish with Radome	180.00 37.72	0.50	29.00	180.00							546.90	-947.26	220.00
CSP-76	6" Dish with Radome	180.00 37.72	0.50	29.00	300.00							546.90	-947.26	220.00
CSP-31	6" Dish with Radome	175.00 37.41	0.50	29.00	180.00							37.04	-64.16	22.70
CSP-1	Scala OCT9-806 w/ ice	175.00 37.41	0.50	1.98	60.00							37.04	-64.16	22.70
CSP-2	Scala OCT9-806 w/ ice	175.00 37.41	0.50	1.98	300.00							37.04	-64.16	22.70
CSP-7	3" Dish	180.00 37.72	0.50	1.00	60.00							18.86	-32.56	15.00
TOC-7	3" Dish	180.00 37.72	0.50	1.00	60.00							18.86	-32.56	15.00
TOC-5	Andrew DB-583 w/ ice	180.00 37.72	0.50	0.71	60.00							13.39	-23.19	11.60
TOC-6	Andrew DB-583 w/ ice	180.00 37.72	0.50	0.71	60.00							13.39	-23.19	11.60
SPD-3	3" Stand-Off	165.00 36.79	0.50	2.00	180.00							7.36	-12.74	10.00
SPD-4	3" Stand-Off	165.00 36.79	0.50	2.00	180.00							7.36	-12.74	10.00
SPD-5	3" Stand-Off	165.00 36.79	0.50	2.00	180.00							7.36	-12.74	10.00
SPD-6	3" Stand-Off	165.00 36.79	0.50	2.00	180.00							7.36	-12.74	10.00
STRM-63	10x4.6x4 Panel	160.00 36.47	0.50	1.50	300.00							27.35	-47.37	75.00
STRM-65	10x4.6x4 Panel	160.00 36.47	0.50	1.50	300.00							27.35	-47.37	75.00
ATT-A	12" T-Arm	150.00 35.80	0.50	10.00	60.00							9.12	-15.79	20.00
ATT-B	12" T-Arm	150.00 35.80	0.50	10.00	180.00							9.12	-15.79	20.00
ATT-C	12" T-Arm	150.00 35.80	0.50	10.00	300.00							9.12	-15.79	20.00
ATT-A1	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							179.01	-310.06	600.00
ATT-A2	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							179.01	-310.06	600.00
ATT-A3	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							179.01	-310.06	600.00
ATT-A4	Ericsson RRU	150.00 35.80	0.50	5.45	60.00							105.26	-182.32	35.00
ATT-A5	Ericsson RRU	150.00 35.80	0.50	5.45	60.00							105.26	-182.32	35.00
ATT-A6	Ericsson RRU	150.00 35.80	0.50	5.45	60.00							105.26	-182.32	35.00
ATT-A7	Ericsson RRU	150.00 35.80	0.50	5.45	60.00							105.26	-182.32	35.00
ATT-A8	Ericsson RRU	150.00 35.80	0.50	5.45	60.00							105.26	-182.32	35.00
ATT-A9	Ericsson RRU	150.00 35.80	0.50	5.45	60.00							105.26	-182.32	35.00
ATT-B1	Raycap Surge Suppressor	150.00 35.80	0.50	1.00	60.00							17.90	-31.01	15.00
ATT-B2	Raycap Surge Suppressor	150.00 35.80	0.50	1.00	60.00							17.90	-31.01	15.00
ATT-B3	Raycap Surge Suppressor	150.00 35.80	0.50	1.00	60.00							17.90	-31.01	15.00
ATT-B4	Raycap Surge Suppressor	150.00 35.80	0.50	1.00	60.00							17.90	-31.01	15.00
ATT-B5	Raycap Surge Suppressor	150.00 35.80	0.50	1.00	60.00							17.90	-31.01	15.00
ATT-B6	Raycap Surge Suppressor	150.00 35.80	0.50	1.00	60.00							17.90	-31.01	15.00
ATT-B7	Raycap Surge Suppressor	150.00 35.80	0.50	1.00	60.00							17.90	-31.01	15.00
ATT-B8	Raycap Surge Suppressor	150.00 35.80	0.50	1.00	60.00							17.90	-31.01	15.00
ATT-B9	Raycap Surge Suppressor	150.00 35.80	0.50	1.00	60.00							17.90	-31.01	15.00
ATT-C1	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							17.90	-31.01	15.00
ATT-C2	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							17.90	-31.01	15.00
ATT-C3	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							17.90	-31.01	15.00
ATT-C4	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							17.90	-31.01	15.00
ATT-C5	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							17.90	-31.01	15.00
ATT-C6	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							17.90	-31.01	15.00
ATT-C7	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							17.90	-31.01	15.00
ATT-C8	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							17.90	-31.01	15.00
ATT-C9	Powerwave 7770	150.00 35.80	0.50	5.88	60.00							17.90	-31.01	15.00
NEU-18	143-A	145.00 35.46	0.50	1.00	60.00							17.90	-31.01	15.00
NEU-19	143-A	145.00 35.46	0.50	1.00	60.00							17.90	-31.01	15.00
NEU-16	4" Omni	140.00 35.10	0.50	2.40	180.00							26.59	-46.06	75.00
NEU-17	4" Omni	140.00 35.10	0.50	2.40	180.00							26.59	-46.06	75.00
EMS RR90-17-XXDF w/ ice	3" Stand-Off	140.00 35.10	0.50	1.60	300.00							42.12	-72.96	170.00
T-Mobile-1	143-A	145.00 35.46	0.50	1.00	60.00							17.90	-31.01	15.00
T-Mobile-2	143-A	145.00 35.46	0.50	1.00	60.00							17.90	-31.01	15.00
T-Mobile-3	143-A	145.00 35.46	0.50	1.00	60.00							17.90	-31.01	15.00
T-Mobile-4	143-A	145.00 35.46	0.50	1.00	60.00							17.90	-31.01	15.00
T-Mobile-5	143-A	145.00 35.46	0.50	1.00	60.00							17.90	-31.01	15.00
T-Mobile-6	143-A	145.00 35.46	0.50	1.00	60.00							17.90	-31.01	15.00

NEU-20	3" Omni	180.00	37.72	0.50	5.85	120.00	220.65	0.00	172.00
CSP-B	4" Dipole	170.00	37.11	0.50	2.00	120.00	74.21	0.00	40.00
CSP-3	Sinclair SC479-HP10F w/ ice	180.00	37.72	0.50	6.54	0.00	246.67	0.00	69.80
CSP-4	Sinclair SC479-HP10F w/ ice	180.00	37.72	0.50	6.54	240.00	246.67	0.00	69.80
CSP-74	6" Dish With Radome	180.00	37.72	0.50	29.00	0.00	1081.80	0.00	220.00
CSP-75	6" Dish With Radome	180.00	37.72	0.50	29.00	120.00	1091.80	0.00	220.00
CSP-76	6" Dish With Radome	180.00	37.72	0.50	29.00	240.00	1091.80	0.00	220.00
CSP-77	6" Dish With Radome	175.00	37.41	0.50	29.00	120.00	1085.03	0.00	220.00
CSP-1	Scala G019-80C w/ ice	175.00	37.41	0.50	1.98	0.00	74.08	0.00	22.70
CSP-2	Scala G019-80C w/ ice	175.00	37.41	0.50	1.98	240.00	74.08	0.00	22.70
CSP-73	3" TMA	180.00	37.72	0.50	1.00	0.00	37.72	0.00	15.00
T00-7	Andrew DB-583 w/ ice	170.00	37.11	0.50	20.00	0.00	742.12	0.00	200.00
T00-5	Andrew DB-583 w/ ice	180.00	37.72	0.50	0.71	0.00	26.78	0.00	11.60
T00-6	Andrew DB-583 w/ ice	165.00	36.79	0.50	0.40	120.00	14.72	0.00	10.00
SPD-9	3" Stand-Off	165.00	36.79	0.50	20.00	0.00	735.82	0.00	120.00
159-A	3" Stand-Off	160.00	36.47	0.50	1.50	120.00	54.70	0.00	75.00
159-B	3" Stand-Off	160.00	36.47	0.50	1.50	240.00	54.70	0.00	75.00
STAM-63	10x4.6x4 Panel	160.00	36.47	0.50	6.50	120.00	18.23	0.00	20.00
STAM-65	10x4.6x4 Panel	160.00	36.47	0.50	6.50	240.00	18.23	0.00	20.00
ATT-A	12" T-Arm	150.00	35.80	0.50	10.00	0.00	358.03	0.00	600.00
ATT-B	12" T-Arm	150.00	35.80	0.50	10.00	120.00	358.03	0.00	600.00
ATT-C	12" T-Arm	150.00	35.80	0.50	10.00	240.00	358.03	0.00	600.00
ATT-A1	Powerwave 7770	150.00	35.80	0.50	5.88	0.00	210.52	0.00	35.00
ATT-A2	Powerwave 7770	150.00	35.80	0.50	8.40	0.00	300.74	0.00	65.00
ATT-A3	Powerwave 7770	150.00	35.80	0.50	5.88	0.00	210.52	0.00	35.00
ATT-A4	Ericsson RRU	150.00	35.80	0.50	5.45	0.00	195.12	0.00	80.00
ATT-A5	Ericsson RRU	150.00	35.80	0.50	5.45	0.00	195.12	0.00	80.00
ATT-A6	TMA	150.00	35.80	0.50	1.00	0.00	35.80	0.00	15.00
ATT-A7	TMA	150.00	35.80	0.50	1.00	0.00	35.80	0.00	15.00
ATT-A8	TMA	150.00	35.80	0.50	1.00	0.00	35.80	0.00	15.00
ATT-A9	TMA	150.00	35.80	0.50	1.00	0.00	35.80	0.00	15.00
ATT-A10	Raycap Sutge Suppressor	150.00	35.80	0.50	1.27	0.00	45.47	0.00	20.00
ATT-B1	Powerwave 7770	150.00	35.80	0.50	5.88	120.00	210.52	0.00	35.00
ATT-B2	Powerwave 7770	150.00	35.80	0.50	8.40	120.00	300.74	0.00	65.00
ATT-B3	Powerwave 7770	150.00	35.80	0.50	5.88	120.00	210.52	0.00	35.00
ATT-B4	Ericsson RRU	150.00	35.80	0.50	5.45	120.00	195.12	0.00	80.00
ATT-B5	Ericsson RRU	150.00	35.80	0.50	5.45	120.00	195.12	0.00	80.00
ATT-B6	TMA	150.00	35.80	0.50	1.00	0.00	35.80	0.00	15.00
ATT-B7	TMA	150.00	35.80	0.50	1.00	120.00	35.80	0.00	15.00
ATT-B8	TMA	150.00	35.80	0.50	1.00	120.00	35.80	0.00	15.00
ATT-B9	TMA	150.00	35.80	0.50	1.00	120.00	35.80	0.00	15.00
ATT-C1	Powerwave 7770	150.00	35.80	0.50	5.88	240.00	210.52	0.00	35.00
ATT-C2	Powerwave 7770	150.00	35.80	0.50	8.40	240.00	300.74	0.00	65.00
ATT-C3	Powerwave 7770	150.00	35.80	0.50	5.88	240.00	210.52	0.00	35.00
ATT-C4	Ericsson RRU	150.00	35.80	0.50	5.45	240.00	195.12	0.00	80.00
ATT-C5	Ericsson RRU	150.00	35.80	0.50	5.45	240.00	195.12	0.00	80.00
ATT-C6	TMA	150.00	35.80	0.50	1.00	0.00	35.80	0.00	15.00
ATT-C7	TMA	150.00	35.80	0.50	1.00	240.00	35.80	0.00	15.00
ATT-C8	TMA	150.00	35.80	0.50	1.00	240.00	35.80	0.00	15.00
ATT-C9	TMA	150.00	35.80	0.50	1.00	240.00	35.80	0.00	15.00
143-A	3" Stand-Off	145.00	35.46	0.50	1.50	0.00	53.19	0.00	75.00
NEU-18	1" Omni	140.00	35.10	0.50	2.40	0.00	84.25	0.00	170.00
NEU-16	1" Omni	140.00	35.10	0.50	1.60	0.00	56.17	0.00	160.00
T-Mobile-1	EMS RR90-17-XXDF w/ ice	140.00	35.10	0.50	4.77	0.00	167.45	0.00	40.40
T-Mobile-2	TMA	140.00	35.10	0.50	1.00	0.00	35.10	0.00	15.00
T-Mobile-3	TMA	140.00	35.10	0.50	1.00	0.00	35.10	0.00	15.00
T-Mobile-4	TMA	140.00	35.10	0.50	1.00	0.00	35.10	0.00	15.00
T-Mobile-5	TMA	140.00	35.10	0.50	1.00	0.00	35.10	0.00	15.00
T-Mobile-6	TMA	140.00	35.10	0.50	1.00	0.00	35.10	0.00	15.00
T-Mobile-7	TMA	140.00	35.10	0.50	1.00	0.00	35.10	0.00	15.00
T-Mobile-8	TMA	140.00	35.10	0.50	1.00	0.00	35.10	0.00	15.00
T-Mobile-9	TMA	140.00	35.10	0.50	1.00	0.00	35.10	0.00	15.00
Verizon-A	Born Gate	133.34	34.62	0.50	21.40	0.00	844.69	0.00	470.00
Verizon-B	Born Gate	133.34	34.62	0.50	21.40	0.00	844.69	0.00	470.00
Verizon-C	Born Gate	133.34	34.62	0.50	21.40	0.00	844.69	0.00	470.00
Verizon-1	Svedcom SCDF 2X5014	133.34	34.62	0.50	7.55	0.00	264.83	0.00	70.50
Verizon-2	RFS RPL866513-42T0	133.34	34.62	0.50	4.67	0.00	161.67	0.00	51.30
Verizon-3	RFS RPL866513-42T0	133.34	34.62	0.50	4.67	0.00	161.67	0.00	51.30
Verizon-4	Amphenol BXA-17153-98F	133.34	34.62	0.50	3.25	0.00	112.51	0.00	33.70
Verizon-5	Svedcom SCDF 2X5014	133.34	34.62	0.50	7.55	120.00	264.83	0.00	70.50
Verizon-6	Svedcom SCDF 2X5014	133.34	34.62	0.50	7.44	120.00	257.56	0.00	70.00
Verizon-7	Svedcom SCDF 2X5014	133.34	34.62	0.50	7.44	120.00	257.56	0.00	70.00
Verizon-8	Svedcom SCDF 2X5014	133.34	34.62	0.50	7.44	120.00	257.56	0.00	70.00
Verizon-9	Svedcom SCDF 2X5014	133.34	34.62	0.50	7.65	240.00	264.83	0.00	70.50
Verizon-10	RFS RPL866513-42T0	133.34	34.62	0.50	4.67	240.00	161.67	0.00	51.30
Verizon-11	RFS RPL866513-42T0	133.34	34.62	0.50	4.67	240.00	161.67	0.00	51.30
Verizon-12	RFS RPL866513-42T0	133.34	34.62	0.50	3.25	240.00	112.51	0.00	33.70
Verizon-13	Amphenol BXA-17153-98F	133.34	34.62	0.50	6.50	0.00	17.31	0.00	10.00
Verizon-14	Duplexer	133.34	34.62	0.50	6.50	0.00	17.31	0.00	10.00
Verizon-15	Duplexer	133.34	34.62	0.50	6.50	0.00	17.31	0.00	10.00
Verizon-16	Duplexer	133.34	34.62	0.50	6.50	120.00	17.31	0.00	10.00

URS Connecticut - butternut hollow greenwich, ct

CSP-70	Sinclair SC479-HFLDF w/ ice	160.00	36.47	0.50	6.54	300.00	116.25	206.55	69.80
CSP-71	Sinclair SC479-HFLDF w/ ice	160.00	36.47	0.50	6.54	300.00	116.25	206.55	69.80
CSP-72	TMA	160.00	36.47	0.50	1.00	300.00	27.53	41.38	13.00
160	3" Stand-off	160.00	36.47	0.50	1.50	300.00	27.53	41.37	75.00
CSP-66	RFS PD1142 w/ ice	80.00	29.92	0.50	2.80	300.00	41.88	72.54	21.50
DEF-54	RFS PD1142 w/ ice	80.00	29.92	0.50	2.80	180.00	41.88	72.54	21.50
DOT-56	Dipole	80.00	29.92	0.50	6.00	60.00	89.73	135.45	71.00

EIA Section Load Case Information for "W+I 60 deg":

Section Label	Z of Top (ft)	Z of Bottom (ft)	Ave. Elev. (ft)	q _{2h} (psf)	Ice Thick. (in)	Ice Above Ground (ft)	q _{5h} (psf)	Face AF (ft²)	Face AR (ft²)	Face RR (ft²)	Face DR (ft²)	Face CF (ft²)	Face AE (ft²)	Face WF (ft²)	NotF AAF (ft²)	NotF CAR (ft²)	NotF AAR (ft²)	NotF CAR (ft²)	NotF WA (lbs)	NotF Total (lbs)	Total Weight (lbs)
A	180.00	160.00	170.00	37.11	0.50	36.58	40.54	30.38	163.7	0.59	0.80	1.00	0.75	1.81	75.6	5076	0.00	2.00	0.00	1.20	0 5076 7725
B	160.00	140.00	150.00	35.80	0.50	76.52	48.46	38.20	191.0	0.65	0.80	1.00	0.79	1.78	99.4	6337	0.00	2.00	0.00	1.20	0 6337 8365
C	140.00	120.00	130.00	34.37	0.50	97.73	49.93	40.11	218.3	0.68	0.80	1.00	0.80	1.78	118.3	7222	0.00	2.00	0.00	1.20	0 7222 8914
D	120.00	100.00	110.00	32.77	0.50	180.24	58.49	48.95	245.5	0.65	0.80	1.00	0.78	1.78	136.0	7359	0.00	2.00	0.00	1.20	0 7359 9743
E	100.00	80.00	90.00	30.94	0.50	109.01	63.28	48.95	272.8	0.63	0.80	1.00	0.77	1.79	136.2	7532	0.00	2.00	0.00	1.20	0 7532 12870
F	80.00	60.00	70.00	28.80	0.50	109.32	64.42	47.73	300.0	0.59	0.80	1.00	0.74	1.82	135.2	7079	0.00	2.00	0.00	1.20	0 7079 13407
G	60.00	40.00	50.00	26.16	0.50	111.79	71.64	52.31	327.3	0.56	0.80	1.00	0.73	1.83	141.7	6799	0.00	2.00	0.00	1.20	0 6799 15136
H	40.00	20.00	30.00	23.23	0.50	117.39	72.89	52.25	354.6	0.54	0.80	1.00	0.72	1.86	146.2	6305	0.00	2.00	0.00	1.20	0 6305 15903
I	20.00	0.00	10.00	23.23	0.50	118.53	76.21	55.98	381.9	0.52	0.80	1.00	0.71	1.88	150.8	6579	0.00	2.00	0.00	1.20	0 6579 17259

Equipment Load Case Information for "W+I 90 deg":

Equipment Label	Equipment Property	Elevation (ft)	q _{5h} (psf)	Ice Thick. (in)	Ice Above Ground (ft)	Total Wind Incidence Area (ft²)	Wind Angle (deg)	222-G CA	222-G CS	222-G CM	Antenna Axial Load (lbs)	Antenna Side Load (lbs)	Antenna Moment (ft-lbs)	Trans. Load (lbs)	Vert. Load (lbs)
Top-A	3" Stand-off	180.00	37.72	0.50	1.50	270.00	30.00				0.00	56.58	75.00	0.00	56.58
Top-B	3" Stand-off	180.00	37.72	0.50	1.50	30.00	30.00				0.00	56.58	75.00	0.00	56.58
Top-C1	3" Stand-off	180.00	37.72	0.50	1.50	170.00	30.00				0.00	56.58	75.00	0.00	56.58
Top-C2	3" Stand-off	180.00	37.72	0.50	1.50	130.00	30.00				0.00	56.58	75.00	0.00	56.58
CSP-67	Dipole	180.00	37.72	0.50	6.00	270.00	30.00				0.00	226.30	71.00	0.00	226.30
NEU-20	9" Dipole	180.00	37.72	0.50	5.85	30.00	30.00				0.00	250.65	172.00	0.00	250.65
CSP-68	4" Dipole	170.00	37.72	0.50	2.50	30.00	30.00				0.00	74.21	40.00	0.00	74.21
CSP-3	Sinclair SC479-HFLDF w/ ice	180.00	37.72	0.50	6.54	270.00	30.00				0.00	246.67	69.80	0.00	246.67
CSP-4	Sinclair SC479-HFLDF w/ ice	180.00	37.72	0.50	6.54	150.00	30.00				0.00	246.67	69.80	0.00	246.67
CSP-74	6" Dish with Radome	180.00	37.72	0.50	29.00	270.00	30.00				0.00	1093.80	220.00	0.00	1093.80
CSP-75	6" Dish with Radome	180.00	37.72	0.50	29.00	270.00	30.00				0.00	1093.80	220.00	0.00	1093.80
CSP-76	6" Dish with Radome	180.00	37.72	0.50	29.00	150.00	30.00				0.00	1093.80	220.00	0.00	1093.80
CSP-77	6" Dish with Radome	175.00	37.72	0.50	29.00	30.00	30.00				0.00	1085.03	220.00	0.00	1085.03
CSP-31	Scala OCT9-806 w/ ice	175.00	37.41	0.50	1.98	270.00	30.00				0.00	74.08	22.70	0.00	74.08
CSP-2	Scala OCT9-806 w/ ice	175.00	37.41	0.50	1.98	150.00	30.00				0.00	74.08	22.70	0.00	74.08
CSP-72	5" Dish TMA	180.00	37.72	0.50	20.00	270.00	30.00				0.00	37.72	15.00	0.00	37.72
TUG-7	Andrew UB-593 w/ ice	180.00	37.72	0.50	0.71	270.00	30.00				0.00	742.12	200.00	0.00	742.12
TUG-6	DB586-Y	180.00	37.72	0.50	0.40	30.00	30.00				0.00	26.78	11.60	0.00	26.78
TUG-5	GUF-340	165.00	36.79	0.50	20.00	30.00	30.00				0.00	14.72	10.00	0.00	14.72
SPD-9	3" Stand-off	160.00	36.47	0.50	1.50	30.00	30.00				0.00	54.70	75.00	0.00	54.70
159-A	3" Stand-off	160.00	36.47	0.50	1.50	150.00	30.00				0.00	54.70	75.00	0.00	54.70
159-B	3" Stand-off	160.00	36.47	0.50	1.50	30.00	30.00				0.00	18.23	20.00	0.00	18.23
STAP-63	10x4.6x4 Panel	160.00	36.47	0.50	0.50	150.00	30.00				0.00	18.23	20.00	0.00	18.23
STAP-65	10x4.6x4 Panel	160.00	36.47	0.50	0.50	150.00	30.00				0.00	18.23	20.00	0.00	18.23
ATT-A	12" T-Arm	150.00	35.80	0.50	10.00	270.00	30.00				0.00	358.03	600.00	0.00	358.03
ATT-B	12" T-Arm	150.00	35.80	0.50	10.00	30.00	30.00				0.00	358.03	600.00	0.00	358.03
ATT-C	12" T-Arm	150.00	35.80	0.50	10.00	150.00	30.00				0.00	358.03	600.00	0.00	358.03
ATT-A1	Powerwave 7770	150.00	35.80	0.50	5.88	270.00	30.00				0.00	210.52	35.00	0.00	210.52
ATT-A2	Powerwave P65-16-XLH-RR	150.00	35.80	0.50	8.40	270.00	30.00				0.00	210.52	35.00	0.00	210.52
ATT-A3	Powerwave 7770	150.00	35.80	0.50	5.88	270.00	30.00				0.00	210.52	35.00	0.00	210.52
ATT-A4	Ericsson RRU	150.00	35.80	0.50	5.45	270.00	30.00				0.00	195.12	80.00	0.00	195.12
ATT-A5	Ericsson RRU	150.00	35.80	0.50	5.45	270.00	30.00				0.00	195.12	80.00	0.00	195.12
ATT-A6	Ericsson RRU	150.00	35.80	0.50	1.00	270.00	30.00				0.00	35.80	15.00	0.00	35.80
ATT-A7	TMA	150.00	35.80	0.50	1.00	270.00	30.00				0.00	35.80	15.00	0.00	35.80
ATT-A8	TMA	150.00	35.80	0.50	1.00	270.00	30.00				0.00	35.80	15.00	0.00	35.80
ATT-A9	TMA	150.00	35.80	0.50	1.00	270.00	30.00				0.00	35.80	15.00	0.00	35.80
ATT-A10	Raycap Surge Suppressor	150.00	35.80	0.50	1.27	270.00	30.00				0.00	45.47	20.00	0.00	45.47
ATT-B1	Powerwave 7770	150.00	35.80	0.50	5.88	30.00	30.00				0.00	210.52	35.00	0.00	210.52
ATT-B2	Powerwave P65-16-XLH-RR	150.00	35.80	0.50	8.40	30.00	30.00				0.00	210.52	35.00	0.00	210.52
ATT-B3	Powerwave 7770	150.00	35.80	0.50	5.88	30.00	30.00				0.00	210.52	35.00	0.00	210.52
ATT-B4	Ericsson RRU	150.00	35.80	0.50	5.45	30.00	30.00				0.00	195.12	80.00	0.00	195.12
ATT-B5	Ericsson RRU	150.00	35.80	0.50	5.45	30.00	30.00				0.00	195.12	80.00	0.00	195.12
ATT-B6	TMA	150.00	35.80	0.50	1.00	30.00	30.00				0.00	35.80	15.00	0.00	35.80
ATT-B7	TMA	150.00	35.80	0.50	1.00	30.00	30.00				0.00	35.80	15.00	0.00	35.80
ATT-B8	TMA	150.00	35.80	0.50	1.00	30.00	30.00				0.00	35.80	15.00	0.00	35.80
ATT-B9	TMA	150.00	35.80	0.50	1.00	30.00	30.00				0.00	35.80	15.00	0.00	35.80
ATT-C1	Powerwave 7770	150.00	35.80	0.50	5.88	150.00	30.00				0.00	210.52	35.00	0.00	210.52
ATT-C2	Powerwave P65-16-XLH-RR	150.00	35.80	0.50	8.40	150.00	30.00				0.00	210.52	35.00	0.00	210.52
ATT-C3	Powerwave 7770	150.00	35.80	0.50	5.88	150.00	30.00				0.00	210.52	35.00	0.00	210.52

N 40.00 20.00 30.00 23.23 0.50 117.39 72.89 52.25 354.6 0.54 0.85 1.00 0.72 1.96 152.0 6558 0.00 2.00 0.00 1.20 0.00 6558 15903
I 20.00 0.00 10.00 23.23 0.50 118.53 79.23 55.98 381.9 0.52 0.85 1.00 0.71 1.98 156.7 6837 0.00 2.00 0.00 1.20 0.00 6837 17259

Equipment Load Case Information for "DL + Ice Only":

Equipment Label	Equipment Property Set	Equipment Elevation Above Ground (ft)	q56h (psf)	Ice Thk. (in)	Total Wind Incidence Area (ft^2)	Wind Angle (deg)	222-G CA	222-G CS	222-G CR	Antenna Load F5M (lbs)	Antenna Side Load (lbs)	Antenna Moment MI (ft-lbs)	Trans. Load (lbs)	Vert. Load (lbs)
Top-A	3' Stand-Off	180.00	0.00	0.50	1.50	0.00					0.00	0.00	0.00	75.00
Top-B	3' Stand-Off	180.00	0.00	0.50	1.50	120.00					0.00	0.00	0.00	75.00
Top-C1	3' Stand-Off	180.00	0.00	0.50	1.50	260.00					0.00	0.00	0.00	75.00
Top-C2	3' Stand-Off	180.00	0.00	0.50	1.50	220.00					0.00	0.00	0.00	75.00
CSP-67	Dipole	180.00	0.00	0.50	6.00	0.00					0.00	0.00	0.00	71.00
NEU-20	9' Omni	180.00	0.00	0.50	5.85	120.00					0.00	0.00	0.00	172.00
CSP-8	4' Dipole	170.00	0.00	0.50	2.00	120.00					0.00	0.00	0.00	40.00
CSP-3	Sinclair SC476-HFLDP w/ ice	180.00	0.00	0.50	6.54	0.00					0.00	0.00	0.00	69.80
CSP-4	Sinclair SC476-HFLDP w/ ice	180.00	0.00	0.50	6.54	240.00					0.00	0.00	0.00	69.80
CSP-74	6' Dish with Radome	180.00	0.00	0.50	29.00	0.00					0.00	0.00	0.00	220.00
CSP-75	6' Dish with Radome	180.00	0.00	0.50	29.00	120.00					0.00	0.00	0.00	220.00
CSP-76	6' Dish with Radome	180.00	0.00	0.50	29.00	240.00					0.00	0.00	0.00	220.00
CSP-71	6' Dish with Radome	175.00	0.00	0.50	29.00	120.00					0.00	0.00	0.00	22.70
CSP-1	Scala OCT9-806 w/ ice	175.00	0.00	0.50	1.98	0.00					0.00	0.00	0.00	22.70
CSP-2	Scala OCT9-806 w/ ice	175.00	0.00	0.50	1.98	240.00					0.00	0.00	0.00	22.70
CSP-73	5' Dish TMA	180.00	0.00	0.50	1.00	0.00					0.00	0.00	0.00	15.00
TOG-7	5' Dish TMA	170.00	0.00	0.50	20.00	0.00					0.00	0.00	0.00	200.00
TOG-5	Andrew DB-583 w/ ice	180.00	0.00	0.50	0.71	0.00					0.00	0.00	0.00	11.60
TOG-6	DB586-Y	165.00	0.00	0.50	0.40	120.00					0.00	0.00	0.00	10.00
SPD-9	GLF-940	165.00	0.00	0.50	20.00	120.00					0.00	0.00	0.00	120.00
159-A	3' Stand-Off	160.00	0.00	0.50	1.50	120.00					0.00	0.00	0.00	75.00
159-B	3' Stand-Off	160.00	0.00	0.50	1.50	240.00					0.00	0.00	0.00	75.00
STAM-63	10x4.6x4 Panel	160.00	0.00	0.50	0.50	120.00					0.00	0.00	0.00	20.00
STAM-65	10x4.6x4 Panel	160.00	0.00	0.50	0.50	240.00					0.00	0.00	0.00	20.00
ATT-A	12' T-Arm	150.00	0.00	0.50	10.00	0.00					0.00	0.00	0.00	600.00
ATT-B	12' T-Arm	150.00	0.00	0.50	10.00	120.00					0.00	0.00	0.00	600.00
ATT-C	12' T-Arm	150.00	0.00	0.50	10.00	240.00					0.00	0.00	0.00	600.00
ATT-A1	Powerwave 7770	150.00	0.00	0.50	5.88	0.00					0.00	0.00	0.00	35.00
ATT-A2	Powerwave P65-16-XLH-RR	150.00	0.00	0.50	8.40	0.00					0.00	0.00	0.00	35.00
ATT-A3	Powerwave 7770	150.00	0.00	0.50	5.88	0.00					0.00	0.00	0.00	80.00
ATT-A4	Ericsson RRU	150.00	0.00	0.50	5.45	0.00					0.00	0.00	0.00	80.00
ATT-A5	Ericsson RRU	150.00	0.00	0.50	5.45	0.00					0.00	0.00	0.00	15.00
ATT-A6	Ericsson TMA	150.00	0.00	0.50	1.00	0.00					0.00	0.00	0.00	15.00
ATT-A7	TMA	150.00	0.00	0.50	1.00	0.00					0.00	0.00	0.00	15.00
ATT-A8	TMA	150.00	0.00	0.50	1.00	0.00					0.00	0.00	0.00	15.00
ATT-A9	TMA	150.00	0.00	0.50	1.00	0.00					0.00	0.00	0.00	15.00
ATT-A10	Raycep Surge Suppressor	150.00	0.00	0.50	1.27	0.00					0.00	0.00	0.00	20.00
ATT-B1	Powerwave 7770	150.00	0.00	0.50	5.88	120.00					0.00	0.00	0.00	35.00
ATT-B2	Powerwave P65-16-XLH-RR	150.00	0.00	0.50	8.40	120.00					0.00	0.00	0.00	65.00
ATT-B3	Powerwave 7770	150.00	0.00	0.50	5.88	120.00					0.00	0.00	0.00	35.00
ATT-B4	Ericsson RRU	150.00	0.00	0.50	5.45	120.00					0.00	0.00	0.00	80.00
ATT-B5	Ericsson RRU	150.00	0.00	0.50	5.45	120.00					0.00	0.00	0.00	80.00
ATT-B6	Ericsson TMA	150.00	0.00	0.50	1.00	120.00					0.00	0.00	0.00	15.00
ATT-B7	TMA	150.00	0.00	0.50	1.00	120.00					0.00	0.00	0.00	15.00
ATT-B8	TMA	150.00	0.00	0.50	1.00	120.00					0.00	0.00	0.00	15.00
ATT-B9	TMA	150.00	0.00	0.50	1.00	120.00					0.00	0.00	0.00	15.00
ATT-C1	Powerwave 7770	150.00	0.00	0.50	1.00	120.00					0.00	0.00	0.00	15.00
ATT-C2	Powerwave P65-16-XLH-RR	150.00	0.00	0.50	3.88	120.00					0.00	0.00	0.00	35.00
ATT-C3	Powerwave 7770	150.00	0.00	0.50	5.88	240.00					0.00	0.00	0.00	65.00
ATT-C4	Ericsson RRU	150.00	0.00	0.50	3.88	240.00					0.00	0.00	0.00	35.00
ATT-C5	Ericsson RRU	150.00	0.00	0.50	3.45	240.00					0.00	0.00	0.00	80.00
ATT-C6	Ericsson TMA	150.00	0.00	0.50	1.00	240.00					0.00	0.00	0.00	80.00
ATT-C7	TMA	150.00	0.00	0.50	1.00	240.00					0.00	0.00	0.00	80.00
ATT-C8	TMA	150.00	0.00	0.50	1.00	240.00					0.00	0.00	0.00	15.00
ATT-C9	TMA	150.00	0.00	0.50	1.00	240.00					0.00	0.00	0.00	15.00
143-A	3' Stand-Off	145.00	0.00	0.50	1.50	120.00					0.00	0.00	0.00	75.00
NEU-18	12' Omni	140.00	0.00	0.50	2.40	0.00					0.00	0.00	0.00	170.00
NEU-16	12' Omni	140.00	0.00	0.50	1.60	240.00					0.00	0.00	0.00	160.00
T-Mobile-1	EMS RR90-17-XXDP w/ Ice	140.00	0.00	0.50	4.77	0.00					0.00	0.00	0.00	40.40
T-Mobile-2	TMA	140.00	0.00	0.50	1.00	0.00					0.00	0.00	0.00	15.00
T-Mobile-3	TMA	140.00	0.00	0.50	1.00	0.00					0.00	0.00	0.00	15.00
T-Mobile-4	EMS RR90-17-XXDP w/ Ice	140.00	0.00	0.50	4.77	120.00					0.00	0.00	0.00	40.40
T-Mobile-5	TMA	140.00	0.00	0.50	1.00	120.00					0.00	0.00	0.00	15.00
T-Mobile-6	TMA	140.00	0.00	0.50	1.00	120.00					0.00	0.00	0.00	15.00
T-Mobile-7	TMA	140.00	0.00	0.50	1.00	240.00					0.00	0.00	0.00	40.40
T-Mobile-8	TMA	140.00	0.00	0.50	1.90	240.00					0.00	0.00	0.00	15.00
T-Mobile-9	TMA	140.00	0.00	0.50	1.00	240.00					0.00	0.00	0.00	15.00
Verizon-A	Boom Gate	133.34	0.00	0.50	24.40	0.00					0.00	0.00	0.00	470.00
Verizon-B	Boom Gate	133.34	0.00	0.50	24.40	120.00					0.00	0.00	0.00	470.00
Verizon-C	Boom Gate	133.34	0.00	0.50	24.40	240.00					0.00	0.00	0.00	470.00

Verizon-1	Swedcom SC11 2x6014	133.34	0.00	0.50	7.65	0.00	0.00	70.50
Verizon-2	RES AP1866513-4270	133.34	0.00	0.50	4.67	0.00	0.00	51.30
Verizon-3	RES AP1866513-4270	133.34	0.00	0.50	4.67	0.00	0.00	51.30
Verizon-4	Amphenol BXA-1711063-8BF	133.34	0.00	0.50	3.25	0.00	0.00	33.70
Verizon-5	Swedcom SC11 2x6014	133.34	0.00	0.50	7.65	120.00	0.00	70.50
Verizon-6	Swedcom SC11 2x5114	133.34	0.00	0.50	7.44	120.00	0.00	70.00
Verizon-7	Swedcom SMC1 2x5114	133.34	0.00	0.50	7.44	120.00	0.00	70.00
Verizon-8	Amphenol BXA-1711063-8BF	133.34	0.00	0.50	3.25	120.00	0.00	33.70
Verizon-9	Swedcom SC11 2x6014	133.34	0.00	0.50	7.65	240.00	0.00	70.50
Verizon-10	RES AP1866513-4270	133.34	0.00	0.50	4.67	240.00	0.00	51.30
Verizon-11	RES AP1866513-4270	133.34	0.00	0.50	4.67	240.00	0.00	51.30
Verizon-12	Amphenol BXA-1711063-8BF	133.34	0.00	0.50	3.25	240.00	0.00	33.70
Verizon-13	Diplexer	133.34	0.00	0.50	0.50	0.00	0.00	10.00
Verizon-14	Diplexer	133.34	0.00	0.50	0.50	0.00	0.00	10.00
Verizon-15	Diplexer	133.34	0.00	0.50	0.50	120.00	0.00	10.00
Verizon-16	Diplexer	133.34	0.00	0.50	0.50	120.00	0.00	10.00
Verizon-17	Diplexer	133.34	0.00	0.50	0.50	240.00	0.00	10.00
Verizon-18	Diplexer	133.34	0.00	0.50	0.50	240.00	0.00	10.00
Sprint-A	12" T-Arm	120.00	0.00	0.50	10.00	0.00	0.00	600.00
Sprint-B	12" T-Arm	120.00	0.00	0.50	10.00	120.00	0.00	600.00
Sprint-C	12" T-Arm	120.00	0.00	0.50	10.00	240.00	0.00	600.00
Sprint-1	RES APXVSP18-C w/ Ice	120.00	0.00	0.50	8.81	0.00	0.00	106.50
Sprint-2	ALD RRH	120.00	0.00	0.50	2.44	0.00	0.00	66.70
Sprint-3	ALD RRH	120.00	0.00	0.50	2.44	0.00	0.00	66.70
Sprint-4	RES APXVSP18-C w/ Ice	120.00	0.00	0.50	8.81	120.00	0.00	106.50
Sprint-5	ALD RRH	120.00	0.00	0.50	2.44	120.00	0.00	66.70
Sprint-6	ALD RRH	120.00	0.00	0.50	2.44	120.00	0.00	66.70
Sprint-7	RES APXVSP18-C w/ Ice	120.00	0.00	0.50	8.81	240.00	0.00	106.50
Sprint-8	ALD RRH	120.00	0.00	0.50	2.44	240.00	0.00	66.70
Sprint-9	ALD RRH	120.00	0.00	0.50	2.44	240.00	0.00	66.70
115-A	3" Stand-off	113.34	0.00	0.50	1.50	120.00	0.00	75.00
NEU-17	1 1/2" Omni	113.34	0.00	0.50	2.40	120.00	0.00	170.00
105-A	3" Stand-off	106.66	0.00	0.50	1.50	120.00	0.00	75.00
NEU-19	18586-Y	133.34	0.00	0.50	0.40	120.00	0.00	10.00
85-A	3" Stand-off	86.66	0.00	0.50	1.50	120.00	0.00	75.00
GPS-53	GPS	20.00	0.00	0.50	1.00	240.00	0.00	20.00
GPS-68	GPS	60.00	0.00	0.50	1.00	0.00	0.00	20.00
CSP-69	Sinclair SC479-HE1LOF w/ Ice	160.00	0.00	0.50	6.54	0.00	0.00	69.80
CSP-70	Sinclair SC479-HE1LOF w/ Ice	160.00	0.00	0.50	6.54	0.00	0.00	69.80
CSP-71	Sinclair SC479-HE1LOF w/ Ice	160.00	0.00	0.50	6.54	120.00	0.00	69.80
CSP-72	TWA	160.00	0.00	0.50	1.00	0.00	0.00	15.00
160	3" Stand-off	160.00	0.00	0.50	1.50	0.00	0.00	75.00
CSP-66	RES PD1142 w/ Ice	80.00	0.00	0.50	2.80	0.00	0.00	21.50
DEP-54	RES PD1142 w/ Ice	80.00	0.00	0.50	2.80	240.00	0.00	21.50
DOT-56	Dipole	80.00	0.00	0.50	6.00	120.00	0.00	71.00

EIA Section Load Case Information for "DL + Ice Only":

*** Analysis Results:

Maximum element usage is 98.47% for Angle "SMB-LH2p" in load case "W+I 0 deg"

Angle Forces For All Load Cases:

Positive for tension - negative for compression

Group Label	Angle Label	Max. Usage %	Max. Tens. (kips)	Max. Comp. For All LC (kips)	LC 1 (kips)	LC 2 (kips)	LC 3 (kips)	LC 4 (kips)	LC 5 (kips)	LC 6 (kips)
Rohn-D1	Rohn-D1P	25.29	1.445	-1.216	-0.611	0.889	1.445	1.181	-0.018	-0.018
Rohn-D1	Rohn-D1P	40.95	1.899	-1.968	1.804	0.315	-1.525	-1.968	-0.035	-0.035
Rohn-D1	Rohn-D1P	33.78	1.821	-1.624	-0.850	-1.507	-1.624	-0.074	0.821	-0.015
Rohn-D1	Rohn-D1P	21.95	1.469	-1.055	1.000	1.469	1.237	-0.300	-0.055	-0.030
Rohn-D1	Rohn-D1P	41.67	0.857	-2.003	0.857	-2.222	-2.003	-1.754	-0.915	-0.029
Rohn-D1	Rohn-D1P	28.73	1.428	-1.381	-1.089	-0.920	0.517	1.428	1.360	-0.010
Rohn-D1	Rohn-D1P	24.10	1.868	-1.689	-0.015	1.968	1.793	1.026	-0.032	-0.032
Rohn-D1	Rohn-D1P	45.38	1.993	-2.051	1.957	1.993	0.603	-1.444	-2.051	-0.051
Rohn-D1	Rohn-D1P	35.65	0.596	-1.611	-0.654	-1.308	-1.611	-0.249	0.596	-0.028
Rohn-D1	Rohn-D1P	26.52	1.693	-1.198	1.109	1.693	1.513	-0.285	-1.198	-0.045
Rohn-D1	Rohn-D1P	51.41	0.737	-2.323	0.737	-2.323	-2.323	-1.466	-0.421	-0.043
Rohn-D1	Rohn-D1P	39.75	1.750	-1.796	-1.796	-1.627	-1.627	1.404	1.750	-0.024
Rohn-D1	Rohn-D1P	38.42	2.463	-1.634	-1.634	-0.402	2.463	1.590	-0.021	-0.021
Rohn-D1	Rohn-D1P	48.51	1.991	-2.067	1.991	1.874	0.317	-1.599	-2.067	-0.038
Rohn-D1	Rohn-D1P	35.36	0.959	-1.503	-0.997	-1.503	-1.416	0.168	0.959	-0.018
Rohn-D1	Rohn-D1P	34.93	1.882	-1.485	1.415	1.882	1.389	-0.609	-1.485	-0.038
Rohn-D1	Rohn-D1P	51.24	1.031	-2.179	1.031	-0.142	-2.179	-1.969	-1.090	-0.029
Rohn-D1	Rohn-D1P	47.06	1.977	-2.001	-1.785	-0.163	1.611	1.977	-0.012	-0.012
Rohn-D1	Rohn-D1P	30.59	1.613	-1.226	1.135	1.613	1.354	-0.401	-1.226	-0.046
Rohn-D1	Rohn-D1P	76.70	0.898	-3.073	0.898	-0.694	-3.073	-2.299	-0.974	-0.039
Rohn-D1	Rohn-D1P	46.71	1.817	-1.872	-1.872	-0.276	1.413	1.817	-0.026	-0.026
Rohn-D1	Rohn-D1P	29.87	2.078	-1.197	-0.014	2.078	1.962	1.126	-0.035	-0.035
Rohn-D1	Rohn-D1P	59.77	2.431	-2.395	2.300	2.431	0.903	-1.582	-2.395	-0.050
Rohn-D1	Rohn-D1P	43.06	1.059	-1.725	-1.117	-1.725	-1.685	0.137	1.059	-0.026
Rohn-D2	Rohn-D2P	32.03	3.483	-1.542	-1.542	0.365	3.483	2.944	1.502	-0.031
Rohn-D2	Rohn-D2P	52.47	2.895	-2.996	2.895	2.604	0.241	-2.423	-2.996	-0.041
Rohn-D2	Rohn-D2P	45.60	1.911	-2.604	-1.951	-2.604	-2.051	0.714	1.911	-0.023
Rohn-D2	Rohn-D2P	26.32	2.318	-1.538	1.478	2.318	2.260	-0.242	-1.538	-0.041
Rohn-D2	Rohn-D2P	57.14	1.921	-3.263	1.921	0.124	-3.263	-3.240	-1.982	-0.033
Rohn-D2	Rohn-D2P	52.43	2.918	-2.994	-2.994	-0.924	2.930	2.918	-0.021	-0.021
Rohn-D2	Rohn-D2P	39.93	2.913	-2.153	-2.153	0.646	2.913	2.042	-0.046	-0.046
Rohn-D2	Rohn-D2P	45.44	2.640	-2.451	2.348	2.640	1.250	-1.414	-2.451	-0.058
Rohn-D2	Rohn-D2P	42.03	0.748	-2.267	-0.830	-1.705	-2.267	-0.397	0.748	-0.043
Rohn-D2	Rohn-D2P	40.21	2.355	-2.169	2.037	2.355	1.363	-1.237	-2.169	-0.057
Rohn-D2	Rohn-D2P	63.22	0.743	-3.410	0.743	-0.964	-3.410	-2.289	-0.837	-0.049
Rohn-D2	Rohn-D2P	45.34	2.371	-2.445	-2.445	-1.982	0.150	2.371	-0.042	-0.042
Rohn-D2	Rohn-D2P	57.33	4.521	-2.924	-2.924	0.398	4.521	2.805	-0.066	-0.066
Rohn-D2	Rohn-D2P	89.55	4.374	-4.515	4.374	4.207	0.863	-3.392	-1.515	-0.072
Rohn-D2	Rohn-D2P	75.40	2.024	-3.845	-2.165	-3.845	-0.054	2.024	-0.041	-0.041
Rohn-D2	Rohn-D2P	56.97	2.951	-2.905	2.775	3.951	3.317	-0.950	-2.905	-0.072
Rohn-D2	Rohn-D2P	97.98	2.024	-4.971	2.024	-0.622	-4.971	-4.207	-2.137	-0.067
Rohn-D2	Rohn-D2P	87.33	4.365	-4.365	-4.364	-3.601	-0.207	3.657	1.355	-0.060
Rohn-D2	Rohn-D2P	25.37	5.326	-5.305	-2.805	5.326	5.326	-4.356	-2.157	-0.084
Rohn-D2	Rohn-D2P	55.46	4.806	-5.007	-4.806	4.806	-0.011	-4.233	-5.007	-0.090
Rohn-D2	Rohn-D2P	30.46	3.971	-3.549	-3.134	3.971	3.971	0.813	3.971	-0.079
Rohn-D2	Rohn-D2P	26.10	1.246	-3.370	2.194	1.246	4.246	-0.016	-2.370	-0.089
Rohn-D2	Rohn-D2P	56.16	4.914	-5.062	3.044	0.576	4.914	-3.062	-3.115	-0.084
Rohn-D2	Rohn-D2P	53.27	5.843	-5.006	-5.006	-4.706	-1.141	3.537	4.813	-0.060
Rohn-D2	Rohn-D2P	53.07	5.154	-4.756	-4.756	-1.176	4.132	3.464	4.053	-0.163
Rohn-D2	Rohn-D2P	69.81	5.159	-5.158	4.847	5.156	2.018	-3.341	-5.158	-0.167
Rohn-D2	Rohn-D2P	64.06	1.127	-3.141	-1.467	-3.141	-3.383	-1.127	-0.139	-0.139
Rohn-D2	Rohn-D2P	54.86	4.670	-4.356	4.695	4.690	5.141	-1.303	4.670	-0.167
Rohn-D2	Rohn-D2P	78.94	1.176	-6.273	1.176	-1.698	-6.273	-2.246	-1.336	-0.167
Rohn-D2	Rohn-D2P	64.12	4.695	-5.095	-5.095	-3.795	1.007	4.613	4.805	-0.136
Rohn-D2	Rohn-D2P	53.11	6.015	-3.467	-3.467	-0.100	6.015	5.749	-3.408	-0.039
Rohn-D2	Rohn-D2P	93.14	6.082	-6.205	6.082	5.616	0.828	-4.859	-6.205	-0.047
Rohn-D2	Rohn-D2P	70.12	3.046	-5.278	-5.112	-5.278	0.137	3.046	-0.036	-0.036
Rohn-D2	Rohn-D2P	48.02	5.222	-4.481	3.413	5.222	-4.950	-0.646	-3.481	-0.043
Rohn-D2	Rohn-D2P	86.77	2.981	-6.476	-6.476	-6.476	-5.668	3.062	-0.043	-0.043
Rohn-D2	Rohn-D2P	61.87	6.002	-6.110	-6.110	-5.368	0.352	6.002	-0.036	-0.036
Rohn-D2	Rohn-D2P	56.74	5.674	-3.407	-0.179	5.674	5.316	-3.091	-0.161	-0.161
Rohn-D2	Rohn-D2P	82.88	5.532	-5.905	5.532	5.032	0.564	-4.668	-5.905	-0.174
Rohn-D2	Rohn-D2P	72.92	2.709	-3.133	-3.014	-4.870	5.133	0.010	2.709	-0.161
Rohn-D2	Rohn-D2P	48.54	4.748	-3.417	3.088	4.748	4.535	-0.758	-3.417	-0.167
Rohn-D2	Rohn-D2P	88.02	2.717	-6.196	2.717	-0.510	-6.196	-5.423	-3.041	-0.171
Rohn-D2	Rohn-D2P	84.47	5.605	-5.946	-5.946	-5.240	-0.480	4.555	-5.605	-0.158
Rohn-D2	Rohn-D2P	53.66	6.480	-4.623	-0.947	6.222	4.113	-0.264	-4.623	-0.264
Rohn-D2	Rohn-D2P	84.19	6.664	-7.254	6.664	6.299	1.114	-5.530	-7.254	-0.285

URS Connecticut - butternut hollow greenwich, ct

Rohn-D4	77.05	2.657	-6.639	-3.197	-5.966	-6.639	-0.713	2.657	-0.266
Rohn-D012	53.53	5.952	-4.612	4.084	-5.952	-5.213	-1.439	2.657	-0.266
Rohn-D021	89.73	2.640	-7.731	2.640	-1.265	-6.236	-3.213	-0.282	-0.282
Rohn-D022	47.23	6.631	-7.171	-5.968	0.109	6.109	5.840	6.631	-0.260
Rohn-D031	47.34	6.654	-3.154	0.539	5.711	0.172	5.625	3.148	-0.010
Rohn-D032	83.20	1.768	-6.757	6.615	5.711	0.172	5.625	-6.757	-0.037
Rohn-D04	40.14	5.820	-3.802	-5.760	-5.760	-5.546	0.707	3.768	-0.019
Rohn-D04P	80.92	3.168	-3.168	3.129	5.307	5.820	0.010	3.168	-0.025
Rohn-D041	82.03	3.734	-6.662	3.734	0.124	-6.662	-6.311	-3.797	-0.033
Rohn-D042	82.19	6.589	-6.676	-6.676	-6.091	5.837	5.151	6.589	-0.007
Rohn-D051	54.54	5.911	-4.191	-6.151	-0.752	5.837	5.911	3.724	-0.242
Rohn-D052	87.06	6.094	-6.615	6.094	5.757	1.072	-5.067	-6.691	-0.267
Rohn-D053	79.56	2.426	-6.115	-2.902	-5.183	6.115	-0.628	2.426	-0.250
Rohn-D06	54.70	5.372	-4.204	3.709	5.372	4.768	-1.298	-4.204	-0.256
Rohn-D061	93.56	2.410	-7.191	2.410	-1.175	-7.191	-5.724	-2.914	-0.264
Rohn-D062	86.73	6.123	-6.665	-6.665	-5.568	0.053	5.259	6.123	-0.239
Rohn-D061P	30.32	4.927	-3.538	-3.538	-0.641	4.937	4.865	2.997	-0.271
Rohn-D062P	43.93	5.009	-5.619	5.009	4.715	0.836	-4.254	-5.619	-0.296
Rohn-D063	40.03	1.988	-5.121	-2.544	-4.362	-5.121	-0.522	1.988	-0.278
Rohn-D064	27.76	4.346	-3.550	2.982	4.346	3.906	-1.159	-3.550	-0.285
Rohn-D065	48.03	1.972	-6.144	1.972	-1.041	-6.144	4.882	-2.557	-0.293
Rohn-D066	43.73	5.038	-5.593	-5.593	-4.733	0.148	4.237	5.038	-0.268
Rohn-D067	40.08	6.512	-2.593	-2.593	0.882	6.512	5.077	2.473	-0.086
Rohn-D068	51.97	5.981	-6.288	5.981	4.938	-0.366	-5.444	-6.288	-0.108
Rohn-D069	45.85	3.716	-5.548	-3.898	-5.548	-5.044	0.965	3.716	-0.095
Rohn-D07	34.00	5.525	-2.605	2.457	5.525	0.351	-2.605	-0.100	-0.100
Rohn-D071	49.95	3.709	-6.044	3.709	0.471	-5.992	-6.044	3.910	-0.104
Rohn-D072	51.76	6.001	-6.263	-6.263	-5.899	-1.305	4.474	6.001	-0.084
Rohn-D073	39.06	6.347	-4.314	-4.314	-0.655	6.347	6.124	3.732	-0.261
Rohn-D074	62.37	6.609	-7.164	6.609	6.035	0.810	-5.554	-7.164	-0.278
Rohn-D075	57.06	2.786	-6.554	-3.281	-5.626	-6.554	-0.526	2.786	-0.266
Rohn-D076	37.43	5.627	-4.299	3.699	5.627	5.401	-1.112	-4.299	-0.270
Rohn-D077	65.83	2.771	-7.561	2.771	-1.039	-7.561	6.131	3.288	-0.276
Rohn-D078	61.84	6.586	-4.347	-7.103	-0.115	5.543	6.586	-0.259	-0.259
Rohn-D079	50.92	8.274	-4.347	0.217	8.274	7.192	3.985	-0.264	-0.264
Rohn-D08	62.43	8.205	-8.923	8.205	7.132	0.141	-7.412	-8.923	-0.282
Rohn-D081	53.57	4.224	-7.655	4.814	-7.489	7.655	0.297	4.224	-0.270
Rohn-D082	44.41	7.217	-6.661	3.977	6.661	7.217	-0.321	-4.361	-0.375
Rohn-D083	41.92	-8.749	-4.192	4.192	-0.275	-8.749	-8.022	-4.802	-0.279
Rohn-D084	62.15	8.202	-5.883	-5.883	-0.915	-0.677	7.531	7.146	-0.252
Rohn-D085	46.35	7.531	-5.015	-5.015	-0.677	7.531	7.044	0.996	-0.265
Rohn-D086	7.777	-8.388	7.777	7.044	0.996	-6.465	-8.388	-0.265	-0.265
Rohn-D087	58.31	3.314	-7.825	-3.690	-6.515	-7.825	-0.621	3.314	-0.256
Rohn-D088	65.88	3.318	-5.022	4.385	6.626	6.489	-1.198	-5.022	-0.261
Rohn-D089	62.46	7.801	-8.382	-6.382	-6.958	0.016	6.587	7.801	-0.250
Rohn-D09	43.52	7.072	-4.482	-4.482	-0.476	7.072	6.733	4.085	-0.296
Rohn-D091	63.77	7.314	-8.036	7.314	6.641	0.685	-6.427	-8.036	-0.305
Rohn-D092	57.51	3.178	-7.256	3.178	-6.494	-7.256	-0.385	3.178	-0.298
Rohn-D093	38.48	6.264	-4.197	4.079	6.264	6.114	-0.660	-4.197	-0.302
Rohn-D094	65.15	3.169	-8.218	-2.876	-6.874	-8.218	-0.893	-0.893	-0.893
Rohn-D095	63.66	7.331	-8.032	-8.032	-2.886	-0.282	6.172	7.321	-0.294
Rohn-D096	42.42	6.804	-4.042	-0.157	6.804	0.494	-5.807	-7.345	-0.205
Rohn-D097	61.85	6.806	-7.383	6.806	-3.883	-6.692	-0.082	3.337	-0.207
Rohn-D098	36.35	3.337	-6.692	3.337	-3.883	-6.692	-0.619	-1.048	-0.211
Rohn-D099	64.00	3.335	-4.046	3.437	5.378	-0.392	-6.339	3.366	-0.211
Rohn-D1	61.80	6.917	-7.339	3.335	-0.538	-7.339	6.245	3.538	-0.714
Rohn-D11	41.69	6.775	-4.752	-7.339	6.775	6.775	6.245	3.538	-0.714
Rohn-D12	32.47	6.953	-6.556	6.953	6.161	0.022	-7.010	-8.526	-0.720
Rohn-D13	47.38	2.928	-7.659	-4.504	-7.076	-7.659	-0.657	2.928	-0.715
Rohn-D14	36.38	5.932	-4.754	3.531	5.932	5.932	-1.167	-4.754	-0.718
Rohn-D15	52.72	2.924	-8.516	-8.516	-7.427	-0.820	-7.510	-4.509	-0.719
Rohn-D16	52.41	6.960	-3.838	-3.838	-0.189	6.800	6.262	3.989	0.131
Rohn-D17	41.84	6.800	-6.804	6.874	1.164	5.144	-6.804	0.126	0.126
Rohn-D18	42.80	6.874	-6.804	6.874	1.164	5.144	-6.804	0.126	0.126
Rohn-D19	40.21	3.301	-6.383	-2.816	-5.220	-6.383	-0.042	3.301	0.129
Rohn-D2	36.76	5.973	-3.849	3.991	5.854	5.973	-0.532	-3.849	0.127
Rohn-D21	45.34	3.298	-6.805	-0.453	0.356	-5.626	-2.818	0.127	0.127
Rohn-D22	42.80	6.886	-6.805	-6.805	0.356	5.791	6.886	0.132	0.132
Rohn-D23	47.52	2.253	-7.134	-4.098	2.253	2.253	0.372	-3.450	-3.450
Rohn-D24	62.80	2.465	-9.426	2.465	-2.183	-2.183	-7.931	-9.426	-3.453
Rohn-D25	60.85	0.000	-9.134	0.000	-7.992	-9.134	-4.046	-1.237	-3.451
Rohn-D26	47.53	1.865	-0.136	0.368	1.865	1.253	-4.488	-7.136	-3.452
Rohn-D27	65.93	0.000	-9.897	-9.897	-4.424	-9.897	-8.380	-5.828	-3.453
Rohn-D28	62.91	-2.476	-9.429	-9.429	-8.311	-2.887	1.815	-2.476	-3.449
Rohn-D29	55.41	3.004	0.000	1.314	4.136	9.004	8.249	6.482	3.882
Rohn-D3	54.05	8.782	-1.286	8.782	8.189	4.402	-0.182	-1.286	3.879
Rohn-D31	40.22	6.536	-0.686	1.425	-0.235	-0.686	4.197	6.536	3.881
Rohn-D32	50.90	8.271	6.479	6.479	-7.283	8.271	3.768	1.312	3.880
Rohn-D33	40.20	6.532	-1.422	6.532	3.825	-1.422	-0.601	1.425	3.879

URS Connecticut - butternut hollow greenwich, ct

Rohn-D7	54.05	8.782	-1.280	-1.280	-0.541	3.678	7.824	8.782	3.883
Rohn-LA1P	2.05	0.000	-1.854	-1.280	-0.541	-1.854	-1.321	-0.765	-0.691
Rohn-L1	2.45	3.085	-2.210	-2.210	-1.569	0.219	1.085	0.869	-0.690
Rohn-LA12	2.07	0.647	-1.867	0.541	0.647	-1.416	-1.867	-1.867	-0.684
Rohn-LA2P	6.54	0.000	-5.902	-0.863	-3.274	-5.902	-3.395	-1.002	-0.958
Rohn-LA1	5.87	0.000	-5.301	-5.301	-3.488	-1.437	3.730	3.102	-1.133
Rohn-LA22	5.58	3.710	-5.036	-3.143	3.710	1.456	-2.300	-5.036	-0.973
Rohn-LA3P	11.30	0.000	-10.200	-1.363	-5.604	-10.200	-5.650	-1.413	-1.421
Rohn-LA3	9.61	6.962	-8.677	-8.677	-5.542	2.986	6.962	5.899	-1.421
Rohn-LA32	9.41	7.095	-8.520	6.051	7.095	3.132	-5.386	-8.520	-1.256
Rohn-LA4P	15.86	0.000	-12.512	-12.512	-7.502	-14.013	-7.609	-1.663	-1.788
Rohn-LA1	13.33	10.487	-12.039	9.034	10.487	4.731	-7.537	-12.039	-1.533
Rohn-LA2	17.38	0.000	-19.920	-2.403	-10.763	-19.920	-10.760	-2.426	-2.484
Rohn-LB1P	14.67	14.293	-17.069	17.069	10.787	6.338	14.293	12.221	-2.181
Rohn-LB12	21.46	14.500	-16.810	12.511	14.500	6.674	-10.431	-16.810	-2.181
Rohn-LB2P	21.31	0.000	-24.594	-2.639	-13.044	-24.594	-13.041	-2.682	-2.737
Rohn-LB2	18.16	18.165	-20.989	-20.989	-13.124	8.287	18.165	15.630	-2.737
Rohn-LB3P	27.95	0.000	-20.748	15.891	17.152	8.604	-12.851	-20.748	-2.472
Rohn-LB3	28.10	0.000	-23.023	-23.023	-17.152	32.053	17.157	-3.893	-3.917
Rohn-LB32	23.82	23.791	-27.584	-27.584	-17.215	10.222	22.791	19.557	-3.950
Rohn-LB4P	33.41	0.000	-27.059	19.786	23.013	10.487	-16.936	-27.059	-3.705
Rohn-LB1	30.33	30.323	-34.530	-4.134	-21.372	-40.609	-21.363	-4.096	-4.176
Rohn-LB2	30.653	30.653	-34.443	26.433	30.633	14.045	30.323	26.132	-4.285
Rohn-LC1P	37.58	0.000	-49.446	-4.884	-25.845	-49.446	-25.863	-4.873	-1.962
Rohn-LC1	31.69	37.153	-41.732	-41.732	-25.807	17.481	37.153	32.101	-1.900
Rohn-LC12	31.78	37.243	-41.585	32.196	37.243	17.657	-25.634	-41.585	-4.769
Rohn-LC2P	40.17	0.000	-62.353	-62.353	-32.495	-62.353	-32.562	-6.098	-6.161
Rohn-LC22	40.13	47.061	-52.648	-52.648	-32.353	22.131	46.967	40.606	-6.142
Rohn-LC3P	56.37	0.000	-62.026	-62.026	-38.103	-62.026	-38.116	-6.313	-6.407
Rohn-LC3	47.52	57.288	-62.192	-62.192	-38.067	27.557	57.288	49.673	-6.236
Rohn-LC32	47.45	57.462	-62.095	-62.095	-38.067	27.557	57.462	57.606	-7.877
Rohn-LD1P	63.56	0.000	-86.980	-7.830	-44.889	-86.980	-44.937	-7.842	-7.929
Rohn-LD1	53.41	66.461	-73.100	-73.100	-44.887	31.828	66.461	57.606	-7.677
Rohn-LD12	53.33	66.530	-72.979	-72.979	-44.887	31.828	66.461	57.606	-7.677
Rohn-LD2P	73.30	0.000	-80.511	-8.498	-51.510	-80.511	-51.564	-8.511	-8.587
Rohn-LD2	61.78	77.527	-84.492	-84.492	-51.724	37.390	77.527	67.277	-8.434
Rohn-LD22	61.55	77.805	-84.167	-84.167	-51.724	37.390	77.805	67.277	-8.434
Rohn-LD3P	81.60	0.000	-111.677	-8.713	-56.755	-111.677	-56.752	-8.710	-8.786
Rohn-LD3	68.41	87.304	-93.621	-56.986	42.606	67.304	75.905	-8.693	-8.643
Rohn-LD32	68.16	87.851	-93.621	-56.986	42.606	67.304	75.905	-8.643	-8.643
Rohn-LD1P	63.45	0.000	-122.774	-9.631	-62.314	-122.774	-62.349	-9.626	-9.715
Rohn-LD1	53.40	95.655	-102.746	-102.746	-62.314	46.780	95.655	83.215	-9.892
Rohn-LD2P	53.40	95.969	-102.450	83.524	95.969	47.184	-62.173	-102.450	-9.580
Rohn-LD2	59.15	104.287	-111.670	-111.670	-67.857	51.210	104.287	90.794	-10.427
Rohn-LD22	57.62	104.560	-111.403	104.560	51.570	67.546	-111.403	-10.299	-10.299
Rohn-LD3P	62.12	112.875	-144.103	-120.193	-72.578	-144.103	-72.632	-10.741	-10.823
Rohn-LD3	61.95	113.170	-119.865	98.685	113.170	56.156	-72.471	-119.865	-11.027
Rohn-LD32	61.95	113.170	-119.865	98.685	113.170	56.156	-72.471	-119.865	-11.027
Rohn-LF1P	73.55	0.000	-160.180	-12.034	-80.610	-160.180	-80.656	-12.046	-12.054
Rohn-LF1	62.93	125.212	-133.420	-133.420	-80.881	61.943	125.212	109.179	-12.285
Rohn-LF12	62.76	125.539	-133.079	109.511	125.539	62.348	-80.507	-133.079	-11.940
Rohn-LF2P	83.88	0.000	-177.848	-12.789	-88.986	-177.848	-89.010	-12.778	-12.827
Rohn-LF2	139.605	139.605	-147.692	-147.692	-89.206	69.622	139.605	121.907	-13.037
Rohn-LF22	69.52	139.926	-147.392	122.224	139.926	70.014	-88.864	-147.392	-12.721
Rohn-LG1P	78.80	0.000	-195.557	-14.387	-97.830	-195.557	-97.860	-14.388	-14.400
Rohn-LG1	152.600	152.600	-162.159	-162.159	-98.022	76.146	152.600	133.302	-14.575
Rohn-LG12	65.23	152.888	-161.874	133.590	152.888	76.497	-97.706	-161.874	-14.281
Rohn-LG2P	85.12	0.000	-211.221	-15.332	-105.365	-211.221	-105.389	-15.331	-15.345
Rohn-LG2	70.46	164.840	-174.848	-105.450	82.564	164.840	144.104	-15.511	-15.511
Rohn-LG22	70.35	165.106	-174.580	144.379	165.106	82.894	-105.254	-174.580	-15.233
Rohn-LH1P	91.33	0.000	-226.637	-16.567	-112.930	-226.637	-112.954	-16.570	-16.571
Rohn-LH1	75.50	176.276	-187.363	-187.363	-113.103	88.439	176.276	154.180	-16.728
Rohn-LH12	75.40	176.534	-187.105	154.368	176.534	88.743	-112.823	-187.105	-16.463
Rohn-LH2P	97.45	0.000	-241.837	-18.318	-120.680	-241.837	-120.695	-18.315	-18.295
Rohn-LH2	80.51	186.580	-199.803	-199.803	-120.843	93.447	186.580	163.187	-18.446
Rohn-LH22	80.42	186.834	-199.559	163.439	186.834	93.739	-120.577	-199.559	-18.191
Rohn-LH1P	74.39	0.000	-251.828	-16.744	-124.223	-251.828	-124.236	-16.741	-16.763
Rohn-LH1	61.26	198.244	-207.393	-207.393	-124.379	100.735	198.244	173.785	-16.908
Rohn-LH12	61.20	198.470	-207.176	174.009	198.470	100.952	-124.144	-207.176	-16.681
Rohn-LH2P	79.66	0.000	-269.677	-24.595	-136.941	-269.677	-136.557	-24.599	-24.597
Rohn-LH2	65.92	199.959	-223.178	-223.178	-136.690	98.002	199.959	174.104	-24.668
Rohn-LH22	65.86	199.773	-222.962	174.318	199.773	98.242	-136.463	-222.962	-24.447
Rohn-H1P	12.33	0.806	-0.883	-0.883	-0.838	-0.197	0.615	0.806	-0.038
Rohn-H1	3.07	0.549	-0.218	-0.218	0.109	0.549	0.423	0.153	-0.033
Rohn-H12	15.63	0.964	-1.119	-1.119	0.964	0.615	-0.485	-1.119	-0.028
Rohn-H2P	9.72	0.438	-0.499	-0.499	-0.445	0.364	0.438	-0.026	-0.026
Rohn-H21	1.47	0.123	-0.076	-0.076	0.011	0.123	0.041	-0.025	-0.025

URS Connecticut - butternut hollow greenwich, ct

Rohn-H1	Rohn-H22	10.46	0.468	-0.536	0.468	0.356	-0.155	-0.531	-0.536	-0.028
SNB-D1	SNB-D11	1.91	0.347	-0.161	0.229	0.347	0.334	-0.013	-0.161	0.033
SNB-D1	SNB-D11	4.78	0.683	-0.781	0.781	0.781	0.062	-0.667	-0.781	0.052
SNB-D1	SNB-D12	3.93	0.713	-0.000	-0.620	-0.666	-0.630	0.270	0.663	0.030
SNB-D1	SNB-D12	4.96	0.639	-0.000	0.076	0.395	0.713	0.359	0.020	0.047
SNB-D1	SNB-D21	1.53	0.266	-0.277	-0.228	-0.277	-0.823	-0.959	-0.546	0.046
SNB-D1	SNB-D21	7.19	1.303	-0.855	-0.266	-0.195	0.133	1.303	0.884	0.015
SNB-D1	SNB-D21	7.95	1.442	-1.379	1.442	1.199	0.031	1.223	1.379	0.032
SNB-D1	SNB-D21	4.85	0.466	-0.878	-0.446	-0.813	-0.878	-0.020	0.466	0.010
SNB-D1	SNB-D21	6.12	1.109	-0.715	0.771	1.109	0.932	-0.160	0.715	0.030
SNB-D1	SNB-D21	6.03	0.783	-1.093	0.783	0.215	0.932	-0.093	0.783	0.021
SNB-D1	SNB-D21	7.88	1.428	-1.413	-1.413	-1.137	0.188	1.311	1.428	0.006
SNB-D1	SNB-D21	10.48	1.900	-0.656	0.656	0.337	1.900	1.524	0.727	0.036
SNB-D1	SNB-D21	8.25	1.496	-1.401	1.496	1.267	0.301	1.202	1.401	0.049
SNB-D1	SNB-D21	6.43	0.834	-1.528	-0.776	-1.411	-1.528	-0.027	0.834	0.030
SNB-D1	SNB-D21	10.14	1.839	-0.849	0.940	1.669	1.839	0.146	0.849	0.046
SNB-D1	SNB-D21	7.11	0.748	-1.288	0.748	0.911	-1.288	-1.196	0.668	0.041
SNB-D1	SNB-D21	9.25	1.677	-1.622	-1.622	-1.488	-1.622	1.339	1.677	0.028
SNB-D1	SNB-D21	8.20	1.487	-0.913	-0.913	-0.111	1.447	1.487	0.960	0.021
SNB-D1	SNB-D21	13.71	2.462	-2.413	2.462	2.155	0.134	-2.020	-2.413	0.028
SNB-D1	SNB-D21	10.59	1.166	-1.131	-1.131	-1.865	-1.861	0.115	1.166	0.016
SNB-D1	SNB-D21	9.17	1.663	-0.876	0.943	1.571	1.663	0.033	0.876	0.031
SNB-D1	SNB-D21	12.45	1.354	-2.192	1.354	1.004	-2.192	-2.181	1.311	0.021
SNB-D1	SNB-D21	10.66	1.898	-1.878	-1.878	-1.503	0.234	1.726	1.898	0.013
SNB-D1	SNB-D21	15.04	2.181	-0.816	0.816	0.316	2.181	1.779	0.927	0.051
SNB-D1	SNB-D21	15.51	2.225	-2.138	2.225	1.824	-2.076	-1.878	-2.138	0.056
SNB-D1	SNB-D21	14.36	1.366	-1.979	-1.254	-1.979	-1.899	0.274	1.366	0.048
SNB-D1	SNB-D21	15.26	2.212	-0.819	0.942	1.800	2.212	0.336	-0.819	0.057
SNB-D1	SNB-D21	14.16	1.335	-1.952	1.335	0.237	-1.914	-1.952	-1.219	0.050
SNB-D1	SNB-D21	15.38	2.191	-2.120	-2.120	-1.883	-0.118	1.782	2.191	0.047
SNB-D1	SNB-D21	19.29	2.796	-1.442	1.442	0.071	2.796	2.580	1.499	0.028
SNB-D1	SNB-D21	22.87	3.057	-2.992	3.057	2.584	-2.992	-2.572	-2.992	0.030
SNB-D1	SNB-D21	20.35	1.578	-2.663	-1.536	-2.567	-2.663	0.056	1.578	0.025
SNB-D1	SNB-D21	19.13	2.773	-1.441	1.502	2.569	2.773	0.066	-1.441	0.031
SNB-D1	SNB-D21	1.586	1.586	-2.661	-1.586	0.097	-2.661	-2.562	-1.540	0.027
SNB-D1	SNB-D21	22.97	3.063	-3.006	-3.006	-2.586	-3.006	-2.590	3.063	0.026
SNB-D1	SNB-D21	18.88	2.738	-1.655	1.655	0.175	2.672	2.738	1.764	0.060
SNB-D1	SNB-D21	23.60	3.033	-2.916	3.033	2.714	0.347	-2.343	-2.916	0.059
SNB-D1	SNB-D21	22.53	1.323	-1.207	-2.753	-2.784	-1.323	-0.196	1.323	0.059
SNB-D1	SNB-D21	18.98	2.753	-1.675	1.786	2.753	2.673	-0.186	-1.675	0.061
SNB-D1	SNB-D21	23.63	3.038	-2.920	-2.920	-2.366	0.313	2.708	3.038	0.059
SNB-D1	SNB-D21	16.38	2.375	-1.263	1.363	-0.109	2.375	2.375	1.577	0.096
SNB-D1	SNB-D21	22.15	2.715	-2.568	2.715	2.432	0.335	-2.073	-2.568	0.091
SNB-D1	SNB-D21	19.95	1.265	-2.313	1.064	-2.037	-2.313	-0.025	1.265	0.094
SNB-D1	SNB-D21	16.03	2.524	-1.204	1.917	2.324	2.596	-0.050	-1.204	0.094
SNB-D1	SNB-D21	20.69	1.283	-2.799	1.283	-0.043	-2.799	-2.104	-1.100	0.091
SNB-D1	SNB-D21	21.73	2.693	-2.608	-2.608	-2.005	0.380	2.418	2.665	0.095
SNB-D1	SNB-D21	22.73	4.123	-2.885	-2.885	-0.689	3.758	4.123	2.775	-0.050
SNB-D1	SNB-D21	23.65	4.349	-4.646	4.349	4.225	-0.732	-3.595	-4.548	-0.046
SNB-D1	SNB-D21	23.51	1.679	-4.623	1.764	-4.623	-0.713	1.679	-0.041	0.041
SNB-D1	SNB-D21	23.62	4.213	-4.643	4.213	4.812	-0.711	-2.947	-0.046	0.046
SNB-D1	SNB-D21	23.62	4.469	-4.569	-4.569	-3.963	0.635	4.116	4.469	-0.036
SNB-D1	SNB-D21	32.13	5.823	-1.752	-1.752	1.175	5.823	4.504	2.139	0.222
SNB-D1	SNB-D21	32.22	5.840	-5.447	5.840	4.318	-0.769	-3.062	-5.447	0.222
SNB-D1	SNB-D21	27.72	3.856	-5.023	-3.417	-5.023	-4.382	1.203	3.856	0.221
SNB-D1	SNB-D21	31.96	5.792	-1.731	2.170	4.462	5.732	-1.188	-1.731	0.218
SNB-D1	SNB-D21	28.04	2.913	-5.083	3.913	1.226	-4.421	-5.083	-3.465	0.226
SNB-D1	SNB-D21	30.59	5.799	-5.407	-5.407	-0.032	-0.742	4.498	5.799	0.221
SNB-D1	SNB-D21	30.59	5.945	-3.761	-3.761	-0.819	5.032	5.343	3.731	-0.003
SNB-D1	SNB-D21	33.12	5.962	-5.984	5.962	5.495	-0.360	-4.654	-5.984	0.009
SNB-D1	SNB-D21	32.90	2.259	-5.944	-2.544	-4.692	5.944	-0.835	-2.259	0.005
SNB-D1	SNB-D21	30.53	5.533	-3.767	3.765	5.533	5.008	-0.845	-3.767	0.001
SNB-D1	SNB-D21	32.72	2.257	-5.912	2.257	-0.821	-5.912	-4.668	-2.234	0.008
SNB-D1	SNB-D21	33.53	6.022	-6.059	-6.059	-4.742	0.905	5.535	6.022	-0.001
SNB-D1	SNB-D21	34.01	6.164	-4.483	-4.483	1.373	5.210	6.164	4.410	-0.038
SNB-D1	SNB-D21	38.95	6.511	-6.582	6.511	6.213	1.462	-4.911	-6.582	-0.017
SNB-D1	SNB-D21	39.94	2.048	-6.750	-2.110	-4.918	-6.750	-1.364	2.048	-0.021
SNB-D1	SNB-D21	34.18	6.195	-4.491	4.444	6.195	5.218	-1.379	-4.491	-0.025
SNB-D1	SNB-D21	40.04	2.053	-6.767	2.053	-4.371	-6.767	-4.919	-2.104	-0.018
SNB-D1	SNB-D21	38.89	4.665	-6.573	-6.573	-4.919	1.418	6.159	6.465	-0.035
SNB-D1	SNB-D21	40.11	7.270	-2.018	-2.018	1.604	7.270	5.488	2.630	0.301
SNB-D1	SNB-D21	42.11	7.164	-6.648	-6.648	7.164	-5.360	-1.609	-6.648	0.315
SNB-D1	SNB-D21	39.38	4.869	-6.216	-6.216	5.507	-1.007	6.228	-6.216	0.307
SNB-D1	SNB-D21	39.99	7.248	-2.016	2.639	5.483	7.248	1.597	-2.016	0.305
SNB-D1	SNB-D21	39.48	4.903	-6.232	4.903	1.626	-5.371	-6.232	-4.271	0.318
SNB-D1	SNB-D21	42.11	7.132	-6.648	-6.648	-6.233	5.475	7.132	0.259	0.259
SNB-D1	SNB-D21	36.71	6.654	-4.681	-4.681	-1.189	5.973	6.654	4.622	-0.022
SNB-D1	SNB-D21	48.88	7.146	-7.247	7.146	6.657	1.299	-5.524	-7.247	-0.007

URS Connecticut - butternut hollow greenwich, ct

SNB-L1	10.79	10.395	-10.907	8.911	10.395	5.025	-6.536	-10.907	-0.951
SNB-L2	12.03	0.000	-18.928	-1.636	-9.889	-18.928	-9.951	-1.671	-1.671
SNB-L3	10.16	14.864	-16.222	-16.222	-10.006	6.956	14.864	12.818	-1.726
SNB-L4	10.36	15.016	-15.565	-12.584	15.016	7.082	-9.866	-15.989	-1.513
SNB-L5	16.11	0.000	-25.352	-1.897	-13.037	-25.352	-13.061	-1.813	-1.826
SNB-L6	13.64	20.286	-21.462	-21.462	-13.063	9.748	20.286	17.594	-1.976
SNB-L7	13.60	20.492	-21.441	17.760	20.492	32.406	-12.850	-21.241	-1.751
SNB-L8	20.39	0.000	-35.406	-21.424	-16.530	16.530	26.269	22.721	-2.247
SNB-L9	17.36	26.269	-27.323	-27.323	-12.794	12.794	26.269	22.721	-2.293
SNB-L10	17.43	26.430	-27.106	23.005	26.430	13.017	-16.314	-27.106	-2.065
SNB-L11	24.74	0.000	-38.927	-2.151	-19.734	-38.927	-19.788	-2.582	-2.568
SNB-L12	20.69	31.915	-32.873	-19.838	15.628	31.915	27.726	-2.609	-2.609
SNB-L13	20.93	32.067	-32.618	-19.894	32.067	15.792	-19.617	-32.618	-2.381
SNB-L14	32.37	0.000	-47.647	-3.020	-24.070	-47.647	-24.077	-3.016	-3.042
SNB-L15	27.26	39.142	-46.123	-40.123	19.295	39.142	34.042	-3.079	-3.079
SNB-L16	27.07	39.273	-39.849	34.179	39.273	19.477	-23.897	-39.849	-2.861
SNB-L17	42.28	0.000	-62.172	-3.763	-31.255	-62.172	-31.234	-3.727	-3.772
SNB-L18	35.46	51.251	-52.153	-52.153	31.289	25.441	51.251	41.627	-3.817
SNB-L19	35.30	51.445	-51.912	-51.411	51.445	25.668	-31.048	-51.912	-3.592
SNB-L20	50.89	0.000	-74.911	-3.808	-37.204	-74.911	-37.228	-3.827	-3.845
SNB-L21	42.53	62.910	-62.608	-62.608	-37.251	31.670	62.910	54.898	-3.909
SNB-L22	42.41	63.157	-62.419	55.145	63.157	31.902	-37.052	-62.419	-3.675
SNB-L23	62.23	0.000	-89.835	-4.548	-44.541	-89.835	-44.537	-4.535	-4.576
SNB-L24	75.407	75.056	-75.056	-44.632	38.043	75.407	65.839	-4.663	-4.663
SNB-L25	51.81	75.625	-74.791	66.054	75.625	38.287	-44.370	-74.791	-4.411
SNB-L26	74.48	0.000	-107.451	-5.366	-53.155	-107.451	-53.145	-5.347	-5.376
SNB-L27	62.11	90.215	-89.655	-89.655	53.276	45.625	90.215	78.813	-5.499
SNB-L28	61.94	90.478	-89.361	79.071	90.478	45.910	-52.983	-89.361	-5.211
SNB-L29	84.04	0.000	-121.317	-5.360	-59.530	-121.317	-59.543	-5.367	-5.385
SNB-L30	69.95	102.892	-100.974	-100.974	-59.684	52.409	102.892	90.024	-5.534
SNB-L31	69.74	103.187	-100.677	90.320	103.187	52.804	-59.384	-100.677	-5.226
SNB-L32	69.74	103.187	-139.196	-6.264	-68.229	-139.196	-68.248	-6.278	-6.322
SNB-L33	117.471	117.471	-115.718	-115.718	-68.412	60.013	117.471	102.823	-6.495
SNB-L34	41.67	117.783	-115.396	103.138	117.783	60.335	-68.090	-115.396	-6.185
SNB-L35	57.78	0.000	-155.915	-7.260	-78.288	-155.915	-78.295	-7.262	-7.279
SNB-L36	47.97	134.689	-132.761	-132.761	78.486	68.920	134.689	117.949	-7.471
SNB-L37	47.84	135.023	-132.414	118.282	135.023	69.263	-78.140	-132.414	-7.122
SNB-L38	62.98	0.000	-174.368	-7.399	-84.944	-174.368	-84.933	-7.380	-7.398
SNB-L39	52.18	147.586	-144.472	-144.472	75.954	147.586	129.380	-7.603	-7.603
SNB-L40	52.05	147.929	-144.119	129.719	147.929	76.316	-84.783	-144.119	-7.247
SNB-L41	76.82	0.000	-195.312	-9.058	-95.366	-195.312	-95.366	-9.052	-9.009
SNB-L42	63.45	163.993	-161.668	-161.668	95.576	84.017	163.993	142.411	-8.222
SNB-L43	85.71	0.000	-217.993	-9.838	-106.038	-217.993	-106.048	-9.843	-9.794
SNB-L44	85.71	182.645	-180.053	-180.053	-106.261	94.179	182.645	160.251	-10.011
SNB-L45	70.82	182.992	-179.702	160.958	182.992	94.533	-105.909	-179.702	-9.652
SNB-L46	74.99	0.000	-242.550	-11.216	-117.830	-242.550	-117.836	-11.217	-11.157
SNB-L47	61.50	202.110	-199.971	-199.971	118.046	104.403	202.110	177.434	-11.368
SNB-L48	61.39	202.447	-199.629	177.771	202.447	104.749	-117.701	-199.629	-11.020
SNB-L49	82.44	0.000	-268.074	-12.360	-129.916	-268.074	-129.922	-12.361	-12.300
SNB-L50	82.44	222.849	-220.599	-220.599	-130.122	115.453	222.849	195.781	-12.505
SNB-L51	67.84	223.177	-220.368	196.108	223.177	115.790	-129.788	-220.368	-12.167
SNB-L52	89.97	0.000	-292.551	-12.763	-141.078	-292.551	-141.081	-12.762	-12.676
SNB-L53	73.76	244.022	-240.175	-240.175	244.274	127.132	244.022	214.619	-12.872
SNB-L54	98.47	0.000	-239.858	-15.985	-155.194	-239.858	-155.198	-15.987	-15.893
SNB-L55	80.83	262.588	-262.827	-262.827	-155.382	136.110	262.588	230.833	-16.082
SNB-L56	79.37	262.898	-262.523	231.133	262.898	136.413	-155.078	-262.523	-15.772
SNB-L57	64.55	295.703	-273.255	-273.255	-156.550	-335.990	-156.551	-5.819	-5.757
SNB-L58	64.45	295.998	-272.968	261.781	295.998	159.231	295.703	261.507	-5.937
SNB-L59	90.77	0.000	-284.235	-26.326	-189.388	-284.235	-189.382	-26.333	-26.223
SNB-L60	74.60	399.889	-399.889	-399.889	189.554	152.598	399.889	263.033	-26.384
SNB-L61	74.53	300.160	-313.490	263.322	300.160	152.861	-189.284	-313.490	-26.116
Connect A1	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A2	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A3	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A4	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A5	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A6	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A7	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A8	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A9	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A10	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A11	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A12	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A13	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A14	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A15	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A16	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A17	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A18	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A19	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A20	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A21	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A22	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A23	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A24	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A25	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A26	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A27	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A28	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A29	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A30	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A31	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A32	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A33	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A34	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A35	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A36	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A37	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A38	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A39	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A40	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A41	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A42	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A43	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A44	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A45	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A46	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A47	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A48	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A49	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A50	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A51	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A52	0.00	0.000	-0.000	0.000	0.000	0.000	0.000	0.000	0.000
Connect A53	0.00	0.000	-0.000	0.000	0.000				

Connect	Connect Bb2	0.00	1.128	-1.016	-0.907	-1.016	-0.347	0.757	1.128	0.117
Connect	Connect BbP	0.00	0.134	0.000	0.134	0.110	0.066	0.095	0.097	0.128
Connect	Connect Bb1	0.00	0.300	-0.016	-0.016	0.033	0.236	0.300	0.283	0.128
Connect	Connect Bb2	0.00	0.268	0.000	0.268	0.252	0.198	0.042	0.006	0.133
Connect	Connect BcP	0.00	0.250	-0.648	-0.359	-0.212	-0.648	-0.115	0.298	0.232
Connect	Connect Bc1	0.00	0.958	-0.359	-0.359	-0.076	0.638	0.858	0.721	0.218
Connect	Connect Bc2	0.00	0.958	-0.424	0.851	0.968	0.756	-0.066	-0.424	0.224
Connect	Connect CP	0.01	2.310	0.000	0.957	1.399	-2.310	1.223	0.236	0.336
Connect	Connect C2	0.01	1.717	-1.204	1.717	1.108	-0.456	1.259	1.113	0.344
Connect	Connect C3	0.01	1.881	-1.447	-1.447	-1.087	-0.652	1.881	0.339	0.339
Connect	Connect C4P	0.01	1.774	0.000	0.908	0.931	1.774	1.024	0.300	0.290
Connect	Connect C41	0.01	1.710	-1.419	1.710	1.103	-0.575	-1.419	1.224	0.254
Connect	Connect C42	0.01	1.552	-1.225	-1.225	1.223	-0.451	1.041	1.559	0.252
Connect	Connect C4P	0.00	1.826	0.900	0.926	0.706	1.036	0.645	0.248	0.282
Connect	Connect Cb1	0.00	0.862	-0.389	0.982	0.641	-0.014	-0.389	-0.292	0.303
Connect	Connect Cb2	0.00	0.912	-0.473	-0.343	-0.473	-0.096	0.635	0.912	0.294
Connect	Connect D1	0.00	0.900	0.600	0.569	0.723	0.900	0.721	0.565	0.593
Connect	Connect D2	0.00	0.842	0.000	0.842	0.731	0.435	0.314	0.338	0.606
Connect	Connect D3	0.00	1.032	0.000	0.318	0.496	0.441	0.726	0.832	0.590
Connect	Connect D4P	0.00	1.038	-0.322	1.038	0.778	1.092	0.751	0.412	0.417
Connect	Connect D41	0.00	1.038	-0.237	1.167	-0.237	0.089	0.745	-0.228	0.416
Connect	Connect D42	0.00	1.108	0.000	0.413	0.712	1.108	0.706	0.382	0.412
Connect	Connect D4P	0.00	0.954	-0.210	0.954	0.712	0.076	-0.210	-0.149	0.408
Connect	Connect D61	0.00	0.950	-0.210	0.138	0.052	0.699	0.950	0.412	0.412
Connect	Connect EP	0.02	3.655	0.000	0.770	2.126	3.655	2.121	0.766	0.787
Connect	Connect E1	0.01	3.142	-1.969	3.142	2.122	-0.681	-1.969	-1.647	0.788
Connect	Connect E2	0.01	3.135	-1.971	1.645	-1.971	-0.676	2.124	3.135	0.785
Connect	Connect E3	0.00	0.560	-0.677	0.521	-0.666	-0.677	-0.064	0.516	0.560
Connect	Connect E4P	0.01	1.782	-0.505	-0.505	-0.072	1.180	1.782	1.615	0.556
Connect	Connect E41	0.01	1.781	-0.496	1.619	1.781	1.176	-0.065	-0.486	0.562
Connect	Connect E42	0.01	0.614	-0.647	0.614	0.951	-0.647	0.021	0.579	0.554
Connect	Connect E5P	0.00	1.554	-0.432	-0.432	0.930	1.144	1.554	1.446	0.547
Connect	Connect E51	0.01	1.560	-0.433	1.463	1.560	1.142	0.027	-0.433	0.555
Connect	Connect F1	0.00	0.760	0.000	0.614	0.409	0.235	0.408	0.612	0.760
Connect	Connect F2	0.01	1.256	0.000	0.357	0.439	0.917	1.256	1.164	0.757
Connect	Connect F3	0.01	1.337	0.000	1.237	1.337	0.963	0.404	0.289	0.759
Connect	Connect F4P	0.01	1.358	0.000	0.874	1.166	1.398	1.139	0.839	0.736
Connect	Connect F41	0.01	1.285	-0.130	1.285	1.143	0.399	-0.130	0.001	0.730
Connect	Connect F42	0.01	1.308	-0.158	0.013	1.158	0.365	1.147	1.308	0.736
Connect	Connect G1	0.01	2.569	0.000	0.504	1.371	2.569	1.385	0.518	0.754
Connect	Connect G2	0.01	2.122	-0.676	2.122	1.364	-0.257	-0.676	-0.584	0.750
Connect	Connect G3	0.01	1.673	0.000	0.899	1.673	-0.240	1.369	2.120	0.755
Connect	Connect G4P	0.01	1.552	-0.575	1.552	1.332	0.205	-0.575	0.375	0.714
Connect	Connect G41	0.01	1.329	0.000	1.029	1.005	1.170	1.005	1.028	1.329
Connect	Connect H1	0.01	1.748	0.000	1.103	1.003	1.279	1.749	1.617	1.329
Connect	Connect H2	0.01	2.332	0.000	1.617	1.748	1.281	1.006	1.106	1.330
Connect	Connect H3	0.01	2.092	-0.985	2.092	1.683	0.332	1.692	1.020	0.820
Connect	Connect H41	0.01	2.089	-0.975	0.714	1.683	0.021	-0.985	-0.721	0.819
Connect	Connect H42	0.01	8.083	0.000	4.838	6.204	8.083	6.201	4.836	5.110
Connect	Connect I1	0.03	7.401	0.000	2.847	2.665	3.476	6.215	7.401	5.111
Connect	Connect I2	0.03	0.759	-0.961	0.874	-0.104	0.759	-0.096	-0.864	-0.961
Connect	Connect I3P	0.01	0.435	-2.764	0.435	-0.106	-1.874	-2.764	-2.535	-0.962
Connect	Connect I41	0.01	0.432	-2.755	-2.529	-2.755	-1.863	-0.104	0.432	-0.961
Connect	Connect I42	0.01	0.472	-0.302	-0.302	-0.071	0.394	0.472	0.321	0.009
Connect	Connect I4P	0.00	0.316	-0.284	0.284	-0.199	0.145	0.316	0.299	0.006
Connect	Connect I41	0.27	0.195	-0.158	0.158	0.195	0.134	-0.062	-0.158	-0.000
Connect	Connect I42	0.16	0.654	-0.615	-0.615	-0.415	0.245	0.654	0.604	0.003
Connect	Connect I4P	0.56	0.458	-0.219	0.219	0.012	0.458	0.434	0.254	0.004
Connect	Connect I41	0.39	0.578	-0.547	0.578	0.495	-0.012	-0.518	-0.503	0.002
Connect	Connect I42	0.54	0.984	-0.984	0.984	0.716	0.716	-0.159	-0.547	0.146
Connect	Connect I4P	0.83	0.255	-0.780	0.054	-0.237	0.595	0.207	0.255	0.144
Connect	Connect I41	0.79	0.938	-0.570	-0.570	-0.379	0.595	0.938	0.822	0.141
Connect	Connect I42	1.49	1.756	-0.934	1.597	1.756	1.090	-0.387	-0.934	0.349
Connect	Connect I4P	1.15	0.350	-1.189	0.350	-0.365	-1.189	-0.385	0.326	0.345
Connect	Connect I41	1.50	1.769	-0.951	0.951	0.394	1.103	1.769	1.599	0.341
Connect	Connect I42	1.89	3.381	-2.138	3.020	3.381	1.973	-1.045	-2.138	0.457
Connect	Connect I4P	1.68	0.453	-2.662	0.412	-1.040	-2.662	-1.050	0.401	0.453
Connect	Connect I41	1.69	3.373	-2.141	2.141	-1.048	1.957	3.373	3.008	0.450
Connect	Connect I42	0.47	0.832	-0.585	0.832	0.832	0.636	-0.164	-0.585	0.220
Connect	Connect I4P	0.51	0.332	-0.783	0.332	-0.136	-0.783	-0.168	0.294	0.218
Connect	Connect I41	0.46	0.829	-0.580	-0.580	-0.152	0.649	0.829	0.787	0.215
Connect	Connect I42	0.17	0.174	-0.261	0.155	-0.261	0.105	0.174	-0.029	0.089
Connect	Connect I4P	0.15	0.268	-0.149	0.268	0.176	-0.149	0.157	0.257	0.089
Connect	Connect I41	0.17	0.174	-0.253	-0.253	0.174	-0.253	-0.151	0.174	0.089
Connect	Connect I42	0.40	1.423	0.000	0.368	0.184	0.845	1.423	1.360	1.083
Connect	Connect I4P	0.80	1.423	0.000	1.295	1.422	1.308	1.423	1.296	1.083

URS Connecticut - butternut hollow greenwich, ct

SNB-H2
SNB-H2
SNB-H2
SNB-H2

0.80
5.70
5.77
5.70

1.423
10.108
10.322
10.193

0.000
0.000
0.000
0.000

1.360
9.939
10.310
9.917

1.423
9.829
10.171
10.171


0.947
10.188
9.752
10.193


0.185
10.177
10.181
9.829

0.369
9.920
10.322
9.943

1.083
10.131
10.131
10.131

Elevation (ft)





Twist and Out-of-Plumb for "W+I -90 deg":

Elevation	Twist	Out of Plumb
(ft)	(deg)	(in)
0.00	0.00	0.00
10.00	-0.00	0.04
20.00	-0.00	0.07
30.00	-0.00	0.11
40.00	-0.00	0.18
50.00	-0.00	0.21
60.00	-0.00	0.28
70.00	-0.00	0.31
80.00	-0.00	0.38
93.34	-0.00	0.44
106.66	-0.00	0.48
113.34	-0.00	0.52
120.00	-0.00	0.56
126.66	-0.01	0.63
133.34	-0.01	0.67

140.00 -0.01 0.68 10.27
 145.00 -0.01 0.69 10.97
 150.00 -0.01 0.73 11.76
 155.00 -0.01 0.71 12.49
 160.00 -0.02 0.74 13.27
 165.00 -0.02 0.73 14.03
 170.00 -0.02 0.75 14.82
 175.00 -0.02 0.74 15.59
 180.00 -0.02 0.75 16.37

Twist and Out-of-Plumb for "W+I -60 deg":

Elevation	Twist	Sway	Out of Plumb
(ft)	(deg)	(deg)	(in)
0.00	0.00	0.00	0.00
10.00	0.00	0.04	0.02
20.00	0.00	0.07	0.23
30.00	0.00	0.11	0.42
40.00	0.00	0.16	0.83
50.00	0.00	0.21	1.23
60.00	0.01	0.27	1.83
70.00	0.01	0.30	2.43
80.00	0.01	0.37	3.23
93.34	0.01	0.40	3.78
100.00	0.01	0.44	4.33
106.66	0.01	0.47	4.94
113.34	0.01	0.50	5.51
120.00	0.02	0.59	7.14
126.66	0.02	0.62	8.19
133.34	0.02	0.65	9.12
140.00	0.02	0.67	10.05
145.00	0.02	0.67	10.74
150.00	0.02	0.72	11.52
155.00	0.02	0.70	12.23
160.00	0.03	0.72	12.99
165.00	0.03	0.72	13.75
170.00	0.03	0.73	14.51
175.00	0.03	0.73	15.28
180.00	0.03	0.73	16.04

Twist and Out-of-Plumb for "W+I 0 deg":

Elevation	Twist	Sway	Out of Plumb
(ft)	(deg)	(deg)	(in)
0.00	0.00	0.00	0.00
10.00	0.00	0.04	0.03
20.00	0.00	0.08	0.25
30.00	0.01	0.12	0.46
40.00	0.01	0.19	0.90
50.00	0.01	0.23	1.35
60.00	0.01	0.29	2.00
70.00	0.02	0.33	2.66
80.00	0.02	0.40	3.53
86.66	0.02	0.44	4.12
93.34	0.02	0.47	4.79
100.00	0.03	0.51	5.50
106.66	0.03	0.55	6.25
113.34	0.04	0.59	7.09
120.00	0.04	0.64	7.98
126.66	0.04	0.67	8.90
133.34	0.05	0.70	9.90
140.00	0.06	0.72	10.91
145.00	0.06	0.73	11.65
150.00	0.07	0.77	12.48
155.00	0.07	0.75	13.25
160.00	0.08	0.78	14.07
165.00	0.09	0.78	14.89
170.00	0.09	0.78	15.70
175.00	0.10	0.79	16.53
180.00	0.10	0.78	17.35

Twist and Out-of-Plumb for "W+I 60 deg":

Elevation	Twist	Sway	Out of Plumb
(ft)	(deg)	(deg)	(in)
0.00	0.00	0.00	0.00
10.00	0.00	0.04	0.02
20.00	0.00	0.07	0.23
30.00	0.00	0.11	0.41
40.00	0.00	0.18	0.83
50.00	0.01	0.21	1.22
60.00	0.01	0.27	1.83
70.00	0.01	0.30	2.42
80.00	0.01	0.37	3.23
93.34	0.01	0.40	3.77
93.34	0.01	0.43	4.39
100.00	0.02	0.46	5.04
106.66	0.02	0.50	5.73
113.34	0.02	0.55	6.50
120.00	0.02	0.59	7.33
126.66	0.03	0.62	8.18
133.34	0.03	0.65	9.10
140.00	0.04	0.67	10.04
145.00	0.04	0.67	10.73
150.00	0.04	0.72	11.50
155.00	0.05	0.70	12.21
160.00	0.06	0.72	12.97
165.00	0.06	0.72	13.72
170.00	0.06	0.73	14.49
175.00	0.07	0.72	15.24
180.00	0.07	0.73	16.01

Twist and Out-of-Plumb for "W+I 90 deg":

Elevation	Twist	Sway	Out of Plumb
(ft)	(deg)	(deg)	(in)
0.00	0.00	0.00	0.00
10.00	0.00	0.04	0.03
20.00	0.00	0.07	0.23
30.00	0.00	0.11	0.43
40.00	0.00	0.18	0.84
50.00	0.00	0.21	1.26
60.00	0.00	0.28	1.87
70.00	0.00	0.31	2.48
80.00	0.00	0.38	3.30
86.66	0.00	0.41	3.86
93.34	0.00	0.44	4.48
100.00	0.00	0.47	5.15
106.66	0.00	0.51	5.86
113.34	0.00	0.56	6.65
120.00	0.01	0.60	7.49
126.66	0.01	0.63	8.36
133.34	0.01	0.66	9.30
140.00	0.01	0.68	10.25
145.00	0.01	0.68	10.95
150.00	0.01	0.73	11.74
155.00	0.01	0.71	12.46
160.00	0.02	0.73	13.24
165.00	0.02	0.73	14.00
170.00	0.02	0.74	14.79
175.00	0.02	0.74	15.55
180.00	0.02	0.74	16.34

Twist and Out-of-Plumb for "DL + Ice Only":

Elevation	Twist	Sway	Out of Plumb
(ft)	(deg)	(deg)	(in)
0.00	0.00	0.00	0.00
10.00	0.00	0.04	0.00
20.00	0.00	-0.01	0.00
30.00	0.00	0.00	0.00
40.00	0.00	-0.00	0.00
50.00	0.00	-0.00	0.00
60.00	0.00	0.00	0.00

70.00 0.00 -0.00 0.00
80.00 0.00 0.00 0.00
86.66 0.00 -0.00 0.00
93.34 0.00 -0.00 0.00
100.00 -0.00 -0.00 0.00
106.66 -0.00 -0.00 0.00
113.34 -0.00 -0.00 0.01
120.00 -0.00 0.00 0.01
126.66 -0.00 -0.00 0.01
133.34 -0.00 -0.00 0.01
140.00 -0.00 0.00 0.01
146.66 -0.00 -0.00 0.01
153.34 -0.00 0.00 0.01
160.00 -0.00 -0.00 0.01
166.66 -0.00 -0.00 0.01
173.34 -0.00 0.00 0.02
180.00 -0.00 -0.00 0.02

Equilibrium Joint Positions and Rotations for Load Case "W+1 -90 deg":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnA1	-0.0009555	-1.366	-0.08723	0.0000	0.0000	0.0000	4.332	-1.366	179.9
RohnA2	-0.001429	-1.107	-0.0775	0.0000	0.0000	0.0000	5.12	-1.107	159.9
RohnA3	-0.001877	-0.858	-0.06748	0.0000	0.0000	0.0000	5.907	-0.858	139.9
RohnA4	-0.002296	-0.6257	-0.05735	0.0000	0.0000	0.0000	6.693	-0.6257	119.9
RohnA5	-0.002688	-0.4303	-0.0472	0.0000	0.0000	0.0000	7.478	-0.4303	99.95
RohnA6	-0.003087	-0.2735	-0.03757	0.0000	0.0000	0.0000	8.265	-0.2735	78.96
RohnA7	-0.003466	-0.1564	-0.02813	0.0000	0.0000	0.0000	9.052	-0.1564	58.97
RohnA8	-0.003775	-0.0775	-0.01884	0.0000	0.0000	0.0000	9.837	-0.0775	38.98
RohnA9	-0.003866	-0.01934	-0.00942	0.0000	0.0000	0.0000	10.63	-0.01934	18.99
RohnB1	0	0	0	0.0000	0.0000	0.0000	11.42	0	0
RohnB2	-0.0001667	-1.364	-0.0816	0.0000	0.0000	0.0000	2.333	-1.364	179.9
RohnB3	-0.0006408	-1.105	-0.07201	0.0000	0.0000	0.0000	3.12	-1.105	159.9
RohnB4	-0.00109	-0.853	-0.06242	0.0000	0.0000	0.0000	3.907	-0.853	139.9
RohnB5	-0.001511	-0.6255	-0.05291	0.0000	0.0000	0.0000	4.693	-0.6255	119.9
RohnB6	-0.001905	-0.4303	-0.04354	0.0000	0.0000	0.0000	5.479	-0.4303	99.96
RohnB7	-0.002305	-0.2735	-0.03469	0.0000	0.0000	0.0000	6.266	-0.2735	78.97
RohnB8	-0.002685	-0.1557	-0.02592	0.0000	0.0000	0.0000	7.052	-0.1557	58.97
RohnB9	-0.002994	-0.07021	-0.0173	0.0000	0.0000	0.0000	7.838	-0.07021	38.98
RohnC1	-0.002885	-0.01862	-0.00863	0.0000	0.0000	0.0000	8.625	-0.01862	18.99
RohnC2	0	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnD1	0.0004385	-1.362	-0.1352	0.0000	0.0000	0.0000	-2.166	-5.114	179.9
RohnD2	0.002629	-1.365	-0.03916	0.0000	0.0000	0.0000	-2.164	-2.387	180
RohnD3	0.000487	-1.103	-0.1328	0.0000	0.0000	0.0000	-2.556	-5.537	159.9
RohnD4	0.002722	-1.107	-0.022	0.0000	0.0000	0.0000	-2.558	-3.328	160
RohnD5	0.000948	-0.8526	-0.1269	0.0000	0.0000	0.0000	-2.954	-5.97	139.9
RohnD6	-0.002162	-0.8573	-0.007848	0.0000	0.0000	0.0000	-2.952	-4.26	140
RohnD7	0.0009178	-0.6226	-0.1169	0.0000	0.0000	0.0000	-3.347	-6.421	119.9
RohnD8	-0.002298	-0.6277	0.002268	0.0000	0.0000	0.0000	-3.345	-5.17	120
RohnD9	0.001112	-0.4274	-0.1005	0.0000	0.0000	0.0000	-3.739	-6.806	99.9
RohnE1	0.002216	-0.4328	-0.06156	0.0000	0.0000	0.0000	-4.133	-7.433	79.92
RohnE2	0.001442	-0.2783	-0.08388	0.0000	0.0000	0.0000	-4.526	-8.882	80.01
RohnF1	0.002149	-0.2783	0.008836	0.0000	0.0000	0.0000	-4.918	-7.994	59.93
RohnG1	0.001859	-0.1526	-0.06534	0.0000	0.0000	0.0000	-5.313	-7.683	60.01
RohnG2	0.001863	-0.1588	0.009158	0.0000	0.0000	0.0000	-5.711	-8.589	39.95
RohnH1	0.002032	-0.06659	-0.0455	0.0000	0.0000	0.0000	-6.101	-9.449	40.01
RohnH2	0.001982	-0.07345	0.007875	0.0000	0.0000	0.0000	-6.491	-9.221	19.98
RohnI1	0.002143	-0.01562	-0.02241	0.0000	0.0000	0.0000	-6.882	-9.184	20
RohnI2	0.001669	-0.0219	0.003592	0.0000	0.0000	0.0000	-7.279	-9.89	0
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-7.671	0	0
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-8.064	0	0
RohnA1	0.001197	-1.363	-0.1077	0.0000	0.0000	0.0000	-1.165	-3.384	179.9
RohnA2	0.001196	-1.365	-0.05541	0.0000	0.0000	0.0000	-1.165	-6.654	179.9
RohnB1	0.001192	-1.104	-0.1061	0.0000	0.0000	0.0000	-1.559	-3.807	159.9
RohnB2	0.001174	-1.107	-0.0378	0.0000	0.0000	0.0000	-1.559	-1.596	160
RohnC1	0.001159	-0.8537	-0.1036	0.0000	0.0000	0.0000	-1.953	-4.238	139.9
RohnC2	0.001218	-0.8569	-0.02218	0.0000	0.0000	0.0000	-1.953	-2.528	140
RohnD1	0.00116	-0.6238	-0.09554	0.0000	0.0000	0.0000	-2.346	-4.59	119.9
RohnD2	0.001272	-0.6274	-0.0102	0.0000	0.0000	0.0000	-2.739	-3.439	120
RohnE1	0.001197	-0.4284	-0.08273	0.0000	0.0000	0.0000	-3.133	-5.175	99.92
RohnE2	0.001363	-0.4324	-0.004281	0.0000	0.0000	0.0000	-3.526	-4.314	100
RohnF1	0.001331	-0.2734	-0.07115	0.0000	0.0000	0.0000	-3.919	-5.702	79.93
RohnF2	0.001387	-0.2778	0.001844	0.0000	0.0000	0.0000	-4.313	-5.15	60
RohnG1	0.001453	-0.1533	-0.05605	0.0000	0.0000	0.0000	-4.708	-6.263	59.94
RohnG2	0.001454	-0.1581	0.004269	0.0000	0.0000	0.0000	-5.102	-6.658	39.96
RohnH1	0.001564	-0.06754	-0.03963	0.0000	0.0000	0.0000	-5.526	-7.218	40.01
RohnH2	0.001525	-0.07291	0.005081	0.0000	0.0000	0.0000	-5.919	-7.488	19.98
RohnI1	0.001455	-0.01613	-0.01993	0.0000	0.0000	0.0000	-6.313	-7.451	20
RohnI2	0.001458	-0.02112	0.00269	0.0000	0.0000	0.0000	-6.708	-8.154	0
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-7.098	0	0
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-7.492	0	0
RohnA3	-0.001042	-1.3	-0.08482	0.0000	0.0000	0.0000	4.528	-1.3	174.9
RohnA4	-0.001199	-1.236	-0.08241	0.0000	0.0000	0.0000	5.313	-1.236	169.9
RohnA5	-0.001257	-1.171	-0.07994	0.0000	0.0000	0.0000	6.101	-1.171	164.9
RohnA6	-0.001476	-1.042	-0.075	0.0000	0.0000	0.0000	6.882	-1.042	149.9
RohnB5	-0.001675	-0.9813	-0.07255	0.0000	0.0000	0.0000	7.671	-0.9813	149.9
RohnB6	-0.001682	-0.9155	-0.06988	0.0000	0.0000	0.0000	8.461	-0.9155	144.9
RohnC5	-0.001931	-0.777	-0.06413	0.0000	0.0000	0.0000	9.246	-0.777	133.3
RohnC6	-0.00205	-0.6985	-0.06013	0.0000	0.0000	0.0000	10.03	-0.6985	126.6
RohnD5	-0.002297	-0.5552	-0.05396	0.0000	0.0000	0.0000	10.821	-0.5552	113.3
RohnD6	-0.00242	-0.4895	-0.05055	0.0000	0.0000	0.0000	11.61	-0.4895	106.6
RohnE5	-0.002744	-0.3745	-0.04338	0.0000	0.0000	0.0000	12.4	-0.3745	93.3

RohnEBS -0.002848 -0.0324 -0.04075 0.0000 0.0000 0.0000 0.0000 0.0000 8.003 -0.3224 86.62
RohnFAS -0.002909 -0.2072 -0.03228 0.0000 0.0000 0.0000 0.0000 0.0000 8.659 -0.2072 69.97
RohnGAS -0.003318 -0.1049 -0.02346 0.0000 0.0000 0.0000 0.0000 0.0000 9.445 -0.1049 48.88
RohnHAS -0.003862 -0.0357 -0.01415 0.0000 0.0000 0.0000 0.0000 0.0000 10.23 -0.0357 28.89
RohnIAS -0.004162 -0.002317 0.005012 0.0000 0.0000 0.0000 0.0000 0.0000 11.02 -0.002317 6.985
SNB-FAS -0.002552 -1.2299 -0.07921 0.0000 0.0000 0.0000 0.0000 0.0000 2.55 -1.2299 174.9
SNB-AUS -0.004107 -1.2235 -0.07682 0.0000 0.0000 0.0000 0.0000 0.0000 2.727 -1.2235 169.9
SNB-ACS -0.004685 -1.169 -0.07441 0.0000 0.0000 0.0000 0.0000 0.0000 2.924 -1.169 164.9
SNB-BAS -0.006891 -1.041 -0.05936 0.0000 0.0000 0.0000 0.0000 0.0000 3.317 -1.041 154.9
SNB-BES -0.000896 -0.9186 -0.06721 0.0000 0.0000 0.0000 0.0000 0.0000 3.514 -0.9186 149.9
SNB-BGS -0.000894 -0.9158 -0.06721 0.0000 0.0000 0.0000 0.0000 0.0000 3.71 -0.9158 144.9
SNB-CAS -0.001144 -0.7752 -0.05922 0.0000 0.0000 0.0000 0.0000 0.0000 4.169 -0.7752 133.3
SNB-CBS -0.001264 -0.6979 -0.05603 0.0000 0.0000 0.0000 0.0000 0.0000 4.432 -0.6979 126.6
SNB-DAS -0.001513 -0.5544 -0.04974 0.0000 0.0000 0.0000 0.0000 0.0000 4.955 -0.5544 113.3
SNB-DBS -0.001636 -0.4886 -0.04666 0.0000 0.0000 0.0000 0.0000 0.0000 5.218 -0.4886 106.6
SNB-EAS -0.001961 -0.3744 -0.04057 0.0000 0.0000 0.0000 0.0000 0.0000 5.741 -0.3744 93.3
SNB-EBS -0.002066 -0.3223 -0.03761 0.0000 0.0000 0.0000 0.0000 0.0000 6.004 -0.3223 86.62
SNB-FAS -0.002127 -0.2067 -0.03625 0.0000 0.0000 0.0000 0.0000 0.0000 6.659 -0.2067 69.97
SNB-GAS -0.002537 -0.1047 -0.02158 0.0000 0.0000 0.0000 0.0000 0.0000 7.445 -0.1047 49.98
SNB-HAS -0.003081 -0.03547 -0.01239 0.0000 0.0000 0.0000 0.0000 0.0000 8.231 -0.03547 29.99
SNB-IAS -0.003398 -0.001726 -0.004684 0.0000 0.0000 0.0000 0.0000 0.0000 9.016 -0.001726 9.995
RohnAa1 0.0003398 -1.2297 -0.1349 0.0000 0.0000 0.0000 0.0000 -2.265 -5.22 174.9
RohnAa2 0.003211 -1.3 -0.0346 0.0000 0.0000 0.0000 0.0000 -2.262 2.623 175
RohnAb1 0.0003518 -1.231 -0.1344 0.0000 0.0000 0.0000 0.0000 -2.363 -5.325 169.9
RohnAb2 0.002577 -1.236 -0.03021 0.0000 0.0000 0.0000 0.0000 -2.361 2.858 170
RohnAc1 0.0001435 -1.167 -0.1337 0.0000 0.0000 0.0000 0.0000 -2.462 -5.431 164.9
RohnAc2 0.003275 -1.171 -0.026 0.0000 0.0000 0.0000 0.0000 -2.459 3.094 165
RohnBa1 -0.001632 -1.039 -0.1317 0.0000 0.0000 0.0000 0.0000 -2.659 -5.644 154.9
RohnBa2 0.003241 -1.043 -0.0181 0.0000 0.0000 0.0000 0.0000 -2.656 3.563 155
RohnBb1 0.001238 -0.976 -0.1305 0.0000 0.0000 0.0000 0.0000 -2.756 -5.752 149.9
RohnBb2 0.001923 -0.9805 -0.01439 0.0000 0.0000 0.0000 0.0000 -2.756 3.798 150
RohnBc1 -0.0001969 -0.9132 -0.1289 0.0000 0.0000 0.0000 0.0000 -2.856 -5.86 144.9
RohnBc2 0.00327 -0.9176 -0.01032 0.0000 0.0000 0.0000 0.0000 -2.853 4.029 145
RohnCa1 0.0007936 -0.7736 -0.1242 0.0000 0.0000 0.0000 0.0000 -3.085 -6.118 133.2
RohnCa2 0.002364 -0.7782 -0.003677 0.0000 0.0000 0.0000 0.0000 -3.083 4.566 133.3
RohnCb1 0.000177 -0.6963 -0.1209 0.0000 0.0000 0.0000 0.0000 -3.216 -6.268 126.5
RohnCb2 0.002847 -0.7011 -0.004785 0.0000 0.0000 0.0000 0.0000 -3.214 4.87 126.7
RohnDa1 0.0004728 -0.5531 -0.1122 0.0000 0.0000 0.0000 0.0000 -3.478 -6.578 113.2
RohnDa2 0.002658 -0.5581 0.004302 0.0000 0.0000 0.0000 0.0000 -3.476 5.467 113.3
RohnDb1 0.0003188 -0.4878 -0.1066 0.0000 0.0000 0.0000 0.0000 -3.609 -6.74 106.6
RohnDb2 0.002816 -0.4929 -0.005579 0.0000 0.0000 0.0000 0.0000 -3.607 5.759 106.7
RohnEa1 0.0007302 -0.3723 -0.09538 0.0000 0.0000 0.0000 0.0000 -3.871 -7.078 93.24
RohnEa2 0.002589 -0.3778 -0.07494 0.0000 0.0000 0.0000 0.0000 -3.869 6.328 93.35
RohnEb1 0.0005865 -0.3205 -0.08983 0.0000 0.0000 0.0000 0.0000 -4.002 -7.254 86.57
RohnEb2 0.00271 -0.3261 -0.08989 0.0000 0.0000 0.0000 0.0000 -4 6.607 86.67
RohnFa1 -0.00112 -0.2084 -0.07504 0.0000 0.0000 0.0000 0.0000 -4.332 -7.709 69.92
RohnFa2 0.004183 -0.214 0.009465 0.0000 0.0000 0.0000 0.0000 -4.327 7.287 70.01
RohnGa1 -0.0009111 -0.1057 -0.05576 0.0000 0.0000 0.0000 0.0000 -4.725 -8.288 49.94
RohnGa2 0.00418 -0.1119 -0.08872 0.0000 0.0000 0.0000 0.0000 -4.72 8.07 50.01
RohnHa1 -0.0007932 -0.03654 -0.03432 0.0000 0.0000 0.0000 0.0000 -5.119 -8.901 29.97
RohnHa2 0.004497 -0.04349 -0.06032 0.0000 0.0000 0.0000 0.0000 -5.113 8.821 30.01
RohnIa1 0.0009575 -0.01108 0.001713 0.0000 0.0000 0.0000 0.0000 -5.507 -9.548 9.988
RohnIa2 0.005056 -0.01298 0.003713 0.0000 0.0000 0.0000 0.0000 -5.507 9.537 10
SNB-Aa1 0.001347 -1.233 -0.05084 0.0000 0.0000 0.0000 0.0000 -1.264 -3.489 174.9
SNB-Aa2 0.001265 -1.232 -0.1072 0.0000 0.0000 0.0000 0.0000 -1.264 0.8909 174.9
SNB-Ab1 0.00101 -1.169 -0.04635 0.0000 0.0000 0.0000 0.0000 -1.362 -3.595 169.9
SNB-Ab2 0.0008752 -1.171 -0.1068 0.0000 0.0000 0.0000 0.0000 -1.461 -3.701 164.9
SNB-Ac1 0.0008752 -1.171 -0.04139 0.0000 0.0000 0.0000 0.0000 -1.461 3.362 165
SNB-Ac2 0.001468 -1.04 -0.1055 0.0000 0.0000 0.0000 0.0000 -1.659 -3.914 154.9
SNB-Ba1 0.0008166 -1.043 -0.03363 0.0000 0.0000 0.0000 0.0000 -1.657 -1.83 155
SNB-Ba2 0.001479 -0.9711 -0.1047 0.0000 0.0000 0.0000 0.0000 -1.756 -2.021 149.9
SNB-Bc1 0.001159 -0.98 -0.02563 0.0000 0.0000 0.0000 0.0000 -1.756 2.064 150
SNB-Bc2 0.001424 -0.9149 -0.1037 0.0000 0.0000 0.0000 0.0000 -1.855 -2.129 144.9
SNB-Ca1 0.0006003 -0.7745 -0.02581 0.0000 0.0000 0.0000 0.0000 -1.854 4.286 133.2
SNB-Ca2 0.001687 -0.7776 -0.1007 0.0000 0.0000 0.0000 0.0000 -2.083 2.834 133.3
SNB-Cb1 0.0004171 -0.6935 -0.09834 0.0000 0.0000 0.0000 0.0000 -2.216 4.536 126.6
SNB-Cb2 0.001854 -0.7007 -0.1366 0.0000 0.0000 0.0000 0.0000 -2.215 3.138 126.6
SNB-Da1 0.0003254 -0.5541 -0.09191 0.0000 0.0000 0.0000 0.0000 -2.478 -4.847 113.2
SNB-Da2 7.515e-005 -0.4886 -0.07532 0.0000 0.0000 0.0000 0.0000 -2.476 3.735 113.3
SNB-Db1 0.002265 -0.4923 -0.09576 0.0000 0.0000 0.0000 0.0000 -2.607 -5.009 106.6
SNB-Db2 0.0007408 -0.3733 -0.07929 0.0000 0.0000 0.0000 0.0000 -2.671 -3.735 106.7
SNB-Ea1 0.001795 -0.3773 -0.018 0.0000 0.0000 0.0000 0.0000 -2.87 4.028 93.26
SNB-Eb1 0.0005472 -0.3215 -0.07538 0.0000 0.0000 0.0000 0.0000 -3.002 -5.347 93.26
SNB-Eb2 0.001991 -0.2091 0.000217 0.0000 0.0000 0.0000 0.0000 -3.001 4.596 93.34
SNB-Fa1 -0.001413 -0.2091 -0.06396 0.0000 0.0000 0.0000 0.0000 -3.332 -5.523 86.58
SNB-Fa2 0.003787 -0.2133 -0.03469 0.0000 0.0000 0.0000 0.0000 -3.327 4.876 86.66
SNB-Ga1 -0.001112 -0.1065 -0.04818 0.0000 0.0000 0.0000 0.0000 -3.725 -5.978 69.94
SNB-Ga2 0.003735 -0.1112 0.005042 0.0000 0.0000 0.0000 0.0000 -3.72 6.557 49.95
SNB-Ha1 0.0008166 -1.043 -0.03363 0.0000 0.0000 0.0000 0.0000 -1.659 -3.914 154.9
SNB-Ha2 7.515e-005 -0.4886 -0.07532 0.0000 0.0000 0.0000 0.0000 -2.478 -4.847 113.2
SNB-Ia1 0.0009575 -0.01108 0.001713 0.0000 0.0000 0.0000 0.0000 -5.507 -9.548 9.988
SNB-Ia2 0.005056 -0.01298 0.003713 0.0000 0.0000 0.0000 0.0000 -5.507 9.537 10
SNB-Aa1 0.001347 -1.233 -0.05084 0.0000 0.0000 0.0000 0.0000 -1.264 -3.489 174.9
SNB-Aa2 0.001265 -1.232 -0.1072 0.0000 0.0000 0.0000 0.0000 -1.264 0.8909 174.9
SNB-Ab1 0.00101 -1.169 -0.04635 0.0000 0.0000 0.0000 0.0000 -1.362 -3.595 169.9
SNB-Ab2 0.0008752 -1.171 -0.1068 0.0000 0.0000 0.0000 0.0000 -1.461 -3.701 164.9
SNB-Ac1 0.0008752 -1.171 -0.04139 0.0000 0.0000 0.0000 0.0000 -1.461 3.362 165
SNB-Ac2 0.001468 -1.04 -0.1055 0.0000 0.0000 0.0000 0.0000 -1.659 -3.914 154.9
SNB-Ba1 0.0008166 -1.043 -0.03363 0.0000 0.0000 0.0000 0.0000 -1.657 -1.83 155
SNB-Ba2 0.001479 -0.9711 -0.1047 0.0000 0.0000 0.0000 0.0000 -1.756 -2.021 149.9
SNB-Bc1 0.001159 -0.98 -0.02563 0.0000 0.0000 0.0000 0.0000 -1.756 2.064 150
SNB-Bc2 0.001424 -0.9149 -0.1037 0.0000 0.0000 0.0000 0.0000 -1.855 -2.129 144.9
SNB-Ca1 0.0006003 -0.7745 -0.02581 0.0000 0.0000 0.0000 0.0000 -2.083 2.834 133.3
SNB-Ca2 0.001687 -0.7776 -0.1007 0.0000 0.0000 0.0000 0.0000 -2.083 4.536 126.6
SNB-Cb1 0.0004171 -0.6935 -0.09834 0.0000 0.0000 0.0000 0.0000 -2.216 3.138 126.6
SNB-Cb2 0.001854 -0.7007 -0.1366 0.0000 0.0000 0.0000 0.0000 -2.215 4.536 126.6
SNB-Da1 0.0003254 -0.5541 -0.09191 0.0000 0.0000 0.0000 0.0000 -2.478 -4.847 113.2
SNB-Da2 7.515e-005 -0.4886 -0.07532 0.0000 0.0000 0.0000 0.0000 -2.476 3.735 113.3
SNB-Db1 0.002265 -0.4923 -0.09576 0.0000 0.0000 0.0000 0.0000 -2.607 -5.009 106.6
SNB-Db2 0.0007408 -0.3733 -0.07929 0.0000 0.0000 0.0000 0.0000 -2.671 -3.735 106.7
SNB-Ea1 0.001795 -0.3773 -0.018 0.0000 0.0000 0.0000 0.0000 -2.87 4.028 93.26
SNB-Eb1 0.0005472 -0.3215 -0.07538 0.0000 0.0000 0.0000 0.0000 -3.002 -5.347 93.26
SNB-Eb2 0.001991 -0.2091 0.000217 0.0000 0.0000 0.0000 0.0000 -3.001 4.596 93.34
SNB-Fa1 -0.001413 -0.2091 -0.06396 0.0000 0.0000 0.0000 0.0000 -3.332 -5.523 86.58
SNB-Fa2 0.003787 -0.2133 -0.03469 0.0000 0.0000 0.0000 0.0000 -3.327 4.876 86.66
SNB-Ga1 -0.001112 -0.1065 -0.04818 0.0000 0.0000 0.0000 0.0000 -3.725 -5.978 69.94
SNB-Ga2 0.003735 -0.1112 0.005042 0.0000 0.0000 0.0000 0.0000 -3.72 6.557 49.95

URS Connecticut - butternut hollow greenwich, ct

SNB-Ia1 -0.001104 -0.03726 -0.03018 0.0000 0.0000 0.0000 -4.118 -7.169 29.97
 SNB-Ia2 0.004156 -0.04278 0.004205 0.0000 0.0000 -4.113 7.089 30
 SNB-Ia1 0.000406 -0.0000771 -0.01066 0.0000 0.0000 -4.51 -7.814 9.989
 SNB-Ia2 0.004889 -0.01027 0.001289 0.0000 0.0000 -4.506 7.803 10

Joint Support Reactions for Load Case "W-I -90 deg":

Joint Label	X Force Usage (kips)	X Force Usage (kips)	Y Force Usage (kips)	Y Force Usage (kips)	Z Comp. Usage (kips)	Uplift Result. Force Usage (kips)	Result. Force Usage (kips)	X X-M. Moment Usage (ft-k)	X X-M. Moment Usage (ft-k)	Y Y-M. Moment Usage (ft-k)	Z Z-M. Moment Usage (ft-k)	Max. Usage (ft-k)
RohnJP	5.18	0.0	2.61	0.0	21.90	0.0	22.65	0.0	-0.00	0.0	-0.00	0.0
SNB-JP	11.55	0.0	6.26	0.0	18.23	0.0	22.47	0.0	-0.00	0.0	-0.00	0.0
RohnJ1	3.44	0.0	8.55	0.0	223.95	0.0	224.14	0.0	-0.00	0.0	-0.00	0.0
RohnJ2	-8.57	0.0	17.27	0.0	-180.19	0.0	181.22	0.0	-0.00	0.0	-0.00	0.0
SNB-J1	5.02	0.0	15.13	0.0	318.54	0.0	318.94	0.0	-0.00	0.0	-0.00	0.0
SNB-J2	-16.62	0.0	34.87	0.0	-281.90	0.0	284.54	0.0	-0.00	0.0	-0.00	0.0

Joint Displacements, Loads and Member Forces on Joints for Load Case "W-I -90 deg":

Joint Label	X External Load (kips)	X External Load (kips)	Z External Load (kips)	X Member Force (kips)	Y Member Force (kips)	Z Member Force (kips)	X Disp. (ft)	Y Disp. (ft)	Z Disp. (ft)
RohnAP	0.0000	-1.8634	-0.7199	0.0000	1.8634	0.7199	-0.0010	-1.3661	-0.0872
RohnBP	0.0000	-0.9631	-0.7659	0.0000	0.9631	0.7659	-0.0014	-1.1071	-0.0775
RohnCP	0.0000	-0.8546	-0.8507	-0.0000	0.8546	0.8507	-0.0019	-0.8568	-0.0675
RohnDP	0.0000	-1.4280	-1.6173	-0.0000	1.4280	1.6173	-0.0023	-0.6257	-0.0574
RohnEP	0.0000	-0.6452	-0.9422	-0.0000	0.6452	0.9422	-0.0027	-0.4303	-0.0472
RohnFP	0.0000	-0.8193	-1.3026	-0.0000	0.8193	1.3026	-0.0031	-0.2755	-0.0376
RohnGP	0.0000	-0.8294	-1.6057	-0.0000	0.8294	1.6057	-0.0035	-0.1564	-0.0281
RohnHP	0.0000	-0.7570	-1.7244	-0.0000	0.7570	1.7244	-0.0038	-0.0706	-0.0188
RohnIP	0.0000	-0.7442	-1.8423	-0.0000	0.7442	1.8423	-0.0037	-0.0193	-0.0094
RohnJP	0.0000	-0.3798	-0.9588	-0.0000	0.3798	0.9588	-0.0000	0.0000	0.0000
SNB-AP	0.0000	-0.1755	-0.2575	-0.0000	0.1755	0.2575	-0.0002	-1.3641	-0.0816
SNB-BP	0.0000	-0.1949	-0.5363	-0.0000	0.1949	0.5363	-0.0006	-1.1034	-0.0720
SNB-CP	0.0000	-0.5327	-0.6503	-0.0000	0.5327	0.6503	-0.0011	-0.8553	-0.0529
SNB-DP	0.0000	-0.6322	-0.7774	-0.0000	0.6322	0.7774	-0.0015	-0.6255	-0.0434
SNB-EP	0.0000	-0.6452	-0.9422	-0.0000	0.6452	0.9422	-0.0019	-0.4303	-0.0435
SNB-FP	0.0000	-0.7356	-1.2811	-0.0000	0.7356	1.2811	-0.0023	-0.2756	-0.0347
SNB-GP	0.0000	-0.8018	-1.5857	-0.0000	0.8018	1.5857	-0.0027	-0.1557	-0.0269
SNB-HP	0.0000	-0.7570	-1.7244	-0.0000	0.7570	1.7244	-0.0030	-0.0703	-0.0173
SNB-IP	0.0000	-0.7442	-1.8423	-0.0000	0.7442	1.8423	-0.0039	-0.0186	-0.0086
SNB-JP	0.0000	-0.3798	-0.9588	-1.5525	-5.8795	-17.2757	0.0000	0.0000	0.0000
RohnA1	0.0000	-1.5465	-0.7245	0.0000	1.5465	0.7245	-0.0004	-1.3641	-0.1352
RohnA2	0.0000	-1.5291	-0.6973	0.0000	1.5291	0.6973	-0.0004	-1.3652	-0.0392
RohnB1	0.0000	-0.7033	-0.7011	0.0000	0.7033	0.7011	-0.0004	-1.1026	-0.1328
RohnB2	0.0000	-0.6578	-0.6578	0.0000	0.6578	0.6578	-0.0007	-1.1067	-0.0220
RohnC1	0.0000	-0.7704	-0.7207	0.0000	0.7704	0.7207	-0.0009	-0.8546	-0.1269
RohnC2	0.0000	-0.8265	-0.8265	0.0000	0.8265	0.8265	-0.0022	-0.5973	-0.1169
RohnD1	0.0000	-1.4280	-1.6173	0.0000	1.4280	1.6173	-0.0009	-0.6226	-0.0718
RohnD2	0.0000	-1.4280	-1.6173	0.0000	1.4280	1.6173	-0.0023	-0.6277	-0.0023
RohnE1	0.0000	-0.6452	-0.9422	0.0000	0.6452	0.9422	-0.0011	-0.4274	-0.1005
RohnE2	0.0000	-0.6452	-0.9422	0.0000	0.6452	0.9422	-0.0022	-0.4328	-0.0062
RohnF1	0.0000	-0.5151	-1.3521	0.0000	0.5151	1.3521	-0.0014	-0.2725	-0.0839
RohnF2	0.0000	-0.5151	-1.3521	0.0000	0.5151	1.3521	-0.0021	-0.2725	-0.0839
RohnG1	0.0000	-0.8018	-1.5857	0.0000	0.8018	1.5857	-0.0020	-0.1526	-0.0653
RohnG2	0.0000	-0.8018	-1.5857	0.0000	0.8018	1.5857	-0.0019	-0.1588	-0.0092
RohnH1	0.0000	-0.7570	-1.7244	0.0000	0.7570	1.7244	-0.0020	-0.0669	-0.0455
RohnH2	0.0000	-0.7570	-1.7244	0.0000	0.7570	1.7244	-0.0020	-0.0734	-0.0079
RohnI1	0.0000	-0.7442	-1.8423	0.0000	0.7442	1.8423	-0.0021	-0.0156	-0.0224
RohnJ1	0.0000	-0.3798	-0.9588	-3.4368	-8.1748	-22.9880	0.0017	-0.0219	0.0036
RohnJ2	0.0000	-0.3798	-0.9588	-3.4368	-8.1748	-22.9880	0.0000	0.0000	0.0000
SNB-A1	0.0000	-0.1755	-0.2575	-0.0000	0.1755	0.2575	0.0012	-1.3651	-0.1061
SNB-A2	0.0000	-0.1755	-0.2575	-0.0000	0.1755	0.2575	0.0012	-1.1041	-0.0554
SNB-B1	0.0000	-0.3949	-0.5363	-0.0000	0.3949	0.5363	0.0012	-1.1067	-0.0378
SNB-B2	0.0000	-0.3949	-0.5363	-0.0000	0.3949	0.5363	0.0012	-0.8537	-0.1026
SNB-C1	0.0000	-0.5327	-0.6503	-0.0000	0.5327	0.6503	0.0012	-0.6238	-0.0955
SNB-C2	0.0000	-0.5327	-0.6503	-0.0000	0.5327	0.6503	0.0012	-0.4284	-0.0827
SNB-D1	0.0000	-0.6322	-0.7774	-0.0000	0.6322	0.7774	0.0013	-0.2734	-0.0043
SNB-D2	0.0000	-0.6322	-0.7774	-0.0000	0.6322	0.7774	0.0012	-0.2734	-0.0043
SNB-E1	0.0000	-0.6452	-0.9422	-0.0000	0.6452	0.9422	0.0014	-0.4324	-0.0043
SNB-E2	0.0000	-0.6452	-0.9422	-0.0000	0.6452	0.9422	0.0013	-0.4324	-0.0043
SNB-F1	0.0000	-0.7356	-1.2811	-0.0000	0.7356	1.2811	0.0013	-0.2778	-0.0018
SNB-F2	0.0000	-0.7356	-1.2811	-0.0000	0.7356	1.2811	0.0015	-0.1523	-0.0361
SNB-G1	0.0000	-0.8018	-1.5857	-0.0000	0.8018	1.5857	0.0015	-0.1581	-0.0043
SNB-G2	0.0000	-0.8018	-1.5857	-0.0000	0.8018	1.5857	0.0016	-0.0675	-0.0396
SNB-H1	0.0000	-0.7570	-1.7244	-0.0000	0.7570	1.7244	0.0016	-0.0675	-0.0396

URS Connecticut - butternut hollow greenwich, ct

SNB-H2	0.0000	-0.7570	-1.7244	-0.0000	0.7570	1.7244	0.0015	-0.0728	0.0051
SNB-H1	0.0000	-0.7442	-1.8423	-0.0000	0.7442	1.8423	0.0015	-0.0161	-0.0199
SNB-I1	0.0000	-0.7442	-1.8423	-0.0000	0.7442	1.8423	0.0015	-0.0211	0.0027
SNB-I2	0.0000	-0.3798	-0.9398	-0.0000	0.3798	0.9398	0.0000	0.0000	0.0000
SNB-J1	0.0000	-0.3798	-0.9398	-0.0000	0.3798	0.9398	0.0000	0.0000	0.0000
SNB-J2	0.0000	-0.2496	-0.2802	0.0000	0.2496	0.2802	-0.0010	-1.3003	-0.0848
RohnAAs	0.0000	-0.4575	-0.4575	0.0000	0.4575	0.4575	-0.0012	-1.2365	-0.0824
RohnABs	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	-0.0015	-1.1705	-0.0799
RohnACs	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	-0.0015	-1.0420	-0.0750
RohnBs	0.0000	-1.8781	-1.2538	0.0000	1.8781	1.2538	-0.0017	-0.9813	-0.0726
RohnBbs	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	-0.0017	-0.9155	-0.0700
RohnCas	0.0000	-1.8934	-1.0682	0.0000	1.8933	1.0682	-0.0019	-0.7770	-0.0641
RohnCbs	0.0000	-0.3134	-0.3714	0.0000	0.3134	0.3714	-0.0020	-0.6985	-0.0607
RohnDAs	0.0000	-0.3188	-0.4060	0.0000	0.3188	0.4060	-0.0024	-0.5552	-0.0540
RohnDbs	0.0000	-0.3188	-0.4060	0.0000	0.3188	0.4060	-0.0024	-0.4895	-0.0506
RohnEAs	0.0000	-0.3264	-0.5363	0.0000	0.3264	0.5363	-0.0027	-0.3745	-0.0440
RohnEbs	0.0000	-0.3264	-0.5363	0.0000	0.3264	0.5363	-0.0028	-0.3224	-0.0408
RohnFAs	0.0000	-0.4092	-0.7448	0.0000	0.4092	0.7448	-0.0029	-0.2072	-0.0328
RohnFbs	0.0000	-0.3926	-0.8409	0.0000	0.3926	0.8409	-0.0033	-0.1049	-0.0235
RohnGAs	0.0000	-0.3643	-0.8835	0.0000	0.3643	0.8835	-0.0039	-0.0357	-0.0141
RohnHAs	0.0000	-0.3798	-0.9588	0.0000	0.3798	0.9588	-0.0062	-0.0022	-0.0050
RohnIAs	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	-0.0003	-1.2990	-0.0792
SNB-AAs	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	-0.0004	-1.2345	-0.0768
SNB-ABs	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	-0.0005	-1.1691	-0.0744
SNB-ACs	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	-0.0007	-1.0412	-0.0696
SNB-BAs	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	-0.0009	-0.9158	-0.0672
SNB-Bbs	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	-0.0009	-0.9158	-0.0648
SNB-CAs	0.0000	-0.3134	-0.3714	0.0000	0.3134	0.3714	-0.0011	-0.7752	-0.0592
SNB-Cbs	0.0000	-0.3134	-0.3714	0.0000	0.3134	0.3714	-0.0013	-0.6979	-0.0560
SNB-DAs	0.0000	-0.3188	-0.4060	0.0000	0.3188	0.4060	-0.0015	-0.5544	-0.0497
SNB-Dbs	0.0000	-0.3188	-0.4060	0.0000	0.3188	0.4060	-0.0016	-0.4886	-0.0466
SNB-EAs	0.0000	-0.3264	-0.5363	0.0000	0.3264	0.5363	-0.0020	-0.3744	-0.0406
SNB-Ebs	0.0000	-0.3264	-0.5363	0.0000	0.3264	0.5363	-0.0021	-0.3223	-0.0376
SNB-FAs	0.0000	-0.4092	-0.7448	0.0000	0.4092	0.7448	-0.0021	-0.2067	-0.0303
SNB-Fbs	0.0000	-0.3926	-0.8409	0.0000	0.3926	0.8409	-0.0025	-0.1047	-0.0216
SNB-GAs	0.0000	-0.3643	-0.8835	0.0000	0.3643	0.8835	-0.0031	-0.0355	-0.0130
SNB-IAs	0.0000	-0.3798	-0.9588	0.0000	0.3798	0.9588	-0.0054	-0.0017	-0.0047
RohnAa1	0.0000	-1.2605	-0.4775	0.0000	1.2605	0.4775	0.0003	-1.2968	-0.1349
RohnAa2	0.0000	-0.2496	-0.2802	0.0000	0.2496	0.2802	0.0032	-1.3001	-0.0346
RohnAb1	0.0000	-0.2497	-0.2975	0.0000	0.2497	0.2975	0.0004	-1.2314	-0.1344
RohnAb2	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	0.0026	-1.2356	-0.0302
RohnAc1	0.0000	-0.9261	-0.3875	0.0000	0.9261	0.3875	0.0001	-1.1670	-0.1337
RohnAc2	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	0.0033	-1.1706	-0.0260
RohnBa1	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	-0.0002	-1.0388	-0.1317
RohnBa2	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	-0.0002	-1.0430	-0.0181
RohnBb1	0.0000	-1.8326	-1.2338	0.0000	1.8326	1.2338	0.0012	-0.8760	-0.1305
RohnBb2	0.0000	-1.2338	-0.9538	0.0000	1.2338	0.9538	0.0019	-0.9805	-0.0144
RohnBa1	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	-0.0002	-0.9122	-0.1289
RohnBc1	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	-0.0003	-0.9176	-0.0109
RohnBc2	0.0000	-2.0900	-1.1156	0.0000	2.0900	1.1156	0.0008	-0.7716	-0.1242
RohnCa1	0.0000	-1.8934	-1.0682	0.0000	1.8933	1.0682	0.0024	-0.7782	-0.0029
RohnCa2	0.0000	-0.3134	-0.3714	0.0000	0.3134	0.3714	0.0002	-0.6983	-0.1209
RohnCb1	0.0000	-0.3134	-0.3714	0.0000	0.3134	0.3714	0.0002	-0.7011	-0.0005
RohnCb2	0.0000	-0.4477	-0.6510	0.0000	0.4477	0.6510	0.0003	-0.5531	-0.1122
RohnDa1	0.0000	-0.4060	-0.4060	0.0000	0.4060	0.4060	0.0027	-0.5551	-0.0043
RohnDa2	0.0000	-0.4060	-0.4060	0.0000	0.4060	0.4060	0.0028	-0.4878	-0.1066
RohnEa1	0.0000	-0.3264	-0.3264	0.0000	0.3264	0.3264	0.0028	-0.4923	-0.0056
RohnEa2	0.0000	-0.3264	-0.3264	0.0000	0.3264	0.3264	0.0026	-0.3723	-0.0054
RohnEb1	0.0000	-0.3723	-0.6113	0.0000	0.3723	0.6113	0.0006	-0.3205	-0.0075
RohnEb2	0.0000	-0.3264	-0.3264	0.0000	0.3264	0.3264	0.0027	-0.3261	-0.0084
RohnFa1	0.0000	-0.4092	-0.7448	0.0000	0.4092	0.7448	-0.0011	-0.2084	-0.0750
RohnFa2	0.0000	-0.4092	-0.7448	0.0000	0.4092	0.7448	-0.0042	-0.2140	-0.0095
RohnGa1	0.0000	-0.3926	-0.8409	0.0000	0.3926	0.8409	-0.0009	-0.1057	-0.0558
RohnGa2	0.0000	-0.3926	-0.8409	0.0000	0.3926	0.8409	-0.0042	-0.1119	-0.0089
RohnHa1	0.0000	-0.3643	-0.8835	0.0000	0.3643	0.8835	-0.0008	-0.0365	-0.0343
RohnHa2	0.0000	-0.3643	-0.8835	0.0000	0.3643	0.8835	-0.0045	-0.0435	0.0060
RohnIa1	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	0.0010	-0.0003	-0.0117
RohnIa2	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	0.0051	-0.0111	0.0017
SNB-Aa1	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	0.0010	-1.2984	-0.1075
SNB-Aa2	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	0.0013	-1.3002	-0.0508
SNB-Ab1	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	0.0013	-1.2330	-0.1072
SNB-Ab2	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	0.0010	-1.2355	-0.0463
SNB-Ac1	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	0.0009	-1.1686	-0.1068
SNB-Ac2	0.0000	-0.1755	-0.2575	0.0000	0.1755	0.2575	0.0015	-1.1707	-0.0420
SNB-Ba1	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	0.0008	-1.0405	-0.1055
SNB-Ba2	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	0.0015	-1.0430	-0.0336
SNB-Bb1	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	0.0012	-0.9771	-0.1047
SNB-Bb2	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	0.0011	-0.9800	-0.0236
SNB-Bc1	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	0.0008	-0.9149	-0.1037
SNB-Bc2	0.0000	-0.2194	-0.2788	0.0000	0.2194	0.2788	0.0014	-0.9177	-0.0258

SNB-Ca1	0.0000	-0.3134	-0.3714	-0.0000	0.3134	0.3714	0.0006	-0.7745	-0.1007
SNB-Ca2	0.0000	-0.3134	-0.3714	-0.0000	0.3134	0.3714	0.0017	-0.7776	-0.0177
SNB-Cb1	0.0000	-0.3134	-0.3714	-0.0000	0.3134	0.3714	0.0004	-0.6975	-0.0983
SNB-Cb2	0.0000	-0.3134	-0.3714	-0.0000	0.3134	0.3714	0.0019	-0.7007	-0.0137
SNB-Da1	0.0000	-0.3188	-0.4060	-0.0000	0.3188	0.4060	0.0003	-0.5541	-0.0919
SNB-Da2	0.0000	-0.3188	-0.4060	-0.0000	0.3188	0.4060	0.0020	-0.5576	-0.0075
SNB-Db1	0.0000	-0.3188	-0.4060	-0.0000	0.3188	0.4060	0.0001	-0.4886	-0.0876
SNB-Db2	0.0000	-0.3188	-0.4060	-0.0000	0.3188	0.4060	0.0023	-0.4923	-0.0056
SNB-Ea1	0.0000	-0.3264	-0.5363	-0.0000	0.3264	0.5363	0.0007	-0.3733	-0.0793
SNB-Ea2	0.0000	-0.3264	-0.5363	-0.0000	0.3264	0.5363	0.0018	-0.3773	-0.0018
SNB-Eb1	0.0000	-0.3264	-0.5363	-0.0000	0.3264	0.5363	0.0005	-0.3215	-0.0754
SNB-Eb2	0.0000	-0.3264	-0.5363	-0.0000	0.3264	0.5363	0.0020	-0.3256	0.0002
SNB-Fa1	0.0000	-0.4092	-0.7448	-0.0000	0.4092	0.7448	-0.0014	-0.2091	-0.0640
SNB-Fa2	0.0000	-0.4092	-0.7448	-0.0000	0.4092	0.7448	0.0038	-0.2133	0.0035
SNB-Ga1	0.0000	-0.1926	-0.8409	-0.0000	0.1926	0.8409	-0.0011	-0.1065	-0.0482
SNB-Ga2	0.0000	-0.1926	-0.8409	-0.0000	0.1926	0.8409	0.0037	-0.1112	0.0050
SNB-Ha1	0.0000	-0.3643	-0.8835	-0.0000	0.3643	0.8835	-0.0011	-0.0373	-0.0102
SNB-Ha2	0.0000	-0.3643	-0.8835	-0.0000	0.3643	0.8835	0.0042	-0.0428	0.0042
SNB-La1	0.0000	-0.3798	-0.9588	-0.0000	0.3798	0.9588	0.0004	-0.0009	-0.0107
SNB-La2	0.0000	-0.3798	-0.9588	-0.0000	0.3798	0.9588	0.0049	-0.0103	0.0013

Equilibrium Joint Positions and Rotations for Load Case "Wt-I -60 deg":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnAP	0.6659	-1.1156	-0.1114	0.0000	0.0000	0.0000	4.999	-1.156	179.9
RohnBP	0.5388	-0.9358	-0.1085	0.0000	0.0000	0.0000	5.66	-0.9358	159.9
RohnCP	0.416	-0.7237	-0.1009	0.0000	0.0000	0.0000	6.325	-0.7237	139.9
RohnDP	0.3032	-0.5281	-0.09093	0.0000	0.0000	0.0000	6.998	-0.5281	119.9
RohnEP	0.2074	-0.3627	-0.07722	0.0000	0.0000	0.0000	7.688	-0.3627	99.92
RohnFP	0.1314	-0.232	-0.06368	0.0000	0.0000	0.0000	8.399	-0.232	79.94
RohnGP	0.07246	-0.1314	-0.04911	0.0000	0.0000	0.0000	9.127	-0.1314	59.95
RohnHP	0.03042	-0.05913	-0.03387	0.0000	0.0000	0.0000	9.871	-0.05913	39.97
RohnIP	0.005408	-0.01609	-0.01674	0.0000	0.0000	0.0000	10.64	-0.01609	19.98
RohnJP	0	0	0	0.0000	0.0000	0.0000	11.42	0	0
RohnKP	0.6668	-1.1158	-0.09612	0.0000	0.0000	0.0000	3	-1.158	179.9
RohnLP	0.5397	-0.938	-0.09112	0.0000	0.0000	0.0000	3.661	-0.938	159.9
RohnMP	0.4168	-0.7254	-0.08496	0.0000	0.0000	0.0000	4.325	-0.7254	139.9
RohnNP	0.304	-0.5302	-0.07692	0.0000	0.0000	0.0000	4.999	-0.5302	119.9
RohnOP	0.2082	-0.3645	-0.06562	0.0000	0.0000	0.0000	5.689	-0.3645	99.92
RohnPP	0.1322	-0.2333	-0.05525	0.0000	0.0000	0.0000	6.4	-0.2333	79.94
RohnQP	0.07325	-0.1317	-0.04291	0.0000	0.0000	0.0000	7.128	-0.1317	59.96
RohnRP	0.03121	-0.05937	-0.02989	0.0000	0.0000	0.0000	7.872	-0.05937	39.97
RohnSP	0.006189	-0.01574	-0.01574	0.0000	0.0000	0.0000	8.634	-0.01574	19.98
RohnTP	0	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnU1	0.6708	-1.1158	-0.1142	0.0000	0.0000	0.0000	-1.496	-4.91	179.9
RohnA1	0.5665	-1.1161	-0.03254	0.0000	0.0000	0.0000	-1.5	2.591	180
RohnB1	0.544	-0.9373	-0.1087	0.0000	0.0000	0.0000	-2.017	-5.372	159.9
RohnC1	0.54	-0.7245	-0.09147	0.0000	0.0000	0.0000	-2.021	3.494	160
RohnD1	0.4215	-0.5281	-0.081549	0.0000	0.0000	0.0000	-2.533	-5.842	139.9
RohnE1	0.3083	-0.3627	-0.06105	0.0000	0.0000	0.0000	-3.039	-4.388	140
RohnF1	0.2083	-0.232	-0.04911	0.0000	0.0000	0.0000	-3.629	-6.327	119.9
RohnG1	0.1322	-0.1317	-0.03387	0.0000	0.0000	0.0000	-4.329	-8.264	120
RohnH1	0.07325	-0.1317	-0.02989	0.0000	0.0000	0.0000	-5.042	-10.64	120
RohnI1	0.03121	-0.05937	-0.02989	0.0000	0.0000	0.0000	-5.872	-13.11	99.92
RohnJ1	0.006189	-0.01574	-0.01574	0.0000	0.0000	0.0000	-6.841	-16.11	100
RohnK1	0	0	0	0.0000	0.0000	0.0000	-7.871	-19.98	100
RohnL1	0.6708	-1.1158	-0.1142	0.0000	0.0000	0.0000	-3.528	-6.327	119.9
RohnM1	0.5665	-1.1161	-0.03254	0.0000	0.0000	0.0000	-4.45	-8.264	120
RohnN1	0.544	-0.9373	-0.1087	0.0000	0.0000	0.0000	-5.042	-10.64	120
RohnO1	0.54	-0.7245	-0.09147	0.0000	0.0000	0.0000	-5.872	-13.11	99.92
RohnP1	0.4215	-0.5281	-0.081549	0.0000	0.0000	0.0000	-6.841	-16.11	100
RohnQ1	0.3083	-0.3627	-0.06105	0.0000	0.0000	0.0000	-7.871	-19.98	100
RohnR1	0.2083	-0.232	-0.04911	0.0000	0.0000	0.0000	-9.127	-22.97	100
RohnS1	0.1322	-0.1317	-0.03387	0.0000	0.0000	0.0000	-10.64	-25.98	100
RohnT1	0.07325	-0.1317	-0.02989	0.0000	0.0000	0.0000	-12.11	-28.99	100
RohnU1	0.03121	-0.05937	-0.02989	0.0000	0.0000	0.0000	-13.61	-31.99	100
RohnV1	0.006189	-0.01574	-0.01574	0.0000	0.0000	0.0000	-15.11	-34.99	100
RohnW1	0	0	0	0.0000	0.0000	0.0000	-16.61	-37.99	100
RohnX1	0.6708	-1.1158	-0.1142	0.0000	0.0000	0.0000	-18.11	-40.99	100
RohnY1	0.5665	-1.1161	-0.03254	0.0000	0.0000	0.0000	-19.61	-43.99	100
RohnZ1	0.544	-0.9373	-0.1087	0.0000	0.0000	0.0000	-21.11	-46.99	100
RohnA2	0.54	-0.7245	-0.09147	0.0000	0.0000	0.0000	-22.61	-49.99	100
RohnB2	0.4215	-0.5281	-0.081549	0.0000	0.0000	0.0000	-24.11	-52.99	100
RohnC2	0.3083	-0.3627	-0.06105	0.0000	0.0000	0.0000	-25.61	-55.99	100
RohnD2	0.2083	-0.232	-0.04911	0.0000	0.0000	0.0000	-27.11	-58.99	100
RohnE2	0.1322	-0.1317	-0.03387	0.0000	0.0000	0.0000	-28.61	-61.99	100
RohnF2	0.07325	-0.1317	-0.02989	0.0000	0.0000	0.0000	-30.11	-64.99	100
RohnG2	0.03121	-0.05937	-0.02989	0.0000	0.0000	0.0000	-31.61	-67.99	100
RohnH2	0.006189	-0.01574	-0.01574	0.0000	0.0000	0.0000	-33.11	-70.99	100
RohnI2	0	0	0	0.0000	0.0000	0.0000	-34.61	-73.99	100
RohnJ2	0.6708	-1.1158	-0.1142	0.0000	0.0000	0.0000	-36.11	-76.99	100
RohnK2	0.5665	-1.1161	-0.03254	0.0000	0.0000	0.0000	-37.61	-79.99	100
RohnL2	0.544	-0.9373	-0.1087	0.0000	0.0000	0.0000	-39.11	-82.99	100
RohnM2	0.54	-0.7245	-0.09147	0.0000	0.0000	0.0000	-40.61	-85.99	100
RohnN2	0.4215	-0.5281	-0.081549	0.0000	0.0000	0.0000	-42.11	-88.99	100
RohnO2	0.3083	-0.3627	-0.06105	0.0000	0.0000	0.0000	-43.61	-91.99	100
RohnP2	0.2083	-0.232	-0.04911	0.0000	0.0000	0.0000	-45.11	-94.99	100
RohnQ2	0.1322	-0.1317	-0.03387	0.0000	0.0000	0.0000	-46.61	-97.99	100
RohnR2	0.07325	-0.1317	-0.02989	0.0000	0.0000	0.0000	-48.11	-100.99	100
RohnS2	0.03121	-0.05937	-0.02989	0.0000	0.0000	0.0000	-49.61	-103.99	100
RohnT2	0.006189	-0.01574	-0.01574	0.0000	0.0000	0.0000	-51.11	-106.99	100
RohnU2	0	0	0	0.0000	0.0000	0.0000	-52.61	-109.99	100
RohnV2	0.6708	-1.1158	-0.1142	0.0000	0.0000	0.0000	-54.11	-112.99	100
RohnW2	0.5665	-1.1161	-0.03254	0.0000	0.0000	0.0000	-55.61	-115.99	100
RohnX2	0.544	-0.9373	-0.1087	0.0000	0.0000	0.0000	-57.11	-118.99	100
RohnY2	0.54	-0.7245	-0.09147	0.0000	0.0000	0.0000	-58.61	-121.99	100
RohnZ2	0.4215	-0.5281	-0.081549	0.0000	0.0000	0.0000	-60.11	-124.99	100
RohnA3	0.3083	-0.3627	-0.06105	0.0000	0.0000	0.0000	-61.61	-127.99	100
RohnB3	0.2083	-0.232	-0.04911	0.0000	0.0000	0.0000	-63.11	-130.99	100
RohnC3	0.1322	-0.1317	-0.03387	0.0000	0.0000	0.0000	-64.61	-133.99	100
RohnD3	0.07325	-0.1317	-0.02989	0.0000	0.0000	0.0000	-66.11	-136.99	100
RohnE3	0.03121	-0.05937	-0.02989	0.0000	0.0000	0.0000	-67.61	-139.99	100
RohnF3	0.006189	-0.01574	-0.01574	0.0000	0.0000	0.0000	-69.11	-142.99	100
RohnG3	0	0	0	0.0000	0.0000	0.0000	-70.61	-145.99	100
RohnH3	0.6708	-1.1158	-0.1142	0.0000	0.0000	0.0000	-72.11	-148.99	100
RohnI3	0.5665	-1.1161	-0.03254	0.0000	0.0000	0.0000	-73.61	-151.99	100
RohnJ3	0.544	-0.9373	-0.1087	0.0000	0.0000	0.0000	-75.11	-154.99	100
RohnK3	0.54	-0.7245	-0.09147	0.0000	0.0000	0.0000	-76.61	-157.99	100
RohnL3	0.4215	-0.5281	-0.081549	0.0000	0.0000	0.0000	-78.11	-160.99	100
RohnM3	0.3083	-0.3627	-0.06105	0.0000	0.0000	0.0000	-79.61	-163.99	100
RohnN3	0.2083	-0.232	-0.04911	0.0000	0.0000	0.0000	-81.11	-166.99	100
RohnO3	0.1322	-0.1317	-0.03387	0.0000	0.0000	0.0000	-82.61	-169.99	100
RohnP3	0.07325	-0.1317	-0.02989	0.0000	0.0000	0.0000	-84.11	-172.99	100
RohnQ3	0.03121	-0.05937	-0.02989	0.0000	0.0000	0.0000	-85.61	-175.99	100
RohnR3	0.006189	-0.01574	-0.01574	0.0000	0.0000	0.0000	-87.11	-178.99	100
RohnS3	0	0	0	0.0000	0.0000	0.0000	-88.61	-181.99	100
RohnT3	0.6708	-1.1158	-0.1142	0.0000	0.0000	0.0000	-90.11	-184.99	100
RohnU3	0.5665	-1.1161	-0.03254	0.0000	0.0000	0.0000	-91.61	-187.99	100
RohnV3	0.544	-0.9373	-0.1087	0.0000	0.0000	0.0000	-93.11	-190.99	100
RohnW3	0.54	-0.7245	-0.09147	0.0000	0.0000	0.0000	-94.61	-193.99	100
RohnX3	0.4215	-0.5281	-0.081549	0.0000	0.0000	0.0000	-96.11	-196.99	100
RohnY3	0.3083	-0.3627	-0.06105	0.0000	0.0000	0.0000	-97.61	-199.99	100
RohnZ3	0.2083	-0.232	-0.04911	0.0000	0.0000	0.0000	-99.11	-202.99	100
RohnA4	0.1322	-0.1317	-0.03387	0.0000	0.0000	0.0000	-100.61	-205.99	100
RohnB4	0.07325	-0.1317	-0.02989	0.0000	0.0000	0.0000	-102.11	-208.99	100
RohnC4	0.03121	-0.05937	-0.02989	0.0000	0.0000	0.0000	-103.61	-211.99	100
RohnD4	0.006189	-0.01574	-0.01574	0.0000	0.0000	0.0000	-105.11	-214.99	100
RohnE4	0	0	0	0.0000	0.0000	0.0000	-106.61	-217.99	100
RohnF4	0.6708	-1.1158	-0.1142	0.0000	0.0000	0.0000	-108.11	-220.99	100
RohnG4	0.5665	-1.1161	-0.03254	0.0000	0.0000	0.0000	-109.61	-223.99	100
RohnH4	0.544	-0.9373	-0.1087	0.0000	0.0000	0.0000	-111.11	-226.99	100
RohnI4	0.54	-0.7245	-0.09147	0.0000	0.0000	0.0000	-112.61	-229.99	100
RohnJ4	0.4215	-0.5281	-0.081549	0.0000	0.0000	0.0000	-114.11	-232.99	100
RohnK4	0.3083	-0.3627	-0.06105	0.0000	0.0000	0.0000	-115.61	-235.99	100
RohnL4	0.2083	-0.232	-0.04911	0.0000	0.0000	0.0000	-117.11	-238.99	100
RohnM4	0.1322	-0.1317	-0.03387	0.0000	0.0000	0.0000	-118.61	-241.99	100
RohnN4	0.07325	-0.1317	-0.02989	0.0000	0.0000	0.0000	-120.11		

SNB-Ha1 0.01732 -0.02982 -0.02269 0.0000 0.0000 0.0000 -4.1 -7.161 29.98
 SNB-Ha2 0.02184 -0.03785 -0.036405 0.0000 0.0000 0.0000 -4.095 7.091 30.01
 SNB-Ia1 0.002243 0.001067 -0.003052 0.0000 0.0000 0.0000 -4.509 -7.812 9.932
 SNB-Ia2 0.006045 -0.01047 0.002049 0.0000 0.0000 0.0000 -4.505 7.802 10

Joint Support Reactions for Load Case "W+I -60 deg":

Joint Label	X Force (kips)	X Usage %	Y Force (kips)	Y Usage %	Z Comp. Force (kips)	Z Usage %	Uplift Result. Force (kips)	Result. Force (kips)	X-M. Moment (ft-k)	Y-M. Moment (ft-k)	Z-M. Moment (ft-k)	Max. Usage %
RohnJP	-2.83	0.0	2.07	0.0	135.73	0.0	0.0	135.80	0.0	-0.00	0.0	0.0
SNB-JP	-3.67	0.0	5.33	0.0	187.44	0.0	0.0	187.44	0.0	-0.00	0.0	0.0
RohnJ1	-0.60	0.0	3.62	0.0	135.90	0.0	0.0	135.95	0.0	-0.00	0.0	0.0
RohnJ2	-10.36	0.0	18.22	0.0	306.00	0.0	0.0	207.06	0.0	-0.00	0.0	0.0
SNB-J1	-2.79	0.0	5.85	0.0	187.43	0.0	0.0	187.60	0.0	-0.00	0.0	0.0
SNB-J2	-20.89	0.0	36.19	0.0	319.95	0.0	0.0	322.66	0.0	-0.00	0.0	0.0

Joint Displacements, Loads and Member Forces on Joints for Load Case "W+I -60 deg":

Joint Label	X External Load (kips)	Y External Load (kips)	Z External Load (kips)	X Member Force (kips)	Y Member Force (kips)	Z Member Force (kips)	X Disp. (ft)	Y Disp. (ft)	Z Disp. (ft)
RohnAP	0.9285	-1.6082	-0.7139	-0.9285	1.6082	0.7139	0.6659	-1.1559	-0.1140
RohnBP	0.4763	-0.8215	-0.4763	-0.4763	0.8215	0.4763	0.5388	-0.9398	-0.1085
RohnCP	0.4173	-0.7223	-0.4173	-0.4173	0.7223	0.4173	0.4160	-0.7231	-0.1069
RohnDP	0.7017	-1.2153	-0.6907	-0.7017	1.2153	0.6907	0.3032	-0.9281	-0.0909
RohnEP	0.3102	-0.5373	-0.3102	-0.3102	0.5373	0.3102	0.2074	-0.3627	-0.0772
RohnFP	0.3954	-0.6849	-0.3954	-0.3954	0.6849	0.3954	0.1514	-0.2320	-0.0637
RohnGP	0.3953	-0.6849	-0.3953	-0.3953	0.6849	0.3953	0.1514	-0.2320	-0.0637
RohnHP	0.3640	-0.6305	-0.3640	-0.3640	0.6305	0.3640	0.1244	-0.0725	-0.0491
RohnJP	0.3579	-0.6199	-0.3579	-0.3579	0.6199	0.3579	0.1244	-0.0725	-0.0491
RohnKP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnLP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnMP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnNP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnOP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnPP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnQP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnRP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnSP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnTP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnUP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnVP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnWP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnXP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnYP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnZP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnAP	0.9285	-1.6082	-0.7139	-0.9285	1.6082	0.7139	0.6659	-1.1559	-0.1140
RohnBP	0.4763	-0.8215	-0.4763	-0.4763	0.8215	0.4763	0.5388	-0.9398	-0.1085
RohnCP	0.4173	-0.7223	-0.4173	-0.4173	0.7223	0.4173	0.4160	-0.7231	-0.1069
RohnDP	0.7017	-1.2153	-0.6907	-0.7017	1.2153	0.6907	0.3032	-0.9281	-0.0909
RohnEP	0.3102	-0.5373	-0.3102	-0.3102	0.5373	0.3102	0.2074	-0.3627	-0.0772
RohnFP	0.3954	-0.6849	-0.3954	-0.3954	0.6849	0.3954	0.1514	-0.2320	-0.0637
RohnGP	0.3953	-0.6849	-0.3953	-0.3953	0.6849	0.3953	0.1514	-0.2320	-0.0637
RohnHP	0.3640	-0.6305	-0.3640	-0.3640	0.6305	0.3640	0.1244	-0.0725	-0.0491
RohnJP	0.3579	-0.6199	-0.3579	-0.3579	0.6199	0.3579	0.1244	-0.0725	-0.0491
RohnKP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnLP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnMP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnNP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnOP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnPP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnQP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnRP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnSP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnTP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnUP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnVP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnWP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnXP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnYP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319
RohnZP	0.1827	-0.3165	-0.1827	-0.1827	0.3165	0.1827	0.0304	-0.0591	-0.0319

SNB-Ca1	0.1505	-0.2606	-0.3714	-0.1505	0.2606	0.3714	0.3705	-0.6565	-0.0826
SNB-Ca2	0.1505	-0.2606	-0.3714	-0.1505	0.2606	0.3714	0.3808	-0.6600	-0.0121
SNB-Cb1	0.1505	-0.2606	-0.3714	-0.1505	0.2606	0.3714	0.3416	-0.5310	-0.0739
SNB-Cb2	0.1505	-0.2606	-0.3714	-0.1505	0.2606	0.3714	0.3430	-0.5948	-0.0080
SNB-Da1	0.1533	-0.2656	-0.4060	-0.1533	0.2656	0.4060	0.2714	-0.4691	-0.0735
SNB-Da2	0.1533	-0.2656	-0.4060	-0.1533	0.2656	0.4060	0.2729	-0.4733	-0.0019
SNB-Db1	0.1533	-0.2656	-0.4060	-0.1533	0.2656	0.4060	0.2391	-0.4134	-0.0697
SNB-Db2	0.1533	-0.2656	-0.4060	-0.1533	0.2656	0.4060	0.2411	-0.4180	-0.0001
SNB-Ea1	0.1569	-0.2718	-0.5363	-0.1569	0.2718	0.5363	0.1837	-0.3158	-0.0624
SNB-Ea2	0.1569	-0.2718	-0.5363	-0.1569	0.2718	0.5363	0.1847	-0.3202	0.0033
SNB-Eb1	0.1569	-0.2718	-0.5363	-0.1569	0.2718	0.5363	0.1581	-0.2717	-0.0589
SNB-Eb2	0.1569	-0.2718	-0.5363	-0.1569	0.2718	0.5363	0.1595	-0.2765	0.0052
SNB-Fa1	0.1966	-0.3406	-0.7448	-0.1966	0.3406	0.7448	0.1005	-0.1755	-0.0493
SNB-Fa2	0.1966	-0.3406	-0.7448	-0.1966	0.3406	0.7448	0.1051	-0.1821	0.0078
SNB-Ga1	0.1889	-0.3271	-0.8409	-0.1889	0.3271	0.8409	0.0552	-0.0956	0.0085
SNB-Ga2	0.1889	-0.3271	-0.8409	-0.1889	0.3271	0.8409	0.0173	-0.0298	-0.0227
SNB-Ha1	0.1751	-0.3033	-0.8835	-0.1751	0.3033	0.8835	0.0218	-0.0379	0.0064
SNB-Ha2	0.1751	-0.3033	-0.8835	-0.1751	0.3033	0.8835	0.0222	0.0011	-0.0091
SNB-Ia1	0.1827	-0.3165	-0.9588	-0.1827	0.3165	0.9588	0.0060	-0.0105	0.0020
SNB-Ia2	0.1827	-0.3165	-0.9588	-0.1827	0.3165	0.9588			

Equilibrium Joint Positions and Rotations for Load Case "W+I 0 deg":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnAP	1.443	0.005998	-0.1464	0.0000	0.0000	0.0000	5.776	0.005998	179.9
RohnBP	1.17	0.006179	-0.1455	0.0000	0.0000	0.0000	6.291	0.006179	159.9
RohnCP	0.9055	0.005089	-0.1405	0.0000	0.0000	0.0000	6.815	0.005089	139.9
RohnDP	0.6623	0.004053	-0.1305	0.0000	0.0000	0.0000	7.357	0.004053	119.9
RohnEP	0.4554	0.003246	-0.1126	0.0000	0.0000	0.0000	7.936	0.003246	99.89
RohnFP	0.2906	0.002451	-0.09451	0.0000	0.0000	0.0000	8.559	0.002451	79.91
RohnGP	0.1628	0.001881	-0.07393	0.0000	0.0000	0.0000	9.218	0.001881	59.93
RohnHP	0.07129	0.001217	-0.05168	0.0000	0.0000	0.0000	9.912	0.001217	39.95
RohnIP	0.01634	0.0006227	-0.02544	0.0000	0.0000	0.0000	10.65	0.0006227	19.97
RohnJP	0	0	0	0.0000	0.0000	0.0000	11.42	0	0
RohnKP	1.444	-0.001448	-0.1142	0.0000	0.0000	0.0000	3.777	-0.001448	179.9
RohnLP	1.171	-0.001021	-0.1119	0.0000	0.0000	0.0000	4.292	-0.001021	159.9
RohnMP	0.9065	-0.0007644	-0.1053	0.0000	0.0000	0.0000	4.815	-0.0007644	139.9
RohnNP	0.6633	-0.000643	-0.09175	0.0000	0.0000	0.0000	5.358	-0.000643	119.9
RohnOP	0.4562	-0.0002646	-0.07956	0.0000	0.0000	0.0000	5.937	-0.0002646	99.91
RohnPP	0.2915	-0.0001408	-0.06304	0.0000	0.0000	0.0000	6.559	-0.0001408	79.92
RohnQP	0.1636	-6.206e-005	-0.04485	0.0000	0.0000	0.0000	7.219	-6.206e-005	59.94
RohnRP	0.07208	-1.661e-003	-0.02259	0.0000	0.0000	0.0000	7.913	-1.661e-003	39.96
RohnSP	0.01712	1.137e-006	-0.00000	0.0000	0.0000	0.0000	8.645	1.137e-006	19.98
RohnTP	0	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnU1	1.453	-0.003832	-0.0589	0.0000	0.0000	0.0000	-0.7136	-3.756	179.9
RohnU2	1.44	-0.00654	-0.05858	0.0000	0.0000	0.0000	-0.7263	-3.746	179.9
RohnB1	1.18	-0.002388	-0.0444	0.0000	0.0000	0.0000	-1.381	-4.438	160
RohnB2	1.167	-0.003395	-0.0409	0.0000	0.0000	0.0000	-1.393	-4.429	160
RohnC1	0.915	-0.001848	-0.03164	0.0000	0.0000	0.0000	-2.039	-5.119	140
RohnC2	0.905	-0.003438	-0.03137	0.0000	0.0000	0.0000	-2.049	-5.112	140
RohnD1	0.6704	-0.0003079	-0.02131	0.0000	0.0000	0.0000	-2.677	-5.798	120
RohnD2	0.6625	-0.005238	-0.02108	0.0000	0.0000	0.0000	-2.685	-5.793	120
RohnE1	0.4628	-0.0006719	-0.01476	0.0000	0.0000	0.0000	-3.278	-6.478	99.99
RohnE2	0.4567	-0.004821	-0.01459	0.0000	0.0000	0.0000	-3.284	-6.474	99.99
RohnF1	0.2978	-0.001445	-0.009233	0.0000	0.0000	0.0000	-3.836	-7.159	79.99
RohnF2	0.2932	-0.00446	-0.009112	0.0000	0.0000	0.0000	-3.841	-7.156	79.99
RohnG1	0.1702	-0.001815	-0.005282	0.0000	0.0000	0.0000	-4.357	-7.84	59.99
RohnG2	0.1668	-0.003941	-0.005204	0.0000	0.0000	0.0000	-4.361	-7.838	59.99
RohnH1	0.07829	-0.00255	-0.002426	0.0000	0.0000	0.0000	-4.842	-8.52	40
RohnH2	0.07613	-0.003856	-0.00238	0.0000	0.0000	0.0000	-4.844	-8.519	40
RohnI1	0.02284	-0.002593	-0.001409	0.0000	0.0000	0.0000	-5.292	-9.203	20
RohnI2	0.02177	-0.003224	-0.001391	0.0000	0.0000	0.0000	-5.293	-9.203	20
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-5.71	-9.89	0
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-5.71	-9.89	0
RohnA1	1.446	-0.0007347	-0.06649	0.0000	0.0000	0.0000	0.2794	-2.021	179.9
RohnA2	1.446	-0.002305	-0.06639	0.0000	0.0000	0.0000	0.2794	-2.018	179.9
RohnB1	1.173	-6.489e-005	-0.05182	0.0000	0.0000	0.0000	-0.3872	-2.703	159.9
RohnB2	1.173	-0.002152	-0.05173	0.0000	0.0000	0.0000	-0.3872	-2.701	159.9
RohnC1	0.9093	0.000559	-0.03835	0.0000	0.0000	0.0000	-1.045	-3.384	140
RohnC2	0.9092	-0.002128	-0.03825	0.0000	0.0000	0.0000	-1.045	-3.382	140
RohnD1	0.6664	-0.001106	-0.02713	0.0000	0.0000	0.0000	-1.681	-4.065	120
RohnD2	0.6664	-0.002146	-0.02704	0.0000	0.0000	0.0000	-1.681	-4.064	120
RohnE1	0.4596	-0.002239	-0.01961	0.0000	0.0000	0.0000	-2.281	-4.745	99.98
RohnE2	0.4596	-0.002239	-0.01961	0.0000	0.0000	0.0000	-2.281	-4.744	99.98
RohnF1	0.2953	-0.001959	-0.01238	0.0000	0.0000	0.0000	-2.839	-5.426	79.99
RohnF2	0.2953	-0.002332	-0.01232	0.0000	0.0000	0.0000	-2.839	-5.426	79.99
RohnG1	0.1678	-0.002295	-0.007405	0.0000	0.0000	0.0000	-3.36	-6.108	59.99
RohnG2	0.1678	-0.00248	-0.007364	0.0000	0.0000	0.0000	-3.36	-6.107	59.99
RohnH1	0.0767	-0.002561	-0.00353	0.0000	0.0000	0.0000	-3.844	-6.788	40
RohnH2	0.07668	-0.002636	-0.003503	0.0000	0.0000	0.0000	-3.844	-6.788	40
RohnI1	0.02144	0.0025	-0.001647	0.0000	0.0000	0.0000	-4.293	-7.47	20
RohnI2	0.02143	-0.002518	-0.001636	0.0000	0.0000	0.0000	-4.293	-7.47	20
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-4.708	-8.154	0
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-4.708	-8.154	0
RohnA5	1.775	0.006074	-0.1466	0.0000	0.0000	0.0000	5.905	0.006074	174.9
RohnA6	1.775	0.006672	-0.1466	0.0000	0.0000	0.0000	6.033	0.006672	164.9
RohnA7	1.238	0.006212	-0.1461	0.0000	0.0000	0.0000	5.162	0.006212	154.9
RohnA8	1.103	0.005805	-0.1448	0.0000	0.0000	0.0000	4.521	0.005805	144.9
RohnA9	1.036	0.0055	-0.1438	0.0000	0.0000	0.0000	3.982	0.0055	134.9
RohnB3	0.9702	0.005087	-0.1424	0.0000	0.0000	0.0000	3.462	0.005087	124.9
RohnC3	0.8272	0.004707	-0.1379	0.0000	0.0000	0.0000	2.983	0.004707	114.9
RohnC4	0.7407	0.00435	-0.1346	0.0000	0.0000	0.0000	2.516	0.00435	104.9
RohnD3	0.589	0.003813	-0.1254	0.0000	0.0000	0.0000	2.046	0.003813	94.9
RohnD4	0.5389	0.003456	-0.1194	0.0000	0.0000	0.0000	1.579	0.003456	84.9
RohnE3	0.3972	0.003019	-0.1071	0.0000	0.0000	0.0000	1.114	0.003019	74.9

RohrEHS 0.3422 0.002771 -0.1011 0.0000 0.0000 0.0000 8.348 0.002771 86.56
RohrFAS 0.2239 0.002211 -0.08477 0.0000 0.0000 0.0000 8.885 0.002211 69.92
RohrGAS 0.1144 0.001559 -0.36324 0.0000 0.0000 0.0000 9.562 0.001559 49.34
RohrHAS 0.04058 0.000924 -0.25901 0.0000 0.0000 0.0000 10.78 0.000924 25.86
RohrIAS 0.003134 0.0003144 -0.0133 0.0000 0.0000 0.0000 11.03 0.0003144 1.987
SNB-FAS 1.336 -0.001403 -0.1145 0.0000 0.0000 0.0000 3.306 -0.001403 174.9
SNB-ABS 1.307 -0.001188 -0.1146 0.0000 0.0000 0.0000 4.034 -0.001188 164.9
SNB-ACS 1.239 -0.0009464 -0.114 0.0000 0.0000 0.0000 4.163 -0.0009464 154.9
SNB-BDS 1.104 -0.0008302 -0.1135 0.0000 0.0000 0.0000 4.551 -0.0008302 149.9
SNB-BGS 0.9712 -0.0007887 -0.1128 0.0000 0.0000 0.0000 4.682 -0.0007887 144.9
SNB-CBS 0.8231 -0.0006191 -0.1103 0.0000 0.0000 0.0000 4.993 -0.0006191 133.2
SNB-CBS 0.7417 -0.0005113 -0.1081 0.0000 0.0000 0.0000 5.175 -0.0005113 126.6
SNB-DAS 0.59 -0.0003773 -0.1016 0.0000 0.0000 0.0000 5.547 -0.0003773 113.2
SNB-DAS 0.5208 -0.0003114 -0.09701 0.0000 0.0000 0.0000 5.74 -0.0003114 106.6
SNB-EAS 0.398 -0.0002173 -0.08408 0.0000 0.0000 0.0000 6.141 -0.0002173 93.25
SNB-EBS 0.3431 -0.0001751 -0.08408 0.0000 0.0000 0.0000 6.349 -0.0001751 86.58
SNB-FAS 0.2247 -0.0001336 -0.07176 0.0000 0.0000 0.0000 6.886 -0.0001336 69.93
SNB-GAS 0.1152 -0.0000609 -0.07176 0.0000 0.0000 0.0000 7.563 -0.0000609 49.95
SNB-HAS 0.04137 -0.000006 -0.03421 0.0000 0.0000 0.0000 8.276 -0.000006 29.97
SNB-IAS 0.003134 0.0003144 -0.0133 0.0000 0.0000 0.0000 9.023 0.0003144 1.988
RohrAa1 1.385 -0.003914 -0.05516 0.0000 0.0000 0.0000 -0.8799 -3.327 174.9
RohrAa2 1.371 -0.003714 -0.0548 0.0000 0.0000 0.0000 -0.8937 3.916 174.9
RohrAb1 1.316 -0.003456 -0.05147 0.0000 0.0000 0.0000 -1.048 -4.097 169.9
RohrAb2 1.303 -0.003296 -0.05111 0.0000 0.0000 0.0000 -1.061 -4.087 169.9
RohrAc1 1.248 -0.003165 -0.04791 0.0000 0.0000 0.0000 -1.214 -4.268 165
RohrAc2 1.235 -0.0030687 -0.04754 0.0000 0.0000 0.0000 -1.227 -4.258 165
RohrBa1 1.112 -0.0021179 -0.04102 0.0000 0.0000 0.0000 -1.547 -4.608 155
RohrBa2 1.1 -0.0020609 -0.04069 0.0000 0.0000 0.0000 -1.559 4.599 155
RohrBb1 1.046 -0.002854 -0.03775 0.0000 0.0000 0.0000 -1.711 -4.779 150
RohrBb2 1.035 -0.002826 -0.03744 0.0000 0.0000 0.0000 -1.722 4.771 150
RohrBc1 0.9779 -0.001143 -0.03455 0.0000 0.0000 0.0000 -1.878 -4.948 145
RohrBc2 0.9676 -0.0006456 -0.03426 0.0000 0.0000 0.0000 -1.888 -4.94 145
RohrCa1 0.8309 -0.001325 -0.02784 0.0000 0.0000 0.0000 -2.255 -5.345 133.3
RohrCa2 0.8214 -0.0005452 -0.02758 0.0000 0.0000 0.0000 -2.264 5.339 133.3
RohrCb1 0.748 -0.0002396 -0.02436 0.0000 0.0000 0.0000 -2.469 -5.572 126.6
RohrCb2 0.7393 -0.0005905 -0.02411 0.0000 0.0000 0.0000 -2.477 5.565 126.6
RohrDa1 0.596 -0.0003519 -0.01867 0.0000 0.0000 0.0000 -2.882 -6.024 113.3
RohrDa2 0.5896 -0.0005456 -0.01845 0.0000 0.0000 0.0000 -2.89 6.019 113.3
RohrDb1 0.5262 -0.0009119 -0.01648 0.0000 0.0000 0.0000 -3.083 -6.251 106.6
RohrDb2 0.5194 -0.0005335 -0.01629 0.0000 0.0000 0.0000 -3.09 6.247 106.6
RohrEa1 0.4036 -0.001337 -0.01263 0.0000 0.0000 0.0000 -3.468 -6.704 93.33
RohrEa2 0.398 -0.005104 -0.01248 0.0000 0.0000 0.0000 -3.474 6.701 93.33
RohrEb1 0.3482 -0.001758 -0.01078 0.0000 0.0000 0.0000 -3.655 -6.932 86.65
RohrEb2 0.3431 -0.005151 -0.01065 0.0000 0.0000 0.0000 -3.66 6.928 86.65
RohrFa1 0.2263 -0.001889 -0.006935 0.0000 0.0000 0.0000 -4.104 -7.497 69.99
RohrFa2 0.2223 -0.006445 -0.006837 0.0000 0.0000 0.0000 -4.108 7.495 69.99
RohrGa1 0.1117 -0.004555 -0.003612 0.0000 0.0000 0.0000 -4.607 -8.178 50
RohrGa2 0.114 -0.006265 -0.003551 0.0000 0.0000 0.0000 -4.61 8.176 50
RohrHa1 0.04269 -0.005544 -0.001732 0.0000 0.0000 0.0000 -5.075 -8.859 30
RohrHa2 0.04107 -0.00651 -0.001701 0.0000 0.0000 0.0000 -5.077 8.858 30
RohrIa1 0.007095 -0.007605 -0.000868 0.0000 0.0000 0.0000 -5.505 -9.541 9.999
RohrIa2 0.006554 -0.007929 -0.0008595 0.0000 0.0000 0.0000 -5.506 9.54 9.999
SNB-Aa1 1.378 -0.0004939 -0.05274 0.0000 0.0000 0.0000 0.1126 -2.192 174.9
SNB-Aa2 1.377 -0.002364 -0.05263 0.0000 0.0000 0.0000 0.1124 2.189 174.9
SNB-Ab1 1.309 -0.0003931 -0.05901 0.0000 0.0000 0.0000 -0.05453 -2.362 169.9
SNB-Ab2 1.300 -0.002319 -0.05891 0.0000 0.0000 0.0000 -0.05447 -2.359 169.9
SNB-Ac1 1.241 -0.002316 -0.05536 0.0000 0.0000 0.0000 -0.2212 -2.532 164.9
SNB-Ac2 1.241 -0.002316 -0.05536 0.0000 0.0000 0.0000 -0.2214 -2.532 164.9
SNB-Ba1 1.106 -0.0003333 -0.04819 0.0000 0.0000 0.0000 -0.7552 -2.873 155
SNB-Ba2 1.106 -0.002364 -0.04819 0.0000 0.0000 0.0000 -0.7553 2.871 155
SNB-Bb1 1.038 -0.0002364 -0.04466 0.0000 0.0000 0.0000 -0.7119 -3.043 150
SNB-Bb2 1.038 -0.002364 -0.04466 0.0000 0.0000 0.0000 -0.7119 3.042 150
SNB-Bc1 0.9753 -0.0005718 -0.04154 0.0000 0.0000 0.0000 -0.8823 -3.212 145
SNB-Bc2 0.9732 -0.002272 -0.04144 0.0000 0.0000 0.0000 -0.8824 3.212 145
SNB-Ca1 0.8249 -0.001182 -0.03429 0.0000 0.0000 0.0000 -1.56 -3.609 133.3
SNB-Ca2 0.8248 -0.002348 -0.03419 0.0000 0.0000 0.0000 -1.56 3.607 133.3
SNB-Cb1 0.7433 -0.001534 -0.03053 0.0000 0.0000 0.0000 -1.473 -3.836 126.6
SNB-Cb2 0.7432 -0.002739 -0.03044 0.0000 0.0000 0.0000 -1.473 3.836 126.6
SNB-Da1 0.5916 -0.001967 -0.02042 0.0000 0.0000 0.0000 -1.887 -4.291 113.3
SNB-Da2 0.5915 -0.002853 -0.02411 0.0000 0.0000 0.0000 -1.887 4.291 113.3
SNB-Db1 0.522 -0.002389 -0.02171 0.0000 0.0000 0.0000 -2.088 -4.518 106.6
SNB-Db2 0.522 -0.003144 -0.02163 0.0000 0.0000 0.0000 -2.088 4.517 106.6
SNB-Ea1 0.4006 -0.002144 -0.01656 0.0000 0.0000 0.0000 -2.471 -4.972 93.32
SNB-Ea2 0.4006 -0.00268 -0.01689 0.0000 0.0000 0.0000 -2.471 4.971 93.32
SNB-Eb1 0.3454 -0.002461 -0.01454 0.0000 0.0000 0.0000 -2.658 -5.199 86.65
SNB-Eb2 0.3454 -0.002906 -0.01447 0.0000 0.0000 0.0000 -2.658 5.199 86.65
SNB-Fa1 0.2236 -0.004526 -0.0096 0.0000 0.0000 0.0000 -3.107 -5.765 69.99
SNB-Fa2 0.2236 -0.004792 -0.00955 0.0000 0.0000 0.0000 -3.107 5.764 69.99
SNB-Ga1 0.1149 -0.00473 -0.005218 0.0000 0.0000 0.0000 -3.609 -6.445 49.99
SNB-Ga2 0.1149 -0.004453 -0.005184 0.0000 0.0000 0.0000 -3.609 6.445 49.99

SNB-Ia1 0.04131 0.005439 -0.002392 0.0000 0.0000 0.0000 -4.076 -7.126 30
 SNB-Ia2 0.0413 -0.002373 0.0000 0.0000 0.0000 -4.076 7.126 30
 SNB-Ia1 0.006 -0.00702 -0.000994 0.0000 0.0000 -4.505 -7.806 9.959
 SNB-Ia2 0.005996 -0.007025 -0.000986 0.0000 0.0000 -4.505 7.806 9.959

Joint Support Reactions for Load Case "W+I 0 deg":

Joint Label	X Force Usage (kips)	X Force Usage %	Y Force Usage (kips)	Y Force Usage %	Z Comp. Usage (kips)	Z Comp. Usage %	Result. Force Usage (kips)	Result. Force Usage %	X-Moment Usage (ft-k)	Y-Moment Usage (ft-k)	Z-Moment Usage (ft-k)	Max. Usage %
RohnJP	-12.68	0.0	-0.31	0.0	271.39	0.0	0.0	271.69	0.0	-0.00	0.0	0.0
SNB-JF	-22.47	0.0	-0.01	0.0	389.92	0.0	0.0	390.57	0.0	-0.00	0.0	0.0
RohnJ1	-9.36	0.0	-10.77	0.0	-102.76	0.0	0.0	103.75	0.0	-0.00	0.0	0.0
RohnJ2	-8.80	0.0	11.09	0.0	-103.00	0.0	0.0	103.97	0.0	-0.00	0.0	0.0
SNB-J1	-19.29	0.0	-21.75	0.0	-167.39	0.0	0.0	169.90	0.0	-0.00	0.0	0.0
SNB-J2	-19.27	0.0	21.75	0.0	-167.64	0.0	0.0	170.14	0.0	-0.00	0.0	0.0

Joint Displacements, Loads and Member Forces on Joints for Load Case "W+I 0 deg":

Joint Label	External X Load (kips)	External Y Load (kips)	External Z Load (kips)	Member X Force (kips)	Member Y Force (kips)	Member Z Force (kips)	Member X Disp. (ft)	Member Y Disp. (ft)	Member Z Disp. (ft)
RohnAF	1.8823	0.0000	-0.7199	-1.8824	0.0000	0.7199	1.4432	0.0060	-0.1464
RohnBP	1.0064	0.0000	-0.7659	-1.0064	0.0000	0.7659	1.1699	0.0062	-0.1455
RohnCP	0.9163	0.0000	-0.8907	-0.9163	0.0000	0.8907	0.9055	0.0051	-0.1405
RohnDP	1.5019	0.0000	-1.6173	-1.5019	0.0000	1.6173	0.6623	0.0041	-0.1305
RohnEP	0.7195	0.0000	-0.9422	-0.7195	0.0000	0.9422	0.4554	0.0032	-0.1126
RohnFP	0.9047	0.0000	-1.3026	-0.9047	0.0000	1.3026	0.2906	0.0025	-0.0945
RohnGP	0.9218	0.0000	-1.6057	-0.9218	0.0000	1.6057	0.1628	0.0019	-0.0739
RohnHP	0.8439	0.0000	-1.7244	-0.8439	0.0000	1.7244	0.0713	0.0012	-0.0517
RohnIF	0.8295	0.0000	-1.8423	-0.8295	0.0000	1.8423	0.0163	0.0006	-0.0254
RohnJP	0.4229	0.0000	-0.9588	-0.4229	0.0000	0.9588	0.0000	0.0000	0.0000
SNB-AP	0.1945	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.4442	-0.0014	-0.1142
SNB-BP	0.4382	0.0000	-0.5363	-0.4382	0.0000	0.5363	1.1710	-0.0010	-0.1112
SNB-CP	0.5944	0.0000	-0.6503	-0.5944	0.0000	0.6503	0.9055	-0.0007	-0.1119
SNB-DP	0.7051	0.0000	-0.7774	-0.7051	0.0000	0.7774	0.6633	-0.0005	-0.1053
SNB-EP	0.7195	0.0000	-0.9422	-0.7195	0.0000	0.9422	0.4552	-0.0003	-0.0918
SNB-FP	0.8210	0.0000	-1.2811	-0.8210	0.0000	1.2811	0.2915	-0.0001	-0.0796
SNB-GP	0.8942	0.0000	-1.5857	-0.8942	0.0000	1.5857	0.1636	-0.0001	-0.0630
SNB-HP	0.8439	0.0000	-1.7244	-0.8439	0.0000	1.7244	0.0721	-0.0000	-0.0418
SNB-IP	0.8295	0.0000	-1.8423	-0.8295	0.0000	1.8423	0.0171	0.0000	-0.0236
SNB-JP	0.4229	0.0000	-0.9588	-0.4229	0.0000	0.9588	0.0000	0.0000	0.0000
RohnA1	1.5855	0.0000	-0.7245	-1.5855	0.0000	0.7245	1.4536	-0.0038	-0.0989
RohnA2	1.6481	0.0000	-0.6973	-1.6481	0.0000	0.6973	1.4462	-0.0035	-0.0586
RohnB1	0.7437	0.0000	-1.0311	-0.7437	0.0000	1.0311	0.4709	-0.0033	-0.0444
RohnB2	0.5112	0.0000	-0.6313	-0.5112	0.0000	0.6313	0.3675	-0.0024	-0.0316
RohnC1	0.8321	0.0000	-1.2707	-0.8321	0.0000	1.2707	0.4150	-0.0018	-0.0316
RohnC2	0.8862	0.0000	-1.3862	-0.8862	0.0000	1.3862	0.3059	-0.0034	-0.0314
RohnD1	1.5019	0.0000	-1.6173	-1.5019	0.0000	1.6173	0.6704	-0.0003	-0.0213
RohnD2	1.5019	0.0000	-1.6173	-1.5019	0.0000	1.6173	0.6704	-0.0003	-0.0213
RohnE1	0.7195	0.0000	-0.9422	-0.7195	0.0000	0.9422	0.4625	-0.0007	-0.0149
RohnE2	0.7195	0.0000	-0.9422	-0.7195	0.0000	0.9422	0.4625	-0.0007	-0.0149
RohnF1	1.0065	0.0000	-1.3521	-1.0065	0.0000	1.3521	0.5557	-0.0014	-0.0046
RohnF2	1.0065	0.0000	-1.3521	-1.0065	0.0000	1.3521	0.5557	-0.0014	-0.0046
RohnG1	0.8942	0.0000	-1.5857	-0.8942	0.0000	1.5857	0.1702	-0.0018	-0.0053
RohnG2	0.8942	0.0000	-1.5857	-0.8942	0.0000	1.5857	0.1668	-0.0019	-0.0052
RohnH1	0.8439	0.0000	-1.7244	-0.8439	0.0000	1.7244	0.0783	-0.0019	-0.0024
RohnH2	0.8439	0.0000	-1.7244	-0.8439	0.0000	1.7244	0.0783	-0.0019	-0.0024
RohnI1	0.8295	0.0000	-1.8423	-0.8295	0.0000	1.8423	0.0228	-0.0019	-0.0014
RohnJ1	0.8527	0.0000	-1.9623	-0.8527	0.0000	1.9623	0.0218	-0.0012	-0.0014
RohnJ2	0.4229	0.0000	-0.9588	-0.4229	0.0000	0.9588	0.0000	0.0000	0.0000
SNB-A1	0.1945	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.4459	-0.0007	-0.0665
SNB-A2	0.4382	0.0000	-0.5363	-0.4382	0.0000	0.5363	1.1733	-0.0001	-0.0517
SNB-B1	0.4382	0.0000	-0.5363	-0.4382	0.0000	0.5363	1.1733	-0.0001	-0.0517
SNB-B2	0.4382	0.0000	-0.5363	-0.4382	0.0000	0.5363	1.1733	-0.0001	-0.0517
SNB-C1	0.5944	0.0000	-0.6503	-0.5944	0.0000	0.6503	0.9033	-0.0006	-0.0383
SNB-C2	0.5944	0.0000	-0.6503	-0.5944	0.0000	0.6503	0.9033	-0.0006	-0.0383
SNB-D1	0.7051	0.0000	-0.7774	-0.7051	0.0000	0.7774	0.6664	-0.0011	-0.0342
SNB-D2	0.7051	0.0000	-0.7774	-0.7051	0.0000	0.7774	0.6664	-0.0011	-0.0342
SNB-E1	0.7195	0.0000	-0.9422	-0.7195	0.0000	0.9422	0.4596	-0.0016	-0.0197
SNB-E2	0.7195	0.0000	-0.9422	-0.7195	0.0000	0.9422	0.4596	-0.0016	-0.0196
SNB-F1	0.8210	0.0000	-1.2811	-0.8210	0.0000	1.2811	0.2953	-0.0020	-0.0124
SNB-F2	0.8210	0.0000	-1.2811	-0.8210	0.0000	1.2811	0.2953	-0.0020	-0.0123
SNB-G1	0.8942	0.0000	-1.5857	-0.8942	0.0000	1.5857	0.1678	-0.0023	-0.0074
SNB-G2	0.8942	0.0000	-1.5857	-0.8942	0.0000	1.5857	0.1678	-0.0023	-0.0074
SNB-H1	0.8439	0.0000	-1.7244	-0.8439	0.0000	1.7244	0.0767	-0.0026	-0.0035

SNB-H2	0.8439	0.0000	0.0000	-1.7244	-0.8439	0.0000	1.7244	0.0767	-0.0026	-0.0035
SNB-I1	0.8295	0.0000	0.0000	-1.8423	-0.8295	0.0000	1.8423	0.0214	0.0025	-0.0016
SNB-I2	0.8295	0.0000	0.0000	-1.8423	-0.8295	0.0000	1.8423	0.0214	-0.0025	-0.0016
SNB-J1	0.4229	0.0000	0.0000	-0.9588	18.8670	21.7471	168.3504	0.0000	0.0000	0.0000
SNB-J2	0.4229	0.0000	0.0000	-0.9588	18.8486	-21.7506	168.6008	0.0000	0.0000	0.0000
RohnAAS	0.2686	0.0000	0.0000	-0.2802	-0.2686	0.0000	0.2802	1.3246	0.0061	-0.1466
RohnBAS	0.1945	0.0000	0.0000	-0.4575	-0.4566	0.0000	0.4575	1.3062	0.0067	-0.1466
RohnCAS	0.2437	0.0000	0.0000	-0.2675	-0.1945	0.0000	0.2575	1.2378	0.0062	-0.1461
RohnDAS	0.1925	0.0000	0.0000	-1.2538	-0.2438	0.0000	0.2788	1.1029	0.0038	-0.1448
RohnEAS	0.2437	0.0000	0.0000	-0.2788	-1.9025	0.0000	1.2538	1.0358	0.0035	-0.1438
RohnFAS	1.9206	0.0000	0.0000	-1.0682	-1.9307	0.0000	1.0682	0.9702	0.0031	-0.1424
RohnGAS	0.3507	0.0000	0.0000	-0.3714	-0.3507	0.0000	0.3714	0.8221	0.0047	-0.1379
RohnHAS	0.3534	0.0000	0.0000	-0.4060	-0.3534	0.0000	0.4060	0.5890	0.0038	-0.1346
RohnIAS	0.3534	0.0000	0.0000	-0.4060	-0.3534	0.0000	0.4060	0.5199	0.0036	-0.1254
RohnJAS	0.3534	0.0000	0.0000	-0.4060	-0.3534	0.0000	0.4060	0.5199	0.0036	-0.1194
RohnKAS	0.3641	0.0000	0.0000	-0.5363	-0.3641	0.0000	0.5363	0.3972	0.0030	-0.1071
RohnLAS	0.3641	0.0000	0.0000	-0.5363	-0.3641	0.0000	0.5363	0.3422	0.0028	-0.1011
RohnMAS	0.4569	0.0000	0.0000	-0.7448	-0.4569	0.0000	0.7448	0.2239	0.0022	-0.0848
RohnNAS	0.4065	0.0000	0.0000	-0.8409	-0.4373	0.0000	0.8409	0.1144	0.0016	-0.0632
RohnOAS	0.4065	0.0000	0.0000	-0.8409	-0.4373	0.0000	0.8409	0.1144	0.0016	-0.0632
RohnPAS	0.4229	0.0000	0.0000	-0.9588	-0.4065	0.0000	0.9588	0.0012	0.0003	-0.0390
RohnQAS	0.4229	0.0000	0.0000	-0.9588	-0.4065	0.0000	0.9588	0.0012	0.0003	-0.0390
RohnRAS	0.1945	0.0000	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.3756	-0.0014	-0.1145
RohnSAS	0.1945	0.0000	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.3756	-0.0014	-0.1145
RohnTAS	0.1945	0.0000	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.3756	-0.0014	-0.1145
RohnUAS	0.2437	0.0000	0.0000	-0.2788	-0.2437	0.0000	0.2788	1.2389	-0.0012	-0.1145
RohnVAS	0.2437	0.0000	0.0000	-0.2788	-0.2437	0.0000	0.2788	1.2389	-0.0012	-0.1145
RohnWAS	0.2437	0.0000	0.0000	-0.2788	-0.2437	0.0000	0.2788	1.2389	-0.0012	-0.1145
RohnXAS	0.2437	0.0000	0.0000	-0.2788	-0.2437	0.0000	0.2788	1.2389	-0.0012	-0.1145
RohnYAS	0.3507	0.0000	0.0000	-0.3714	-0.3506	0.0000	0.3714	0.8231	-0.0006	-0.1103
RohnZAS	0.3507	0.0000	0.0000	-0.3714	-0.3506	0.0000	0.3714	0.8231	-0.0006	-0.1103
SNB-DAS	0.3554	0.0000	0.0000	-0.4060	-0.3554	-0.0000	0.4060	0.5900	-0.0004	-0.1016
SNB-EAS	0.3554	0.0000	0.0000	-0.4060	-0.3554	-0.0000	0.4060	0.5208	-0.0003	-0.0970
SNB-FAS	0.3641	0.0000	0.0000	-0.5363	-0.3641	-0.0000	0.5363	0.3980	-0.0002	-0.0882
SNB-GAS	0.3641	0.0000	0.0000	-0.5363	-0.3641	-0.0000	0.5363	0.3431	-0.0002	-0.0841
SNB-HAS	0.4569	0.0000	0.0000	-0.7448	-0.4569	-0.0000	0.7448	0.2247	-0.0001	-0.0718
SNB-IAS	0.4373	0.0000	0.0000	-0.8409	-0.4373	-0.0000	0.8409	0.1152	-0.0000	-0.0544
SNB-JAS	0.4065	0.0000	0.0000	-0.8835	-0.4065	-0.0000	0.8835	0.0414	-0.0000	-0.0342
SNB-KAS	0.4065	0.0000	0.0000	-0.8835	-0.4065	-0.0000	0.8835	0.0414	-0.0000	-0.0342
SNB-LAS	0.4229	0.0000	0.0000	-0.9588	-0.4229	0.0000	0.9588	0.0020	0.0000	-0.0121
RohnA1	1.2795	0.0000	0.0000	-0.4775	-1.2795	0.0000	0.4775	1.3851	-0.0039	-0.0552
RohnA2	0.2686	0.0000	0.0000	-0.2602	-0.2686	0.0000	0.2602	1.3713	-0.0067	-0.0548
RohnA3	0.2687	0.0000	0.0000	-0.2675	-0.2687	0.0000	0.2675	1.3159	-0.0035	-0.0515
RohnA4	0.1945	0.0000	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.3027	-0.0068	-0.0511
RohnA5	0.1945	0.0000	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.2482	-0.0034	-0.0479
RohnA6	0.9450	0.0000	0.0000	-0.3675	-0.9450	-0.0000	0.3675	1.2347	-0.0067	-0.0475
RohnA7	0.2437	0.0000	0.0000	-0.2788	-0.2437	-0.0000	0.2788	1.1117	-0.0022	-0.0410
RohnB1	0.2437	0.0000	0.0000	-0.2788	-0.2437	-0.0000	0.2788	1.0999	-0.0066	-0.0407
RohnB2	1.8570	0.0000	0.0000	-1.2338	-1.8570	0.0000	1.2338	1.0464	-0.0029	-0.0377
RohnB3	1.8570	0.0000	0.0000	-1.2338	-1.8570	0.0000	1.2338	1.0354	-0.0053	-0.0374
RohnB4	0.2969	0.0000	0.0000	-0.3538	-0.2969	0.0000	0.3538	0.9779	-0.0011	-0.0345
RohnB5	0.2437	0.0000	0.0000	-0.2788	-0.2437	-0.0000	0.2788	0.9676	-0.0065	-0.0343
RohnC1	2.1363	0.0000	0.0000	-1.1156	-2.1363	0.0000	1.1156	0.8309	-0.0013	-0.0278
RohnC2	1.9306	0.0000	0.0000	-1.0682	-1.9306	0.0000	1.0682	0.8214	-0.0055	-0.0276
RohnC3	0.3507	0.0000	0.0000	-0.3714	-0.3507	0.0000	0.3714	0.7480	-0.0002	-0.0244
RohnC4	0.3507	0.0000	0.0000	-0.3714	-0.3507	0.0000	0.3714	0.7393	-0.0059	-0.0241
RohnD1	0.4843	0.0000	0.0000	-0.4960	-0.4843	0.0000	0.4960	0.5860	0.0004	-0.0187
RohnD2	0.3554	0.0000	0.0000	-0.4060	-0.3554	0.0000	0.4060	0.5886	-0.0055	-0.0184
RohnD3	0.4041	0.0000	0.0000	-0.4810	-0.4041	0.0000	0.4810	0.5262	0.0009	-0.0165
RohnD4	0.3554	0.0000	0.0000	-0.4060	-0.3554	0.0000	0.4060	0.5194	-0.0055	-0.0163
RohnE1	0.3641	0.0000	0.0000	-0.5363	-0.3641	0.0000	0.5363	0.4036	0.0013	-0.0126
RohnE2	0.3641	0.0000	0.0000	-0.5363	-0.3641	0.0000	0.5363	0.3980	-0.0051	-0.0125
RohnE3	0.4100	0.0000	0.0000	-0.6113	-0.4100	0.0000	0.6113	0.3482	0.0018	-0.0108
RohnE4	0.3641	0.0000	0.0000	-0.5363	-0.3641	0.0000	0.5363	0.3431	-0.0052	-0.0106
RohnF1	0.4569	0.0000	0.0000	-0.7448	-0.4569	0.0000	0.7448	0.2253	0.0003	-0.0063
RohnF2	0.4569	0.0000	0.0000	-0.7448	-0.4569	0.0000	0.7448	0.2223	0.0004	-0.0068
RohnG1	0.3373	0.0000	0.0000	-0.8409	-0.4373	0.0000	0.8409	0.1167	0.0006	-0.0036
RohnG2	0.4373	0.0000	0.0000	-0.8409	-0.4373	0.0000	0.8409	0.1140	-0.0063	-0.0036
RohnH1	0.4065	0.0000	0.0000	-0.8835	-0.4065	0.0000	0.8835	0.0427	0.0005	-0.0017
RohnH2	0.4065	0.0000	0.0000	-0.8835	-0.4065	0.0000	0.8835	0.0411	-0.0065	-0.0017
RohnI1	0.4229	0.0000	0.0000	-0.9588	-0.4229	0.0000	0.9588	0.0071	0.0003	-0.0009
RohnI2	0.4229	0.0000	0.0000	-0.9588	-0.4229	0.0000	0.9588	0.0066	-0.0006	-0.0009
SNB-Aa1	0.1945	0.0000	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.3776	-0.0005	-0.0627
SNB-Aa2	0.1945	0.0000	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.3774	-0.0023	-0.0626
SNB-Ab1	0.1945	0.0000	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.3090	-0.0004	-0.0590
SNB-Ab2	0.1945	0.0000	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.3090	-0.0022	-0.0589
SNB-Ac1	0.1945	0.0000	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.2406	-0.0000	-0.0544
SNB-Ac2	0.1945	0.0000	0.0000	-0.2575	-0.1945	0.0000	0.2575	1.2406	-0.0023	-0.0553
SNB-Ba1	0.2437	0.0000	0.0000	-0.2788	-0.2437	0.0000	0.2788	1.1057	0.0003	-0.0483
SNB-Ba2	0.2437	0.0000	0.0000	-0.2788	-0.2437	0.0000	0.2788	1.1056	-0.0024	-0.0482
SNB-Bb1	0.2437	0.0000	0.0000	-0.2788	-0.2437	0.0000	0.2788	1.0394	0.0003	-0.0449
SNB-Bb2	0.2437	0.0000	0.0000	-0.2788	-0.2437	0.0000	0.2788	1.0393	-0.0021	-0.0448
SNB-Bc1	0.2437	0.0000	0.0000	-0.2788	-0.2437	0.0000	0.2788	0.9733	0.0006	-0.0415
SNB-Bc2	0.2437	0.0000	0.0000	-0.2788	-0.2437	0.0000	0.2788	0.9732	-0.0023	-0.0414

SNB-Ca1	0.3507	-0.3714	-0.3507	-0.0000	0.3714	0.8249	0.0012	-0.0343
SNB-Ca2	0.3507	-0.3714	-0.3507	0.0000	0.3714	0.8248	-0.0025	-0.0342
SNB-Cb1	0.3507	-0.3714	-0.3507	-0.0000	0.3714	0.7433	0.0015	-0.0305
SNB-Cb2	0.3507	-0.3714	-0.3507	0.0000	0.3714	0.7432	-0.0027	-0.0304
SNB-Da1	0.3554	-0.4060	-0.3554	-0.0000	0.4060	0.5916	0.0020	-0.0242
SNB-Da2	0.3554	-0.4060	-0.3554	0.0000	0.4060	0.5915	-0.0029	-0.0241
SNB-Db1	0.3554	-0.4060	-0.3554	-0.0000	0.4060	0.5220	0.0021	-0.0217
SNB-Db2	0.3554	-0.4060	-0.3554	0.0000	0.4060	0.5220	-0.0031	-0.0216
SNB-Ea1	0.3641	-0.5363	-0.3641	-0.0000	0.5363	0.4006	0.0021	-0.0170
SNB-Ea2	0.3641	-0.5363	-0.3641	0.0000	0.5363	0.4006	-0.0027	-0.0169
SNB-Eb1	0.3641	-0.5363	-0.3641	-0.0000	0.5363	0.3454	0.0025	-0.0145
SNB-Eb2	0.3641	-0.5363	-0.3641	0.0000	0.5363	0.3454	-0.0029	-0.0145
SNB-Fa1	0.4569	-0.7448	-0.4569	-0.0000	0.7448	0.2236	0.0016	-0.0096
SNB-Fa2	0.4569	-0.7448	-0.4569	0.0000	0.7448	0.2236	-0.0043	-0.0096
SNB-Ga1	0.4373	-0.8409	-0.4373	-0.0000	0.8409	0.1140	0.0047	-0.0052
SNB-Ga2	0.4373	-0.8409	-0.4373	0.0000	0.8409	0.1140	-0.0040	-0.0052
SNB-Ha1	0.4065	-0.8835	-0.4065	-0.0000	0.8835	0.0413	0.0054	-0.0024
SNB-Ha2	0.4065	-0.8835	-0.4065	0.0000	0.8835	0.0413	-0.0055	-0.0024
SNB-La1	0.4229	-0.5588	-0.4229	-0.0000	0.5588	0.0060	0.0070	-0.0010
SNB-La2	0.4229	-0.5588	-0.4229	0.0000	0.5588	0.0060	-0.0070	-0.0010

Equilibrium Joint Positions and Rotations for Load Case "W+I 60 deg":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnA1	0.666	1.16	-0.1141	0.0000	0.0000	0.0000	4.999	1.16 179.9	0
RohnA2	0.5388	0.9409	-0.1086	0.0000	0.0000	0.0000	5.66	0.9409 159.9	0
RohnB1	0.416	0.7281	-0.101	0.0000	0.0000	0.0000	6.325	0.7281 139.9	0
RohnB2	0.3032	0.5316	-0.09097	0.0000	0.0000	0.0000	6.988	0.5316 119.9	0
RohnC1	0.2074	0.3657	-0.07725	0.0000	0.0000	0.0000	7.688	0.3657 99.9	0
RohnC2	0.1314	0.2343	-0.06369	0.0000	0.0000	0.0000	8.359	0.2343 79.9	0
RohnD1	0.07246	0.1332	-0.04912	0.0000	0.0000	0.0000	9.127	0.1332 59.9	0
RohnD2	0.03042	0.06932	-0.03388	0.0000	0.0000	0.0000	9.871	0.06932 39.9	0
RohnE1	0.005407	0.01671	-0.01675	0.0000	0.0000	0.0000	10.64	0.01671 19.98	0
RohnF1	0	0	0	0.0000	0.0000	0.0000	11.42	0	0
RohnG1	0.6669	1.155	-0.09607	0.0000	0.0000	0.0000	3	1.155 179.9	0
RohnG2	0.5397	0.9359	-0.0911	0.0000	0.0000	0.0000	3.661	0.9359 159.9	0
RohnH1	0.4168	0.7239	-0.08498	0.0000	0.0000	0.0000	4.325	0.7239 139.9	0
RohnH2	0.304	0.5292	-0.07691	0.0000	0.0000	0.0000	4.999	0.5292 119.9	0
RohnI1	0.2082	0.3639	-0.06562	0.0000	0.0000	0.0000	5.689	0.3639 99.9	0
RohnI2	0.1322	0.233	-0.05525	0.0000	0.0000	0.0000	6.4	0.233 79.9	0
RohnJ1	0.07325	0.1316	-0.04291	0.0000	0.0000	0.0000	7.128	0.1316 59.9	0
RohnJ2	0.03121	0.05932	-0.02989	0.0000	0.0000	0.0000	7.872	0.05932 39.9	0
RohnK1	0.006188	0.01573	-0.015	0.0000	0.0000	0.0000	8.634	0.01573 19.98	0
RohnL1	0	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnL2	0.6731	1.164	-0.03264	0.0000	0.0000	0.0000	-1.493	-2.598 180	0
RohnM1	0.5465	0.9355	-0.1139	0.0000	0.0000	0.0000	-1.502	-4.904 179.9	0
RohnM2	0.4378	0.7266	-0.10462	0.0000	0.0000	0.0000	-2.014	-3.499 160	0
RohnN1	0.3097	0.5305	-0.09086	0.0000	0.0000	0.0000	-2.023	-3.367 159.9	0
RohnN2	0.2085	0.3658	-0.07717	0.0000	0.0000	0.0000	-2.532	-4.393 140	0
RohnO1	0.1326	0.233	-0.06364	0.0000	0.0000	0.0000	-2.538	-5.838 139.9	0
RohnO2	0.07282	0.1342	-0.04905	0.0000	0.0000	0.0000	-3.038	-5.268 120	0
RohnP1	0.03069	0.06932	-0.03388	0.0000	0.0000	0.0000	-3.043	-6.323 119.9	0
RohnP2	0.005407	0.01671	-0.01675	0.0000	0.0000	0.0000	-3.571	-6.113 100	0
RohnQ1	0.6669	1.155	-0.09607	0.0000	0.0000	0.0000	-3.571	-6.113 100	0
RohnQ2	0.5397	0.9359	-0.0911	0.0000	0.0000	0.0000	-3.896	-6.925 80.01	0
RohnR1	0.4168	0.7239	-0.08498	0.0000	0.0000	0.0000	-3.896	-7.50 79.94	0
RohnR2	0.304	0.5292	-0.07691	0.0000	0.0000	0.0000	-4.448	-7.708 60.01	0
RohnS1	0.2082	0.3639	-0.06562	0.0000	0.0000	0.0000	-4.45	-7.97 59.93	0
RohnS2	0.1322	0.233	-0.05525	0.0000	0.0000	0.0000	-4.884	-8.46 40.01	0
RohnT1	0.07325	0.1316	-0.04291	0.0000	0.0000	0.0000	-5.304	-8.578 39.97	0
RohnT2	0.03121	0.05932	-0.02989	0.0000	0.0000	0.0000	-5.304	-9.167 20.01	0
RohnU1	0.006188	0.01573	-0.015	0.0000	0.0000	0.0000	-5.304	-9.213 19.98	0
RohnU2	0	0	0	0.0000	0.0000	0.0000	-5.71	-9.89 0	0
RohnV1	0.6669	1.155	-0.09607	0.0000	0.0000	0.0000	-5.71	-9.89 0	0
RohnV2	0.5397	0.9359	-0.0911	0.0000	0.0000	0.0000	-5.71	-9.89 0	0
RohnW1	0.4168	0.7239	-0.08498	0.0000	0.0000	0.0000	-5.71	-9.89 0	0
RohnW2	0.304	0.5292	-0.07691	0.0000	0.0000	0.0000	-5.71	-9.89 0	0
RohnX1	0.2082	0.3639	-0.06562	0.0000	0.0000	0.0000	-5.71	-9.89 0	0
RohnX2	0.1322	0.233	-0.05525	0.0000	0.0000	0.0000	-5.71	-9.89 0	0
RohnY1	0.07325	0.1316	-0.04291	0.0000	0.0000	0.0000	-5.71	-9.89 0	0
RohnY2	0.03121	0.05932	-0.02989	0.0000	0.0000	0.0000	-5.71	-9.89 0	0
RohnZ1	0.006188	0.01573	-0.015	0.0000	0.0000	0.0000	-5.71	-9.89 0	0
RohnZ2	0	0	0	0.0000	0.0000	0.0000	-5.71	-9.89 0	0
RohnA3	0.6684	1.156	-0.0517	0.0000	0.0000	0.0000	-0.4881	-0.8644 179.9	0
RohnA4	0.5388	0.9409	-0.04601	0.0000	0.0000	0.0000	-0.4881	-3.175 179.9	0
RohnB3	0.417	0.7266	-0.03135	0.0000	0.0000	0.0000	-1.019	-1.766 160	0
RohnB4	0.3045	0.5415	-0.0104	0.0000	0.0000	0.0000	-1.019	-3.638 159.9	0
RohnC3	0.2074	0.3657	-0.00681	0.0000	0.0000	0.0000	-1.535	-2.659 140	0
RohnC4	0.1314	0.2343	-0.00492	0.0000	0.0000	0.0000	-1.535	-4.107 139.9	0
RohnD3	0.07246	0.1332	-0.004582	0.0000	0.0000	0.0000	-2.041	-3.535 120	0
RohnD4	0.03042	0.06932	-0.004267	0.0000	0.0000	0.0000	-2.041	-4.594 119.9	0
RohnE3	0.005407	0.01671	-0.004267	0.0000	0.0000	0.0000	-2.529	-4.381 100	0
RohnF3	0.6669	1.155	-0.06559	0.0000	0.0000	0.0000	-2.529	-5.109 99.9	0
RohnF4	0.5397	0.9359	-0.06557	0.0000	0.0000	0.0000	-2.998	-5.193 80.01	0
RohnG3	0.4168	0.7239	-0.05523	0.0000	0.0000	0.0000	-2.998	-5.659 79.94	0
RohnG4	0.304	0.5292	-0.04681	0.0000	0.0000	0.0000	-3.45	-5.976 60.01	0
RohnH3	0.2082	0.3639	-0.04289	0.0000	0.0000	0.0000	-3.45	-6.239 59.96	0
RohnH4	0.1322	0.233	-0.037931	0.0000	0.0000	0.0000	-3.885	-6.729 40.01	0
RohnI3	0.07325	0.1316	-0.02988	0.0000	0.0000	0.0000	-3.885	-6.847 39.97	0
RohnI4	0.03121	0.05932	-0.024124	0.0000	0.0000	0.0000	-4.303	-7.454 20	0
RohnJ3	0.006188	0.01573	-0.015	0.0000	0.0000	0.0000	-4.303	-7.485 19.99	0
RohnK3	0	0	0	0.0000	0.0000	0.0000	-4.708	-8.154 0	0
RohnL3	0.6669	1.155	-0.1129	0.0000	0.0000	0.0000	5.164	1.105 174.9	0
RohnL4	0.5397	0.9359	-0.1116	0.0000	0.0000	0.0000	5.329	1.051 169.9	0
RohnM3	0.4168	0.7239	-0.1102	0.0000	0.0000	0.0000	5.494	0.9947 164.9	0
RohnM4	0.304	0.5292	-0.1069	0.0000	0.0000	0.0000	5.826	0.8855 154.9	0
RohnN3	0.2082	0.3639	-0.1052	0.0000	0.0000	0.0000	5.891	0.8339 149.9	0
RohnN4	0.1322	0.233	-0.1032	0.0000	0.0000	0.0000	6.158	0.7778 144.9	0
RohnO3	0.07325	0.1316	-0.09802	0.0000	0.0000	0.0000	6.548	0.6602 133.2	0
RohnO4	0.03121	0.05932	-0.09464	0.0000	0.0000	0.0000	6.773	0.5935 126.6	0
RohnP3	0.006188	0.01573	-0.08679	0.0000	0.0000	0.0000	7.226	0.4718 113.1	0
RohnQ3	0	0	-0.08217	0.0000	0.0000	0.0000	7.457	0.416 106.6	0
RohnR3	0.6684	1.156	-0.07297	0.0000	0.0000	0.0000	7.924	0.3183 93.27	0

RohnEas	0.1552	0.274	-0.06844	0.0000	0.0000	0.0000	0.0000	8.161	0.274	85.59
RohnEas	0.1008	0.1762	-0.05662	0.0000	0.0000	0.0000	0.0000	8.762	0.1762	69.94
RohnGas	0.05043	0.0897	-0.04168	0.0000	0.0000	0.0000	0.0000	9.498	0.08927	49.36
RohnGas	0.01637	0.03048	-0.02552	0.0000	0.0000	0.0000	0.0000	10.25	0.03048	29.97
RohnGas	-0.002828	0.001923	-0.00088	0.0000	0.0000	0.0000	0.0000	11.02	0.001923	9.991
RohnGas	0.635	1.1	-0.09494	0.0000	0.0000	0.0000	0.0000	3.165	1.1	174.9
RohnGas	0.6311	1.045	-0.09376	0.0000	0.0000	0.0000	0.0000	3.323	1.045	169.9
RohnGas	0.5713	0.9898	-0.09247	0.0000	0.0000	0.0000	0.0000	3.495	0.9898	164.9
RohnGas	0.5086	0.8814	-0.08971	0.0000	0.0000	0.0000	0.0000	3.826	0.8814	154.9
RohnGas	0.4773	0.8285	-0.08824	0.0000	0.0000	0.0000	0.0000	3.992	0.8285	149.9
RohnGas	0.4469	0.7752	-0.08655	0.0000	0.0000	0.0000	0.0000	4.158	0.7752	144.9
RohnGas	0.3781	0.656	-0.08255	0.0000	0.0000	0.0000	0.0000	4.548	0.656	133.3
RohnGas	0.3404	0.5905	-0.07984	0.0000	0.0000	0.0000	0.0000	4.773	0.5905	126.6
RohnGas	0.2701	0.469	-0.07349	0.0000	0.0000	0.0000	0.0000	5.227	0.469	113.2
RohnGas	0.2381	0.4133	-0.06969	0.0000	0.0000	0.0000	0.0000	5.924	0.4133	106.6
RohnGas	0.1814	0.3167	-0.06239	0.0000	0.0000	0.0000	0.0000	6.162	0.3167	93.28
RohnGas	0.156	0.2725	-0.0589	0.0000	0.0000	0.0000	0.0000	6.763	0.2725	86.6
RohnGas	0.1016	0.1747	-0.04925	0.0000	0.0000	0.0000	0.0000	7.499	0.1747	69.95
RohnGas	0.05121	0.08839	-0.03657	0.0000	0.0000	0.0000	0.0000	8.252	0.08839	49.96
RohnGas	0.01715	0.02969	-0.02268	0.0000	0.0000	0.0000	0.0000	9.016	0.02969	29.98
RohnGas	-0.002047	0.00141	-0.008048	0.0000	0.0000	0.0000	0.0000	9.916	0.00141	9.992
RohnGas	0.6417	1.059	-0.02786	0.0000	0.0000	0.0000	0.0000	-1.623	-2.824	175
RohnGas	0.632	1.036	-0.02321	0.0000	0.0000	0.0000	0.0000	-1.633	-5.019	174.9
RohnGas	0.6095	1.044	-0.01114	0.0000	0.0000	0.0000	0.0000	-1.754	-3.049	170
RohnGas	0.6007	1.041	-0.01881	0.0000	0.0000	0.0000	0.0000	-1.763	-5.125	169.9
RohnGas	0.5782	0.9838	-0.01055	0.0000	0.0000	0.0000	0.0000	-1.884	-3.274	165
RohnGas	0.515	0.8819	-0.01067	0.0000	0.0000	0.0000	0.0000	-2.144	-5.725	164.9
RohnGas	0.5059	0.8774	-0.00686	0.0000	0.0000	0.0000	0.0000	-2.153	-3.463	154.9
RohnGas	0.4937	0.8285	-0.00686	0.0000	0.0000	0.0000	0.0000	-2.274	-3.948	150
RohnGas	0.4773	0.8248	-0.00313	0.0000	0.0000	0.0000	0.0000	-2.228	-3.601	149.9
RohnGas	0.453	0.776	-0.00313	0.0000	0.0000	0.0000	0.0000	-2.403	-4.171	145
RohnGas	0.443	0.771	-0.00313	0.0000	0.0000	0.0000	0.0000	-2.411	-5.718	144.9
RohnGas	0.443	0.7571	-0.00313	0.0000	0.0000	0.0000	0.0000	-2.701	-5.997	133.2
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-2.708	-6.159	126.7
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-2.871	-6.553	113.3
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-3.203	-6.491	113.3
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-3.366	-6.835	106.7
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-3.372	-6.663	106.6
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-3.685	-6.386	93.35
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-3.842	-6.657	86.67
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-4.224	-7.319	70.01
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-4.231	-7.675	69.94
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-4.668	-8.086	50.01
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-4.674	-8.826	30.01
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-5.095	-8.893	29.97
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-5.51	-9.546	9.991
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-5.51	-9.546	9.991
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.283	-1.09	175
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-3.29	174.9
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-1.316	170
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-3.406	169.9
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-1.541	165
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-3.521	164.9
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-1.99	155
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-3.754	154.9
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-2.214	150
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-3.871	149.9
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-2.437	145
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-3.988	144.9
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-2.953	133.3
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-4.267	133.3
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-3.245	126.7
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-4.429	126.6
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-3.82	113.3
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-4.761	113.3
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-4.103	106.7
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-4.933	106.6
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-4.654	93.34
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-5.289	93.28
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-4.925	86.67
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-5.473	86.6
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-5.587	70.01
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-5.944	69.95
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-6.355	50.01
RohnGas	0.431	0.7531	-0.00313	0.0000	0.0000	0.0000	0.0000	-6.288	-6.539	49.96

URS Connecticut - butternut hollow greenwich, ct

SNB-H41 0.02184 0.03782 0.006386 0.0000 0.0000 0.0000 -4.095 -7.093 30.01
 SNB-H42 0.01731 0.02978 -0.002367 0.0000 0.0000 0.0000 -4.1 7.161 29.98
 SNB-I41 0.006045 0.01047 0.002644 0.0000 0.0000 0.0000 -4.505 -7.802 10
 SNB-I42 0.002241 -0.001071 -0.000646 0.0000 0.0000 0.0000 -4.509 7.812 9.992

Joint Support Reactions for Load Case "W1 60 deg":

Joint Label	X Force (kips)	X Usage %	Y Force (kips)	Y Usage %	Z Comp. Force (kips)	Z Usage %	Uplift Result	Force Usage %	Force Usage %	X-M. Moment (ft-k)	Y-M. Moment (ft-k)	Z-M. Moment (ft-k)	Max. Usage %
RohnJP	-2.83	0.0	-2.39	0.0	0.0	135.76	0.0	0.0	135.81	0.0	-0.00	0.0	0.0
RohnJP	-3.67	0.0	-3.35	0.0	0.0	187.32	0.0	0.0	187.43	0.0	-0.00	0.0	0.0
RohnJ1	-10.64	0.0	-18.05	0.0	0.0	-205.78	0.0	0.0	206.85	0.0	-0.00	0.0	0.0
RohnJ2	-0.33	0.0	-3.46	0.0	0.0	135.67	0.0	0.0	135.72	0.0	-0.00	0.0	0.0
RohnJ1	-20.90	0.0	-36.18	0.0	0.0	-319.48	0.0	0.0	322.40	0.0	-0.00	0.0	0.0
RohnJ2	-2.78	0.0	-5.85	0.0	0.0	187.23	0.0	0.0	187.34	0.0	-0.00	0.0	0.0

Joint Displacements, Loads and Member Forces on Joints for Load Case "W1 60 deg":

Joint Label	X External Load (kips)	Y External Load (kips)	Z External Load (kips)	X Member Force (kips)	Y Member Force (kips)	Z Member Force (kips)	X Displacement (ft)	Y Displacement (ft)	Z Displacement (ft)
RohnAP	0.9285	1.6082	-0.7139	-0.9285	-1.6082	0.7139	0.6660	1.6004	-0.1141
RohnBP	0.4743	0.8215	-0.7659	-0.4743	-0.8215	0.7659	0.5388	0.9409	-0.1086
RohnCP	0.4170	0.7223	-0.8907	-0.4170	-0.7223	0.8907	0.4163	0.7281	-0.1010
RohnDP	0.7017	1.2153	-1.6173	-0.7017	-1.2153	1.6173	0.5032	0.5316	-0.0910
RohnEP	0.3102	0.5373	-0.9422	-0.3102	-0.5373	0.9422	0.2074	0.3657	-0.0772
RohnFP	0.3584	0.6849	-1.3026	-0.3584	-0.6849	1.3026	0.1314	0.2343	-0.0637
RohnGP	0.3993	0.6916	-1.6057	-0.3993	-0.6916	1.6057	0.0725	0.1332	-0.0491
RohnHP	0.3640	0.6305	-1.7244	-0.3640	-0.6305	1.7244	0.0304	0.0603	-0.0339
RohnIP	0.3579	0.6199	-1.8423	-0.3579	-0.6199	1.8423	0.0054	0.0167	-0.0167
RohnJP	0.1827	0.3165	-0.9588	-0.1827	-0.3165	0.9588	0.0000	0.0000	0.0000
RohnAP	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.6669	1.1550	-0.0961
RohnBP	0.1902	0.3295	-0.5363	-0.1902	-0.3295	0.5363	0.5397	0.9359	-0.0911
RohnCP	0.2561	0.4435	-0.6503	-0.2561	-0.4435	0.6503	0.4168	0.7239	-0.0850
RohnDP	0.3038	0.5262	-0.7774	-0.3038	-0.5262	0.7774	0.3040	0.5292	-0.0769
RohnEP	0.3102	0.5373	-0.9422	-0.3102	-0.5373	0.9422	0.2082	0.3639	-0.0656
RohnFP	0.3536	0.6124	-1.2811	-0.3536	-0.6124	1.2811	0.1322	0.2330	-0.0552
RohnGP	0.3855	0.6677	-1.5857	-0.3855	-0.6677	1.5857	0.0732	0.1316	-0.0429
RohnHP	0.3640	0.6305	-1.7244	-0.3640	-0.6305	1.7244	0.0312	0.0593	-0.0299
RohnIP	0.3579	0.6199	-1.8423	-0.3579	-0.6199	1.8423	0.0062	0.0157	-0.0150
RohnJP	0.1827	0.3165	-0.9588	-0.1827	-0.3165	0.9588	0.0000	0.0000	0.0000
RohnAP	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.6731	1.1543	-0.0326
RohnBP	0.1902	0.3295	-0.5363	-0.1902	-0.3295	0.5363	0.6645	1.1511	-0.1139
RohnCP	0.2561	0.4435	-0.6503	-0.2561	-0.4435	0.6503	0.5378	0.9355	-0.0146
RohnDP	0.3038	0.5262	-0.7774	-0.3038	-0.5262	0.7774	0.4230	0.7244	0.0000
RohnEP	0.3102	0.5373	-0.9422	-0.3102	-0.5373	0.9422	0.4166	0.7202	-0.1008
RohnFP	0.3536	0.6124	-1.2811	-0.3536	-0.6124	1.2811	0.3097	0.5305	0.0101
RohnGP	0.3855	0.6677	-1.5857	-0.3855	-0.6677	1.5857	0.3043	0.5254	-0.0809
RohnHP	0.3640	0.6305	-1.7244	-0.3640	-0.6305	1.7244	0.2138	0.3658	0.0131
RohnIP	0.3579	0.6199	-1.8423	-0.3579	-0.6199	1.8423	0.2095	0.3602	-0.0772
RohnJP	0.1827	0.3165	-0.9588	-0.1827	-0.3165	0.9588	0.1377	0.2352	0.0148
RohnAP	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.1346	0.2293	-0.0636
RohnBP	0.1902	0.3295	-0.5363	-0.1902	-0.3295	0.5363	0.1346	0.2293	-0.0636
RohnCP	0.2561	0.4435	-0.6503	-0.2561	-0.4435	0.6503	0.1346	0.2293	-0.0636
RohnDP	0.3038	0.5262	-0.7774	-0.3038	-0.5262	0.7774	0.1346	0.2293	-0.0636
RohnEP	0.3102	0.5373	-0.9422	-0.3102	-0.5373	0.9422	0.1346	0.2293	-0.0636
RohnFP	0.3536	0.6124	-1.2811	-0.3536	-0.6124	1.2811	0.1346	0.2293	-0.0636
RohnGP	0.3855	0.6677	-1.5857	-0.3855	-0.6677	1.5857	0.1346	0.2293	-0.0636
RohnHP	0.3640	0.6305	-1.7244	-0.3640	-0.6305	1.7244	0.1346	0.2293	-0.0636
RohnIP	0.3579	0.6199	-1.8423	-0.3579	-0.6199	1.8423	0.1346	0.2293	-0.0636
RohnJP	0.1827	0.3165	-0.9588	-0.1827	-0.3165	0.9588	0.1346	0.2293	-0.0636
RohnAP	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.1346	0.2293	-0.0636
RohnBP	0.1902	0.3295	-0.5363	-0.1902	-0.3295	0.5363	0.1346	0.2293	-0.0636
RohnCP	0.2561	0.4435	-0.6503	-0.2561	-0.4435	0.6503	0.1346	0.2293	-0.0636
RohnDP	0.3038	0.5262	-0.7774	-0.3038	-0.5262	0.7774	0.1346	0.2293	-0.0636
RohnEP	0.3102	0.5373	-0.9422	-0.3102	-0.5373	0.9422	0.1346	0.2293	-0.0636
RohnFP	0.3536	0.6124	-1.2811	-0.3536	-0.6124	1.2811	0.1346	0.2293	-0.0636
RohnGP	0.3855	0.6677	-1.5857	-0.3855	-0.6677	1.5857	0.1346	0.2293	-0.0636
RohnHP	0.3640	0.6305	-1.7244	-0.3640	-0.6305	1.7244	0.1346	0.2293	-0.0636
RohnIP	0.3579	0.6199	-1.8423	-0.3579	-0.6199	1.8423	0.1346	0.2293	-0.0636
RohnJP	0.1827	0.3165	-0.9588	-0.1827	-0.3165	0.9588	0.1346	0.2293	-0.0636

SNB-H2	0.3640	0.6305	-1.7244	-0.3640	-0.6305	1.7244	0.0358	0.0567	-0.0299
SNB-H1	0.3579	0.6199	-1.8423	-0.3579	-0.6199	1.8423	0.0105	0.0182	0.0041
SNB-I2	0.3579	0.6199	-1.8423	-0.3579	-0.6199	1.8423	0.0105	0.0182	-0.0156
SNB-J1	0.1827	0.3165	-0.9588	20.7135	35.8648	320.6411	0.0000	0.0000	0.0000
SNB-J2	0.1827	0.3165	-0.9588	2.5319	5.5319	186.2707	0.0000	0.0000	0.0000
RohnAa5	0.1216	0.2107	-0.2802	-0.1216	-0.2107	0.2802	0.6241	1.1047	-0.1129
RohnAb5	0.4557	0.7852	-0.4557	-0.4557	-0.7852	0.4557	0.6023	1.0506	-0.1116
RohnAc5	0.1455	0.1455	-0.2575	-0.0846	-0.1465	0.2575	0.5704	0.9897	-0.1162
RohnBa5	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.5077	0.8855	-0.1062
RohnBb5	0.9350	1.6194	-1.2538	-0.9350	-1.6194	1.2538	0.4165	0.9359	-0.1052
RohnBc5	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.4441	0.7179	-0.1032
RohnCa5	0.9405	1.6289	-1.2682	-0.9405	-1.6289	1.2682	0.3773	0.6602	-0.0960
RohnCb5	0.1165	0.2606	-0.3714	-0.1165	-0.2606	0.3714	0.3396	0.5955	-0.0946
RohnDa5	0.1533	0.2656	-0.4060	-0.1533	-0.2656	0.4060	0.2693	0.4718	-0.0868
RohnDb5	0.1533	0.2656	-0.4060	-0.1533	-0.2656	0.4060	0.2373	0.4166	-0.0822
RohnEa5	0.1533	0.2656	-0.4060	-0.1533	-0.2656	0.4060	0.1806	0.3163	-0.0710
RohnEb5	0.1533	0.2656	-0.4060	-0.1533	-0.2656	0.4060	0.1552	0.2740	-0.0684
RohnFa5	0.1829	0.3271	-0.3406	-0.1829	-0.3406	0.3406	0.1009	0.1762	-0.0566
RohnGa5	0.1829	0.3271	-0.3406	-0.1829	-0.3406	0.3406	0.0504	0.0893	-0.0417
RohnHa5	0.1829	0.3271	-0.3406	-0.1829	-0.3406	0.3406	0.0164	0.0305	-0.0255
RohnIa5	0.1829	0.3271	-0.3406	-0.1829	-0.3406	0.3406	0.0028	0.0019	-0.0088
SNB-Aa5	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.6350	1.0988	-0.0949
SNB-Ab5	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.6031	1.0453	-0.0938
SNB-Ac5	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.5713	0.9898	-0.0925
SNB-Ba5	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.4773	0.8285	-0.0882
SNB-Bb5	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.4469	0.7752	-0.0866
SNB-Bc5	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.3781	0.6560	-0.0826
SNB-Ca5	0.1505	0.2606	-0.3714	-0.1505	-0.2606	0.3714	0.3404	0.5905	-0.0798
SNB-Cb5	0.1505	0.2606	-0.3714	-0.1505	-0.2606	0.3714	0.3040	0.5500	-0.0779
SNB-Ca5	0.1533	0.2656	-0.4060	-0.1533	-0.2656	0.4060	0.2701	0.4690	-0.0715
SNB-Da5	0.1533	0.2656	-0.4060	-0.1533	-0.2656	0.4060	0.2381	0.4133	-0.0697
SNB-Db5	0.1533	0.2656	-0.4060	-0.1533	-0.2656	0.4060	0.1814	0.3167	-0.0624
SNB-Ea5	0.1569	0.2718	-0.3363	-0.1569	-0.2718	0.3363	0.1560	0.2725	-0.0589
SNB-Eb5	0.1569	0.2718	-0.3363	-0.1569	-0.2718	0.3363	0.1016	0.1747	-0.0493
SNB-Fa5	0.1829	0.3271	-0.3406	-0.1829	-0.3406	0.3406	0.0512	0.0884	-0.0366
SNB-Fb5	0.1829	0.3271	-0.3406	-0.1829	-0.3406	0.3406	0.0171	0.0294	-0.0227
SNB-Ha5	0.1751	0.3033	-0.3835	-0.1751	-0.3033	0.3835	0.0020	0.0014	-0.0080
SNB-Ia5	0.1829	0.3271	-0.3406	-0.1829	-0.3406	0.3406	0.6417	1.0994	-0.0279
SNB-Ja5	0.1829	0.3271	-0.3406	-0.1829	-0.3406	0.3406	0.6320	1.0957	-0.1127
RohnAa1	0.6271	1.0862	-0.4775	-0.6271	-1.0862	0.4775	0.6417	1.0994	-0.0279
RohnAa2	0.1216	0.2107	-0.2802	-0.1216	-0.2107	0.2802	0.6320	1.0957	-0.1127
RohnAb1	0.1217	0.2108	-0.2975	-0.1217	-0.2108	0.2975	0.6095	1.0443	-0.0232
RohnAb2	0.1465	0.2465	-0.2575	-0.1465	-0.2465	0.2575	0.6007	1.0409	-0.1114
RohnAc1	0.4559	0.7965	-0.3875	-0.4559	-0.7965	0.3875	0.5782	0.9888	-0.0188
RohnAc2	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.5684	0.9858	-0.1039
RohnBa1	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.5150	0.8819	-0.0106
RohnBa2	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.5059	0.8774	-0.1067
RohnBb1	0.9122	1.5801	-1.2338	-0.9122	-1.5801	1.2338	0.4837	0.8285	-0.0067
RohnBb2	0.1217	0.2108	-0.2975	-0.1217	-0.2108	0.2975	0.4773	0.8249	-0.1050
RohnBc1	0.1322	0.2290	-0.3538	-0.1322	-0.2290	0.3538	0.4530	0.7760	-0.0031
RohnBc2	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.4445	0.7710	-0.1030
RohnCa1	1.0433	1.8070	-1.1156	-1.0433	-1.8070	1.1156	0.3840	0.6577	0.0040
RohnCa2	0.9405	1.6289	-1.0682	-0.9405	-1.6289	1.0682	0.3777	0.6531	-0.0379
RohnCb1	0.1505	0.2606	-0.3714	-0.1505	-0.2606	0.3714	0.3461	0.5928	0.0074
RohnCb2	0.1505	0.2606	-0.3714	-0.1505	-0.2606	0.3714	0.3392	0.5875	-0.0945
RohnDa1	0.2178	0.3772	-0.4610	-0.2178	-0.3772	0.4610	0.2756	0.4719	0.0119
RohnDa2	0.1533	0.2656	-0.4060	-0.1533	-0.2656	0.4060	0.2698	0.4664	-0.0867
RohnDb1	0.1777	0.3077	-0.4810	-0.1777	-0.3077	0.4810	0.2435	0.4168	0.0129
RohnDb2	0.1533	0.2656	-0.4060	-0.1533	-0.2656	0.4060	0.2378	0.4110	-0.0821
RohnEa1	0.1569	0.2718	-0.3363	-0.1569	-0.2718	0.3363	0.1868	0.3195	0.0141
RohnEa2	0.1569	0.2718	-0.3363	-0.1569	-0.2718	0.3363	0.1822	0.3135	-0.0729
RohnEb1	0.1739	0.3115	-0.6113	-0.1739	-0.3115	0.6113	0.1614	0.2759	0.0147
RohnEb2	0.1569	0.2718	-0.3363	-0.1569	-0.2718	0.3363	0.1568	0.2696	-0.0684
RohnFa1	0.1829	0.3271	-0.3406	-0.1829	-0.3406	0.3406	0.0999	0.1819	0.0149
RohnFa2	0.1829	0.3271	-0.3406	-0.1829	-0.3406	0.3406	0.0957	0.1740	0.0566
RohnGa1	0.1889	0.3271	-0.3406	-0.1889	-0.3406	0.3406	0.0564	0.0957	0.0130
RohnGa2	0.1889	0.3271	-0.3406	-0.1889	-0.3406	0.3406	0.0564	0.0957	0.0130
RohnHa1	0.1751	0.3033	-0.3835	-0.1751	-0.3033	0.3835	0.0227	0.0382	0.0086
RohnHa2	0.1751	0.3033	-0.3835	-0.1751	-0.3033	0.3835	0.0173	0.0289	0.0255
RohnIa1	0.1827	0.3165	-0.3588	-0.1827	-0.3165	0.3588	0.0066	0.0111	0.0026
RohnIa2	0.1827	0.3165	-0.3588	-0.1827	-0.3165	0.3588	0.0028	0.0017	-0.0088
SNB-Aa1	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.6367	1.1013	-0.0469
SNB-Aa2	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.6362	1.0991	-0.0949
SNB-Ab1	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.6047	1.0461	-0.0421
SNB-Ab2	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.6048	1.0442	-0.0937
SNB-Ac1	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.5733	0.9917	-0.0375
SNB-Ac2	0.0846	0.1465	-0.2575	-0.0846	-0.1465	0.2575	0.5725	0.9891	-0.0924
SNB-Ba1	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.5106	0.8834	-0.0288
SNB-Ba2	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.5098	0.8807	-0.0696
SNB-Bb1	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.4796	0.8298	-0.0246
SNB-Bb2	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.4795	0.8271	-0.0882
SNB-Bc1	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.4492	0.7772	-0.0206
SNB-Bc2	0.1056	0.1829	-0.2788	-0.1056	-0.1829	0.2788	0.4485	0.7743	-0.0866

SNB-Ca1	0.1505	0.2606	-0.3714	-0.1505	-0.2606	0.3714	0.3807	0.6587	-0.0122
SNB-Ca2	0.1505	0.2606	-0.3714	-0.1505	-0.2606	0.3714	0.3795	0.6552	-0.0825
SNB-Cb1	0.1505	0.2606	-0.3714	-0.1505	-0.2606	0.3714	0.3430	0.5936	-0.0081
SNB-Cb2	0.1505	0.2606	-0.3714	-0.1505	-0.2606	0.3714	0.3416	0.5898	-0.0798
SNB-Da1	0.1533	0.2655	-0.4060	-0.1533	-0.2655	0.4060	0.2730	0.4725	-0.0020
SNB-Da2	0.1533	0.2655	-0.4060	-0.1533	-0.2655	0.4060	0.2714	0.4682	-0.0735
SNB-Db1	0.1533	0.2655	-0.4060	-0.1533	-0.2655	0.4060	0.2411	0.4173	-0.0002
SNB-Db2	0.1533	0.2655	-0.4060	-0.1533	-0.2655	0.4060	0.2391	0.4127	-0.0697
SNB-Ea1	0.1569	0.2718	-0.5263	-0.1569	-0.2718	0.5263	0.1897	0.3197	0.0052
SNB-Ea2	0.1569	0.2718	-0.5263	-0.1569	-0.2718	0.5263	0.1837	0.3153	-0.0624
SNB-Eb1	0.1569	0.2718	-0.5263	-0.1569	-0.2718	0.5263	0.1395	0.2761	0.0051
SNB-Eb2	0.1569	0.2718	-0.5263	-0.1569	-0.2718	0.5263	0.1381	0.2713	-0.0589
SNB-Fa1	0.1666	0.3406	-0.7448	-0.1666	-0.3406	0.7448	0.1051	0.1619	0.0078
SNB-Fa2	0.1666	0.3406	-0.7448	-0.1666	-0.3406	0.7448	0.1005	0.1753	-0.0432
SNB-Ga1	0.1869	0.3271	-0.8409	-0.1869	-0.3271	0.8409	0.0552	0.0955	0.0084
SNB-Ga2	0.1869	0.3271	-0.8409	-0.1869	-0.3271	0.8409	0.0510	0.0885	-0.0366
SNB-Ha1	0.1731	0.3033	-0.8635	-0.1731	-0.3033	0.8635	0.0218	0.0378	0.0064
SNB-Ha2	0.1731	0.3033	-0.8635	-0.1731	-0.3033	0.8635	0.0173	0.0298	-0.0227
SNB-Ia1	0.1827	0.3165	-0.9388	-0.1827	-0.3165	0.9388	0.0060	0.0105	0.0020
SNB-Ia2	0.1827	0.3165	-0.9388	-0.1827	-0.3165	0.9388	0.0022	-0.0011	-0.0080

Equilibrium Joint Positions and Rotations for Load Case "W+I 90 deg":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnAP	-0.0008998	1.363	-0.08723	0.0000	0.0000	0.0000	4.332	1.363	179.9
RohnBP	-0.001408	1.105	-0.07747	0.0000	0.0000	0.0000	5.12	1.105	159.9
RohnCP	-0.001881	0.8553	-0.06747	0.0000	0.0000	0.0000	5.907	0.8553	139.9
RohnDP	-0.002253	0.6247	-0.05738	0.0000	0.0000	0.0000	6.693	0.6247	119.9
RohnEP	-0.002688	0.4297	-0.0472	0.0000	0.0000	0.0000	7.478	0.4297	99.9
RohnFP	-0.003084	0.2752	-0.03756	0.0000	0.0000	0.0000	8.265	0.2752	79.9
RohnGP	-0.003466	0.1562	-0.02813	0.0000	0.0000	0.0000	9.052	0.1562	59.9
RohnHP	-0.003775	0.07051	-0.01884	0.0000	0.0000	0.0000	9.837	0.07051	39.98
RohnIP	-0.003666	0.01933	-0.009421	0.0000	0.0000	0.0000	10.63	0.01933	19.99
RohnJP	-0.003109	0	0	0.0000	0.0000	0.0000	11.42	0	0
SNB-AP	-0.0001109	1.361	-0.08154	0.0000	0.0000	0.0000	2.333	1.361	179.9
SNB-BP	-0.0006203	1.103	-0.07199	0.0000	0.0000	0.0000	3.12	1.103	159.9
SNB-CP	-0.001094	0.8538	-0.0624	0.0000	0.0000	0.0000	3.907	0.8538	139.9
SNB-DP	-0.001509	0.6245	-0.0529	0.0000	0.0000	0.0000	4.693	0.6245	119.9
SNB-EP	-0.001904	0.4297	-0.04354	0.0000	0.0000	0.0000	5.479	0.4297	99.9
SNB-FP	-0.002303	0.2752	-0.03469	0.0000	0.0000	0.0000	6.266	0.2752	79.9
SNB-GP	-0.002685	0.1555	-0.02592	0.0000	0.0000	0.0000	7.052	0.1555	59.9
SNB-HP	-0.002994	0.07015	-0.01729	0.0000	0.0000	0.0000	7.838	0.07015	39.98
SNB-IP	-0.002886	0.01861	-0.00863	0.0000	0.0000	0.0000	8.625	0.01861	19.99
SNB-JP	-0.002809	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnA1	0.0026032	1.362	-0.03926	0.0000	0.0000	0.0000	-2.164	-2.39	180
RohnA2	0.0026032	1.359	-0.1349	0.0000	0.0000	0.0000	-2.166	-5.111	179.9
RohnB1	0.002783	1.105	-0.02215	0.0000	0.0000	0.0000	-2.558	-3.33	160
RohnB2	0.004594	1.1	-0.1326	0.0000	0.0000	0.0000	-2.56	-5.535	159.9
RohnC1	0.002239	0.8557	-0.007976	0.0000	0.0000	0.0000	-2.952	-4.262	140
RohnC2	0.001023	0.8511	-0.1268	0.0000	0.0000	0.0000	-2.953	-5.968	139.9
RohnD1	0.002304	0.6267	0.002137	0.0000	0.0000	0.0000	-3.345	-5.171	120
RohnD2	0.000914	0.6216	-0.1168	0.0000	0.0000	0.0000	-3.347	-6.42	119.9
RohnE1	0.002218	0.4322	0.006048	0.0000	0.0000	0.0000	-3.738	-6.046	100
RohnE2	0.001111	0.4268	-0.1004	0.0000	0.0000	0.0000	-3.739	-6.906	99.9
RohnF1	0.002128	0.278	0.008753	0.0000	0.0000	0.0000	-4.132	-6.882	80.01
RohnF2	0.001419	0.2721	-0.0838	0.0000	0.0000	0.0000	-4.133	-7.432	79.92
RohnG1	0.001861	0.1587	0.009101	0.0000	0.0000	0.0000	-4.526	-7.683	60.01
RohnG2	0.001954	0.1524	-0.06528	0.0000	0.0000	0.0000	-4.526	-7.994	59.93
RohnH1	0.001983	0.07338	0.00784	0.0000	0.0000	0.0000	-4.919	-8.449	40.01
RohnH2	0.002032	0.06683	-0.04546	0.0000	0.0000	0.0000	-4.918	-8.589	39.95
RohnI1	0.001675	0.02198	0.003577	0.0000	0.0000	0.0000	-5.313	-9.184	20
RohnI2	0.002149	0.01561	-0.02239	0.0000	0.0000	0.0000	-5.313	-9.221	19.98
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-5.71	-9.89	0
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-5.71	-9.89	0
SNB-A1	0.001253	1.362	-0.05543	0.0000	0.0000	0.0000	-1.165	-0.6583	179.9
SNB-A2	0.001254	1.36	-0.1076	0.0000	0.0000	0.0000	-1.165	-3.381	179.9
SNB-B1	0.001198	1.105	-0.03787	0.0000	0.0000	0.0000	-1.559	-1.598	160
SNB-B2	0.001218	1.102	-0.106	0.0000	0.0000	0.0000	-1.559	-3.805	159.9
SNB-C1	0.001215	0.8554	-0.02226	0.0000	0.0000	0.0000	-1.953	-2.529	140
SNB-C2	0.001159	0.8523	-0.1025	0.0000	0.0000	0.0000	-1.953	-4.237	139.9
SNB-D1	0.001272	0.6264	-0.01028	0.0000	0.0000	0.0000	-2.346	-3.44	120
SNB-D2	0.001162	0.6228	-0.06544	0.0000	0.0000	0.0000	-2.346	-4.589	119.9
SNB-E1	0.001341	0.4318	-0.004347	0.0000	0.0000	0.0000	-2.739	-4.315	100
SNB-E2	0.001388	0.4278	-0.08456	0.0000	0.0000	0.0000	-2.739	-5.151	99.92
SNB-F1	0.001399	0.2773	0.001788	0.0000	0.0000	0.0000	-3.133	-3.701	79.93
SNB-F2	0.001394	0.273	-0.07109	0.0000	0.0000	0.0000	-3.133	-5.92	60
SNB-G1	0.001494	0.156	0.004223	0.0000	0.0000	0.0000	-3.526	-6.263	59.94
SNB-G2	0.001454	0.1531	-0.05691	0.0000	0.0000	0.0000	-3.526	-6.718	40.01
SNB-H1	0.001525	0.07275	0.005885	0.0000	0.0000	0.0000	-3.919	-6.858	39.96
SNB-H2	0.001564	0.06747	-0.0396	0.0000	0.0000	0.0000	-3.919	-7.451	20
SNB-I1	0.001458	0.0211	0.002679	0.0000	0.0000	0.0000	-4.313	-7.489	19.98
SNB-I2	0.001455	0.01611	-0.01992	0.0000	0.0000	0.0000	-4.313	-8.134	0
SNB-J1	0	0	0	0.0000	0.0000	0.0000	-4.708	-6.154	0
SNB-J2	0	0	0	0.0000	0.0000	0.0000	-4.708	-6.154	0
RohnAAS	-0.0009917	1.296	-0.0848	0.0000	0.0000	0.0000	4.529	1.298	174.9
RohnBAS	-0.00115	1.234	-0.08233	0.0000	0.0000	0.0000	4.726	1.234	169.9
RohnCAS	-0.001228	1.168	-0.07992	0.0000	0.0000	0.0000	4.923	1.168	164.9
RohnBAS	-0.001448	1.04	-0.07498	0.0000	0.0000	0.0000	5.317	1.04	154.9
RohnBUS	-0.001685	0.9795	-0.07254	0.0000	0.0000	0.0000	5.71	0.9795	149.9
RohnCAS	-0.001656	0.9139	-0.06996	0.0000	0.0000	0.0000	6.169	0.9139	144.9
RohnBAS	-0.001922	0.7757	-0.06412	0.0000	0.0000	0.0000	6.431	0.6974	126.6
RohnBUS	-0.00205	0.6974	-0.05072	0.0000	0.0000	0.0000	6.954	0.5544	113.3
RohnBAS	-0.002397	0.5544	-0.03936	0.0000	0.0000	0.0000	7.217	0.4888	106.6
RohnBUS	-0.002419	0.4888	-0.03035	0.0000	0.0000	0.0000	7.74	0.374	93.3
RohnCAS	-0.002743	0.374	-0.04398	0.0000	0.0000	0.0000	7.74	0.374	93.3

RohrEB5 -0.00285 0.3219 -0.04075 0.0000 0.0000 0.0000 0.0000 8.003 0.3219 86.62
RohrFAS 0.207 -0.0328 0.0000 0.0000 0.0000 0.0000 8.659 0.207 69.97
RohrGAS -0.1048 -0.02346 0.0000 0.0000 0.0000 0.0000 9.445 0.1048 49.98
RohrHAS -0.003861 0.03568 -0.01415 0.0000 0.0000 0.0000 10.23 0.03568 29.99
RohrIAS -0.006162 0.002219 -0.005013 0.0000 0.0000 0.0000 11.02 0.002219 9.995
SNB-AAS -0.0002035 1.236 -0.07916 0.0000 0.0000 0.0000 2.51 1.296 174.9
SNB-AAS -0.000361 1.232 -0.07438 0.0000 0.0000 0.0000 2.727 1.232 169.9
SNB-AAS -0.0004396 1.167 -0.07438 0.0000 0.0000 0.0000 2.924 1.167 164.9
SNB-BAS -0.0006611 1.039 -0.06958 0.0000 0.0000 0.0000 3.317 1.039 154.9
SNB-BAS -0.0008761 0.9768 -0.06719 0.0000 0.0000 0.0000 3.514 0.9768 149.9
SNB-BAS -0.0008694 0.9142 -0.06478 0.0000 0.0000 0.0000 3.71 0.9142 144.9
SNB-CAS -0.001135 0.7738 -0.05921 0.0000 0.0000 0.0000 4.158 0.7738 133.3
SNB-CAS -0.001264 0.6967 -0.04974 0.0000 0.0000 0.0000 4.432 0.6967 126.6
SNB-DAS -0.001513 0.5536 -0.04466 0.0000 0.0000 0.0000 4.955 0.5536 113.3
SNB-DAS -0.001535 0.4879 -0.04057 0.0000 0.0000 0.0000 5.218 0.4879 106.6
SNB-EAS -0.00195 0.3739 -0.0376 0.0000 0.0000 0.0000 5.741 0.3739 93.3
SNB-EAS -0.002068 0.3219 -0.03625 0.0000 0.0000 0.0000 6.004 0.3219 86.62
SNB-FAS -0.002128 0.2055 -0.03158 0.0000 0.0000 0.0000 6.659 0.2055 69.97
SNB-FAS -0.002538 0.1046 -0.02158 0.0000 0.0000 0.0000 7.445 0.1046 49.98
SNB-GAS -0.003081 0.03545 -0.01293 0.0000 0.0000 0.0000 8.231 0.03545 29.99
SNB-IAS -0.003381 0.001737 -0.004644 0.0000 0.0000 0.0000 9.016 0.001727 9.995
RohrA1 0.003856 1.258 -0.03475 0.0000 0.0000 0.0000 -2.262 -2.625 175
RohrA2 -2.504002 1.254 -0.1346 0.0000 0.0000 0.0000 -2.265 -5.217 174.9
RohrB1 0.002863 1.233 -0.03034 0.0000 0.0000 0.0000 -2.361 -2.861 170
RohrB2 0.0006303 1.223 -0.1342 0.0000 0.0000 0.0000 -2.363 5.323 169.9
RohrC1 1.169 -0.02613 0.0000 0.0000 0.0000 -2.459 -3.096 165
RohrC2 -0.000439 1.164 -0.1335 0.0000 0.0000 0.0000 -2.462 5.429 164.9
RohrD1 0.0002339 1.041 -0.01825 0.0000 0.0000 0.0000 -2.656 -3.564 155
RohrD2 -0.0001689 1.037 -0.1315 0.0000 0.0000 0.0000 -2.659 5.642 154.9
RohrE1 0.001975 0.9786 -0.01454 0.0000 0.0000 0.0000 -2.756 -3.797 150
RohrE2 0.001285 0.9422 -0.1303 0.0000 0.0000 0.0000 -2.756 5.75 149.9
RohrF1 0.003237 0.9116 -0.11186 0.0000 0.0000 0.0000 -2.853 -4.031 145
RohrF2 -0.002035 0.7777 -0.1287 0.0000 0.0000 0.0000 -2.856 5.858 144.9
RohrG1 0.002285 0.9115 -0.04011 0.0000 0.0000 0.0000 -3.083 -4.567 133.3
RohrG2 0.0007029 0.7722 -0.1241 0.0000 0.0000 0.0000 -3.085 6.116 133.2
RohrH1 0.002883 0.6999 -0.006106 0.0000 0.0000 0.0000 -3.214 -4.871 126.7
RohrH2 0.0002117 0.6952 -0.1207 0.0000 0.0000 0.0000 -3.216 6.267 126.5
RohrI1 0.002636 0.5573 -0.04168 0.0000 0.0000 0.0000 -3.476 -5.467 113.3
RohrI2 0.0004471 0.5523 -0.112 0.0000 0.0000 0.0000 -3.478 6.577 113.2
RohrJ1 0.002814 0.4922 -0.05457 0.0000 0.0000 0.0000 -3.607 -5.76 106.7
RohrJ2 0.0003203 0.4871 -0.1065 0.0000 0.0000 0.0000 -3.609 6.739 106.6
RohrK1 0.00259 0.3773 -0.07395 0.0000 0.0000 0.0000 -3.865 -6.328 93.35
RohrK2 0.0007307 0.3718 -0.09528 0.0000 0.0000 0.0000 -3.871 7.078 93.24
RohrL1 0.002709 0.3257 -0.08297 0.0000 0.0000 0.0000 -4 -6.608 86.67
RohrL2 0.0005857 0.3201 -0.08974 0.0000 0.0000 0.0000 -4.002 7.253 86.57
RohrM1 0.004186 0.2137 -0.09396 0.0000 0.0000 0.0000 -4.327 -7.287 70.01
RohrM2 -0.001107 0.2081 -0.07497 0.0000 0.0000 0.0000 -4.332 7.709 69.91
RohrN1 0.004178 0.1118 -0.08826 0.0000 0.0000 0.0000 -4.72 -8.07 50.01
RohrN2 -0.0009064 0.1056 -0.05571 0.0000 0.0000 0.0000 -4.725 8.288 49.94
RohrO1 0.004346 0.04346 -0.06007 0.0000 0.0000 0.0000 -5.113 8.821 30.01
RohrO2 -0.0007919 0.0365 -0.03429 0.0000 0.0000 0.0000 -5.119 8.901 29.97
RohrP1 0.005053 0.01108 -0.01706 0.0000 0.0000 0.0000 -5.507 9.537 10
RohrP2 0.0009578 0.002694 -0.11172 0.0000 0.0000 0.0000 -5.512 9.548 9.988
SNB-Aa1 0.001383 1.298 -0.0509 0.0000 0.0000 0.0000 -1.264 -0.8934 174.9
SNB-Aa2 0.001054 1.295 -0.1074 0.0000 0.0000 0.0000 -1.264 3.486 174.9
SNB-Ab1 0.001154 1.233 -0.04639 0.0000 0.0000 0.0000 -1.362 -1.129 170
SNB-Ab2 0.001413 1.231 -0.1071 0.0000 0.0000 0.0000 -1.362 3.592 169.9
SNB-Ac1 0.001456 1.169 -0.04205 0.0000 0.0000 0.0000 -1.461 -1.364 165
SNB-Ac2 0.0008802 1.166 -0.1056 0.0000 0.0000 0.0000 -1.461 3.698 164.9
SNB-Ba1 0.001481 1.041 -0.03371 0.0000 0.0000 0.0000 -1.657 -1.832 155
SNB-Ba2 0.0008237 1.038 -0.1054 0.0000 0.0000 0.0000 -1.658 3.912 154.9
SNB-Bb1 0.001176 0.9781 -0.0297 0.0000 0.0000 0.0000 -1.756 -2.066 150
SNB-Bb2 0.001267 0.9753 -0.1046 0.0000 0.0000 0.0000 -1.756 4.019 149.9
SNB-Bc1 0.00142 0.9161 -0.02589 0.0000 0.0000 0.0000 -1.854 -2.258 145
SNB-Bc2 0.0008481 0.9132 -0.1036 0.0000 0.0000 0.0000 -1.855 4.127 144.9
SNB-Ca1 0.001686 0.7732 -0.01777 0.0000 0.0000 0.0000 -2.083 -2.835 133.3
SNB-Ca2 0.0006038 0.7732 -0.1006 0.0000 0.0000 0.0000 -2.084 4.385 133.2
SNB-Ch1 0.001864 0.6996 -0.01376 0.0000 0.0000 0.0000 -2.215 -3.139 126.6
SNB-Ch2 0.0004346 0.6963 -0.09824 0.0000 0.0000 0.0000 -2.216 4.535 126.6
SNB-Da1 0.002 0.5568 -0.00751 0.0000 0.0000 0.0000 -2.476 -3.716 113.3
SNB-Da2 0.000331 0.5532 -0.09182 0.0000 0.0000 0.0000 -2.476 4.846 113.2
SNB-Db1 0.002225 0.4916 -0.005649 0.0000 0.0000 0.0000 -2.607 -3.028 106.7
SNB-Db2 8.239e-005 0.4879 -0.08751 0.0000 0.0000 0.0000 -2.61 5.008 106.6
SNB-Ea1 0.001792 0.3768 -0.01864 0.0000 0.0000 0.0000 -2.871 -3.597 93.4
SNB-Ea2 0.000742 0.3728 -0.07921 0.0000 0.0000 0.0000 -2.871 4.346 93.26
SNB-Eb1 0.001951 0.3252 -0.001572 0.0000 0.0000 0.0000 -3.001 -4.276 86.66
SNB-Eb2 0.0005516 0.3211 -0.07531 0.0000 0.0000 0.0000 -3.002 5.222 86.58
SNB-Fa1 0.003783 0.2113 -0.03421 0.0000 0.0000 0.0000 -3.092 -5.222 86.58
SNB-Fa2 -0.001407 0.2089 -0.06391 0.0000 0.0000 0.0000 -3.327 -5.356 69.94
SNB-Ga1 0.003732 0.1111 0.005003 0.0000 0.0000 0.0000 -3.372 -6.339 50.01
SNB-Ga2 -0.001107 0.1064 -0.04815 0.0000 0.0000 0.0000 -3.725 6.357 49.95

URS Connecticut - butternut hollow greenwich, ct

Joint Label	X Force (kips)	X Usage %	Y Force (kips)	Y Usage %	Z Comp. Force (kips)	Z Usage %	Uplift Result.	Force (kips)	Moment (ft-k)	X-M. Moment (ft-k)	Y-M. Moment (ft-k)	Z-M. Moment (ft-k)	Max. Usage
SNB-Ha1	0.004152	0.04275	0.004186	0.0000	0.0000	0.0000	-4.113	-7.089	30				
SNB-Ha2	-0.001101	0.03723	-0.003016	0.0000	0.0000	0.0000	-4.118	7.160	29.97				
SNB-Ia1	0.004987	0.01072	0.001284	0.0000	0.0000	0.0000	-4.706	-7.803	10				
SNB-Ia2	0.000426	0.000714	-0.010463	0.0000	0.0000	0.0000	-4.51	7.814	9.989				

Joint Support Reactions for Load Case "W+I 90 deg":

Joint Label	X Force (kips)	X Usage %	Y Force (kips)	Y Usage %	Z Comp. Force (kips)	Z Usage %	Uplift Result.	Force (kips)	Moment (ft-k)	X-M. Moment (ft-k)	Y-M. Moment (ft-k)	Z-M. Moment (ft-k)	Max. Usage
RohnJP	5.18	0.0	-2.61	0.0	21.90	0.0	0.0	22.65	0.0	-0.00	0.0	-0.00	0.0
SNB-JF	11.55	0.0	-6.26	0.0	18.23	0.0	0.0	22.47	0.0	-0.00	0.0	-0.00	0.0
RohnJ1	-8.56	0.0	-17.27	0.0	-179.98	0.0	0.0	181.01	0.0	-0.00	0.0	-0.00	0.0
RohnJ2	3.43	0.0	-6.55	0.0	223.74	0.0	0.0	223.93	0.0	-0.00	0.0	-0.00	0.0
SNB-J1	-16.62	0.0	-34.87	0.0	-281.64	0.0	0.0	284.28	0.0	-0.00	0.0	-0.00	0.0
SNB-J2	5.02	0.0	-15.13	0.0	318.28	0.0	0.0	318.68	0.0	-0.00	0.0	-0.00	0.0

Joint Displacements, Loads and Member Forces on Joints for Load Case "W+I 90 deg":

Joint Label	X External Load (kips)	X Internal Load (kips)	Z External Load (kips)	Z Internal Load (kips)	Y Member Force (kips)	Y Member Force (kips)	Z Member Force (kips)	Force (kips)	Disp. (ft)	X Disp. (ft)	Y Disp. (ft)	Z Disp. (ft)
RohnAF	0.0000	1.8534	-0.7199	0.0000	-0.0000	-0.9634	0.7199	-0.0009	1.3631	-0.0872		
RohnBF	0.0000	0.9631	-0.7659	-0.0000	-0.9631	0.7659	-0.0014	1.1050	-0.0775			
RohnCP	0.0000	0.8546	-0.857	-0.0000	-0.8546	0.857	-0.0019	0.853	-0.0675			
RohnDP	0.0000	1.4280	-1.6173	0.0000	-1.4280	1.6173	-0.0033	0.8247	-0.0574			
RohnEP	0.0000	0.6452	-0.9422	0.0000	-0.6452	0.9422	-0.0037	0.937	-0.0472			
RohnFP	0.0000	0.8193	-1.3026	0.0000	-0.8193	1.3026	-0.0031	0.9787	-0.0376			
RohnGP	0.0000	0.8294	-1.6057	0.0000	-0.8294	1.6057	-0.0035	0.7532	-0.0281			
RohnHP	0.0000	0.7570	-1.7244	0.0000	-0.7570	1.7244	-0.0038	0.0765	-0.0188			
RohnJP	0.0000	0.7442	-1.8423	0.0000	-0.7442	1.8423	-0.0037	0.0193	-0.0084			
RohnKP	0.0000	0.3798	-0.9588	-5.1812	2.5283	-20.9396	0.0000	0.0000	0.0000			
SNB-AP	0.0000	0.1755	-0.2575	0.0000	-0.1755	0.2575	-0.0001	1.3612	-0.0015			
SNB-BP	0.0000	0.3949	-0.5363	0.0000	-0.3949	0.5363	-0.0006	1.1033	-0.0720			
SNB-CP	0.0000	0.5327	-0.6503	0.0000	-0.5327	0.6503	-0.0011	0.8938	-0.0624			
SNB-DP	0.0000	0.6322	-0.7774	0.0000	-0.6322	0.7774	-0.0015	0.6245	-0.0329			
SNB-EP	0.0000	0.6452	-0.9422	0.0000	-0.6452	0.9422	-0.0019	0.4297	-0.0435			
SNB-FP	0.0000	0.7356	-1.2811	0.0000	-0.7356	1.2811	-0.0023	0.2732	-0.0147			
SNB-GP	0.0000	0.8018	-1.5857	0.0000	-0.8018	1.5857	-0.0027	0.1553	-0.0259			
SNB-HP	0.0000	0.7570	-1.7244	0.0000	-0.7570	1.7244	-0.0030	0.0762	-0.0173			
SNB-IP	0.0000	0.7442	-1.8423	0.0000	-0.7442	1.8423	-0.0029	0.0186	-0.0086			
SNB-JP	0.0000	0.3798	-0.9588	-11.5518	5.8823	-17.2713	0.0000	0.0000	0.0000			
RohnA1	0.0000	1.5465	-0.7245	0.0000	-1.5465	0.7245	0.0028	1.3622	-0.0393			
RohnA2	0.0000	1.6291	-0.6973	0.0000	-1.6291	0.6973	0.0006	1.3587	-0.1349			
RohnB1	0.0000	0.7063	-0.7011	0.0000	-0.7063	0.7011	0.0028	1.1046	-0.0222			
RohnB2	0.0000	0.4678	-0.6313	0.0000	-0.4678	0.6313	0.0005	1.1005	-0.1326			
RohnC1	0.0000	0.7704	-0.7207	0.0000	-0.7704	0.7207	0.0022	0.8557	-0.0080			
RohnC2	0.0000	0.8265	-0.8807	0.0000	-0.8265	0.8807	0.0010	0.8511	-0.1268			
RohnD1	0.0000	1.4280	-1.6173	0.0000	-1.4280	1.6173	0.0023	0.6267	0.0021			
RohnD2	0.0000	1.4280	-1.6173	0.0000	-1.4280	1.6173	0.0009	0.6216	-0.1168			
RohnE1	0.0000	0.6452	-0.9422	0.0000	-0.6452	0.9422	0.0022	0.4322	0.0060			
RohnE2	0.0000	0.6452	-0.9422	0.0000	-0.6452	0.9422	0.0011	0.4268	-0.1004			
RohnF1	0.0000	0.9151	-1.3521	0.0000	-0.9151	1.3521	0.0021	0.2780	0.0088			
RohnF2	0.0000	0.8193	-1.3026	0.0000	-0.8193	1.3026	0.0014	0.2721	-0.0838			
RohnG1	0.0000	0.8018	-1.5857	0.0000	-0.8018	1.5857	0.0019	0.1587	0.0091			
RohnG2	0.0000	0.8018	-1.5857	0.0000	-0.8018	1.5857	0.0020	0.1524	-0.0653			
RohnH1	0.0000	0.7570	-1.7244	0.0000	-0.7570	1.7244	0.0020	0.0734	0.0078			
RohnH2	0.0000	0.7570	-1.7244	0.0000	-0.7570	1.7244	0.0020	0.0668	-0.0455			
RohnI1	0.0000	0.7442	-1.8423	0.0000	-0.7442	1.8423	0.0017	0.0219	0.0036			
RohnI2	0.0000	0.7674	-1.8623	0.0000	-0.7674	1.8623	0.0021	0.0156	-0.0224			
RohnJ1	0.0000	0.3798	-0.9588	8.5642	16.8875	180.9376	0.0000	0.0000	0.0000			
RohnJ2	0.0000	0.3798	-0.9588	-3.4341	8.1739	-222.7766	0.0000	0.0000	0.0000			
SNB-A1	0.0000	0.1755	-0.2575	0.0000	-0.1755	0.2575	0.0013	1.3621	-0.0554			
SNB-A2	0.0000	0.1755	-0.2575	0.0000	-0.1755	0.2575	0.0013	1.3602	-0.1076			
SNB-B1	0.0000	0.3949	-0.5363	0.0000	-0.3949	0.5363	0.0012	1.1045	-0.0379			
SNB-B2	0.0000	0.3949	-0.5363	0.0000	-0.3949	0.5363	0.0012	1.1020	-0.1060			
SNB-C1	0.0000	0.5327	-0.6503	0.0000	-0.5327	0.6503	0.0012	0.8523	-0.0223			
SNB-C2	0.0000	0.5327	-0.6503	0.0000	-0.5327	0.6503	0.0012	0.8523	-0.1025			
SNB-D1	0.0000	0.6322	-0.7774	0.0000	-0.6322	0.7774	0.0013	0.6264	-0.103			
SNB-D2	0.0000	0.6322	-0.7774	0.0000	-0.6322	0.7774	0.0012	0.6228	-0.0954			
SNB-E1	0.0000	0.6452	-0.9422	0.0000	-0.6452	0.9422	0.0014	0.4318	-0.0043			
SNB-E2	0.0000	0.6452	-0.9422	0.0000	-0.6452	0.9422	0.0012	0.4278	-0.0827			
SNB-F1	0.0000	0.7356	-1.2811	0.0000	-0.7356	1.2811	0.0014	0.2775	0.0018			
SNB-F2	0.0000	0.7356	-1.2811	0.0000	-0.7356	1.2811	0.0013	0.2730	-0.0711			
SNB-G1	0.0000	0.8018	-1.5857	0.0000	-0.8018	1.5857	0.0015	0.1580	0.0042			
SNB-G2	0.0000	0.8018	-1.5857	0.0000	-0.8018	1.5857	0.0015	0.1531	-0.0560			
SNB-H1	0.0000	0.7570	-1.7244	0.0000	-0.7570	1.7244	0.0015	0.0727	0.0051			

URS Connecticut - butternut hollow greenwich, ct

SNB-H2	0.0000	0.7570	-1.7244	-0.0000	-0.7570	1.7244	0.0016	0.0675	-0.0396
SNB-I1	0.0000	0.7442	-1.8423	-0.0000	-0.7442	1.8423	0.0015	0.0211	0.0027
SNB-I2	0.0000	0.7442	-1.8423	-0.0000	-0.7442	1.8423	0.0015	0.0161	-0.0199
SNB-J1	0.0000	0.3798	-0.9588	16.6229	34.4895	282.5979	0.0000	0.0000	0.0000
SNB-J2	0.0000	0.3798	-0.9588	-5.0201	14.7508	-317.3191	0.0000	0.0000	0.0000
RohnAa5	0.0000	0.2496	-0.2802	0.0000	-0.2496	0.2802	-0.0010	1.2876	-0.0848
RohnAa5	0.0000	0.9176	-0.4575	0.0000	-0.9176	0.4575	-0.0011	1.2340	-0.0824
RohnAa5	0.0000	0.1755	-0.2575	0.0000	-0.1755	0.2575	-0.0012	1.1682	-0.0793
RohnAa5	0.0000	0.2194	-0.2788	0.0000	-0.2194	0.2788	-0.0014	1.0491	-0.0750
RohnAa5	0.0000	1.8781	-1.2538	-0.0000	-1.8781	1.2538	-0.0017	0.9765	-0.0725
RohnBc5	0.0000	0.1894	-0.2788	-0.0000	-0.1894	0.2788	-0.0017	0.9139	-0.0700
RohnBc5	0.0000	1.8934	-1.0682	-0.0000	-1.8934	1.0682	-0.0019	0.7757	-0.0641
RohnBc5	0.0000	0.3134	-0.3714	-0.0000	-0.3134	0.3714	-0.0020	0.6974	-0.0607
RohnBc5	0.0000	0.3188	-0.4060	-0.0000	-0.3188	0.4060	-0.0023	0.5944	-0.0540
RohnBc5	0.0000	0.3188	-0.4060	-0.0000	-0.3188	0.4060	-0.0024	0.4888	-0.0505
RohnEa5	0.0000	0.3264	-0.5363	0.0000	-0.3264	0.5363	-0.0027	0.3740	-0.0440
RohnEa5	0.0000	0.3264	-0.5363	0.0000	-0.3264	0.5363	-0.0028	0.3219	-0.0408
RohnEa5	0.0000	0.4092	-0.7448	0.0000	-0.4092	0.7448	-0.0029	0.2070	-0.0328
RohnEa5	0.0000	0.3926	-0.8409	0.0000	-0.3926	0.8409	-0.0033	0.1048	-0.0235
RohnEa5	0.0000	0.3643	-0.8835	0.0000	-0.3643	0.8835	-0.0039	0.0357	-0.0141
RohnEa5	0.0000	0.3798	-0.9588	0.0000	-0.3798	0.9588	-0.0062	0.0022	-0.0050
RohnAa1	0.0000	1.2605	-0.4775	0.0000	-1.2605	0.4775	-0.0029	0.0357	-0.0050
RohnAa2	0.0000	0.2496	-0.2802	0.0000	-0.2496	0.2802	-0.0000	1.2876	-0.0848
RohnAa2	0.0000	0.2497	-0.2975	0.0000	-0.2497	0.2975	-0.0029	1.2327	-0.0803
RohnAa2	0.0000	0.1755	-0.2575	0.0000	-0.1755	0.2575	-0.0066	1.2292	-0.1342
RohnAa2	0.0000	0.9261	-0.3875	0.0000	-0.9261	0.3875	-0.0030	1.1686	-0.0262
RohnAa2	0.0000	0.1755	-0.2575	0.0000	-0.1755	0.2575	-0.0001	1.1643	-0.1335
RohnBa1	0.0000	0.2194	-0.2788	0.0000	-0.2194	0.2788	-0.0002	1.0410	-0.0182
RohnBa2	0.0000	0.2194	-0.2788	0.0000	-0.2194	0.2788	-0.0002	1.0368	-0.1315
RohnBb1	0.0000	1.8326	-1.2338	0.0000	-1.8326	1.2338	-0.0020	0.9786	-0.0145
RohnBb1	0.0000	1.8326	-1.2338	0.0000	-1.8326	1.2338	-0.0013	0.9742	-0.1303
RohnBc1	0.0000	0.2725	-0.3538	0.0000	-0.2725	0.3538	-0.0032	0.9160	-0.0111
RohnBc2	0.0000	0.2194	-0.2788	0.0000	-0.2194	0.2788	-0.0002	0.9115	-0.1287
RohnCa1	0.0000	2.0990	-1.1156	0.0000	-2.0990	1.1156	-0.0023	0.7770	-0.0040
RohnCa2	0.0000	1.8934	-1.0682	0.0000	-1.8934	1.0682	-0.0007	0.7722	-0.1241
RohnCb1	0.0000	0.3134	-0.3714	0.0000	-0.3134	0.3714	-0.0029	0.6999	-0.0006
RohnCb2	0.0000	0.3134	-0.3714	0.0000	-0.3134	0.3714	-0.0002	0.6952	-0.1207
RohnDa1	0.0000	0.4477	-0.6510	0.0000	-0.4477	0.6510	-0.0026	0.5573	-0.0042
RohnDa2	0.0000	0.3188	-0.4060	0.0000	-0.3188	0.4060	-0.0004	0.5523	-0.1120
RohnDb1	0.0000	0.3675	-0.4810	0.0000	-0.3675	0.4810	-0.0028	0.4922	-0.0055
RohnDb2	0.0000	0.3188	-0.4060	0.0000	-0.3188	0.4060	-0.0003	0.4871	-0.1065
RohnEa1	0.0000	0.3264	-0.5363	0.0000	-0.3264	0.5363	-0.0026	0.3773	-0.0074
RohnEa2	0.0000	0.3264	-0.5363	0.0000	-0.3264	0.5363	-0.0007	0.3718	-0.0951
RohnEb1	0.0000	0.3723	-0.6113	0.0000	-0.3723	0.6113	-0.0027	0.3257	-0.0083
RohnEb2	0.0000	0.3264	-0.5363	0.0000	-0.3264	0.5363	-0.0006	0.3201	-0.0897
RohnFa1	0.0000	0.4092	-0.7448	0.0000	-0.4092	0.7448	-0.0042	0.2137	-0.0094
RohnFa2	0.0000	0.3926	-0.8409	0.0000	-0.3926	0.8409	-0.0011	0.2081	-0.0750
RohnGa2	0.0000	0.3643	-0.8835	0.0000	-0.3643	0.8835	-0.0009	0.1056	-0.0557
RohnHa1	0.0000	0.3643	-0.8835	0.0000	-0.3643	0.8835	-0.0045	0.0435	-0.0060
RohnHa2	0.0000	0.3798	-0.9588	0.0000	-0.3798	0.9588	-0.0008	0.0365	-0.0343
RohnIa1	0.0000	0.3798	-0.9588	0.0000	-0.3798	0.9588	-0.0010	0.0003	-0.0117
RohnIa2	0.0000	0.1755	-0.2575	-0.0000	0.1755	-0.2575	0.0014	1.2876	-0.0107
SNB-Aa1	0.0000	0.1755	-0.2575	-0.0000	0.1755	-0.2575	0.0011	1.2954	-0.1074
SNB-Aa2	0.0000	0.1755	-0.2575	-0.0000	0.1755	-0.2575	0.0012	1.2327	-0.0464
SNB-Ab1	0.0000	0.1755	-0.2575	-0.0000	0.1755	-0.2575	0.0014	1.2308	-0.1071
SNB-Ab2	0.0000	0.1755	-0.2575	-0.0000	0.1755	-0.2575	0.0015	1.1685	-0.0420
SNB-Ac1	0.0000	0.1755	-0.2575	-0.0000	0.1755	-0.2575	0.0009	1.1660	-0.1056
SNB-Ac2	0.0000	0.1755	-0.2575	-0.0000	0.1755	-0.2575	0.0015	1.0411	-0.0337
SNB-Ba1	0.0000	0.2194	-0.2788	-0.0000	0.2194	-0.2788	0.0015	1.0385	-0.1034
SNB-Ba2	0.0000	0.2194	-0.2788	-0.0000	0.2194	-0.2788	0.0008	1.0385	-0.1034
SNB-Bb1	0.0000	0.2194	-0.2788	-0.0000	0.2194	-0.2788	0.0012	0.9781	-0.0297
SNB-Bb2	0.0000	0.2194	-0.2788	-0.0000	0.2194	-0.2788	0.0013	0.9753	-0.1046
SNB-Bc1	0.0000	0.2194	-0.2788	-0.0000	0.2194	-0.2788	0.0014	0.9161	-0.0259
SNB-Bc2	0.0000	0.2194	-0.2788	-0.0000	0.2194	-0.2788	0.0008	0.9132	-0.1036

SNB-Ca1	0.0000	0.3134	-0.3714	-0.0000	-0.3134	0.3714	0.0017	0.7763	-0.0178
SNB-Ca2	0.0000	0.3134	-0.3714	-0.0000	-0.3134	0.3714	0.0006	0.7732	-0.1006
SNB-Cb1	0.0000	0.3134	-0.3714	-0.0000	-0.3134	0.3714	0.0019	0.6996	-0.0138
SNB-Cb2	0.0000	0.3134	-0.3714	-0.0000	-0.3134	0.3714	0.0004	0.6963	-0.6982
SNB-Da1	0.0000	0.3188	-0.4060	-0.0000	-0.3188	0.4060	0.0020	0.5568	-0.0076
SNB-Da2	0.0000	0.3188	-0.4060	-0.0000	-0.3188	0.4060	0.0003	0.5532	-0.0918
SNB-Db1	0.0000	0.3188	-0.4060	-0.0000	-0.3188	0.4060	0.0023	0.4916	-0.0056
SNB-Db2	0.0000	0.3188	-0.4060	-0.0000	-0.3188	0.4060	0.0001	0.4879	-0.0875
SNB-Ea1	0.0000	0.3264	-0.5363	-0.0000	-0.3264	0.5363	0.0016	0.3768	-0.0019
SNB-Ea2	0.0000	0.3264	-0.5363	-0.0000	-0.3264	0.5363	0.0007	0.3728	-0.0782
SNB-Eb1	0.0000	0.3264	-0.5363	-0.0000	-0.3264	0.5363	0.0020	0.3252	0.0002
SNB-Eb2	0.0000	0.3264	-0.5363	-0.0000	-0.3264	0.5363	0.0006	0.3211	-0.0753
SNB-Fa1	0.0000	0.4092	-0.7448	-0.0000	-0.4092	0.7448	-0.0018	0.2130	0.0034
SNB-Fa2	0.0000	0.4092	-0.7448	-0.0000	-0.4092	0.7448	-0.0014	0.2089	-0.0633
SNB-Ga1	0.0000	0.3926	-0.8409	-0.0000	-0.3926	0.8409	0.0037	0.1111	0.0050
SNB-Ga2	0.0000	0.3926	-0.8409	-0.0000	-0.3926	0.8409	-0.0011	0.1064	-0.0481
SNB-Ha1	0.0000	0.3643	-0.8835	-0.0000	-0.3643	0.8835	0.0042	0.0927	0.0042
SNB-Ha2	0.0000	0.3643	-0.8835	-0.0000	-0.3643	0.8835	-0.0011	0.0372	-0.0302
SNB-Ia1	0.0000	0.3798	-0.9588	-0.0000	-0.3798	0.9588	0.0049	0.0103	0.0013
SNB-Ia2	0.0000	0.3798	-0.9588	-0.0000	-0.3798	0.9588	0.0004	0.0009	-0.0107

Equilibrium Joint Positions and Rotations for Load Case "DL + Ice Only":

Joint Label	X-Displ (ft)	Y-Displ (ft)	Z-Displ (ft)	X-Rot (deg)	Y-Rot (deg)	Z-Rot (deg)	X-Pos (ft)	Y-Pos (ft)	Z-Pos (ft)
RohnAP	-0.001667	-0.001545	-0.08054	0.0000	0.0000	0.0000	4.331	-0.001545	179.9
RohnBP	-0.00203	-0.001103	-0.07245	0.0000	0.0000	0.0000	5.119	-0.001103	159.9
RohnCP	-0.002363	-0.000765	-0.06399	0.0000	0.0000	0.0000	5.907	-0.000765	139.9
RohnDP	-0.002659	-0.0005064	-0.05522	0.0000	0.0000	0.0000	6.692	-0.0005064	119.9
RohnEP	-0.002945	-0.0003047	-0.04598	0.0000	0.0000	0.0000	7.478	-0.0003047	99.95
RohnFP	-0.003241	-0.000172	-0.03693	0.0000	0.0000	0.0000	8.265	-0.000172	79.96
RohnGP	-0.00354	-8.477e-005	-0.02785	0.0000	0.0000	0.0000	9.051	-8.477e-005	59.97
RohnHP	-0.003795	-3.235e-005	-0.01875	0.0000	0.0000	0.0000	9.837	-3.235e-005	39.98
RohnIP	-0.00366	-6.172e-006	-7.009404	0.0000	0.0000	0.0000	10.63	-6.172e-006	19.99
RohnJP	-0.0008791	0	0	0.0000	0.0000	0.0000	11.42	0	0
SNB-AP	-0.001542	-0.001342	-0.07484	0.0000	0.0000	0.0000	2.332	-0.001542	179.9
SNB-BP	-0.001242	-0.001104	-0.06693	0.0000	0.0000	0.0000	3.12	-0.001104	159.9
SNB-CP	-0.001576	-0.0007672	-0.0589	0.0000	0.0000	0.0000	3.906	-0.0007672	139.9
SNB-DP	-0.001874	-0.0005047	-0.0507	0.0000	0.0000	0.0000	4.693	-0.0005047	119.9
SNB-EP	-0.002162	-0.0003059	-0.04229	0.0000	0.0000	0.0000	5.479	-0.0003059	99.96
SNB-FP	-0.002459	-0.0001732	-0.03404	0.0000	0.0000	0.0000	6.266	-0.0001732	79.97
SNB-GP	-0.002759	-8.526e-005	-0.02563	0.0000	0.0000	0.0000	7.052	-8.526e-005	59.97
SNB-HP	-0.003015	-3.246e-005	-0.0172	0.0000	0.0000	0.0000	7.838	-3.246e-005	39.98
SNB-IP	-0.00288	-6.385e-006	-7.009812	0.0000	0.0000	0.0000	8.625	-6.385e-006	19.99
SNB-JP	0	0	0	0.0000	0.0000	0.0000	9.415	0	0
RohnA1	0.0008805	-7.268e-005	-0.08062	0.0000	0.0000	0.0000	-2.166	-3.753	179.9
RohnA2	0.0008781	-0.003013	-0.08043	0.0000	0.0000	0.0000	-2.166	3.749	179.9
RohnB1	0.0009768	-0.0006318	-0.07252	0.0000	0.0000	0.0000	-2.56	-4.434	159.9
RohnB2	0.0009775	-0.002839	-0.07231	0.0000	0.0000	0.0000	-2.56	4.432	159.9
RohnC1	0.001095	-0.00123	-0.06406	0.0000	0.0000	0.0000	-2.953	-5.115	139.9
RohnC2	0.001097	-0.002164	-0.06391	0.0000	0.0000	0.0000	-2.953	5.115	139.9
RohnD1	0.001243	-0.001749	-0.0553	0.0000	0.0000	0.0000	-3.346	-5.795	119.9
RohnD2	0.001242	-0.002726	-0.05516	0.0000	0.0000	0.0000	-3.346	5.795	119.9
RohnE1	0.001415	-0.002211	-0.04605	0.0000	0.0000	0.0000	-3.739	-6.477	99.95
RohnE2	0.001415	-0.002823	-0.04593	0.0000	0.0000	0.0000	-3.739	6.476	99.95
RohnF1	0.001587	-0.002514	-0.03698	0.0000	0.0000	0.0000	-4.132	-7.157	79.96
RohnF2	0.001588	-0.00296	-0.0369	0.0000	0.0000	0.0000	-4.132	7.157	79.96
RohnG1	0.001753	-0.002971	-0.02789	0.0000	0.0000	0.0000	-4.526	-7.839	59.97
RohnG2	0.001754	-0.003141	-0.02783	0.0000	0.0000	0.0000	-4.526	7.839	59.97
RohnH1	0.001891	-0.00325	-0.01877	0.0000	0.0000	0.0000	-4.919	-8.519	39.98
RohnH2	0.001891	-0.003315	-0.01873	0.0000	0.0000	0.0000	-4.919	8.519	39.98
RohnI1	0.001829	-0.003163	-0.008413	0.0000	0.0000	0.0000	-5.313	-9.203	19.99
RohnI2	0.001829	-0.003175	-0.009398	0.0000	0.0000	0.0000	-5.313	9.203	19.99
RohnJ1	0	0	0	0.0000	0.0000	0.0000	-5.71	-9.99	0
RohnJ2	0	0	0	0.0000	0.0000	0.0000	-5.71	9.99	0
SNB-A1	0.0004853	-0.0007545	-0.07488	0.0000	0.0000	0.0000	-1.162	-2.021	179.9
SNB-A2	0.0004855	-0.002433	-0.07479	0.0000	0.0000	0.0000	-1.162	2.018	179.9
SNB-B1	-5.00238e-005	-0.00233	-0.06697	0.0000	0.0000	0.0000	-1.56	-2.703	159.9
SNB-B2	0.0005831	-0.002158	-0.06687	0.0000	0.0000	0.0000	-1.56	2.701	159.9
SNB-C1	0.0007027	0.0005482	-0.05894	0.0000	0.0000	0.0000	-1.953	-3.384	139.9
SNB-C2	0.0007028	-0.002083	-0.05884	0.0000	0.0000	0.0000	-1.953	3.382	139.9
SNB-D1	0.0008511	0.001065	-0.05075	0.0000	0.0000	0.0000	-2.347	-4.065	119.9
SNB-D2	0.0008514	-0.002079	-0.05066	0.0000	0.0000	0.0000	-2.347	4.064	119.9
SNB-E1	0.001023	0.001533	-0.04233	0.0000	0.0000	0.0000	-2.739	-4.745	99.96
SNB-E2	0.001023	-0.002145	-0.04226	0.0000	0.0000	0.0000	-2.739	4.745	99.96
SNB-F1	0.001196	0.001937	-0.03407	0.0000	0.0000	0.0000	-3.133	-5.426	79.97
SNB-F2	0.001196	-0.002283	-0.03401	0.0000	0.0000	0.0000	-3.133	5.426	79.97
SNB-G1	0.001363	0.002294	-0.02566	0.0000	0.0000	0.0000	-3.526	-6.108	59.97
SNB-G2	0.001363	-0.002465	-0.02562	0.0000	0.0000	0.0000	-3.526	6.107	59.97
SNB-H1	0.001501	0.002575	-0.01721	0.0000	0.0000	0.0000	-3.919	-6.788	39.98
SNB-H2	0.001501	-0.002639	-0.01719	0.0000	0.0000	0.0000	-3.919	6.788	39.98
SNB-I1	0.001439	0.002487	-0.008619	0.0000	0.0000	0.0000	-4.313	-7.47	19.99
SNB-I2	0.001439	-0.0025	-0.008607	0.0000	0.0000	0.0000	-4.313	7.47	19.99
SNB-J1	0	0	0	0.0000	0.0000	0.0000	-4.708	-8.154	0
SNB-J2	0	0	0	0.0000	0.0000	0.0000	-4.708	8.154	0
RohnAas	-0.001726	-0.001423	-0.07855	0.0000	0.0000	0.0000	4.529	-0.001423	174.9
RohnAbs	-0.001849	-0.001311	-0.07654	0.0000	0.0000	0.0000	4.725	-0.001311	169.9
RohnAcs	-0.001886	-0.001201	-0.0745	0.0000	0.0000	0.0000	4.922	-0.001201	164.9
RohnBbs	-0.002046	-0.001007	-0.07038	0.0000	0.0000	0.0000	5.316	-0.001007	154.9
RohnBcs	-0.002213	-0.0009227	-0.0683	0.0000	0.0000	0.0000	5.513	-0.0009227	149.9
RohnCbs	-0.00219	-0.0008404	-0.06615	0.0000	0.0000	0.0000	5.71	-0.0008404	144.9
RohnCas	-0.002369	-0.0006733	-0.06112	0.0000	0.0000	0.0000	6.168	-0.0006733	133.9
RohnCbs	-0.002453	-0.0005839	-0.05817	0.0000	0.0000	0.0000	6.431	-0.0005839	126.6
RohnDbs	-0.00262	-0.0004289	-0.05217	0.0000	0.0000	0.0000	6.954	-0.0004289	113.3
RohnDbs	-0.002707	-0.0003589	-0.04907	0.0000	0.0000	0.0000	7.217	-0.0003589	106.6
RohnEas	-0.002962	-0.0002544	-0.04299	0.0000	0.0000	0.0000	7.74	-0.0002544	93.3

RohnBbs -0.003046 -0.0002103 -0.03996 0.0000 0.0000 0.0000 0.0000 8.003 -0.002103 86.62
RohnFas -0.003038 -0.0001184 -0.0321 0.0000 0.0000 0.0000 0.0000 8.658 -0.000184 89.97
RohnGas -0.003389 -5.134e-005 -0.02331 0.0000 0.0000 0.0000 0.0000 9.445 -5.134e-005 49.98
RohnHas -0.003897 -1.308e-005 -0.01412 0.0000 0.0000 0.0000 0.0000 10.23 -1.308e-005 29.99
RohnLas -0.006172 8.738e-007 -0.00501 0.0000 0.0000 0.0000 0.0000 11.02 8.738e-007 9.995
RohnRas -0.0009377 -0.001424 -0.07288 0.0000 0.0000 0.0000 0.0000 2.529 -0.001424 174.9
RohnRbs -0.001131 -0.001131 -0.07091 0.0000 0.0000 0.0000 0.0000 2.726 -0.001131 169.9
RohnRcs -0.001090 -0.001201 -0.06892 0.0000 0.0000 0.0000 0.0000 2.926 -0.001201 164.9
RohnRds -0.001426 -0.001109 -0.06493 0.0000 0.0000 0.0000 0.0000 3.216 -0.001109 154.9
RohnRfs -0.001403 -0.000941 -0.06293 0.0000 0.0000 0.0000 0.0000 3.513 -0.000941 144.9
RohnRgs -0.001403 -0.000941 -0.06092 0.0000 0.0000 0.0000 0.0000 3.71 -0.000941 144.9
RohnRhs -0.001363 -0.0006706 -0.05619 0.0000 0.0000 0.0000 0.0000 4.168 -0.0006706 133.3
RohnRbs -0.001667 -0.0005829 -0.05344 0.0000 0.0000 0.0000 0.0000 4.431 -0.0005829 126.6
RohnRds -0.001836 -0.0004274 -0.04792 0.0000 0.0000 0.0000 0.0000 4.955 -0.0004274 113.3
RohnRfs -0.001923 -0.0003604 -0.0451 0.0000 0.0000 0.0000 0.0000 5.217 -0.0003604 106.6
RohnRgs -0.002179 -0.0002551 -0.03935 0.0000 0.0000 0.0000 0.0000 5.741 -0.0002551 91.3
RohnRhs -0.002264 -0.0002108 -0.03639 0.0000 0.0000 0.0000 0.0000 6.004 -0.0002108 86.62
RohnRds -0.002257 -0.0001193 -0.02983 0.0000 0.0000 0.0000 0.0000 6.659 -0.0001193 69.97
RohnRfs -0.002609 -5.171e-005 -0.02142 0.0000 0.0000 0.0000 0.0000 7.445 -5.171e-005 49.98
RohnRgs -0.003116 -1.345e-005 -0.01296 0.0000 0.0000 0.0000 0.0000 8.231 -1.345e-005 29.99
RohnRhs -0.00339 7.387e-007 -0.004681 0.0000 0.0000 0.0000 0.0000 9.016 7.387e-007 9.995
RohnRds -0.003887 8.352e-005 -0.07863 0.0000 0.0000 0.0000 0.0000 -2.264 -3.923 174.9
RohnRfs -0.000888 -0.002333 -0.07843 0.0000 0.0000 0.0000 0.0000 -2.264 -3.923 174.9
RohnRgs -0.0009268 -0.002895 -0.07661 0.0000 0.0000 0.0000 0.0000 -2.363 -4.093 169.9
RohnRhs -0.0009277 -0.002912 -0.07642 0.0000 0.0000 0.0000 0.0000 -2.363 -4.093 169.9
RohnRds -0.0009211 -0.00042 -0.07458 0.0000 0.0000 0.0000 0.0000 -2.461 -4.264 164.9
RohnRfs -0.0009246 -0.0002828 -0.07438 0.0000 0.0000 0.0000 0.0000 -2.461 -4.264 164.9
RohnRgs -0.0009651 0.0007311 -0.07045 0.0000 0.0000 0.0000 0.0000 -2.658 -4.605 154.9
RohnRhs -0.0009696 -0.0002752 -0.07027 0.0000 0.0000 0.0000 0.0000 -2.658 -4.605 154.9
RohnRds -0.001038 -0.00093541 -0.06837 0.0000 0.0000 0.0000 0.0000 -2.756 -4.775 149.9
RohnRfs -0.001039 -0.002891 -0.0682 0.0000 0.0000 0.0000 0.0000 -2.756 -4.775 149.9
RohnRgs -0.001016 -0.001016 -0.06622 0.0000 0.0000 0.0000 0.0000 -2.855 -4.946 144.9
RohnRhs -0.001019 -0.002695 -0.06606 0.0000 0.0000 0.0000 0.0000 -2.855 -4.946 144.9
RohnRds -0.001092 -0.001327 -0.06119 0.0000 0.0000 0.0000 0.0000 -3.084 -5.343 133.3
RohnRfs -0.0009265 -0.002675 -0.06104 0.0000 0.0000 0.0000 0.0000 -3.084 -5.343 133.3
RohnRgs -0.001134 -0.001486 -0.05825 0.0000 0.0000 0.0000 0.0000 -3.215 -5.57 126.6
RohnRhs -0.001137 -0.002658 -0.0581 0.0000 0.0000 0.0000 0.0000 -3.215 -5.569 126.6
RohnRds -0.001231 -0.001795 -0.05225 0.0000 0.0000 0.0000 0.0000 -3.477 -6.023 113.3
RohnRfs -0.001232 -0.002855 -0.05211 0.0000 0.0000 0.0000 0.0000 -3.477 -6.023 113.3
RohnRgs -0.001284 -0.001942 -0.04915 0.0000 0.0000 0.0000 0.0000 -3.608 -6.25 106.6
RohnRhs -0.001289 -0.002667 -0.04902 0.0000 0.0000 0.0000 0.0000 -3.608 -6.249 106.6
RohnRds -0.001431 -0.00228 -0.04305 0.0000 0.0000 0.0000 0.0000 -3.87 -6.703 93.3
RohnRfs -0.001433 -0.002793 -0.04295 0.0000 0.0000 0.0000 0.0000 -3.87 -6.703 93.3
RohnRgs -0.001481 -0.002402 -0.04002 0.0000 0.0000 0.0000 0.0000 -4.001 -6.931 86.62
RohnRhs -0.001483 -0.002826 -0.03992 0.0000 0.0000 0.0000 0.0000 -4.001 -6.931 86.62
RohnRds -0.001493 -0.002493 -0.03244 0.0000 0.0000 0.0000 0.0000 -4.329 -7.498 69.97
RohnRfs -0.001499 -0.002741 -0.03237 0.0000 0.0000 0.0000 0.0000 -4.329 -7.498 69.97
RohnRgs -0.001682 -0.002874 -0.02334 0.0000 0.0000 0.0000 0.0000 -4.722 -8.179 49.98
RohnRhs -0.001686 -0.002984 -0.02329 0.0000 0.0000 0.0000 0.0000 -4.722 -8.179 49.98
RohnRds -0.001943 -0.003356 -0.01414 0.0000 0.0000 0.0000 0.0000 -5.116 -8.861 29.99
RohnRfs -0.001947 -0.003389 -0.01411 0.0000 0.0000 0.0000 0.0000 -5.116 -8.861 29.99
RohnRgs -0.003085 -0.005343 -0.005015 0.0000 0.0000 0.0000 0.0000 -5.509 -9.543 9.995
RohnRhs -0.003087 -0.005346 -0.005007 0.0000 0.0000 0.0000 0.0000 -5.509 -9.543 9.995
RohnRds -0.004916 -0.0005382 -0.07292 0.0000 0.0000 0.0000 0.0000 -1.265 -2.192 174.9
RohnRfs -0.004929 -0.002252 -0.07282 0.0000 0.0000 0.0000 0.0000 -1.265 -2.192 174.9
RohnRgs -0.005323 -0.0003925 -0.07095 0.0000 0.0000 0.0000 0.0000 -1.363 -2.362 169.9
RohnRhs -0.00533 -0.002231 -0.07085 0.0000 0.0000 0.0000 0.0000 -1.363 -2.362 169.9
RohnRds -0.005277 -0.0002625 -0.06896 0.0000 0.0000 0.0000 0.0000 -1.461 -2.53 164.9
RohnRfs -0.00531 -0.002146 -0.06886 0.0000 0.0000 0.0000 0.0000 -1.461 -2.53 164.9
RohnRgs -0.005734 4.823e-005 -0.06497 0.0000 0.0000 0.0000 0.0000 -1.658 -2.871 154.9
RohnRhs -0.005758 -0.002716 -0.06298 0.0000 0.0000 0.0000 0.0000 -1.757 -3.042 149.9
RohnRds -0.006455 -0.00212 -0.06287 0.0000 0.0000 0.0000 0.0000 -1.855 -3.214 144.9
RohnRfs -0.006223 0.0003284 -0.06096 0.0000 0.0000 0.0000 0.0000 -1.855 -3.212 144.9
RohnRgs -0.006245 -0.002014 -0.06086 0.0000 0.0000 0.0000 0.0000 -1.855 -3.212 144.9
RohnRhs -0.006992 0.0006464 -0.05623 0.0000 0.0000 0.0000 0.0000 -2.084 -3.609 133.3
RohnRds -0.007019 -0.001992 -0.05613 0.0000 0.0000 0.0000 0.0000 -2.084 -3.609 133.3
RohnRfs -0.007414 0.0008059 -0.05349 0.0000 0.0000 0.0000 0.0000 -2.216 -3.838 126.6
RohnRgs -0.007447 -0.001977 -0.05339 0.0000 0.0000 0.0000 0.0000 -2.216 -3.837 126.6
RohnRhs -0.007467 -0.001116 -0.04797 0.0000 0.0000 0.0000 0.0000 -2.478 -4.292 113.3
RohnRds -0.008414 -0.001975 -0.04788 0.0000 0.0000 0.0000 0.0000 -2.478 -4.291 113.3
RohnRfs -0.008518 -0.001263 -0.04514 0.0000 0.0000 0.0000 0.0000 -2.609 -4.519 106.6
RohnRgs -0.008951 -0.001199 -0.04506 0.0000 0.0000 0.0000 0.0000 -2.609 -4.518 106.6
RohnRhs -0.001039 -0.001602 -0.03959 0.0000 0.0000 0.0000 0.0000 -2.87 -4.972 93.3
RohnRds -0.001041 -0.002115 -0.03952 0.0000 0.0000 0.0000 0.0000 -2.87 -4.972 93.3
RohnRfs -0.001109 0.001109 -0.03683 0.0000 0.0000 0.0000 0.0000 -3.002 -5.2 86.62
RohnRgs -0.001092 -0.002149 -0.03676 0.0000 0.0000 0.0000 0.0000 -3.002 -5.199 86.62
RohnRhs -0.001102 -0.001816 -0.02986 0.0000 0.0000 0.0000 0.0000 -3.33 -5.767 69.97
RohnRds -0.001107 -0.002064 -0.02581 0.0000 0.0000 0.0000 0.0000 -3.33 -5.767 69.97
RohnRfs -0.001292 0.002197 -0.02144 0.0000 0.0000 0.0000 0.0000 -3.723 -6.448 49.98
RohnRgs -0.001296 -0.002308 -0.02141 0.0000 0.0000 0.0000 0.0000 -3.723 -6.448 49.98

SNB-Ha1 0.001553 0.002568 -0.01297 0.0000 0.0000 0.0000 -4.116 -7.129 29.99
 SNB-Ha2 0.001557 -0.001295 0.0000 0.0000 0.0000 -4.116 7.129 29.99
 SNB-La1 0.004654 -0.004657 0.0000 0.0000 0.0000 -4.508 -7.808 9.995
 SNB-La2 0.002656 -0.004659 0.0000 0.0000 0.0000 -4.508 7.808 9.995

Joint Support Reactions for Load Case "DL + Ice Only":

Joint Label	X (kips)	X Usage %	Y (kips)	Y Usage %	Z (kips)	Z Usage %	Uplift Result. %	Force (kips)	Force Usage %	Moment (ft-k)	Moment Usage %	Y-M. Moment (ft-k)	Y-M. Moment Usage %	Z-M. Moment (ft-k)	Z-M. Moment Usage %
RohnJF	5.03	0.0	-0.00	0.0	21.92	0.0	0.0	22.49	0.0	-0.00	0.0	-0.00	0.0	-0.00	0.0
SNB-JF	11.41	0.0	-0.00	0.0	19.22	0.0	0.0	21.50	0.0	-0.00	0.0	-0.00	0.0	-0.00	0.0
RohnJ1	-2.51	0.0	-4.35	0.0	22.66	0.0	0.0	22.62	0.0	-0.00	0.0	-0.00	0.0	-0.00	0.0
RohnJ2	-2.52	0.0	4.36	0.0	21.84	0.0	0.0	22.41	0.0	-0.00	0.0	-0.00	0.0	-0.00	0.0
SNB-J1	-5.71	0.0	-9.88	0.0	19.38	0.0	0.0	21.64	0.0	-0.00	0.0	-0.00	0.0	-0.00	0.0
SNB-J2	-5.71	0.0	9.88	0.0	19.11	0.0	0.0	21.41	0.0	-0.00	0.0	-0.00	0.0	-0.00	0.0

Joint Displacements, Loads and Member Forces on Joints for Load Case "DL + Ice Only":

Joint Label	X External (kips)	Y External (kips)	Z External (kips)	X Member (kips)	Y Member (kips)	Z Member (kips)	X Force (kips)	Y Force (kips)	Z Force (kips)	X Disp. (ft)	Y Disp. (ft)	Z Disp. (ft)
RohnAF	0.0000	0.0000	-0.7139	-0.0000	-0.0000	-0.0000	0.7199	-0.0017	-0.0015	-0.0015	-0.0805	-0.0805
RohnBF	0.0000	0.0000	-0.7639	-0.0000	-0.0000	-0.0000	0.7659	-0.0020	-0.0011	-0.0011	-0.0725	-0.0725
RohnCF	0.0000	0.0000	-0.6937	-0.0000	-0.0000	-0.0000	0.6907	-0.0024	-0.0008	-0.0008	-0.0640	-0.0640
RohnDF	0.0000	0.0000	-1.6173	-0.0000	-0.0000	-0.0000	1.6173	-0.0027	-0.0005	-0.0005	-0.0552	-0.0552
RohnEF	0.0000	0.0000	-0.9422	-0.0000	-0.0000	-0.0000	0.9422	-0.0029	-0.0003	-0.0003	-0.0460	-0.0460
RohnGF	0.0000	0.0000	-1.3026	-0.0000	-0.0000	-0.0000	1.3026	-0.0032	-0.0002	-0.0002	-0.0369	-0.0369
RohnHP	0.0000	0.0000	-1.6057	-0.0000	-0.0000	-0.0000	1.6057	-0.0035	-0.0001	-0.0001	-0.0279	-0.0279
RohnIF	0.0000	0.0000	-1.7244	-0.0000	-0.0000	-0.0000	1.7244	-0.0038	-0.0000	-0.0000	-0.0187	-0.0187
RohnJF	0.0000	0.0000	-1.8423	-0.0000	-0.0000	-0.0000	1.8423	-0.0037	-0.0000	-0.0000	-0.0094	-0.0094
RohnAP	0.0000	0.0000	-0.9588	-5.0283	0.0007	-20.9574	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
SNB-AP	0.0000	0.0000	-0.2575	-0.0000	-0.0000	-0.0000	0.2575	-0.0009	-0.0015	-0.0015	-0.0748	-0.0748
SNB-BF	0.0000	0.0000	-0.5363	-0.0000	-0.0000	-0.0000	0.5363	-0.0012	-0.0011	-0.0011	-0.0669	-0.0669
SNB-CF	0.0000	0.0000	-0.6503	-0.0000	-0.0000	-0.0000	0.6503	-0.0016	-0.0008	-0.0008	-0.0589	-0.0589
SNB-DF	0.0000	0.0000	-0.7774	-0.0000	-0.0000	-0.0000	0.7774	-0.0019	-0.0005	-0.0005	-0.0507	-0.0507
SNB-EF	0.0000	0.0000	-0.9422	-0.0000	-0.0000	-0.0000	0.9422	-0.0022	-0.0003	-0.0003	-0.0423	-0.0423
SNB-FF	0.0000	0.0000	-1.2811	-0.0000	-0.0000	-0.0000	1.2811	-0.0025	-0.0002	-0.0002	-0.0340	-0.0340
SNB-GF	0.0000	0.0000	-1.5857	-0.0000	-0.0000	-0.0000	1.5857	-0.0028	-0.0001	-0.0001	-0.0256	-0.0256
SNB-HF	0.0000	0.0000	-1.7244	-0.0000	-0.0000	-0.0000	1.7244	-0.0030	-0.0000	-0.0000	-0.0172	-0.0172
SNB-IF	0.0000	0.0000	-1.8423	-0.0000	-0.0000	-0.0000	1.8423	-0.0029	-0.0000	-0.0000	-0.0086	-0.0086
SNB-JF	0.0000	0.0000	-1.72586	-11.4119	0.0017	-17.2586	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
RohnA1	0.0000	0.0000	-0.7245	-0.0000	-0.0000	-0.0000	0.7245	-0.0009	-0.0001	-0.0001	-0.0806	-0.0806
RohnA2	0.0000	0.0000	-0.6973	0.0000	-0.0000	-0.0000	0.6973	0.0009	-0.0030	-0.0030	-0.0804	-0.0804
RohnB1	0.0000	0.0000	-0.7011	0.0000	-0.0000	-0.0000	0.7011	0.0010	0.0006	0.0006	-0.0725	-0.0725
RohnB2	0.0000	0.0000	-0.6313	0.0000	-0.0000	-0.0000	0.6313	0.0010	0.0008	0.0008	-0.0723	-0.0723
RohnC1	0.0000	0.0000	-0.7207	0.0000	-0.0000	-0.0000	0.7207	0.0011	0.0012	0.0012	-0.0641	-0.0641
RohnC2	0.0000	0.0000	-0.8807	0.0000	-0.0000	-0.0000	0.8807	0.0011	-0.0028	-0.0028	-0.0639	-0.0639
RohnD1	0.0000	0.0000	-1.6173	0.0000	-0.0000	-0.0000	1.6173	0.0012	0.0017	0.0017	-0.0553	-0.0553
RohnD2	0.0000	0.0000	-1.6173	0.0000	-0.0000	-0.0000	1.6173	0.0012	-0.0028	-0.0028	-0.0552	-0.0552
RohnE1	0.0000	0.0000	-0.9422	0.0000	-0.0000	-0.0000	0.9422	0.0014	0.0022	0.0022	-0.0460	-0.0460
RohnE2	0.0000	0.0000	-0.9422	0.0000	-0.0000	-0.0000	0.9422	0.0014	-0.0028	-0.0028	-0.0459	-0.0459
RohnF1	0.0000	0.0000	-1.3521	0.0000	-0.0000	-0.0000	1.3521	0.0016	0.0026	0.0026	-0.0370	-0.0370
RohnF2	0.0000	0.0000	-1.3026	0.0000	-0.0000	-0.0000	1.3026	0.0016	-0.0030	-0.0030	-0.0369	-0.0369
RohnG1	0.0000	0.0000	-1.5857	0.0000	-0.0000	-0.0000	1.5857	0.0018	0.0030	0.0030	-0.0279	-0.0279
RohnG2	0.0000	0.0000	-1.5857	0.0000	-0.0000	-0.0000	1.5857	0.0018	-0.0031	-0.0031	-0.0278	-0.0278
RohnH1	0.0000	0.0000	-1.7244	0.0000	-0.0000	-0.0000	1.7244	0.0019	0.0033	0.0033	-0.0188	-0.0188
RohnH2	0.0000	0.0000	-1.7244	0.0000	-0.0000	-0.0000	1.7244	0.0019	-0.0033	-0.0033	-0.0187	-0.0187
RohnI1	0.0000	0.0000	-1.8423	-0.0000	-0.0000	-0.0000	1.8423	0.0018	0.0032	0.0032	-0.0094	-0.0094
RohnI2	0.0000	0.0000	-1.8423	-0.0000	-0.0000	-0.0000	1.8423	0.0018	-0.0032	-0.0032	-0.0094	-0.0094
RohnJ1	0.0000	0.0000	-2.5127	4.3525	-21.0966	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
RohnJ2	0.0000	0.0000	-2.5155	-4.3525	-20.8797	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
SNB-A1	0.0000	0.0000	-0.2575	-0.0000	-0.0000	-0.0000	0.2575	-0.0005	-0.0006	-0.0006	-0.0749	-0.0749
SNB-A2	0.0000	0.0000	-0.2575	-0.0000	-0.0000	-0.0000	0.2575	-0.0005	-0.0023	-0.0023	-0.0748	-0.0748
SNB-B1	0.0000	0.0000	-0.5363	-0.0000	-0.0000	-0.0000	0.5363	-0.0006	-0.0001	-0.0001	-0.0670	-0.0670
SNB-B2	0.0000	0.0000	-0.5363	-0.0000	-0.0000	-0.0000	0.5363	-0.0006	-0.0022	-0.0022	-0.0669	-0.0669
SNB-C1	0.0000	0.0000	-0.6503	-0.0000	-0.0000	-0.0000	0.6503	-0.0007	0.0005	0.0005	-0.0589	-0.0589
SNB-C2	0.0000	0.0000	-0.6503	-0.0000	-0.0000	-0.0000	0.6503	-0.0007	-0.0021	-0.0021	-0.0588	-0.0588
SNB-D1	0.0000	0.0000	-0.7774	-0.0000	-0.0000	-0.0000	0.7774	-0.0009	0.0011	0.0011	-0.0508	-0.0508
SNB-D2	0.0000	0.0000	-0.9422	-0.0000	-0.0000	-0.0000	0.9422	-0.0010	0.0015	0.0015	-0.0423	-0.0423
SNB-E1	0.0000	0.0000	-1.2811	-0.0000	-0.0000	-0.0000	1.2811	-0.0012	-0.0019	-0.0019	-0.0341	-0.0341
SNB-E2	0.0000	0.0000	-1.2811	-0.0000	-0.0000	-0.0000	1.2811	-0.0012	-0.0023	-0.0023	-0.0340	-0.0340
SNB-F1	0.0000	0.0000	-1.5857	-0.0000	-0.0000	-0.0000	1.5857	-0.0014	0.0023	0.0023	-0.0257	-0.0257
SNB-F2	0.0000	0.0000	-1.5857	-0.0000	-0.0000	-0.0000	1.5857	-0.0014	-0.0025	-0.0025	-0.0256	-0.0256
SNB-G1	0.0000	0.0000	-1.7244	-0.0000	-0.0000	-0.0000	1.7244	-0.0015	0.0026	0.0026	-0.0172	-0.0172
SNB-G2	0.0000	0.0000	-1.7244	-0.0000	-0.0000	-0.0000	1.7244	-0.0015	-0.0026	-0.0026	-0.0172	-0.0172
SNB-H1	0.0000	0.0000	-1.8423	-0.0000	-0.0000	-0.0000	1.8423	-0.0016	0.0032	0.0032	-0.0094	-0.0094
SNB-H2	0.0000	0.0000	-1.8423	-0.0000	-0.0000	-0.0000	1.8423	-0.0016	-0.0032	-0.0032	-0.0094	-0.0094
SNB-I1	0.0000	0.0000	-2.5127	4.3525	-21.0966	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
SNB-I2	0.0000	0.0000	-2.5155	-4.3525	-20.8797	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

SNB-H2	0.0000	0.0000	-1.7244	-0.0000	-0.0000	1.7244	0.0015	-0.0026	-0.0172
SNB-H1	0.0000	0.0000	-1.8423	-0.0000	-0.0000	1.8423	0.0014	0.0025	-0.0086
SNB-I2	0.0000	0.0000	-1.8423	-0.0000	-0.0000	1.8423	0.0014	0.0025	-0.0086
SNB-J1	0.0000	0.0000	-0.9598	5.7054	9.8834	-17.4248	0.0000	0.0000	0.0000
SNB-J2	0.0000	0.0000	-0.9598	5.7066	-9.8821	-17.1549	0.0000	0.0000	0.0000
RohnAa5	0.0000	0.0000	-0.2802	-0.0000	-0.0000	0.2802	-0.0017	-0.0014	-0.0785
RohnAa6	0.0000	0.0000	-0.4575	-0.0000	-0.0000	0.4575	-0.0018	-0.0013	-0.0765
RohnAa3	0.0000	0.0000	-0.2575	-0.0000	-0.0000	0.2575	-0.0019	-0.0012	-0.0745
RohnAa4	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	-0.0020	-0.0010	-0.0704
RohnBb5	0.0000	0.0000	-1.2538	-0.0000	-0.0000	1.2538	-0.0022	-0.0009	-0.0683
RohnBb6	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	-0.0022	-0.0008	-0.0661
RohnCa5	0.0000	0.0000	-1.0682	-0.0000	-0.0000	1.0682	-0.0024	-0.0007	-0.0611
RohnCa6	0.0000	0.0000	-0.3714	-0.0000	-0.0000	0.3714	-0.0025	-0.0006	-0.0582
RohnDa5	0.0000	0.0000	-0.4060	-0.0000	-0.0000	0.4060	-0.0026	-0.0004	-0.0522
RohnDa6	0.0000	0.0000	-0.5363	-0.0000	-0.0000	0.5363	-0.0027	-0.0004	-0.0491
RohnEa5	0.0000	0.0000	-0.5363	-0.0000	-0.0000	0.5363	-0.0030	-0.0003	-0.0430
RohnEa6	0.0000	0.0000	-0.5363	-0.0000	-0.0000	0.5363	-0.0030	-0.0003	-0.0430
RohnEb5	0.0000	0.0000	-0.7448	-0.0000	-0.0000	0.7448	-0.0030	-0.0001	-0.0324
RohnEb6	0.0000	0.0000	-0.4060	-0.0000	-0.0000	0.4060	-0.0030	-0.0001	-0.0324
RohnFa5	0.0000	0.0000	-0.8409	-0.0000	-0.0000	0.8409	-0.0034	-0.0001	-0.0233
RohnFa6	0.0000	0.0000	-0.9888	-0.0000	-0.0000	0.9888	-0.0039	-0.0000	-0.0141
RohnGa5	0.0000	0.0000	-0.9888	-0.0000	-0.0000	0.9888	-0.0042	0.0000	-0.0030
RohnGa6	0.0000	0.0000	-0.9888	-0.0000	-0.0000	0.9888	-0.0042	0.0000	-0.0030
SNB-Aa5	0.0000	0.0000	-0.2575	-0.0000	-0.0000	0.2575	-0.0009	-0.0014	-0.0729
SNB-Aa6	0.0000	0.0000	-0.2575	-0.0000	-0.0000	0.2575	-0.0011	-0.0013	-0.0709
SNB-Ba5	0.0000	0.0000	-0.2575	-0.0000	-0.0000	0.2575	-0.0011	-0.0012	-0.0698
SNB-Ba6	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	-0.0013	-0.0010	-0.0649
SNB-Bb5	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	-0.0014	-0.0009	-0.0623
SNB-Bb6	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	-0.0015	-0.0008	-0.0581
SNB-Bc1	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	-0.0016	-0.0007	-0.0521
SNB-Bc2	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	-0.0017	-0.0007	-0.0491
SNB-Ca1	0.0000	0.0000	-1.1156	0.0000	0.0000	1.1156	0.0011	0.0013	-0.0612
SNB-Ca2	0.0000	0.0000	-1.0682	0.0000	0.0000	1.0682	0.0011	0.0027	-0.0610
SNB-Cb1	0.0000	0.0000	-0.3714	0.0000	0.0000	0.3714	0.0011	0.0015	-0.0582
SNB-Cb2	0.0000	0.0000	-0.3714	0.0000	0.0000	0.3714	0.0011	0.0027	-0.0581
RohnBa1	0.0000	0.0000	-0.6510	0.0000	-0.0000	0.6510	0.0012	0.0018	-0.0523
RohnBa2	0.0000	0.0000	-0.4060	0.0000	-0.0000	0.4060	0.0012	0.0027	-0.0521
RohnBb1	0.0000	0.0000	-0.4810	0.0000	-0.0000	0.4810	0.0013	0.0019	-0.0491
RohnBb2	0.0000	0.0000	-0.4060	0.0000	-0.0000	0.4060	0.0013	0.0027	-0.0480
RohnEa1	0.0000	0.0000	-0.5363	0.0000	-0.0000	0.5363	0.0014	0.0023	-0.0430
RohnEa2	0.0000	0.0000	-0.5363	0.0000	-0.0000	0.5363	0.0014	0.0028	-0.0429
RohnEb1	0.0000	0.0000	-0.6113	0.0000	-0.0000	0.6113	0.0015	0.0024	-0.0400
RohnEb2	0.0000	0.0000	-0.5363	0.0000	-0.0000	0.5363	0.0015	0.0028	-0.0399
RohnFa1	0.0000	0.0000	-0.7448	0.0000	-0.0000	0.7448	0.0015	0.0025	-0.0324
RohnFa2	0.0000	0.0000	-0.8409	0.0000	-0.0000	0.8409	0.0015	0.0027	-0.0324
RohnGa1	0.0000	0.0000	-0.8409	0.0000	-0.0000	0.8409	0.0017	0.0029	-0.0233
RohnGa2	0.0000	0.0000	-0.8409	0.0000	-0.0000	0.8409	0.0017	0.0030	-0.0233
RohnHa1	0.0000	0.0000	-0.8835	-0.0000	-0.0000	0.8835	0.0019	0.0034	-0.0141
RohnHa2	0.0000	0.0000	-0.8835	-0.0000	-0.0000	0.8835	0.0019	0.0034	-0.0141
RohnIa1	0.0000	0.0000	-0.9588	0.0000	-0.0000	0.9588	0.0031	0.0053	-0.0050
RohnIa2	0.0000	0.0000	-0.9588	0.0000	-0.0000	0.9588	0.0031	0.0053	-0.0050
SNB-Aa1	0.0000	0.0000	-0.2575	-0.0000	-0.0000	0.2575	0.0005	-0.0006	-0.0729
SNB-Aa2	0.0000	0.0000	-0.2575	-0.0000	-0.0000	0.2575	0.0005	-0.0006	-0.0729
SNB-Ab1	0.0000	0.0000	-0.2575	-0.0000	-0.0000	0.2575	0.0005	-0.0023	-0.0728
SNB-Ab2	0.0000	0.0000	-0.2575	-0.0000	-0.0000	0.2575	0.0005	-0.0004	-0.0709
SNB-Ac1	0.0000	0.0000	-0.2575	-0.0000	-0.0000	0.2575	0.0005	-0.0022	-0.0708
SNB-Ac2	0.0000	0.0000	-0.2575	-0.0000	-0.0000	0.2575	0.0005	-0.0003	-0.0690
SNB-Ba1	0.0000	0.0000	-0.2575	-0.0000	-0.0000	0.2575	0.0005	-0.0021	-0.0689
SNB-Ba2	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	0.0006	0.0000	-0.0650
SNB-Ba3	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	0.0006	-0.0021	-0.0649
SNB-Bb1	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	0.0006	0.0000	-0.0630
SNB-Bb2	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	0.0006	-0.0021	-0.0629
SNB-Bc1	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	0.0006	0.0003	-0.0610
SNB-Bc2	0.0000	0.0000	-0.2788	-0.0000	-0.0000	0.2788	0.0006	-0.0020	-0.0609

URS Connecticut - butternut hollow greenwich, ct

SNB-Ca1	0.0000	0.0000	-0.3714	-0.0000	-0.0000	0.3714	0.0007	0.0006	-0.0562
SNB-Ca2	0.0000	0.0000	-0.3714	-0.0000	-0.0000	0.3714	0.0007	-0.0020	-0.0561
SNB-Cb1	0.0000	0.0000	-0.3714	-0.0000	-0.0000	0.3714	0.0007	0.0008	-0.0535
SNB-Cb2	0.0000	0.0000	-0.3714	-0.0000	-0.0000	0.3714	0.0007	-0.0020	-0.0534
SNB-Da1	0.0000	0.0000	-0.4060	-0.0000	-0.0000	0.4060	0.0008	0.0011	-0.0480
SNB-Da2	0.0000	0.0000	-0.4060	-0.0000	-0.0000	0.4060	0.0008	-0.0020	-0.0479
SNB-Di1	0.0000	0.0000	-0.4060	-0.0000	-0.0000	0.4060	0.0009	0.0013	-0.0451
SNB-Di2	0.0000	0.0000	-0.4060	-0.0000	-0.0000	0.4060	0.0009	-0.0020	-0.0451
SNB-Ea1	0.0000	0.0000	-0.5363	-0.0000	-0.0000	0.5363	0.0010	0.0016	-0.0396
SNB-Ea2	0.0000	0.0000	-0.5363	-0.0000	-0.0000	0.5363	0.0010	-0.0021	-0.0395
SNB-Eb1	0.0000	0.0000	-0.5363	-0.0000	-0.0000	0.5363	0.0011	0.0017	-0.0368
SNB-Eb2	0.0000	0.0000	-0.5363	-0.0000	-0.0000	0.5363	0.0011	-0.0021	-0.0368
SNB-Fa1	0.0000	0.0000	-0.7448	-0.0000	-0.0000	0.7448	0.0011	0.0018	-0.0299
SNB-Fa2	0.0000	0.0000	-0.7448	-0.0000	-0.0000	0.7448	0.0011	-0.0021	-0.0298
SNB-Ga1	0.0000	0.0000	-0.8409	-0.0000	-0.0000	0.8409	0.0013	0.0022	-0.0214
SNB-Ga2	0.0000	0.0000	-0.8409	-0.0000	-0.0000	0.8409	0.0013	-0.0023	-0.0214
SNB-Ha1	0.0000	0.0000	-0.8835	-0.0000	-0.0000	0.8835	0.0016	0.0027	-0.0130
SNB-Ha2	0.0000	0.0000	-0.8835	-0.0000	-0.0000	0.8835	0.0016	-0.0027	-0.0129
SNB-Ia1	0.0000	0.0000	-0.9588	-0.0000	-0.0000	0.9588	0.0027	0.0047	-0.0047
SNB-Ia2	0.0000	0.0000	-0.9588	-0.0000	-0.0000	0.9588	0.0027	-0.0047	-0.0047

*** Overall summary for all load cases - Usage = Maximum Stress / Allowable Stress
 Printed capacities do not include EIA allowable stress increase for wind load cases.
 The Group Summary reports on the member and load case that resulted in maximum usage
 which may not necessarily be the same as that which produces maximum force.

Group Summary (Compression Portion):

Group Label	Group Desc.	Angle Type	Angle Size	Steel Max Usage	Max In Tens.	Tension Control Member	Comp. Force Control Member	Comp. Load Case	L/R Capacity (kips)	Comp. Shear Capacity (kips)	Conn. Bearing Capacity (kips)	RLX	RLY	RLZ	L/R Length Member (ft)	Curve No.	No. Bolts	Comp.
Rohn-D1	Rohn Diagonal 1	SAE	1.75X1.75X0.1875	36.0 76.70	76.70	Rohn-D71	Rohn-D71	-3.073 W+I 0 deg	3.005	16.200	8.156	0.500	0.500	0.500	175.53	10.034	4	1
Rohn-D2	Rohn Diagonal 2	SAE	2X2X0.1875	36.0 97.48	97.48	Rohn-D81	Rohn-D81	-4.971 W+I 0 deg	3.824	16.200	8.156	0.500	0.500	0.500	166.50	10.934	4	1
Rohn-D3	Rohn Diagonal 3	SAE	2.5X2.5X0.1875	36.0 88.02	88.02	Rohn-D31	Rohn-D31	-6.196 W+I 0 deg	5.280	16.200	8.156	0.500	0.500	0.500	159.72	13.177	4	1
Rohn-D4	Rohn Diagonal 4	SAE	2.5X2.5X0.25	36.0 93.56	93.56	Rohn-D41	Rohn-D41	-7.191 W+I 0 deg	5.764	16.200	10.875	0.500	0.500	0.500	175.58	14.368	4	1
Rohn-D5	Rohn Diagonal 5	SAE	3X3X0.25	50.0 65.83	65.83	Rohn-D51	Rohn-D51	-7.561 W+I 0 deg	8.615	16.200	12.187	0.500	0.500	0.500	157.99	15.569	4	1
Rohn-D6	Rohn Diagonal 6	SAE	3.5X3.5X0.25	50.0 65.88	65.88	Rohn-D61	Rohn-D61	-8.841 W+I 0 deg	10.065	16.200	12.187	0.500	0.500	0.500	158.34	18.315	4	1
Rohn-D7	Rohn Diagonal 7	SAE	4X4X0.25	50.0 65.93	65.93	Rohn-D71	Rohn-D71	-9.897 W+I 0 deg	11.259	16.200	12.187	0.500	0.500	0.500	160.41	21.254	4	1
Rohn-L1	Rohn Leg 1	Pipe	Pipe3EH	50.0 15.52	15.52	Rohn-L4P	Rohn-L4P	-14.013 W+I 0 deg	67.718	0.000	0.000	1.000	1.000	1.000	52.67	5.004	1	0
Rohn-L2	Rohn Leg 2	Pipe	Pipe3.5EH	50.0 35.43	35.43	Rohn-L3P	Rohn-L3P	-40.609 W+I 0 deg	85.952	0.000	0.000	1.000	1.000	1.000	45.84	6.665	1	0
Rohn-L3	Rohn Leg 3	Pipe	Pipe4EH	50.0 56.57	56.57	Rohn-L2P	Rohn-L2P	-74.026 W+I 0 deg	108.153	0.000	0.000	1.000	1.000	1.000	54.04	6.665	1	0
Rohn-L4	Rohn Leg 4	Pipe	Pipe5STD	50.0 81.60	81.60	Rohn-L1P	Rohn-L1P	-111.677 W+I 0 deg	145.117	0.000	0.000	1.000	1.000	1.000	43.23	6.665	1	0
Rohn-L5	Rohn Leg 5	Pipe	Pipe6EH	50.0 74.48	74.48	Rohn-L6P	Rohn-L6P	-144.103 W+I 0 deg	159.025	0.000	0.000	1.000	1.000	1.000	54.10	10.008	1	0
Rohn-L6	Rohn Leg 6	Pipe	Pipe6EH	50.0 83.88	83.88	Rohn-L7P	Rohn-L7P	-177.848 W+I 0 deg	186.124	0.000	0.000	1.000	1.000	1.000	54.59	10.008	1	0
Rohn-L7	Rohn Leg 7	Pipe	Pipe6EH	50.0 97.45	97.45	Rohn-L8P	Rohn-L8P	-241.837 W+I 0 deg	253.910	0.000	0.000	1.000	1.000	1.000	40.57	10.008	1	0
Rohn-L8	Rohn Leg 8	Pipe	Pipe8EH	50.0 79.66	79.66	Rohn-L9P	Rohn-L9P	-269.677 W+I 0 deg	319.490	0.000	0.000	1.000	1.000	1.000	40.57	10.008	1	0
Rohn-H1	Rohn Horizontal 1	SAE	1.75X1.75X0.1875	36.0 15.73	15.73	Rohn-H12	Rohn-H12	-1.119M+I 60 deg	5.372	0.000	0.000	0.500	0.500	0.500	131.28	7.505	4	1
Rohn-D1	SNB Diagonal 1	SAE	2X2X0.3125	36.0 13.71	13.71	SNB-D71	SNB-D71	-2.413M+I 90 deg	13.207	16.200	13.584	0.500	0.500	0.500	111.38	7.240	1	1
Rohn-D2	SNB Diagonal 2	SAE	2X2X0.3125	36.0 23.63	23.63	SNB-D81	SNB-D81	-2.920M+I 90 deg	9.268	16.200	13.584	0.500	0.500	0.500	122.92	8.011	4	1
Rohn-D3	SNB Diagonal 3	SAE	2.5X2.5X0.3125	36.0 49.32	49.32	SNB-D31	SNB-D31	-7.312 W+I 0 deg	11.119	16.200	13.584	0.500	0.500	0.500	140.03	11.412	4	1
Rohn-D4	SNB Diagonal 4	SAE	3X3X0.5	36.0 43.81	43.81	SNB-D21	SNB-D21	-9.464 W+I 0 deg	27.855	16.200	21.750	0.500	0.500	0.500	121.07	11.784	4	1
Rohn-D5	SNB Diagonal 5	SAE	4X4X0.5	36.0 28.85	28.03	SNB-D42	SNB-D42	-8.969M+I -90 deg	39.016	24.000	26.100	0.500	0.500	0.500	119.15	15.529	1	1
Rohn-D6	SNB Diagonal 6	SAE	4X4X0.625	36.0 39.25	36.91	SNB-DH1	SNB-DH1	-11.810M+I 90 deg	39.490	24.000	32.625	0.500	0.500	0.500	132.03	17.142	4	1
Rohn-D7	SNB Diagonal 7	SAE	5X5X0.625	36.0 72.17	72.17	SNB-D11	SNB-D11	-23.093M+I 90 deg	66.757	24.000	32.625	0.500	0.500	0.500	112.06	18.257	1	1
Rohn-L1	SNB Leg 1	Pipe	P3-437	36.0 12.64	12.64	SNB-L4P	SNB-L4P	-12.661 W+I 0 deg	75.146	0.000	0.000	1.000	1.000	1.000	59.09	5.004	1	0
Rohn-L2	SNB Leg 2	Pipe	P4-494	36.0 50.89	50.89	SNB-L3P	SNB-L3P	-74.911 W+I 0 deg	110.197	0.000	0.000	1.000	1.000	1.000	56.33	6.665	1	0
Rohn-L3	SNB Leg 3	Pipe	Pipe5EH	36.0 84.04	84.04	SNB-L2P	SNB-L2P	-121.317 W+I 0 deg	108.266	0.000	0.000	1.000	1.000	1.000	43.23	6.665	1	0
Rohn-L4	SNB Leg 4	Pipe	P6-562	36.0 85.74	85.74	SNB-L1P	SNB-L1P	-217.983 W+I 0 deg	190.683	0.000	0.000	1.000	1.000	1.000	55.86	10.008	1	0
Rohn-L5	SNB Leg 5	Pipe	Pipe8X5	36.0 98.47	98.47	SNB-L6P	SNB-L6P	-320.186 W+I 0 deg	343.879	0.000	0.000	1.000	1.000	1.000	41.70	10.008	1	0
Rohn-L6	SNB Leg 6	Pipe	Pipe10X5	36.0 90.77	90.77	SNB-L7P	SNB-L7P	-384.235 W+I 0 deg	317.380	0.000	0.000	1.000	1.000	1.000	31.08	10.008	1	0
Connect	Connect Towers	BIG	0.1X0.1X1	36.0 0.04	0.01	Connect J1	Connect J1	-2.764M+I 60 deg	17202.963	0.000	0.000	0.500	0.500	0.500	2.44	2.004	1	0
Rohn-H1	SNB Horizontal 1	Pipe	P3-425	36.0 1.50	1.15	SNB-H41	SNB-H41	-1.189 W+I 0 deg	77.281	0.000	0.000	0.500	0.500	0.500	46.16	8.152	1	0
Rohn-H2	SNB Horizontal 2	Pipe	P3-494	36.0 5.77	1.68	SNB-H51	SNB-H51	-2.662 W+I 0 deg	119.111	0.000	0.000	0.500	0.500	0.500	40.11	9.493	1	0
Rohn-D8	Rohn Diagonal 8	SAE	2X2X0.375	36.0 56.16	56.16	Rohn-D81	Rohn-D81	-5.062M+I 60 deg	6.759	16.200	16.312	0.500	0.500	0.500	175.34	11.258	4	1

Group Summary (Tension Portion):

Group Label	Group Desc.	Angle Type	Angle Size	Steel Max Usage	Max In Tens.	Tension Control Member	Tension Force Control Member	Tension Load Case	Section Capacity (kips)	Net Tens. Capacity (kips)	Conn. Bearing Capacity (kips)	Tens. Rupture Capacity (kips)	Length Member (ft)	No. Bolts	Hole Diameter
Rohn-D1	Rohn Diagonal 1	SAE	1.75X1.75X0.1875	36.0 76.70	22.36	Rohn-D81P	Rohn-D81P	2.431M+I -60 de	10.681	16.200	8.156	8.684	10.034	1	1.000
Rohn-D2	Rohn Diagonal 2	SAE	2X2X0.1875	36.0 97.48	41.57	Rohn-D31P	Rohn-D31P	4.521M+I 60 deg	12.639	16.200	8.156	9.527	10.934	1	1.000
Rohn-D3	Rohn Diagonal 3	SAE	2.5X2.5X0.1875	36.0 88.02	55.93	Rohn-D41P	Rohn-D41P	6.082M+I -90 de	16.815	16.200	8.156	10.195	12.798	1	1.000
Rohn-D4	Rohn Diagonal 4	SAE	2.5X2.5X0.25	36.0 93.56	47.34	Rohn-D51P	Rohn-D51P	6.864 W+I 0 deg	22.144	16.200	10.875	13.594	13.977	1	1.000
Rohn-D5	Rohn Diagonal 5	SAE	3X3X0.25	50.0 65.83	40.67	Rohn-D61P	Rohn-D61P	6.609M+I -90 de	36.910	16.200	12.187	15.234	15.589	1	1.000
Rohn-D6	Rohn Diagonal 6	SAE	3.5X3.5X0.25	50.0 65.88	50.92	Rohn-D71P	Rohn-D71P	8.274 W+I 0 deg	37.004	16.200	12.187	15.234	17.748	1	1.000
Rohn-D7	Rohn Diagonal 7	SAE	4X4X0.25	50.0 65.93	55.41	Rohn-D81P	Rohn-D81P	9.004 W+I 0 deg	43.098	16.200	12.187	15.234	21.860	1	1.000
Rohn-L1	Rohn Leg 1	Pipe	Pipe3EH	50.0 15.52	9.33	Rohn-L41P	Rohn-L41P	10.559M+I 60 deg	84.900	0.000	0.000	0.000	5.004	0	0.000
Rohn-L2	Rohn Leg 2	Pipe	Pipe3.5EH	50.0 35.43	22.26	Rohn-L31P	Rohn-L31P	30.613M+I -60 de	103.200	0.000	0.000	0.000	5.004	0	0.000
Rohn-L3	Rohn Leg 3	Pipe	Pipe4EH	50.0 56.57	34.70	Rohn-L21P	Rohn-L21P	57.462M+I -60 de	124.200	0.000	0.000	0.000	6.665	0	0.000
Rohn-L4	Rohn Leg 4	Pipe	Pipe5STD	50.0 81.60	54.38	Rohn-L11P	Rohn-L11P	87.610M+I -60 de	171.600	0.000	0.000	0.000	6.665	0	0.000
Rohn-L5	Rohn Leg 5	Pipe	Pipe6EH	50.0 83.88	52.13	Rohn-L61P	Rohn-L61P	113.170M+I -60 de	201.300	0.000	0.000	0.000	10.008	0	0.000
Rohn-L6	Rohn Leg 6	Pipe	Pipe6EH	50.0 97.45	59.28	Rohn-L71P	Rohn-L71P	139.926M+I -60 de	236.400	0.000	0.000	0.000	10.008	0	0.000
Rohn-L7	Rohn Leg 7	Pipe	Pipe6EH	50.0 79.66	50.65	Rohn-L81P	Rohn-L81P	199.773M+I -60 de	295.800	0.000	0.000	0.000	10.008	0	0.000
Rohn-L8	Rohn Leg 8	Pipe	Pipe8EH	50.0 76.63	5.40	Rohn-L91P	Rohn-L91P	2.964M+I -90 de	13.392	0.000	0.000	0.000	7.505	0	0.000
Rohn-H1	Rohn Horizontal 1	SAE	1.75X1.75X0.1875	36.0 15.73	13.58	SNB-D71P	SNB-D71P	2.462M+I 90 de	20.340	16.200	13.584	13.579	7.240	1	1.000
Rohn-D1	SNB Diagonal 1	SAE	2X2X0.3125	36.0 13.71	21.13	SNB-D81P	SNB-D81P	3.063M+I 90 de	16.707	16.200	10.875	12.703	7.747	1	1.000
Rohn-D2	SNB Diagonal 2	SAE	2X2X0.3125	36.0 23.63	21.13	SNB-D31P	SNB-D31P	3.063M+I 90 de	27.082	16.200	13.584	16.092	11.059	1	1.000
Rohn-D3	SNB Diagonal 3	SAE	2.5X2.5X0.3125	36.0 49.32	40.11	SNB-D21P	SNB-D21P	7.270 W+I 0 deg	52.136	16.200	21.750	27.187	11.784	1	1.000
Rohn-D4	SNB Diagonal 4	SAE	3X3X0.5	36.0 43.81	42.34	SNB-D41P	SNB-D41P	9.146M+I -90 de	72.726	24.000	26.100	32.625	15.529	1	1.000
Rohn-D5	SNB Diagonal 5	SAE	4X4X0.5	36.0 28.85	28.85	SNB-DH1P	SNB-DH1P	9.233M+I 90 deg	89.222	24.000	32.625	40.781	17.700	1	1.000
Rohn-D6	SNB Diagonal 6	SAE	4X4X0.625	36.0 39.25	39.25	SNB-D11P	SNB-D11P	23.093M+I 90 deg	89.222	24.000	32.625	40.781	17.700	1	1.000

URS Connecticut - butternut hollow greenwich, ct

SNB-D7	SNB Diagonal 7	SAE	5X5X0.625	36.0 72.17	68.83	SNB-D142	22.025W+I	90 deg	116.410	24.000	32.625	40.781	18.841	1	1.000	0.8125
SNB-L1	SNB Leg 1	Pipe	P3-437	36.0 12.64	8.78	SNB-LA41	10.619W+I	60 deg	99.720	0.000	0.000	0.000	5.094	0	0.000	0
SNB-L2	SNB Leg 2	Pipe	P4-494	36.0 50.89	35.31	SNB-LC32	63.157W+I	-60 de	134.136	0.000	0.000	0.000	6.665	0	0.000	0
SNB-L3	SNB Leg 3	Pipe	Pipe5EH	36.0 84.04	62.64	SNB-LD32	101.187W+I	-60 de	123.552	0.000	0.000	0.000	6.665	0	0.000	0
SNB-L4	SNB Leg 4	Pipe	P6-562	36.0 85.74	59.38	SNB-LF22	182.992W+I	-60 de	231.120	0.000	0.000	0.000	10.008	0	0.000	0
SNB-L5	SNB Leg 5	Pipe	Pipe8XS	36.0 98.47	71.31	SNB-LI22	262.888W+I	-60 de	275.480	0.000	0.000	0.000	10.008	0	0.000	0
SNB-L6	SNB Leg 6	Pipe	Pipe10XS	36.0 90.77	64.74	SNB-LI22	300.160W+I	-60 de	345.759	0.000	0.000	0.000	10.008	0	0.000	0
Connect	Connect Towers	BIG	0.1X0.1X1	36.0 0.04	0.04	Connect 1F	8.083 W+I	0 deg	17279.073	0.000	0.000	0.000	2.002	0	0.000	0
SNB-H1	SNB Horizontal 1	Pipe	P3-425	36.0 1.50	1.50	SNB-442	1.765W+I	60 deg	88.668	0.000	0.000	0.000	8.132	0	0.000	0
SNB-H2	SNB Horizontal 2	Pipe	P4-434	36.0 5.77	5.77	SNB-491	10.322W+I	90 deg	134.136	0.000	0.000	0.000	14.944	0	0.000	0
Rohn-D8	Rohn Diagonal 8	SAE	2X2X0.375	36.0 56.16	24.66	Rohn-DB7F	5.326 W+I	0 deg	23.973	16.200	16.312	19.035	11.238	1	1.000	0.6875

*** Maximum Stress Summary for Each Load Case

Summary of Maximum Usages by Load Case:

Load Case	Maximum Usage %	Element Label	Element Type
W+I -90 deg	87.93	Rohn-DB62	Angle
W+I -60 deg	76.50	Rohn-DB62	Angle
W+I 0 deg	98.47	SNB-LH2P	Angle
W+I 60 deg	82.50	Rohn-DB61	Angle
W+I 90 deg	88.55	Rohn-DB51	Angle
DL + Ice Only	30.11	SNB-D111	Angle

*** Weight of structure (lbs):
 Weight of Angles*Section DLF: 22797.0
 Weight of Equipment: 11201.7
 Total: 73998.7

*** End of Report

CONNECTION BETWEEN TOWERS EVALUATION



Job	180' ROHN SSV Tower w/ SNB Reinf. - Greenwich	Project No.	VZ5-140	Page	of
Description	Tower Connection	Computed by	KAB	Sheet	1 of 1
		Checked by		Date	10/16/12

Bolt Diameter	$\text{Dia}_{\text{bolt}} := \frac{3}{4} \text{ in}$	
Bolt Shear Capacity	$\text{Capacity}_{\text{bolt}} := 5.3 \text{ kip}$	Per AISC 9th Edition p. 4-5 for 3/4" A325 slip critical bolt
Shear Plane Area	$\text{Area}_{\text{plate}} := \frac{3}{8} \text{ in} \cdot \left(\frac{3}{4} \text{ in} + 1 \text{ in} \right)$	$\text{Area}_{\text{plate}} = 0.6563 \cdot \text{in}^2$
Yield Strength of Plate	$F_{y\text{plate}} := 36 \text{ ksi}$	
Plate Capacity	$\text{Capacity}_{\text{plate}} := \text{Area}_{\text{plate}} \cdot F_{y\text{plate}}$	$\text{Capacity}_{\text{plate}} = 23.625 \cdot \text{kip}$
U-Bolt Size	$\text{Dia}_{\text{ubolt}} := \frac{1}{2} \text{ in}$	
U-Bolt Area	$\text{Area}_{\text{ubolt}} := 2 \cdot \pi \cdot \left(\frac{\text{Dia}_{\text{ubolt}}}{2} \right)^2$	$\text{Area}_{\text{ubolt}} = 0.3927 \cdot \text{in}^2$
	$F_{y\text{ubolt}} := 58 \text{ ksi}$	
	$\text{Capacity}_{\text{ubolt}} := \text{Area}_{\text{ubolt}} \cdot F_{y\text{ubolt}}$	$\text{Capacity}_{\text{ubolt}} = 22.7765 \cdot \text{kip}$
Connection Capacity	$\text{Capacity}_{\text{connection}} := \min(\text{Capacity}_{\text{bolt}}, \text{Capacity}_{\text{plate}}, \text{Capacity}_{\text{ubolt}})$	
	$\text{Capacity}_{\text{connection}} = 5.3 \cdot \text{kip}$	
Max Connection Spacing	$\text{Spacing} := 5 \text{ ft}$	
Connection Capacity per Foot	$\text{Capacity}_{\text{LF}} := \frac{\text{Capacity}_{\text{connection}}}{\text{Spacing}}$	$\text{Capacity}_{\text{LF}} = 1.06 \cdot \frac{\text{kip}}{\text{ft}}$
Max Connection Force	$F_{\text{max}} := 8.1 \text{ kip}$	
Connection Spacing in PLS-Tower	$\text{Spacing}_{\text{PLS.Tower}} := 10 \text{ ft}$	
Connection Force per Foot	$\text{Force}_{\text{LF}} := \frac{F_{\text{max}}}{\text{Spacing}_{\text{PLS.Tower}}}$	$\text{Force}_{\text{LF}} = 0.81 \cdot \text{kip}$
Percent Capacity	$\text{Percent}_{\text{capacity}} := \frac{\text{Force}_{\text{LF}}}{\text{Capacity}_{\text{LF}}}$	$\text{Percent}_{\text{capacity}} = 76.4\%$

Note: 1/3 increase in allowable stress per TIA/EIA-222-F is not included in these calculations

FOUNDATION EVALUATION



Job	180' ROHN SSV Tower w/ SNB Reinf. - Greenwich	Project No.	VZ5-140	Page	of
Description	Overturning Moment Calculation	Computed by	KAB	Sheet	of
		Checked by		Date	10/16/12
				Date	

From PLS-Tower Output Summary


Summary of Joint Support Reactions For All Load Cases:

Load Case	Joint Label	Long. Force (kips)	Tran. Force (kips)	Vert. Force (kips)	Shear Force (kips)	Tran. Moment (ft-k)	Long. Moment (ft-k)	Vert. Moment (ft-k)	Bending Moment (ft-k)	Found. Usage %
W+I -90 deg	RohnJP	5.18	2.61	21.9	5.8	0	0	0	0	0
W+I -90 deg	SNB-JP	11.55	6.26	18.23	13.14	0	0	0	0	0
W+I -90 deg	RohnJ1	3.44	8.55	223.95	9.22	0	0	0	0	0
W+I -90 deg	RohnJ2	-8.57	17.27	-180.19	19.28	0	0	0	0	0
W+I -90 deg	SNB-J1	5.02	15.13	318.54	15.94	0	0	0	0	0
W+I -90 deg	SNB-J2	-16.62	34.87	-281.9	38.63	0	0	0	0	0
W+I -60 deg	RohnJP	-2.83	2.07	135.75	3.51	0	0	0	0	0
W+I -60 deg	SNB-JP	-3.67	5.33	187.33	6.47	0	0	0	0	0
W+I -60 deg	RohnJ1	-0.6	3.62	135.9	3.67	0	0	0	0	0
W+I -60 deg	RohnJ2	-10.36	18.22	-206	20.96	0	0	0	0	0
W+I -60 deg	SNB-J1	-2.79	5.85	187.49	6.48	0	0	0	0	0
W+I -60 deg	SNB-J2	-20.89	36.19	-319.95	41.78	0	0	0	0	0
W+I 0 deg	RohnJP	-12.68	-0.31	271.39	12.69	0	0	0	0	0
W+I 0 deg	SNB-JP	-22.47	-0.01	389.92	22.47	0	0	0	0	0
W+I 0 deg	RohnJ1	-9.36	-10.77	-102.76	14.26	0	0	0	0	0
W+I 0 deg	RohnJ2	-8.8	11.09	-103	14.16	0	0	0	0	0
W+I 0 deg	SNB-J1	-19.29	-21.75	-167.39	29.07	0	0	0	0	0
W+I 0 deg	SNB-J2	-19.27	21.75	-167.64	29.06	0	0	0	0	0
W+I 60 deg	RohnJP	-2.83	-2.39	135.76	3.7	0	0	0	0	0
W+I 60 deg	SNB-JP	-3.67	-5.35	187.32	6.48	0	0	0	0	0
W+I 60 deg	RohnJ1	-10.64	-18.05	-205.78	20.95	0	0	0	0	0
W+I 60 deg	RohnJ2	-0.33	-3.46	135.67	3.48	0	0	0	0	0
W+I 60 deg	SNB-J1	-20.9	-36.18	-319.68	41.78	0	0	0	0	0
W+I 60 deg	SNB-J2	-2.78	-5.85	187.23	6.48	0	0	0	0	0
W+I 90 deg	RohnJP	5.18	-2.61	21.9	5.8	0	0	0	0	0
W+I 90 deg	SNB-JP	11.55	-6.26	18.23	13.14	0	0	0	0	0
W+I 90 deg	RohnJ1	-8.56	-17.27	-179.98	19.27	0	0	0	0	0
W+I 90 deg	RohnJ2	3.43	-8.55	223.74	9.22	0	0	0	0	0
W+I 90 deg	SNB-J1	-16.62	-34.87	-281.64	38.63	0	0	0	0	0
W+I 90 deg	SNB-J2	5.02	-15.13	318.28	15.94	0	0	0	0	0
DL + Ice Only	RohnJP	5.03	0	21.92	5.03	0	0	0	0	0
DL + Ice Only	SNB-JP	11.41	0	18.22	11.41	0	0	0	0	0
DL + Ice Only	RohnJ1	-2.51	-4.35	22.06	5.03	0	0	0	0	0
DL + Ice Only	RohnJ2	-2.52	4.36	21.84	5.03	0	0	0	0	0
DL + Ice Only	SNB-J1	-5.71	-9.88	18.38	11.41	0	0	0	0	0
DL + Ice Only	SNB-J2	-5.71	9.88	18.11	11.41	0	0	0	0	0

Load Case	Joint Label	Vert. Tower Forces (k)	Leg Moment Arm (ft)	Moment (ft-k)	Total Moment (ft-k)	Total Shear (k)
W+I -90 deg	RohnJP	-0.02	0.00	0.00	10266.4	102.0
W+I -90 deg	SNB-JP	0.01	0.00	0.00		
W+I -90 deg	RohnJ1	201.89	11.42	2305.58		
W+I -90 deg	RohnJ2	-202.03	-11.42	2307.18		
W+I -90 deg	SNB-J1	300.16	9.42	2827.51		
W+I -90 deg	SNB-J2	-300.01	-9.42	2826.09		
W+I -60 deg	RohnJP	113.83	6.60	751.28	10023.6	82.9
W+I -60 deg	SNB-JP	169.11	5.44	919.96		
W+I -60 deg	RohnJ1	113.84	6.60	751.34		
W+I -60 deg	RohnJ2	-227.84	-13.18	3002.93		
W+I -60 deg	SNB-J1	169.11	5.44	919.96		
W+I -60 deg	SNB-J2	-338.06	-10.88	3678.09		
W+I 0 deg	RohnJP	249.47	13.18	3288.01	11000.9	121.7
W+I 0 deg	SNB-JP	371.7	10.88	4044.10		
W+I 0 deg	RohnJ1	-124.82	-6.60	823.81		
W+I 0 deg	RohnJ2	-124.84	-6.60	823.94		
W+I 0 deg	SNB-J1	-185.77	-5.44	1010.59		
W+I 0 deg	SNB-J2	-185.75	-5.44	1010.48		
W+I 60 deg	RohnJP	113.84	6.60	751.34	10023.6	82.9
W+I 60 deg	SNB-JP	169.1	5.44	919.90		
W+I 60 deg	RohnJ1	-227.84	-13.18	3002.93		
W+I 60 deg	RohnJ2	113.83	6.60	751.28		
W+I 60 deg	SNB-J1	-338.06	-10.88	3678.09		
W+I 60 deg	SNB-J2	169.12	5.44	920.01		
W+I 90 deg	RohnJP	-0.02	0.00	0.00	10266.8	102.0
W+I 90 deg	SNB-JP	0.01	0.00	0.00		
W+I 90 deg	RohnJ1	-202.04	-11.42	2307.30		
W+I 90 deg	RohnJ2	201.9	11.42	2305.70		
W+I 90 deg	SNB-J1	-300.02	-9.42	2826.19		
W+I 90 deg	SNB-J2	300.17	9.42	2827.60		

Forces taken from PLS-Tower output with DL + Ice Only load case subtracted from Vertical Tower Forces

Dimensions taken from CAD drawing





Job	180' ROHN SSV Tower w/ SNB Reinf. - Greenwich	Project No.	VZ5-140	Page	1	of	4
Description	Foundation Analysis	Computed by	KAB	Sheet	1	of	4
		Checked by		Date	10/16/12		
				Date			

PIER AND MAT FOUNDATION ANALYSIS - 3 PIERS

TOWER FORCES:

Moment Caused by Tower	$M_t := 11000.9 \cdot \text{kip} \cdot \text{ft}$
Shear at Base of Tower	$S_t := 121.7 \cdot \text{kip}$
Height of Tower	$H_t := 180 \cdot \text{ft}$
Width of Tower at Base	$W_t := 22.833 \cdot \text{ft}$
Weight of Tower	$WT_t := 119.1 \cdot \text{kip}$

FOOTING DIMENSIONS:

Width of Footing	$W_f := 36.5 \cdot \text{ft}$
Overall Depth of Footing	$D_f := 3.5 \cdot \text{ft}$
Thickness of Footing	$T_f := 6.0 \cdot \text{ft}$


MATERIAL PROPERTIES:

Compressive Strength of Concrete	$f_c := 3000 \cdot \text{psi}$	Unit Weight of Soil	$\gamma_s := 130 \cdot \text{pcf}$
Yield Strength of Steel Reinforcement	$f_y := 60000 \cdot \text{psi}$	Unit Weight of Concrete	$\gamma_c := 150 \cdot \text{pcf}$
Internal Friction Angle of Soil	$\phi_s := 36 \cdot \text{deg}$	Depth to Neglect	$n := 0 \cdot \text{ft}$
Allowable Bearing Capacity	$q_s := 8000 \cdot \text{psf}$	Cohesion of Clay Type Soil	$c := 0 \cdot \text{ksf}$
Coefficient of Lateral Soil Pressure	$K_p := \frac{1 + \sin(\phi_s)}{1 - \sin(\phi_s)}$	Note: Use 0 for Sandy Soil	
		$K_p = 3.8518$	
What is Position of Center of Tower with respect to Center of Pad?	1=Offset 2=Not Offset	$Pos_{tower} := 2$	




Job	180' ROHN SSV Tower w/ SNB Reinf. - Greenwich	Project No.	VZ5-140	Page	of
Description	Foundation Analysis	Computed by	KAB	Sheet	2 of 4
		Checked by		Date	10/16/12
				Date	

FOUNDATION OVERVIEW



ELEVATION



PLAN

STABILITY OF FOOTING

Factor of Safety Req'd: $FS_{req} := 2.0$

Passive Pressure:

$$P_{pn} := K_p \cdot \gamma_s \cdot n + c \cdot 2 \cdot \sqrt{K_p} \quad P_{pn} = 0 \cdot \text{ksf}$$

$$P_{pt} := K_p \cdot \gamma_s \cdot (D_f - T_f) + c \cdot 2 \cdot \sqrt{K_p} \quad P_{pt} = -1.2518 \cdot \text{ksf}$$

$$P_{top} := \text{if}[n < (D_f - T_f), P_{pt}, P_{pn}] \quad P_{top} = 0 \cdot \text{ksf}$$

$$P_{bot} := K_p \cdot \gamma_s \cdot D_f + c \cdot 2 \cdot \sqrt{K_p} \quad P_{bot} = 1.7526 \cdot \text{ksf}$$

$$P_{ave} := \frac{P_{top} + P_{bot}}{2} \quad P_{ave} = 0.8763 \cdot \text{ksf}$$

Shear:

$$T_{pp} := \text{if}[n < (D_f - T_f), T_f, (D_f - n)] \quad T_{pp} = 3.5 \cdot \text{ft}$$

$$A_{pp} := W_f \cdot T_{pp} \quad A_{pp} = 127.75 \cdot \text{ft}^2$$

Ultimate Shear:

$$S_u := P_{ave} \cdot A_{pp} \quad S_u = 111.9465 \cdot \text{kip}$$

Weight of Concrete Pad:

$$WT_c := (W_f^2 \cdot T_f) \cdot \gamma_c \quad WT_c = 1199.025 \cdot \text{kip}$$

Weight of Soil above Footing:

$$WT_{s1} := 0 \quad WT_{s1} = 0 \cdot \text{kip}$$

Weight of Soil Wedge at back face:

$$WT_{s2} := \left[\frac{(D_f - n)^2 \cdot \tan(\phi_s)}{2} \cdot W_f \right] \cdot \gamma_s \quad WT_{s2} = 21.1156 \cdot \text{kip}$$

Distance to center of Tower Leg from Edge of Footing:

$$X_{t1} := \frac{W_f}{2} - \frac{W_t \cdot \cos(30 \cdot \text{deg})}{2} \quad X_{t2} := \frac{W_f}{2} - \frac{W_t \cdot \cos(30 \cdot \text{deg})}{3}$$

$$X_t := \text{if}(\text{Pos}_{tower} = 1, X_{t1}, X_{t2}) \quad X_t = 11.6587 \cdot \text{ft}$$

Additional Offset of Footing:

$$X_{off1} := \frac{W_f}{2} - \left(\frac{W_t \cdot \cos(30 \cdot \text{deg})}{3} + X_t \right) \quad X_{off2} := 0$$

$$X_{off} := \text{if}(\text{Pos}_{tower} = 1, X_{off1}, X_{off2}) \quad X_{off} = 0 \cdot \text{ft}$$

Resisting Moment:

$$M_r := (WT_c + WT_{s1}) \cdot \frac{W_f}{2} + W_t \cdot \left(\frac{W_f}{2} - X_{off} \right) + S_u \cdot \frac{T_{pp}}{3} + WT_{s2} \cdot \left(W_f + \frac{T_{pp} \cdot \tan(\phi_s)}{3} \right)$$

$$M_r = 24975.003 \cdot \text{kip} \cdot \text{ft}$$

Overtuming Moment:

$$M_{ot} := M_t + S_t \cdot (T_f) + WT_t \cdot X_{off} \quad M_{ot} = 11731.1 \cdot \text{kip} \cdot \text{ft}$$

Factor of Safety:

$$FS := \frac{M_r}{M_{ot}} \quad FS = 2.13$$

SafetyCheck := if(FS > FS_{req}, "Okay", "No Good")

SafetyCheck = "Okay"

BEARING PRESSURE CHECK:

Pressure Applied:

$$\text{LOAD}_{\text{tot}} := \text{WT}_c + \text{WT}_{s1} + \text{WT}_t$$

$$\text{LOAD}_{\text{tot}} = 1318.125 \cdot \text{kip}$$

$$A_{\text{mat}} := W_f^2$$

$$A_{\text{mat}} = 1332.25 \cdot \text{ft}^2$$

$$S := \frac{W_f^3}{6}$$

$$S = 8104.5208 \cdot \text{ft}^3$$

$$P_{\text{max}} := \frac{\text{LOAD}_{\text{tot}}}{A_{\text{mat}}} + \frac{M_{\text{ot}}}{S}$$

$$P_{\text{max}} = 2.4369 \cdot \text{ksf}$$

$$P_{\text{min}} := \frac{\text{LOAD}_{\text{tot}}}{A_{\text{mat}}} - \frac{M_{\text{ot}}}{S}$$

$$P_{\text{min}} = -0.4581 \cdot \text{ksf}$$

$$\text{MaxPressure} := \text{if}(P_{\text{max}} < q_s, \text{"Okay"}, \text{"No Good"})$$

$$\text{MaxPressure} = \text{"Okay"}$$

$$\text{MinPressure} := \text{if}[(P_{\text{min}} \geq 0) \cdot (P_{\text{min}} < q_s), \text{"Okay"}, \text{"No Good"}]$$

$$\text{MinPressure} = \text{"No Good"}$$

Distance to Resultant of Pressure Distribution:

$$X_p := \frac{\frac{P_{\text{max}}}{P_{\text{max}} - P_{\text{min}}} \cdot \frac{1}{3}}{W_f}$$

$$X_p = 10.2415 \cdot \text{ft}$$

Distance to Kern:

$$X_k := \frac{W_f}{3}$$

$$X_k = 12.1667 \cdot \text{ft}$$

Since Resultant Force is Not in Kern, Area to which Pressure is Applied Must be Reduced.

Eccentricity:

$$e := \frac{M_{\text{ot}}}{\text{LOAD}_{\text{tot}}}$$

$$e = 8.8998$$

Adjusted Soil Pressure:

$$q_a := \frac{2 \cdot \text{LOAD}_{\text{tot}}}{3 \cdot W_f \cdot \left(\frac{W_f}{2} - e \right)}$$

$$q_a = 2.5749 \cdot \text{ksf}$$

Revised Maximum:

$$q_{\text{max}} := \text{if}(X_p < X_k, q_a, P_{\text{max}})$$

$$q_{\text{max}} = 2.5749 \cdot \text{kip}$$

$$\text{PressureCheck} := \text{if}(q_{\text{max}} < q_s, \text{"Okay"}, \text{"No Good"})$$

$$\text{PressureCheck} = \text{"Okay"}$$