



John Coleman, Project Manager
c/o Cellco Partnership d/b/a Verizon Wireless
Centerline Communications, LLC
750 West Center Street, Floor 3
West Bridgewater, MA 02379
Mobile: (240) 615 -7389
JColeman@clinellc.com

June 13, 2022

Melanie A. Bachman
Acting Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

**RE: Notice of Exempt Modification // Site: BYRAM PARK CT (ATC: 414240)
48 RITCH AVE WEST, GREENWICH, CT 06830
N 41.00506388 // W -73.64831111**

Dear Ms. Bachman,

Cellco Partnership d/b/a Verizon Wireless currently maintains twelve (12) antenna at the 57-ft level on the existing 77ft Monopine tower, located at 48 Ritch Avenue West, Greenwich, CT. The tower is owned by American Tower. The property is owned by 36 Ritch Avenue LLC. The Council approved Verizon Wireless use of the existing tower in July 2011. Verizon Wireless now intends to remove Nine (9) antenna, Nine (9) RRH's, One (1) OVP and associated cabling, and install Nine (9) new antenna for the LTE (3700 MHz) replacements for its 5G upgrade. Additionally, Verizon Wireless intends to install Nine (9) new Remote Radio Heads (RRHs), Three (3) Diplexers, one (1) OVP and associated cabling; altogether updating leased equipment rights, as reflected by the final configuration outlined in the structural analysis and proposed hereby).

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies §16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Fred Camillo, First Selectman, its Director of Planning & Zoning, Katie DeLuca, American Tower, the tower owner, and the property owner, 36 Ritch Avenue LLC.

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2). Enclosed to accommodate this filing are construction drawings dated September 21, 2021, by A.T. NB&C Engineering Services, LLC, a structural analysis dated July 28, 2021, by American Tower Corp., and a structural mount analysis by Maser Consulting Connecticut date July 7, 2021, and radio frequency (RF) analysis table showing worst-case RF emission calculation by Verizon Wireless RF Design Engineering.

1. The proposed modifications will not result in an increase in the height of the existing structure.
2. The proposed modifications will not require the extension of the site boundary.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the new antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commission safety standard.
5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The existing structure and its foundation can support the proposed loading, as shown in the attached structural analysis by American Tower Corp., dated July 28, 2021, and a structural mount analysis by Maser Consulting Connecticut, dated July 7, 2021, pursuant to certain conditions defined therein. Design and engineering are fully illustrated within final construction drawings, signed and stamped dated September 21, 2021.

For the foregoing reasons, Verizon Wireless respectfully submits that the proposed modifications to the above referenced telecommunications facility constitute an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,

John Coleman

John Coleman, Project Manager
c/o Cellco Partnership d/b/a Verizon Wireless
Centerline Communications, LLC
750 West Center Street, Floor 3
West Bridgewater, MA 02379
Mobile: (240) 615 -7389
JColeman@clinellc.com

Attachments

cc: Fred Camillo – First Selectman – Chief Elected Official
Katie DeLuca, Building Official - as P&Z official
American Tower Corporation - as tower owner
36 Ritch Avenue LLC – as ground owner

UPS CampusShip: View/Print Label

- 1. Ensure there are no other shipping or tracking labels attached to your package.** Select the Print button on the print dialog box that appears. Note: If your browser does not support this function select Print from the File menu to print the label.
- 2. Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
- 3. GETTING YOUR SHIPMENT TO UPS**
Customers with a Daily Pickup
 Your driver will pickup your shipment(s) as usual.

Customers without a Daily Pickup

Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. Items sent via UPS Return Services(SM) (including via Ground) are also accepted at Drop Boxes. To find the location nearest you, please visit the Resources area of CampusShip and select UPS Locations.




Schedule a same day or future day Pickup to have a UPS driver pickup all your CampusShip packages. Hand the package to any UPS driver in your area.

UPS Access Point™
CVS STORE # 972
555 WASHINGTON ST
SOUTH EASTON ,MA 02375


UPS Access Point™
CVS STORE # 7232
689 DEPOT ST
NORTH EASTON ,MA 02356

UPS Access Point™
TOWN LINE GENERAL STORE
450 E CENTER ST
WEST BRIDGEWATER ,MA 02379

FOLD HERE

| | | | |
|--|---|---|--|
| <p>1 LBS 1 OF 1 DWT: 12.12.9</p> <p>JOHN COLEMAN 2406157389 CENTERLINE COMMUNICATIONS, LLC 750 WEST CENTER STREET WEST BRIDGEWATER MA 02379</p> <p>SHIP TO: FRED CAMILLO 1ST SELECTMAN TOWN OF GREENWICH CT 101 FIELD POINT RD. FIRST FLR. GREENWICH CT 06830-6488</p> | <p>CT 069 9-01</p>  | <p>UPS GROUND</p> <p>TRACKING #: 1Z 9Y4 503 03 3839 1226</p>  | <p>BILLING: P/P</p> <p>Reference # 1: 414240 Reference # 2: BRYAN PARK CT <small>CS-22.6.18 WINTNV50 45.0A 10/2021*</small></p>  |
|--|---|---|--|

From: [UPS](#)
To: [Barbara Kassabian](#)
Subject: UPS Delivery Notification, Tracking Number 1Z9Y45030338391226
Date: Friday, November 5, 2021 10:04:11 AM



Hello, your package has been delivered.

Delivery Date: Friday, 11/05/2021

Delivery Time: 10:02 AM

Left At: MAIL ROOM

Signed by: CALABRECE

CENTERLINE SITE ACQUISITION

| | |
|----------------------------|---|
| Tracking Number: | 1Z9Y45030338391226 |
| Ship To: | TOWN OF GREENWICH CT 101 FIELD POINT RD. FIRST FLR. GREENWICH, CT 068306488 US |
| Number of Packages: | 1 |
| UPS Service: | UPS Ground |
| Package Weight: | 1.0 LBS |
| Reference Number: | 414240 |
| Reference Number: | BRYAM PARK CT |



[Download the UPS mobile app](#)

© 2021 United Parcel Service of America, Inc. UPS, the UPS brandmark, and the color brown are trademarks of United Parcel Service of America, Inc. All rights reserved.

All trademarks, trade names, or service marks that appear in connection with UPS's services are the property of their respective owners.

Please do not reply directly to this email. UPS will not receive any reply message.

[Review the UPS Privacy Notice](#)

[For Questions, Visit Our Help and Support Center](#)

UPS CampusShip: View/Print Label

- 1. **Ensure there are no other shipping or tracking labels attached to your package.** Select the Print button on the print dialog box that appears. Note: If your browser does not support this function select Print from the File menu to print the label.
- 2. **Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
- 3. **GETTING YOUR SHIPMENT TO UPS**
Customers with a Daily Pickup
 Your driver will pickup your shipment(s) as usual.

Customers without a Daily Pickup

Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. Items sent via UPS Return Services(SM) (including via Ground) are also accepted at Drop Boxes. To find the location nearest you, please visit the Resources area of CampusShip and select UPS Locations.





Schedule a same day or future day Pickup to have a UPS driver pickup all your CampusShip packages. Hand the package to any UPS driver in your area.

UPS Access Point™
CVS STORE # 972
555 WASHINGTON ST
SOUTH EASTON ,MA 02375


UPS Access Point™
CVS STORE # 7232
689 DEPOT ST
NORTH EASTON ,MA 02356

UPS Access Point™
TOWN LINE GENERAL STORE
450 E CENTER ST
WEST BRIDGEWATER ,MA 02379

FOLD HERE

| | | |
|---|---|---|
| <p>1 LBS 1 OF 1</p> <p>DWT: 12.12.9</p> <p>JOHN COLEMAN 2406157389 CENTERLINE COMMUNICATIONS, LLC 750 WEST CENTER STREET WEST BRIDGEWATER MA 02379</p> <p>SHIP TO: KATIE DELUCA ZONING DIRECTOR TOWN OF GREENWICH CT 101 FIELD POINT RD. FIRST FLR GREENWICH CT 06830-6488</p> | <p>CT 069 9-01</p>  | <p>UPS GROUND</p> <p>TRACKING #: 1Z 9Y4 503 03 2699 6837</p>  |
|  | | <p>BILLING: P/P</p> <p>Reference # 1: 414240 Reference # 2: BRYAN PARK CT <small>CS-22.6.18</small> <small>WINTNV50 45.0A 10/2021*</small></p>  |

From: [UPS](#)
To: [Barbara Kassabian](#)
Subject: UPS Delivery Notification, Tracking Number 1Z9Y45030326996837
Date: Friday, November 5, 2021 10:04:11 AM



Hello, your package has been delivered.

Delivery Date: Friday, 11/05/2021

Delivery Time: 10:02 AM

Left At: MAIL ROOM

Signed by: CALABRECE

CENTERLINE SITE ACQUISITION

| | |
|----------------------------|--|
| Tracking Number: | 1Z9Y45030326996837 |
| Ship To: | TOWN OF GREENWICH CT 101 FIELD POINT RD. FIRST FLR GREENWICH, CT 068306488 US |
| Number of Packages: | 1 |
| UPS Service: | UPS Ground |
| Package Weight: | 1.0 LBS |
| Reference Number: | 414240 |
| Reference Number: | BRYAM PARK CT |



[Download the UPS mobile app](#)

© 2021 United Parcel Service of America, Inc. UPS, the UPS brandmark, and the color brown are trademarks of United Parcel Service of America, Inc. All rights reserved.

All trademarks, trade names, or service marks that appear in connection with UPS's services are the property of their respective owners.

Please do not reply directly to this email. UPS will not receive any reply message.

[Review the UPS Privacy Notice](#)

[For Questions, Visit Our Help and Support Center](#)

UPS CampusShip: View/Print Label

- 1. Ensure there are no other shipping or tracking labels attached to your package.** Select the Print button on the print dialog box that appears. Note: If your browser does not support this function select Print from the File menu to print the label.
- 2. Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
- 3. GETTING YOUR SHIPMENT TO UPS**
Customers with a Daily Pickup
 Your driver will pickup your shipment(s) as usual.

Customers without a Daily Pickup

Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. Items sent via UPS Return Services(SM) (including via Ground) are also accepted at Drop Boxes. To find the location nearest you, please visit the Resources area of CampusShip and select UPS Locations.



Schedule a same day or future day Pickup to have a UPS driver pickup all your CampusShip packages. Hand the package to any UPS driver in your area.

UPS Access Point™
CVS STORE # 972
555 WASHINGTON ST
SOUTH EASTON ,MA 02375


UPS Access Point™
CVS STORE # 7232
689 DEPOT ST
NORTH EASTON ,MA 02356

UPS Access Point™
TOWN LINE GENERAL STORE
450 E CENTER ST
WEST BRIDGEWATER ,MA 02379

FOLD HERE

| | | | |
|---|---|---|---|
| <p>1 LBS 1 OF 1 DWT: 12.12.9</p> <p>JOHN COLEMAN 2406157389 CENTERLINE COMMUNICATIONS, LLC 750 WEST CENTER STREET WEST BRIDGEWATER MA 02379</p> <p>SHIP TO: 36 RITCH AVENUE LLC 16B ARTHUR STREET GREENWICH CT 06831-5106</p> | <p>CT 069 9-01</p>  | <p>UPS GROUND</p> <p>TRACKING #: 1Z 9Y4 503 03 2289 5444</p>  | <p>BILLING: P/P</p> <p>Reference # 1: 414240 Reference # 2: BRYAN PARK CT CS-22.6.18 WINTNV50 45.0A 10/2021*</p>  |
|---|---|---|---|

From: [UPS](#)
To: [Barbara Kassabian](#)
Subject: UPS Delivery Notification, Tracking Number 1Z9Y45030322895444
Date: Friday, November 5, 2021 2:14:09 PM



Hello, your package has been delivered.

Delivery Date: Friday, 11/05/2021

Delivery Time: 2:12 PM

Left At: FRONT DOOR



[Set Delivery Instructions](#)

[Manage Preferences](#)

[View My Packages](#)

CENTERLINE SITE ACQUISITION

| | |
|----------------------------|---|
| Tracking Number: | 1Z9Y45030322895444 |
| Ship To: | 36 RITCH AVENUE LLC 16B ARTHUR STREET GREENWICH, CT 068315106 US |
| Number of Packages: | 1 |
| UPS Service: | UPS Ground |
| Package Weight: | 1.0 LBS |
| Reference Number: | 414240 |
| Reference Number: | BRYAM PARK CT |



[Download the UPS mobile app](#)

© 2021 United Parcel Service of America, Inc. UPS, the UPS brandmark, and the color brown are trademarks of United Parcel Service of America, Inc. All rights reserved.

All trademarks, trade names, or service marks that appear in connection with UPS's services are the

| | | |
|---|-------------|---|
| DOCKET NO. 414 - Cellco Partnership d/b/a Verizon Wireless application for a Certificate of Environmental Compatibility and Public Need for the construction, maintenance and operation of a telecommunications facility located at 36 Ritch Avenue, Greenwich, Connecticut. | } } } | Connecticut Siting Council July 14, 2011 |
|---|-------------|---|

Decision and Order

Pursuant to the foregoing Findings of Fact and Opinion, the Connecticut Siting Council (Council) finds that the effects associated with the construction, maintenance, and operation of a telecommunications facility, including effects on the natural environment; ecological integrity and balance; public health and safety; scenic, historic, and recreational values; forests and parks; air and water purity; and fish and wildlife are not disproportionate, either alone or cumulatively with other effects, when compared to need, are not in conflict with the policies of the State concerning such effects, and are not sufficient reason to deny the application, and therefore directs that a Certificate of Environmental Compatibility and Public Need, as provided by General Statutes § 16-50k, be issued to Cellco Partnership d/b/a Verizon Wireless, hereinafter referred to as the Certificate Holder, for a telecommunications facility at 36 Ritch Avenue in Greenwich, Connecticut.

Unless otherwise approved by the Council, the facility shall be constructed, operated, and maintained substantially as specified in the Council’s record in this matter, and subject to the following conditions:

1. The tower shall be constructed as a 77-foot monopole, designed as a simulated pine tree. Simulated branches shall not extend higher than 84 feet above ground level. The tower shall be no taller than necessary to provide the proposed telecommunications services, sufficient to accommodate the antennas of Cellco, T-Mobile, AT&T and other entities, both public and private.

2. The Certificate Holder shall prepare a Development and Management (D&M) Plan for this site in compliance with Sections 16-50j-75 through 16-50j-77 of the Regulations of Connecticut State Agencies. The D&M Plan shall be served on the Town of Greenwich for comment, and all parties and intervenors as listed in the service list, and submitted to and approved by the Council prior to the commencement of facility construction and shall include:
 - a) a final site plan(s) of site development to include specifications for the tower, tower foundation, antennas, equipment compound, radio equipment, access road, utility line, and landscaping; and
 - b) construction plans for site clearing, grading, landscaping, water drainage, and erosion and sedimentation controls consistent with the 2002 Connecticut Guidelines for Soil Erosion and Sediment Control, as amended.
 - c) simulated pine tree tower designs and photographs of actual installations from various manufacturers.
 - d) construction schedule.

3. Prior to the commencement of operation, the Certificate Holder shall provide the Council worst-case modeling of the electromagnetic radio frequency power density of all proposed entities’ antennas at the closest point of uncontrolled access to the tower base, and at the nearest point of abutting property lines consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin No. 65, August 1997. Additionally, the Certificate Holder shall ensure a recalculated report of the electromagnetic radio frequency power density be submitted to the Council if and when circumstances in operation cause a change in power density above the levels calculated and provided pursuant to this Decision and Order.

4. Upon the establishment of any new State or federal radio frequency standards applicable to frequencies of this facility, the facility granted herein shall be brought into compliance with such standards.
5. The Certificate Holder shall permit public or private entities to share space on the proposed tower for fair consideration, or shall provide any requesting entity with specific legal, technical, environmental, or economic reasons precluding such tower sharing.
6. The Certificate Holder shall provide reasonable space on the tower for no compensation for any Town of Greenwich public safety services (police, fire and medical services), provided such use can be accommodated and is compatible with the structural integrity of the tower.
7. Unless otherwise approved by the Council, if the facility authorized herein is not fully constructed with at least one fully operational wireless telecommunications carrier providing wireless service within eighteen months from the date of the mailing of the Council's Findings of Fact, Opinion, and Decision and Order (collectively called "Final Decision"), this Decision and Order shall be void, and the Certificate Holder shall dismantle the tower and remove all associated equipment or reapply for any continued or new use to the Council before any such use is made. The time between the filing and resolution of any appeals of the Council's Final Decision shall not be counted in calculating this deadline. Authority to monitor and modify this schedule, as necessary, is delegated to the Executive Director. The Certificate Holder shall provide written notice to the Executive Director of any schedule changes as soon as is practicable.
8. Any request for extension of the time period referred to in Condition 7 shall be filed with the Council not later than 60 days prior to the expiration date of this Certificate and shall be served on all parties and intervenors, as listed in the service list, and the Town of Greenwich. Any proposed modifications to this Decision and Order shall likewise be so served.
9. If the facility ceases to provide wireless services for a period of one year, this Decision and Order shall be void, and the Certificate Holder shall dismantle the tower and remove all associated equipment or reapply for any continued or new use to the Council before any such use is made.
10. Any nonfunctioning antenna, and associated antenna mounting equipment, on this facility shall be removed within 60 days of the date the antenna ceased to function.
11. In accordance with Section 16-50j-77 of the Regulations of Connecticut State Agencies, the Certificate Holder shall provide the Council with written notice two weeks prior to the commencement of site construction activities. In addition, the Certificate Holder shall provide the Council with written notice of the completion of site construction, and the commencement of site operation.
12. The Certificate Holder shall remit timely payments associated with annual assessments and invoices submitted by the Council for expenses attributable to the facility under Conn. Gen. Stat. §16-50v.

13. This Certificate may be transferred in accordance with Conn. Gen. Stat. §16-50k(b), provided both the Certificate Holder/transferor and the transferee are current with payments to the Council for their respective annual assessments and invoices under Conn. Gen. Stat. §16-50v. In addition, both the Certificate Holder/transferor and the transferee shall provide the Council a written agreement as to the entity responsible for any quarterly assessment charges under Conn. Gen. Stat. §16-50v(b)(2) that may be associated with this facility.
14. The Certificate Holder shall maintain the facility and associated equipment, including but not limited to, the tower, tower foundation, antennas, equipment compound, radio equipment, access road, utility line and landscaping in a reasonable physical and operational condition that is consistent with this Decision and Order and a Development and Management Plan to be approved by the Council.
15. If the Certificate Holder is a wholly-owned subsidiary of a corporation or other entity and is sold/transferred to another corporation or other entity, the Council shall be notified of such sale and/or transfer and of any change in contact information for the individual or representative responsible for management and operations of the Certificate Holder within 30 days of the sale and/or transfer.

Pursuant to General Statutes § 16-50p, the Council hereby directs that a copy of the Findings of Fact, Opinion, and Decision and Order be served on each person listed below, and notice of issuance shall be published in the *Greenwich Time*.

By this Decision and Order, the Council disposes of the legal rights, duties, and privileges of each party named or admitted to the proceeding in accordance with Section 16-50j-17 of the Regulations of Connecticut State Agencies.

The parties and intervenors to this proceeding are:

Applicant

Cellco Partnership d/b/a
Verizon Wireless

Its Representative

Kenneth C. Baldwin, Esq.
Robinson & Cole LLP
280 Trumbull Street
Hartford, CT 06103-3597

Alexandria Carter
Regulatory Manager
Verizon Wireless
99 East River Drive
East Hartford, CT 06108

Party

John Hartwell
42 Ritch Avenue W.
Greenwich, CT 06830

Intervenor

T-Mobile Northeast LLC

Its Representative

Julie D. Kohler, Esq.
Cohen and Wolf, P.C.
1115 Broad Street
Bridgeport, CT 06604



AMERICAN TOWER®
CORPORATION

Structural Analysis Report

Structure : 83.2 ft Monopine
ATC Site Name : Byram Park CT, CT
ATC Asset Number : 414240
Engineering Number : 13701270_C3_02
Proposed Carrier : VERIZON WIRELESS
Carrier Site Name : BYRAM PARK CT
Carrier Site Number : 468044
Site Location : 48 RITCH AVENUE WEST
GREENWICH, CT 06830-9992
41.005100,-73.648300
County : Fairfield
Date : July 28, 2021
Max Usage : 96%
Result : Pass

Prepared By:
Sarah Kramer
Structural Engineer

Sarah D. Kramer

Reviewed By:



Authorized by "EOR"
28 Jul 2021 09:17:22

cosign

COA: PEC.0001553



Table of Contents

| | |
|--------------------------------------|----------|
| Introduction | 1 |
| Supporting Documents | 1 |
| Analysis | 1 |
| Conclusion..... | 1 |
| Existing and Reserved Equipment..... | 2 |
| Equipment to be Removed..... | 2 |
| Proposed Equipment | 3 |
| Structure Usages | 4 |
| Foundations | 4 |
| Deflection and Sway | 4 |
| Standard Conditions | 5 |
| Calculations | Attached |



Introduction

The purpose of this report is to summarize results of a structural analysis performed on the 83.2 ft monopine to reflect the change in loading by VERIZON WIRELESS.

Supporting Documents

| | |
|----------------------------|---|
| Tower Drawings | EI Project #16733 Rev. 3, dated December 9, 2011 |
| Foundation Drawing | Centek Engineering Job #09129 Rev. 0, dated February 14, 2012 |
| Geotechnical Report | DET Job #2010.14, dated October 4, 2010 |
| Modifications | ATC Project #OAA711130_C6_09, dated October 26, 2018 |

Analysis

The tower was analyzed using American Tower Corporation's tower analysis software. This program considers an elastic three-dimensional model and second-order effects per ANSI/TIA-222.

| | |
|--------------------------------------|--|
| Basic Wind Speed: | 113.06 mph (3-Second Gust) |
| Basic Wind Speed w/ Ice: | 48.73 mph (3-Second Gust) w/ 0.85" radial ice concurrent |
| Code: | ANSI/TIA-222-H / 2015 IBC / 2018 Connecticut State Building Code |
| Exposure Category: | D |
| Risk Category: | II |
| Topographic Factor Procedure: | Method 1 |
| Topographic Category: | 1 |
| Crest Height (H): | 0 ft |
| Spectral Response: | $S_s = 0.28, S_1 = 0.06$ |
| Site Class: | D - Stiff Soil |

**Wind load and Ice thickness have been reduced by applicable existing structure load modification factors in accordance with TIA-222-H, Annex S.

Conclusion

Based on the analysis results, the structure meets the requirements per the applicable codes listed above. The tower and foundation can support the equipment as described in this report.

If you have any questions or require additional information, please contact American Tower via email at Engineering@americantower.com. Please include the American Tower site name, site number, and engineering number in the subject line for any questions.



Existing and Reserved Equipment

| Elev. ¹ (ft) | Qty | Equipment | Mount Type | Lines | Carrier |
|-------------------------|-----|-------------------------------------|--------------------------------|--|-----------------------|
| 89.0 | 2 | dbSpectra DS7C09P36U-D | Pole Mount | (2) 1/2" Coax | TOWN OF GREENWICH, CT |
| | 1 | Bird 428D-83I-01-T | | (2) 7/8" Coax | |
| 77.0 | 3 | Ericsson AIR32 B66Aa/B2a | T-Arm | (6) 1 1/4" (1.25"-31.8mm) Fiber (1) 1 1/4" Hybriflex Cable (3) 1 5/8" (1.63"-41.3mm) Fiber | T-MOBILE |
| | 3 | RFS APXVAARR24_43-U-NA20 | | | |
| | 3 | Ericsson RRUS 32 B66 | | | |
| | 3 | Ericsson Air6449 B41 | | | |
| | 3 | Ericsson Radio 4449 B71 B85A | | | |
| | 3 | Commscope CBC1923Q-43 | | | |
| | 3 | Ericsson RRUS 4415 B25 | | | |
| 67.0 | 6 | CCI DMP65R-BU4D | Site Pro 1 RMV12-496 T-Arms | (2) 0.39" (10mm) Fiber Trunk (8) 0.78" (19.7mm) 8 AWG 6 (12) 1 5/8" Coax (1) 2" conduit (3) 3" conduit | AT&T MOBILITY |
| | 3 | CCI OPA-65R-LCUU-H6 | | | |
| | 3 | Powerwave Allgon P65-16-XLH-RR | | | |
| | 6 | CCI DTMABP7819VG12A | | | |
| | 1 | Raycap DC6-48-60-0-8C-EV | | | |
| | 2 | Raycap DC6-48-60-18-8F(32.8 lbs) | | | |
| | 3 | Ericsson RRUS 4426 B66 | | | |
| | 3 | Ericsson RRUS 4449 B5, B12 | | | |
| | 3 | Ericsson RRUS 4478 B14 | | | |
| | 3 | Ericsson RRUS 32 B2 | | | |
| 56.0 | 6 | Amphenol Antel LPA-80063-6CF-EDIN-X | T-Arm | (16) 1 5/8" Coax (1) 1 5/8" Hybriflex | VERIZON WIRELESS |
| | 1 | VZW Unused Reserve (14306.88 sqin) | | | |

Equipment to be Removed

| Elev. ¹ (ft) | Qty | Equipment | Mount Type | Lines | Carrier |
|-------------------------|-----|--------------------------------|------------|---------------------------------|------------------|
| 56.0 | 3 | Alcatel-Lucent RRH 2X60-1900 | - | (1) 1 5/8" (1.63"-41.3mm) Fiber | VERIZON WIRELESS |
| | 3 | Alcatel-Lucent RRH2x60 700 | | | |
| | 3 | Alcatel-Lucent B66 RRH4x45 | | | |
| | 4 | Commscope SBNHH-1D45A | | | |
| | 3 | Amphenol Antel BXA-171063-12CF | | | |
| | 2 | Commscope SBNHH-1D65A | | | |
| | 2 | Commscope RC2DC-4750-PF-48 | | | |



Proposed Equipment

| Elev. ¹ (ft) | Qty | Equipment | Mount Type | Lines | Carrier |
|-------------------------|-----|---------------------------|------------|----------------------|------------------|
| 56.0 | 3 | Commscope CBC78T-DS-43-2X | T-Arm | (1) 1 5/8" Hybriflex | VERIZON WIRELESS |
| | 3 | Samsung B2/B66A RRH-BR049 | | | |
| | 3 | Samsung B5/B13 RRH-BR04C | | | |
| | 3 | Samsung MT6407-77A | | | |
| | 1 | Raycap RCMD-6627-PF-48 | | | |
| | 2 | Commscope JAHH-65A-R3B | | | |
| | 4 | Commscope JAHH-45A-R3B | | | |

¹ Contracted elevations are shown for appurtenances within contracted installation tolerances. Appurtenances outside of contract limits are shown at installed elevations.

Install proposed lines inside the pole shaft.



Structure Usages

| Structural Component | Controlling Usage | Pass/Fail |
|----------------------|-------------------|-----------|
| Anchor Bolts | 46% | Pass |
| Shaft | 96% | Pass |
| Base Plate | 23% | Pass |
| Flanges | 4% | Pass |

Foundations

| Reaction Component | Original Design Reactions | Factored Design Reactions* | Analysis Reactions | % of Design |
|--------------------|---------------------------|----------------------------|--------------------|-------------|
| Moment (Kips-Ft) | 4,725.0 | 4,725.0 | 2,646.4 | 56% |
| Shear (Kips) | 75.6 | 75.6 | 49.9 | 66% |

The structure base reactions resulting from this analysis are acceptable when compared to those shown on the original structure drawings, therefore no modification or reinforcement of the foundation will be required.

Deflection and Sway*

| Antenna Elevation (ft) | Antenna | Carrier | Deflection (ft) | Sway (Rotation) (°) |
|------------------------|---------------------------|------------------|-----------------|---------------------|
| 56.0 | Commscope CBC78T-DS-43-2X | VERIZON WIRELESS | 0.172 | 0.325 |
| | Samsung B2/B66A RRH-BR049 | | | |
| | Samsung B5/B13 RRH-BR04C | | | |
| | Raycap RCMD-6627-PF-48 | | | |
| | Samsung MT6407-77A | | | |
| | Commscope JAHH-65A-R3B | | | |
| | Commscope JAHH-45A-R3B | | | |

*Deflection and Sway was evaluated considering a design wind speed of 60 mph (3-Second Gust) per ANSI/TIA-222-H



Standard Conditions

All engineering services performed by A.T. Engineering Service, PLLC are prepared on the basis that the information used is current and correct. This information may consist of, but is not limited to the following:

- Information supplied by the client regarding antenna, mounts and feed line loading
- Information from drawings, design and analysis documents, and field notes in the possession of A.T. Engineering Service, PLLC

It is the responsibility of the client to ensure that the information provided to A.T. Engineering Service, PLLC and used in the performance of our engineering services is correct and complete.


All assets of American Tower Corporation, its affiliates and subsidiaries (collectively "American Tower") are inspected at regular intervals. Based upon these inspections and in the absence of information to the contrary, American Tower assumes that all structures were constructed in accordance with the drawings and specifications.

Unless explicitly agreed by both the client and A.T. Engineering Service, PLLC, all services will be performed in accordance with the current revision of ANSI/TIA-222.

All services are performed, results obtained, and recommendations made in accordance with generally accepted engineering principles and practices. A.T. Engineering Service, PLLC is not responsible for the conclusions, opinions and recommendations made by others based on the information supplied herein.


© 2007 - 2021 by ATC IP LLC. All rights reserved.

| Job Information | |
|--------------------------------|--------------------------|
| Client : VERIZON WIRELESS | Code: ANSI/TIA-222-H |
| Pole : 414240 | |
| Location : Byram Park CT, CT | |
| Description : 83.2 ft monopine | Risk Category : II |
| Shape : 18 Sides | Exposure : D |
| Height : 83.20 (ft) | Topo Method : Method 1 |
| Base Elev (ft): 0.00 | Topographic Category : 1 |
| Taper: 0.335724in/ft) | |



| Sections Properties | | | | | | |
|---------------------|-------------|---------------|--------|------------------|---------------------|-------------|
| Shaft Section | Length (ft) | Diameter (in) | | Thick Joint (in) | Overlap Length (in) | Steel Grade |
| | | Top | Bottom | | | |
| 1 | 28.852 | 42.31 | 52.00 | 0.500 | 0.000 | 18 Sides 65 |
| 2 | 29.693 | 35.29 | 45.25 | 0.438 Slip Joint | 73.969 | 18 Sides 65 |
| 3 | 29.541 | 27.75 | 37.66 | 0.313 Slip Joint | 62.656 | 18 Sides 65 |
| 4 | 6.500 | 4.500 | 4.500 | 0.337 Butt Joint | 0.000 | Round 35 |

| Discrete Appurtenance | | | |
|-----------------------|-----------------|-----|--------------------------------|
| Attach Elev (ft) | Force Elev (ft) | Qty | Description |
| 89.000 | 89.000 | 2 | dbSpectra DS7C09P36U-D |
| 89.000 | 89.000 | 1 | Bird 428D-831-01-T |
| 82.000 | 82.000 | 2 | Pole Mount |
| 80.000 | 80.000 | 1 | Pine Branches |
| 77.000 | 77.000 | 3 | Ericsson AIR32 B66Aa/B2a |
| 77.000 | 77.000 | 3 | Ericsson Air6449 B41 |
| 77.000 | 77.000 | 3 | Ericsson RRUS 32 B66 |
| 77.000 | 77.000 | 3 | RFS APXVAARR24_43-U-NA20 |
| 77.000 | 77.000 | 3 | Ericsson RRUS 4415 B25 |
| 77.000 | 77.000 | 3 | Ericsson Radio 4449 B71 B85A |
| 77.000 | 77.000 | 3 | Commscope CBC1923Q-43 |
| 77.000 | 77.000 | 3 | Flat T-Arms |
| 75.000 | 75.400 | 1 | Pine Branches |
| 70.000 | 70.000 | 1 | Pine Branches |
| 67.000 | 68.000 | 3 | Powerwave Allgon P65-16- |
| 67.000 | 68.000 | 3 | Ericsson RRUS-32 (77 lbs) |
| 67.000 | 68.000 | 3 | Ericsson RRUS 32 B2 |
| 67.000 | 67.000 | 3 | Ericsson RRUS 4478 B14 |
| 67.000 | 67.000 | 3 | Ericsson RRUS 4449 B5, B12 |
| 67.000 | 68.000 | 3 | Ericsson RRUS 4426 B66 |
| 67.000 | 68.000 | 2 | Raycap DC6-48-60-18-8F(32.8 lb |
| 67.000 | 67.000 | 1 | Raycap DC6-48-60-0-8C-EV |
| 67.000 | 68.000 | 6 | CCI DTMABP7819VG12A |
| 67.000 | 67.000 | 3 | Site PRO1, RMV12-496 |
| 67.000 | 68.000 | 3 | CCI OPA-65R-LCUU-H6 |
| 67.000 | 67.000 | 6 | CCI DMP65R-BU4D |
| 65.000 | 65.000 | 1 | Pine Branches |
| 60.000 | 60.000 | 1 | Pine Branches |
| 57.000 | 57.000 | 3 | Flat T-Arm |
| 56.000 | 56.000 | 1 | VZW Unused Reserve |
| 56.000 | 57.000 | 6 | Amphenol Antel LPA-80063- |
| 56.000 | 56.000 | 4 | Commscope JAHH-45A-R3B |
| 56.000 | 56.000 | 2 | Commscope JAHH-65A-R3B |
| 56.000 | 56.000 | 1 | Raycap RCMD-6627-PF-48 |
| 56.000 | 56.000 | 3 | Samsung MT6407-77A |
| 56.000 | 56.000 | 3 | Samsung B5/B13 RRH-BR04C |
| 56.000 | 56.000 | 3 | Samsung B2/B66A RRH-BR049 |
| 56.000 | 56.000 | 3 | Commscope CBC78T-DS-43-2X |
| 55.000 | 55.000 | 1 | Pine Branches |
| 50.000 | 50.000 | 1 | Pine Branches |
| 45.000 | 45.000 | 1 | Pine Branches |
| 40.000 | 40.000 | 1 | Pine Branches |
| 35.000 | 35.000 | 1 | Pine Branches |
| 30.000 | 30.000 | 1 | Pine Branches |



| | | | |
|--------|--------|---|---------------|
| 25.000 | 25.000 | 1 | Pine Branches |
| 20.000 | 20.000 | 1 | Pine Branches |
| 15.000 | 15.000 | 1 | Pine Branches |


| Linear Appurtenance | | | |
|---------------------|--------|------------------|-----------------|
| Elev (ft) | | Description | Exposed To Wind |
| From | To | | |
| 0.000 | 56.000 | 1 5/8" Coax | No |
| 0.000 | 56.000 | 1 5/8" Hybriflex | No |
| 0.000 | 56.000 | 1 5/8" Hybriflex | No |
| 0.000 | 67.000 | 0.39" (10mm) | No |
| 0.000 | 67.000 | 0.78" (19.7mm) 8 | No |
| 0.000 | 67.000 | 0.78" (19.7mm) 8 | No |
| 0.000 | 67.000 | 1 5/8" Coax | No |
| 0.000 | 67.000 | 2" conduit | No |
| 0.000 | 67.000 | 3" conduit | No |
| 0.000 | 77.000 | 1 1/4" (1.25") | No |
| 0.000 | 77.000 | 1 1/4" (1.25") | No |
| 0.000 | 77.000 | 1 1/4" Hybriflex | No |
| 0.000 | 77.000 | 1 5/8" (1.63") | No |
| 0.000 | 89.000 | 1/2" Coax | No |
| 0.000 | 89.000 | 7/8" Coax | No |

| Load Cases | |
|----------------------|----------------------------------|
| 1.2D + 1.0W | 113 mph with No Ice |
| 0.9D + 1.0W | 113 mph with No Ice (Reduced DL) |
| 1.2D + 1.0Di + 1.0Wi | 49 mph with 0.85 in Radial Ice |
| 1.2D + 1.0Ev + 1.0Eh | Seismic |
| 0.9D - 1.0Ev + 1.0Eh | Seismic (Reduced DL) |
| 1.0D + 1.0W | Serviceability 60 mph |

| Reactions | | | |
|----------------------|-----------------|-------------|-------------|
| Load Case | Moment (kip-ft) | Shear (kip) | Axial (kip) |
| 1.2D + 1.0W | 2646.41 | 49.86 | 45.98 |
| 0.9D + 1.0W | 2640.27 | 49.84 | 34.47 |
| 1.2D + 1.0Di + 1.0Wi | 667.14 | 12.70 | 56.25 |
| 1.2D + 1.0Ev + 1.0Eh | 177.57 | 3.14 | 46.11 |
| 0.9D - 1.0Ev + 1.0Eh | 177.01 | 3.14 | 30.84 |
| 1.0D + 1.0W | 666.45 | 12.57 | 38.36 |

| Dish Deflections | | | |
|------------------|------------------|-----------------|----------------|
| Load Case | Attach Elev (ft) | Deflection (in) | Rotation (deg) |
| | 0.00 | 0.000 | 0.000 |

Load Case : 1.2D + 1.0W
Max Ratio 95.60% at 76.7 ft



Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number: 13701270_C3_02

7/28/2021 2:56:36 PM

Customer: VERIZON WIRELESS

Analysis Parameters

| | | | |
|---------------------|-------------------------|----------------------|-------|
| Location : | Fairfield County, CT | Height (ft) : | 83.2 |
| Code : | ANSI/TIA-222-H | Base Diameter (in) : | 52.00 |
| Shape : | 18 Sides. Sect 4: Round | Top Diameter (in) : | 4.50 |
| Pole Type : | Custom | Taper (in/ft) : | 0.336 |
| Pole Manufacturer : | EEL | Rotation (deg) : | 0.00 |
| Kd (non-service) : | 0.95 | Ke : | 1.00 |

Ice & Wind Parameters

| | | | |
|-------------------------------|----------|--------------------------------|----------|
| Exposure Category: | D | Design Wind Speed Without Ice: | 113 mph |
| Risk Category: | II | Design Wind Speed With Ice: | 49 mph |
| Topographic Factor Procedure: | Method 1 | Operational Wind Speed: | 60 mph |
| Topographic Category: | 1 | Design Ice Thickness: | 0.85 in |
| Crest Height: | 0 ft | HMSL: | 50.00 ft |

Seismic Parameters

| | | | |
|--|---------------------------------|---------------------|-------|
| Analysis Method: | Equivalent Lateral Force Method | | |
| Site Class: | D - Stiff Soil | | |
| Period Based on Rayleigh Method (sec): | 0.78 | | |
| T _L (sec): | 6 | p: | 1 |
| S _s : | 0.277 | S ₁ : | 0.060 |
| F _a : | 1.578 | F _v : | 2.400 |
| S _{ds} : | 0.291 | S _{d1} : | 0.096 |
| | | C _s : | 0.082 |
| | | C _s Max: | 0.082 |
| | | C _s Min: | 0.030 |

Load Cases

| | |
|----------------------|----------------------------------|
| 1.2D + 1.0W | 113 mph with No Ice |
| 0.9D + 1.0W | 113 mph with No Ice (Reduced DL) |
| 1.2D + 1.0Di + 1.0Wi | 49 mph with 0.85 in Radial Ice |
| 1.2D + 1.0Ev + 1.0Eh | Seismic |
| 0.9D - 1.0Ev + 1.0Eh | Seismic (Reduced DL) |
| 1.0D + 1.0W | Serviceability 60 mph |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:36 PM

Customer: VERIZON WIRELESS

Shaft Section Properties

| Sect Info | Length (ft) | Thick (in) | Fy (ksi) | Joint Type | Joint Len (in) | Weight (lb) | Bottom | | | | | Top | | | | | Taper (in/ft) | | |
|--------------|-------------|------------|----------|------------|----------------|-------------|----------|-----------|-------------------------|-----------------------|-----------|-----------|----------|-----------|-------------------------|-----------------------|---------------|-----------|-----------|
| | | | | | | | Dia (in) | Elev (ft) | Area (in ²) | Ix (in ⁴) | W/t Ratio | D/t Ratio | Dia (in) | Elev (ft) | Area (in ²) | Ix (in ⁴) | | W/t Ratio | D/t Ratio |
| 1-18 | 28.852 | 0.5000 | 65 | | 0.00 | 7,269 | 52.00 | 0.00 | 81.73 | 27386.5 | 16.93 | 104.00 | 42.31 | 28.85 | 66.36 | 14658.0 | 13.51 | 84.63 | 0.335724 |
| 2-18 | 29.693 | 0.4375 | 65 | Slip | 73.97 | 5,589 | 45.25 | 22.69 | 62.24 | 15796.5 | 16.83 | 103.45 | 35.29 | 52.38 | 48.39 | 7427.0 | 12.81 | 80.66 | 0.335724 |
| 3-18 | 29.541 | 0.3125 | 65 | Slip | 62.66 | 3,230 | 37.66 | 47.16 | 37.05 | 6532.0 | 19.84 | 120.54 | 27.75 | 76.70 | 27.21 | 2588.4 | 14.25 | 88.80 | 0.335724 |
| 4-R | 6.500 | 0.3370 | 35 | Butt | 0.00 | 97 | 4.500 | 76.70 | 4.41 | 9.6 | 0.00 | 13.35 | 4.500 | 83.20 | 4.41 | 9.6 | 0.00 | 13.35 | 0.000000 |
| Shaft Weight | | | | | | 16,186 | | | | | | | | | | | | | |

Discrete Appurtenance Properties

| Attach Elev (ft) | Description | Qty | Ka | Vert Ecc (ft) | Weight (lb) | No Ice EPAa (sf) | Orientation Factor | Weight (lb) | Ice EPAa (sf) | Orientation Factor |
|------------------|-------------------------------|-----|------|---------------|-------------|------------------|--------------------|-------------|---------------|--------------------|
| 89.00 | Bird 428D-831-01-T | 1 | 1.00 | 0.000 | 8.90 | 0.465 | 1.00 | 18.26 | 0.719 | 1.00 |
| 89.00 | dbSpectra DS7C09P36U-D | 2 | 1.00 | 0.000 | 70.00 | 3.550 | 1.00 | 119.07 | 6.250 | 1.00 |
| 82.00 | Pole Mount | 2 | 1.00 | 0.000 | 40.00 | 1.630 | 1.00 | 65.19 | 2.236 | 1.00 |
| 80.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 822.47 | 61.685 | 1.00 |
| 77.00 | Commscope CBC1923Q-43 | 3 | 0.80 | 0.000 | 7.30 | 0.318 | 0.50 | 13.17 | 0.532 | 0.50 |
| 77.00 | Ericsson Radio 4449 B71 B85A | 3 | 0.80 | 0.000 | 75.00 | 1.650 | 0.50 | 106.94 | 2.101 | 0.50 |
| 77.00 | Ericsson RRUS 4415 B25 | 3 | 0.80 | 0.000 | 46.00 | 1.842 | 0.50 | 72.04 | 2.318 | 0.50 |
| 77.00 | Ericsson RRUS 32 B66 | 3 | 0.80 | 0.000 | 53.00 | 2.743 | 0.67 | 92.06 | 3.364 | 0.67 |
| 77.00 | Ericsson Air6449 B41 | 3 | 0.80 | 0.000 | 104.00 | 5.682 | 0.63 | 176.38 | 6.525 | 0.63 |
| 77.00 | Ericsson AIR32 B66Aa/B2a | 3 | 0.80 | 0.000 | 132.20 | 6.510 | 0.71 | 216.97 | 7.673 | 0.71 |
| 77.00 | Flat T-Arms | 3 | 0.75 | 0.000 | 250.00 | 12.900 | 0.67 | 361.00 | 17.243 | 0.67 |
| 77.00 | RFS APXVAARR24_43-U-NA20 | 3 | 0.80 | 0.000 | 127.90 | 20.243 | 0.63 | 336.40 | 22.213 | 0.63 |
| 75.00 | Pine Branches | 1 | 1.00 | 0.400 | 600.00 | 45.000 | 1.00 | 820.71 | 61.553 | 1.00 |
| 70.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 819.46 | 61.459 | 1.00 |
| 67.00 | CCI DTMABP7819VG12A | 6 | 0.80 | 1.000 | 19.20 | 0.972 | 0.50 | 32.52 | 1.315 | 0.50 |
| 67.00 | Raycap DC6-48-60-0-8C-EV | 1 | 0.80 | 0.000 | 16.00 | 1.020 | 1.00 | 39.69 | 1.315 | 1.00 |
| 67.00 | Raycap DC6-48-60-18-8F(32.8 | 2 | 0.80 | 1.000 | 32.80 | 1.470 | 1.00 | 65.07 | 1.835 | 1.00 |
| 67.00 | Ericsson RRUS 4426 B66 | 3 | 0.80 | 1.000 | 48.40 | 1.650 | 0.50 | 71.75 | 2.094 | 0.50 |
| 67.00 | Ericsson RRUS 4449 B5, B12 | 3 | 0.80 | 0.000 | 71.00 | 1.969 | 0.50 | 104.71 | 2.457 | 0.50 |
| 67.00 | Ericsson RRUS 4478 B14 | 3 | 0.80 | 0.000 | 59.40 | 2.021 | 0.67 | 91.50 | 2.514 | 0.67 |
| 67.00 | Ericsson RRUS 32 B2 | 3 | 0.80 | 1.000 | 53.00 | 2.743 | 0.67 | 91.47 | 3.355 | 0.67 |
| 67.00 | Ericsson RRUS-32 (77 lbs) | 3 | 0.80 | 1.000 | 77.00 | 3.314 | 0.71 | 127.87 | 3.985 | 0.71 |
| 67.00 | Powerwave Allgon P65-16-XLH- | 3 | 0.80 | 1.000 | 53.00 | 8.133 | 0.67 | 139.16 | 9.591 | 0.67 |
| 67.00 | CCI DMP65R-BU4D | 6 | 0.80 | 0.000 | 67.90 | 8.280 | 0.62 | 162.37 | 9.339 | 0.62 |
| 67.00 | CCI OPA-65R-LCUU-H6 | 3 | 0.80 | 1.000 | 73.00 | 9.658 | 0.66 | 179.46 | 11.108 | 0.66 |
| 67.00 | Site PRO1, RMV12-496 | 3 | 0.75 | 0.000 | 452.60 | 9.700 | 0.67 | 617.53 | 13.235 | 0.67 |
| 65.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 817.45 | 61.309 | 1.00 |
| 60.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 816.02 | 61.202 | 1.00 |
| 57.00 | Flat T-Arm | 3 | 0.75 | 0.000 | 250.00 | 12.900 | 0.67 | 357.64 | 17.112 | 0.67 |
| 56.00 | Commscope CBC78T-DS-43-2X | 3 | 0.80 | 0.000 | 20.70 | 0.552 | 0.50 | 32.06 | 0.813 | 0.50 |
| 56.00 | Samsung B2/B66A RRH-BR049 | 3 | 0.80 | 0.000 | 84.40 | 1.875 | 0.50 | 117.20 | 2.339 | 0.50 |
| 56.00 | Samsung B5/B13 RRH-BR04C | 3 | 0.80 | 0.000 | 70.30 | 1.875 | 0.50 | 99.71 | 2.339 | 0.50 |
| 56.00 | Raycap RCMDC-6627-PF-48 | 1 | 0.80 | 0.000 | 32.00 | 4.056 | 1.00 | 97.34 | 4.758 | 1.00 |
| 56.00 | Samsung MT6407-77A | 3 | 0.80 | 0.000 | 81.60 | 4.709 | 0.61 | 134.00 | 5.490 | 0.61 |
| 56.00 | Commscope JAHH-65A-R3B | 2 | 0.80 | 0.000 | 50.70 | 6.673 | 0.76 | 132.01 | 7.772 | 0.76 |
| 56.00 | Commscope JAHH-45A-R3B | 4 | 0.80 | 0.000 | 70.50 | 8.420 | 0.63 | 162.31 | 9.548 | 0.63 |
| 56.00 | Amphenol Antel LPA-80063-6CF- | 6 | 0.80 | 1.000 | 27.00 | 9.732 | 0.75 | 161.15 | 11.140 | 0.75 |
| 56.00 | VZW Unused Reserve (14306.88 | 1 | 0.80 | 0.000 | 1,151.60 | 99.353 | 0.90 | 1,564.04 | 134.936 | 0.90 |
| 55.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 814.17 | 61.063 | 1.00 |
| 50.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 812.04 | 60.903 | 1.00 |
| 45.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 809.23 | 60.692 | 1.00 |
| 40.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 806.62 | 60.497 | 1.00 |
| 35.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 803.69 | 60.277 | 1.00 |
| 30.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 801.67 | 60.126 | 1.00 |
| 25.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 797.48 | 59.811 | 1.00 |
| 20.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 791.46 | 59.360 | 1.00 |
| 15.00 | Pine Branches | 1 | 1.00 | 0.000 | 600.00 | 45.000 | 1.00 | 785.13 | 58.885 | 1.00 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:37 PM

Customer: VERIZON WIRELESS

| | | | | |
|--------|-----------------|-----|-----------|-----------|
| Totals | Num Loadings:47 | 111 | 17,531.50 | 27,202.09 |
|--------|-----------------|-----|-----------|-----------|

Linear Appurtenance Properties Load Case Azimuth (deg) :

| Elev From (ft) | Elev To (ft) | Qty | Description | Coax Dia (in) | Coax Wt (lb/ft) | Max Flat | Coax / Row | Dist Between Rows (in) | Dist Between Cols (in) | Azimuth (deg) | Dist From Face (in) | Exposed To Wind | Carrier |
|----------------|--------------|-----|------------------------|---------------|-----------------|----------|------------|------------------------|------------------------|---------------|---------------------|-----------------|------------------|
| 0.00 | 89.00 | 2 | 1/2" Coax | 0.63 | 0.15 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | TOWN OF |
| 0.00 | 89.00 | 2 | 7/8" Coax | 1.09 | 0.33 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | TOWN OF |
| 0.00 | 77.00 | 3 | 1 1/4" (1.25"- 31.8mm) | 1.25 | 1.05 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | T-MOBILE |
| 0.00 | 77.00 | 3 | 1 1/4" (1.25"- 31.8mm) | 1.25 | 1.05 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | T-MOBILE |
| 0.00 | 77.00 | 1 | 1 1/4" Hybriflex Cable | 1.54 | 1.00 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | T-MOBILE |
| 0.00 | 77.00 | 3 | 1 5/8" (1.63"-41.3mm) | 1.63 | 1.61 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | T-MOBILE |
| 0.00 | 67.00 | 2 | 0.39" (10mm) Fiber | 0.39 | 0.06 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | AT&T MOBILITY |
| 0.00 | 67.00 | 6 | 0.78" (19.7mm) 8 AWG | 0.78 | 0.59 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | AT&T MOBILITY |
| 0.00 | 67.00 | 2 | 0.78" (19.7mm) 8 AWG | 0.78 | 0.59 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | AT&T MOBILITY |
| 0.00 | 67.00 | 12 | 1 5/8" Coax | 1.98 | 0.82 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | AT&T MOBILITY |
| 0.00 | 67.00 | 1 | 2" conduit | 2.38 | 3.65 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | AT&T MOBILITY |
| 0.00 | 67.00 | 3 | 3" conduit | 3.50 | 7.58 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | AT&T MOBILITY |
| 0.00 | 56.00 | 16 | 1 5/8" Coax | 1.98 | 0.82 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | VERIZON WIRELESS |
| 0.00 | 56.00 | 1 | 1 5/8" Hybriflex | 1.98 | 1.30 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | VERIZON WIRELESS |
| 0.00 | 56.00 | 1 | 1 5/8" Hybriflex | 1.98 | 1.30 | N | 0 | 0.00 | 0.00 | 0 | 0.00 | N | VERIZON WIRELESS |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:37 PM

Customer: VERIZON WIRELESS

Segment Properties (Max Len : 5. ft)

| Seg Top Elev (ft) | Description | Thick (in) | Flat Dia (in) | Area (in ²) | Ix (in ⁴) | W/t Ratio | D/t Ratio | F'y (ksi) | S (in ³) | Z (in ³) | Weight (lb) |
|-------------------|-----------------|------------|---------------|-------------------------|-----------------------|-----------|-----------|-----------|----------------------|----------------------|-------------|
| 0.00 | | 0.5000 | 52.000 | 81.728 | 27,386.5 | 16.93 | 104.00 | 81.5 | 1037. | 0.0 | 0.0 |
| 5.00 | | 0.5000 | 50.321 | 79.064 | 24,794.9 | 16.34 | 100.64 | 82.2 | 970.5 | 0.0 | 1,367.8 |
| 10.00 | | 0.5000 | 48.643 | 76.400 | 22,372.1 | 15.74 | 97.29 | 82.6 | 905.9 | 0.0 | 1,322.5 |
| 15.00 | | 0.5000 | 46.964 | 73.736 | 20,112.6 | 15.15 | 93.93 | 82.6 | 843.5 | 0.0 | 1,277.2 |
| 20.00 | | 0.5000 | 45.286 | 71.072 | 18,010.6 | 14.56 | 90.57 | 82.6 | 783.3 | 0.0 | 1,231.9 |
| 22.69 | Bot - Section 2 | 0.5000 | 44.383 | 69.640 | 16,943.8 | 14.24 | 88.77 | 82.6 | 751.9 | 0.0 | 643.4 |
| 25.00 | | 0.5000 | 43.607 | 68.408 | 16,060.4 | 13.97 | 87.21 | 82.6 | 725.4 | 0.0 | 1,028.6 |
| 28.85 | Top - Section 1 | 0.4375 | 43.189 | 59.363 | 13,707.9 | 16.00 | 98.72 | 82.6 | 625.1 | 0.0 | 1,672.9 |
| 30.00 | | 0.4375 | 42.803 | 58.828 | 13,340.4 | 15.84 | 97.84 | 82.6 | 613.9 | 0.0 | 230.9 |
| 35.00 | | 0.4375 | 41.125 | 56.497 | 11,816.7 | 15.16 | 94.00 | 82.6 | 565.9 | 0.0 | 981.1 |
| 40.00 | | 0.4375 | 39.446 | 54.166 | 10,413.6 | 14.49 | 90.16 | 82.6 | 520.0 | 0.0 | 941.4 |
| 45.00 | | 0.4375 | 37.767 | 51.835 | 9,126.3 | 13.81 | 86.33 | 82.6 | 475.9 | 0.0 | 901.8 |
| 47.16 | Bot - Section 3 | 0.4375 | 37.043 | 50.829 | 8,605.0 | 13.52 | 84.67 | 82.6 | 457.5 | 0.0 | 377.1 |
| 50.00 | | 0.4375 | 36.089 | 49.505 | 7,949.7 | 13.13 | 82.49 | 82.6 | 433.9 | 0.0 | 838.6 |
| 52.38 | Top - Section 2 | 0.3125 | 35.915 | 35.312 | 5,654.9 | 18.85 | 114.93 | 79.2 | 310.1 | 0.0 | 685.7 |
| 55.00 | | 0.3125 | 35.035 | 34.439 | 5,246.1 | 18.36 | 112.11 | 79.8 | 294.9 | 0.0 | 310.9 |
| 56.00 | | 0.3125 | 34.699 | 34.106 | 5,095.4 | 18.17 | 111.04 | 80.0 | 289.2 | 0.0 | 116.6 |
| 57.00 | | 0.3125 | 34.364 | 33.773 | 4,947.6 | 17.98 | 109.96 | 80.3 | 283.6 | 0.0 | 115.5 |
| 60.00 | | 0.3125 | 33.357 | 32.774 | 4,521.4 | 17.41 | 106.74 | 80.9 | 267.0 | 0.0 | 339.7 |
| 65.00 | | 0.3125 | 31.678 | 31.110 | 3,866.8 | 16.46 | 101.37 | 82.0 | 240.4 | 0.0 | 543.5 |
| 67.00 | | 0.3125 | 31.007 | 30.444 | 3,623.7 | 16.08 | 99.22 | 82.5 | 230.2 | 0.0 | 209.5 |
| 70.00 | | 0.3125 | 29.999 | 29.445 | 3,278.6 | 15.52 | 96.00 | 82.6 | 215.3 | 0.0 | 305.7 |
| 75.00 | | 0.3125 | 28.321 | 27.780 | 2,753.3 | 14.57 | 90.63 | 82.6 | 191.5 | 0.0 | 486.8 |
| 76.70 | Top - Section 3 | 0.3125 | 27.750 | 27.214 | 2,588.4 | 14.25 | 88.80 | 82.6 | 183.7 | 0.0 | 159.1 |
| 76.70 | Bot - Section 4 | 0.3370 | 4.500 | 4.407 | 9.6 | 0.00 | 13.35 | 35.0 | 4.2 | 5.9 | |
| 77.00 | | 0.3370 | 4.500 | 4.407 | 9.6 | 0.00 | 13.35 | 35.0 | 4.2 | 5.9 | 4.5 |
| 80.00 | | 0.3370 | 4.500 | 4.407 | 9.6 | 0.00 | 13.35 | 35.0 | 4.2 | 5.9 | 45.0 |
| 82.00 | | 0.3370 | 4.500 | 4.407 | 9.6 | 0.00 | 13.35 | 35.0 | 4.2 | 5.9 | 30.0 |
| 83.20 | | 0.3370 | 4.500 | 4.407 | 9.6 | 0.00 | 13.35 | 35.0 | 4.2 | 5.9 | 18.0 |
| 16,185.5 | | | | | | | | | | | |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:37 PM

Customer: VERIZON WIRELESS

Load Case: 1.2D + 1.0W

113 mph with No Ice

16 Iterations

Gust Response Factor :1.10

Dead Load Factor :1.20

Wind Load Factor :1.00

Applied Segment Forces Summary

| Seg Elev (ft) | Description | Shaft Forces | | Discrete Forces | | | Linear Forces | | Sum of Forces | | | | |
|----------------|-----------------|--------------|----------------|-----------------|--------------------|-------------------|----------------|--------------|----------------|-----------------|-----------------|--------------------|----------------|
| | | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Torsion MY (lb-ft) | Moment MZ (lb-ft) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Torsion MY (lb-ft) | Moment MZ (lb) |
| 0.00 | | 277.8 | 0.0 | | | | | 0.0 | 0.0 | 277.8 | 0.0 | 0.0 | 0.0 |
| 5.00 | | 546.5 | 1,641.4 | | | | | 0.0 | 419.3 | 546.5 | 2,060.7 | 0.0 | 0.0 |
| 10.00 | | 528.2 | 1,587.0 | | | | | 0.0 | 419.3 | 528.2 | 2,006.3 | 0.0 | 0.0 |
| 15.00 | Appurtenance(s) | 516.9 | 1,532.6 | 1,582.5 | 0.0 | 0.0 | 720.0 | 0.0 | 419.3 | 2,099.4 | 2,671.9 | 0.0 | 0.0 |
| 20.00 | Appurtenance(s) | 396.5 | 1,478.2 | 1,663.7 | 0.0 | 0.0 | 720.0 | 0.0 | 419.3 | 2,060.2 | 2,617.5 | 0.0 | 0.0 |
| 22.69 | Bot - Section 2 | 261.3 | 772.1 | | | | | 0.0 | 225.4 | 261.3 | 997.4 | 0.0 | 0.0 |
| 25.00 | Appurtenance(s) | 325.2 | 1,234.4 | 1,729.6 | 0.0 | 0.0 | 720.0 | 0.0 | 193.9 | 2,054.8 | 2,148.3 | 0.0 | 0.0 |
| 28.85 | Top - Section 1 | 263.3 | 2,007.5 | | | | | 0.0 | 323.0 | 263.3 | 2,330.5 | 0.0 | 0.0 |
| 30.00 | Appurtenance(s) | 321.0 | 277.1 | 1,785.3 | 0.0 | 0.0 | 720.0 | 0.0 | 96.3 | 2,106.3 | 1,093.4 | 0.0 | 0.0 |
| 35.00 | Appurtenance(s) | 517.3 | 1,177.3 | 1,833.8 | 0.0 | 0.0 | 720.0 | 0.0 | 419.3 | 2,351.1 | 2,316.6 | 0.0 | 0.0 |
| 40.00 | Appurtenance(s) | 507.9 | 1,129.7 | 1,876.9 | 0.0 | 0.0 | 720.0 | 0.0 | 419.3 | 2,384.8 | 2,269.0 | 0.0 | 0.0 |
| 45.00 | Appurtenance(s) | 357.9 | 1,082.1 | 1,915.7 | 0.0 | 0.0 | 720.0 | 0.0 | 419.3 | 2,273.6 | 2,221.4 | 0.0 | 0.0 |
| 47.16 | Bot - Section 3 | 247.4 | 452.5 | | | | | 0.0 | 181.0 | 247.4 | 633.5 | 0.0 | 0.0 |
| 50.00 | Appurtenance(s) | 257.0 | 1,006.3 | 1,951.2 | 0.0 | 0.0 | 720.0 | 0.0 | 238.2 | 2,208.2 | 1,964.6 | 0.0 | 0.0 |
| 52.38 | Top - Section 2 | 242.2 | 822.8 | | | | | 0.0 | 199.6 | 242.2 | 1,022.4 | 0.0 | 0.0 |
| 55.00 | Appurtenance(s) | 173.6 | 373.1 | 1,983.8 | 0.0 | 0.0 | 720.0 | 0.0 | 219.7 | 2,157.3 | 1,312.8 | 0.0 | 0.0 |
| 56.00 | Appurtenance(s) | 94.8 | 139.9 | 6,503.6 | 0.0 | 1,554.1 | 3,000.0 | 0.0 | 83.9 | 6,598.4 | 3,223.8 | 0.0 | 0.0 |
| 57.00 | Appurtenance(s) | 187.0 | 138.6 | 862.6 | 0.0 | 0.0 | 900.0 | 0.0 | 65.0 | 1,049.7 | 1,103.6 | 0.0 | 0.0 |
| 60.00 | Appurtenance(s) | 366.1 | 407.6 | 2,014.0 | 0.0 | 0.0 | 720.0 | 0.0 | 195.0 | 2,380.2 | 1,322.6 | 0.0 | 0.0 |
| 65.00 | Appurtenance(s) | 314.4 | 652.1 | 2,042.2 | 0.0 | 0.0 | 720.0 | 0.0 | 325.0 | 2,356.7 | 1,697.1 | 0.0 | 0.0 |
| 67.00 | Appurtenance(s) | 217.5 | 251.3 | 4,147.5 | 0.0 | 2,062.9 | 3,919.7 | 0.0 | 130.0 | 4,365.0 | 4,301.0 | 0.0 | 0.0 |
| 70.00 | Appurtenance(s) | 337.7 | 366.8 | 2,068.7 | 0.0 | 0.0 | 720.0 | 0.0 | 47.1 | 2,406.5 | 1,133.9 | 0.0 | 0.0 |
| 75.00 | Appurtenance(s) | 276.9 | 584.2 | 2,095.6 | 0.0 | 838.3 | 720.0 | 0.0 | 78.5 | 2,372.6 | 1,382.7 | 0.0 | 0.0 |
| 76.70 | Top - Section 3 | 71.1 | 190.9 | | | | | 0.0 | 26.7 | 71.1 | 217.6 | 0.0 | 0.0 |
| 77.00 | Appurtenance(s) | 27.3 | 5.4 | 3,679.4 | 0.0 | 0.0 | 2,863.4 | 0.0 | 4.7 | 3,706.8 | 2,873.6 | 0.0 | 0.0 |
| 80.00 | Appurtenance(s) | 41.5 | 54.0 | 2,117.3 | 0.0 | 0.0 | 720.0 | 0.0 | 3.5 | 2,158.8 | 777.4 | 0.0 | 0.0 |
| 82.00 | Appurtenance(s) | 26.6 | 36.0 | 154.0 | 0.0 | 0.0 | 96.0 | 0.0 | 2.3 | 180.7 | 134.3 | 0.0 | 0.0 |
| 83.20 | | 10.0 | 21.6 | | | | | 0.0 | 1.4 | 10.0 | 23.0 | 0.0 | 0.0 |
| Totals: | | | | | | | | | | 49,718.8 | 45,856.8 | 0.00 | 0.00 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:40 PM

Customer: VERIZON WIRELESS

Load Case: 1.2D + 1.0W

113 mph with No Ice

16 Iterations

Gust Response Factor :1.10

Dead Load Factor :1.20

Wind Load Factor :1.00

Calculated Forces

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00 | -45.98 | -49.86 | 0.00 | -2,646.41 | 0.00 | 2,646.41 | 5,994.05 | 1,434.32 | 6,672.27 | 6,339.93 | 0.00 | 0.00 | 0.426 |
| 5.00 | -43.80 | -49.41 | 0.00 | -2,397.12 | 0.00 | 2,397.12 | 5,848.22 | 1,387.57 | 6,244.46 | 5,982.13 | 0.07 | -0.13 | 0.409 |
| 10.00 | -41.69 | -48.97 | 0.00 | -2,150.08 | 0.00 | 2,150.08 | 5,676.12 | 1,340.82 | 5,830.83 | 5,608.53 | 0.28 | -0.26 | 0.392 |
| 15.00 | -38.92 | -46.94 | 0.00 | -1,905.23 | 0.00 | 1,905.23 | 5,478.21 | 1,294.07 | 5,431.37 | 5,222.30 | 0.63 | -0.39 | 0.373 |
| 20.00 | -36.25 | -44.92 | 0.00 | -1,670.53 | 0.00 | 1,670.53 | 5,280.30 | 1,247.31 | 5,046.08 | 4,849.84 | 1.11 | -0.52 | 0.353 |
| 22.69 | -35.20 | -44.69 | 0.00 | -1,549.80 | 0.00 | 1,549.80 | 5,173.92 | 1,222.19 | 4,844.84 | 4,655.34 | 1.42 | -0.59 | 0.341 |
| 25.00 | -33.02 | -42.66 | 0.00 | -1,446.46 | 0.00 | 1,446.46 | 5,082.39 | 1,200.56 | 4,674.96 | 4,491.17 | 1.72 | -0.64 | 0.330 |
| 28.85 | -30.65 | -42.40 | 0.00 | -1,282.17 | 0.00 | 1,282.17 | 4,410.41 | 1,041.83 | 4,023.22 | 3,870.44 | 2.28 | -0.74 | 0.340 |
| 30.00 | -29.53 | -40.32 | 0.00 | -1,233.48 | 0.00 | 1,233.48 | 4,370.63 | 1,032.43 | 3,950.99 | 3,800.59 | 2.46 | -0.76 | 0.333 |
| 35.00 | -27.17 | -37.99 | 0.00 | -1,031.91 | 0.00 | 1,031.91 | 4,197.46 | 991.53 | 3,644.15 | 3,503.90 | 3.33 | -0.89 | 0.302 |
| 40.00 | -24.87 | -35.61 | 0.00 | -841.98 | 0.00 | 841.98 | 4,024.29 | 950.62 | 3,349.71 | 3,219.28 | 4.32 | -1.00 | 0.269 |
| 45.00 | -22.65 | -33.33 | 0.00 | -663.93 | 0.00 | 663.93 | 3,851.11 | 909.71 | 3,067.67 | 2,946.70 | 5.42 | -1.10 | 0.233 |
| 47.16 | -22.00 | -33.08 | 0.00 | -591.99 | 0.00 | 591.99 | 3,776.34 | 892.05 | 2,949.72 | 2,832.74 | 5.93 | -1.14 | 0.216 |
| 50.00 | -20.05 | -30.85 | 0.00 | -497.99 | 0.00 | 497.99 | 3,677.94 | 868.80 | 2,798.03 | 2,686.19 | 6.63 | -1.19 | 0.192 |
| 52.38 | -19.02 | -30.60 | 0.00 | -424.56 | 0.00 | 424.56 | 2,517.80 | 619.72 | 1,992.88 | 1,842.71 | 7.23 | -1.23 | 0.240 |
| 55.00 | -17.74 | -28.42 | 0.00 | -344.40 | 0.00 | 344.40 | 2,473.70 | 604.41 | 1,895.64 | 1,765.31 | 7.92 | -1.27 | 0.204 |
| 56.00 | -14.66 | -21.76 | 0.00 | -314.42 | 0.00 | 314.42 | 2,456.62 | 598.57 | 1,859.17 | 1,736.02 | 8.19 | -1.29 | 0.188 |
| 57.00 | -13.56 | -20.69 | 0.00 | -292.66 | 0.00 | 292.66 | 2,439.40 | 592.72 | 1,823.05 | 1,706.88 | 8.46 | -1.31 | 0.178 |
| 60.00 | -12.28 | -18.29 | 0.00 | -230.59 | 0.00 | 230.59 | 2,386.97 | 575.19 | 1,716.81 | 1,620.34 | 9.30 | -1.35 | 0.148 |
| 65.00 | -10.63 | -15.90 | 0.00 | -139.12 | 0.00 | 139.12 | 2,296.90 | 545.97 | 1,546.84 | 1,479.25 | 10.75 | -1.41 | 0.100 |
| 67.00 | -6.44 | -11.43 | 0.00 | -105.25 | 0.00 | 105.25 | 2,259.94 | 534.28 | 1,481.33 | 1,423.98 | 11.35 | -1.43 | 0.077 |
| 70.00 | -5.36 | -9.00 | 0.00 | -70.95 | 0.00 | 70.95 | 2,187.59 | 516.75 | 1,385.73 | 1,332.71 | 12.25 | -1.45 | 0.056 |
| 75.00 | -4.04 | -6.60 | 0.00 | -25.10 | 0.00 | 25.10 | 2,063.89 | 487.53 | 1,233.47 | 1,185.51 | 13.78 | -1.47 | 0.023 |
| 76.70 | -3.82 | -6.52 | 0.00 | -13.89 | 0.00 | 13.89 | 2,021.83 | 477.60 | 1,183.72 | 1,137.43 | 14.31 | -1.47 | 0.014 |
| 76.70 | -3.82 | -6.52 | 0.00 | -13.89 | 0.00 | 13.89 | 138.83 | 41.65 | 15.24 | 15.36 | 14.31 | -1.47 | 0.956 |
| 77.00 | -1.02 | -2.75 | 0.00 | -11.93 | 0.00 | 11.93 | 138.83 | 41.65 | 15.24 | 15.36 | 14.40 | -1.47 | 0.788 |
| 80.00 | -0.31 | -0.57 | 0.00 | -3.69 | 0.00 | 3.69 | 138.83 | 41.65 | 15.24 | 15.36 | 15.59 | -2.17 | 0.243 |
| 82.00 | -0.19 | -0.38 | 0.00 | -2.56 | 0.00 | 2.56 | 138.83 | 41.65 | 15.24 | 15.36 | 16.54 | -2.36 | 0.168 |
| 83.20 | 0.00 | -0.37 | 0.00 | -2.10 | 0.00 | 2.10 | 138.83 | 41.65 | 15.24 | 15.36 | 17.14 | -2.44 | 0.137 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:40 PM

Customer: VERIZON WIRELESS

| | | |
|-------------------------------|---|----------------------|
| Load Case: 0.9D + 1.0W | 113 mph with No Ice (Reduced DL) | 16 Iterations |
| Gust Response Factor :1.10 | | |
| Dead Load Factor :0.90 | | |
| Wind Load Factor :1.00 | | |

Applied Segment Forces Summary

| Seg Elev (ft) | Description | Shaft Forces | | Discrete Forces | | | Linear Forces | | Sum of Forces | | | | |
|----------------|-----------------|--------------|----------------|-----------------|--------------------|-------------------|----------------|--------------|----------------|-----------------|-----------------|--------------------|----------------|
| | | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Torsion MY (lb-ft) | Moment MZ (lb-ft) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Torsion MY (lb-ft) | Moment MZ (lb) |
| 0.00 | | 277.8 | 0.0 | | | | | 0.0 | 0.0 | 277.8 | 0.0 | 0.0 | 0.0 |
| 5.00 | | 546.5 | 1,231.1 | | | | | 0.0 | 314.5 | 546.5 | 1,545.5 | 0.0 | 0.0 |
| 10.00 | | 528.2 | 1,190.3 | | | | | 0.0 | 314.5 | 528.2 | 1,504.7 | 0.0 | 0.0 |
| 15.00 | Appurtenance(s) | 516.9 | 1,149.5 | 1,582.5 | 0.0 | 0.0 | 540.0 | 0.0 | 314.5 | 2,099.4 | 2,003.9 | 0.0 | 0.0 |
| 20.00 | Appurtenance(s) | 396.5 | 1,108.7 | 1,663.7 | 0.0 | 0.0 | 540.0 | 0.0 | 314.5 | 2,060.2 | 1,963.1 | 0.0 | 0.0 |
| 22.69 | Bot - Section 2 | 261.3 | 579.1 | | | | | 0.0 | 169.0 | 261.3 | 748.1 | 0.0 | 0.0 |
| 25.00 | Appurtenance(s) | 325.2 | 925.8 | 1,729.6 | 0.0 | 0.0 | 540.0 | 0.0 | 145.4 | 2,054.8 | 1,611.2 | 0.0 | 0.0 |
| 28.85 | Top - Section 1 | 263.3 | 1,505.6 | | | | | 0.0 | 242.2 | 263.3 | 1,747.8 | 0.0 | 0.0 |
| 30.00 | Appurtenance(s) | 321.0 | 207.8 | 1,785.3 | 0.0 | 0.0 | 540.0 | 0.0 | 72.2 | 2,106.3 | 820.1 | 0.0 | 0.0 |
| 35.00 | Appurtenance(s) | 517.3 | 883.0 | 1,833.8 | 0.0 | 0.0 | 540.0 | 0.0 | 314.5 | 2,351.1 | 1,737.4 | 0.0 | 0.0 |
| 40.00 | Appurtenance(s) | 507.9 | 847.3 | 1,876.9 | 0.0 | 0.0 | 540.0 | 0.0 | 314.5 | 2,384.8 | 1,701.7 | 0.0 | 0.0 |
| 45.00 | Appurtenance(s) | 357.9 | 811.6 | 1,915.7 | 0.0 | 0.0 | 540.0 | 0.0 | 314.5 | 2,273.6 | 1,666.0 | 0.0 | 0.0 |
| 47.16 | Bot - Section 3 | 247.4 | 339.4 | | | | | 0.0 | 135.8 | 247.4 | 475.2 | 0.0 | 0.0 |
| 50.00 | Appurtenance(s) | 257.0 | 754.8 | 1,951.2 | 0.0 | 0.0 | 540.0 | 0.0 | 178.7 | 2,208.2 | 1,473.4 | 0.0 | 0.0 |
| 52.38 | Top - Section 2 | 242.2 | 617.1 | | | | | 0.0 | 149.7 | 242.2 | 766.8 | 0.0 | 0.0 |
| 55.00 | Appurtenance(s) | 173.6 | 279.8 | 1,983.8 | 0.0 | 0.0 | 540.0 | 0.0 | 164.8 | 2,157.3 | 984.6 | 0.0 | 0.0 |
| 56.00 | Appurtenance(s) | 94.8 | 105.0 | 6,503.6 | 0.0 | 1,554.1 | 2,250.0 | 0.0 | 62.9 | 6,598.4 | 2,417.9 | 0.0 | 0.0 |
| 57.00 | Appurtenance(s) | 187.0 | 103.9 | 862.6 | 0.0 | 0.0 | 675.0 | 0.0 | 48.7 | 1,049.7 | 827.7 | 0.0 | 0.0 |
| 60.00 | Appurtenance(s) | 366.1 | 305.7 | 2,014.0 | 0.0 | 0.0 | 540.0 | 0.0 | 146.2 | 2,380.2 | 991.9 | 0.0 | 0.0 |
| 65.00 | Appurtenance(s) | 314.4 | 489.1 | 2,042.2 | 0.0 | 0.0 | 540.0 | 0.0 | 243.7 | 2,356.7 | 1,272.8 | 0.0 | 0.0 |
| 67.00 | Appurtenance(s) | 217.5 | 188.5 | 4,147.5 | 0.0 | 2,062.9 | 2,939.8 | 0.0 | 97.5 | 4,365.0 | 3,225.8 | 0.0 | 0.0 |
| 70.00 | Appurtenance(s) | 337.7 | 275.1 | 2,068.7 | 0.0 | 0.0 | 540.0 | 0.0 | 35.3 | 2,406.5 | 850.5 | 0.0 | 0.0 |
| 75.00 | Appurtenance(s) | 276.9 | 438.1 | 2,095.6 | 0.0 | 838.3 | 540.0 | 0.0 | 58.9 | 2,372.6 | 1,037.0 | 0.0 | 0.0 |
| 76.70 | Top - Section 3 | 71.1 | 143.2 | | | | | 0.0 | 20.0 | 71.1 | 163.2 | 0.0 | 0.0 |
| 77.00 | Appurtenance(s) | 27.3 | 4.0 | 3,679.4 | 0.0 | 0.0 | 2,147.6 | 0.0 | 3.5 | 3,706.8 | 2,155.2 | 0.0 | 0.0 |
| 80.00 | Appurtenance(s) | 41.5 | 40.5 | 2,117.3 | 0.0 | 0.0 | 540.0 | 0.0 | 2.6 | 2,158.8 | 583.1 | 0.0 | 0.0 |
| 82.00 | Appurtenance(s) | 26.6 | 27.0 | 154.0 | 0.0 | 0.0 | 72.0 | 0.0 | 1.7 | 180.7 | 100.7 | 0.0 | 0.0 |
| 83.20 | | 10.0 | 16.2 | | | | | 0.0 | 1.0 | 10.0 | 17.2 | 0.0 | 0.0 |
| Totals: | | | | | | | | | | 49,718.8 | 34,392.6 | 0.00 | 0.00 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:43 PM

Customer: VERIZON WIRELESS

Load Case: 0.9D + 1.0W

113 mph with No Ice (Reduced DL)

16 Iterations

Gust Response Factor :1.10

Dead Load Factor :0.90

Wind Load Factor :1.00

Calculated Forces

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00 | -34.47 | -49.84 | 0.00 | -2,640.27 | 0.00 | 2,640.27 | 5,994.05 | 1,434.32 | 6,672.27 | 6,339.93 | 0.00 | 0.00 | 0.423 |
| 5.00 | -32.81 | -49.37 | 0.00 | -2,391.05 | 0.00 | 2,391.05 | 5,848.22 | 1,387.57 | 6,244.46 | 5,982.13 | 0.07 | -0.13 | 0.407 |
| 10.00 | -31.20 | -48.91 | 0.00 | -2,144.19 | 0.00 | 2,144.19 | 5,676.12 | 1,340.82 | 5,830.83 | 5,608.53 | 0.28 | -0.26 | 0.389 |
| 15.00 | -29.10 | -46.86 | 0.00 | -1,899.65 | 0.00 | 1,899.65 | 5,478.21 | 1,294.07 | 5,431.37 | 5,222.30 | 0.63 | -0.39 | 0.370 |
| 20.00 | -27.08 | -44.83 | 0.00 | -1,665.34 | 0.00 | 1,665.34 | 5,280.30 | 1,247.31 | 5,046.08 | 4,849.84 | 1.10 | -0.52 | 0.350 |
| 22.69 | -26.28 | -44.59 | 0.00 | -1,544.86 | 0.00 | 1,544.86 | 5,173.92 | 1,222.19 | 4,844.84 | 4,655.34 | 1.41 | -0.58 | 0.338 |
| 25.00 | -24.64 | -42.55 | 0.00 | -1,441.74 | 0.00 | 1,441.74 | 5,082.39 | 1,200.56 | 4,674.96 | 4,491.17 | 1.71 | -0.64 | 0.327 |
| 28.85 | -22.85 | -42.29 | 0.00 | -1,277.84 | 0.00 | 1,277.84 | 4,410.41 | 1,041.83 | 4,023.22 | 3,870.44 | 2.27 | -0.73 | 0.337 |
| 30.00 | -22.00 | -40.21 | 0.00 | -1,229.27 | 0.00 | 1,229.27 | 4,370.63 | 1,032.43 | 3,950.99 | 3,800.59 | 2.45 | -0.76 | 0.330 |
| 35.00 | -20.22 | -37.87 | 0.00 | -1,028.25 | 0.00 | 1,028.25 | 4,197.46 | 991.53 | 3,644.15 | 3,503.90 | 3.32 | -0.88 | 0.300 |
| 40.00 | -18.50 | -35.49 | 0.00 | -838.90 | 0.00 | 838.90 | 4,024.29 | 950.62 | 3,349.71 | 3,219.28 | 4.30 | -0.99 | 0.267 |
| 45.00 | -16.83 | -33.21 | 0.00 | -661.44 | 0.00 | 661.44 | 3,851.11 | 909.71 | 3,067.67 | 2,946.70 | 5.40 | -1.10 | 0.230 |
| 47.16 | -16.33 | -32.97 | 0.00 | -589.74 | 0.00 | 589.74 | 3,776.34 | 892.05 | 2,949.72 | 2,832.74 | 5.91 | -1.14 | 0.214 |
| 50.00 | -14.88 | -30.74 | 0.00 | -496.08 | 0.00 | 496.08 | 3,677.94 | 868.80 | 2,798.03 | 2,686.19 | 6.61 | -1.19 | 0.190 |
| 52.38 | -14.10 | -30.49 | 0.00 | -422.92 | 0.00 | 422.92 | 2,517.80 | 619.72 | 1,992.88 | 1,842.71 | 7.21 | -1.23 | 0.238 |
| 55.00 | -13.15 | -28.32 | 0.00 | -343.03 | 0.00 | 343.03 | 2,473.70 | 604.41 | 1,895.64 | 1,765.31 | 7.90 | -1.27 | 0.202 |
| 56.00 | -10.87 | -21.67 | 0.00 | -313.16 | 0.00 | 313.16 | 2,456.62 | 598.57 | 1,859.17 | 1,736.02 | 8.17 | -1.29 | 0.186 |
| 57.00 | -10.06 | -20.61 | 0.00 | -291.49 | 0.00 | 291.49 | 2,439.40 | 592.72 | 1,823.05 | 1,706.88 | 8.44 | -1.30 | 0.176 |
| 60.00 | -9.10 | -18.22 | 0.00 | -229.66 | 0.00 | 229.66 | 2,386.97 | 575.19 | 1,716.81 | 1,620.34 | 9.27 | -1.35 | 0.147 |
| 65.00 | -7.88 | -15.83 | 0.00 | -138.59 | 0.00 | 138.59 | 2,296.90 | 545.97 | 1,546.84 | 1,479.25 | 10.72 | -1.41 | 0.098 |
| 67.00 | -4.76 | -11.39 | 0.00 | -104.86 | 0.00 | 104.86 | 2,259.94 | 534.28 | 1,481.33 | 1,423.98 | 11.31 | -1.42 | 0.076 |
| 70.00 | -3.96 | -8.97 | 0.00 | -70.68 | 0.00 | 70.68 | 2,187.59 | 516.75 | 1,385.73 | 1,332.71 | 12.21 | -1.44 | 0.055 |
| 75.00 | -2.99 | -6.57 | 0.00 | -25.01 | 0.00 | 25.01 | 2,063.89 | 487.53 | 1,233.47 | 1,185.51 | 13.74 | -1.47 | 0.023 |
| 76.70 | -2.82 | -6.49 | 0.00 | -13.84 | 0.00 | 13.84 | 2,021.83 | 477.60 | 1,183.72 | 1,137.43 | 14.26 | -1.47 | 0.014 |
| 76.70 | -2.82 | -6.49 | 0.00 | -13.84 | 0.00 | 13.84 | 138.83 | 41.65 | 15.24 | 15.36 | 14.26 | -1.47 | 0.946 |
| 77.00 | -0.75 | -2.74 | 0.00 | -11.90 | 0.00 | 11.90 | 138.83 | 41.65 | 15.24 | 15.36 | 14.36 | -1.47 | 0.784 |
| 80.00 | -0.23 | -0.56 | 0.00 | -3.68 | 0.00 | 3.68 | 138.83 | 41.65 | 15.24 | 15.36 | 15.54 | -2.17 | 0.242 |
| 82.00 | -0.14 | -0.38 | 0.00 | -2.56 | 0.00 | 2.56 | 138.83 | 41.65 | 15.24 | 15.36 | 16.49 | -2.35 | 0.168 |
| 83.20 | 0.00 | -0.37 | 0.00 | -2.10 | 0.00 | 2.10 | 138.83 | 41.65 | 15.24 | 15.36 | 17.09 | -2.43 | 0.137 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:43 PM

Customer: VERIZON WIRELESS

| | | |
|--|---------------------------------------|-----------------------------|
| Load Case: 1.2D + 1.0Di + 1.0Wi | 49 mph with 0.85 in Radial Ice | 15 Iterations |
| Gust Response Factor :1.10 | Ice Dead Load Factor :1.00 | Ice Importance Factor :1.00 |
| Dead Load Factor :1.20 | | |
| Wind Load Factor :1.00 | | |

Applied Segment Forces Summary

| Seg Elev (ft) | Description | Shaft Forces | | Discrete Forces | | | Linear Forces | | Sum of Forces | | | | |
|----------------|-----------------|--------------|----------------|-----------------|--------------------|-------------------|----------------|--------------|-----------------|-----------------|----------------|--------------------|----------------|
| | | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Torsion MY (lb-ft) | Moment MZ (lb-ft) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Torsion MY (lb-ft) | Moment MZ (lb) |
| 0.00 | | 87.0 | 0.0 | | | | | 0.0 | 0.0 | 87.0 | 0.0 | 0.0 | 0.0 |
| 5.00 | | 171.4 | 1,851.2 | | | | | 0.0 | 419.3 | 171.4 | 2,270.4 | 0.0 | 0.0 |
| 10.00 | | 166.2 | 1,813.8 | | | | | 0.0 | 419.3 | 166.2 | 2,233.0 | 0.0 | 0.0 |
| 15.00 | Appurtenance(s) | 163.1 | 1,763.3 | 384.7 | 0.0 | 0.0 | 845.1 | 0.0 | 419.3 | 547.8 | 3,027.7 | 0.0 | 0.0 |
| 20.00 | Appurtenance(s) | 125.3 | 1,708.6 | 407.7 | 0.0 | 0.0 | 851.5 | 0.0 | 419.3 | 533.0 | 2,979.3 | 0.0 | 0.0 |
| 22.69 | Bot - Section 2 | 82.7 | 895.9 | | | | | 0.0 | 225.4 | 82.7 | 1,121.3 | 0.0 | 0.0 |
| 25.00 | Appurtenance(s) | 103.0 | 1,342.4 | 427.1 | 0.0 | 0.0 | 857.5 | 0.0 | 193.9 | 530.1 | 2,393.8 | 0.0 | 0.0 |
| 28.85 | Top - Section 1 | 83.5 | 2,184.4 | | | | | 0.0 | 323.0 | 83.5 | 2,507.4 | 0.0 | 0.0 |
| 30.00 | Appurtenance(s) | 101.9 | 329.9 | 443.2 | 0.0 | 0.0 | 861.7 | 0.0 | 96.3 | 545.1 | 1,287.9 | 0.0 | 0.0 |
| 35.00 | Appurtenance(s) | 164.5 | 1,400.4 | 456.4 | 0.0 | 0.0 | 863.7 | 0.0 | 419.3 | 620.8 | 2,683.4 | 0.0 | 0.0 |
| 40.00 | Appurtenance(s) | 161.8 | 1,347.1 | 468.8 | 0.0 | 0.0 | 866.6 | 0.0 | 419.3 | 630.6 | 2,633.0 | 0.0 | 0.0 |
| 45.00 | Appurtenance(s) | 114.2 | 1,293.1 | 480.0 | 0.0 | 0.0 | 869.2 | 0.0 | 419.3 | 594.3 | 2,581.6 | 0.0 | 0.0 |
| 47.16 | Bot - Section 3 | 79.1 | 542.7 | | | | | 0.0 | 181.0 | 79.1 | 723.7 | 0.0 | 0.0 |
| 50.00 | Appurtenance(s) | 82.2 | 1,124.6 | 490.6 | 0.0 | 0.0 | 872.0 | 0.0 | 238.2 | 572.8 | 2,234.9 | 0.0 | 0.0 |
| 52.38 | Top - Section 2 | 77.6 | 920.3 | | | | | 0.0 | 199.6 | 77.6 | 1,119.9 | 0.0 | 0.0 |
| 55.00 | Appurtenance(s) | 55.6 | 478.3 | 500.1 | 0.0 | 0.0 | 874.2 | 0.0 | 219.7 | 555.8 | 1,572.2 | 0.0 | 0.0 |
| 56.00 | Appurtenance(s) | 30.4 | 179.9 | 1,516.0 | 0.0 | 330.5 | 4,578.8 | 0.0 | 83.9 | 1,546.4 | 4,842.5 | 0.0 | 0.0 |
| 57.00 | Appurtenance(s) | 60.1 | 178.2 | 212.6 | 0.0 | 0.0 | 1,132.9 | 0.0 | 65.0 | 272.7 | 1,376.1 | 0.0 | 0.0 |
| 60.00 | Appurtenance(s) | 117.9 | 523.5 | 508.9 | 0.0 | 0.0 | 876.0 | 0.0 | 195.0 | 626.8 | 1,594.5 | 0.0 | 0.0 |
| 65.00 | Appurtenance(s) | 101.4 | 837.1 | 516.9 | 0.0 | 0.0 | 877.5 | 0.0 | 325.0 | 618.3 | 2,039.5 | 0.0 | 0.0 |
| 67.00 | Appurtenance(s) | 70.3 | 324.2 | 930.2 | 0.0 | 457.3 | 5,619.8 | 0.0 | 130.0 | 1,000.5 | 6,074.0 | 0.0 | 0.0 |
| 70.00 | Appurtenance(s) | 109.4 | 473.1 | 524.9 | 0.0 | 0.0 | 879.5 | 0.0 | 47.1 | 634.4 | 1,399.6 | 0.0 | 0.0 |
| 75.00 | Appurtenance(s) | 89.9 | 752.6 | 532.6 | 0.0 | 213.0 | 880.7 | 0.0 | 78.5 | 622.5 | 1,711.8 | 0.0 | 0.0 |
| 76.70 | Top - Section 3 | 23.1 | 247.3 | | | | | 0.0 | 26.7 | 23.1 | 274.0 | 0.0 | 0.0 |
| 77.00 | Appurtenance(s) | 9.1 | 7.2 | 815.2 | 0.0 | 0.0 | 4,132.2 | 0.0 | 4.7 | 824.3 | 4,144.1 | 0.0 | 0.0 |
| 80.00 | Appurtenance(s) | 13.9 | 72.4 | 539.2 | 0.0 | 0.0 | 882.5 | 0.0 | 3.5 | 553.1 | 958.3 | 0.0 | 0.0 |
| 82.00 | Appurtenance(s) | 8.9 | 48.3 | 39.3 | 0.0 | 0.0 | 132.8 | 0.0 | 2.3 | 48.2 | 183.5 | 0.0 | 0.0 |
| 83.20 | | 3.4 | 29.0 | | | | | 0.0 | 1.4 | 3.4 | 30.4 | 0.0 | 0.0 |
| Totals: | | | | | | | | | 12,651.3 | 55,997.9 | 0.00 | 0.00 | |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:46 PM

Customer: VERIZON WIRELESS

Load Case: 1.2D + 1.0Di + 1.0Wi

49 mph with 0.85 in Radial Ice

15 Iterations

Gust Response Factor :1.10

Ice Dead Load Factor :1.00

Dead Load Factor :1.20

Ice Importance Factor :1.00

Wind Load Factor :1.00

Calculated Forces

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00 | -56.25 | -12.70 | 0.00 | -667.14 | 0.00 | 667.14 | 5,994.05 | 1,434.32 | 6,672.27 | 6,339.93 | 0.00 | 0.00 | 0.115 |
| 5.00 | -53.97 | -12.56 | 0.00 | -603.64 | 0.00 | 603.64 | 5,848.22 | 1,387.57 | 6,244.46 | 5,982.13 | 0.02 | -0.03 | 0.110 |
| 10.00 | -51.73 | -12.42 | 0.00 | -540.86 | 0.00 | 540.86 | 5,676.12 | 1,340.82 | 5,830.83 | 5,608.53 | 0.07 | -0.07 | 0.106 |
| 15.00 | -48.70 | -11.89 | 0.00 | -478.76 | 0.00 | 478.76 | 5,478.21 | 1,294.07 | 5,431.37 | 5,222.30 | 0.16 | -0.10 | 0.101 |
| 20.00 | -45.72 | -11.37 | 0.00 | -419.29 | 0.00 | 419.29 | 5,280.30 | 1,247.31 | 5,046.08 | 4,849.84 | 0.28 | -0.13 | 0.095 |
| 22.69 | -44.59 | -11.30 | 0.00 | -388.72 | 0.00 | 388.72 | 5,173.92 | 1,222.19 | 4,844.84 | 4,655.34 | 0.36 | -0.15 | 0.092 |
| 25.00 | -42.20 | -10.78 | 0.00 | -362.59 | 0.00 | 362.59 | 5,082.39 | 1,200.56 | 4,674.96 | 4,491.17 | 0.43 | -0.16 | 0.089 |
| 28.85 | -39.69 | -10.70 | 0.00 | -321.08 | 0.00 | 321.08 | 4,410.41 | 1,041.83 | 4,023.22 | 3,870.44 | 0.57 | -0.19 | 0.092 |
| 30.00 | -38.40 | -10.16 | 0.00 | -308.79 | 0.00 | 308.79 | 4,370.63 | 1,032.43 | 3,950.99 | 3,800.59 | 0.62 | -0.19 | 0.090 |
| 35.00 | -35.71 | -9.55 | 0.00 | -257.98 | 0.00 | 257.98 | 4,197.46 | 991.53 | 3,644.15 | 3,503.90 | 0.84 | -0.22 | 0.082 |
| 40.00 | -33.08 | -8.92 | 0.00 | -210.24 | 0.00 | 210.24 | 4,024.29 | 950.62 | 3,349.71 | 3,219.28 | 1.08 | -0.25 | 0.074 |
| 45.00 | -30.50 | -8.33 | 0.00 | -165.62 | 0.00 | 165.62 | 3,851.11 | 909.71 | 3,067.67 | 2,946.70 | 1.36 | -0.28 | 0.064 |
| 47.16 | -29.77 | -8.25 | 0.00 | -147.64 | 0.00 | 147.64 | 3,776.34 | 892.05 | 2,949.72 | 2,832.74 | 1.49 | -0.29 | 0.060 |
| 50.00 | -27.54 | -7.67 | 0.00 | -124.21 | 0.00 | 124.21 | 3,677.94 | 868.80 | 2,798.03 | 2,686.19 | 1.66 | -0.30 | 0.054 |
| 52.38 | -26.42 | -7.59 | 0.00 | -105.95 | 0.00 | 105.95 | 2,517.80 | 619.72 | 1,992.88 | 1,842.71 | 1.82 | -0.31 | 0.068 |
| 55.00 | -24.85 | -7.03 | 0.00 | -86.06 | 0.00 | 86.06 | 2,473.70 | 604.41 | 1,895.64 | 1,765.31 | 1.99 | -0.32 | 0.059 |
| 56.00 | -20.01 | -5.46 | 0.00 | -78.70 | 0.00 | 78.70 | 2,456.62 | 598.57 | 1,859.17 | 1,736.02 | 2.06 | -0.32 | 0.054 |
| 57.00 | -18.64 | -5.18 | 0.00 | -73.24 | 0.00 | 73.24 | 2,439.40 | 592.72 | 1,823.05 | 1,706.88 | 2.13 | -0.33 | 0.051 |
| 60.00 | -17.05 | -4.55 | 0.00 | -57.70 | 0.00 | 57.70 | 2,386.97 | 575.19 | 1,716.81 | 1,620.34 | 2.33 | -0.34 | 0.043 |
| 65.00 | -15.01 | -3.92 | 0.00 | -34.95 | 0.00 | 34.95 | 2,296.90 | 545.97 | 1,546.84 | 1,479.25 | 2.70 | -0.35 | 0.030 |
| 67.00 | -8.94 | -2.88 | 0.00 | -26.66 | 0.00 | 26.66 | 2,259.94 | 534.28 | 1,481.33 | 1,423.98 | 2.85 | -0.36 | 0.023 |
| 70.00 | -7.55 | -2.24 | 0.00 | -18.01 | 0.00 | 18.01 | 2,187.59 | 516.75 | 1,385.73 | 1,332.71 | 3.07 | -0.36 | 0.017 |
| 75.00 | -5.84 | -1.61 | 0.00 | -6.59 | 0.00 | 6.59 | 2,063.89 | 487.53 | 1,233.47 | 1,185.51 | 3.46 | -0.37 | 0.008 |
| 76.70 | -5.56 | -1.58 | 0.00 | -3.86 | 0.00 | 3.86 | 2,021.83 | 477.60 | 1,183.72 | 1,137.43 | 3.59 | -0.37 | 0.006 |
| 76.70 | -5.56 | -1.58 | 0.00 | -3.86 | 0.00 | 3.86 | 138.83 | 41.65 | 15.24 | 15.36 | 3.59 | -0.37 | 0.293 |
| 77.00 | -1.42 | -0.73 | 0.00 | -3.38 | 0.00 | 3.38 | 138.83 | 41.65 | 15.24 | 15.36 | 3.61 | -0.37 | 0.231 |
| 80.00 | -0.47 | -0.17 | 0.00 | -1.18 | 0.00 | 1.18 | 138.83 | 41.65 | 15.24 | 15.36 | 3.92 | -0.57 | 0.080 |
| 82.00 | -0.29 | -0.12 | 0.00 | -0.83 | 0.00 | 0.83 | 138.83 | 41.65 | 15.24 | 15.36 | 4.17 | -0.63 | 0.056 |
| 83.20 | 0.00 | -0.12 | 0.00 | -0.68 | 0.00 | 0.68 | 138.83 | 41.65 | 15.24 | 15.36 | 4.34 | -0.66 | 0.044 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:46 PM

Customer: VERIZON WIRELESS

Load Case: 1.0D + 1.0W

Serviceability 60 mph

15 Iterations

Gust Response Factor :1.10

Dead Load Factor :1.00

Wind Load Factor :1.00

Applied Segment Forces Summary

| Seg Elev (ft) | Description | Shaft Forces | | Discrete Forces | | | Linear Forces | | Sum of Forces | | | | |
|---------------|-----------------|--------------|----------------|-----------------|--------------------|-------------------|----------------|----------------|----------------|-----------------|-----------------|--------------------|----------------|
| | | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Torsion MY (lb-ft) | Moment MZ (lb-ft) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Torsion MY (lb-ft) | Moment MZ (lb) |
| 0.00 | | 70.0 | 0.0 | | | | | 0.0 | 0.0 | 70.0 | 0.0 | 0.0 | 0.0 |
| 5.00 | | 137.7 | 1,367.8 | | | | | 0.0 | 349.4 | 137.7 | 1,717.2 | 0.0 | 0.0 |
| 10.00 | | 133.1 | 1,322.5 | | | | | 0.0 | 349.4 | 133.1 | 1,671.9 | 0.0 | 0.0 |
| 15.00 | Appurtenance(s) | 130.2 | 1,277.2 | 398.8 | 0.0 | 0.0 | 600.0 | 0.0 | 349.4 | 529.0 | 2,226.6 | 0.0 | 0.0 |
| 20.00 | Appurtenance(s) | 99.9 | 1,231.9 | 419.2 | 0.0 | 0.0 | 600.0 | 0.0 | 349.4 | 519.1 | 2,181.3 | 0.0 | 0.0 |
| 22.69 | Bot - Section 2 | 65.8 | 643.4 | | | | | 0.0 | 187.8 | 65.8 | 831.2 | 0.0 | 0.0 |
| 25.00 | Appurtenance(s) | 81.9 | 1,028.6 | 435.8 | 0.0 | 0.0 | 600.0 | 0.0 | 161.6 | 517.8 | 1,790.2 | 0.0 | 0.0 |
| 28.85 | Top - Section 1 | 66.4 | 1,672.9 | | | | | 0.0 | 269.1 | 66.4 | 1,942.0 | 0.0 | 0.0 |
| 30.00 | Appurtenance(s) | 80.9 | 230.9 | 449.8 | 0.0 | 0.0 | 600.0 | 0.0 | 80.3 | 530.7 | 911.2 | 0.0 | 0.0 |
| 35.00 | Appurtenance(s) | 130.3 | 981.1 | 462.1 | 0.0 | 0.0 | 600.0 | 0.0 | 349.4 | 592.4 | 1,930.5 | 0.0 | 0.0 |
| 40.00 | Appurtenance(s) | 128.0 | 941.4 | 472.9 | 0.0 | 0.0 | 600.0 | 0.0 | 349.4 | 600.9 | 1,890.8 | 0.0 | 0.0 |
| 45.00 | Appurtenance(s) | 90.2 | 901.8 | 482.7 | 0.0 | 0.0 | 600.0 | 0.0 | 349.4 | 572.9 | 1,851.2 | 0.0 | 0.0 |
| 47.16 | Bot - Section 3 | 62.3 | 377.1 | | | | | 0.0 | 150.9 | 62.3 | 528.0 | 0.0 | 0.0 |
| 50.00 | Appurtenance(s) | 64.8 | 838.6 | 491.6 | 0.0 | 0.0 | 600.0 | 0.0 | 198.5 | 556.4 | 1,637.2 | 0.0 | 0.0 |
| 52.38 | Top - Section 2 | 61.0 | 685.7 | | | | | 0.0 | 166.3 | 61.0 | 852.0 | 0.0 | 0.0 |
| 55.00 | Appurtenance(s) | 43.7 | 310.9 | 499.9 | 0.0 | 0.0 | 600.0 | 0.0 | 183.1 | 543.6 | 1,094.0 | 0.0 | 0.0 |
| 56.00 | Appurtenance(s) | 23.9 | 116.6 | 1,638.8 | 0.0 | 391.6 | 2,500.0 | 0.0 | 69.9 | 1,662.6 | 2,686.5 | 0.0 | 0.0 |
| 57.00 | Appurtenance(s) | 47.1 | 115.5 | 217.4 | 0.0 | 0.0 | 750.0 | 0.0 | 54.2 | 264.5 | 919.6 | 0.0 | 0.0 |
| 60.00 | Appurtenance(s) | 92.3 | 339.7 | 507.5 | 0.0 | 0.0 | 600.0 | 0.0 | 162.5 | 599.7 | 1,102.2 | 0.0 | 0.0 |
| 65.00 | Appurtenance(s) | 79.2 | 543.5 | 514.6 | 0.0 | 0.0 | 600.0 | 0.0 | 270.8 | 593.8 | 1,414.3 | 0.0 | 0.0 |
| 67.00 | Appurtenance(s) | 54.8 | 209.5 | 1,045.1 | 0.0 | 519.8 | 3,266.4 | 0.0 | 108.3 | 1,099.9 | 3,584.2 | 0.0 | 0.0 |
| 70.00 | Appurtenance(s) | 85.1 | 305.7 | 521.3 | 0.0 | 0.0 | 600.0 | 0.0 | 39.3 | 606.4 | 944.9 | 0.0 | 0.0 |
| 75.00 | Appurtenance(s) | 69.8 | 486.8 | 528.1 | 0.0 | 211.2 | 600.0 | 0.0 | 65.4 | 597.8 | 1,152.3 | 0.0 | 0.0 |
| 76.70 | Top - Section 3 | 18.1 | 159.1 | | | | | 0.0 | 22.3 | 18.1 | 181.3 | 0.0 | 0.0 |
| 77.00 | Appurtenance(s) | 8.8 | 4.5 | 927.1 | 0.0 | 0.0 | 2,386.2 | 0.0 | 3.9 | 935.9 | 2,394.6 | 0.0 | 0.0 |
| 80.00 | Appurtenance(s) | 13.3 | 45.0 | 533.5 | 0.0 | 0.0 | 600.0 | 0.0 | 2.9 | 546.8 | 647.9 | 0.0 | 0.0 |
| 82.00 | Appurtenance(s) | 8.6 | 30.0 | 38.8 | 0.0 | 0.0 | 80.0 | 0.0 | 1.9 | 47.4 | 111.9 | 0.0 | 0.0 |
| 83.20 | | 3.2 | 18.0 | | | | | 0.0 | 1.2 | 3.2 | 19.1 | 0.0 | 0.0 |
| | | | | | | | | Totals: | | 12,535.4 | 38,214.0 | 0.00 | 0.00 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:49 PM

Customer: VERIZON WIRELESS

Load Case: 1.0D + 1.0W

Serviceability 60 mph

15 Iterations

Gust Response Factor :1.10

Dead Load Factor :1.00

Wind Load Factor :1.00

Calculated Forces

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00 | -38.36 | -12.57 | 0.00 | -666.45 | 0.00 | 666.45 | 5,994.05 | 1,434.32 | 6,672.27 | 6,339.93 | 0.00 | 0.00 | 0.112 |
| 5.00 | -36.63 | -12.45 | 0.00 | -603.61 | 0.00 | 603.61 | 5,848.22 | 1,387.57 | 6,244.46 | 5,982.13 | 0.02 | -0.03 | 0.107 |
| 10.00 | -34.96 | -12.34 | 0.00 | -541.36 | 0.00 | 541.36 | 5,676.12 | 1,340.82 | 5,830.83 | 5,608.53 | 0.07 | -0.07 | 0.103 |
| 15.00 | -32.72 | -11.82 | 0.00 | -479.68 | 0.00 | 479.68 | 5,478.21 | 1,294.07 | 5,431.37 | 5,222.30 | 0.16 | -0.10 | 0.098 |
| 20.00 | -30.54 | -11.31 | 0.00 | -420.57 | 0.00 | 420.57 | 5,280.30 | 1,247.31 | 5,046.08 | 4,849.84 | 0.28 | -0.13 | 0.093 |
| 22.69 | -29.70 | -11.25 | 0.00 | -390.17 | 0.00 | 390.17 | 5,173.92 | 1,222.19 | 4,844.84 | 4,655.34 | 0.36 | -0.15 | 0.090 |
| 25.00 | -27.91 | -10.74 | 0.00 | -364.15 | 0.00 | 364.15 | 5,082.39 | 1,200.56 | 4,674.96 | 4,491.17 | 0.43 | -0.16 | 0.087 |
| 28.85 | -25.97 | -10.67 | 0.00 | -322.78 | 0.00 | 322.78 | 4,410.41 | 1,041.83 | 4,023.22 | 3,870.44 | 0.57 | -0.19 | 0.089 |
| 30.00 | -25.05 | -10.15 | 0.00 | -310.53 | 0.00 | 310.53 | 4,370.63 | 1,032.43 | 3,950.99 | 3,800.59 | 0.62 | -0.19 | 0.088 |
| 35.00 | -23.12 | -9.56 | 0.00 | -259.79 | 0.00 | 259.79 | 4,197.46 | 991.53 | 3,644.15 | 3,503.90 | 0.84 | -0.22 | 0.080 |
| 40.00 | -21.23 | -8.96 | 0.00 | -211.98 | 0.00 | 211.98 | 4,024.29 | 950.62 | 3,349.71 | 3,219.28 | 1.09 | -0.25 | 0.071 |
| 45.00 | -19.38 | -8.39 | 0.00 | -167.17 | 0.00 | 167.17 | 3,851.11 | 909.71 | 3,067.67 | 2,946.70 | 1.36 | -0.28 | 0.062 |
| 47.16 | -18.85 | -8.33 | 0.00 | -149.07 | 0.00 | 149.07 | 3,776.34 | 892.05 | 2,949.72 | 2,832.74 | 1.49 | -0.29 | 0.058 |
| 50.00 | -17.21 | -7.76 | 0.00 | -125.41 | 0.00 | 125.41 | 3,677.94 | 868.80 | 2,798.03 | 2,686.19 | 1.67 | -0.30 | 0.051 |
| 52.38 | -16.36 | -7.70 | 0.00 | -106.93 | 0.00 | 106.93 | 2,517.80 | 619.72 | 1,992.88 | 1,842.71 | 1.82 | -0.31 | 0.065 |
| 55.00 | -15.27 | -7.15 | 0.00 | -86.76 | 0.00 | 86.76 | 2,473.70 | 604.41 | 1,895.64 | 1,765.31 | 1.99 | -0.32 | 0.055 |
| 56.00 | -12.59 | -5.48 | 0.00 | -79.21 | 0.00 | 79.21 | 2,456.62 | 598.57 | 1,859.17 | 1,736.02 | 2.06 | -0.32 | 0.051 |
| 57.00 | -11.67 | -5.21 | 0.00 | -73.74 | 0.00 | 73.74 | 2,439.40 | 592.72 | 1,823.05 | 1,706.88 | 2.13 | -0.33 | 0.048 |
| 60.00 | -10.57 | -4.60 | 0.00 | -58.11 | 0.00 | 58.11 | 2,386.97 | 575.19 | 1,716.81 | 1,620.34 | 2.34 | -0.34 | 0.040 |
| 65.00 | -9.16 | -4.00 | 0.00 | -35.09 | 0.00 | 35.09 | 2,296.90 | 545.97 | 1,546.84 | 1,479.25 | 2.71 | -0.36 | 0.028 |
| 67.00 | -5.58 | -2.88 | 0.00 | -26.56 | 0.00 | 26.56 | 2,259.94 | 534.28 | 1,481.33 | 1,423.98 | 2.86 | -0.36 | 0.021 |
| 70.00 | -4.64 | -2.27 | 0.00 | -17.91 | 0.00 | 17.91 | 2,187.59 | 516.75 | 1,385.73 | 1,332.71 | 3.09 | -0.36 | 0.016 |
| 75.00 | -3.49 | -1.67 | 0.00 | -6.35 | 0.00 | 6.35 | 2,063.89 | 487.53 | 1,233.47 | 1,185.51 | 3.47 | -0.37 | 0.007 |
| 76.70 | -3.31 | -1.65 | 0.00 | -3.52 | 0.00 | 3.52 | 2,021.83 | 477.60 | 1,183.72 | 1,137.43 | 3.60 | -0.37 | 0.005 |
| 76.70 | -3.31 | -1.65 | 0.00 | -3.52 | 0.00 | 3.52 | 138.83 | 41.65 | 15.24 | 15.36 | 3.60 | -0.37 | 0.254 |
| 77.00 | -0.92 | -0.70 | 0.00 | -3.02 | 0.00 | 3.02 | 138.83 | 41.65 | 15.24 | 15.36 | 3.63 | -0.37 | 0.204 |
| 80.00 | -0.28 | -0.14 | 0.00 | -0.93 | 0.00 | 0.93 | 138.83 | 41.65 | 15.24 | 15.36 | 3.93 | -0.55 | 0.063 |
| 82.00 | -0.17 | -0.10 | 0.00 | -0.65 | 0.00 | 0.65 | 138.83 | 41.65 | 15.24 | 15.36 | 4.17 | -0.60 | 0.043 |
| 83.20 | 0.00 | -0.09 | 0.00 | -0.53 | 0.00 | 0.53 | 138.83 | 41.65 | 15.24 | 15.36 | 4.32 | -0.62 | 0.034 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number: 13701270_C3_02

7/28/2021 2:56:49 PM

Customer: VERIZON WIRELESS

Equivalent Lateral Forces Method Analysis

| | |
|--|---------|
| Spectral Response Acceleration for Short Period (S_s): | 0.28 |
| Spectral Response Acceleration at 1.0 Second Period (S_{d1}): | 0.06 |
| Long-Period Transition Period (T_L): | 6 |
| Importance Factor (I_E): | 1.00 |
| Site Coefficient F_a : | 1.58 |
| Site Coefficient F_v : | 2.40 |
| Response Modification Coefficient (R): | 1.50 |
| Design Spectral Response Acceleration at Short Period (S_{ds}): | 0.29 |
| Design Spectral Response Acceleration at 1.0 Second Period (S_{d1}): | 0.10 |
| Seismic Response Coefficient (C_s): | 0.08 |
| Upper Limit C_s | 0.08 |
| Lower Limit C_s | 0.03 |
| Period based on Rayleigh Method (sec): | 0.78 |
| Redundancy Factor (p): | 1.00 |
| Seismic Force Distribution Exponent (k): | 1.14 |
| Total Unfactored Dead Load: | 38.36 k |
| Seismic Base Shear (E): | 3.14 k |

Load Case 1.2D + 1.0Ev + 1.0Eh

Seismic

| Segment | Height Above Base (ft) | Weight (lb) | W_z (lb-ft) | C_{vx} | Horizontal Force (lb) | Vertical Force (lb) |
|---------|---------------------------------|----------------|------------------|----------|-----------------------------|---------------------------|
| 27 | 82.60 | 19 | 3 | 0.001 | 3 | 24 |
| 26 | 81.00 | 32 | 5 | 0.002 | 5 | 40 |
| 25 | 78.50 | 48 | 7 | 0.002 | 7 | 60 |
| 24 | 76.85 | 8 | 1 | 0.000 | 1 | 11 |
| 23 | 75.85 | 181 | 25 | 0.009 | 27 | 228 |
| 22 | 72.50 | 552 | 73 | 0.025 | 79 | 695 |
| 21 | 68.50 | 345 | 43 | 0.015 | 46 | 434 |
| 20 | 66.00 | 318 | 38 | 0.013 | 41 | 400 |
| 19 | 62.50 | 814 | 91 | 0.031 | 98 | 1,025 |
| 18 | 58.50 | 502 | 52 | 0.018 | 56 | 632 |
| 17 | 56.50 | 170 | 17 | 0.006 | 18 | 213 |
| 16 | 55.50 | 187 | 18 | 0.006 | 20 | 235 |
| 15 | 53.69 | 494 | 46 | 0.016 | 50 | 622 |
| 14 | 51.19 | 852 | 76 | 0.026 | 82 | 1,072 |
| 13 | 48.58 | 1,037 | 87 | 0.030 | 94 | 1,305 |
| 12 | 46.08 | 528 | 42 | 0.014 | 45 | 664 |
| 11 | 42.50 | 1,251 | 90 | 0.031 | 97 | 1,574 |
| 10 | 37.50 | 1,291 | 81 | 0.028 | 87 | 1,624 |
| 9 | 32.50 | 1,330 | 71 | 0.024 | 76 | 1,674 |
| 8 | 29.43 | 311 | 15 | 0.005 | 16 | 392 |
| 7 | 26.93 | 1,942 | 83 | 0.029 | 90 | 2,444 |
| 6 | 23.84 | 1,190 | 44 | 0.015 | 48 | 1,498 |
| 5 | 21.34 | 831 | 27 | 0.009 | 29 | 1,046 |
| 4 | 17.50 | 1,581 | 41 | 0.014 | 45 | 1,990 |
| 3 | 12.50 | 1,627 | 29 | 0.010 | 31 | 2,047 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:49 PM

Customer: VERIZON WIRELESS

| | | | | | | |
|----------------------|-------|--------|-------|-------|-------|--------|
| 2 | 7.50 | 1,672 | 17 | 0.006 | 18 | 2,104 |
| 1 | 2.50 | 1,717 | 5 | 0.002 | 5 | 2,161 |
| Bird 428D-83I-01-T | 83.20 | 9 | 1 | 0.000 | 1 | 11 |
| dbSpectra DS7C09P36U | 83.20 | 140 | 22 | 0.007 | 23 | 176 |
| Pole Mount | 82.00 | 80 | 12 | 0.004 | 13 | 101 |
| Pine Branches | 80.00 | 600 | 89 | 0.030 | 96 | 755 |
| Commscope CBC1923Q-4 | 77.00 | 22 | 3 | 0.001 | 3 | 28 |
| Ericsson Radio 4449 | 77.00 | 225 | 32 | 0.011 | 34 | 283 |
| Ericsson RRUS 4415 B | 77.00 | 138 | 20 | 0.007 | 21 | 174 |
| Ericsson RRUS 32 B66 | 77.00 | 159 | 23 | 0.008 | 24 | 200 |
| Ericsson Air6449 B41 | 77.00 | 312 | 44 | 0.015 | 48 | 393 |
| Ericsson AIR32 B66Aa | 77.00 | 397 | 56 | 0.019 | 61 | 499 |
| Flat T-Arms | 77.00 | 750 | 106 | 0.036 | 115 | 944 |
| RFS APXVAARR24_43-U- | 77.00 | 384 | 54 | 0.019 | 59 | 483 |
| Pine Branches | 75.00 | 600 | 83 | 0.028 | 89 | 755 |
| Pine Branches | 70.00 | 600 | 76 | 0.026 | 82 | 755 |
| CCI DTMAPB7819VG12A | 67.00 | 115 | 14 | 0.005 | 15 | 145 |
| Raycap DC6-48-60-0-8 | 67.00 | 16 | 2 | 0.001 | 2 | 20 |
| Raycap DC6-48-60-18- | 67.00 | 66 | 8 | 0.003 | 9 | 83 |
| Ericsson RRUS 4426 B | 67.00 | 145 | 18 | 0.006 | 19 | 183 |
| Ericsson RRUS 4449 B | 67.00 | 213 | 26 | 0.009 | 28 | 268 |
| Ericsson RRUS 4478 B | 67.00 | 178 | 22 | 0.007 | 23 | 224 |
| Ericsson RRUS 32 B2 | 67.00 | 159 | 19 | 0.007 | 21 | 200 |
| Ericsson RRUS-32 (77 | 67.00 | 231 | 28 | 0.010 | 30 | 291 |
| Powerwave Allgon P65 | 67.00 | 159 | 19 | 0.007 | 21 | 200 |
| CCI DMP65R-BU4D | 67.00 | 407 | 49 | 0.017 | 53 | 513 |
| CCI OPA-65R-LCUU-H6 | 67.00 | 219 | 26 | 0.009 | 29 | 276 |
| Site PRO1, RMV12-496 | 67.00 | 1,358 | 164 | 0.056 | 177 | 1,709 |
| Pine Branches | 65.00 | 600 | 70 | 0.024 | 76 | 755 |
| Pine Branches | 60.00 | 600 | 64 | 0.022 | 69 | 755 |
| Flat T-Arm | 57.00 | 750 | 75 | 0.026 | 81 | 944 |
| Commscope CBC78T-DS- | 56.00 | 62 | 6 | 0.002 | 7 | 78 |
| Samsung B2/B66A RRH- | 56.00 | 253 | 25 | 0.009 | 27 | 319 |
| Samsung B5/B13 RRH-B | 56.00 | 211 | 21 | 0.007 | 22 | 265 |
| Raycap RCMDC-6627-PF | 56.00 | 32 | 3 | 0.001 | 3 | 40 |
| Samsung MT6407-77A | 56.00 | 245 | 24 | 0.008 | 26 | 308 |
| Commscope JAHH-65A-R | 56.00 | 101 | 10 | 0.003 | 11 | 128 |
| Commscope JAHH-45A-R | 56.00 | 282 | 28 | 0.010 | 30 | 355 |
| Amphenol Antel LPA-8 | 56.00 | 162 | 16 | 0.005 | 17 | 204 |
| VZW Unused Reserve (| 56.00 | 1,152 | 113 | 0.039 | 123 | 1,449 |
| Pine Branches | 55.00 | 600 | 58 | 0.020 | 63 | 755 |
| Pine Branches | 50.00 | 600 | 52 | 0.018 | 56 | 755 |
| Pine Branches | 45.00 | 600 | 46 | 0.016 | 50 | 755 |
| Pine Branches | 40.00 | 600 | 40 | 0.014 | 43 | 755 |
| Pine Branches | 35.00 | 600 | 35 | 0.012 | 37 | 755 |
| Pine Branches | 30.00 | 600 | 29 | 0.010 | 31 | 755 |
| Pine Branches | 25.00 | 600 | 24 | 0.008 | 25 | 755 |
| Pine Branches | 20.00 | 600 | 18 | 0.006 | 20 | 755 |
| Pine Branches | 15.00 | 600 | 13 | 0.005 | 14 | 755 |
| | | 38,363 | 2,913 | 1.000 | 3,144 | 48,272 |

Load Case 0.9D - 1.0Ev + 1.0Eh

Seismic (Reduced DL)

| Segment | Height Above Base (ft) | Weight (lb) | W _z (lb-ft) | C _{vx} | Horizontal Force (lb) | Vertical Force (lb) |
|---------|------------------------|-------------|------------------------|-----------------|-----------------------|---------------------|
| 27 | 82.60 | 19 | 3 | 0.001 | 3 | 16 |
| 26 | 81.00 | 32 | 5 | 0.002 | 5 | 27 |
| 25 | 78.50 | 48 | 7 | 0.002 | 7 | 40 |
| 24 | 76.85 | 8 | 1 | 0.000 | 1 | 7 |
| 23 | 75.85 | 181 | 25 | 0.009 | 27 | 153 |
| 22 | 72.50 | 552 | 73 | 0.025 | 79 | 465 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number:13701270_C3_02

7/28/2021 2:56:49 PM

Customer: VERIZON WIRELESS

| | | | | | | |
|----------------------|-------|-------|-----|-------|-----|-------|
| 21 | 68.50 | 345 | 43 | 0.015 | 46 | 290 |
| 20 | 66.00 | 318 | 38 | 0.013 | 41 | 267 |
| 19 | 62.50 | 814 | 91 | 0.031 | 98 | 685 |
| 18 | 58.50 | 502 | 52 | 0.018 | 56 | 423 |
| 17 | 56.50 | 170 | 17 | 0.006 | 18 | 143 |
| 16 | 55.50 | 187 | 18 | 0.006 | 20 | 157 |
| 15 | 53.69 | 494 | 46 | 0.016 | 50 | 416 |
| 14 | 51.19 | 852 | 76 | 0.026 | 82 | 717 |
| 13 | 48.58 | 1,037 | 87 | 0.030 | 94 | 873 |
| 12 | 46.08 | 528 | 42 | 0.014 | 45 | 444 |
| 11 | 42.50 | 1,251 | 90 | 0.031 | 97 | 1,053 |
| 10 | 37.50 | 1,291 | 81 | 0.028 | 87 | 1,086 |
| 9 | 32.50 | 1,330 | 71 | 0.024 | 76 | 1,120 |
| 8 | 29.43 | 311 | 15 | 0.005 | 16 | 262 |
| 7 | 26.93 | 1,942 | 83 | 0.029 | 90 | 1,635 |
| 6 | 23.84 | 1,190 | 44 | 0.015 | 48 | 1,002 |
| 5 | 21.34 | 831 | 27 | 0.009 | 29 | 700 |
| 4 | 17.50 | 1,581 | 41 | 0.014 | 45 | 1,331 |
| 3 | 12.50 | 1,627 | 29 | 0.010 | 31 | 1,369 |
| 2 | 7.50 | 1,672 | 17 | 0.006 | 18 | 1,407 |
| 1 | 2.50 | 1,717 | 5 | 0.002 | 5 | 1,445 |
| Bird 428D-83I-01-T | 83.20 | 9 | 1 | 0.000 | 1 | 7 |
| dbSpectra DS7C09P36U | 83.20 | 140 | 22 | 0.007 | 23 | 118 |
| Pole Mount | 82.00 | 80 | 12 | 0.004 | 13 | 67 |
| Pine Branches | 80.00 | 600 | 89 | 0.030 | 96 | 505 |
| Commscope CBC1923Q-4 | 77.00 | 22 | 3 | 0.001 | 3 | 18 |
| Ericsson Radio 4449 | 77.00 | 225 | 32 | 0.011 | 34 | 189 |
| Ericsson RRUS 4415 B | 77.00 | 138 | 20 | 0.007 | 21 | 116 |
| Ericsson RRUS 32 B66 | 77.00 | 159 | 23 | 0.008 | 24 | 134 |
| Ericsson Air6449 B41 | 77.00 | 312 | 44 | 0.015 | 48 | 263 |
| Ericsson AIR32 B66Aa | 77.00 | 397 | 56 | 0.019 | 61 | 334 |
| Flat T-Arms | 77.00 | 750 | 106 | 0.036 | 115 | 631 |
| RFS APXVAARR24_43-U- | 77.00 | 384 | 54 | 0.019 | 59 | 323 |
| Pine Branches | 75.00 | 600 | 83 | 0.028 | 89 | 505 |
| Pine Branches | 70.00 | 600 | 76 | 0.026 | 82 | 505 |
| CCI DTMABP7819VG12A | 67.00 | 115 | 14 | 0.005 | 15 | 97 |
| Raycap DC6-48-60-0-8 | 67.00 | 16 | 2 | 0.001 | 2 | 13 |
| Raycap DC6-48-60-18- | 67.00 | 66 | 8 | 0.003 | 9 | 55 |
| Ericsson RRUS 4426 B | 67.00 | 145 | 18 | 0.006 | 19 | 122 |
| Ericsson RRUS 4449 B | 67.00 | 213 | 26 | 0.009 | 28 | 179 |
| Ericsson RRUS 4478 B | 67.00 | 178 | 22 | 0.007 | 23 | 150 |
| Ericsson RRUS 32 B2 | 67.00 | 159 | 19 | 0.007 | 21 | 134 |
| Ericsson RRUS-32 (77 | 67.00 | 231 | 28 | 0.010 | 30 | 194 |
| Powerwave Allgon P65 | 67.00 | 159 | 19 | 0.007 | 21 | 134 |
| CCI DMP65R-BU4D | 67.00 | 407 | 49 | 0.017 | 53 | 343 |
| CCI OPA-65R-LCUU-H6 | 67.00 | 219 | 26 | 0.009 | 29 | 184 |
| Site PRO1, RMV12-496 | 67.00 | 1,358 | 164 | 0.056 | 177 | 1,143 |
| Pine Branches | 65.00 | 600 | 70 | 0.024 | 76 | 505 |
| Pine Branches | 60.00 | 600 | 64 | 0.022 | 69 | 505 |
| Flat T-Arm | 57.00 | 750 | 75 | 0.026 | 81 | 631 |
| Commscope CBC78T-DS- | 56.00 | 62 | 6 | 0.002 | 7 | 52 |
| Samsung B2/B66A RRH- | 56.00 | 253 | 25 | 0.009 | 27 | 213 |
| Samsung B5/B13 RRH-B | 56.00 | 211 | 21 | 0.007 | 22 | 178 |
| Raycap RCMDC-6627-PF | 56.00 | 32 | 3 | 0.001 | 3 | 27 |
| Samsung MT6407-77A | 56.00 | 245 | 24 | 0.008 | 26 | 206 |
| Commscope JAHH-65A-R | 56.00 | 101 | 10 | 0.003 | 11 | 85 |
| Commscope JAHH-45A-R | 56.00 | 282 | 28 | 0.010 | 30 | 237 |
| Amphenol Antel LPA-8 | 56.00 | 162 | 16 | 0.005 | 17 | 136 |
| VZW Unused Reserve (| 56.00 | 1,152 | 113 | 0.039 | 123 | 969 |
| Pine Branches | 55.00 | 600 | 58 | 0.020 | 63 | 505 |
| Pine Branches | 50.00 | 600 | 52 | 0.018 | 56 | 505 |
| Pine Branches | 45.00 | 600 | 46 | 0.016 | 50 | 505 |
| Pine Branches | 40.00 | 600 | 40 | 0.014 | 43 | 505 |
| Pine Branches | 35.00 | 600 | 35 | 0.012 | 37 | 505 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number: 13701270_C3_02

7/28/2021 2:56:49 PM

Customer: VERIZON WIRELESS

| | | | | | | |
|---------------|-------|--------|-------|-------|-------|--------|
| Pine Branches | 30.00 | 600 | 29 | 0.010 | 31 | 505 |
| Pine Branches | 25.00 | 600 | 24 | 0.008 | 25 | 505 |
| Pine Branches | 20.00 | 600 | 18 | 0.006 | 20 | 505 |
| Pine Branches | 15.00 | 600 | 13 | 0.005 | 14 | 505 |
| | | 38,363 | 2,913 | 1.000 | 3,144 | 32,290 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number: 13701270_C3_02

7/28/2021 2:56:49 PM

Customer: VERIZON WIRELESS

Load Case 1.2D + 1.0Ev + 1.0Eh

Seismic

Calculated Forces

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00 | -46.11 | -3.14 | 0.00 | -177.57 | 0.00 | 177.57 | 5,994.05 | 1,434.32 | 6,672.27 | 6,339.93 | 0.00 | 0.00 | 0.036 |
| 5.00 | -44.01 | -3.13 | 0.00 | -161.85 | 0.00 | 161.85 | 5,848.22 | 1,387.57 | 6,244.46 | 5,982.13 | 0.00 | -0.01 | 0.035 |
| 10.00 | -41.96 | -3.11 | 0.00 | -146.20 | 0.00 | 146.20 | 5,676.12 | 1,340.82 | 5,830.83 | 5,608.53 | 0.02 | -0.02 | 0.033 |
| 15.00 | -39.21 | -3.05 | 0.00 | -130.67 | 0.00 | 130.67 | 5,478.21 | 1,294.07 | 5,431.37 | 5,222.30 | 0.04 | -0.03 | 0.032 |
| 20.00 | -37.41 | -3.01 | 0.00 | -115.42 | 0.00 | 115.42 | 5,280.30 | 1,247.31 | 5,046.08 | 4,849.84 | 0.07 | -0.04 | 0.031 |
| 22.69 | -35.92 | -2.96 | 0.00 | -107.34 | 0.00 | 107.34 | 5,173.92 | 1,222.19 | 4,844.84 | 4,655.34 | 0.10 | -0.04 | 0.030 |
| 25.00 | -32.72 | -2.85 | 0.00 | -100.49 | 0.00 | 100.49 | 5,082.39 | 1,200.56 | 4,674.96 | 4,491.17 | 0.12 | -0.04 | 0.029 |
| 28.85 | -32.32 | -2.83 | 0.00 | -89.53 | 0.00 | 89.53 | 4,410.41 | 1,041.83 | 4,023.22 | 3,870.44 | 0.15 | -0.05 | 0.030 |
| 30.00 | -29.90 | -2.72 | 0.00 | -86.28 | 0.00 | 86.28 | 4,370.63 | 1,032.43 | 3,950.99 | 3,800.59 | 0.17 | -0.05 | 0.030 |
| 35.00 | -27.52 | -2.60 | 0.00 | -72.66 | 0.00 | 72.66 | 4,197.46 | 991.53 | 3,644.15 | 3,503.90 | 0.23 | -0.06 | 0.027 |
| 40.00 | -25.19 | -2.46 | 0.00 | -59.65 | 0.00 | 59.65 | 4,024.29 | 950.62 | 3,349.71 | 3,219.28 | 0.29 | -0.07 | 0.025 |
| 45.00 | -23.77 | -2.37 | 0.00 | -47.34 | 0.00 | 47.34 | 3,851.11 | 909.71 | 3,067.67 | 2,946.70 | 0.37 | -0.08 | 0.022 |
| 47.16 | -22.46 | -2.27 | 0.00 | -42.23 | 0.00 | 42.23 | 3,776.34 | 892.05 | 2,949.72 | 2,832.74 | 0.41 | -0.08 | 0.021 |
| 50.00 | -20.64 | -2.13 | 0.00 | -35.77 | 0.00 | 35.77 | 3,677.94 | 868.80 | 2,798.03 | 2,686.19 | 0.45 | -0.08 | 0.019 |
| 52.38 | -20.01 | -2.08 | 0.00 | -30.69 | 0.00 | 30.69 | 2,517.80 | 619.72 | 1,992.88 | 1,842.71 | 0.50 | -0.09 | 0.025 |
| 55.00 | -19.02 | -2.00 | 0.00 | -25.23 | 0.00 | 25.23 | 2,473.70 | 604.41 | 1,895.64 | 1,765.31 | 0.54 | -0.09 | 0.022 |
| 56.00 | -15.67 | -1.71 | 0.00 | -23.23 | 0.00 | 23.23 | 2,456.62 | 598.57 | 1,859.17 | 1,736.02 | 0.56 | -0.09 | 0.020 |
| 57.00 | -14.09 | -1.57 | 0.00 | -21.52 | 0.00 | 21.52 | 2,439.40 | 592.72 | 1,823.05 | 1,706.88 | 0.58 | -0.09 | 0.018 |
| 60.00 | -12.31 | -1.40 | 0.00 | -16.80 | 0.00 | 16.80 | 2,386.97 | 575.19 | 1,716.81 | 1,620.34 | 0.64 | -0.09 | 0.016 |
| 65.00 | -11.16 | -1.29 | 0.00 | -9.79 | 0.00 | 9.79 | 2,296.90 | 545.97 | 1,546.84 | 1,479.25 | 0.74 | -0.10 | 0.011 |
| 67.00 | -6.61 | -0.80 | 0.00 | -7.22 | 0.00 | 7.22 | 2,259.94 | 534.28 | 1,481.33 | 1,423.98 | 0.78 | -0.10 | 0.008 |
| 70.00 | -5.16 | -0.64 | 0.00 | -4.80 | 0.00 | 4.80 | 2,187.59 | 516.75 | 1,385.73 | 1,332.71 | 0.85 | -0.10 | 0.006 |
| 75.00 | -4.18 | -0.52 | 0.00 | -1.59 | 0.00 | 1.59 | 2,063.89 | 487.53 | 1,233.47 | 1,185.51 | 0.95 | -0.10 | 0.003 |
| 76.70 | -4.17 | -0.52 | 0.00 | -0.70 | 0.00 | 0.70 | 2,021.83 | 477.60 | 1,183.72 | 1,137.43 | 0.99 | -0.10 | 0.003 |
| 76.70 | -4.17 | -0.52 | 0.00 | -0.70 | 0.00 | 0.70 | 138.83 | 41.65 | 15.24 | 15.36 | 0.99 | -0.10 | 0.076 |
| 77.00 | -1.11 | -0.14 | 0.00 | -0.55 | 0.00 | 0.55 | 138.83 | 41.65 | 15.24 | 15.36 | 1.00 | -0.10 | 0.044 |
| 80.00 | -0.31 | -0.04 | 0.00 | -0.11 | 0.00 | 0.11 | 138.83 | 41.65 | 15.24 | 15.36 | 1.07 | -0.13 | 0.010 |
| 82.00 | -0.19 | -0.03 | 0.00 | -0.03 | 0.00 | 0.03 | 138.83 | 41.65 | 15.24 | 15.36 | 1.13 | -0.14 | 0.003 |
| 83.20 | 0.00 | -0.02 | 0.00 | 0.00 | 0.00 | 0.00 | 138.83 | 41.65 | 15.24 | 15.36 | 1.16 | -0.14 | 0.000 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number: 13701270_C3_02

7/28/2021 2:56:49 PM

Customer: VERIZON WIRELESS

Load Case 0.9D - 1.0Ev + 1.0Eh

Seismic (Reduced DL)

Calculated Forces

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00 | -30.84 | -3.14 | 0.00 | -177.01 | 0.00 | 177.01 | 5,994.05 | 1,434.32 | 6,672.27 | 6,339.93 | 0.00 | 0.00 | 0.033 |
| 5.00 | -29.44 | -3.13 | 0.00 | -161.30 | 0.00 | 161.30 | 5,848.22 | 1,387.57 | 6,244.46 | 5,982.13 | 0.00 | -0.01 | 0.032 |
| 10.00 | -28.07 | -3.10 | 0.00 | -145.67 | 0.00 | 145.67 | 5,676.12 | 1,340.82 | 5,830.83 | 5,608.53 | 0.02 | -0.02 | 0.031 |
| 15.00 | -26.23 | -3.04 | 0.00 | -130.17 | 0.00 | 130.17 | 5,478.21 | 1,294.07 | 5,431.37 | 5,222.30 | 0.04 | -0.03 | 0.030 |
| 20.00 | -25.03 | -3.00 | 0.00 | -114.95 | 0.00 | 114.95 | 5,280.30 | 1,247.31 | 5,046.08 | 4,849.84 | 0.07 | -0.04 | 0.028 |
| 22.69 | -24.02 | -2.95 | 0.00 | -106.89 | 0.00 | 106.89 | 5,173.92 | 1,222.19 | 4,844.84 | 4,655.34 | 0.10 | -0.04 | 0.028 |
| 25.00 | -21.88 | -2.84 | 0.00 | -100.07 | 0.00 | 100.07 | 5,082.39 | 1,200.56 | 4,674.96 | 4,491.17 | 0.12 | -0.04 | 0.027 |
| 28.85 | -21.62 | -2.82 | 0.00 | -89.14 | 0.00 | 89.14 | 4,410.41 | 1,041.83 | 4,023.22 | 3,870.44 | 0.15 | -0.05 | 0.028 |
| 30.00 | -20.00 | -2.71 | 0.00 | -85.90 | 0.00 | 85.90 | 4,370.63 | 1,032.43 | 3,950.99 | 3,800.59 | 0.17 | -0.05 | 0.027 |
| 35.00 | -18.41 | -2.59 | 0.00 | -72.33 | 0.00 | 72.33 | 4,197.46 | 991.53 | 3,644.15 | 3,503.90 | 0.23 | -0.06 | 0.025 |
| 40.00 | -16.85 | -2.45 | 0.00 | -59.37 | 0.00 | 59.37 | 4,024.29 | 950.62 | 3,349.71 | 3,219.28 | 0.29 | -0.07 | 0.023 |
| 45.00 | -15.90 | -2.36 | 0.00 | -47.11 | 0.00 | 47.11 | 3,851.11 | 909.71 | 3,067.67 | 2,946.70 | 0.37 | -0.08 | 0.020 |
| 47.16 | -15.02 | -2.26 | 0.00 | -42.02 | 0.00 | 42.02 | 3,776.34 | 892.05 | 2,949.72 | 2,832.74 | 0.40 | -0.08 | 0.019 |
| 50.00 | -13.80 | -2.12 | 0.00 | -35.60 | 0.00 | 35.60 | 3,677.94 | 868.80 | 2,798.03 | 2,686.19 | 0.45 | -0.08 | 0.017 |
| 52.38 | -13.39 | -2.07 | 0.00 | -30.54 | 0.00 | 30.54 | 2,517.80 | 619.72 | 1,992.88 | 1,842.71 | 0.49 | -0.09 | 0.022 |
| 55.00 | -12.72 | -1.99 | 0.00 | -25.11 | 0.00 | 25.11 | 2,473.70 | 604.41 | 1,895.64 | 1,765.31 | 0.54 | -0.09 | 0.019 |
| 56.00 | -10.48 | -1.70 | 0.00 | -23.12 | 0.00 | 23.12 | 2,456.62 | 598.57 | 1,859.17 | 1,736.02 | 0.56 | -0.09 | 0.018 |
| 57.00 | -9.42 | -1.56 | 0.00 | -21.41 | 0.00 | 21.41 | 2,439.40 | 592.72 | 1,823.05 | 1,706.88 | 0.58 | -0.09 | 0.016 |
| 60.00 | -8.23 | -1.40 | 0.00 | -16.72 | 0.00 | 16.72 | 2,386.97 | 575.19 | 1,716.81 | 1,620.34 | 0.64 | -0.09 | 0.014 |
| 65.00 | -7.46 | -1.28 | 0.00 | -9.74 | 0.00 | 9.74 | 2,296.90 | 545.97 | 1,546.84 | 1,479.25 | 0.74 | -0.10 | 0.010 |
| 67.00 | -4.42 | -0.80 | 0.00 | -7.18 | 0.00 | 7.18 | 2,259.94 | 534.28 | 1,481.33 | 1,423.98 | 0.78 | -0.10 | 0.007 |
| 70.00 | -3.45 | -0.64 | 0.00 | -4.78 | 0.00 | 4.78 | 2,187.59 | 516.75 | 1,385.73 | 1,332.71 | 0.84 | -0.10 | 0.005 |
| 75.00 | -2.80 | -0.52 | 0.00 | -1.59 | 0.00 | 1.59 | 2,063.89 | 487.53 | 1,233.47 | 1,185.51 | 0.95 | -0.10 | 0.003 |
| 76.70 | -2.79 | -0.52 | 0.00 | -0.70 | 0.00 | 0.70 | 2,021.83 | 477.60 | 1,183.72 | 1,137.43 | 0.99 | -0.10 | 0.002 |
| 76.70 | -2.79 | -0.52 | 0.00 | -0.70 | 0.00 | 0.70 | 138.83 | 41.65 | 15.24 | 15.36 | 0.99 | -0.10 | 0.066 |
| 77.00 | -0.74 | -0.14 | 0.00 | -0.54 | 0.00 | 0.54 | 138.83 | 41.65 | 15.24 | 15.36 | 0.99 | -0.10 | 0.041 |
| 80.00 | -0.21 | -0.04 | 0.00 | -0.11 | 0.00 | 0.11 | 138.83 | 41.65 | 15.24 | 15.36 | 1.07 | -0.13 | 0.009 |
| 82.00 | -0.13 | -0.03 | 0.00 | -0.03 | 0.00 | 0.03 | 138.83 | 41.65 | 15.24 | 15.36 | 1.12 | -0.14 | 0.003 |
| 83.20 | 0.00 | -0.02 | 0.00 | 0.00 | 0.00 | 0.00 | 138.83 | 41.65 | 15.24 | 15.36 | 1.16 | -0.14 | 0.000 |

Site Number: 414240

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Byram Park CT, CT

Engineering Number: 13701270_C3_02

7/28/2021 2:56:49 PM

Customer: VERIZON WIRELESS

Analysis Summary

| Load Case | Reactions | | | | | | Max Usage | |
|----------------------|-----------------------|-----------------------|-----------------------|---------------------------|---------------------------|---------------------------|--------------|----------------------|
| | Shear FX (kips) | Shear FZ (kips) | Axial FY (kips) | Moment MX (ft-kips) | Moment MY (ft-kips) | Moment MZ (ft-kips) | Elev (ft) | Interaction Ratio |
| 1.2D + 1.0W | 49.86 | 0.00 | 45.98 | 0.00 | 0.00 | 2646.41 | 76.70 | 0.96 |
| 0.9D + 1.0W | 49.84 | 0.00 | 34.47 | 0.00 | 0.00 | 2640.27 | 76.70 | 0.95 |
| 1.2D + 1.0Di + 1.0Wi | 12.70 | 0.00 | 56.25 | 0.00 | 0.00 | 667.14 | 76.70 | 0.29 |
| 1.2D + 1.0Ev + 1.0Eh | 3.14 | 0.00 | 46.11 | 0.00 | 0.00 | 177.57 | 76.70 | 0.08 |
| 0.9D - 1.0Ev + 1.0Eh | 3.14 | 0.00 | 30.84 | 0.00 | 0.00 | 177.01 | 76.70 | 0.07 |
| 1.0D + 1.0W | 12.57 | 0.00 | 38.36 | 0.00 | 0.00 | 666.45 | 76.70 | 0.25 |




Base Plate & Anchor Rod Analysis

| Pole Dimensions | | |
|--------------------|-----|----|
| Number of Sides | 18 | - |
| Diameter | 52 | in |
| Thickness | 1/2 | in |
| Orientation Offset | | ° |

| Base Reactions | | |
|----------------|---------|------|
| Moment, Mu | 2,646.4 | k-ft |
| Axial, Pu | 46.0 | k |
| Shear, Vu | 49.9 | k |
| Neutral Axis | 270 | ° |

| Report Capacities | | |
|-------------------|----------|--------|
| Component | Capacity | Result |
| Base Plate | 23% | Pass |
| Anchor Rods | 46% | Pass |
| Dwyidag | - | - |

| Base Plate | | |
|---------------------------|---------|------------|
| Shape | Round | - |
| Diameter, ϕ | 66 | in |
| Thickness | 2 3/4 | in |
| Grade | A572-50 | |
| Yield Strength, Fy | 50 | ksi |
| Tensile Strength, Fu | 65 | ksi |
| Clip | N/A | in |
| Orientation Offset | | ° |
| Anchor Rod Detail | d | $\eta=0.5$ |
| Clear Distance | 4 1/2 | in |
| Applied Moment, Mu | 596.1 | k |
| Bending Stress, ϕMn | 2601.6 | k |



| Original Anchor Rods | | |
|------------------------|---------|-----|
| Arrangement | Radial | - |
| Quantity | 20 | - |
| Diameter, ϕ | 2 1/4 | in |
| Bolt Circle | 60 | in |
| Grade | A615-75 | |
| Yield Strength, Fy | 75 | ksi |
| Tensile Strength, Fu | 100 | ksi |
| Spacing | 9.4 | in |
| Orientation Offset | | ° |
| Applied Force, Pu | 112.4 | k |
| Anchor Rods, ϕPn | 243.6 | k |

Calculations for Monopole Base Plate & Anchor Rod Analysis

Reaction Distribution

| Reaction | Shear Vu | Moment Mu | Factor |
|-------------------------------|-------------|--------------|--------|
| - | k | k-ft | - |
| Base Forces | 49.9 | 2646.4 | 1.00 |
| Anchor Rod Forces | 49.9 | 2646.4 | 1.00 |
| Additional Bolt (Grp1) Forces | 0.0 | 0.0 | 0.00 |
| Additional Bolt (Grp2) Forces | 0.0 | 0.0 | 0.00 |
| Dywidag Forces | 0.0 | 0.0 | 0.00 |
| Stiffener Forces | 0.0 | 0.0 | 0.00 |

Geometric Properties

| Section | Gross Area | Net Area | Individual Inertia | Threads per Inch | Moment of Inertia |
|-----------|-----------------|-----------------|--------------------|------------------|-------------------|
| - | in ² | in ² | in ⁴ | # | in ⁴ |
| Pole | 80.4859 | 4.4714 | 0.3744 | | 26690.34 |
| Bolt | 3.9761 | 3.2477 | 0.8393 | 4.5 | 26977.81 |
| Bolt1 | 0.0000 | 0.0000 | 0.0000 | 0 | 0.00 |
| Bolt2 | 0.0000 | 0.0000 | 0.0000 | 0 | 0.00 |
| Dywidag | 0.0000 | 0.0000 | 0.0000 | | 0.00 |
| Stiffener | 0.0000 | 0.0000 | 0.0000 | | 0.00 |

| Base Plate | | |
|----------------------|--------|-----|
| Shape | Round | - |
| Diameter, D | 66 | in |
| Thickness, t | 2.75 | in |
| Yield Strength, Fy | 50 | ksi |
| Tensile Strength, Fu | 65 | ksi |
| Base Plate Chord | 40.645 | in |
| Detail Type | d | - |
| Detail Factor | 0.50 | - |
| Clear Distance | 4.5 | - |

| Anchor Rods | | |
|----------------------------------|-------|-----|
| Anchor Rod Quantity, N | 20 | - |
| Rod Diameter, d | 2.25 | in |
| Bolt Circle, BC | 60 | in |
| Yield Strength, Fy | 75 | ksi |
| Tensile Strength, Fu | 100 | ksi |
| Applied Axial, Pu | 112.4 | k |
| Applied Shear, Vu | 1.2 | k |
| Compressive Capacity, ϕP_n | 243.6 | k |
| Tensile Capacity, ϕR_n | 0.462 | OK |
| Interaction Capacity | 0.232 | OK |

| External Base Plate | | |
|------------------------------|--------|-----------------|
| Chord Length AA | 34.485 | in |
| Additional AA | 5.500 | in |
| Section Modulus, Z | 75.597 | in ³ |
| Applied Moment, Mu | 596.1 | k-ft |
| Bending Capacity, ϕM_n | 3401.9 | k-ft |
| Capacity, Mu/ ϕM_n | 0.175 | OK |
| Chord Length AB | 33.238 | in |
| Additional AB | 5.500 | in |
| Section Modulus, Z | 73.239 | in ³ |
| Applied Moment, Mu | 464.8 | k-ft |
| Bending Capacity, ϕM_n | 3295.7 | k-ft |
| Capacity, Mu/ ϕM_n | 0.141 | OK |
| Bend Line Length | 30.579 | in |
| Additional Bend Line | 0.000 | in |
| Section Modulus, Z | 57.814 | in ³ |
| Applied Moment, Mu | 596.1 | k-ft |
| Bending Capacity, ϕM_n | 2601.6 | k-ft |
| Capacity, Mu/ ϕM_n | 0.229 | OK |

| Internal Base Plate | | |
|------------------------------|-------|-----------------|
| Arc Length | 0.000 | in |
| Section Modulus, Z | 0.000 | in ³ |
| Moment Arm | 0.000 | in |
| Applied Moment, Mu | 0.0 | k-ft |
| Bending Capacity, ϕM_n | 0.0 | k-ft |
| Capacity, Mu/ ϕM_n | | |

Flange Plate Analysis

| | | | |
|--------------|-----------------------------------|---------------|-------------------|
| Flange Plate | Plate Type | Flange | @ 77.00 ft |
| | Pole Diameter | 4.5 | in |
| | Pole Thickness | 0.337 | in |
| | Plate Diameter | 35 | in |
| | Plate Thickness | 1.5 | in |
| | Plate Fy | 50 | ksi |
| | Weld Length | 0.3125 | in |
| | f _s Resistance Applied | 936.85 | k-in |
| | | 25.70 | k-in |


| | |
|-----------|----------|
| Code Rev. | H |
|-----------|----------|

| | |
|----------|------------------|
| Date | 7/28/2021 |
| Engineer | SDK |
| Site # | 414240 |
| Carrier | VERIZON WIRELESS |

| | |
|--------|-----------|
| Moment | 13.9 k-ft |
| Axial | 3.8 k |

| | | | |
|------------|--------------|----------|-------------|
| Stiffeners | # | 6 | Show |
| | Thickness | 0.75 | in |
| | Length | 12 | in |
| | Height | 12 | in |
| | Chamfer | 1.25 | in |
| | Offset Angle | 0 | ° |
| | Fy | 50 | ksi |

| | | | |
|-------|-----------------------------------|-----------|-----|
| Bolts | # | 12 | |
| | Bolt Circle (R)adial / (S)quare | 32 | in |
| | Bolt Gap | R | |
| | Diameter | 6 | in |
| | Hole Diameter | 1 | in |
| | Type | 1.125 | in |
| | Fy | A325 | |
| | Fu | 92 | ksi |
| | f _s Resistance Applied | 120 | ksi |
| | | 54.52 | k |
| | 2.00 | k | |



| | | | |
|---------------|---|----------|--|
| Reinforcement | # | 0 | |
|---------------|---|----------|--|

Plate Stress Ratio:
3% Pass

Bolt Stress Ratio:
4% Pass

| | | | |
|-------------|---|----------|--|
| Extra Bolts | # | 0 | |
|-------------|---|----------|--|



Maser Consulting Connecticut
2000 Midlantic Drive, Suite 100
Mount Laurel, NJ 08054
856.797.0412
Greg.Dulnik@colliersengineering.com

Post-Mod Antenna Mount Analysis Report and PMI Requirements

Mount Fix

SMART Tool Project #: 10084892
Maser Consulting Connecticut Project #: 20777259A

July 7, 2021

Site Information

Site ID: 468044-VZW / Byram Park CT
Site Name: Byram Park CT
Carrier Name: Verizon Wireless
Address: 36 Ritch Ave W
Greenwich, Connecticut 06830
Fairfield County
Latitude: 41.005064°
Longitude: -73.648312°

Structure Information

Tower Type: 79-Ft Monopole
Mount Type: 10.00-Ft T-Frame

FUZE ID # 16231909

Analysis Results

T-Frame: 79.9% Pass

***Contractor PMI Requirements:

Included at the end of this MA report

Available & Submitted via portal at <https://pmi.vzwsmart.com>

Contractor - Please Review Specific Site PMI Requirements Upon Award

Requirements also Noted on Mount Modification Drawings

Requirements may also be Noted on A & E drawings

Report Prepared By: Frank Centone



Digitally signed by Derek Hartzell
Date: 2021.07.07 08:39:26-07'00'

Executive Summary:

The objective of this report is to summarize the analysis results of the antenna support mount including the proposed modifications at the subject facility for the final wireless telecommunications configuration, per the applicable codes and standards.

This analysis is inclusive of the mount structure only and does not address the structural capacity of the supporting structure. This mounting frame was not analyzed as an anchor attachment point for fall protection. All climbing activities are required to have a fall protection plan completed by a competent person.

Sources of Information:

| Document Type | Remarks |
|--|---|
| <i>Radio Frequency Data Sheet (RFDS)</i> | <i>Verizon RFDS, Site ID: 688717, dated November 10, 2020</i> |
| <i>Mount Mapping Report</i> | <i>Tower Engineering Professionals, Site ID: 468044-VZW, dated October 21, 2020</i> |
| <i>Previous Mount Analysis Report</i> | <i>Maser Consulting Connecticut Project #: 20777259A, dated July 2, 2021</i> |
| <i>Mount Modification Drawings</i> | <i>Maser Consulting Connecticut Project #: 20777259A, dated July 7, 2021</i> |

Analysis Criteria:

| | |
|-------------------------|--|
| Codes and Standards: | ANSI/TIA-222-H |
| Wind Parameters: | Basic Wind Speed (Ultimate 3-sec. Gust), V_{ULT} : 116 mph |
| | Ice Wind Speed (3-sec. Gust): 50 mph |
| | Design Ice Thickness: 1.00 in |
| | Risk Category: II |
| | Exposure Category: D |
| | Topographic Category: 1 |
| | Topographic Feature Considered: N/A |
| | Topographic Method: N/A |
| | Ground Elevation Factor, K_e : 0.998 |
| Seismic Parameters: | S_s : 0.277 |
| | S_1 : 0.060 |
| Maintenance Parameters: | Wind Speed (3-sec. Gust): 30 mph |
| | Maintenance Live Load, L_v : 250 lbs. |
| | Maintenance Live Load, L_m : 500 lbs. |
| Analysis Software: | RISA-3D (V17) |

Final Loading Configuration:

The following equipment has been considered for the analysis of the mounts:

| Mount Elevation (ft) | Equipment Elevation (ft) | Quantity | Manufacturer | Model | Status |
|----------------------|--------------------------|----------|--------------|-------------------|----------|
| 56.00 | 57.00 | 6 | Antel | LPA-80063/6CF | Retained |
| | | 4 | Commscope | JAHH-45A-R3B | Added |
| | | 2 | Commscope | JAHH-65A-R3B | |
| | | 3 | Samsung | MT6407-77A | |
| | | 3 | Commscope | CBC78T-DS-43 | |
| | | 3 | Samsung | B2/B66A RRH-BR049 | |
| | | 3 | Samsung | B5/B13 RRH-BR04C | |
| | | 1 | Raycap | RVZDC-6627-PF-48 | |

The recent mount mapping reported existing OVP units. It is acceptable to install up to any three (3) of the OVP model numbers listed below as required at any location other than the mount face without affecting the structural capacity of the mount. If OVP units are installed on the mount face, a mount re-analysis may be required unless replacing an existing OVP.

| Model Number | Ports | AKA |
|------------------|-------|--------|
| DB-B1-6C-12AB-0Z | 6 | OVP-6 |
| RVZDC-6627-PF-48 | 12 | OVP-12 |

Standard Conditions:

1. All engineering services are performed on the basis that the information provided to Maser Consulting Connecticut and used in this analysis is current and correct. The existing equipment loading has been applied at locations determined from the supplied documentation. Any deviation from the loading locations specified in this report shall be communicated to Maser Consulting Connecticut to verify deviation will not adversely impact the analysis.
2. Mounts are assumed to have been properly fabricated, installed and maintained in good condition, twist free and plumb in accordance with its original design and manufacturer’s specifications.

Obvious safety and structural issues/deficiencies noticed at the time of the mount mapping and reported in the Mount Mapping Report are assumed to be corrected and documented as part of the PMI process and are not considered in the mount analysis.

The mount analysis and the mount mapping are not a condition assessment of the mount. Proper maintenance and condition assessments are still required post analysis.

3. For mount analyses completed from other data sources (including new replacement mounts) and not specifically mapped by Maser Consulting Connecticut, the mounts are assumed to have been properly fabricated, installed and maintained in good condition, twist free and plumb in accordance with its original design and manufacturer’s specifications.
4. All member connections are assumed to have been designed to meet or exceed the load carrying capacity of the connected member unless otherwise specified in this report.

5. The mount was checked up to, and including, the bolts that fasten it to the mount collar/attachment and threaded rod connections in collar members if applicable. Local deformation and interaction between the mount collar/attachment and the supporting tower structure are outside the scope of this analysis.
6. All services are performed, results obtained, and recommendations made in accordance with generally accepted engineering principles and practices. Maser Consulting Connecticut is not responsible for the conclusion, opinions, and recommendations made by others based on the information supplied.
7. Structural Steel Grades have been assumed as follows, if applicable, unless otherwise noted in this analysis:
 - o Channel, Solid Round, Angle, Plate ASTM A36 (Gr. 36)
 - o HSS (Rectangular) ASTM 500 (Gr. B-46)
 - o Pipe ASTM A53 (Gr. B-35)
 - o Threaded Rod F1554 (Gr. 36)
 - o Bolts ASTM A325
8. Any mount modifications listed under Sources of Information are assumed to have been installed per the design specifications.

Discrepancies between in-field conditions and the assumptions listed above may render this analysis invalid unless explicitly approved by Maser Consulting Connecticut.

Analysis Results:

| Component | Utilization % | Pass/Fail |
|---------------------|---------------|-----------|
| Mod Standoff | 27.9% | Pass |
| Mod Face | 20.3% | Pass |
| Antenna Pipe | 71.2% | Pass |
| Face Horizontal | 20.8% | Pass |
| Standoff | 33.6% | Pass |
| Standoff Vertical | 0.0% | Pass |
| Existing Connection | 79.9% | Pass |
| MOD Connection | 26.4% | Pass |

| | |
|---|--------------|
| Structure Rating – (Controlling Utilization of all Components) | 79.9% |
|---|--------------|

Recommendation:

The existing mounts will be **SUFFICIENT** for the final loading after the proposed modifications are successfully completed.


ANSI/ASSP rigging plan review services compliant with the requirements of ANSI/TIA 322 are available for a Construction Class IV site or other, if required. Separate review fees will apply.

Attachments:

1. Mount Photos
2. Mount Mapping Report (for reference only)
3. Analysis Calculations
- 4. Contractor Required PMI Report Deliverables**
5. Antenna Placement Diagrams
6. TIA Adoption and Wind Speed Usage Letter



| Mount Azimuth (Degree) for Each Sector | | | | Tower Leg Azimuth (Degree) for Each Sector | | | | Sector B | | | | | | | | | | | | | |
|---|-----------------|-----|---------------------------------|---|-----|-------------------|---------------------|----------|-------|-------|------------|---------|-------|-------|--------|-------|--|--|--|--|--|
| Sector A: | 0.00 | Deg | Leg A: | | Deg | Ant _{1a} | | | | | | | | | | | | | | | |
| Sector B: | 120.00 | Deg | Leg B: | | Deg | Ant _{1b} | LPA-80063-6CF-EDIN | 14.96 | 13.07 | 70.87 | 1)FH 1-5/ | 58 | 39.00 | 14.00 | 118.00 | 61-63 | | | | | |
| Sector C: | 240.00 | Deg | Leg C: | | Deg | Ant _{1c} | | | | | | | | | | | | | | | |
| Sector D: | | Deg | Leg D: | | Deg | Ant _{2a} | B66a RRH 4x45 | 11.80 | 10.30 | 28.93 | from Ray | 60.8333 | 5.00 | -6.00 | | 66 | | | | | |
| Climbing Facility Information | | | | | | Ant _{2b} | SBNHH-1D45A | 17.99 | 7.01 | 48.03 | from Ray | 57.5833 | 44.00 | 9.00 | 117.00 | 64-65 | | | | | |
| Location: | Flat 1 | Deg | Sector A | | Deg | Ant _{2c} | | | | | | | | | | | | | | | |
| Climbing Facility | Corrosion Type: | | Good condition. | | Deg | Ant _{3a} | B13 RRH 4x30 | 12.00 | 8.50 | 21.50 | from Ray | 60.75 | 6.00 | -6.00 | | 70-71 | | | | | |
| | Access: | | Climbing path was unobstructed. | | Deg | Ant _{3b} | SBNHH-1D45A | 17.99 | 7.01 | 48.03 | from Ray | 57.5833 | 44.00 | 9.00 | 118.00 | 67-69 | | | | | |
| | Condition: | | Good condition. | | Deg | Ant _{3c} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{4a} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{4b} | BXA-171063-12BF-ED | 4.10 | 6.10 | 72.50 | 2)FH 1-5/ | 58 | 39.00 | 8.00 | 118.00 | 72-73 | | | | | |
| | | | | | | Ant _{4c} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{5a} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{5b} | LPA-80063-6CF-EDIN | 14.96 | 13.07 | 70.87 | 1)FH 1-5/ | 58 | 39.00 | 14.00 | 117.00 | 74-75 | | | | | |
| | | | | | | Ant _{5c} | | | | | | | | | | | | | | | |
| | | | | | | Ant on Standoff | | | | | | | | | | | | | | | |
| | | | | | | Ant on Standoff | | | | | | | | | | | | | | | |
| | | | | | | Ant on Tower | RRFDC-3315-PF-48 (N | 11.88 | 8.50 | 21.50 | Hybrid 1.5 | 60 | | | | 77-78 | | | | | |
| | | | | | | Ant on Tower | | | | | | | | | | | | | | | |
| | | | | | | Sector C | | | | | | | | | | | | | | | |
| | | | | | | Ant _{1a} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{1b} | LPA-80063-6CF-EDIN | 14.96 | 13.07 | 70.87 | 1)FH 1-5/ | 58 | 39.00 | 14.00 | 241.00 | 79-81 | | | | | |
| | | | | | | Ant _{1c} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{2a} | B66a RRH 4x45 | 11.80 | 10.30 | 28.93 | from Ray | 60.8333 | 5.00 | -6.00 | | 84-85 | | | | | |
| | | | | | | Ant _{2b} | SBNHH-1D45A | 17.99 | 7.01 | 48.03 | from Ray | 57.5833 | 44.00 | 9.00 | 241.00 | 82-83 | | | | | |
| | | | | | | Ant _{2c} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{3a} | B13 RRH 4x30 | 12.00 | 8.50 | 21.50 | from Ray | 60.75 | 6.00 | -6.00 | | 88-89 | | | | | |
| | | | | | | Ant _{3b} | SBNHH-1D45A | 17.99 | 7.01 | 48.03 | from Ray | 57.5833 | 44.00 | 9.00 | 241.00 | 86-87 | | | | | |
| | | | | | | Ant _{3c} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{4a} | BXA-171063-12BF-ED | 4.10 | 6.10 | 72.50 | 2)FH 1-5/ | 58 | 39.00 | 8.00 | 241.00 | 90-91 | | | | | |
| | | | | | | Ant _{4c} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{5a} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{5b} | LPA-80063-6CF-EDIN | 14.96 | 13.07 | 70.87 | 1)FH 1-5/ | 58 | 39.00 | 14.00 | 241.00 | 92-93 | | | | | |
| | | | | | | Ant _{5c} | | | | | | | | | | | | | | | |
| | | | | | | Ant on Standoff | | | | | | | | | | | | | | | |
| | | | | | | Ant on Standoff | | | | | | | | | | | | | | | |
| | | | | | | Ant on Tower | | | | | | | | | | | | | | | |
| | | | | | | Ant on Tower | | | | | | | | | | | | | | | |
| | | | | | | Sector D | | | | | | | | | | | | | | | |
| | | | | | | Ant _{1a} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{1b} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{1c} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{2a} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{2b} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{2c} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{3a} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{3b} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{3c} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{4a} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{4b} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{4c} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{5a} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{5b} | | | | | | | | | | | | | | | |
| | | | | | | Ant _{5c} | | | | | | | | | | | | | | | |
| | | | | | | Ant on Standoff | | | | | | | | | | | | | | | |
| | | | | | | Ant on Standoff | | | | | | | | | | | | | | | |
| | | | | | | Ant on Tower | | | | | | | | | | | | | | | |
| | | | | | | Ant on Tower | | | | | | | | | | | | | | | |



| Observed Safety and Structural Issues During the Mount Mapping | | |
|--|----------------------|---------|
| Issue # | Description of Issue | Photo # |
| | | |

| | | |
|---|------------------------------------|--|
| 1 | (6) Unused (cut) FH 1-5/8 at mount | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |
| 8 | | |

Mapping Notes

1. Please report any visible structural or safety issues observed on the antenna mounts (Damaged members, loose connections, tilting mounts, safety climb issues, etc.)
2. If the thickness of the existing pipes or tubing can't be obtained from a general tool (such as Caliper), please use an ultrasonic measurement tool (thickness gauge) to measure the thickness.
3. Please create all required detail sketches of the mounts and insert them into the "Sketches" tab.
4. Please measure and enter the bolt sizes and types under the Members Box in the spreadsheet of the mount type.
5. Take and label the photos of the tower, mounts, connections, antennas and all measurements. Minimum 50 photos are required.
6. Please measure and report the size and length of all existing antenna mounting pipes.
7. Please measure and report the antenna information for all sectors.
8. Don't delete or rearrange any sheet or contents of any sheet from this mapping form.

Standard Conditions

1. Obvious safety and structural issues/deficiencies noticed at the time of the mount mapping are to be reported in this mapping. However, this mount mapping is not a condition assessment of the mount.



Antenna Mount Mapping Form (PATENT PENDING)

| | | | |
|---------------------|----------------|------------------------|------------|
| Tower Owner: | American Tower | Mapping Date: | 10/21/2020 |
| Site Name: | Byram Park CT | Tower Type: | Monopole |
| Site Number or ID: | 468044-VZW | Tower Height (Ft.): | 79 |
| Mapping Contractor: | TEP | Mount Elevation (Ft.): | 57 |

This antenna mapping form is the property of TES and under PATENT PENDING. The formation contained herein is considered confidential in nature and is to be used only for the specific customer it was intended for. Reproduction, transmission, publication, modification or disclosure by any method is prohibited except by express written permission of TES. All means and methods are the responsibility of the contractor and the work shall be compliant with ANSI/ASSE A 10.48, OSHA, FCC, FAA and other safety requirements that may apply. TES is not warranting the usability of the safety climb as it must be assessed prior to each use in compliance with OSHA requirements.

Please Insert Sketches of the Antenna Mount

Byram Park CT

Owner: American Tower - 414240

T/Tower = 77'-0"

FCC: N/A

Safety: FL 1, 3/8" (7- strand), Height = 14'

FL 1 Az = 0°

Verizon Coax:

Verizon:

(18) FH 1 5/8"

Mnt CL = 57'-0"

(1) Hybrid 1 1/4 (1 1/8")


Ant CL = Position 223 = 57'-0"

* (6) FH 1 5/8" cut @ mnt

Position 1,4,5 = 58'-0"

W3FL = 18"

Front View



M.P. Cxn #1:

PL 2"x7" x 5/16" w/ (2) 1/2" U-Bolts, 6 1/2" C-C

(2) PL 1 3/4" x 3" x 5/16" w/ (4) 1/2" Bolts, 4 3/4" C-C v, 5 1/2" C-C H

M.P. Cxn #2:


L 3"x3" x 5/16" x 6" L w/

(2) 3/8" T.R., 3 1/2" C-C, [Go through NSS]

(1) 1/2" U-Bolt, 1 3/4" GA

(Typ 2) (Top & Bottom NSS)

Plan View




| | Ant | B Vertical | U | H |
|---|-----|------------|-----|-----|
| All Pos. 1. | 1. | 39" | 51" | 14" |
| A ₂ , A ₃ | | 44" | 51" | 8" |
| B ₂ , B ₃ , G ₂ , G ₃ | | 44" | 51" | 9" |
| All Pos. 4 | | 39" | 51" | 8" |
| All Pos. 5 | | 39" | 51" | 14" |
| E1 | | 5" | - | 6" |
| E2 | | 6" | - | 6" |

- 1-6 Amphenol LPA-80063-6CF-EDIN
- 7-8 Commscope SBNHA-1D65A
- 9-11 Amphenol BXA-171063-12BF-EDIN
- 12-15 Commscope SBNHA-1D45A


- E1 = B66a RRA 4x45
- E2 = B13 RRA 4x30
- E3 = Raycap RRFDC-3315-PF-48

Plan View Details





Branches mounted to face only on Alpha & Gamma
 * connection to face = same as M.P. Crn #1
 ± 6' Branch

④ Side View



- ① PL 10" x 6" x 1/2" w/ (4) 5/8" ⌀ Bolts, 3" C-C-H, 8" C-C-V
- ② HSS 4" x 4" x 1/4" x 23" L (welded)
- ③ 4.5" ⌀ x 1/4" x 27" Pipe
- ④ (2) Triang. Stiff 3" PL 3/8" TH, 7 1/2" C-C
- ⑤ PL 9 1/2" x 13" x 1/2" w/ (4) 5/8" ⌀ Bolts, 10 1/2" C-C-H, 7" C-C-V

- ⑥ PL 23 1/4" x 13" x 1/2" w/ (4) 3/4" ⌀ U-Bolts, 2 1/2" ME Top & Bott, 2 1/2" C-C
- ⑦ PL 3" D x 1/2" TH x 8 1/2" Long (welded) 1" ME Top & Bott, 5 1/2" C-C




Maser Consulting

468044-VZW_MT_LOT_SectorC_H

SK - 1


July 7, 2021 at 9:26 AM

468044-VZW_MT_LOT_A_H - LO...






Code Check (Env)

| | |
|---|---------|
| ■ | No Calc |
| ■ | > 1.0 |
| ■ | .90-1.0 |
| ■ | .75-.90 |
| ■ | .50-.75 |
| ■ | 0-.50 |



Member Code Checks Displayed (Enveloped)
Results for LC 1, 1.2D+1.0Wo (0 Deg)

| | | |
|------------------|-----------------------------|-------------------------------|
| Maser Consulting | 468044-VZW_MT_LOT_SectorC_H | SK - 2 |
| | | July 7, 2021 at 9:26 AM |
| | | 468044-VZW_MT_LOT_A_H - LO... |



Member Shear Checks Displayed (Enveloped)
 Results for LC 1, 1.2D+1.0Wo (0 Deg)

| | | |
|------------------|-----------------------------|-------------------------------|
| Maser Consulting | | SK - 3 |
| | 468044-VZW_MT_LOT_SectorC_H | July 7, 2021 at 9:26 AM |
| | | 468044-VZW_MT_LOT_A_H - LO... |



Basic Load Cases

| | BLC Description | Category | X Gravity | Y Gravity | Z Gravity | Joint | Point | Distributed Area(Me... | Surface(P... |
|----|------------------------|----------|-----------|-----------|-----------|-------|-------|------------------------|--------------|
| 1 | Antenna D | None | | | | | 42 | | |
| 2 | Antenna Di | None | | | | | 42 | | |
| 3 | Antenna Wo (0 Deg) | None | | | | | 42 | | |
| 4 | Antenna Wo (30 Deg) | None | | | | | 42 | | |
| 5 | Antenna Wo (60 Deg) | None | | | | | 42 | | |
| 6 | Antenna Wo (90 Deg) | None | | | | | 42 | | |
| 7 | Antenna Wo (120 Deg) | None | | | | | 42 | | |
| 8 | Antenna Wo (150 Deg) | None | | | | | 42 | | |
| 9 | Antenna Wo (180 Deg) | None | | | | | 42 | | |
| 10 | Antenna Wo (210 Deg) | None | | | | | 42 | | |
| 11 | Antenna Wo (240 Deg) | None | | | | | 42 | | |
| 12 | Antenna Wo (270 Deg) | None | | | | | 42 | | |
| 13 | Antenna Wo (300 Deg) | None | | | | | 42 | | |
| 14 | Antenna Wo (330 Deg) | None | | | | | 42 | | |
| 15 | Antenna Wi (0 Deg) | None | | | | | 42 | | |
| 16 | Antenna Wi (30 Deg) | None | | | | | 42 | | |
| 17 | Antenna Wi (60 Deg) | None | | | | | 42 | | |
| 18 | Antenna Wi (90 Deg) | None | | | | | 42 | | |
| 19 | Antenna Wi (120 Deg) | None | | | | | 42 | | |
| 20 | Antenna Wi (150 Deg) | None | | | | | 42 | | |
| 21 | Antenna Wi (180 Deg) | None | | | | | 42 | | |
| 22 | Antenna Wi (210 Deg) | None | | | | | 42 | | |
| 23 | Antenna Wi (240 Deg) | None | | | | | 42 | | |
| 24 | Antenna Wi (270 Deg) | None | | | | | 42 | | |
| 25 | Antenna Wi (300 Deg) | None | | | | | 42 | | |
| 26 | Antenna Wi (330 Deg) | None | | | | | 42 | | |
| 27 | Antenna Wm (0 Deg) | None | | | | | 42 | | |
| 28 | Antenna Wm (30 Deg) | None | | | | | 42 | | |
| 29 | Antenna Wm (60 Deg) | None | | | | | 42 | | |
| 30 | Antenna Wm (90 Deg) | None | | | | | 42 | | |
| 31 | Antenna Wm (120 Deg) | None | | | | | 42 | | |
| 32 | Antenna Wm (150 Deg) | None | | | | | 42 | | |
| 33 | Antenna Wm (180 Deg) | None | | | | | 42 | | |
| 34 | Antenna Wm (210 Deg) | None | | | | | 42 | | |
| 35 | Antenna Wm (240 Deg) | None | | | | | 42 | | |
| 36 | Antenna Wm (270 Deg) | None | | | | | 42 | | |
| 37 | Antenna Wm (300 Deg) | None | | | | | 42 | | |
| 38 | Antenna Wm (330 Deg) | None | | | | | 42 | | |
| 39 | Structure D | None | | -1 | | | | | |
| 40 | Structure Di | None | | | | | | 11 | |
| 41 | Structure Wo (0 Deg) | None | | | | | | 22 | |
| 42 | Structure Wo (30 Deg) | None | | | | | | 22 | |
| 43 | Structure Wo (60 Deg) | None | | | | | | 22 | |
| 44 | Structure Wo (90 Deg) | None | | | | | | 22 | |
| 45 | Structure Wo (120 D... | None | | | | | | 22 | |
| 46 | Structure Wo (150 D... | None | | | | | | 22 | |
| 47 | Structure Wo (180 D... | None | | | | | | 22 | |
| 48 | Structure Wo (210 D... | None | | | | | | 22 | |
| 49 | Structure Wo (240 D... | None | | | | | | 22 | |
| 50 | Structure Wo (270 D... | None | | | | | | 22 | |
| 51 | Structure Wo (300 D... | None | | | | | | 22 | |
| 52 | Structure Wo (330 D... | None | | | | | | 22 | |
| 53 | Structure Wi (0 Deg) | None | | | | | | 22 | |
| 54 | Structure Wi (30 Deg) | None | | | | | | 22 | |
| 55 | Structure Wi (60 Deg) | None | | | | | | 22 | |
| 56 | Structure Wi (90 Deg) | None | | | | | | 22 | |



Basic Load Cases (Continued)

| | BLC Description | Category | X Gravity | Y Gravity | Z Gravity | Joint | Point | Distributed Area(Me... | Surface(P... |
|----|------------------------|----------|-----------|-----------|-----------|-------|-------|------------------------|--------------|
| 57 | Structure Wi (120 De.. | None | | | | | | 22 | |
| 58 | Structure Wi (150 De.. | None | | | | | | 22 | |
| 59 | Structure Wi (180 De.. | None | | | | | | 22 | |
| 60 | Structure Wi (210 De.. | None | | | | | | 22 | |
| 61 | Structure Wi (240 De.. | None | | | | | | 22 | |
| 62 | Structure Wi (270 De.. | None | | | | | | 22 | |
| 63 | Structure Wi (300 De.. | None | | | | | | 22 | |
| 64 | Structure Wi (330 De.. | None | | | | | | 22 | |
| 65 | Structure Wm (0 Deg) | None | | | | | | 22 | |
| 66 | Structure Wm (30 De.. | None | | | | | | 22 | |
| 67 | Structure Wm (60 De.. | None | | | | | | 22 | |
| 68 | Structure Wm (90 De.. | None | | | | | | 22 | |
| 69 | Structure Wm (120 D.. | None | | | | | | 22 | |
| 70 | Structure Wm (150 D.. | None | | | | | | 22 | |
| 71 | Structure Wm (180 D.. | None | | | | | | 22 | |
| 72 | Structure Wm (210 D.. | None | | | | | | 22 | |
| 73 | Structure Wm (240 D.. | None | | | | | | 22 | |
| 74 | Structure Wm (270 D.. | None | | | | | | 22 | |
| 75 | Structure Wm (300 D.. | None | | | | | | 22 | |
| 76 | Structure Wm (330 D.. | None | | | | | | 22 | |
| 77 | Lm1 | None | | | | | 1 | | |
| 78 | Lm2 | None | | | | | 1 | | |
| 79 | Lv1 | None | | | | | 1 | | |
| 80 | Lv2 | None | | | | | 1 | | |

Load Combinations

| | Description | Sol..PD..SR.. | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... | BLC Fact... |
|----|--------------|---------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 1 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 3 | 1 | 41 | 1 | | | | | | | | | | |
| 2 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 4 | 1 | 42 | 1 | | | | | | | | | | |
| 3 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 5 | 1 | 43 | 1 | | | | | | | | | | |
| 4 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 6 | 1 | 44 | 1 | | | | | | | | | | |
| 5 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 7 | 1 | 45 | 1 | | | | | | | | | | |
| 6 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 8 | 1 | 46 | 1 | | | | | | | | | | |
| 7 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 9 | 1 | 47 | 1 | | | | | | | | | | |
| 8 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 10 | 1 | 48 | 1 | | | | | | | | | | |
| 9 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 11 | 1 | 49 | 1 | | | | | | | | | | |
| 10 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 12 | 1 | 50 | 1 | | | | | | | | | | |
| 11 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 13 | 1 | 51 | 1 | | | | | | | | | | |
| 12 | 1.2D+1.0... | Yes Y | 1 | 1.2 | 39 | 1.2 | 14 | 1 | 52 | 1 | | | | | | | | | | |
| 13 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 15 | 1 | 53 | 1 | | | | | | |
| 14 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 16 | 1 | 54 | 1 | | | | | | |
| 15 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 17 | 1 | 55 | 1 | | | | | | |
| 16 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 18 | 1 | 56 | 1 | | | | | | |
| 17 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 19 | 1 | 57 | 1 | | | | | | |
| 18 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 20 | 1 | 58 | 1 | | | | | | |
| 19 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 21 | 1 | 59 | 1 | | | | | | |
| 20 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 22 | 1 | 60 | 1 | | | | | | |
| 21 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 23 | 1 | 61 | 1 | | | | | | |
| 22 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 24 | 1 | 62 | 1 | | | | | | |
| 23 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 25 | 1 | 63 | 1 | | | | | | |
| 24 | 1.2D + 1.0.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 2 | 1 | 40 | 1 | 26 | 1 | 64 | 1 | | | | | | |
| 25 | 1.2D + 1.5.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 27 | 1 | 65 | 1 | | | | | | | | |
| 26 | 1.2D + 1.5.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 28 | 1 | 66 | 1 | | | | | | | | |
| 27 | 1.2D + 1.5.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 29 | 1 | 67 | 1 | | | | | | | | |
| 28 | 1.2D + 1.5.. | Yes Y | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 30 | 1 | 68 | 1 | | | | | | | | |



Load Combinations (Continued)

| | Description | Sol. | PD | SR | BLC Fact. | BLC Fact. | BLC Fact. | BLC Fact. | BLC Fact. | BLC Fact. | BLC Fact. | BLC Fact. | BLC Fact. | BLC Fact. |
|----|--------------|------|----|----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 29 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 31 | 1 | 69 | 1 |
| 30 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 32 | 1 | 70 | 1 |
| 31 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 33 | 1 | 71 | 1 |
| 32 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 34 | 1 | 72 | 1 |
| 33 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 35 | 1 | 73 | 1 |
| 34 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 36 | 1 | 74 | 1 |
| 35 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 37 | 1 | 75 | 1 |
| 36 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 77 | 1.5 | 38 | 1 | 76 | 1 |
| 37 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 27 | 1 | 65 | 1 |
| 38 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 28 | 1 | 66 | 1 |
| 39 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 29 | 1 | 67 | 1 |
| 40 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 30 | 1 | 68 | 1 |
| 41 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 31 | 1 | 69 | 1 |
| 42 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 32 | 1 | 70 | 1 |
| 43 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 33 | 1 | 71 | 1 |
| 44 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 34 | 1 | 72 | 1 |
| 45 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 35 | 1 | 73 | 1 |
| 46 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 36 | 1 | 74 | 1 |
| 47 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 37 | 1 | 75 | 1 |
| 48 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 78 | 1.5 | 38 | 1 | 76 | 1 |
| 49 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 79 | 1.5 | | | | |
| 50 | 1.2D + 1.5.. | Yes | Y | | 1 | 1.2 | 39 | 1.2 | 80 | 1.5 | | | | |
| 51 | 1.4D | Yes | Y | | 1 | 1.4 | 39 | 1.4 | | | | | | |
| 52 | Seismic M.. | | Y | | 1 | 1 | 39 | 1 | | | | | | |
| 53 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | | SY | 1 | SZ | -1 |
| 54 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | .5 | SY | 1 | SZ | -.866 |
| 55 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | .866 | SY | 1 | SZ | -.5 |
| 56 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | 1 | SY | 1 | SZ | |
| 57 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | .866 | SY | 1 | SZ | .5 |
| 58 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | .5 | SY | 1 | SZ | .866 |
| 59 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | | SY | 1 | SZ | 1 |
| 60 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | -.5 | SY | 1 | SZ | .866 |
| 61 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | -.866 | SY | 1 | SZ | .5 |
| 62 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | -1 | SY | 1 | SZ | |
| 63 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | -.866 | SY | 1 | SZ | -.5 |
| 64 | 1.2D + 1.0.. | | Y | | 1 | 1.2 | 39 | 1.2 | SX | -.5 | SY | 1 | SZ | -.866 |

Joint Coordinates and Temperatures

| | Label | X [ft] | Y [ft] | Z [ft] | Temp [F] | Detach From Diap... |
|----|-------|-----------|--------|----------|----------|---------------------|
| 1 | N1 | 0 | 0 | 0.708333 | 0 | |
| 2 | N3 | 0 | 0 | 2.625 | 0 | |
| 3 | N4 | 0 | 0 | 2.958333 | 0 | |
| 4 | N5 | 0 | -.75 | 2.625 | 0 | |
| 5 | N6 | 0 | .75 | 2.625 | 0 | |
| 6 | N7 | 5 | 0 | 2.958333 | 0 | |
| 7 | N8 | -5 | 0 | 2.958333 | 0 | |
| 8 | N9 | -4.666667 | 0 | 2.958333 | 0 | |
| 9 | N11 | 4.666667 | 0 | 2.958333 | 0 | |
| 10 | N12 | -4.666667 | 0 | 3.208333 | 0 | |
| 11 | N13 | .35 | 0 | 3.208333 | 0 | |
| 12 | N14 | 4.666667 | 0 | 3.208333 | 0 | |
| 13 | N15 | -4.666667 | 4.25 | 3.208333 | 0 | |
| 14 | N16 | .35 | 4.25 | 3.208333 | 0 | |
| 15 | N17 | 4.666667 | 4.25 | 3.208333 | 0 | |
| 16 | N18 | -4.666667 | -4.25 | 3.208333 | 0 | |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Joint Coordinates and Temperatures (Continued)

| | Label | X [ft] | Y [ft] | Z [ft] | Temp [F] | Detach From Diap... |
|----|-------|-----------|--------|----------|----------|---------------------|
| 17 | N19 | .35 | -4.25 | 3.208333 | 0 | |
| 18 | N20 | 4.666667 | -4.25 | 3.208333 | 0 | |
| 19 | N20A | 0 | 0 | 1.666667 | 0 | |
| 20 | N21 | .25 | 0 | 1.666667 | 0 | |
| 21 | N22 | .25 | 1.5 | 1.666667 | 0 | |
| 22 | N23 | .25 | -1.5 | 1.666667 | 0 | |
| 23 | N24 | 2.625 | 0 | 2.958333 | 0 | |
| 24 | N25 | 2.625 | 0 | 3.208333 | 0 | |
| 25 | N26 | 2.625 | 4.25 | 3.208333 | 0 | |
| 26 | N27 | 2.625 | -4.25 | 3.208333 | 0 | |
| 27 | N28 | -2.625 | 0 | 2.958333 | 0 | |
| 28 | N29 | -2.625 | 0 | 3.208333 | 0 | |
| 29 | N30 | -2.625 | 4.25 | 3.208333 | 0 | |
| 30 | N31 | -2.625 | -4.25 | 3.208333 | 0 | |
| 31 | N31A | 4.666667 | 1 | 3.208333 | 0 | |
| 32 | N32 | 4.666667 | 3 | 3.208333 | 0 | |
| 33 | N33 | -4.666667 | 1 | 3.208333 | 0 | |
| 34 | N35 | 2.625 | 1 | 3.208333 | 0 | |
| 35 | N36 | -2.625 | 1 | 3.208333 | 0 | |
| 36 | N37 | 2.625 | 2 | 3.208333 | 0 | |
| 37 | N38 | -2.625 | 3 | 3.208333 | 0 | |
| 38 | N39 | 0 | -1.5 | 2.958333 | 0 | |
| 39 | N40 | 5 | -1.5 | 2.958333 | 0 | |
| 40 | N41 | -5 | -1.5 | 2.958333 | 0 | |
| 41 | N42 | -4.666667 | -1.5 | 2.958333 | 0 | |
| 42 | N43 | 4.666667 | -1.5 | 2.958333 | 0 | |
| 43 | N44 | -4.666667 | -1.5 | 3.208333 | 0 | |
| 44 | N45 | .35 | -1.5 | 3.208333 | 0 | |
| 45 | N46 | 4.666667 | -1.5 | 3.208333 | 0 | |
| 46 | N47 | 2.625 | -1.5 | 2.958333 | 0 | |
| 47 | N48 | 2.625 | -1.5 | 3.208333 | 0 | |
| 48 | N49 | -2.625 | -1.5 | 2.958333 | 0 | |
| 49 | N50 | -2.625 | -1.5 | 3.208333 | 0 | |
| 50 | N51 | 0 | -1.5 | 0.708333 | 0 | |
| 51 | N52 | 0 | -1.5 | 2.625 | 0 | |
| 52 | N53 | .35 | 0 | 2.958333 | 0 | |
| 53 | N54 | .35 | -1.5 | 2.958333 | 0 | |

Hot Rolled Steel Section Sets

| | Label | Shape | Type | Design List | Material | Design R... | A [in2] | Iyy [in4] | Izz [in4] | J [in4] |
|---|-------------------|----------|--------|-------------|--------------|-------------|---------|-----------|-----------|---------|
| 1 | Antenna Pipe | PIPE_2.0 | Beam | Pipe | A53 Gr. B | Typical | 1.02 | .627 | .627 | 1.25 |
| 2 | Face Horizontal | HSS4X4X4 | Beam | SquareTube | A500 Gr. ... | Typical | 3.37 | 7.8 | 7.8 | 12.8 |
| 3 | Standoff Vertical | PIPE_4.0 | Column | Pipe | A53 Gr. B | Typical | 2.96 | 6.82 | 6.82 | 13.6 |
| 4 | Standoff | HSS4X4X4 | Beam | SquareTube | A500 Gr. ... | Typical | 3.37 | 7.8 | 7.8 | 12.8 |
| 5 | MOD STANDOFF | HSS3X3X4 | Beam | SquareTube | A500 Gr. ... | Typical | 2.44 | 3.02 | 3.02 | 5.08 |
| 6 | Prop Antenna Pipe | PIPE_2.5 | Beam | Pipe | A53 Gr. B | Typical | 1.61 | 1.45 | 1.45 | 2.89 |
| 7 | MOD FACE | PIPE_3.0 | Beam | Pipe | A53 Gr. B | Typical | 2.07 | 2.85 | 2.85 | 5.69 |

Hot Rolled Steel Properties

| | Label | E [ksi] | G [ksi] | Nu | Therm (/1E...Density[k/ft... | Yield[ksi] | Ry | Fu[ksi] | Rt | |
|---|------------|---------|---------|----|------------------------------|------------|----|---------|----|-----|
| 1 | A36 Gr.36 | 29000 | 11154 | .3 | .65 | .49 | 36 | 1.5 | 58 | 1.2 |
| 2 | A53 Gr. B | 29000 | 11154 | .3 | .65 | .49 | 35 | 1.5 | 60 | 1.2 |
| 3 | A572 Gr.50 | 29000 | 11154 | .3 | .65 | .49 | 50 | 1.1 | 65 | 1.1 |
| 4 | A992 | 29000 | 11154 | .3 | .65 | .49 | 50 | 1.1 | 65 | 1.1 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Hot Rolled Steel Properties (Continued)

| | Label | E [ksi] | G [ksi] | Nu | Therm (/1E... | Density[k/ft... | Yield[ksi] | Ry | Fu[ksi] | Rt |
|---|---------------|---------|---------|----|---------------|-----------------|------------|-----|---------|-----|
| 5 | A500 Gr. B 42 | 29000 | 11154 | .3 | .65 | .49 | 42 | 1.4 | 58 | 1.3 |
| 6 | A500 Gr. B 46 | 29000 | 11154 | .3 | .65 | .49 | 46 | 1.4 | 58 | 1.3 |

Member Primary Data

| | Label | I Joint | J Joint | K Joint | Rotate(deg) | Section/Shape | Type | Design List | Material | Design Rules |
|----|-------|---------|---------|---------|-------------|-------------------|--------|-------------|--------------|--------------|
| 1 | M4 | N6 | N5 | | | Standoff Vertical | Column | Pipe | A53 Gr. B | Typical |
| 2 | M3 | N1 | N3 | | | Standoff | Beam | SquareTube | A500 Gr. ... | Typical |
| 3 | M1 | N3 | N4 | | | RIGID | None | None | RIGID | Typical |
| 4 | M9 | N9 | N12 | | | RIGID | None | None | RIGID | Typical |
| 5 | M10 | N53 | N13 | | | RIGID | None | None | RIGID | Typical |
| 6 | M11 | N11 | N14 | | | RIGID | None | None | RIGID | Typical |
| 7 | M11A | N20A | N21 | | | RIGID | None | None | RIGID | Typical |
| 8 | M14 | N24 | N25 | | | RIGID | None | None | RIGID | Typical |
| 9 | M16 | N28 | N29 | | | RIGID | None | None | RIGID | Typical |
| 10 | M5 | N8 | N7 | | | Face Horizontal | Beam | SquareTube | A500 Gr. ... | Typical |
| 11 | MP1A | N17 | N20 | | | Antenna Pipe | Beam | Pipe | A53 Gr. B | Typical |
| 12 | MP3A | N16 | N19 | | | Antenna Pipe | Beam | Pipe | A53 Gr. B | Typical |
| 13 | MP5A | N15 | N18 | | | Antenna Pipe | Beam | Pipe | A53 Gr. B | Typical |
| 14 | M17 | N22 | N23 | | | Antenna Pipe | Beam | Pipe | A53 Gr. B | Typical |
| 15 | MP2A | N26 | N27 | | | Antenna Pipe | Beam | Pipe | A53 Gr. B | Typical |
| 16 | MP4A | N30 | N31 | | | Antenna Pipe | Beam | Pipe | A53 Gr. B | Typical |
| 17 | M17A | N42 | N44 | | | RIGID | None | None | RIGID | Typical |
| 18 | M18 | N54 | N45 | | | RIGID | None | None | RIGID | Typical |
| 19 | M19 | N43 | N46 | | | RIGID | None | None | RIGID | Typical |
| 20 | M20 | N47 | N48 | | | RIGID | None | None | RIGID | Typical |
| 21 | M21 | N49 | N50 | | | RIGID | None | None | RIGID | Typical |
| 22 | M22 | N41 | N40 | | | MOD FACE | Beam | Pipe | A53 Gr. B | Typical |
| 23 | M23 | N51 | N52 | | | MOD STAND... | Beam | SquareTube | A500 Gr. ... | Typical |
| 24 | M24 | N52 | N39 | | | RIGID | None | None | RIGID | Typical |

Hot Rolled Steel Design Parameters

| | Label | Shape | Length[ft] | Lbyy[ft] | Lbzz[ft] | Lcomp top[ft] | Lcomp bot[ft] | L-torqu... | Kyy | Kzz | Cb | Function |
|----|-------|----------------|------------|----------|----------|---------------|---------------|------------|-----|-----|----|----------|
| 1 | M4 | Standoff Ve... | 1.5 | | | Lbyy | | | | | | Lateral |
| 2 | M3 | Standoff | 1.917 | | | Lbyy | | | | | | Lateral |
| 3 | M5 | Face Horizo... | 10 | | | Lbyy | | | | | | Lateral |
| 4 | MP1A | Antenna Pipe | 8.5 | | | Lbyy | | | | | | Lateral |
| 5 | MP3A | Antenna Pipe | 8.5 | | | Lbyy | | | | | | Lateral |
| 6 | MP5A | Antenna Pipe | 8.5 | | | Lbyy | | | | | | Lateral |
| 7 | M17 | Antenna Pipe | 3 | | | Lbyy | | | | | | Lateral |
| 8 | MP2A | Antenna Pipe | 8.5 | | | Lbyy | | | | | | Lateral |
| 9 | MP4A | Antenna Pipe | 8.5 | | | Lbyy | | | | | | Lateral |
| 10 | M22 | MOD FACE | 10 | | | Lbyy | | | | | | Lateral |
| 11 | M23 | MOD STAN... | 1.917 | | | Lbyy | | | | | | Lateral |

Member Point Loads (BLC 1 : Antenna D)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | MP1A | Y | -13.5 | 1.25 |
| 2 | MP1A | My | -.009 | 1.25 |
| 3 | MP1A | Mz | 0 | 1.25 |
| 4 | MP1A | Y | -13.5 | 5.25 |
| 5 | MP1A | My | -.009 | 5.25 |
| 6 | MP1A | Mz | 0 | 5.25 |



Member Point Loads (BLC 1 : Antenna D) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 7 | MP5A | Y | -13.5 | 1.25 |
| 8 | MP5A | My | -.009 | 1.25 |
| 9 | MP5A | Mz | 0 | 1.25 |
| 10 | MP5A | Y | -13.5 | 5.25 |
| 11 | MP5A | My | -.009 | 5.25 |
| 12 | MP5A | Mz | 0 | 5.25 |
| 13 | MP3A | Y | -36.93 | 1.25 |
| 14 | MP3A | My | -.022 | 1.25 |
| 15 | MP3A | Mz | .034 | 1.25 |
| 16 | MP3A | Y | -36.93 | 5.25 |
| 17 | MP3A | My | -.022 | 5.25 |
| 18 | MP3A | Mz | .034 | 5.25 |
| 19 | MP3A | Y | -36.93 | 1.25 |
| 20 | MP3A | My | -.022 | 1.25 |
| 21 | MP3A | Mz | -.034 | 1.25 |
| 22 | MP3A | Y | -36.93 | 5.25 |
| 23 | MP3A | My | -.022 | 5.25 |
| 24 | MP3A | Mz | -.034 | 5.25 |
| 25 | MP4A | Y | -43.55 | 2.25 |
| 26 | MP4A | My | -.015 | 2.25 |
| 27 | MP4A | Mz | 0 | 2.25 |
| 28 | MP4A | Y | -43.55 | 4.25 |
| 29 | MP4A | My | -.015 | 4.25 |
| 30 | MP4A | Mz | 0 | 4.25 |
| 31 | MP3A | Y | -10.4 | 7 |
| 32 | MP3A | My | .003 | 7 |
| 33 | MP3A | Mz | 0 | 7 |
| 34 | MP3A | Y | -84.4 | 1.5 |
| 35 | MP3A | My | .056 | 1.5 |
| 36 | MP3A | Mz | 0 | 1.5 |
| 37 | MP4A | Y | -70.3 | 1.5 |
| 38 | MP4A | My | .047 | 1.5 |
| 39 | MP4A | Mz | 0 | 1.5 |
| 40 | M17 | Y | -32 | 1 |
| 41 | M17 | My | 0 | 1 |
| 42 | M17 | Mz | 0 | 1 |

Member Point Loads (BLC 2 : Antenna Di)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | Y | -80.467 | 1.25 |
| 2 | MP1A | My | -.054 | 1.25 |
| 3 | MP1A | Mz | 0 | 1.25 |
| 4 | MP1A | Y | -80.467 | 5.25 |
| 5 | MP1A | My | -.054 | 5.25 |
| 6 | MP1A | Mz | 0 | 5.25 |
| 7 | MP5A | Y | -80.467 | 1.25 |
| 8 | MP5A | My | -.054 | 1.25 |
| 9 | MP5A | Mz | 0 | 1.25 |
| 10 | MP5A | Y | -80.467 | 5.25 |
| 11 | MP5A | My | -.054 | 5.25 |
| 12 | MP5A | Mz | 0 | 5.25 |
| 13 | MP3A | Y | -55.968 | 1.25 |
| 14 | MP3A | My | -.033 | 1.25 |
| 15 | MP3A | Mz | .051 | 1.25 |
| 16 | MP3A | Y | -55.968 | 5.25 |
| 17 | MP3A | My | -.033 | 5.25 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Point Loads (BLC 2 : Antenna Di) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 18 | MP3A | Mz | .051 | 5.25 |
| 19 | MP3A | Y | -55.968 | 1.25 |
| 20 | MP3A | My | -.033 | 1.25 |
| 21 | MP3A | Mz | -.051 | 1.25 |
| 22 | MP3A | Y | -55.968 | 5.25 |
| 23 | MP3A | My | -.033 | 5.25 |
| 24 | MP3A | Mz | -.051 | 5.25 |
| 25 | MP4A | Y | -32.218 | 2.25 |
| 26 | MP4A | My | -.011 | 2.25 |
| 27 | MP4A | Mz | 0 | 2.25 |
| 28 | MP4A | Y | -32.218 | 4.25 |
| 29 | MP4A | My | -.011 | 4.25 |
| 30 | MP4A | Mz | 0 | 4.25 |
| 31 | MP3A | Y | -9.588 | 7 |
| 32 | MP3A | My | .003 | 7 |
| 33 | MP3A | Mz | 0 | 7 |
| 34 | MP3A | Y | -40.562 | 1.5 |
| 35 | MP3A | My | .027 | 1.5 |
| 36 | MP3A | Mz | 0 | 1.5 |
| 37 | MP4A | Y | -36.452 | 1.5 |
| 38 | MP4A | My | .024 | 1.5 |
| 39 | MP4A | Mz | 0 | 1.5 |
| 40 | M17 | Y | -79.66 | 1 |
| 41 | M17 | My | 0 | 1 |
| 42 | M17 | Mz | 0 | 1 |

Member Point Loads (BLC 3 : Antenna Wo (0 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 0 | 1.25 |
| 2 | MP1A | Z | -182.808 | 1.25 |
| 3 | MP1A | Mx | 0 | 1.25 |
| 4 | MP1A | X | 0 | 5.25 |
| 5 | MP1A | Z | -182.808 | 5.25 |
| 6 | MP1A | Mx | 0 | 5.25 |
| 7 | MP5A | X | 0 | 1.25 |
| 8 | MP5A | Z | -182.808 | 1.25 |
| 9 | MP5A | Mx | 0 | 1.25 |
| 10 | MP5A | X | 0 | 5.25 |
| 11 | MP5A | Z | -182.808 | 5.25 |
| 12 | MP5A | Mx | 0 | 5.25 |
| 13 | MP3A | X | 0 | 1.25 |
| 14 | MP3A | Z | -170.431 | 1.25 |
| 15 | MP3A | Mx | -.156 | 1.25 |
| 16 | MP3A | X | 0 | 5.25 |
| 17 | MP3A | Z | -170.431 | 5.25 |
| 18 | MP3A | Mx | -.156 | 5.25 |
| 19 | MP3A | X | 0 | 1.25 |
| 20 | MP3A | Z | -170.431 | 1.25 |
| 21 | MP3A | Mx | .156 | 1.25 |
| 22 | MP3A | X | 0 | 5.25 |
| 23 | MP3A | Z | -170.431 | 5.25 |
| 24 | MP3A | Mx | .156 | 5.25 |
| 25 | MP4A | X | 0 | 2.25 |
| 26 | MP4A | Z | -89.5 | 2.25 |
| 27 | MP4A | Mx | 0 | 2.25 |
| 28 | MP4A | X | 0 | 4.25 |



Member Point Loads (BLC 3 : Antenna Wo (0 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 29 | MP4A | Z | -89.5 | 4.25 |
| 30 | MP4A | Mx | 0 | 4.25 |
| 31 | MP3A | X | 0 | 7 |
| 32 | MP3A | Z | -14.091 | 7 |
| 33 | MP3A | Mx | 0 | 7 |
| 34 | MP3A | X | 0 | 1.5 |
| 35 | MP3A | Z | -71.219 | 1.5 |
| 36 | MP3A | Mx | 0 | 1.5 |
| 37 | MP4A | X | 0 | 1.5 |
| 38 | MP4A | Z | -71.219 | 1.5 |
| 39 | MP4A | Mx | 0 | 1.5 |
| 40 | M17 | X | 0 | 1 |
| 41 | M17 | Z | -139.48 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 4 : Antenna Wo (30 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 88.964 | 1.25 |
| 2 | MP1A | Z | -154.09 | 1.25 |
| 3 | MP1A | Mx | -.059 | 1.25 |
| 4 | MP1A | X | 88.964 | 5.25 |
| 5 | MP1A | Z | -154.09 | 5.25 |
| 6 | MP1A | Mx | -.059 | 5.25 |
| 7 | MP5A | X | 88.964 | 1.25 |
| 8 | MP5A | Z | -154.09 | 1.25 |
| 9 | MP5A | Mx | -.059 | 1.25 |
| 10 | MP5A | X | 88.964 | 5.25 |
| 11 | MP5A | Z | -154.09 | 5.25 |
| 12 | MP5A | Mx | -.059 | 5.25 |
| 13 | MP3A | X | 73.029 | 1.25 |
| 14 | MP3A | Z | -126.49 | 1.25 |
| 15 | MP3A | Mx | -.159 | 1.25 |
| 16 | MP3A | X | 73.029 | 5.25 |
| 17 | MP3A | Z | -126.49 | 5.25 |
| 18 | MP3A | Mx | -.159 | 5.25 |
| 19 | MP3A | X | 73.029 | 1.25 |
| 20 | MP3A | Z | -126.49 | 1.25 |
| 21 | MP3A | Mx | .073 | 1.25 |
| 22 | MP3A | X | 73.029 | 5.25 |
| 23 | MP3A | Z | -126.49 | 5.25 |
| 24 | MP3A | Mx | .073 | 5.25 |
| 25 | MP4A | X | 37.942 | 2.25 |
| 26 | MP4A | Z | -65.718 | 2.25 |
| 27 | MP4A | Mx | -.013 | 2.25 |
| 28 | MP4A | X | 37.942 | 4.25 |
| 29 | MP4A | Z | -65.718 | 4.25 |
| 30 | MP4A | Mx | -.013 | 4.25 |
| 31 | MP3A | X | 6.503 | 7 |
| 32 | MP3A | Z | -11.264 | 7 |
| 33 | MP3A | Mx | .002 | 7 |
| 34 | MP3A | X | 32.658 | 1.5 |
| 35 | MP3A | Z | -56.565 | 1.5 |
| 36 | MP3A | Mx | .022 | 1.5 |
| 37 | MP4A | X | 31.527 | 1.5 |
| 38 | MP4A | Z | -54.607 | 1.5 |
| 39 | MP4A | Mx | .021 | 1.5 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Point Loads (BLC 4 : Antenna Wo (30 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 40 | M17 | X | 61.128 | 1 |
| 41 | M17 | Z | -105.877 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 5 : Antenna Wo (60 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 145.636 | 1.25 |
| 2 | MP1A | Z | -84.083 | 1.25 |
| 3 | MP1A | Mx | -.097 | 1.25 |
| 4 | MP1A | X | 145.636 | 5.25 |
| 5 | MP1A | Z | -84.083 | 5.25 |
| 6 | MP1A | Mx | -.097 | 5.25 |
| 7 | MP5A | X | 145.636 | 1.25 |
| 8 | MP5A | Z | -84.083 | 1.25 |
| 9 | MP5A | Mx | -.097 | 1.25 |
| 10 | MP5A | X | 145.636 | 5.25 |
| 11 | MP5A | Z | -84.083 | 5.25 |
| 12 | MP5A | Mx | -.097 | 5.25 |
| 13 | MP3A | X | 84.277 | 1.25 |
| 14 | MP3A | Z | -48.657 | 1.25 |
| 15 | MP3A | Mx | -.094 | 1.25 |
| 16 | MP3A | X | 84.277 | 5.25 |
| 17 | MP3A | Z | -48.657 | 5.25 |
| 18 | MP3A | Mx | -.094 | 5.25 |
| 19 | MP3A | X | 84.277 | 1.25 |
| 20 | MP3A | Z | -48.657 | 1.25 |
| 21 | MP3A | Mx | -.005 | 1.25 |
| 22 | MP3A | X | 84.277 | 5.25 |
| 23 | MP3A | Z | -48.657 | 5.25 |
| 24 | MP3A | Mx | -.005 | 5.25 |
| 25 | MP4A | X | 42.136 | 2.25 |
| 26 | MP4A | Z | -24.327 | 2.25 |
| 27 | MP4A | Mx | -.014 | 2.25 |
| 28 | MP4A | X | 42.136 | 4.25 |
| 29 | MP4A | Z | -24.327 | 4.25 |
| 30 | MP4A | Mx | -.014 | 4.25 |
| 31 | MP3A | X | 9.384 | 7 |
| 32 | MP3A | Z | -5.418 | 7 |
| 33 | MP3A | Mx | .003 | 7 |
| 34 | MP3A | X | 46.341 | 1.5 |
| 35 | MP3A | Z | -26.755 | 1.5 |
| 36 | MP3A | Mx | .031 | 1.5 |
| 37 | MP4A | X | 40.466 | 1.5 |
| 38 | MP4A | Z | -23.363 | 1.5 |
| 39 | MP4A | Mx | .027 | 1.5 |
| 40 | M17 | X | 103.121 | 1 |
| 41 | M17 | Z | -59.537 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 6 : Antenna Wo (90 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 163.285 | 1.25 |
| 2 | MP1A | Z | 0 | 1.25 |
| 3 | MP1A | Mx | -.109 | 1.25 |
| 4 | MP1A | X | 163.285 | 5.25 |
| 5 | MP1A | Z | 0 | 5.25 |



Member Point Loads (BLC 6 : Antenna Wo (90 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 6 | MP1A | Mx | -.109 | 5.25 |
| 7 | MP5A | X | 163.285 | 1.25 |
| 8 | MP5A | Z | 0 | 1.25 |
| 9 | MP5A | Mx | -.109 | 1.25 |
| 10 | MP5A | X | 163.285 | 5.25 |
| 11 | MP5A | Z | 0 | 5.25 |
| 12 | MP5A | Mx | -.109 | 5.25 |
| 13 | MP3A | X | 72.942 | 1.25 |
| 14 | MP3A | Z | 0 | 1.25 |
| 15 | MP3A | Mx | -.043 | 1.25 |
| 16 | MP3A | X | 72.942 | 5.25 |
| 17 | MP3A | Z | 0 | 5.25 |
| 18 | MP3A | Mx | -.043 | 5.25 |
| 19 | MP3A | X | 72.942 | 1.25 |
| 20 | MP3A | Z | 0 | 1.25 |
| 21 | MP3A | Mx | -.043 | 1.25 |
| 22 | MP3A | X | 72.942 | 5.25 |
| 23 | MP3A | Z | 0 | 5.25 |
| 24 | MP3A | Mx | -.043 | 5.25 |
| 25 | MP4A | X | 35.039 | 2.25 |
| 26 | MP4A | Z | 0 | 2.25 |
| 27 | MP4A | Mx | -.012 | 2.25 |
| 28 | MP4A | X | 35.039 | 4.25 |
| 29 | MP4A | Z | 0 | 4.25 |
| 30 | MP4A | Mx | -.012 | 4.25 |
| 31 | MP3A | X | 9.75 | 7 |
| 32 | MP3A | Z | 0 | 7 |
| 33 | MP3A | Mx | .003 | 7 |
| 34 | MP3A | X | 47.606 | 1.5 |
| 35 | MP3A | Z | 0 | 1.5 |
| 36 | MP3A | Mx | .032 | 1.5 |
| 37 | MP4A | X | 38.561 | 1.5 |
| 38 | MP4A | Z | 0 | 1.5 |
| 39 | MP4A | Mx | .026 | 1.5 |
| 40 | M17 | X | 133.114 | 1 |
| 41 | M17 | Z | 0 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 7 : Antenna Wo (120 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 145.636 | 1.25 |
| 2 | MP1A | Z | 84.083 | 1.25 |
| 3 | MP1A | Mx | -.097 | 1.25 |
| 4 | MP1A | X | 145.636 | 5.25 |
| 5 | MP1A | Z | 84.083 | 5.25 |
| 6 | MP1A | Mx | -.097 | 5.25 |
| 7 | MP5A | X | 145.636 | 1.25 |
| 8 | MP5A | Z | 84.083 | 1.25 |
| 9 | MP5A | Mx | -.097 | 1.25 |
| 10 | MP5A | X | 145.636 | 5.25 |
| 11 | MP5A | Z | 84.083 | 5.25 |
| 12 | MP5A | Mx | -.097 | 5.25 |
| 13 | MP3A | X | 84.277 | 1.25 |
| 14 | MP3A | Z | 48.657 | 1.25 |
| 15 | MP3A | Mx | -.005 | 1.25 |
| 16 | MP3A | X | 84.277 | 5.25 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Point Loads (BLC 7 : Antenna Wo (120 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 17 | MP3A | Z | 48.657 | 5.25 |
| 18 | MP3A | Mx | -0.005 | 5.25 |
| 19 | MP3A | X | 84.277 | 1.25 |
| 20 | MP3A | Z | 48.657 | 1.25 |
| 21 | MP3A | Mx | -0.094 | 1.25 |
| 22 | MP3A | X | 84.277 | 5.25 |
| 23 | MP3A | Z | 48.657 | 5.25 |
| 24 | MP3A | Mx | -0.094 | 5.25 |
| 25 | MP4A | X | 42.136 | 2.25 |
| 26 | MP4A | Z | 24.327 | 2.25 |
| 27 | MP4A | Mx | -0.014 | 2.25 |
| 28 | MP4A | X | 42.136 | 4.25 |
| 29 | MP4A | Z | 24.327 | 4.25 |
| 30 | MP4A | Mx | -0.014 | 4.25 |
| 31 | MP3A | X | 9.384 | 7 |
| 32 | MP3A | Z | 5.418 | 7 |
| 33 | MP3A | Mx | .003 | 7 |
| 34 | MP3A | X | 46.341 | 1.5 |
| 35 | MP3A | Z | 26.755 | 1.5 |
| 36 | MP3A | Mx | .031 | 1.5 |
| 37 | MP4A | X | 40.466 | 1.5 |
| 38 | MP4A | Z | 23.363 | 1.5 |
| 39 | MP4A | Mx | .027 | 1.5 |
| 40 | M17 | X | 130.196 | 1 |
| 41 | M17 | Z | 75.169 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 8 : Antenna Wo (150 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 88.964 | 1.25 |
| 2 | MP1A | Z | 154.09 | 1.25 |
| 3 | MP1A | Mx | -0.059 | 1.25 |
| 4 | MP1A | X | 88.964 | 5.25 |
| 5 | MP1A | Z | 154.09 | 5.25 |
| 6 | MP1A | Mx | -0.059 | 5.25 |
| 7 | MP5A | X | 88.964 | 1.25 |
| 8 | MP5A | Z | 154.09 | 1.25 |
| 9 | MP5A | Mx | -0.059 | 1.25 |
| 10 | MP5A | X | 88.964 | 5.25 |
| 11 | MP5A | Z | 154.09 | 5.25 |
| 12 | MP5A | Mx | -0.059 | 5.25 |
| 13 | MP3A | X | 73.029 | 1.25 |
| 14 | MP3A | Z | 126.49 | 1.25 |
| 15 | MP3A | Mx | .073 | 1.25 |
| 16 | MP3A | X | 73.029 | 5.25 |
| 17 | MP3A | Z | 126.49 | 5.25 |
| 18 | MP3A | Mx | .073 | 5.25 |
| 19 | MP3A | X | 73.029 | 1.25 |
| 20 | MP3A | Z | 126.49 | 1.25 |
| 21 | MP3A | Mx | -.159 | 1.25 |
| 22 | MP3A | X | 73.029 | 5.25 |
| 23 | MP3A | Z | 126.49 | 5.25 |
| 24 | MP3A | Mx | -.159 | 5.25 |
| 25 | MP4A | X | 37.942 | 2.25 |
| 26 | MP4A | Z | 65.718 | 2.25 |
| 27 | MP4A | Mx | -.013 | 2.25 |



Member Point Loads (BLC 8 : Antenna Wo (150 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 28 | MP4A | X | 37.942 | 4.25 |
| 29 | MP4A | Z | 65.718 | 4.25 |
| 30 | MP4A | Mx | -.013 | 4.25 |
| 31 | MP3A | X | 6.503 | 7 |
| 32 | MP3A | Z | 11.264 | 7 |
| 33 | MP3A | Mx | .002 | 7 |
| 34 | MP3A | X | 32.658 | 1.5 |
| 35 | MP3A | Z | 56.565 | 1.5 |
| 36 | MP3A | Mx | .022 | 1.5 |
| 37 | MP4A | X | 31.527 | 1.5 |
| 38 | MP4A | Z | 54.607 | 1.5 |
| 39 | MP4A | Mx | .021 | 1.5 |
| 40 | M17 | X | 76.76 | 1 |
| 41 | M17 | Z | 132.952 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 9 : Antenna Wo (180 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 0 | 1.25 |
| 2 | MP1A | Z | 182.808 | 1.25 |
| 3 | MP1A | Mx | 0 | 1.25 |
| 4 | MP1A | X | 0 | 5.25 |
| 5 | MP1A | Z | 182.808 | 5.25 |
| 6 | MP1A | Mx | 0 | 5.25 |
| 7 | MP5A | X | 0 | 1.25 |
| 8 | MP5A | Z | 182.808 | 1.25 |
| 9 | MP5A | Mx | 0 | 1.25 |
| 10 | MP5A | X | 0 | 5.25 |
| 11 | MP5A | Z | 182.808 | 5.25 |
| 12 | MP5A | Mx | 0 | 5.25 |
| 13 | MP3A | X | 0 | 1.25 |
| 14 | MP3A | Z | 170.431 | 1.25 |
| 15 | MP3A | Mx | .156 | 1.25 |
| 16 | MP3A | X | 0 | 5.25 |
| 17 | MP3A | Z | 170.431 | 5.25 |
| 18 | MP3A | Mx | .156 | 5.25 |
| 19 | MP3A | X | 0 | 1.25 |
| 20 | MP3A | Z | 170.431 | 1.25 |
| 21 | MP3A | Mx | -.156 | 1.25 |
| 22 | MP3A | X | 0 | 5.25 |
| 23 | MP3A | Z | 170.431 | 5.25 |
| 24 | MP3A | Mx | -.156 | 5.25 |
| 25 | MP4A | X | 0 | 2.25 |
| 26 | MP4A | Z | 89.5 | 2.25 |
| 27 | MP4A | Mx | 0 | 2.25 |
| 28 | MP4A | X | 0 | 4.25 |
| 29 | MP4A | Z | 89.5 | 4.25 |
| 30 | MP4A | Mx | 0 | 4.25 |
| 31 | MP3A | X | 0 | 7 |
| 32 | MP3A | Z | 14.091 | 7 |
| 33 | MP3A | Mx | 0 | 7 |
| 34 | MP3A | X | 0 | 1.5 |
| 35 | MP3A | Z | 71.219 | 1.5 |
| 36 | MP3A | Mx | 0 | 1.5 |
| 37 | MP4A | X | 0 | 1.5 |
| 38 | MP4A | Z | 71.219 | 1.5 |



Member Point Loads (BLC 9 : Antenna Wo (180 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 39 | MP4A | Mx | 0 | 1.5 |
| 40 | M17 | X | 0 | 1 |
| 41 | M17 | Z | 139.48 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 10 : Antenna Wo (210 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -88.964 | 1.25 |
| 2 | MP1A | Z | 154.09 | 1.25 |
| 3 | MP1A | Mx | .059 | 1.25 |
| 4 | MP1A | X | -88.964 | 5.25 |
| 5 | MP1A | Z | 154.09 | 5.25 |
| 6 | MP1A | Mx | .059 | 5.25 |
| 7 | MP5A | X | -88.964 | 1.25 |
| 8 | MP5A | Z | 154.09 | 1.25 |
| 9 | MP5A | Mx | .059 | 1.25 |
| 10 | MP5A | X | -88.964 | 5.25 |
| 11 | MP5A | Z | 154.09 | 5.25 |
| 12 | MP5A | Mx | .059 | 5.25 |
| 13 | MP3A | X | -73.029 | 1.25 |
| 14 | MP3A | Z | 126.49 | 1.25 |
| 15 | MP3A | Mx | .159 | 1.25 |
| 16 | MP3A | X | -73.029 | 5.25 |
| 17 | MP3A | Z | 126.49 | 5.25 |
| 18 | MP3A | Mx | .159 | 5.25 |
| 19 | MP3A | X | -73.029 | 1.25 |
| 20 | MP3A | Z | 126.49 | 1.25 |
| 21 | MP3A | Mx | -.073 | 1.25 |
| 22 | MP3A | X | -73.029 | 5.25 |
| 23 | MP3A | Z | 126.49 | 5.25 |
| 24 | MP3A | Mx | -.073 | 5.25 |
| 25 | MP4A | X | -37.942 | 2.25 |
| 26 | MP4A | Z | 65.718 | 2.25 |
| 27 | MP4A | Mx | .013 | 2.25 |
| 28 | MP4A | X | -37.942 | 4.25 |
| 29 | MP4A | Z | 65.718 | 4.25 |
| 30 | MP4A | Mx | .013 | 4.25 |
| 31 | MP3A | X | -6.503 | 7 |
| 32 | MP3A | Z | 11.264 | 7 |
| 33 | MP3A | Mx | -.002 | 7 |
| 34 | MP3A | X | -32.658 | 1.5 |
| 35 | MP3A | Z | 56.565 | 1.5 |
| 36 | MP3A | Mx | -.022 | 1.5 |
| 37 | MP4A | X | -31.527 | 1.5 |
| 38 | MP4A | Z | 54.607 | 1.5 |
| 39 | MP4A | Mx | -.021 | 1.5 |
| 40 | M17 | X | -61.128 | 1 |
| 41 | M17 | Z | 105.877 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 11 : Antenna Wo (240 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -145.636 | 1.25 |
| 2 | MP1A | Z | 84.083 | 1.25 |
| 3 | MP1A | Mx | .097 | 1.25 |
| 4 | MP1A | X | -145.636 | 5.25 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Point Loads (BLC 11 : Antenna Wo (240 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 5 | MP1A | Z | 84.083 | 5.25 |
| 6 | MP1A | Mx | .097 | 5.25 |
| 7 | MP5A | X | -145.636 | 1.25 |
| 8 | MP5A | Z | 84.083 | 1.25 |
| 9 | MP5A | Mx | .097 | 1.25 |
| 10 | MP5A | X | -145.636 | 5.25 |
| 11 | MP5A | Z | 84.083 | 5.25 |
| 12 | MP5A | Mx | .097 | 5.25 |
| 13 | MP3A | X | -84.277 | 1.25 |
| 14 | MP3A | Z | 48.657 | 1.25 |
| 15 | MP3A | Mx | .094 | 1.25 |
| 16 | MP3A | X | -84.277 | 5.25 |
| 17 | MP3A | Z | 48.657 | 5.25 |
| 18 | MP3A | Mx | .094 | 5.25 |
| 19 | MP3A | X | -84.277 | 1.25 |
| 20 | MP3A | Z | 48.657 | 1.25 |
| 21 | MP3A | Mx | .005 | 1.25 |
| 22 | MP3A | X | -84.277 | 5.25 |
| 23 | MP3A | Z | 48.657 | 5.25 |
| 24 | MP3A | Mx | .005 | 5.25 |
| 25 | MP4A | X | -42.136 | 2.25 |
| 26 | MP4A | Z | 24.327 | 2.25 |
| 27 | MP4A | Mx | .014 | 2.25 |
| 28 | MP4A | X | -42.136 | 4.25 |
| 29 | MP4A | Z | 24.327 | 4.25 |
| 30 | MP4A | Mx | .014 | 4.25 |
| 31 | MP3A | X | -9.384 | 7 |
| 32 | MP3A | Z | 5.418 | 7 |
| 33 | MP3A | Mx | -.003 | 7 |
| 34 | MP3A | X | -46.341 | 1.5 |
| 35 | MP3A | Z | 26.755 | 1.5 |
| 36 | MP3A | Mx | -.031 | 1.5 |
| 37 | MP4A | X | -40.466 | 1.5 |
| 38 | MP4A | Z | 23.363 | 1.5 |
| 39 | MP4A | Mx | -.027 | 1.5 |
| 40 | M17 | X | -103.121 | 1 |
| 41 | M17 | Z | 59.537 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 12 : Antenna Wo (270 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -163.285 | 1.25 |
| 2 | MP1A | Z | 0 | 1.25 |
| 3 | MP1A | Mx | .109 | 1.25 |
| 4 | MP1A | X | -163.285 | 5.25 |
| 5 | MP1A | Z | 0 | 5.25 |
| 6 | MP1A | Mx | .109 | 5.25 |
| 7 | MP5A | X | -163.285 | 1.25 |
| 8 | MP5A | Z | 0 | 1.25 |
| 9 | MP5A | Mx | .109 | 1.25 |
| 10 | MP5A | X | -163.285 | 5.25 |
| 11 | MP5A | Z | 0 | 5.25 |
| 12 | MP5A | Mx | .109 | 5.25 |
| 13 | MP3A | X | -72.942 | 1.25 |
| 14 | MP3A | Z | 0 | 1.25 |
| 15 | MP3A | Mx | .043 | 1.25 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Point Loads (BLC 12 : Antenna Wo (270 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 16 | MP3A | X | -72.942 | 5.25 |
| 17 | MP3A | Z | 0 | 5.25 |
| 18 | MP3A | Mx | .043 | 5.25 |
| 19 | MP3A | X | -72.942 | 1.25 |
| 20 | MP3A | Z | 0 | 1.25 |
| 21 | MP3A | Mx | .043 | 1.25 |
| 22 | MP3A | X | -72.942 | 5.25 |
| 23 | MP3A | Z | 0 | 5.25 |
| 24 | MP3A | Mx | .043 | 5.25 |
| 25 | MP4A | X | -35.039 | 2.25 |
| 26 | MP4A | Z | 0 | 2.25 |
| 27 | MP4A | Mx | .012 | 2.25 |
| 28 | MP4A | X | -35.039 | 4.25 |
| 29 | MP4A | Z | 0 | 4.25 |
| 30 | MP4A | Mx | .012 | 4.25 |
| 31 | MP3A | X | -9.75 | 7 |
| 32 | MP3A | Z | 0 | 7 |
| 33 | MP3A | Mx | -.003 | 7 |
| 34 | MP3A | X | -47.606 | 1.5 |
| 35 | MP3A | Z | 0 | 1.5 |
| 36 | MP3A | Mx | -.032 | 1.5 |
| 37 | MP4A | X | -38.561 | 1.5 |
| 38 | MP4A | Z | 0 | 1.5 |
| 39 | MP4A | Mx | -.026 | 1.5 |
| 40 | M17 | X | -133.114 | 1 |
| 41 | M17 | Z | 0 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 13 : Antenna Wo (300 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -145.636 | 1.25 |
| 2 | MP1A | Z | -84.083 | 1.25 |
| 3 | MP1A | Mx | .097 | 1.25 |
| 4 | MP1A | X | -145.636 | 5.25 |
| 5 | MP1A | Z | -84.083 | 5.25 |
| 6 | MP1A | Mx | .097 | 5.25 |
| 7 | MP5A | X | -145.636 | 1.25 |
| 8 | MP5A | Z | -84.083 | 1.25 |
| 9 | MP5A | Mx | .097 | 1.25 |
| 10 | MP5A | X | -145.636 | 5.25 |
| 11 | MP5A | Z | -84.083 | 5.25 |
| 12 | MP5A | Mx | .097 | 5.25 |
| 13 | MP3A | X | -84.277 | 1.25 |
| 14 | MP3A | Z | -48.657 | 1.25 |
| 15 | MP3A | Mx | .005 | 1.25 |
| 16 | MP3A | X | -84.277 | 5.25 |
| 17 | MP3A | Z | -48.657 | 5.25 |
| 18 | MP3A | Mx | .005 | 5.25 |
| 19 | MP3A | X | -84.277 | 1.25 |
| 20 | MP3A | Z | -48.657 | 1.25 |
| 21 | MP3A | Mx | .094 | 1.25 |
| 22 | MP3A | X | -84.277 | 5.25 |
| 23 | MP3A | Z | -48.657 | 5.25 |
| 24 | MP3A | Mx | .094 | 5.25 |
| 25 | MP4A | X | -42.136 | 2.25 |
| 26 | MP4A | Z | -24.327 | 2.25 |



Member Point Loads (BLC 13 : Antenna Wo (300 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 27 | MP4A | Mx | .014 | 2.25 |
| 28 | MP4A | X | -42.136 | 4.25 |
| 29 | MP4A | Z | -24.327 | 4.25 |
| 30 | MP4A | Mx | .014 | 4.25 |
| 31 | MP3A | X | -9.384 | 7 |
| 32 | MP3A | Z | -5.418 | 7 |
| 33 | MP3A | Mx | -.003 | 7 |
| 34 | MP3A | X | -46.341 | 1.5 |
| 35 | MP3A | Z | -26.755 | 1.5 |
| 36 | MP3A | Mx | -.031 | 1.5 |
| 37 | MP4A | X | -40.466 | 1.5 |
| 38 | MP4A | Z | -23.363 | 1.5 |
| 39 | MP4A | Mx | -.027 | 1.5 |
| 40 | M17 | X | -130.196 | 1 |
| 41 | M17 | Z | -75.169 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 14 : Antenna Wo (330 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -88.964 | 1.25 |
| 2 | MP1A | Z | -154.09 | 1.25 |
| 3 | MP1A | Mx | .059 | 1.25 |
| 4 | MP1A | X | -88.964 | 5.25 |
| 5 | MP1A | Z | -154.09 | 5.25 |
| 6 | MP1A | Mx | .059 | 5.25 |
| 7 | MP5A | X | -88.964 | 1.25 |
| 8 | MP5A | Z | -154.09 | 1.25 |
| 9 | MP5A | Mx | .059 | 1.25 |
| 10 | MP5A | X | -88.964 | 5.25 |
| 11 | MP5A | Z | -154.09 | 5.25 |
| 12 | MP5A | Mx | .059 | 5.25 |
| 13 | MP3A | X | -73.029 | 1.25 |
| 14 | MP3A | Z | -126.49 | 1.25 |
| 15 | MP3A | Mx | -.073 | 1.25 |
| 16 | MP3A | X | -73.029 | 5.25 |
| 17 | MP3A | Z | -126.49 | 5.25 |
| 18 | MP3A | Mx | -.073 | 5.25 |
| 19 | MP3A | X | -73.029 | 1.25 |
| 20 | MP3A | Z | -126.49 | 1.25 |
| 21 | MP3A | Mx | .159 | 1.25 |
| 22 | MP3A | X | -73.029 | 5.25 |
| 23 | MP3A | Z | -126.49 | 5.25 |
| 24 | MP3A | Mx | .159 | 5.25 |
| 25 | MP4A | X | -37.942 | 2.25 |
| 26 | MP4A | Z | -65.718 | 2.25 |
| 27 | MP4A | Mx | .013 | 2.25 |
| 28 | MP4A | X | -37.942 | 4.25 |
| 29 | MP4A | Z | -65.718 | 4.25 |
| 30 | MP4A | Mx | .013 | 4.25 |
| 31 | MP3A | X | -6.503 | 7 |
| 32 | MP3A | Z | -11.264 | 7 |
| 33 | MP3A | Mx | -.002 | 7 |
| 34 | MP3A | X | -32.658 | 1.5 |
| 35 | MP3A | Z | -56.565 | 1.5 |
| 36 | MP3A | Mx | -.022 | 1.5 |
| 37 | MP4A | X | -31.527 | 1.5 |



Member Point Loads (BLC 14 : Antenna Wo (330 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 38 | MP4A | Z | -54.607 | 1.5 |
| 39 | MP4A | Mx | -.021 | 1.5 |
| 40 | M17 | X | -76.76 | 1 |
| 41 | M17 | Z | -132.952 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 15 : Antenna Wi (0 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 0 | 1.25 |
| 2 | MP1A | Z | -36.778 | 1.25 |
| 3 | MP1A | Mx | 0 | 1.25 |
| 4 | MP1A | X | 0 | 5.25 |
| 5 | MP1A | Z | -36.778 | 5.25 |
| 6 | MP1A | Mx | 0 | 5.25 |
| 7 | MP5A | X | 0 | 1.25 |
| 8 | MP5A | Z | -36.778 | 1.25 |
| 9 | MP5A | Mx | 0 | 1.25 |
| 10 | MP5A | X | 0 | 5.25 |
| 11 | MP5A | Z | -36.778 | 5.25 |
| 12 | MP5A | Mx | 0 | 5.25 |
| 13 | MP3A | X | 0 | 1.25 |
| 14 | MP3A | Z | -32.344 | 1.25 |
| 15 | MP3A | Mx | -.03 | 1.25 |
| 16 | MP3A | X | 0 | 5.25 |
| 17 | MP3A | Z | -32.344 | 5.25 |
| 18 | MP3A | Mx | -.03 | 5.25 |
| 19 | MP3A | X | 0 | 1.25 |
| 20 | MP3A | Z | -32.344 | 1.25 |
| 21 | MP3A | Mx | .03 | 1.25 |
| 22 | MP3A | X | 0 | 5.25 |
| 23 | MP3A | Z | -32.344 | 5.25 |
| 24 | MP3A | Mx | .03 | 5.25 |
| 25 | MP4A | X | 0 | 2.25 |
| 26 | MP4A | Z | -18.594 | 2.25 |
| 27 | MP4A | Mx | 0 | 2.25 |
| 28 | MP4A | X | 0 | 4.25 |
| 29 | MP4A | Z | -18.594 | 4.25 |
| 30 | MP4A | Mx | 0 | 4.25 |
| 31 | MP3A | X | 0 | 7 |
| 32 | MP3A | Z | -3.721 | 7 |
| 33 | MP3A | Mx | 0 | 7 |
| 34 | MP3A | X | 0 | 1.5 |
| 35 | MP3A | Z | -15.596 | 1.5 |
| 36 | MP3A | Mx | 0 | 1.5 |
| 37 | MP4A | X | 0 | 1.5 |
| 38 | MP4A | Z | -15.596 | 1.5 |
| 39 | MP4A | Mx | 0 | 1.5 |
| 40 | M17 | X | 0 | 1 |
| 41 | M17 | Z | -29.271 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 16 : Antenna Wi (30 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 17.925 | 1.25 |
| 2 | MP1A | Z | -31.047 | 1.25 |
| 3 | MP1A | Mx | -.012 | 1.25 |



Member Point Loads (BLC 16 : Antenna Wi (30 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 4 | MP1A | X | 17.925 | 5.25 |
| 5 | MP1A | Z | -31.047 | 5.25 |
| 6 | MP1A | Mx | -.012 | 5.25 |
| 7 | MP5A | X | 17.925 | 1.25 |
| 8 | MP5A | Z | -31.047 | 1.25 |
| 9 | MP5A | Mx | -.012 | 1.25 |
| 10 | MP5A | X | 17.925 | 5.25 |
| 11 | MP5A | Z | -31.047 | 5.25 |
| 12 | MP5A | Mx | -.012 | 5.25 |
| 13 | MP3A | X | 14.077 | 1.25 |
| 14 | MP3A | Z | -24.381 | 1.25 |
| 15 | MP3A | Mx | -.031 | 1.25 |
| 16 | MP3A | X | 14.077 | 5.25 |
| 17 | MP3A | Z | -24.381 | 5.25 |
| 18 | MP3A | Mx | -.031 | 5.25 |
| 19 | MP3A | X | 14.077 | 1.25 |
| 20 | MP3A | Z | -24.381 | 1.25 |
| 21 | MP3A | Mx | .014 | 1.25 |
| 22 | MP3A | X | 14.077 | 5.25 |
| 23 | MP3A | Z | -24.381 | 5.25 |
| 24 | MP3A | Mx | .014 | 5.25 |
| 25 | MP4A | X | 7.956 | 2.25 |
| 26 | MP4A | Z | -13.779 | 2.25 |
| 27 | MP4A | Mx | -.003 | 2.25 |
| 28 | MP4A | X | 7.956 | 4.25 |
| 29 | MP4A | Z | -13.779 | 4.25 |
| 30 | MP4A | Mx | -.003 | 4.25 |
| 31 | MP3A | X | 1.743 | 7 |
| 32 | MP3A | Z | -3.018 | 7 |
| 33 | MP3A | Mx | .000581 | 7 |
| 34 | MP3A | X | 7.2 | 1.5 |
| 35 | MP3A | Z | -12.471 | 1.5 |
| 36 | MP3A | Mx | .005 | 1.5 |
| 37 | MP4A | X | 6.973 | 1.5 |
| 38 | MP4A | Z | -12.077 | 1.5 |
| 39 | MP4A | Mx | .005 | 1.5 |
| 40 | M17 | X | 12.975 | 1 |
| 41 | M17 | Z | -22.474 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 17 : Antenna Wi (60 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 29.44 | 1.25 |
| 2 | MP1A | Z | -16.997 | 1.25 |
| 3 | MP1A | Mx | -.02 | 1.25 |
| 4 | MP1A | X | 29.44 | 5.25 |
| 5 | MP1A | Z | -16.997 | 5.25 |
| 6 | MP1A | Mx | -.02 | 5.25 |
| 7 | MP5A | X | 29.44 | 1.25 |
| 8 | MP5A | Z | -16.997 | 1.25 |
| 9 | MP5A | Mx | -.02 | 1.25 |
| 10 | MP5A | X | 29.44 | 5.25 |
| 11 | MP5A | Z | -16.997 | 5.25 |
| 12 | MP5A | Mx | -.02 | 5.25 |
| 13 | MP3A | X | 17.123 | 1.25 |
| 14 | MP3A | Z | -9.886 | 1.25 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Point Loads (BLC 19 : Antenna Wi (120 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 37 | MP4A | X | 9.218 | 1.5 |
| 38 | MP4A | Z | 5.322 | 1.5 |
| 39 | MP4A | Mx | .006 | 1.5 |
| 40 | M17 | X | 27.162 | 1 |
| 41 | M17 | Z | 15.682 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 20 : Antenna Wi (150 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 17.925 | 1.25 |
| 2 | MP1A | Z | 31.047 | 1.25 |
| 3 | MP1A | Mx | -.012 | 1.25 |
| 4 | MP1A | X | 17.925 | 5.25 |
| 5 | MP1A | Z | 31.047 | 5.25 |
| 6 | MP1A | Mx | -.012 | 5.25 |
| 7 | MP5A | X | 17.925 | 1.25 |
| 8 | MP5A | Z | 31.047 | 1.25 |
| 9 | MP5A | Mx | -.012 | 1.25 |
| 10 | MP5A | X | 17.925 | 5.25 |
| 11 | MP5A | Z | 31.047 | 5.25 |
| 12 | MP5A | Mx | -.012 | 5.25 |
| 13 | MP3A | X | 14.077 | 1.25 |
| 14 | MP3A | Z | 24.381 | 1.25 |
| 15 | MP3A | Mx | .014 | 1.25 |
| 16 | MP3A | X | 14.077 | 5.25 |
| 17 | MP3A | Z | 24.381 | 5.25 |
| 18 | MP3A | Mx | .014 | 5.25 |
| 19 | MP3A | X | 14.077 | 1.25 |
| 20 | MP3A | Z | 24.381 | 1.25 |
| 21 | MP3A | Mx | -.031 | 1.25 |
| 22 | MP3A | X | 14.077 | 5.25 |
| 23 | MP3A | Z | 24.381 | 5.25 |
| 24 | MP3A | Mx | -.031 | 5.25 |
| 25 | MP4A | X | 7.956 | 2.25 |
| 26 | MP4A | Z | 13.779 | 2.25 |
| 27 | MP4A | Mx | -.003 | 2.25 |
| 28 | MP4A | X | 7.956 | 4.25 |
| 29 | MP4A | Z | 13.779 | 4.25 |
| 30 | MP4A | Mx | -.003 | 4.25 |
| 31 | MP3A | X | 1.743 | 7 |
| 32 | MP3A | Z | 3.018 | 7 |
| 33 | MP3A | Mx | .000581 | 7 |
| 34 | MP3A | X | 7.2 | 1.5 |
| 35 | MP3A | Z | 12.471 | 1.5 |
| 36 | MP3A | Mx | .005 | 1.5 |
| 37 | MP4A | X | 6.973 | 1.5 |
| 38 | MP4A | Z | 12.077 | 1.5 |
| 39 | MP4A | Mx | .005 | 1.5 |
| 40 | M17 | X | 15.989 | 1 |
| 41 | M17 | Z | 27.693 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 21 : Antenna Wi (180 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 0 | 1.25 |
| 2 | MP1A | Z | 36.778 | 1.25 |



Member Point Loads (BLC 21 : Antenna Wi (180 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 3 | MP1A | Mx | 0 | 1.25 |
| 4 | MP1A | X | 0 | 5.25 |
| 5 | MP1A | Z | 36.778 | 5.25 |
| 6 | MP1A | Mx | 0 | 5.25 |
| 7 | MP5A | X | 0 | 1.25 |
| 8 | MP5A | Z | 36.778 | 1.25 |
| 9 | MP5A | Mx | 0 | 1.25 |
| 10 | MP5A | X | 0 | 5.25 |
| 11 | MP5A | Z | 36.778 | 5.25 |
| 12 | MP5A | Mx | 0 | 5.25 |
| 13 | MP3A | X | 0 | 1.25 |
| 14 | MP3A | Z | 32.344 | 1.25 |
| 15 | MP3A | Mx | .03 | 1.25 |
| 16 | MP3A | X | 0 | 5.25 |
| 17 | MP3A | Z | 32.344 | 5.25 |
| 18 | MP3A | Mx | .03 | 5.25 |
| 19 | MP3A | X | 0 | 1.25 |
| 20 | MP3A | Z | 32.344 | 1.25 |
| 21 | MP3A | Mx | -.03 | 1.25 |
| 22 | MP3A | X | 0 | 5.25 |
| 23 | MP3A | Z | 32.344 | 5.25 |
| 24 | MP3A | Mx | -.03 | 5.25 |
| 25 | MP4A | X | 0 | 2.25 |
| 26 | MP4A | Z | 18.594 | 2.25 |
| 27 | MP4A | Mx | 0 | 2.25 |
| 28 | MP4A | X | 0 | 4.25 |
| 29 | MP4A | Z | 18.594 | 4.25 |
| 30 | MP4A | Mx | 0 | 4.25 |
| 31 | MP3A | X | 0 | 7 |
| 32 | MP3A | Z | 3.721 | 7 |
| 33 | MP3A | Mx | 0 | 7 |
| 34 | MP3A | X | 0 | 1.5 |
| 35 | MP3A | Z | 15.596 | 1.5 |
| 36 | MP3A | Mx | 0 | 1.5 |
| 37 | MP4A | X | 0 | 1.5 |
| 38 | MP4A | Z | 15.596 | 1.5 |
| 39 | MP4A | Mx | 0 | 1.5 |
| 40 | M17 | X | 0 | 1 |
| 41 | M17 | Z | 29.271 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 22 : Antenna Wi (210 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -17.925 | 1.25 |
| 2 | MP1A | Z | 31.047 | 1.25 |
| 3 | MP1A | Mx | .012 | 1.25 |
| 4 | MP1A | X | -17.925 | 5.25 |
| 5 | MP1A | Z | 31.047 | 5.25 |
| 6 | MP1A | Mx | .012 | 5.25 |
| 7 | MP5A | X | -17.925 | 1.25 |
| 8 | MP5A | Z | 31.047 | 1.25 |
| 9 | MP5A | Mx | .012 | 1.25 |
| 10 | MP5A | X | -17.925 | 5.25 |
| 11 | MP5A | Z | 31.047 | 5.25 |
| 12 | MP5A | Mx | .012 | 5.25 |
| 13 | MP3A | X | -14.077 | 1.25 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Point Loads (BLC 22 : Antenna Wi (210 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 14 | MP3A | Z | 24.381 | 1.25 |
| 15 | MP3A | Mx | .031 | 1.25 |
| 16 | MP3A | X | -14.077 | 5.25 |
| 17 | MP3A | Z | 24.381 | 5.25 |
| 18 | MP3A | Mx | .031 | 5.25 |
| 19 | MP3A | X | -14.077 | 1.25 |
| 20 | MP3A | Z | 24.381 | 1.25 |
| 21 | MP3A | Mx | -.014 | 1.25 |
| 22 | MP3A | X | -14.077 | 5.25 |
| 23 | MP3A | Z | 24.381 | 5.25 |
| 24 | MP3A | Mx | -.014 | 5.25 |
| 25 | MP4A | X | -7.956 | 2.25 |
| 26 | MP4A | Z | 13.779 | 2.25 |
| 27 | MP4A | Mx | .003 | 2.25 |
| 28 | MP4A | X | -7.956 | 4.25 |
| 29 | MP4A | Z | 13.779 | 4.25 |
| 30 | MP4A | Mx | .003 | 4.25 |
| 31 | MP3A | X | -1.743 | 7 |
| 32 | MP3A | Z | 3.018 | 7 |
| 33 | MP3A | Mx | -.000581 | 7 |
| 34 | MP3A | X | -7.2 | 1.5 |
| 35 | MP3A | Z | 12.471 | 1.5 |
| 36 | MP3A | Mx | -.005 | 1.5 |
| 37 | MP4A | X | -6.973 | 1.5 |
| 38 | MP4A | Z | 12.077 | 1.5 |
| 39 | MP4A | Mx | -.005 | 1.5 |
| 40 | M17 | X | -12.975 | 1 |
| 41 | M17 | Z | 22.474 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 23 : Antenna Wi (240 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -29.44 | 1.25 |
| 2 | MP1A | Z | 16.997 | 1.25 |
| 3 | MP1A | Mx | .02 | 1.25 |
| 4 | MP1A | X | -29.44 | 5.25 |
| 5 | MP1A | Z | 16.997 | 5.25 |
| 6 | MP1A | Mx | .02 | 5.25 |
| 7 | MP5A | X | -29.44 | 1.25 |
| 8 | MP5A | Z | 16.997 | 1.25 |
| 9 | MP5A | Mx | .02 | 1.25 |
| 10 | MP5A | X | -29.44 | 5.25 |
| 11 | MP5A | Z | 16.997 | 5.25 |
| 12 | MP5A | Mx | .02 | 5.25 |
| 13 | MP3A | X | -17.123 | 1.25 |
| 14 | MP3A | Z | 9.886 | 1.25 |
| 15 | MP3A | Mx | .019 | 1.25 |
| 16 | MP3A | X | -17.123 | 5.25 |
| 17 | MP3A | Z | 9.886 | 5.25 |
| 18 | MP3A | Mx | .019 | 5.25 |
| 19 | MP3A | X | -17.123 | 1.25 |
| 20 | MP3A | Z | 9.886 | 1.25 |
| 21 | MP3A | Mx | .000926 | 1.25 |
| 22 | MP3A | X | -17.123 | 5.25 |
| 23 | MP3A | Z | 9.886 | 5.25 |
| 24 | MP3A | Mx | .000926 | 5.25 |



Member Point Loads (BLC 23 : Antenna Wi (240 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 25 | MP4A | X | -9.132 | 2.25 |
| 26 | MP4A | Z | 5.272 | 2.25 |
| 27 | MP4A | Mx | .003 | 2.25 |
| 28 | MP4A | X | -9.132 | 4.25 |
| 29 | MP4A | Z | 5.272 | 4.25 |
| 30 | MP4A | Mx | .003 | 4.25 |
| 31 | MP3A | X | -2.609 | 7 |
| 32 | MP3A | Z | 1.506 | 7 |
| 33 | MP3A | Mx | -.00087 | 7 |
| 34 | MP3A | X | -10.399 | 1.5 |
| 35 | MP3A | Z | 6.004 | 1.5 |
| 36 | MP3A | Mx | -.007 | 1.5 |
| 37 | MP4A | X | -9.218 | 1.5 |
| 38 | MP4A | Z | 5.322 | 1.5 |
| 39 | MP4A | Mx | -.006 | 1.5 |
| 40 | M17 | X | -21.942 | 1 |
| 41 | M17 | Z | 12.668 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 24 : Antenna Wi (270 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -33.067 | 1.25 |
| 2 | MP1A | Z | 0 | 1.25 |
| 3 | MP1A | Mx | .022 | 1.25 |
| 4 | MP1A | X | -33.067 | 5.25 |
| 5 | MP1A | Z | 0 | 5.25 |
| 6 | MP1A | Mx | .022 | 5.25 |
| 7 | MP5A | X | -33.067 | 1.25 |
| 8 | MP5A | Z | 0 | 1.25 |
| 9 | MP5A | Mx | .022 | 1.25 |
| 10 | MP5A | X | -33.067 | 5.25 |
| 11 | MP5A | Z | 0 | 5.25 |
| 12 | MP5A | Mx | .022 | 5.25 |
| 13 | MP3A | X | -15.581 | 1.25 |
| 14 | MP3A | Z | 0 | 1.25 |
| 15 | MP3A | Mx | .009 | 1.25 |
| 16 | MP3A | X | -15.581 | 5.25 |
| 17 | MP3A | Z | 0 | 5.25 |
| 18 | MP3A | Mx | .009 | 5.25 |
| 19 | MP3A | X | -15.581 | 1.25 |
| 20 | MP3A | Z | 0 | 1.25 |
| 21 | MP3A | Mx | .009 | 1.25 |
| 22 | MP3A | X | -15.581 | 5.25 |
| 23 | MP3A | Z | 0 | 5.25 |
| 24 | MP3A | Mx | .009 | 5.25 |
| 25 | MP4A | X | -7.862 | 2.25 |
| 26 | MP4A | Z | 0 | 2.25 |
| 27 | MP4A | Mx | .003 | 2.25 |
| 28 | MP4A | X | -7.862 | 4.25 |
| 29 | MP4A | Z | 0 | 4.25 |
| 30 | MP4A | Mx | .003 | 4.25 |
| 31 | MP3A | X | -2.777 | 7 |
| 32 | MP3A | Z | 0 | 7 |
| 33 | MP3A | Mx | -.000926 | 7 |
| 34 | MP3A | X | -10.811 | 1.5 |
| 35 | MP3A | Z | 0 | 1.5 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Point Loads (BLC 24 : Antenna Wi (270 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 36 | MP3A | Mx | -0.007 | 1.5 |
| 37 | MP4A | X | -8.993 | 1.5 |
| 38 | MP4A | Z | 0 | 1.5 |
| 39 | MP4A | Mx | -0.006 | 1.5 |
| 40 | M17 | X | -28.044 | 1 |
| 41 | M17 | Z | 0 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 25 : Antenna Wi (300 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -29.44 | 1.25 |
| 2 | MP1A | Z | -16.997 | 1.25 |
| 3 | MP1A | Mx | .02 | 1.25 |
| 4 | MP1A | X | -29.44 | 5.25 |
| 5 | MP1A | Z | -16.997 | 5.25 |
| 6 | MP1A | Mx | .02 | 5.25 |
| 7 | MP5A | X | -29.44 | 1.25 |
| 8 | MP5A | Z | -16.997 | 1.25 |
| 9 | MP5A | Mx | .02 | 1.25 |
| 10 | MP5A | X | -29.44 | 5.25 |
| 11 | MP5A | Z | -16.997 | 5.25 |
| 12 | MP5A | Mx | .02 | 5.25 |
| 13 | MP3A | X | -17.123 | 1.25 |
| 14 | MP3A | Z | -9.886 | 1.25 |
| 15 | MP3A | Mx | .000926 | 1.25 |
| 16 | MP3A | X | -17.123 | 5.25 |
| 17 | MP3A | Z | -9.886 | 5.25 |
| 18 | MP3A | Mx | .000926 | 5.25 |
| 19 | MP3A | X | -17.123 | 1.25 |
| 20 | MP3A | Z | -9.886 | 1.25 |
| 21 | MP3A | Mx | .019 | 1.25 |
| 22 | MP3A | X | -17.123 | 5.25 |
| 23 | MP3A | Z | -9.886 | 5.25 |
| 24 | MP3A | Mx | .019 | 5.25 |
| 25 | MP4A | X | -9.132 | 2.25 |
| 26 | MP4A | Z | -5.272 | 2.25 |
| 27 | MP4A | Mx | .003 | 2.25 |
| 28 | MP4A | X | -9.132 | 4.25 |
| 29 | MP4A | Z | -5.272 | 4.25 |
| 30 | MP4A | Mx | .003 | 4.25 |
| 31 | MP3A | X | -2.609 | 7 |
| 32 | MP3A | Z | -1.506 | 7 |
| 33 | MP3A | Mx | -0.0087 | 7 |
| 34 | MP3A | X | -10.399 | 1.5 |
| 35 | MP3A | Z | -6.004 | 1.5 |
| 36 | MP3A | Mx | -0.007 | 1.5 |
| 37 | MP4A | X | -9.218 | 1.5 |
| 38 | MP4A | Z | -5.322 | 1.5 |
| 39 | MP4A | Mx | -0.006 | 1.5 |
| 40 | M17 | X | -27.162 | 1 |
| 41 | M17 | Z | -15.682 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 26 : Antenna Wi (330 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -17.925 | 1.25 |



Member Point Loads (BLC 26 : Antenna Wi (330 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 2 | MP1A | Z | -31.047 | 1.25 |
| 3 | MP1A | Mx | .012 | 1.25 |
| 4 | MP1A | X | -17.925 | 5.25 |
| 5 | MP1A | Z | -31.047 | 5.25 |
| 6 | MP1A | Mx | .012 | 5.25 |
| 7 | MP5A | X | -17.925 | 1.25 |
| 8 | MP5A | Z | -31.047 | 1.25 |
| 9 | MP5A | Mx | .012 | 1.25 |
| 10 | MP5A | X | -17.925 | 5.25 |
| 11 | MP5A | Z | -31.047 | 5.25 |
| 12 | MP5A | Mx | .012 | 5.25 |
| 13 | MP3A | X | -14.077 | 1.25 |
| 14 | MP3A | Z | -24.381 | 1.25 |
| 15 | MP3A | Mx | -.014 | 1.25 |
| 16 | MP3A | X | -14.077 | 5.25 |
| 17 | MP3A | Z | -24.381 | 5.25 |
| 18 | MP3A | Mx | -.014 | 5.25 |
| 19 | MP3A | X | -14.077 | 1.25 |
| 20 | MP3A | Z | -24.381 | 1.25 |
| 21 | MP3A | Mx | .031 | 1.25 |
| 22 | MP3A | X | -14.077 | 5.25 |
| 23 | MP3A | Z | -24.381 | 5.25 |
| 24 | MP3A | Mx | .031 | 5.25 |
| 25 | MP4A | X | -7.956 | 2.25 |
| 26 | MP4A | Z | -13.779 | 2.25 |
| 27 | MP4A | Mx | .003 | 2.25 |
| 28 | MP4A | X | -7.956 | 4.25 |
| 29 | MP4A | Z | -13.779 | 4.25 |
| 30 | MP4A | Mx | .003 | 4.25 |
| 31 | MP3A | X | -1.743 | 7 |
| 32 | MP3A | Z | -3.018 | 7 |
| 33 | MP3A | Mx | -.000581 | 7 |
| 34 | MP3A | X | -7.2 | 1.5 |
| 35 | MP3A | Z | -12.471 | 1.5 |
| 36 | MP3A | Mx | -.005 | 1.5 |
| 37 | MP4A | X | -6.973 | 1.5 |
| 38 | MP4A | Z | -12.077 | 1.5 |
| 39 | MP4A | Mx | -.005 | 1.5 |
| 40 | M17 | X | -15.989 | 1 |
| 41 | M17 | Z | -27.693 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 27 : Antenna Wm (0 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 0 | 1.25 |
| 2 | MP1A | Z | -12.227 | 1.25 |
| 3 | MP1A | Mx | 0 | 1.25 |
| 4 | MP1A | X | 0 | 5.25 |
| 5 | MP1A | Z | -12.227 | 5.25 |
| 6 | MP1A | Mx | 0 | 5.25 |
| 7 | MP5A | X | 0 | 1.25 |
| 8 | MP5A | Z | -12.227 | 1.25 |
| 9 | MP5A | Mx | 0 | 1.25 |
| 10 | MP5A | X | 0 | 5.25 |
| 11 | MP5A | Z | -12.227 | 5.25 |
| 12 | MP5A | Mx | 0 | 5.25 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Point Loads (BLC 27 : Antenna Wm (0 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 13 | MP3A | X | 0 | 1.25 |
| 14 | MP3A | Z | -11.399 | 1.25 |
| 15 | MP3A | Mx | -.01 | 1.25 |
| 16 | MP3A | X | 0 | 5.25 |
| 17 | MP3A | Z | -11.399 | 5.25 |
| 18 | MP3A | Mx | -.01 | 5.25 |
| 19 | MP3A | X | 0 | 1.25 |
| 20 | MP3A | Z | -11.399 | 1.25 |
| 21 | MP3A | Mx | .01 | 1.25 |
| 22 | MP3A | X | 0 | 5.25 |
| 23 | MP3A | Z | -11.399 | 5.25 |
| 24 | MP3A | Mx | .01 | 5.25 |
| 25 | MP4A | X | 0 | 2.25 |
| 26 | MP4A | Z | -5.986 | 2.25 |
| 27 | MP4A | Mx | 0 | 2.25 |
| 28 | MP4A | X | 0 | 4.25 |
| 29 | MP4A | Z | -5.986 | 4.25 |
| 30 | MP4A | Mx | 0 | 4.25 |
| 31 | MP3A | X | 0 | 7 |
| 32 | MP3A | Z | -.943 | 7 |
| 33 | MP3A | Mx | 0 | 7 |
| 34 | MP3A | X | 0 | 1.5 |
| 35 | MP3A | Z | -4.763 | 1.5 |
| 36 | MP3A | Mx | 0 | 1.5 |
| 37 | MP4A | X | 0 | 1.5 |
| 38 | MP4A | Z | -4.763 | 1.5 |
| 39 | MP4A | Mx | 0 | 1.5 |
| 40 | M17 | X | 0 | 1 |
| 41 | M17 | Z | -9.329 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 28 : Antenna Wm (30 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 5.95 | 1.25 |
| 2 | MP1A | Z | -10.306 | 1.25 |
| 3 | MP1A | Mx | -.004 | 1.25 |
| 4 | MP1A | X | 5.95 | 5.25 |
| 5 | MP1A | Z | -10.306 | 5.25 |
| 6 | MP1A | Mx | -.004 | 5.25 |
| 7 | MP5A | X | 5.95 | 1.25 |
| 8 | MP5A | Z | -10.306 | 1.25 |
| 9 | MP5A | Mx | -.004 | 1.25 |
| 10 | MP5A | X | 5.95 | 5.25 |
| 11 | MP5A | Z | -10.306 | 5.25 |
| 12 | MP5A | Mx | -.004 | 5.25 |
| 13 | MP3A | X | 4.885 | 1.25 |
| 14 | MP3A | Z | -8.46 | 1.25 |
| 15 | MP3A | Mx | -.011 | 1.25 |
| 16 | MP3A | X | 4.885 | 5.25 |
| 17 | MP3A | Z | -8.46 | 5.25 |
| 18 | MP3A | Mx | -.011 | 5.25 |
| 19 | MP3A | X | 4.885 | 1.25 |
| 20 | MP3A | Z | -8.46 | 1.25 |
| 21 | MP3A | Mx | .005 | 1.25 |
| 22 | MP3A | X | 4.885 | 5.25 |
| 23 | MP3A | Z | -8.46 | 5.25 |



Member Point Loads (BLC 29 : Antenna Wm (60 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 35 | MP3A | Z | -1.789 | 1.5 |
| 36 | MP3A | Mx | .002 | 1.5 |
| 37 | MP4A | X | 2.707 | 1.5 |
| 38 | MP4A | Z | -1.563 | 1.5 |
| 39 | MP4A | Mx | .002 | 1.5 |
| 40 | M17 | X | 6.897 | 1 |
| 41 | M17 | Z | -3.982 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 30 : Antenna Wm (90 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 10.921 | 1.25 |
| 2 | MP1A | Z | 0 | 1.25 |
| 3 | MP1A | Mx | -.007 | 1.25 |
| 4 | MP1A | X | 10.921 | 5.25 |
| 5 | MP1A | Z | 0 | 5.25 |
| 6 | MP1A | Mx | -.007 | 5.25 |
| 7 | MP5A | X | 10.921 | 1.25 |
| 8 | MP5A | Z | 0 | 1.25 |
| 9 | MP5A | Mx | -.007 | 1.25 |
| 10 | MP5A | X | 10.921 | 5.25 |
| 11 | MP5A | Z | 0 | 5.25 |
| 12 | MP5A | Mx | -.007 | 5.25 |
| 13 | MP3A | X | 4.879 | 1.25 |
| 14 | MP3A | Z | 0 | 1.25 |
| 15 | MP3A | Mx | -.003 | 1.25 |
| 16 | MP3A | X | 4.879 | 5.25 |
| 17 | MP3A | Z | 0 | 5.25 |
| 18 | MP3A | Mx | -.003 | 5.25 |
| 19 | MP3A | X | 4.879 | 1.25 |
| 20 | MP3A | Z | 0 | 1.25 |
| 21 | MP3A | Mx | -.003 | 1.25 |
| 22 | MP3A | X | 4.879 | 5.25 |
| 23 | MP3A | Z | 0 | 5.25 |
| 24 | MP3A | Mx | -.003 | 5.25 |
| 25 | MP4A | X | 2.344 | 2.25 |
| 26 | MP4A | Z | 0 | 2.25 |
| 27 | MP4A | Mx | -.000781 | 2.25 |
| 28 | MP4A | X | 2.344 | 4.25 |
| 29 | MP4A | Z | 0 | 4.25 |
| 30 | MP4A | Mx | -.000781 | 4.25 |
| 31 | MP3A | X | .652 | 7 |
| 32 | MP3A | Z | 0 | 7 |
| 33 | MP3A | Mx | .000217 | 7 |
| 34 | MP3A | X | 3.184 | 1.5 |
| 35 | MP3A | Z | 0 | 1.5 |
| 36 | MP3A | Mx | .002 | 1.5 |
| 37 | MP4A | X | 2.579 | 1.5 |
| 38 | MP4A | Z | 0 | 1.5 |
| 39 | MP4A | Mx | .002 | 1.5 |
| 40 | M17 | X | 8.903 | 1 |
| 41 | M17 | Z | 0 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 31 : Antenna Wm (120 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|--|--------------|-----------|--------------------|----------------|
|--|--------------|-----------|--------------------|----------------|



Member Point Loads (BLC 31 : Antenna Wm (120 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 9.741 | 1.25 |
| 2 | MP1A | Z | 5.624 | 1.25 |
| 3 | MP1A | Mx | -.006 | 1.25 |
| 4 | MP1A | X | 9.741 | 5.25 |
| 5 | MP1A | Z | 5.624 | 5.25 |
| 6 | MP1A | Mx | -.006 | 5.25 |
| 7 | MP5A | X | 9.741 | 1.25 |
| 8 | MP5A | Z | 5.624 | 1.25 |
| 9 | MP5A | Mx | -.006 | 1.25 |
| 10 | MP5A | X | 9.741 | 5.25 |
| 11 | MP5A | Z | 5.624 | 5.25 |
| 12 | MP5A | Mx | -.006 | 5.25 |
| 13 | MP3A | X | 5.637 | 1.25 |
| 14 | MP3A | Z | 3.254 | 1.25 |
| 15 | MP3A | Mx | -.000305 | 1.25 |
| 16 | MP3A | X | 5.637 | 5.25 |
| 17 | MP3A | Z | 3.254 | 5.25 |
| 18 | MP3A | Mx | -.000305 | 5.25 |
| 19 | MP3A | X | 5.637 | 1.25 |
| 20 | MP3A | Z | 3.254 | 1.25 |
| 21 | MP3A | Mx | -.006 | 1.25 |
| 22 | MP3A | X | 5.637 | 5.25 |
| 23 | MP3A | Z | 3.254 | 5.25 |
| 24 | MP3A | Mx | -.006 | 5.25 |
| 25 | MP4A | X | 2.818 | 2.25 |
| 26 | MP4A | Z | 1.627 | 2.25 |
| 27 | MP4A | Mx | -.000939 | 2.25 |
| 28 | MP4A | X | 2.818 | 4.25 |
| 29 | MP4A | Z | 1.627 | 4.25 |
| 30 | MP4A | Mx | -.000939 | 4.25 |
| 31 | MP3A | X | .628 | 7 |
| 32 | MP3A | Z | .362 | 7 |
| 33 | MP3A | Mx | .000209 | 7 |
| 34 | MP3A | X | 3.099 | 1.5 |
| 35 | MP3A | Z | 1.789 | 1.5 |
| 36 | MP3A | Mx | .002 | 1.5 |
| 37 | MP4A | X | 2.707 | 1.5 |
| 38 | MP4A | Z | 1.563 | 1.5 |
| 39 | MP4A | Mx | .002 | 1.5 |
| 40 | M17 | X | 8.708 | 1 |
| 41 | M17 | Z | 5.028 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 32 : Antenna Wm (150 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 5.95 | 1.25 |
| 2 | MP1A | Z | 10.306 | 1.25 |
| 3 | MP1A | Mx | -.004 | 1.25 |
| 4 | MP1A | X | 5.95 | 5.25 |
| 5 | MP1A | Z | 10.306 | 5.25 |
| 6 | MP1A | Mx | -.004 | 5.25 |
| 7 | MP5A | X | 5.95 | 1.25 |
| 8 | MP5A | Z | 10.306 | 1.25 |
| 9 | MP5A | Mx | -.004 | 1.25 |
| 10 | MP5A | X | 5.95 | 5.25 |
| 11 | MP5A | Z | 10.306 | 5.25 |

Member Point Loads (BLC 32 : Antenna Wm (150 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 12 | MP5A | Mx | -.004 | 5.25 |
| 13 | MP3A | X | 4.885 | 1.25 |
| 14 | MP3A | Z | 8.46 | 1.25 |
| 15 | MP3A | Mx | .005 | 1.25 |
| 16 | MP3A | X | 4.885 | 5.25 |
| 17 | MP3A | Z | 8.46 | 5.25 |
| 18 | MP3A | Mx | .005 | 5.25 |
| 19 | MP3A | X | 4.885 | 1.25 |
| 20 | MP3A | Z | 8.46 | 1.25 |
| 21 | MP3A | Mx | -.011 | 1.25 |
| 22 | MP3A | X | 4.885 | 5.25 |
| 23 | MP3A | Z | 8.46 | 5.25 |
| 24 | MP3A | Mx | -.011 | 5.25 |
| 25 | MP4A | X | 2.538 | 2.25 |
| 26 | MP4A | Z | 4.396 | 2.25 |
| 27 | MP4A | Mx | -.000846 | 2.25 |
| 28 | MP4A | X | 2.538 | 4.25 |
| 29 | MP4A | Z | 4.396 | 4.25 |
| 30 | MP4A | Mx | -.000846 | 4.25 |
| 31 | MP3A | X | .435 | 7 |
| 32 | MP3A | Z | .753 | 7 |
| 33 | MP3A | Mx | .000145 | 7 |
| 34 | MP3A | X | 2.184 | 1.5 |
| 35 | MP3A | Z | 3.783 | 1.5 |
| 36 | MP3A | Mx | .001 | 1.5 |
| 37 | MP4A | X | 2.109 | 1.5 |
| 38 | MP4A | Z | 3.652 | 1.5 |
| 39 | MP4A | Mx | .001 | 1.5 |
| 40 | M17 | X | 5.134 | 1 |
| 41 | M17 | Z | 8.892 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 33 : Antenna Wm (180 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | 0 | 1.25 |
| 2 | MP1A | Z | 12.227 | 1.25 |
| 3 | MP1A | Mx | 0 | 1.25 |
| 4 | MP1A | X | 0 | 5.25 |
| 5 | MP1A | Z | 12.227 | 5.25 |
| 6 | MP1A | Mx | 0 | 5.25 |
| 7 | MP5A | X | 0 | 1.25 |
| 8 | MP5A | Z | 12.227 | 1.25 |
| 9 | MP5A | Mx | 0 | 1.25 |
| 10 | MP5A | X | 0 | 5.25 |
| 11 | MP5A | Z | 12.227 | 5.25 |
| 12 | MP5A | Mx | 0 | 5.25 |
| 13 | MP3A | X | 0 | 1.25 |
| 14 | MP3A | Z | 11.399 | 1.25 |
| 15 | MP3A | Mx | .01 | 1.25 |
| 16 | MP3A | X | 0 | 5.25 |
| 17 | MP3A | Z | 11.399 | 5.25 |
| 18 | MP3A | Mx | .01 | 5.25 |
| 19 | MP3A | X | 0 | 1.25 |
| 20 | MP3A | Z | 11.399 | 1.25 |
| 21 | MP3A | Mx | -.01 | 1.25 |
| 22 | MP3A | X | 0 | 5.25 |



Member Point Loads (BLC 33 : Antenna Wm (180 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 23 | MP3A | Z | 11.399 | 5.25 |
| 24 | MP3A | Mx | -.01 | 5.25 |
| 25 | MP4A | X | 0 | 2.25 |
| 26 | MP4A | Z | 5.986 | 2.25 |
| 27 | MP4A | Mx | 0 | 2.25 |
| 28 | MP4A | X | 0 | 4.25 |
| 29 | MP4A | Z | 5.986 | 4.25 |
| 30 | MP4A | Mx | 0 | 4.25 |
| 31 | MP3A | X | 0 | 7 |
| 32 | MP3A | Z | .943 | 7 |
| 33 | MP3A | Mx | 0 | 7 |
| 34 | MP3A | X | 0 | 1.5 |
| 35 | MP3A | Z | 4.763 | 1.5 |
| 36 | MP3A | Mx | 0 | 1.5 |
| 37 | MP4A | X | 0 | 1.5 |
| 38 | MP4A | Z | 4.763 | 1.5 |
| 39 | MP4A | Mx | 0 | 1.5 |
| 40 | M17 | X | 0 | 1 |
| 41 | M17 | Z | 9.329 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 34 : Antenna Wm (210 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -5.95 | 1.25 |
| 2 | MP1A | Z | 10.306 | 1.25 |
| 3 | MP1A | Mx | .004 | 1.25 |
| 4 | MP1A | X | -5.95 | 5.25 |
| 5 | MP1A | Z | 10.306 | 5.25 |
| 6 | MP1A | Mx | .004 | 5.25 |
| 7 | MP5A | X | -5.95 | 1.25 |
| 8 | MP5A | Z | 10.306 | 1.25 |
| 9 | MP5A | Mx | .004 | 1.25 |
| 10 | MP5A | X | -5.95 | 5.25 |
| 11 | MP5A | Z | 10.306 | 5.25 |
| 12 | MP5A | Mx | .004 | 5.25 |
| 13 | MP3A | X | -4.885 | 1.25 |
| 14 | MP3A | Z | 8.46 | 1.25 |
| 15 | MP3A | Mx | .011 | 1.25 |
| 16 | MP3A | X | -4.885 | 5.25 |
| 17 | MP3A | Z | 8.46 | 5.25 |
| 18 | MP3A | Mx | .011 | 5.25 |
| 19 | MP3A | X | -4.885 | 1.25 |
| 20 | MP3A | Z | 8.46 | 1.25 |
| 21 | MP3A | Mx | -.005 | 1.25 |
| 22 | MP3A | X | -4.885 | 5.25 |
| 23 | MP3A | Z | 8.46 | 5.25 |
| 24 | MP3A | Mx | -.005 | 5.25 |
| 25 | MP4A | X | -2.538 | 2.25 |
| 26 | MP4A | Z | 4.396 | 2.25 |
| 27 | MP4A | Mx | .000846 | 2.25 |
| 28 | MP4A | X | -2.538 | 4.25 |
| 29 | MP4A | Z | 4.396 | 4.25 |
| 30 | MP4A | Mx | .000846 | 4.25 |
| 31 | MP3A | X | -.435 | 7 |
| 32 | MP3A | Z | .753 | 7 |
| 33 | MP3A | Mx | -.000145 | 7 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Point Loads (BLC 34 : Antenna Wm (210 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 34 | MP3A | X | -2.184 | 1.5 |
| 35 | MP3A | Z | 3.783 | 1.5 |
| 36 | MP3A | Mx | -.001 | 1.5 |
| 37 | MP4A | X | -2.109 | 1.5 |
| 38 | MP4A | Z | 3.652 | 1.5 |
| 39 | MP4A | Mx | -.001 | 1.5 |
| 40 | M17 | X | -4.089 | 1 |
| 41 | M17 | Z | 7.082 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 35 : Antenna Wm (240 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -9.741 | 1.25 |
| 2 | MP1A | Z | 5.624 | 1.25 |
| 3 | MP1A | Mx | .006 | 1.25 |
| 4 | MP1A | X | -9.741 | 5.25 |
| 5 | MP1A | Z | 5.624 | 5.25 |
| 6 | MP1A | Mx | .006 | 5.25 |
| 7 | MP5A | X | -9.741 | 1.25 |
| 8 | MP5A | Z | 5.624 | 1.25 |
| 9 | MP5A | Mx | .006 | 1.25 |
| 10 | MP5A | X | -9.741 | 5.25 |
| 11 | MP5A | Z | 5.624 | 5.25 |
| 12 | MP5A | Mx | .006 | 5.25 |
| 13 | MP3A | X | -5.637 | 1.25 |
| 14 | MP3A | Z | 3.254 | 1.25 |
| 15 | MP3A | Mx | .006 | 1.25 |
| 16 | MP3A | X | -5.637 | 5.25 |
| 17 | MP3A | Z | 3.254 | 5.25 |
| 18 | MP3A | Mx | .006 | 5.25 |
| 19 | MP3A | X | -5.637 | 1.25 |
| 20 | MP3A | Z | 3.254 | 1.25 |
| 21 | MP3A | Mx | .000305 | 1.25 |
| 22 | MP3A | X | -5.637 | 5.25 |
| 23 | MP3A | Z | 3.254 | 5.25 |
| 24 | MP3A | Mx | .000305 | 5.25 |
| 25 | MP4A | X | -2.818 | 2.25 |
| 26 | MP4A | Z | 1.627 | 2.25 |
| 27 | MP4A | Mx | .000939 | 2.25 |
| 28 | MP4A | X | -2.818 | 4.25 |
| 29 | MP4A | Z | 1.627 | 4.25 |
| 30 | MP4A | Mx | .000939 | 4.25 |
| 31 | MP3A | X | -.628 | 7 |
| 32 | MP3A | Z | .362 | 7 |
| 33 | MP3A | Mx | -.000209 | 7 |
| 34 | MP3A | X | -3.099 | 1.5 |
| 35 | MP3A | Z | 1.789 | 1.5 |
| 36 | MP3A | Mx | -.002 | 1.5 |
| 37 | MP4A | X | -2.707 | 1.5 |
| 38 | MP4A | Z | 1.563 | 1.5 |
| 39 | MP4A | Mx | -.002 | 1.5 |
| 40 | M17 | X | -6.897 | 1 |
| 41 | M17 | Z | 3.982 | 1 |
| 42 | M17 | Mx | 0 | 1 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Point Loads (BLC 36 : Antenna Wm (270 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -10.921 | 1.25 |
| 2 | MP1A | Z | 0 | 1.25 |
| 3 | MP1A | Mx | .007 | 1.25 |
| 4 | MP1A | X | -10.921 | 5.25 |
| 5 | MP1A | Z | 0 | 5.25 |
| 6 | MP1A | Mx | .007 | 5.25 |
| 7 | MP5A | X | -10.921 | 1.25 |
| 8 | MP5A | Z | 0 | 1.25 |
| 9 | MP5A | Mx | .007 | 1.25 |
| 10 | MP5A | X | -10.921 | 5.25 |
| 11 | MP5A | Z | 0 | 5.25 |
| 12 | MP5A | Mx | .007 | 5.25 |
| 13 | MP3A | X | -4.879 | 1.25 |
| 14 | MP3A | Z | 0 | 1.25 |
| 15 | MP3A | Mx | .003 | 1.25 |
| 16 | MP3A | X | -4.879 | 5.25 |
| 17 | MP3A | Z | 0 | 5.25 |
| 18 | MP3A | Mx | .003 | 5.25 |
| 19 | MP3A | X | -4.879 | 1.25 |
| 20 | MP3A | Z | 0 | 1.25 |
| 21 | MP3A | Mx | .003 | 1.25 |
| 22 | MP3A | X | -4.879 | 5.25 |
| 23 | MP3A | Z | 0 | 5.25 |
| 24 | MP3A | Mx | .003 | 5.25 |
| 25 | MP4A | X | -2.344 | 2.25 |
| 26 | MP4A | Z | 0 | 2.25 |
| 27 | MP4A | Mx | .000781 | 2.25 |
| 28 | MP4A | X | -2.344 | 4.25 |
| 29 | MP4A | Z | 0 | 4.25 |
| 30 | MP4A | Mx | .000781 | 4.25 |
| 31 | MP3A | X | -652 | 7 |
| 32 | MP3A | Z | 0 | 7 |
| 33 | MP3A | Mx | -.000217 | 7 |
| 34 | MP3A | X | -3.184 | 1.5 |
| 35 | MP3A | Z | 0 | 1.5 |
| 36 | MP3A | Mx | -.002 | 1.5 |
| 37 | MP4A | X | -2.579 | 1.5 |
| 38 | MP4A | Z | 0 | 1.5 |
| 39 | MP4A | Mx | -.002 | 1.5 |
| 40 | M17 | X | -8.903 | 1 |
| 41 | M17 | Z | 0 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 37 : Antenna Wm (300 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -9.741 | 1.25 |
| 2 | MP1A | Z | -5.624 | 1.25 |
| 3 | MP1A | Mx | .006 | 1.25 |
| 4 | MP1A | X | -9.741 | 5.25 |
| 5 | MP1A | Z | -5.624 | 5.25 |
| 6 | MP1A | Mx | .006 | 5.25 |
| 7 | MP5A | X | -9.741 | 1.25 |
| 8 | MP5A | Z | -5.624 | 1.25 |
| 9 | MP5A | Mx | .006 | 1.25 |
| 10 | MP5A | X | -9.741 | 5.25 |
| 11 | MP5A | Z | -5.624 | 5.25 |



Member Point Loads (BLC 37 : Antenna Wm (300 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 12 | MP5A | Mx | .006 | 5.25 |
| 13 | MP3A | X | -5.637 | 1.25 |
| 14 | MP3A | Z | -3.254 | 1.25 |
| 15 | MP3A | Mx | .000305 | 1.25 |
| 16 | MP3A | X | -5.637 | 5.25 |
| 17 | MP3A | Z | -3.254 | 5.25 |
| 18 | MP3A | Mx | .000305 | 5.25 |
| 19 | MP3A | X | -5.637 | 1.25 |
| 20 | MP3A | Z | -3.254 | 1.25 |
| 21 | MP3A | Mx | .006 | 1.25 |
| 22 | MP3A | X | -5.637 | 5.25 |
| 23 | MP3A | Z | -3.254 | 5.25 |
| 24 | MP3A | Mx | .006 | 5.25 |
| 25 | MP4A | X | -2.818 | 2.25 |
| 26 | MP4A | Z | -1.627 | 2.25 |
| 27 | MP4A | Mx | .000939 | 2.25 |
| 28 | MP4A | X | -2.818 | 4.25 |
| 29 | MP4A | Z | -1.627 | 4.25 |
| 30 | MP4A | Mx | .000939 | 4.25 |
| 31 | MP3A | X | -.628 | 7 |
| 32 | MP3A | Z | -.362 | 7 |
| 33 | MP3A | Mx | -.000209 | 7 |
| 34 | MP3A | X | -3.099 | 1.5 |
| 35 | MP3A | Z | -1.789 | 1.5 |
| 36 | MP3A | Mx | -.002 | 1.5 |
| 37 | MP4A | X | -2.707 | 1.5 |
| 38 | MP4A | Z | -1.563 | 1.5 |
| 39 | MP4A | Mx | -.002 | 1.5 |
| 40 | M17 | X | -8.708 | 1 |
| 41 | M17 | Z | -5.028 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 38 : Antenna Wm (330 Deg))

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1 | MP1A | X | -5.95 | 1.25 |
| 2 | MP1A | Z | -10.306 | 1.25 |
| 3 | MP1A | Mx | .004 | 1.25 |
| 4 | MP1A | X | -5.95 | 5.25 |
| 5 | MP1A | Z | -10.306 | 5.25 |
| 6 | MP1A | Mx | .004 | 5.25 |
| 7 | MP5A | X | -5.95 | 1.25 |
| 8 | MP5A | Z | -10.306 | 1.25 |
| 9 | MP5A | Mx | .004 | 1.25 |
| 10 | MP5A | X | -5.95 | 5.25 |
| 11 | MP5A | Z | -10.306 | 5.25 |
| 12 | MP5A | Mx | .004 | 5.25 |
| 13 | MP3A | X | -4.885 | 1.25 |
| 14 | MP3A | Z | -8.46 | 1.25 |
| 15 | MP3A | Mx | -.005 | 1.25 |
| 16 | MP3A | X | -4.885 | 5.25 |
| 17 | MP3A | Z | -8.46 | 5.25 |
| 18 | MP3A | Mx | -.005 | 5.25 |
| 19 | MP3A | X | -4.885 | 1.25 |
| 20 | MP3A | Z | -8.46 | 1.25 |
| 21 | MP3A | Mx | .011 | 1.25 |
| 22 | MP3A | X | -4.885 | 5.25 |



Member Point Loads (BLC 38 : Antenna Wm (330 Deg)) (Continued)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 23 | MP3A | Z | -8.46 | 5.25 |
| 24 | MP3A | Mx | .011 | 5.25 |
| 25 | MP4A | X | -2.538 | 2.25 |
| 26 | MP4A | Z | -4.396 | 2.25 |
| 27 | MP4A | Mx | .000846 | 2.25 |
| 28 | MP4A | X | -2.538 | 4.25 |
| 29 | MP4A | Z | -4.396 | 4.25 |
| 30 | MP4A | Mx | .000846 | 4.25 |
| 31 | MP3A | X | -.435 | 7 |
| 32 | MP3A | Z | -.753 | 7 |
| 33 | MP3A | Mx | -.000145 | 7 |
| 34 | MP3A | X | -2.184 | 1.5 |
| 35 | MP3A | Z | -3.783 | 1.5 |
| 36 | MP3A | Mx | -.001 | 1.5 |
| 37 | MP4A | X | -2.109 | 1.5 |
| 38 | MP4A | Z | -3.652 | 1.5 |
| 39 | MP4A | Mx | -.001 | 1.5 |
| 40 | M17 | X | -5.134 | 1 |
| 41 | M17 | Z | -8.892 | 1 |
| 42 | M17 | Mx | 0 | 1 |

Member Point Loads (BLC 77 : Lm1)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | M10 | Y | -500 | 0 |

Member Point Loads (BLC 78 : Lm2)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | M5 | Y | -500 | %97 |

Member Point Loads (BLC 79 : Lv1)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | M5 | Y | -250 | 0 |

Member Point Loads (BLC 80 : Lv2)

| | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | M5 | Y | -250 | %50 |

Member Distributed Loads (BLC 40 : Structure Di)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | Y | -7.154 | -7.154 | 0 | %100 |
| 2 | M3 | Y | -8.645 | -8.645 | 0 | %100 |
| 3 | M5 | Y | -8.645 | -8.645 | 0 | %100 |
| 4 | MP1A | Y | -4.417 | -4.417 | 0 | %100 |
| 5 | MP3A | Y | -4.417 | -4.417 | 0 | %100 |
| 6 | MP5A | Y | -4.417 | -4.417 | 0 | %100 |
| 7 | M17 | Y | -4.417 | -4.417 | 0 | %100 |
| 8 | MP2A | Y | -4.417 | -4.417 | 0 | %100 |
| 9 | MP4A | Y | -4.417 | -4.417 | 0 | %100 |
| 10 | M22 | Y | -5.866 | -5.866 | 0 | %100 |
| 11 | M23 | Y | -6.823 | -6.823 | 0 | %100 |

Member Distributed Loads (BLC 41 : Structure Wo (0 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|--|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
|--|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|



Member Distributed Loads (BLC 41 : Structure Wo (0 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 0 | 0 | 0 | %100 |
| 2 | M4 | Z | -9.394 | -9.394 | 0 | %100 |
| 3 | M3 | X | 0 | 0 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | -15.869 | -15.869 | 0 | %100 |
| 7 | MP1A | X | 0 | 0 | 0 | %100 |
| 8 | MP1A | Z | -9.045 | -9.045 | 0 | %100 |
| 9 | MP3A | X | 0 | 0 | 0 | %100 |
| 10 | MP3A | Z | -9.045 | -9.045 | 0 | %100 |
| 11 | MP5A | X | 0 | 0 | 0 | %100 |
| 12 | MP5A | Z | -9.045 | -9.045 | 0 | %100 |
| 13 | M17 | X | 0 | 0 | 0 | %100 |
| 14 | M17 | Z | -7.397 | -7.397 | 0 | %100 |
| 15 | MP2A | X | 0 | 0 | 0 | %100 |
| 16 | MP2A | Z | -9.045 | -9.045 | 0 | %100 |
| 17 | MP4A | X | 0 | 0 | 0 | %100 |
| 18 | MP4A | Z | -9.045 | -9.045 | 0 | %100 |
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | -13.33 | -13.33 | 0 | %100 |
| 21 | M23 | X | 0 | 0 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 42 : Structure Wo (30 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 4.697 | 4.697 | 0 | %100 |
| 2 | M4 | Z | -8.135 | -8.135 | 0 | %100 |
| 3 | M3 | X | 1.406 | 1.406 | 0 | %100 |
| 4 | M3 | Z | -2.436 | -2.436 | 0 | %100 |
| 5 | M5 | X | 5.951 | 5.951 | 0 | %100 |
| 6 | M5 | Z | -10.307 | -10.307 | 0 | %100 |
| 7 | MP1A | X | 4.523 | 4.523 | 0 | %100 |
| 8 | MP1A | Z | -7.833 | -7.833 | 0 | %100 |
| 9 | MP3A | X | 4.523 | 4.523 | 0 | %100 |
| 10 | MP3A | Z | -7.833 | -7.833 | 0 | %100 |
| 11 | MP5A | X | 4.523 | 4.523 | 0 | %100 |
| 12 | MP5A | Z | -7.833 | -7.833 | 0 | %100 |
| 13 | M17 | X | 3.698 | 3.698 | 0 | %100 |
| 14 | M17 | Z | -6.406 | -6.406 | 0 | %100 |
| 15 | MP2A | X | 4.523 | 4.523 | 0 | %100 |
| 16 | MP2A | Z | -7.833 | -7.833 | 0 | %100 |
| 17 | MP4A | X | 4.523 | 4.523 | 0 | %100 |
| 18 | MP4A | Z | -7.833 | -7.833 | 0 | %100 |
| 19 | M22 | X | 4.999 | 4.999 | 0 | %100 |
| 20 | M22 | Z | -8.658 | -8.658 | 0 | %100 |
| 21 | M23 | X | 1.087 | 1.087 | 0 | %100 |
| 22 | M23 | Z | -1.882 | -1.882 | 0 | %100 |

Member Distributed Loads (BLC 43 : Structure Wo (60 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|---|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 8.135 | 8.135 | 0 | %100 |
| 2 | M4 | Z | -4.697 | -4.697 | 0 | %100 |
| 3 | M3 | X | 7.307 | 7.307 | 0 | %100 |
| 4 | M3 | Z | -4.218 | -4.218 | 0 | %100 |
| 5 | M5 | X | 3.436 | 3.436 | 0 | %100 |
| 6 | M5 | Z | -1.984 | -1.984 | 0 | %100 |



Member Distributed Loads (BLC 43 : Structure Wo (60 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft. %] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|---------------------|
| 7 | MP1A | X | 7.833 | 7.833 | 0 | %100 |
| 8 | MP1A | Z | -4.523 | -4.523 | 0 | %100 |
| 9 | MP3A | X | 7.833 | 7.833 | 0 | %100 |
| 10 | MP3A | Z | -4.523 | -4.523 | 0 | %100 |
| 11 | MP5A | X | 7.833 | 7.833 | 0 | %100 |
| 12 | MP5A | Z | -4.523 | -4.523 | 0 | %100 |
| 13 | M17 | X | 6.406 | 6.406 | 0 | %100 |
| 14 | M17 | Z | -3.698 | -3.698 | 0 | %100 |
| 15 | MP2A | X | 7.833 | 7.833 | 0 | %100 |
| 16 | MP2A | Z | -4.523 | -4.523 | 0 | %100 |
| 17 | MP4A | X | 7.833 | 7.833 | 0 | %100 |
| 18 | MP4A | Z | -4.523 | -4.523 | 0 | %100 |
| 19 | M22 | X | 2.886 | 2.886 | 0 | %100 |
| 20 | M22 | Z | -1.666 | -1.666 | 0 | %100 |
| 21 | M23 | X | 5.646 | 5.646 | 0 | %100 |
| 22 | M23 | Z | -3.26 | -3.26 | 0 | %100 |

Member Distributed Loads (BLC 44 : Structure Wo (90 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft. %] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|---------------------|
| 1 | M4 | X | 9.394 | 9.394 | 0 | %100 |
| 2 | M4 | Z | 0 | 0 | 0 | %100 |
| 3 | M3 | X | 11.249 | 11.249 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | 0 | 0 | 0 | %100 |
| 7 | MP1A | X | 9.045 | 9.045 | 0 | %100 |
| 8 | MP1A | Z | 0 | 0 | 0 | %100 |
| 9 | MP3A | X | 9.045 | 9.045 | 0 | %100 |
| 10 | MP3A | Z | 0 | 0 | 0 | %100 |
| 11 | MP5A | X | 9.045 | 9.045 | 0 | %100 |
| 12 | MP5A | Z | 0 | 0 | 0 | %100 |
| 13 | M17 | X | 7.397 | 7.397 | 0 | %100 |
| 14 | M17 | Z | 0 | 0 | 0 | %100 |
| 15 | MP2A | X | 9.045 | 9.045 | 0 | %100 |
| 16 | MP2A | Z | 0 | 0 | 0 | %100 |
| 17 | MP4A | X | 9.045 | 9.045 | 0 | %100 |
| 18 | MP4A | Z | 0 | 0 | 0 | %100 |
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | 0 | 0 | 0 | %100 |
| 21 | M23 | X | 8.693 | 8.693 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 45 : Structure Wo (120 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft. %] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|---------------------|
| 1 | M4 | X | 8.135 | 8.135 | 0 | %100 |
| 2 | M4 | Z | 4.697 | 4.697 | 0 | %100 |
| 3 | M3 | X | 7.307 | 7.307 | 0 | %100 |
| 4 | M3 | Z | 4.218 | 4.218 | 0 | %100 |
| 5 | M5 | X | 3.436 | 3.436 | 0 | %100 |
| 6 | M5 | Z | 1.984 | 1.984 | 0 | %100 |
| 7 | MP1A | X | 7.833 | 7.833 | 0 | %100 |
| 8 | MP1A | Z | 4.523 | 4.523 | 0 | %100 |
| 9 | MP3A | X | 7.833 | 7.833 | 0 | %100 |
| 10 | MP3A | Z | 4.523 | 4.523 | 0 | %100 |
| 11 | MP5A | X | 7.833 | 7.833 | 0 | %100 |
| 12 | MP5A | Z | 4.523 | 4.523 | 0 | %100 |



Member Distributed Loads (BLC 45 : Structure Wo (120 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 13 | M17 | X | 6.406 | 6.406 | 0 | %100 |
| 14 | M17 | Z | 3.698 | 3.698 | 0 | %100 |
| 15 | MP2A | X | 7.833 | 7.833 | 0 | %100 |
| 16 | MP2A | Z | 4.523 | 4.523 | 0 | %100 |
| 17 | MP4A | X | 7.833 | 7.833 | 0 | %100 |
| 18 | MP4A | Z | 4.523 | 4.523 | 0 | %100 |
| 19 | M22 | X | 2.886 | 2.886 | 0 | %100 |
| 20 | M22 | Z | 1.666 | 1.666 | 0 | %100 |
| 21 | M23 | X | 5.646 | 5.646 | 0 | %100 |
| 22 | M23 | Z | 3.26 | 3.26 | 0 | %100 |

Member Distributed Loads (BLC 46 : Structure Wo (150 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 4.697 | 4.697 | 0 | %100 |
| 2 | M4 | Z | 8.135 | 8.135 | 0 | %100 |
| 3 | M3 | X | 1.406 | 1.406 | 0 | %100 |
| 4 | M3 | Z | 2.436 | 2.436 | 0 | %100 |
| 5 | M5 | X | 5.951 | 5.951 | 0 | %100 |
| 6 | M5 | Z | 10.307 | 10.307 | 0 | %100 |
| 7 | MP1A | X | 4.523 | 4.523 | 0 | %100 |
| 8 | MP1A | Z | 7.833 | 7.833 | 0 | %100 |
| 9 | MP3A | X | 4.523 | 4.523 | 0 | %100 |
| 10 | MP3A | Z | 7.833 | 7.833 | 0 | %100 |
| 11 | MP5A | X | 4.523 | 4.523 | 0 | %100 |
| 12 | MP5A | Z | 7.833 | 7.833 | 0 | %100 |
| 13 | M17 | X | 3.698 | 3.698 | 0 | %100 |
| 14 | M17 | Z | 6.406 | 6.406 | 0 | %100 |
| 15 | MP2A | X | 4.523 | 4.523 | 0 | %100 |
| 16 | MP2A | Z | 7.833 | 7.833 | 0 | %100 |
| 17 | MP4A | X | 4.523 | 4.523 | 0 | %100 |
| 18 | MP4A | Z | 7.833 | 7.833 | 0 | %100 |
| 19 | M22 | X | 4.999 | 4.999 | 0 | %100 |
| 20 | M22 | Z | 8.658 | 8.658 | 0 | %100 |
| 21 | M23 | X | 1.087 | 1.087 | 0 | %100 |
| 22 | M23 | Z | 1.882 | 1.882 | 0 | %100 |

Member Distributed Loads (BLC 47 : Structure Wo (180 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 0 | 0 | 0 | %100 |
| 2 | M4 | Z | 9.394 | 9.394 | 0 | %100 |
| 3 | M3 | X | 0 | 0 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | 15.869 | 15.869 | 0 | %100 |
| 7 | MP1A | X | 0 | 0 | 0 | %100 |
| 8 | MP1A | Z | 9.045 | 9.045 | 0 | %100 |
| 9 | MP3A | X | 0 | 0 | 0 | %100 |
| 10 | MP3A | Z | 9.045 | 9.045 | 0 | %100 |
| 11 | MP5A | X | 0 | 0 | 0 | %100 |
| 12 | MP5A | Z | 9.045 | 9.045 | 0 | %100 |
| 13 | M17 | X | 0 | 0 | 0 | %100 |
| 14 | M17 | Z | 7.397 | 7.397 | 0 | %100 |
| 15 | MP2A | X | 0 | 0 | 0 | %100 |
| 16 | MP2A | Z | 9.045 | 9.045 | 0 | %100 |
| 17 | MP4A | X | 0 | 0 | 0 | %100 |
| 18 | MP4A | Z | 9.045 | 9.045 | 0 | %100 |



Member Distributed Loads (BLC 47 : Structure Wo (180 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | 13.33 | 13.33 | 0 | %100 |
| 21 | M23 | X | 0 | 0 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 48 : Structure Wo (210 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -4.697 | -4.697 | 0 | %100 |
| 2 | M4 | Z | 8.135 | 8.135 | 0 | %100 |
| 3 | M3 | X | -1.406 | -1.406 | 0 | %100 |
| 4 | M3 | Z | 2.436 | 2.436 | 0 | %100 |
| 5 | M5 | X | -5.951 | -5.951 | 0 | %100 |
| 6 | M5 | Z | 10.307 | 10.307 | 0 | %100 |
| 7 | MP1A | X | -4.523 | -4.523 | 0 | %100 |
| 8 | MP1A | Z | 7.833 | 7.833 | 0 | %100 |
| 9 | MP3A | X | -4.523 | -4.523 | 0 | %100 |
| 10 | MP3A | Z | 7.833 | 7.833 | 0 | %100 |
| 11 | MP5A | X | -4.523 | -4.523 | 0 | %100 |
| 12 | MP5A | Z | 7.833 | 7.833 | 0 | %100 |
| 13 | M17 | X | -3.698 | -3.698 | 0 | %100 |
| 14 | M17 | Z | 6.406 | 6.406 | 0 | %100 |
| 15 | MP2A | X | -4.523 | -4.523 | 0 | %100 |
| 16 | MP2A | Z | 7.833 | 7.833 | 0 | %100 |
| 17 | MP4A | X | -4.523 | -4.523 | 0 | %100 |
| 18 | MP4A | Z | 7.833 | 7.833 | 0 | %100 |
| 19 | M22 | X | -4.999 | -4.999 | 0 | %100 |
| 20 | M22 | Z | 8.658 | 8.658 | 0 | %100 |
| 21 | M23 | X | -1.087 | -1.087 | 0 | %100 |
| 22 | M23 | Z | 1.882 | 1.882 | 0 | %100 |

Member Distributed Loads (BLC 49 : Structure Wo (240 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -8.135 | -8.135 | 0 | %100 |
| 2 | M4 | Z | 4.697 | 4.697 | 0 | %100 |
| 3 | M3 | X | -7.307 | -7.307 | 0 | %100 |
| 4 | M3 | Z | 4.218 | 4.218 | 0 | %100 |
| 5 | M5 | X | -3.436 | -3.436 | 0 | %100 |
| 6 | M5 | Z | 1.984 | 1.984 | 0 | %100 |
| 7 | MP1A | X | -7.833 | -7.833 | 0 | %100 |
| 8 | MP1A | Z | 4.523 | 4.523 | 0 | %100 |
| 9 | MP3A | X | -7.833 | -7.833 | 0 | %100 |
| 10 | MP3A | Z | 4.523 | 4.523 | 0 | %100 |
| 11 | MP5A | X | -7.833 | -7.833 | 0 | %100 |
| 12 | MP5A | Z | 4.523 | 4.523 | 0 | %100 |
| 13 | M17 | X | -6.406 | -6.406 | 0 | %100 |
| 14 | M17 | Z | 3.698 | 3.698 | 0 | %100 |
| 15 | MP2A | X | -7.833 | -7.833 | 0 | %100 |
| 16 | MP2A | Z | 4.523 | 4.523 | 0 | %100 |
| 17 | MP4A | X | -7.833 | -7.833 | 0 | %100 |
| 18 | MP4A | Z | 4.523 | 4.523 | 0 | %100 |
| 19 | M22 | X | -2.886 | -2.886 | 0 | %100 |
| 20 | M22 | Z | 1.666 | 1.666 | 0 | %100 |
| 21 | M23 | X | -5.646 | -5.646 | 0 | %100 |
| 22 | M23 | Z | 3.26 | 3.26 | 0 | %100 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Distributed Loads (BLC 50 : Structure Wo (270 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -9.394 | -9.394 | 0 | %100 |
| 2 | M4 | Z | 0 | 0 | 0 | %100 |
| 3 | M3 | X | -11.249 | -11.249 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | 0 | 0 | 0 | %100 |
| 7 | MP1A | X | -9.045 | -9.045 | 0 | %100 |
| 8 | MP1A | Z | 0 | 0 | 0 | %100 |
| 9 | MP3A | X | -9.045 | -9.045 | 0 | %100 |
| 10 | MP3A | Z | 0 | 0 | 0 | %100 |
| 11 | MP5A | X | -9.045 | -9.045 | 0 | %100 |
| 12 | MP5A | Z | 0 | 0 | 0 | %100 |
| 13 | M17 | X | -7.397 | -7.397 | 0 | %100 |
| 14 | M17 | Z | 0 | 0 | 0 | %100 |
| 15 | MP2A | X | -9.045 | -9.045 | 0 | %100 |
| 16 | MP2A | Z | 0 | 0 | 0 | %100 |
| 17 | MP4A | X | -9.045 | -9.045 | 0 | %100 |
| 18 | MP4A | Z | 0 | 0 | 0 | %100 |
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | 0 | 0 | 0 | %100 |
| 21 | M23 | X | -8.693 | -8.693 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 51 : Structure Wo (300 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -8.135 | -8.135 | 0 | %100 |
| 2 | M4 | Z | -4.697 | -4.697 | 0 | %100 |
| 3 | M3 | X | -7.307 | -7.307 | 0 | %100 |
| 4 | M3 | Z | -4.218 | -4.218 | 0 | %100 |
| 5 | M5 | X | -3.436 | -3.436 | 0 | %100 |
| 6 | M5 | Z | -1.984 | -1.984 | 0 | %100 |
| 7 | MP1A | X | -7.833 | -7.833 | 0 | %100 |
| 8 | MP1A | Z | -4.523 | -4.523 | 0 | %100 |
| 9 | MP3A | X | -7.833 | -7.833 | 0 | %100 |
| 10 | MP3A | Z | -4.523 | -4.523 | 0 | %100 |
| 11 | MP5A | X | -7.833 | -7.833 | 0 | %100 |
| 12 | MP5A | Z | -4.523 | -4.523 | 0 | %100 |
| 13 | M17 | X | -6.406 | -6.406 | 0 | %100 |
| 14 | M17 | Z | -3.698 | -3.698 | 0 | %100 |
| 15 | MP2A | X | -7.833 | -7.833 | 0 | %100 |
| 16 | MP2A | Z | -4.523 | -4.523 | 0 | %100 |
| 17 | MP4A | X | -7.833 | -7.833 | 0 | %100 |
| 18 | MP4A | Z | -4.523 | -4.523 | 0 | %100 |
| 19 | M22 | X | -2.886 | -2.886 | 0 | %100 |
| 20 | M22 | Z | -1.666 | -1.666 | 0 | %100 |
| 21 | M23 | X | -5.646 | -5.646 | 0 | %100 |
| 22 | M23 | Z | -3.26 | -3.26 | 0 | %100 |

Member Distributed Loads (BLC 52 : Structure Wo (330 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|---|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -4.697 | -4.697 | 0 | %100 |
| 2 | M4 | Z | -8.135 | -8.135 | 0 | %100 |
| 3 | M3 | X | -1.406 | -1.406 | 0 | %100 |
| 4 | M3 | Z | -2.436 | -2.436 | 0 | %100 |
| 5 | M5 | X | -5.951 | -5.951 | 0 | %100 |
| 6 | M5 | Z | -10.307 | -10.307 | 0 | %100 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Distributed Loads (BLC 52 : Structure Wo (330 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 7 | MP1A | X | -4.523 | -4.523 | 0 | %100 |
| 8 | MP1A | Z | -7.833 | -7.833 | 0 | %100 |
| 9 | MP3A | X | -4.523 | -4.523 | 0 | %100 |
| 10 | MP3A | Z | -7.833 | -7.833 | 0 | %100 |
| 11 | MP5A | X | -4.523 | -4.523 | 0 | %100 |
| 12 | MP5A | Z | -7.833 | -7.833 | 0 | %100 |
| 13 | M17 | X | -3.698 | -3.698 | 0 | %100 |
| 14 | M17 | Z | -6.406 | -6.406 | 0 | %100 |
| 15 | MP2A | X | -4.523 | -4.523 | 0 | %100 |
| 16 | MP2A | Z | -7.833 | -7.833 | 0 | %100 |
| 17 | MP4A | X | -4.523 | -4.523 | 0 | %100 |
| 18 | MP4A | Z | -7.833 | -7.833 | 0 | %100 |
| 19 | M22 | X | -4.999 | -4.999 | 0 | %100 |
| 20 | M22 | Z | -8.658 | -8.658 | 0 | %100 |
| 21 | M23 | X | -1.087 | -1.087 | 0 | %100 |
| 22 | M23 | Z | -1.882 | -1.882 | 0 | %100 |

Member Distributed Loads (BLC 53 : Structure Wi (0 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 0 | 0 | 0 | %100 |
| 2 | M4 | Z | -2.983 | -2.983 | 0 | %100 |
| 3 | M3 | X | 0 | 0 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | -4.44 | -4.44 | 0 | %100 |
| 7 | MP1A | X | 0 | 0 | 0 | %100 |
| 8 | MP1A | Z | -3.173 | -3.173 | 0 | %100 |
| 9 | MP3A | X | 0 | 0 | 0 | %100 |
| 10 | MP3A | Z | -3.173 | -3.173 | 0 | %100 |
| 11 | MP5A | X | 0 | 0 | 0 | %100 |
| 12 | MP5A | Z | -3.173 | -3.173 | 0 | %100 |
| 13 | M17 | X | 0 | 0 | 0 | %100 |
| 14 | M17 | Z | -2.647 | -2.647 | 0 | %100 |
| 15 | MP2A | X | 0 | 0 | 0 | %100 |
| 16 | MP2A | Z | -3.173 | -3.173 | 0 | %100 |
| 17 | MP4A | X | 0 | 0 | 0 | %100 |
| 18 | MP4A | Z | -3.173 | -3.173 | 0 | %100 |
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | -3.969 | -3.969 | 0 | %100 |
| 21 | M23 | X | 0 | 0 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 54 : Structure Wi (30 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 1.491 | 1.491 | 0 | %100 |
| 2 | M4 | Z | -2.583 | -2.583 | 0 | %100 |
| 3 | M3 | X | .399 | .399 | 0 | %100 |
| 4 | M3 | Z | -.691 | -.691 | 0 | %100 |
| 5 | M5 | X | 1.665 | 1.665 | 0 | %100 |
| 6 | M5 | Z | -2.884 | -2.884 | 0 | %100 |
| 7 | MP1A | X | 1.586 | 1.586 | 0 | %100 |
| 8 | MP1A | Z | -2.747 | -2.747 | 0 | %100 |
| 9 | MP3A | X | 1.586 | 1.586 | 0 | %100 |
| 10 | MP3A | Z | -2.747 | -2.747 | 0 | %100 |
| 11 | MP5A | X | 1.586 | 1.586 | 0 | %100 |
| 12 | MP5A | Z | -2.747 | -2.747 | 0 | %100 |



Member Distributed Loads (BLC 54 : Structure Wi (30 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 13 | M17 | X | 1.324 | 1.324 | 0 | %100 |
| 14 | M17 | Z | -2.293 | -2.293 | 0 | %100 |
| 15 | MP2A | X | 1.586 | 1.586 | 0 | %100 |
| 16 | MP2A | Z | -2.747 | -2.747 | 0 | %100 |
| 17 | MP4A | X | 1.586 | 1.586 | 0 | %100 |
| 18 | MP4A | Z | -2.747 | -2.747 | 0 | %100 |
| 19 | M22 | X | 1.488 | 1.488 | 0 | %100 |
| 20 | M22 | Z | -2.578 | -2.578 | 0 | %100 |
| 21 | M23 | X | .34 | .34 | 0 | %100 |
| 22 | M23 | Z | -.588 | -.588 | 0 | %100 |

Member Distributed Loads (BLC 55 : Structure Wi (60 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 2.583 | 2.583 | 0 | %100 |
| 2 | M4 | Z | -1.491 | -1.491 | 0 | %100 |
| 3 | M3 | X | 2.074 | 2.074 | 0 | %100 |
| 4 | M3 | Z | -1.197 | -1.197 | 0 | %100 |
| 5 | M5 | X | .961 | .961 | 0 | %100 |
| 6 | M5 | Z | -.555 | -.555 | 0 | %100 |
| 7 | MP1A | X | 2.747 | 2.747 | 0 | %100 |
| 8 | MP1A | Z | -1.586 | -1.586 | 0 | %100 |
| 9 | MP3A | X | 2.747 | 2.747 | 0 | %100 |
| 10 | MP3A | Z | -1.586 | -1.586 | 0 | %100 |
| 11 | MP5A | X | 2.747 | 2.747 | 0 | %100 |
| 12 | MP5A | Z | -1.586 | -1.586 | 0 | %100 |
| 13 | M17 | X | 2.293 | 2.293 | 0 | %100 |
| 14 | M17 | Z | -1.324 | -1.324 | 0 | %100 |
| 15 | MP2A | X | 2.747 | 2.747 | 0 | %100 |
| 16 | MP2A | Z | -1.586 | -1.586 | 0 | %100 |
| 17 | MP4A | X | 2.747 | 2.747 | 0 | %100 |
| 18 | MP4A | Z | -1.586 | -1.586 | 0 | %100 |
| 19 | M22 | X | .859 | .859 | 0 | %100 |
| 20 | M22 | Z | -.496 | -.496 | 0 | %100 |
| 21 | M23 | X | 1.765 | 1.765 | 0 | %100 |
| 22 | M23 | Z | -1.019 | -1.019 | 0 | %100 |

Member Distributed Loads (BLC 56 : Structure Wi (90 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 2.983 | 2.983 | 0 | %100 |
| 2 | M4 | Z | 0 | 0 | 0 | %100 |
| 3 | M3 | X | 3.193 | 3.193 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | 0 | 0 | 0 | %100 |
| 7 | MP1A | X | 3.173 | 3.173 | 0 | %100 |
| 8 | MP1A | Z | 0 | 0 | 0 | %100 |
| 9 | MP3A | X | 3.173 | 3.173 | 0 | %100 |
| 10 | MP3A | Z | 0 | 0 | 0 | %100 |
| 11 | MP5A | X | 3.173 | 3.173 | 0 | %100 |
| 12 | MP5A | Z | 0 | 0 | 0 | %100 |
| 13 | M17 | X | 2.647 | 2.647 | 0 | %100 |
| 14 | M17 | Z | 0 | 0 | 0 | %100 |
| 15 | MP2A | X | 3.173 | 3.173 | 0 | %100 |
| 16 | MP2A | Z | 0 | 0 | 0 | %100 |
| 17 | MP4A | X | 3.173 | 3.173 | 0 | %100 |
| 18 | MP4A | Z | 0 | 0 | 0 | %100 |



Member Distributed Loads (BLC 56 : Structure Wi (90 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | 0 | 0 | 0 | %100 |
| 21 | M23 | X | 2.718 | 2.718 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 57 : Structure Wi (120 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 2.583 | 2.583 | 0 | %100 |
| 2 | M4 | Z | 1.491 | 1.491 | 0 | %100 |
| 3 | M3 | X | 2.074 | 2.074 | 0 | %100 |
| 4 | M3 | Z | 1.197 | 1.197 | 0 | %100 |
| 5 | M5 | X | .961 | .961 | 0 | %100 |
| 6 | M5 | Z | .555 | .555 | 0 | %100 |
| 7 | MP1A | X | 2.747 | 2.747 | 0 | %100 |
| 8 | MP1A | Z | 1.586 | 1.586 | 0 | %100 |
| 9 | MP3A | X | 2.747 | 2.747 | 0 | %100 |
| 10 | MP3A | Z | 1.586 | 1.586 | 0 | %100 |
| 11 | MP5A | X | 2.747 | 2.747 | 0 | %100 |
| 12 | MP5A | Z | 1.586 | 1.586 | 0 | %100 |
| 13 | M17 | X | 2.293 | 2.293 | 0 | %100 |
| 14 | M17 | Z | 1.324 | 1.324 | 0 | %100 |
| 15 | MP2A | X | 2.747 | 2.747 | 0 | %100 |
| 16 | MP2A | Z | 1.586 | 1.586 | 0 | %100 |
| 17 | MP4A | X | 2.747 | 2.747 | 0 | %100 |
| 18 | MP4A | Z | 1.586 | 1.586 | 0 | %100 |
| 19 | M22 | X | .859 | .859 | 0 | %100 |
| 20 | M22 | Z | .496 | .496 | 0 | %100 |
| 21 | M23 | X | 1.765 | 1.765 | 0 | %100 |
| 22 | M23 | Z | 1.019 | 1.019 | 0 | %100 |

Member Distributed Loads (BLC 58 : Structure Wi (150 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 1.491 | 1.491 | 0 | %100 |
| 2 | M4 | Z | 2.583 | 2.583 | 0 | %100 |
| 3 | M3 | X | .399 | .399 | 0 | %100 |
| 4 | M3 | Z | .691 | .691 | 0 | %100 |
| 5 | M5 | X | 1.665 | 1.665 | 0 | %100 |
| 6 | M5 | Z | 2.884 | 2.884 | 0 | %100 |
| 7 | MP1A | X | 1.586 | 1.586 | 0 | %100 |
| 8 | MP1A | Z | 2.747 | 2.747 | 0 | %100 |
| 9 | MP3A | X | 1.586 | 1.586 | 0 | %100 |
| 10 | MP3A | Z | 2.747 | 2.747 | 0 | %100 |
| 11 | MP5A | X | 1.586 | 1.586 | 0 | %100 |
| 12 | MP5A | Z | 2.747 | 2.747 | 0 | %100 |
| 13 | M17 | X | 1.324 | 1.324 | 0 | %100 |
| 14 | M17 | Z | 2.293 | 2.293 | 0 | %100 |
| 15 | MP2A | X | 1.586 | 1.586 | 0 | %100 |
| 16 | MP2A | Z | 2.747 | 2.747 | 0 | %100 |
| 17 | MP4A | X | 1.586 | 1.586 | 0 | %100 |
| 18 | MP4A | Z | 2.747 | 2.747 | 0 | %100 |
| 19 | M22 | X | 1.488 | 1.488 | 0 | %100 |
| 20 | M22 | Z | 2.578 | 2.578 | 0 | %100 |
| 21 | M23 | X | .34 | .34 | 0 | %100 |
| 22 | M23 | Z | .588 | .588 | 0 | %100 |



Member Distributed Loads (BLC 59 : Structure Wi (180 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 0 | 0 | 0 | %100 |
| 2 | M4 | Z | 2.983 | 2.983 | 0 | %100 |
| 3 | M3 | X | 0 | 0 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | 4.44 | 4.44 | 0 | %100 |
| 7 | MP1A | X | 0 | 0 | 0 | %100 |
| 8 | MP1A | Z | 3.173 | 3.173 | 0 | %100 |
| 9 | MP3A | X | 0 | 0 | 0 | %100 |
| 10 | MP3A | Z | 3.173 | 3.173 | 0 | %100 |
| 11 | MP5A | X | 0 | 0 | 0 | %100 |
| 12 | MP5A | Z | 3.173 | 3.173 | 0 | %100 |
| 13 | M17 | X | 0 | 0 | 0 | %100 |
| 14 | M17 | Z | 2.647 | 2.647 | 0 | %100 |
| 15 | MP2A | X | 0 | 0 | 0 | %100 |
| 16 | MP2A | Z | 3.173 | 3.173 | 0 | %100 |
| 17 | MP4A | X | 0 | 0 | 0 | %100 |
| 18 | MP4A | Z | 3.173 | 3.173 | 0 | %100 |
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | 3.969 | 3.969 | 0 | %100 |
| 21 | M23 | X | 0 | 0 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 60 : Structure Wi (210 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -1.491 | -1.491 | 0 | %100 |
| 2 | M4 | Z | 2.583 | 2.583 | 0 | %100 |
| 3 | M3 | X | -.399 | -.399 | 0 | %100 |
| 4 | M3 | Z | .691 | .691 | 0 | %100 |
| 5 | M5 | X | -1.665 | -1.665 | 0 | %100 |
| 6 | M5 | Z | 2.884 | 2.884 | 0 | %100 |
| 7 | MP1A | X | -1.586 | -1.586 | 0 | %100 |
| 8 | MP1A | Z | 2.747 | 2.747 | 0 | %100 |
| 9 | MP3A | X | -1.586 | -1.586 | 0 | %100 |
| 10 | MP3A | Z | 2.747 | 2.747 | 0 | %100 |
| 11 | MP5A | X | -1.586 | -1.586 | 0 | %100 |
| 12 | MP5A | Z | 2.747 | 2.747 | 0 | %100 |
| 13 | M17 | X | -1.324 | -1.324 | 0 | %100 |
| 14 | M17 | Z | 2.293 | 2.293 | 0 | %100 |
| 15 | MP2A | X | -1.586 | -1.586 | 0 | %100 |
| 16 | MP2A | Z | 2.747 | 2.747 | 0 | %100 |
| 17 | MP4A | X | -1.586 | -1.586 | 0 | %100 |
| 18 | MP4A | Z | 2.747 | 2.747 | 0 | %100 |
| 19 | M22 | X | -1.488 | -1.488 | 0 | %100 |
| 20 | M22 | Z | 2.578 | 2.578 | 0 | %100 |
| 21 | M23 | X | -.34 | -.34 | 0 | %100 |
| 22 | M23 | Z | .588 | .588 | 0 | %100 |

Member Distributed Loads (BLC 61 : Structure Wi (240 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|---|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -2.583 | -2.583 | 0 | %100 |
| 2 | M4 | Z | 1.491 | 1.491 | 0 | %100 |
| 3 | M3 | X | -2.074 | -2.074 | 0 | %100 |
| 4 | M3 | Z | 1.197 | 1.197 | 0 | %100 |
| 5 | M5 | X | -.961 | -.961 | 0 | %100 |
| 6 | M5 | Z | .555 | .555 | 0 | %100 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Distributed Loads (BLC 61 : Structure Wi (240 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 7 | MP1A | X | -2.747 | -2.747 | 0 | %100 |
| 8 | MP1A | Z | 1.586 | 1.586 | 0 | %100 |
| 9 | MP3A | X | -2.747 | -2.747 | 0 | %100 |
| 10 | MP3A | Z | 1.586 | 1.586 | 0 | %100 |
| 11 | MP5A | X | -2.747 | -2.747 | 0 | %100 |
| 12 | MP5A | Z | 1.586 | 1.586 | 0 | %100 |
| 13 | M17 | X | -2.293 | -2.293 | 0 | %100 |
| 14 | M17 | Z | 1.324 | 1.324 | 0 | %100 |
| 15 | MP2A | X | -2.747 | -2.747 | 0 | %100 |
| 16 | MP2A | Z | 1.586 | 1.586 | 0 | %100 |
| 17 | MP4A | X | -2.747 | -2.747 | 0 | %100 |
| 18 | MP4A | Z | 1.586 | 1.586 | 0 | %100 |
| 19 | M22 | X | -.859 | -.859 | 0 | %100 |
| 20 | M22 | Z | .496 | .496 | 0 | %100 |
| 21 | M23 | X | -1.765 | -1.765 | 0 | %100 |
| 22 | M23 | Z | 1.019 | 1.019 | 0 | %100 |

Member Distributed Loads (BLC 62 : Structure Wi (270 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -2.983 | -2.983 | 0 | %100 |
| 2 | M4 | Z | 0 | 0 | 0 | %100 |
| 3 | M3 | X | -3.193 | -3.193 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | 0 | 0 | 0 | %100 |
| 7 | MP1A | X | -3.173 | -3.173 | 0 | %100 |
| 8 | MP1A | Z | 0 | 0 | 0 | %100 |
| 9 | MP3A | X | -3.173 | -3.173 | 0 | %100 |
| 10 | MP3A | Z | 0 | 0 | 0 | %100 |
| 11 | MP5A | X | -3.173 | -3.173 | 0 | %100 |
| 12 | MP5A | Z | 0 | 0 | 0 | %100 |
| 13 | M17 | X | -2.647 | -2.647 | 0 | %100 |
| 14 | M17 | Z | 0 | 0 | 0 | %100 |
| 15 | MP2A | X | -3.173 | -3.173 | 0 | %100 |
| 16 | MP2A | Z | 0 | 0 | 0 | %100 |
| 17 | MP4A | X | -3.173 | -3.173 | 0 | %100 |
| 18 | MP4A | Z | 0 | 0 | 0 | %100 |
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | 0 | 0 | 0 | %100 |
| 21 | M23 | X | -2.718 | -2.718 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 63 : Structure Wi (300 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -2.583 | -2.583 | 0 | %100 |
| 2 | M4 | Z | -1.491 | -1.491 | 0 | %100 |
| 3 | M3 | X | -2.074 | -2.074 | 0 | %100 |
| 4 | M3 | Z | -1.197 | -1.197 | 0 | %100 |
| 5 | M5 | X | -.961 | -.961 | 0 | %100 |
| 6 | M5 | Z | -.555 | -.555 | 0 | %100 |
| 7 | MP1A | X | -2.747 | -2.747 | 0 | %100 |
| 8 | MP1A | Z | -1.586 | -1.586 | 0 | %100 |
| 9 | MP3A | X | -2.747 | -2.747 | 0 | %100 |
| 10 | MP3A | Z | -1.586 | -1.586 | 0 | %100 |
| 11 | MP5A | X | -2.747 | -2.747 | 0 | %100 |
| 12 | MP5A | Z | -1.586 | -1.586 | 0 | %100 |

Member Distributed Loads (BLC 63 : Structure Wi (300 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 13 | M17 | X | -2.293 | -2.293 | 0 | %100 |
| 14 | M17 | Z | -1.324 | -1.324 | 0 | %100 |
| 15 | MP2A | X | -2.747 | -2.747 | 0 | %100 |
| 16 | MP2A | Z | -1.586 | -1.586 | 0 | %100 |
| 17 | MP4A | X | -2.747 | -2.747 | 0 | %100 |
| 18 | MP4A | Z | -1.586 | -1.586 | 0 | %100 |
| 19 | M22 | X | -.859 | -.859 | 0 | %100 |
| 20 | M22 | Z | -.496 | -.496 | 0 | %100 |
| 21 | M23 | X | -1.765 | -1.765 | 0 | %100 |
| 22 | M23 | Z | -1.019 | -1.019 | 0 | %100 |

Member Distributed Loads (BLC 64 : Structure Wi (330 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -1.491 | -1.491 | 0 | %100 |
| 2 | M4 | Z | -2.583 | -2.583 | 0 | %100 |
| 3 | M3 | X | -.399 | -.399 | 0 | %100 |
| 4 | M3 | Z | -.691 | -.691 | 0 | %100 |
| 5 | M5 | X | -1.665 | -1.665 | 0 | %100 |
| 6 | M5 | Z | -2.884 | -2.884 | 0 | %100 |
| 7 | MP1A | X | -1.586 | -1.586 | 0 | %100 |
| 8 | MP1A | Z | -2.747 | -2.747 | 0 | %100 |
| 9 | MP3A | X | -1.586 | -1.586 | 0 | %100 |
| 10 | MP3A | Z | -2.747 | -2.747 | 0 | %100 |
| 11 | MP5A | X | -1.586 | -1.586 | 0 | %100 |
| 12 | MP5A | Z | -2.747 | -2.747 | 0 | %100 |
| 13 | M17 | X | -1.324 | -1.324 | 0 | %100 |
| 14 | M17 | Z | -2.293 | -2.293 | 0 | %100 |
| 15 | MP2A | X | -1.586 | -1.586 | 0 | %100 |
| 16 | MP2A | Z | -2.747 | -2.747 | 0 | %100 |
| 17 | MP4A | X | -1.586 | -1.586 | 0 | %100 |
| 18 | MP4A | Z | -2.747 | -2.747 | 0 | %100 |
| 19 | M22 | X | -1.488 | -1.488 | 0 | %100 |
| 20 | M22 | Z | -2.578 | -2.578 | 0 | %100 |
| 21 | M23 | X | -.34 | -.34 | 0 | %100 |
| 22 | M23 | Z | -.588 | -.588 | 0 | %100 |

Member Distributed Loads (BLC 65 : Structure Wm (0 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 0 | 0 | 0 | %100 |
| 2 | M4 | Z | -.628 | -.628 | 0 | %100 |
| 3 | M3 | X | 0 | 0 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | -1.061 | -1.061 | 0 | %100 |
| 7 | MP1A | X | 0 | 0 | 0 | %100 |
| 8 | MP1A | Z | -.605 | -.605 | 0 | %100 |
| 9 | MP3A | X | 0 | 0 | 0 | %100 |
| 10 | MP3A | Z | -.605 | -.605 | 0 | %100 |
| 11 | MP5A | X | 0 | 0 | 0 | %100 |
| 12 | MP5A | Z | -.605 | -.605 | 0 | %100 |
| 13 | M17 | X | 0 | 0 | 0 | %100 |
| 14 | M17 | Z | -.495 | -.495 | 0 | %100 |
| 15 | MP2A | X | 0 | 0 | 0 | %100 |
| 16 | MP2A | Z | -.605 | -.605 | 0 | %100 |
| 17 | MP4A | X | 0 | 0 | 0 | %100 |
| 18 | MP4A | Z | -.605 | -.605 | 0 | %100 |



Member Distributed Loads (BLC 65 : Structure Wm (0 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | -.892 | -.892 | 0 | %100 |
| 21 | M23 | X | 0 | 0 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 66 : Structure Wm (30 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | .314 | .314 | 0 | %100 |
| 2 | M4 | Z | -.544 | -.544 | 0 | %100 |
| 3 | M3 | X | .094 | .094 | 0 | %100 |
| 4 | M3 | Z | -.163 | -.163 | 0 | %100 |
| 5 | M5 | X | .398 | .398 | 0 | %100 |
| 6 | M5 | Z | -.689 | -.689 | 0 | %100 |
| 7 | MP1A | X | .302 | .302 | 0 | %100 |
| 8 | MP1A | Z | -.524 | -.524 | 0 | %100 |
| 9 | MP3A | X | .302 | .302 | 0 | %100 |
| 10 | MP3A | Z | -.524 | -.524 | 0 | %100 |
| 11 | MP5A | X | .302 | .302 | 0 | %100 |
| 12 | MP5A | Z | -.524 | -.524 | 0 | %100 |
| 13 | M17 | X | .247 | .247 | 0 | %100 |
| 14 | M17 | Z | -.428 | -.428 | 0 | %100 |
| 15 | MP2A | X | .302 | .302 | 0 | %100 |
| 16 | MP2A | Z | -.524 | -.524 | 0 | %100 |
| 17 | MP4A | X | .302 | .302 | 0 | %100 |
| 18 | MP4A | Z | -.524 | -.524 | 0 | %100 |
| 19 | M22 | X | .334 | .334 | 0 | %100 |
| 20 | M22 | Z | -.579 | -.579 | 0 | %100 |
| 21 | M23 | X | .073 | .073 | 0 | %100 |
| 22 | M23 | Z | -.126 | -.126 | 0 | %100 |

Member Distributed Loads (BLC 67 : Structure Wm (60 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | .544 | .544 | 0 | %100 |
| 2 | M4 | Z | -.314 | -.314 | 0 | %100 |
| 3 | M3 | X | .489 | .489 | 0 | %100 |
| 4 | M3 | Z | -.282 | -.282 | 0 | %100 |
| 5 | M5 | X | .23 | .23 | 0 | %100 |
| 6 | M5 | Z | -.133 | -.133 | 0 | %100 |
| 7 | MP1A | X | .524 | .524 | 0 | %100 |
| 8 | MP1A | Z | -.302 | -.302 | 0 | %100 |
| 9 | MP3A | X | .524 | .524 | 0 | %100 |
| 10 | MP3A | Z | -.302 | -.302 | 0 | %100 |
| 11 | MP5A | X | .524 | .524 | 0 | %100 |
| 12 | MP5A | Z | -.302 | -.302 | 0 | %100 |
| 13 | M17 | X | .428 | .428 | 0 | %100 |
| 14 | M17 | Z | -.247 | -.247 | 0 | %100 |
| 15 | MP2A | X | .524 | .524 | 0 | %100 |
| 16 | MP2A | Z | -.302 | -.302 | 0 | %100 |
| 17 | MP4A | X | .524 | .524 | 0 | %100 |
| 18 | MP4A | Z | -.302 | -.302 | 0 | %100 |
| 19 | M22 | X | .193 | .193 | 0 | %100 |
| 20 | M22 | Z | -.111 | -.111 | 0 | %100 |
| 21 | M23 | X | .378 | .378 | 0 | %100 |
| 22 | M23 | Z | -.218 | -.218 | 0 | %100 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Distributed Loads (BLC 68 : Structure Wm (90 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | .628 | .628 | 0 | %100 |
| 2 | M4 | Z | 0 | 0 | 0 | %100 |
| 3 | M3 | X | .752 | .752 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | 0 | 0 | 0 | %100 |
| 7 | MP1A | X | .605 | .605 | 0 | %100 |
| 8 | MP1A | Z | 0 | 0 | 0 | %100 |
| 9 | MP3A | X | .605 | .605 | 0 | %100 |
| 10 | MP3A | Z | 0 | 0 | 0 | %100 |
| 11 | MP5A | X | .605 | .605 | 0 | %100 |
| 12 | MP5A | Z | 0 | 0 | 0 | %100 |
| 13 | M17 | X | .495 | .495 | 0 | %100 |
| 14 | M17 | Z | 0 | 0 | 0 | %100 |
| 15 | MP2A | X | .605 | .605 | 0 | %100 |
| 16 | MP2A | Z | 0 | 0 | 0 | %100 |
| 17 | MP4A | X | .605 | .605 | 0 | %100 |
| 18 | MP4A | Z | 0 | 0 | 0 | %100 |
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | 0 | 0 | 0 | %100 |
| 21 | M23 | X | .581 | .581 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 69 : Structure Wm (120 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | .544 | .544 | 0 | %100 |
| 2 | M4 | Z | .314 | .314 | 0 | %100 |
| 3 | M3 | X | .489 | .489 | 0 | %100 |
| 4 | M3 | Z | .282 | .282 | 0 | %100 |
| 5 | M5 | X | .23 | .23 | 0 | %100 |
| 6 | M5 | Z | .133 | .133 | 0 | %100 |
| 7 | MP1A | X | .524 | .524 | 0 | %100 |
| 8 | MP1A | Z | .302 | .302 | 0 | %100 |
| 9 | MP3A | X | .524 | .524 | 0 | %100 |
| 10 | MP3A | Z | .302 | .302 | 0 | %100 |
| 11 | MP5A | X | .524 | .524 | 0 | %100 |
| 12 | MP5A | Z | .302 | .302 | 0 | %100 |
| 13 | M17 | X | .428 | .428 | 0 | %100 |
| 14 | M17 | Z | .247 | .247 | 0 | %100 |
| 15 | MP2A | X | .524 | .524 | 0 | %100 |
| 16 | MP2A | Z | .302 | .302 | 0 | %100 |
| 17 | MP4A | X | .524 | .524 | 0 | %100 |
| 18 | MP4A | Z | .302 | .302 | 0 | %100 |
| 19 | M22 | X | .193 | .193 | 0 | %100 |
| 20 | M22 | Z | .111 | .111 | 0 | %100 |
| 21 | M23 | X | .378 | .378 | 0 | %100 |
| 22 | M23 | Z | .218 | .218 | 0 | %100 |

Member Distributed Loads (BLC 70 : Structure Wm (150 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|---|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | .314 | .314 | 0 | %100 |
| 2 | M4 | Z | .544 | .544 | 0 | %100 |
| 3 | M3 | X | .094 | .094 | 0 | %100 |
| 4 | M3 | Z | .163 | .163 | 0 | %100 |
| 5 | M5 | X | .398 | .398 | 0 | %100 |
| 6 | M5 | Z | .689 | .689 | 0 | %100 |



Member Distributed Loads (BLC 70 : Structure Wm (150 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 7 | MP1A | X | .302 | .302 | 0 | %100 |
| 8 | MP1A | Z | .524 | .524 | 0 | %100 |
| 9 | MP3A | X | .302 | .302 | 0 | %100 |
| 10 | MP3A | Z | .524 | .524 | 0 | %100 |
| 11 | MP5A | X | .302 | .302 | 0 | %100 |
| 12 | MP5A | Z | .524 | .524 | 0 | %100 |
| 13 | M17 | X | .247 | .247 | 0 | %100 |
| 14 | M17 | Z | .428 | .428 | 0 | %100 |
| 15 | MP2A | X | .302 | .302 | 0 | %100 |
| 16 | MP2A | Z | .524 | .524 | 0 | %100 |
| 17 | MP4A | X | .302 | .302 | 0 | %100 |
| 18 | MP4A | Z | .524 | .524 | 0 | %100 |
| 19 | M22 | X | .334 | .334 | 0 | %100 |
| 20 | M22 | Z | .579 | .579 | 0 | %100 |
| 21 | M23 | X | .073 | .073 | 0 | %100 |
| 22 | M23 | Z | .126 | .126 | 0 | %100 |

Member Distributed Loads (BLC 71 : Structure Wm (180 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | 0 | 0 | 0 | %100 |
| 2 | M4 | Z | .628 | .628 | 0 | %100 |
| 3 | M3 | X | 0 | 0 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | 1.061 | 1.061 | 0 | %100 |
| 7 | MP1A | X | 0 | 0 | 0 | %100 |
| 8 | MP1A | Z | .605 | .605 | 0 | %100 |
| 9 | MP3A | X | 0 | 0 | 0 | %100 |
| 10 | MP3A | Z | .605 | .605 | 0 | %100 |
| 11 | MP5A | X | 0 | 0 | 0 | %100 |
| 12 | MP5A | Z | .605 | .605 | 0 | %100 |
| 13 | M17 | X | 0 | 0 | 0 | %100 |
| 14 | M17 | Z | .495 | .495 | 0 | %100 |
| 15 | MP2A | X | 0 | 0 | 0 | %100 |
| 16 | MP2A | Z | .605 | .605 | 0 | %100 |
| 17 | MP4A | X | 0 | 0 | 0 | %100 |
| 18 | MP4A | Z | .605 | .605 | 0 | %100 |
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | .892 | .892 | 0 | %100 |
| 21 | M23 | X | 0 | 0 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 72 : Structure Wm (210 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -.314 | -.314 | 0 | %100 |
| 2 | M4 | Z | .544 | .544 | 0 | %100 |
| 3 | M3 | X | -.094 | -.094 | 0 | %100 |
| 4 | M3 | Z | .163 | .163 | 0 | %100 |
| 5 | M5 | X | -.398 | -.398 | 0 | %100 |
| 6 | M5 | Z | .689 | .689 | 0 | %100 |
| 7 | MP1A | X | -.302 | -.302 | 0 | %100 |
| 8 | MP1A | Z | .524 | .524 | 0 | %100 |
| 9 | MP3A | X | -.302 | -.302 | 0 | %100 |
| 10 | MP3A | Z | .524 | .524 | 0 | %100 |
| 11 | MP5A | X | -.302 | -.302 | 0 | %100 |
| 12 | MP5A | Z | .524 | .524 | 0 | %100 |



Member Distributed Loads (BLC 72 : Structure Wm (210 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft. %] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|---------------------|
| 13 | M17 | X | -.247 | -.247 | 0 | %100 |
| 14 | M17 | Z | .428 | .428 | 0 | %100 |
| 15 | MP2A | X | -.302 | -.302 | 0 | %100 |
| 16 | MP2A | Z | .524 | .524 | 0 | %100 |
| 17 | MP4A | X | -.302 | -.302 | 0 | %100 |
| 18 | MP4A | Z | .524 | .524 | 0 | %100 |
| 19 | M22 | X | -.334 | -.334 | 0 | %100 |
| 20 | M22 | Z | .579 | .579 | 0 | %100 |
| 21 | M23 | X | -.073 | -.073 | 0 | %100 |
| 22 | M23 | Z | .126 | .126 | 0 | %100 |

Member Distributed Loads (BLC 73 : Structure Wm (240 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft. %] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|---------------------|
| 1 | M4 | X | -.544 | -.544 | 0 | %100 |
| 2 | M4 | Z | .314 | .314 | 0 | %100 |
| 3 | M3 | X | -.489 | -.489 | 0 | %100 |
| 4 | M3 | Z | .282 | .282 | 0 | %100 |
| 5 | M5 | X | -.23 | -.23 | 0 | %100 |
| 6 | M5 | Z | .133 | .133 | 0 | %100 |
| 7 | MP1A | X | -.524 | -.524 | 0 | %100 |
| 8 | MP1A | Z | .302 | .302 | 0 | %100 |
| 9 | MP3A | X | -.524 | -.524 | 0 | %100 |
| 10 | MP3A | Z | .302 | .302 | 0 | %100 |
| 11 | MP5A | X | -.524 | -.524 | 0 | %100 |
| 12 | MP5A | Z | .302 | .302 | 0 | %100 |
| 13 | M17 | X | -.428 | -.428 | 0 | %100 |
| 14 | M17 | Z | .247 | .247 | 0 | %100 |
| 15 | MP2A | X | -.524 | -.524 | 0 | %100 |
| 16 | MP2A | Z | .302 | .302 | 0 | %100 |
| 17 | MP4A | X | -.524 | -.524 | 0 | %100 |
| 18 | MP4A | Z | .302 | .302 | 0 | %100 |
| 19 | M22 | X | -.193 | -.193 | 0 | %100 |
| 20 | M22 | Z | .111 | .111 | 0 | %100 |
| 21 | M23 | X | -.378 | -.378 | 0 | %100 |
| 22 | M23 | Z | .218 | .218 | 0 | %100 |

Member Distributed Loads (BLC 74 : Structure Wm (270 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft. %] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|---------------------|
| 1 | M4 | X | -.628 | -.628 | 0 | %100 |
| 2 | M4 | Z | 0 | 0 | 0 | %100 |
| 3 | M3 | X | -.752 | -.752 | 0 | %100 |
| 4 | M3 | Z | 0 | 0 | 0 | %100 |
| 5 | M5 | X | 0 | 0 | 0 | %100 |
| 6 | M5 | Z | 0 | 0 | 0 | %100 |
| 7 | MP1A | X | -.605 | -.605 | 0 | %100 |
| 8 | MP1A | Z | 0 | 0 | 0 | %100 |
| 9 | MP3A | X | -.605 | -.605 | 0 | %100 |
| 10 | MP3A | Z | 0 | 0 | 0 | %100 |
| 11 | MP5A | X | -.605 | -.605 | 0 | %100 |
| 12 | MP5A | Z | 0 | 0 | 0 | %100 |
| 13 | M17 | X | -.495 | -.495 | 0 | %100 |
| 14 | M17 | Z | 0 | 0 | 0 | %100 |
| 15 | MP2A | X | -.605 | -.605 | 0 | %100 |
| 16 | MP2A | Z | 0 | 0 | 0 | %100 |
| 17 | MP4A | X | -.605 | -.605 | 0 | %100 |
| 18 | MP4A | Z | 0 | 0 | 0 | %100 |



Company : Maser Consulting
 Designer :
 Job Number :
 Model Name : 468044-VZW_MT_LOT_SectorC_H

July 7, 2021
 9:26 AM
 Checked By: _____

Member Distributed Loads (BLC 74 : Structure Wm (270 Deg)) (Continued)

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 19 | M22 | X | 0 | 0 | 0 | %100 |
| 20 | M22 | Z | 0 | 0 | 0 | %100 |
| 21 | M23 | X | -.581 | -.581 | 0 | %100 |
| 22 | M23 | Z | 0 | 0 | 0 | %100 |

Member Distributed Loads (BLC 75 : Structure Wm (300 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -.544 | -.544 | 0 | %100 |
| 2 | M4 | Z | -.314 | -.314 | 0 | %100 |
| 3 | M3 | X | -.489 | -.489 | 0 | %100 |
| 4 | M3 | Z | -.282 | -.282 | 0 | %100 |
| 5 | M5 | X | -.23 | -.23 | 0 | %100 |
| 6 | M5 | Z | -.133 | -.133 | 0 | %100 |
| 7 | MP1A | X | -.524 | -.524 | 0 | %100 |
| 8 | MP1A | Z | -.302 | -.302 | 0 | %100 |
| 9 | MP3A | X | -.524 | -.524 | 0 | %100 |
| 10 | MP3A | Z | -.302 | -.302 | 0 | %100 |
| 11 | MP5A | X | -.524 | -.524 | 0 | %100 |
| 12 | MP5A | Z | -.302 | -.302 | 0 | %100 |
| 13 | M17 | X | -.428 | -.428 | 0 | %100 |
| 14 | M17 | Z | -.247 | -.247 | 0 | %100 |
| 15 | MP2A | X | -.524 | -.524 | 0 | %100 |
| 16 | MP2A | Z | -.302 | -.302 | 0 | %100 |
| 17 | MP4A | X | -.524 | -.524 | 0 | %100 |
| 18 | MP4A | Z | -.302 | -.302 | 0 | %100 |
| 19 | M22 | X | -.193 | -.193 | 0 | %100 |
| 20 | M22 | Z | -.111 | -.111 | 0 | %100 |
| 21 | M23 | X | -.378 | -.378 | 0 | %100 |
| 22 | M23 | Z | -.218 | -.218 | 0 | %100 |


Member Distributed Loads (BLC 76 : Structure Wm (330 Deg))

| | Member Label | Direction | Start Magnitude[lb/ft.... | End Magnitude[lb/ft.F... | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|---------------------------|--------------------------|----------------------|--------------------|
| 1 | M4 | X | -.314 | -.314 | 0 | %100 |
| 2 | M4 | Z | -.544 | -.544 | 0 | %100 |
| 3 | M3 | X | -.094 | -.094 | 0 | %100 |
| 4 | M3 | Z | -.163 | -.163 | 0 | %100 |
| 5 | M5 | X | -.398 | -.398 | 0 | %100 |
| 6 | M5 | Z | -.689 | -.689 | 0 | %100 |
| 7 | MP1A | X | -.302 | -.302 | 0 | %100 |
| 8 | MP1A | Z | -.524 | -.524 | 0 | %100 |
| 9 | MP3A | X | -.302 | -.302 | 0 | %100 |
| 10 | MP3A | Z | -.524 | -.524 | 0 | %100 |
| 11 | MP5A | X | -.302 | -.302 | 0 | %100 |
| 12 | MP5A | Z | -.524 | -.524 | 0 | %100 |
| 13 | M17 | X | -.247 | -.247 | 0 | %100 |
| 14 | M17 | Z | -.428 | -.428 | 0 | %100 |
| 15 | MP2A | X | -.302 | -.302 | 0 | %100 |
| 16 | MP2A | Z | -.524 | -.524 | 0 | %100 |
| 17 | MP4A | X | -.302 | -.302 | 0 | %100 |
| 18 | MP4A | Z | -.524 | -.524 | 0 | %100 |
| 19 | M22 | X | -.334 | -.334 | 0 | %100 |
| 20 | M22 | Z | -.579 | -.579 | 0 | %100 |
| 21 | M23 | X | -.073 | -.073 | 0 | %100 |
| 22 | M23 | Z | -.126 | -.126 | 0 | %100 |

I. Mount-to-Tower Connection Check

RISA Model Data


| Nodes (labeled per RISA) | Orientation (per graphic of typical platform) |
|-----------------------------|--|
| N1 | 90 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



Tower Connection Bolt Checks

Any moment resistance?:
 Bolt Quantity per Reaction:
 d_x (in) (Delta X of typ. bolt config. sketch):
 d_y (in) (Delta Y of typ. bolt config. sketch):
 Bolt Type:
 Bolt Diameter (in):
 Required Tensile Strength (kips):
 Required Shear Strength (kips):
 Tensile Strength / bolt (kips):
 Shear Strength / bolt (kips):
 Tensile Capacity Overall:
 Shear Capacity Overall:

| |
|---------------|
| yes |
| 4 |
| 3 |
| 8 |
| A325N |
| 0.625 |
| 14.8 |
| 33.6 |
| 20.7 |
| 12.4 |
| 17.9%* |
| 67.7% |



*Note: Tension reduction not required if tension or shear capacity < 30%

Tower Connection Plate and Weld Check

Connecting Standoff Member Shape:
 Plate Width (in):
 Plate Height (in):
 W_1 (in):
 W_2 (in):
 F_y (ksi, plate):
 t_{plate} (in):
 Weld Size (1/16 in):
 $\Phi * R_n$ (kip/in):
 Required Weld Strength (kip/in):
 Plate Bending Capacity:
 Weld Capacity:

| |
|--------------|
| Rect |
| 6 |
| 10 |
| 4 |
| 4 |
| 36 |
| 0.5 |
| 3 |
| 4.18 |
| 2.44 |
| 79.9% |
| 58.4% |


Max Plate Bending Strengths

| | |
|-------------------------------|------|
| $M_{u_{xx}}$ (kip-in): | 9.9 |
| $\Phi * M_{n_{xx}}$ (kip-in): | 12.2 |
| $M_{u_{yy}}$ (kip-in): | -0.3 |
| $\Phi * M_{n_{yy}}$ (kip-in): | 20.3 |

I. Mount-to-Tower Connection Check - Proposed

RISA Model Data

| Nodes (labeled per RISA) | Orientation (per graphic of typical platform) |
|-----------------------------|--|
| N51 | 90 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



TYPICAL PLATFORM

Tower Connection Bolt Checks

Any moment resistance?:

Bolt Quantity per Reaction:

d_x (in) (Delta X of typ. bolt config. sketch):

d_y (in) (Delta Y of typ. bolt config. sketch):

Bolt Type:

Bolt Diameter (in):

Required Tensile Strength (kips):

Required Shear Strength (kips):


Tensile Strength / bolt (kips):

Shear Strength / bolt (kips):

Tensile Capacity Overall:

Shear Capacity Overall:

| |
|--------------|
| yes |
| 4 |
| 6 |
| 6 |
| A325N |
| 0.625 |
| 6.0 |
| 6.8 |
| 20.7 |
| 12.4 |
| 7.3%* |
| 13.8% |



*Note: Tension reduction not required if tension or shear capacity < 30%

Tower Connection Plate and Weld Check

Connecting Standoff Member Shape:

Plate Width (in):

Plate Height (in):

W1 (in):

W2 (in):

Fy (ksi, plate):

t_{plate} (in):

Weld Size (1/16 in):

$\Phi * R_n$ (kip/in):

Required Weld Strength (kip/in):

Plate Bending Capacity:

Weld Capacity:

| |
|--------------|
| Rect |
| 8.25 |
| 8.25 |
| 3 |
| 3 |
| 50 |
| 0.75 |
| 5 |
| 6.96 |
| 1.84 |
| 14.7% |
| 26.4% |

Max Plate Bending Strengths

| | |
|-------------------------------|------|
| $M_{u_{xx}}$ (kip-in): | 3.1 |
| $\Phi * M_{n_{xx}}$ (kip-in): | 52.2 |
| $M_{u_{yy}}$ (kip-in): | 4.6 |
| $\Phi * M_{n_{yy}}$ (kip-in): | 52.2 |

Mount Desktop – Post Modification Inspection (PMI) Report Requirements

Documents & Photos Required from Contractor – Mount Modification

Purpose – to provide Maser Consulting Connecticut the proper documentation in order to complete the required Mount Desktop review of the Post Modification Inspection Report.

- Contractor is responsible for making certain the photos provided as noted below provide confirmation that the modification was completed in accordance with the modification drawings.
- Contractor shall relay any data that can impact the performance of the mount or the mount modification, this includes safety issues.

Base Requirements:

- Any special photos outside of the standard requirements will be indicated on the drawings
- Provide “as built drawings” showing contractor’s name, preparer’s signature, and date. Any deviations from the drawings (proposed modification) must be shown.
- Notation that all hardware was properly installed, and the existing hardware was inspected for any issues.
- Verification that loading is as communicated in the modification drawings. NOTE If loading is different than what is conveyed in the modification drawing contact Maser Consulting Connecticut immediately.
- Each photo should be time and date stamped
- Photos should be high resolution and submitted in a Zip File and should be organized in the file structure as depicted in Schedule A attached.
- Contractor shall ensure that the safety climb wire rope is supported and not adversely impacted by the install of the modification components. This may involve the install of wire rope guides, or other items to protect the wire rope.
- The photos in the file structure should be uploaded to <https://pmi.vzwsmart.com> as depicted on the drawings

Photo Requirements:

- Base and “During Installation Photos”
 - Base pictures include
 - Photo of Gate Signs showing the tower owner, site name, and number
 - Photo of carrier shelter showing the carrier site name and number if available
 - Photos of the galvanizing compound and/or paint used (if applicable), clearly showing the label and name
 - “During Installation Photos if provided - must be placed only in this folder
- Photos taken at ground level
 - Overall tower structure before and after installation of the modifications
 - Photos of the appropriate mount before and after installation of the modifications; if the mounts are at different rad elevations, pictures must be provided for all elevations that the modifications were installed

- Photos taken at Mount Elevation
 - Photos showing each individual sector before and also after installation of modifications. Each entire sector must be in one photo to show in the inter-connection of members.
 - These photos should also certify that the placement and geometry of the equipment on the mount is as depicted on the sketch and table in the mount analysis
 - Close-up photos of each installed modification per the modification drawings; pictures should also include connection hardware (U-bolts, bolts, nuts, all-threaded rods, etc.)
 - Photos showing the measurements of the installed modification member sizes (i.e. lengths, widths, depths, diameters, thicknesses)
 - Photos showing the elevation or distances of the installed modifications from the appropriate reference locations shown in the modification drawings
 - Photos showing the installed modifications onto the tower with tape drop measurements (if applicable) (i.e. ring/collar mounts, tie-backs, V-bracing kits, etc.); if the existing mount elevation needs to be changed according to the modification drawings, a tape drop measurement shall be provided before the elevation change
 - Photos showing the safety climb wire rope above and below the mount prior to modification.
 - Photos showing the climbing facility and safety climb if present.

Material Certification:

- Materials utilized must be as per specification on the drawings or the equivalent as validated by Maser Consulting Connecticut.
 - If the drawings are as specified on the drawings
 - The contractor should provide the packing list or the materials utilized to perform the mount modification
 - If an equivalent is utilized
 - It is required that the Maser Consulting Connecticut certification of such is included in the contractor submission package. There may be an additional charge for this certification if the equivalent submission doesn't meet specifications as prescribed in the drawings.
- The contractor must certify that the materials meet these specifications by one of these methods.

The Material utilized was as specified on the Maser Consulting Connecticut Mount Modification Drawings and included in the Material certification folder is a packing list or invoice for these materials

The material utilized was an "equivalent" and included as part of the contractor submission is the Maser Consulting Connecticut certification, invoices, or specifications validating accepted status

Certifying Individual: Company _____

Name _____

Signature _____

Antenna & equipment placement and Geometry Confirmation:

- The contractor must certify that the antenna & equipment placement and geometry is in accordance with the antenna placement diagrams as included in this mount analysis.
- The contractor certifies that the photos support and the equipment on the mount is as depicted on the antenna placement diagrams as included in this mount analysis.
- The contractor notes that the equipment on the mount is not in accordance with the antenna placement diagrams and has accordingly marked up the diagrams or provided a diagram outlining the differences.

Certifying Individual: Company _____

Name _____

Signature _____

Special Instructions / Validation as required from the MA or Mod Drawings:

Issue:

Contractor to Install safety climb wire clip on existing/proposed standoff such that the existing safety climb wire does not contact the existing/proposed mount members.


Contractor to install 36" long P2.0 STD mount pipe on Gamma standoff horizontal. Attach proposed mount pipe to the standoff with crossover plate (Site Pro 1 – SQCX4-K, or EOR approved equivalent). Contractor shall attach proposed OVP 12" from top of mount pipe.

Response:


Schedule A – Photo & Document File Structure

- VzW Site Number / Name
 - Base & “During Installation” Photos
 - Pre-Installation Photos
 - Alpha
 - Beta
 - Gamma
 - Ground Level
 - Tape Drop
 - Post-Installation Photos
 - Alpha
 - Beta
 - Gamma
 - Ground Level
 - Tape Drop
 - Photos of climbing facility and safety climb – If Present
- Certifications – Submission of this document including certifications
- Specific Required Additional Photos

Plan View




Front View
Looking at Structure




| Ref# | Model | Height (in) | Width (in) | H Dist Frm L. | Pipe # | Pipe Pos V | Ant Pos | C. Ant Frm T. | Ant H Off | Status | Validation |
|------|-------------------|-------------|------------|---------------|--------|------------|---------|---------------|-----------|----------|------------|
| A1 | LPA-80063/6CF | 70.9 | 15 | 116 | 1 | a | Front | 39 | 0 | Retained | 10/21/2020 |
| A3 | JAHH-65A-R3B | 55.1 | 13.8 | 64.2 | 3 | a | Front | 39 | 9 | Added | |
| A3 | JAHH-65A-R3B | 55.1 | 13.8 | 64.2 | 3 | b | Front | 39 | -9 | Added | |
| R5 | CBC78T-DS-43 | 6.4 | 6.9 | 64.2 | 3 | a | Behind | 84 | 0 | Added | |
| R6 | B2/B66A RRH-BR049 | 15 | 15 | 64.2 | 3 | a | Behind | 18 | 0 | Added | |
| R4 | MT6407-77A | 35.1 | 16.1 | 28.5 | 4 | a | Front | 39 | 0 | Added | |
| R7 | B5/B13 RRH-BR04C | 15 | 15 | 28.5 | 4 | a | Behind | 18 | 0 | Added | |
| A1 | LPA-80063/6CF | 70.9 | 15 | 4 | 5 | a | Front | 39 | 0 | Retained | 10/21/2020 |

Plan View




Front View
Looking at Structure




| Ref# | Model | Height (in) | Width (in) | H Dist Frm L. | Pipe # | Pipe Pos V | Ant Pos | C. Ant Frm T. | Ant H Off | Status | Validation |
|------|-------------------|-------------|------------|---------------|--------|------------|---------|---------------|-----------|----------|------------|
| A1 | LPA-80063/6CF | 70.9 | 15 | 116 | 1 | a | Front | 39 | 0 | Retained | 10/21/2020 |
| A2 | JAHH-45A-R3B | 55.08 | 17.99 | 64.2 | 3 | a | Front | 39 | 11 | Added | |
| A2 | JAHH-45A-R3B | 55.08 | 17.99 | 64.2 | 3 | b | Front | 39 | -11 | Added | |
| R5 | CBC78T-DS-43 | 6.4 | 6.9 | 64.2 | 3 | a | Behind | 84 | 0 | Added | |
| R6 | B2/B66A RRH-BR049 | 15 | 15 | 64.2 | 3 | a | Behind | 18 | 0 | Added | |
| R4 | MT6407-77A | 35.1 | 16.1 | 28.5 | 4 | a | Front | 39 | 0 | Added | |
| R7 | B5/B13 RRH-BR04C | 15 | 15 | 28.5 | 4 | a | Behind | 18 | 0 | Added | |
| A1 | LPA-80063/6CF | 70.9 | 15 | 4 | 5 | a | Front | 39 | 0 | Retained | 10/21/2020 |

Plan View



Front View
Looking at Structure



| Ref# | Model | Height (in) | Width (in) | H Dist Frm L. | Pipe # | Pipe Pos V | Ant Pos | C. Ant Frm T. | Ant H Off | Status | Validation |
|------|-------------------|-------------|------------|---------------|--------|------------|---------|---------------|-----------|----------|------------|
| A1 | LPA-80063/6CF | 70.9 | 15 | 116 | 1 | a | Front | 39 | 0 | Retained | 10/21/2020 |
| A2 | JAHH-45A-R3B | 55.08 | 17.99 | 64.2 | 3 | a | Front | 39 | 11 | Added | |
| A2 | JAHH-45A-R3B | 55.08 | 17.99 | 64.2 | 3 | b | Front | 39 | -11 | Added | |
| R5 | CBC78T-DS-43 | 6.4 | 6.9 | 64.2 | 3 | a | Behind | 84 | 0 | Added | |
| R6 | B2/B66A RRH-BR049 | 15 | 15 | 64.2 | 3 | a | Behind | 18 | 0 | Added | |
| R4 | MT6407-77A | 35.1 | 16.1 | 28.5 | 4 | a | Front | 39 | 0 | Added | |
| R7 | B5/B13 RRH-BR04C | 15 | 15 | 28.5 | 4 | a | Behind | 18 | 0 | Added | |
| A1 | LPA-80063/6CF | 70.9 | 15 | 4 | 5 | a | Front | 39 | 0 | Retained | 10/21/2020 |

Subject

TIA-222-H Usage

Site Information

| | |
|---------------|---|
| Site ID: | 468044-VZW / Byram Park CT |
| Site Name: | Byram Park CT |
| Carrier Name: | Verizon Wireless |
| Address: | 36 Ritch Ave W Greenwich, Connecticut 6830 Fairfield County |
| Latitude: | 41.005064° |
| Longitude: | -73.648312° |

Structure Information

| | |
|-------------|----------------|
| Tower Type: | 79-Ft Monopole |
| Mount Type: | 10.00-Ft T-Arm |

To Whom It May Concern,


We respectfully submit the above referenced Antenna Mount Structural Analysis report in conformance with ANSI/TIA-222-H, Structural Standard for Antenna Supporting Structures and Antennas and Small Wind Turbine Support Structures.

The 2015 International Building Code states that, in Section 3108, telecommunication towers shall be designed and constructed in accordance with the provisions of TIA-222. TIA-222-H is the latest revision of the TIA-222 Standard, effective as of January 01, 2018.

As with all ANSI standards and engineering best practice is to apply the most current revision of the standard. This ensures the engineer is applying all updates. As an example, the TIA-222-H Standard includes updates to bring it in line with the latest AISC and ACI standards and it also incorporates the latest wind speed maps by ASCE 7 based on updated studies of the wind data.

The TIA-222-H standard clarifies these specific requirements for the antenna mount analysis such as modeling methods, seismic analysis, 30-degree increment wind directions and maintenance loading. Therefore, it is our opinion that TIA-222-H is the most appropriate standard for antenna mount structural analysis and is acceptable for use at this site to ensure the engineer is taking into account the most current engineering standard available.

Sincerely,



Derek Hartzell, PE
Technical Specialist

Site Name: **BYRAM PARK CT**

Cumulative Power Density

| Operator | Operating Frequency | Number of Trans. | ERP Per Trans. | Total ERP | Distance to Target | Calculated Power Density | Maximum Permissible Exposure* | Fraction of MPE |
|--------------|---------------------|------------------|----------------|-----------|--------------------|--------------------------|-------------------------------|-----------------|
| | (MHz) | | (watts) | (watts) | (feet) | (mW/cm ²) | (mW/cm ²) | (%) |
| VZW 700 | 751 | 4 | 739 | 2954 | 57 | 0.0327 | 0.5007 | 6.53% |
| VZW CDMA | 877.26 | 2 | 499 | 998 | 57 | 0.0110 | 0.5848 | 1.89% |
| VZW Cellular | 874 | 4 | 841 | 3365 | 57 | 0.0372 | 0.5827 | 6.39% |
| VZW PCS | 1980 | 4 | 2035 | 8139 | 57 | 0.0901 | 1.0000 | 9.01% |
| VZW AWS | 2120 | 4 | 2035 | 8141 | 57 | 0.0901 | 1.0000 | 9.01% |
| VZW CBAND | 3730.08 | 4 | 6531 | 26125 | 57 | 0.2892 | 1.0000 | 28.92% |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Total Percentage of Maximum Permissible Exposure 61.75%

*Guidelines adopted by the FCC on August 1, 1996, 47 CFR Part 1 based on NCRP Report 86, 1986 and generally on ANSI/IEEE C95.1-1992

**Calculation includes a -10 dB Off Beam Antenna Pattern Adjustment pursuant to Attachments B and C of the Siting Council's November 10, 2015 Memorandum for Exempt Modification filings



MHz = Megahertz

mW/cm² = milliwatts per square centimeter














ERP = Effective Radiated Power

Absolute worst case maximum values used.
















Legend

-  Property Lines
-  Town Boundary



Utility Features

-  Street Light
-  Traffic Signal
-  Parking Meter
-  Tree
-  Pedestrian signals
-  Fences
-  Stone Walls
-  Retaining Walls
-  Hydrology
-  Railroad
-  Roads Centerline
-  Sidewalk
-  Crosswalk




Building Features

-  Residential- Single Family
-  Residential-Two Family
-  Residential- Multi Family
-  Commercial/Industrial
-  Institutional
-  Public
-  Other Structure
-  Residential Garages
-  Building under construction (4/2013)
-  Water Towers
-  Foundations (4/2013)
-  Patio
-  Deck
-  Courtyards
-  Non-building polygons









Topology Features

-  Contours 10ft
-  Contours 1ft

Cultural Features

-  Cemetery
-  Under Construction
-  Landfill

Recreation Features

-  Building
-  Fairway
-  Green
-  Sand
-  Water
-  Golf Courses
-  Baseball\Athletic Fields
-  Swimming Pools
-  Tennis Courts

Path Features

-  Paved
-  Unpaved

Driveway Features

-  Paved
-  Unpaved






Parking Features

-  Paved
-  Unpaved


Bridge Features

-  Bridge
-  Overpass

Road Features

-  Cement-Paved
-  Construction
-  Island
-  Paved
-  Unpaved







Marine Features

-  Docks
-  Piers
-  Marine Structure
-  Boardwalk



Hydrology Features

-  Island
-  Pond
-  Reservoir
-  River
-  Sea

Wetlands

-  Estuarine
-  Freshwater Open Lake
-  Freshwater Open Water with Vegetation
-  Freshwater Shrub Scrub
-  Freshwater Emergent
-  Freshwater Wooded Scrub

Flood Zones

-  100 Year Flood Zone
-  500 Year Flood Zone
(FEMA Base: 7/8/13)

ADMINISTRATIVE INFORMATION

OWNERSHIP

Tax ID 182/005

Printed 01/12/2021 Card No. 1 of 1

PARCEL NUMBER 04-2334/S
Parent Parcel Number

36 RITCH AVENUE LLC
16B ARTHUR STREET
GREENWICH, CT 06831
LOT NO PT5 & PT7A-1-1-3 R ITCH AV N1B

TRANSFER OF OWNERSHIP

Table with columns: Date, Name, Amount. Rows include transfers to Kelly Brian & Laura W/S, Catalano Anthony Etal, and NA.

Property Address RITCH AVENUE 0036

Neighborhood 2700 BYRAM

Property Class 270 Telecommunications

TAXING DISTRICT INFORMATION

Jurisdiction 57 Greenwich, CT
Area 001
Corporation 057
District 04
Section & Plat 040
Routing Number 7117N0001

COMMERCIAL

VALUATION RECORD

Table with columns: Assessment Year, Reason for Change, Valuation (Market, 70% Assessed) for years 2015-2020.

Site Description

Topography:
Public Utilities: Water, Sewer, Electric
Street or Road:

LAND DATA AND CALCULATIONS

Table with columns: Rating, Measured Acreage, Table, Prod. Factor, Depth Factor, Base Rate, Adjusted Rate, Extended Value, Influence Factor, Value. Includes zoning information R-7 Single Family.

BA10: Sustained
BA15: Decrease Total value by \$114,700
BP15: 15-0972, \$15,000 9 Antenna Panels
BP17: 16-3234, 16-4235, 16-4392: Cellular Work, \$85,000
CKMP: 8586
DBA: Telecommunications site w/ a 70' flagpole monopole owned by Cingular...
LAND: See BP03 memo.

Supplemental Cards
TRUE TAX VALUE 664000


Table with columns: Permit Number, FilingDate, Est. Cost, Field Visit, Type, Est. SqFt

Supplemental Cards
TOTAL LAND VALUE 664000

IMPROVEMENT DATA

PHYSICAL CHARACTERISTICS

| | | | | |
|------------------------------|---|-----|---|---|
| ROOFING | | | | |
| Built-up | | | | |
| WALLS | | | | |
| Frame | B | 1 | 2 | U |
| Brick | | | | |
| Metal | | | | |
| Guard | | | | |
| FRAMING | | | | |
| F Res | B | 1 | 2 | U |
| | 0 | 644 | 0 | 0 |
| HEATING AND AIR CONDITIONING | | | | |
| Heat | B | 1 | 2 | U |
| Sprink | 0 | 644 | 0 | 0 |



01 02 03 04 05 06

| | | | | |
|-----------------------------------|-------|--------|--------|-------|
| Item Description | Units | Cost | Total | Pct |
| M & S Cost Database Date: 01/2015 | | | | |
| Base Cost | 644 | 61.99 | 39922 | |
| Exterior Walls | 644 | 31.57 | 20331 | |
| Heating & Cooling | 644 | 53.92 | 34724 | |
| Sprinklers | 644 | 7.68 | 4946 | |
| Basic Structure Cost | 644 | 155.16 | 99923 | |
| Physical | 0 | 0.00 | 2998 | 3.00 |
| Depreciated Cost | 644 | 150.50 | 96925 | |
| Rounded Total | 0 | 0.00 | 96900 | |
| OMP | 364 | 33.87 | 12330 | |
| Total Exterior Features Value | | | | 12330 |
| Depreciated Ext Features | | | 11960 | |
| Total Before Adjustments | | | 108860 | |
| Neighborhood Adjustment | | | 54440 | 50.00 |
| TOTAL VALUE | | | 163300 | |

(LCM: 150.00)

SPECIAL FEATURES

SUMMARY OF IMPROVEMENTS

| Description | Value | ID | Use | Stry Hgt | Const Type | Grade | Year Const | Eff Year | Cond | Base Rate | Feat-ures | Adj Rate | Size or Area | Computed Value | Phys Depr | Obsol Depr | Market Adj | % Comp | Value |
|-------------|-------|----|-----|----------|------------|-------|------------|----------|------|-----------|-----------|----------|--------------|----------------|-----------|------------|------------|--------|--------|
| C STGCA | 0.00 | | | | Good | | 2012 | 2012 | AV | 0.00 | N | 0.00 | 644 | 0 | 0 | 0 | 150 | 100 | 163300 |
| 01 TOWERMON | 0.00 | | 5PF | | Good | | 2003 | 2003 | GD | 1477 | N | 3323 | 70 | 232630 | 0 | 0 | 100 | 100 | 663000 |
| 02 STNWALGS | 8.00 | | | | Good | | 2012 | 2012 | AV | 125.00 | N | 281.25 | 992@ 0 | 279000 | 2 | 0 | 100 | 100 | 779200 |
| 03 PAVING | 0.00 | | 85 | | Avg | | 2012 | 2012 | AV | 5.20 | N | 7.80 | 2856 | 22280 | 2 | 0 | 100 | 100 | 62200 |
| 04 RTWCBREF | 0.00 | | 41C | | Good | | 2012 | 2012 | AV | 17.00 | N | 38.25 | 4x112 | 17140 | 2 | 0 | 100 | 100 | 47900 |
| 05 TOWERMON | 0.00 | | 5PF | | Exe | | 2012 | 2012 | AV | 0.00 | N | 0.00 | 77 | 200000 | 2 | SV | 100 | 100 | 558600 |
| 06 COMCNPYH | 0.00 | | 51 | | Exe | | 2012 | 2012 | AV | 63.00 | N | 226.80 | 8x 18 | 32660 | 2 | 0 | 100 | 100 | 91200 |

Data Collector/Date

Appraiser/Date

Neighborhood

Supplemental Cards


TD 08/03/2017

TOG 10/01/2015

Neigh 2700 AV

TOTAL IMPROVEMENT VALUE

2365400



VICINITY MAP



AMERICAN TOWER®

ATC SITE NAME: BYRAM PARK CT
 ATC SITE NUMBER: 414240
 VERIZON SITE NAME: BYRAM PARK CT
 VERIZON SITE NUMBER: 468044
 SITE ADDRESS: 48 RITCH AVENUE WEST
 GREENWICH, CT 06830-9992



LOCATION MAP

AMERICAN TOWER®
 A.T. ENGINEERING SERVICE, PLLC
 3500 REGENCY PARKWAY
 SUITE 100
 CARY, NC 27518
 PHONE: (919) 468-0112
 COA: P-1177

NB+C™
 TOTALLY COMMITTED.
 NB+C ENGINEERING SERVICES, LLC.
 8601 SIX FORKS ROAD, SUITE 540
 RALEIGH, NC 27615
 (919) 657-9131

| REV. | DESCRIPTION | BY | DATE |
|------|------------------|-----|----------|
| A | PRELIM | TH | 07/23/21 |
| 0 | FOR CONSTRUCTION | BIW | 09/21/21 |
| | | | |
| | | | |
| | | | |

ATC SITE NUMBER:
414240

ATC SITE NAME:
BYRAM PARK CT

VERIZON SITE NAME:
BYRAM PARK CT

SITE ADDRESS:
36 RITCH AVE WEST
GREENWICH, CT 06830-9992



| | |
|--------------|---------------|
| DATE DRAWN: | 09/21/21 |
| ATC JOB NO: | 13701270 |
| CUSTOMER ID: | BYRAM PARK CT |
| CUSTOMER #: | 468044 |

TITLE SHEET

| | |
|-------------------------------|-----------------------|
| SHEET NUMBER: G-001 | REVISION: 0 |
|-------------------------------|-----------------------|

**VERIZON
ANTENNA AMENDMENT DRAWINGS**

| COMPLIANCE CODE | PROJECT SUMMARY | PROJECT DESCRIPTION | SHEET INDEX | | | | |
|--|---|---|-------------|--------------------------------|------|----------|-----|
| ALL WORK SHALL BE PERFORMED AND MATERIALS INSTALLED IN ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNMENT AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THESE CODES. 1. INTERNATIONAL BUILDING CODE (IBC) 2. NATIONAL ELECTRIC CODE (NEC) 3. LOCAL BUILDING CODE 4. CITY/COUNTY ORDINANCES | <u>SITE ADDRESS:</u> 48 RITCH AVENUE WEST GREENWICH, CT 06830-9992 COUNTY: FAIRFIELD <u>GEOGRAPHIC COORDINATES:</u> LATITUDE: 41.00506388 LONGITUDE: -73.64831111 GROUND ELEVATION: 53' AMSL | THE PROPOSED PROJECT INCLUDES MODIFYING GROUND BASED AND TOWER MOUNTED EQUIPMENT AS INDICATED PER BELOW: REMOVE (9) ANTENNA(S), (6) RRH(S), (1) OVP(S), AND (2) 1-5/8" HYBRID CABLE(S) INSTALL MOUNT MODIFICATIONS, (9) ANTENNA(S), (9) RRH(S), (3) DIPLEXER(S), (1) OVP(S), AND (2) 1-5/8" HYBRID CABLE(S) EXISTING (3) ANTENNA(S), AND (16) 1-5/8" COAX CABLE(S) TO REMAIN | SHEET NO: | DESCRIPTION: | REV: | DATE: | BY: |
| | <u>PROJECT TEAM</u> <u>TOWER OWNER:</u> AMERICAN TOWER 10 PRESIDENTIAL WAY WOBURN, MA 01801 <u>ENGINEER:</u> NB+C ENGINEERING SERVICES, LLC 8601 SIX FORKS ROAD, SUITE 540 RALEIGH, NC 27615 <u>PROPERTY OWNER:</u> 36 RITCH AVENUE LLC 48 RITCH AVENUE WEST GREENWICH, CT 06830-9992 | <u>PROJECT NOTES</u> 1. THE FACILITY IS UNMANNED. 2. A TECHNICIAN WILL VISIT THE SITE APPROXIMATELY ONCE A MONTH FOR ROUTINE INSPECTION AND MAINTENANCE. 3. THE PROJECT WILL NOT RESULT IN ANY SIGNIFICANT LAND DISTURBANCE OR EFFECT OF STORM WATER DRAINAGE. 4. NO SANITARY SEWER, POTABLE WATER OR TRASH DISPOSAL IS REQUIRED. 5. HANDICAP ACCESS IS NOT REQUIRED. 6. THE PROJECT DEPICTED IN THESE PLANS QUALIFIES AS AN ELIGIBLE FACILITIES REQUEST ENTITLED TO EXPEDITED REVIEW UNDER 47 U.S.C. 1455(A) AS A MODIFICATION OF AN EXISTING WIRELESS TOWER THAT INVOLVES THE COLLOCATION REMOVAL AND/OR REPLACEMENT OF TRANSMISSION EQUIPMENT THAT IS NOT A SUBSTANTIAL CHANGE UNDER CFR 1.61000 (B)(7). | G-001 | TITLE SHEET | 0 | 09/21/21 | BIW |
| <u>UTILITY COMPANIES</u> POWER COMPANY: EVERSOURCE PHONE: (866) 554-6025 TELEPHONE COMPANY: UNKNOWN PHONE: (000) 000-0000 | <u>APPLICANT:</u> VERIZON WIRELESS 180 WASHINGTON VALLEY RD BEDMINSTER, NJ 07921 | <u>PROJECT LOCATION DIRECTIONS</u> TAKE RITCH AVE W AND HAMILTON AVE TO GLEN ST IN GREENWICH, 4 MIN (1.6 MI), HEAD NORTHEAST ON I-95 N, 0.2 MI, TAKE EXIT 2 FOR BYRAM TOWARD DELAVAN AVE, 0.2 MI, CONTINUE ONTO DORAN AVE, 361 FT, TURN LEFT ONTO BYRAM SHORE RD, 167 FT, TURN RIGHT ONTO RITCH AVE W, 0.6 MI, CONTINUE ONTO HAMILTON AVE, 0.5 MI, TAKE RODWELL AVE TO HAMILTON AVE, 43 S (0.2 MI), TURN RIGHT ONTO GLEN ST, 351 FT, GLEN ST TURNS LEFT AND BECOMES RODWELL AVE, 476 FT, RODWELL AVE TURNS LEFT AND BECOMES STONE AVE, 358 FT, CONTINUE ON HAMILTON AVE, DRIVE TO RITCH AVE W, 3 MIN (1.1 MI), TURN LEFT ONTO HAMILTON AVE, 0.6 MI, CONTINUE ONTO RITCH AVE W, DESTINATION WILL BE ON THE RIGHT. | G-002 | GENERAL NOTES | 0 | 09/21/21 | BIW |
| | | | C-101 | DETAILED SITE PLAN | 0 | 09/21/21 | BIW |
| | | | C-201 | TOWER ELEVATION | 0 | 09/21/21 | BIW |
| | | | C-401 | ANTENNA INFORMATION & SCHEDULE | 0 | 09/21/21 | BIW |
| | | | C-501 | CONSTRUCTION DETAILS | 0 | 09/21/21 | BIW |
| | | | E-501 | GROUNDING DETAILS | 0 | 09/21/21 | BIW |
| | | | R-601 | SUPPLEMENTAL | | | |
| | | | R-602 | SUPPLEMENTAL | | | |
| | | | R-603 | SUPPLEMENTAL | | | |
| | | | R-604 | SUPPLEMENTAL | | | |
| | | | | MOUNT MODIFICATION DRAWINGS | | | |



Copyright © 2021 ATC IP LLC. All Rights Reserved.

GENERAL CONSTRUCTION NOTES:

1. OWNER FURNISHED MATERIALS, VERIZON "THE COMPANY" WILL PROVIDE AND THE CONTRACTOR WILL INSTALL
 - A. BTS EQUIPMENT FRAME (PLATFORM) AND ICEBRIDGE SHELTER (GROUND BUILD/CO-LOCATE ONLY)
 - B. AC/TELCO INTERFACE BOX (PPC)
 - C. ICE BRIDGE (CABLE TRAY WITH COVER) (GROUND BUILD/CO-LOCATE ONLY, GC TO FURNISH AND INSTALL FOR ROOFTOP INSTALLATION)
 - D. TOWERS, MONOPOLES
 - E. TOWER LIGHTING
 - F. GENERATORS & LIQUID PROPANE TANK
 - G. ANTENNA STANDARD BRACKETS, FRAMES AND PIPES FOR MOUNTING
 - H. ANTENNAS (INSTALLED BY OTHERS)
 - I. TRANSMISSION LINE
 - J. TRANSMISSION LINE JUMPERS
 - K. TRANSMISSION LINE CONNECTORS WITH WEATHERPROOFING KITS
 - L. TRANSMISSION LINE GROUND KITS
 - M. HANGERS
 - N. HOISTING GRIPS
 - O. BTS EQUIPMENT
2. THE CONTRACTOR IS RESPONSIBLE TO PROVIDE ALL OTHER MATERIALS FOR THE COMPLETE INSTALLATION OF THE SITE INCLUDING, BUT NOT LIMITED TO, SUCH MATERIALS AS FENCING, STRUCTURAL STEEL SUPPORTING SUB-FRAME FOR PLATFORM, ROOFING LABOR AND MATERIALS, GROUNDING RINGS, GROUNDING WIRES, COPPER-CLAD OR XIT CHEMICAL GROUND ROD(S), BUSS BARS, TRANSFORMERS AND DISCONNECT SWITCHES WHERE APPLICABLE, TEMPORARY ELECTRICAL POWER, CONDUIT, LANDSCAPING COMPOUND STONE, CRANES, CORE DRILLING, SLEEPERS AND RUBBER MATTING, REBAR, CONCRETE CAISSONS, PADS AND/OR AUGER MOUNTS, MISCELLANEOUS FASTENERS, CABLE TRAYS, NON-STANDARD ANTENNA FRAMES AND ALL OTHER MATERIAL AND LABOR REQUIRED TO COMPLETE THE JOB ACCORDING TO THE DRAWINGS AND SPECIFICATIONS. IT IS THE POSITION OF VERIZON TO APPLY FOR PERMITTING AND CONTRACTOR RESPONSIBLE FOR PICKUP AND PAYMENT OF REQUIRED PERMITS.
3. ALL WORK SHALL CONFORM TO ALL CURRENT APPLICABLE FEDERAL, STATE, AND LOCAL CODES, INCLUDING ANSI/EIA/TIA-222, AND COMPLY WITH ATC CONSTRUCTION SPECIFICATIONS.
4. CONTRACTOR SHALL CONTACT LOCAL 811 FOR IDENTIFICATION OF UNDERGROUND UTILITIES PRIOR TO START OF CONSTRUCTION.
5. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING ALL REQUIRED INSPECTIONS.
6. ALL DIMENSIONS TO, OF, AND ON EXISTING BUILDINGS, DRAINAGE STRUCTURES, AND SITE IMPROVEMENTS SHALL BE VERIFIED IN FIELD BY CONTRACTOR WITH ALL DISCREPANCIES REPORTED TO THE ENGINEER.
7. DO NOT CHANGE SIZE OR SPACING OF STRUCTURAL ELEMENTS.
8. DETAILS SHOWN ARE TYPICAL; SIMILAR DETAILS APPLY TO SIMILAR CONDITIONS UNLESS OTHERWISE NOTED.
9. THESE DRAWINGS DO NOT INCLUDE NECESSARY COMPONENTS FOR CONSTRUCTION SAFETY WHICH SHALL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR.
10. CONTRACTOR SHALL BRACE STRUCTURES UNTIL ALL STRUCTURAL ELEMENTS NEEDED FOR STABILITY ARE INSTALLED. THESE ELEMENTS ARE AS FOLLOWS: LATERAL BRACING, ANCHOR BOLTS, ETC.
11. CONTRACTOR SHALL DETERMINE EXACT LOCATION OF EXISTING UTILITIES, GROUNDS DRAINS, DRAIN PIPES, VENTS, ETC. BEFORE COMMENCING WORK.
12. INCORRECTLY FABRICATED, DAMAGED, OR OTHERWISE MISFITTING OR NONCONFORMING MATERIALS OR CONDITIONS SHALL BE REPORTED TO THE VERIZON REP PRIOR TO REMEDIAL OR CORRECTIVE ACTION. ANY SUCH REMEDIAL ACTION SHALL REQUIRE WRITTEN APPROVAL BY THE VERIZON REP PRIOR TO PROCEEDING.
13. EACH CONTRACTOR SHALL COOPERATE WITH THE VERIZON REP, AND COORDINATE HIS WORK WITH THE WORK OF OTHERS.
14. CONTRACTOR SHALL REPAIR ANY DAMAGE CAUSED BY CONSTRUCTION OF THIS PROJECT TO MATCH EXISTING PRE-CONSTRUCTION CONDITIONS TO THE SATISFACTION OF THE VERIZON CONSTRUCTION MANAGER.
15. ALL CABLE/CONDUIT ENTRY/EXIT PORTS SHALL BE WEATHERPROOFED DURING INSTALLATION USING A SILICONE SEALANT.
16. WHERE EXISTING CONDITIONS DO NOT MATCH THOSE SHOWN IN THIS PLAN SET, CONTRACTOR SHALL NOTIFY THE VERIZON REP AND ENGINEER OF RECORD IMMEDIATELY.
17. CONTRACTOR SHALL ENSURE ALL SUBCONTRACTORS ARE PROVIDED WITH A COMPLETE AND CURRENT SET OF DRAWINGS AND SPECIFICATIONS FOR THIS PROJECT.
18. CONTRACTOR SHALL REMOVE ALL RUBBISH AND DEBRIS FROM THE SITE AT THE END OF EACH DAY.
19. CONTRACTOR SHALL COORDINATE WORK SCHEDULE WITH AMERICAN TOWER CORPORATION (ATC) AND TAKE PRECAUTIONS TO MINIMIZE IMPACT AND DISRUPTION OF OTHER OCCUPANTS OF THE FACILITY.
20. CONTRACTOR SHALL FURNISH VERIZON AND AMERICAN TOWER CORPORATION (ATC) WITH A PDF MARKED UP AS-BUILT SET OF DRAWINGS UPON COMPLETION OF WORK.
21. PRIOR TO SUBMISSION OF BID, CONTRACTOR SHALL COORDINATE WITH VERIZON REP TO DETERMINE WHAT, IF ANY, ITEMS WILL BE PROVIDED. ALL ITEMS NOT PROVIDED SHALL BE PROVIDED AND INSTALLED BY THE CONTRACTOR. CONTRACTOR WILL INSTALL ALL ITEMS PROVIDED.

22. PRIOR TO SUBMISSION OF BID, CONTRACTOR SHALL COORDINATE WITH VERIZON REP TO DETERMINE IF ANY PERMITS WILL BE OBTAINED BY CONTRACTOR. ALL REQUIRED PERMITS NOT OBTAINED BY VERIZON MUST BE OBTAINED, AND PAID FOR, BY THE CONTRACTOR.
23. CONTRACTOR SHALL INSTALL ALL SITE SIGNAGE IN ACCORDANCE WITH VERIZON SPECIFICATIONS AND REQUIREMENTS.
24. CONTRACTOR SHALL SUBMIT ALL SHOP DRAWINGS TO VERIZON FOR REVIEW AND APPROVAL PRIOR TO FABRICATION.
25. ALL EQUIPMENT SHALL BE INSTALLED ACCORDING TO MANUFACTURER'S SPECIFICATIONS AND LOCATED ACCORDING TO VERIZON SPECIFICATIONS, AND AS SHOWN IN THESE PLANS.
26. THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE PROJECT DESCRIBED HEREIN. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR ALL THE CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES AND PROCEDURES AND FOR COORDINATING ALL PORTIONS OF THE WORK UNDER THE CONTRACT.
27. CONTRACTOR SHALL NOTIFY VERIZON REP A MINIMUM OF 48 HOURS IN ADVANCE OF POURING CONCRETE OR BACKFILLING ANY UNDERGROUND UTILITIES, FOUNDATIONS OR SEALING ANY WALL, FLOOR OR ROOF PENETRATIONS FOR ENGINEERING REVIEW AND APPROVAL.
28. CONTRACTOR SHALL BE RESPONSIBLE FOR SITE SAFETY INCLUDING COMPLIANCE WITH ALL APPLICABLE OSHA STANDARDS AND RECOMMENDATIONS AND SHALL PROVIDE ALL NECESSARY SAFETY DEVICES INCLUDING PPE AND PPM AND CONSTRUCTION DEVICES SUCH AS WELDING AND FIRE PREVENTION, TEMPORARY SHORING, SCAFFOLDING, TRENCH BOXES/SLOPING, BARRIERS, ETC.
29. THE CONTRACTOR SHALL PROTECT AT HIS OWN EXPENSE, ALL EXISTING FACILITIES AND SUCH OF HIS NEW WORK LIABLE TO INJURY DURING THE CONSTRUCTION PERIOD. ANY DAMAGE CAUSED BY NEGLIGENCE ON THE PART OF THIS CONTRACTOR OR HIS REPRESENTATIVES, OR BY THE ELEMENTS DUE TO NEGLIGENCE ON THE PART OF THIS CONTRACTOR OR HIS REPRESENTATIVES, EITHER TO THE EXISTING WORK, OR TO HIS WORK OR THE WORK OF ANY OTHER CONTRACTOR, SHALL BE REPAIRED AT HIS EXPENSE TO THE OWNER'S SATISFACTION.
30. ALL WORK SHALL BE INSTALLED IN A FIRST CLASS, NEAT AND WORKMANLIKE MANNER BY MECHANICS SKILLED IN THE TRADE INVOLVED. THE QUALITY OF WORKMANSHIP SHALL BE SUBJECT TO THE APPROVAL OF THE VERIZON REP. ANY WORK FOUND BY THE VERIZON REP TO BE OF INFERIOR QUALITY AND/OR WORKMANSHIP SHALL BE REPLACED AND/OR REWORKED AT CONTRACTOR EXPENSE UNTIL APPROVAL IS OBTAINED.
31. IN ORDER TO ESTABLISH STANDARDS OF QUALITY AND PERFORMANCE, ALL TYPES OF MATERIALS LISTED HEREINAFTER BY MANUFACTURER'S NAMES AND/OR MANUFACTURER'S CATALOG NUMBER SHALL BE PROVIDED BY THESE MANUFACTURERS AS SPECIFIED.
32. VERIZON FURNISHED EQUIPMENT SHALL BE PICKED-UP AT THE VERIZON WAREHOUSE, NO LATER THAN 48HR AFTER BEING NOTIFIED INSURED, STORED, UNCRATE, PROTECTED AND INSTALLED BY THE CONTRACTOR WITH ALL APPURTENANCES REQUIRED TO PLACE THE EQUIPMENT IN OPERATION, READY FOR USE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EQUIPMENT AFTER PICKING IT UP.
33. VERIZON OR HIS ARCHITECT/ENGINEER RESERVES THE RIGHT TO REJECT ANY EQUIPMENT OR MATERIALS WHICH, IN HIS OWN OPINION ARE NOT IN COMPLIANCE WITH THE CONTRACT DOCUMENTS, EITHER BEFORE OR AFTER INSTALLATION AND THE EQUIPMENT SHALL BE REPLACED WITH EQUIPMENT CONFORMING TO THE REQUIREMENTS OF THE CONTRACT DOCUMENTS BY THE CONTRACTOR AT NO COST TO VERIZON OR THEIR ARCHITECT/ENGINEER.

STRUCTURAL STEEL NOTES:

1. STRUCTURAL STEEL SHALL CONFORM TO THE LATEST EDITION OF THE AISC "SPECIFICATION FOR THE DESIGN, FABRICATION AND ERECTION OF STRUCTURAL STEEL FOR BUILDINGS."
2. STRUCTURAL STEEL ROLLED SHAPES, PLATES AND BARS SHALL CONFORM TO THE FOLLOWING ASTM DESIGNATIONS:
 - A. ASTM A-572, GRADE 50 - ALL W SHAPES, UNLESS NOTED OR A992 OTHERWISE
 - B. ASTM A-36 - ALL OTHER ROLLED SHAPES, PLATES AND BARS UNLESS NOTED OTHERWISE.
 - C. ASTM A-500, GRADE B - HSS SECTION (SQUARE, RECTANGULAR, AND ROUND)
 - D. ASTM A-325, TYPE SC OR N - ALL BOLTS FOR CONNECTING STRUCTURAL MEMBERS
 - E. ASTM F-1554 07 - ALL ANCHOR BOLTS, UNLESS NOTED OTHERWISE
3. ALL EXPOSED STRUCTURAL STEEL MEMBERS SHALL BE HOT-DIPPED GALVANIZED AFTER FABRICATION PER ASTM A123, EXPOSED STEEL HARDWARE AND ANCHOR BOLTS SHALL BE GALVANIZED PER ASTM A153 OR B695.
4. ALL FIELD CUT SURFACES, FIELD DRILLED HOLES AND GROUND SURFACES WHERE EXISTING PAINT OR GALVANIZATION REMOVAL WAS REQUIRED SHALL BE REPAIRED WITH (2) BRUSHED COATS OF ZRC GALVILITE COLD GALVANIZING COMPOUND PER ASTM A780 AND MANUFACTURER'S RECOMMENDATIONS.
5. DO NOT DRILL HOLES THROUGH STRUCTURAL STEEL MEMBERS EXCEPT AS SHOWN AND DETAILED ON STRUCTURAL DRAWINGS.
6. CONNECTIONS:
 - A. ALL WELDING TO BE PERFORMED BY AWS CERTIFIED WELDERS AND CONDUCTED IN ACCORDANCE WITH THE LATEST EDITION OF THE AWS WELDING CODE D1.1.

- B. ALL WELDS SHALL BE INSPECTED VISUALLY. 25% OF WELDS SHALL BE INSPECTED WITH DYE PENETRANT OR MAGNETIC PARTICLE TO MEET THE ACCEPTANCE CRITERIA OF AWS D1.1. REPAIR ALL WELDS AS NECESSARY.
- C. INSPECTION SHALL BE PERFORMED BY AN AWS CERTIFIED WELD INSPECTOR.
- D. IT IS THE CONTRACTORS RESPONSIBILITY TO PROVIDE BURNING/WELDING PERMITS AS REQUIRED BY LOCAL GOVERNING AUTHORITY AND IF REQUIRED SHALL HAVE FIRE DEPARTMENT DETAIL FOR ANY WELDING ACTIVITY.
- E. ALL ELECTRODES TO BE LOW HYDROGEN, MATCHING FILLER METAL, PER AWS D1.1, UNLESS NOTED OTHERWISE.
- F. MINIMUM WELD SIZE TO BE 0.1875 INCH FILLET WELDS, UNLESS NOTED OTHERWISE.
- G. PRIOR TO FIELD WELDING GALVANIZING MATERIAL, CONTRACTOR SHALL GRIND OFF GALVANIZING 1/2" BEYOND ALL FIELD WELD SURFACES. AFTER WELD AND WELD INSPECTION IS COMPLETE, REPAIR ALL GROUND AND WELDED SURFACES WITH ZRC GALVILITE COLD GALVANIZING COMPOUND PER ASTM A780 AND MANUFACTURERS RECOMMENDATIONS.
- H. THE CONTRACTOR SHALL PROVIDE ADEQUATE SHORING AND/OR BRACING WHERE REQUIRED DURING CONSTRUCTION UNTIL ALL CONNECTIONS ARE COMPLETE.
- I. ANY FIELD CHANGES OR SUBSTITUTIONS SHALL HAVE PRIOR APPROVAL FROM THE ENGINEER, AND T- MOBILE PROJECT MANAGER IN WRITING

SPECIAL CONSTRUCTION

ANTENNA INSTALLATION NOTES:

1. WORK INCLUDED:
 - A. ANTENNA AND COAXIAL CABLES ARE FURNISHED BY VERIZON UNDER A SEPARATE CONTRACT. THE CONTRACTOR SHALL ASSIST ANTENNA INSTALLATION CONTRACTOR IN TERMS OF COORDINATION AND SITE ACCESS. ERECTION SUBCONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF PERSONNEL AND
 - B. INSTALL ANTENNA AS INDICATE ON DRAWINGS AND VERIZON SPECIFICATIONS.
 - C. INSTALL GALVANIZED STEEL ANTENNA MOUNTS AS INDICATED ON DRAWINGS
 - D. INSTALL FURNISHED GALVANIZED STEEL OR ALUMINUM WAVEGUIDE AND PROVIDE PRINTOUT OF THAT TEST.
 - E. CONTRACTOR SHALL PROVIDE FOUR (4) SETS OF SWEEP TESTS USING ANRITZU-PACKARD 8713B RF SCALAR NETWORK ANALYZER. SUBMIT FREQUENCY DOMAIN REFLECTOMETER(FDR) TESTS RESULTS TO THE PROJECT MANAGER. SWEEP TESTS SHALL BE AS PER ATTACHED RFS "MINIMUM FIELD TESTING RECOMMENDED FOR ANTENNA AND HELIAX COAXIAL CABLE SYSTEMS" DATED 10/5/93. TESTING SHALL BE PERFORMED BY AN INDEPENDENT TESTING SERVICE AND BE BOUND AND SUBMITTED WITHIN ONE WEEK OF WORK COMPLETION.
 - F. INSTALL COAXIAL CABLES AND TERMINATING BETWEEN ANTENNAS AND EQUIPMENT PER MANUFACTURER'S RECOMMENDATIONS. WEATHERPROOF ALL CONNECTIONS BETWEEN THE ANTENNA AND EQUIPMENT PER MANUFACTURER'S REQUIREMENTS. TERMINATE ALL COAXIAL CABLE THREE (3) FEET IN EXCESS OF ENTRY PORT LOCATION UNLESS OTHERWISE STATED.
 - G. ANTENNA AND COAXIAL CABLE GROUNDING:

2. ALL EXTERIOR #6 GREED GROUND WIRE "DAISY CHAIN" CONNECTIONS ARE TO BE WEATHER SEALED WITH RFS CONNECTORS/SPLICE WEATHERPROOFING KIT #221213 OR EQUAL.
3. ALL COAXIAL CABLE GROUNDING KITS ARE TO BE INSTALLED ON STRAIGHT RUNS OF COAXIAL CABLE (NOT WITHIN BENDS)

ALL DISCREPANCIES FROM WHAT IS SHOWN ON THESE CONSTRUCTION DRAWINGS SHALL BE COMMUNICATED TO ATC ENGINEERING IMMEDIATELY FOR CORRECTION OR RE-DESIGN. FAILURE TO COMMUNICATE DIRECTLY WITH ATC ENGINEERING OR ANY CHANGES FROM THE DESIGN CONDUCTED WITHOUT PRIOR APPROVAL FROM ATC ENGINEERING SHALL BE THE SOLE RESPONSIBILITY OF THE GENERAL CONTRACTOR.



AMERICAN TOWER®
A.T. ENGINEERING SERVICE, PLLC
 3500 REGENCY PARKWAY
 SUITE 100
 CARY, NC 27518
 PHONE: (919) 468-0112
 COA: P-1177



TOTALLY COMMITTED.
NB+C ENGINEERING SERVICES, LLC.
 8601 SIX FORKS ROAD, SUITE 540
 RALEIGH, NC 27615
 (919) 657-9131

| REV. | DESCRIPTION | BY | DATE |
|------|------------------|-----|----------|
| A | PRELIM | TH | 07/23/21 |
| 0 | FOR CONSTRUCTION | BIW | 09/21/21 |
| | | | |
| | | | |
| | | | |

ATC SITE NUMBER:
414240

ATC SITE NAME:
BYRAM PARK CT

VERIZON SITE NAME:
BYRAM PARK CT

SITE ADDRESS:
 36 RITCH AVE WEST
 GREENWICH, CT 06830-9992

SEAL:



| | |
|--------------|---------------|
| DATE DRAWN: | 09/21/21 |
| ATC JOB NO: | 13701270 |
| CUSTOMER ID: | BYRAM PARK CT |
| CUSTOMER #: | 468044 |


| GENERAL NOTES | |
|-------------------------------|-----------------------|
| SHEET NUMBER: G-002 | REVISION: 0 |

Copyright © 2021 ATC IP, LLC. All Rights Reserved.

SITE PLAN NOTES:



1. THIS SITE PLAN REPRESENTS THE BEST PRESENT KNOWLEDGE AVAILABLE TO THE ENGINEER AT THE TIME OF THIS DESIGN. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO CONSTRUCTION AND VERIFY ALL EXISTING CONDITIONS RELATED TO THE SCOPE OF WORK FOR THIS PROJECT.
2. ICE BRIDGE, CABLE LADDER, COAX PORT, AND COAX CABLE ARE SHOWN FOR REFERENCE ONLY. CONTRACTOR SHALL CONFIRM THE EXACT LOCATION OF ALL PROPOSED AND EXISTING EQUIPMENT AND STRUCTURES DEPICTED ON THIS PLAN. BEFORE UTILIZING EXISTING CABLE SUPPORTS, COAX PORTS, INSTALLING NEW PORTS OR ANY OTHER EQUIPMENT, CONTRACTOR SHALL VERIFY ALL ASPECTS OF THE COMPONENTS MEET THE ATC SPECIFICATIONS.
3. THIS PROJECT INCLUDES NO INSTALL OR MODIFICATION AT GRADE.

| LEGEND | |
|--------|---------------------------|
| ⊗ | GROUNDING TEST WELL |
| ATS | AUTOMATIC TRANSFER SWITCH |
| B | BOLLARD |
| CSC | CELL SITE CABINET |
| D | DISCONNECT |
| E | ELECTRICAL |
| F | FIBER |
| GEN | GENERATOR |
| G | GENERATOR RECEPTACAL |
| HH, V | HAND HOLE, VAULT |
| IB | ICE BRIDGE |
| K | KENTROX BOX |
| LC | LIGHTING CONTROL |
| M | METER |
| PB | PULL BOX |
| PP | POWER POLE |
| T | TELCO |
| TRN | TRANSFORMER |
| — x — | CHAINLINK FENCE |



PROPOSED CABLE LENGTH:

1. ESTIMATED LENGTH OF PROPOSED CABLE IS 75. ESTIMATED LENGTH OF CABLE WAS PROVIDED BY CUSTOMER OR CALCULATED BY ADDING THE RAD CENTER AND THE DISTANCE FROM THE SHELTER ENTRY PLATE TO THE TOWER (ALONG THE ICE BRIDGE) AND A SAFETY FACTOR MEASUREMENT OF 15% (OF THE TWO PREVIOUS VALUES), CDS DEFER TO GREATEST CABLE LENGTH.
2. ROUTE PROPOSED CABLES ALONG SAME PATH AS EXISTING CABLES AND IN ACCORDANCE WITH STRUCTURAL ANALYSIS. IF ADEQUATE SPACE EXISTS, ROUTE CABLES THROUGH ENTRY PORT HOLE, UP INSIDE OF MONOPOLE, AND THROUGH EXIT PORT HOLE. IF ROUTING OUTSIDE THE MONOPOLE, ATTACH CABLES USING STAND-OFF ADAPTERS MOUNTED TO TOWER USING STAINLESS STEEL BANDING. ADEQUATELY SECURE CABLES USING EITHER APPROPRIATELY SIZED STAINLESS STEEL SNAP-INS OR MOUNTING HARDWARE AND BRACKETS AS SPECIFIED BY CABLE MANUFACTURER.

AMERICAN TOWER®
A.T. ENGINEERING SERVICE, PLLC
 3500 REGENCY PARKWAY
 SUITE 100
 CARY, NC 27518
 PHONE: (919) 468-0112
 COA: P-1177



NB+C™
TOTALLY COMMITTED.
NB+C ENGINEERING SERVICES, LLC.
 8601 SIX FORKS ROAD, SUITE 540
 RALEIGH, NC 27615
 (919) 657-9131

| REV. | DESCRIPTION | BY | DATE |
|------|------------------|-----|----------|
| A | PRELIM | TH | 07/23/21 |
| 0 | FOR CONSTRUCTION | BIW | 09/21/21 |
| | | | |
| | | | |
| | | | |


ATC SITE NUMBER:
414240

ATC SITE NAME:
BYRAM PARK CT

VERIZON SITE NAME:
BYRAM PARK CT

SITE ADDRESS:
 36 RITCH AVE WEST
 GREENWICH, CT 06830-9992


SEAL:





| | |
|--------------|---------------|
| DATE DRAWN: | 09/21/21 |
| ATC JOB NO: | 13701270 |
| CUSTOMER ID: | BYRAM PARK CT |
| CUSTOMER #: | 468044 |

| | |
|---------------------------|-----------|
| DETAILED SITE PLAN | |
| SHEET NUMBER: | REVISION: |
| C-101 | 0 |

Copyright © 2021 ATC IP, LLC. All Rights Reserved.



PER MOUNT ANALYSIS COMPLETED BY MASER CONSULTING, DATED 07/07/2021, THE EXISTING MOUNT MUST BE MODIFIED TO ADEQUATELY SUPPORT THE PROPOSED LOADING. THE MOUNT MODIFICATION PROPOSED IN THE MOUNT ANALYSIS, INCLUDED AT THE END OF THIS PLAN SET, MUST BE INSTALLED PRIOR TO THE INSTALLATION OF THE PROPOSED ANTENNAS AND OTHER EQUIPMENT.



- TOWER NOTE:**
1. IT IS THE CONTRACTOR'S RESPONSIBILITY TO CONFIRM WITH THE PROJECT MANAGER THAT THEY HAVE THE MOST RECENT VERSION OF THE STRUCTURAL ANALYSIS BEFORE COMMENCING WORK. EXISTING AND PROPOSED TOWER APPURTENANCES, MOUNTS, AND ANTENNAS ARE SHOWN BASED ON THE STRUCTURAL ANALYSIS.
 2. WHERE APPLICABLE, ALL NEW ANTENNAS, EQUIPMENT, MOUNTS, CABLING, ETC. SHALL BE PAINTED/SOCKED TO MATCH EXISTING EQUIPMENT IN ACCORDANCE WITH FAA, JURISDICTION, AND/OR OTHER LOCAL REQUIREMENTS.
 3. ROUTE PROPOSED CABLES ALONG SAME PATH AS EXISTING CABLES AND IN ACCORDANCE WITH STRUCTURAL ANALYSIS. IF ADEQUATE SPACE EXISTS, ROUTE CABLES THROUGH ENTRY PORT HOLE, UP INSIDE OF MONOPOLE, AND THROUGH EXIT PORT HOLE. IF ROUTING OUTSIDE THE MONOPOLE, ATTACH CABLES USING STAND-OFF ADAPTERS MOUNTED TO TOWER USING STAINLESS STEEL BANDING. ADEQUATELY SECURE CABLES USING EITHER APPROPRIATELY SIZED STAINLESS STEEL SNAP-INS OR MOUNTING HARDWARE AND BRACKETS AS SPECIFIED BY CABLE MANUFACTURER.
 4. TOWER ELEVATIONS ARE MEASURED FROM TOP OF BASE PLATE TO MATCH STRUCTURAL ANALYSIS. ELEVATIONS DO NOT REFLECT TRUE ABOVE GROUND LEVEL (A.G.L.)

1 TOWER ELEVATION
SCALE: N.T.S.



AMERICAN TOWER®
A.T. ENGINEERING SERVICE, PLLC
3500 REGENCY PARKWAY
SUITE 100
CARY, NC 27518
PHONE: (919) 468-0112
COA: P-1177



TOTALLY COMMITTED.
NB+C ENGINEERING SERVICES, LLC.
8601 SIX FORKS ROAD, SUITE 540
RALEIGH, NC 27615
(919) 657-9131

| REV. | DESCRIPTION | BY | DATE |
|------|------------------|-----|----------|
| A | PRELIM | TH | 07/23/21 |
| 0 | FOR CONSTRUCTION | BIW | 09/21/21 |
| | | | |
| | | | |
| | | | |

ATC SITE NUMBER:
414240

ATC SITE NAME:
BYRAM PARK CT

VERIZON SITE NAME:
BYRAM PARK CT

SITE ADDRESS:
36 RITCH AVE WEST
GREENWICH, CT 06830-9992



| | |
|--------------|---------------|
| DATE DRAWN: | 09/21/21 |
| ATC JOB NO: | 13701270 |
| CUSTOMER ID: | BYRAM PARK CT |
| CUSTOMER #: | 468044 |

TOWER ELEVATION

| | |
|---------------|-----------|
| SHEET NUMBER: | REVISION: |
| C-201 | 0 |

Copyright © 2021 ATC IP, LLC. All Rights Reserved.



AMERICAN TOWER®
A.T. ENGINEERING SERVICE, PLLC
 3500 REGENCY PARKWAY
 SUITE 100
 CARY, NC 27518
 PHONE: (919) 468-0112
 COA: P-1177

NB+C™
TOTALLY COMMITTED.
NB+C ENGINEERING SERVICES, LLC.
 8601 SIX FORKS ROAD, SUITE 540
 RALEIGH, NC 27615
 (919) 657-9131

| REV. | DESCRIPTION | BY | DATE |
|------|------------------|-----|----------|
| A | PRELIM | TH | 07/23/21 |
| 0 | FOR CONSTRUCTION | BIW | 09/21/21 |
| | | | |
| | | | |

ATC SITE NUMBER:
414240

ATC SITE NAME:
BYRAM PARK CT

VERIZON SITE NAME:
BYRAM PARK CT

SITE ADDRESS:
 36 RITCH AVE WEST
 GREENWICH, CT 06830-9992

SEAL:




| | |
|--------------|---------------|
| DATE DRAWN: | 09/21/21 |
| ATC JOB NO: | 13701270 |
| CUSTOMER ID: | BYRAM PARK CT |
| CUSTOMER #: | 468044 |

ANTENNA INFORMATION & SCHEDULE


SHEET NUMBER:
C-401

REVISION:
0

PER MOUNT ANALYSIS COMPLETED BY MASER CONSULTING, DATED 07/07/2021, THE EXISTING MOUNT MUST BE MODIFIED TO ADEQUATELY SUPPORT THE PROPOSED LOADING. THE MOUNT MODIFICATION PROPOSED IN THE MOUNT ANALYSIS, INCLUDED AT THE END OF THIS PLAN SET, MUST BE INSTALLED PRIOR TO THE INSTALLATION OF THE PROPOSED ANTENNAS AND OTHER EQUIPMENT.



1 EXISTING ANTENNA PLAN
 SCALE: N.T.S.



2 FINAL ANTENNA PLAN
 SCALE: N.T.S.

| EXISTING ANTENNA SCHEDULE | | | | | | | | | |
|---------------------------|-----|-----------------|-----|----------------------|----------|------------------|---------------------|---|--------|
| LOCATION | | ANTENNA SUMMARY | | | | | NON ANTENNA SUMMARY | | |
| SECTOR | RAD | AZ | POS | ANTENNA | BAND | MECH/ELEC D-TILT | STATUS | ADDITIONAL TOWER MOUNTED EQUIPMENT | STATUS |
| ALPHA | 57' | 340° | A1 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |
| | | 0° | A2 | SBNHH-1D65A | 700/AWS | 0/4/2 | RMV | UHBA B13 RRH 4X30 UHIE B66A RRH 4X45 | RMV |
| | | 0° | A3 | BXA-171063-12CF | - | - | RMV | - | - |
| | | 340° | A4 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |
| BETA | 57' | 80° | B1 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |
| | | 90° | B2 | SBNHH-1D45A | 700/AWS | 0/6/3 | RMV | UHBA B13 RRH 4X30 UHIE B66A RRH 4X45 | RMV |
| | | 90° | B3 | BXA-171063-12CF | - | - | RMV | - | - |
| | | 80° | B4 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |
| GAMMA | 57' | 230° | C1 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |
| | | 220° | C2 | SBNHH-1D45A | 700/AWS | 0/6/2 | RMV | UHBA B13 RRH 4X30 UHIE B66A RRH 4X45 | RMV |
| | | 220° | C3 | BXA-171063-12CF | - | - | RMV | - | - |
| | | 230° | C4 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |

NOTES

- CONFIRM WITH VERIZON REP FOR APPLICABLE UPDATES/REVISIONS AND MOST RECENT RFDS FOR NSN CONFIGURATION (CONFIG). GC TO CAP ALL UNUSED PORTS.
- CONFIRM SPACING OF PROPOSED EQUIP DOES NOT CAUSE TOWER CONFLICTS NOR IMPEDE TOWER CLIMBING PEGS.

STATUS ABBREVIATIONS

RMV: TO BE REMOVED
 RMN: TO REMAIN
 REL: TO BE RELOCATED
 ADD: TO BE ADDED

CABLE LENGTHS FOR JUMPERS

JUNCTION BOX TO RRU: 15'
 RRU TO ANTENNA: 10'


| FINAL ANTENNA SCHEDULE | | | | | | | | | |
|------------------------|-----|-----------------|-----|----------------------|--------------|------------------|---------------------|--------------------------------------|--------|
| LOCATION | | ANTENNA SUMMARY | | | | | NON ANTENNA SUMMARY | | |
| SECTOR | RAD | AZ | POS | ANTENNA | BAND | MECH/ELEC D-TILT | STATUS | ADDITIONAL TOWER MOUNTED EQUIPMENT | STATUS |
| ALPHA | 57' | 340° | A1 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |
| | | - | A2 | - | - | - | - | - | - |
| | | 0° | A3 | JAHH-65A-R3B | 700/850/1900 | 0/4/4/2 | ADD | B5/B13 RRH-BR04C | ADD |
| | | 0° | A3 | JAHH-65A-R3B | 700/850/AWS | 0/4/4/2 | ADD | CBC78T-DS-43-2X B2/B66A RRH-BR049 | ADD |
| | | 0° | A4 | MT6407-77A | L-SUB6 | 0/6 | ADD | - | - |
| BETA | 57' | 340° | A5 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |
| | | 80° | B1 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |
| | | - | B2 | - | - | - | - | - | - |
| | | 90° | B3 | JAHH-45A-R3B | 700/850/1900 | 0/6/10/3 | ADD | B5/B13 RRH-BR04C | ADD |
| | | 90° | B3 | JAHH-45A-R3B | 700/850/AWS | 0/6/10/3 | ADD | CBC78T-DS-43-2X B2/B66A RRH-BR049 | ADD |
| GAMMA | 57' | 90° | B4 | MT6407-77A | L-SUB6 | 0/6 | ADD | - | - |
| | | 80° | B5 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |
| | | 230° | C1 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |
| | | - | C2 | - | - | - | - | - | - |
| | | 220° | C3 | JAHH-45A-R3B | 700/850/1900 | 0/6/6/2 | ADD | B5/B13 RRH-BR04C | ADD |
| GAMMA | 57' | 220° | C3 | JAHH-45A-R3B | 700/850/AWS | 0/6/6/2 | ADD | CBC78T-DS-43-2X B2/B66A RRH-BR049 | ADD |
| | | 220° | C4 | MT6407-77A | L-SUB6 | 0/6 | ADD | - | - |
| | | 230° | C5 | LPA-80063/6CF-EDIN-X | 850 CDMA | 2/0 | RMN | - | - |

| EXISTING FIBER DISTRIBUTION/OVP BOX | | EXISTING CABLING SUMMARY | | |
|-------------------------------------|--------|--------------------------|------------|--------|
| MODEL NUMBER | STATUS | COAX | HYBRID | STATUS |
| RC2DC-4750-PF-48 | RMV | (16) 1-5/8" | - | RMN |
| - | - | (1) 1-5/8" | (2) 1-5/8" | RMV |


3 EQUIPMENT SCHEDULES

| FINAL FIBER DISTRIBUTION / OVP BOX | | FINAL CABLING SUMMARY | | |
|------------------------------------|--------|-----------------------|------------|--------|
| MODEL NUMBER | STATUS | COAX | HYBRID | STATUS |
| RCMDC-6627-PF-48 | ADD | (16) 1-5/8" | - | RMN |
| - | - | - | (2) 1-5/8" | ADD |


Copyright © 2021 ATC IP LLC. All Rights Reserved.




1 PROPOSED SIDE-BY-SIDE MOUNT
SCALE: NOT TO SCALE



2 PROPOSED 5G ANTENNA MOUNTING DETAIL - TYPICAL
SCALE: N.T.S.



3 PROPOSED RRU MOUNTING DETAIL - TYPICAL
SCALE: N.T.S.



4 PROPOSED OVP MOUNTING
SCALE: N.T.S.



AMERICAN TOWER®
A.T. ENGINEERING SERVICE, PLLC
3500 REGENCY PARKWAY
SUITE 100
CARY, NC 27518
PHONE: (919) 468-0112
COA: P-1177

NB+C™
TOTALLY COMMITTED.
NB+C ENGINEERING SERVICES, LLC.
8601 SIX FORKS ROAD, SUITE 540
RALEIGH, NC 27615
(919) 657-9131

| REV. | DESCRIPTION | BY | DATE |
|------|------------------|-----|----------|
| A | PRELIM | TH | 07/23/21 |
| 0 | FOR CONSTRUCTION | BIW | 09/21/21 |
| | | | |
| | | | |

ATC SITE NUMBER:
414240

ATC SITE NAME:
BYRAM PARK CT

VERIZON SITE NAME:
BYRAM PARK CT

SITE ADDRESS:
36 FITCH AVE WEST
GREENWICH, CT 06830-9992

SEAL:




| | |
|--------------|---------------|
| DATE DRAWN: | 09/21/21 |
| ATC JOB NO: | 13701270 |
| CUSTOMER ID: | BYRAM PARK CT |
| CUSTOMER #: | 468044 |

CONSTRUCTION
DETAILS

| | |
|---------------|-----------|
| SHEET NUMBER: | REVISION: |
| C-501 | 0 |


Copyright © 2021 ATC IP, LLC. All Rights Reserved.



NOTES:


1. THIS DETAIL IS INTENDED TO SHOW THE GENERAL GROUNDING REQUIREMENTS. SLIGHT ADJUSTMENTS MAY BE REQUIRED BASED ON EXISTING SITE CONDITIONS. THE CONTRACTOR SHALL MAKE FIELD ADJUSTMENTS AS NEEDED AND INFORM THE CONSTRUCTION MANAGER OF ANY CONFLICTS.
2. SITE GROUNDING SHALL COMPLY WITH VERIZON GROUNDING STANDARDS, LATEST EDITION, AND COMPLY WITH VERIZON GROUNDING CHECKLIST, LATEST VERSION. WHEN NATIONAL AND LOCAL GROUNDING CODES ARE MORE STRINGENT THEY SHALL GOVERN.

1 TYPICAL ANTENNA GROUNDING DIAGRAM
SCALE: N.T.S.



- GROUND KIT NOTES:**
1. DO NOT INSTALL CABLE GROUND KIT AT A BEND AND ALWAYS DIRECT GROUND WIRE DOWN TO GROUND BAR.
 2. CONTRACTOR SHALL PROVIDE WEATHERPROOFING KIT (ANDREW PART NUMBER 221213) AND INSTALL/TAPE PER MANUFACTURER'S SPECIFICATIONS.

2 CABLE GROUND KIT CONNECTION DETAIL
SCALE: N.T.S.



GROUND BAR NOTES:

1. GROUND BAR KITS COME WITH ALL HARDWARE, NUTS, BOLTS, WASHERS, ETC. EXCEPT THE STRUCTURAL MOUNTING MEMBER(S).
2. GROUND BAR TO BE BONDED DIRECTLY TO TOWER.

3 TOWER GROUND BAR DETAIL
SCALE: N.T.S.

AMERICAN TOWER®
A.T. ENGINEERING SERVICE, PLLC
 3500 REGENCY PARKWAY
 SUITE 100
 CARY, NC 27518
 PHONE: (919) 468-0112
 COA: P-1177

NB+C™
TOTALLY COMMITTED.
NB+C ENGINEERING SERVICES, LLC.
 8601 SIX FORKS ROAD, SUITE 540
 RALEIGH, NC 27615
 (919) 657-9131

| REV. | DESCRIPTION | BY | DATE |
|------|------------------|-----|----------|
| A | PRELIM | TH | 07/23/21 |
| 0 | FOR CONSTRUCTION | BIW | 09/21/21 |
| | | | |
| | | | |
| | | | |

ATC SITE NUMBER:
414240

ATC SITE NAME:
BYRAM PARK CT

VERIZON SITE NAME:
BYRAM PARK CT

SITE ADDRESS:
36 RITCH AVE WEST
GREENWICH, CT 06830-9992

SEAL:

09/21/21


verizon ✓

| | |
|--------------|---------------|
| DATE DRAWN: | 09/21/21 |
| ATC JOB NO: | 13701270 |
| CUSTOMER ID: | BYRAM PARK CT |
| CUSTOMER #: | 468044 |

GROUNDING DETAILS

| | |
|---------------|-----------|
| SHEET NUMBER: | REVISION: |
| E-501 | 0 |

Copyright © 2021 ATC IP, LLC. All Rights Reserved.



1 PLUMBING DIAGRAM
SCALE: NOT TO SCALE

NOTE: THIS SHEET WAS CREATED BY OTHERS AND PROVIDED AT THE REQUEST OF THE CUSTOMER WITHOUT EDIT. PLEASE REFERENCE THE MOUNT ANALYSIS REPORT FOR COMPLETE MOUNT ANALYSIS CALCULATIONS AND DETAILS. SUPPLEMENTAL PAGES INCLUDED IN THE CONSTRUCTION DRAWINGS ARE FOR REFERENCE ONLY. GENERAL CONTRACTOR IS TO VERIFY THEY HAVE THE MOST RECENT MOUNT ANALYSIS PRIOR TO CONSTRUCTION.

SUPPLEMENTAL

SHEET NUMBER:
R-601

REVISION:
0

| Band | Sector 1 (Alpha) Color Codes | | | | | | | Sector 2 (Beta) Color Codes | | | | | | | Sector 3 (Gamma) Color Codes | | | | | | |
|-----------|------------------------------|---|---|---|---|---|---|-----------------------------|---|---|---|---|---|---|------------------------------|---|---|---|---|---|---|
| 850 CDMA | R | R | | | | | | B | B | | | | | | G | G | | | | | |
| | R | R | | | | | | B | B | | | | | | G | G | | | | | |
| 700 | R | P | | | | | | B | B | P | | | | | G | G | P | | | | |
| | R | R | R | P | | | | B | B | B | P | | | | G | G | G | P | | | |
| | R | R | R | R | R | P | | B | B | B | B | P | | | G | G | G | G | P | | |
| 850 LTE | R | P | P | | | | | B | B | P | P | | | | G | G | P | P | | | |
| | R | R | R | P | P | | | B | B | B | B | P | P | | G | G | G | G | P | P | |
| | R | R | R | R | R | P | P | B | B | B | B | P | P | | G | G | G | G | G | P | P |
| 700 / 850 | R | P | P | P | | | | B | B | P | P | | | | G | G | P | P | | | |
| | R | R | R | P | P | P | | B | B | B | B | P | P | P | G | G | G | G | P | P | P |
| | R | R | R | R | R | P | P | B | B | B | B | P | P | P | G | G | G | G | P | P | P |
| AWS | R | W | | | | | | B | W | | | | | | G | W | | | | | |
| | R | R | W | | | | | B | B | W | | | | | G | G | W | | | | |
| | R | R | R | W | | | | B | B | B | W | | | | G | G | G | W | | | |
| PCS | R | W | W | | | | | B | W | W | | | | | G | W | W | | | | |
| | R | R | R | W | W | | | B | B | B | W | W | | | G | G | G | W | W | | |
| | R | R | R | R | W | W | W | B | B | B | B | W | W | W | G | G | G | G | W | W | W |
| AWS / PCS | R | W | W | W | | | | B | W | W | W | | | | G | W | W | W | | | |
| | R | R | R | W | W | W | | B | B | B | W | W | W | | G | G | G | W | W | W | |
| | R | R | R | R | W | W | W | B | B | B | B | W | W | W | G | G | G | G | W | W | W |
| CBRS | R | Y | | | | | | B | Y | | | | | | G | Y | | | | | |
| | R | R | Y | | | | | B | B | Y | | | | | G | G | Y | | | | |
| | R | R | R | Y | | | | B | B | B | Y | | | | G | G | G | Y | | | |
| LAA | R | Y | Y | | | | | B | Y | Y | | | | | G | Y | Y | | | | |
| | R | R | Y | Y | | | | B | B | Y | Y | | | | G | G | Y | Y | | | |
| | R | R | Y | Y | | | | B | B | Y | Y | | | | G | G | Y | Y | | | |


| Band | Sector 4 (Delta) Color Codes | | | | | | | Sector 5 (Epsilon) Color Codes | | | | | | | Sector 6 (Zeta) Color Codes | | | | | | |
|-----------|------------------------------|---|---|---|---|---|---|--------------------------------|------|---|---|---|---|------|-----------------------------|------|---|---|---|---|---|
| 850 CDMA | Gray | R | | | | | | Gray | B | | | | | | Gray | G | | | | | |
| | Gray | R | R | | | | | Gray | B | B | | | | | Gray | G | G | | | | |
| 700 | Gray | R | P | | | | | Gray | B | P | | | | | Gray | G | P | | | | |
| | Gray | R | R | R | P | | | Gray | B | B | B | P | | | Gray | G | G | P | | | |
| | Gray | R | R | R | R | R | P | | Gray | B | B | B | B | P | | Gray | G | G | G | P | |
| 850 LTE | Gray | R | P | P | | | | Gray | B | P | P | | | | Gray | G | P | P | | | |
| | Gray | R | R | R | P | P | | Gray | B | B | B | P | P | | Gray | G | G | G | P | P | |
| | Gray | R | R | R | R | R | P | P | Gray | B | B | B | B | P | P | Gray | G | G | G | G | P |
| 700 / 850 | Gray | R | P | P | P | | | Gray | B | P | P | | | | Gray | G | P | P | P | | |
| | Gray | R | R | R | P | P | | Gray | B | B | B | P | P | | Gray | G | G | G | P | P | |
| | Gray | R | R | R | R | R | P | P | Gray | B | B | B | B | P | P | Gray | G | G | G | G | P |
| AWS | Gray | R | W | | | | | Gray | B | W | | | | | Gray | G | W | | | | |
| | Gray | R | R | W | | | | Gray | B | B | W | | | | Gray | G | G | W | | | |
| | Gray | R | R | R | W | | | Gray | B | B | B | W | | | Gray | G | G | G | W | | |
| PCS | Gray | R | W | W | | | | Gray | B | W | W | | | | Gray | G | W | W | | | |
| | Gray | R | R | R | W | W | | Gray | B | B | W | W | | | Gray | G | G | W | W | | |
| | Gray | R | R | R | R | W | W | Gray | B | B | B | W | W | Gray | G | G | G | W | W | | |
| AWS / PCS | Gray | R | W | W | W | | | Gray | B | W | W | W | | | Gray | G | W | W | W | | |
| | Gray | R | R | R | W | W | W | Gray | B | B | W | W | W | Gray | G | G | W | W | W | | |
| | Gray | R | R | R | R | W | W | Gray | B | B | B | W | W | Gray | G | G | G | W | W | | |
| CBRS | Gray | R | Y | | | | | Gray | B | Y | | | | | Gray | G | Y | | | | |
| | Gray | R | R | Y | | | | Gray | B | B | Y | | | | Gray | G | G | Y | | | |
| | Gray | R | R | R | Y | | | Gray | B | B | B | Y | | | Gray | G | G | G | Y | | |
| LAA | Gray | R | Y | Y | | | | Gray | B | Y | Y | | | | Gray | G | Y | Y | | | |
| | Gray | R | R | Y | Y | | | Gray | B | B | Y | Y | | | Gray | G | G | Y | Y | | |
| | Gray | R | R | Y | Y | | | Gray | B | B | Y | Y | | | Gray | G | G | Y | Y | | |

1 CABLE COLOR GUIDE
SCALE: NOT TO SCALE

NOTE: THIS SHEET WAS CREATED BY OTHERS AND PROVIDED AT THE REQUEST OF THE CUSTOMER WITHOUT EDIT. PLEASE REFERENCE THE MOUNT ANALYSIS REPORT FOR COMPLETE MOUNT ANALYSIS CALCULATIONS AND DETAILS. SUPPLEMENTAL PAGES INCLUDED IN THE CONSTRUCTION DRAWINGS ARE FOR REFERENCE ONLY. GENERAL CONTRACTOR IS TO VERIFY THEY HAVE THE MOST RECENT MOUNT ANALYSIS PRIOR TO CONSTRUCTION.

SUPPLEMENTAL

SHEET NUMBER: R-602
REVISION: 0




FRONT VIEW

TOP VIEW

1 ANTENNA SPECIFICATIONS
FOR ILLUSTRATIVE PURPOSES ONLY - NOT TO SCALE

| ANTENNA SPECIFICATIONS | | | | |
|------------------------|-------|-------|------|--------------|
| ANTENNA MODEL | A | B | C | WEIGHT (LBS) |
| JAHH-65A-R3B | 55.0" | 13.8" | 8.2" | 50.7 |
| JAHH-45A-R3B | 55.0" | 18.0" | 7.0" | 70.5 |
| MT6407-77A | 35.1" | 16.1" | 5.5" | 81.6 |




FRONT VIEW

TOP VIEW

2 RRU SPECIFICATIONS
FOR ILLUSTRATIVE PURPOSES ONLY - NOT TO SCALE

| RRU SPECIFICATIONS | | | | |
|--------------------|-------|-------|-------|--------------|
| RRU MODEL | A | B | C | WEIGHT (LBS) |
| B2/B66A RRH-BR049 | 15.0" | 15.0" | 10.0" | 84.4 |
| B5/B13 RRH-BR04C | 15.0" | 15.0" | 8.1" | 70.3 |



FRONT VIEW

TOP VIEW

3 TMA SPECIFICATIONS
FOR ILLUSTRATIVE PURPOSES ONLY - NOT TO SCALE

| TMA SPECIFICATIONS | | | | |
|--------------------|------|------|------|--------------|
| TMA MODEL | A | B | C | WEIGHT (LBS) |
| CBC78T-DS-43-2X | 9.6" | 6.9" | 6.4" | 20.7 |

SUPPLEMENTAL

SHEET NUMBER:
R-603

REVISION:
0



Maser Consulting Connecticut
 2000 Midlantic Drive, Suite 100
 Mount Laurel, NJ 08054
 856.797.0412
 Greg.Dulnik@colliersengineering.com

Mount Post-Modification Analysis Report
 (3) 10.00 T-Frame

July 7, 2021
 Site ID: 468044-VZW / Byram Park CT
 Page | 4

Post-Mod Antenna Mount Analysis Report and PMI Requirements

Mount Fix

SMART Tool Project #: 10084892
 Maser Consulting Connecticut Project #: 20777259A

July 7, 2021

Site Information

Site ID: 468044-VZW / Byram Park CT
 Site Name: Byram Park CT
 Carrier Name: Verizon Wireless
 Address: 36 Ritch Ave W
 Greenwich, Connecticut 06830
 Fairfield County
 Latitude: 41.005064°
 Longitude: -73.648312°

Structure Information

Tower Type: 79-Ft Monopole
 Mount Type: 10.00-Ft T-Frame
 FUZE ID # 16231909

Analysis Results

T-Frame: 79.9% Pass

***Contractor PMI Requirements:

Included at the end of this MA report

Available & Submitted via portal at <https://pmi.vzwsmart.com>

Contractor - Please Review Specific Site PMI Requirements Upon Award

Requirements also Noted on Mount Modification Drawings

Requirements may also be Noted on A & E drawings

Report Prepared By: Frank Centone



5. The mount was checked up to, and including, the bolts that fasten it to the mount collar/attachment and threaded rod connections in collar members if applicable. Local deformation and interaction between the mount collar/attachment and the supporting tower structure are outside the scope of this analysis.
6. All services are performed, results obtained, and recommendations made in accordance with generally accepted engineering principles and practices. Maser Consulting Connecticut is not responsible for the conclusion, opinions, and recommendations made by others based on the information supplied.
7. *Structural Steel Grades* have been assumed as follows, if applicable, unless otherwise noted in this analysis:
 - o Channel, Solid Round, Angle, Plate ASTM A36 (Gr. 36)
 - o HSS (Rectangular) ASTM 500 (Gr. B-46)
 - o Pipe ASTM A53 (Gr. B-35)
 - o Threaded Rod F1554 (Gr. 36)
 - o Bolts ASTM A325
8. Any mount modifications listed under Sources of Information are assumed to have been installed per the design specifications.

Discrepancies between in-field conditions and the assumptions listed above may render this analysis invalid unless explicitly approved by Maser Consulting Connecticut.

Analysis Results:

| Component | Utilization % | Pass/Fail |
|---------------------|---------------|-----------|
| Mod Standoff | 27.9% | Pass |
| Mod Face | 20.3% | Pass |
| Antenna Pipe | 71.2% | Pass |
| Face Horizontal | 20.8% | Pass |
| Standoff | 33.6% | Pass |
| Standoff Vertical | 0.0% | Pass |
| Existing Connection | 79.9% | Pass |
| MOD Connection | 26.4% | Pass |

| | |
|--|-------|
| Structure Rating – (Controlling Utilization of all Components) | 79.9% |
|--|-------|

Recommendation:

The existing mounts will be **SUFFICIENT** for the final loading after the proposed modifications are successfully completed.

ANSI/ASSP rigging plan review services compliant with the requirements of ANSI/TIA 322 are available for a Construction Class IV site or other, if required. Separate review fees will apply.

Attachments:

1. Mount Photos
2. Mount Mapping Report (for reference only)
3. Analysis Calculations
4. Contractor Required PMI Report Deliverables
5. Antenna Placement Diagrams
6. TIA Adoption and Wind Speed Usage Letter

PROJECT NOTES

- SEE MODIFICATION NOTES
- THE CONTRACTOR SHALL COMPLY WITH ALL APPLICABLE CODES, ORDINANCES, LAWS AND REGULATIONS OF ALL MUNICIPALITIES, UTILITY COMPANIES OR OTHER PUBLIC/GOVERNING AUTHORITIES.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL PERMITS AND INSPECTIONS THAT MAY BE REQUIRED BY ANY FEDERAL, STATE, COUNTY OR MUNICIPAL AUTHORITIES.
- THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION MANAGER, IN WRITING, OF ANY CONFLICTS, ERRORS OR OMISSIONS PRIOR TO THE SUBMISSION OF BIDS OR PERFORMANCE OF WORK.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING ALL EXISTING SITE IMPROVEMENTS PRIOR TO COMMENCING CONSTRUCTION. THE CONTRACTOR SHALL REPAIR ANY DAMAGE AS A RESULT OF CONSTRUCTION OF THIS FACILITY AT THE CONTRACTOR'S EXPENSE TO THE SATISFACTION OF THE OWNER.
- THE SCOPE OF WORK FOR THIS PROJECT SHALL INCLUDE PROVIDING ALL MATERIALS, EQUIPMENT AND LABOR REQUIRED TO COMPLETE THIS PROJECT. ALL EQUIPMENT SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS.
- THE CONTRACTOR SHALL VISIT THE PROJECT SITE PRIOR TO SUBMITTING THE BID TO VERIFY THAT THE PROJECT CAN BE CONSTRUCTED IN ACCORDANCE WITH THE CONTRACT DOCUMENTS AND CONSTRUCTION DRAWINGS.
- THE CONTRACTOR SHALL VERIFY ALL EXISTING DIMENSIONS AND CONDITIONS PRIOR TO COMMENCING ANY WORK. ALL DIMENSIONS OF EXISTING CONSTRUCTION SHOWN ON THESE DRAWINGS MUST BE VERIFIED. THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION MANAGER OF ANY DISCREPANCIES PRIOR TO ORDERING MATERIAL OR PROCEEDING WITH CONSTRUCTION.
- SINCE THE CELL SITE MAY BE ACTIVE, ALL SAFETY PRECAUTIONS MUST BE TAKEN WHEN WORKING AROUND HIGH LEVELS OF ELECTROMAGNETIC RADIATION. EQUIPMENT SHOULD BE SHUTDOWN PRIOR TO PERFORMING ANY WORK THAT COULD EXPOSE THE WORKERS TO DANGER. PERSONAL RF EXPOSURE MONITORS ARE REQUIRED TO BE WORN TO ALERT OF ANY POTENTIALLY DANGEROUS EXPOSURE LEVELS.
- NO NOISE, SMOKE, DUST OR ODOR WILL RESULT FROM THIS FACILITY AS TO CAUSE A NUISANCE.
- THE FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION (NO HANDICAP ACCESS IS REQUIRED).



MOUNT MODIFICATION DRAWINGS EXISTING 10.00' T-ARM

SITE NAME: BYRAM PARK CT
SITE NUMBER: 468044

36 RITCH AVE W
GREENWICH, CT 06830
FAIRFIELD COUNTY

| PROJECT INFORMATION | |
|------------------------------|--------------------------------------|
| SITE INFORMATION | |
| LATITUDE: | 41.005064° N |
| LONGITUDE: | 73.648312° W |
| JURISDICTION: | FAIRFIELD COUNTY |
| APPLICANT/LESSEE | |
| COMPANY: | VERIZON WIRELESS |
| CLIENT REPRESENTATIVE | |
| COMPANY: | VERIZON WIRELESS |
| ADDRESS: | 118 FLANDERS ROAD, THIRD FLOOR |
| CITY, STATE, ZIP: | WESTBOROUGH, MA 01581 |
| CONTACT: | ANDREW CANDIELLO |
| EMAIL: | ANDREW.CANDIELLO@VERIZONWIRELESS.COM |
| PROJECT MANAGER | |
| COMPANY: | MASER CONSULTING CONNECTICUT |
| CONTACT: | GREG DULNIK |
| PHONE: | (615) 686-2575 |
| E-MAIL: | GREG.DULNIK@COLLIERSENGINEERING.COM |

| SHEET INDEX | |
|-------------|----------------------|
| SHEET | DESCRIPTION |
| T-1 | TITLE SHEET |
| S-1 | BILL OF MATERIALS |
| S-2 | MODIFICATION NOTES |
| S-3 | MODIFICATION NOTES |
| S-4 | MODIFICATION DETAILS |
| S-5 | MODIFICATION DETAILS |
| S-6 | MOUNT PHOTOS |
| | SPECIFICATION SHEETS |

| CONTRACTOR PMI REQUIREMENTS | |
|-----------------------------|--------------------------|
| PMI LOCATION: | HTTPS://PMI.VZWSMART.COM |
| SMART TOOL PROJECT #: | 10084892 |
| VZW LOCATION CODE (PSLC): | 468044 |
| FUZE ID: | 16231909 |

| REFERENCED DOCUMENTS | |
|-------------------------------|-----------|
| FAILING MOUNT ANALYSIS REPORT | |
| SMART TOOL PROJECT #: | 10017683 |
| MASER CONSULTING PROJECT #: | 20777259A |
| ANALYSIS DATE: | 7/2/2021 |

PMI REQUIREMENTS EMBEDDED WITHIN MOUNT MODIFICATION REPORT

**COPYRIGHT ©2021
MASER CONSULTING CONNECTICUT
ALL RIGHTS RESERVED**

THIS DRAWING AND ALL THE INFORMATION CONTAINED HEREIN IS AUTHORIZED FOR USE ONLY BY THE PARTY FOR WHOM THE WORK WAS CONTRACTED OR TO WHOM IT IS CERTIFIED. THIS DRAWING MAY NOT BE COPIED, REUSED, DISCLOSED, DISTRIBUTED OR RELIED UPON FOR ANY OTHER PURPOSE WITHOUT THE EXPRESS WRITTEN CONSENT OF MASER CONSULTING



WILL BE KNOWN AS COLLIERS ENGINEERING & DESIGN IN 2021
Customer Loyalty through Client Satisfaction
www.maserconsulting.com

Office Locations:
 ■ NEW JERSEY ■ NEW MEXICO
 ■ NEW YORK ■ MARYLAND
 ■ PENNSYLVANIA ■ GEORGIA
 ■ VIRGINIA ■ TEXAS
 ■ FLORIDA ■ TENNESSEE
 ■ NORTH CAROLINA ■ COLORADO
 ■ SOUTH CAROLINA

Copyright © 2021 Maser Consulting All Rights Reserved. This drawing and all the information contained herein is authorized for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Maser Consulting.



PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
Call before you dig.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

SCALE: AS SHOWN JOB NUMBER: 20777259A

| REV | DATE | DESCRIPTION | DRAWN BY | CHECKED BY |
|-----|----------|-------------------------|----------|------------|
| 0 | 7/7/2021 | ISSUED FOR CONSTRUCTION | | |

Derek R. Hartzell
 Digitally signed by Derek R. Hartzell
 Date: 2021.07.07 08:43:54-04'00'

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF THE RESPONSIBLE LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

SITE NAME:

BYRAM PARK CT
468044

36 RITCH AVE W
GREENWICH, CT 06830
FAIRFIELD COUNTY

MT. LAUREL OFFICE
2000 Madison Drive
Suite 100
Mount Laurel, NJ 08054
Phone: 856.797.0412
Fax: 856.722.1120

SHEET TITLE:
TITLE SHEET

SHEET NUMBER:
T-1

NOTE: DO NOT SCALE DRAWINGS FOR CONSTRUCTION.

BILL OF MATERIALS

| VZWSMART KITS | | | | |
|----------------------|--------------|---------------|--|---|
| QUANTITY | MANUFACTURER | PART NUMBER | DESCRIPTION | NOTES |
| 3 | VZWSMART | VZWSMART-SFK4 | T-ARM KIT | CONTRACTOR TO VERIFY THE LENGTH REQUIRED AND TRIM AS NECESSARY IN ACCORDANCE WITH THE 'STRUCTURAL STEEL' NOTES ON SHEET S-2 |
| 1 | | VZWSMART-PLK7 | MONOPOLE COLLAR MOUNT ASSEMBLY | |
| 15 | | VZWSMART-MSK2 | CROSSOVER PLATE | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| OTHER REQUIRED PARTS | | | | |
| QUANTITY | MANUFACTURER | PART NUMBER | DESCRIPTION | NOTES |
| 3 | - | - | 120" LONG, P3.0 STD | GALVANIZED |
| 3 | - | - | 102" LONG, P2.5 STD | GALVANIZED |
| 4 | SITE PRO 1 | SQCX4-K | CROSSOVER PLATE KIT W/ SQUARE U-BOLTS AND STD. U-BOLTS | OR EOR APPROVED EQUAL, CONTACT MASER CONSULTING FOR APPROVAL OF SUBSTITUTION |
| 1 | - | - | 36" LONG, P2.0 STD | GALVANIZED |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

NOTE: ALL MATERIALS REQUIRED FOR THE DESIGNED MODIFICATIONS BUT NOT LISTED IN THIS SHEET ARE ASSUMED TO BE PROVIDED BY THE CONTRACTOR

| VZWSMART KITS - APPROVED VENDORS | |
|-----------------------------------|--|
| COMMSCOPE | |
| CONTACT | SALVADOR ANGUIANO |
| PHONE | (817) 304-7492 |
| EMAIL | SALVADOR.ANGUIANO@COMMSCOPE.COM |
| WEBSITE | WWW.COMMSCOPE.COM |
| METROSITE FABRICATORS, LLC | |
| CONTACT | KENT RAMEY |
| PHONE | (706) 335-7045 (O), (706) 982-9788 (M) |
| EMAIL | KENT@METROSITELLC.COM |
| WEBSITE | METROSITEFABRICATORS.COM |
| PERFECTVISION | |
| CONTACT | WIRELESS SALES |
| PHONE | (844) 887-6723 |
| EMAIL | WWW.PERFECT-VISION.COM |
| WEBSITE | WIRELESSALES@PERFECT-VISION.COM |
| SABRE INDUSTRIES, INC. | |
| CONTACT | ANGIE WELCH |
| PHONE | (866) 428-6937 |
| EMAIL | AKWELCH@SABREINDUSTRIES.COM |
| WEBSITE | WWW.SABRESITESOLUTIONS.COM |
| SITE PRO 1 | |
| CONTACT | PAULA BOSWELL |
| PHONE | (972) 236-9843 |
| EMAIL | PAULA.BOSWELL@VALMONT.COM |
| WEBSITE | WWW.SITEPRO1.COM |

NOTE: WHEN SPECIFIED, VZWSMART KITS SHALL BE REQUIRED AND WILL BE VERIFIED DURING THE DESKTOP PMI



WILL BE KNOWN AS COLLIERS ENGINEERING & DESIGN IN 2021
Customer Loyalty through Client Satisfaction
www.maserconsulting.com

- NEW JERSEY
- NEW YORK
- PENNSYLVANIA
- VIRGINIA
- FLORIDA
- NORTH CAROLINA
- SOUTH CAROLINA
- NEW MEXICO
- MARYLAND
- GEORGIA
- TEXAS
- TENNESSEE
- COLORADO

Copyright © 2021 Maser Consulting. All Rights Reserved. This drawing and all the information contained herein is authorized for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, re-used, disclosed, distributed or relied upon for any other purpose without the express written consent of Maser Consulting.



811 PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATIONS, DESIGNERS OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

Know what's below.
Call before you dig.

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT:
WWW.CALL811.COM

SCALE: AS SHOWN JOB NUMBER: 20777259A

| REV | DATE | DESCRIPTION | DRAWN BY | CHECKED BY |
|-----|----------|-------------------------|----------|------------|
| 0 | 7/7/2021 | ISSUED FOR CONSTRUCTION | FAC | DH |

Digitally signed by Derek R. Hartzell
Date: 2021.07.07 08:44:05-04'00'

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF THE RESPONSIBLE LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

SITE NAME:

**BYRAM PARK CT
468044**

36 RITCH AVE W
GREENWICH, CT 06830
FAIRFIELD COUNTY

MT. LAUREL OFFICE
2000 Millstone Drive
Suite 100
Mount Laurel, NJ 08054

Phone: 856.797.0412
Fax: 856.722.1120

SHEET TITLE:
BILL OF MATERIALS

SHEET NUMBER:
S-1

GENERAL NOTES

- THESE MODIFICATIONS HAVE BEEN DESIGNED IN ACCORDANCE WITH THE GOVERNING PROVISIONS OF THE TELECOMMUNICATIONS INDUSTRY STANDARD TIA-222-H. MATERIALS AND SERVICES PROVIDED BY THE CONTRACTOR SHALL CONFORM TO THE ABOVE MENTIONED CODES.
- CONTRACTOR SHALL TAKE ALL PRECAUTIONS NECESSARY TO PREVENT DAMAGE TO EXISTING STRUCTURES. ANY DAMAGE TO EXISTING STRUCTURES AS A RESULT OF THE CONTRACTOR'S WORK OR FROM DAMAGE DUE TO OTHER CAUSES SHALL BE REPAIRED AT THE CONTRACTOR'S EXPENSE TO THE SATISFACTION OF THE OWNER.
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND EXISTING CONDITIONS BEFORE BEGINNING WORK, ORDERING MATERIAL, AND PREPARING OF SHOP DRAWINGS. ANY DISCREPANCIES BETWEEN FIELD CONDITIONS AND THE CONTRACT DOCUMENTS SHALL BE BROUGHT TO THE IMMEDIATE ATTENTION OF THE ENGINEER. IF THE CONTRACTOR DISCOVERS ANY EXISTING CONDITIONS THAT ARE NOT REPRESENTED ON THESE DRAWINGS, OR ANY CONDITIONS THAT WOULD INTERFERE WITH THE INSTALLATION OF THE MODIFICATIONS, NOTIFY THE ENGINEER IMMEDIATELY.
- IT IS ASSUMED THAT ANY STRUCTURAL MODIFICATION WORK SPECIFIED ON THESE PLANS WILL BE ACCOMPLISHED BY KNOWLEDGEABLE WORKMEN WITH TOWER CONSTRUCTION EXPERIENCE.
- THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE WORK AND SHALL BE SOLELY RESPONSIBLE FOR ALL CONSTRUCTION METHODS, MEANS, TECHNIQUES, SEQUENCES, AND PROCEDURES.
- ALL CONSTRUCTION MEANS AND METHODS; INCLUDING BUT NOT LIMITED TO, ERECTION PLANS, RIGGING PLANS, CLIMBING PLANS, AND RESCUE PLANS SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR RESPONSIBLE FOR THE EXECUTION OF THE WORK CONTAINED HEREIN AND SHALL MEET ANS/I/TIA-322 (LATEST EDITION), OSHA, AND GENERAL INDUSTRY STANDARDS. ALL RIGGING PLANS SHALL ADHERE TO ANS/I/TIA-322 (LATEST EDITION) INCLUDING THE REQUIRED INVOLVEMENT OF A QUALIFIED ENGINEER FOR CLASS IV CONSTRUCTION.
- THE CONTRACTOR IS SOLELY RESPONSIBLE FOR INITIATING, MAINTAINING, AND SUPERVISING ALL SAFETY PROGRAMS IN ACCORDANCE WITH APPLICABLE SAFETY CODES.
- WORK SHALL ONLY BE PERFORMED DURING CALM DRY DAYS (WINDS LESS THAN 30-MPH). THE STRUCTURE SHOWN ON THE DRAWINGS IS STRUCTURALLY SOUND ONLY IN THE COMPLETED FORM. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE STRENGTH AND STABILITY OF THE STRUCTURE DURING ERECTION. CONTRACTOR SHALL PROVIDE TEMPORARY SUPPORT, SHORING, BRACING AND ANY OTHER STRUCTURAL SYSTEMS AS REQUIRED TO RESIST ALL FORCES THAT MAY OCCUR DURING HANDLING AND ERECTION UNTIL THE STRUCTURE IS FULLY COMPLETED. TEMPORARY SUPPORTS, BRACING AND OTHER STRUCTURAL SYSTEMS REQUIRED DURING CONSTRUCTION SHALL REMAIN THE CONTRACTOR'S PROPERTY AFTER THEIR USE.
- ALL INSTALLATIONS PERFORMED ON THIS STRUCTURE SHALL BE COMPLETED IN ACCORDANCE WITH THE GOVERNING PROVISIONS OF THE STANDARD FOR INSTALLATION, ALTERATION AND MAINTENANCE OF ANTENNA SUPPORTING STRUCTURES AND ANTENNAS, ANS/I/TIA-322.
- CONTRACTOR SHALL SECURE SITE BACK TO EXISTING CONDITION UNDER SUPERVISION OF OWNER. ALL FENCE, STONE, GEOFABRIC, GROUNDING, AND SURROUNDING GRADE SHALL BE REPLACED AND REPAIRED AS REQUIRED TO ACHIEVE OWNER APPROVAL. POSITIVE DRAINAGE AWAY FROM TOWER SITE SHALL BE MAINTAINED.
- CONNECTIONS BETWEEN ITEMS SUPPORTED BY THE STRUCTURE AND THE STRUCTURE NOT SPECIFICALLY DETAILED IN THE CONTRACT DOCUMENTS ARE THE RESPONSIBILITY OF THE CONTRACTOR. SUCH CONNECTIONS SHALL BE DESIGNED, COORDINATED AND INSPECTED BY A PROFESSIONAL STRUCTURAL ENGINEER LICENSED IN THE STATE OF THE PROJECT. SUBMIT SIGNED AND SEALED CALCULATIONS DURING SHOP DRAWING REVIEW.
- DO NOT SCALE DRAWINGS.
- DO NOT USE THESE DRAWINGS FOR ANY OTHER SITE.
- ALL MATERIAL UTILIZED FOR THIS PROJECT MUST BE NEW AND FREE OF ANY DEFECTS. ANY MATERIAL SUBSTITUTIONS, INCLUDING BUT NOT LIMITED TO ALTERED SIZE AND/OR STRENGTHS, MUST BE APPROVED BY THE OWNER AND ENGINEER IN WRITING.
- THE MOUNT UNDER NO CIRCUMSTANCES SHOULD BE USED AS A TIE OFF POINT.

DESIGN LOADS

- WIND LOADS
- BASIC WIND SPEED (3 SECOND GUST), V = 116 MPH
 - EXPOSURE CATEGORY C
 - TOPOGRAPHIC CATEGORY I
 - MEAN BASE ELEVATION (AMSL) = 50.68'

- ICE LOADS
- ICE WIND SPEED (3 SECOND GUST), V = 50 MPH
 - ICE THICKNESS = 1.00 IN

- SEISMIC LOADS
- SEISMIC DESIGN CATEGORY B
 - SHORT TERM MCER GROUND MOTION, S_s = .277
 - LONG TERM MCER GROUND MOTION, S_l = .060

STRUCTURAL STEEL

- DESIGN, DETAILING, FABRICATION AND ERECTION OF STRUCTURAL STEEL SHALL CONFORM TO THE FOLLOWING PUBLICATIONS EXCEPT AS SPECIFICALLY INDICATED IN THE CONTRACT DOCUMENTS.
 - AMERICAN INSTITUTE OF STEEL CONSTRUCTION (AISC) MANUAL OF STEEL CONSTRUCTION (15TH EDITION)
 - SPECIFICATION FOR STRUCTURAL JOINTS USING ASTM A325 OR A490 BOLTS
 - AISC CODE OF STANDARD PRACTICE
- STRUCTURAL STEEL SHALL CONFORM TO THE FOLLOWING UNLESS OTHERWISE SHOWN:

- | | |
|--------------------------------|--------------------------|
| CHANNELS, ANGLES, PLATES, ETC. | ASTM A36 (GR 36) |
| STEEL PIPE | ASTM A53 (GR 35) |
| BOLTS | ASTM A325 |
| NUTS | ASTM A563 |
| LOCK WASHERS | LOCKING STRUCTURAL GRADE |

- ALL SUBSTITUTIONS PROPOSED BY THE CONTRACTOR SHALL BE APPROVED IN WRITING BY THE ENGINEER. CONTRACTOR SHALL PROVIDE DOCUMENTATION TO ENGINEER FOR VERIFYING THE SUBSTITUTE IS SUITABLE FOR USE AND MEETS ORIGINAL DESIGN CRITERIA. DIFFERENCES FROM THE ORIGINAL DESIGN, INCLUDING MAINTENANCE, REPAIR AND REPLACEMENT, SHALL BE NOTED. ESTIMATES OF COSTS/CREDITS ASSOCIATED WITH THE SUBSTITUTION (INCLUDING RE-DESIGN COSTS AND COSTS TO SUB-CONTRACTORS) SHALL BE PROVIDED TO THE ENGINEER. CONTRACTOR SHALL PROVIDE ADDITIONAL DOCUMENTATION AND/OR SPECIFICATIONS TO THE ENGINEER AS REQUESTED.
- PROVIDE STRUCTURAL STEEL SHOP DRAWINGS TO ENGINEER FOR APPROVAL PRIOR TO FABRICATION.
 - SUBMIT SHOP DRAWINGS TO GREG.DULNIK@COLLIERSENGINEERING.COM
 - PROVIDE MASER CONSULTING PROJECT # AND MASER CONSULTING PROJECT ENGINEER CONTACT IN THE BODY OF THE EMAIL.
- DRILL NO HOLES IN ANY NEW OR EXISTING STRUCTURAL STEEL MEMBERS OTHER THAN THOSE SHOWN ON STRUCTURAL DRAWINGS WITHOUT THE APPROVAL OF THE ENGINEER OF RECORD.
- GALVANIZED ASTM A325 BOLTS SHALL NOT BE REUSED.
- ALL NEW STEEL SHALL BE HOT BE DIPPED GALVANIZED FOR FULL WEATHER PROTECTION. IN ADDITION ALL NEW STEEL SHALL BE PAINTED TO MATCH EXISTING STEEL. CONTRACTOR SHALL OBTAIN WRITTEN PERMISSION TO PROTECT STEEL BY ANY OTHER MEANS.
- ALL BOLT ASSEMBLIES FOR STRUCTURAL MEMBERS REPRESENTED IN THIS DRAWING REQUIRE LOCKING DEVICES TO BE INSTALLED IN ACCORDANCE WITH TIA-222-H SECTION 4.9.2 REQUIREMENTS.
- WHERE CONNECTIONS ARE NOT FULLY DETAILED ON THESE DRAWINGS, FABRICATOR SHALL DESIGN CONNECTIONS TO RESIST LOADS AND FORCES WHERE SHOWN ON DRAWINGS AND AS OUTLINED IN SPECIFICATIONS.
- FOR MEMBERS BEING REPLACED, PROVIDE NEW BOLTS AND MATCH EXISTING SIZE AND GRADE. MAINTAIN AISC REQUIREMENTS FOR MINIMUM BOLT DISTANCE AND SPACING.
- ALL PROPOSED AND/OR REPLACED BOLTS SHALL BE OF SUFFICIENT LENGTH SUCH THAT THE END OF THE BOLT IS AT LEAST FLUSH WITH THE FACE OF THE NUT. IT IS NOT PERMITTED FOR THE BOLT END TO BE BELOW THE FACE OF THE NUT AFTER TIGHTENING IS COMPLETED.
- GALVANIZED ASTM A325 BOLTS SHALL NOT BE REUSED.
- ALL NEW STEEL SHALL BE HOT BE DIPPED GALVANIZED FOR FULL WEATHER PROTECTION. CONTRACTOR SHALL OBTAIN WRITTEN PERMISSION TO

PROTECT STEEL BY ANY OTHER MEANS.

- ALL EXISTING PAINTED/GALVANIZED SURFACES DAMAGED DURING REHAB INCLUDING AREAS UNDER STIFFENER PLATES SHALL BE WIRE BRUSHED CLEAN, REPAIRED BY COLD GALVANIZING (ZINGA OR ZINC COTE), AND REPAINTED TO MATCH THE EXISTING FINISH (IF APPLICABLE).
- ALL HOLES IN STEEL MEMBERS SHALL BE SIZED 1/16" LARGER THAN THE BOLT DIAMETER. STANDARD HOLES SHALL BE USED UNLESS NOTED OTHERWISE.



WILL BE KNOWN AS COLLIER ENGINEERING & DESIGN IN 2021
Customer Loyalty through Client Satisfaction
www.maserconsulting.com

- Office Locations:
- | | |
|------------------|--------------|
| ■ NEW JERSEY | ■ NEW MEXICO |
| ■ NEW YORK | ■ MARYLAND |
| ■ PENNSYLVANIA | ■ GEORGIA |
| ■ VIRGINIA | ■ TEXAS |
| ■ FLORIDA | ■ TENNESSEE |
| ■ NORTH CAROLINA | ■ COLORADO |
| ■ SOUTH CAROLINA | |

Copyright © 2021 Maser Consulting All Rights Reserved. This drawing and all the information contained herein is authorized for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Maser Consulting.



811 PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATIONS, DESIGNERS OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE

Know what's below.
Call before you dig.

FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT:
WWW.CALL811.COM

SCALE: AS SHOWN JOB NUMBER: 20777259A

| REV | DATE | DESCRIPTION | DRAWN BY | CHECKED BY |
|-----|----------|-------------------------|----------|------------|
| 0 | 7/7/2021 | ISSUED FOR CONSTRUCTION | | |

Derek R. Hartzell
Professional Engineer
License Number: 32710
Maser Consulting
C.T. C.O.A. # 10000131

Digitally signed by Derek R. Hartzell
Date: 2021.07.07 08:44:05-04'00'

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF THE RESPONSIBLE LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

SITE NAME:

BYRAM PARK CT
468044

36 RITCH AVE W
GREENWICH, CT 06830
FAIRFIELD COUNTY

MT. LAUREL OFFICE
2000 Millstone Drive
Suite 100
Mount Laurel, NJ 08054

Phone: 856.797.0412
Fax: 856.722.1120

SHEET TITLE:
MODIFICATION NOTES

SHEET NUMBER:
S-2

MODIFICATION INSPECTION NOTES

| MI CHECKLIST | |
|--|--|
| CONSTRUCTION/ INSTALLATION INSPECTIONS AND TESTING REQUIRED (COMPLETED BY EOR) | REPORT ITEM |
| PRE-CONSTRUCTION | |
| X | MI CHECKLIST DRAWING |
| X | EOR APPROVED SHOP DRAWINGS |
| NA | FABRICATION INSPECTION |
| NA | FABRICATOR CERTIFIED WELD INSPECTION |
| X | MATERIAL TEST REPORT (MTR) |
| NA | FABRICATOR NDE INSPECTION |
| X | PACKING SLIPS |
| ADDITIONAL TESTING AND INSPECTIONS: | |
| CONSTRUCTION | |
| X | CONSTRUCTION INSPECTIONS |
| NA | CONTRACTOR'S CERTIFIED WELD INSPECTION AND NDE REPORTS |
| X | ON SITE COLD GALVANIZING VERIFICATION |
| X | GC AS-BUILT DOCUMENTS |
| ADDITIONAL TESTING AND INSPECTIONS: | |
| POST-CONSTRUCTION | |
| X | MI INSPECTOR REDLINE OR RECORD DRAWING(S) |
| X | VZW PMI DOCUMENTS |
| X | PHOTOGRAPHS |
| ADDITIONAL TESTING AND INSPECTIONS: | |

NOTE: X DENOTES A DOCUMENT REQUIRED FOR THE MI REPORT
 NA DENOTES A DOCUMENT THAT IS NOT REQUIRED FOR THE MI REPORT

THE MODIFICATION INSPECTION (MI) IS A VISUAL INSPECTION OF MODIFICATIONS AND A REVIEW OF CONSTRUCTION INSPECTIONS AND OTHER REPORTS TO ENSURE THE INSTALLATION WAS CONSTRUCTED IN ACCORDANCE WITH THE CONTRACT DOCUMENTS, NAMELY THE MODIFICATION DRAWINGS, AS DESIGNED BY THE ENGINEER OF RECORD (EOR).

THE MI IS TO CONFIRM INSTALLATION CONFIGURATION AND WORKMANSHIP ONLY AND IS NOT A REVIEW OF THE MODIFICATION DESIGN ITSELF, NOR DOES THE MI INSPECTOR TAKE OWNERSHIP OF THE MODIFICATION DESIGN. OWNERSHIP OF THE STRUCTURAL MODIFICATION DESIGN EFFECTIVENESS AND INTEGRITY RESIDES WITH THE EOR AT ALL TIMES.

TO ENSURE THAT THE REQUIREMENTS OF THE MI ARE MET, IT IS VITAL THAT THE GENERAL CONTRACTOR (GC) AND THE MI INSPECTOR BEGIN COMMUNICATING AND COORDINATING AS SOON AS A PURCHASE ORDER (PO) IS RECEIVED. IT IS EXPECTED THAT EACH PARTY WILL BE PROACTIVE IN REACHING OUT TO THE OTHER PARTY.

MI INSPECTOR

THE MI INSPECTOR IS REQUIRED TO CONTACT THE GC AS SOON AS RECEIVING A PO FOR THE MI TO, AT A MINIMUM:

- REVIEW THE REQUIREMENTS OF THE MI CHECKLIST
- WORK WITH THE GC TO DEVELOP A SCHEDULE TO CONDUCT ON-SITE INSPECTIONS

THE MI INSPECTOR IS RESPONSIBLE FOR COLLECTING ALL GC INSPECTION AND TEST REPORTS, REVIEWING THE DOCUMENTS FOR ADHERENCE TO THE CONTRACT DOCUMENTS, CONDUCTING THE IN-FIELD INSPECTIONS, AND SUBMITTING THE MI REPORT TO EOR.

GENERAL CONTRACTOR

THE GC IS REQUIRED TO CONTACT THE MI INSPECTOR AS SOON AS RECEIVING A PO FOR THE MODIFICATION INSTALLATION OR TURNKEY PROJECT TO, AT A MINIMUM:

- REVIEW THE REQUIREMENTS OF THE MI CHECKLIST
- WORK WITH THE MI INSPECTOR TO DEVELOP A SCHEDULE TO CONDUCT ON-SITE MI INSPECTIONS, INCLUDING FOUNDATION INSPECTIONS
- BETTER UNDERSTAND ALL INSPECTION AND TESTING REQUIREMENTS

THE GC SHALL PERFORM AND RECORD THE TEST AND INSPECTION RESULTS IN ACCORDANCE WITH THE REQUIREMENTS OF THE MI CHECKLIST.

RECOMMENDATIONS

THE FOLLOWING RECOMMENDATIONS AND SUGGESTIONS ARE OFFERED TO ENHANCE THE EFFICIENCY AND EFFECTIVENESS OF DELIVERING AN MI REPORT:

- IT IS SUGGESTED THAT THE GC PROVIDE A MINIMUM OF 5 BUSINESS DAYS NOTICE, PREFERABLY 10, TO THE MI INSPECTOR AS TO WHEN THE SITE WILL BE READY FOR THE MI TO BE CONDUCTED.
- THE GC AND MI INSPECTOR COORDINATE CLOSELY THROUGHOUT THE ENTIRE PROJECT.
- WHEN POSSIBLE, IT IS PREFERRED TO HAVE THE GC AND MI INSPECTOR ON-SITE SIMULTANEOUSLY FOR ANY GUY WIRE TENSIONING OR RE-TENSIONING OPERATIONS.
- IT MAY BE BENEFICIAL TO INSTALL ALL MODIFICATIONS PRIOR TO CONDUCTING THE FOUNDATION INSPECTIONS TO ALLOW THE FOUNDATION AND MI INSPECTION(S) TO COMMENCE WITH ONE SITE VISIT.
- WHEN POSSIBLE, IT IS PREFERRED TO HAVE THE GC AND MI INSPECTOR ON-SITE DURING THE MI TO HAVE ANY DEFICIENCIES CORRECTED DURING THE INITIAL MI. THEREFORE, THE GC MAY CHOOSE TO COORDINATE THE MI CAREFULLY TO ENSURE ALL CONSTRUCTION FACILITIES ARE AT THEIR DISPOSAL WHEN THE MI INSPECTOR IS ON SITE.

CORRECTION OF FAILING MI'S

IF THE MODIFICATION INSTALLATION WOULD FAIL THE MI ("FAILED MI"), THE GC SHALL WORK WITH THE OWNER TO COORDINATE A REMEDIATION PLAN:


- CORRECT FAILING ISSUES TO COMPLY WITH THE SPECIFICATIONS CONTAINED IN THE ORIGINAL CONTRACT DOCUMENTS AND COORDINATE A SUPPLEMENT MI.

REQUIRED PHOTOS

BETWEEN THE GC AND THE MI INSPECTOR THE FOLLOWING PHOTOGRAPHS, AT A MINIMUM, ARE TO BE TAKEN AND INCLUDED IN THE MI REPORT:


- PRE-CONSTRUCTION GENERAL SITE CONDITION
- PHOTOGRAPHS DURING THE REINFORCEMENT MODIFICATION CONSTRUCTION/ERECTION AND INSPECTION
 - RAW MATERIALS
 - PHOTOS OF ALL CRITICAL DETAILS
 - FOUNDATION MODIFICATIONS
 - WELD PREPARATION
 - BOLT INSTALLATION
 - FINAL INSTALLED CONDITION
 - SURFACE COATING REPAIR
- POST CONSTRUCTION PHOTOGRAPHS
 - FINAL INFIELD CONDITION

PHOTOS OF ELEVATED MODIFICATIONS TAKEN ONLY FROM THE GROUND SHALL BE CONSIDERED INADEQUATE.



| BOLT SCHEDULE (IN.) | | | | |
|---------------------|---------------|-----------------|--------------------|---------|
| BOLT DIAMETER | STANDARD HOLE | SHORT SLOT | MIN. EDGE DISTANCE | SPACING |
| 1/2 | 9/16 | 9/16 x 11/16 | 7/8 | 1 1/2 |
| 5/8 | 11/16 | 11/16 x 7/8 | 1 1/8 | 1 7/8 |
| 3/4 | 13/16 | 13/16 x 1 | 1 1/4 | 2 1/4 |
| 7/8 | 15/16 | 15/16 x 1 1/8 | 1 1/2 | 2 5/8 |
| 1 | 1 1/16 | 1 1/16 x 1 5/16 | 1 3/4 | 3 |

| WORKABLE GAGES (IN.) | |
|----------------------|-------|
| LEG | GAGE |
| 4 | 2 1/2 |
| 3 1/2 | 2 |
| 3 | 1 3/4 |
| 2 1/2 | 1 3/8 |
| 2 | 1 1/8 |



TYP. BOLT ASSEMBLY

NOTES:

- ALL DIMENSIONS REPRESENTED IN THE ABOVE TABLES ARE AISC MINIMUM REQUIREMENTS. CONTRACTOR SHALL VERIFY EXISTING CONDITIONS IN FIELD AND NOTIFY ENGINEER IF DISTANCES ARE LESS THAN THOSE PROVIDED.
- THE DIMENSIONS PROVIDED ARE MINIMUM REQUIREMENTS. ACTUAL DIMENSIONS OF PROPOSED MEMBERS WITHIN THESE DRAWINGS MAY VARY FROM THE AISC MINIMUM REQUIREMENTS.
- SHORT SLOT HOLES SHALL ONLY BE USED WHEN DEPICTED IN THE DRAWINGS
- MATCH EXISTING GAGES WHEN APPLICABLE, UNLESS MINIMUM EDGE DISTANCES ARE COMPROMISED.

MASER CONSULTING CONNECTICUT
 WILL BE KNOWN AS COLLIER ENGINEERING & DESIGN IN 2021
 Customer Loyalty through Client Satisfaction
 www.maserconsulting.com
 Office Locations:
 NEW JERSEY, NEW YORK, PENNSYLVANIA, VIRGINIA, FLORIDA, NORTH CAROLINA, SOUTH CAROLINA, NEW MEXICO, MARYLAND, GEORGIA, TEXAS, TENNESSEE, COLORADO



811 PROTECT YOURSELF
 ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
 Know what's below. Call before you dig.
 FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

| | | | | |
|-----------------|-----------------------|-------------|----------|------------|
| SCALE: AS SHOWN | JOB NUMBER: 20777259A | | | |
| REV | DATE | DESCRIPTION | DRAWN BY | CHECKED BY |

Derek R. Hartzell
 Digitally signed by Derek R. Hartzell
 Date: 2021.07.07 08:44:05-04'00'

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF THE RESPONSIBLE LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

SITE NAME:
 BYRAM PARK CT
 468044
 36 RITCH AVE W
 GREENWICH, CT 06830
 FAIRFIELD COUNTY

MT. LAUREL OFFICE
 2000 Hillstone Drive
 Suite 100
 Mount Laurel, NJ 08054
 Phone: 856.797.0412
 Fax: 856.722.1120

SHEET TITLE:
 MODIFICATION NOTES

SHEET NUMBER:
 S-3



PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATIONS. DESIGNERS OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
Know what's below.
Call before you dig.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT:
WWW.CALL811.COM

SCALE: AS SHOWN JOB NUMBER: 20777259A

| REV | DATE | DESCRIPTION | DRAWN BY | CHECKED BY |
|-----|----------|-------------------------|----------|------------|
| 0 | 7/7/2021 | ISSUED FOR CONSTRUCTION | FAC | DH |

Derek R. Hartzell
 PROFESSIONAL ENGINEER
 LICENSE NUMBER: 32710
 MASER CONSULTING
 C.T. C.O.A. # JCE-00131
 Digitally signed by Derek R. Hartzell
 Date: 2021.07.07 08:44:05-04'00'

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF THE RESPONSIBLE LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.


SITE NAME:

BYRAM PARK CT
468044
36 RITCH AVE W
GREENWICH, CT 06830
FAIRFIELD COUNTY

MT. LAUREL OFFICE
2000 Mountain Drive
Suite 100
Mount Laurel, NJ 08054
Phone: 856.797.0412
Fax: 856.722.1120

SHEET TITLE: MODIFICATION DETAILS


SHEET NUMBER: S-4



1 EXISTING T-ARM ISOMETRIC VIEW (TYP. ALL SECTORS)
SCALE: N.T.S.

STRUCTURAL NOTES:

- PER THE MOUNT MAPPING COMPLETED BY TOWER ENGINEERING PROFESSIONALS ON 10/21/2020, THE SAFETY CLIMB AND CLIMBING FACILITIES UP TO THE VERIZON MOUNT ELEVATION (56'-0") ARE IN GOOD CONDITION. MASER DOES NOT WARRANT THIS INFORMATION.
- INSTALL SHALL NOT CAUSE HARM TO THE STRUCTURE, CLIMBING FACILITY, SAFETY CLIMB, OR ANY SYSTEM INSTALLED ON THE STRUCTURE. TIMELY NOTICE AND DOCUMENTATION SHALL BE PROVIDED BY CONTRACTORS TO THE EOR (OF STRUCTURAL DESIGN) IF AN OBSTRUCTION WAS REQUIRED TO MEET THE RF SYSTEM DESIGN REQUIREMENTS AND PERFORMANCES.
- CONTRACTOR TO REMOVE AND REPLACE ARTIFICIAL BRANCHES AS NEEDED FOR INSTALLATION.
- CONTRACTOR TO WORK WITH TOWER OWNER TO REMOVE TOWER BRANCHES AS NEEDED TO INSTALL PROPOSED MOUNT CONNECTION.



2 PROPOSED T-ARM ISOMETRIC VIEW (TYP. ALL SECTORS)
SCALE: N.T.S.

MODIFICATION NOTES:

- MOUNT MEMBERS NOT SHOWN FOR CLARITY U.N.O.
- CONTRACTOR TO VERIFY THE LENGTH REQUIRED AND TRIM AS NECESSARY IN ACCORDANCE WITH THE 'STRUCTURAL STEEL' NOTES ON SHEET S-2.
- RADIO AND/OR TME POSITIONS SHALL BE ADJUSTED VERTICALLY AS NEEDED IN ORDER TO ACHIEVE INSTALLATION OF HORIZONTAL AS SHOWN. EOR SHALL BE NOTIFIED IF EQUIPMENT NEEDS TO BE RELOCATED TO ANOTHER MOUNT PIPE.
- CONNECT NEW HORIZONTAL TO ALL VERTICAL MOUNT PIPES WITH CROSSOVER PLATES (PART #: VZWSMART-MSK2).
- CONNECT OTHER END OF T-ARM KIT TO MONOPOLE COLLAR MOUNT ASSEMBLY (PART #: VZWSMART-PLK7).
- CONNECT NEW OVP PIPE TO EXISTING STANDOFF HORIZONTAL WITH CROSSOVER PLATE (PART #: SITE PRO I - SQCX4-K, OR EOR APPROVED EQUAL).
- CONNECT NEW MOUNT PIPE TO EXISTING FACE HORIZONTAL WITH CROSSOVER PLATE (PART #: SITE PRO I - SQCX4-K, OR EOR APPROVED EQUAL).



811 PROTECT YOURSELF
ALL STATES REQUIRE NOTIFICATION OF EXCAVATIONS. DESIGNERS OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE
Know what's below. Call before you dig.
FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

| | | | |
|--------|----------|-------------------------|-----------------------|
| SCALE: | AS SHOWN | JOB NUMBER: | 20777259A |
| REV | DATE | DESCRIPTION | DRAWN BY / CHECKED BY |
| 0 | 7/7/2021 | ISSUED FOR CONSTRUCTION | FAC. / DH |

Derek R. Hartzell
Derek R. Hartzell
REGISTERED PROFESSIONAL ENGINEER
LICENSE NUMBER: 32710
MASER CONSULTING
C.T. C.O.A. # JCE 00131
Digitally signed by Derek R. Hartzell
Date: 2021.07.07 08:44:05-04'00'


IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF THE RESPONSIBLE LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

SITE NAME:
BYRAM PARK CT
468044
36 RITCH AVE W
GREENWICH, CT 06830
FAIRFIELD COUNTY

MT. LAUREL OFFICE
2000 Millstone Drive
Suite 100
Mount Laurel, NJ 08054
Phone: 856.797.0412
Fax: 856.722.1120

SHEET TITLE:
MODIFICATION DETAILS


SHEET NUMBER:
S-5




1 PROPOSED FRONT ELEVATION (TYP. ALL SECTORS)
SCALE : N.T.S.

MODIFICATION NOTES:

1. MOUNT MEMBERS NOT SHOWN FOR CLARITY U.N.O.
2. CONTRACTOR TO VERIFY THE LENGTH REQUIRED AND TRIM AS NECESSARY IN ACCORDANCE WITH THE 'STRUCTURAL STEEL' NOTES ON SHEET S-2.
3. RADIO AND/OR TME POSITIONS SHALL BE ADJUSTED VERTICALLY AS NEEDED IN ORDER TO ACHIEVE INSTALLATION OF HORIZONTAL AS SHOWN. EOR SHALL BE NOTIFIED IF EQUIPMENT NEEDS TO BE RELOCATED TO ANOTHER MOUNT PIPE.
4. CONNECT NEW HORIZONTAL TO ALL VERTICAL MOUNT PIPES WITH CROSSOVER PLATES (PART #: VZWSMART-MSK2).
5. CONNECT OTHER END OF T-ARM KIT TO MONOPOLE COLLAR MOUNT ASSEMBLY (PART #: VZWSMART-PLK7).
6. CONNECT NEW OVP PIPE TO EXISTING STANDOFF HORIZONTAL WITH CROSSOVER PLATE (PART #: SITE PRO I - SQCX4-K, OR EOR APPROVED EQUAL).
7. CONNECT NEW MOUNT PIPE TO EXISTING FACE HORIZONTAL WITH CROSSOVER PLATE (PART #: SITE PRO I - SQCX4-K, OR EOR APPROVED EQUAL).




2 PROPOSED SIDE ELEVATION (TYP. ALL SECTORS)
SCALE : N.T.S.



3 PROPOSED CABLE GUIDE STANDOFF SQUARE TUBE ATTACHMENT - PLAN VIEW
SCALE : N.T.S.



MOUNT PHOTO 1



MOUNT PHOTO 2



MOUNT PHOTO 3



MOUNT PHOTO 4



WILL BE KNOWN AS COLLIERS ENGINEERING & DESIGN IN 2021
 Customer Loyalty through Client Satisfaction
 www.maserconsulting.com

- Office Locations:
- NEW JERSEY
 - NEW MEXICO
 - NEW YORK
 - MARYLAND
 - PENNSYLVANIA
 - GEORGIA
 - VIRGINIA
 - TEXAS
 - FLORIDA
 - TENNESSEE
 - NORTH CAROLINA
 - COLORADO

Copyright © 2021, Maser Consulting. All Rights Reserved. This drawing and all the information contained herein is authorized for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, revised, disclosed, distributed or relied upon for any other purpose without the express written consent of Maser Consulting.



811 PROTECT YOURSELF
 ALL STATES REQUIRE NOTIFICATION OF EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN ANY STATE.
 Know what's below. Call before you dig.
 FOR STATE SPECIFIC DIRECT PHONE NUMBERS VISIT: WWW.CALL811.COM

SCALE: AS SHOWN JOB NUMBER: 20777259A

| REV | DATE | DESCRIPTION | DRAWN BY | CHECKED BY |
|-----|----------|-------------------------|----------|------------|
| 0 | 7/7/2021 | ISSUED FOR CONSTRUCTION | FAC | DH |

Derek R. Hartzell
 DEREK R. HARTZELL
 REGISTERED PROFESSIONAL ENGINEER
 LICENSE NUMBER: 32710
 MASER CONSULTING
 CT. C.O.A. # JPC 00131
 Digitally signed by Derek R. Hartzell
 Date: 2021.07.07 08:44:06-04'00'





IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF THE RESPONSIBLE LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

SITE NAME:
 BYRAM PARK CT
 468044
 36 RITCH AVE W
 GREENWICH, CT 06830
 FAIRFIELD COUNTY

MT. LAUREL OFFICE
 2000 Millstone Drive
 Suite 100
 Mount Laurel, NJ 08054
 Phone: 856.797.0412
 Fax: 856.722.1120

SHEET TITLE:
 MOUNT PHOTOS

SHEET NUMBER:
 S-6



| VZSMART-SFK4 (T-ARM KIT) | | | | | |
|--------------------------|------|-------------------|--|---------|-----|
| ITEM NO. | QTY. | PART NO. | DESCRIPTION | SHEET # | WT |
| 1 | 1 | RO-TAW-6 | T-ARM WELDMENT | SFK4-F1 | 71 |
| 2 | 2 | BP825-94375 | PL 3/8" X 8 1/4" X 9 7/16" A36 BEND PLATE | SFK4-F2 | 17 |
| 3 | 1 | PL375-92512025 | PL 3/8" X 9 1/4" X 1'-0 1/2" A36 | SFK4-F3 | 12 |
| 4 | 4 | --- | BOLT 5/8" X 2 1/4" A325 | --- | 0 |
| 5 | 4 | --- | BOLT 5/8" X 2" A325 | --- | 0 |
| 6 | 2 | --- | BOLT 3/4" X 5 1/4" A325 | --- | 0 |
| 7 | 2 | MS02-625-3625-600 | RU-BOLT 5/8" X 3 5/8" I.W. X 6" I.L. A36 (OR EQUIV.) | RBC-1 | 3 |
| 8 | 12 | FW-625 | 5/8" HDG USS FLAT WASHER | --- | 1 |
| 9 | 12 | LW-625 | 5/8" HDG LOCK WASHER | --- | 0 |
| 10 | 12 | NUT-625 | 5/8" HDG HEX NUT | --- | 1 |
| 11 | 2 | FW-75 | 3/4" HDG USS FLAT WASHER | --- | 0 |
| 12 | 2 | LW-75 | 3/4" HDG LOCK WASHER | --- | 0 |
| 13 | 2 | NUT-75 | 3/4" HDG HEX NUT | --- | 0 |
| GALVANIZED WT | | | | | 106 |

NOTES:
1. HOT-DIPPED GALVANIZED PER ASTM A123.



DRAWN BY: BT | CHECKED BY: HMA/KW

REV. DESCRIPTION BY DATE
△ FIRST ISSUE BT 05/08/20

SHEET TITLE:

VZSMART-SFK4
T-ARM KIT

SHEET NUMBER: VZSMART-SFK4 | REV #: 0



NOTES:
 1. FIT 12" TO 45" DIA MONOPOLE.
 2. HOT-DIPPED GALVANIZED PER ASTM A123.

| VZSMART-PLK7 (MONOPOLE COLLAR MOUNT ASSEMBLY) | | | | | |
|---|------|----------|-----------------------------------|---------|-----|
| ITEM NO. | QTY. | PART NO. | DESCRIPTION | SHEET # | WT |
| 1 | 3 | CM-1245 | COLLAR MOUNT ASSEMBLY | PLK7-F1 | 147 |
| 2 | 6 | --- | THREADED ROD 5/8" X 4'-0" A193-B7 | --- | --- |
| 3 | 12 | FW-625 | 5/8" HDG USS FLAT WASHER | --- | 1 |
| 4 | 12 | LW-625 | 5/8" HDG LOCK WASHER | --- | 0 |
| 5 | 12 | NUT-625 | 5/8" HDG HEX NUT | --- | 1 |
| GALVANIZED WT | | | | | 150 |

DRAWN BY: BT | CHECKED BY: HMA/KW


| REV. | DESCRIPTION | BY | DATE |
|------|-------------|----|----------|
| 1 | FIRST ISSUE | BT | 05/11/20 |
| | | | |
| | | | |
| | | | |

SHEET TITLE:
 VZSMART-PLK7
 MONOPOLE COLLAR
 MOUNT ASSEMBLY


SHEET NUMBER: VZSMART-PLK7 | REV #: 0



FITS 2.375" O.D. AND 2.875" O.D.
 VERTICAL PIPE.
 (NOT INCLUDED IN THIS KIT)



FITS 3.5" O.D. AND 4" O.D.
 HORIZONTAL PIPE.
 (NOT INCLUDED IN THIS KIT)




NOTES:
 1. HOT-DIPPED GALVANIZED PER ASTM A123.

| VZWSMART-MSK2 (CROSSOVER PLATE) | | | | | |
|---------------------------------|------|-------------------|--|---------|----|
| ITEM NO. | QTY. | PART NO. | DESCRIPTION | SHEET # | WT |
| 1 | 1 | PL375-88758 | PL 3/8" X 8 3/4" X 0'-8" A36 | MSK2-F1 | 8 |
| 2 | 2 | MS02-625-4125-600 | RU-BOLT 5/8" X 4 1/8" I.W. X 6" I.L. A36 (OR EQUIV.) | RBC-1 | 3 |
| 3 | 2 | MS02-625-300-500 | RU-BOLT 5/8" X 3" I.W. X 5" I.L. A36 (OR EQUIV.) | RBC-1 | 3 |
| 4 | 8 | FW-625 | 5/8" HDG USS FLAT WASHER | --- | 1 |
| 5 | 8 | LW-625 | 5/8" HDG LOCK WASHER | --- | 0 |
| 6 | 8 | NUT-625 | 5/8" HDG HEX NUT | --- | 1 |
| GALVANIZED WT | | | | | 15 |

| DRAWN BY: H.R | | CHECKED BY: HMA | |
|---------------|-------------|-----------------|----------|
| REV. | DESCRIPTION | BY | DATE |
| 1 | FIRST ISSUE | H.R | 05/08/20 |
| | | | |
| | | | |
| | | | |

| | |
|----------------------------------|--------|
| SHEET TITLE: | |
| VZWSMART-MSK2 CROSSOVER PLATE | |
| SHEET NUMBER: | REV #: |
| VZWSMART-MSK2 | 0 |

| ITEM | QTY | PART NO. | PART DESCRIPTION | LENGTH | UNIT WT. | NET WT. |
|------|-----|-----------|---|----------|--------------------|--------------|
| 1 | 1 | SCX4 | CROSSOVER PLATE | 8 1/2 in | 6.02 | 6.02 |
| 2 | 2 | X-SUB1418 | SQUARE U-BOLT 0.5" DIA. X 4.125" IW X 6" IL X 3" TR | | 0.98 | 1.95 |
| 3 | 2 | X-UB1212 | 1/2" X 2-1/2" X 4-1/2" X 2" U-BOLT (HDG.) | | 0.60 | 1.19 |
| 3 | 2 | X-UB1300 | 1/2" X 3" X 5" X 2" U-BOLT (HDG.) | | 0.67 | 1.34 |
| 4 | 8 | G12FW | 1/2" HDG USS FLATWASHER | 3/32 in | 0.03 | 0.27 |
| 5 | 8 | G12LW | 1/2" HDG LOCKWASHER | 1/8 in | 0.01 | 0.11 |
| 6 | 8 | G12NUT | 1/2" HDG HEAVY 2H HEX NUT | | 0.07 | 0.57 |
| | | | | | TOTAL WT. # | 11.35 |



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
 SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
 DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
 LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
 BENDS ARE $\pm 1/2$ DEGREE
 ALL OTHER MACHINING ($\pm 0.030"$)
 ALL OTHER ASSEMBLY ($\pm 0.060"$)

PROPRIETARY NOTE:
 THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
**CROSSOVER PLATE KIT
 W/ SQUARE U-BOLTS AND STD. U-BOLTS**

SITE PRO 1
 A valmont COMPANY

Engineering Support Team:
 1-888-753-7446

Locations:
 New York, NY
 Atlanta, GA
 Los Angeles, CA
 Plymouth, IN
 Salem, OR
 Dallas, TX

| | | |
|---------|---------------|----------------|
| CPD NO. | DRAWN BY | ENG. APPROVAL |
| | CSL 9/18/2018 | 3RD PARTY |
| CLASS | DRAWING USAGE | CHECKED BY |
| 87 | CUSTOMER | BMC 11/12/2018 |

| | | |
|----------|----------------|----------------|
| PART NO. | SQCX4-K | 1 OF 1 PAGE |
| DWG. NO. | SQCX4-K | |