

280 Trumbull Street  
Hartford, CT 06103-3597  
Main (860) 275-8200  
Fax (860) 275-8299  
kbaldwin@rc.com  
Direct (860) 275-8345

Also admitted in Massachusetts

June 16, 2014

Melanie A. Bachman  
Acting Executive Director  
Connecticut Siting Council  
10 Franklin Square  
New Britain, CT 06051

Re: **Notice of Exempt Modification – Facility Modification  
175 Roberts Road, Groton, Connecticut**

Dear Ms. Bachman:

Cellco Partnership d/b/a Verizon Wireless (“Cellco”) currently maintains twelve (12) wireless telecommunications antennas at the 137-foot level on an existing 145-foot tower at 75 Roberts Road, Groton, Connecticut (the “Property”). The tower is owned by Crown Castle. Cellco’s use of the tower was approved by the Council in 2007. Cellco now intends to modify its facility by removing six (6) 850 MHz antennas, replacing them with three (3) model LNX-6512DS-VTM, 850 MHz antennas, and three (3) model HBXX-6517DS-VTM, 2100 MHz antennas, all at the 137-foot level on the tower. Cellco also intends to install three (3) remote radio heads (“RRHs”) behind its new 2100 MHz antennas and one (1) HYBRIFLEX™ antenna cable attached to the outside of the monopole. Included in Attachment 1 are specifications for Cellco’s replacement antenna, RRHs and HYBRIFLEX™ cable.

Please accept this letter as notification pursuant to R.C.S.A. § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Mark R. Oefinger, Town Manager of the Town of Groton. A copy of this letter is also being sent to Philip A. Strickland and Daniel J. Perrotta, the owners of the Property.

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).



*Law Offices*

BOSTON

HARTFORD

NEW YORK

PROVIDENCE

STAMFORD

ALBANY

LOS ANGELES

NEW LONDON

SARASOTA

*www.rc.com*

12950549-v1


# ROBINSON & COLE<sub>LLP</sub>

Melanie A. Bachman  
June 16, 2014  
Page 2

1. The proposed modifications will not result in an increase in the height of the existing tower. Cellco's new antennas and RRHs will be installed at the 137-foot level on the existing 145-foot tower.
2. The proposed modifications will not involve any change to ground-mounted equipment and, therefore, will not require the extension of the site boundary.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the replacement antennas will not increase radio frequency (RF) emissions at the facility to a level at or above the Federal Communications Commission (FCC) safety standard. A Cumulative General Power Density table for Cellco's modified facility is included in Attachment 2.
5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The tower and its foundation can support Cellco's proposed modifications. (See Structural Analysis Report included in Attachment 3).

For the foregoing reasons, Cellco respectfully submits that the proposed modifications to the above-referenced telecommunications facility constitutes an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,



Kenneth C. Baldwin

Enclosures  
Copy to:

Mark R. Oefinger, Groton Town Manager  
Philip A. Strickland and Daniel J. Perrotta  
Sandy M. Carter



# **ATTACHMENT 1**

# Product Specifications

COMMSCOPE®

POWERED BY



## LNX-6512DS-VTM

Andrew® Antenna, 698–896 MHz, 65° horizontal beamwidth, RET compatible

- Excellent choice to maximize both coverage and capacity in suburban and rural applications
- Ideal choice for site collocations and tough zoning restrictions
- Extended elevation tilt for maximum flexibility in urban core areas
- Remote beam tilt management is an optional feature using Andrew's Teletilt® system
- The RF connectors are designed for IP67 rating and the radome for IP56 rating

### Electrical Specifications

Frequency Band, MHz	698–806	806–896
Gain, dBi	14.1	15.0
Beamwidth, Horizontal, degrees	65	65
Beamwidth, Horizontal Tolerance, degrees	±3	±3
Beamwidth, Vertical, degrees	19.0	17.0
Beam Tilt, degrees	0–15	0–15
USLS, typical, dB	17	18
Front-to-Back Ratio at 180°, dB	28	28
CPR at Boresight, dB	12	12
CPR at Sector, dB	10	10
Isolation, dB	30	30
VSWR   Return Loss, dB	1.4   15.6	1.4   15.6
PIM, 3rd Order, 2 x 20 W, dBc	-153	-153
Input Power per Port, maximum, watts	400	400
Polarization	±45°	±45°
Impedance	50 ohm	50 ohm

### General Specifications

Antenna Brand	Andrew®
Antenna Type	DualPol®
Band	Single band
Brand	DualPol®   Teletilt®
Operating Frequency Band	698 – 896 MHz

### Mechanical Specifications

Color	Light gray
Lightning Protection	dc Ground
Radiator Material	Aluminum
Radome Material	Fiberglass, UV resistant
RF Connector Interface	7-16 DIN Female
RF Connector Location	Bottom
RF Connector Quantity, total	2
Wind Loading, maximum	379.8 N @ 150 km/h 85.4 lbf @ 150 km/h
Wind Speed, maximum	241.0 km/h   149.8 mph

### Dimensions

# Product Specifications

COMMSCOPE®

LNX-6512DS-VTM



Depth	181.0 mm   7.1 in
Length	1232.0 mm   48.5 in
Width	301.0 mm   11.9 in
Net Weight	13.0 kg   28.7 lb

## Remote Electrical Tilt (RET) Information

Model with Factory Installed AISG 1.1 Actuator LNX-6512DS-R2M

Model with Factory Installed AISG 2.0 Actuator LNX-6512DS-A1M

RET System Teletilt®

## Regulatory Compliance/Certifications

### Agency

RoHS 2011/65/EU

China RoHS SJ/T 11364-2006

ISO 9001:2008

### Classification

Compliant by Exemption

Above Maximum Concentration Value (MCV)

Designed, manufactured and/or distributed under this quality management system



## Included Products

**DB380** — Pipe Mounting Kit for 2.4"-4.5" (60-115mm) OD round members on wide panel antennas. Includes 2 clamp sets and double nuts.

**DB5083** — Downtilt Mounting Kit for 2.4"-4.5" (60 - 115 mm) OD round members. Includes a heavy-duty, galvanized steel downtilt mounting bracket assembly and associated hardware. This kit is compatible with the DB380 pipe mount kit for panel antennas that are equipped with two mounting brackets.

# Product Specifications

HBXX-6517DS-VTM

Andrew® Quad Port Teletilt® Antenna, 1710–2180 MHz, 65° horizontal beamwidth, RET compatible

POWERED BY



## Electrical Specifications

Frequency Band, MHz	1710–1880	1850–1990	1920–2180
Gain by all Beam Tilts, average, dBi	18.5	18.6	18.8
Gain by all Beam Tilts Tolerance, dB	±0.4	±0.3	±0.4
Gain by Beam Tilt, average, dBi	0°   18.4 3°   18.7 6°   18.4	0°   18.4 3°   18.7 6°   18.5	0°   18.7 3°   18.9 6°   18.6
Beamwidth, Horizontal, degrees	67	66	65
Beamwidth, Horizontal Tolerance, degrees	±2.4	±1.7	±2.9
Beamwidth, Vertical, degrees	5.0	4.7	4.4
Beamwidth, Vertical Tolerance, degrees	±0.3	±0.3	±0.3
Beam Tilt, degrees	0–6	0–6	0–6
USLS, dB	18	19	19
Front-to-Back Total Power at 180° ± 30°, dB	25	26	26
CPR at Boresight, dB	22	23	22
CPR at Sector, dB	10	10	9
Isolation, dB	30	30	30
VSWR   Return Loss, dB	1.4   15.6	1.4   15.6	1.4   15.6
PIM, 3rd Order, 2 x 20 W, dBc	-153	-153	-153
Input Power per Port, maximum, watts	350	350	350
Polarization	±45°	±45°	±45°

\*Values calculated using NGMN Alliance N-P-BASTA v9.6

## Mechanical Specifications


Color   Radome Material	Light gray   PVC, UV resistant
Connector Interface   Location   Quantity	7-16 DIN Female   Bottom   4
Wind Loading, maximum	668.0 N @ 150 km/h 150.2 lbf @ 150 km/h
Wind Speed, maximum	241.0 km/h   149.8 mph
Antenna Dimensions, L x W x D	1903.0 mm x 305.0 mm x 166.0 mm   74.9 in x 12.0 in x 6.5 in
Net Weight	19.5 kg   43.0 lb
Model with factory installed AISG 2.0 RET	HBXX-6517DS-A2M



## Alcatel-Lucent RRH2x40-AWS

### REMOTE RADIO HEAD

The Alcatel-Lucent RRH2x40-AWS is a high-power, small form-factor Remote Radio Head (RRH) operating in the AWS frequency band (1700/2100MHz - 3GPP Band 4). The Alcatel-Lucent RRH2x40-AWS is designed with an eco-efficient approach, providing operators with the means to achieve high quality and capacity coverage with minimum site requirements.



A distributed eNodeB expands deployment options by using two components, a Base Band Unit (BBU) containing the digital assets and a separate RRH containing the radio-frequency (RF) elements. This modular design optimizes available space and allows the main components of an eNodeB to be installed separately, within the same site or several kilometres apart.

The Alcatel-Lucent RRH2x40-AWS is linked to the BBU by an optical-fiber connection carrying downlink and uplink digital radio signals along with operations, administration and maintenance (OA&M) information. The Alcatel-Lucent RRH2x40-AWS has two transmit RF paths, 40 W RF output power per transmit path, and is designed to manage up to four-way receive diversity. The device is ideally suited to support macro coverage, with multiple-input multiple-output (MIMO) 2x2 operation in up to 20 MHz of bandwidth.

The Alcatel-Lucent RRH2x40-AWS is designed to make available all the benefits of a distributed eNodeB, with excellent RF characteristics, with low


capital expenditures (CAPEX) and low operating expenditures (OPEX). The limited space available in some sites may prevent the installation of traditional single-cabinet BTS equipment or require costly cranes to be employed, leaving coverage holes. However, many of these sites can host an Alcatel-Lucent RRH2x40-AWS installation, providing more flexible site selection and improved network quality along with greatly reduced installation time and costs.

#### Fast, low-cost installation and deployment

The Alcatel-Lucent RRH2x40-AWS is a zero-footprint solution and operates noise-free, simplifying negotiations with site property owners and minimizing environmental impacts. Installation can easily be done by a single person because the Alcatel-Lucent RRH2x40-AWS is compact and weighs less than 20 kg (44 lb), eliminating the need for a crane to hoist the BTS cabinet to the rooftop. A site can be in operation in less than one day — a fraction of the time required for a traditional BTS.

## Excellent RF performance


Because of its small size and weight, the Alcatel-Lucent RRH2x40-AWS can be installed close to the antenna. Operators can therefore locate the Alcatel-Lucent RRH2x40-AWS where RF engineering is deemed ideal, minimizing trade-offs between available sites and RF optimum sites. The RF feeder cost and installation costs are reduced or eliminated, and there is no need for a Tower Mounted Amplifier (TMA) because losses introduced by the RF feeder are greatly reduced. The Alcatel-Lucent RRH2x40-AWS provides more RF power while at the same time consuming less electricity.



Macro

## Features


- Zero-footprint deployment
- Easy installation, with a lightweight unit can be carried and set up by one person
- Optimized RF power, with flexible site selection and elimination of a TMA
- Convection-cooled (fanless)
- Noise-free
- Best-in-class power efficiency, with significantly reduced energy consumption



RRH for space-constrained cell sites

## Benefits

- Leverages existing real estate with lower site costs
- Reduces installation costs, with fewer installation materials and simplified logistics
- Decreases power costs and minimizes environmental impacts, with the potential for eco-sustainable power options
- Improves RF performance and adds flexibility to network planning



Distributed

## Technical specifications

### Physical dimensions

- Height: 620 mm (24.4 in.)
- Width: 270 mm (10.63 in.)
- Depth: 170mm (6.7 in.)
- Weight (without mounting kit): less than 20 kg (44 lb)

### Power

- Power supply: -48VDC

### Operating environment

- Outdoor temperature range:
  - With solar load: -40°C to +50°C (-40°F to +122°F)
  - Without solar load: -40°C to +55°C (-40°F to +131°F)

- Passive convection cooling (no fans)
- Enclosure protection
  - IP65 (International Protection rating)

### RF characteristics

- Frequency band: 1700/2100 MHz (AWS); 3GPP Band 4
- Bandwidth: up to 20 MHz
- RF output power at antenna port: 40 W nominal RF power for each Tx port
- Rx diversity: 2-way or 4-way with optional Rx Diversity module
- Noise figure: below 2.0 dB typical
- Antenna Line Device features
  - TMA and Remote electrical tilt (RET) support via AISG v2.0

### Optical characteristics

#### Type/number of fibers

- Single-mode variant
  - One Single Mode Single Fiber per RRH2x, carrying UL and DL using CWDM
  - Single mode dual fiber (SM/DF)
- Multi-mode variant
  - Two Multi-mode fibers per RRH2x: one carrying UL, the other carrying DL

### Optical fiber length

- Up to 500 m (0.31 mi), using MM fiber
- Up to 20 km (12.43 mi), using SM fiber

### Digital Ports and Alarms

- Two optical ports to support daisy-chaining
- Six external alarms

[www.alcatel-lucent.com](http://www.alcatel-lucent.com) Alcatel, Lucent, Alcatel-Lucent and the Alcatel-Lucent logo are trademarks of Alcatel-Lucent. All other trademarks are the property of their respective owners. The information presented is subject to change without notice. Alcatel-Lucent assumes no responsibility for inaccuracies contained herein. Copyright © 2010 Alcatel-Lucent. All rights reserved. CPG2809100912 (09)



**HYBRIFLEX™ RRH Hybrid Feeder Cabling Solution, 1-5/8", Single-Mode Fiber**

**Product Description**

RFS' HYBRIFLEX Remote Radio Head (RRH) hybrid feeder cabling solution combines optical fiber and DC power for RRHs in a single lightweight aluminum corrugated cable, making it the world's most innovative solution for RRH deployments.

It was developed to reduce installation complexity and costs at Cellular sites, HYBRIFLEX allows mobile operators deploying an RRH architecture to standardize the RRH installation process and eliminate the need for and cost of cable grounding. HYBRIFLEX combines optical fiber (multi-mode or single-mode) and power in a single corrugated cable. It eliminates the need for junction boxes and can connect multiple RRHs with a single feeder. Standard RFS CELLFLEX® accessories can be used with HYBRIFLEX cable. Both pre-connectorized and on-site options are available.

**Features/Benefits**

- Aluminum corrugated armor with outstanding bending characteristics - minimizes installation time and enables mechanical protection and shielding
- Same accessories as 1 5/8" coaxial cable
- Outer conductor grounding - Eliminates typical grounding requirements and saves on installation costs
- Lightweight solution and compact design - Decreases tower loading
- Robust cabling - Eliminates need for expensive cable trays and ducts
- Installation of tight bundled fiber optic cable pairs directly to the RRH - Reduces CAPEX and wind load by eliminating need for interconnection
- Optical fiber and power cables housed in single corrugated cable - Saves CAPEX by standardizing RRH cable installation and reducing installation requirements
- Outdoor polyethylene jacket - Ensures long-lasting cable protection




Figure 1: HYBRIFLEX Series

**Technical Specifications**

<b>Structure</b>			
Outer Conductor Armor	Corrugated Aluminum	(mm (in))	46.5 (1.83)
Jacket	Polyethylene, PE	(mm (in))	50.3 (1.98)
UV-Protection	Individual and External Jacket		Yes
<b>Mechanical Properties</b>			
Weight, Approximate		(kg/m (lb/ft))	1.9 (1.30)
Minimum Bending Radius, Single Bending		(mm (in))	200 (8)
Minimum Bending Radius, Repeated Bending		(mm (in))	500 (20)
Recommended/Maximum Clamp Spacing		(m (ft))	1.0 / 1.2 (3.25 / 4.0)
<b>Electrical Properties</b>			
DC-Resistance Outer Conductor Armor		(Ω/km (Ω/1000ft))	0.68 (0.205)
DC-Resistance Power Cable, 8 4mm <sup>2</sup> (8AWG)		(Ω/km (Ω/1000ft))	2.1 (0.307)
<b>Optical Properties</b>			
Version			Single-mode OM3
Quantity, Fiber Count			16 (8 pairs)
Core/Clad		(μm)	50/125
Primary Coating (Acrylate)		(μm)	245
Buffer Diameter, Nominal		(μm)	900
Secondary Protection, Jacket, Nominal		(mm (in))	2.0 (0.08)
Minimum Bending Radius		(mm (in))	104 (4.1)
Insertion Loss @ wavelength 850nm		dB/km	3.0
Insertion Loss @ wavelength 1310nm		dB/km	1.0
Standards (Meets or exceeds)			UL34-V0, UL1666 RoHS Compliant
<b>DC Power Cable Properties</b>			
Size (Power)		(mm (AWG))	8.4 (8)
Quantity, Wire Count (Power)			16 (8 pairs)
Size (Alarm)		(mm (AWG))	0.8 (18)
Quantity, Wire Count (Alarm)			4 (2 pairs)
Type			UV protected
Strands			19
Primary Jacket Diameter, Nominal		(mm (in))	6.8 (0.27)
Standards (Meets or exceeds)			NFPA 130, ICEA S-95-658 UL Type XHHW-2, UL 44 UL-LS Limited Smoke, UL VW-1 IEEE-383 (1974), IEEE1202/FT4 RoHS Compliant
<b>Environment</b>			
Installation Temperature		(°C (°F))	-40 to +65 (-40 to 149)
Operation Temperature		(°C (°F))	-40 to +65 (-40 to 149)

\* This data is provisional and subject to change




Figure 2: Construction Detail

All information contained in the present datasheet is subject to confirmation at time of ordering

# **ATTACHMENT 2**



# **ATTACHMENT 3**

May 16, 2014

Sean Dempsey  
Crown Castle  
3530 Toringdon Way Suite 300  
Charlotte, NC 28277  
(704) 405-6565



B+T Group  
1717 S. Boulder, Suite 300  
Tulsa, OK 74119  
(918) 587-4630  
btwo@btgrp.com

**Subject:** Structural Analysis Report

**Carrier Designation:** Verizon Wireless Co-Locate  
**Carrier Site Number:** 174802  
**Carrier Site Name:** Groton 5 CT

**Crown Castle Designation:** Crown Castle BU Number: 881533  
Crown Castle Site Name: Groton Tower  
Crown Castle JDE Job Number: 266117  
Crown Castle Work Order Number: 735467  
Crown Castle Application Number: 219527 Rev. 8

**Engineering Firm Designation:** B+T Group Project Number: 92739.001.01

**Site Data:** 75 Roberts Road, Groton, New London County, CT  
Latitude 41° 21' 36.8", Longitude -72° 2' 55.1"  
144.5 Foot - Monopole Tower

Dear Sean Dempsey,

B+T Group is pleased to submit this "Structural Analysis Report" to determine the structural integrity of the above mentioned tower. This analysis has been performed in accordance with the Crown Castle Structural 'Statement of Work' and the terms of Crown Castle Purchase Order Number 646848, in accordance with application 219527, revision 8.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC4.7: Existing + Reserved + Proposed Equipment and Modification **Sufficient Capacity**  
Note: See Table 1 and Table 2 for the proposed and existing/reserved loading, respectively.

This analysis has been performed in accordance with the TIA/EIA-222-F standard and 2005 CT State Building Code with 2009 amendment based upon a wind speed of 85 mph fastest mile.

All equipment proposed in this report shall be installed in accordance with the attached drawings for the determined available structural capacity to be effective.

We at B+T Group appreciate the opportunity of providing our continuing professional services to you and Crown Castle. If you have any questions or need further assistance on this or any other projects please give us a call.

Respectfully submitted by:  
B+T Engineering, Inc.

Shardul Kadam, E.I.  
Project Engineer

Chad E. Tuttle, P.E.  
President



5/16/14

## TABLE OF CONTENTS

### 1) INTRODUCTION

### 2) ANALYSIS CRITERIA

Table 1 - Proposed Antenna and Cable Information

Table 2 - Existing and Reserved Antenna and Cable Information

Table 3 - Design Antenna and Cable Information

### 3) ANALYSIS PROCEDURE

Table 4 - Documents Provided

3.1) Analysis Method

3.2) Assumptions

### 4) ANALYSIS RESULTS

Table 5 - Section Capacity (Summary)

Table 6 - Tower Components vs. Capacity

4.1) Recommendations

### 5) APPENDIX A

tnxTower Output

### 6) APPENDIX B

Base Level Drawing

### 7) APPENDIX C

Additional Calculations

**1) INTRODUCTION**

This tower is a 144.5 ft. Monopole tower designed by Engineered Endeavors, Inc. in January of 2001. The tower was originally designed for a wind speed of 85 mph per TIA/EIA-222-F. This tower was modified by Walker Engineering in August of 2007, later reinforced by Vertical Structures in November of 2008 and Crown Castle In February of 2014 for additional Loading.

**2) ANALYSIS CRITERIA**

The structural analysis was performed for this tower in accordance with the requirements of TIA/EIA-222-F Structural Standards for Steel Antenna Towers and Antenna Supporting Structures using a fastest mile wind speed of 85 mph with no ice, 37.6 mph with 0.75 inch ice thickness and 50 mph under service loads.

**Table 1 - Proposed Antenna and Cable Information**

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
135.0	137.0	3	Alcatel Lucent	RRH2X40-AWS	1	1 5/8	--
		3	Andrew	HBXX-6517DS-VTM			
		3	Andrew	LNK-6512DS-VTM			
		1	RFS Celwave	DB-T1-6Z-8AB-0Z			

**Table 2 - Existing and Reserved Antenna and Cable Information**

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
145.0	146.0	6	Powerwave Tech.	7770.00	12 3	1 5/8 3/8	1
		6	ADC	DUAL BAND 800/1900 FULL BAND MASTHEAD			
		1	Andrew	SBNH-1D6565C			
		3	Ericsson	RRUS 11			
		6	Kathrein	782-10250			
		1	KMW Comm.	AM-X-CD-17-65-00T-RET			
		6	Powerwave Tech.	LGP13519			
		1	Powerwave Tech.	P65-17-XLH-RR			
		1	Raycap	DC6-48-60-18-8F			
		1	--	Platform Mount [LP 712-1]			
	1	--	--	1	1 5/8	3	
135.0	137.0	6	Antel	LPA-80063/4CF	--	--	4
		3	Antel	BXA-171063/8CF	12	1 5/8	1
		3	Antel	BXA-70063-6CF-EDIN-0			
		6	RFS Celwave	FD9R6004/2C-3L			
	6	Andrew	CBC721-DF				
	1	--	Platform Mount [LP 712-1]				
125.0	126.0	3	Ericsson	ERICSSON AIR 21 B2A B4P	1	1 5/8	2
		3	Ericsson	ERICSSON AIR 21 B4A B2P			
		3	Ericsson	KRY 112 144/1			

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
	125.0	1	--	Platform Mount [LP 712-1]	12	1 5/8	1
113.0	113.0	3	RFS Celwave	APXVSPP18-C-A20	3	1 1/4	1
		1	--	Platform Mount [LP 712-1]			
111.0	111.0	3	Alcatel Lucent	PCS 1900MHz 4x45W-65MHz	--	--	1
		1	--	Side Arm Mount [SO 102-3]			
	109.0	3	Alcatel Lucent	800MHz 2X50W RRH W/FILTER			
100.0	102.0	3	Kathrein	800 10504	6	7/8	1
	100.0	1	--	Platform Mount [LP 712-1]	1	3/8	
51.0	52.0	1	Lucent	KS24019-L112A	1	1/2	1
	51.0	1	--	Side Arm Mount [SO 701-1]			

- Notes:  
 1) Existing Equipment  
 2) Reserved Equipment  
 3) Abandoned Equipment; Considered in this Analysis  
 4) Equipment To Be Removed

Table 3 - Design Antenna and Cable Information

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
145	145	12	Allgon	7120.16	--	--
		1	Generic	Low Profile Platform		
135	135	12	Allgon	7120.16	--	--
		1	Generic	Low Profile Platform		
125	125	9	Allgon	7120.16	--	--
		1	Generic	Low Profile Platform		
115	115	12	Allgon	7120.16	--	--
		1	Generic	Low Profile Platform		
105	105	12	Allgon	7120.16	--	--
		1	Generic	Low Profile Platform		
95	95	12	Allgon	7120.16	--	--
		1	Generic	Low Profile Platform		



### 3) ANALYSIS PROCEDURE

**Table 4 - Documents Provided**

Document	Remarks	Reference	Source
Online Application	Verizon Wireless Co-Locate Rev# 8	219527	CCI Sites
Tower Manufacturer Drawings	EEl, Job No.8409	1405782	CCI Sites
Tower Modification Drawings	Walker Engineering, Job No. 0705-014VRE	2048224	CCI Sites
	Vertical Solutions, Job No. 2008-044-155	2353860	CCI Sites
	CCI, Date: 02/25/2014	4491288	CCI Sites
Foundation Drawings	URS, Project No.F301877.01/F04	1405796	CCI Sites
Geotech Report	Clarence Welti, Date: 03/13/2000	1406209	CCI Sites
Antenna Configuration	Crown CAD Package	Date: 05/07/2014	CCI Sites

#### 3.1) Analysis Method

tnxTower (version 6.1.4.1), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A.

#### 3.2) Assumptions

- 1) Tower and structures were built in accordance with the manufacturer's specifications.
- 2) The tower and structures have been maintained in accordance with the manufacturer's specification.
- 3) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.
- 4) When applicable, transmission cables are considered as structural components for calculating wind loads as allowed by TIA/EIA-222-F.
- 5) Mount areas and weights are assumed based on photographs provided.
- 6) The existing base plate grout was not considered in this analysis.

This analysis may be affected if any assumptions are not valid or have been made in error. B+T Group should be notified to determine the effect on the structural integrity of the tower.

### 4) ANALYSIS RESULTS

**Table 5 - Section Capacity (Summary)**

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail
L1	144.5 - 117.57	Pole	TP26.875x21x0.188	1	-6.504	799.625	61.5	Pass
L2	117.57 - 98.5	Pole	TP30.575x25.658x0.25	2	-12.761	1250.948	92.8	Pass
L3	98.5 - 87.19	Pole	TP33x30.575x0.399	3	-14.049	1494.546	90.3	Pass
L4	87.19 - 41.76	Pole	TP42.219x31.282x0.375	4	-23.735	2510.519	99.6	Pass
L5	41.76 - 0	Pole	TP50.5x40.197x0.438	5	-37.838	3614.029	95.7	Pass
							Summary	
						Pole (L4)	99.6	Pass
						<b>RATING =</b>	<b>99.6</b>	<b>Pass</b>

**Table 6 - Tower Component Stresses vs. Capacity – LC4.7**

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
1	Anchor Rods	Base	90.6	Pass
1	Base Plate	Base	80.4	Pass
1	Base Foundation Soil Interaction	Base	52.2	Pass

<b>Structure Rating (max from all components) =</b>	<b>99.6%</b>
---	--------------

Notes:



- 1) See additional documentation in "Appendix C – Additional Calculations" for calculations supporting the % capacity consumed.
- 2) Capacities up to 100% are considered acceptable based on analysis methods used.

**4.1) Recommendations**

The tower and its foundation have sufficient capacity to carry the existing, reserved, and proposed loads once the proposed modifications are installed.

**APPENDIX A**  
**TNXTOWER OUTPUT**

Section	1	2	3	4	5
Length (ft)	26.930	22.930	11.310	49.720	47.540
Number of Sties	18	18	18	18	18
Thickness (in)	0.186	0.250	0.399	0.375	0.438
Socket Length (ft)	3.860		4.290	5.760	40.197
Top Dia (in)	21.000	25.659	30.575	31.282	50.500
Bot Dia (in)	26.875	30.575	33.000	42.219	
Grade		A572-65		A572-65	
Weight (K)	1.3	1.7	1.5	7.3	10.1



### DESIGNED APPURTENANCE LOADING

TYPE	ELEVATION	TYPE	ELEVATION
Lighting Rod 5/8" x 5' (E)	147	LNx-6512DS-VTM w/ Mount Pipe (P)	135
Strobe (E)	147	LNx-6512DS-VTM w/ Mount Pipe (P)	135
(2) 7770.00 w/ Mount Pipe (E)	145	LNx-6512DS-VTM w/ Mount Pipe (P)	135
(2) 7770.00 w/ Mount Pipe (E)	145	RRH2X40-AWS (P)	135
(2) 7770.00 w/ Mount Pipe (E)	145	RRH2X40-AWS (P)	135
P65-17-XLH-RR w/ Mount Pipe (E)	145	RRH2X40-AWS (P)	135
AM-X-CD-17-65-00T-RET w/ Mount Pipe (E)	145	DB-T1-6Z-8AB-0Z (P)	135
SBNH-1D6565C w/ Mount Pipe (E)	145	Platform Mount [LP 712-1] (E)	135
RRUS 11 (E)	145	ERICSSON AIR 21 B2A B4P w/ Mount Pipe (R)	125
RRUS 11 (E)	145	ERICSSON AIR 21 B2A B4P w/ Mount Pipe (R)	125
RRUS 11 (E)	145	ERICSSON AIR 21 B4A B2P w/ Mount Pipe (R)	125
(2) DUAL BAND 800/1900 FULL BAND MASTHEAD (E)	145	ERICSSON AIR 21 B4A B2P w/ Mount Pipe (R)	125
(2) DUAL BAND 800/1900 FULL BAND MASTHEAD (E)	145	ERICSSON AIR 21 B4A B2P w/ Mount Pipe (R)	125
(2) DUAL BAND 800/1900 FULL BAND MASTHEAD (E)	145	ERICSSON AIR 21 B4A B2P w/ Mount Pipe (R)	125
(2) 782-10250 (E)	145	ERICSSON AIR 21 B4A B2P w/ Mount Pipe (R)	125
(2) 782-10250 (E)	145	KRY 112 144/1 (R)	125
(2) 782-10250 (E)	145	KRY 112 144/1 (R)	125
(2) LGP13519 (E)	145	KRY 112 144/1 (R)	125
(2) LGP13519 (E)	145	Platform Mount [LP 712-1] (E)	125
(2) LGP13519 (E)	145	APXVSP18-C-A20 w/ Mount Pipe (E)	113
DC6-48-60-18-8F (E)	145	APXVSP18-C-A20 w/ Mount Pipe (E)	113
6' x 2" Mount Pipe (E)	145	APXVSP18-C-A20 w/ Mount Pipe (E)	113
6' x 2" Mount Pipe (E)	145	(3) 6' x 2" Mount Pipe (E)	113
6' x 2" Mount Pipe (E)	145	(3) 6' x 2" Mount Pipe (E)	113
Platform Mount [LP 712-1] (E)	145	(3) 6' x 2" Mount Pipe (E)	113
BXA-171063/8CF w/ Mount Pipe (E)	135	Platform Mount [LP 712-1] (E)	113
BXA-171063/8CF w/ Mount Pipe (E)	135	800MHz 2X50W RRH W/FILTER (E)	111
BXA-171063/8CF w/ Mount Pipe (E)	135	800MHz 2X50W RRH W/FILTER (E)	111
BXA-70063-6CF-EDIN-0 w/ Mount Pipe (E)	135	800MHz 2X50W RRH W/FILTER (E)	111
BXA-70063-6CF-EDIN-0 w/ Mount Pipe (E)	135	PCS 1900MHz 4x45W-65MHz (E)	111
BXA-70063-6CF-EDIN-0 w/ Mount Pipe (E)	135	PCS 1900MHz 4x45W-65MHz (E)	111
BXA-70063-6CF-EDIN-0 w/ Mount Pipe (E)	135	PCS 1900MHz 4x45W-65MHz (E)	111
(2) CBC721-DF (E)	135	Side Arm Mount [SO 102-3] (E)	111
(2) CBC721-DF (E)	135	800 10504 w/ Mount Pipe (E)	100
(2) CBC721-DF (E)	135	800 10504 w/ Mount Pipe (E)	100
(2) FD9R6004/2C-3L (E)	135	800 10504 w/ Mount Pipe (E)	100
(2) FD9R6004/2C-3L (E)	135	7x2" Antenna Mount Pipe (E)	100
(2) FD9R6004/2C-3L (E)	135	7x2" Antenna Mount Pipe (E)	100
HBXX-6517DS-VTM w/ Mount Pipe (P)	135	7x2" Antenna Mount Pipe (E)	100
HBXX-6517DS-VTM w/ Mount Pipe (P)	135	Platform Mount [LP 712-1] (E)	100
HBXX-6517DS-VTM w/ Mount Pipe (P)	135	KS24019-L112A (E)	51
HBXX-6517DS-VTM w/ Mount Pipe (P)	135	Side Arm Mount [SO 701-1] (E)	51

### MATERIAL STRENGTH

GRADE	Fy	Fu	GRADE	Fy	Fu
A572-65	65 ksi	80 ksi	46.571762ksi	47 ksi	62 ksi



### TOWER DESIGN NOTES


1. Tower is located in New London County, Connecticut.
  2. Tower designed for a 85 mph basic wind in accordance with the TIA/EIA-222-F Standard.
  3. Tower is also designed for a 38 mph basic wind with 0.75 in ice. Ice is considered to increase in thickness with height.
4. Deflections are based upon a 50 mph wind.  
TOWER RATING: 99.6%


<p><b>B+T Group</b> 1717 S. Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630</p>	<b>Job: 92739.001.01 - GROTON TOWER, CT (BU# 88153)</b>	
	Client: Crown Castle	Drawn by: skadam
	Code: TIA/EIA-222-F	Date: 05/16/14
	Path:	App'd: _____ Scale: NTS Dwg No: E-1


—— Vx      - - - - Vz

—— Mx      - - - - Mz



 <p><b>B+T Group</b> 1717 S. Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630</p>	<b>Job: 92739.001.01 - GROTON TOWER, CT (BU# 88153)</b>			
	Project:	Client: Crown Castle	Drawn by: skadam	App'd:
	Code: TIA/EIA-222-F	Date: 05/16/14	Scale: NTS	
	Path:	Dwg No. E-4		
	<small>© 2014 B+T Group, Inc. All Rights Reserved. No part of this publication may be reproduced without the prior written permission of B+T Group, Inc.</small>			




 <b>B+T Group</b> 1717 S. Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job: 92739.001.01 - GROTON TOWER, CT (BU# 88153)</b>		
	Project:		
	Client: <b>Crown Castle</b>	Drawn by: <b>skadam</b>	App'd:
	Code: <b>TIA/EIA-222-F</b>	Date: <b>05/16/14</b>	Scale: <b>NTS</b>
	Path:	Dwg No: <b>E-5</b>	

# Feed Line Distribution Chart

## 0' - 144'6"

Round
Flat
App In Face
App Out Face
Truss Leg



 <b>B+T Group</b> 1717 S. Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	Job: 92739.001.01 - GROTON TOWER, CT (BU# 88153)	
	Project:	
	Client: Crown Castle	Drawn by: skadam
	Code: TIA/EIA-222-F	Date: 05/16/14
	Path:	App'd:
		Scale: NTS
		Dwg No. E-7

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 1 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

## Tower Input Data

There is a pole section.

This tower is designed using the TIA/EIA-222-F standard.

The following design criteria apply:

Tower is located in New London County, Connecticut.

Basic wind speed of 85 mph.

Nominal ice thickness of 0.750 in.

Ice thickness is considered to increase with height.

Ice density of 56.000 pcf.

A wind speed of 38 mph is used in combination with ice.

Temperature drop of 50.000 °F.

Deflections calculated using a wind speed of 50 mph.

TOWER RATING: 99.6%.

A non-linear (P-delta) analysis was used.

Pressures are calculated at each section.

Stress ratio used in pole design is 1.333.

Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

## Options

<ul style="list-style-type: none"> <li>Consider Moments - Legs</li> <li>Consider Moments - Horizontals</li> <li>Consider Moments - Diagonals</li> <li>Use Moment Magnification</li> <li>√ Use Code Stress Ratios</li> <li>√ Use Code Safety Factors - Guys</li> <li>√ Escalate Ice</li> <li>Always Use Max Kz</li> <li>Use Special Wind Profile</li> <li>Include Bolts In Member Capacity</li> <li>Leg Bolts Are At Top Of Section</li> <li>Secondary Horizontal Braces Leg</li> <li>Use Diamond Inner Bracing (4 Sided)</li> <li>Add IBC .6D+W Combination</li> </ul>	<ul style="list-style-type: none"> <li>Distribute Leg Loads As Uniform</li> <li>Assume Legs Pinned</li> <li>√ Assume Rigid Index Plate</li> <li>√ Use Clear Spans For Wind Area</li> <li>Use Clear Spans For KL/r</li> <li>Retension Guys To Initial Tension</li> <li>√ Bypass Mast Stability Checks</li> <li>√ Use Azimuth Dish Coefficients</li> <li>√ Project Wind Area of Appurt.</li> <li>Autocalc Torque Arm Areas</li> <li>SR Members Have Cut Ends</li> <li>Sort Capacity Reports By Component</li> <li>Triangulate Diamond Inner Bracing</li> <li>Use TIA-222-G Tension Splice Capacity Exemption</li> </ul>	<ul style="list-style-type: none"> <li>Treat Feedline Bundles As Cylinder</li> <li>Use ASCE 10 X-Brace Ly Rules</li> <li>Calculate Redundant Bracing Forces</li> <li>Ignore Redundant Members in FEA</li> <li>SR Leg Bolts Resist Compression</li> <li>All Leg Panels Have Same Allowable</li> <li>Offset Girt At Foundation</li> <li>√ Consider Feedline Torque</li> <li>Include Angle Block Shear Check Poles</li> <li>√ Include Shear-Torsion Interaction</li> <li>Always Use Sub-Critical Flow</li> <li>Use Top Mounted Sockets</li> </ul>
--	---	--

## Tapered Pole Section Geometry

Section	Elevation ft	Section Length ft	Splice Length ft	Number of Sides	Top Diameter in	Bottom Diameter in	Wall Thickness in	Bend Radius in	Pole Grade
L1	144.500-117.570	26.930	3.860	18	21.000	26.875	0.188	0.750	A572-65 (65 ksi)
L2	117.570-98.500	22.930	0.000	18	25.658	30.575	0.250	1.000	A572-65 (65 ksi)
L3	98.500-87.190	11.310	4.290	18	30.575	33.000	0.399	1.596	46.571762ksi (47 ksi)
L4	87.190-41.760	49.720	5.780	18	31.282	42.219	0.375	1.500	A572-65 (65 ksi)
L5	41.760-0.000	47.540		18	40.197	50.500	0.438	1.750	A572-65



<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b>	92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b>	2 of 20
	<b>Project</b>		<b>Date</b>	11:03:59 05/16/14
	<b>Client</b>	Crown Castle		<b>Designed by</b>

Section	Elevation	Section Length	Splice Length	Number of Sides	Top Diameter	Bottom Diameter	Wall Thickness	Bend Radius	Pole Grade
	ft	ft	ft		in	in	in	in	(65 ksi)

### Tapered Pole Properties

Section	Tip Dia.	Area	I	r	C	I/C	J	I/Q	w	w/t
	in	in <sup>2</sup>	in <sup>4</sup>	in	in	in <sup>3</sup>	in <sup>4</sup>	in <sup>2</sup>	in	
L1	21.324	12.386	677.826	7.388	10.668	63.538	1356.544	6.194	3.366	17.952
	27.290	15.882	1429.122	9.474	13.653	104.678	2860.125	7.943	4.400	23.467
L2	26.894	20.161	1644.338	9.020	13.034	126.155	3290.840	10.083	4.076	16.303
	31.046	24.063	2795.619	10.765	15.532	179.991	5594.916	12.034	4.941	19.765
L3	31.046	38.218	4396.605	10.712	15.532	283.068	8798.995	19.112	4.679	11.726
	33.509	41.289	5544.139	11.573	16.764	330.717	11095.574	20.648	5.106	12.796
L4	32.723	36.787	4439.645	10.972	15.891	279.376	8885.131	18.397	4.846	12.922
	42.870	49.805	11017.143	14.855	21.447	513.688	22048.783	24.907	6.771	18.055
L5	42.089	55.212	11027.016	14.115	20.420	540.003	22068.542	27.611	6.305	14.411
	51.279	69.518	22012.027	17.772	25.654	858.035	44053.017	34.766	8.118	18.555

Tower Elevation	Gusset Area (per face)	Gusset Thickness	Gusset Grade	Adjust. Factor A <sub>f</sub>	Adjust. Factor A <sub>r</sub>	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals	Double Angle Stitch Bolt Spacing Horizontals
ft	ft <sup>2</sup>	in					in	in
L1				1	1	1		
144.500-117.570								
L2				1	1	1		
117.570-98.500								
L3				1	1	0.966677		
98.500-87.190								
L4				1	1	1		
87.190-41.760								
L5				1	1	1		
41.760-0.000								

### Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Face or Leg	Allow Shield	Component Type	Placement	Total Number	Number Per Row	Clear Spacing	Width or Diameter	Perimeter	Weight
				ft			in	in	in	klf
*\$\$\$*										

### Feed Line/Linear Appurtenances - Entered As Area

Description	Face or Leg	Allow Shield	Component Type	Placement	Face Offset	Lateral Offset (Frac FW)	#	C <sub>1</sub> A <sub>1</sub>	Weight
				ft	in			ft <sup>2</sup> /ft	klf
LDF7-50A(1-5/8")	C	No	Inside Pole	144.500 - 0.000	0.000	0	1	No Ice 1/2" Ice	0.000 0.000
									0.001 0.001

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 3 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	C <sub>AA</sub> ft <sup>2</sup> /ft	Weight klf
(AB)								1" Ice 0.000	0.001
								2" Ice 0.000	0.001
								4" Ice 0.000	0.001
CR 50	C	No	Inside Pole	144,500 - 0.000	0.000	0	12	No Ice 0.000	0.001
1873(1-5/8")								1/2" Ice 0.000	0.001
(E)								1" Ice 0.000	0.001
								2" Ice 0.000	0.001
								4" Ice 0.000	0.001
FB-L98B-002-	C	No	Inside Pole	144,500 - 0.000	0.000	0	3	No Ice 0.000	0.000
75000( 3/8")								1/2" Ice 0.000	0.000
(E-INSIDE								1" Ice 0.000	0.000
CONDUIT)								2" Ice 0.000	0.000
								4" Ice 0.000	0.000
2" Rigid	C	No	Inside Pole	144,500 - 0.000	0.000	0	1	No Ice 0.000	0.003
Conduit								1/2" Ice 0.000	0.003
(E)								1" Ice 0.000	0.003
								2" Ice 0.000	0.003
								4" Ice 0.000	0.003
****									
LDF7-50A(1-	A	No	Inside Pole	135.000 - 0.000	0.000	0	12	No Ice 0.000	0.001
5/8")								1/2" Ice 0.000	0.001
(E)								1" Ice 0.000	0.001
								2" Ice 0.000	0.001
								4" Ice 0.000	0.001
HB158-1-08U	A	No	CaAa (Out Of Face)	135.000 - 0.000	0.000	0	1	No Ice 0.198	0.001
8-S8J18(								1/2" Ice 0.298	0.003
1-5/8)								1" Ice 0.398	0.005
(P-Outside)								2" Ice 0.598	0.011
								4" Ice 0.998	0.031
****									
LDF7-50A(1-	B	No	CaAa (Out Of Face)	125.000 - 0.000	0.000	0	1	No Ice 0.198	0.001
5/8")								1/2" Ice 0.298	0.002
(E-Outside)								1" Ice 0.398	0.004
								2" Ice 0.598	0.011
								4" Ice 0.998	0.030
LDF7-50A(1-	B	No	CaAa (Out Of Face)	125.000 - 0.000	0.000	0	1	No Ice 0.000	0.001
5/8")								1/2" Ice 0.000	0.002
(E-Outside								1" Ice 0.000	0.004
Sheilded)								2" Ice 0.000	0.011
								4" Ice 0.000	0.030
LDF7-50A(1-	B	No	Inside Pole	125.000 - 0.000	0.000	0	10	No Ice 0.000	0.001
5/8")								1/2" Ice 0.000	0.001
(E)								1" Ice 0.000	0.001
								2" Ice 0.000	0.001
								4" Ice 0.000	0.001
MLE Hybrid	B	No	Inside Pole	125.000 - 0.000	0.000	0	1	No Ice 0.000	0.001
9Power/18Fib								1/2" Ice 0.000	0.001
er RL 2( 1 5/8)								1" Ice 0.000	0.001
(R)								2" Ice 0.000	0.001
								4" Ice 0.000	0.001
****									
HB114-1-08U	C	No	Inside Pole	113.000 - 0.000	0.000	0	3	No Ice 0.000	0.001
4-M5J(1 1/4")								1/2" Ice 0.000	0.001
(E)								1" Ice 0.000	0.001
								2" Ice 0.000	0.001
								4" Ice 0.000	0.001
****									
FXL 780	B	No	CaAa (Out Of Face)	100.000 - 0.000	0.000	0	6	No Ice 0.000	0.000
PE(7/8)								1/2" Ice 0.000	0.001
(E-Outside								1" Ice 0.000	0.003
Sheilded)								2" Ice 0.000	0.008

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 4 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	C <sub>AA</sub>		Weight klf
								ft <sup>2</sup> /ft	klf	
840 10414(3/8) (E-Outside Sheilded)	B	No	CaAa (Out Of Face)	100,000 - 0,000	0,000	0	1	4" Ice	0.000	0.025
								No Ice	0.000	0.000
								1/2" Ice	0.000	0.001
								1" Ice	0.000	0.002
								2" Ice	0.000	0.006
4" Ice	0.000	0.021								
****										
LDF4-50A(1/2") (E-Outside Sheilded)	C	No	Inside Pole	51,000 - 0,000	0,000	0	1	No Ice	0.000	0.000
								1/2" Ice	0.000	0.000
								1" Ice	0.000	0.000
								2" Ice	0.000	0.000
								4" Ice	0.000	0.000
****										
Safety Line 3/8 (E)	C	No	CaAa (Out Of Face)	144,500 - 0,000	0,000	0	1	No Ice	0.037	0.000
								1/2" Ice	0.137	0.001
								1" Ice	0.238	0.001
								2" Ice	0.437	0.002
								4" Ice	0.838	0.004
****										
Grounding Line (3/8) (SHIELDED)	C	No	CaAa (Out Of Face)	51,000 - 0,000	0,000	0	1	No Ice	0.000	0.000
								1/2" Ice	0.000	0.001
								1" Ice	0.000	0.001
								2" Ice	0.000	0.002
								4" Ice	0.000	0.004
****										
Climbing Ladder ( Flat) (E)	B	No	CaAa (Out Of Face)	144,500 - 140,000	36,000	0	1	No Ice	0.584	0.005
								1/2" Ice	1.030	0.007
								1" Ice	1.476	0.010
								2" Ice	2.368	0.020
								4" Ice	4.151	0.049
****										
Climbing Ladder ( Flat) (E)	B	No	CaAa (Out Of Face)	135,000 - 130,000	36,000	0	1	No Ice	0.584	0.005
								1/2" Ice	1.030	0.007
								1" Ice	1.476	0.010
								2" Ice	2.368	0.020
								4" Ice	4.151	0.049
****										
Climbing Ladder ( Flat) (E)	B	No	CaAa (Out Of Face)	125,000 - 120,000	36,000	0	1	No Ice	0.584	0.005
								1/2" Ice	1.030	0.007
								1" Ice	1.476	0.010
								2" Ice	2.368	0.020
								4" Ice	4.151	0.049
****										
Climbing Ladder ( Flat) (E)	B	No	CaAa (Out Of Face)	113,000 - 108,000	36,000	0	1	No Ice	0.584	0.005
								1/2" Ice	1.030	0.007
								1" Ice	1.476	0.010
								2" Ice	2.368	0.020
								4" Ice	4.151	0.049
****										
Climbing Ladder ( Flat) (E)	B	No	CaAa (Out Of Face)	100,000 - 95,000	36,000	0	1	No Ice	0.584	0.005
								1/2" Ice	1.030	0.007
								1" Ice	1.476	0.010
								2" Ice	2.368	0.020
								4" Ice	4.151	0.049
****										
****										

### Feed Line/Linear Appurtenances Section Areas

Tower Section	Tower Elevation ft	Face	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>AA</sub> In Face ft <sup>2</sup>	C <sub>AA</sub> Out Face ft <sup>2</sup>	Weight K
---------------	-----------------------	------	-----------------------------------	-----------------------------------	---	--	-------------

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 5 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

Tower Section	Tower Elevation ft	Face	$A_R$ ft <sup>2</sup>	$A_F$ ft <sup>2</sup>	$C_{AA}$ In Face ft <sup>2</sup>	$C_{AA}$ Out Face ft <sup>2</sup>	Weight K
L1	144,500-117,570	A	0.000	0.000	0.000	3.451	0.194
		B	0.000	0.000	0.000	9.945	0.151
		C	0.000	0.000	0.000	1.010	0.376
L2	117,570-98,500	A	0.000	0.000	0.000	3.776	0.212
		B	0.000	0.000	0.000	7.574	0.242
		C	0.000	0.000	0.000	0.715	0.313
L3	98,500-87,190	A	0.000	0.000	0.000	2.239	0.126
		B	0.000	0.000	0.000	4.285	0.157
		C	0.000	0.000	0.000	0.424	0.195
L4	87,190-41,760	A	0.000	0.000	0.000	8.995	0.506
		B	0.000	0.000	0.000	8.995	0.564
		C	0.000	0.000	0.000	1.704	0.786
L5	41,760-0.000	A	0.000	0.000	0.000	8.268	0.465
		B	0.000	0.000	0.000	8.268	0.518
		C	0.000	0.000	0.000	1.566	0.734

### Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	$A_R$ ft <sup>2</sup>	$A_F$ ft <sup>2</sup>	$C_{AA}$ In Face ft <sup>2</sup>	$C_{AA}$ Out Face ft <sup>2</sup>	Weight K
L1	144,500-117,570	A	0.885	0.000	0.000	0.000	6.535	0.249
		B		0.000	0.000	0.000	22.694	0.267
		C		0.000	0.000	0.000	5.774	0.402
L2	117,570-98,500	A	0.864	0.000	0.000	0.000	7.149	0.273
		B		0.000	0.000	0.000	16.074	0.415
		C		0.000	0.000	0.000	4.089	0.331
L3	98,500-87,190	A	0.849	0.000	0.000	0.000	4.160	0.160
		B		0.000	0.000	0.000	8.855	0.397
		C		0.000	0.000	0.000	2.345	0.205
L4	87,190-41,760	A	0.812	0.000	0.000	0.000	16.710	0.642
		B		0.000	0.000	0.000	16.710	1.463
		C		0.000	0.000	0.000	9.418	0.835
L5	41,760-0.000	A	0.750	0.000	0.000	0.000	15.051	0.584
		B		0.000	0.000	0.000	15.051	1.299
		C		0.000	0.000	0.000	8.349	0.806

### Feed Line Center of Pressure

Section	Elevation ft	$CP_x$ in	$CP_z$ in	$CP_x$ Ice in	$CP_z$ Ice in
L1	144,500-117,570	0.342	0.084	0.475	0.240
L2	117,570-98,500	0.369	0.023	0.491	0.139
L3	98,500-87,190	0.355	0.009	0.468	0.117
L4	87,190-41,760	0.183	-0.106	0.154	-0.089
L5	41,760-0.000	0.187	-0.108	0.163	-0.094

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 6 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

### Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C <sub>AA</sub> Front	C <sub>AA</sub> Side	Weight	
			Horz Lateral	Vert						
			ft	ft	°	ft	ft <sup>2</sup>	ft <sup>2</sup>	K	
Lighting Rod 5/8" x 5' (E)	C	None			0.000	147.000	No Ice	0.313	0.313	0.031
							1/2" Ice	0.826	0.826	0.035
							1" Ice	1.322	1.322	0.041
							2" Ice	1.957	1.957	0.065
							4" Ice	3.338	3.338	0.159
Strobe (E)	C	None			0.000	147.000	No Ice	5.250	3.500	0.020
							1/2" Ice	5.565	3.777	0.058
							1" Ice	5.890	4.062	0.100
							2" Ice	6.564	4.658	0.198
							4" Ice	8.015	5.954	0.450
*\$\$\$* (2) 7770.00 w/ Mount Pipe (E)	A	From Leg	4.000	0.000	0.000	145.000	No Ice	6.119	4.254	0.055
							1/2" Ice	6.626	5.014	0.103
							1" Ice	7.128	5.711	0.157
							2" Ice	8.164	7.155	0.287
							4" Ice	10.360	10.412	0.665
(2) 7770.00 w/ Mount Pipe (E)	B	From Leg	4.000	0.000	0.000	145.000	No Ice	6.119	4.254	0.055
							1/2" Ice	6.626	5.014	0.103
							1" Ice	7.128	5.711	0.157
							2" Ice	8.164	7.155	0.287
							4" Ice	10.360	10.412	0.665
(2) 7770.00 w/ Mount Pipe (E)	C	From Leg	4.000	0.000	0.000	145.000	No Ice	6.119	4.254	0.055
							1/2" Ice	6.626	5.014	0.103
							1" Ice	7.128	5.711	0.157
							2" Ice	8.164	7.155	0.287
							4" Ice	10.360	10.412	0.665
P65-17-XLH-RR w/ Mount Pipe (E)	A	From Leg	4.000	0.000	0.000	145.000	No Ice	11.704	8.938	0.092
							1/2" Ice	12.424	10.450	0.178
							1" Ice	13.153	11.986	0.273
							2" Ice	14.639	14.313	0.498
							4" Ice	17.906	19.144	1.126
AM-X-CD-17-65-00T-RET w/ Mount Pipe (E)	B	From Leg	4.000	0.000	0.000	145.000	No Ice	11.549	8.938	0.092
							1/2" Ice	12.267	10.450	0.177
							1" Ice	12.995	11.986	0.272
							2" Ice	14.447	14.313	0.496
							4" Ice	17.709	19.144	1.120
SBNH-1D6565C w/ Mount Pipe (E)	C	From Leg	4.000	0.000	0.000	145.000	No Ice	11.644	9.842	0.094
							1/2" Ice	12.365	11.366	0.183
							1" Ice	13.095	12.914	0.283
							2" Ice	14.553	15.267	0.516
							4" Ice	17.825	20.139	1.160
RRUS 11 (E)	A	From Leg	4.000	0.000	0.000	145.000	No Ice	3.249	1.373	0.048
							1/2" Ice	3.491	1.551	0.068
							1" Ice	3.741	1.738	0.092
							2" Ice	4.268	2.138	0.150
							4" Ice	5.426	3.042	0.310
RRUS 11 (E)	B	From Leg	4.000	0.000	0.000	145.000	No Ice	3.249	1.373	0.048
							1/2" Ice	3.491	1.551	0.068
							1" Ice	3.741	1.738	0.092
							2" Ice	4.268	2.138	0.150
							4" Ice	5.426	3.042	0.310
RRUS 11 (E)	C	From Leg	4.000	0.000	0.000	145.000	No Ice	3.249	1.373	0.048
							1/2" Ice	3.491	1.551	0.068
							1" Ice	3.741	1.738	0.092

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b>		92739.001.01 - GROTON TOWER, CT (BU# 881533)		<b>Page</b>		7 of 20	
	<b>Project</b>				<b>Date</b>		11:03:59 05/16/14	
	<b>Client</b>		Crown Castle		<b>Designed by</b>		skadam	

Description	Face or Leg	Offset Type	Offsets:			Azimuth Adjustment	Placement	C <sub>AA</sub> Front	C <sub>AA</sub> Side	Weight
			Horz	Lateral	Vert					
							2" Ice	4.268	2.138	0.150
							4" Ice	5.426	3.042	0.310
(2) DUAL BAND 800/1900 FULL BAND MASTHEAD (E)	A	From Leg	4.000	0.000	145.000		No Ice	1.549	0.809	0.027
			0.000				1/2" Ice	1.718	0.943	0.038
			0.000				1" Ice	1.896	1.085	0.052
							2" Ice	2.277	1.396	0.086
							4" Ice	3.143	2.122	0.189
(2) DUAL BAND 800/1900 FULL BAND MASTHEAD (E)	B	From Leg	4.000	0.000	145.000		No Ice	1.549	0.809	0.027
			0.000				1/2" Ice	1.718	0.943	0.038
			0.000				1" Ice	1.896	1.085	0.052
							2" Ice	2.277	1.396	0.086
							4" Ice	3.143	2.122	0.189
(2) DUAL BAND 800/1900 FULL BAND MASTHEAD (E)	C	From Leg	4.000	0.000	145.000		No Ice	1.549	0.809	0.027
			0.000				1/2" Ice	1.718	0.943	0.038
			0.000				1" Ice	1.896	1.085	0.052
							2" Ice	2.277	1.396	0.086
							4" Ice	3.143	2.122	0.189
(2) 782-10250 (E)	A	From Leg	4.000	0.000	145.000		No Ice	0.524	0.267	0.006
			0.000				1/2" Ice	0.631	0.359	0.010
			0.000				1" Ice	0.747	0.460	0.015
							2" Ice	1.005	0.686	0.030
							4" Ice	1.625	1.244	0.085
(2) 782-10250 (E)	B	From Leg	4.000	0.000	145.000		No Ice	0.524	0.267	0.006
			0.000				1/2" Ice	0.631	0.359	0.010
			0.000				1" Ice	0.747	0.460	0.015
							2" Ice	1.005	0.686	0.030
							4" Ice	1.625	1.244	0.085
(2) 782-10250 (E)	C	From Leg	4.000	0.000	145.000		No Ice	0.524	0.267	0.006
			0.000				1/2" Ice	0.631	0.359	0.010
			0.000				1" Ice	0.747	0.460	0.015
							2" Ice	1.005	0.686	0.030
							4" Ice	1.625	1.244	0.085
(2) LGP13519 (E)	A	From Leg	4.000	0.000	145.000		No Ice	0.338	0.207	0.005
			0.000				1/2" Ice	0.422	0.280	0.008
			0.000				1" Ice	0.515	0.362	0.012
							2" Ice	0.726	0.551	0.024
							4" Ice	1.252	1.034	0.071
(2) LGP13519 (E)	B	From Leg	4.000	0.000	145.000		No Ice	0.338	0.207	0.005
			0.000				1/2" Ice	0.422	0.280	0.008
			0.000				1" Ice	0.515	0.362	0.012
							2" Ice	0.726	0.551	0.024
							4" Ice	1.252	1.034	0.071
(2) LGP13519 (E)	C	From Leg	4.000	0.000	145.000		No Ice	0.338	0.207	0.005
			0.000				1/2" Ice	0.422	0.280	0.008
			0.000				1" Ice	0.515	0.362	0.012
							2" Ice	0.726	0.551	0.024
							4" Ice	1.252	1.034	0.071
DC6-48-60-18-8F (E)	B	From Leg	4.000	0.000	145.000		No Ice	2.567	4.317	0.019
			0.000				1/2" Ice	2.798	4.596	0.050
			0.000				1" Ice	3.038	4.885	0.085
							2" Ice	3.543	5.488	0.167
							4" Ice	4.658	6.797	0.383
6' x 2" Mount Pipe (E)	A	From Leg	4.000	0.000	145.000		No Ice	1.425	1.425	0.022
			0.000				1/2" Ice	1.925	1.925	0.033
			0.000				1" Ice	2.294	2.294	0.048
							2" Ice	3.060	3.060	0.090
							4" Ice	4.702	4.702	0.231



<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)		<b>Page</b> 9 of 20	
	<b>Project</b>		<b>Date</b> 11:03:59 05/16/14	
	<b>Client</b> Crown Castle		<b>Designed by</b> skadam	

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment	Placement ft	C <sub>A</sub> A <sub>A</sub> Front ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> Side ft <sup>2</sup>	Weight K
(E)			0.000 0.000			1/2" Ice 0.542 1" Ice 0.644 2" Ice 0.873 4" Ice 1.436	0.184 0.258 0.430 0.879	0.007 0.011 0.023 0.070
(2) FD9R6004/2C-3L (E)	A	From Leg	4.000 0.000 2.000	0.000	135.000	No Ice 0.367 1/2" Ice 0.451 1" Ice 0.543 2" Ice 0.755 4" Ice 1.281	0.085 0.136 0.196 0.343 0.740	0.003 0.005 0.009 0.020 0.063
(2) FD9R6004/2C-3L (E)	B	From Leg	4.000 0.000 2.000	0.000	135.000	No Ice 0.367 1/2" Ice 0.451 1" Ice 0.543 2" Ice 0.755 4" Ice 1.281	0.085 0.136 0.196 0.343 0.740	0.003 0.005 0.009 0.020 0.063
(2) FD9R6004/2C-3L (E)	C	From Leg	4.000 0.000 2.000	0.000	135.000	No Ice 0.367 1/2" Ice 0.451 1" Ice 0.543 2" Ice 0.755 4" Ice 1.281	0.085 0.136 0.196 0.343 0.740	0.003 0.005 0.009 0.020 0.063
HBXX-6517DS-VTM w/ Mount Pipe (P)	A	From Leg	4.000 0.000 2.000	0.000	135.000	No Ice 8.976 1/2" Ice 9.647 1" Ice 10.291 2" Ice 11.595 4" Ice 14.321	6.963 8.182 9.144 11.022 15.027	0.067 0.137 0.215 0.398 0.914
HBXX-6517DS-VTM w/ Mount Pipe (P)	B	From Leg	4.000 0.000 2.000	0.000	135.000	No Ice 8.976 1/2" Ice 9.647 1" Ice 10.291 2" Ice 11.595 4" Ice 14.321	6.963 8.182 9.144 11.022 15.027	0.067 0.137 0.215 0.398 0.914
HBXX-6517DS-VTM w/ Mount Pipe (P)	C	From Leg	4.000 0.000 2.000	0.000	135.000	No Ice 8.976 1/2" Ice 9.647 1" Ice 10.291 2" Ice 11.595 4" Ice 14.321	6.963 8.182 9.144 11.022 15.027	0.067 0.137 0.215 0.398 0.914
LNx-6512DS-VTM w/ Mount Pipe (P)	A	From Leg	4.000 0.000 2.000	0.000	135.000	No Ice 5.791 1/2" Ice 6.245 1" Ice 6.709 2" Ice 7.667 4" Ice 9.720	4.501 5.170 5.852 7.269 10.366	0.039 0.087 0.140 0.269 0.637
LNx-6512DS-VTM w/ Mount Pipe (P)	B	From Leg	4.000 0.000 2.000	0.000	135.000	No Ice 5.791 1/2" Ice 6.245 1" Ice 6.709 2" Ice 7.667 4" Ice 9.720	4.501 5.170 5.852 7.269 10.366	0.039 0.087 0.140 0.269 0.637
LNx-6512DS-VTM w/ Mount Pipe (P)	C	From Leg	4.000 0.000 2.000	0.000	135.000	No Ice 5.791 1/2" Ice 6.245 1" Ice 6.709 2" Ice 7.667 4" Ice 9.720	4.501 5.170 5.852 7.269 10.366	0.039 0.087 0.140 0.269 0.637
RRH2X40-AWS (P)	A	From Leg	4.000 0.000 2.000	0.000	135.000	No Ice 2.522 1/2" Ice 2.753 1" Ice 2.993 2" Ice 3.499 4" Ice 4.615	1.589 1.795 2.010 2.465 3.479	0.044 0.061 0.082 0.132 0.275
RRH2X40-AWS (P)	B	From Leg	4.000 0.000 2.000	0.000	135.000	No Ice 2.522 1/2" Ice 2.753 1" Ice 2.993	1.589 1.795 2.010	0.044 0.061 0.082



<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b>		92739.001.01 - GROTON TOWER, CT (BU# 881533)		<b>Page</b>		10 of 20	
	<b>Project</b>				<b>Date</b>		11:03:59 05/16/14	
	<b>Client</b>		Crown Castle		<b>Designed by</b>		skadam	

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C <sub>AA</sub> Front	C <sub>AA</sub> Side	Weight	
			Horz	Lateral						Vert
RRH2X40-AWS (P)	C	From Leg	4,000	0,000	0,000	135,000	2" Ice	3,499	2,465	0.132
							4" Ice	4,615	3,479	0.275
							No Ice	2,522	1,589	0.044
							1/2" Ice	2,753	1,795	0.061
							1" Ice	2,993	2,010	0.082
DB-T1-6Z-8AB-0Z (P)	A	From Leg	4,000	0,000	0,000	135,000	2" Ice	3,499	2,465	0.132
							4" Ice	4,615	3,479	0.275
							No Ice	5,600	2,333	0.044
							1/2" Ice	5,915	2,558	0.080
							1" Ice	6,240	2,791	0.120
Platform Mount [LP 712-1] (E)	C	None			0,000	135,000	2" Ice	6,914	3,284	0.213
							4" Ice	8,365	4,373	0.455
							No Ice	24,530	24,530	1.335
							1/2" Ice	29,940	29,940	1.646
							1" Ice	35,350	35,350	1.956
*\$\$\$*	A	From Leg	4,000	0,000	0,000	125,000	2" Ice	46,170	46,170	2,577
							4" Ice	67,810	67,810	3,820
							No Ice	6,904	5,722	0.113
							1/2" Ice	7,461	6,628	0.171
							1" Ice	7,998	7,424	0.236
ERICSSON AIR 21 B2A B4P w/ Mount Pipe (R)	B	From Leg	4,000	0,000	0,000	125,000	2" Ice	9,102	9,069	0.388
							4" Ice	11,440	12,575	0.819
							No Ice	6,904	5,722	0.113
							1/2" Ice	7,461	6,628	0.171
							1" Ice	7,998	7,424	0.236
ERICSSON AIR 21 B2A B4P w/ Mount Pipe (R)	C	From Leg	4,000	0,000	0,000	125,000	2" Ice	9,102	9,069	0.388
							4" Ice	11,440	12,575	0.819
							No Ice	6,904	5,722	0.113
							1/2" Ice	7,461	6,628	0.171
							1" Ice	7,998	7,424	0.236
ERICSSON AIR 21 B2A B4P w/ Mount Pipe (R)	A	From Leg	4,000	0,000	0,000	125,000	2" Ice	9,102	9,069	0.388
							4" Ice	11,440	12,575	0.819
							No Ice	6,904	5,722	0.113
							1/2" Ice	7,461	6,628	0.171
							1" Ice	7,998	7,424	0.236
ERICSSON AIR 21 B4A B2P w/ Mount Pipe (R)	B	From Leg	4,000	0,000	0,000	125,000	2" Ice	9,102	9,069	0.388
							4" Ice	11,440	12,575	0.819
							No Ice	6,904	5,722	0.113
							1/2" Ice	7,461	6,628	0.171
							1" Ice	7,998	7,424	0.236
ERICSSON AIR 21 B4A B2P w/ Mount Pipe (R)	C	From Leg	4,000	0,000	0,000	125,000	2" Ice	9,102	9,069	0.388
							4" Ice	11,440	12,575	0.819
							No Ice	6,904	5,722	0.113
							1/2" Ice	7,461	6,628	0.171
							1" Ice	7,998	7,424	0.236
KRY 112 144/1 (R)	A	From Leg	4,000	0,000	0,000	125,000	2" Ice	9,102	9,069	0.388
							4" Ice	11,440	12,575	0.819
							No Ice	0,408	0,204	0.011
							1/2" Ice	0,497	0,273	0.014
							1" Ice	0,594	0,351	0.019
KRY 112 144/1 (R)	B	From Leg	4,000	0,000	0,000	125,000	2" Ice	0,815	0,533	0.032
							4" Ice	1,359	0,999	0.082
							No Ice	0,408	0,204	0.011
							1/2" Ice	0,497	0,273	0.014
							1" Ice	0,594	0,351	0.019
							2" Ice	0,815	0,533	0.032

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b>		92739.001.01 - GROTON TOWER, CT (BU# 881533)		<b>Page</b>		11 of 20	
	<b>Project</b>				<b>Date</b>		11:03:59 05/16/14	
	<b>Client</b>		Crown Castle		<b>Designed by</b>		skadam	

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C <sub>A</sub> A <sub>A</sub> Front	C <sub>A</sub> A <sub>A</sub> Side	Weight	
			Horz	Vert						ft
KRY 112 144/1 (R)	C	From Leg	4.000	0.000	0.000	125.000	4" Ice	1.359	0.999	0.082
							No Ice	0.408	0.204	0.011
							1/2" Ice	0.497	0.273	0.014
							1" Ice	0.594	0.351	0.019
							2" Ice	0.815	0.533	0.032
Platform Mount [LP 712-1] (E)	C	None			0.000	125.000	4" Ice	1.359	0.999	0.082
							No Ice	24.530	24.530	1.335
							1/2" Ice	29.940	29.940	1.646
							1" Ice	35.350	35.350	1.956
							2" Ice	46.170	46.170	2.577
*\$\$\$*							4" Ice	67.810	67.810	3.820
							No Ice	8.498	6.946	0.083
							1/2" Ice	9.149	8.127	0.151
							1" Ice	9.767	9.021	0.227
							2" Ice	11.031	10.844	0.406
APXVSP18-C-A20 w/ Mount Pipe (E)	A	From Leg	4.000	0.000	0.000	113.000	4" Ice	13.679	14.851	0.909
							No Ice	8.498	6.946	0.083
							1/2" Ice	9.149	8.127	0.151
							1" Ice	9.767	9.021	0.227
							2" Ice	11.031	10.844	0.406
APXVSP18-C-A20 w/ Mount Pipe (E)	B	From Leg	4.000	0.000	0.000	113.000	4" Ice	13.679	14.851	0.909
							No Ice	8.498	6.946	0.083
							1/2" Ice	9.149	8.127	0.151
							1" Ice	9.767	9.021	0.227
							2" Ice	11.031	10.844	0.406
APXVSP18-C-A20 w/ Mount Pipe (E)	C	From Leg	4.000	0.000	0.000	113.000	4" Ice	13.679	14.851	0.909
							No Ice	8.498	6.946	0.083
							1/2" Ice	9.149	8.127	0.151
							1" Ice	9.767	9.021	0.227
							2" Ice	11.031	10.844	0.406
(3) 6' x 2" Mount Pipe (E)	A	From Leg	4.000	0.000	0.000	113.000	4" Ice	13.679	14.851	0.909
							No Ice	1.425	1.425	0.022
							1/2" Ice	1.925	1.925	0.033
							1" Ice	2.294	2.294	0.048
							2" Ice	3.060	3.060	0.090
(3) 6' x 2" Mount Pipe (E)	B	From Leg	4.000	0.000	0.000	113.000	4" Ice	4.702	4.702	0.231
							No Ice	1.425	1.425	0.022
							1/2" Ice	1.925	1.925	0.033
							1" Ice	2.294	2.294	0.048
							2" Ice	3.060	3.060	0.090
(3) 6' x 2" Mount Pipe (E)	C	From Leg	4.000	0.000	0.000	113.000	4" Ice	4.702	4.702	0.231
							No Ice	1.425	1.425	0.022
							1/2" Ice	1.925	1.925	0.033
							1" Ice	2.294	2.294	0.048
							2" Ice	3.060	3.060	0.090
Platform Mount [LP 712-1] (E)	C	None			0.000	113.000	4" Ice	4.702	4.702	0.231
							No Ice	24.530	24.530	1.335
							1/2" Ice	29.940	29.940	1.646
							1" Ice	35.350	35.350	1.956
							2" Ice	46.170	46.170	2.577
*\$\$\$*							4" Ice	67.810	67.810	3.820
							No Ice	2.401	2.254	0.064
							1/2" Ice	2.613	2.460	0.086
							1" Ice	2.833	2.675	0.111
							2" Ice	3.300	3.132	0.172
800MHz 2X50W RRH W/FILTER (E)	A	From Leg	1.000	0.000	0.000	111.000	4" Ice	4.337	4.148	0.338
							No Ice	2.401	2.254	0.064
							1/2" Ice	2.613	2.460	0.086
							1" Ice	2.833	2.675	0.111
							2" Ice	3.300	3.132	0.172
800MHz 2X50W RRH W/FILTER (E)	B	From Leg	1.000	0.000	0.000	111.000	4" Ice	4.337	4.148	0.338
							No Ice	2.401	2.254	0.064
							1/2" Ice	2.613	2.460	0.086
							1" Ice	2.833	2.675	0.111
							2" Ice	3.300	3.132	0.172

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b>		92739.001.01 - GROTON TOWER, CT (BU# 881533)		<b>Page</b>		12 of 20	
	<b>Project</b>				<b>Date</b>		11:03:59 05/16/14	
	<b>Client</b>		Crown Castle		<b>Designed by</b>		skadam	

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C <sub>A</sub> A <sub>A</sub> Front ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> Side ft <sup>2</sup>	Weight K	
800MHz 2X50W RRH W/FILTER (E)	C	From Leg	1.000 0.000 -2.000	0.000	111.000	4" Ice	4.337	4.148	0.338
						No Ice	2.401	2.254	0.064
						1/2" Ice	2.613	2.460	0.086
						1" Ice	2.833	2.675	0.111
						2" Ice	3.300	3.132	0.172
PCS 1900MHz 4x45W-65MHz (E)	A	From Leg	1.000 0.000 0.000	0.000	111.000	4" Ice	4.337	4.148	0.338
						No Ice	2.709	2.611	0.060
						1/2" Ice	2.948	2.847	0.083
						1" Ice	3.195	3.092	0.110
						2" Ice	3.716	3.608	0.173
PCS 1900MHz 4x45W-65MHz (E)	B	From Leg	1.000 0.000 0.000	0.000	111.000	4" Ice	4.862	4.744	0.347
						No Ice	2.709	2.611	0.060
						1/2" Ice	2.948	2.847	0.083
						1" Ice	3.195	3.092	0.110
						2" Ice	3.716	3.608	0.173
PCS 1900MHz 4x45W-65MHz (E)	C	From Leg	1.000 0.000 0.000	0.000	111.000	4" Ice	4.862	4.744	0.347
						No Ice	2.709	2.611	0.060
						1/2" Ice	2.948	2.847	0.083
						1" Ice	3.195	3.092	0.110
						2" Ice	3.716	3.608	0.173
Side Arm Mount [SO 102-3] (E)	C	None		0.000	111.000	4" Ice	4.862	4.744	0.347
						No Ice	3.000	3.000	0.081
						1/2" Ice	3.480	3.480	0.111
						1" Ice	3.960	3.960	0.141
						2" Ice	4.920	4.920	0.201
*\$\$\$*						4" Ice	6.840	6.840	0.321
						No Ice	3.589	3.178	0.038
						1/2" Ice	4.007	3.905	0.070
						1" Ice	4.422	4.581	0.109
						2" Ice	5.339	5.982	0.207
800 10504 w/ Mount Pipe (E)	A	From Leg	4.000 0.000 2.000	0.000	100.000	4" Ice	7.385	8.983	0.514
						No Ice	3.589	3.178	0.038
						1/2" Ice	4.007	3.905	0.070
						1" Ice	4.422	4.581	0.109
						2" Ice	5.339	5.982	0.207
800 10504 w/ Mount Pipe (E)	B	From Leg	4.000 0.000 2.000	0.000	100.000	4" Ice	7.385	8.983	0.514
						No Ice	3.589	3.178	0.038
						1/2" Ice	4.007	3.905	0.070
						1" Ice	4.422	4.581	0.109
						2" Ice	5.339	5.982	0.207
800 10504 w/ Mount Pipe (E)	C	From Leg	4.000 0.000 2.000	0.000	100.000	4" Ice	7.385	8.983	0.514
						No Ice	3.589	3.178	0.038
						1/2" Ice	4.007	3.905	0.070
						1" Ice	4.422	4.581	0.109
						2" Ice	5.339	5.982	0.207
7'x2" Antenna Mount Pipe (E)	A	From Leg	4.000 0.000 0.000	0.000	100.000	4" Ice	5.578	5.578	0.266
						No Ice	1.663	1.663	0.026
						1/2" Ice	2.391	2.391	0.039
						1" Ice	2.825	2.825	0.056
						2" Ice	3.706	3.706	0.105
7'x2" Antenna Mount Pipe (E)	B	From Leg	4.000 0.000 0.000	0.000	100.000	4" Ice	5.578	5.578	0.266
						No Ice	1.663	1.663	0.026
						1/2" Ice	2.391	2.391	0.039
						1" Ice	2.825	2.825	0.056
						2" Ice	3.706	3.706	0.105
7'x2" Antenna Mount Pipe (E)	C	From Leg	4.000 0.000 0.000	0.000	100.000	4" Ice	5.578	5.578	0.266
						No Ice	1.663	1.663	0.026
						1/2" Ice	2.391	2.391	0.039
						1" Ice	2.825	2.825	0.056
						2" Ice	3.706	3.706	0.105
7'x2" Antenna Mount Pipe (E)						4" Ice	5.578	5.578	0.266
						No Ice	1.663	1.663	0.026
						1/2" Ice	2.391	2.391	0.039
						1" Ice	2.825	2.825	0.056
						2" Ice	3.706	3.706	0.105

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 13 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C <sub>A</sub> A <sub>Front</sub> ft <sup>2</sup>	C <sub>A</sub> A <sub>Side</sub> ft <sup>2</sup>	Weight K
Platform Mount [LP 712-1] (E)	C	None		0.000	100.000	No Ice	24.530	24.530	1.335
						1/2" Ice	29.940	29.940	1.646
						1" Ice	35.350	35.350	1.956
						2" Ice	46.170	46.170	2.577
						4" Ice	67.810	67.810	3.820
*\$\$\$*									
KS24019-L112A (E)	C	From Leg	3.000 0.000 1.000	0.000	51.000	No Ice	0.156	0.156	0.005
						1/2" Ice	0.225	0.225	0.007
						1" Ice	0.302	0.302	0.009
						2" Ice	0.484	0.484	0.018
						4" Ice	0.951	0.951	0.056
Side Arm Mount [SO 701-1] (E)	C	From Leg	1.500 0.000 0.000	0.000	51.000	No Ice	0.850	1.670	0.065
						1/2" Ice	1.140	2.340	0.079
						1" Ice	1.430	3.010	0.093
						2" Ice	2.010	4.350	0.121
						4" Ice	3.170	7.030	0.177
*\$\$\$*									

## Load Combinations

Comb. No.	Description
1	Dead Only
2	Dead+Wind 0 deg - No Ice
3	Dead+Wind 30 deg - No Ice
4	Dead+Wind 60 deg - No Ice
5	Dead+Wind 90 deg - No Ice
6	Dead+Wind 120 deg - No Ice
7	Dead+Wind 150 deg - No Ice
8	Dead+Wind 180 deg - No Ice
9	Dead+Wind 210 deg - No Ice
10	Dead+Wind 240 deg - No Ice
11	Dead+Wind 270 deg - No Ice
12	Dead+Wind 300 deg - No Ice
13	Dead+Wind 330 deg - No Ice
14	Dead+Ice+Temp
15	Dead+Wind 0 deg+Ice+Temp
16	Dead+Wind 30 deg+Ice+Temp
17	Dead+Wind 60 deg+Ice+Temp
18	Dead+Wind 90 deg+Ice+Temp
19	Dead+Wind 120 deg+Ice+Temp
20	Dead+Wind 150 deg+Ice+Temp
21	Dead+Wind 180 deg+Ice+Temp
22	Dead+Wind 210 deg+Ice+Temp
23	Dead+Wind 240 deg+Ice+Temp
24	Dead+Wind 270 deg+Ice+Temp
25	Dead+Wind 300 deg+Ice+Temp
26	Dead+Wind 330 deg+Ice+Temp
27	Dead+Wind 0 deg - Service
28	Dead+Wind 30 deg - Service
29	Dead+Wind 60 deg - Service

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 14 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

Comb. No.	Description
30	Dead+Wind 90 deg - Service
31	Dead+Wind 120 deg - Service
32	Dead+Wind 150 deg - Service
33	Dead+Wind 180 deg - Service
34	Dead+Wind 210 deg - Service
35	Dead+Wind 240 deg - Service
36	Dead+Wind 270 deg - Service
37	Dead+Wind 300 deg - Service
38	Dead+Wind 330 deg - Service

### Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L1	144.5 - 117.57	Pole	Max Tension	1	0.000	0.000	0.000
			Max. Compression	14	-14.395	-0.442	0.314
			Max. Mx	5	-6.549	-254.189	0.627
			Max. My	2	-6.504	-0.544	258.297
			Max. Vy	5	16.224	-254.189	0.627
			Max. Vx	2	-16.453	-0.544	258.297
			Max. Torque	3			-0.923
L2	117.57 - 98.5	Pole	Max Tension	1	0.000	0.000	0.000
			Max. Compression	14	-24.256	-0.713	0.254
			Max. Mx	5	-12.803	-706.984	1.080
			Max. My	2	-12.760	-1.110	716.298
			Max. Vy	5	23.989	-706.984	1.080
			Max. Vx	2	-24.222	-1.110	716.298
			Max. Torque	2			-0.808
L3	98.5 - 87.19	Pole	Max Tension	1	0.000	0.000	0.000
			Max. Compression	14	-25.874	-0.911	0.169
			Max. Mx	5	-14.089	-877.807	1.214
			Max. My	2	-14.049	-1.296	888.711
			Max. Vy	5	24.686	-877.807	1.214
			Max. Vx	2	-24.919	-1.296	888.711
			Max. Torque	2			-0.828
L4	87.19 - 41.76	Pole	Max Tension	1	0.000	0.000	0.000
			Max. Compression	14	-37.580	-1.908	-0.523
			Max. Mx	5	-23.756	-2048.493	1.923
			Max. My	8	-23.735	1.718	-2069.591
			Max. Vy	5	28.507	-2048.493	1.923
			Max. Vx	8	28.752	1.718	-2069.591
			Max. Torque	2			-0.886
L5	41.76 - 0	Pole	Max Tension	1	0.000	0.000	0.000
			Max. Compression	14	-53.973	-3.438	-1.222
			Max. Mx	5	-37.839	-3487.711	2.225
			Max. My	8	-37.838	1.852	-3520.135
			Max. Vy	5	31.958	-3487.711	2.225
			Max. Vx	8	32.195	1.852	-3520.135
			Max. Torque	2			-0.778

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 15 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

### Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Pole	Max. Vert	21	53.973	-0.000	-8,124
	Max. H <sub>x</sub>	11	37.867	31.925	-0.007
	Max. H <sub>z</sub>	2	37.867	-0.007	32.162
	Max. M <sub>x</sub>	2	3520.011	-0.007	32.162
	Max. M <sub>z</sub>	5	3487.711	-31.925	0.007
	Max. Torsion	8	0.777	0.007	-32.162
	Min. Vert	1	37.867	0.000	0.000
	Min. H <sub>x</sub>	5	37.867	-31.925	0.007
	Min. H <sub>z</sub>	8	37.867	0.007	-32.162
	Min. M <sub>x</sub>	8	-3520.135	0.007	-32.162
	Min. M <sub>z</sub>	11	-3486.834	31.925	-0.007
	Min. Torsion	2	-0.778	-0.007	32.162

### Tower Mast Reaction Summary

Load Combination	Vertical	Shear <sub>x</sub>	Shear <sub>z</sub>	Overtuning Moment, M <sub>x</sub>	Overtuning Moment, M <sub>z</sub>	Torque
	K	K	K	kip-ft	kip-ft	kip-ft
Dead Only	37.867	0.000	0.000	0.064	-0.421	0.000
Dead+Wind 0 deg - No Ice	37.867	0.007	-32.162	-3520.011	-2.717	0.778
Dead+Wind 30 deg - No Ice	37.867	15.969	-27.856	-3049.580	-1745.986	0.732
Dead+Wind 60 deg - No Ice	37.867	27.652	-16.087	-1762.012	-3021.607	0.490
Dead+Wind 90 deg - No Ice	37.867	31.925	-0.007	-2.225	-3487.711	0.118
Dead+Wind 120 deg - No Ice	37.867	27.645	16.075	1758.188	-3019.346	-0.286
Dead+Wind 150 deg - No Ice	37.867	15.957	27.849	3047.441	-1742.043	-0.613
Dead+Wind 180 deg - No Ice	37.867	-0.007	32.162	3520.135	1.852	-0.777
Dead+Wind 210 deg - No Ice	37.867	-15.969	27.856	3049.699	1745.120	-0.733
Dead+Wind 240 deg - No Ice	37.867	-27.652	16.087	1762.128	3020.735	-0.492
Dead+Wind 270 deg - No Ice	37.867	-31.925	0.007	2.345	3486.834	-0.119
Dead+Wind 300 deg - No Ice	37.867	-27.645	-16.075	-1758.062	3018.470	0.287
Dead+Wind 330 deg - No Ice	37.867	-15.957	-27.849	-3047.312	1741.173	0.615
Dead+Ice+Temp	53.973	0.000	0.000	1.222	-3.438	0.000
Dead+Wind 0 deg+Ice+Temp	53.973	-0.000	-8.124	-917.924	-4.017	0.188
Dead+Wind 30 deg+Ice+Temp	53.973	4.037	-7.036	-794.984	-460.034	0.188
Dead+Wind 60 deg+Ice+Temp	53.973	6.992	-4.062	-458.690	-793.753	0.138
Dead+Wind 90 deg+Ice+Temp	53.973	8.074	0.000	0.848	-915.751	0.051
Dead+Wind 120 deg+Ice+Temp	53.973	6.993	4.062	460.498	-793.339	-0.049
Dead+Wind 150 deg+Ice+Temp	53.973	4.037	7.036	797.095	-459.318	-0.137
Dead+Wind 180 deg+Ice+Temp	53.973	0.000	8.124	920.449	-3.189	-0.188
Dead+Wind 210 deg+Ice+Temp	53.973	-4.037	7.036	797.509	452.828	-0.188
Dead+Wind 240 deg+Ice+Temp	53.973	-6.992	4.062	461.215	786.546	-0.138
Dead+Wind 270 deg+Ice+Temp	53.973	-8.074	-0.000	1.676	908.545	-0.051
Dead+Wind 300 deg+Ice+Temp	53.973	-6.993	-4.062	-457.974	786.133	0.049
Dead+Wind 330 deg+Ice+Temp	53.973	-4.037	-7.036	-794.570	452.112	0.137
Dead+Wind 0 deg - Service	37.867	0.002	-11.129	-1220.240	-1.234	0.273
Dead+Wind 30 deg - Service	37.867	5.525	-9.639	-1057.152	-605.567	0.258
Dead+Wind 60 deg - Service	37.867	9.568	-5.566	-610.781	-1047.760	0.173
Dead+Wind 90 deg - Service	37.867	11.047	-0.002	-0.733	-1209.321	0.042
Dead+Wind 120 deg - Service	37.867	9.566	5.562	609.529	-1046.968	-0.101
Dead+Wind 150 deg - Service	37.867	5.521	9.636	1056.481	-604.194	-0.216
Dead+Wind 180 deg - Service	37.867	-0.002	11.129	1220.361	0.352	-0.273
Dead+Wind 210 deg - Service	37.867	-5.525	9.639	1057.273	604.684	-0.258
Dead+Wind 240 deg - Service	37.867	-9.568	5.566	610.902	1046.876	-0.173
Dead+Wind 270 deg - Service	37.867	-11.047	0.002	0.853	1208.437	-0.042

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 16 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

Load Combination	Vertical K	Shear <sub>x</sub> K	Shear <sub>y</sub> K	Overturning Moment, M <sub>x</sub> kip-ft	Overturning Moment, M <sub>y</sub> kip-ft	Torque kip-ft
Dead+Wind 300 deg - Service	37.867	-9.566	-5.562	-609.408	1046.084	0.101
Dead+Wind 330 deg - Service	37.867	-5.521	-9.636	-1056.359	603.311	0.216

### Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0.000	-37.867	0.000	0.000	37.867	0.000	0.000%
2	0.007	-37.867	-32.162	-0.007	37.867	32.162	0.000%
3	15.969	-37.867	-27.856	-15.969	37.867	27.856	0.000%
4	27.652	-37.867	-16.087	-27.652	37.867	16.087	0.000%
5	31.925	-37.867	-0.007	-31.925	37.867	0.007	0.000%
6	27.645	-37.867	16.075	-27.645	37.867	-16.075	0.000%
7	15.957	-37.867	27.849	-15.957	37.867	-27.849	0.000%
8	-0.007	-37.867	32.162	0.007	37.867	-32.162	0.000%
9	-15.969	-37.867	27.856	15.969	37.867	-27.856	0.000%
10	-27.652	-37.867	16.087	27.652	37.867	-16.087	0.000%
11	-31.925	-37.867	0.007	31.925	37.867	-0.007	0.000%
12	-27.645	-37.867	-16.075	27.645	37.867	16.075	0.000%
13	-15.957	-37.867	-27.849	15.957	37.867	27.849	0.000%
14	0.000	-53.973	0.000	-0.000	53.973	-0.000	0.000%
15	-0.000	-53.973	-8.124	0.000	53.973	8.124	0.000%
16	4.037	-53.973	-7.036	-4.037	53.973	7.036	0.000%
17	6.992	-53.973	-4.062	-6.992	53.973	4.062	0.000%
18	8.074	-53.973	0.000	-8.074	53.973	-0.000	0.000%
19	6.993	-53.973	4.062	-6.993	53.973	-4.062	0.000%
20	4.037	-53.973	7.036	-4.037	53.973	-7.036	0.000%
21	0.000	-53.973	8.124	-0.000	53.973	-8.124	0.000%
22	-4.037	-53.973	7.036	4.037	53.973	-7.036	0.000%
23	-6.992	-53.973	4.062	6.992	53.973	-4.062	0.000%
24	-8.074	-53.973	-0.000	8.074	53.973	0.000	0.000%
25	-6.993	-53.973	-4.062	6.993	53.973	4.062	0.000%
26	-4.037	-53.973	-7.036	4.037	53.973	7.036	0.000%
27	0.002	-37.867	-11.129	-0.002	37.867	11.129	0.000%
28	5.525	-37.867	-9.639	-5.525	37.867	9.639	0.000%
29	9.568	-37.867	-5.566	-9.568	37.867	5.566	0.000%
30	11.047	-37.867	-0.002	-11.047	37.867	0.002	0.000%
31	9.566	-37.867	5.562	-9.566	37.867	-5.562	0.000%
32	5.521	-37.867	9.636	-5.521	37.867	-9.636	0.000%
33	-0.002	-37.867	11.129	0.002	37.867	-11.129	0.000%
34	-5.525	-37.867	9.639	5.525	37.867	-9.639	0.000%
35	-9.568	-37.867	5.566	9.568	37.867	-5.566	0.000%
36	-11.047	-37.867	0.002	11.047	37.867	-0.002	0.000%
37	-9.566	-37.867	-5.562	9.566	37.867	5.562	0.000%
38	-5.521	-37.867	-9.636	5.521	37.867	9.636	0.000%

### Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	4	0.00000001	0.00000001
2	Yes	5	0.00000001	0.00007459

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 17 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

3	Yes	6	0.00000001	0.00011955
4	Yes	6	0.00000001	0.00011678
5	Yes	4	0.00000001	0.00036272
6	Yes	6	0.00000001	0.00011692
7	Yes	6	0.00000001	0.00011911
8	Yes	5	0.00000001	0.00006059
9	Yes	6	0.00000001	0.00011630
10	Yes	6	0.00000001	0.00011878
11	Yes	4	0.00000001	0.00051454
12	Yes	6	0.00000001	0.00011818
13	Yes	6	0.00000001	0.00011627
14	Yes	4	0.00000001	0.00002164
15	Yes	5	0.00000001	0.00049707
16	Yes	5	0.00000001	0.00083469
17	Yes	5	0.00000001	0.00082253
18	Yes	5	0.00000001	0.00049435
19	Yes	5	0.00000001	0.00082292
20	Yes	5	0.00000001	0.00083201
21	Yes	5	0.00000001	0.00049747
22	Yes	5	0.00000001	0.00081465
23	Yes	5	0.00000001	0.00082264
24	Yes	5	0.00000001	0.00049039
25	Yes	5	0.00000001	0.00081725
26	Yes	5	0.00000001	0.00081229
27	Yes	4	0.00000001	0.00039152
28	Yes	5	0.00000001	0.00029267
29	Yes	5	0.00000001	0.00027968
30	Yes	4	0.00000001	0.00019135
31	Yes	5	0.00000001	0.00027937
32	Yes	5	0.00000001	0.00028986
33	Yes	4	0.00000001	0.00037052
34	Yes	5	0.00000001	0.00027778
35	Yes	5	0.00000001	0.00028765
36	Yes	4	0.00000001	0.00019582
37	Yes	5	0.00000001	0.00028462
38	Yes	5	0.00000001	0.00027723

### Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	144.5 - 117.57	38.647	27	2.432	0.004
L2	121.43 - 98.5	27.279	27	2.200	0.002
L3	98.5 - 87.19	17.653	27	1.749	0.001
L4	91.48 - 41.76	15.168	27	1.631	0.001
L5	47.54 - 0	3.932	33	0.767	0.000

### Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
147.000	Lighting Rod 5/8" x 5'	27	38.647	2.432	0.004	15615
145.000	(2) 7770.00 w/ Mount Pipe	27	38.647	2.432	0.004	15615
135.000	BXA-171063/8CF w/ Mount Pipe	27	33.858	2.360	0.003	8218



<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 18 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

Elevation	Appurtenance	Gov. Load Comb.	Deflection	Tilt	Twist	Radius of Curvature
ft			in	°	°	ft
125.000	ERICSSON AIR 21 B2A B4P w/ Mount Pipe	27	28.962	2.253	0.002	4005
113.000	APXVSP18-C-A20 w/ Mount Pipe	27	23.487	2.043	0.002	2986
111.000	800MHz 2X50W RRH W/FILTER	27	22.628	2.001	0.001	2905
100.000	800 10504 w/ Mount Pipe	27	18.212	1.776	0.001	2570
51.000	KS24019-L112A	33	4.514	0.834	0.000	2530

### Maximum Tower Deflections - Design Wind

Section No.	Elevation	Horz. Deflection	Gov. Load Comb.	Tilt	Twist
	ft	in		°	°
L1	144.5 - 117.57	111.181	2	6.999	0.013
L2	121.43 - 98.5	78.526	2	6.334	0.006
L3	98.5 - 87.19	50.849	2	5.037	0.003
L4	91.48 - 41.76	43.698	2	4.699	0.003
L5	47.54 - 0	11.338	8	2.212	0.001

### Critical Deflections and Radius of Curvature - Design Wind

Elevation	Appurtenance	Gov. Load Comb.	Deflection	Tilt	Twist	Radius of Curvature
ft			in	°	°	ft
147.000	Lighting Rod 5/8" x 5'	2	111.181	6.999	0.013	5579
145.000	(2) 7770.00 w/ Mount Pipe	2	111.181	6.999	0.013	5579
135.000	BXA-171063/8CF w/ Mount Pipe	2	97.426	6.794	0.010	2935
125.000	ERICSSON AIR 21 B2A B4P w/ Mount Pipe	2	83.362	6.485	0.007	1428
113.000	APXVSP18-C-A20 w/ Mount Pipe	2	67.627	5.882	0.005	1060
111.000	800MHz 2X50W RRH W/FILTER	2	65.158	5.762	0.004	1030
100.000	800 10504 w/ Mount Pipe	2	52.458	5.116	0.003	907
51.000	KS24019-L112A	8	13.015	2.405	0.001	880

### Compression Checks

### Pole Design Data

Section No.	Elevation	Size	L	L <sub>u</sub>	Kl/r	F <sub>a</sub>	A	Actual P	Allow. P <sub>a</sub>	Ratio P/P <sub>a</sub>
	ft		ft	ft		ksi	in <sup>2</sup>	K	K	
L1	144.5 - 117.57 (1)	TP26.875x21x0.188	26.930	0.000	0.0	39.000	15.381	-6.504	599.869	0.011
L2	117.57 - 98.5 (2)	TP30.575x25.658x0.25	22.930	0.000	0.0	39.000	24.063	-12.761	938.446	0.014
L3	98.5 - 87.19 (3)	TP33x30.575x0.399	11.310	0.000	0.0	27.943	40.124	-14.049	1121.190	0.013
L4	87.19 - 41.76 (4)	TP42.219x31.282x0.375	49.720	0.000	0.0	39.000	48.291	-23.735	1883.360	0.013
L5	41.76 - 0 (5)	TP50.5x40.197x0.438	47.540	0.000	0.0	39.000	69.518	-37.838	2711.200	0.014

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 19 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
-------------	-----------------	------	---------	----------------------	------	-----------------------	----------------------	------------------	-------------------------------	------------------------------

### Pole Bending Design Data

Section No.	Elevation ft	Size	Actual M <sub>x</sub> kip-ft	Actual f <sub>bx</sub> ksi	Allow. F <sub>bx</sub> ksi	Ratio $\frac{f_{bx}}{F_{bx}}$	Actual M <sub>y</sub> kip-ft	Actual f <sub>by</sub> ksi	Allow. F <sub>by</sub> ksi	Ratio $\frac{f_{by}}{F_{by}}$
L1	144.5 - 117.57 (1)	TP26.875x21x0.188	258.298	31.578	39.000	0.810	0.000	0.000	39.000	0.000
L2	117.57 - 98.5 (2)	TP30.575x25.658x0.25	716.299	47.756	39.000	1.224	0.000	0.000	39.000	0.000
L3	98.5 - 87.19 (3)	TP33x30.575x0.399	888.708	34.159	27.943	1.222	0.000	0.000	27.943	0.000
L4	87.19 - 41.76 (4)	TP42.219x31.282x0.375	2069.59	51.438	39.000	1.319	0.000	0.000	39.000	0.000
L5	41.76 - 0 (5)	TP50.5x40.197x0.438	3520.13 2 3	49.231	39.000	1.262	0.000	0.000	39.000	0.000

### Pole Shear Design Data

Section No.	Elevation ft	Size	Actual V K	Actual f <sub>v</sub> ksi	Allow. F <sub>v</sub> ksi	Ratio $\frac{f_v}{F_v}$	Actual T kip-ft	Actual f <sub>vt</sub> ksi	Allow. F <sub>vt</sub> ksi	Ratio $\frac{f_{vt}}{F_{vt}}$
L1	144.5 - 117.57 (1)	TP26.875x21x0.188	16.453	1.070	26.000	0.082	0.745	0.044	26.000	0.002
L2	117.57 - 98.5 (2)	TP30.575x25.658x0.25	24.222	1.007	26.000	0.077	0.808	0.026	26.000	0.001
L3	98.5 - 87.19 (3)	TP33x30.575x0.399	24.919	0.621	18.629	0.067	0.828	0.015	18.629	0.001
L4	87.19 - 41.76 (4)	TP42.219x31.282x0.375	28.752	0.595	26.000	0.046	0.710	0.009	26.000	0.000
L5	41.76 - 0 (5)	TP50.5x40.197x0.438	32.195	0.463	26.000	0.036	0.777	0.005	26.000	0.000

### Pole Interaction Design Data

Section No.	Elevation ft	Ratio P P <sub>a</sub>	Ratio f <sub>bx</sub> F <sub>bx</sub>	Ratio f <sub>by</sub> F <sub>by</sub>	Ratio f <sub>v</sub> F <sub>v</sub>	Ratio f <sub>vt</sub> F <sub>vt</sub>	Comb. Stress Ratio	Allow. Stress Ratio	Criteria
L1	144.5 - 117.57 (1)	0.011	0.810	0.000	0.082	0.002	0.822	1.333	H1-3+VT ✓
L2	117.57 - 98.5 (2)	0.014	1.224	0.000	0.077	0.001	1.240	1.333	H1-3+VT ✓
L3	98.5 - 87.19 (3)	0.013	1.222	0.000	0.067	0.001	1.236	1.333	H1-3+VT ✓
L4	87.19 - 41.76 (4)	0.013	1.319	0.000	0.046	0.000	1.332	1.333	H1-3+VT ✓
L5	41.76 - 0 (5)	0.014	1.262	0.000	0.036	0.000	1.277	1.333	H1-3+VT ✓

<b>tnxTower</b>  <b>B+T Group</b> 1717 S.Boulder, Suite 300 Tulsa, OK 74119 Phone: (918) 587-4630 FAX: (918) 587-4630	<b>Job</b> 92739.001.01 - GROTON TOWER, CT (BU# 881533)	<b>Page</b> 20 of 20
	<b>Project</b>	<b>Date</b> 11:03:59 05/16/14
	<b>Client</b> Crown Castle	<b>Designed by</b> skadam


### Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P <sub>allow</sub> K	% Capacity	Pass Fail	
L1	144.5 - 117.57	Pole	TP26.875x21x0.188	1	-6.504	799.625	61.5*	Pass	
L2	117.57 - 98.5	Pole	TP30.575x25.658x0.25	2	-12.761	1250.948	92.8*	Pass	
L3	98.5 - 87.19	Pole	TP33x30.575x0.399	3	-14.049	1494.546	90.3*	Pass	
L4	87.19 - 41.76	Pole	TP42.219x31.282x0.375	4	-23.735	2510.519	99.6*	Pass	
L5	41.76 - 0	Pole	TP50.5x40.197x0.438	5	-37.838	3614.029	95.7*	Pass	
							Summary		
							Pole (L4)	99.6*	Pass
							<b>RATING =</b>	<b>99.6*</b>	<b>Pass</b>

\*Check additional calculations

Program Version 6.1.4.1 - 12/17/2013

**APPENDIX B**  
**BASE LEVEL DRAWING**



BUSINESS UNIT: 881533

**APPENDIX C**  
**ADDITIONAL CALCULATIONS**

Reinforcement 1						
Bottom	Top	QTY	Type	Position	Gap	Tem/Comp
91.4	98.5	3	CRFP-0033	F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C

Reinforcement 2						
Bottom	Top	QTY	Type	Position	Gap	Tem/Comp
0				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C

Reinforcement 3						
Bottom	Top	QTY	Type	Position	Gap	Tem/Comp
0				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C
				F	0	T&C

Original Reinforced						
Bottom Elevation	Top Elevation	Original Thickness	Original Yield Stress	Ultimate Stress	Shaft Capacity	Capacity
117.5700	124.5000	0.1875	65	80	61.5%	
98.5000	121.4300	0.2500	65	80	92.8%	
87.1900	98.5000	0.2500	65	80	65.7%	
41.7600	91.4800	0.3750	65	80	90.6%	
0.0000	47.5400	0.4375	65	80	95.7%	

Rein. 1		Rein. 2		Rein. 3		Control Ratio
Type	Capacity	Type	Capacity	Type	Capacity	
CRFP-0033	90.1%					63.3%
						92.8%
						90.3%
						99.6%
						95.7%

Section										Equivalent Shaft			Equivalent Weight		
Top Height	Length	Lap Spikes	# of Sides	Top Diameter	Bottom Diameter	Thickness	Multi.	Weight	Shaft Py	Multi.	Weight	Shaft Py	Multi.		
144.5000	26.5300	3.6600	3	21.0000	26.8750	0.1875	65.0	100			65.0	100			
121.4300	23.9300	0.0000	3	25.6579	30.5748	0.2500	65.0	100			65.0	100			
98.5000	11.3100	4.2900	3	30.5748	33.0000	0.3960	65.0	0.97			46.6	0.97			
91.4800	49.7200	5.7800	3	31.3801	42.2106	0.3775	65.0	1.00			65.0	1.00			
47.5400	47.3400	0.0000	3	40.2330	36.2000	0.4375	65.0	1.00			65.0	1.00			

Bottom Elevation	Top Elevation	Section Failure	Bottom Failure	Top Failure	Section Failure %
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					

# Reinforcement Capacity

Dimensions and Properties										Compression			Axial			ASD-9		LRFD			
Model	Weight (lb/ft)	Area (in <sup>2</sup> )	Moment of Inertia (in <sup>4</sup> )	Centroid from Mating Edge (in)	Centroid from Bolt Hole Center (in)	Web Thickness (in)	Width (in)	Flange Width (in)	Flange Thickness (in)	Hole Diameter (in)	Yield Stress (ksi)	Ultimate Stress (ksi)	Slender. Ratio Coefficient	Unbraced Length (in)	Slender. Ratio Coefficient	Unbraced Length (in)	Allowable Axial (kips)	Allowable Axial w/ Increase (kips)	Governing Axial	Design Axial Strength (kips)	Governing Axial Rupture
CCI-MFP-045100	15.3	4.50	0.38	7.59	0.5	0	4.3	0	0	1.1875	65	80	0.90	20	1.00	20	219.7	272.9	Compress.	195.0	Rupture





## Stiffened or Unstiffened, Ungrouted, Circular Base Plate - Any Rod Material

### TIA Rev F

#### Site Data

BU#: 881533	
Site Name: GROTON TOWER	
App #: 219527; Rev# 8	
Pole Manufacturer:	Other

#### Anchor Rod Data

Qty:	16	
Diam:	2.25	in
Rod Material:	A615-J	
Strength (Fu):	100	ksi
Yield (Fy):	75	ksi
Bolt Circle:	59	in

#### Plate Data

Diam:	65	in
Thick:	2	in
Grade:	60	ksi
Single-Rod B-eff:	10.02	in

#### Stiffener Data (Welding at both sides)

Config:	1	*
Weld Type:	Fillet	
Groove Depth:		<-- Disregard
Groove Angle:		<-- Disregard
Fillet H. Weld:	0.625	in
Fillet V. Weld:	0.375	in
Width:	6.75	in
Height:	17.75	in
Thick:	0.625	in
Notch:	0.75	in
Grade:	50	ksi
Weld str.:	70	ksi

#### Pole Data

Diam:	50.5	in
Thick:	0.4375	in
Grade:	65	ksi
# of Sides:	18	"0" IF Round
Fu	80	ksi
Reinf. Fillet Weld	0	"0" if None

#### Stress Increase Factor

ASIF:	1.333
-------	-------

#### Reactions

Moment:	3520.1358	ft-kips
Axial:	37.8383	kips
Shear:	32.195001	kips

If No stiffeners, Criteria: AISC ASD <-Only Applicable to Unstiffened Cases

#### Anchor Rod Results

Maximum Rod Tension:	176.6 Kips
Allowable Tension:	195.0 Kips
Anchor Rod Stress Ratio:	90.6% <span style="color: red;">Pass</span>

Stiffened
Service, ASD
Fty*ASIF

#### Base Plate Results

Base Plate Stress:	45.8 ksi
Allowable Plate Stress:	60.0 ksi
Base Plate Stress Ratio:	76.4% <span style="color: red;">Pass</span>

#### Flexural Check


Stiffened
Service, ASD
0.75*Fy*ASIF
Y.L. Length:
N/A, Roark

#### Stiffener Results

Horizontal Weld :	69.4% <span style="color: red;">Pass</span>
Vertical Weld:	45.5% <span style="color: red;">Pass</span>
Plate Flex+Shear, fb/Fb+(fv/Fv)^2:	26.0% <span style="color: red;">Pass</span>
Plate Tension+Shear, ft/Ft+(fv/Fv)^2:	75.1% <span style="color: red;">Pass</span>
Plate Comp. (AISC Bracket):	80.4% <span style="color: red;">Pass</span>

#### Pole Results

Pole Punching Shear Check:	11.6% <span style="color: red;">Pass</span>
----------------------------	---



\* 0 = none, 1 = every bolt, 2 = every 2 bolts, 3 = 2 per bolt

\*\* Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes

PROJECT	<b>881533 - GROTON TOWER,CT</b>		
SUBJECT	<b>Foundation Analysis</b>		
DATE	<b>05/16/14</b>	PAGE	1 OF 1



**B+T GRP**  
 1717 S. Boulder, Suite 300  
 Tulsa, OK 74159  
 (918) 587-4630

## Monopole Pad & Pier Foundation Analysis

Rev. Type: F


Design Loads:

	Input unfactored loads
Shear:	<u>32.0</u> kips
Moment:	<u>3,520.0</u> ft-kips
Tower Height:	<u>144.5</u> ft
Tower Weight:	<u>38.0</u> kips

Pad & Pier Dimensions / Properties:

Pole Diameter at Base:	<u>50.50</u> in
Bearing Depth:	<u>5.0</u> ft
Pad Width:	<u>30.0</u> ft
Neglected Depth:	<u>3.3</u> ft
Thickness:	<u>5.0</u> ft
Pier Diameter:	<u>0.0</u> ft
Pier Height Above Grade:	<u>0.0</u> ft
BP Dist. Above Pier:	<u>0.0</u> in
Clear Cover:	<u>4.0</u> in
	_____
Pad Rebar Size:	<u>8</u>
Pad Rebar Quantity:	<u>44</u>
	_____
Rebar Yield Strength:	<u>60000</u> psi
Concrete Strength:	<u>4000</u> psi
Concrete Unit Weight:	<u>0.15</u> kcf

30.0 FT



30.0 FT

Soil Data:

	Allowable Values
Soil Unit Weight:	<u>0.120</u> kcf
Ult. Bearing Capacity:	<u>24.000</u> ksf
Angle of Friction:	<u>30.000</u> deg
Cohesion:	<u>0.000</u> ksf
Passive Pressure:	<u>0.000</u> ksf
Base Friction:	<u>0.200</u>

\*\* Notes:

### Summary of Results

Overturning	52.2%
Shear Capacity	44.9%
Bearing	9.9%
Pad Shear - 1-way	28.3%
Pad Shear - 2-way	2.7%
Pad Moment Capacity	30.2%