

June 8, 2015

Melanie A. Bachman  
Acting Executive Director  
Connecticut Siting Council  
10 Franklin Square  
New Britain, CT 06051

Re: **Notice of Exempt Modification – Facility Modification  
131 Manor Road, Guilford, Connecticut**

Dear Ms. Bachman:

Cellco Partnership d/b/a Verizon Wireless (“Cellco”) currently maintains twelve (12) wireless telecommunications antennas at the top of an existing 150-foot monopole tower at 131 Manor Road in Guilford, Connecticut (the “Property”). The tower is owned by Crown Castle. The Council approved Cellco’s use of this tower in 1986 (Docket No. 56). Cellco now intends to modify its facility by replacing three (3) of its existing antennas with three (3) model HBXX-6517DS-VTM, 1900 MHz antennas and adding three (3) model HBXX-6517DS-VTM, 2100 MHz antennas, for a total of fifteen (15) antennas, all at the same 150-foot level on the tower. Cellco also intends to install six (6) remote radio heads (“RRHs”), one (1) each behind its 1900 MHz and 2100 MHz antennas and one (1) HYBRIFLEX™ antenna cable. Included in Attachment 1 are specifications for Cellco’s replacement antennas, RRHs and HYBRIFLEX™ cable.

Please accept this letter as notification pursuant to R.C.S.A. § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Joseph S. Mazza, Guilford’s First Selectman. A copy of the letter is also being sent to B.W. Bishop & Sons, Inc., the owner of the Property.

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).

13856593-v1

Melanie A. Bachman


June 8, 2015

Page 2

1. The proposed modifications will not result in an increase in the height of the existing tower. The replacement antennas and RRHs will be installed on Cellco's existing antenna platform at the 150-foot level on the tower.
2. The proposed modifications will not involve any change to ground-mounted equipment and, therefore, will not require the extension of the site boundary.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the replacement antennas will not increase radio frequency (RF) emissions at the facility to a level at or above the Federal Communications Commission (FCC) safety standard. A cumulative General Power Density table with Cellco's modified facility is included in Attachment 2.
5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The tower and its foundation, with certain modifications, can support Cellco's proposed modifications. (See Structural Modification Report included in Attachment 3).

For the foregoing reasons, Cellco respectfully submits that the proposed modifications to the above-referenced telecommunications facility constitutes an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,



Kenneth C. Baldwin

Enclosures

Copy to:

Joseph S. Mazza, Guilford First Selectman  
B.W. Bishop & Sons, Inc.  
Tim Parks

# **ATTACHMENT 1**

POWERED BY



## HBXX-6517DS-VTM

**Andrew® Quad Port Antenna, 1710–2180 MHz, 65° horizontal beamwidth, RET compatible**

- Superior azimuth tracking and pattern symmetry with excellent passive intermodulation suppression

### Electrical Specifications

Frequency Band, MHz	1710–1880	1850–1990	1920–2180
Gain, dBi	19.0	19.1	19.2
Beamwidth, Horizontal, degrees	67	66	65
Beamwidth, Vertical, degrees	5.0	4.7	4.4
Beam Tilt, degrees	0–6	0–6	0–6
USLS, dB	18	18	18
Front-to-Back Ratio at 180°, dB	30	30	30
CPR at Boresight, dB	21	22	21
CPR at Sector, dB	10	11	9
Isolation, dB	30	30	30
VSWR   Return Loss, dB	1.4   15.6	1.4   15.6	1.4   15.6
PIM, 3rd Order, 2 x 20 W, dBc	-153	-153	-153
Input Power per Port, maximum, watts	350	350	350
Polarization	±45°	±45°	±45°
Impedance	50 ohm	50 ohm	50 ohm

### Electrical Specifications, BASTA\*

Frequency Band, MHz	1710–1880	1850–1990	1920–2180
Gain by all Beam Tilts, average, dBi	18.5	18.6	18.8
Gain by all Beam Tilts Tolerance, dB	±0.4	±0.3	±0.4
	0°   18.4	0°   18.4	0°   18.7
Gain by Beam Tilt, average, dBi	3°   18.7	3°   18.7	3°   18.9
	6°   18.4	6°   18.5	6°   18.6
Beamwidth, Horizontal Tolerance, degrees	±2.4	±1.7	±2.9
Beamwidth, Vertical Tolerance, degrees	±0.3	±0.3	±0.3
USLS, dB	18	19	19
Front-to-Back Total Power at 180° ± 30°, dB	25	26	26
CPR at Boresight, dB	22	23	22
CPR at Sector, dB	10	10	9

\* CommScope® supports NGMN recommendations on Base Station Antenna Standards (BASTA). To learn more about the benefits of BASTA, [download the whitepaper Time to Raise the Bar on BSAs.](#)

### General Specifications

Antenna Brand	Andrew®
Antenna Type	DualPol® quad
Band	Single band
Brand	DualPol®   Teletilt®
Operating Frequency Band	1710 – 2180 MHz

HBXX-6517DS-VTM

POWERED BY



Performance Note

Outdoor usage

## Mechanical Specifications

Color	Light gray
Lightning Protection	dc Ground
Radiator Material	Low loss circuit board
Radome Material	PVC, UV resistant
RF Connector Interface	7-16 DIN Female
RF Connector Location	Bottom
RF Connector Quantity, total	4
Wind Loading, maximum	668.0 N @ 150 km/h 150.2 lbf @ 150 km/h
Wind Speed, maximum	241.0 km/h   149.8 mph

## Dimensions

Depth	166.0 mm   6.5 in
Length	1903.0 mm   74.9 in
Width	305.0 mm   12.0 in
Net Weight	19.5 kg   43.0 lb

## Remote Electrical Tilt (RET) Information

Model with Factory Installed AISG 2.0 Actuator HBXX-6517DS-A2M

RET System Teletilt®

## Regulatory Compliance/Certifications

### Agency

RoHS 2011/65/EU  
China RoHS SJ/T 11364-2006  
ISO 9001:2008

### Classification

Compliant by Exemption  
Above Maximum Concentration Value (MCV)  
Designed, manufactured and/or distributed under this quality management system



## Included Products

600899A-2 — Downtilt Mounting Kit for 2.4 - 4.5 in (60 - 115 mm) OD round members. Kit contains one scissor top bracket set and one bottom bracket set.

## \* Footnotes

Performance Note Severe environmental conditions may degrade optimum performance

# ALCATEL-LUCENT WIRELESS PRODUCT DATASHEET RRH2x60-AWS FOR BAND 4 APPLICATION

The Alcatel-Lucent RRH2x60-AWS is a high power, small form factor Remote Radio Head operating in the AWS frequency band (3GPP Band 4) for LTE technology. It is designed with an eco-efficient approach, providing operators with the means to achieve high quality and high capacity coverage with minimum site requirements and efficient operation.



along with operations, administration and maintenance (OA&M) information.

The Alcatel-Lucent RRH2x60-AWS integrates all the latest technologies. This allows to offer best-in-class characteristics.

It delivers an outstanding 120 watts of total RF power thanks to its two transmit RF paths of 60 W each.

It is ideally suited to support multiple-input multiple-output (MIMO) 2x2 operation.

It includes four RF receivers to natively support 4-way uplink reception diversity. This improves the radio uplink coverage and this can be used to extend the cell radius commensurate with 2x2MIMO 2x60 W for the downlink.

It supports multiple discontinuous LTE carriers within an instantaneous bandwidth of 45 MHz corresponding to the entire AWS B4 spectrum.

The latest generation power amplifiers (PA) used in this product achieve high efficiency (>40%), resulting in improved power consumption figures.

The Alcatel-Lucent RRH2x60-AWS is designed to make available all the benefits of a distributed Node B, with excellent RF characteristics, with low capital expenditures (CAPEX) and low operating expenditures (OPEX).

The Alcatel-Lucent RRH2x60-AWS is a very cost-effective solution to deploy LTE MIMO.

The RRH2x60-AWS includes a reversible mounting bracket which allows for ease of installation behind an antenna, or on a rooftop knee wall while providing easy access to the mid body RF connectors.


The limited space available in some sites may prevent the installation of traditional single-cabinet BTS equipment. However, many of these sites can host an Alcatel-Lucent RRH2x60-AWS installation, providing more flexible site selection and improved network quality along with greatly reduced installation time and costs.

The Alcatel-Lucent RRH2x60-AWS is a zero-footprint solution and is convection cooled without fans for silent operation, simplifying negotiations with site property owners and minimizing environmental impacts.


Installation can easily be done by a single person as the Alcatel-Lucent RRH2x60-AWS is compact and weighs about 20 kg, eliminating the need for a crane to hoist the BTS cabinet to the rooftop. A site can be in operation in less than one day.

A distributed Node B expands the deployment options by using two components, a Base Band Unit (BBU) containing the digital assets and a separate RRH containing the radio-frequency (RF) elements. This modular design optimizes available space and allows the main components of a Node B to be installed separately, within the same site or several kilometers apart.


The Alcatel-Lucent RRH2x60-AWS is linked to the BBU by an optical-fiber connection carrying downlink and uplink digital radio signals



Macro



RRH for space-constrained cell sites



Distributed

- RRH2x60-AWS integrates two power amplifiers of 60W rating (at each antenna connector)
- Support multiple carriers over the entire 3GPP band 4
- RRH2x60-AWS is optimized for LTE operation
- RRH2x60-AWS is a very compact and lightweight product
- Advanced power management techniques are embedded to provide power savings, such as PA bias control

- MIMO LTE operation with only one single unit per sector
- Improved uplink coverage with built-in 4-way receive diversity capability
- RRH can be mounted close to the antenna, eliminating nearly all losses in RF cables and thus reducing power consumption by 50% compared to conventional solutions
- Distributed configurations provide easily deployable and cost-effective solutions, near zero footprint and

- silent solutions, with minimum impact on the neighborhood, which ease the deployment
- RETA and TMA support without additional hardware thanks to the AISG v2.0 port and the integrated Bias-Tees. Bias-Tees support AISG DC supply and signaling.

Specifications listed are hardware capabilities. Some capabilities depend on support in a specific software release or future release.

**Dimensions and weights**

- HxWxD : 510x285x186mm (27 l with solar shield)
- Weight : 20 kg (44 lbs)

**Electrical Data**

- Power Supply : -48V DC (-40.5 to -57V)
- Power Consumption (ETSI average traffic load reference) : 250W @2x60W

**RF Characteristics**

- Frequency band: 1710-1755, UL / 2110-2155 MHz, DL (3GPP band 4)
- Output power: 2x60W at antenna connectors
- Technology supported: LTE
- Instantaneous bandwidth: 45 MHz
- Rx diversity: 2-way and 4-way uplink reception
- Typical sensitivity without Rx diversity: -105 dBm for LTE

**Connectivity**

- Two CPRI optical ports for daisy chaining and up to six RRHs per fiber
- Type of optical fiber: Single-Mode (SM) and Multi-Mode (MM) SFPs
- Optical fiber length: up to 500m using MM fiber, up to 20km using SM fiber
- TMA/RETA : AISG 2.0 (RS485 connector and internal Bias-Tee)
- Six external alarms
- Surge protection for all external ports (DC and RF)

**Environmental specifications**

- Operating temperature: -40°C to 55°C including solar load
- Operating relative humidity: 8% to 100%
- Environmental Conditions : ETS 300 019-1-4 class 4.1E
- Ingress Protection : IEC 60529 IP65
- Acoustic Noise : Noiseless (natural convection cooling)

**Safety and Regulatory Data**

- EMC : 3GPP 25113, EN 301 489-1, EN 301 489-23, GR 1089, GR 3108, OET-65
- Safety : IEC60950-1, EN 60825-1, UL, ANSI/NFPA 70, CAN/CSA-C22.2
- Regulatory : FCC Part 15 Class B, CE Mark – European Directive : 2002/95/EC (ROHS); 2002/96/EC (WEEE); 1999/5/EC (R&TTE)
- Health : EN 50385

www.alcatel-lucent.com Alcatel, Lucent, Alcatel-Lucent and the Alcatel-Lucent logo are trademarks of Alcatel-Lucent. All other trademarks are the property of their respective owners. The information presented is subject to change without notice. Alcatel-Lucent assumes no responsibility for inaccuracies contained herein.

Copyright © 2012 Alcatel-Lucent. All rights reserved. M2012XXXXXX (March)



**HYBRIFLEX™ RRH Hybrid Feeder Cabling Solution, 1-5/8", Single-Mode Fiber**

**Product Description**

RFS' HYBRIFLEX Remote Radio Head (RRH) hybrid feeder cabling solution combines optical fiber and DC power for RRHs in a single lightweight aluminum corrugated cable, making it the world's most innovative solution for RRH deployments.

It was developed to reduce installation complexity and costs at Cellular sites. HYBRIFLEX allows mobile operators deploying an RRH architecture to standardize the RRH installation process and eliminate the need for and cost of cable grounding. HYBRIFLEX combines optical fiber (multi-mode or single-mode) and power in a single corrugated cable. It eliminates the need for junction boxes and can connect multiple RRHs with a single feeder. Standard RFS CELLFLEX® accessories can be used with HYBRIFLEX cable. Both pre-connectorized and on-site options are available.

**Features/Benefits**

- Aluminum corrugated armor with outstanding bending characteristics - minimizes installation time and enables mechanical protection and shielding
- Same accessories as 1 5/8" coaxial cable
- Outer conductor grounding - Eliminates typical grounding requirements and saves on installation costs
- Lightweight solution and compact design - Decreases tower loading
- Robust cabling - Eliminates need for expensive cable trays and ducts
- Installation of tight bundled fiber optic cable pairs directly to the RRH - Reduces CAPEX and wind load by eliminating need for interconnection
- Optical fiber and power cables housed in single corrugated cable - Saves CAPEX by standardizing RRH cable installation and reducing installation requirements
- Outdoor polyethylene jacket - Ensures long-lasting cable protection



Figure 1: HYBRIFLEX Series

**Technical Specifications**

Outer Conductor Armor	Corrugated Aluminum	(mm (in))	46.5 (1.83)
Jacket	Polyethylene, PE	(mm (in))	50.3 (1.98)
UV-Protection	Individual and External Jacket		Yes
Weight, Approximate		(kg/m (lb/ft))	1.9 (1.30)
Minimum Bending Radius, Single Bending		(mm (in))	200 (8)
Minimum Bending Radius, Repeated Bending		(mm (in))	500 (20)
Recommended/Maximum Clamp Spacing		(m (ft))	1.0 / 1.2 (3.25 / 4.0)
DC-Resistance Outer Conductor Armor		(Ω/km (Ω/1000ft))	0.68 (0.205)
DC-Resistance Power Cable, 8.4mm <sup>2</sup> (8AWG)		(Ω/km (Ω/1000ft))	2.1 (0.307)
Version			Single-mode OM3
Quantity, Fiber Count			16 (8 pairs)
Core/Clad		(μm)	50/125
Primary Coating (Acrylate)		(μm)	245
Buffer Diameter, Nominal		(μm)	900
Secondary Protection, Jacket, Nominal		(mm (in))	2.0 (0.08)
Minimum Bending Radius		(mm (in))	104 (4.1)
Insertion Loss @ wavelength 850nm		dB/km	3.0
Insertion Loss @ wavelength 1310nm		dB/km	1.0
Standards (Meets or exceeds)			UL94-V0, UL1666 RoHS Compliant
Size (Power)		(mm (AWG))	8.4 (8)
Quantity, Wire Count (Power)			16 (8 pairs)
Size (Alarm)		(mm (AWG))	0.8 (18)
Quantity, Wire Count (Alarm)			4 (2 pairs)
Type			UV protected
Strands			19
Primary Jacket Diameter, Nominal		(mm (in))	6.8 (0.27)
Standards (Meets or exceeds)			NFPA 130, ICEA S-95-658 UL Type XHHW-2, UL 44 UL-LS Limited Smoke, UL VW-1 IEEE-383 (1974), IEEE1202/FT4 RoHS Compliant
Installation Temperature		(°C (°F))	-40 to +65 (-40 to 149)
Operation Temperature		(°C (°F))	-40 to +65 (-40 to 149)

\* This data is provisional and subject to change




Figure 2: Construction Detail

All information contained in the present datasheet is subject to confirmation at time of ordering.



# **ATTACHMENT 2**

		General		Power		Density							
Site Name: Guilford Tower Height: 150ft													
CARRIER	# OF CHAN.	WATTS ERP	HEIGHT	CALC. POWER DENS	FREQ.	MAX. PERMISS. EXP.	FRACTION MPE	Total					
*AT&T UMTS	2	565	137	0.0216	880	0.5867	3.69%						
*AT&T UMTS	2	875	137	0.0335	1900	1.0000	3.35%						
*AT&T GSM	1	283	137	0.0054	880	0.5867	0.92%						
*AT&T GSM	4	525	137	0.0402	1900	1.0000	4.02%						
*AT&T LTE	1	1313	137	0.0252	734	0.4893	5.14%						
*T-Mobile	8	170	128	0.0298	1935	1.0000	2.98%						
<b>Verizon PCS</b>	<b>7</b>	<b>379</b>	<b>150</b>	<b>0.0424</b>	<b>1970</b>	<b>1.0000</b>	<b>4.24%</b>						
<b>Verizon Cellular</b>	<b>9</b>	<b>379</b>	<b>150</b>	<b>0.0545</b>	<b>869</b>	<b>0.5793</b>	<b>9.41%</b>						
<b>Verizon AWS</b>	<b>1</b>	<b>2535</b>	<b>150</b>	<b>0.0405</b>	<b>2145</b>	<b>1.0000</b>	<b>4.05%</b>						
<b>Verizon 700</b>	<b>1</b>	<b>801</b>	<b>150</b>	<b>0.0128</b>	<b>746</b>	<b>0.4973</b>	<b>2.57%</b>						<b>40.39%</b>
* Source: Siting Council													

# **ATTACHMENT 3**



**PAUL J. FORD AND COMPANY**  
**STRUCTURAL ENGINEERS**  
 250 East Broad Street • Suite 600 • Columbus, Ohio 43215-3708

Date: **March 4, 2015**

Timothy Howell  
 Crown Castle  
 3530 Toringdon Way Suite 300  
 Charlotte, NC 28277

Paul J Ford and Company  
 250 E. Broad Street, Suite 600  
 Columbus, OH 43215  
 614.221.6679

**Subject: Structural Modification Report**

**Carrier Designation:** *Verizon Wireless Co-Locate*  
**Carrier Site Number:** N/a  
**Carrier Site Name:** N/a

**Crown Castle Designation:**  
**Crown Castle BU Number:** 806361  
**Crown Castle Site Name:** NHV 102 943127  
**Crown Castle JDE Job Number:** 321736  
**Crown Castle Work Order Number:** 1016072  
**Crown Castle Application Number:** 281637 Rev. 1

**Engineering Firm Designation:** **Paul J Ford and Company Project Number:** 37515-0830.001.7700

**Site Data:** **131 Manor Rd, GUILFORD, New Haven County, CT**  
**Latitude 41° 19' 48.09", Longitude -72° 43' 18.51"**  
**150 Foot - Monopole Tower**

Dear Timothy Howell,

*Paul J Ford and Company* is pleased to submit this "Structural Modification Report" to determine the structural integrity of the above mentioned tower. This analysis has been performed in accordance with the Crown Castle Structural 'Statement of Work' and the terms of Crown Castle Purchase Order Number 760221, in accordance with application 281637, revision 1.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:


LC4.5: Modified Structure w/ Existing + Proposed Equipment **Sufficient Capacity**  
 Note: See Table I and Table II for the proposed and existing loading, respectively.

The structural analysis was performed for this tower in accordance with the requirements of TIA/EIA-222-F Structural Standards for Steel Antenna Towers and Antenna Supporting Structures AND THE 2005 Connecticut Building Code with 2009 Amendment using a fastest mile wind speed of 85 mph with no ice, 37.6 mph with 0.75 inch ice thickness and 50 mph under service loads.

All modifications and equipment proposed in this report shall be installed in accordance with the attached drawings for the determined available structural capacity to be effective.

We at *Paul J Ford and Company* appreciate the opportunity of providing our continuing professional services to you and Crown Castle. If you have any questions or need further assistance on this or any other projects please give us a call.

Respectfully submitted by:

  
 Jason C. Martin, E.I. *JTK*  
 Structural Designer



*3-5-15*



PAUL J. FORD AND COMPANY  
STRUCTURAL ENGINEERS  
250 East Broad Street • Suite 600 • Columbus, Ohio 43215-3708

Date: **March 4, 2015**

Timothy Howell  
Crown Castle  
3530 Toringdon Way Suite 300  
Charlotte, NC 28277

Paul J Ford and Company  
250 E. Broad Street, Suite 600  
Columbus, OH 43215  
614.221.6679

**Subject: Structural Modification Report**

**Carrier Designation:** **Verizon Wireless Co-Locate**  
**Carrier Site Number:** N/a  
**Carrier Site Name:** N/a

**Crown Castle Designation:** **Crown Castle BU Number:** 806361  
**Crown Castle Site Name:** NHV 102 943127  
**Crown Castle JDE Job Number:** 321736  
**Crown Castle Work Order Number:** 1016072  
**Crown Castle Application Number:** 281637 Rev. 1

**Engineering Firm Designation:** **Paul J Ford and Company Project Number:** 37515-0830.001.7700

**Site Data:** **131 Manor Rd, GUILFORD, New Haven County, CT**  
**Latitude 41° 19' 48.09", Longitude -72° 43' 18.51"**  
**150 Foot - Monopole Tower**

Dear Timothy Howell,

*Paul J Ford and Company* is pleased to submit this "**Structural Modification Report**" to determine the structural integrity of the above mentioned tower. This analysis has been performed in accordance with the Crown Castle Structural 'Statement of Work' and the terms of Crown Castle Purchase Order Number 760221, in accordance with application 281637, revision 1.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC4.5: Modified Structure w/ Existing + Proposed Equipment **Sufficient Capacity**  
Note: See Table I and Table II for the proposed and existing loading, respectively.

The structural analysis was performed for this tower in accordance with the requirements of TIA/EIA-222-F Structural Standards for Steel Antenna Towers and Antenna Supporting Structures AND THE 2005 Connecticut Building Code with 2009 Amendment using a fastest mile wind speed of 85 mph with no ice, 37.6 mph with 0.75 inch ice thickness and 50 mph under service loads.

All modifications and equipment proposed in this report shall be installed in accordance with the attached drawings for the determined available structural capacity to be effective.

We at *Paul J Ford and Company* appreciate the opportunity of providing our continuing professional services to you and Crown Castle. If you have any questions or need further assistance on this or any other projects please give us a call.

Respectfully submitted by:

Jason C. Martin, E.I.  
Structural Designer

## TABLE OF CONTENTS

### 1) INTRODUCTION

### 2) ANALYSIS CRITERIA

Table 1 - Proposed Antenna and Cable Information

Table 2 - Existing Antenna and Cable Information

Table 3 - Design Antenna and Cable Information

### 3) ANALYSIS PROCEDURE

Table 4 - Documents Provided

3.1) Analysis Method

3.2) Assumptions

### 4) ANALYSIS RESULTS

Table 5 - Section Capacity (Summary)

Table 6 - Tower Components vs. Capacity

4.1) Recommendations

### 5) APPENDIX A

tnxTower Output

### 6) APPENDIX B

Base Level Drawing

### 7) APPENDIX C

Additional Calculations

**1) INTRODUCTION**

This tower is a 150 ft Monopole tower designed by VALMONT in August of 1986. This pole has been modified to include base plate stiffeners (see assumptions) and shaft reinforcing per the referenced reinforcing documents in Table 3.

**2) ANALYSIS CRITERIA**

The structural analysis was performed for this tower in accordance with the requirements of TIA/EIA-222-F Structural Standards for Steel Antenna Towers and Antenna Supporting Structures AND THE 2005 Connecticut Building Code with 2009 Amendment using a fastest mile wind speed of 85 mph with no ice, 37.6 mph with 0.75 inch ice thickness and 50 mph under service loads.

**Table 1 - Proposed Antenna and Cable Information**

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
147.0	150.0	6	alcatel lucent	RRH2x60-AWS	1	1-5/8	-
		6	commscope	HBXX-6517DS-A2M w/ Mount Pipe			
		1	rfs celwave	DB-T1-6Z-8AB-0Z			

**Table 2 - Existing and Reserved Antenna and Cable Information**

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
147.0	150.0	3	antel	BXA-171085-12BF-2 w/ Mount Pipe	-	-	2
		3	antel	BXA-70063-6CF-2 w/ Mount Pipe	12	1/2 7/8	1
		6	antel	LPA-80063/6CFx5 w/ Mount Pipe			
	147.0	1	lucent	KS24019-L112A			
		6	rfs celwave	FD9R6004/2C-3L			
		1	tower mounts	Platform Mount [LP 713-1]			
132.0	137.0	6	ericsson	RRUS-11	12	3/8 3/4 1-1/4	1
		3	kmw communications	AM-X-CD-16-65-00T-RET w/ Mount Pipe			
		6	powerwave	7770.00 w/ Mount Pipe			
		6	powerwave	LGP21401			
		6	powerwave	LGP21903			
		1	raycap	DC6-48-60-18-8F			
	132.0	1	tower mounts	Platform Mount [LP 713-1]			
126.0	126.0	1	tower mounts	Side Arm Mount [SO 101-3]	6	5/16 1-5/8	1
	125.0	6	remec	S20057A-1			
		3	rfs celwave	APXV18-206516S-C-ACU w/ Mount Pipe			

- Notes:  
 1) Existing Equipment  
 2) Equipment to be Removed

**Table 3 - Design Antenna and Cable Information**

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
-	-	-	-	-	-	-

### 3) ANALYSIS PROCEDURE

**Table 4 - Documents Provided**

Document	Remarks	Reference	Source
4-GEOTECHNICAL REPORTS	Dr. Clarence Welti, 10/02/02	780506	CCISITES
4-TOWER FOUNDATION DRAWINGS/DESIGN/SPECS	Valmont, 1983-14, 10/86	217669	CCISITES
4-TOWER MANUFACTURER DRAWINGS	Valmont, 10565-86, 08/13/86	217668	CCISITES
4-POST-MODIFICATION INSPECTION	Vertical Solutions, 06240.01, 09/12/06	2045675	CCISITES
4-POST-MODIFICATION INSPECTION	PJF, 37511-1727, 02/10/12	3099221	CCISITES
4-POST-MODIFICATION INSPECTION	TEP, 127277, 10/2/12	3335575*	CCISITES
4-POST-MODIFICATION INSPECTION	TEP, 25593, 9/24/2013	4037923	CCISITES
4-TOWER STRUCTURAL ANALYSIS REPORTS	PJF, 37601-0022, 3/8/2001	812778**	CCISITES

\* This PMI addresses a failed CWI inspection of the base plate stiffeners. See Assumption # 6.

\*\* This Structural Analysis was used to determine the anchor rod and base plate information as it was not provided in the manufactures drawings.

#### 3.1) Analysis Method

tnxTower (version 6.1.4.1), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A.

#### 3.2) Assumptions

- 1) Tower and structures were built in accordance with the manufacturer's specifications.
- 2) The tower and structures have been maintained in accordance with the manufacturer's specification.
- 3) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.
- 4) Anchor rod bolt circle is 50.62 inches.
- 5) Monopole was reinforced in conformance with the referenced modification drawings.
- 6) The installed base plate stiffeners were ignored in this design/analysis.
- 7) Monopole will be reinforced in conformance with the attached modification drawings.

This analysis may be affected if any assumptions are not valid or have been made in error. Paul J Ford and Company should be notified to determine the effect on the structural integrity of the tower.



4) ANALYSIS RESULTS

Table 5 - Section Capacity (Summary)

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail
L1	150 - 133	Pole	TP19.1871x16x0.1875	1	-2.29	596.34	69.4	Pass
L2	133 - 123.5	Pole	TP20.9682x19.1871x0.422	2	-5.83	1059.49	75.3	Pass
L3	123.5 - 118.75	Pole	TP21.8587x20.9682x0.7535	3	-6.74	1945.69	51.0	Pass
L4	118.75 - 117	Pole	TP22.1868x21.8587x1.0003	4	-7.18	2595.71	41.5	Pass
L5	117 - 95.167	Pole	TP26.28x22.1868x0.6518	5	-10.56	1992.30	80.1	Pass
L6	95.167 - 93.75	Pole	TP26.1715x24.1641x0.7755	6	-12.34	2381.70	74.8	Pass
L7	93.75 - 92.75	Pole	TP26.3591x26.1715x0.9049	7	-12.95	2704.88	68.5	Pass
L8	92.75 - 92	Pole	TP26.4998x26.3591x1.1119	8	-13.20	3313.69	57.5	Pass
L9	92 - 86.5	Pole	TP27.5317x26.4998x0.7925	9	-14.61	2491.96	80.8	Pass
L10	86.5 - 85.75	Pole	TP27.6724x27.5317x1.1823	10	-14.89	3681.12	56.9	Pass
L11	85.75 - 68.0833	Pole	TP30.9868x27.6724x0.7796	11	-19.78	2921.26	85.5	Pass
L12	68.0833 - 66.75	Pole	TP31.237x30.9868x0.8295	12	-20.19	3425.29	74.1	Pass
L13	66.75 - 63.25	Pole	TP31.8936x31.237x1.0345	13	-21.51	4302.11	61.8	Pass
L14	63.25 - 62.75	Pole	TP31.9874x31.8936x1.2477	14	-21.74	4688.77	57.8	Pass
L15	62.75 - 56.25	Pole	TP33.2069x31.9874x0.8881	15	-23.96	3514.99	79.8	Pass
L16	56.25 - 44.667	Pole	TP35.38x33.2069x0.8131	16	-26.02	3714.54	79.1	Pass
L17	44.667 - 35.5	Pole	TP36.4734x32.7534x0.8462	17	-29.41	3840.23	83.0	Pass
L18	35.5 - 34.25	Pole	TP36.7078x36.4734x0.8425	18	-33.13	4119.70	81.6	Pass
L19	34.25 - 33.25	Pole	TP36.8953x36.7078x1.0917	19	-33.59	5333.87	64.3	Pass
L20	33.25 - 26.25	Pole	TP38.2079x36.8953x0.7663	20	-36.04	3918.53	89.9	Pass
L21	26.25 - 25.25	Pole	TP38.3954x38.2079x1.0944	21	-36.52	5574.94	64.6	Pass
L22	25.25 - 12.25	Pole	TP40.833x38.3954x0.8201	22	-41.57	4487.38	85.2	Pass
L23	12.25 - 9.25	Pole	TP41.3955x40.833x0.7705	23	-42.72	4462.43	86.8	Pass
L24	9.25 - 3	Pole	TP42.5675x41.3955x0.7833	24	-45.19	4788.71	83.5	Pass
L25	3 - 0	Pole	TP43.13x42.5675x0.8743	25	-46.51	4916.33	82.9	Pass
							Summary	
						Pole (L20)	89.9	Pass
						Rating =	89.9	Pass

**Table 6 - Tower Component Stresses vs. Capacity - LC4.5**

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
1	Anchor Rods	0	91.2	Pass
1	Base Plate	0	85.1	Pass
1	Base Foundation Structural Steel	0	76.4	Pass
1,2	Base Foundation Soil Interaction	0	29.3	Pass

<b>Structure Rating (max from all components) =</b>	<b>91.2%</b>
---	--------------

Notes:

- 1) See additional documentation in "Appendix C – Additional Calculations" for calculations supporting the % capacity consumed.
- 2) Foundation Analysis Notes: According to the procedures prescribed and agreed to by the Crown Castle Engineering Foundation Committee, held in January 2010, the existing caisson foundation was analyzed using the methodology in the software 'PLS-Caisson' (Version 8.10, or newer, by Power Line Systems, Inc.). Per the methods in PLS-Caisson, the soil reactions of cohesive soils are calculated using 8CD independent of the depth of the soil layer. The depth of soil to be ignored at the top of the caisson is the greater of the geotechnical report's recommendation, the frost depth of the site or half of the caisson diameter.

**4.1) Recommendations**

- Install the modifications per the attached reinforcing drawings.

**APPENDIX A**  
**TNXTOWER OUTPUT**

**Tower Input Data**

There is a pole section.  
 This tower is designed using the TIA/EIA-222-F standard.  
 The following design criteria apply:

1. Tower is located in New Haven County, Connecticut.
2. Basic wind speed of 85 mph.
3. Nominal ice thickness of 0.7500 in.
4. Ice thickness is considered to increase with height.
5. Ice density of 56 pcf.
6. A wind speed of 38 mph is used in combination with ice.
7. Deflections calculated using a wind speed of 50 mph.
8. A non-linear (P-delta) analysis was used.
9. Pressures are calculated at each section.
10. Stress ratio used in pole design is 1.333.
11. Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

**Options**

- |                                     |                                    |                                     |
|-------------------------------------|------------------------------------|-------------------------------------|
| Consider Moments - Legs             | Distribute Leg Loads As Uniform    | Treat Feedline Bundles As Cylinder  |
| Consider Moments - Horizontals      | Assume Legs Pinned                 | Use ASCE 10 X-Brace Ly Rules        |
| Consider Moments - Diagonals        | √ Assume Rigid Index Plate         | Calculate Redundant Bracing Forces  |
| Use Moment Magnification            | √ Use Clear Spans For Wind Area    | Ignore Redundant Members in FEA     |
| √ Use Code Stress Ratios            | √ Use Clear Spans For KL/r         | SR Leg Bolts Resist Compression     |
| √ Use Code Safety Factors - Guys    | Retension Guys To Initial Tension  | All Leg Panels Have Same Allowable  |
| √ Escalate Ice                      | √ Bypass Mast Stability Checks     | Offset Girt At Foundation           |
| Always Use Max Kz                   | √ Use Azimuth Dish Coefficients    | √ Consider Feedline Torque          |
| Use Special Wind Profile            | √ Project Wind Area of Appurt.     | Include Angle Block Shear Check     |
| Include Bolts In Member Capacity    | Autocalc Torque Arm Areas          | <b>Poles</b>                        |
| Leg Bolts Are At Top Of Section     | SR Members Have Cut Ends           | √ Include Shear-Torsion Interaction |
| Secondary Horizontal Braces Leg     | Sort Capacity Reports By Component | Always Use Sub-Critical Flow        |
| Use Diamond Inner Bracing (4 Sided) | Triangulate Diamond Inner Bracing  | Use Top Mounted Sockets             |
| Add IBC .6D+W Combination           | Use TIA-222-G Tension Splice       |                                     |
|                                     | Capacity Exemption                 |                                     |

**Tapered Pole Section Geometry**

Section	Elevation ft	Section Length ft	Splice Length ft	Number of Sides	Top Diameter in	Bottom Diameter in	Wall Thickness in	Bend Radius in	Pole Grade
L1	150.00-133.00	17.00	0.00	12	16.0000	19.1871	0.1875	0.7500	A572-65 (65 ksi)
L2	133.00-123.50	9.50	0.00	12	19.1871	20.9682	0.4220	1.6879	Reinf 47.45 ksi (47 ksi)
L3	123.50-118.75	4.75	0.00	12	20.9682	21.8587	0.7535	3.0138	Reinf 47.51 ksi (48 ksi)
L4	118.75-117.00	1.75	0.00	12	21.8587	22.1868	1.0003	4.0011	Reinf 47.56 ksi (48 ksi)
L5	117.00-95.17	21.83	4.33	12	22.1868	26.2800	0.6518	2.6070	Reinf 47.83 ksi (48 ksi)
L6	95.17-93.75	5.75	0.00	12	24.1641	26.1715	0.7755	3.1020	Reinf 47.89 ksi (48 ksi)
L7	93.75-92.75	1.00	0.00	12	26.1715	26.3591	0.9049	3.6195	Reinf 45.60 ksi (46 ksi)
L8	92.75-92.00	0.75	0.00	12	26.3591	26.4998	1.1119	4.4477	Reinf 45.58 ksi

Section	Elevation ft	Section Length ft	Splice Length ft	Number of Sides	Top Diameter in	Bottom Diameter in	Wall Thickness in	Bend Radius in	Pole Grade
L9	92.00-86.50	5.50	0.00	12	26.4998	27.5316	0.7925	3.1702	(46 ksi) Reinf 45.66 ksi
L10	86.50-85.75	0.75	0.00	12	27.5316	27.6724	1.1823	4.7290	(46 ksi) Reinf 45.64 ksi
L11	85.75-68.08	17.67	0.00	12	27.6724	30.9868	0.7795	3.1182	(46 ksi) Reinf 48.17 ksi
L12	68.08-66.75	1.33	0.00	12	30.9868	31.2370	0.8295	3.3180	(48 ksi) Reinf 52.73 ksi
L13	66.75-63.25	3.50	0.00	12	31.2370	31.8936	1.0345	4.1378	(53 ksi) Reinf 52.33 ksi
L14	63.25-62.75	0.50	0.00	12	31.8936	31.9874	1.2477	4.9907	(52 ksi) Reinf 47.47 ksi
L15	62.75-56.25	6.50	0.00	12	31.9874	33.2069	0.8881	3.5526	(47 ksi) Reinf 47.55 ksi
L16	56.25-44.67	11.58	5.33	12	33.2069	35.3800	0.8131	3.2522	(48 ksi) Reinf 52.85 ksi
L17	44.67-35.50	14.50	0.00	12	32.7534	36.4734	0.8461	3.3846	(53 ksi) Reinf 52.96 ksi
L18	35.50-34.25	1.25	0.00	12	36.4734	36.7078	0.8425	3.3700	(53 ksi) Reinf 52.94 ksi
L19	34.25-33.25	1.00	0.00	12	36.7078	36.8953	1.0917	4.3666	(53 ksi) Reinf 52.99 ksi
L20	33.25-26.25	7.00	0.00	12	36.8953	38.2079	0.7663	3.0653	(53 ksi) Reinf 53.03 ksi
L21	26.25-25.25	1.00	0.00	12	38.2079	38.3954	1.0944	4.3774	(53 ksi) Reinf 53.03 ksi
L22	25.25-12.25	13.00	0.00	12	38.3954	40.8330	0.8201	3.2804	(53 ksi) Reinf 53.10 ksi
L23	12.25-9.25	3.00	0.00	12	40.8330	41.3955	0.7704	3.0818	(53 ksi) Reinf 55.36 ksi
L24	9.25-3.00	6.25	0.00	12	41.3955	42.5675	0.7833	3.1333	(55 ksi) Reinf 56.81 ksi
L25	3.00-0.00	3.00		12	42.5675	43.1300	0.8743	3.4974	(57 ksi) Reinf 51.67 ksi (52 ksi)

### Tapered Pole Properties

Section	Tip Dia. in	Area in <sup>2</sup>	I in <sup>4</sup>	r in	C in	I/C in <sup>3</sup>	J in <sup>4</sup>	I/Q in <sup>2</sup>	w in	w/t
L1	16.5644	9.5468	304.6805	5.6609	8.2880	36.7616	617.3654	4.6986	3.7855	20.189
	19.8640	11.4710	528.5408	6.8019	9.9389	53.1788	1070.9670	5.6457	4.6397	24.745
L2	19.8640	25.4976	1146.0137	6.7179	9.9389	115.3055	2322.1345	12.5492	4.0112	9.506
	21.7079	27.9177	1504.2784	7.3555	10.8615	138.4962	3048.0759	13.7402	4.4886	10.637
L3	21.7079	49.0438	2558.0275	7.2369	10.8615	235.5129	5183.2573	24.1378	3.6002	4.778
	22.6298	51.2043	2911.2058	7.5557	11.3228	257.1099	5898.8922	25.2012	3.8389	5.095
L4	22.6298	67.1823	3730.8167	7.4673	11.3228	329.4958	7559.6461	33.0651	3.1774	3.177
	22.9695	68.2390	3909.6506	7.5848	11.4928	340.1839	7922.0121	33.5852	3.2653	3.264
L5	22.9695	45.1949	2675.2598	7.7095	11.4928	232.7779	5420.8017	22.2435	4.1993	6.443
	27.2071	53.7851	4509.0585	9.1749	13.6130	331.2308	9136.5750	26.4714	5.2963	8.126
L6	26.5826	58.4040	4077.9132	8.3731	12.5170	325.7895	8262.9577	28.7447	4.3976	5.671
	27.0947	63.4165	5220.5714	9.0918	13.5568	385.0882	10578.293	31.2117	4.9356	6.364
L7	27.0947	73.6188	5998.8559	9.0454	13.5568	442.4972	12155.308	36.2329	4.5889	5.071
	27.2889	74.1655	6133.4790	9.1126	13.6540	449.2074	12428.091	36.5020	4.6392	5.127
L8	27.2889	90.3945	7354.4968	9.0385	13.6540	538.6330	14902.204	44.4894	4.0843	3.673
	27.4346	90.8983	7478.1498	9.0889	13.7269	544.7810	15152.758	44.7374	4.1220	3.707
L9	27.4346	65.6044	5533.8818	9.2032	13.7269	403.1417	11213.144	32.2885	4.9779	6.281
	28.5029	68.2376	6227.3583	9.5726	14.2614	436.6584	12618.316	33.5845	5.2545	6.63

Section	Tip Dia. in	Area in <sup>2</sup>	I in <sup>4</sup>	r in	C in	I/C in <sup>3</sup>	J in <sup>4</sup>	I/Q in <sup>2</sup>	w in	w/t
L10	28.5029	100.3089	8889.2785	9.4331	14.2614	623.3106	18012.088 3	49.3690	4.2100	3.561
	28.6485	100.8446	9032.4509	9.4835	14.3343	630.1293	18302.194 4	49.6326	4.2477	3.593
L11	28.6485	67.5050	6231.5251	9.6276	14.3343	434.7288	12626.759 3	33.2239	5.3270	6.833
	32.0799	75.8248	8831.2191	10.8142	16.0512	550.1913	17894.444 2	37.3187	6.2153	7.973
L12	32.0799	80.5509	9350.6474	10.7963	16.0512	582.5521	18946.946 7	39.6447	6.0814	7.331
	32.3389	81.2190	9585.2691	10.8859	16.1808	592.3870	19422.353 8	39.9735	6.1484	7.412
L13	32.3389	100.6025	11713.354 8	10.8125	16.1808	723.9065	23734.432 5	49.5135	5.5992	5.413
	33.0187	102.7897	12494.073 3	11.0476	16.5209	756.2589	25316.379 8	50.5900	5.7752	5.583
L14	33.0187	123.1210	14759.236 0	10.9712	16.5209	893.3678	29906.213 5	60.5964	5.2037	4.171
	33.1158	123.4978	14895.174 8	11.0048	16.5695	898.9523	30181.662 5	60.7819	5.2288	4.191
L15	33.1158	88.9381	10979.290 0	11.1335	16.5695	662.6211	22247.018 1	43.7726	6.1924	6.972
	34.3783	92.4255	12322.173 5	11.5701	17.2012	716.3565	24968.064 3	45.4890	6.5192	7.34
L16	34.3783	84.8078	11359.174 6	11.5970	17.2012	660.3720	23016.767 4	41.7398	6.7205	8.266
	36.6281	90.4970	13802.007 5	12.3750	18.3268	753.1035	27966.609 2	44.5399	7.3029	8.982
L17	35.3253	86.9345	11296.816 7	11.4228	16.9662	665.8407	22890.413 3	42.7865	6.5102	7.694
	37.7600	97.0701	15726.645 0	12.7546	18.8932	832.3962	31866.446 5	47.7750	7.5072	8.872
L18	37.7600	96.6613	15663.618 9	12.7559	18.8932	829.0603	31738.738 5	47.5737	7.5170	8.922
	38.0027	97.2971	15974.762 4	12.8398	19.0146	840.1301	32369.199 7	47.8867	7.5798	8.997
L19	38.0027	125.1947	20270.545 0	12.7506	19.0146	1066.0499	41073.619 7	61.6170	6.9121	6.332
	38.1968	125.8538	20592.391 5	12.8177	19.1118	1077.4723	41725.768 0	61.9414	6.9623	6.378
L20	38.1968	89.1501	14853.155 4	12.9342	19.1118	777.1736	30096.519 6	43.8769	7.8342	10.223
	39.5557	92.3889	16531.531 6	13.4041	19.7917	835.2772	33497.365 0	45.4710	8.1860	10.682
L21	39.5557	130.7820	22993.112 8	13.2866	19.7917	1161.7570	46590.280 3	64.3669	7.3068	6.677
	39.7498	131.4428	23343.383 6	13.3538	19.8888	1173.6948	47300.023 9	64.6921	7.3571	6.723
L22	39.7498	99.2247	17881.749 8	13.4520	19.8888	899.0863	36233.273 1	48.8354	8.0921	9.867
	42.2734	105.6617	21592.540 8	14.3246	21.1515	1020.8518	43752.341 8	52.0035	8.7454	10.664
L23	42.2734	99.3891	20361.138 0	14.3424	21.1515	962.6336	41257.185 8	48.9163	8.8784	11.524
	42.8558	100.7847	21230.927 6	14.5438	21.4429	990.1153	43019.615 3	49.6032	9.0292	11.719
L24	42.8558	102.4371	21565.331 1	14.5392	21.4429	1005.7104	43697.207 4	50.4164	8.9947	11.483
	44.0691	105.3931	23486.645 1	14.9587	22.0499	1065.1564	47590.310 5	51.8713	9.3088	11.884
L25	44.0691	117.3818	26044.478 7	14.9261	22.0499	1181.1582	52773.174 8	57.7717	9.0649	10.368
	44.6515	118.9655	27112.954 0	15.1275	22.3413	1213.5778	54938.195 5	58.5512	9.2156	10.54

Tower Elevation	Gusset Area (per face)	Gusset Thickness	Gusset Grade	Adjust. Factor $A_r$	Adjust. Factor $A_r$	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals	Double Angle Stitch Bolt Spacing Horizontals
ft	ft <sup>2</sup>	in					in	in
L1 150.00-133.00				1	1	1		
L2 133.00-123.50				1	1	1		
L3 123.50-118.75				1	1	1		
L4 118.75-117.00				1	1	1		
L5 117.00-95.17				1	1	1		
L6 95.17-93.75				1	1	1		
L7 93.75-92.75				1	1	1		
L8 92.75-92.00				1	1	1		
L9 92.00-86.50				1	1	1		
L10 86.50-85.75				1	1	1		
L11 85.75-68.08				1	1	1		
L12 68.08-66.75				1	1	1		
L13 66.75-63.25				1	1	1		
L14 63.25-62.75				1	1	1		
L15 62.75-56.25				1	1	1		
L16 56.25-44.67				1	1	1		
L17 44.67-35.50				1	1	1		
L18 35.50-34.25				1	1	1		
L19 34.25-33.25				1	1	1		
L20 33.25-26.25				1	1	1		
L21 26.25-25.25				1	1	1		
L22 25.25-12.25				1	1	1		
L23 12.25-9.25				1	1	1		
L24 9.25-3.00				1	1	1		
L25 3.00-0.00				1	1	1		

**Feed Line/Linear Appurtenances - Entered As Area**

Description	Face or Leg	Allow Shield	Component Type	Placement	Total Number	$C_{AA}$	Weight
				ft		ft <sup>2</sup> /ft	plf
HB158-1-08U8-S8J18(1-5/8)	C	No	CaAa (Out Of Face)	147.00 - 0.00	1	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.20 0.30 0.40 0.60 1.00 11.02 30.52
LDF4-50A(1/2")	C	No	Inside Pole	147.00 - 0.00	1	No Ice 1/2" Ice 1" Ice	0.00 0.15 0.15 0.15

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Total Number	C <sub>A</sub> A <sub>A</sub>		Weight
						ft <sup>2</sup> /ft	plf	
LDF5-50A(7/8")	C	No	Inside Pole	147.00 - 0.00	12	2" Ice	0.00	0.15
						4" Ice	0.00	0.15
						No Ice	0.00	0.33
						1/2" Ice	0.00	0.33
						1" Ice	0.00	0.33
						2" Ice	0.00	0.33
						4" Ice	0.00	0.33
***								
FB-L98B-002-75000(3/8")	C	No	Inside Pole	132.00 - 0.00	1	No Ice	0.00	0.06
						1/2" Ice	0.00	0.06
						1" Ice	0.00	0.06
						2" Ice	0.00	0.06
						4" Ice	0.00	0.06
						No Ice	0.00	0.59
						1/2" Ice	0.00	0.59
WR-VG86ST-BRD(3/4)	C	No	Inside Pole	132.00 - 0.00	2	1" Ice	0.00	0.59
						2" Ice	0.00	0.59
						4" Ice	0.00	0.59
						No Ice	0.00	0.70
						1/2" Ice	0.00	0.70
						1" Ice	0.00	0.70
						2" Ice	0.00	0.70
***								
860-10025(5/16)	C	No	Inside Pole	126.00 - 0.00	1	No Ice	0.00	0.00
						1/2" Ice	0.00	0.00
						1" Ice	0.00	0.00
						2" Ice	0.00	0.00
						4" Ice	0.00	0.00
						No Ice	0.00	0.85
						1/2" Ice	0.00	0.85
LCF158-50J-P7(1 5/8")	C	No	Inside Pole	126.00 - 0.00	6	1" Ice	0.00	0.85
						2" Ice	0.00	0.85
						4" Ice	0.00	0.85
						No Ice	0.21	0.00
						1/2" Ice	0.32	0.00
						1" Ice	0.43	0.00
						2" Ice	0.65	0.00
***								
1 1/4" Flat Reinforcement	C	No	CaAa (Out Of Face)	125.00 - 0.00	1	4" Ice	1.10	0.00
						No Ice	0.21	0.00
						1/2" Ice	0.32	0.00
						1" Ice	0.43	0.00
						2" Ice	0.65	0.00
1 1/4" Flat Reinforcement	C	No	CaAa (Out Of Face)	37.25 - 22.25	1	4" Ice	1.10	0.00
						No Ice	0.17	0.00
						1/2" Ice	0.28	0.00
						1" Ice	0.39	0.00
						2" Ice	0.61	0.00
1" Flat Reinforcement	C	No	CaAa (Out Of Face)	69.00 - 54.00	1	4" Ice	1.06	0.00
						No Ice	0.17	0.00
						1/2" Ice	0.28	0.00
						1" Ice	0.39	0.00
						2" Ice	0.61	0.00
1" Flat Reinforcement	C	No	CaAa (Out Of Face)	94.25 - 84.25	1	4" Ice	1.06	0.00
						No Ice	0.17	0.00
						1/2" Ice	0.28	0.00
						1" Ice	0.39	0.00
						2" Ice	0.61	0.00
1" Flat Reinforcement	C	No	CaAa (Out Of Face)	135.00 - 94.25	1	4" Ice	1.06	0.00
						No Ice	0.17	0.00
						1/2" Ice	0.28	0.00
						1" Ice	0.39	0.00
						2" Ice	0.61	0.00

**Feed Line/Linear Appurtenances Section Areas**

Tower Section	Tower Elevation	Face	A <sub>R</sub>	A <sub>F</sub>	C <sub>A</sub> A <sub>A</sub> In Face	C <sub>A</sub> A <sub>A</sub> Out Face	Weight
n	ft		ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>	K

Tower Sectio n	Tower Elevation ft	Face	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> In Face ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> Out Face ft <sup>2</sup>	Weight K
L1	150.00-133.00	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	3.105	0.08
L2	133.00-123.50	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	3.777	0.15
L3	123.50-118.75	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	2.722	0.10
L4	118.75-117.00	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	1.003	0.04
L5	117.00-95.17	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	12.510	0.44
L6	95.17-93.75	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.812	0.03
L7	93.75-92.75	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.573	0.02
L8	92.75-92.00	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.430	0.02
L9	92.00-86.50	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	3.152	0.11
L10	86.50-85.75	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.430	0.02
L11	85.75-68.08	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	7.581	0.36
L12	68.08-66.75	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.764	0.03
L13	66.75-63.25	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	2.006	0.07
L14	63.25-62.75	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.286	0.01
L15	62.75-56.25	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	3.724	0.13
L16	56.25-44.67	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	5.082	0.23
L17	44.67-35.50	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	4.089	0.18
L18	35.50-34.25	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.768	0.03
L19	34.25-33.25	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.615	0.02
L20	33.25-26.25	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	4.303	0.14
L21	26.25-25.25	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	0.615	0.02
L22	25.25-12.25	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	5.907	0.26
L23	12.25-9.25	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	1.219	0.06



Tower Section n	Tower Elevation ft	Face	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> In Face ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> Out Face ft <sup>2</sup>	Weight K
L24	9.25-3.00	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	2.540	0.13
L25	3.00-0.00	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.00
		C	0.000	0.000	0.000	1.219	0.06

**Feed Line/Linear Appurtenances Section Areas - With Ice**

Tower Section n	Tower Elevation ft	Face or Leg	Ice Thickness in	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> In Face ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> Out Face ft <sup>2</sup>	Weight K
L1	150.00-133.00	A	0.893	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	6.003	0.12
L2	133.00-123.50	A	0.883	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	7.611	0.18
L3	123.50-118.75	A	0.877	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	5.405	0.11
L4	118.75-117.00	A	0.874	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	1.988	0.04
L5	117.00-95.17	A	0.863	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	24.646	0.51
L6	95.17-93.75	A	0.851	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	1.600	0.03
L7	93.75-92.75	A	0.850	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	1.120	0.02
L8	92.75-92.00	A	0.849	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	0.840	0.02
L9	92.00-86.50	A	0.845	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	6.147	0.13
L10	86.50-85.75	A	0.842	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	0.836	0.02
L11	85.75-68.08	A	0.830	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	14.218	0.41
L12	68.08-66.75	A	0.817	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	1.466	0.03
L13	66.75-63.25	A	0.814	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	3.841	0.08
L14	63.25-62.75	A	0.811	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	0.548	0.01
L15	62.75-56.25	A	0.805	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	7.096	0.15
L16	56.25-44.67	A	0.789	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	9.335	0.27
L17	44.67-35.50	A	0.768	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	7.451	0.21
L18	35.50-34.25	A	0.755	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	1.377	0.03

Tower Section	Tower Elevation (ft)	Face or Leg	Ice Thickness (in)	A <sub>R</sub> (ft <sup>2</sup> )	A <sub>F</sub> (ft <sup>2</sup> )	C <sub>A</sub> A <sub>A</sub> In Face (ft <sup>2</sup> )	C <sub>A</sub> A <sub>A</sub> Out Face (ft <sup>2</sup> )	Weight K
L19	34.25-33.25	A	0.752	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	1.099	0.02
L20	33.25-26.25	A	0.750	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	7.686	0.16
L21	26.25-25.25	A	0.750	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	1.098	0.02
L22	25.25-12.25	A	0.750	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	10.524	0.30
L23	12.25-9.25	A	0.750	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	2.169	0.07
L24	9.25-3.00	A	0.750	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	4.519	0.14
L25	3.00-0.00	A	0.750	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.00
		C		0.000	0.000	0.000	2.169	0.07

### Feed Line Center of Pressure

Section	Elevation (ft)	CP <sub>X</sub> (in)	CP <sub>Z</sub> (in)	CP <sub>X</sub> Ice (in)	CP <sub>Z</sub> Ice (in)
L1	150.00-133.00	-0.2158	0.1246	-0.3498	0.2020
L2	133.00-123.50	-0.4186	0.2417	-0.6663	0.3847
L3	123.50-118.75	-0.5634	0.3253	-0.8596	0.4963
L4	118.75-117.00	-0.5672	0.3275	-0.8690	0.5017
L5	117.00-95.17	-0.5798	0.3348	-0.8995	0.5194
L6	95.17-93.75	-0.5883	0.3397	-0.9228	0.5328
L7	93.75-92.75	-0.5899	0.3406	-0.9232	0.5330
L8	92.75-92.00	-0.5907	0.3410	-0.9250	0.5341
L9	92.00-86.50	-0.5933	0.3426	-0.9313	0.5377
L10	86.50-85.75	-0.5959	0.3440	-0.9372	0.5411
L11	85.75-68.08	-0.4739	0.2736	-0.7538	0.4352
L12	68.08-66.75	-0.6096	0.3520	-0.9673	0.5585
L13	66.75-63.25	-0.6112	0.3529	-0.9705	0.5603
L14	63.25-62.75	-0.6125	0.3536	-0.9731	0.5618
L15	62.75-56.25	-0.6147	0.3549	-0.9772	0.5642
L16	56.25-44.67	-0.4931	0.2847	-0.7867	0.4542
L17	44.67-35.50	-0.5044	0.2912	-0.8012	0.4626
L18	35.50-34.25	-0.6645	0.3837	-1.0200	0.5889
L19	34.25-33.25	-0.6652	0.3840	-1.0205	0.5892
L20	33.25-26.25	-0.6674	0.3853	-1.0255	0.5921
L21	26.25-25.25	-0.6695	0.3866	-1.0312	0.5954
L22	25.25-12.25	-0.5176	0.2988	-0.8175	0.4720
L23	12.25-9.25	-0.4719	0.2724	-0.7529	0.4347
L24	9.25-3.00	-0.4729	0.2730	-0.7560	0.4365
L25	3.00-0.00	-0.4739	0.2736	-0.7590	0.4382

### Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C <sub>AA</sub> <sub>Front</sub>	C <sub>AA</sub> <sub>Side</sub>	Weight
			Horz	Vert					
			Lateral						K
(2) HBXX-6517DS-A2M w/ Mount Pipe	A	From Leg	4.00	0.0000	147.00	No Ice	8.98	6.96	0.07
			0.00			1/2"	9.65	8.18	0.14
			3.00			Ice	10.29	9.14	0.21
						1" Ice	11.59	11.02	0.40
						2" Ice	14.32	15.03	0.91
(2) HBXX-6517DS-A2M w/ Mount Pipe	B	From Leg	4.00	0.0000	147.00	No Ice	8.98	6.96	0.07
			0.00			1/2"	9.65	8.18	0.14
			3.00			Ice	10.29	9.14	0.21
						1" Ice	11.59	11.02	0.40
						2" Ice	14.32	15.03	0.91
(2) HBXX-6517DS-A2M w/ Mount Pipe	C	From Leg	4.00	0.0000	147.00	No Ice	8.98	6.96	0.07
			0.00			1/2"	9.65	8.18	0.14
			3.00			Ice	10.29	9.14	0.21
						1" Ice	11.59	11.02	0.40
						2" Ice	14.32	15.03	0.91
(2) RRH2x60-AWS	A	From Leg	4.00	0.0000	147.00	No Ice	2.19	1.43	0.04
			0.00			1/2"	2.40	1.61	0.06
			3.00			Ice	2.61	1.80	0.08
						1" Ice	3.07	2.21	0.13
						2" Ice	4.09	3.13	0.26
(2) RRH2x60-AWS	B	From Leg	4.00	0.0000	147.00	No Ice	2.19	1.43	0.04
			0.00			1/2"	2.40	1.61	0.06
			3.00			Ice	2.61	1.80	0.08
						1" Ice	3.07	2.21	0.13
						2" Ice	4.09	3.13	0.26
(2) RRH2x60-AWS	C	From Leg	4.00	0.0000	147.00	No Ice	2.19	1.43	0.04
			0.00			1/2"	2.40	1.61	0.06
			3.00			Ice	2.61	1.80	0.08
						1" Ice	3.07	2.21	0.13
						2" Ice	4.09	3.13	0.26
DB-T1-6Z-8AB-0Z	C	From Leg	4.00	0.0000	147.00	No Ice	5.60	2.33	0.04
			0.00			1/2"	5.92	2.56	0.08
			3.00			Ice	6.24	2.79	0.12
						1" Ice	6.91	3.28	0.21
						2" Ice	8.37	4.37	0.45
BXA-70063-6CF-2 w/ Mount Pipe	A	From Leg	4.00	0.0000	147.00	No Ice	7.97	5.80	0.04
			0.00			1/2"	8.61	6.95	0.10
			3.00			Ice	9.22	7.82	0.17
						1" Ice	10.46	9.60	0.34
						2" Ice	13.07	13.37	0.80
BXA-70063-6CF-2 w/ Mount Pipe	B	From Leg	4.00	0.0000	147.00	No Ice	7.97	5.80	0.04
			0.00			1/2"	8.61	6.95	0.10
			3.00			Ice	9.22	7.82	0.17
						1" Ice	10.46	9.60	0.34
						2" Ice	13.07	13.37	0.80
BXA-70063-6CF-2 w/ Mount Pipe	C	From Leg	4.00	0.0000	147.00	No Ice	7.97	5.80	0.04
			0.00			1/2"	8.61	6.95	0.10
			3.00			Ice	9.22	7.82	0.17
						1" Ice	10.46	9.60	0.34
						2" Ice	13.07	13.37	0.80
(2) LPA-80063/6CFx5 w/ Mount Pipe	A	From Leg	4.00	0.0000	147.00	No Ice	10.55	10.65	0.05
			0.00			1/2"	11.21	11.91	0.14
			3.00			Ice	11.84	12.88	0.25
						1" Ice	13.13	14.89	0.48
						2" Ice	15.83	19.13	1.09

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C <sub>A</sub> A <sub>A</sub> Front	C <sub>A</sub> A <sub>A</sub> Side	Weight	
			Horz	Lateral						ft
							ft <sup>2</sup>	ft <sup>2</sup>	K	
(2) LPA-80063/6CFx5 w/ Mount Pipe	B	From Leg	4.00	0.00	0.0000	147.00	4" Ice			
							No Ice	10.55	10.65	0.05
							1/2"	11.21	11.91	0.14
							Ice	11.84	12.88	0.25
							1" Ice	13.13	14.89	0.48
(2) LPA-80063/6CFx5 w/ Mount Pipe	C	From Leg	4.00	0.00	0.0000	147.00	4" Ice			
							No Ice	10.55	10.65	0.05
							1/2"	11.21	11.91	0.14
							Ice	11.84	12.88	0.25
							1" Ice	13.13	14.89	0.48
(2) FD9R6004/2C-3L	A	From Leg	4.00	0.00	0.0000	147.00	4" Ice			
							No Ice	0.37	0.08	0.00
							1/2"	0.45	0.14	0.01
							Ice	0.54	0.20	0.01
							1" Ice	0.75	0.34	0.02
(2) FD9R6004/2C-3L	B	From Leg	4.00	0.00	0.0000	147.00	4" Ice			
							No Ice	0.37	0.08	0.00
							1/2"	0.45	0.14	0.01
							Ice	0.54	0.20	0.01
							1" Ice	0.75	0.34	0.02
(2) FD9R6004/2C-3L	C	From Leg	4.00	0.00	0.0000	147.00	4" Ice			
							No Ice	0.37	0.08	0.00
							1/2"	0.45	0.14	0.01
							Ice	0.54	0.20	0.01
							1" Ice	0.75	0.34	0.02
KS24019-L112A	A	From Leg	4.00	0.00	0.0000	147.00	4" Ice			
							No Ice	0.16	0.16	0.01
							1/2"	0.22	0.22	0.01
							Ice	0.30	0.30	0.01
							1" Ice	0.48	0.48	0.02
Platform Mount [LP 713-1]	C	None			0.0000	147.00	4" Ice			
							No Ice	31.27	31.27	1.51
							1/2"	39.68	39.68	1.93
							Ice	48.09	48.09	2.35
							1" Ice	64.91	64.91	3.19
*** (2) 7770.00 w/ Mount Pipe	A	From Leg	4.00	0.00	0.0000	132.00	4" Ice			
							No Ice	6.22	4.82	0.09
							1/2"	6.71	5.51	0.14
							Ice	7.22	6.21	0.21
							1" Ice	8.26	7.67	0.36
(2) 7770.00 w/ Mount Pipe	B	From Leg	4.00	0.00	0.0000	132.00	4" Ice			
							No Ice	6.22	4.82	0.09
							1/2"	6.71	5.51	0.14
							Ice	7.22	6.21	0.21
							1" Ice	8.26	7.67	0.36
(2) 7770.00 w/ Mount Pipe	C	From Leg	4.00	0.00	0.0000	132.00	4" Ice			
							No Ice	6.22	4.82	0.09
							1/2"	6.71	5.51	0.14
							Ice	7.22	6.21	0.21
							1" Ice	8.26	7.67	0.36
AM-X-CD-16-65-00T-RET w/ Mount Pipe	A	From Leg	4.00	0.00	0.0000	132.00	4" Ice			
							No Ice	8.50	6.30	0.07
							1/2"	9.15	7.48	0.14
							Ice	9.77	8.37	0.21

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement		C <sub>AA</sub>	C <sub>AA</sub>	Weight
			Horz	Lateral				Front	Side	
							ft	ft <sup>2</sup>	ft <sup>2</sup>	K
							ft	ft <sup>2</sup>	ft <sup>2</sup>	K
AM-X-CD-16-65-00T-RET w/ Mount Pipe	B	From Leg	4.00	0.00	0.0000	132.00	1" Ice	11.03	10.18	0.38
							2" Ice	13.68	14.02	0.87
							4" Ice			
							No Ice	8.50	6.30	0.07
							1/2" Ice	9.15	7.48	0.14
							Ice	9.77	8.37	0.21
							1" Ice	11.03	10.18	0.38
AM-X-CD-16-65-00T-RET w/ Mount Pipe	C	From Leg	4.00	0.00	0.0000	132.00	2" Ice	13.68	14.02	0.87
							4" Ice			
							No Ice	8.50	6.30	0.07
							1/2" Ice	9.15	7.48	0.14
							Ice	9.77	8.37	0.21
							1" Ice	11.03	10.18	0.38
							2" Ice	13.68	14.02	0.87
(2) LGP21401	A	From Leg	4.00	0.00	0.0000	132.00	4" Ice			
							No Ice	1.29	0.36	0.01
							1/2" Ice	1.45	0.48	0.02
							Ice	1.61	0.60	0.03
							1" Ice	1.97	0.87	0.05
							2" Ice	2.79	1.52	0.14
							4" Ice			
(2) LGP21401	B	From Leg	4.00	0.00	0.0000	132.00	No Ice	1.29	0.36	0.01
							1/2" Ice	1.45	0.48	0.02
							Ice	1.61	0.60	0.03
							1" Ice	1.97	0.87	0.05
							2" Ice	2.79	1.52	0.14
							4" Ice			
							No Ice	1.29	0.36	0.01
(2) LGP21401	C	From Leg	4.00	0.00	0.0000	132.00	1/2" Ice	1.45	0.48	0.02
							Ice	1.61	0.60	0.03
							1" Ice	1.97	0.87	0.05
							2" Ice	2.79	1.52	0.14
							4" Ice			
							No Ice	1.29	0.36	0.01
							1/2" Ice	1.45	0.48	0.02
(2) RRUS-11	A	From Leg	4.00	0.00	0.0000	132.00	Ice	3.74	1.74	0.09
							1" Ice	4.27	2.14	0.15
							2" Ice	5.43	3.04	0.31
							4" Ice			
							No Ice	3.25	1.37	0.05
							1/2" Ice	3.49	1.55	0.07
							Ice	3.74	1.74	0.09
(2) RRUS-11	B	From Leg	4.00	0.00	0.0000	132.00	1" Ice	4.27	2.14	0.15
							2" Ice	5.43	3.04	0.31
							4" Ice			
							No Ice	3.25	1.37	0.05
							1/2" Ice	3.49	1.55	0.07
							Ice	3.74	1.74	0.09
							1" Ice	4.27	2.14	0.15
(2) RRUS-11	C	From Leg	4.00	0.00	0.0000	132.00	2" Ice	5.43	3.04	0.31
							4" Ice			
							No Ice	3.25	1.37	0.05
							1/2" Ice	3.49	1.55	0.07
							Ice	3.74	1.74	0.09
							1" Ice	4.27	2.14	0.15
							2" Ice	5.43	3.04	0.31
DC6-48-60-18-8F	A	From Leg	4.00	0.00	0.0000	132.00	4" Ice			
							No Ice	1.47	1.47	0.02
							1/2" Ice	1.67	1.67	0.04
							Ice	1.88	1.88	0.06
							1" Ice	2.33	2.33	0.11
							2" Ice	3.38	3.38	0.24
							4" Ice			
(2) LGP21903	A	From Leg	4.00	0.00	0.0000	132.00	No Ice	0.27	0.18	0.01
							1/2" Ice	0.34	0.25	0.01
							Ice	0.43	0.32	0.02
							1" Ice	0.62	0.49	0.03
							2" Ice	1.10	0.94	0.07
							4" Ice			
							No Ice	0.27	0.18	0.01
(2) LGP21903	B	From Leg	4.00	0.00	0.0000	132.00	1/2" Ice	0.34	0.25	0.01
							No Ice	0.27	0.18	0.01

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement ft		C <sub>AA</sub> <sub>Front</sub>	C <sub>AA</sub> <sub>Side</sub>	Weight K
			Horz ft	Lateral ft				ft <sup>2</sup>	ft <sup>2</sup>	
				5.00						
							Ice	0.43	0.32	0.02
							1" Ice	0.62	0.49	0.03
							2" Ice	1.10	0.94	0.07
							4" Ice			
(2) LGP21903	C	From Leg	4.00		0.0000	132.00	No Ice	0.27	0.18	0.01
			0.00				1/2"	0.34	0.25	0.01
			5.00				Ice	0.43	0.32	0.02
							1" Ice	0.62	0.49	0.03
							2" Ice	1.10	0.94	0.07
							4" Ice			
Platform Mount [LP 713-1]	C	None			0.0000	132.00	No Ice	31.27	31.27	1.51
							1/2"	39.68	39.68	1.93
							Ice	48.09	48.09	2.35
							1" Ice	64.91	64.91	3.19
							2" Ice	98.55	98.55	4.86
							4" Ice			
***										
APXV18-206516S-C-ACU w/ Mount Pipe	A	From Leg	4.00		0.0000	126.00	No Ice	3.81	3.29	0.04
			0.00				1/2"	4.22	4.00	0.07
			-1.00				Ice	4.67	4.66	0.11
							1" Ice	5.62	6.04	0.21
							2" Ice	7.66	9.02	0.53
							4" Ice			
APXV18-206516S-C-ACU w/ Mount Pipe	B	From Leg	4.00		0.0000	126.00	No Ice	3.81	3.29	0.04
			0.00				1/2"	4.22	4.00	0.07
			-1.00				Ice	4.67	4.66	0.11
							1" Ice	5.62	6.04	0.21
							2" Ice	7.66	9.02	0.53
							4" Ice			
APXV18-206516S-C-ACU w/ Mount Pipe	C	From Leg	4.00		0.0000	126.00	No Ice	3.81	3.29	0.04
			0.00				1/2"	4.22	4.00	0.07
			-1.00				Ice	4.67	4.66	0.11
							1" Ice	5.62	6.04	0.21
							2" Ice	7.66	9.02	0.53
							4" Ice			
(2) S20057A-1	A	From Leg	4.00		0.0000	126.00	No Ice	0.83	0.39	0.01
			0.00				1/2"	0.96	0.50	0.01
			-1.00				Ice	1.10	0.62	0.02
							1" Ice	1.41	0.89	0.04
							2" Ice	2.13	1.52	0.11
							4" Ice			
(2) S20057A-1	B	From Leg	4.00		0.0000	126.00	No Ice	0.83	0.39	0.01
			0.00				1/2"	0.96	0.50	0.01
			-1.00				Ice	1.10	0.62	0.02
							1" Ice	1.41	0.89	0.04
							2" Ice	2.13	1.52	0.11
							4" Ice			
(2) S20057A-1	C	From Leg	4.00		0.0000	126.00	No Ice	0.83	0.39	0.01
			0.00				1/2"	0.96	0.50	0.01
			-1.00				Ice	1.10	0.62	0.02
							1" Ice	1.41	0.89	0.04
							2" Ice	2.13	1.52	0.11
							4" Ice			
Side Arm Mount [SO 101-3]	C	None			0.0000	126.00	No Ice	7.50	7.50	0.25
							1/2"	8.90	8.90	0.33
							Ice	10.30	10.30	0.41
							1" Ice	13.10	13.10	0.58
							2" Ice	18.70	18.70	0.90
							4" Ice			
*****										

**Tower Pressures - No Ice**

$G_H = 1.690$

Section Elevation ft	z ft	$K_z$	$q_z$ psf	$A_G$ ft <sup>2</sup>	F a c e	$A_F$ ft <sup>2</sup>	$A_R$ ft <sup>2</sup>	$A_{leg}$ ft <sup>2</sup>	Leg %	$C_{AA}$ In Face ft <sup>2</sup>	$C_{AA}$ Out Face ft <sup>2</sup>
L1 150.00-133.00	141.24	1.515	28	24.924	A	0.000	24.924	24.924	100.00	0.000	0.000
					B	0.000	24.924		100.00	0.000	0.000
					C	0.000	24.924		100.00	0.000	3.105
L2 133.00-123.50	128.18	1.474	27	15.895	A	0.000	15.895	15.895	100.00	0.000	0.000
					B	0.000	15.895		100.00	0.000	0.000
					C	0.000	15.895		100.00	0.000	3.777
L3 123.50-118.75	121.11	1.45	27	8.476	A	0.000	8.476	8.476	100.00	0.000	0.000
					B	0.000	8.476		100.00	0.000	0.000
					C	0.000	8.476		100.00	0.000	2.722
L4 118.75-117.00	117.87	1.439	27	3.212	A	0.000	3.212	3.212	100.00	0.000	0.000
					B	0.000	3.212		100.00	0.000	0.000
					C	0.000	3.212		100.00	0.000	1.003
L5 117.00-95.17	105.78	1.395	26	44.091	A	0.000	44.091	44.091	100.00	0.000	0.000
					B	0.000	44.091		100.00	0.000	0.000
					C	0.000	44.091		100.00	0.000	12.510
L6 95.17-93.75	94.46	1.35	25	3.061	A	0.000	3.061	3.061	100.00	0.000	0.000
					B	0.000	3.061		100.00	0.000	0.000
					C	0.000	3.061		100.00	0.000	0.812
L7 93.75-92.75	93.25	1.346	25	2.189	A	0.000	2.189	2.189	100.00	0.000	0.000
					B	0.000	2.189		100.00	0.000	0.000
					C	0.000	2.189		100.00	0.000	0.573
L8 92.75-92.00	92.37	1.342	25	1.652	A	0.000	1.652	1.652	100.00	0.000	0.000
					B	0.000	1.652		100.00	0.000	0.000
					C	0.000	1.652		100.00	0.000	0.430
L9 92.00-86.50	89.23	1.329	25	12.382	A	0.000	12.382	12.382	100.00	0.000	0.000
					B	0.000	12.382		100.00	0.000	0.000
					C	0.000	12.382		100.00	0.000	3.152
L10 86.50-85.75	86.12	1.315	24	1.725	A	0.000	1.725	1.725	100.00	0.000	0.000
					B	0.000	1.725		100.00	0.000	0.000
					C	0.000	1.725		100.00	0.000	0.430
L11 85.75-68.08	76.75	1.273	24	43.180	A	0.000	43.180	43.180	100.00	0.000	0.000
					B	0.000	43.180		100.00	0.000	0.000
					C	0.000	43.180		100.00	0.000	7.581
L12 68.08-66.75	67.42	1.226	23	3.457	A	0.000	3.457	3.457	100.00	0.000	0.000
					B	0.000	3.457		100.00	0.000	0.000
					C	0.000	3.457		100.00	0.000	0.764
L13 66.75-63.25	64.99	1.214	22	9.207	A	0.000	9.207	9.207	100.00	0.000	0.000
					B	0.000	9.207		100.00	0.000	0.000
					C	0.000	9.207		100.00	0.000	2.006
L14 63.25-62.75	63.00	1.203	22	1.331	A	0.000	1.331	1.331	100.00	0.000	0.000
					B	0.000	1.331		100.00	0.000	0.000
					C	0.000	1.331		100.00	0.000	0.286
L15 62.75-56.25	59.48	1.183	22	17.657	A	0.000	17.657	17.657	100.00	0.000	0.000
					B	0.000	17.657		100.00	0.000	0.000
					C	0.000	17.657		100.00	0.000	3.724
L16 56.25-44.67	50.40	1.129	21	33.102	A	0.000	33.102	33.102	100.00	0.000	0.000
					B	0.000	33.102		100.00	0.000	0.000
					C	0.000	33.102		100.00	0.000	5.082
L17 44.67-35.50	40.03	1.057	20	26.964	A	0.000	26.964	26.964	100.00	0.000	0.000
					B	0.000	26.964		100.00	0.000	0.000
					C	0.000	26.964		100.00	0.000	4.089
L18 35.50-34.25	34.87	1.016	19	3.812	A	0.000	3.812	3.812	100.00	0.000	0.000
					B	0.000	3.812		100.00	0.000	0.000
					C	0.000	3.812		100.00	0.000	0.768
L19 34.25-33.25	33.75	1.006	19	3.067	A	0.000	3.067	3.067	100.00	0.000	0.000
					B	0.000	3.067		100.00	0.000	0.000
					C	0.000	3.067		100.00	0.000	0.615
L20 33.25-26.25	29.73	1	18	21.905	A	0.000	21.905	21.905	100.00	0.000	0.000
					B	0.000	21.905		100.00	0.000	0.000
					C	0.000	21.905		100.00	0.000	4.303
L21 26.25-	25.75	1	18	3.192	A	0.000	3.192	3.192	100.00	0.000	0.000

Section Elevation ft	z ft	K <sub>Z</sub>	q <sub>z</sub> psf	A <sub>G</sub> ft <sup>2</sup>	F a c e	A <sub>F</sub> ft <sup>2</sup>	A <sub>R</sub> ft <sup>2</sup>	A <sub>leg</sub> ft <sup>2</sup>	Leg %	C <sub>A</sub> A <sub>A</sub> In Face ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> Out Face ft <sup>2</sup>
25.25					B	0.000	3.192		100.00	0.000	0.000
L22 25.25-12.25	18.68	1	18	42.915	C	0.000	3.192		100.00	0.000	0.615
					A	0.000	42.915	42.915	100.00	0.000	0.000
					B	0.000	42.915		100.00	0.000	0.000
L23 12.25-9.25	10.75	1	18	10.279	C	0.000	42.915		100.00	0.000	5.907
					A	0.000	10.279	10.279	100.00	0.000	0.000
					B	0.000	10.279		100.00	0.000	0.000
L24 9.25-3.00	6.11	1	18	21.865	C	0.000	10.279		100.00	0.000	1.219
					A	0.000	21.865	21.865	100.00	0.000	0.000
					B	0.000	21.865		100.00	0.000	0.000
L25 3.00-0.00	1.50	1	18	10.712	C	0.000	21.865		100.00	0.000	2.540
					A	0.000	10.712	10.712	100.00	0.000	0.000
					B	0.000	10.712		100.00	0.000	0.000
					C	0.000	10.712		100.00	0.000	1.219

### Tower Pressure - With Ice

**G<sub>H</sub> = 1.690**

Section Elevation ft	z ft	K <sub>Z</sub>	q <sub>z</sub> psf	t <sub>z</sub> in	A <sub>G</sub> ft <sup>2</sup>	F a c e	A <sub>F</sub> ft <sup>2</sup>	A <sub>R</sub> ft <sup>2</sup>	A <sub>leg</sub> ft <sup>2</sup>	Leg %	C <sub>A</sub> A <sub>A</sub> In Face ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> Out Face ft <sup>2</sup>
L1 150.00-133.00	141.24	1.515	5	0.8930	27.454	A	0.000	27.454	27.454	100.00	0.000	0.000
						B	0.000	27.454		100.00	0.000	0.000
						C	0.000	27.454		100.00	0.000	6.003
L2 133.00-123.50	128.18	1.474	5	0.8826	17.292	A	0.000	17.292	17.292	100.00	0.000	0.000
						B	0.000	17.292		100.00	0.000	0.000
						C	0.000	17.292		100.00	0.000	7.611
L3 123.50-118.75	121.11	1.45	5	0.8766	9.170	A	0.000	9.170	9.170	100.00	0.000	0.000
						B	0.000	9.170		100.00	0.000	0.000
						C	0.000	9.170		100.00	0.000	5.405
L4 118.75-117.00	117.87	1.439	5	0.8738	3.467	A	0.000	3.467	3.467	100.00	0.000	0.000
						B	0.000	3.467		100.00	0.000	0.000
						C	0.000	3.467		100.00	0.000	1.988
L5 117.00-95.17	105.78	1.395	5	0.8625	47.229	A	0.000	47.229	47.229	100.00	0.000	0.000
						B	0.000	47.229		100.00	0.000	0.000
						C	0.000	47.229		100.00	0.000	24.646
L6 95.17-93.75	94.46	1.35	5	0.8509	3.265	A	0.000	3.265	3.265	100.00	0.000	0.000
						B	0.000	3.265		100.00	0.000	0.000
						C	0.000	3.265		100.00	0.000	1.600
L7 93.75-92.75	93.25	1.346	5	0.8496	2.330	A	0.000	2.330	2.330	100.00	0.000	0.000
						B	0.000	2.330		100.00	0.000	0.000
						C	0.000	2.330		100.00	0.000	1.120
L8 92.75-92.00	92.37	1.342	5	0.8486	1.758	A	0.000	1.758	1.758	100.00	0.000	0.000
						B	0.000	1.758		100.00	0.000	0.000
						C	0.000	1.758		100.00	0.000	0.840
L9 92.00-86.50	89.23	1.329	5	0.8451	13.157	A	0.000	13.157	13.157	100.00	0.000	0.000
						B	0.000	13.157		100.00	0.000	0.000
						C	0.000	13.157		100.00	0.000	6.147
L10 86.50-85.75	86.12	1.315	5	0.8415	1.830	A	0.000	1.830	1.830	100.00	0.000	0.000
						B	0.000	1.830		100.00	0.000	0.000
						C	0.000	1.830		100.00	0.000	0.836
L11 85.75-68.08	76.75	1.273	5	0.8299	45.623	A	0.000	45.623	45.623	100.00	0.000	0.000
						B	0.000	45.623		100.00	0.000	0.000
						C	0.000	45.623		100.00	0.000	14.218
L12 68.08-66.75	67.42	1.226	4	0.8171	3.638	A	0.000	3.638	3.638	100.00	0.000	0.000
						B	0.000	3.638		100.00	0.000	0.000
						C	0.000	3.638		100.00	0.000	1.466
L13 66.75-63.25	64.99	1.214	4	0.8136	9.681	A	0.000	9.681	9.681	100.00	0.000	0.000
						B	0.000	9.681		100.00	0.000	0.000
						C	0.000	9.681		100.00	0.000	3.841
L14 63.25-62.75	63.00	1.203	4	0.8105	1.398	A	0.000	1.398	1.398	100.00	0.000	0.000
						B	0.000	1.398		100.00	0.000	0.000
						C	0.000	1.398		100.00	0.000	0.548



Section Elevation ft	z ft	K <sub>Z</sub>	q <sub>z</sub> psf	t <sub>z</sub> in	A <sub>G</sub> ft <sup>2</sup>	F a c e	A <sub>F</sub> ft <sup>2</sup>	A <sub>R</sub> ft <sup>2</sup>	A <sub>leg</sub> ft <sup>2</sup>	Leg %	C <sub>A</sub> A <sub>A</sub> In Face ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> Out Face ft <sup>2</sup>
L15 62.75-56.25	59.48	1.183	4	0.8049	18.529	A	0.000	18.529	18.529	100.00	0.000	0.000
						B	0.000	18.529		100.00	0.000	0.000
						C	0.000	18.529		100.00	0.000	7.096
L16 56.25-44.67	50.40	1.129	4	0.7891	34.625	A	0.000	34.625	34.625	100.00	0.000	0.000
						B	0.000	34.625		100.00	0.000	0.000
						C	0.000	34.625		100.00	0.000	9.335
L17 44.67-35.50	40.03	1.057	4	0.7676	28.170	A	0.000	28.170	28.170	100.00	0.000	0.000
						B	0.000	28.170		100.00	0.000	0.000
						C	0.000	28.170		100.00	0.000	7.451
L18 35.50-34.25	34.87	1.016	4	0.7550	3.969	A	0.000	3.969	3.969	100.00	0.000	0.000
						B	0.000	3.969		100.00	0.000	0.000
						C	0.000	3.969		100.00	0.000	1.377
L19 34.25-33.25	33.75	1.006	4	0.7520	3.192	A	0.000	3.192	3.192	100.00	0.000	0.000
						B	0.000	3.192		100.00	0.000	0.000
						C	0.000	3.192		100.00	0.000	1.099
L20 33.25-26.25	29.73	1	4	0.7500	22.780	A	0.000	22.780	22.780	100.00	0.000	0.000
						B	0.000	22.780		100.00	0.000	0.000
						C	0.000	22.780		100.00	0.000	7.686
L21 26.25-25.25	25.75	1	4	0.7500	3.317	A	0.000	3.317	3.317	100.00	0.000	0.000
						B	0.000	3.317		100.00	0.000	0.000
						C	0.000	3.317		100.00	0.000	1.098
L22 25.25-12.25	18.68	1	4	0.7500	44.540	A	0.000	44.540	44.540	100.00	0.000	0.000
						B	0.000	44.540		100.00	0.000	0.000
						C	0.000	44.540		100.00	0.000	10.524
L23 12.25-9.25	10.75	1	4	0.7500	10.654	A	0.000	10.654	10.654	100.00	0.000	0.000
						B	0.000	10.654		100.00	0.000	0.000
						C	0.000	10.654		100.00	0.000	2.169
L24 9.25-3.00	6.11	1	4	0.7500	22.647	A	0.000	22.647	22.647	100.00	0.000	0.000
						B	0.000	22.647		100.00	0.000	0.000
						C	0.000	22.647		100.00	0.000	4.519
L25 3.00-0.00	1.50	1	4	0.7500	11.087	A	0.000	11.087	11.087	100.00	0.000	0.000
						B	0.000	11.087		100.00	0.000	0.000
						C	0.000	11.087		100.00	0.000	2.169

**Tower Pressure - Service**

$G_H = 1.690$

Section Elevation ft	z ft	K <sub>Z</sub>	q <sub>z</sub> psf	A <sub>G</sub> ft <sup>2</sup>	F a c e	A <sub>F</sub> ft <sup>2</sup>	A <sub>R</sub> ft <sup>2</sup>	A <sub>leg</sub> ft <sup>2</sup>	Leg %	C <sub>A</sub> A <sub>A</sub> In Face ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> Out Face ft <sup>2</sup>
L1 150.00-133.00	141.24	1.515	10	24.924	A	0.000	24.924	24.924	100.00	0.000	0.000
					B	0.000	24.924		100.00	0.000	0.000
					C	0.000	24.924		100.00	0.000	3.105
L2 133.00-123.50	128.18	1.474	9	15.895	A	0.000	15.895	15.895	100.00	0.000	0.000
					B	0.000	15.895		100.00	0.000	0.000
					C	0.000	15.895		100.00	0.000	3.777
L3 123.50-118.75	121.11	1.45	9	8.476	A	0.000	8.476	8.476	100.00	0.000	0.000
					B	0.000	8.476		100.00	0.000	0.000
					C	0.000	8.476		100.00	0.000	2.722
L4 118.75-117.00	117.87	1.439	9	3.212	A	0.000	3.212	3.212	100.00	0.000	0.000
					B	0.000	3.212		100.00	0.000	0.000
					C	0.000	3.212		100.00	0.000	1.003
L5 117.00-95.17	105.78	1.395	9	44.091	A	0.000	44.091	44.091	100.00	0.000	0.000
					B	0.000	44.091		100.00	0.000	0.000
					C	0.000	44.091		100.00	0.000	12.510
L6 95.17-93.75	94.46	1.35	9	3.061	A	0.000	3.061	3.061	100.00	0.000	0.000
					B	0.000	3.061		100.00	0.000	0.000
					C	0.000	3.061		100.00	0.000	0.812
L7 93.75-92.75	93.25	1.346	9	2.189	A	0.000	2.189	2.189	100.00	0.000	0.000
					B	0.000	2.189		100.00	0.000	0.000
					C	0.000	2.189		100.00	0.000	0.573

Section Elevation	z	K <sub>Z</sub>	q <sub>z</sub>	A <sub>G</sub>	F a c e	A <sub>F</sub>	A <sub>R</sub>	A <sub>leg</sub>	Leg %	C <sub>A</sub> A <sub>A</sub> In Face ft <sup>2</sup>	C <sub>A</sub> A <sub>A</sub> Out Face ft <sup>2</sup>
ft	ft		psf	ft <sup>2</sup>		ft <sup>2</sup>	ft <sup>2</sup>	ft <sup>2</sup>			
L8 92.75-92.00	92.37	1.342	9	1.652	A	0.000	1.652	1.652	100.00	0.000	0.000
					B	0.000	1.652		100.00	0.000	0.000
					C	0.000	1.652		100.00	0.000	0.430
L9 92.00-86.50	89.23	1.329	9	12.382	A	0.000	12.382	12.382	100.00	0.000	0.000
					B	0.000	12.382		100.00	0.000	0.000
					C	0.000	12.382		100.00	0.000	3.152
L10 86.50-85.75	86.12	1.315	8	1.725	A	0.000	1.725	1.725	100.00	0.000	0.000
					B	0.000	1.725		100.00	0.000	0.000
					C	0.000	1.725		100.00	0.000	0.430
L11 85.75-68.08	76.75	1.273	8	43.180	A	0.000	43.180	43.180	100.00	0.000	0.000
					B	0.000	43.180		100.00	0.000	0.000
					C	0.000	43.180		100.00	0.000	7.581
L12 68.08-66.75	67.42	1.226	8	3.457	A	0.000	3.457	3.457	100.00	0.000	0.000
					B	0.000	3.457		100.00	0.000	0.000
					C	0.000	3.457		100.00	0.000	0.764
L13 66.75-63.25	64.99	1.214	8	9.207	A	0.000	9.207	9.207	100.00	0.000	0.000
					B	0.000	9.207		100.00	0.000	0.000
					C	0.000	9.207		100.00	0.000	2.006
L14 63.25-62.75	63.00	1.203	8	1.331	A	0.000	1.331	1.331	100.00	0.000	0.000
					B	0.000	1.331		100.00	0.000	0.000
					C	0.000	1.331		100.00	0.000	0.286
L15 62.75-56.25	59.48	1.183	8	17.657	A	0.000	17.657	17.657	100.00	0.000	0.000
					B	0.000	17.657		100.00	0.000	0.000
					C	0.000	17.657		100.00	0.000	3.724
L16 56.25-44.67	50.40	1.129	7	33.102	A	0.000	33.102	33.102	100.00	0.000	0.000
					B	0.000	33.102		100.00	0.000	0.000
					C	0.000	33.102		100.00	0.000	5.082
L17 44.67-35.50	40.03	1.057	7	26.964	A	0.000	26.964	26.964	100.00	0.000	0.000
					B	0.000	26.964		100.00	0.000	0.000
					C	0.000	26.964		100.00	0.000	4.089
L18 35.50-34.25	34.87	1.016	7	3.812	A	0.000	3.812	3.812	100.00	0.000	0.000
					B	0.000	3.812		100.00	0.000	0.000
					C	0.000	3.812		100.00	0.000	0.768
L19 34.25-33.25	33.75	1.006	6	3.067	A	0.000	3.067	3.067	100.00	0.000	0.000
					B	0.000	3.067		100.00	0.000	0.000
					C	0.000	3.067		100.00	0.000	0.615
L20 33.25-26.25	29.73	1	6	21.905	A	0.000	21.905	21.905	100.00	0.000	0.000
					B	0.000	21.905		100.00	0.000	0.000
					C	0.000	21.905		100.00	0.000	4.303
L21 26.25-25.25	25.75	1	6	3.192	A	0.000	3.192	3.192	100.00	0.000	0.000
					B	0.000	3.192		100.00	0.000	0.000
					C	0.000	3.192		100.00	0.000	0.615
L22 25.25-12.25	18.68	1	6	42.915	A	0.000	42.915	42.915	100.00	0.000	0.000
					B	0.000	42.915		100.00	0.000	0.000
					C	0.000	42.915		100.00	0.000	5.907
L23 12.25-9.25	10.75	1	6	10.279	A	0.000	10.279	10.279	100.00	0.000	0.000
					B	0.000	10.279		100.00	0.000	0.000
					C	0.000	10.279		100.00	0.000	1.219
L24 9.25-3.00	6.11	1	6	21.865	A	0.000	21.865	21.865	100.00	0.000	0.000
					B	0.000	21.865		100.00	0.000	0.000
					C	0.000	21.865		100.00	0.000	2.540
L25 3.00-0.00	1.50	1	6	10.712	A	0.000	10.712	10.712	100.00	0.000	0.000
					B	0.000	10.712		100.00	0.000	0.000
					C	0.000	10.712		100.00	0.000	1.219

### Load Combinations

Comb. No.	Description
1	Dead Only
2	Dead+Wind 0 deg - No Ice
3	Dead+Wind 30 deg - No Ice
4	Dead+Wind 60 deg - No Ice
5	Dead+Wind 90 deg - No Ice
6	Dead+Wind 120 deg - No Ice

Comb. No.	Description
7	Dead+Wind 150 deg - No Ice
8	Dead+Wind 180 deg - No Ice
9	Dead+Wind 210 deg - No Ice
10	Dead+Wind 240 deg - No Ice
11	Dead+Wind 270 deg - No Ice
12	Dead+Wind 300 deg - No Ice
13	Dead+Wind 330 deg - No Ice
14	Dead+Ice
15	Dead+Wind 0 deg+Ice
16	Dead+Wind 30 deg+Ice
17	Dead+Wind 60 deg+Ice
18	Dead+Wind 90 deg+Ice
19	Dead+Wind 120 deg+Ice
20	Dead+Wind 150 deg+Ice
21	Dead+Wind 180 deg+Ice
22	Dead+Wind 210 deg+Ice
23	Dead+Wind 240 deg+Ice
24	Dead+Wind 270 deg+Ice
25	Dead+Wind 300 deg+Ice
26	Dead+Wind 330 deg+Ice
27	Dead+Wind 0 deg - Service
28	Dead+Wind 30 deg - Service
29	Dead+Wind 60 deg - Service
30	Dead+Wind 90 deg - Service
31	Dead+Wind 120 deg - Service
32	Dead+Wind 150 deg - Service
33	Dead+Wind 180 deg - Service
34	Dead+Wind 210 deg - Service
35	Dead+Wind 240 deg - Service
36	Dead+Wind 270 deg - Service
37	Dead+Wind 300 deg - Service
38	Dead+Wind 330 deg - Service

### Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L1	150 - 133	Pole	Max Tension	24	0.00	-0.00	0.00
			Max. Compression	14	-6.97	0.50	-0.25
			Max. Mx	11	-2.30	158.22	-1.23
			Max. My	8	-2.31	1.32	-156.77
			Max. Vy	11	-10.34	158.22	-1.23
			Max. Vx	2	-10.26	-1.03	156.62
			Max. Torque	13			0.55
L2	133 - 123.5	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-13.86	0.53	-0.01
			Max. Mx	11	-5.83	326.12	-1.84
			Max. My	2	-5.85	-1.68	323.84
			Max. Vy	11	-17.66	326.12	-1.84
			Max. Vx	2	-17.58	-1.68	323.84
			Max. Torque	13			0.55
L3	123.5 - 118.75	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-14.90	0.55	-0.02
			Max. Mx	11	-6.75	411.36	-2.17
			Max. My	2	-6.76	-2.01	408.69
			Max. Vy	11	-18.24	411.36	-2.17
			Max. Vx	2	-18.16	-2.01	408.69
			Max. Torque	8			-0.56
L4	118.75 - 117	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-15.39	0.56	-0.03
			Max. Mx	11	-7.18	443.47	-2.30
			Max. My	2	-7.20	-2.13	440.65
			Max. Vy	11	-18.46	443.47	-2.30
			Max. Vx	2	-18.38	-2.13	440.65
			Max. Torque	8			-0.57

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L5	117 - 95.167	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-19.17	0.62	-0.07
			Max. Mx	11	-10.57	784.68	-3.55
			Max. My	8	-10.58	3.75	-780.41
			Max. Vy	11	-20.57	784.68	-3.55
			Max. Vx	2	-20.49	-3.34	780.40
			Max. Torque	8			-0.66
L6	95.167 - 93.75	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-21.55	0.64	-0.08
			Max. Mx	11	-12.67	905.34	-3.97
			Max. My	8	-12.68	4.17	-900.59
			Max. Vy	11	-21.38	905.34	-3.97
			Max. Vx	2	-21.30	-3.74	900.57
			Max. Torque	8			-0.70
L7	93.75 - 92.75	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-21.86	0.65	-0.08
			Max. Mx	11	-12.95	926.78	-4.04
			Max. My	8	-12.96	4.24	-921.95
			Max. Vy	11	-21.51	926.78	-4.04
			Max. Vx	2	-21.43	-3.81	921.93
			Max. Torque	8			-0.70
L8	92.75 - 92	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-22.13	0.65	-0.08
			Max. Mx	11	-13.20	942.95	-4.09
			Max. My	8	-13.22	4.30	-938.05
			Max. Vy	11	-21.61	942.95	-4.09
			Max. Vx	2	-21.52	-3.87	938.03
			Max. Torque	8			-0.71
L9	92 - 86.5	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-23.67	0.67	-0.10
			Max. Mx	11	-14.62	1063.64	-4.49
			Max. My	8	-14.63	4.70	-1058.29
			Max. Vy	11	-22.29	1063.64	-4.49
			Max. Vx	2	-22.21	-4.25	1058.27
			Max. Torque	8			-0.74
L10	86.5 - 85.75	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-23.97	0.68	-0.10
			Max. Mx	11	-14.90	1080.40	-4.54
			Max. My	8	-14.91	4.75	-1074.98
			Max. Vy	11	-22.39	1080.40	-4.54
			Max. Vx	2	-22.31	-4.30	1074.96
			Max. Torque	8			-0.74
L11	85.75 - 68.0833	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-29.23	0.76	-0.14
			Max. Mx	11	-19.79	1494.01	-5.82
			Max. My	8	-19.80	6.05	-1487.13
			Max. Vy	11	-24.46	1494.01	-5.82
			Max. Vx	2	-24.38	-5.54	1487.07
			Max. Torque	8			-0.82
L12	68.0833 - 66.75	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-29.68	0.76	-0.15
			Max. Mx	11	-20.20	1526.72	-5.92
			Max. My	8	-20.21	6.15	-1519.73
			Max. Vy	11	-24.63	1526.72	-5.92
			Max. Vx	2	-24.54	-5.63	1519.67
			Max. Torque	8			-0.83
L13	66.75 - 63.25	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-31.08	0.78	-0.16
			Max. Mx	11	-21.52	1613.67	-6.17
			Max. My	8	-21.52	6.41	-1606.38
			Max. Vy	11	-25.07	1613.67	-6.17
			Max. Vx	2	-24.99	-5.87	1606.32
			Max. Torque	8			-0.85
L14	63.25 -	Pole	Max Tension	1	0.00	0.00	0.00

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
	62.75		Max. Compression	14	-31.32	0.78	-0.16
			Max. Mx	11	-21.75	1626.22	-6.21
			Max. My	8	-21.75	6.44	-1618.89
			Max. Vy	11	-25.13	1626.22	-6.21
			Max. Vx	2	-25.05	-5.91	1618.83
			Max. Torque	8			-0.86
L15	62.75 - 56.25	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-33.69	0.81	-0.18
			Max. Mx	11	-23.96	1792.13	-6.68
			Max. My	8	-23.97	6.92	-1784.27
			Max. Vy	11	-25.93	1792.13	-6.68
			Max. Vx	2	-25.85	-6.36	1784.19
			Max. Torque	8			-0.90
L16	56.25 - 44.667	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-35.89	0.84	-0.19
			Max. Mx	11	-26.02	1956.29	-7.13
			Max. My	8	-26.03	7.38	-1947.90
			Max. Vy	11	-26.62	1956.29	-7.13
			Max. Vx	2	-26.54	-6.80	1947.82
			Max. Torque	8			-0.93
L17	44.667 - 35.5	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-43.07	0.92	-0.24
			Max. Mx	11	-32.67	2354.59	-8.18
			Max. My	8	-32.68	8.43	-2345.00
			Max. Vy	11	-28.24	2354.59	-8.18
			Max. Vx	2	-28.16	-7.80	2344.89
			Max. Torque	8			-1.00
L18	35.5 - 34.25	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-43.55	0.92	-0.24
			Max. Mx	11	-33.13	2389.96	-8.27
			Max. My	8	-33.13	8.53	-2380.27
			Max. Vy	11	-28.37	2389.96	-8.27
			Max. Vx	2	-28.29	-7.89	2380.15
			Max. Torque	8			-1.01
L19	34.25 - 33.25	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-44.04	0.93	-0.24
			Max. Mx	11	-33.59	2418.37	-8.34
			Max. My	8	-33.60	8.60	-2408.60
			Max. Vy	11	-28.48	2418.37	-8.34
			Max. Vx	2	-28.40	-7.96	2408.48
			Max. Torque	8			-1.01
L20	33.25 - 26.25	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-46.61	0.97	-0.26
			Max. Mx	11	-36.04	2620.09	-8.84
			Max. My	8	-36.04	9.10	-2609.74
			Max. Vy	11	-29.18	2620.09	-8.84
			Max. Vx	2	-29.10	-8.44	2609.61
			Max. Torque	8			-1.06
L21	26.25 - 25.25	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-47.12	0.97	-0.27
			Max. Mx	11	-36.52	2649.31	-8.91
			Max. My	8	-36.52	9.18	-2638.88
			Max. Vy	11	-29.28	2649.31	-8.91
			Max. Vx	2	-29.20	-8.51	2638.74
			Max. Torque	8			-1.06
L22	25.25 - 12.25	Pole	Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-52.44	1.04	-0.31
			Max. Mx	11	-41.57	3038.07	-9.83
			Max. My	8	-41.57	10.11	-3026.59
			Max. Vy	11	-30.55	3038.07	-9.83
			Max. Vx	2	-30.47	-9.39	3026.42

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L23	12.25 - 9.25	Pole	Max. Torque	8			-1.13
			Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-53.64	1.06	-0.32
			Max. Mx	11	-42.72	3130.12	-10.04
			Max. My	8	-42.72	10.32	-3118.39
			Max. Vy	11	-30.84	3130.12	-10.04
			Max. Vx	2	-30.76	-9.59	3118.22
L24	9.25 - 3	Pole	Max. Torque	8			-1.15
			Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-56.25	1.10	-0.34
			Max. Mx	11	-45.19	3324.63	-10.48
			Max. My	8	-45.19	10.76	-3312.40
			Max. Vy	11	-31.44	3324.63	-10.48
			Max. Vx	2	-31.36	-10.01	3312.21
L25	3 - 0	Pole	Max. Torque	8			-1.18
			Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-57.65	1.12	-0.35
			Max. Mx	11	-46.51	3419.34	-10.69
			Max. My	8	-46.51	10.97	-3406.87
			Max. Vy	11	-31.73	3419.34	-10.69
			Max. Vx	2	-31.65	-10.21	3406.68
			Max. Torque	8			-1.19

### Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Pole	Max. Vert	14	57.65	0.00	0.00
	Max. H <sub>x</sub>	11	46.52	31.72	-0.07
	Max. H <sub>z</sub>	2	46.52	-0.07	31.64
	Max. M <sub>x</sub>	2	3406.68	-0.07	31.64
	Max. M <sub>z</sub>	5	3418.57	-31.72	0.07
	Max. Torsion	13	1.18	15.80	27.37
	Min. Vert	1	46.52	0.00	0.00
	Min. H <sub>x</sub>	5	46.52	-31.72	0.07
	Min. H <sub>z</sub>	8	46.52	0.07	-31.64
	Min. M <sub>x</sub>	8	-3406.87	0.07	-31.64
	Min. M <sub>z</sub>	11	-3419.34	31.72	-0.07
	Min. Torsion	8	-1.19	0.07	-31.64

### Tower Mast Reaction Summary

Load Combination	Vertical K	Shear <sub>x</sub> K	Shear <sub>z</sub> K	Overturning Moment, M <sub>x</sub> kip-ft	Overturning Moment, M <sub>z</sub> kip-ft	Torque kip-ft
Dead Only	46.52	0.00	0.00	0.09	0.37	0.00
Dead+Wind 0 deg - No Ice	46.52	0.07	-31.64	-3406.68	-10.21	-1.18
Dead+Wind 30 deg - No Ice	46.52	15.92	-27.43	-2955.52	-1718.27	-0.86
Dead+Wind 60 deg - No Ice	46.52	27.50	-15.88	-1712.43	-2965.80	-0.32
Dead+Wind 90 deg - No Ice	46.52	31.72	-0.07	-10.50	-3418.57	0.31
Dead+Wind 120 deg - No Ice	46.52	27.43	15.76	1694.31	-2955.27	0.86
Dead+Wind 150 deg - No Ice	46.52	15.80	27.37	2945.17	-1699.96	1.18
Dead+Wind 180 deg - No Ice	46.52	-0.07	31.64	3406.87	10.97	1.19
Dead+Wind 210 deg - No Ice	46.52	-15.92	27.43	2955.71	1719.03	0.88
Dead+Wind 240 deg - No Ice	46.52	-27.50	15.88	1712.62	2966.57	0.32
Dead+Wind 270 deg - No Ice	46.52	-31.72	0.07	10.69	3419.34	-0.32
Dead+Wind 300 deg - No Ice	46.52	-27.43	-15.76	-1694.12	2956.03	-0.87
Dead+Wind 330 deg - No Ice	46.52	-15.80	-27.37	-2944.99	1700.72	-1.18
Dead+Ice	57.65	0.00	0.00	0.35	1.12	0.00
Dead+Wind 0 deg+Ice	57.65	0.01	-7.56	-841.97	-1.03	-0.38

Load Combination	Vertical	Shear <sub>x</sub>	Shear <sub>z</sub>	Overturning Moment, M <sub>x</sub>	Overturning Moment, M <sub>z</sub>	Torque
	K	K	K	kip-ft	kip-ft	kip-ft
Dead+Wind 30 deg+Ice	57.65	3.80	-6.55	-730.23	-423.19	-0.27
Dead+Wind 60 deg+Ice	57.65	6.57	-3.79	-422.73	-731.63	-0.09
Dead+Wind 90 deg+Ice	57.65	7.58	-0.01	-1.86	-843.71	0.12
Dead+Wind 120 deg+Ice	57.65	6.55	3.77	419.61	-729.41	0.30
Dead+Wind 150 deg+Ice	57.65	3.78	6.54	728.74	-419.34	0.39
Dead+Wind 180 deg+Ice	57.65	-0.01	7.56	842.70	3.41	0.38
Dead+Wind 210 deg+Ice	57.65	-3.80	6.55	730.97	425.57	0.27
Dead+Wind 240 deg+Ice	57.65	-6.57	3.79	423.46	734.02	0.09
Dead+Wind 270 deg+Ice	57.65	-7.58	0.01	2.59	846.09	-0.12
Dead+Wind 300 deg+Ice	57.65	-6.55	-3.77	-418.88	731.79	-0.30
Dead+Wind 330 deg+Ice	57.65	-3.78	-6.54	-728.01	421.72	-0.39
Dead+Wind 0 deg - Service	46.52	0.02	-10.95	-1180.31	-3.29	-0.41
Dead+Wind 30 deg - Service	46.52	5.51	-9.49	-1024.00	-595.12	-0.30
Dead+Wind 60 deg - Service	46.52	9.52	-5.49	-593.28	-1027.38	-0.11
Dead+Wind 90 deg - Service	46.52	10.97	-0.02	-3.58	-1184.25	0.11
Dead+Wind 120 deg - Service	46.52	9.49	5.45	587.12	-1023.71	0.30
Dead+Wind 150 deg - Service	46.52	5.47	9.47	1020.52	-588.76	0.41
Dead+Wind 180 deg - Service	46.52	-0.02	10.95	1180.50	4.06	0.41
Dead+Wind 210 deg - Service	46.52	-5.51	9.49	1024.19	595.89	0.30
Dead+Wind 240 deg - Service	46.52	-9.52	5.49	593.48	1028.15	0.11
Dead+Wind 270 deg - Service	46.52	-10.97	0.02	3.77	1185.03	-0.11
Dead+Wind 300 deg - Service	46.52	-9.49	-5.45	-586.93	1024.48	-0.30
Dead+Wind 330 deg - Service	46.52	-5.47	-9.47	-1020.33	589.53	-0.41

### Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0.00	-46.52	0.00	0.00	46.52	0.00	0.000%
2	0.07	-46.52	-31.64	-0.07	46.52	31.64	0.000%
3	15.92	-46.52	-27.43	-15.92	46.52	27.43	0.000%
4	27.50	-46.52	-15.88	-27.50	46.52	15.88	0.000%
5	31.72	-46.52	-0.07	-31.72	46.52	0.07	0.000%
6	27.43	-46.52	15.76	-27.43	46.52	-15.76	0.000%
7	15.80	-46.52	27.37	-15.80	46.52	-27.37	0.000%
8	-0.07	-46.52	31.64	0.07	46.52	-31.64	0.000%
9	-15.92	-46.52	27.43	15.92	46.52	-27.43	0.000%
10	-27.50	-46.52	15.88	27.50	46.52	-15.88	0.000%
11	-31.72	-46.52	0.07	31.72	46.52	-0.07	0.000%
12	-27.43	-46.52	-15.76	27.43	46.52	15.76	0.000%
13	-15.80	-46.52	-27.37	15.80	46.52	27.37	0.000%
14	0.00	-57.65	0.00	0.00	57.65	0.00	0.000%
15	0.01	-57.65	-7.56	-0.01	57.65	7.56	0.000%
16	3.80	-57.65	-6.55	-3.80	57.65	6.55	0.000%
17	6.57	-57.65	-3.79	-6.57	57.65	3.79	0.000%
18	7.58	-57.65	-0.01	-7.58	57.65	0.01	0.000%
19	6.55	-57.65	3.77	-6.55	57.65	-3.77	0.000%
20	3.78	-57.65	6.54	-3.78	57.65	-6.54	0.000%
21	-0.01	-57.65	7.56	0.01	57.65	-7.56	0.000%
22	-3.80	-57.65	6.55	3.80	57.65	-6.55	0.000%
23	-6.57	-57.65	3.79	6.57	57.65	-3.79	0.000%
24	-7.58	-57.65	0.01	7.58	57.65	-0.01	0.000%
25	-6.55	-57.65	-3.77	6.55	57.65	3.77	0.000%
26	-3.78	-57.65	-6.54	3.78	57.65	6.54	0.000%
27	0.02	-46.52	-10.95	-0.02	46.52	10.95	0.000%
28	5.51	-46.52	-9.49	-5.51	46.52	9.49	0.000%
29	9.52	-46.52	-5.49	-9.52	46.52	5.49	0.000%

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
30	10.97	-46.52	-0.02	-10.97	46.52	0.02	0.000%
31	9.49	-46.52	5.45	-9.49	46.52	-5.45	0.000%
32	5.47	-46.52	9.47	-5.47	46.52	-9.47	0.000%
33	-0.02	-46.52	10.95	0.02	46.52	-10.95	0.000%
34	-5.51	-46.52	9.49	5.51	46.52	-9.49	0.000%
35	-9.52	-46.52	5.49	9.52	46.52	-5.49	0.000%
36	-10.97	-46.52	0.02	10.97	46.52	-0.02	0.000%
37	-9.49	-46.52	-5.45	9.49	46.52	5.45	0.000%
38	-5.47	-46.52	-9.47	5.47	46.52	9.47	0.000%

### Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	4	0.00000001	0.00000001
2	Yes	4	0.00000001	0.00069340
3	Yes	6	0.00000001	0.00003877
4	Yes	6	0.00000001	0.00003950
5	Yes	4	0.00000001	0.00032015
6	Yes	6	0.00000001	0.00003927
7	Yes	6	0.00000001	0.00003825
8	Yes	5	0.00000001	0.00004411
9	Yes	6	0.00000001	0.00003977
10	Yes	6	0.00000001	0.00003906
11	Yes	4	0.00000001	0.00055163
12	Yes	6	0.00000001	0.00003847
13	Yes	6	0.00000001	0.00003946
14	Yes	4	0.00000001	0.00000001
15	Yes	4	0.00000001	0.00030869
16	Yes	5	0.00000001	0.00011747
17	Yes	5	0.00000001	0.00012374
18	Yes	4	0.00000001	0.00023443
19	Yes	5	0.00000001	0.00012411
20	Yes	5	0.00000001	0.00011438
21	Yes	4	0.00000001	0.00032620
22	Yes	5	0.00000001	0.00012766
23	Yes	5	0.00000001	0.00012130
24	Yes	4	0.00000001	0.00024049
25	Yes	5	0.00000001	0.00011680
26	Yes	5	0.00000001	0.00012664
27	Yes	4	0.00000001	0.00019555
28	Yes	5	0.00000001	0.00009490
29	Yes	5	0.00000001	0.00009857
30	Yes	4	0.00000001	0.00012356
31	Yes	5	0.00000001	0.00009742
32	Yes	5	0.00000001	0.00009239
33	Yes	4	0.00000001	0.00022850
34	Yes	5	0.00000001	0.00009998
35	Yes	5	0.00000001	0.00009652
36	Yes	4	0.00000001	0.00013226
37	Yes	5	0.00000001	0.00009359
38	Yes	5	0.00000001	0.00009842

### Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	150 - 133	34.861	35	2.2936	0.0039
L2	133 - 123.5	27.025	35	2.0166	0.0019



Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L3	123.5 - 118.75	23.176	35	1.8428	0.0015
L4	118.75 - 117	21.374	35	1.7793	0.0014
L5	117 - 95.167	20.725	35	1.7603	0.0013
L6	99.5 - 93.75	14.838	35	1.4455	0.0009
L7	93.75 - 92.75	13.131	35	1.3804	0.0009
L8	92.75 - 92	12.844	35	1.3656	0.0009
L9	92 - 86.5	12.630	35	1.3563	0.0008
L10	86.5 - 85.75	11.121	35	1.2633	0.0008
L11	85.75 - 68.0833	10.924	35	1.2545	0.0008
L12	68.0833 - 66.75	6.840	35	0.9541	0.0005
L13	66.75 - 63.25	6.577	35	0.9333	0.0005
L14	63.25 - 62.75	5.909	35	0.8884	0.0005
L15	62.75 - 56.25	5.816	35	0.8830	0.0005
L16	56.25 - 44.667	4.679	35	0.7886	0.0004
L17	50 - 35.5	3.710	35	0.6920	0.0004
L18	35.5 - 34.25	1.851	35	0.5078	0.0003
L19	34.25 - 33.25	1.721	35	0.4894	0.0002
L20	33.25 - 26.25	1.620	35	0.4779	0.0002
L21	26.25 - 25.25	1.001	35	0.3667	0.0002
L22	25.25 - 12.25	0.925	35	0.3556	0.0002
L23	12.25 - 9.25	0.212	35	0.1701	0.0001
L24	9.25 - 3	0.119	35	0.1261	0.0001
L25	3 - 0	0.012	35	0.0376	0.0000

### Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
147.00	(2) HBXX-6517DS-A2M w/ Mount Pipe	35	33.431	2.2481	0.0036	7127
132.00	(2) 7770.00 w/ Mount Pipe	35	26.600	1.9979	0.0019	2310
126.00	APXV18-206516S-C-ACU w/ Mount Pipe	35	24.152	1.8850	0.0016	3128

### Maximum Tower Deflections - Design Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	150 - 133	100.300	10	6.6033	0.0113
L2	133 - 123.5	77.807	10	5.8094	0.0054
L3	123.5 - 118.75	66.743	10	5.3097	0.0041
L4	118.75 - 117	61.562	10	5.1271	0.0038
L5	117 - 95.167	59.697	10	5.0725	0.0037
L6	99.5 - 93.75	42.759	10	4.1667	0.0026
L7	93.75 - 92.75	37.845	10	3.9792	0.0025
L8	92.75 - 92	37.018	10	3.9366	0.0024
L9	92 - 86.5	36.402	10	3.9099	0.0024
L10	86.5 - 85.75	32.058	10	3.6422	0.0022
L11	85.75 - 68.0833	31.488	10	3.6168	0.0021
L12	68.0833 - 66.75	19.724	10	2.7514	0.0015
L13	66.75 - 63.25	18.965	10	2.6915	0.0015
L14	63.25 - 62.75	17.040	10	2.5620	0.0014
L15	62.75 - 56.25	16.773	10	2.5465	0.0014
L16	56.25 - 44.667	13.494	10	2.2745	0.0012
L17	50 - 35.5	10.700	10	1.9960	0.0010
L18	35.5 - 34.25	5.341	10	1.4647	0.0007
L19	34.25 - 33.25	4.964	10	1.4118	0.0007
L20	33.25 - 26.25	4.672	10	1.3785	0.0007
L21	26.25 - 25.25	2.887	10	1.0579	0.0005

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L22	25.25 - 12.25	2.669	10	1.0258	0.0005
L23	12.25 - 9.25	0.611	10	0.4907	0.0002
L24	9.25 - 3	0.343	10	0.3638	0.0002
L25	3 - 0	0.034	10	0.1085	0.0000

### Critical Deflections and Radius of Curvature - Design Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
147.00	(2) HBXX-6517DS-A2M w/ Mount Pipe	10	96.196	6.4729	0.0104	2548
132.00	(2) 7770.00 w/ Mount Pipe	10	76.584	5.7555	0.0056	823
126.00	APXV18-206516S-C-ACU w/ Mount Pipe	10	69.548	5.4311	0.0046	1109

### Compression Checks

### Pole Design Data

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P/P <sub>a</sub>
L1	150 - 133 (1)	TP19.1871x16x0.1875	17.00	0.00	0.0	39.000	11.4710	-2.29	447.37	0.005
L2	133 - 123.5 (2)	TP20.9682x19.1871x0.422	9.50	0.00	0.0	28.470	27.9177	-5.83	794.82	0.007
L3	123.5 - 118.75 (3)	TP21.8587x20.9682x0.753 5	4.75	0.00	0.0	28.506	51.2043	-6.74	1459.63	0.005
L4	118.75 - 117 (4)	TP22.1868x21.8587x1.000 3	1.75	0.00	0.0	28.536	68.2390	-7.18	1947.27	0.004
L5	117 - 95.167 (5)	TP26.28x22.1868x0.6518	21.83	0.00	0.0	28.698	52.0803	-10.56	1494.60	0.007
L6	95.167 - 93.75 (6)	TP26.1715x24.1641x0.775 5	5.75	0.00	0.0	28.734	62.1813	-12.34	1786.72	0.007
L7	93.75 - 92.75 (7)	TP26.3591x26.1715x0.904 9	1.00	0.00	0.0	27.360	74.1655	-12.95	2029.17	0.006
L8	92.75 - 92 (8)	TP26.4998x26.3591x1.111 9	0.75	0.00	0.0	27.348	90.8983	-13.20	2485.89	0.005
L9	92 - 86.5 (9)	TP27.5317x26.4998x0.792 5	5.50	0.00	0.0	27.396	68.2376	-14.61	1869.44	0.008
L10	86.5 - 85.75 (10)	TP27.6724x27.5317x1.182 3	0.75	0.00	0.0	27.384	100.845 0	-14.89	2761.53	0.005
L11	85.75 - 68.0833 (11)	TP30.9868x27.6724x0.779 6	17.67	0.00	0.0	28.902	75.8248	-19.78	2191.49	0.009
L12	68.0833 - 66.75 (12)	TP31.237x30.9868x0.8295	1.33	0.00	0.0	31.638	81.2190	-20.19	2569.61	0.008
L13	66.75 - 63.25 (13)	TP31.8936x31.237x1.0345	3.50	0.00	0.0	31.398	102.790 0	-21.51	3227.39	0.007
L14	63.25 - 62.75 (14)	TP31.9874x31.8936x1.247 7	0.50	0.00	0.0	28.482	123.498 0	-21.74	3517.46	0.006
L15	62.75 - 56.25 (15)	TP33.2069x31.9874x0.888 1	6.50	0.00	0.0	28.530	92.4255	-23.96	2636.90	0.009
L16	56.25 - 44.667 (16)	TP35.38x33.2069x0.8131	11.58	0.00	0.0	31.710	87.8776	-26.02	2786.60	0.009
L17	44.667 - 35.5 (17)	TP36.4734x32.7534x0.846 2	14.50	0.00	0.0	31.776	90.6623	-29.41	2880.89	0.010
L18	35.5 - 34.25 (18)	TP36.7078x36.4734x0.842 5	1.25	0.00	0.0	31.764	97.2971	-33.13	3090.55	0.011
L19	34.25 - 33.25	TP36.8953x36.7078x1.091	1.00	0.00	0.0	31.794	125.854	-33.59	4001.40	0.008

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	F <sub>a</sub> ksi	A in <sup>2</sup>	Actual P K	Allow. P <sub>a</sub> K	Ratio P P <sub>a</sub>
L20	33.25 - 26.25 (19)	TP38.2079x36.8953x0.766 7	7.00	0.00	0.0	31.818	92.3889	-36.04	2939.63	0.012
L21	26.25 - 25.25 (20)	TP38.3954x38.2079x1.094 3	1.00	0.00	0.0	31.818	131.443	-36.52	4182.25	0.009
L22	25.25 - 12.25 (21)	TP40.833x38.3954x0.8201 4	13.00	0.00	0.0	31.860	105.662	-41.57	3366.38	0.012
L23	12.25 - 9.25 (22)	TP41.3955x40.833x0.7705 0	3.00	0.00	0.0	33.216	100.785	-42.72	3347.66	0.013
L24	9.25 - 3 (24) (23)	TP42.5675x41.3955x0.783 0	6.25	0.00	0.0	34.086	105.393	-45.19	3592.43	0.013
L25	3 - 0 (25) 3	TP43.13x42.5675x0.8743 0	3.00	0.00	0.0	31.002	118.966	-46.51	3688.17	0.013

### Pole Bending Design Data

Section No.	Elevation ft	Size	Actual M <sub>x</sub> kip-ft	Actual f <sub>bx</sub> ksi	Allow. F <sub>bx</sub> ksi	Ratio $\frac{f_{bx}}{F_{bx}}$	Actual M <sub>y</sub> kip-ft	Actual f <sub>by</sub> ksi	Allow. F <sub>by</sub> ksi	Ratio $\frac{f_{by}}{F_{by}}$
L1	150 - 133 (1)	TP19.1871x16x0.1875	158.91	35.858	39.000	0.919	0.00	0.000	39.000	0.000
L2	133 - 123.5 (2)	TP20.9682x19.1871x0.42 2	327.15	28.346	28.470	0.996	0.00	0.000	28.470	0.000
L3	123.5 - 118.75 (3) (4)	TP21.8587x20.9682x0.75 35	412.58	19.256	28.506	0.676	0.00	0.000	28.506	0.000
L4	118.75 - 117 (5)	TP22.1868x21.8587x1.00 03	444.76	15.689	28.536	0.550	0.00	0.000	28.536	0.000
L5	117 - 95.167 (6)	TP26.28x22.1868x0.6518 55	786.69	30.422	28.698	1.060	0.00	0.000	28.698	0.000
L6	95.167 - 93.75 (7) (8)	TP26.1715x24.1641x0.77 49	877.36	28.454	28.734	0.990	0.00	0.000	28.734	0.000
L7	93.75 - 92.75 (9)	TP26.3591x26.1715x0.90 19	929.07	24.819	27.360	0.907	0.00	0.000	27.360	0.000
L8	92.75 - 92 (8) (10)	TP26.4998x26.3591x1.11 25	945.26	20.821	27.348	0.761	0.00	0.000	27.348	0.000
L9	92 - 86.5 (9) (11)	TP27.5317x26.4998x0.79 8	1066.1	29.300	27.396	1.070	0.00	0.000	27.396	0.000
L10	86.5 - 85.75 (12)	TP27.6724x27.5317x1.18 7	1082.9	20.624	27.384	0.753	0.00	0.000	27.384	0.000
L11	85.75 - 68.0833 (11) (13)	TP30.9868x27.6724x0.77 2	1497.3	32.657	28.902	1.130	0.00	0.000	28.902	0.000
L12	68.0833 - 66.75 (12) (14)	TP31.237x30.9868x0.829 8	1530.0	30.995	31.638	0.980	0.00	0.000	31.638	0.000
L13	66.75 - 63.25 (15)	TP31.8936x31.237x1.034 8	1617.1	25.661	31.398	0.817	0.00	0.000	31.398	0.000
L14	63.25 - 62.75 (16)	TP31.9874x31.8936x1.24 4	1629.7	21.755	28.482	0.764	0.00	0.000	28.482	0.000
L15	62.75 - 56.25 (17)	TP33.2069x31.9874x0.88 3	1795.9	30.084	28.530	1.054	0.00	0.000	28.530	0.000
L16	56.25 - 44.667 (16) (18)	TP35.38x33.2069x0.8131 4	1960.3	33.149	31.710	1.045	0.00	0.000	31.710	0.000
L17	44.667 - 35.5 (19)	TP36.4734x32.7534x0.84 3	2104.3	34.833	31.776	1.096	0.00	0.000	31.776	0.000
L18	35.5 - 34.25 (20)	TP36.7078x36.4734x0.84 6	2394.6	34.204	31.764	1.077	0.00	0.000	31.764	0.000
L19	34.25 - 33.25 (21)	TP36.8953x36.7078x1.09 2	2423.1	26.987	31.794	0.849	0.00	0.000	31.794	0.000
L20	33.25 - 26.25 (22)	TP38.2079x36.8953x0.76 2	2625.1	37.714	31.818	1.185	0.00	0.000	31.818	0.000
L21	26.25 - 25.25 (23)	TP38.3954x38.2079x1.09 8	2654.3	27.139	31.818	0.853	0.00	0.000	31.818	0.000
L22	25.25 - 12.25 (24)	TP40.833x38.3954x0.820 8	3043.6	35.778	31.860	1.123	0.00	0.000	31.860	0.000
L23	12.25 - 9.25 (25)	TP41.3955x40.833x0.770 4	3135.8	38.006	33.216	1.144	0.00	0.000	33.216	0.000
L24	9.25 - 3 (24) (26)	TP42.5675x41.3955x0.78 4	3330.6	37.522	34.086	1.101	0.00	0.000	34.086	0.000

Section No.	Elevation ft	Size	Actual $M_x$ kip-ft	Actual $f_{bx}$ ksi	Allow. $F_{bx}$ ksi	Ratio $\frac{f_{bx}}{F_{bx}}$	Actual $M_y$ kip-ft	Actual $f_{by}$ ksi	Allow. $F_{by}$ ksi	Ratio $\frac{f_{by}}{F_{by}}$
L25	3 - 0 (25)	33 TP43.13x42.5675x0.8743	0 3425.4 3	33.871	31.002	1.093	0.00	0.000	31.002	0.000

### Pole Shear Design Data

Section No.	Elevation ft	Size	Actual $V$ K	Actual $f_v$ ksi	Allow. $F_v$ ksi	Ratio $\frac{f_v}{F_v}$	Actual $T$ kip-ft	Actual $f_{vt}$ ksi	Allow. $F_{vt}$ ksi	Ratio $\frac{f_{vt}}{F_{vt}}$
L1	150 - 133 (1)	TP19.1871x16x0.1875	10.38	0.904	26.000	0.071	0.03	0.003	26.000	0.000
L2	133 - 123.5 (2)	TP20.9682x19.1871x0.42 2	17.70	0.634	18.980	0.068	0.32	0.013	18.980	0.001
L3	123.5 - 118.75 (3)	TP21.8587x20.9682x0.75 35	18.28	0.357	19.004	0.038	0.32	0.007	19.004	0.000
L4	118.75 - 117 (4)	TP22.1868x21.8587x1.00 03	18.50	0.271	19.024	0.029	0.32	0.005	19.024	0.000
L5	117 - 95.167 (5)	TP26.28x22.1868x0.6518	20.61	0.396	19.132	0.042	0.32	0.006	19.132	0.000
L6	95.167 - 93.75 (6)	TP26.1715x24.1641x0.77 55	21.42	0.345	19.156	0.036	0.32	0.005	19.156	0.000
L7	93.75 - 92.75 (7)	TP26.3591x26.1715x0.90 49	21.55	0.291	18.240	0.032	0.32	0.004	18.240	0.000
L8	92.75 - 92 (8)	TP26.4998x26.3591x1.11 19	21.65	0.238	18.232	0.027	0.32	0.003	18.232	0.000
L9	92 - 86.5 (9)	TP27.5317x26.4998x0.79 25	22.34	0.327	18.264	0.036	0.32	0.004	18.264	0.000
L10	86.5 - 85.75 (10)	TP27.6724x27.5317x1.18 23	22.43	0.222	18.256	0.025	0.32	0.003	18.256	0.000
L11	85.75 - 68.0833 (11)	TP30.9868x27.6724x0.77 96	24.50	0.323	19.268	0.034	0.32	0.003	19.268	0.000
L12	68.0833 - 66.75 (12)	TP31.237x30.9868x0.829 5	24.67	0.304	21.092	0.029	0.32	0.003	21.092	0.000
L13	66.75 - 63.25 (13)	TP31.8936x31.237x1.034 5	25.11	0.244	20.932	0.024	0.32	0.002	20.932	0.000
L14	63.25 - 62.75 (14)	TP31.9874x31.8936x1.24 77	25.17	0.204	18.988	0.022	0.32	0.002	18.988	0.000
L15	62.75 - 56.25 (15)	TP33.2069x31.9874x0.88 81	25.97	0.281	19.020	0.030	0.32	0.002	19.020	0.000
L16	56.25 - 44.667 (16)	TP35.38x33.2069x0.8131	26.66	0.303	21.140	0.029	0.32	0.003	21.140	0.000
L17	44.667 - 35.5 (17)	TP36.4734x32.7534x0.84 62	27.46	0.303	21.184	0.029	0.32	0.002	21.184	0.000
L18	35.5 - 34.25 (18)	TP36.7078x36.4734x0.84 25	28.41	0.292	21.176	0.028	0.32	0.002	21.176	0.000
L19	34.25 - 33.25 (19)	TP36.8953x36.7078x1.09 17	28.52	0.227	21.196	0.022	0.32	0.002	21.196	0.000
L20	33.25 - 26.25 (20)	TP38.2079x36.8953x0.76 63	29.22	0.316	21.212	0.030	0.32	0.002	21.212	0.000
L21	26.25 - 25.25 (21)	TP38.3954x38.2079x1.09 44	29.32	0.223	21.212	0.021	0.32	0.002	21.212	0.000
L22	25.25 - 12.25 (22)	TP40.833x38.3954x0.820 1	30.59	0.290	21.240	0.028	0.32	0.002	21.240	0.000
L23	12.25 - 9.25 (23)	TP41.3955x40.833x0.770 5	30.88	0.306	22.144	0.028	0.32	0.002	22.144	0.000
L24	9.25 - 3 (24)	TP42.5675x41.3955x0.78 33	31.48	0.299	22.724	0.027	0.32	0.002	22.724	0.000
L25	3 - 0 (25)	TP43.13x42.5675x0.8743	31.77	0.267	20.668	0.026	0.32	0.001	20.668	0.000

### Pole Interaction Design Data


Section No.	Elevation ft	Ratio $\frac{P}{P_a}$	Ratio $\frac{f_{bx}}{F_{bx}}$	Ratio $\frac{f_{by}}{F_{by}}$	Ratio $\frac{f_v}{F_v}$	Ratio $\frac{f_{vt}}{F_{vt}}$	Comb. Stress Ratio	Allow. Stress Ratio	Criteria
L1	150 - 133 (1)	0.005	0.919	0.000	0.071	0.000	0.926	1.333	H1-3+VT ✓
L2	133 - 123.5 (2)	0.007	0.996	0.000	0.068	0.001	1.004	1.333	H1-3+VT ✓
L3	123.5 - 118.75 (3)	0.005	0.676	0.000	0.038	0.000	0.680	1.333	H1-3+VT ✓
L4	118.75 - 117 (4)	0.004	0.550	0.000	0.029	0.000	0.554	1.333	H1-3+VT ✓
L5	117 - 95.167 (5)	0.007	1.060	0.000	0.042	0.000	1.068	1.333	H1-3+VT ✓
L6	95.167 - 93.75 (6)	0.007	0.990	0.000	0.036	0.000	0.997	1.333	H1-3+VT ✓
L7	93.75 - 92.75 (7)	0.006	0.907	0.000	0.032	0.000	0.914	1.333	H1-3+VT ✓
L8	92.75 - 92 (8)	0.005	0.761	0.000	0.027	0.000	0.767	1.333	H1-3+VT ✓
L9	92 - 86.5 (9)	0.008	1.070	0.000	0.036	0.000	1.078	1.333	H1-3+VT ✓
L10	86.5 - 85.75 (10)	0.005	0.753	0.000	0.025	0.000	0.759	1.333	H1-3+VT ✓
L11	85.75 - 68.0833 (11)	0.009	1.130	0.000	0.034	0.000	1.139	1.333	H1-3+VT ✓
L12	68.0833 - 66.75 (12)	0.008	0.980	0.000	0.029	0.000	0.988	1.333	H1-3+VT ✓
L13	66.75 - 63.25 (13)	0.007	0.817	0.000	0.024	0.000	0.824	1.333	H1-3+VT ✓
L14	63.25 - 62.75 (14)	0.006	0.764	0.000	0.022	0.000	0.770	1.333	H1-3+VT ✓
L15	62.75 - 56.25 (15)	0.009	1.054	0.000	0.030	0.000	1.064	1.333	H1-3+VT ✓
L16	56.25 - 44.667 (16)	0.009	1.045	0.000	0.029	0.000	1.055	1.333	H1-3+VT ✓
L17	44.667 - 35.5 (17)	0.010	1.096	0.000	0.029	0.000	1.107	1.333	H1-3+VT ✓
L18	35.5 - 34.25 (18)	0.011	1.077	0.000	0.028	0.000	1.088	1.333	H1-3+VT ✓
L19	34.25 - 33.25 (19)	0.008	0.849	0.000	0.022	0.000	0.857	1.333	H1-3+VT ✓
L20	33.25 - 26.25 (20)	0.012	1.185	0.000	0.030	0.000	1.198	1.333	H1-3+VT ✓
L21	26.25 - 25.25 (21)	0.009	0.853	0.000	0.021	0.000	0.862	1.333	H1-3+VT ✓
L22	25.25 - 12.25 (22)	0.012	1.123	0.000	0.028	0.000	1.136	1.333	H1-3+VT ✓
L23	12.25 - 9.25 (23)	0.013	1.144	0.000	0.028	0.000	1.157	1.333	H1-3+VT ✓
L24	9.25 - 3 (24)	0.013	1.101	0.000	0.027	0.000	1.114	1.333	H1-3+VT ✓
L25	3 - 0 (25)	0.013	1.093	0.000	0.026	0.000	1.105	1.333	H1-3+VT ✓

### Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P <sub>allow</sub> K	% Capacity	Pass Fail
L1	150 - 133	Pole	TP19.1871x16x0.1875	1	-2.29	596.34	69.4	Pass

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P <sub>allow</sub> K	% Capacity	Pass Fail
L2	133 - 123.5	Pole	TP20.9682x19.1871x0.422	2	-5.83	1059.49	75.3	Pass
L3	123.5 - 118.75	Pole	TP21.8587x20.9682x0.7535	3	-6.74	1945.69	51.0	Pass
L4	118.75 - 117	Pole	TP22.1868x21.8587x1.0003	4	-7.18	2595.71	41.5	Pass
L5	117 - 95.167	Pole	TP26.28x22.1868x0.6518	5	-10.56	1992.30	80.1	Pass
L6	95.167 - 93.75	Pole	TP26.1715x24.1641x0.7755	6	-12.34	2381.70	74.8	Pass
L7	93.75 - 92.75	Pole	TP26.3591x26.1715x0.9049	7	-12.95	2704.88	68.5	Pass
L8	92.75 - 92	Pole	TP26.4998x26.3591x1.1119	8	-13.20	3313.69	57.5	Pass
L9	92 - 86.5	Pole	TP27.5317x26.4998x0.7925	9	-14.61	2491.96	80.8	Pass
L10	86.5 - 85.75	Pole	TP27.6724x27.5317x1.1823	10	-14.89	3681.12	56.9	Pass
L11	85.75 - 68.0833	Pole	TP30.9868x27.6724x0.7796	11	-19.78	2921.26	85.5	Pass
L12	68.0833 - 66.75	Pole	TP31.237x30.9868x0.8295	12	-20.19	3425.29	74.1	Pass
L13	66.75 - 63.25	Pole	TP31.8936x31.237x1.0345	13	-21.51	4302.11	61.8	Pass
L14	63.25 - 62.75	Pole	TP31.9874x31.8936x1.2477	14	-21.74	4688.77	57.8	Pass
L15	62.75 - 56.25	Pole	TP33.2069x31.9874x0.8881	15	-23.96	3514.99	79.8	Pass
L16	56.25 - 44.667	Pole	TP35.38x33.2069x0.8131	16	-26.02	3714.54	79.1	Pass
L17	44.667 - 35.5	Pole	TP36.4734x32.7534x0.8462	17	-29.41	3840.23	83.0	Pass
L18	35.5 - 34.25	Pole	TP36.7078x36.4734x0.8425	18	-33.13	4119.70	81.6	Pass
L19	34.25 - 33.25	Pole	TP36.8953x36.7078x1.0917	19	-33.59	5333.87	64.3	Pass
L20	33.25 - 26.25	Pole	TP38.2079x36.8953x0.7663	20	-36.04	3918.53	89.9	Pass
L21	26.25 - 25.25	Pole	TP38.3954x38.2079x1.0944	21	-36.52	5574.94	64.6	Pass
L22	25.25 - 12.25	Pole	TP40.833x38.3954x0.8201	22	-41.57	4487.38	85.2	Pass
L23	12.25 - 9.25	Pole	TP41.3955x40.833x0.7705	23	-42.72	4462.43	86.8	Pass
L24	9.25 - 3	Pole	TP42.5675x41.3955x0.7833	24	-45.19	4788.71	83.5	Pass
L25	3 - 0	Pole	TP43.13x42.5675x0.8743	25	-46.51	4916.33	82.9	Pass
						Summary		
						Pole (L20)	89.9	Pass
						<b>RATING =</b>	<b>89.9</b>	<b>Pass</b>



### APPENDIX B BASE LEVEL DRAWING



**APPENDIX C**  
**ADDITIONAL CALCULATIONS**



Section	Length (ft)	Number of Sides	Thickness (in)	Socket Length (ft)	Top Dia (in)	Bot Dia (in)	Grade	Weight (K)
1	17.00	12	0.1875	4.33	21.8300	20.9662	Reinf 47.56 ksi	0.6
2	9.50	12	0.4220	4.33	21.8300	20.9662	Reinf 47.56 ksi	0.9
3	4.75	12	0.4220	4.33	21.8300	20.9662	Reinf 47.56 ksi	0.8
4	12	12	0.4220	4.33	21.8300	20.9662	Reinf 47.56 ksi	0.8
5	21.83	12	0.6518	4.33	22.1868	20.9662	Reinf 47.56 ksi	3.7
6	12	12	0.6518	4.33	22.1868	20.9662	Reinf 47.56 ksi	3.7
7	12	12	0.6518	4.33	22.1868	20.9662	Reinf 47.56 ksi	3.7
8	12	12	0.6518	4.33	22.1868	20.9662	Reinf 47.56 ksi	3.7
9	37.6	12	0.6518	4.33	27.5316	20.9662	Reinf 47.56 ksi	13.0
10	5.50	12	0.6518	4.33	27.5316	20.9662	Reinf 47.56 ksi	1.3
11	17.67	12	0.7795	4.33	27.6724	20.9662	Reinf 47.56 ksi	4.3
12	12	12	0.7795	4.33	27.6724	20.9662	Reinf 47.56 ksi	4.3
13	12	12	0.7795	4.33	27.6724	20.9662	Reinf 47.56 ksi	4.3
14	12	12	0.7795	4.33	27.6724	20.9662	Reinf 47.56 ksi	4.3
15	6.50	12	0.8881	4.33	31.9624	20.9662	Reinf 47.56 ksi	2.0
16	11.58	12	0.8131	4.33	33.2069	20.9662	Reinf 47.56 ksi	3.5
17	14.50	12	0.8461	4.33	34.7534	20.9662	Reinf 47.56 ksi	4.5
18	12	12	0.8461	4.33	34.7534	20.9662	Reinf 47.56 ksi	4.5
19	12	12	0.8461	4.33	34.7534	20.9662	Reinf 47.56 ksi	4.5
20	7.00	12	1.0944	4.33	38.2079	20.9662	Reinf 47.56 ksi	2.2
21	13.00	12	0.9201	4.33	38.3954	20.9662	Reinf 47.56 ksi	4.5
22	12	12	0.9201	4.33	38.3954	20.9662	Reinf 47.56 ksi	4.5
23	3.00	12	0.9201	4.33	38.3954	20.9662	Reinf 47.56 ksi	1.0
24	6.25	12	0.7704	4.33	40.8330	20.9662	Reinf 47.56 ksi	2.2
25	3.00	12	0.7704	4.33	40.8330	20.9662	Reinf 47.56 ksi	1.2



**DESIGNED APPURTENANCE LOADING**

TYPE	ELEVATION	TYPE	ELEVATION
(2) HBXX-6517DS-A2M w/ Mount Pipe	147	AM-X-CD-16-65-00T-RET w/ Mount Pipe	132
(2) HBXX-6517DS-A2M w/ Mount Pipe	147	(2) LGP21401	132
(2) HBXX-6517DS-A2M w/ Mount Pipe	147	(2) LGP21401	132
(2) RRH2x60-AWS	147	(2) LGP21401	132
(2) RRH2x60-AWS	147	(2) RRU5-11	132
(2) RRH2x60-AWS	147	(2) RRU5-11	132
DB-T1-6Z-8AB-0Z	147	(2) RRU5-11	132
BXA-70063-6CF-2 w/ Mount Pipe	147	DC6-46-60-18-8F	132
BXA-70063-6CF-2 w/ Mount Pipe	147	(2) LGP21903	132
BXA-70063-6CF-2 w/ Mount Pipe	147	(2) LGP21903	132
(2) LPA-80063/6CFx5 w/ Mount Pipe	147	(2) LGP21903	132
(2) LPA-80063/6CFx5 w/ Mount Pipe	147	Platform Mount [LP 713-1]	132
(2) LPA-80063/6CFx5 w/ Mount Pipe	147	APXV18-206516S-C-ACU w/ Mount Pipe	126
(2) FD9R6004/2C-3L	147	APXV18-206516S-C-ACU w/ Mount Pipe	126
(2) FD9R6004/2C-3L	147	APXV18-206516S-C-ACU w/ Mount Pipe	126
(2) FD9R6004/2C-3L	147	APXV18-206516S-C-ACU w/ Mount Pipe	126
KS24019-L112A	147	APXV18-206516S-C-ACU w/ Mount Pipe	126
Platform Mount [LP 713-1]	147	(2) S20057A-1	126
(2) 7770.00 w/ Mount Pipe	132	(2) S20057A-1	126
(2) 7770.00 w/ Mount Pipe	132	(2) S20057A-1	126
(2) 7770.00 w/ Mount Pipe	132	(2) S20057A-1	126
AM-X-CD-16-65-00T-RET w/ Mount Pipe	132	Side Arm Mount [SO 101-3]	126
AM-X-CD-16-65-00T-RET w/ Mount Pipe	132		

**MATERIAL STRENGTH**

GRADE	Fy	Fu	GRADE	Fy	Fu
A572-65	65 ksi	80 ksi	Reinf 52.33 ksi	52 ksi	66 ksi
Reinf 47.45 ksi	47 ksi	60 ksi	Reinf 47.47 ksi	47 ksi	60 ksi
Reinf 47.51 ksi	48 ksi	60 ksi	Reinf 47.55 ksi	48 ksi	60 ksi
Reinf 47.56 ksi	48 ksi	60 ksi	Reinf 52.85 ksi	53 ksi	67 ksi
Reinf 47.83 ksi	48 ksi	60 ksi	Reinf 52.96 ksi	53 ksi	67 ksi
Reinf 47.89 ksi	48 ksi	60 ksi	Reinf 52.94 ksi	53 ksi	67 ksi
Reinf 45.60 ksi	46 ksi	57 ksi	Reinf 52.99 ksi	53 ksi	67 ksi
Reinf 45.58 ksi	46 ksi	57 ksi	Reinf 53.03 ksi	53 ksi	67 ksi
Reinf 45.66 ksi	46 ksi	58 ksi	Reinf 53.10 ksi	53 ksi	67 ksi
Reinf 45.64 ksi	46 ksi	58 ksi	Reinf 55.36 ksi	55 ksi	70 ksi
Reinf 46.17 ksi	48 ksi	61 ksi	Reinf 56.81 ksi	57 ksi	72 ksi
Reinf 52.73 ksi	53 ksi	66 ksi	Reinf 51.67 ksi	52 ksi	65 ksi

**TOWER DESIGN NOTES**

1. Tower is located in New Haven County, Connecticut.
2. Tower designed for a 85 mph basic wind in accordance with the TIA/EIA-222-F Standard.
3. Tower is also designed for a 38 mph basic wind with 0.75 in ice. Ice is considered to increase in thickness with height.
4. Deflections are based upon a 50 mph wind.
5. TOWER RATING: 89.9%

<p><b>Paul J Ford and Company</b> 250 E. Broad Street, Suite 600 Columbus, OH 43215 Phone: 614.221.6679 FAX: 614.448.4105</p>	Job: <b>150' MP; Guilford, CT, NHV 102 943127</b>
	Project: <b>PJF 37515-0830.001.7700 (BU 806361)</b>
	Client: Crown Castle      Drawn by: Jason Martin, E.I.
	Code: TIA/EIA-222-F      Date: 03/02/15      Scale: NTS
	Path:      App'd:      Dwg No. E-1



**PAUL J. FORD AND COMPANY**  
**STRUCTURAL ENGINEERS**  
 250 East Broad Street • Suite 1500 • Columbus, Ohio 43215-3708  
 Phone 614-221-6679 • Fax 614-448-4105 • www.PJFweb.com

Date: 3/2/2015  
 PJF Project: 37515-0830.001.7700  
 Client Ref. # 806361  
 Site Name: NHV 102  
 Description: 150' Pole  
 Owner: CCI  
 Engineer: JCM

v4.0 - Effective 1-12-12

**Asymmetric Anchor Rod Analysis**

Moment = 3425 k-ft  
 Axial = 47.0 kips  
 Shear = 32.0 kips  
 Anchor Qty = 18

TIA Ref. = F  
 ASIF = 1.3333  
 Max Ratio = 105.0%

Location = Base Plate  
 $\eta$  = N/A for BP, Rev. G Sect. 4.9.9  
 Threads = N/A for FP, Rev. G

**\*\* For Post Installed Anchors: Check anchors for embedment, epoxy/grout bond, and capacity based on proof load. \*\***

Item	Nominal Anchor Dia, in	Anchor Spec	Fy, ksi	Fu, ksi	Location, degrees	Anchor Circle, in	Area Override, in <sup>2</sup>	Area, in <sup>2</sup>	Max Net Compression, kips	Max Net Tension, kips	Load for Capacity Calc, kips	Capacity Override, kips	Capacity, kips	Capacity Ratio
1	2.250	#18J A615 Gr 75	75	100	0.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
2	2.250	#18J A615 Gr 75	75	100	30.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
3	2.250	#18J A615 Gr 75	75	100	60.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
4	2.250	#18J A615 Gr 75	75	100	90.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
5	2.250	#18J A615 Gr 75	75	100	120.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
6	2.250	#18J A615 Gr 75	75	100	150.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
7	2.250	#18J A615 Gr 75	75	100	180.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
8	2.250	#18J A615 Gr 75	75	100	210.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
9	2.250	#18J A615 Gr 75	75	100	240.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
10	2.250	#18J A615 Gr 75	75	100	270.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
11	2.250	#18J A615 Gr 75	75	100	300.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
12	2.250	#18J A615 Gr 75	75	100	330.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
13	2.250	#18J A615 Gr 75	75	100	15.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
14	2.250	#18J A615 Gr 75	75	100	75.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
15	2.250	#18J A615 Gr 75	75	100	135.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
16	2.250	#18J A615 Gr 75	75	100	195.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
17	2.250	#18J A615 Gr 75	75	100	255.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%
18	2.250	#18J A615 Gr 75	75	100	315.0	50.62	0.00	3.98	183.04	177.82	177.82	0.00	195.00	91.2%

71.64



**PAUL J. FORD AND COMPANY**  
**STRUCTURAL ENGINEERS**  
 250 East Broad Street • Suite 1500 • Columbus, Ohio 43215-3708  
 Phone 614-221-6679 • Fax 614-448-4105 • www.PJFweb.com

Date: 3/2/2015

PJF Project: 37515-0830.001.7700

Client Ref. # 9/27/4107

Site Name: NHV 102

Description: 150' Pole

Owner: CCI

Engineer: JCM

v1.0 - Effective 4-26-11

**Unstiffened Circular Base Plate Analysis and Anchor Load Calculation**

Pole Dia = 43.130 in  
 BP Dia = 55.100 in  
 BP Thk = 2.750 in  
 BP Fy = 60 ksi  
 Max Ratio = 105.0%  
 Anchor Qty = 18

Moment = 3425 k-ft  
 Axial = 47.0 kips  
 TIA Ref. = F  
 ASIF = 1.3333  
 Yield Line 1 = 40.601 in  
 Yield Line 2 = 26.499 in

Yield Line = 26.499 in  
 Above YL = 3  
 fb = 51.06 ksi  
 Fb = 60.00 ksi  
 BP Ratio = 85.10% <= 105.0%, OK

Item	Nominal Dia, in	Location, degrees	Bolt Circle, in	Area, in <sup>2</sup>	Moment, ft-kips	Axial, kips	Net Comp, kips	Moment Arm, in	Plate Bending, k-in
1	2.250	0.0	50.62	3.98	3425	2.61	-124.97	0.00	0.00
2	2.250	30.0	50.62	3.98	3425	2.61	-44.09	0.00	0.00
3	2.250	60.0	50.62	3.98	3425	2.61	49.31	0.00	0.00
4	2.250	90.0	50.62	3.98	3425	2.61	130.19	0.00	0.00
5	2.250	120.0	50.62	3.98	3425	2.61	176.89	2.88	509.91
6	2.250	150.0	50.62	3.98	3425	2.61	176.89	2.88	509.91
7	2.250	180.0	50.62	3.98	3425	2.61	130.19	0.00	0.00
8	2.250	210.0	50.62	3.98	3425	2.61	49.31	0.00	0.00
9	2.250	240.0	50.62	3.98	3425	2.61	-44.09	0.00	0.00
10	2.250	270.0	50.62	3.98	3425	2.61	-124.97	0.00	0.00
11	2.250	300.0	50.62	3.98	3425	2.61	-171.67	0.00	0.00
12	2.250	330.0	50.62	3.98	3425	2.61	-171.67	0.00	0.00
13	2.250	15.0	50.62	3.98	3425	2.61	-87.60	0.00	0.00
14	2.250	75.0	50.62	3.98	3425	2.61	92.83	0.00	0.00
15	2.250	135.0	50.62	3.98	3425	2.61	183.04	3.75	685.49
16	2.250	195.0	50.62	3.98	3425	2.61	92.83	0.00	0.00
17	2.250	255.0	50.62	3.98	3425	2.61	-87.60	0.00	0.00
18	2.250	315.0	50.62	3.98	3425	2.61	-177.82	0.00	0.00
				71.64		47.00			1705.30



**DRILLED PIER SOIL AND STEEL ANALYSIS - TIA/EIA-222-F**

**Unfactored Base Reactions from RISA**

	Comp. (+)	Tension (-)	
Moment, M =	3425.0		k-ft
Shear, V =	32.0		kips
Axial Load, P =	47.0		kips
OTM =	3441.0		k-ft @ Ground

**Safety Factors / Load Factors /  $\Phi$  Factors**

Tower Type =	Monopole DP
ACI Code =	ACI 318-02
Seismic Design Category =	C
Reference Standard =	TIA/EIA-222-F
Use 1.3 Load Factor?	Yes
Load Factor =	1.30

**Drilled Pier Parameters**

Diameter =	6	ft
Height Above Grade =	0.5	ft
Depth Below Grade =	33	ft
fc' =	3	ksi
εc =	0.003	in/in
Mat Ftdn. Cap Width =		ft
Mat Ftdn. Cap Length =		ft
Depth Below Grade =		ft

	Safety Factor	$\Phi$ Factor
Soil Lateral Resistance =	2.00	0.75
Skin Friction =	2.00	0.75
End Bearing =	2.00	0.75
Concrete Wt. Resist Uplift =	1.25	

**Load Combinations Checked per TIA/EIA-222-F**

- Ult. Skin Friction/2.00 + Ult. End Bearing/2.00 + Effective Soil Wt. - Buoyant Conc. Wt. ≥ Comp.
- Ult. Skin Friction/2.00 + Buoyant Conc. Wt./1.25 ≥ Uplift
- Ult. Skin Friction/1.50 + Buoyant Conc. Wt./1.50 ≥ Uplift

**Steel Parameters**

Number of Bars =	32	
Rebar Size =	#11	
Rebar Fy =	60	ksi
Rebar MOE =	29000	ksi
Tie Size =	#4	
Side Clear Cover to Ties =	4	in

**Soil Parameters**

Water Table Depth =	10.00	ft
Depth to Ignore Soil =	3.00	ft
Depth to Full Cohesion =	0	ft
Full Cohesion Starts at?	Ground	
Above Full Cohesion Lateral Resistance = 4(Cohesion)(Dia)(H)		
Below Full Cohesion Lateral Resistance = 8(Cohesion)(Dia)(H)		

**Direct Embed Pole Shaft Parameters**

Dia @ Grade =		in
Dia @ Depth Below Grade =		in
Number of Sides =		
Thickness =		in
Fy =		ksi
Backfill Condition =		

**Maximum Capacity Ratios**

Maximum Soil Ratio =	110.0%
Maximum Steel Ratio =	105.0%

**Define Soil Layers**

Note: Cohesion = Undrained Shear Strength = Unconfined Compressive Strength / 2

Layer	Thickness ft	Unit Weight pcf	Cohesion psf	Friction Angle degrees	Soil Type	Ultimate End Bearing psf	Comp. Ult. Skin Friction psf	Tension Ult. Skin Friction psf	Depth ft
1	34	135	0	38	Sand	40000	800	800	34
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									

**Soil Results: Overturning**

Depth to COR =	22.92	ft, from Grade
Bending Moment, M =	4174.41	k-ft, from COR
Resisting Moment, Ma =	14255.46	k-ft, from COR

**MOMENT RATIO = 29.3% OK**

Shear, V =	32.00	kips
Resisting Shear, Va =	109.28	kips

**SHEAR RATIO = 29.3% OK**

**Soil Results: Uplift**

Uplift, T =	0.00	kips
Allowable Uplift Cap., Ta =	307.39	kips

**UPLIFT RATIO = 0.0% OK**

**Soil Results: Compression**

Compression, C =	47.00	kips
Allowable Comp. Cap., Ca =	775.56	kips

**COMPRESSION RATIO = 6.1% OK**

**Steel Results (ACI 318-02):**

Minimum Steel Area =	13.57	sq in
Actual Steel Area =	49.92	sq in

Allowable Min Axial, Pa =	-2073.60	kips, Where Ma = 0 k-ft
Allowable Max Axial, Pa =	5300.10	kips, Where Ma = 0 k-ft

Axial Load, P =	58.83	kips @ 7.25 ft Below Grade
Moment, M =	3613.34	k-ft @ 7.25 ft Below Grade
Allowable Moment, Ma =	4730.67	k-ft

**MOMENT RATIO = 76.4% OK**

## Moment Capacity of Drilled Concrete Shaft (Caisson) for TIA Rev F or G

**Note:** Shaft assumed to have ties, not spiral, transverse reinforcing

### Site Data

BU#: 806361	
Site Name: NHV 102 943127	
App #:	

### Enter Load Factors Below:

For M (WL)	1.3	<---- Enter Factor
For P (DL)	1.3	<---- Enter Factor

### Pier Properties

<b>Concrete:</b>	
Pier Diameter =	6.0 ft
Concrete Area =	4071.5 in <sup>2</sup>
<b>Reinforcement:</b>	
Clear Cover to Tie =	4.00 in
Horiz. Tie Bar Size =	4
Vert. Cage Diameter =	5.13 ft
Vert. Cage Diameter =	61.59 in
<b>Vertical Bar Size =</b>	<b>11</b>
Bar Diameter =	1.41 in
Bar Area =	1.56 in <sup>2</sup>
Number of Bars =	32
As Total =	49.92 in <sup>2</sup>
A s / Aconc, Rho:	0.0123 1.23%

ACI 10.5, ACI 21.10.4, and IBC 1810.  
 Min As for Flexural, Tension Controlled, Shafts:

$$(3) * (\text{sqrt}(f_c) / F_y) = 0.0027$$

$$200 / F_y = 0.0033$$

### Minimum Rho Check:

Actual Req'd Min. Rho:	0.33%	Flexural
Provided Rho:	1.23%	<b>OK</b>

Ref. Shaft Max Axial Capacities, $\phi$ Max(Pn or Tn):		
Max Pu = ( $\phi=0.65$ ) Pn:		
Pn per ACI 318 (10-2)	6890.12	kips
at Mu=( $\phi=0.65$ )Mn=	3484.22	ft-kips
Max Tu, ( $\phi=0.9$ ) Tn =	2695.68	kips
at Mu= $\phi(0.90)$ Mn=	0.00	ft-kips

### Maximum Shaft Superimposed Forces

TIA Revision:	F	
Max. Service Shaft M:	3613.34	ft-kips (* Note)
Max. Service Shaft P:	58.83	kips
Max Axial Force Type:	Comp.	

(\* Note: Max Shaft Superimposed Moment does not necessarily equal to the shaft top reaction moment

Load Factor	Shaft Factored Loads	
1.30	Mu: 4697.342	ft-kips
1.30	Pu: 76.479	kips

### Material Properties


Concrete Comp. strength, f'c =	3000	psi
Reinforcement yield strength, Fy =	60	ksi
Reinforcing Modulus of Elasticity, E =	29000	ksi
Reinforcement yield strain =	0.00207	
Limiting compressive strain =	0.003	
<b>ACI 318 Code</b>		
Select Analysis ACI Code =	2002	
<b>Seismic Properties</b>		
Seismic Design Category =	C	
Seismic Risk =	<b>Moderate</b>	

Solve  
(Run)

<-- Press Upon Completing All Input

### Results:

Governing Orientation Case: 2



Case 1                      Case 2

Dist. From Edge to Neutral Axis:    **16.91**    in

Extreme Steel Strain, et:            **0.0088**

**et > 0.0050, Tension Controlled**

Reduction Factor,  $\phi$ :                **0.900**

**Output Note:** Negative Pu=Tension  
 For Axial Compression,  $\phi$  Pn = Pu:            76.48    kips  
 Drilled Shaft Moment Capacity,  $\phi$ Mn:        **6149.87**    ft-kips  
 Drilled Shaft Superimposed Mu:            **4697.34**    ft-kips

<b>(Mu/<math>\phi</math>Mn, Drilled Shaft Flexure CSR):</b>	<b>76.4%</b>
---	--------------

# MONOPOLE REINFORCEMENT AND RETROFIT PROJECT

BU NUMBER; SITE NAME  
**BU #806361; NHV 102 943127**  
 APP: 281637 REV. 1; WO: 1016072

SITE ADDRESS  
**131 MANOR RD**  
**GUILFORD, CONNECTICUT 06437**  
**NEW HAVEN COUNTY**

**PROJECT NOTES**

1. THESE DRAWINGS WERE PREPARED FROM INFORMATION AND DOCUMENTS PROVIDED BY CROWN CASTLE. THE INFORMATION PROVIDED HAS NOT BEEN FIELD VERIFIED BY THE ENGINEER OF RECORD (EOR) FOR ACCURACY AND THEREFORE DISCREPANCIES BETWEEN THESE DRAWINGS AND ACTUAL SITE CONDITIONS SHOULD BE ANTICIPATED. DETAILED FIELD INFORMATION REGARDING INTERFERENCES AND/OR EXISTING FIELD CONDITIONS MAY BE AVAILABLE ON CROWN CASTLE'S CSITES AND FROM CONTRACTOR'S PRE-MOD MAPPING. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS AND COORDINATE WITH THE AVAILABLE SOURCES OF INFORMATION ABOVE AND WITH THE PROJECT DRAWINGS BEFORE PROCEEDING WITH THE WORK. CONTRACTOR SHALL IMMEDIATELY REPORT ANY AND ALL DISCREPANCIES TO THE EOR AND CROWN CASTLE FIELD PERSONNEL BEFORE PROCEEDING WITH THE WORK.
2. ALL STRUCTURAL BOLTS SHALL BE INSTALLED AND TIGHTENED TO THE PRETENSIONED CONDITION ACCORDING TO THE REQUIREMENTS OF THE AISC 'SPECIFICATION FOR STRUCTURAL JOINTS USING HIGH-STRENGTH BOLTS', DEC. 31, 2009.
3. ALL STRUCTURAL BOLTS SHALL BE FIELD INSPECTED ACCORDING TO THE REQUIREMENTS OF THE AISC 'SPECIFICATION FOR STRUCTURAL JOINTS USING HIGH-STRENGTH BOLTS', DEC. 31, 2009.
4. DTI'S REQUIRED: ALL ONE SIDED BOLTS SHALL BE INSTALLED USING DIRECT TENSION INDICATORS (DTI'S) AND HARDENED WASHERS. ALL ONE SIDED BOLTS SHALL BE PRETENSIONED AND TIGHTENED UNTIL THE DTI WASHERS SHOW THAT THE PROPER BOLT TENSION HAS BEEN REACHED. SEE NOTES AND DETAILS ON SHEET S-2 FOR REQUIREMENTS ON THE USE OF DTI WASHERS WITH THE BOLTS.

**PROJECT CONTACT:**

**MONOPOLE OWNER:**  
 CROWN CASTLE  
 MOD PM: JOHN MCGEE AT JOHN.MCGEE@CROWNCastle.COM  
 PH: (704) 877-8397

**DESIGN STANDARD**

THE STRUCTURAL ANALYSIS WAS PERFORMED FOR THIS TOWER IN ACCORDANCE WITH THE REQUIREMENTS OF TIA/EIA-222-F STRUCTURAL STANDARDS FOR STEEL ANTENNA TOWERS AND ANTENNA SUPPORTING STRUCTURES AND THE 2005 CONNECTICUT BUILDING CODE WITH 2009 AMENDMENT USING A FASTEST MILE WIND SPEED OF 85 MPH WITH NO ICE, 37.6 MPH WITH 3/4 INCH ICE THICKNESS AND 50 MPH UNDER SERVICE LOADS.  
 REFER TO THE POLE DESIGN AND ANTENNA LOADING DOCUMENTED IN THE PJF STRUCTURAL ANALYSIS FOR THIS SITE (PJF#37515-0830.001.7700 R1), DATED 03/02/2015.

**THIS PROJECT INCLUDES THE FOLLOWING ITEMS:**

- SHAFT REINFORCING
- FIELD WELDED STIFFENERS
- REMOVAL OF EXISTING BASE PLATE STIFFENERS
- PAINT MODIFICATIONS

**SHEET INDEX**

SHEET NUMBER	DESCRIPTION
T-1	TITLE SHEET
S-1	GENERAL NOTES
S-2	AJAX BOLT DETAIL
S-3	MONOPOLE PROFILE
S-4	BASE PLATE DETAILS
S-5	MISC DETAILS
S-6	MI CHECKLIST



3-12-2015: REVISED LIST

**PAUL J. FORD AND COMPANY**  
 STRUCTURAL ENGINEERS  
 250 East Broad Street - Suite 600 - Columbus, Ohio 43216  
 (614) 221-6879 www.pjfweb.com

**CROWN CASTLE**  
 3530 TORINGDON WAY SUITE 300 CHARLOTTE, NC 28277  
 PH: (724) 416-2000

**BU #806361; NHV 102 943127**  
**GUILFORD, CONNECTICUT**  
 MONOPOLE REINFORCEMENT AND RETROFIT PROJECT

PROJECT: 37515-0830.001.7700 R1	
DRAWN BY: CAW	TITLE SHEET
CHECKED BY: JCM	
APPROVED BY: JK	T-1
DATE: 03/02/2015	

CROWN CASTLE PROJECT: BU #06361; NHV 102 943127; GUILFORD, CONNECTICUT  
 MONOPOLE RETROFIT PROJECT MASTER NOTES DOCUMENT (REV. 3, 02/05/2015)

**1. GENERAL NOTES**

- 1.1. THE MONOPOLE STRUCTURE IN ITS EXISTING CONDITION DOES NOT HAVE THE STRUCTURAL CAPACITY TO CARRY ALL OF THE ANTENNA AND PLATFORM LOADS SHOWN ON THESE DRAWINGS AT THE REQUIRED MINIMUM WIND SPEEDS. DO NOT INSTALL ANY ADDITIONAL OR NEW ANTENNA AND PLATFORM LOADS UNTIL THE MONOPOLE REINFORCING SYSTEM IS COMPLETELY AND SUCCESSFULLY INSTALLED.
- 1.2. IF MATERIALS, QUANTITIES, STRENGTHS OR SIZES INDICATED BY THE DRAWINGS OR SPECIFICATIONS ARE NOT IN AGREEMENT WITH THESE NOTES, THE BETTER QUALITY AND/OR GREATER QUANTITY, STRENGTH OR SIZE INDICATED, SPECIFIED OR NOTED SHALL BE PROVIDED.
- 1.3. THIS STRUCTURE IS DESIGNED TO BE SELF-SUPPORTING AND STABLE AFTER THE INSTALLATION OF THE REINFORCING REPAIR SYSTEM HAS BEEN SUCCESSFULLY COMPLETED. IT IS THE CONTRACTOR'S SOLE RESPONSIBILITY TO ENSURE THE SAFETY AND STABILITY OF THE MONOPOLE AND ITS COMPONENT PARTS DURING FIELD MODIFICATIONS. THIS INCLUDES, BUT IS NOT LIMITED TO, THE ADDITION OF WHATEVER TEMPORARY BRACING, GUYS OR TIE DOWNS THAT MAY BE NECESSARY. SUCH MATERIAL SHALL BE REMOVED AND SHALL REMAIN THE PROPERTY OF THE CONTRACTOR AFTER THE COMPLETION OF THE PROJECT.
- 1.4. THE STRUCTURAL CONTRACT DOCUMENTS DO NOT INDICATE THE METHOD OR MEANS OF CONSTRUCTION. THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE WORK AND SHALL BE SOLELY RESPONSIBLE FOR ALL CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, AND PROCEDURES, OBSERVATION VISITS TO THE SITE BY CROWN CASTLE AND/OR THE EOR SHALL NOT INCLUDE INSPECTIONS OF THE PROTECTIVE MEASURES OR THE CONSTRUCTION PROCEDURES.
- 1.5. ANY SUPPORT SERVICES PERFORMED BY THE EOR DURING CONSTRUCTION ARE SOLELY FOR THE PURPOSE OF ASSISTING IN QUALITY CONTROL AND IN ACHIEVING GENERAL CONFORMANCE WITH CONTRACT DOCUMENTS. THEY DO NOT GUARANTEE CONTRACTOR'S PERFORMANCE AND SHALL NOT BE CONSTRUED AS SUPERVISION OF CONSTRUCTION.
- 1.6. ALL MATERIALS AND EQUIPMENT FURNISHED SHALL BE NEW AND OF GOOD QUALITY, FREE FROM FAULTS AND DEFECTS AND IN CONFORMANCE WITH THE CONTRACT DOCUMENTS. ANY AND ALL SUBSTITUTIONS MUST BE PROPERLY APPROVED AND AUTHORIZED IN WRITING BY CROWN CASTLE AND EOR PRIOR TO INSTALLATION. THE CONTRACTOR SHALL FURNISH SATISFACTORY EVIDENCE AS TO THE KIND AND QUALITY OF MATERIALS AND EQUIPMENT BEING SUBSTITUTED.
- 1.7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR INITIATING, MAINTAINING, AND SUPERVISING ALL SAFETY PRECAUTIONS AND PROGRAMS IN CONNECTION WITH THE WORK. THE CONTRACTOR IS RESPONSIBLE TO ENSURE THAT THIS PROJECT AND RELATED WORK COMPLIES WITH ALL APPLICABLE LOCAL, STATE, AND FEDERAL SAFETY CODES AND REGULATIONS GOVERNING THIS WORK AS WELL AS CROWN CASTLE SAFETY GUIDELINES.
- 1.8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING ALL EXISTING AND NEW COAXIAL CABLES AND OTHER EQUIPMENT DURING CONSTRUCTION.
- 1.9. ANY EXISTING ATTACHMENTS AND/OR PROJECTIONS ON THE POLE THAT MAY INTERFERE WITH THE INSTALLATION OF THE REINFORCING SYSTEM WILL HAVE TO BE REMOVED AND RELOCATED, REPLACED, OR RE-INSTALLED AS REQUIRED AFTER THE REINFORCING IS SUCCESSFULLY COMPLETED. THE CONTRACTOR SHALL IDENTIFY AND COORDINATE THESE ITEMS PRIOR TO CONSTRUCTION WITH CROWN CASTLE, TESTING AGENCY, AND EOR.
- 1.10. ANY AND ALL EXISTING PLATFORMS THAT ARE LOCATED IN AREAS OF THE POLE SHAFT WHERE SHAFT REINFORCING MUST BE APPLIED SHALL BE TEMPORARILY REMOVED OR OTHERWISE SUPPORTED TO PERMIT NEW CONTINUOUS REINFORCEMENT TO BE ATTACHED. AFTER THE CONTRACTOR HAS SUCCESSFULLY INSTALLED THE MONOPOLE REINFORCEMENT SYSTEM, THE CONTRACTOR SHALL RE-INSTALL THE PLATFORMS.

**2. STRUCTURAL STEEL**

- 2.1. STRUCTURAL STEEL MATERIALS, FABRICATION, DETAILING, AND WORKMANSHIP SHALL CONFORM TO THE LATEST EDITION OF THE FOLLOWING REFERENCE STANDARDS:
  - 2.1.1. BY THE AMERICAN INSTITUTE OF STEEL CONSTRUCTION (AISC):
    - 2.1.1.1. "SPECIFICATION FOR STRUCTURAL STEEL BUILDINGS"
    - 2.1.1.2. "SPECIFICATION FOR STRUCTURAL JOINTS USING ASTM HIGH STRENGTH BOLTS," AS APPROVED BY THE RESEARCH COUNCIL ON STRUCTURAL CONNECTIONS.
    - 2.1.1.3. "CODE OF STANDARD PRACTICE FOR STEEL BUILDINGS AND BRIDGES" (PARAGRAPH 4.2.1 SPECIFICALLY EXCLUDED)
  - 2.1.2. BY THE AMERICAN WELDING SOCIETY (AWS):
    - 2.1.2.1. "STRUCTURAL WELDING CODE - STEEL D1.1"
    - 2.1.2.2. "STANDARD SYMBOLS FOR WELDING, BRAZING, AND NONDESTRUCTIVE EXAMINATION"
- 2.2. ANY MATERIAL OR WORKMANSHIP WHICH IS OBSERVED TO BE DEFECTIVE OR INCONSISTENT WITH THE CONTRACT DOCUMENTS SHALL BE CORRECTED, MODIFIED, OR REPLACED AT THE CONTRACTOR'S EXPENSE.
- 2.3. WELDED CONNECTIONS SHALL CONFORM TO THE LATEST REVISED CODE OF THE AMERICAN WELDING SOCIETY, AWS D1.1. ALL WELD ELECTRODES SHALL BE E60XX UNLESS NOTED OTHERWISE ON THE DRAWINGS.
- 2.4. ALL WELDED CONNECTIONS SHALL BE MADE BY WELDERS CERTIFIED BY AWS. CONTRACTOR SHALL SUBMIT WELDERS' CERTIFICATION AND QUALIFICATION DOCUMENTATION TO CROWN CASTLE'S TESTING AGENCY FOR REVIEW AND APPROVAL PRIOR TO CONSTRUCTION.
- 2.5. STRUCTURAL STEEL PLATES SHALL CONFORM TO ASTM A572 GRADE 60(FY = 65 KSI MIN) UNLESS NOTED OTHERWISE ON THE DRAWINGS.
- 2.6. SURFACES OF EXISTING STEEL SHALL BE PREPARED AS REQUIRED FOR FIELD WELDING PER AWS. SEE SECTION I NOTES REGARDING TOUCH UP OF GALVANIZED SURFACES DAMAGED DURING TRANSPORTATION OR ERECTION AND ASSEMBLY AS WELL AS FIELD WELDING.
- 2.7. NO WELDING SHALL BE DONE TO THE EXISTING STRUCTURE WITHOUT THE PRIOR APPROVAL AND SUPERVISION OF THE TESTING AGENCY.
- 2.8. FIELD CUTTING OF STEEL:
  - 2.8.1. IMPORTANT CUTTING AND WELDING SAFETY GUIDELINES: THE CONTRACTOR SHALL FOLLOW ALL CROWN CASTLE CUTTING, WELDING, FIRE PREVENTION AND SAFETY GUIDELINES. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL OBTAIN A COPY OF THE CURRENT CROWN CASTLE GUIDELINES. FOR THE 12-01-2002 CROWN CASTLE RESPECTIVE: "ALL CUTTING AND WELDING ACTIVITIES SHALL BE CONDUCTED IN ACCORDANCE WITH CROWN CASTLE POLICY CUTTING AND WELDING SAFETY PLAN (DOC # ENG-PAL-10075) ON AN ONGOING BASIS THROUGHOUT THE ENTIRE LIFE OF THE PROJECT". ANY DAMAGE TO THE COAX CABLES, AND/OR OTHER EQUIPMENT AND/OR THE STRUCTURE, RESULTING FROM THE CONTRACTOR'S ACTIVITIES SHALL BE REPAIRED AT THE CONTRACTOR'S EXPENSE. THE INSPECTION/TESTING AGENCY SHALL CLOSELY AND CONTINUOUSLY MONITOR THIS ACTIVITY.
  - 2.8.2. ALL REQUIRED CUTS SHALL BE CUT WITH THE DIMENSIONS SHOWN ON THE DRAWINGS. NO CUTS SHALL EXTEND BEYOND THE OUTLINE OF THE DIMENSIONS SHOWN ON THE DRAWINGS. ALL CUT EDGES SHALL BE GROUND SMOOTH AND DE-BURRED. CUT EDGES THAT ARE TO BE FIELD WELDED SHALL BE PREPARED FOR FIELD WELDING PER AWS D1.1 AND AS SHOWN ON THE DRAWINGS. CONTRACTOR TO AVOID 90 DEGREE CORNERS. IT MAY BE NECESSARY TO DRILL STARTER HOLES AS REQUIRED TO MAKE THE CUTS.

**3. BASE PLATE GROUT - (NOT REQUIRED)**

**4. FOUNDATION WORK - (NOT REQUIRED)**

**5. CAST-IN-PLACE CONCRETE - (NOT REQUIRED)**

**6. EPOXY GROUTED REINFORCING ANCHOR RODS - (NOT REQUIRED)**

**7. TOUCH UP OF GALVANIZING**

- 7.1. THE CONTRACTOR SHALL TOUCH UP ANY AND ALL AREAS OF GALVANIZING ON THE EXISTING STRUCTURE OR NEW COMPONENTS THAT ARE DAMAGED OR ABRADED DURING CONSTRUCTION. GALVANIZED SURFACES DAMAGED DURING TRANSPORTATION OR ERECTION AND ASSEMBLY AS WELL AS ANY AND ALL ABRASIONS, CUTS, FIELD DRILLING, AND ALL FIELD WELDING SHALL BE TOUCHED UP WITH TWO (2) COATS OF ZRC COLD GALVANIZING COMPOUND. FILM THICKNESS PER COAT SHALL BE W/IT 3.0 MILS. DRY 1.5 MILS. APPLY PER ZRC MANUFACTURER'S RECOMMENDED PROCEDURES. CONTACT ZRC AT 1-800-831-5274 FOR PRODUCT INFORMATION.
- 7.2. CONTRACTOR SHALL CLEAN AND PREPARE ALL FIELD WELDS ON GALVANIZED AND PRIME PAINTED SURFACES FOR TOUCH-UP COATING IN ACCORDANCE WITH AWS D1.1. CROWN CASTLE'S TESTING AGENCY SHALL VERIFY THE PREPARED SURFACE PRIOR TO APPLICATION OF THE TOUCH-UP COATING.
- 7.3. CROWN CASTLE'S TESTING AGENCY SHALL TEST AND VERIFY THE COATING THICKNESS AFTER THE CONTRACTOR HAS APPLIED THE ZRC COLD GALVANIZING COMPOUND AND IT HAS SUFFICIENTLY DRIED. AREAS FOUND TO BE ADEQUATELY COATED, SHALL BE RE-COATED BY THE CONTRACTOR AND RE-TESTED BY THE TESTING AGENCY.

**8. HOT-DIP GALVANIZING**

- 8.1. HOT-DIP GALVANIZE ALL STRUCTURAL STEEL MEMBERS AND ALL STEEL ACCESSORIES, BOLTS, WASHERS, ETC. PER ASTM A123 OR PER ASTM A153, AS APPROPRIATE.
- 8.2. PROPERLY PREPARE STEEL ITEMS FOR GALVANIZING.
- 8.3. DRILL OR PUNCH WEEP AND/OR DRAINAGE HOLES WITH EOR APPROVAL OF LOCATIONS.
- 8.4. ALL GALVANIZING SHALL BE DONE AFTER FABRICATION IS COMPLETED AND PRIOR TO FIELD INSTALLATION.

**9. PERPETUAL INSPECTION AND MAINTENANCE BY THE OWNER**

- 9.1. AFTER THE CONTRACTOR HAS SUCCESSFULLY COMPLETED THE INSTALLATION OF THE MONOPOLE REINFORCING SYSTEM AND THE WORK HAS BEEN ACCEPTED BY CROWN CASTLE, CROWN CASTLE WILL BE RESPONSIBLE FOR THE LONG TERM AND PERPETUAL INSPECTION AND MAINTENANCE OF THE POLE AND REINFORCING SYSTEM.
- 9.2. ANY FIELD WELDED CONNECTIONS ARE SUBJECT TO CORROSION DAMAGE AND DETERIORATION IF THEY ARE NOT PROPERLY MAINTAINED AND COVERED WITH CORROSION PREVENTIVE COATING SUCH AS THE ZRC GALVANIZING COMPOUND SPECIFIED PREVIOUSLY. THE STRUCTURAL LOAD CARRYING CAPACITY OF THE REINFORCED POLE SYSTEM IS DEPENDENT UPON THE INSTALLED SIZE AND QUALITY, MAINTAINED SOUND CONDITION AND STRENGTH OF THESE FIELD WELDED CONNECTIONS. ANY CORROSION OF DAMAGE TO FATIGUE, FRACTURE AND/OR DETERIORATION OF THESE WELDS AND/OR THE EXISTING GALVANIZED STEEL POLE STRUCTURE AND THE WELDED COMPONENTS WILL RESULT IN THE LOSS OF STRUCTURAL LOAD CARRYING CAPACITY AND MAY LEAD TO FAILURE OF THE STRUCTURAL SYSTEM. THEREFORE, IT IS IMPERATIVE THAT CROWN CASTLE REGULARLY INSPECTS, MAINTAINS, AND REPAIRS AS NECESSARY, ALL OF THESE WELDS, CONNECTIONS, AND COMPONENTS FOR THE LIFE OF THE STRUCTURE.
- 9.3. CROWN CASTLE SHALL REFER TO ANSIVTA-222-G-2-2008, SECTION 14 AND ANNEX J FOR RECOMMENDATIONS FOR MAINTENANCE AND INSPECTION. THE FREQUENCY OF THE INSPECTION AND MAINTENANCE INTERVALS IS TO BE DETERMINED BY CROWN CASTLE BASED UPON ACTUAL SITE AND ENVIRONMENTAL CONDITIONS. THE EOR RECOMMENDS THAT A COMPLETE AND THOROUGH INSPECTION OF THE ENTIRE REINFORCED MONOPOLE STRUCTURAL SYSTEM BE PERFORMED YEARLY AND/OR AS FREQUENTLY AS CONDITIONS WARRANT. ACCORDING TO ANSIVTA-222-G-2-2008 SECTION 14.2-11 IT IS RECOMMENDED THAT THE STRUCTURE BE INSPECTED AFTER SEVERE WIND AND/OR ICE STORMS OR OTHER EXTREME LOADING CONDITIONS.



3-12-15

3-12-2015

Copyright © 2015 by Paul J. Ford and Company Structural Engineers. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Paul J. Ford and Company. Printed in the United States of America.

**PAUL J. FORD AND COMPANY**  
 STRUCTURAL ENGINEERS  
 250 East Broad Street - Suite 600 - Columbus, Ohio 43215  
 (614) 221-6679 www.pjfw.com

**CROWN CASTLE**  
 3530 TORINGDON WAY SUITE 300 CHARLOTTE, NC 28277  
 PH: (774) 416-2000

**BU #06361; NHV 102 943127**  
**GUILFORD, CONNECTICUT**  
**MONOPOLE REINFORCEMENT AND RETROFIT PROJECT**

PROJECT: 37515-0830.001.7700 R1

DRAWN BY: CAW	GENERAL NOTES
CHECKED BY: JCM	
APPROVED BY: JTK	S-1
DATE: 03/02/2015	

**AJAX BOLT NOTE SHEET: REV. 1.5, 5-12-2014**

- NOTES:**
1. ALL STRUCTURAL BOLTS SHALL BE INSTALLED AND TIGHTENED TO THE PRETENSIONED CONDITION ACCORDING TO THE REQUIREMENTS OF THE AISC 'SPECIFICATION FOR STRUCTURAL JOINTS USING HIGH-STRENGTH BOLTS', DEC. 31, 2009.
  2. ALL STRUCTURAL BOLTS SHALL BE INSPECTED ACCORDING TO THE REQUIREMENTS OF THE AISC 'SPECIFICATION FOR STRUCTURAL JOINTS USING HIGH-STRENGTH BOLTS', DEC. 31, 2009.
  3. ALL AJAX M20 BOLTS WITH SHEAR SLEEVES SHALL BE PRETENSIONED AND TIGHTENED UNTIL THE DIRECT TENSION INDICATOR (DTI) WASHERS SHOW THAT THE PROPER BOLT TENSION HAS BEEN REACHED. SEE NOTES AND DETAIL BELOW FOR THE USE OF DIRECT TENSION INDICATOR (DTI) WASHERS WITH THE AJAX M20 BOLTS.
  4. ALL AJAX BOLTS SHALL BE INSTALLED USING DIRECT TENSION INDICATORS (DTI'S) AND HARDENED WASHERS. DTI'S SHALL BE THE SQUIRTER® STYLE, MADE TO ASTM F959 LATEST REVISION; AND HARDENED WASHERS SHALL CONFORM TO ASTM F436 AND HAVE A HARDNESS OF RC 38 OR HIGHER.

**NOTES FOR AJAX M20 'ONE-SIDE BOLTS WITH DIRECT TENSION INDICATORS (DTI'S):**

**DTI'S REQUIRED:** DTI'S SHALL BE "SELF-INDICATING" SQUIRTER® STYLE DTI'S MADE WITH RED DURABLE SQUIRT MEDIA EMBEDDED IN THEM, INSPECTED BY MEANS OF THE VISUAL EJECTION OF SILICONE AS THE DTI PROTRUSIONS COMPRESS. SQUIRTER® DTI'S SHALL BE CALIBRATED PER MANUFACTURER'S INSTRUCTIONS PRIOR TO USE.

THE DIRECT TENSION INDICATOR (DTI) WASHERS SHALL BE THE "SQUIRTER® STYLE" AS MANUFACTURED BY APPLIED BOLTING TECHNOLOGY PRODUCTS' INC.:

**PART NUMBER:** 2DTIM208MGAFSIF

**DESCRIPTION:** P.C. 8.8 DTI SQUIRTER WASHER WITH RED DURABLE SQUIRT MEDIA DESIGNED SPECIFICALLY FOR THE AJAX M20 ONESIDE BOLT. FINISH SHALL BE ZINC GALVANIZED AS PROVIDED BY THE DTI MANUFACTURER.

**DISTRIBUTOR CONTACT DETAILS:**

ALLFASTENERS  
 15401 COMMERCE PARK DR.  
 BROOKPARK, OHIO 44142  
 PHONE: 440-232-6060  
 E-MAIL: SALES@ALLFASTENERS.COM

**DTI:** USE DIRECT TENSION INDICATOR (DTI) WASHERS COMPATIBLE WITH 20 MM (M20) NOMINAL A325 BOLTS FOR THE AJAX M20 BOLTS. DTI'S SHALL NOT BE HOT-DIP GALVANIZED. DTI'S SHALL BE MECHANICALLY GALVANIZED (MG) BY THE COLD MECHANICAL PROCESS ONLY AS PROVIDED BY THE DTI MANUFACTURER.

**HARDENED WASHERS REQUIRED:** USE A HARDENED WASHER FOR A 20 MM (M20) NOMINAL BOLT BETWEEN THE TOP OF THE DIRECT TENSION INDICATOR (DTI) WASHER AND THE NUT OF THE AJAX M20 BOLTS. HARDENED WASHERS SHALL CONFORM TO ASTM F436 AND HAVE A MINIMUM HARDNESS OF RC 38 OR HIGHER. THE HARDENED WASHERS SHALL BE MECHANICALLY GALVANIZED BY THE COLD MECHANICAL PROCESS. ALTERNATIVELY, CORRECTLY MADE HOT DIP GALVANIZED HARDENED FLAT WASHERS HAVING A MINIMUM HARDNESS OF RC 38 CAN BE USED; CONTRACTOR SHALL PROVIDE DOCUMENTATION OF WASHER SPECIFICATION AND HARDNESS.

**NUT LUBRICATION REQUIRED:** PROPERLY LUBRICATE THE THREADS OF THE NUT OF THE AJAX BOLT SO THAT IT CAN BE PROPERLY TIGHTENED WITHOUT GALLING AND/OR LOCKING UP ON THE BOLT THREADS. CONTRACTOR SHALL FOLLOW DTI MANUFACTURER INSTRUCTIONS FOR PROPER LUBRICATION AND TIGHTENING.


**NOTE:** COMPLETELY COMPRESSED DTI'S SHOWING NO VISIBLE REMAINING GAP ARE ACCEPTABLE. DTI WASHERS SHALL BE PLACED DIRECTLY AGAINST THE OUTER AJAX WASHER WITH THE DTI BUMPS FACING AWAY FROM THE AJAX WASHER. PLACE A HARDENED WASHER BETWEEN THE DTI AND THE AJAX NUT. THE DTI BUMPS SHALL BEAR AGAINST THE UNDERSIDE OF A HARDENED FLAT WASHER, NEVER DIRECTLY AGAINST THE NUT.

CONTRACTOR SHALL FOLLOW DTI MANUFACTURER'S INSTRUCTIONS FOR INSTALLATION, LUBRICATION, TIGHTENING AND INSPECTION.

**INSPECTION REQUIRED:** ALL AJAX BOLTS SHALL BE INSPECTED ACCORDING TO THE REQUIREMENTS OF THE AISC 'SPECIFICATION FOR STRUCTURAL JOINTS USING HIGH-STRENGTH BOLTS', DEC. 31, 2009, BY A QUALIFIED BOLT INSPECTOR. DURING INSTALLATION, THE BOLT INSPECTOR SHALL VERIFY AND DOCUMENT: THE SHOP-DRILLED AND FIELD-DRILLED HOLE SIZES; THE INSTALLATION OF THE AJAX BOLT ASSEMBLY, INCLUDING THE SHEAR SLEEVE PLACEMENT AND NUT LUBRICATION; AND THE CONTRACTOR'S TENSIONING PROCEDURE. IN ADDITION, ALL AJAX BOLTS AND DTI'S SHALL BE VISUALLY INSPECTED ACCORDING TO THE DTI MANUFACTURER'S INSTRUCTIONS. THE BOLT INSPECTOR SHALL PROVIDE COMPLETE PHOTO DOCUMENTATION OF ALL BOLTS AFTER TIGHTENING CLEARLY SHOWING THE CONDITION OF THE DTI'S.

**NOTE:** ALL SHOP AND FIELD DRILLED HOLES SHALL BE NOMINAL 30MM DIAMETER. THE MAXIMUM HOLE DIAMETER PERMITTED IS 1-3/16".

**NOTE:** ALL AJAX BOLTS, AJAX SPLIT WASHERS, AJAX WASHERS, AJAX NUTS, AND SHEAR SLEEVES SHALL BE HOT DIP GALVANIZED PER ASTM A123 OR A153 AS APPROPRIATE. SHEAR SLEEVES MAY BE COLD GALVANIZED OR ZINC PLATED.



**TYPICAL AJAX BOLT DETAIL 1**  
 S-2



3-115

3-12-2015

I certify that I am a duly Licensed Professional Engineer in the State of Connecticut. My license number is No. 30301. I am responsible for the design and construction of the project shown on this drawing. I have read and approved the design and construction of the project shown on this drawing. I have read and approved the design and construction of the project shown on this drawing. I have read and approved the design and construction of the project shown on this drawing.

**PAUL J. FORD AND COMPANY**  
 STRUCTURAL ENGINEERS  
 250 East Broad Street - Suite 600 - Columbus, Ohio 43215  
 (614) 221-0079 www.pjfweb.com

**CROWN CASTLE**  
 3530 TORINGDON WAY SUITE 300 CHARLOTTE, NC 28277  
 PH: (774) 418-2000

**BU #806361; NHV 102 943127**  
**GUILFORD, CONNECTICUT**  
 MONOPOLE REINFORCEMENT AND RETROFIT PROJECT

PROJECT: 37515-0830.001.7700 R1	
DRAWN BY: CAW	AJAX BOLT DETAIL
CHECKED BY: JCM	
APPROVED BY: JTK	S-2
DATE: 03/02/2015	



POLE SPECIFICATIONS	
POLE SHAPE TYPE:	12-SIDED POLYGON
TAPER:	0.1875/10 IN/FT
SHAFT STEEL:	F460 KSI
BASE FL STEEL:	F460 KSI
ANCHOR RODS:	3 1/4" #18J ASTM A15 GRADE 75

SHAFT SECTION DATA					
SHAFT SECTION	SECTION LENGTH (FT)	PLATE THICKNESS (IN)	LAP SPLICE (IN)	DIAMETER ACROSS FLATS (IN)	
				@ TOP	@ BOTTOM
1	54.83	0.1875	16.000	28.250	
2	54.83	0.3125	51.96	25.092	35.380
3	60.00	0.3750	63.96	33.754	43.130

NOTE: DIMENSIONS SHOWN DO NOT INCLUDE GALVANIZING TOLERANCES

CONTRACTOR SHALL PROVIDE ASTM A36 SHIM PLATES BELOW SLIP JOINTS. THE SHIM PLATES SHALL BE PLACED BETWEEN THE NEW SHAFT REINFORCEMENT AND THE EXISTING POLE SHAFT FROM THE SLIP JOINT TO THE NEW SHAFT REINFORCEMENT SPLICE PLATE LOCATION AND AN EXTRA LONG "SPLICE SHIM" SHALL BE PLACED BETWEEN THE NEW UPPER AND LOWER SHAFT REINFORCEMENT PLATES AT THE SHAFT REINFORCEMENT SPLICE PLATE LOCATION AND ALL TERMINATION POINTS, AS REQUIRED.

- MODIFICATIONS:**
- (A) INSTALL NEW TRANSITION STIFFENERS AT BASE PLATE. SEE SHEET S-4.
  - (B) INSTALL NEW SHAFT REINFORCING. SEE CHART ON THIS SHEET.
  - (C) REMOVAL OF BASE PLATE STIFFENERS. SEE SHEET S-4.
  - (D) CONTRACTOR TO RELOCATE/REPLACE STEP PEGS AS NECESSARY. COORDINATE WITH CROWN CASTLE.
  - (E) PAINT MODIFICATIONS TO MATCH EXISTING POLE. COORDINATE WITH CROWN CASTLE.

NEW CCI FLAT PLATE (65 KSI) REINFORCING SCHEDULE											
BOTTOM ELEVATION	TOP ELEVATION	FLAT # / DEGREE SEPARATION	ELEMENT	ELEMENT LENGTH	ELEMENT QUANTITY	APPROXIMATE AJAX BOLTS PER ELEMENT	APPROXIMATE TOTAL AJAX BOLT QUANTITY	TERMINATION BOLTS (BOTTOM)	TERMINATION BOLTS (TOP)	MAXIMUM INTERMEDIATE BOLT SPACING	ESTIMATED TOTAL STEEL WEIGHT
0'-6"	35'-6"	F9	CCH-FF-06010035	35'-0"	1	42	42	10	10	16"	716 LBS.
6'-9"	35'-6"	F6	1" x 6" (CUSTOM) #1	28'-9"	1	37	37	10	10	16"	587 LBS.
9'-9"	35'-6"	F1	1" x 6" (CUSTOM) #2	25'-9"	1	35	35	10	10	16"	526 LBS.
35'-7"	70'-7"	F1, F5 & F9	CCH-FF-06010035	35'-0"	3	42	126	10	10	16"	2144 LBS.
70'-8"	65'-8"	F1, F5 & F9	CCH-FF-04510025	25'-0"	3	28	84	8	8	20"	1148 LBS.
85'-9"	120'-9"	F1, F5 & F9	CCH-FF-04510025	25'-0"	3	28	84	8	8	20"	1148 LBS.
115'-0"	135'-0"	F2, F6 & F10	CCH-FF-04510020	20'-0"	3	25	75	8	8	20"	919 LBS.
						483					7187 LBS.


- NOTES:**
- 1) AJAX BOLTS ARE TO BE 20mm DIAMETER WITH CORRESPONDING 20mm DIAMETER SLEEVES WITH MAT CHING STEEL GRADE.
  - 2) ALL STEEL SHALL BE HOT-DIPPED GALVANIZED AFTER FABRICATION IN ACCORDANCE WITH ASTM A153. ALTERNATIVELY, ALL NEW STIFFENER PLATE STEEL REINFORCING MAY BE COLD GALVANIZED AS FOLLOWS: APPLY A MINIMUM OF TWO COATS OF ZINC-BRASS ZINC-RICH COLD GALVANIZING COMPOUND. FILM THICKNESS PER COAT SHALL BE WET 2.0 MILS DRY 1.5 MILS. APPLY PER ZINC MANUFACTURER'S RECOMMENDED PROCEDURES. CONTACT ZINC AT 1-800-931-3275 FOR PRODUCT INFORMATION.
  - 3) ALL REINFORCING SHALL BE ASTM A572 GR. 50.
  - 4) WELDS SHALL BE 6/8" OR GREATER. TERMINATION WELDS SHALL BE 3/4" FILLET WELDS.
  - 5) HOLES FOR AJAX BOLTS AND SHEAR SLEEVES ARE 30mm UNLESS NOTED OTHERWISE.
  - 6) ALL SHIMS SHALL BE ASTM A36.

SPLICE PLATE INSTALLATION CHART									
ELEVATION	FLAT PLATE THICKNESS	FLAT PLATE WIDTH	FLAT PLATE LENGTH	FLAT PLATE QUANTITY	WELD LENGTH PER SIDE	TOTAL WELD LENGTH	AJAX BOLTS PER SPLICE*	TOTAL STEEL WEIGHT	
35'-7"	1"	6"	6'-7"	3	0"	0"	20	342 LBS.	
70'-8"	1"	4-1/2"	5'-1"	3	0"	0"	18	311 LBS.	
95'-9"	1"	4-1/2"	4'-7"	3	0"	0"	16	211 LBS.	
							0"	864 LBS.	

\* BOLTS INCLUDED IN THE TOTAL QUANTITY LISTED IN THE FLAT PLATE INSTALLATION CHART.

NEW SHIM CHART				
1/16" SHIM QUANTITY	1/4" SHIM QUANTITY	SHIM WIDTH	SHIM LENGTH	HOLE DIAMETER
45	0	4-1/2"	4"	1-1/4"
21	3	6"	4"	1-1/4"



SHIMS ARE FOR BIDDING PURPOSES ONLY. FINAL SHIM REQUIREMENTS TO BE DETERMINED BY CONTRACTOR DURING FABRICATION.



**CUSTOM BOLTED BAR DETAIL**

NOTE: "A" DIMENSION MAY VARY, NOT TO EXCEED MAXIMUM INTERMEDIATE BOLT SPACING

3-12-15  
3-12-2015: REVISED MODIFICATION LIST



**POLE ELEVATION 1 S-3**

**PAUL J. FORD AND COMPANY STRUCTURAL ENGINEERS**  
250 East Broad Street - Suite 600 - Columbus, Ohio 43215  
(614) 221-6678 www.pjfwe.com

**CROWN CASTLE**  
3530 TORINGADON WAY SUITE 300 CHARLOTTE, NC 28277  
PH: (724) 416-2000

**BU #806361; NHV 102 943127**  
**GUILFORD, CONNECTICUT**  
**MONOPOLE REINFORCEMENT AND RETROFIT PROJECT**

PROJECT: 37515-0830.001.7700 R1

DRAWN BY: CAW  
CHECKED BY: JCM  
APPROVED BY: JCM  
DATE: 03/02/2016


MONOPOLE PROFILE

**S-3**




Copyright 2015 by Paul J. Ford and Company. All rights reserved. This document and its contents are the property of Paul J. Ford and Company, and shall not be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Paul J. Ford and Company. For more information, please contact Paul J. Ford and Company at the address above or by telephone at the number above.






**TRANSITION STIFFENER MK~TS1**  
(1 REQUIRED) (F<sub>y</sub> = 65 KSI)



**TRANSITION STIFFENER MK~TS2**  
(1 REQUIRED) (F<sub>y</sub> = 65 KSI)



**TRANSITION STIFFENER MK~TS3**  
(1 REQUIRED) (F<sub>y</sub> = 65 KSI)



3-12-15

3-12-2016: REVISED TRANSITION STIFFENER DIMENSIONS

© Copyright 2014, by Paul J. Ford and Company, Inc. All Rights Reserved. This document and its contents are the property of Paul J. Ford and Company, Inc. and shall not be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Paul J. Ford and Company, Inc. For more information, contact Paul J. Ford and Company, Inc. at (724) 418-2000.

**PAUL J. FORD AND COMPANY**  
STRUCTURAL ENGINEERS  
250 East Broad Street - Suite 600 - Columbus, Ohio 43215  
(614) 231-6979 www.pjfwb.com

**CROWN CASTLE**  
3530 TORINGDON WAY SUITE 300 CHARLOTTE, NC 28277  
PH: (724) 418-2000

BU #806361; NHV 102 943127  
GUILFORD, CONNECTICUT  
MONOPOLE REINFORCEMENT AND RETROFIT PROJECT

PROJECT: 37515-0830.001.7700 R1

DRAWN BY: CAW	MISC DETAILS
CHECKED BY: JCM	
APPROVED BY: 	S-5
DATE: 03/02/2016	

**MODIFICATION INSPECTION NOTES:**

1. **GENERAL**
  - 1.1. THE MODIFICATION INSPECTION (MI) IS A VISUAL INSPECTION OF TOWER MODIFICATIONS AND A REVIEW OF CONSTRUCTION INSPECTIONS AND OTHER REPORTS TO ENSURE THE INSTALLATION WAS CONSTRUCTED IN ACCORDANCE WITH THE CONTRACT DOCUMENTS, NAMELY THE MODIFICATION DRAWINGS, AS DESIGNED BY THE EOR.
  - 1.2. THE MI IS TO CONFIRM INSTALLATION CONFIGURATION AND WORKMANSHIP ONLY AND IS NOT A REVIEW OF THE MODIFICATION DESIGN ITSELF, NOR DOES THE MI INSPECTOR TAKE OWNERSHIP OF THE MODIFICATION DESIGN. OWNERSHIP OF THE STRUCTURAL MODIFICATION DESIGN EFFECTIVENESS AND INTEGRITY RESIDES WITH THE EOR AT ALL TIMES.
  - 1.3. ALL MIs SHALL BE CONDUCTED BY A CROWN CASTLE ENGINEERING VENDOR (AEV) OR ENGINEERING SERVICE VENDOR (AESV) THAT IS APPROVED TO PERFORM ELEVATED WORK FOR CROWN CASTLE.
  - 1.4. TO ENSURE THAT THE REQUIREMENTS OF THE MI ARE MET, IT IS VITAL THAT THE GENERAL CONTRACTOR (GC) AND THE MI INSPECTOR BEGIN COMMUNICATING AND COORDINATING AS SOON AS A PO IS RECEIVED. IT IS EXPECTED THAT EACH PARTY WILL BE PROACTIVE IN REACHING OUT TO THE OTHER PARTY. IF CONTACT INFORMATION IS NOT KNOWN, CONTACT YOUR CROWN CASTLE POINT OF CONTACT (POC).
  - 1.5. REFER TO ENG-SOW-10007; MODIFICATION INSPECTION SOW FOR FURTHER DETAILS AND REQUIREMENTS.
2. **MI INSPECTOR**
  - 2.1. THE MI INSPECTOR IS REQUIRED TO CONTACT THE GC AS SOON AS RECEIVING A PO FOR THE MI TO, AT A MINIMUM:
    - 2.1.1. REVIEW THE REQUIREMENTS OF THE MI CHECKLIST.
    - 2.1.2. WORK WITH THE GC TO DEVELOP A SCHEDULE TO CONDUCT ON-SITE INSPECTIONS, INCLUDING FOUNDATION INSPECTIONS.
    - 2.1.3. THE MI INSPECTOR IS RESPONSIBLE FOR COLLECTING ALL GC INSPECTION AND TEST REPORTS, REVIEWING THE DOCUMENTS FOR ADHERENCE TO THE CONTRACT DOCUMENTS, CONDUCTING THE IN-FIELD INSPECTIONS, AND SUBMITTING THE MI REPORT TO CROWN CASTLE.
3. **GENERAL CONTRACTOR**
  - 3.1. THE GC IS REQUIRED TO CONTACT THE MI INSPECTOR AS SOON AS RECEIVING A PO FOR THE MODIFICATION INSTALLATION OR TURNKEY PROJECT TO, AT A MINIMUM:
    - 3.1.1. REVIEW THE REQUIREMENTS OF THE MI CHECKLIST.
    - 3.1.2. WORK WITH THE MI INSPECTOR TO DEVELOP A SCHEDULE TO CONDUCT ON-SITE INSPECTIONS, INCLUDING FOUNDATION INSPECTIONS.
    - 3.1.3. BETTER UNDERSTAND ALL INSPECTION AND TESTING REQUIREMENTS.
    - 3.1.4. THE GC SHALL PERFORM AND RECORD THE TEST AND INSPECTION RESULTS IN ACCORDANCE WITH THE REQUIREMENTS OF THE MI CHECKLIST AND ENG-SOW-10007.
4. **RECOMMENDATIONS**
  - 4.1. THE FOLLOWING RECOMMENDATIONS AND SUGGESTIONS ARE OFFERED TO ENHANCE THE EFFICIENCY AND EFFECTIVENESS OF DELIVERING AN MI REPORT:
    - 4.1.1. IT IS SUGGESTED THAT THE GC PROVIDE A MINIMUM OF 5 BUSINESS DAYS NOTICE, PREFERABLE 10, TO THE MI INSPECTOR AS TO WHEN THE SITE WILL BE READY FOR THE MI TO BE CONDUCTED.
    - 4.1.2. THE GC AND MI INSPECTOR COORDINATE CLOSELY THROUGHOUT THE ENTIRE PROJECT.
    - 4.1.3. WHEN POSSIBLE, IT IS PREFERRED TO HAVE THE GC AND MI INSPECTOR ON-SITE SIMULTANEOUSLY FOR ANY GUY WIRE TENSIONING OR RE-TENSIONING OPERATIONS.
    - 4.1.4. IT MAY BE BENEFICIAL TO INSTALL ALL TOWER MODIFICATIONS PRIOR TO CONDUCTING THE FOUNDATION INSPECTIONS TO ALLOW FOUNDATION AND MI INSPECTIONS TO COMMENCE WITH ONE SITE VISIT.
    - 4.1.5. WHEN POSSIBLE, THE MI INSPECTOR TO HAVE THE GC AND MI INSPECTOR ON-SITE TO HAVE ANY DEFICIENCIES CORRECTED DURING THE INITIAL MI. THEREFORE, THE GC MAY CHOOSE TO COORDINATE THE MI CAREFULLY TO ENSURE ALL CONSTRUCTION FACILITIES ARE AT THEIR DISPOSAL WHEN THE MI INSPECTOR IS ON SITE.
5. **CANCELLATION OR DELAYS IN SCHEDULED MI**
  - 5.1. IF THE GC AND MI INSPECTOR AGREE TO A DATE ON WHICH THE MI WILL BE CONDUCTED, AND EITHER PARTY CANCELS OR DELAYS, CROWN CASTLE SHALL NOT BE RESPONSIBLE FOR ANY COSTS, FEES, LOSS OF DEPOSITS AND/OR OTHER PENALTIES RELATED TO THE CANCELLATION OR DELAY INCURRED BY EITHER PARTY FOR ANY TIME (E.G. TRAVEL AND LODGING, COSTS OF KEEPING EQUIPMENT ON-SITE, ETC.). IF CROWN CASTLE CONTRACTS DIRECTLY FOR A THIRD PARTY MI, EXCEPTIONS MAY BE MADE IN THE EVENT THAT THE DELAY/CANCELLATION IS CAUSED BY WEATHER OR OTHER CONDITIONS THAT MAY COMPROMISE THE SAFETY OF THE PARTIES INVOLVED.
6. **CORRECTION OF FAILING MIs**
  - 6.1. IF THE MODIFICATION INSTALLATION WOULD FAIL THE MI ("FAILED MI"), THE GC SHALL WORK WITH CROWN CASTLE TO COORDINATE A REMEDIATION PLAN IN ONE OF TWO WAYS:
    - 6.1.1. CORRECT FAILING ISSUES TO COMPLY WITH THE SPECIFICATIONS CONTAINED IN THE ORIGINAL CONTRACT DOCUMENTS AND COORDINATE A SUPPLEMENT MI.
    - 6.1.2. OR, WITH CROWN CASTLE'S APPROVAL, THE GC MAY WORK WITH THE EOR TO RE-ANALYZE THE MODIFICATION/REINFORCEMENT USING THE AS-BUILT CONDITION.
7. **MI VERIFICATION INSPECTIONS**
  - 7.1. CROWN CASTLE RESERVES THE RIGHT TO CONDUCT A MI VERIFICATION INSPECTION TO VERIFY THE ACCURACY AND COMPLETENESS OF PREVIOUSLY COMPLETED MI INSPECTIONS ON TOWER MODIFICATION PROJECTS.
  - 7.2. ALL VERIFICATION INSPECTIONS SHALL BE HELD TO THE SAME SPECIFICATIONS AND REQUIREMENTS IN THE CONTRACT DOCUMENTS AND IN ACCORDANCE WITH ENG-SOW-10007.
  - 7.3. VERIFICATION INSPECTION MAY BE CONDUCTED BY AN INDEPENDENT ADVISEE FIRM AFTER A MODIFICATION PROJECT IS COMPLETED, AS MARKED BY THE DATE OF AN ACCEPTED "PASSING MI" OR "PASS AS NOTED MI" REPORT FOR THE ORIGINAL PROJECT.
8. **PHOTOGRAPHS**
  - 8.1. BETWEEN THE GC AND THE MI INSPECTOR THE FOLLOWING PHOTOGRAPHS, AT A MINIMUM, ARE TO BE TAKEN AND INCLUDED IN THE MI REPORT:
    - 8.1.1. PRE-CONSTRUCTION GENERAL SITE CONDITION.
    - 8.1.2. PHOTOGRAPHS DURING THE REINFORCEMENT MODIFICATION CONSTRUCTION/ERECTION AND INSPECTION
    - 8.1.3. RAW MATERIALS
    - 8.1.4. PHOTOS OF ALL CRITICAL DETAILS
    - 8.1.5. FOUNDATION MODIFICATIONS
    - 8.1.6. WELD PREPARATION
    - 8.1.7. BOLT INSTALLATION AND TORQUE
    - 8.1.8. FINAL INSTALLED CONDITION
    - 8.1.9. SURFACE COATING REPAIR
    - 8.1.10. POST CONSTRUCTION PHOTOGRAPHS
    - 8.1.11. FINAL IN-FIELD CONDITION
    - 8.1.12. PHOTOS OF ELEVATED MODIFICATIONS TAKEN FROM THE GROUND SHALL BE CONSIDERED INADEQUATE.
    - 8.1.13. THIS IS NOT A COMPLETE LIST OF REQUIRED PHOTOS, PLEASE REFER TO ENG-SOW-10007.
9. **INSPECTION AND TESTING**
  - 9.1. ALL WORK SHALL BE SUBJECT TO REVIEW AND OBSERVATION BY CROWN CASTLE'S REPRESENTATIVE AND CROWN CASTLE'S AUTHORIZED INDEPENDENT INSPECTION AND TESTING AGENCY.
    - 9.2. INSPECTION SERVICES WHICH ARE FURNISHED BY OTHERS ARE STILL REQUIRED WHEN THE EOR PERFORMS SUPPORT SERVICES DURING CONSTRUCTION.
    - 9.3. OBSERVED DISCREPANCIES BETWEEN THE WORK AND THE CONTRACT DOCUMENTS SHALL BE CORRECTED BY THE CONTRACTOR AT NO ADDITIONAL COST.
    - 9.4. AN INDEPENDENT QUALIFIED INSPECTION/TESTING AGENCY SHALL BE SELECTED, RETAINED AND PAID FOR BY CROWN CASTLE FOR THE SOLE PURPOSE OF INSPECTION, TESTING, DOCUMENTING, AND APPROVING ALL WELDING AND FIELD WORK PERFORMED BY THE CONTRACTOR.
      - 9.4.1. ACCESS TO ANY PLACE WHERE WORK IS BEING DONE SHALL BE PERMITTED AT ALL TIMES.
      - 9.4.2. THE INSPECTION AGENCY SHALL SO SCHEDULE THIS WORK AS TO CAUSE A MINIMUM OF INTERRUPTION TO, AND COORDINATE WITH, THE WORK IN PROGRESS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO COORDINATE THE WORK SCHEDULE WITH THE TESTING AGENCY. THE CONTRACTOR SHALL ALLOW FOR ADEQUATE TIME AND ACCESS FOR THE TESTING AGENCY TO PERFORM THEIR DUTIES.
  - 9.5. THE INSPECTION AND TESTING AGENCY SHALL BE RESPONSIBLE TO PERFORM THE FOLLOWING SERVICES AND INSPECT THE FOLLOWING ITEMS IN ACCORDANCE WITH THE CONSTRUCTION DRAWINGS. THE TESTING AGENCY SHALL INSPECT ITEMS ON THIS LIST AND OTHER ITEMS AS NECESSARY TO FULFILL THEIR RESPONSIBILITY. THE TESTING AGENCY SHALL UTILIZE EXPERIENCED, TRAINED INSPECTORS INCLUDING AWS CERTIFIED WELDING INSPECTORS (CWI), INSPECTORS SHALL HAVE THE TRAINING, CREDENTIALS, AND EXPERIENCE APPROPRIATE FOR AND COMMENSURATE WITH THE SCOPE AND TYPE OF INSPECTION WORK TO BE PERFORMED.

- 9.6. **GENERAL**
  - 9.6.1. PERFORM PERIODIC ON-SITE OBSERVATION, INSPECTION, VERIFICATION, AND TESTING DURING THE TIME THE CONTRACTOR IS WORKING ON-SITE. AGENCY SHALL NOTIFY CROWN CASTLE AND THE EOR IMMEDIATELY WHEN FIELD PROBLEMS OR DISCREPANCIES OCCUR.
- 9.7. **FOUNDATIONS AND SOIL PREPARATION - (NOT REQUIRED)**
- 9.8. **CONCRETE TESTING PER ACI - (NOT REQUIRED)**
- 9.9. **STRUCTURAL STEEL**
  - 9.9.1. CHECK STEEL ON THE JOB WITH THE PLANS.
  - 9.9.2. CHECK MILL CERTIFICATIONS. CALL FOR LABORATORY TEST REPORTS WHEN MILL CERTIFICATION IS IN QUESTION.
  - 9.9.3. CHECK GRADE OF STEEL MEMBERS, AND BOLTS FOR CONFORMANCE WITH DRAWINGS.
  - 9.9.4. INSPECT STEEL MEMBERS FOR DISTORTION, EXCESSIVE RUST, FLAWS AND BURNED HOLES.
  - 9.9.5. CHECK STEEL MEMBERS FOR SIZES, SWEEP AND DIMENSIONAL TOLERANCES.
  - 9.9.6. CHECK FOR SURFACE FINISH SPECIFIED, GALVANIZED.
  - 9.9.7. CHECK THAT BOLTS HAVE BEEN TIGHTENED PROPERLY.
  - 9.9.8. PRIOR TO ANY FIELD CUTTING THE CONTRACTOR SHALL MARK THE CUTOFF LINES ON THE STEEL AND THE INSPECTION/TESTING AGENCY SHALL VERIFY PROPOSED LAYOUT, LOCATION, AND DIMENSIONS. THE INSPECTION/TESTING AGENCY SHALL CLOSELY AND CONTINUOUSLY MONITOR THIS ACTIVITY.
- 9.10. **WELDING:**
  - 9.10.1. VERIFY FIELD WELDING PROCEDURES, WELDERS, AND WELDING OPERATORS, NOT DEEMED PREQUALIFIED, IN ACCORDANCE WITH AWS D1.1.
  - 9.10.2. CHECK FIELD WELDED CONNECTIONS IN ACCORDANCE WITH THE REQUIREMENTS SPECIFIED AND WITH AWS D1.1.
  - 9.10.3. APPROVE FIELD WELDING SEQUENCE.
  - 9.10.4. A PROGRAM OF THE APPROVED SEQUENCES SHALL BE SUBMITTED TO CROWN CASTLE BEFORE WELDING BEGINS. NO CHANGE IN APPROVED SEQUENCES MAY BE MADE WITHOUT PERMISSION FROM CROWN CASTLE.
  - 9.10.5. INSPECT WELDED CONNECTIONS AS FOLLOWS AND IN ACCORDANCE WITH AWS D1.1:
    - 9.10.5.1. INSPECT WELDING EQUIPMENT FOR CAPACITY, MAINTENANCE, AND WORKING CONDITIONS.
    - 9.10.5.2. VERIFY SPECIFIED ELECTRODES AND HANDLING AND STORAGE OF ELECTRODES FOR CONFORMANCE TO SPECIFICATIONS.
    - 9.10.5.3. INSPECT PREHEATING AND INTERPASS TEMPERATURES FOR CONFORMANCE WITH AWS D1.1.
    - 9.10.5.4. VISUALLY INSPECT ALL WELDS AND VERIFY THAT QUALITY OF WELDS MEETS THE REQUIREMENTS OF AWS D1.1. OTHER TESTS MAY ALSO BE PERFORMED ON THE WELDS BY THE TESTING AGENCY IN ORDER FOR THEM TO PERFORM THEIR DUTIES FOR THIS PROJECT.
    - 9.10.5.5. SPOT TEST AT LEAST ONE FILLET WELD OF EACH MEMBER USING MAGNETIC PARTICLE.
    - 9.10.5.6. INSPECT FOR SIZE, SPACING, TYPE AND LOCATION AS PER APPROVED DRAWINGS.
    - 9.10.5.7. VERIFY THAT THE BASE METAL CONFORMS TO THE DRAWINGS.
    - 9.10.5.8. REVIEW THE REPORTS BY TESTING LABS.
    - 9.10.5.9. CHECK TO SEE THAT WELDS ARE CLEAN AND FREE FROM SLAG.
    - 9.10.5.10. INSPECT RUST PROTECTION OF WELDS AS PER SPECIFICATIONS.
    - 9.10.5.11. CHECK THAT DEFECTIVE WELDS ARE CLEARLY MARKED AND HAVE BEEN ADEQUATELY REPAIRED.
- 9.11. **REPORTS:**
  - 9.11.1. COMPLETE AND PERIODICALLY SUBMIT DAILY INSPECTION REPORTS TO CROWN CASTLE.
  - 9.11.2. THE INSPECTION PLAN OUTLINED HEREIN IS INTENDED AS A DESCRIPTION OF GENERAL AND SPECIFIC ITEMS OF CONCERN. IT IS NOT INTENDED TO BE ALL-INCLUSIVE. IT DOES NOT LIMIT THE TESTING AND INSPECTION AGENCY TO THE ITEMS LISTED. ADDITIONAL TESTING, INSPECTION, AND CHECKING MAY BE REQUIRED AND SHOULD BE ANTICIPATED. THE TESTING AGENCY SHALL USE THEIR PROFESSIONAL JUDGMENT AND KNOWLEDGE OF THE JOB SITE CONDITIONS AND THE CONTRACTOR'S PERFORMANCE TO DECIDE WHAT OTHER ITEMS REQUIRE ADDITIONAL ATTENTION. THE TESTING AGENCY'S JUDGMENT MUST PREVAIL ON ITEMS NOT SPECIFICALLY COVERED. ANY DISCREPANCIES OR PROBLEMS SHALL BE BROUGHT IMMEDIATELY TO CROWN CASTLE'S ATTENTION. RESOLUTIONS ARE NOT TO BE MADE WITHOUT CROWN CASTLE'S REVIEW AND SPECIFIC WRITTEN CONSENT. CROWN CASTLE RESERVES THE RIGHT TO DETERMINE WHETHER OR NOT A RESOLUTION IS ACCEPTABLE.
  - 9.11.3. AFTER EACH INSPECTION, THE TESTING AGENCY WILL PREPARE A WRITTEN ACCEPTANCE OR REJECTION WHICH WILL BE GIVEN TO THE CONTRACTOR AND FILED AS DAILY REPORTS TO CROWN CASTLE. THIS WRITTEN ACTION WILL GIVE THE CONTRACTOR A LIST OF ITEMS TO BE CORRECTED, PRIOR TO CONTINUING CONSTRUCTION, AND/OR LOADING OF STRUCTURAL ITEMS.
  - 9.11.4. THE TESTING AGENCY DOES NOT RELIEVE THE CONTRACTOR'S CONTRACTUAL OR STATUTORY OBLIGATIONS. THE CONTRACTOR HAS THE SOLE RESPONSIBILITY FOR ANY DEVIATIONS FROM THE OFFICIAL CONTRACT DOCUMENTS. THE TESTING AGENCY WILL NOT REPLACE THE CONTRACTOR'S QUALITY CONTROL PERSONNEL.

MI CHECKLIST	
CONSTRUCTION/INSTALLATION INSPECTIONS AND TESTING REQUIRED (COMPLETED BY EOR)	REPORT ITEM
	<b>PRE-CONSTRUCTION</b>
X	MI CHECKLIST DRAWINGS
X	EOB REVIEW
X	FABRICATION INSPECTION
N/A	FABRICATOR CERTIFIED WELD INSPECTION
X	MATERIAL TEST REPORT (MTR)
N/A	FABRICATOR NDE INSPECTION
N/A	NDE REPORT OF MONOPOLE BASE PLATE (AS REQUIRED)
X	PACKING SLIPS
<b>ADDITIONAL TESTING AND INSPECTIONS:</b>	
	<b>CONSTRUCTION</b>
X	CONSTRUCTION INSPECTIONS
N/A	FOUNDATION INSPECTIONS
N/A	CONCRETE COMP. STRENGTH AND SLUMP TESTS
N/A	POST INSTALLED ANCHOR ROD VERIFICATION
N/A	BASE PLATE GROUT VERIFICATION
X	CONTRACTOR'S CERTIFIED WELD INSPECTION
N/A	EARTHWORK PROVIDE PHOTO DOCUMENTATION OF EXCAVATION QUALITY AND COMPACTION
X	ON SITE COLD GALVANIZING VERIFICATION
N/A	GUY WIRE TENSION REPORT
X	GC AS-BUILT DOCUMENTS
X	INSPECTION OF ONE SIDED BOLTS AND DTIS PER REQUIREMENTS ON SHEET S-2
N/A	MICROPILER/ROCK ANCHOR INSTALLERS DRILLING AND INSTALLATION LOGS AND QA/QC DOCUMENTS
<b>ADDITIONAL TESTING AND INSPECTIONS:</b>	
	<b>POST-CONSTRUCTION</b>
X	MI INSPECTOR RECLINE OR RECORD DRAWING(S)
N/A	POST INSTALLED ANCHOR ROD PULL-OUT TESTING
N/A	REFER TO MICROPILER/ROCK ANCHOR NOTES FOR SPECIAL INSPECTION AND TESTING REQUIREMENTS.
X	PHOTOGRAPHS
<b>ADDITIONAL TESTING AND INSPECTIONS:</b>	

NOTE: X DENOTES A DOCUMENT NEEDED FOR THE PMI REPORT  
 NA DENOTES A DOCUMENT THAT IS NOT REQUIRED FOR THE PMI REPORT



**PAUL J. FORD AND COMPANY**  
 STRUCTURAL ENGINEERS  
 250 East Broad Street - Suite 600 - Columbus, Ohio 43215  
 (614) 231-0878 www.pjfc.com

**CROWN CASTLE**  
 3530 TORINGDON WAY SUITE 300 CHARLOTTE, NC 28277  
 PH: (724) 418-2000

**BU #806361; NHV 102 943127**  
**GUILFORD, CONNECTICUT**  
**MONOPOLE REINFORCEMENT AND RETROFIT PROJECT**

PROJECT: 37515-0830.001.7700 R1

DRAWN BY: CAW	MI CHECKLIST
CHECKED BY: JCM	
APPROVED BY: <i>[Signature]</i>	S-6
DATE: 03/02/2015	