



NSS **NORTHEAST**
SITE SOLUTIONS
Turnkey Wireless Development

Northeast Site Solutions
Denise Sabo
4 Angela's Way, Burlington CT 06013
203-435-3640
denise@northeastsitesolutions.com

October 7, 2021

Members of the Siting Council
Connecticut Siting Council
Ten Franklin Square
New Britain, CT 06051

RE: Tower Share Application
258 Ridge Road, Madison, CT 06433
Latitude: 41.309250
Longitude: -72.614333
Site# 5800059_Crown_Dish

Dear Ms. Bachman:

This letter and attachments are submitted on behalf of Dish Wireless LLC. Dish Wireless LLC plans to install antennas and related equipment to the tower site located at 258 Ridge Road in Madison, Connecticut.

Dish Wireless LLC proposes to install three (3) 600/1900 5G MHz antenna and six (6) RRUs, at the 99-foot level of the existing 150-foot monopole tower, one (1) Fiber cables will also be installed. Dish Wireless LLC equipment cabinets will be placed within 7x5 lease area. Included are plans by Infinigy, dated August 23, 2021 Exhibit C. Also included is a structural analysis prepared by Crown Castle, dated May 28, 2021, confirming that the existing tower is structurally capable of supporting the proposed equipment. Attached as Exhibit D. The facility was approved by the CT Siting Council, Docket No. 363 on October 30, 2008. Please see attached Exhibit A.

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies 16-50aa, of Dish Wireless LLC intent to share a telecommunications facility pursuant to R.C.S.A. 16-50j-88. In accordance with R.C.S.A., a copy of this letter is being sent to First Selectwoman Peggy Lyons and John DeLaura, Chief Zoning Enforcement Officer for the Town of Madison, as well as the tower owner (Crown Castle) and property owner (Town of Madison)

The planned modifications of the facility fall squarely within those activities explicitly provided for in R.C.S.A. 16-50j-89.

1. The proposed modification will not result in an increase in the height of the existing structure. The top of the tower is 150-feet; Dish Wireless LLC proposed antennas will be located at a center line height of 99-feet.
2. The proposed modifications will not result in the increase of the site boundary as depicted on the attached site plan.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed local and state criteria. The incremental effect of the proposed changes will be negligible.



NSS **NORTHEAST**
SITE SOLUTIONS

Turnkey Wireless Development

4. The operation of the proposed antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commission safety standard. As indicated in the attached power density calculations, the combined site operations will result in a total power density of 17.95% as evidenced by Exhibit F.

Connecticut General Statutes 16-50aa indicates that the Council must approve the shared use of a telecommunications facility provided it finds the shared use is technically, legally, environmentally, and economically feasible and meets public safety concerns. As demonstrated in this letter, Dish Wireless LLC respectfully indicates that the shared use of this facility satisfies these criteria.

A. Technical Feasibility. The existing monopole has been deemed structurally capable of supporting Dish Wireless LLC proposed loading. The structural analysis is included as Exhibit D.

B. Legal Feasibility. As referenced above, C.G.S. 16-50aa has been authorized to issue orders approving the shared use of an existing tower such as this support tower in Madison. Under the authority granted to the Council, an order of the Council approving the requested shared use would permit Dish Wireless LLC to obtain a building permit for the proposed installation. Further, a Letter of Authorization is included as Exhibit G, authorizing Dish Wireless LLC to file this application for shared use.

C. Environmental Feasibility. The proposed shared use of this facility would have a minimal environmental impact. The installation of Dish Wireless LLC equipment at the 99-foot level of the existing 150-foot tower would have an insignificant visual impact on the area around the tower. Dish Wireless LLC ground equipment would be installed within the existing facility compound. Dish Wireless LLC shared use would therefore not cause any significant alteration in the physical or environmental characteristics of the existing site. Additionally, as evidenced by Exhibit F, the proposed antennas would not increase radio frequency emissions to a level at or above the Federal Communications Commission safety standard.

D. Economic Feasibility. Dish Wireless LLC will be entering into an agreement with the owner of this facility to mutually agreeable terms. As previously mentioned, the Letter of Authorization has been provided by the owner to assist Dish Wireless LLC with this tower sharing application.

E. Public Safety Concerns. As discussed above, the tower is structurally capable of supporting Dish Wireless LLC proposed loading. Dish Wireless LLC is not aware of any public safety concerns relative to the proposed sharing of the existing guyed tower. Dish Wireless LLC intentions of providing new and improved wireless service through the shared use of this facility is expected to enhance the safety and welfare of local residents and individuals traveling through Madison.

Sincerely,

Denise Sabo

Denise Sabo

Mobile: 203-435-3640

Fax: 413-521-0558

Office: 4 Angela's Way, Burlington CT 06013

Email: denise@northeastsitesolutions.com



NSS

NORTHEAST
SITE SOLUTIONS

Turnkey Wireless Development

Attachments cc:

Peggy Lyons, First Selectwoman (also property owner)
Town of Madison
8 Campus Drive Madison, CT 06443

John DeLaura, Chief Zoning Enforcement Officer
Town of Madison
8 Campus Drive Madison, CT 06443

Crown Castle, Tower Owner

Exhibit A

Original Facility Approval

DOCKET NO. 363 – Crown Communications Inc. application } Connecticut
for a Certificate of Environmental Compatibility and Public Need }
for the construction, maintenance and operation of a } Siting
telecommunications facility located at 258 Ridge Road, Madison, }
Connecticut. } Council

October 30, 2008

Decision and Order

Pursuant to the foregoing Findings of Fact and Opinion, the Connecticut Siting Council (Council) finds that the effects associated with the construction, operation, and maintenance of a telecommunications facility, including effects on the natural environment; ecological integrity and balance; public health and safety; scenic, historic, and recreational values; forests and parks; air and water purity; and fish and wildlife are not disproportionate, either alone or cumulatively with other effects, when compared to need, are not in conflict with the policies of the State concerning such effects, and are not sufficient reason to deny the application, and therefore directs that a Certificate of Environmental Compatibility and Public Need, as provided by General Statutes § 16-50k, be issued to Crown Communications Inc., hereinafter referred to as the Certificate Holder, for a telecommunications facility at 258 Ridge Road, Madison, Connecticut

The facility shall be constructed, operated, and maintained substantially as specified in the Council's record in this matter, and subject to the following conditions:

1. The tower shall be constructed as a monopole, no taller than necessary to provide the proposed telecommunications services, sufficient to accommodate the antennas of Omnipoint Communications, Inc. and other entities, both public and private, but such tower shall not exceed a height of 150 feet above ground level. The tower and compound shall be moved approximately 50 feet to the north to avoid tree clearing.
2. The Certificate Holder shall prepare a Development and Management (D&M) Plan for this site in compliance with Sections 16-50j-75 through 16-50j-77 of the Regulations of Connecticut State Agencies. The D&M Plan shall be served on the Town of Madison for comment, and all parties and intervenors as listed in the service list, and submitted to and approved by the Council prior to the commencement of facility construction and shall include:
 - a) a final site plan(s) of site development to include specifications for the tower, tower foundation, antennas, equipment compound, radio equipment, access road, utility line, and landscaping; and
 - b) construction plans for site clearing, grading, landscaping, water drainage, and erosion and sedimentation controls consistent with the 2002 Connecticut Guidelines for Soil Erosion and Sediment Control, as amended.
3. The Certificate Holder shall, prior to the commencement of operation, provide the Council worst-case modeling of the electromagnetic radio frequency power density of all proposed entities' antennas at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin No. 65, August 1997. The Certificate Holder shall ensure a recalculated report of the electromagnetic radio frequency power density be submitted to the Council if and when circumstances in operation cause a change in power density above the levels calculated and provided pursuant to this Decision and Order.

4. Upon the establishment of any new State or federal radio frequency standards applicable to frequencies of this facility, the facility granted herein shall be brought into compliance with such standards.
5. The Certificate Holder shall permit public or private entities to share space on the proposed tower for fair consideration, or shall provide any requesting entity with specific legal, technical, environmental, or economic reasons precluding such tower sharing.
6. The Certificate Holder shall provide reasonable space on the tower for no compensation for any Town of Madison public safety services (police, fire and medical services), provided such use can be accommodated and is compatible with the structural integrity of the tower.
7. Unless otherwise approved by the Council, if the facility authorized herein is not fully constructed and providing wireless services within eighteen months from the date of the mailing of the Council's Findings of Fact, Opinion, and Decision and Order (collectively called "Final Decision"), this Decision and Order shall be void, and the Certificate Holder shall dismantle the tower and remove all associated equipment or reapply for any continued or new use to the Council before any such use is made. The time between the filing and resolution of any appeals of the Council's Final Decision shall not be counted in calculating this deadline.
8. Any request for extension of the time period referred to in Condition 7 shall be filed with the Council not later than 60 days prior to the expiration date of this Certificate and shall be served on all parties and intervenors, as listed in the service list, and the Town of Madison. Any proposed modifications to this Decision and Order shall likewise be so served.
9. If the facility ceases to provide wireless services for a period of one year, this Decision and Order shall be void, and the Certificate Holder shall dismantle the tower and remove all associated equipment or reapply for any continued or new use to the Council before any such use is made.
10. The Certificate Holder shall remove any nonfunctioning antenna, and associated antenna mounting equipment, within 60 days of the date the antenna ceased to function.
11. In accordance with Section 16-50j-77 of the Regulations of Connecticut State Agencies, the Certificate Holder shall provide the Council with written notice two weeks prior to the commencement of site construction activities. In addition, the Certificate Holder shall provide the Council with written notice of the completion of site construction and the commencement of site operation.

Pursuant to General Statutes § 16-50p, the Council hereby directs that a copy of the Findings of Fact, Opinion, and Decision and Order be served on each person listed below, and notice of issuance shall be published in the *New Haven Register* and *The Source*.

By this Decision and Order, the Council disposes of the legal rights, duties, and privileges of each party named or admitted to the proceeding in accordance with Section 16-50j-17 of the Regulations of Connecticut State Agencies.

The parties and intervenors to this proceeding are:

Applicant

Crown Communications, Inc.

Intervenor

Omnipoint Communications, Inc.

Its Representative

Christopher B. Fisher, Esq.
Cuddy & Feder LLP
445 Hamilton Avenue, 14th Floor
White Plains, NY 10601

Its Representative

Julie Kohler, Esq.
Jesse Langer, Esq.
Cohen and Wolf, P.C.
1115 Broad Street
Bridgeport, CT 06604

Exhibit B

Property Card

258 RIDGE RD

Location 258 RIDGE RD

MBLU 78/ 3/ / /

Acct# 00453700

Owner TOWN OF MADISON

Assessment \$103,500

Appraisal \$147,900

PID 4717

Building Count 1

Current Value

Appraisal					
Valuation Year	Building	Extra Features	Outbuildings	Land	Total
2018	\$0	\$0	\$0	\$147,900	\$147,900

Assessment					
Valuation Year	Building	Extra Features	Outbuildings	Land	Total
2018	\$0	\$0	\$0	\$103,500	\$103,500

Parcel Addresses

Additional Addresses		
Address	City, State Zip	Type
258 RIDGE RD		Primary

Owner of Record

Owner TOWN OF MADISON

Sale Price \$100,000

Co-Owner

Book & Page 660/ 162

Care Of

Sale Date 06/16/1995

Instrument 15

Ownership History

Ownership History				
Owner	Sale Price	Book & Page	Instrument	Sale Date
TOWN OF MADISON	\$100,000	660/ 162	15	06/16/1995

Building Information

Building 1 : Section 1

Year Built:

Living Area: 0

Building Photo



(http://images.vgsi.com/photos/MadisonCTPhotos/A01\01\64\24.jpg)

Building Attributes	
Field	Description
Style	Vacant Land
Model	
Stories:	
Occupancy	
Exterior Wall 1	
Exterior Wall 2	
Roof Structure:	
Roof Cover	
Interior Wall 1	
Interior Wall 2	
Interior Flr 1	
Interior Flr 2	
Heat Fuel	
Heat Type:	
AC Type:	
Total Bedrooms:	
Total Bthrms:	
Total Half Baths:	
Total Xtra Fixtrs:	
Total Rooms:	
Fireplace(s)	
Xtra FPL Open	

Building Layout

(http://images.vgsi.com/photos/MadisonCTPhotos/Sketches/4717_4717.jp)

Building Sub-Areas (sq ft)
No Data for Building Sub-Areas

Extra Features

Extra Features
No Data for Extra Features

Land

Land Use

Use Code 9035
 Description Municipal Town
 Zone RU-1

Land Line Valuation

Size (Acres) 3

Outbuildings

Outbuildings

No Data for Outbuildings




Exhibit C

Construction Drawings



DISH Wireless L.L.C. SITE ID:

BOHVN00007A

DISH Wireless L.L.C. SITE ADDRESS:

**258 RIDGE ROAD
MADISON, CT 06433**

SCOPE OF WORK

THIS IS NOT AN ALL INCLUSIVE LIST. CONTRACTOR SHALL UTILIZE SPECIFIED EQUIPMENT PART OR ENGINEER APPROVED EQUIVALENT. CONTRACTOR SHALL VERIFY ALL NEEDED EQUIPMENT TO PROVIDE A FUNCTIONAL SITE. THE PROJECT GENERALLY CONSISTS OF THE FOLLOWING:

- TOWER SCOPE OF WORK:**
- INSTALL (3) PROPOSED PANEL ANTENNAS (1 PER SECTOR)
 - INSTALL (1) PROPOSED PLATFORM
 - INSTALL PROPOSED JUMPERS
 - INSTALL (6) PROPOSED RRUs (2 PER SECTOR)
 - INSTALL (1) PROPOSED OVER VOLTAGE PROTECTION DEVICE (OVP)
 - INSTALL (1) PROPOSED HYBRID CABLE

- GROUND SCOPE OF WORK:**
- INSTALL (1) PROPOSED METAL PLATFORM
 - INSTALL (1) PROPOSED ICE BRIDGE
 - INSTALL (1) PROPOSED PPC CABINET
 - INSTALL (1) PROPOSED EQUIPMENT CABINET
 - INSTALL (1) PROPOSED POWER CONDUIT
 - INSTALL (1) PROPOSED TELCO CONDUIT
 - INSTALL (1) PROPOSED TELCO-FIBER BOX
 - INSTALL (1) PROPOSED GPS UNIT
 - INSTALL (1) PROPOSED SAFETY SWITCH (IF REQUIRED)
 - INSTALL (1) PROPOSED CIENA BOX (IF REQUIRED)
 - INSTALL (1) PROPOSED METER SOCKET

SITE INFORMATION

PROPERTY OWNER: TOWN OF MADISON
 ADDRESS: 8 CAMPUS DRIVE
 MADISON, CT 06443
 TOWER TYPE: MONOPOLE
 TOWER CO SITE ID: 5800059
 TOWER APP NUMBER: 553353
 COUNTY: NEW HAVEN
 LATITUDE (NAD 83): 41° 18' 33.30" N
 41.309250 N
 LONGITUDE (NAD 83): 72° 36' 51.57" W
 72.614333 W
 ZONING JURISDICTION: CONNECTICUT SITTING COUNCIL
 ZONING DISTRICT: RU-1
 PARCEL NUMBER: MADI-000051-000001
 OCCUPANCY GROUP: U
 CONSTRUCTION TYPE: VB
 POWER COMPANY: EVERSOURCE
 TELEPHONE COMPANY: LIGHTTOWER

PROJECT DIRECTORY

APPLICANT: DISH Wireless L.L.C.
 5701 SOUTH SANTA FE DRIVE
 LITTLETON, CO 80120
 TOWER OWNER: CROWN CASTLE
 2000 CORPORATE DRIVE
 CANONSBURG, PA 15317
 (877) 486-9377
 SITE DESIGNER: INFINIGY
 2500 W. HIGGINS RD. STE. 500
 HOFFMAN ESTATES, IL 60169
 (847) 648-4068
 SITE ACQUISITION: NICHOLAS CURRY
 NICHOLAS.CURRY@CROWNCASTLE.COM
 CONSTRUCTION MANAGER: JAVIER SOTO
 JAVIER.SOTO@DISH.COM
 (617) 839-6514
 RF ENGINEER: SYED ZAIDI
 SYED.ZAIDI@DISH.COM




5701 SOUTH SANTA FE DRIVE
 LITTLETON, CO 80120



2000 CORPORATE DRIVE
 CANONSBURG, PA 15317



FROM ZERO TO INFINIGY
 the solutions are endless
 2500 W. HIGGINS RD., SUITE 500 |
 HOFFMAN ESTATES, IL 60169
 PHONE: 847-648-4068 | FAX: 518-690-0793
 WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY: RCD CHECKED BY: SS APPROVED BY: CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
 2039-Z5555C

DISH Wireless L.L.C.
 PROJECT INFORMATION
 BOHVN00007A
 258 RIDGE ROAD
 MADISON, CT 06433

SHEET TITLE
 TITLE SHEET

SHEET NUMBER
T-1

CONNECTICUT CODE COMPLIANCE

ALL WORK SHALL BE PERFORMED AND MATERIALS INSTALLED IN ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THESE CODES:

CODE TYPE	CODE
BUILDING	2018 CT STATE BUILDING CODE/2015 IBC W/ CT AMENDMENTS
MECHANICAL	2018 CT STATE BUILDING CODE/2015 IMC W/ CT AMENDMENTS
ELECTRICAL	2018 CT STATE BUILDING CODE/2017 NEC W/ CT AMENDMENTS

SITE PHOTO



DIRECTIONS

DIRECTIONS FROM TWEED NEW HAVEN AIRPORT:
 DEPART AND HEAD (NORTHEAST), TURN LEFT, AVIS RENT A CAR ON THE CORNER, TURN RIGHT, TURN RIGHT TOWARD BURR ST, BUDGET CAR RENTAL ON THE CORNER, TURN RIGHT ONTO BURR ST, KEEP STRAIGHT TO GET ONTO DODGE AVE, TURN LEFT ONTO THOMPSON AVE, KEEP STRAIGHT TO GET ONTO CT-100 / HIGH ST, TAKE THE RAMP ON THE RIGHT FOR I-95 NORTH AND HEAD TOWARD NEW LONDON, AT EXIT 61, HEAD RIGHT ON THE RAMP FOR CT-79 TOWARD NORTH MADISON, TURN LEFT ONTO CT-79 / DURHAM RD TOWARD NORTH MADISON, TURN LEFT ONTO GREEN HILL RD, TURN RIGHT ONTO RIDGE RD, ARRIVE AT, 258 RIDGE ROAD, MADISON, CT 06433.

VICINITY MAP



UNDERGROUND SERVICE ALERT CBYD 811
 UTILITY NOTIFICATION CENTER OF CONNECTICUT
 (800) 922-4455
 WWW.CBYD.COM
 CALL 2 WORKING DAYS UTILITY NOTIFICATION PRIOR TO CONSTRUCTION


GENERAL NOTES

THE FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION. A TECHNICIAN WILL VISIT THE SITE AS REQUIRED FOR ROUTINE MAINTENANCE. THE PROJECT WILL NOT RESULT IN ANY SIGNIFICANT DISTURBANCE OR EFFECT ON DRAINAGE, NO SANITARY SEWER SERVICE, POTABLE WATER, OR TRASH DISPOSAL IS REQUIRED AND NO COMMERCIAL SIGNAGE IS PROPOSED.

11"x17" PLOT WILL BE HALF SCALE UNLESS OTHERWISE NOTED

CONTRACTOR SHALL VERIFY ALL PLANS, EXISTING DIMENSIONS, AND CONDITIONS ON THE JOB SITE, AND SHALL IMMEDIATELY NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK.

1
A-2




NOTES


1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS.
2. ANTENNAS AND MOUNTS OMITTED FOR CLARITY.

NOTES

1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS.
2. CONTRACTOR SHALL MAINTAIN A 10'-0" MINIMUM SEPARATION BETWEEN THE PROPOSED GPS UNIT, TRANSMITTING ANTENNAS AND EXISTING GPS UNITS.
3. ANTENNAS AND MOUNTS OMITTED FOR CLARITY.




ENLARGED SITE PLAN



2




SITE PLAN



3

COMPOUND PLAN



1




5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120



2000 CORPORATE DRIVE
CANONSBURG, PA 15317



the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY: CHECKED BY: APPROVED BY:
RCD SS CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C


DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
OVERALL AND ENLARGED
SITE PLAN


SHEET NUMBER
A-1

NOTES


1. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS.
2. ANTENNA SPECIFICATIONS REFER TO ANTENNA SCHEDULE AND TO FINAL CONSTRUCTION RFDS FOR ALL RF DETAILS
3. EXISTING EQUIPMENT AND FENCE OMITTED FOR CLARITY.
4. INFINIGY HAS NOT EVALUATED THE TOWER OR MOUNT STRUCTURE AND ASSUMES NO RESPONSIBILITY FOR THEIR STRUCTURAL INTEGRITY REGARDING PROPOSED LOADINGS. FINAL INSTALLATION SHALL COMPLY WITH RESULTS OF PASSING STRUCTURAL ANALYSES PERFORMED BY OTHERS.




PROPOSED NORTH ELEVATION



1



ANTENNA LAYOUT



2

SECTOR	POSITION	ANTENNA						TRANSMISSION CABLE
		EXISTING OR PROPOSED	MANUFACTURER - MODEL NUMBER	TECHNOLOGY	SIZE (HxW)	AZMUTH	RAD CENTER	FEED LINE TYPE AND LENGTH
ALPHA	A1	PROPOSED	JMA WIRELESS - MX08FRO665-21	5G	72.0" x 20.0"	0°	99'-0"	(1) HIGH-CAPACITY HYBRID CABLE (130' LONG)
BETA	B1	PROPOSED	JMA WIRELESS - MX08FRO665-21	5G	72.0" x 20.0"	120°	99'-0"	
GAMMA	C1	PROPOSED	JMA WIRELESS - MX08FRO665-21	5G	72.0" x 20.0"	240°	99'-0"	

SECTOR	POSITION	RRH		NOTES
		MANUFACTURER - MODEL NUMBER	TECHNOLOGY	
ALPHA	A1	FUJITSU - TA08025-B604	5G	1. CONTRACTOR TO REFER TO FINAL CONSTRUCTION RFDS FOR ALL RF DETAILS. 2. ANTENNA AND RRH MODELS MAY CHANGE DUE TO EQUIPMENT AVAILABILITY. ALL EQUIPMENT CHANGES MUST BE APPROVED AND REMAIN IN COMPLIANCE WITH THE PROPOSED DESIGN AND STRUCTURAL ANALYSES.
	A1	FUJITSU - TA08025-B605	5G	
BETA	B1	FUJITSU - TA08025-B604	5G	
	B1	FUJITSU - TA08025-B605	5G	
GAMMA	G1	FUJITSU - TA08025-B604	5G	
	G1	FUJITSU - TA08025-B605	5G	

ANTENNA SCHEDULE

NO SCALE

3




5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120



2000 CORPORATE DRIVE
CANONSBURG, PA 15317



the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY: RCD | CHECKED BY: SS | APPROVED BY: CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
ELEVATION, ANTENNA
LAYOUT AND SCHEDULE


SHEET NUMBER
A-2



5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120



INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY: CHECKED BY: APPROVED BY:
RCD SS CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433


SHEET TITLE
EQUIPMENT PLATFORM AND
H-FRAME DETAILS

SHEET NUMBER


A-3

NOTES

1. CONTRACTOR TO BURY PLATFORM FEET WITH A MINIMUM OF 2" OF FILL PER EXISTING SITE SURFACE
2. WEED BARRIER FABRIC TO BE ADDED AT DISCRETION OF DISH Wireless L.L.C. CONSTRUCTION MANAGER AT TIME OF CONSTRUCTION. ONE SHEET 8'x8' INSTALLED UNDER ALL FOUR FEET OF THE PLATFORM (4 MIL BLACK PLASTIC)
3. EQUIPMENT CABINET OMITTED FOR CLARITY




PLATFORM EQUIPMENT PLAN



**COMMSCOPE MTC4045LP
5X7 PLATFORM**

DIMENSIONS (HxWxD)	16"x84"x60"
TOTAL WEIGHT	423 LBS

NOTE:
GC TO PROVIDE EXTENDED
THREAD FOR PLATFORM IF
REQUIRED HEIGHT EXCEEDS 17"




PLATFORM DETAIL

NO SCALE 2

**COMMSCOPE MTC4045HFLD
H-FRAME**

UNISTRUT/SUPPORT RAILS QTY	5
WEIGHT	59.74 lbs

NOTE:
OR DISH Wireless L.L.C.
APPROVED EQUIVALENT




H-FRAME DETAIL


NO SCALE 3

NOT USED

NO SCALE 4




FRONT ELEVATION




BACK ELEVATION


H-FRAME EQUIPMENT ELEVATION




5




CABINET DETAIL NO SCALE 1



POWER PROTECTION CABINET (PPC) DETAIL NO SCALE 2




SAFETY SWITCH DETAIL NO SCALE 3




METER SOCKET DETAIL NO SCALE 4




NOT USED NO SCALE 5




FIBER TELCO ENCLOSURE DETAIL NO SCALE 6



ICE BRIDGE DETAIL NO SCALE 7



TYPICAL ICE BRIDGE CONCRETE PIER DETAIL NO SCALE 8



HYBRID CABLE RUN NO SCALE 9

5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

2000 CORPORATE DRIVE
CANONSBURG, PA 15317

FROM ZERO TO INFINIGY

the solutions are endless

2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM

8/23/2021

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY: CHECKED BY: APPROVED BY:

RCD SS CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION


A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433


SHEET TITLE
EQUIPMENT DETAILS

SHEET NUMBER
A-4


PCTEL GPSGL-TMG-SPI-40NCB	
DIMENSIONS (DIAxH) MM/INCH	81x184mm 3.2"x7.25"
WEIGHT W/ACCESSORIES	075 lbs
CONNECTOR	N-FEMALE
FREQUENCY RANGE	1590 ± 30MHz





TOP



BACK



SIDE



GPS DETAIL

NO SCALE

1

GPS MINIMUM SKY VIEW REQUIREMENTS

NO SCALE

2

CABLES UNLIMITED HYBRID CABLE
MINIMUM BEND RADIUSES

NO SCALE

3

NOT USED

NO SCALE

4

NOT USED

NO SCALE

5

NOT USED

NO SCALE

6

NOT USED

NO SCALE

7

NOT USED

NO SCALE

8

NOT USED

NO SCALE

9

dish
wireless.


5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120

**CROWN
CASTLE**

2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY

FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON,
UNLESS THEY ARE ACTING UNDER THE DIRECTION
OF A LICENSED PROFESSIONAL ENGINEER,
TO ALTER THIS DOCUMENT.

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

**CONSTRUCTION
DOCUMENTS**

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	06/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C





DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
EQUIPMENT DETAILS

SHEET NUMBER

A-5

FUJITSU TRIPLE BAND TA08025-B605	
DIMENSIONS (HxWxD)	14.9"x15.7"x9"
WEIGHT	74.95 lbs
CONNECTOR TYPE	4.3-10 RF CONNECTOR
POWER SUPPLY	DC -58~-36V







BACK

SIDE

FRONT

FUJITSU DUAL BAND TA08025-B604	
DIMENSIONS (HxWxD)	14.9"x15.7"x7.8"
WEIGHT	63.9 lbs
CONNECTOR TYPE	4.3-10 RF CONNECTOR
POWER SUPPLY	DC -58~-36V





BACK

SIDE

FRONT

SABRE DOUBLE Z-BRACKET C10123155	
DIMENSIONS (HxWxD) (1 BRACKET)	5"x20"x1-13/16"
WEIGHT (FULL ASSEMBLY)	35.79 lbs
PACKAGE QUANTITY	4

#	DESCRIPTION
1	PLATE, CHANNEL BRACKET
2	RRH Z BRACKET, 3/16"
3	THREADED ROD ASSEMBLY 1/2"x12"



NOTE:
OR DISH Wireless L.L.C.
APPROVED EQUIVALENT

RRH DETAIL

NO SCALE

1

RRH DETAIL

NO SCALE




2

RRH MOUNT DETAIL

NO SCALE

3

RAYCAP RDIDC-9181-PF-48 DC SURGE PROTECTION (OVP)	
DIMENSIONS (HxWxD)	18.98"x14.39"x8.15"
WEIGHT	21.82 LBS



SIDE

BACK

FRONT


PLAN

SURGE SUPPRESSION DETAIL (OVP)

NO SCALE

4

JMA WIRELESS MX08FR0665-21 ANTENNA	
DIMENSIONS (HxWxD)	72.8"x20.0"x8.0"
TOTAL WEIGHT	64.5 LB
RF PORTS, CONNECTOR TYPE	8 x 4.3-10 FEMALE




BACK

SIDE

NOTES

FINAL ANTENNA SPECIFICATIONS
TO BE CONFIRMED BY GC



FRONT




ANTENNA DETAIL

NO SCALE

5

COMMSCOPE XP-2040 CROSSOVER PLATE	
DIMENSIONS (HxW)	10"x12"
WEIGHT	11 lbs

NOTE:
OR DISH Wireless L.L.C.
APPROVED EQUIVALENT

PLAN
PLATESIDE
PLATEPLAN
U-BOLTSIDE
U-BOLT


RRH/OVP MOUNT DETAIL

NO SCALE


7

COMMSCOPE MC-PK8-DSH	
FACE WIDTH	96"
WEIGHT	1373.08 lbs
NOTE: 15" TO 38" O.D.	

NOTE:
OR DISH Wireless L.L.C.
APPROVED EQUIVALENT



FACE PIPE




96"

ANTENNA PLATFORM DETAIL

NO SCALE

8

M04 MOUNTING BRACKET HPA-33R-BUU-H4-K	
WIDTH	5"
DEPTH	2"
HEIGHT	8"
TOTAL WEIGHT	1.5 lbs
HOUSING MATERIAL	ASA/ABS/ALUMINUM
RADOME COLOR	LIGHT GRAY
CONNECTOR	1x8-PIN DAISY CHAIN

MOUNTING
BRACKET

ANTENNA

MOUNTING
BRACKETMOUNTING
PIPE

NOTE:
OR DISH Wireless L.L.C.
APPROVED EQUIVALENT

ANTENNA MOUNTING DETAIL

NO SCALE

6

dish
wireless.

5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120


**CROWN
CASTLE**

2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY

FROM ZERO TO INFINIGY

the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



8/23/2021

IT IS A VIOLATION OF LAW FOR ANY PERSON,
UNLESS THEY ARE ACTING UNDER THE DIRECTION
OF A LICENSED PROFESSIONAL ENGINEER,
TO ALTER THIS DOCUMENT.

DRAWN BY: CHECKED BY: APPROVED BY:

RCD SS CJW

RFDS REV #: N/A

**CONSTRUCTION
DOCUMENTS**

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
EQUIPMENT DETAILS

SHEET NUMBER

A-6

NOT USED

NO SCALE


9

NOTES

1. CONTRACTOR SHALL FIELD VERIFY ALL PROPOSED UNDERGROUND UTILITY CONDUIT ROUTE.
2. ANTENNAS AND MOUNTS OMITTED FOR CLARITY.


DC POWER WIRING SHALL BE COLOR CODED AT EACH END FOR IDENTIFYING +24V AND -48V CONDUCTORS. RED MARKINGS SHALL IDENTIFY +24V AND BLUE MARKINGS SHALL IDENTIFY -48V.

1. CONTRACTOR SHALL INSPECT THE EXISTING CONDITIONS PRIOR TO SUBMITTING A BID. ANY QUESTIONS ARISING DURING THE BID PERIOD IN REGARDS TO THE CONTRACTOR'S FUNCTIONS, THE SCOPE OF WORK, OR ANY OTHER ISSUE RELATED TO THIS PROJECT SHALL BE BROUGHT UP DURING THE BID PERIOD WITH THE PROJECT MANAGER FOR CLARIFICATION, NOT AFTER THE CONTRACT HAS BEEN AWARDED.
2. ALL ELECTRICAL WORK SHALL BE DONE IN ACCORDANCE WITH CURRENT NATIONAL ELECTRICAL CODES AND ALL STATE AND LOCAL CODES, LAWS, AND ORDINANCES. PROVIDE ALL COMPONENTS AND WIRING SIZES AS REQUIRED TO MEET NEC STANDARDS.
3. LOCATION OF EQUIPMENT, CONDUIT AND DEVICES SHOWN ON THE DRAWINGS ARE APPROXIMATE AND SHALL BE COORDINATED WITH FIELD CONDITIONS PRIOR TO CONSTRUCTION.
4. CONDUIT ROUGH-IN SHALL BE COORDINATED WITH THE MECHANICAL EQUIPMENT TO AVOID LOCATION CONFLICTS. VERIFY WITH THE MECHANICAL EQUIPMENT CONTRACTOR AND COMPLY AS REQUIRED.
5. CONTRACTOR SHALL PROVIDE ALL BREAKERS, CONDUITS AND CIRCUITS AS REQUIRED FOR A COMPLETE SYSTEM.
6. CONTRACTOR SHALL PROVIDE PULL BOXES AND JUNCTION BOXES AS REQUIRED BY THE NEC ARTICLE 314.
7. CONTRACTOR SHALL PROVIDE ALL STRAIN RELIEF AND CABLE SUPPORTS FOR ALL CABLE ASSEMBLIES. INSTALLATION SHALL BE IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS AND RECOMMENDATIONS.
8. ALL DISCONNECTS AND CONTROLLING DEVICES SHALL BE PROVIDED WITH ENGRAVED PHENOLIC NAMEPLATES INDICATING EQUIPMENT CONTROLLED, BRANCH CIRCUITS INSTALLED ON, AND PANEL FIELD LOCATIONS FED FROM.
9. INSTALL AN EQUIPMENT GROUNDING CONDUCTOR IN ALL CONDUITS PER THE SPECIFICATIONS AND NEC 250. THE EQUIPMENT GROUNDING CONDUCTORS SHALL BE BONDED AT ALL JUNCTION BOXES, PULL BOXES, AND ALL DISCONNECT SWITCHES, AND EQUIPMENT CABINETS.
10. ALL NEW MATERIAL SHALL HAVE A U.L. LABEL.
11. PANEL SCHEDULE LOADING AND CIRCUIT ARRANGEMENTS REFLECT POST-CONSTRUCTION EQUIPMENT.
12. CONTRACTOR SHALL BE RESPONSIBLE FOR AS-BUILT PANEL SCHEDULE AND SITE DRAWINGS.
13. ALL TRENCHES IN COMPOUND TO BE HAND DUG




ELECTRICAL NOTES

2




UTILITY ROUTE PLAN



1

OVERALL UTILITY ROUTE PLAN



3




5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120



2000 CORPORATE DRIVE
CANONSBURG, PA 15317



FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY: CHECKED BY: APPROVED BY:
RCD SS CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433


SHEET TITLE
ELECTRICAL/FIBER ROUTE
PLAN AND NOTES

SHEET NUMBER

E-1

CARLON EXPANSION FITTINGS



COUPLING END PART#	MALE TERMINAL ADAPTER END PART#	SIZE	STD CTN QTY.	TRAVEL LENGTH
E945D	E945DX	1/2"	20	4"
E945E	E945EX	3/4"	15	4"
E945F	E945FX	1"	10	4"
E945G	E945GX	1 1/4"	5	4"
E945H	E945HX	1 1/2"	5	4"
E945J	E945JX	2"	15	8"
E945K	E945KX	2 1/2"	10	8"
E945L	E945LX	3"	10	8"
E945M	E945MX	3 1/2"	5	8"
E945N	E945NX	4"	5	8"
E945P	E945PX	5"	1	8"
E945R	E945RX	6"	1	8"



NOTE: CONTRACTOR TO INSTALL EXPANSION FITTING SLIP JOINT AT METER CENTER CONDUIT TERMINATION, AS PER LOCAL UTILITY POLICY, ORDINANCE AND/OR SPECIFIED REQUIREMENT.

TRENCHING NOTES

- CONTRACTOR SHALL RESTORE THE TRENCH TO ITS ORIGINAL CONDITIONS BY EITHER SEEDING OR SODDING GRASS AREAS, OR REPLACING ASPHALT OR CONCRETE AREAS TO ITS ORIGINAL CROSS SECTION.
- TRENCHING SAFETY; INCLUDING, BUT NOT LIMITED TO SOIL CLASSIFICATION, SLOPING, AND SHORING, SHALL BE GOVERNED BY THE CURRENT OSHA TRENCHING AND EXCAVATION SAFETY STANDARDS.
- ALL CONDUITS SHALL BE INSTALLED IN COMPLIANCE WITH THE CURRENT NATIONAL ELECTRIC CODE (NEC) OR AS REQUIRED BY THE LOCAL JURISDICTION, WHICHEVER IS THE MOST STRINGENT.



EXPANSION JOINT DETAIL


NO SCALE 1

TYPICAL UNDERGROUND TRENCH DETAIL

NO SCALE 2

DARK TELCO BOX – INTERIOR WIRING LAYOUT

NO SCALE 3



NOTE: FIBER PROVIDER WILL NEED TO PROVIDE AN ADDITIONAL 5FT UNISTRUT, 2 U-BOLTS WITH 4 NUTS, IN THE EVENT THE BRACKET SPACING DOESN'T LINE UP WITH CURRENT SPACING BELOW

LIT TELCO BOX – INTERIOR WIRING LAYOUT (OPTIONAL)

NO SCALE 4

NOT USED

NO SCALE 5

NOT USED

NO SCALE 6

NOT USED

NO SCALE 7

NOT USED

NO SCALE 8

NOT USED

NO SCALE 9




5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120



2000 CORPORATE DRIVE
CANONSBURG, PA 15317



FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW
RFDS REV #:	N/A	

CONSTRUCTION DOCUMENTS



SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
ELECTRICAL
DETAILS

SHEET NUMBER
E-2



NOTES

THE (2) CONDUITS WITH (4) CURRENT CARRYING CONDUCTORS EACH, SHALL APPLY THE ADJUSTMENT FACTOR OF 80% PER 2014/17 NEC TABLE 310.15(B)(3)(g) OR 2020 NEC TABLE 310.15(C)(1) FOR UL1015 WIRE.

#12 FOR 15A-20A/1P BREAKER: 0.8 x 30A = 24.0A
 #10 FOR 25A-30A/2P BREAKER: 0.8 x 40A = 32.0A
 #8 FOR 35A-40A/2P BREAKER: 0.8 x 55A = 44.0A
 #6 FOR 45A-60A/2P BREAKER: 0.8 x 75A = 60.0A

CONDUIT SIZING: AT 40% FILL PER NEC CHAPTER 9, TABLE 4, ARTICLE 358.
 0.5" CONDUIT - 0.122 SQ. IN AREA
 0.75" CONDUIT - 0.213 SQ. IN AREA
 2.0" CONDUIT - 1.316 SQ. IN AREA
 3.0" CONDUIT - 2.907 SQ. IN AREA

CABINET CONVENIENCE OUTLET CONDUCTORS (1 CONDUIT): USING THWN-2, CU.
 #10 - 0.0211 SQ. IN X 2 = 0.0422 SQ. IN
 #10 - 0.0211 SQ. IN X 1 = 0.0211 SQ. IN <GROUND
 TOTAL = 0.0633 SQ. IN

0.5" EMT CONDUIT IS ADEQUATE TO HANDLE THE TOTAL OF (3) WIRES, INCLUDING GROUND WIRE, AS INDICATED ABOVE.

RECTIFIER CONDUCTORS (2 CONDUITS): USING UL1015, CU.
 #10 - 0.0266 SQ. IN X 4 = 0.1064 SQ. IN
 #10 - 0.0082 SQ. IN X 1 = 0.0082 SQ. IN <BARE GROUND
 TOTAL = 0.1146 SQ. IN

0.75" EMT CONDUIT IS ADEQUATE TO HANDLE THE TOTAL OF (5) WIRES, INCLUDING GROUND WIRE, AS INDICATED ABOVE.

PPC FEED CONDUCTORS (1 CONDUIT): USING THWN, CU.
 3/0 - 0.2679 SQ. IN X 3 = 0.8037 SQ. IN
 #6 - 0.0507 SQ. IN X 1 = 0.0507 SQ. IN <GROUND
 TOTAL = 0.8544 SQ. IN

3.0" SCH 40 PVC CONDUIT IS ADEQUATE TO HANDLE THE TOTAL OF (4) WIRES, INCLUDING GROUND WIRE, AS INDICATED ABOVE.

PPC ONE-LINE DIAGRAM

NO SCALE 1

PROPOSED CHARLES PANEL SCHEDULE

LOAD SERVED	VOLT AMPS (WATTS)		TRIP	CKT #	PHASE	CKT #	TRIP	VOLT AMPS (WATTS)		LOAD SERVED	
	L1	L2						L1	L2		
PPC GFCI OUTLET	180	180	15A	1	A	2	30A	2880	2880	ABB/GE INFINITY RECTIFIER 1	
CHARLES GFCI OUTLET			15A	3	B	4	30A	2880	2880	ABB/GE INFINITY RECTIFIER 1	
-SPACE-				5	A	6	30A	2880	2880	ABB/GE INFINITY RECTIFIER 2	
-SPACE-				7	B	8	30A	2880	2880	ABB/GE INFINITY RECTIFIER 2	
-SPACE-				9	A	10	30A	2880	2880	ABB/GE INFINITY RECTIFIER 3	
-SPACE-				11	B	12	30A	2880	2880	ABB/GE INFINITY RECTIFIER 3	
-SPACE-				13	A	14	30A	2880	2880	ABB/GE INFINITY RECTIFIER 4	
-SPACE-				15	B	16	30A	2880	2880	ABB/GE INFINITY RECTIFIER 4	
-SPACE-				17	A	18				-SPACE-	
-SPACE-				19	B	20				-SPACE-	
-SPACE-				21	A	22				-SPACE-	
-SPACE-				23	B	24				-SPACE-	
VOLTAGE AMPS		180	180					11520	11520		
200A MCB, 1ϕ, 24 SPACE, 120/240V				L1	L2						
MB RATING: 65,000 AIC				11700	11700						
				98	98						
				98							
				123							

PANEL SCHEDULE

NO SCALE 2

NOT USED

NO SCALE 3




5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120



2000 CORPORATE DRIVE
CANONSBURG, PA 15317



FROM ZERO TO INFINIGY
 the solutions are endless
 2500 W. HIGGINS RD., SUITE 500 |
 HOFFMAN ESTATES, IL 60169
 PHONE: 847-648-4068 | FAX: 518-690-0793
 WWW.INFINIGY.COM



8/23/2021

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY: RCD CHECKED BY: SS APPROVED BY: CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS


REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
ELECTRICAL ONE-LINE, FAULT
CALCS & PANEL SCHEDULE

SHEET NUMBER
E-3




TYPICAL EQUIPMENT GROUNDING PLAN

NO SCALE 1


NOTES

1. ANTENNAS AND OVP SHOWN ARE GENERIC AND NOT REFERENCING TO A SPECIFIC MANUFACTURER. THIS LAYOUT IS FOR REFERENCE ONLY



TYPICAL ANTENNA GROUNDING PLAN

NO SCALE 2



GROUNDING LEGEND

1. GROUNDING IS SHOWN DIAGRAMMATICALLY ONLY.
2. CONTRACTOR SHALL GROUND ALL EQUIPMENT AS A COMPLETE SYSTEM. GROUNDING SHALL BE IN COMPLIANCE WITH NEC SECTION 250 AND DISH Wireless L.L.C. GROUNDING AND BONDING REQUIREMENTS AND MANUFACTURER'S SPECIFICATIONS.
3. ALL GROUND CONDUCTORS SHALL BE COPPER; NO ALUMINUM CONDUCTORS SHALL BE USED.

GROUNDING KEY NOTES

- EXTERIOR GROUND RING:** #2 AWG SOLID COPPER, BURIED AT A DEPTH OF AT LEAST 30 INCHES BELOW GRADE, OR 6 INCHES BELOW THE FROST LINE AND APPROXIMATELY 24 INCHES FROM THE EXTERIOR WALL OR FOOTING.
- TOWER GROUND RING:** THE GROUND RING SYSTEM SHALL BE INSTALLED AROUND AN ANTENNA TOWER'S LEGS, AND/OR GUY ANCHORS. WHERE SEPARATE SYSTEMS HAVE BEEN PROVIDED FOR THE TOWER AND THE BUILDING, AT LEAST TWO BONDS SHALL BE MADE BETWEEN THE TOWER RING GROUND SYSTEM AND THE BUILDING RING GROUND SYSTEM USING MINIMUM #2 AWG SOLID COPPER CONDUCTORS.
- INTERIOR GROUND RING:** #2 AWG STRANDED GREEN INSULATED COPPER CONDUCTOR EXTENDED AROUND THE PERIMETER OF THE EQUIPMENT AREA. ALL NON-TELECOMMUNICATIONS RELATED METALLIC OBJECTS FOUND WITHIN A SITE SHALL BE GROUNDED TO THE INTERIOR GROUND RING WITH #6 AWG STRANDED GREEN INSULATED CONDUCTOR.
- BOND TO INTERIOR GROUND RING:** #2 AWG SOLID TINNED COPPER WIRE PRIMARY BONDS SHALL BE PROVIDED AT LEAST AT FOUR POINTS ON THE INTERIOR GROUND RING, LOCATED AT THE CORNERS OF THE BUILDING.
- GROUND ROD:** UL LISTED COPPER CLAD STEEL MINIMUM 1/2" DIAMETER BY EIGHT FEET LONG. GROUND RODS SHALL BE INSTALLED WITH INSPECTION SLEEVES. GROUND RODS SHALL BE DRIVEN TO THE DEPTH OF GROUND RING CONDUCTOR.
- CELL REFERENCE GROUND BAR:** POINT OF GROUND REFERENCE FOR ALL COMMUNICATIONS EQUIPMENT FRAMES. ALL BONDS ARE MADE WITH #2 AWG UNLESS NOTED OTHERWISE STRANDED GREEN INSULATED COPPER CONDUCTORS. BOND TO GROUND RING WITH (2) #2 SOLID TINNED COPPER CONDUCTORS.
- HATCH PLATE GROUND BAR:** BOND TO THE INTERIOR GROUND RING WITH TWO #2 AWG STRANDED GREEN INSULATED COPPER CONDUCTORS. WHEN A HATCH-PLATE AND A CELL REFERENCE GROUND BAR ARE BOTH PRESENT, THE CRGB MUST BE CONNECTED TO THE HATCH-PLATE AND TO THE INTERIOR GROUND RING USING (2) TWO #2 AWG STRANDED GREEN INSULATED COPPER CONDUCTORS EACH.
- EXTERIOR CABLE ENTRY PORT GROUND BARS:** LOCATED AT THE ENTRANCE TO THE CELL SITE BUILDING. BOND TO GROUND RING WITH A #2 AWG SOLID TINNED COPPER CONDUCTORS WITH AN EXOTHERMIC WELD AND INSPECTION SLEEVE.
- TELCO GROUND BAR:** BOND TO BOTH CELL REFERENCE GROUND BAR OR EXTERIOR GROUND RING.
- FRAME BONDING:** THE BONDING POINT FOR TELECOM EQUIPMENT FRAMES SHALL BE THE GROUND BUS THAT IS NOT ISOLATED FROM THE EQUIPMENTS METAL FRAMEWORK.
- INTERIOR UNIT BONDS:** METAL FRAMES, CABINETS AND INDIVIDUAL METALLIC UNITS LOCATED WITH THE AREA OF THE INTERIOR GROUND RING REQUIRE A #6 AWG STRANDED GREEN INSULATED COPPER BOND TO THE INTERIOR GROUND RING.
- FENCE AND GATE GROUNDING:** METAL FENCES WITHIN 7 FEET OF THE EXTERIOR GROUND RING OR OBJECTS BONDED TO THE EXTERIOR GROUND RING SHALL BE BONDED TO THE GROUND RING WITH A #2 AWG SOLID TINNED COPPER CONDUCTOR AT AN INTERVAL NOT EXCEEDING 25 FEET. BONDS SHALL BE MADE AT EACH GATE POST AND ACROSS GATE OPENINGS.
- EXTERIOR UNIT BONDS:** METALLIC OBJECTS, EXTERNAL TO OR MOUNTED TO THE BUILDING, SHALL BE BONDED TO THE EXTERIOR GROUND RING. USING #2 TINNED SOLID COPPER WIRE
- ICE BRIDGE SUPPORTS:** EACH ICE BRIDGE LEG SHALL BE BONDED TO THE GROUND RING WITH #2 AWG BARE TINNED COPPER CONDUCTOR. PROVIDE EXOTHERMIC WELDS AT BOTH THE ICE BRIDGE LEG AND BURIED GROUND RING.
- DURING ALL DC POWER SYSTEM CHANGES INCLUDING DC SYSTEM CHANGE OUTS, RECTIFIER REPLACEMENTS OR ADDITIONS, BREAKER DISTRIBUTION CHANGES, BATTERY ADDITIONS, BATTERY REPLACEMENTS AND INSTALLATIONS OR CHANGES TO DC CONVERTER SYSTEMS IT SHALL BE REQUIRED THAT SERVICE CONTRACTORS VERIFY ALL DC POWER SYSTEMS ARE EQUIPPED WITH A MASTER DC SYSTEM RETURN GROUND CONDUCTOR FROM THE DC POWER SYSTEM COMMON RETURN BUS DIRECTLY CONNECTED TO THE CELL SITE REFERENCE GROUND BAR**
- TOWER TOP COLLECTOR BUSS BAR IS TO BE MECHANICALLY BONDED TO PROPOSED ANTENNA MOUNT COLLAR. REFER TO DISH Wireless L.L.C. GROUNDING NOTES.**

GROUNDING KEY NOTES

NO SCALE 3




5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120



2000 CORPORATE DRIVE
CANONSBURG, PA 15317



FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY: RCD CHECKED BY: SS APPROVED BY: CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION


A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
GROUNDING PLANS
AND NOTES


SHEET NUMBER

G-1




H-FRAME GROUNDING DETAIL

NO SCALE 1




TYPICAL GPS UNIT GROUNDING

NO SCALE 2




OUTDOOR CABINET GROUNDING

NO SCALE 3




TRANSITIONING GROUND DETAIL

NO SCALE 4



TYPICAL TEST GROUND ROD WITH INSPECTION SLEEVE

NO SCALE 5



TYPICAL GROUND RING TRENCH

NO SCALE 6




5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120



2000 CORPORATE DRIVE
CANONSBURG, PA 15317



FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



8/23/2021

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY: CHECKED BY: APPROVED BY:
RCD SS CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION



A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
GROUNDING DETAILS

SHEET NUMBER
G-2

1. EXOTHERMIC WELD (2) TWO, #2 AWG BARE TINNED SOLID COPPER CONDUCTORS TO GROUND BAR. ROUTE CONDUCTORS TO BURIED GROUND RING AND PROVIDE PARALLEL EXOTHERMIC WELD.
2. ALL EXTERIOR GROUNDING HARDWARE SHALL BE STAINLESS STEEL 3/8" DIAMETER OR LARGER. ALL HARDWARE 18-8 STAINLESS STEEL INCLUDING LOCK WASHERS, COAT ALL SURFACES WITH AN ANTI-OXIDANT COMPOUND BEFORE MATING.
3. FOR GROUND BOND TO STEEL ONLY: COAT ALL SURFACES WITH AN ANTI-OXIDANT COMPOUND BEFORE MATING.
4. DO NOT INSTALL CABLE GROUNDING KIT AT A BEND AND ALWAYS DIRECT GROUND CONDUCTOR DOWN TO GROUNDING BUS.
5. NUT & WASHER SHALL BE PLACED ON THE FRONT SIDE OF THE GROUND BAR AND BOLTED ON THE BACK SIDE.
6. ALL GROUNDING PARTS AND EQUIPMENT TO BE SUPPLIED AND INSTALLED BY CONTRACTOR.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLING ADDITIONAL GROUND BAR AS REQUIRED.
8. ENSURE THE WIRE INSULATION TERMINATION IS WITHIN 1/8" OF THE BARREL (NO SHINERS).



TYPICAL GROUNDING NOTES

NO SCALE

1

TYPICAL EXTERIOR TWO HOLE LUG


NO SCALE

2

TYPICAL INTERIOR TWO HOLE LUG

NO SCALE

3



LUG DETAIL

NO SCALE

4

NOT USED

NO SCALE

5

NOT USED

NO SCALE

6

NOT USED

NO SCALE

7

NOT USED

NO SCALE

8

NOT USED

NO SCALE

9

dish
wireless.

5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120


CROWN
CASTLE

2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY

FROM ZERO TO INFINIGY

the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



8/23/2021

IT IS A VIOLATION OF LAW FOR ANY PERSON,
UNLESS THEY ARE ACTING UNDER THE DIRECTION
OF A LICENSED PROFESSIONAL ENGINEER,
TO ALTER THIS DOCUMENT.

DRAWN BY: CHECKED BY: APPROVED BY:

RCD SS CJW

RFDS REV #: N/A

CONSTRUCTION
DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
GROUNDING DETAILS

SHEET NUMBER
G-3

RF JUMPER COLOR CODING

3/4" TAPE WIDTHS WITH 3/4" SPACING

LOW-BAND RRH -
(600MHz N71 BASEBAND) +
(850MHz N26 BAND) +
(700MHz N29 BAND) - OPTIONAL PER MARKET

ADD FREQUENCY COLOR TO SECTOR BAND
(CBRS WILL USE YELLOW BANDS)

ALPHA RRH				BETA RRH				GAMMA RRH			
PORT 1 + SLANT	PORT 2 - SLANT	PORT 3 + SLANT	PORT 4 - SLANT	PORT 1 + SLANT	PORT 2 - SLANT	PORT 3 + SLANT	PORT 4 - SLANT	PORT 1 + SLANT	PORT 2 - SLANT	PORT 3 + SLANT	PORT 4 - SLANT
RED	RED	RED	RED	BLUE	BLUE	BLUE	BLUE	GREEN	GREEN	GREEN	GREEN
ORANGE	ORANGE	RED	RED	ORANGE	ORANGE	BLUE	BLUE	ORANGE	ORANGE	GREEN	GREEN
	WHITE (-) PORT	ORANGE	ORANGE		WHITE (-) PORT	ORANGE	ORANGE		WHITE (-) PORT	ORANGE	ORANGE
			WHITE (-) PORT				WHITE (-) PORT				WHITE (-) PORT

MID-BAND RRH -
(AWS BANDS N66+N70)

ADD FREQUENCY COLOR TO SECTOR BAND
(CBRS WILL USE YELLOW BANDS)

RED	RED	RED	RED	BLUE	BLUE	BLUE	BLUE	GREEN	GREEN	GREEN	GREEN
PURPLE	PURPLE	RED	RED	PURPLE	PURPLE	BLUE	BLUE	PURPLE	PURPLE	GREEN	GREEN
	WHITE (-) PORT	PURPLE	PURPLE		WHITE (-) PORT	PURPLE	PURPLE		WHITE (-) PORT	PURPLE	PURPLE
			WHITE (-) PORT				WHITE (-) PORT				WHITE (-) PORT

HYBRID/DISCREET CABLES

INCLUDE SECTOR BANDS BEING SUPPORTED
ALONG WITH FREQUENCY BANDS

EXAMPLE 1 - HYBRID, OR DISCREET, SUPPORTS
ALL SECTORS, BOTH LOW-BANDS AND MID-BANDS

EXAMPLE 2 - HYBRID, OR DISCREET, SUPPORTS
CBRS ONLY, ALL SECTORS

EXAMPLE 1	EXAMPLE 2	EXAMPLE 3
RED	RED	RED
BLUE	BLUE	
GREEN	GREEN	ORANGE
ORANGE	YELLOW	PURPLE
PURPLE		

FIBER JUMPERS TO RRHs

LOW-BAND RRH FIBER CABLES HAVE SECTOR
STRIPE ONLY

LOW BAND RRH	HIGH BAND RRH	LOW BAND RRH	HIGH BAND RRH	LOW BAND RRH	HIGH BAND RRH
RED	RED	BLUE	BLUE	GREEN	GREEN
	PURPLE		PURPLE		PURPLE

POWER CABLES TO RRHs

LOW-BAND RRH POWER CABLES HAVE SECTOR
STRIPE ONLY

LOW BAND RRH	HIGH BAND RRH	LOW BAND RRH	HIGH BAND RRH	LOW BAND RRH	HIGH BAND RRH
RED	RED	BLUE	BLUE	GREEN	GREEN
	PURPLE		PURPLE		PURPLE

RET MOTORS AT ANTENNAS

ANTENNA 1 LOW BAND/ "IN"	ANTENNA 1 HIGH BAND/ "IN"	ANTENNA 1 LOW BAND/ "IN"	ANTENNA 1 HIGH BAND/ "IN"	ANTENNA 1 LOW BAND/ "IN"	ANTENNA 1 HIGH BAND/ "IN"
RED	RED	BLUE	BLUE	GREEN	GREEN
	PURPLE		PURPLE		PURPLE

MICROWAVE RADIO LINKS

LINKS WILL HAVE A 1.5-2 INCH WHITE WRAP WITH
THE AZIMUTH COLOR OVERLAPPING IN THE MIDDLE.
ADD ADDITIONAL SECTOR COLOR BANDS FOR EACH
ADDITIONAL MW RADIO.

MICROWAVE CABLES WILL REQUIRE P-TOUCH
LABELS INSIDE THE CABINET TO IDENTIFY THE
LOCAL AND REMOTE SITE ID'S

FORWARD AZIMUTH OF 0-120 DEGREES		FORWARD AZIMUTH OF 120-240 DEGREES		FORWARD AZIMUTH OF 240-360 DEGREES	
PRIMARY	SECONDARY	PRIMARY	SECONDARY	PRIMARY	SECONDARY
WHITE	WHITE	WHITE	WHITE	WHITE	WHITE
RED	RED	BLUE	BLUE	GREEN	GREEN
WHITE	WHITE	WHITE	WHITE	WHITE	WHITE
	RED		BLUE		GREEN
	WHITE		WHITE		WHITE

RF CABLE COLOR CODES

NO SCALE

1

LOW BANDS (N71+N26)
OPTIONAL - (N29)



AWS
(N66+N70+H-BLOCK)



CBRS TECH
(3 GHz)



NEGATIVE SLANT PORT
ON ANT/RRH



ALPHA SECTOR



BETA SECTOR



GAMMA SECTOR



COLOR IDENTIFIER

NO SCALE

2

NOT USED

NO SCALE

3

NOT USED

NO SCALE

4

dish
wireless.

5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120


CROWN
CASTLE

2000 CORPORATE DRIVE
CANONSBURG, PA 15317

INFINIGY

FROM ZERO TO INFINIGY

the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON,
UNLESS THEY ARE ACTING UNDER THE DIRECTION
OF A LICENSED PROFESSIONAL ENGINEER,
TO ALTER THIS DOCUMENT.

DRAWN BY: CHECKED BY: APPROVED BY:

RCD SS CJW

RFDS REV #: N/A

CONSTRUCTION
DOCUMENTS

SUBMITTALS

REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION


A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
RF
CABLE COLOR CODES

SHEET NUMBER
RF-1

EXOTHERMIC CONNECTION
 MECHANICAL CONNECTION
 BUSS BAR INSULATOR
 CHEMICAL ELECTROLYTIC GROUNDING SYSTEM
 TEST CHEMICAL ELECTROLYTIC GROUNDING SYSTEM
 EXOTHERMIC WITH INSPECTION SLEEVE
 GROUNDING BAR
 GROUND ROD
 TEST GROUND ROD WITH INSPECTION SLEEVE
 SINGLE POLE SWITCH
 DUPLEX RECEPTACLE
 DUPLEX GFCI RECEPTACLE
 FLUORESCENT LIGHTING FIXTURE (2) TWO LAMPS 48-T8
 SMOKE DETECTION (DC)
 EMERGENCY LIGHTING (DC)
 SECURITY LIGHT W/PHOTOCELL LITHONIA ALXW
 LED-1-25A400/51K-SR4-120-PE-DOBTD
 CHAIN LINK FENCE
 WOOD/WROUGHT IRON FENCE
 WALL STRUCTURE
 LEASE AREA
 PROPERTY LINE (PL)
 SETBACKS
 ICE BRIDGE
 CABLE TRAY
 WATER LINE
 UNDERGROUND POWER
 UNDERGROUND TELCO
 OVERHEAD POWER
 OVERHEAD TELCO
 UNDERGROUND TELCO/POWER
 ABOVE GROUND POWER
 ABOVE GROUND TELCO
 ABOVE GROUND TELCO/POWER
 WORKPOINT
 SECTION REFERENCE
 DETAIL REFERENCE



LEGEND

AB ANCHOR BOLT
 ABV ABOVE
 AC ALTERNATING CURRENT
 ADDL ADDITIONAL
 AFF ABOVE FINISHED FLOOR
 AFG ABOVE FINISHED GRADE
 AGL ABOVE GROUND LEVEL
 AIC AMPERAGE INTERRUPTION CAPACITY
 ALUM ALUMINUM
 ALT ALTERNATE
 ANT ANTENNA
 APPROX APPROXIMATE
 ARCH ARCHITECTURAL
 ATS AUTOMATIC TRANSFER SWITCH
 AWG AMERICAN WIRE GAUGE
 BATT BATTERY
 BLDG BUILDING
 BLK BLOCK
 BLKG BLOCKING
 BM BEAM
 BTC BARE TINNED COPPER CONDUCTOR
 BOF BOTTOM OF FOOTING
 CAB CABINET
 CANT CANTILEVERED
 CHG CHARGING
 CLG CEILING
 CLR CLEAR
 COL COLUMN
 COMM COMMON
 CONC CONCRETE
 CONSTR CONSTRUCTION
 DBL DOUBLE
 DC DIRECT CURRENT
 DEPT DEPARTMENT
 DF DOUGLAS FIR
 DIA DIAMETER
 DIAG DIAGONAL
 DIM DIMENSION
 DWG DRAWING
 DWL DOWEL
 EA EACH
 EC ELECTRICAL CONDUCTOR
 EL ELEVATION
 ELEC ELECTRICAL
 EMT ELECTRICAL METALLIC TUBING
 ENG ENGINEER
 EQ EQUAL
 EXP EXPANSION
 EXT EXTERIOR
 EW EACH WAY
 FAB FABRICATION
 FF FINISH FLOOR
 FG FINISH GRADE
 FIF FACILITY INTERFACE FRAME
 FIN FINISH(ED)
 FLR FLOOR
 FDN FOUNDATION
 FOC FACE OF CONCRETE
 FOM FACE OF MASONRY
 FOS FACE OF STUD
 FOW FACE OF WALL
 FS FINISH SURFACE
 FT FOOT
 FTG FOOTING
 GA GAUGE
 GEN GENERATOR
 GFCI GROUND FAULT CIRCUIT INTERRUPTER
 GLB GLUE LAMINATED BEAM
 GLV GALVANIZED
 GPS GLOBAL POSITIONING SYSTEM
 GND GROUND
 GSM GLOBAL SYSTEM FOR MOBILE
 HDG HOT DIPPED GALVANIZED
 HDR HEADER
 HGR HANGER
 HVAC HEAT/VENTILATION/AIR CONDITIONING
 HT HEIGHT
 IGR INTERIOR GROUND RING
 IN INCH
 INT INTERIOR
 LB(S) POUND(S)
 LF LINEAR FEET
 LTE LONG TERM EVOLUTION
 MAS MASONRY
 MAX MAXIMUM
 MB MACHINE BOLT
 MECH MECHANICAL
 MFR MANUFACTURER
 MGB MASTER GROUND BAR
 MIN MINIMUM
 MISC MISCELLANEOUS
 MTL METAL
 MTS MANUAL TRANSFER SWITCH
 MW MICROWAVE
 NEC NATIONAL ELECTRIC CODE
 NM NEWTON METERS
 NO. NUMBER
 # NUMBER
 NTS NOT TO SCALE
 OC ON-CENTER
 OSHA OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
 OPNG OPENING
 P/C PRECAST CONCRETE
 PCS PERSONAL COMMUNICATION SERVICES
 PCU PRIMARY CONTROL UNIT
 PRC PRIMARY RADIO CABINET
 PP POLARIZING PRESERVING
 PSF POUNDS PER SQUARE FOOT
 PSI POUNDS PER SQUARE INCH
 PT PRESSURE TREATED
 PWR POWER CABINET
 QTY QUANTITY
 RAD RADIUS
 RECT RECTIFIER
 REF REFERENCE
 REINF REINFORCEMENT
 REQ'D REQUIRED
 RET REMOTE ELECTRIC TILT
 RF RADIO FREQUENCY
 RMC RIGID METALLIC CONDUIT
 RRH REMOTE RADIO HEAD
 RRU REMOTE RADIO UNIT
 RWY RACEWAY
 SCH SCHEDULE
 SHT SHEET
 SIAD SMART INTEGRATED ACCESS DEVICE
 SIM SIMILAR
 SPEC SPECIFICATION
 SQ SQUARE
 SS STAINLESS STEEL
 STD STANDARD
 STL STEEL
 TEMP TEMPORARY
 THK THICKNESS
 TMA TOWER MOUNTED AMPLIFIER
 TN TOE NAIL
 TOA TOP OF ANTENNA
 TOC TOP OF CURB
 TOF TOP OF FOUNDATION
 TOP TOP OF PLATE (PARAPET)
 TOS TOP OF STEEL
 TOW TOP OF WALL
 TVSS TRANSIENT VOLTAGE SURGE SUPPRESSION
 TYP TYPICAL
 UG UNDERGROUND
 UL UNDERWRITERS LABORATORY
 UNO UNLESS NOTED OTHERWISE
 UMTS UNIVERSAL MOBILE TELECOMMUNICATIONS SYSTEM
 UPS UNINTERRUPTIBLE POWER SYSTEM (DC POWER PLANT)
 VIF VERIFIED IN FIELD
 W WIDE
 W/ WITH
 WD WOOD
 WP WEATHERPROOF
 WT WEIGHT

ABBREVIATIONS




5701 SOUTH SANTA FE DRIVE
 LITTLETON, CO 80120



2000 CORPORATE DRIVE
 CANONSBURG, PA 15317



FROM ZERO TO INFINIGY
 the solutions are endless
 2500 W. HIGGINS RD., SUITE 500 |
 HOFFMAN ESTATES, IL 60169
 PHONE: 847-648-4068 | FAX: 518-690-0793
 WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON,
 UNLESS THEY ARE ACTING UNDER THE DIRECTION
 OF A LICENSED PROFESSIONAL ENGINEER,
 TO ALTER THIS DOCUMENT.

DRAWN BY: RCD CHECKED BY: SS APPROVED BY: CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
 2039-Z5555C

DISH Wireless L.L.C.
 PROJECT INFORMATION
 BOHVN00007A
 258 RIDGE ROAD
 MADISON, CT 06433

SHEET TITLE
 LEGEND AND ABBREVIATIONS

SHEET NUMBER
GN-1

SITE ACTIVITY REQUIREMENTS:

1. NOTICE TO PROCEED – NO WORK SHALL COMMENCE PRIOR TO CONTRACTOR RECEIVING A WRITTEN NOTICE TO PROCEED (NTP) AND THE ISSUANCE OF A PURCHASE ORDER. PRIOR TO ACCESSING/ENTERING THE SITE YOU MUST CONTACT THE DISH Wireless L.L.C. AND TOWER OWNER NOC & THE DISH Wireless L.L.C. AND TOWER OWNER CONSTRUCTION MANAGER.
2. "LOOK UP" – DISH Wireless L.L.C. AND TOWER OWNER SAFETY CLIMB REQUIREMENT:
THE INTEGRITY OF THE SAFETY CLIMB AND ALL COMPONENTS OF THE CLIMBING FACILITY SHALL BE CONSIDERED DURING ALL STAGES OF DESIGN, INSTALLATION, AND INSPECTION. TOWER MODIFICATION, MOUNT REINFORCEMENTS, AND/OR EQUIPMENT INSTALLATIONS SHALL NOT COMPROMISE THE INTEGRITY OR FUNCTIONAL USE OF THE SAFETY CLIMB OR ANY COMPONENTS OF THE CLIMBING FACILITY ON THE STRUCTURE. THIS SHALL INCLUDE, BUT NOT BE LIMITED TO: PINCHING OF THE WIRE ROPE, BENDING OF THE WIRE ROPE FROM ITS SUPPORTS, DIRECT CONTACT OR CLOSE PROXIMITY TO THE WIRE ROPE WHICH MAY CAUSE FRICTIONAL WEAR, IMPACT TO THE ANCHORAGE POINTS IN ANY WAY, OR TO IMPEDE/BLOCK ITS INTENDED USE. ANY COMPROMISED SAFETY CLIMB, INCLUDING EXISTING CONDITIONS MUST BE TAGGED OUT AND REPORTED TO YOUR DISH Wireless L.L.C. AND DISH Wireless L.L.C. AND TOWER OWNER POC OR CALL THE NOC TO GENERATE A SAFETY CLIMB MAINTENANCE AND CONTRACTOR NOTICE TICKET.
3. PRIOR TO THE START OF CONSTRUCTION, ALL REQUIRED JURISDICTIONAL PERMITS SHALL BE OBTAINED. THIS INCLUDES, BUT IS NOT LIMITED TO, BUILDING, ELECTRICAL, MECHANICAL, FIRE, FLOOD ZONE, ENVIRONMENTAL, AND ZONING. AFTER ONSITE ACTIVITIES AND CONSTRUCTION ARE COMPLETED, ALL REQUIRED PERMITS SHALL BE SATISFIED AND CLOSED OUT ACCORDING TO LOCAL JURISDICTIONAL REQUIREMENTS.
4. ALL CONSTRUCTION MEANS AND METHODS; INCLUDING BUT NOT LIMITED TO, ERECTION PLANS, RIGGING PLANS, CLIMBING PLANS, AND RESCUE PLANS SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR RESPONSIBLE FOR THE EXECUTION OF THE WORK CONTAINED HEREIN, AND SHALL MEET ANSI/ASSE A10.48 (LATEST EDITION); FEDERAL, STATE, AND LOCAL REGULATIONS; AND ANY APPLICABLE INDUSTRY CONSENSUS STANDARDS RELATED TO THE CONSTRUCTION ACTIVITIES BEING PERFORMED. ALL RIGGING PLANS SHALL ADHERE TO ANSI/ASSE A10.48 (LATEST EDITION) AND DISH Wireless L.L.C. AND TOWER OWNER STANDARDS, INCLUDING THE REQUIRED INVOLVEMENT OF A QUALIFIED ENGINEER FOR CLASS IV CONSTRUCTION, TO CERTIFY THE SUPPORTING STRUCTURE(S) IN ACCORDANCE WITH ANSI/TIA-322 (LATEST EDITION).
5. ALL SITE WORK TO COMPLY WITH DISH Wireless L.L.C. AND TOWER OWNER INSTALLATION STANDARDS FOR CONSTRUCTION ACTIVITIES ON DISH Wireless L.L.C. AND TOWER OWNER TOWER SITE AND LATEST VERSION OF ANSI/TIA-1019-A-2012 "STANDARD FOR INSTALLATION, ALTERATION, AND MAINTENANCE OF ANTENNA SUPPORTING STRUCTURES AND ANTENNAS."
6. IF THE SPECIFIED EQUIPMENT CAN NOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE CONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION FOR APPROVAL BY DISH Wireless L.L.C. AND TOWER OWNER PRIOR TO PROCEEDING WITH ANY SUCH CHANGE OF INSTALLATION.
7. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS AND ORDINANCES. CONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
8. THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
9. THE CONTRACTOR SHALL CONTACT UTILITY LOCATING SERVICES INCLUDING PRIVATE LOCATES SERVICES PRIOR TO THE START OF CONSTRUCTION.
10. ALL EXISTING ACTIVE SEWER, WATER, GAS, ELECTRIC AND OTHER UTILITIES WHERE ENCOUNTERED IN THE WORK, SHALL BE PROTECTED AT ALL TIMES AND WHERE REQUIRED FOR THE PROPER EXECUTION OF THE WORK, SHALL BE RELOCATED AS DIRECTED BY CONTRACTOR. EXTREME CAUTION SHOULD BE USED BY THE CONTRACTOR WHEN EXCAVATING OR DRILLING PIERS AROUND OR NEAR UTILITIES. CONTRACTOR SHALL PROVIDE SAFETY TRAINING FOR THE WORKING CREW. THIS WILL INCLUDE BUT NOT BE LIMITED TO A) FALL PROTECTION B) CONFINED SPACE C) ELECTRICAL SAFETY D) TRENCHING AND EXCAVATION E) CONSTRUCTION SAFETY PROCEDURES.
11. ALL SITE WORK SHALL BE AS INDICATED ON THE STAMPED CONSTRUCTION DRAWINGS AND DISH PROJECT SPECIFICATIONS, LATEST APPROVED REVISION.
12. CONTRACTOR SHALL KEEP THE SITE FREE FROM ACCUMULATING WASTE MATERIAL, DEBRIS, AND TRASH AT THE COMPLETION OF THE WORK. IF NECESSARY, RUBBISH, STUMPS, DEBRIS, STICKS, STONES AND OTHER REFUSE SHALL BE REMOVED FROM THE SITE AND DISPOSED OF LEGALLY.
13. ALL EXISTING INACTIVE SEWER, WATER, GAS, ELECTRIC AND OTHER UTILITIES, WHICH INTERFERE WITH THE EXECUTION OF THE WORK, SHALL BE REMOVED AND/OR CAPPED, PLUGGED OR OTHERWISE DISCONTINUED AT POINTS WHICH WILL NOT INTERFERE WITH THE EXECUTION OF THE WORK, SUBJECT TO THE APPROVAL OF DISH Wireless L.L.C. AND TOWER OWNER, AND/OR LOCAL UTILITIES.
14. THE CONTRACTOR SHALL PROVIDE SITE SIGNAGE IN ACCORDANCE WITH THE TECHNICAL SPECIFICATION FOR SITE SIGNAGE REQUIRED BY LOCAL JURISDICTION AND SIGNAGE REQUIRED ON INDIVIDUAL PIECES OF EQUIPMENT, ROOMS, AND SHELTERS.
15. THE SITE SHALL BE GRADED TO CAUSE SURFACE WATER TO FLOW AWAY FROM THE CARRIER'S EQUIPMENT AND TOWER AREAS.
16. THE SUB GRADE SHALL BE COMPACTED AND BROUGHT TO A SMOOTH UNIFORM GRADE PRIOR TO FINISHED SURFACE APPLICATION.
17. THE AREAS OF THE OWNERS PROPERTY DISTURBED BY THE WORK AND NOT COVERED BY THE TOWER, EQUIPMENT OR DRIVEWAY, SHALL BE GRADED TO A UNIFORM SLOPE, AND STABILIZED TO PREVENT EROSION AS SPECIFIED ON THE CONSTRUCTION DRAWINGS AND/OR PROJECT SPECIFICATIONS.
18. CONTRACTOR SHALL MINIMIZE DISTURBANCE TO EXISTING SITE DURING CONSTRUCTION. EROSION CONTROL MEASURES, IF REQUIRED DURING CONSTRUCTION, SHALL BE IN CONFORMANCE WITH THE LOCAL GUIDELINES FOR EROSION AND SEDIMENT CONTROL.
19. THE CONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT CONTRACTOR'S EXPENSE TO THE SATISFACTION OF OWNER.
20. CONTRACTOR SHALL LEGALLY AND PROPERLY DISPOSE OF ALL SCRAP MATERIALS SUCH AS COAXIAL CABLES AND OTHER ITEMS REMOVED FROM THE EXISTING FACILITY. ANTENNAS AND RADIOS REMOVED SHALL BE RETURNED TO THE OWNER'S DESIGNATED LOCATION.
21. CONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION. TRASH AND DEBRIS SHOULD BE REMOVED FROM SITE ON A DAILY BASIS.
22. NO FILL OR EMBANKMENT MATERIAL SHALL BE PLACED ON FROZEN GROUND. FROZEN MATERIALS, SNOW OR ICE SHALL NOT BE PLACED IN ANY FILL OR EMBANKMENT.

GENERAL NOTES:

1. FOR THE PURPOSE OF CONSTRUCTION DRAWING, THE FOLLOWING DEFINITIONS SHALL APPLY:
CONTRACTOR: GENERAL CONTRACTOR RESPONSIBLE FOR CONSTRUCTION
CARRIER: DISH Wireless L.L.C.
TOWER OWNER: TOWER OWNER
2. THESE DRAWINGS HAVE BEEN PREPARED USING STANDARDS OF PROFESSIONAL CARE AND COMPLETENESS NORMALLY EXERCISED UNDER SIMILAR CIRCUMSTANCES BY REPUTABLE ENGINEERS IN THIS OR SIMILAR LOCALITIES. IT IS ASSUMED THAT THE WORK DEPICTED WILL BE PERFORMED BY AN EXPERIENCED CONTRACTOR AND/OR WORKPEOPLE WHO HAVE A WORKING KNOWLEDGE OF THE APPLICABLE CODE STANDARDS AND REQUIREMENTS AND OF INDUSTRY ACCEPTED STANDARD GOOD PRACTICE. AS NOT EVERY CONDITION OR ELEMENT IS (OR CAN BE) EXPLICITLY SHOWN ON THESE DRAWINGS, THE CONTRACTOR SHALL USE INDUSTRY ACCEPTED STANDARD GOOD PRACTICE FOR MISCELLANEOUS WORK NOT EXPLICITLY SHOWN.
3. THESE DRAWINGS REPRESENT THE FINISHED STRUCTURE. THEY DO NOT INDICATE THE MEANS OR METHODS OF CONSTRUCTION. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR THE CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, AND PROCEDURES. THE CONTRACTOR SHALL PROVIDE ALL MEASURES NECESSARY FOR PROTECTION OF LIFE AND PROPERTY DURING CONSTRUCTION. SUCH MEASURES SHALL INCLUDE, BUT NOT BE LIMITED TO, BRACING, FORMWORK, SHORING, ETC. SITE VISITS BY THE ENGINEER OR HIS REPRESENTATIVE WILL NOT INCLUDE INSPECTION OF THESE ITEMS AND IS FOR STRUCTURAL OBSERVATION OF THE FINISHED STRUCTURE ONLY.
4. NOTES AND DETAILS IN THE CONSTRUCTION DRAWINGS SHALL TAKE PRECEDENCE OVER GENERAL NOTES AND TYPICAL DETAILS. WHERE NO DETAILS ARE SHOWN, CONSTRUCTION SHALL CONFORM TO SIMILAR WORK ON THE PROJECT, AND/OR AS PROVIDED FOR IN THE CONTRACT DOCUMENTS. WHERE DISCREPANCIES OCCUR BETWEEN PLANS, DETAILS, GENERAL NOTES, AND SPECIFICATIONS, THE GREATER, MORE STRICT REQUIREMENTS, SHALL GOVERN. IF FURTHER CLARIFICATION IS REQUIRED CONTACT THE ENGINEER OF RECORD.
5. SUBSTANTIAL EFFORT HAS BEEN MADE TO PROVIDE ACCURATE DIMENSIONS AND MEASUREMENTS ON THE DRAWINGS TO ASSIST IN THE FABRICATION AND/OR PLACEMENT OF CONSTRUCTION ELEMENTS BUT IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO FIELD VERIFY THE DIMENSIONS, MEASUREMENTS, AND/OR CLEARANCES SHOWN IN THE CONSTRUCTION DRAWINGS PRIOR TO FABRICATION OR CUTTING OF ANY NEW OR EXISTING CONSTRUCTION ELEMENTS. IF IT IS DETERMINED THAT THERE ARE DISCREPANCIES AND/OR CONFLICTS WITH THE CONSTRUCTION DRAWINGS THE ENGINEER OF RECORD IS TO BE NOTIFIED AS SOON AS POSSIBLE.
6. PRIOR TO THE SUBMISSION OF BIDS, THE BIDDING CONTRACTOR SHALL VISIT THE CELL SITE TO FAMILIARIZE WITH THE EXISTING CONDITIONS AND TO CONFIRM THAT THE WORK CAN BE ACCOMPLISHED AS SHOWN ON THE CONSTRUCTION DRAWINGS. ANY DISCREPANCY FOUND SHALL BE BROUGHT TO THE ATTENTION OF CARRIER POC AND TOWER OWNER.
7. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS AND ORDINANCES. CONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
8. UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.
9. THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
10. IF THE SPECIFIED EQUIPMENT CAN NOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE CONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION FOR APPROVAL BY THE CARRIER AND TOWER OWNER PRIOR TO PROCEEDING WITH ANY SUCH CHANGE OF INSTALLATION.
11. CONTRACTOR IS TO PERFORM A SITE INVESTIGATION, BEFORE SUBMITTING BIDS, TO DETERMINE THE BEST ROUTING OF ALL CONDUITS FOR POWER, AND TELCO AND FOR GROUNDING CABLES AS SHOWN IN THE POWER, TELCO, AND GROUNDING PLAN DRAWINGS.
12. THE CONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT CONTRACTOR'S EXPENSE TO THE SATISFACTION OF DISH Wireless L.L.C. AND TOWER OWNER
13. CONTRACTOR SHALL LEGALLY AND PROPERLY DISPOSE OF ALL SCRAP MATERIALS SUCH AS COAXIAL CABLES AND OTHER ITEMS REMOVED FROM THE EXISTING FACILITY. ANTENNAS REMOVED SHALL BE RETURNED TO THE OWNER'S DESIGNATED LOCATION.
14. CONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION. TRASH AND DEBRIS SHOULD BE REMOVED FROM SITE ON A DAILY BASIS.




5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120



2000 CORPORATE DRIVE
CANONSBURG, PA 15317



FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



8/23/2021

IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
GENERAL NOTES

SHEET NUMBER
GN-2

CONCRETE, FOUNDATIONS, AND REINFORCING STEEL:

- ALL CONCRETE WORK SHALL BE IN ACCORDANCE WITH THE ACI 301, ACI 318, ACI 336, ASTM A184, ASTM A185 AND THE DESIGN AND CONSTRUCTION SPECIFICATION FOR CAST-IN-PLACE CONCRETE.
- UNLESS NOTED OTHERWISE, SOIL BEARING PRESSURE USED FOR DESIGN OF SLABS AND FOUNDATIONS IS ASSUMED TO BE 1000 psf.
- ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH (f'c) OF 3000 psi AT 28 DAYS, UNLESS NOTED OTHERWISE. NO MORE THAN 90 MINUTES SHALL ELAPSE FROM BATCH TIME TO TIME OF PLACEMENT UNLESS APPROVED BY THE ENGINEER OF RECORD. TEMPERATURE OF CONCRETE SHALL NOT EXCEED 90°f AT TIME OF PLACEMENT.
- CONCRETE EXPOSED TO FREEZE-THAW CYCLES SHALL CONTAIN AIR ENTRAINING ADMIXTURES. AMOUNT OF AIR ENTRAINMENT TO BE BASED ON SIZE OF AGGREGATE AND F3 CLASS EXPOSURE (VERY SEVERE). CEMENT USED TO BE TYPE II PORTLAND CEMENT WITH A MAXIMUM WATER-TO-CEMENT RATIO (W/C) OF 0.45.
- ALL STEEL REINFORCING SHALL CONFORM TO ASTM A615. ALL WELDED WIRE FABRIC (WWF) SHALL CONFORM TO ASTM A185. ALL SPLICES SHALL BE CLASS "B" TENSION SPLICES, UNLESS NOTED OTHERWISE. ALL HOOKS SHALL BE STANDARD 90 DEGREE HOOKS, UNLESS NOTED OTHERWISE. YIELD STRENGTH (Fy) OF STANDARD DEFORMED BARS ARE AS FOLLOWS:
 #4 BARS AND SMALLER 40 ksi
 #5 BARS AND LARGER 60 ksi
- THE FOLLOWING MINIMUM CONCRETE COVER SHALL BE PROVIDED FOR REINFORCING STEEL UNLESS SHOWN OTHERWISE ON DRAWINGS:
 - CONCRETE CAST AGAINST AND PERMANENTLY EXPOSED TO EARTH 3"
 - CONCRETE EXPOSED TO EARTH OR WEATHER:
 - #6 BARS AND LARGER 2"
 - #5 BARS AND SMALLER 1-1/2"
 - CONCRETE NOT EXPOSED TO EARTH OR WEATHER:
 - SLAB AND WALLS 3/4"
 - BEAMS AND COLUMNS 1-1/2"
- A TOOLED EDGE OR A 3/4" CHAMFER SHALL BE PROVIDED AT ALL EXPOSED EDGES OF CONCRETE, UNLESS NOTED OTHERWISE, IN ACCORDANCE WITH ACI 301 SECTION 4.2.4.

ELECTRICAL INSTALLATION NOTES:

- ALL ELECTRICAL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS, NEC AND ALL APPLICABLE FEDERAL, STATE, AND LOCAL CODES/ORDINANCES.
- CONDUIT ROUTINGS ARE SCHEMATIC. CONTRACTOR SHALL INSTALL CONDUITS SO THAT ACCESS TO EQUIPMENT IS NOT BLOCKED AND TRIP HAZARDS ARE ELIMINATED.
- WIRING, RACEWAY AND SUPPORT METHODS AND MATERIALS SHALL COMPLY WITH THE REQUIREMENTS OF THE NEC.
- ALL CIRCUITS SHALL BE SEGREGATED AND MAINTAIN MINIMUM CABLE SEPARATION AS REQUIRED BY THE NEC.
 - ALL EQUIPMENT SHALL BEAR THE UNDERWRITERS LABORATORIES LABEL OF APPROVAL, AND SHALL CONFORM TO REQUIREMENT OF THE NATIONAL ELECTRICAL CODE.
 - ALL OVERCURRENT DEVICES SHALL HAVE AN INTERRUPTING CURRENT RATING THAT SHALL BE GREATER THAN THE SHORT CIRCUIT CURRENT TO WHICH THEY ARE SUBJECTED, 22,000 AIC MINIMUM. VERIFY AVAILABLE SHORT CIRCUIT CURRENT DOES NOT EXCEED THE RATING OF ELECTRICAL EQUIPMENT IN ACCORDANCE WITH ARTICLE 110.24 NEC OR THE MOST CURRENT ADOPTED CODE PRE THE GOVERNING JURISDICTION.
- EACH END OF EVERY POWER PHASE CONDUCTOR, GROUNDING CONDUCTOR, AND TELCO CONDUCTOR OR CABLE SHALL BE LABELED WITH COLOR-CODED INSULATION OR ELECTRICAL TAPE (3M BRAND, 1/2" PLASTIC ELECTRICAL TAPE WITH UV PROTECTION, OR EQUAL). THE IDENTIFICATION METHOD SHALL CONFORM WITH NEC AND OSHA.
- ALL ELECTRICAL COMPONENTS SHALL BE CLEARLY LABELED WITH LAMICOID TAGS SHOWING THEIR RATED VOLTAGE, PHASE CONFIGURATION, WIRE CONFIGURATION, POWER OR AMPACITY RATING AND BRANCH CIRCUIT ID NUMBERS (i.e. PANEL BOARD AND CIRCUIT ID'S).
- PANEL BOARDS (ID NUMBERS) SHALL BE CLEARLY LABELED WITH PLASTIC LABELS.
- TIE WRAPS ARE NOT ALLOWED.
- ALL POWER AND EQUIPMENT GROUND WIRING IN TUBING OR CONDUIT SHALL BE SINGLE COPPER CONDUCTOR (#14 OR LARGER) WITH TYPE THHW, THWN, THWN-2, XHHW, XHHW-2, THW, THW-2, RHW, OR RHW-2 INSULATION UNLESS OTHERWISE SPECIFIED.
- SUPPLEMENTAL EQUIPMENT GROUND WIRING LOCATED INDOORS SHALL BE SINGLE COPPER CONDUCTOR (#6 OR LARGER) WITH TYPE THHW, THWN, THWN-2, XHHW, XHHW-2, THW, THW-2, RHW, OR RHW-2 INSULATION UNLESS OTHERWISE SPECIFIED.
- POWER AND CONTROL WIRING IN FLEXIBLE CORD SHALL BE MULTI-CONDUCTOR, TYPE SOOW CORD (#14 OR LARGER) UNLESS OTHERWISE SPECIFIED.
- POWER AND CONTROL WIRING FOR USE IN CABLE TRAY SHALL BE MULTI-CONDUCTOR, TYPE TC CABLE (#14 OR LARGER), WITH TYPE THHW, THWN, THWN-2, XHHW, XHHW-2, THW, THW-2, RHW, OR RHW-2 INSULATION UNLESS OTHERWISE SPECIFIED.
- ALL POWER AND GROUNDING CONNECTIONS SHALL BE CRIMP-STYLE, COMPRESSION WIRE LUGS AND WIRE NUTS BY THOMAS AND BETTS (OR EQUAL). LUGS AND WIRE NUTS SHALL BE RATED FOR OPERATION NOT LESS THAN 75° C (90° C IF AVAILABLE).
- RACEWAY AND CABLE TRAY SHALL BE LISTED OR LABELED FOR ELECTRICAL USE IN ACCORDANCE WITH NEMA, UL, ANSI/IEEE AND NEC.
- ELECTRICAL METALLIC TUBING (EMT), INTERMEDIATE METAL CONDUIT (IMC), OR RIGID METAL CONDUIT (RMC) SHALL BE USED FOR EXPOSED INDOOR LOCATIONS.

- ELECTRICAL METALLIC TUBING (EMT) OR METAL-CLAD CABLE (MC) SHALL BE USED FOR CONCEALED INDOOR LOCATIONS.
- SCHEDULE 40 PVC UNDERGROUND ON STRAIGHTS AND SCHEDULE 80 PVC FOR ALL ELBOWS/90s AND ALL APPROVED ABOVE GRADE PVC CONDUIT.
- LIQUID-TIGHT FLEXIBLE METALLIC CONDUIT (LIQUID-TITE FLEX) SHALL BE USED INDOORS AND OUTDOORS, WHERE VIBRATION OCCURS OR FLEXIBILITY IS NEEDED.
- CONDUIT AND TUBING FITTINGS SHALL BE THREADED OR COMPRESSION-TYPE AND APPROVED FOR THE LOCATION USED. SET SCREW FITTINGS ARE NOT ACCEPTABLE.
- CABINETS, BOXES AND WIRE WAYS SHALL BE LABELED FOR ELECTRICAL USE IN ACCORDANCE WITH NEMA, UL, ANSI/IEEE AND THE NEC.
- WIREWAYS SHALL BE METAL WITH AN ENAMEL FINISH AND INCLUDE A HINGED COVER, DESIGNED TO SWING OPEN DOWNWARDS (WIREMOLD SPECMATE WIREWAY).
- SLOTTED WIRING DUCT SHALL BE PVC AND INCLUDE COVER (PANDUIT TYPE E OR EQUAL).
- CONDUITS SHALL BE FASTENED SECURELY IN PLACE WITH APPROVED NON-PERFORATED STRAPS AND HANGERS. EXPLOSIVE DEVICES (i.e. POWDER-ACTUATED) FOR ATTACHING HANGERS TO STRUCTURE WILL NOT BE PERMITTED. CLOSELY FOLLOW THE LINES OF THE STRUCTURE, MAINTAIN CLOSE PROXIMITY TO THE STRUCTURE AND KEEP CONDUITS IN TIGHT ENVELOPES. CHANGES IN DIRECTION TO ROUTE AROUND OBSTACLES SHALL BE MADE WITH CONDUIT OUTLET BODIES. CONDUIT SHALL BE INSTALLED IN A NEAT AND WORKMANLIKE MANNER. PARALLEL AND PERPENDICULAR TO STRUCTURE WALL AND CEILING LINES. ALL CONDUIT SHALL BE FISHED TO CLEAR OBSTRUCTIONS. ENDS OF CONDUITS SHALL BE TEMPORARILY CAPPED FLUSH TO FINISH GRADE TO PREVENT CONCRETE, PLASTER OR DIRT FROM ENTERING. CONDUITS SHALL BE RIGIDLY CLAMPED TO BOXES BY GALVANIZED MALLEABLE IRON BUSHING ON INSIDE AND GALVANIZED MALLEABLE IRON LOCKNUT ON OUTSIDE AND INSIDE.
- EQUIPMENT CABINETS, TERMINAL BOXES, JUNCTION BOXES AND PULL BOXES SHALL BE GALVANIZED OR EPOXY-COATED SHEET STEEL SHALL MEET OR EXCEED UL 50 AND BE RATED NEMA 1 (OR BETTER) FOR INTERIOR LOCATIONS AND NEMA 3 (OR BETTER) FOR EXTERIOR LOCATIONS.
- METAL RECEPTACLE, SWITCH AND DEVICE BOXES SHALL BE GALVANIZED, EPOXY-COATED OR NON-CORRODING; SHALL MEET OR EXCEED UL 514A AND NEMA OS 1 AND BE RATED NEMA 1 (OR BETTER) FOR INTERIOR LOCATIONS AND WEATHER PROTECTED (WP OR BETTER) FOR EXTERIOR LOCATIONS.
- NONMETALLIC RECEPTACLE, SWITCH AND DEVICE BOXES SHALL MEET OR EXCEED NEMA OS 2 (NEWEST REVISION) AND BE RATED NEMA 1 (OR BETTER) FOR INTERIOR LOCATIONS AND WEATHER PROTECTED (WP OR BETTER) FOR EXTERIOR LOCATIONS.
- THE CONTRACTOR SHALL NOTIFY AND OBTAIN NECESSARY AUTHORIZATION FROM THE CARRIER AND/OR DISH Wireless L.L.C. AND TOWER OWNER BEFORE COMMENCING WORK ON THE AC POWER DISTRIBUTION PANELS.
- THE CONTRACTOR SHALL PROVIDE NECESSARY TAGGING ON THE BREAKERS, CABLES AND DISTRIBUTION PANELS IN ACCORDANCE WITH THE APPLICABLE CODES AND STANDARDS TO SAFEGUARD LIFE AND PROPERTY.
- INSTALL LAMICOID LABEL ON THE METER CENTER TO SHOW "DISH Wireless L.L.C."
- ALL EMPTY/SPARE CONDUITS THAT ARE INSTALLED ARE TO HAVE A METERED MULE TAPE PULL CORD INSTALLED.




5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120



2000 CORPORATE DRIVE
CANONSBURG, PA 15317



FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
GENERAL NOTES

SHEET NUMBER
GN-3

GROUNDING NOTES:

1. ALL GROUND ELECTRODE SYSTEMS (INCLUDING TELECOMMUNICATION, RADIO, LIGHTNING PROTECTION AND AC POWER GES'S) SHALL BE BONDED TOGETHER AT OR BELOW GRADE, BY TWO OR MORE COPPER BONDING CONDUCTORS IN ACCORDANCE WITH THE NEC.
2. THE CONTRACTOR SHALL PERFORM IEEE FALL-OF-POTENTIAL RESISTANCE TO EARTH TESTING (PER IEEE 1100 AND 81) FOR GROUND ELECTRODE SYSTEMS, THE CONTRACTOR SHALL FURNISH AND INSTALL SUPPLEMENTAL GROUND ELECTRODES AS NEEDED TO ACHIEVE A TEST RESULT OF 5 OHMS OR LESS.
3. THE CONTRACTOR IS RESPONSIBLE FOR PROPERLY SEQUENCING GROUNDING AND UNDERGROUND CONDUIT INSTALLATION AS TO PREVENT ANY LOSS OF CONTINUITY IN THE GROUNDING SYSTEM OR DAMAGE TO THE CONDUIT AND PROVIDE TESTING RESULTS.
4. METAL CONDUIT AND TRAY SHALL BE GROUNDED AND MADE ELECTRICALLY CONTINUOUS WITH LISTED BONDING FITTINGS OR BY BONDING ACROSS THE DISCONTINUITY WITH #6 COPPER WIRE UL APPROVED GROUNDING TYPE CONDUIT CLAMPS.
5. METAL RACEWAY SHALL NOT BE USED AS THE NEC REQUIRED EQUIPMENT GROUND CONDUCTOR. STRANDED COPPER CONDUCTORS WITH GREEN INSULATION, SIZED IN ACCORDANCE WITH THE NEC, SHALL BE FURNISHED AND INSTALLED WITH THE POWER CIRCUITS TO BTS EQUIPMENT.
6. EACH CABINET FRAME SHALL BE DIRECTLY CONNECTED TO THE MASTER GROUND BAR WITH GREEN INSULATED SUPPLEMENTAL EQUIPMENT GROUND WIRES, #6 STRANDED COPPER OR LARGER FOR INDOOR BTS; #2 BARE SOLID TINNED COPPER FOR OUTDOOR BTS.
7. CONNECTIONS TO THE GROUND BUS SHALL NOT BE DOUBLED UP OR STACKED BACK TO BACK CONNECTIONS ON OPPOSITE SIDE OF THE GROUND BUS ARE PERMITTED.
8. ALL EXTERIOR GROUND CONDUCTORS BETWEEN EQUIPMENT/GROUND BARS AND THE GROUND RING SHALL BE #2 SOLID TINNED COPPER UNLESS OTHERWISE INDICATED.
9. ALUMINUM CONDUCTOR OR COPPER CLAD STEEL CONDUCTOR SHALL NOT BE USED FOR GROUNDING CONNECTIONS.
10. USE OF 90° BENDS IN THE PROTECTION GROUNDING CONDUCTORS SHALL BE AVOIDED WHEN 45° BENDS CAN BE ADEQUATELY SUPPORTED.
11. EXOTHERMIC WELDS SHALL BE USED FOR ALL GROUNDING CONNECTIONS BELOW GRADE.
12. ALL GROUND CONNECTIONS ABOVE GRADE (INTERIOR AND EXTERIOR) SHALL BE FORMED USING HIGH PRESS CRIMPS.
13. COMPRESSION GROUND CONNECTIONS MAY BE REPLACED BY EXOTHERMIC WELD CONNECTIONS.
14. ICE BRIDGE BONDING CONDUCTORS SHALL BE EXOTHERMICALLY BONDED OR BOLTED TO THE BRIDGE AND THE TOWER GROUND BAR.
15. APPROVED ANTIOXIDANT COATINGS (i.e. CONDUCTIVE GEL OR PASTE) SHALL BE USED ON ALL COMPRESSION AND BOLTED GROUND CONNECTIONS.
16. ALL EXTERIOR GROUND CONNECTIONS SHALL BE COATED WITH A CORROSION RESISTANT MATERIAL.
17. MISCELLANEOUS ELECTRICAL AND NON-ELECTRICAL METAL BOXES, FRAMES AND SUPPORTS SHALL BE BONDED TO THE GROUND RING, IN ACCORDANCE WITH THE NEC.
18. BOND ALL METALLIC OBJECTS WITHIN 6 ft OF MAIN GROUND RING WITH (1) #2 BARE SOLID TINNED COPPER GROUND CONDUCTOR.
19. GROUND CONDUCTORS USED FOR THE FACILITY GROUNDING AND LIGHTNING PROTECTION SYSTEMS SHALL NOT BE ROUTED THROUGH METALLIC OBJECTS THAT FORM A RING AROUND THE CONDUCTOR, SUCH AS METALLIC CONDUITS, METAL SUPPORT CLIPS OR SLEEVES THROUGH WALLS OR FLOORS. WHEN IT IS REQUIRED TO BE HOUSED IN CONDUIT TO MEET CODE REQUIREMENTS OR LOCAL CONDITIONS, NON-METALLIC MATERIAL SUCH AS PVC CONDUIT SHALL BE USED. WHERE USE OF METAL CONDUIT IS UNAVOIDABLE (i.e., NONMETALLIC CONDUIT PROHIBITED BY LOCAL CODE) THE GROUND CONDUCTOR SHALL BE BONDED TO EACH END OF THE METAL CONDUIT.
20. ALL GROUNDS THAT TRANSITION FROM BELOW GRADE TO ABOVE GRADE MUST BE #2 BARE SOLID TINNED COPPER IN 3/4" NON-METALLIC, FLEXIBLE CONDUIT FROM 24" BELOW GRADE TO WITHIN 3" TO 6" OF CAD-WELD TERMINATION POINT. THE EXPOSED END OF THE CONDUIT MUST BE SEALED WITH SILICONE CAULK. (ADD TRANSITIONING GROUND STANDARD DETAIL AS WELL).
21. BUILDINGS WHERE THE MAIN GROUNDING CONDUCTORS ARE REQUIRED TO BE ROUTED TO GRADE, THE CONTRACTOR SHALL ROUTE TWO GROUNDING CONDUCTORS FROM THE ROOFTOP, TOWERS, AND WATER TOWERS GROUNDING RING, TO THE EXISTING GROUNDING SYSTEM, THE GROUNDING CONDUCTORS SHALL NOT BE SMALLER THAN 2/0 COPPER. ROOFTOP GROUNDING RING SHALL BE BONDED TO THE EXISTING GROUNDING SYSTEM, THE BUILDING STEEL COLUMNS, LIGHTNING PROTECTION SYSTEM, AND BUILDING MAIN WATER LINE (FERROUS OR NONFERROUS METAL PIPING ONLY). DO NOT ATTACH GROUNDING TO FIRE SPRINKLER SYSTEM PIPES.




5701 SOUTH SANTA FE DRIVE
LITTLETON, CO 80120



2000 CORPORATE DRIVE
CANONSBURG, PA 15317



FROM ZERO TO INFINIGY
the solutions are endless
2500 W. HIGGINS RD., SUITE 500 |
HOFFMAN ESTATES, IL 60169
PHONE: 847-648-4068 | FAX: 518-690-0793
WWW.INFINIGY.COM



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY:	CHECKED BY:	APPROVED BY:
RCD	SS	CJW

RFDS REV #: N/A

CONSTRUCTION DOCUMENTS

SUBMITTALS		
REV	DATE	DESCRIPTION
A	06/11/2021	ISSUED FOR REVIEW
0	08/23/2021	ISSUED FOR CONSTRUCTION

A&E PROJECT NUMBER
2039-Z5555C

DISH Wireless L.L.C.
PROJECT INFORMATION
BOHVN00007A
258 RIDGE ROAD
MADISON, CT 06433

SHEET TITLE
GENERAL NOTES

SHEET NUMBER
GN-4

Exhibit D

Structural Analysis Report



Date: **May 28, 2021**

Crown Castle
2000 Corporate Drive
Canonsburg, PA 15317
(724) 416-2000

Subject: **Structural Analysis Report**

Carrier Designation: **DISH Network Co-Locate**
Site Number: BOHVN00007A
Site Name: CT-CCI-T-5800059

Crown Castle Designation: **BU Number:** 5800059
Site Name: Ridge Road, Madison
JDE Job Number: 645212
Work Order Number: 1966315
Order Number: 553353 Rev. 1

Engineering Firm Designation: **Crown Castle Project Number:** 1966315

Site Data: **258 Ridge Road, MADISON, NEW HAVEN County, CT**
Latitude 41° 18' 33.3", Longitude -72° 36' 51.57"
150 Foot - Monopole Tower

Crown Castle is pleased to submit this “**Structural Analysis Report**” to determine the structural integrity of the above-mentioned tower.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:


LC5: Proposed Equipment Configuration **Sufficient Capacity - 42.6%**

This analysis utilizes an ultimate 3-second gust wind speed of 130 mph as required by the 2018 Connecticut State Building Code. Applicable Standard references and design criteria are listed in Section 2 - "Analysis Criteria".

Structural analysis prepared by: Nicholas Cvetic, E.I.T.

Respectfully submitted by:

Jamal A. Huwel, P.E.
Director Engineering



Digitally signed by
Jamal A Huwel
Date: 2021.05.30
08:58:32 -04'00'

TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

Table 1 - Proposed Equipment Configuration

Table 2 - Other Considered Equipment

3) ANALYSIS PROCEDURE

Table 3 - Documents Provided

3.1) Analysis Method

3.2) Assumptions

4) ANALYSIS RESULTS

Table 4 - Section Capacity (Summary)

Table 5 - Tower Component Stresses vs. Capacity - LC5

4.1) Recommendations

5) APPENDIX A

tnxTower Output

6) APPENDIX B

Base Level Drawing

7) APPENDIX C

Additional Calculations

1) INTRODUCTION

This tower is a 150 ft monopole tower designed by Valmont.

2) ANALYSIS CRITERIA

TIA-222 Revision:	TIA-222-H
Risk Category:	II
Wind Speed:	130 mph
Exposure Category:	B
Topographic Factor:	1
Ice Thickness:	1.5 in
Wind Speed with Ice:	50 mph
Service Wind Speed:	60 mph

Table 1 - Proposed Equipment Configuration

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
99.0	99.0	3	fujitsu	TA08025-B604	1	1-1/2
		3	fujitsu	TA08025-B605		
		3	jma wireless	MX08FRO665-21 w/ Mount Pipe		
		1	raycap	RDIDC-9181-PF-48		
		1	tower mounts	Commscope MC-PK8-DSH		

Table 2 - Other Considered Equipment

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
148.0	159.0	1	dbspectra	DS4C06F36D-D	12 2	1-5/8 7/8
		3	ericsson	AIR 32 B2A/B66AA w/ Mount Pipe		
		3	ericsson	AIR6449 B41 w/ Mount Pipe		
		3	ericsson	ERICSSON AIR 21 B2P w/ Mount Pipe		
		3	ericsson	KRY 112 144/1		
		3	ericsson	RADIO 4449 B71 B85A_ T-MOBILE		
		3	ericsson	RRUS 4415 B25		
		3	rfs celwave	APXVAARR24_43-U-NA20_ T-MOBILE w/ Mount Pipe		
		1	tower mounts	Pipe Mount [PM 601-1]		
	148.0	1	tower mounts	Platform Mount [LP 301-1_KCKR]		
1		tower mounts	Side Arm Mount [SO 102-3]			
140.0	140.0	3	cci antennas	HPA-65R-BUU-H6 w/ Mount Pipe	12 2 1	1-5/8 7/16 3/8
		3	ericsson	RRUS 11		
		3	ericsson	RRUS 32 B2		

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
		6	powerwave technologies	7770.00 w/ Mount Pipe		
		6	powerwave technologies	LGP21401		
		1	raycap	DC6-48-60-18-8F		
		1	tower mounts	Platform Mount [LP 304-1_HR-1]		
130.0	132.0	3	alcatel lucent	RRH2X60-AWS	14	1-5/8
	130.0	4	alcatel lucent	RRH2X60-700		
		3	alcatel lucent	RRH2X60-PCS		
		6	commscope	SBNHH-1D65B w/ Mount Pipe		
		6	decibel	DB846F65ZAXY w/ Mount Pipe		
		2	rfs celwave	DB-T1-6Z-8AB-0Z		
		1	tower mounts	Platform Mount [LP 304-1]		
124.0	124.0	1	kathrein	800 10251 w/ Mount Pipe	2	7/8 11/32
		1	radiowaves	HP2-4.7NS		
		1	tower mounts	Side Arm Mount [SO 701-1]		
113.0	113.0	3	kathrein	800 10252 w/ Mount Pipe	3	7/8
		1	tower mounts	Side Arm Mount [SO 102-3]		
		1	tower mounts	T-Arm Mount [TA 702-1]		

3) ANALYSIS PROCEDURE

Table 3 - Documents Provided

Document	Reference	Source
4-GEOTECHNICAL REPORTS	2354009	CCISITES
4-TOWER FOUNDATION DRAWINGS/DESIGN/SPECS	2354010	CCISITES
4-TOWER MANUFACTURER DRAWINGS	2354011	CCISITES

3.1) Analysis Method

tnxTower (version 8.0.9.0), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A. When applicable, Crown Castle has calculated and provided the effective area for panel antennas using approved methods following the intent of the TIA-222 standard.

3.2) Assumptions

- 1) Tower and structures were maintained in accordance with the TIA-222 Standard.
- 2) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.

This analysis may be affected if any assumptions are not valid or have been made in error. Crown Castle should be notified to determine the effect on the structural integrity of the tower.

4) ANALYSIS RESULTS

Table 4 - Section Capacity (Summary)

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail
L1	150 - 110	Pole	TP39.633x28.4x0.25	1	-15.6982	1847.6954	26.6	Pass
L2	110 - 94.25	Pole	TP43.556x37.6587x0.2813	2	-19.5062	2288.2019	33.0	Pass
L3	94.25 - 46.25	Pole	TP56.472x41.449x0.375	3	-36.3375	3952.4728	38.5	Pass
L4	46.25 - 0	Pole	TP68.71x53.6862x0.4375	4	-59.3270	5823.3942	39.9	Pass
							Summary	
						Pole (L4)	39.9	Pass
						Rating =	39.9	Pass

Table 5 - Tower Component Stresses vs. Capacity - LC5

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
1	Anchor Rods	0	34.2	Pass
1	Base Plate	0	29.0	Pass
1	Base Foundation (Structure)	0	42.6	Pass
1	Base Foundation (Soil Interaction)	0	32.2	Pass

Structure Rating (max from all components) =	42.6%
---	--------------

Notes:


- 1) See additional documentation in "Appendix C - Additional Calculations" for calculations supporting the % capacity consumed.

4.1) Recommendations

The tower and its foundation have sufficient capacity to carry the proposed load configuration. No modifications are required at this time.

APPENDIX A
TNXTOWER OUTPUT

Section	1	2	3	4
Length (ft)	40.0000	21.0000	53.5000	53.5000
Number of Sides	18	18	18	18
Thickness (in)	0.2500	0.2813	0.3750	0.4375
Socket Length (ft)	5.2500	5.5000	7.2500	53.6862
Top Dia (in)	28.4000	37.6587	41.4490	68.7100
Bot Dia (in)	39.6330	43.5560	56.4720	15.4
Grade	A572-65			
Weight (K)	3.6	2.6	10.5	32.1




MATERIAL STRENGTH

GRADE	Fy	Fu	GRADE	Fy	Fu
A572-65	65 ksi	80 ksi			


TOWER DESIGN NOTES

1. Tower is located in New Haven County, Connecticut.
2. Tower designed for Exposure B to the TIA-222-H Standard.
3. Tower designed for a 130 mph basic wind in accordance with the TIA-222-H Standard.
4. Tower is also designed for a 50 mph basic wind with 1.50 in ice. Ice is considered to increase in thickness with height.
5. Deflections are based upon a 60 mph wind.
6. Tower Risk Category II.
7. Topographic Category 1 with Crest Height of 0.0000 ft
8. TOWER RATING: 39.9%

ALL REACTIONS ARE FACTORED



TORQUE 0 kip-ft
50 mph WIND - 1.5000 in ICE



TORQUE 3 kip-ft
REACTIONS - 130 mph WIND

Crown Castle
 2000 Corporate Drive
 Canonsburg, PA 15317
 The Pathway to Possible Phone: (724) 416-2000 FAX:

Job: BU# 5800059		
Project:	Client: Crown Castle	App'd:
Code: TIA-222-H	Drawn by: NCvetic	Scale: NTS
Path:	Date: 05/28/21	Dwg No. E-1

Tower Input Data

The tower is a monopole.
 This tower is designed using the TIA-222-H standard.
 The following design criteria apply:

- Tower is located in New Haven County, Connecticut.
- Tower base elevation above sea level: 133.0000 ft.
- Basic wind speed of 130 mph.
- Risk Category II.
- Exposure Category B.
- Simplified Topographic Factor Procedure for wind speed-up calculations is used.
- Topographic Category: 1.
- Crest Height: 0.0000 ft.
- Nominal ice thickness of 1.5000 in.
- Ice thickness is considered to increase with height.
- Ice density of 56.0000 pcf.
- A wind speed of 50 mph is used in combination with ice.
- Temperature drop of 50.0000 °F.
- Deflections calculated using a wind speed of 60 mph.
- A non-linear (P-delta) analysis was used.
- Pressures are calculated at each section.
- Stress ratio used in pole design is 1.
- Tower analysis based on target reliabilities in accordance with Annex S.
- Load Modification Factors used: $K_{es}(F_w) = 0.95$, $K_{es}(t_i) = 0.85$.
- Maximum demand-capacity ratio is: 1.05.
- Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

Consider Moments - Legs Consider Moments - Horizontals Consider Moments - Diagonals Use Moment Magnification ✓ Use Code Stress Ratios ✓ Use Code Safety Factors - Guys Escalate Ice Always Use Max Kz Use Special Wind Profile Include Bolts In Member Capacity Leg Bolts Are At Top Of Section Secondary Horizontal Braces Leg Use Diamond Inner Bracing (4 Sided) SR Members Have Cut Ends SR Members Are Concentric	Distribute Leg Loads As Uniform Assume Legs Pinned ✓ Assume Rigid Index Plate ✓ Use Clear Spans For Wind Area Use Clear Spans For KL/r Retension Guys To Initial Tension ✓ Bypass Mast Stability Checks ✓ Use Azimuth Dish Coefficients ✓ Project Wind Area of Appurt. Autocalc Torque Arm Areas Add IBC .6D+W Combination ✓ Sort Capacity Reports By Component Triangulate Diamond Inner Bracing Treat Feed Line Bundles As Cylinder Ignore KL/ry For 60 Deg. Angle Legs	Use ASCE 10 X-Brace Ly Rules Calculate Redundant Bracing Forces Ignore Redundant Members in FEA SR Leg Bolts Resist Compression All Leg Panels Have Same Allowable Offset Girt At Foundation ✓ Consider Feed Line Torque Include Angle Block Shear Check Use TIA-222-H Bracing Resist. Exemption Use TIA-222-H Tension Splice Exemption <div style="text-align: center; background-color: #e0e0e0; padding: 2px;">Poles</div> ✓ Include Shear-Torsion Interaction Always Use Sub-Critical Flow Use Top Mounted Sockets ✓ Pole Without Linear Attachments Pole With Shroud Or No Appurtenances Outside and Inside Corner Radii Are Known
--	---	---

Tapered Pole Section Geometry

Section	Elevation ft	Section Length ft	Splice Length ft	Number of Sides	Top Diameter in	Bottom Diameter in	Wall Thickness in	Bend Radius in	Pole Grade
L1	150.0000- 110.0000	40.0000	5.2500	18	28.4000	39.6330	0.2500	1.0000	A572-65 (65 ksi)
L2	110.0000- 94.2500	21.0000	5.5000	18	37.6587	43.5560	0.2813	1.1250	A572-65 (65 ksi)
L3	94.2500- 46.2500	53.5000	7.2500	18	41.4490	56.4720	0.3750	1.5000	A572-65 (65 ksi)
L4	46.2500- 0.0000	53.5000		18	53.6862	68.7100	0.4375	1.7500	A572-65 (65 ksi)

Tapered Pole Properties

Section	Tip Dia. in	Area in ²	I in ⁴	r in	C in	I/C in ³	J in ⁴	It/Q in ²	w in	w/t
L1	28.7995	22.3370	2236.2460	9.9932	14.4272	155.0021	4475.4345	11.1706	4.5584	18.234
	40.2058	31.2504	6123.6557	13.9810	20.1336	304.1516	12255.369	15.6282	6.5354	26.142
L2	39.6933	33.3664	5889.3155	13.2690	19.1306	307.8479	11786.380	16.6863	6.1329	21.806
	44.1845	38.6308	9139.8824	15.3625	22.1264	413.0750	18291.791	19.3191	7.1709	25.496
L3	43.5988	48.8883	10420.184	14.5813	21.0561	494.8779	20854.079	24.4488	6.6350	17.693
	57.2853	66.7695	26545.722	19.9144	28.6878	925.3322	53126.374	33.3911	9.2791	24.744
L4	56.5142	73.9424	26487.969	18.9033	27.2726	971.2310	53010.792	36.9782	8.6788	19.837
	69.7025	94.8049	55828.999	24.2367	34.9047	1599.4703	111731.46	47.4115	11.3230	25.881

Tower Elevation ft	Gusset Area (per face) ft ²	Gusset Thickness in	Gusset Grade	Adjust. Factor A _r	Adjust. Factor A _r	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontal in	Double Angle Stitch Bolt Spacing Redundants in
L1 150.0000- 110.0000				1	1	1			
L2 110.0000- 94.2500				1	1	1			
L3 94.2500- 46.2500				1	1	1			
L4 46.2500- 0.0000				1	1	1			

Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Componen t Type	Placement ft	Total Number	Number Per Row	Clear Spacing in	Width or Diamete r in	Perimete r in	Weight plf
**											

Feed Line/Linear Appurtenances - Entered As Area

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Componen t Type	Placement ft	Total Number	C _A A _A ft ² /ft	Weight plf
-------------	-------------------	-----------------	--	-----------------------	-----------------	-----------------	--	---------------

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Component Type	Placement ft	Total Number		C _A A _A ft ² /ft	Weight plf
Safety Line 3/8	C	No	No	CaAa (Out Of Face)	150.0000 - 0.0000	1	No Ice 1/2" Ice 1" Ice 2" Ice	0.0375 0.1375 0.2375 0.4375	0.2200 0.7500 1.2800 2.3400
5/8 rod/step	C	No	No	CaAa (Out Of Face)	150.0000 - 0.0000	1	No Ice 1/2" Ice 1" Ice 2" Ice	0.0200 0.1200 0.2200 0.4200	0.2740 0.7016 1.7401 5.6496
**									
LCF158-50A(1-5/8)	C	No	No	Inside Pole	148.0000 - 0.0000	12	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.8000 0.8000 0.8000 0.8000
LDF5-50A(7/8)	C	No	No	Inside Pole	148.0000 - 0.0000	2	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.3300 0.3300 0.3300 0.3300
**									
AVA7-50(1-5/8)	C	No	No	Inside Pole	140.0000 - 0.0000	12	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.7000 0.7000 0.7000 0.7000
WR-VG122ST-BRDA(7/16)	C	No	No	Inside Pole	140.0000 - 0.0000	2	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.1410 0.1410 0.1410 0.1410
FB-L98B-002-75000(3/8)	C	No	No	Inside Pole	140.0000 - 0.0000	1	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.0586 0.0586 0.0586 0.0586
**									
AVA7-50(1-5/8)	C	No	No	Inside Pole	130.0000 - 0.0000	14	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.7000 0.7000 0.7000 0.7000
**									
LDF5-50A(7/8)	C	No	No	Inside Pole	124.0000 - 0.0000	1	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.3300 0.3300 0.3300 0.3300
7921A(11/32)	C	No	No	Inside Pole	124.0000 - 0.0000	2	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.5000 0.5000 0.5000 0.5000
**									
LDF5-50A(7/8)	C	No	No	Inside Pole	113.0000 - 0.0000	3	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	0.3300 0.3300 0.3300 0.3300
**									
CU12PSM9P6XXX (1-1/2)	C	No	No	Inside Pole	99.0000 - 0.0000	1	No Ice 1/2" Ice 1" Ice 2" Ice	0.0000 0.0000 0.0000 0.0000	2.3500 2.3500 2.3500 2.3500
**									

Feed Line/Linear Appurtenances Section Areas

Tower Section	Tower Elevation ft	Face	A _R ft ²	A _F ft ²	C _A A _A In Face ft ²	C _A A _A Out Face ft ²	Weight K
L1	150.0000-	A	0.000	0.000	0.000	0.000	0.0000

Tower Section n	Tower Elevation ft	Face	A _R ft ²	A _F ft ²	C _A A _A In Face ft ²	C _A A _A Out Face ft ²	Weight K
L2	110.0000-94.2500	B	0.000	0.000	0.000	0.000	0.0000
		C	0.000	0.000	0.000	2.300	0.8894
		A	0.000	0.000	0.000	0.000	0.0000
L3	94.2500-46.2500	B	0.000	0.000	0.000	0.000	0.0000
		C	0.000	0.000	0.000	0.906	0.5091
		A	0.000	0.000	0.000	0.000	0.0000
L4	46.2500-0.0000	B	0.000	0.000	0.000	0.000	0.0000
		C	0.000	0.000	0.000	2.760	1.6303
		A	0.000	0.000	0.000	0.000	0.0000
		C	0.000	0.000	0.000	2.659	1.5709

Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section n	Tower Elevation ft	Face or Leg	Ice Thickness in	A _R ft ²	A _F ft ²	C _A A _A In Face ft ²	C _A A _A Out Face ft ²	Weight K
L1	150.0000-110.0000	A	1.461	0.000	0.000	0.000	0.000	0.0000
		B		0.000	0.000	0.000	0.000	0.0000
		C		0.000	0.000	0.000	25.682	1.0822
L2	110.0000-94.2500	A	1.427	0.000	0.000	0.000	0.000	0.0000
		B		0.000	0.000	0.000	0.000	0.0000
		C		0.000	0.000	0.000	10.112	0.5850
L3	94.2500-46.2500	A	1.374	0.000	0.000	0.000	0.000	0.0000
		B		0.000	0.000	0.000	0.000	0.0000
		C		0.000	0.000	0.000	30.164	1.8535
L4	46.2500-0.0000	A	1.227	0.000	0.000	0.000	0.000	0.0000
		B		0.000	0.000	0.000	0.000	0.0000
		C		0.000	0.000	0.000	28.080	1.7737

Feed Line Center of Pressure

Section	Elevation ft	CP _x in	CP _z in	CP _x Ice in	CP _z Ice in
L1	150.0000-110.0000	-0.4532	0.2616	-2.3220	1.3406
L2	110.0000-94.2500	-0.4556	0.2631	-2.4208	1.3977
L3	94.2500-46.2500	-0.4576	0.2642	-2.4586	1.4195
L4	46.2500-0.0000	-0.4596	0.2653	-2.4718	1.4271

Note: For pole sections, center of pressure calculations do not consider feed line shielding.

Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment t °	Placement ft	C _A A _A Front ft ²	C _A A _A Side ft ²	Weight K	
Lighting Rod 5/8" x 2'	C	From Leg	0.0000 0.0000 1.0000	0.0000	150.0000	No Ice	0.1250	0.1250	0.0100
						1/2" Ice	0.2783	0.2783	0.0114
						Ice	0.4098	0.4098	0.0143
						1" Ice	0.7005	0.7005	0.0250

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment t °	Placement ft		C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K
						2" Ice			
** DS4C06F36D-D	A	From Leg	4.0000 0.0000 11.0000	0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	5.8200 7.7933 9.7833 13.8133	5.8200 7.7933 9.7833 13.8133	0.0500 0.0919 0.1461 0.2920
Pipe Mount [PM 601-1]	A	From Leg	0.5000 0.0000 2.0000	0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	1.3200 1.5800 1.8400 2.4000	1.3200 1.5800 1.8400 2.4000	0.0650 0.0775 0.0930 0.1338
Side Arm Mount [SO 102-3]	C	None		0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	3.6000 4.1800 4.7500 5.9000	3.6000 4.1800 4.7500 5.9000	0.0750 0.1050 0.1350 0.1950
** AIR 32 B2A/B66AA w/ Mount Pipe	A	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	3.7600 4.1200 4.4800 5.2400	3.1500 3.4900 3.8400 4.5800	0.1937 0.2519 0.3195 0.4845
AIR 32 B2A/B66AA w/ Mount Pipe	B	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	3.7600 4.1200 4.4800 5.2400	3.1500 3.4900 3.8400 4.5800	0.1937 0.2519 0.3195 0.4845
AIR 32 B2A/B66AA w/ Mount Pipe	C	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	3.7600 4.1200 4.4800 5.2400	3.1500 3.4900 3.8400 4.5800	0.1937 0.2519 0.3195 0.4845
AIR6449 B41 w/ Mount Pipe	A	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	5.1800 5.5900 6.0100 6.9000	2.7200 3.0500 3.3900 4.1300	0.1177 0.1636 0.2164 0.3441
AIR6449 B41 w/ Mount Pipe	B	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	5.1800 5.5900 6.0100 6.9000	2.7200 3.0500 3.3900 4.1300	0.1177 0.1636 0.2164 0.3441
AIR6449 B41 w/ Mount Pipe	C	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	5.1800 5.5900 6.0100 6.9000	2.7200 3.0500 3.3900 4.1300	0.1177 0.1636 0.2164 0.3441
ERICSSON AIR 21 B2P w/ Mount Pipe	A	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	3.1400 3.4500 3.7600 4.4200	2.5800 2.8800 3.1800 3.8200	0.1034 0.1544 0.2142 0.3617
ERICSSON AIR 21 B2P w/ Mount Pipe	B	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	3.1400 3.4500 3.7600 4.4200	2.5800 2.8800 3.1800 3.8200	0.1034 0.1544 0.2142 0.3617
ERICSSON AIR 21 B2P w/ Mount Pipe	C	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1/2" Ice 1" Ice 2" Ice	3.1400 3.4500 3.7600 4.4200	2.5800 2.8800 3.1800 3.8200	0.1034 0.1544 0.2142 0.3617
APXVAARR24_43-U- NA20_T-MOBILE w/ Mount	A	From Leg	4.0000 0.0000	0.0000	148.0000	No Ice 1/2"	14.6900 15.4600	6.8700 7.5500	0.1862 0.3147

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment t °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K
Pipe			2.0000			Ice 16.2300	8.2500	0.4577
						1" Ice 17.8200	9.6700	0.7882
						2" Ice		
APXVAARR24_43-U-NA20_T-MOBILE w/ Mount Pipe	B	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 14.6900 1/2" 15.4600 Ice 16.2300	6.8700 7.5500 8.2500	0.1862 0.3147 0.4577
						1" Ice 17.8200	9.6700	0.7882
						2" Ice		
APXVAARR24_43-U-NA20_T-MOBILE w/ Mount Pipe	C	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 14.6900 1/2" 15.4600 Ice 16.2300	6.8700 7.5500 8.2500	0.1862 0.3147 0.4577
						1" Ice 17.8200	9.6700	0.7882
						2" Ice		
(2) KRY 112 144/1	A	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 0.3500 1/2" 0.4259 Ice 0.5093	0.1750 0.2343 0.3009	0.0110 0.0142 0.0186
						1" Ice 0.6981	0.4565	0.0319
						2" Ice		
KRY 112 144/1	B	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 0.3500 1/2" 0.4259 Ice 0.5093	0.1750 0.2343 0.3009	0.0110 0.0142 0.0186
						1" Ice 0.6981	0.4565	0.0319
						2" Ice		
(2) RADIO 4449 B71 B85A_T-MOBILE	A	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1.9701 1/2" 2.1466 Ice 2.3306	1.5865 1.7488 1.9185	0.0732 0.0930 0.1156
						1" Ice 2.7207	2.2800	0.1704
						2" Ice		
RADIO 4449 B71 B85A_T-MOBILE	B	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1.9701 1/2" 2.1466 Ice 2.3306	1.5865 1.7488 1.9185	0.0732 0.0930 0.1156
						1" Ice 2.7207	2.2800	0.1704
						2" Ice		
RRUS 4415 B25	A	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1.6444 1/2" 1.8044 Ice 1.9719	0.6788 0.7911 0.9129	0.0440 0.0564 0.0712
						1" Ice 2.3292	1.1834	0.1087
						2" Ice		
RRUS 4415 B25	B	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1.6444 1/2" 1.8044 Ice 1.9719	0.6788 0.7911 0.9129	0.0440 0.0564 0.0712
						1" Ice 2.3292	1.1834	0.1087
						2" Ice		
RRUS 4415 B25	C	From Leg	4.0000 0.0000 2.0000	0.0000	148.0000	No Ice 1.6444 1/2" 1.8044 Ice 1.9719	0.6788 0.7911 0.9129	0.0440 0.0564 0.0712
						1" Ice 2.3292	1.1834	0.1087
						2" Ice		
Platform Mount [LP 301-1_KCKR]	C	None		0.0000	148.0000	No Ice 35.0300 1/2" 44.4600 Ice 53.7200	35.0300 44.4600 53.7200	1.8635 2.5158 3.3259
						1" Ice 72.2900	72.2900	5.4239
						2" Ice		
** HPA-65R-BUU-H6 w/ Mount Pipe	A	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 9.2200 1/2" 9.9800 Ice 10.7600	6.2500 6.9600 7.7000	0.0736 0.1434 0.2242
						1" Ice 12.3600	9.2200	0.4201
						2" Ice		
HPA-65R-BUU-H6 w/ Mount Pipe	B	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 9.2200 1/2" 9.9800 Ice 10.7600	6.2500 6.9600 7.7000	0.0736 0.1434 0.2242
						1" Ice 12.3600	9.2200	0.4201
						2" Ice		
HPA-65R-BUU-H6 w/	C	From Leg	4.0000	0.0000	140.0000	No Ice 9.2200	6.2500	0.0736

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K
Mount Pipe			0.0000 0.0000			1/2" Ice 10.7600 1" Ice 12.3600 2" Ice	6.9600 7.7000 9.2200	0.1434 0.2242 0.4201
(2) 7770.00 w/ Mount Pipe	A	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 6.6067 1" Ice 7.4880 2" Ice	4.2543 5.0137 5.7109 7.1553	0.0554 0.1028 0.1566 0.2866
(2) 7770.00 w/ Mount Pipe	B	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 6.6067 1" Ice 7.4880 2" Ice	4.2543 5.0137 5.7109 7.1553	0.0554 0.1028 0.1566 0.2866
(2) 7770.00 w/ Mount Pipe	C	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 6.6067 1" Ice 7.4880 2" Ice	4.2543 5.0137 5.7109 7.1553	0.0554 0.1028 0.1566 0.2866
RRUS 11	A	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 3.2066 1" Ice 3.6584 2" Ice	1.1872 1.3342 1.4897 1.8326	0.0476 0.0684 0.0923 0.1498
RRUS 11	B	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 3.2066 1" Ice 3.6584 2" Ice	1.1872 1.3342 1.4897 1.8326	0.0476 0.0684 0.0923 0.1498
RRUS 11	C	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 3.2066 1" Ice 3.6584 2" Ice	1.1872 1.3342 1.4897 1.8326	0.0476 0.0684 0.0923 0.1498
RRUS 32 B2	A	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 3.1823 1" Ice 3.6628 2" Ice	1.6681 1.8552 2.0493 2.4585	0.0529 0.0740 0.0982 0.1571
RRUS 32 B2	B	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 3.1823 1" Ice 3.6628 2" Ice	1.6681 1.8552 2.0493 2.4585	0.0529 0.0740 0.0982 0.1571
RRUS 32 B2	C	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 3.1823 1" Ice 3.6628 2" Ice	1.6681 1.8552 2.0493 2.4585	0.0529 0.0740 0.0982 0.1571
(2) LGP21401	A	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 1.3810 1" Ice 1.6877 2" Ice	0.2070 0.2738 0.3475 0.5208	0.0141 0.0213 0.0303 0.0549
(2) LGP21401	B	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 1.3810 1" Ice 1.6877 2" Ice	0.2070 0.2738 0.3475 0.5208	0.0141 0.0213 0.0303 0.0549
(2) LGP21401	C	From Leg	4.0000 0.0000 0.0000	0.0000	140.0000	No Ice 1/2" Ice 1.3810 1" Ice 1.6877 2" Ice	0.2070 0.2738 0.3475 0.5208	0.0141 0.0213 0.0303 0.0549
DC6-48-60-18-8F	A	From Leg	4.0000	0.0000	140.0000	No Ice	1.2117	0.0200

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _A A _{Front} ft ²	C _A A _{Side} ft ²	Weight K
			0.0000			1/2"	1.8924	0.0420
			0.0000			Ice	2.1051	0.0668
						1" Ice	2.5703	0.1256
						2" Ice		
Platform Mount [LP 304-1_HR-1]	C	None		0.0000	140.0000	No Ice	21.4100	1.6047
						1/2"	26.6200	2.0557
						Ice	31.6600	2.5979
						1" Ice	41.3800	3.9584
						2" Ice		
**								
(2) SBNHH-1D65B w/ Mount Pipe	A	From Leg	4.0000 0.0000 0.0000	0.0000	130.0000	No Ice	4.0900	0.0665
						1/2"	4.4900	0.1297
						Ice	4.8900	0.2037
						1" Ice	5.7200	0.3859
						2" Ice		
(2) SBNHH-1D65B w/ Mount Pipe	B	From Leg	4.0000 0.0000 0.0000	0.0000	130.0000	No Ice	4.0900	0.0665
						1/2"	4.4900	0.1297
						Ice	4.8900	0.2037
						1" Ice	5.7200	0.3859
						2" Ice		
(2) SBNHH-1D65B w/ Mount Pipe	C	From Leg	4.0000 0.0000 0.0000	0.0000	130.0000	No Ice	4.0900	0.0665
						1/2"	4.4900	0.1297
						Ice	4.8900	0.2037
						1" Ice	5.7200	0.3859
						2" Ice		
(2) DB846F65ZAXY w/ Mount Pipe	A	From Leg	4.0000 0.0000 0.0000	0.0000	130.0000	No Ice	6.1000	0.0577
						1/2"	6.8000	0.1190
						Ice	7.5100	0.1911
						1" Ice	8.9800	0.3688
						2" Ice		
(2) DB846F65ZAXY w/ Mount Pipe	B	From Leg	4.0000 0.0000 0.0000	0.0000	130.0000	No Ice	6.1000	0.0577
						1/2"	6.8000	0.1190
						Ice	7.5100	0.1911
						1" Ice	8.9800	0.3688
						2" Ice		
(2) DB846F65ZAXY w/ Mount Pipe	C	From Leg	4.0000 0.0000 0.0000	0.0000	130.0000	No Ice	6.1000	0.0577
						1/2"	6.8000	0.1190
						Ice	7.5100	0.1911
						1" Ice	8.9800	0.3688
						2" Ice		
RRH2X60-700	A	From Leg	4.0000 0.0000 0.0000	0.0000	130.0000	No Ice	3.5002	0.0600
						1/2"	3.7609	0.0827
						Ice	4.0285	0.1091
						1" Ice	4.5849	0.1734
						2" Ice		
(2) RRH2X60-700	B	From Leg	4.0000 0.0000 0.0000	0.0000	130.0000	No Ice	3.5002	0.0600
						1/2"	3.7609	0.0827
						Ice	4.0285	0.1091
						1" Ice	4.5849	0.1734
						2" Ice		
RRH2X60-700	C	From Leg	4.0000 0.0000 0.0000	0.0000	130.0000	No Ice	3.5002	0.0600
						1/2"	3.7609	0.0827
						Ice	4.0285	0.1091
						1" Ice	4.5849	0.1734
						2" Ice		
RRH2X60-AWS	A	From Leg	4.0000 0.0000 2.0000	0.0000	130.0000	No Ice	3.5002	0.0600
						1/2"	3.7609	0.0827
						Ice	4.0285	0.1091
						1" Ice	4.5849	0.1734
						2" Ice		
RRH2X60-AWS	B	From Leg	4.0000 0.0000 2.0000	0.0000	130.0000	No Ice	3.5002	0.0600
						1/2"	3.7609	0.0827
						Ice	4.0285	0.1091
						1" Ice	4.5849	0.1734
						2" Ice		

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C _{AA} Front	C _{AA} Side	Weight	
			Horz	Lateral Vert						ft
RRH2X60-AWS	C	From Leg	4.0000	0.0000	0.0000	130.0000	No Ice	3.5002	1.8157	0.0600
							1/2" Ice	3.7609	2.0519	0.0827
							1" Ice	4.0285	2.2894	0.1091
							2" Ice	4.5849	2.7852	0.1734
RRH2X60-PCS	A	From Leg	4.0000	0.0000	0.0000	130.0000	No Ice	2.2000	1.7233	0.0550
							1/2" Ice	2.3926	1.9015	0.0754
							1" Ice	2.5926	2.0870	0.0987
							2" Ice	3.0148	2.4804	0.1552
RRH2X60-PCS	B	From Leg	4.0000	0.0000	0.0000	130.0000	No Ice	2.2000	1.7233	0.0550
							1/2" Ice	2.3926	1.9015	0.0754
							1" Ice	2.5926	2.0870	0.0987
							2" Ice	3.0148	2.4804	0.1552
RRH2X60-PCS	C	From Leg	4.0000	0.0000	0.0000	130.0000	No Ice	2.2000	1.7233	0.0550
							1/2" Ice	2.3926	1.9015	0.0754
							1" Ice	2.5926	2.0870	0.0987
							2" Ice	3.0148	2.4804	0.1552
(2) DB-T1-6Z-8AB-0Z	C	From Leg	4.0000	0.0000	0.0000	130.0000	No Ice	4.8000	2.0000	0.0440
							1/2" Ice	5.0704	2.1926	0.0801
							1" Ice	5.3481	2.3926	0.1202
							2" Ice	5.9259	2.8148	0.2130
Platform Mount [LP 304-1]	C	None			0.0000	130.0000	No Ice	17.4900	17.4900	1.3490
							1/2" Ice	21.3700	21.3700	1.7089
							1" Ice	25.2800	25.2800	2.1311
							2" Ice	33.1700	33.1700	3.1644
** 800 10251 w/ Mount Pipe	B	From Leg	3.0000	0.0000	0.0000	124.0000	No Ice	4.3564	2.2557	0.0414
							1/2" Ice	4.7016	2.7727	0.0750
							1" Ice	5.0560	3.3064	0.1137
							2" Ice	5.7920	4.4237	0.2092
Side Arm Mount [SO 701-1]	B	From Leg	1.5000	0.0000	0.0000	124.0000	No Ice	0.8500	1.6700	0.0650
							1/2" Ice	1.1400	2.3400	0.0790
							1" Ice	1.4300	3.0100	0.0930
							2" Ice	2.0100	4.3500	0.1210
6' x 2" Mount Pipe	B	From Leg	1.5000	0.0000	0.0000	124.0000	No Ice	1.4250	1.4250	0.0220
							1/2" Ice	1.9250	1.9250	0.0328
							1" Ice	2.2939	2.2939	0.0477
							2" Ice	3.0596	3.0596	0.0903
** (3) 800 10252 w/ Mount Pipe	B	From Leg	3.0000	0.0000	0.0000	113.0000	No Ice	6.5270	3.6247	0.0420
							1/2" Ice	6.9161	4.1379	0.0942
							1" Ice	7.3149	4.6674	0.1522
							2" Ice	8.1411	5.7750	0.2882
T-Arm Mount [TA 702-1]	B	From Leg	1.5000	0.0000	0.0000	113.0000	No Ice	2.3800	1.5800	0.1130
							1/2" Ice	2.9000	1.9500	0.1439
							1" Ice	3.4600	2.3600	0.1832
							2" Ice	4.7300	3.3700	0.2895
Side Arm Mount [SO 102-3]	B	None			0.0000	113.0000	No Ice	3.6000	3.6000	0.0750
							1/2" Ice	4.1800	4.1800	0.1050
							1" Ice	4.7500	4.7500	0.1350
							2" Ice	5.9000	5.9000	0.1950
** MX08FRO665-21 w/ Mount Pipe	A	From Leg	4.0000	0.0000	0.0000	99.0000	No Ice	8.0100	4.2300	0.1081
							1/2" Ice	8.5200	4.6900	0.1943

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment t °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K
			0.0000			Ice 1" Ice 2" Ice	9.0400 10.1100 6.1200	5.1600 6.1200 0.2919
MX08FRO665-21 w/ Mount Pipe	B	From Leg	4.0000 0.0000 0.0000	0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	8.0100 8.5200 9.0400 10.1100 6.1200	4.2300 4.6900 5.1600 6.1200 0.2919
MX08FRO665-21 w/ Mount Pipe	C	From Leg	4.0000 0.0000 0.0000	0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	8.0100 8.5200 9.0400 10.1100 6.1200	4.2300 4.6900 5.1600 6.1200 0.2919
TA08025-B604	A	From Leg	4.0000 0.0000 0.0000	0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	1.9635 2.1378 2.3195 2.7052 1.5477	0.9811 1.1117 1.2496 1.5477 0.1479
TA08025-B604	B	From Leg	4.0000 0.0000 0.0000	0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	1.9635 2.1378 2.3195 2.7052 1.5477	0.9811 1.1117 1.2496 1.5477 0.1479
TA08025-B604	C	From Leg	4.0000 0.0000 0.0000	0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	1.9635 2.1378 2.3195 2.7052 1.5477	0.9811 1.1117 1.2496 1.5477 0.1479
TA08025-B605	A	From Leg	4.0000 0.0000 0.0000	0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	1.9635 2.1378 2.3195 2.7052 1.7225	1.1295 1.2666 1.4112 1.7225 0.1643
TA08025-B605	B	From Leg	4.0000 0.0000 0.0000	0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	1.9635 2.1378 2.3195 2.7052 1.7225	1.1295 1.2666 1.4112 1.7225 0.1643
TA08025-B605	C	From Leg	4.0000 0.0000 0.0000	0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	1.9635 2.1378 2.3195 2.7052 1.7225	1.1295 1.2666 1.4112 1.7225 0.1643
RDIDC-9181-PF-48	A	From Leg	4.0000 0.0000 0.0000	0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	2.3118 2.5022 2.7000 3.1179 1.9566	1.2931 1.4479 1.6101 1.9566 0.1170
Commscope MC-PK8-DSH	C	None		0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	34.2400 62.9500 91.6600 149.0800 149.0800	34.2400 62.9500 91.6600 149.0800 149.0800
(2) 8' x 2" Mount Pipe	A	From Leg	4.0000 0.0000 0.0000	0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	1.9000 2.7281 3.4009 4.3962 3.4009	1.9000 2.7281 3.4009 4.3962 3.4009
(2) 8' x 2" Mount Pipe	B	From Leg	4.0000 0.0000 0.0000	0.0000	99.0000	No Ice 1/2" Ice 1" Ice 2" Ice	1.9000 2.7281 3.4009 4.3962 3.4009	1.9000 2.7281 3.4009 4.3962 3.4009
(2) 8' x 2" Mount Pipe	C	From Leg	4.0000 0.0000	0.0000	99.0000	No Ice 1/2"	1.9000 2.7281	1.9000 2.7281

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _{AA} _{Front} ft ²	C _{AA} _{Side} ft ²	Weight K
			0.0000			Ice 1" Ice 2" Ice	3.4009 4.3962 4.3962	0.0632 0.1189
**								

Dishes

Description	Face or Leg	Dish Type	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	3 dB Beam Width °	Elevation ft	Outside Diameter ft	Aperture Area ft ²	Weight K
HP2-4.7NS	B	Paraboloid w/Shroud (HP)	From Leg	3.0000 0.0000 0.0000	0.0000		124.0000	2.0417	No Ice 1/2" Ice 1" Ice 2" Ice	0.0300 0.0500 0.0600 0.1000
**										

Load Combinations

Comb. No.	Description
1	Dead Only
2	1.2 Dead+1.0 Wind 0 deg - No Ice
3	0.9 Dead+1.0 Wind 0 deg - No Ice
4	1.2 Dead+1.0 Wind 30 deg - No Ice
5	0.9 Dead+1.0 Wind 30 deg - No Ice
6	1.2 Dead+1.0 Wind 60 deg - No Ice
7	0.9 Dead+1.0 Wind 60 deg - No Ice
8	1.2 Dead+1.0 Wind 90 deg - No Ice
9	0.9 Dead+1.0 Wind 90 deg - No Ice
10	1.2 Dead+1.0 Wind 120 deg - No Ice
11	0.9 Dead+1.0 Wind 120 deg - No Ice
12	1.2 Dead+1.0 Wind 150 deg - No Ice
13	0.9 Dead+1.0 Wind 150 deg - No Ice
14	1.2 Dead+1.0 Wind 180 deg - No Ice
15	0.9 Dead+1.0 Wind 180 deg - No Ice
16	1.2 Dead+1.0 Wind 210 deg - No Ice
17	0.9 Dead+1.0 Wind 210 deg - No Ice
18	1.2 Dead+1.0 Wind 240 deg - No Ice
19	0.9 Dead+1.0 Wind 240 deg - No Ice
20	1.2 Dead+1.0 Wind 270 deg - No Ice
21	0.9 Dead+1.0 Wind 270 deg - No Ice
22	1.2 Dead+1.0 Wind 300 deg - No Ice
23	0.9 Dead+1.0 Wind 300 deg - No Ice
24	1.2 Dead+1.0 Wind 330 deg - No Ice
25	0.9 Dead+1.0 Wind 330 deg - No Ice
26	1.2 Dead+1.0 Ice+1.0 Temp
27	1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp
28	1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp
29	1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp
30	1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp
31	1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp
32	1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp
33	1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp
34	1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp

Comb. No.	Description
35	1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp
36	1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp
37	1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp
38	1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp
39	Dead+Wind 0 deg - Service
40	Dead+Wind 30 deg - Service
41	Dead+Wind 60 deg - Service
42	Dead+Wind 90 deg - Service
43	Dead+Wind 120 deg - Service
44	Dead+Wind 150 deg - Service
45	Dead+Wind 180 deg - Service
46	Dead+Wind 210 deg - Service
47	Dead+Wind 240 deg - Service
48	Dead+Wind 270 deg - Service
49	Dead+Wind 300 deg - Service
50	Dead+Wind 330 deg - Service

Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L1	150 - 110	Pole	Max Tension	8	0.0000	0.0000	-0.0002
			Max. Compression	26	-33.9876	-1.2379	1.0381
			Max. Mx	8	-15.6982	-402.4046	0.3035
			Max. My	2	-15.7114	-0.3024	400.7640
			Max. Vy	20	-17.0770	400.9750	0.7459
			Max. Vx	2	-16.8899	-0.3024	400.7640
			Max. Torque	8			2.3943
L2	110 - 94.25	Pole	Max Tension	1	0.0000	0.0000	0.0000
			Max. Compression	26	-40.0876	-4.4927	-0.9594
			Max. Mx	8	-19.5094	-692.7943	-2.9986
			Max. My	2	-19.5288	2.2845	684.5212
			Max. Vy	20	-19.5959	690.0073	3.1845
			Max. Vx	2	-19.1999	2.2845	684.5212
			Max. Torque	15			2.9787
L3	94.25 - 46.25	Pole	Max Tension	1	0.0000	0.0000	0.0000
			Max. Compression	26	-63.9711	-4.0649	-0.6857
			Max. Mx	8	-36.3397	-	-12.4265
			Max. My	2	-36.3504	13.9728	1811.3861
			Max. Vy	20	-27.0352	1833.6100	13.3856
			Max. Vx	2	-26.6734	13.9728	1811.3861
			Max. Torque	15			2.9210
L4	46.25 - 0	Pole	Max Tension	1	0.0000	0.0000	0.0000
			Max. Compression	26	-92.5319	-3.4798	-1.0235
			Max. Mx	20	-59.3271	3413.9489	24.8772
			Max. My	2	-59.3274	27.4116	3372.4062
			Max. Vy	20	-31.9852	3413.9489	24.8772
			Max. Vx	2	-31.6305	27.4116	3372.4062
			Max. Torque	15			2.7314

Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Pole	Max. Vert	26	92.5319	-0.0000	0.0000
	Max. H _x	20	59.3390	31.9631	0.2127
	Max. H _z	2	59.3390	0.2469	31.6086
	Max. M _x	2	3372.4062	0.2469	31.6086
	Max. M _z	8	3412.8569	-31.9264	-0.2015

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
	Max. Torsion	15	2.5487	-0.2119	-31.6004
	Min. Vert	17	44.5042	15.7949	-27.2841
	Min. H _x	8	59.3390	-31.9264	-0.2015
	Min. H _z	14	59.3390	-0.2119	-31.6004
	Min. M _x	14	-3371.2875	-0.2119	-31.6004
	Min. M _z	20	-3413.9489	31.9631	0.2127
	Min. Torsion	3	-2.4742	0.2469	31.6086

Tower Mast Reaction Summary

Load Combination	Vertical K	Shear _x K	Shear _z K	Overturning Moment, M _x kip-ft	Overturning Moment, M _z kip-ft	Torque kip-ft
Dead Only	49.4492	0.0000	0.0000	-0.0223	-1.4196	0.0000
1.2 Dead+1.0 Wind 0 deg - No Ice	59.3390	-0.2469	-31.6086	-3372.4062	27.4119	2.4711
0.9 Dead+1.0 Wind 0 deg - No Ice	44.5042	-0.2469	-31.6086	-3352.2282	27.7034	2.4742
1.2 Dead+1.0 Wind 30 deg - No Ice	59.3390	15.8227	-27.2680	-2908.2371	-1691.3689	2.3067
0.9 Dead+1.0 Wind 30 deg - No Ice	44.5042	15.8227	-27.2680	-2890.8296	-1680.7990	2.3123
1.2 Dead+1.0 Wind 60 deg - No Ice	59.3390	27.5783	-15.6166	-1664.2678	-2947.9667	1.3201
0.9 Dead+1.0 Wind 60 deg - No Ice	44.5042	27.5783	-15.6166	-1654.2979	-2929.8852	1.3266
1.2 Dead+1.0 Wind 90 deg - No Ice	59.3390	31.9264	0.2015	23.3872	-3412.8569	0.0042
0.9 Dead+1.0 Wind 90 deg - No Ice	44.5042	31.9264	0.2015	23.2643	-3392.0013	0.0099
1.2 Dead+1.0 Wind 120 deg - No Ice	59.3390	27.7385	15.9538	1703.2494	-2966.1199	-1.2244
0.9 Dead+1.0 Wind 120 deg - No Ice	44.5042	27.7385	15.9538	1693.0789	-2947.9386	-1.2211
1.2 Dead+1.0 Wind 150 deg - No Ice	59.3390	16.1377	27.4427	2928.1732	-1727.6027	-2.1253
0.9 Dead+1.0 Wind 150 deg - No Ice	44.5042	16.1377	27.4427	2910.6741	-1716.8299	-2.1252
1.2 Dead+1.0 Wind 180 deg - No Ice	59.3390	0.2119	31.6004	3371.2875	-26.5160	-2.5455
0.9 Dead+1.0 Wind 180 deg - No Ice	44.5042	0.2119	31.6004	3351.1357	-25.9162	-2.5487
1.2 Dead+1.0 Wind 210 deg - No Ice	59.3390	-15.7949	27.2841	2910.2086	1684.2768	-2.3077
0.9 Dead+1.0 Wind 210 deg - No Ice	44.5042	-15.7949	27.2841	2892.8093	1674.6477	-2.3132
1.2 Dead+1.0 Wind 240 deg - No Ice	59.3390	-27.6030	15.5905	1660.8710	2947.5425	-1.2466
0.9 Dead+1.0 Wind 240 deg - No Ice	44.5042	-27.6030	15.5905	1650.9418	2930.3621	-1.2530
1.2 Dead+1.0 Wind 270 deg - No Ice	59.3390	-31.9631	-0.2127	-24.8772	3413.9489	-0.0138
0.9 Dead+1.0 Wind 270 deg - No Ice	44.5042	-31.9631	-0.2127	-24.7262	3393.9855	-0.0194
1.2 Dead+1.0 Wind 300 deg - No Ice	59.3390	-27.7698	-15.9719	-1705.6098	2966.5413	1.2252
0.9 Dead+1.0 Wind 300 deg - No Ice	44.5042	-27.7698	-15.9719	-1695.4066	2949.2555	1.2220
1.2 Dead+1.0 Wind 330 deg - No Ice	59.3390	-16.1658	-27.4688	-2931.5540	1727.6078	2.1357
0.9 Dead+1.0 Wind 330 deg - No Ice	44.5042	-16.1658	-27.4688	-2914.0158	1717.7323	2.1356
1.2 Dead+1.0 Ice+1.0 Temp	92.5319	0.0000	0.0000	1.0235	-3.4798	-0.0001
1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp	92.5319	-0.0325	-8.4674	-881.6437	0.2390	-0.2124

Load Combination	Vertical	Shear _x	Shear _z	Overturning Moment, M _x	Overturning Moment, M _z	Torque
	K	K	K	kip-ft	kip-ft	kip-ft
1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp	92.5319	4.2390	-7.3199	-761.8446	-445.8721	0.0059
1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp	92.5319	7.3610	-4.2103	-437.5246	-771.7216	0.1849
1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp	92.5319	8.5074	0.0242	3.8939	-891.3482	0.3184
1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp	92.5319	7.3776	4.2501	444.2700	-773.5671	0.3826
1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp	92.5319	4.2747	7.3392	766.1608	-449.9655	0.3443
1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp	92.5319	0.0261	8.4659	883.5693	-6.7572	0.1976
1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp	92.5319	-4.2339	7.3229	764.3517	437.8534	-0.0062
1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp	92.5319	-7.3656	4.2055	439.0229	764.9568	-0.1706
1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp	92.5319	-8.5141	-0.0263	-2.0382	884.8690	-0.3196
1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp	92.5319	-7.3834	-4.2534	-442.5788	766.9612	-0.3828
1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp	92.5319	-4.2798	-7.3440	-764.6613	443.2805	-0.3435
Dead+Wind 0 deg - Service	49.4492	-0.0495	-6.3430	-674.2859	4.3599	0.4967
Dead+Wind 30 deg - Service	49.4492	3.1752	-5.4719	-581.4808	-339.2835	0.4607
Dead+Wind 60 deg - Service	49.4492	5.5342	-3.1338	-332.7684	-590.5227	0.2599
Dead+Wind 90 deg - Service	49.4492	6.4067	0.0404	4.6547	-683.4738	-0.0059
Dead+Wind 120 deg - Service	49.4492	5.5663	3.2015	340.5218	-594.1550	-0.2527
Dead+Wind 150 deg - Service	49.4492	3.2384	5.5070	585.4283	-346.5290	-0.4317
Dead+Wind 180 deg - Service	49.4492	0.0425	6.3413	674.0211	-6.4204	-0.5126
Dead+Wind 210 deg - Service	49.4492	-3.1696	5.4752	581.8343	335.6269	-0.4607
Dead+Wind 240 deg - Service	49.4492	-5.5391	3.1286	332.0490	588.1996	-0.2441
Dead+Wind 270 deg - Service	49.4492	-6.4141	-0.0427	-4.9938	681.4544	0.0048
Dead+Wind 300 deg - Service	49.4492	-5.5726	-3.2051	-341.0356	592.0010	0.2527
Dead+Wind 330 deg - Service	49.4492	-3.2440	-5.5122	-586.1460	344.2910	0.4328

Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0.0000	-49.4492	0.0000	0.0000	49.4492	0.0000	0.000%
2	-0.2469	-59.3390	-31.6086	0.2469	59.3390	31.6086	0.000%
3	-0.2469	-44.5042	-31.6086	0.2469	44.5042	31.6086	0.000%
4	15.8227	-59.3390	-27.2680	-15.8227	59.3390	27.2680	0.000%
5	15.8227	-44.5042	-27.2680	-15.8227	44.5042	27.2680	0.000%
6	27.5783	-59.3390	-15.6166	-27.5783	59.3390	15.6166	0.000%
7	27.5783	-44.5042	-15.6166	-27.5783	44.5042	15.6166	0.000%
8	31.9264	-59.3390	0.2015	-31.9264	59.3390	-0.2015	0.000%
9	31.9264	-44.5042	0.2015	-31.9264	44.5042	-0.2015	0.000%
10	27.7385	-59.3390	15.9538	-27.7385	59.3390	-15.9538	0.000%
11	27.7385	-44.5042	15.9538	-27.7385	44.5042	-15.9538	0.000%
12	16.1377	-59.3390	27.4427	-16.1377	59.3390	-27.4427	0.000%
13	16.1377	-44.5042	27.4427	-16.1377	44.5042	-27.4427	0.000%
14	0.2119	-59.3390	31.6004	-0.2119	59.3390	-31.6004	0.000%
15	0.2119	-44.5042	31.6004	-0.2119	44.5042	-31.6004	0.000%
16	-15.7949	-59.3390	27.2841	15.7949	59.3390	-27.2841	0.000%
17	-15.7949	-44.5042	27.2841	15.7949	44.5042	-27.2841	0.000%
18	-27.6030	-59.3390	15.5905	27.6030	59.3390	-15.5905	0.000%

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
19	-27.6030	-44.5042	15.5905	27.6030	44.5042	-15.5905	0.000%
20	-31.9631	-59.3390	-0.2127	31.9631	59.3390	0.2127	0.000%
21	-31.9631	-44.5042	-0.2127	31.9631	44.5042	0.2127	0.000%
22	-27.7698	-59.3390	-15.9719	27.7698	59.3390	15.9719	0.000%
23	-27.7698	-44.5042	-15.9719	27.7698	44.5042	15.9719	0.000%
24	-16.1658	-59.3390	-27.4688	16.1658	59.3390	27.4688	0.000%
25	-16.1658	-44.5042	-27.4688	16.1658	44.5042	27.4688	0.000%
26	0.0000	-92.5319	0.0000	-0.0000	92.5319	0.0000	0.000%
27	-0.0325	-92.5319	-8.4674	0.0325	92.5319	8.4674	0.000%
28	4.2390	-92.5319	-7.3199	-4.2390	92.5319	7.3199	0.000%
29	7.3610	-92.5319	-4.2103	-7.3610	92.5319	4.2103	0.000%
30	8.5074	-92.5319	0.0242	-8.5074	92.5319	-0.0242	0.000%
31	7.3776	-92.5319	4.2501	-7.3776	92.5319	-4.2501	0.000%
32	4.2747	-92.5319	7.3392	-4.2747	92.5319	-7.3392	0.000%
33	0.0261	-92.5319	8.4659	-0.0261	92.5319	-8.4659	0.000%
34	-4.2339	-92.5319	7.3229	4.2339	92.5319	-7.3229	0.000%
35	-7.3656	-92.5319	4.2055	7.3656	92.5319	-4.2055	0.000%
36	-8.5141	-92.5319	-0.0263	8.5141	92.5319	0.0263	0.000%
37	-7.3834	-92.5319	-4.2534	7.3834	92.5319	4.2534	0.000%
38	-4.2798	-92.5319	-7.3440	4.2798	92.5319	7.3440	0.000%
39	-0.0495	-49.4492	-6.3430	0.0495	49.4492	6.3430	0.000%
40	3.1752	-49.4492	-5.4719	-3.1752	49.4492	5.4719	0.000%
41	5.5342	-49.4492	-3.1338	-5.5342	49.4492	3.1338	0.000%
42	6.4067	-49.4492	0.0404	-6.4067	49.4492	-0.0404	0.000%
43	5.5663	-49.4492	3.2015	-5.5663	49.4492	-3.2015	0.000%
44	3.2384	-49.4492	5.5070	-3.2384	49.4492	-5.5070	0.000%
45	0.0425	-49.4492	6.3413	-0.0425	49.4492	-6.3413	0.000%
46	-3.1696	-49.4492	5.4752	3.1696	49.4492	-5.4752	0.000%
47	-5.5391	-49.4492	3.1286	5.5391	49.4492	-3.1286	0.000%
48	-6.4141	-49.4492	-0.0427	6.4141	49.4492	0.0427	0.000%
49	-5.5726	-49.4492	-3.2051	5.5726	49.4492	3.2051	0.000%
50	-3.2440	-49.4492	-5.5122	3.2440	49.4492	5.5122	0.000%

Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	4	0.00000001	0.00000001
2	Yes	4	0.00000001	0.00042101
3	Yes	4	0.00000001	0.00027896
4	Yes	5	0.00000001	0.00009308
5	Yes	5	0.00000001	0.00004498
6	Yes	5	0.00000001	0.00008322
7	Yes	5	0.00000001	0.00003992
8	Yes	4	0.00000001	0.00011595
9	Yes	4	0.00000001	0.00006501
10	Yes	5	0.00000001	0.00008520
11	Yes	5	0.00000001	0.00004080
12	Yes	5	0.00000001	0.00009565
13	Yes	5	0.00000001	0.00004612
14	Yes	4	0.00000001	0.00053520
15	Yes	4	0.00000001	0.00035515
16	Yes	5	0.00000001	0.00008031
17	Yes	5	0.00000001	0.00003857
18	Yes	5	0.00000001	0.00008911
19	Yes	5	0.00000001	0.00004299
20	Yes	4	0.00000001	0.00014327
21	Yes	4	0.00000001	0.00008524
22	Yes	5	0.00000001	0.00009318
23	Yes	5	0.00000001	0.00004486
24	Yes	5	0.00000001	0.00008333
25	Yes	5	0.00000001	0.00003994
26	Yes	4	0.00000001	0.00000905
27	Yes	5	0.00000001	0.00008452
28	Yes	5	0.00000001	0.00009154

29	Yes	5	0.00000001	0.00009183
30	Yes	5	0.00000001	0.00008592
31	Yes	5	0.00000001	0.00009242
32	Yes	5	0.00000001	0.00009209
33	Yes	5	0.00000001	0.00008463
34	Yes	5	0.00000001	0.00009015
35	Yes	5	0.00000001	0.00009028
36	Yes	5	0.00000001	0.00008423
37	Yes	5	0.00000001	0.00009070
38	Yes	5	0.00000001	0.00009061
39	Yes	4	0.00000001	0.00002516
40	Yes	4	0.00000001	0.00004659
41	Yes	4	0.00000001	0.00003689
42	Yes	4	0.00000001	0.00001716
43	Yes	4	0.00000001	0.00003766
44	Yes	4	0.00000001	0.00004786
45	Yes	4	0.00000001	0.00002622
46	Yes	4	0.00000001	0.00003640
47	Yes	4	0.00000001	0.00004128
48	Yes	4	0.00000001	0.00001710
49	Yes	4	0.00000001	0.00004403
50	Yes	4	0.00000001	0.00003765

Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	150 - 110	8.7163	43	0.5076	0.0019
L2	115.25 - 94.25	5.2013	43	0.4336	0.0012
L3	99.75 - 46.25	3.8732	43	0.3753	0.0008
L4	53.5 - 0	1.0892	43	0.1869	0.0002

Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
150.0000	Lighting Rod 5/8" x 2'	43	8.7163	0.5076	0.0019	101744
148.0000	DS4C06F36D-D	43	8.5047	0.5044	0.0019	101744
140.0000	HPA-65R-BUU-H6 w/ Mount Pipe	43	7.6619	0.4913	0.0017	50872
130.0000	(2) SBNHH-1D65B w/ Mount Pipe	43	6.6307	0.4722	0.0014	25436
124.0000	HP2-4.7NS	43	6.0328	0.4585	0.0013	19566
113.0000	(3) 800 10252 w/ Mount Pipe	43	4.9968	0.4261	0.0012	14911
99.0000	MX08FRO665-21 w/ Mount Pipe	43	3.8137	0.3722	0.0008	15733

Maximum Tower Deflections - Design Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	150 - 110	43.5021	10	2.5304	0.0094
L2	115.25 - 94.25	25.9672	10	2.1633	0.0058
L3	99.75 - 46.25	19.3423	10	1.8736	0.0040
L4	53.5 - 0	5.4424	22	0.9339	0.0012

Critical Deflections and Radius of Curvature - Design Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
150.0000	Lighting Rod 5/8" x 2'	10	43.5021	2.5304	0.0096	20682
148.0000	DS4C06F36D-D	10	42.4463	2.5148	0.0093	20682
140.0000	HPA-65R-BUU-H6 w/ Mount Pipe	10	38.2420	2.4500	0.0083	10340
130.0000	(2) SBNHH-1D65B w/ Mount Pipe	10	33.0978	2.3560	0.0070	5169
124.0000	HP2-4.7NS	10	30.1153	2.2873	0.0067	3976
113.0000	(3) 800 10252 w/ Mount Pipe	10	24.9471	2.1259	0.0058	3022
99.0000	MX08FRO665-21 w/ Mount Pipe	10	19.0451	1.8584	0.0041	3173

Compression Checks

Pole Design Data

Section No.	Elevation ft	Size	L ft	L _u ft	KI/r	A in ²	P _u K	φP _n K	Ratio P _u / φP _n
L1	150 - 110 (1)	TP39.633x28.4x0.25	40.000 0	0.0000	0.0	30.080 5	-15.6982	1759.7100	0.009
L2	110 - 94.25 (2)	TP43.556x37.6587x0.281 3	21.000 0	0.0000	0.0	37.252 0	-19.5062	2179.2400	0.009
L3	94.25 - 46.25 (3)	TP56.472x41.449x0.375	53.500 0	0.0000	0.0	64.346 3	-36.3375	3764.2600	0.010
L4	46.25 - 0 (4)	TP68.71x53.6862x0.4375	53.500 0	0.0000	0.0	94.804 9	-59.3270	5546.0900	0.011

Pole Bending Design Data

Section No.	Elevation ft	Size	M _{ux} kip-ft	φM _{nx} kip-ft	Ratio M _{ux} / φM _{nx}	M _{uy} kip-ft	φM _{ny} kip-ft	Ratio M _{uy} / φM _{ny}
L1	150 - 110 (1)	TP39.633x28.4x0.25	402.4050	1496.8500	0.269	0.0000	1496.8500	0.000
L2	110 - 94.25 (2)	TP43.556x37.6587x0.281 3	692.9733	2059.7333	0.336	0.0000	2059.7333	0.000
L3	94.25 - 46.25 (3)	TP56.472x41.449x0.375	1838.1667	4664.4083	0.394	0.0000	4664.4083	0.000
L4	46.25 - 0 (4)	TP68.71x53.6862x0.4375	3421.9083	8388.2500	0.408	0.0000	8388.2500	0.000

Pole Shear Design Data

Section No.	Elevation ft	Size	Actual V _u K	φV _n K	Ratio V _u / φV _n	Actual T _u kip-ft	φT _n kip-ft	Ratio T _u / φT _n
L1	150 - 110 (1)	TP39.633x28.4x0.25	17.0412	527.9130	0.032	1.1988	1752.5917	0.001
L2	110 - 94.25 (2)	TP43.556x37.6587x0.281 3	19.6250	653.7730	0.030	1.4013	2389.2250	0.001
L3	94.25 - 46.25 (3)	TP56.472x41.449x0.375	27.0725	1129.2800	0.024	1.4460	5346.4583	0.000
L4	46.25 - 0 (4)	TP68.71x53.6862x0.4375	32.0575	1663.8300	0.019	1.2355	9947.9167	0.000

Pole Interaction Design Data

Section No.	Elevation ft	Ratio P_u	Ratio M_{ux}	Ratio M_{uy}	Ratio V_u	Ratio T_u	Comb. Stress Ratio	Allow. Stress Ratio	Criteria
		ϕP_n	ϕM_{nx}	ϕM_{ny}	ϕV_n	ϕT_n			
L1	150 - 110 (1)	0.009	0.269	0.000	0.032	0.001	0.279	1.050	4.8.2
L2	110 - 94.25 (2)	0.009	0.336	0.000	0.030	0.001	0.346	1.050	4.8.2
L3	94.25 - 46.25 (3)	0.010	0.394	0.000	0.024	0.000	0.404	1.050	4.8.2
L4	46.25 - 0 (4)	0.011	0.408	0.000	0.019	0.000	0.419	1.050	4.8.2

Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	ϕP_{allow} K	% Capacity	Pass Fail
L1	150 - 110	Pole	TP39.633x28.4x0.25	1	-15.6982	1847.6954	26.6	Pass
L2	110 - 94.25	Pole	TP43.556x37.6587x0.2813	2	-19.5062	2288.2019	33.0	Pass
L3	94.25 - 46.25	Pole	TP56.472x41.449x0.375	3	-36.3375	3952.4728	38.5	Pass
L4	46.25 - 0	Pole	TP68.71x53.6862x0.4375	4	-59.3270	5823.3942	39.9	Pass
Summary								
Pole (L4)							39.9	Pass
RATING =							39.9	Pass


APPENDIX B
BASE LEVEL DRAWING



(PROPOSED)
(1) 1-1/2" TO 99 FT LEVEL

(CONSIDERED)
(14) 1-5/8" TO 130 FT LEVEL

(CONSIDERED)
(3) 7/8" TO 113 FT LEVEL
(2) 11/32" TO 124 FT LEVEL
(1) 7/8" TO 124 FT LEVEL



(CONSIDERED)
(12) 1-5/8" TO 148 FT LEVEL
(2) 7/8" TO 148 FT LEVEL

(CONSIDERED)
(1) 3/8" TO 140 FT LEVEL
(2) 7/16" TO 140 FT LEVEL
(12) 1-5/8" TO 140 FT LEVEL

APPENDIX C
ADDITIONAL CALCULATIONS

Monopole Base Plate Connection




Site Info	
BU #	5800059
Site Name	Ridge Road, Madison
Order #	553353 Rev. 1

Analysis Considerations	
TIA-222 Revision	H
Grout Considered:	No
l_{ar} (in)	2.25

Applied Loads	
Moment (kip-ft)	3421.91
Axial Force (kips)	59.33
Shear Force (kips)	32.06

*TIA-222-H Section 15.5 Applied



Connection Properties	Analysis Results
-----------------------	------------------

Anchor Rod Data

(24) 2-1/4" \varnothing bolts (A615-75 N; $F_y=75$ ksi, $F_u=100$ ksi) on 76" BC
 Anchor Spacing: 6 in

Base Plate Data

77" W x 3" Plate (A572-50; $F_y=50$ ksi, $F_u=65$ ksi); Clip: 12 in

Stiffener Data

N/A

Pole Data

68.71" x 0.4375" 18-sided pole (A572-65; $F_y=65$ ksi, $F_u=80$ ksi)

Anchor Rod Summary (units of kips, kip-in)

$P_{u,t} = 87.55$	$\phi P_{n,t} = 243.75$	Stress Rating
$V_u = 1.34$	$\phi V_n = 149.1$	34.2%
$M_u = n/a$	$\phi M_n = n/a$	Pass

Base Plate Summary

Max Stress (ksi):	13.69	(Flexural)
Allowable Stress (ksi):	45	
Stress Rating:	29.0%	Pass

Drilled Pier Foundation

BU # : 58000659
Site Name: Ridge Road, Madison
Order Number: 553353 Rev. 1
TIA-222 Revision: H
Tower Type: Monopole



Check Limitation	
Apply TIA-222-H Section 15.5:	<input checked="" type="checkbox"/>
	N/A
Additional Longitudinal Rebar	
Input Effective Depths (else Actual):	<input checked="" type="checkbox"/>
Shear Design Options	
Check Shear along Depth of Pier:	<input checked="" type="checkbox"/>
Utilize Shear-Friction Methodology:	<input type="checkbox"/>
Override Critical Depth:	<input type="checkbox"/>

Analysis Results

Soil Lateral Check	Compression	Uplift
D _{red} (ft from TOC)	10.90	-
Soil Safety Factor	6.21	-
Max Moment (kip-ft)	3714.57	-
Rating*	20.4%	-

Soil Vertical Check	Compression	Uplift
Skin Friction (kips)	649.44	-
End Bearing (kips)	226.19	-
Weight of Concrete (kips)	236.89	-
Total Capacity (kips)	875.63	-
Axial (kips)	296.23	-
Rating*	32.2%	-

Reinforced Concrete Flexure	Compression	Uplift
Critical Depth (ft from TOC)	10.49	-
Critical Moment (kip-ft)	3714.01	-
Critical Moment Capacity	8308.27	-
Rating*	42.6%	-

Reinforced Concrete Shear	Compression	Uplift
Critical Depth (ft from TOC)	28.78	-
Critical Shear (kip)	277.55	-
Critical Shear Capacity	729.88	-
Rating*	36.2%	-

Structural Foundation Rating*	42.6%
Soil Interaction Rating*	32.2%

*Rating per TIA-222-H Section 15.5

Rebar 2, Fy Override (ksi)

Rebar 3, Fy Override (ksi)

Rebar & Pier Options

Embedded Pole Inputs

Belled Pier Inputs

Applied Loads		Comp.	Uplift
Moment (kip-ft)		3421.91	
Axial Force (kips)		59.34	
Shear Force (kips)		32.04	

Material Properties	
Concrete Strength, f'c:	4 ksi
Rebar Strength, Fy:	60 ksi
Tie Yield Strength, FyT:	40 ksi

Pier Design Data	
Depth	39 ft
Ext. Above Grade	0.5 ft

Pier Section 1	
<i>From 0.5 above grade to 39 below grade</i>	
Pier Diameter	8 ft
Rebar Quantity	28
Rebar Size	11
Clear Cover to Ties	3 in
Tie Size	5
Tie Spacing	in

Soil Lateral Check	Compression	Uplift
D _{red} (ft from TOC)	10.90	-
Soil Safety Factor	6.21	-
Max Moment (kip-ft)	3714.57	-
Rating*	20.4%	-

Soil Vertical Check	Compression	Uplift
Skin Friction (kips)	649.44	-
End Bearing (kips)	226.19	-
Weight of Concrete (kips)	236.89	-
Total Capacity (kips)	875.63	-
Axial (kips)	296.23	-
Rating*	32.2%	-

Reinforced Concrete Flexure	Compression	Uplift
Critical Depth (ft from TOC)	10.49	-
Critical Moment (kip-ft)	3714.01	-
Critical Moment Capacity	8308.27	-
Rating*	42.6%	-

Reinforced Concrete Shear	Compression	Uplift
Critical Depth (ft from TOC)	28.78	-
Critical Shear (kip)	277.55	-
Critical Shear Capacity	729.88	-
Rating*	36.2%	-

Structural Foundation Rating*	42.6%
Soil Interaction Rating*	32.2%

*Rating per TIA-222-H Section 15.5

Soil Profile

# of Layers	4
-------------	---

Groundwater Depth	7
-------------------	---



Layer	Top (ft)	Bottom (ft)	Thickness (ft)	Y _{soil} (pcf)	Y _{concrete} (pcf)	Cohesion (ksf)	Angle of Friction (degrees)	Calculated Ultimate Skin Friction Comp (ksf)	Calculated Ultimate Skin Friction Uplift (ksf)	Ultimate Skin Friction Comp Override (ksf)	Ultimate Skin Friction Uplift Override (ksf)	Ult. Gross Bearing Capacity (ksf)	SPT Blow Count	Soil Type
1	0	4	4	65	150	0	0	0.000	0.000					Cohesionless
2	4	12	8	65	87.6	0.1	22	0.270	0.270					Silty
3	12	20	8	42.6	87.6	0.4	27	0.912	0.912				70	Cohesionless
4	20	39	19	62.6	87.6	0.2	31	1.315	1.315			6	85	Cohesionless

ASCE 7 Hazards Report

Address:
No Address at This
Location

Standard: ASCE/SEI 7-10
Risk Category: II
Soil Class: D - Stiff Soil

Elevation: 132.55 ft (NAVD 88)
Latitude: 41.30925
Longitude: -72.614325





Site Soil Class: D - Stiff Soil

Results:

S_s :	0.172	S_{DS} :	0.184
S_1 :	0.06	S_{D1} :	0.096
F_a :	1.6	T_L :	6
F_v :	2.4	PGA :	0.088
S_{MS} :	0.276	PGA _M :	0.14
S_{M1} :	0.144	F_{PGA} :	1.6
		I_e :	1

Seismic Design Category B



Data Accessed:

Tue Jun 23 2020

Date Source:

USGS Seismic Design Maps based on ASCE/SEI 7-10, incorporating Supplement 1 and errata of March 31, 2013, and ASCE/SEI 7-10 Table 1.5-2. Additional data for site-specific ground motion procedures in accordance with ASCE/SEI 7-10 Ch. 21 are available from USGS.

Ice

Results:

Ice Thickness: 0.75 in.
Concurrent Temperature: 15 F
Gust Speed: 50 mph

Data Source: Standard ASCE/SEI 7-10, Figs. 10-2 through 10-8

Date Accessed: Tue Jun 23 2020

Ice thicknesses on structures in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

Values provided are equivalent radial ice thicknesses due to freezing rain with concurrent 3-second gust speeds, for a 50-year mean recurrence interval, and temperatures concurrent with ice thicknesses due to freezing rain. Thicknesses for ice accretions caused by other sources shall be obtained from local meteorological studies. Ice thicknesses in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

The ASCE 7 Hazard Tool is provided for your convenience, for informational purposes only, and is provided “as is” and without warranties of any kind. The location data included herein has been obtained from information developed, produced, and maintained by third party providers; or has been extrapolated from maps incorporated in the ASCE 7 standard. While ASCE has made every effort to use data obtained from reliable sources or methodologies, ASCE does not make any representations or warranties as to the accuracy, completeness, reliability, currency, or quality of any data provided herein. Any third-party links provided by this Tool should not be construed as an endorsement, affiliation, relationship, or sponsorship of such third-party content by or from ASCE.

ASCE does not intend, nor should anyone interpret, the results provided by this Tool to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this Tool or the ASCE 7 standard.

In using this Tool, you expressly assume all risks associated with your use. Under no circumstances shall ASCE or its officers, directors, employees, members, affiliates, or agents be liable to you or any other person for any direct, indirect, special, incidental, or consequential damages arising from or related to your use of, or reliance on, the Tool or any information obtained therein. To the fullest extent permitted by law, you agree to release and hold harmless ASCE from any and all liability of any nature arising out of or resulting from any use of data provided by the ASCE 7 Hazard Tool.

Exhibit E

Mount Analysis

Date: **July 27, 2021**

Darcy Tarr
Crown Castle
3530 Toringdon Way, Suite 300
Charlotte, NC 28277
(704) 405-6589



Trylon
1825 W. Walnut Hill Lane,
Suite 302
Irving, TX 75038
214-930-1730

Subject: **Mount Replacement Analysis Report**

Carrier Designation: **Dish Network Dish 5G**
Carrier Site Number: BOHVN00007A
Carrier Site Name: CT-CCI-T-5800059

Crown Castle Designation: **Crown Castle BU Number:** 5800059
Crown Castle Site Name: Ridge Road, Madison
Crown Castle JDE Job Number: 645212
Crown Castle Order Number: 553353 Rev. 1

Engineering Firm Designation: **Trylon Report Designation:** 188627

Site Data: **258 Ridge Road, Madison, New Haven County, CT, 06433**
Latitude 41°18'33.30" Longitude -72°36'51.57"

Structure Information: **Tower Height & Type:** **150.0 ft Monopole**
Mount Elevation: **99.0 ft**
Mount Type: **8.0 ft Platform**

Dear Darcy Tarr,

Trylon is pleased to submit this "**Mount Replacement Analysis Report**" to determine the structural integrity of Dish Network's antenna mounting system with the proposed appurtenance and equipment addition on the abovementioned supporting tower structure. Analysis of the existing supporting tower structure is to be completed by others and therefore is not part of this analysis. Analysis of the antenna mounting system as a tie-off point for fall protection or rigging is not part of this document.

The purpose of the analysis is to determine acceptability of the mount stress level. Based on our analysis we have determined the mount stress level to be:

Platform

Sufficient*

***Sufficient upon completion of the changes listed in the 'Recommendations' section of this report.**

This analysis utilizes an ultimate 3-second gust wind speed of 130 mph as required by the 2018 Connecticut State Building Code. Applicable Standard references and design criteria are listed in Section 2 - Analysis Criteria.

Mount analysis prepared by: Aura Baltoiu

Respectfully Submitted by:
Cliff Abernathy, P.E.



Cliff Abernathy
Digitally signed by Cliff Abernathy
Date: 2021.07.27 17:14:08 -04'00'

TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

Table 1 - Proposed Equipment Configuration

3) ANALYSIS PROCEDURE

Table 2 - Documents Provided

3.1) Analysis Method

3.2) Assumptions

4) ANALYSIS RESULTS

Table 3 - Mount Component Stresses vs. Capacity

4.1) Recommendations

5) APPENDIX A

Wire Frame and Rendered Models

6) APPENDIX B

Software Input Calculations

7) APPENDIX C

Software Analysis Output

8) APPENDIX D

Additional Calculations

9) APPENDIX E

Supplemental Drawings

1) INTRODUCTION

This is a proposed 3 sector 8.0 ft Platform, designed by Commscope.

2) ANALYSIS CRITERIA

Building Code:	2015 IBC
TIA-222 Revision:	TIA-222-H
Risk Category:	II
Ultimate Wind Speed:	130 mph
Exposure Category:	B
Topographic Factor at Base:	1.00
Topographic Factor at Mount:	1.00
Ice Thickness:	1.5 in
Wind Speed with Ice:	50 mph
Seismic S_s:	0.173
Seismic S₁:	0.006
Live Loading Wind Speed:	30 mph
Man Live Load at Mid/End-Points:	250 lb
Man Live Load at Mount Pipes:	500 lb

Table 1 - Proposed Equipment Configuration

Mount Centerline (ft)	Antenna Centerline (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Mount / Modification Details
99.0	99.0	3	JMA Wireless	MX08FRO665-21	8.0 ft Platform [Commscope, MC-PK8-C]
		3	Fujitsu	TA08025-B604	
		3	Fujitsu	TA08025-B605	
		1	Raycap	RDIDC-9181-PF-48	

3) ANALYSIS PROCEDURE

Table 2 - Documents Provided

Document	Remarks	Reference	Source
Crown Application	Dish Network Application	553353, Rev.1	CCI Sites
Mount Manufacturer Drawings	Commscope	MC-PK8-C	Trylon

3.1) Analysis Method

RISA-3D (Version 17.0.4), a commercially available analysis software package, was used to create a three-dimensional model of the antenna mounting system and calculate member stresses for various loading cases.

A tool internally developed, using Microsoft Excel, by Trylon was used to calculate wind loading on all appurtenances, dishes, and mount members for various load cases. Selected output from the analysis is included in Appendix B.

This analysis was performed in accordance with Crown Castle's ENG-SOW-10208 *Tower Mount Analysis* (Revision B).

3.2) Assumptions

- 1) The antenna mounting system was properly fabricated, installed and maintained in good condition in accordance with its original design and manufacturer's specifications.
- 2) The configuration of antennas, mounts, and other appurtenances are as specified in Table 1 and the referenced drawings.
- 3) All member connections are assumed to have been designed to meet or exceed the load carrying capacity of the connected member unless otherwise specified in this report.
- 4) The analysis will be required to be revised if the existing conditions in the field differ from those shown in the above-referenced documents or assumed in this analysis. No allowance was made for any damaged, missing, or rusted members.
- 5) Prior structural modifications to the tower mounting system are assumed to be installed as shown per available data.
- 6) Steel grades have been assumed as follows, unless noted otherwise:

Channel, Solid Round, Angle, Plate	ASTM A36 (GR 36)
HSS (Rectangular)	ASTM A500 (GR B-46)
Pipe	ASTM A53 (GR 35)
Connection Bolts	ASTM A325

This analysis may be affected if any assumptions are not valid or have been made in error. Tylon should be notified to determine the effect on the structural integrity of the antenna mounting system.

4) ANALYSIS RESULTS

Table 3 - Mount Component Stresses vs. Capacity (Platform, All Sectors)

Notes	Component	Critical Member	Centerline (ft)	% Capacity	Pass / Fail
1,2	Mount Pipe(s)	MP3	99.0	31.1	Pass
	Horizontal(s)	H1		9.6	Pass
	Standoff(s)	SA2		48.0	Pass
	Bracing(s)	PB2		33.8	Pass
	Handrail(s)	M19		16.0	Pass
	Corner Angle(s)	CP3		8.0	Pass
	Plate(s)	CP6		21.8	Pass
	Mount Connection(s)	-		19.4	Pass

Structure Rating (max from all components) =	48.0%
---	--------------

Notes:

- 1) See additional documentation in "Appendix C - Software Analysis Output" for calculations supporting the % capacity consumed.
- 2) Rating per TIA-222-H, Section 15.5



4.1) Recommendations

The mount has sufficient capacity to carry the proposed loading configuration. In order for the results of the analysis to be considered valid, the proposed mount listed below must be installed.

1. Commscope, MC-PK8-C.



No structural modifications are required at this time, provided that the above-listed changes are implemented.

APPENDIX A
WIRE FRAME AND RENDERED MODELS



Envelope Only Solution

Trylon	5800059	SK - 1
AB		July 27, 2021 at 3:18 PM
188627		5800059 .r3d



Envelope Only Solution

Trylon
AB
188627

5800059

SK - 2
July 27, 2021 at 3:18 PM
5800059 .r3d



APPENDIX B
SOFTWARE INPUT CALCULATIONS

ASCE 7 Hazards Report

Address:
No Address at This
Location

Standard: ASCE/SEI 7-10
Risk Category: II
Soil Class: D - Stiff Soil

Elevation: 132.55 ft (NAVD 88)
Latitude: 41.30925
Longitude: -72.614325



Ice

Results:

Ice Thickness: 0.75 in.
Concurrent Temperature: 15 F
Gust Speed: 50 mph

Data Source: Standard ASCE/SEI 7-10, Figs. 10-2 through 10-8

Date Accessed: Mon Jul 26 2021

Ice thicknesses on structures in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

Values provided are equivalent radial ice thicknesses due to freezing rain with concurrent 3-second gust speeds, for a 50-year mean recurrence interval, and temperatures concurrent with ice thicknesses due to freezing rain. Thicknesses for ice accretions caused by other sources shall be obtained from local meteorological studies. Ice thicknesses in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

The ASCE 7 Hazard Tool is provided for your convenience, for informational purposes only, and is provided “as is” and without warranties of any kind. The location data included herein has been obtained from information developed, produced, and maintained by third party providers; or has been extrapolated from maps incorporated in the ASCE 7 standard. While ASCE has made every effort to use data obtained from reliable sources or methodologies, ASCE does not make any representations or warranties as to the accuracy, completeness, reliability, currency, or quality of any data provided herein. Any third-party links provided by this Tool should not be construed as an endorsement, affiliation, relationship, or sponsorship of such third-party content by or from ASCE.

ASCE does not intend, nor should anyone interpret, the results provided by this Tool to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this Tool or the ASCE 7 standard.

In using this Tool, you expressly assume all risks associated with your use. Under no circumstances shall ASCE or its officers, directors, employees, members, affiliates, or agents be liable to you or any other person for any direct, indirect, special, incidental, or consequential damages arising from or related to your use of, or reliance on, the Tool or any information obtained therein. To the fullest extent permitted by law, you agree to release and hold harmless ASCE from any and all liability of any nature arising out of or resulting from any use of data provided by the ASCE 7 Hazard Tool.



Trylon

1825 W. Walnut Hill Lane Suite 120
Irving, TX 75038

TIA LOAD CALCULATOR 2.0

PROJECT DATA	
Job Code:	188627
Carrier Site ID:	BOHVN00007A
Carrier Site Name:	CT-CCI-T-5800059

CODES AND STANDARDS	
Building Code:	2015 IBC
Local Building Code:	2018 CSBC
Design Standard:	TIA-222-H

STRUCTURE DETAILS		
Mount Type:	Platform	--
Mount Elevation:	99.0	ft.
Number of Sectors:	3	--
Structure Type:	Monopole	--
Structure Height:	150.0	ft.

ANALYSIS CRITERIA		
Structure Risk Category:	II	--
Exposure Category:	B	--
Site Class:	D - Stiff Soil	--
Ground Elevation:	132.55	ft.

TOPOGRAPHIC DATA		
Topographic Category:	1.00	--
Topographic Feature:	N/A	--
Crest Point Elevation:	0.00	ft.
Base Point Elevation:	0.00	ft.
Crest to Mid-Height (L/2):	0.00	ft.
Distance from Crest (x):	0.00	ft.
Base Topo Factor (K_{zt}):	1.00	--
Mount Topo Factor (K_{zt}):	1.00	--

WIND PARAMETERS		
Design Wind Speed:	130	mph
Wind Escalation Factor (K_s):	1.00	--
Velocity Coefficient (K_z):	0.99	--
Directionality Factor (K_d):	0.95	--
Gust Effect Factor (G_h):	1.00	--
Shielding Factor (K_a):	0.90	--
Velocity Pressure (q_z):	40.31	psf

ICE PARAMETERS		
Design Ice Wind Speed:	50	mph
Design Ice Thickness (t_i):	1.50	in
Importance Factor (I_i):	1.00	--
Ice Velocity Pressure (q_{zi}):	40.31	psf
Mount Ice Thickness (t_{iz}):	1.67	in

WIND STRUCTURE CALCULATIONS		
Flat Member Pressure:	72.55	psf
Round Member Pressure:	43.53	psf
Ice Wind Pressure:	7.29	psf

SEISMIC PARAMETERS		
Importance Factor (I_e):	1.00	--
Short Period Accel. (S_s):	0.173	g
1 Second Accel. (S_1):	0.060	g
Short Period Des. (S_{DS}):	0.18	g
1 Second Des. (S_{D1}):	0.10	g
Short Period Coeff. (F_a):	1.60	--
1 Second Coeff. (F_v):	2.40	--
Response Coefficient (C_s):	0.09	--
Amplification Factor (A_S):	1.20	--

LOAD COMBINATIONS [LRFD]

#	Description
1	1.4DL
2	1.2DL + 1WL 0 AZI
3	1.2DL + 1WL 30 AZI
4	1.2DL + 1WL 45 AZI
5	1.2DL + 1WL 60 AZI
6	1.2DL + 1WL 90 AZI
7	1.2DL + 1WL 120 AZI
8	1.2DL + 1WL 135 AZI
9	1.2DL + 1WL 150 AZI
10	1.2DL + 1WL 180 AZI
11	1.2DL + 1WL 210 AZI
12	1.2DL + 1WL 225 AZI
13	1.2DL + 1WL 240 AZI
14	1.2DL + 1WL 270 AZI
15	1.2DL + 1WL 300 AZI
16	1.2DL + 1WL 315 AZI
17	1.2DL + 1WL 330 AZI
18	0.9DL + 1WL 0 AZI
19	0.9DL + 1WL 30 AZI
20	0.9DL + 1WL 45 AZI
21	0.9DL + 1WL 60 AZI
22	0.9DL + 1WL 90 AZI
23	0.9DL + 1WL 120 AZI
24	0.9DL + 1WL 135 AZI
25	0.9DL + 1WL 150 AZI
26	0.9DL + 1WL 180 AZI
27	0.9DL + 1WL 210 AZI
28	0.9DL + 1WL 225 AZI
29	0.9DL + 1WL 240 AZI
30	0.9DL + 1WL 270 AZI
31	0.9DL + 1WL 300 AZI
32	0.9DL + 1WL 315 AZI
33	0.9DL + 1WL 330 AZI
34	1.2DL + 1DLi + 1WLi 0 AZI
35	1.2DL + 1DLi + 1WLi 30 AZI
36	1.2DL + 1DLi + 1WLi 45 AZI
37	1.2DL + 1DLi + 1WLi 60 AZI
38	1.2DL + 1DLi + 1WLi 90 AZI
39	1.2DL + 1DLi + 1WLi 120 AZI
40	1.2DL + 1DLi + 1WLi 135 AZI
41	1.2DL + 1DLi + 1WLi 150 AZI

#	Description
42	1.2DL + 1DLi + 1WLi 180 AZI
43	1.2DL + 1DLi + 1WLi 210 AZI
44	1.2DL + 1DLi + 1WLi 225 AZI
45	1.2DL + 1DLi + 1WLi 240 AZI
46	1.2DL + 1DLi + 1WLi 270 AZI
47	1.2DL + 1DLi + 1WLi 300 AZI
48	1.2DL + 1DLi + 1WLi 315 AZI
49	1.2DL + 1DLi + 1WLi 330 AZI
50	(1.2+0.2Sds) + 1.0E 0 AZI
51	(1.2+0.2Sds) + 1.0E 30 AZI
52	(1.2+0.2Sds) + 1.0E 45 AZI
53	(1.2+0.2Sds) + 1.0E 60 AZI
54	(1.2+0.2Sds) + 1.0E 90 AZI
55	(1.2+0.2Sds) + 1.0E 120 AZI
56	(1.2+0.2Sds) + 1.0E 135 AZI
57	(1.2+0.2Sds) + 1.0E 150 AZI
58	(1.2+0.2Sds) + 1.0E 180 AZI
59	(1.2+0.2Sds) + 1.0E 210 AZI
60	(1.2+0.2Sds) + 1.0E 225 AZI
61	(1.2+0.2Sds) + 1.0E 240 AZI
62	(1.2+0.2Sds) + 1.0E 270 AZI
63	(1.2+0.2Sds) + 1.0E 300 AZI
64	(1.2+0.2Sds) + 1.0E 315 AZI
65	(1.2+0.2Sds) + 1.0E 330 AZI
66	(0.9-0.2Sds) + 1.0E 0 AZI
67	(0.9-0.2Sds) + 1.0E 30 AZI
68	(0.9-0.2Sds) + 1.0E 45 AZI
69	(0.9-0.2Sds) + 1.0E 60 AZI
70	(0.9-0.2Sds) + 1.0E 90 AZI
71	(0.9-0.2Sds) + 1.0E 120 AZI
72	(0.9-0.2Sds) + 1.0E 135 AZI
73	(0.9-0.2Sds) + 1.0E 150 AZI
74	(0.9-0.2Sds) + 1.0E 180 AZI
75	(0.9-0.2Sds) + 1.0E 210 AZI
76	(0.9-0.2Sds) + 1.0E 225 AZI
77	(0.9-0.2Sds) + 1.0E 240 AZI
78	(0.9-0.2Sds) + 1.0E 270 AZI
79	(0.9-0.2Sds) + 1.0E 300 AZI
80	(0.9-0.2Sds) + 1.0E 315 AZI
81	(0.9-0.2Sds) + 1.0E 330 AZI
82-88	1.2D + 1.5 Lv1

#	Description
89	1.2D + 1.5Lm + 1.0Wm 0 AZI - MP1
90	1.2D + 1.5Lm + 1.0Wm 30 AZI - MP1
91	1.2D + 1.5Lm + 1.0Wm 45 AZI - MP1
92	1.2D + 1.5Lm + 1.0Wm 60 AZI - MP1
93	1.2D + 1.5Lm + 1.0Wm 90 AZI - MP1
94	1.2D + 1.5Lm + 1.0Wm 120 AZI - MP1
95	1.2D + 1.5Lm + 1.0Wm 135 AZI - MP1
96	1.2D + 1.5Lm + 1.0Wm 150 AZI - MP1
97	1.2D + 1.5Lm + 1.0Wm 180 AZI - MP1
98	1.2D + 1.5Lm + 1.0Wm 210 AZI - MP1
99	1.2D + 1.5Lm + 1.0Wm 225 AZI - MP1
100	1.2D + 1.5Lm + 1.0Wm 240 AZI - MP1
101	1.2D + 1.5Lm + 1.0Wm 270 AZI - MP1
102	1.2D + 1.5Lm + 1.0Wm 300 AZI - MP1
103	1.2D + 1.5Lm + 1.0Wm 315 AZI - MP1
104	1.2D + 1.5Lm + 1.0Wm 330 AZI - MP1
105	1.2D + 1.5Lm + 1.0Wm 0 AZI - MP2
106	1.2D + 1.5Lm + 1.0Wm 30 AZI - MP2
107	1.2D + 1.5Lm + 1.0Wm 45 AZI - MP2
108	1.2D + 1.5Lm + 1.0Wm 60 AZI - MP2
109	1.2D + 1.5Lm + 1.0Wm 90 AZI - MP2
110	1.2D + 1.5Lm + 1.0Wm 120 AZI - MP2
111	1.2D + 1.5Lm + 1.0Wm 135 AZI - MP2
112	1.2D + 1.5Lm + 1.0Wm 150 AZI - MP2
113	1.2D + 1.5Lm + 1.0Wm 180 AZI - MP2
114	1.2D + 1.5Lm + 1.0Wm 210 AZI - MP2
115	1.2D + 1.5Lm + 1.0Wm 225 AZI - MP2
116	1.2D + 1.5Lm + 1.0Wm 240 AZI - MP2
117	1.2D + 1.5Lm + 1.0Wm 270 AZI - MP2
118	1.2D + 1.5Lm + 1.0Wm 300 AZI - MP2
119	1.2D + 1.5Lm + 1.0Wm 315 AZI - MP2
120	1.2D + 1.5Lm + 1.0Wm 330 AZI - MP2

#	Description
121	1.2D + 1.5Lm + 1.0Wm 0 AZI - MP3
122	1.2D + 1.5Lm + 1.0Wm 30 AZI - MP3
123	1.2D + 1.5Lm + 1.0Wm 45 AZI - MP3
124	1.2D + 1.5Lm + 1.0Wm 60 AZI - MP3
125	1.2D + 1.5Lm + 1.0Wm 90 AZI - MP3
126	1.2D + 1.5Lm + 1.0Wm 120 AZI - MP3
127	1.2D + 1.5Lm + 1.0Wm 135 AZI - MP3
128	1.2D + 1.5Lm + 1.0Wm 150 AZI - MP3
129	1.2D + 1.5Lm + 1.0Wm 180 AZI - MP3
130	1.2D + 1.5Lm + 1.0Wm 210 AZI - MP3
131	1.2D + 1.5Lm + 1.0Wm 225 AZI - MP3
132	1.2D + 1.5Lm + 1.0Wm 240 AZI - MP3
133	1.2D + 1.5Lm + 1.0Wm 270 AZI - MP3
134	1.2D + 1.5Lm + 1.0Wm 300 AZI - MP3
135	1.2D + 1.5Lm + 1.0Wm 315 AZI - MP3
136	1.2D + 1.5Lm + 1.0Wm 330 AZI - MP3
137	1.2D + 1.5Lm + 1.0Wm 0 AZI - MP4
138	1.2D + 1.5Lm + 1.0Wm 30 AZI - MP4
139	1.2D + 1.5Lm + 1.0Wm 45 AZI - MP4
140	1.2D + 1.5Lm + 1.0Wm 60 AZI - MP4
141	1.2D + 1.5Lm + 1.0Wm 90 AZI - MP4
142	1.2D + 1.5Lm + 1.0Wm 120 AZI - MP4
143	1.2D + 1.5Lm + 1.0Wm 135 AZI - MP4
144	1.2D + 1.5Lm + 1.0Wm 150 AZI - MP4
145	1.2D + 1.5Lm + 1.0Wm 180 AZI - MP4
146	1.2D + 1.5Lm + 1.0Wm 210 AZI - MP4
147	1.2D + 1.5Lm + 1.0Wm 225 AZI - MP4
148	1.2D + 1.5Lm + 1.0Wm 240 AZI - MP4
149	1.2D + 1.5Lm + 1.0Wm 270 AZI - MP4
150	1.2D + 1.5Lm + 1.0Wm 300 AZI - MP4
151	1.2D + 1.5Lm + 1.0Wm 315 AZI - MP4
152	1.2D + 1.5Lm + 1.0Wm 330 AZI - MP4

*This page shows an example of maintenance loads for (4) pipes, the number of mount pipe LCs may vary per site

EQUIPMENT LOADING [CONT.]

<i>Appurtenance Name/Location</i>	<i>Qty.</i>	<i>Elevation [ft]</i>	<i>--</i>	<i>EPA_N (ft²)</i>	<i>EPA_T (ft²)</i>	<i>Weight (lbs)</i>
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			
			No Ice			
--	--	--	w/ Ice			

EQUIPMENT WIND CALCULATIONS

Appurtenance Name	Qty.	Elevation [ft]	K_{zt}	K_z	K_d	t_d	q_z [psf]	q_{zi} [psf]
MX08FRO665-21	3	99	1.00	0.99	0.95	1.67	40.31	5.96
TA08025-B604	3	99	1.00	0.99	0.95	1.67	40.31	5.96
TA08025-B605	3	99	1.00	0.99	0.95	1.67	40.31	5.96
RDIDC-9181-PF-48	1	99	1.00	0.99	0.95	1.67	40.31	5.96

EQUIPMENT LATERAL WIND FORCE CALCULATIONS

<i>Appurtenance Name</i>	<i>Qty.</i>	<i>--</i>	<i>0° 180°</i>	<i>30° 210°</i>	<i>60° 240°</i>	<i>90° 270°</i>	<i>120° 300°</i>	<i>150° 330°</i>
MX08FRO665-21	3	No Ice	290.57	159.98	247.04	116.45	247.04	159.98
MP1/MP4/MP7, 0/120/240	--	w/ Ice	51.63	31.51	44.92	24.81	44.92	31.51
TA08025-B604	3	No Ice	71.23	44.50	62.32	35.59	62.32	44.50
MP1/MP4/MP7, 0/120/240	--	w/ Ice	12.73	8.41	11.29	6.97	11.29	8.41
TA08025-B605	3	No Ice	71.23	48.54	63.66	40.97	63.66	48.54
MP1/MP4/MP7, 0/120/240	--	w/ Ice	12.73	9.06	11.51	7.84	11.51	9.06
RDIDC-9181-PF-48	1	No Ice	72.98	50.03	65.33	42.38	65.33	50.03
MP1, 0	--	w/ Ice	13.02	9.34	11.80	8.12	11.80	9.34
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						

EQUIPMENT LATERAL WIND FORCE CALCULATIONS [CONT.]

<i>Appurtenance Name</i>	<i>Qty.</i>	<i>--</i>	<i>0° 180°</i>	<i>30° 210°</i>	<i>60° 240°</i>	<i>90° 270°</i>	<i>120° 300°</i>	<i>150° 330°</i>
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						
		No Ice						
--	--	w/ Ice						

APPENDIX C
SOFTWARE ANALYSIS OUTPUT

(Global) Model Settings

Display Sections for Member Calcs	5
Max Internal Sections for Member Calcs	97
Include Shear Deformation?	Yes
Increase Nailing Capacity for Wind?	Yes
Include Warping?	Yes
Trans Load Btwn Intersecting Wood Wall?	Yes
Area Load Mesh (in^2)	144
Merge Tolerance (in)	.12
P-Delta Analysis Tolerance	0.50%
Include P-Delta for Walls?	Yes
Automatically Iterate Stiffness for Walls?	Yes
Max Iterations for Wall Stiffness	3
Gravity Acceleration (in/sec^2)	386.4
Wall Mesh Size (in)	24
Eigensolution Convergence Tol. (1.E-)	4
Vertical Axis	Z
Global Member Orientation Plane	XY
Static Solver	Sparse Accelerated
Dynamic Solver	Accelerated Solver

Hot Rolled Steel Code	AISC 15th(360-16): LRFD
Adjust Stiffness?	Yes(Iterative)
RISAC Connection Code	AISC 15th(360-16): LRFD
Cold Formed Steel Code	AISI S100-12: LRFD
Wood Code	AWC NDS-15: ASD
Wood Temperature	< 100F
Concrete Code	ACI 318-14
Masonry Code	ACI 530-13: Strength
Aluminum Code	AA ADM 1-10: LRFD - Building
Stainless Steel Code	AISC 14th(360-10): LRFD
Adjust Stiffness?	Yes(Iterative)

Number of Shear Regions	4
Region Spacing Increment (in)	4
Biaxial Column Method	Exact Integration
Parame Beta Factor (PCA)	.65
Concrete Stress Block	Rectangular
Use Cracked Sections?	Yes
Use Cracked Sections Slab?	Yes
Bad Framing Warnings?	No
Unused Force Warnings?	Yes
Min 1 Bar Diam. Spacing?	No
Concrete Rebar Set	REBAR_SET_ASTMA615
Min % Steel for Column	1
Max % Steel for Column	8

(Global) Model Settings, Continued

Seismic Code	ASCE 7-10
Seismic Base Elevation (in)	Not Entered
Add Base Weight?	Yes
Ct X	.02
Ct Z	.02
T X (sec)	Not Entered
T Z (sec)	Not Entered
R X	3
R Z	3
Ct Exp. X	.75
Ct Exp. Z	.75
SD1	1
SDS	1
S1	1
TL (sec)	5
Risk Cat	I or II
Drift Cat	Other
Om Z	1
Om X	1
Cd Z	1
Cd X	1
Rho Z	1
Rho X	1

Hot Rolled Steel Properties

	Label	E [ksi]	G [ksi]	Nu	Therm (/1E5 F)	Density[k/ft^3]	Yield[psi]	Ry	Fu[psi]	Rt
1	A992	29000	11154	.3	.65	.49	50000	1.1	65000	1.1
2	A36 Gr.36	29000	11154	.3	.65	.49	36000	1.5	58000	1.2
3	A572 Gr.50	29000	11154	.3	.65	.49	50000	1.1	65000	1.1
4	A500 Gr.B RND	29000	11154	.3	.65	.527	42000	1.4	58000	1.3
5	A500 Gr.B Rect	29000	11154	.3	.65	.527	46000	1.4	58000	1.3
6	A53 Gr.B	29000	11154	.3	.65	.49	35000	1.6	60000	1.2
7	A1085	29000	11154	.3	.65	.49	50000	1.4	65000	1.3

Cold Formed Steel Properties

	Label	E [ksi]	G [ksi]	Nu	Therm (/1E5 F)	Density[k/ft^3]	Yield[psi]	Fu[psi]
1	A653 SS Gr33	29500	11346	.3	.65	.49	33000	45000
2	A653 SS Gr50/1	29500	11346	.3	.65	.49	50000	65000

Hot Rolled Steel Section Sets

	Label	Shape	Type	Design List	Material	Design ...	A [in2]	Iyy [in4]	Izz [in4]	J [in4]
1	Plates	6.5"x0.37" Plate	Beam	RECT	A53 Gr.B	Typical	2.405	.027	8.468	.106
2	Grating Bracing	L2x2x3	Beam	Single Angle	A36 Gr.36	Typical	.722	.271	.271	.009
3	Standoffs	PIPE 3.5	Beam	Pipe	A53 Gr.B	Typical	2.5	4.52	4.52	9.04
4	Standoff Bracing	C3X5	Beam	Channel	A36 Gr.36	Typical	1.47	.241	1.85	.043
5	Handrails	PIPE 2.0	Beam	Pipe	A53 Gr.B	Typical	1.02	.627	.627	1.25
6	Handrail Corners	6.6x4.46x0.25	Beam	Single Angle	A36 Gr.36	Typical	2.702	4.759	12.473	.055
7	Horizontals	PIPE 3.5	Beam	Pipe	A53 Gr.B	Typical	2.5	4.52	4.52	9.04



Company : Trylon
 Designer : AB
 Job Number : 188627
 Model Name : 5800059

July 27, 2021
 3:18 PM
 Checked By: CA

Hot Rolled Steel Section Sets (Continued)

	Label	Shape	Type	Design List	Material	Design ...	A [in2]	Iyy [in4]	Izz [in4]	J [in4]
8	Mount Pipes	PIPE 2.0	Beam	Pipe	A53 Gr.B	Typical	1.02	.627	.627	1.25

Cold Formed Steel Section Sets

	Label	Shape	Type	Design List	Material	Design R...	A [in2]	Iyy [in4]	Izz [in4]	J [in4]
1	CF1A	8CU1.25X057	Beam	None	A653 SS Gr33	Typical	.581	.057	4.41	.00063

Joint Boundary Conditions

	Joint Label	X [k/in]	Y [k/in]	Z [k/in]	X Rot.[k-ft/rad]	Y Rot.[k-ft/rad]	Z Rot.[k-ft/rad]
1	N25	Reaction	Reaction	Reaction	Reaction	Reaction	Reaction
2	N1	Reaction	Reaction	Reaction	Reaction	Reaction	Reaction
3	N13	Reaction	Reaction	Reaction	Reaction	Reaction	Reaction

Basic Load Cases

	BLC Description	Category	X Gravity	Y Gravity	Z Gravity	Joint	Point	Distribu...	Area(M...	Surface...
1	Self Weight	DL			-1		13		3	
2	Structure Wind X	WLX						33		
3	Structure Wind Y	WLY						33		
4	Wind Load 0 AZI	WLX					13			
5	Wind Load 30 AZI	None					26			
6	Wind Load 45 AZI	None					26			
7	Wind Load 60 AZI	None					26			
8	Wind Load 90 AZI	WLY					13			
9	Wind Load 120 AZI	None					26			
10	Wind Load 135 AZI	None					26			
11	Wind Load 150 AZI	None					26			
12	Ice Weight	OL1					13	33	3	
13	Structure Ice Wind X	OL2						33		
14	Structure Ice Wind Y	OL3						33		
15	Ice Wind Load 0 AZI	OL2					13			
16	Ice Wind Load 30 AZI	None					26			
17	Ice Wind Load 45 AZI	None					26			
18	Ice Wind Load 60 AZI	None					26			
19	Ice Wind Load 90 AZI	OL3					13			
20	Ice Wind Load 120 AZI	None					26			
21	Ice Wind Load 135 AZI	None					26			
22	Ice Wind Load 150 AZI	None					26			
23	Seismic Load X	ELX	-.111				13			
24	Seismic Load Y	ELY		-.111			13			
25	Live Load 1 (Lv)	LL					1			
26	Live Load 2 (Lv)	LL					1			
27	Live Load 3 (Lv)	LL					1			
28	Live Load 4 (Lv)	LL					1			
29	Live Load 5 (Lv)	LL					1			
30	Live Load 6 (Lv)	LL					1			
31	Maintenance Load 1 (Lm)	None					1			
32	Maintenance Load 2 (Lm)	None					1			
33	Maintenance Load 3 (Lm)	None					1			



Basic Load Cases (Continued)

	BLC Description	Category	X Gravity	Y Gravity	Z Gravity	Joint	Point	Distribu...	Area(M...	Surface...
34	Maintenance Load 4 (Lm)	None					1			
35	Maintenance Load 5 (Lm)	None					1			
36	Maintenance Load 6 (Lm)	None					1			
37	Maintenance Load 7 (Lm)	None					1			
38	Maintenance Load 8 (Lm)	None					1			
39	Maintenance Load 9 (Lm)	None					1			
40	Maintenance Load 7 (Lm)	None					1			
41	Maintenance Load 8 (Lm)	None					1			
42	Maintenance Load 9 (Lm)	None					1			
43	BLC 1 Transient Area Loads	None						9		
44	BLC 12 Transient Area Loads	None						9		

Load Combinations

	Description	Solve	PD...	SR...	B...	Factor	BLC	Factor	B...	Fa...	B...	Fa...	BLC	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	
1	1.4DL	Yes	Y		DL	1.4															
2	1.2DL + 1WL 0 AZI	Yes	Y		DL	1.2	2	1	3		4	1									
3	1.2DL + 1WL 30 AZI	Yes	Y		DL	1.2	2	.866	3	.5	5	1									
4	1.2DL + 1WL 45 AZI	Yes	Y		DL	1.2	2	.707	3	.707	6	1									
5	1.2DL + 1WL 60 AZI	Yes	Y		DL	1.2	2	.5	3	.866	7	1									
6	1.2DL + 1WL 90 AZI	Yes	Y		DL	1.2	2		3	1	8	1									
7	1.2DL + 1WL 120 AZI	Yes	Y		DL	1.2	2	-.5	3	.866	9	1									
8	1.2DL + 1WL 135 AZI	Yes	Y		DL	1.2	2	-.707	3	.707	10	1									
9	1.2DL + 1WL 150 AZI	Yes	Y		DL	1.2	2	-.866	3	.5	11	1									
10	1.2DL + 1WL 180 AZI	Yes	Y		DL	1.2	2	-1	3		4	-1									
11	1.2DL + 1WL 210 AZI	Yes	Y		DL	1.2	2	-.866	3	-.5	5	-1									
12	1.2DL + 1WL 225 AZI	Yes	Y		DL	1.2	2	-.707	3	-.7	6	-1									
13	1.2DL + 1WL 240 AZI	Yes	Y		DL	1.2	2	-.5	3	-.8	7	-1									
14	1.2DL + 1WL 270 AZI	Yes	Y		DL	1.2	2		3	-1	8	-1									
15	1.2DL + 1WL 300 AZI	Yes	Y		DL	1.2	2	.5	3	-.8	9	-1									
16	1.2DL + 1WL 315 AZI	Yes	Y		DL	1.2	2	.707	3	-.7	10	-1									
17	1.2DL + 1WL 330 AZI	Yes	Y		DL	1.2	2	.866	3	-.5	11	-1									
18	0.9DL + 1WL 0 AZI	Yes	Y		DL	.9	2	1	3		4	1									
19	0.9DL + 1WL 30 AZI	Yes	Y		DL	.9	2	.866	3	.5	5	1									
20	0.9DL + 1WL 45 AZI	Yes	Y		DL	.9	2	.707	3	.707	6	1									
21	0.9DL + 1WL 60 AZI	Yes	Y		DL	.9	2	.5	3	.866	7	1									
22	0.9DL + 1WL 90 AZI	Yes	Y		DL	.9	2		3	1	8	1									
23	0.9DL + 1WL 120 AZI	Yes	Y		DL	.9	2	-.5	3	.866	9	1									
24	0.9DL + 1WL 135 AZI	Yes	Y		DL	.9	2	-.707	3	.707	10	1									
25	0.9DL + 1WL 150 AZI	Yes	Y		DL	.9	2	-.866	3	.5	11	1									
26	0.9DL + 1WL 180 AZI	Yes	Y		DL	.9	2	-1	3		4	-1									
27	0.9DL + 1WL 210 AZI	Yes	Y		DL	.9	2	-.866	3	-.5	5	-1									
28	0.9DL + 1WL 225 AZI	Yes	Y		DL	.9	2	-.707	3	-.7	6	-1									
29	0.9DL + 1WL 240 AZI	Yes	Y		DL	.9	2	-.5	3	-.8	7	-1									
30	0.9DL + 1WL 270 AZI	Yes	Y		DL	.9	2		3	-1	8	-1									
31	0.9DL + 1WL 300 AZI	Yes	Y		DL	.9	2	.5	3	-.8	9	-1									
32	0.9DL + 1WL 315 AZI	Yes	Y		DL	.9	2	.707	3	-.7	10	-1									
33	0.9DL + 1WL 330 AZI	Yes	Y		DL	.9	2	.866	3	-.5	11	-1									
34	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	1	14		15	1							
35	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	.866	14	.5	16	1							
36	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	.707	14	.707	17	1							

Load Combinations (Continued)

	Description	Solve	PD...	SR...	B...	Factor	BLC	Factor	B...	Fa...	B...	Fa...	BLC	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	
37	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	.5	14.866	18	1								
38	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13		14	1	19	1							
39	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	-.5	14.866	20	1								
40	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	-.7...	14.707	21	1								
41	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	-.8...	14.5	22	1								
42	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	-1	14		15	-1							
43	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	-.8...	14	-.5	16	-1							
44	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	-.7...	14	-.7...	17	-1							
45	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	-.5	14	-.8...	18	-1							
46	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13		14	-1	19	-1							
47	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	.5	14	-.8...	20	-1							
48	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	.707	14	-.7...	21	-1							
49	1.2DL + 1DLi + 1WL...	Yes	Y		DL	1.2	OL1	1	13	.866	14	-.5	22	-1							
50	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	1	E...												
51	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	.866	E...	.5											
52	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	.707	E...	.707											
53	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	.5	E...	.866											
54	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX		E...	1											
55	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	-.5	E...	.866											
56	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	-.707	E...	.707											
57	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	-.866	E...	.5											
58	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	-1	E...												
59	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	-.866	E...	-.5											
60	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	-.707	E...	-.7...											
61	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	-.5	E...	-.8...											
62	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX		E...	-.1											
63	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	.5	E...	-.8...											
64	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	.707	E...	-.7...											
65	(1.2+0.2Sds) + 1.0E...	Yes	Y		DL	1.237	ELX	.866	E...	-.5											
66	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	1	E...												
67	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	.866	E...	.5											
68	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	.707	E...	.707											
69	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	.5	E...	.866											
70	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX		E...	1											
71	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	-.5	E...	.866											
72	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	-.707	E...	.707											
73	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	-.866	E...	.5											
74	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	-1	E...												
75	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	-.866	E...	-.5											
76	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	-.707	E...	-.7...											
77	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	-.5	E...	-.8...											
78	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX		E...	-.1											
79	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	.5	E...	-.8...											
80	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	.707	E...	-.7...											
81	(0.9-0.2Sds) + 1.0E...	Yes	Y		DL	.863	ELX	.866	E...	-.5											
82	1.2D + 1.5 Lv1	Yes	Y		DL	1.2	25	1.5													
83	1.2D + 1.5 Lv2	Yes	Y		DL	1.2	26	1.5													
84	1.2D + 1.5 Lv3	Yes	Y		DL	1.2	27	1.5													
85	1.2D + 1.5 Lv4	Yes	Y		DL	1.2	28	1.5													
86	1.2D + 1.5 Lv5	Yes	Y		DL	1.2	29	1.5													
87	1.2D + 1.5 Lv6	Yes	Y		DL	1.2	30	1.5													
88	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	4	.053	2	.053	3								

Load Combinations (Continued)

	Description	Solve	PD...	SR...	B...	Factor	BLC	Factor	B...	Fa...	B...	Fa...	BLC	Fa...	B...	Fa...	B...	Fa...	B...	Fa...
89	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	5	.053	2	.046	3	.027						
90	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	6	.053	2	.038	3	.038						
91	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	7	.053	2	.027	3	.046						
92	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	8	.053	2	3....	3	.053						
93	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	9	.053	2	-0...	3	.046						
94	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	10	.053	2	-0...	3	.038						
95	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	11	.053	2	-0...	3	.027						
96	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	4	.053	2	-0...	3	6....						
97	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	5	.053	2	-0...	3	-0...						
98	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	6	.053	2	-0...	3	-0...						
99	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	7	.053	2	-0...	3	-0...						
100	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	8	.053	2	-9....	3	-0...						
101	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	9	.053	2	.027	3	-0...						
102	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	10	.053	2	.038	3	-0...						
103	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	31	1.5	11	.053	2	.046	3	-0...						
104	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	4	.053	2	.053	3							
105	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	5	.053	2	.046	3	.027						
106	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	6	.053	2	.038	3	.038						
107	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	7	.053	2	.027	3	.046						
108	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	8	.053	2	3....	3	.053						
109	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	9	.053	2	-0...	3	.046						
110	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	10	.053	2	-0...	3	.038						
111	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	11	.053	2	-0...	3	.027						
112	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	4	.053	2	-0...	3	6....						
113	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	5	.053	2	-0...	3	-0...						
114	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	6	.053	2	-0...	3	-0...						
115	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	7	.053	2	-0...	3	-0...						
116	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	8	.053	2	-9....	3	-0...						
117	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	9	.053	2	.027	3	-0...						
118	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	10	.053	2	.038	3	-0...						
119	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	32	1.5	11	.053	2	.046	3	-0...						
120	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	4	.053	2	.053	3							
121	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	5	.053	2	.046	3	.027						
122	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	6	.053	2	.038	3	.038						
123	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	7	.053	2	.027	3	.046						
124	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	8	.053	2	3....	3	.053						
125	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	9	.053	2	-0...	3	.046						
126	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	10	.053	2	-0...	3	.038						
127	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	11	.053	2	-0...	3	.027						
128	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	4	.053	2	-0...	3	6....						
129	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	5	.053	2	-0...	3	-0...						
130	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	6	.053	2	-0...	3	-0...						
131	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	7	.053	2	-0...	3	-0...						
132	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	8	.053	2	-9....	3	-0...						
133	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	9	.053	2	.027	3	-0...						
134	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	10	.053	2	.038	3	-0...						
135	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	33	1.5	11	.053	2	.046	3	-0...						
136	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	34	1.5	4	.053	2	.053	3							
137	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	34	1.5	5	.053	2	.046	3	.027						
138	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	34	1.5	6	.053	2	.038	3	.038						
139	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	34	1.5	7	.053	2	.027	3	.046						
140	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	34	1.5	8	.053	2	3....	3	.053						

Load Combinations (Continued)

	Description	Solve	PD...	SR...	B...	Factor	BLC	Factor	B...	Fa...	B...	Fa...	BLC	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...	B...	Fa...
193	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	37	1.5	5	.053	2	-0...	3	-0...																		
194	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	37	1.5	6	.053	2	-0...	3	-0...																		
195	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	37	1.5	7	.053	2	-0...	3	-0...																		
196	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	37	1.5	8	.053	2	-9...	3	-0...																		
197	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	37	1.5	9	.053	2	.027	3	-0...																		
198	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	37	1.5	10	.053	2	.038	3	-0...																		
199	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	37	1.5	11	.053	2	.046	3	-0...																		
200	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	4	.053	2	.053	3																			
201	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	5	.053	2	.046	3	.027																		
202	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	6	.053	2	.038	3	.038																		
203	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	7	.053	2	.027	3	.046																		
204	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	8	.053	2	3...	3	.053																		
205	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	9	.053	2	-0...	3	.046																		
206	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	10	.053	2	-0...	3	.038																		
207	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	11	.053	2	-0...	3	.027																		
208	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	4	.053	2	-0...	3	6...																		
209	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	5	.053	2	-0...	3	-0...																		
210	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	6	.053	2	-0...	3	-0...																		
211	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	7	.053	2	-0...	3	-0...																		
212	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	8	.053	2	-9...	3	-0...																		
213	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	9	.053	2	.027	3	-0...																		
214	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	10	.053	2	.038	3	-0...																		
215	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	38	1.5	11	.053	2	.046	3	-0...																		
216	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	4	.053	2	.053	3																			
217	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	5	.053	2	.046	3	.027																		
218	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	6	.053	2	.038	3	.038																		
219	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	7	.053	2	.027	3	.046																		
220	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	8	.053	2	3...	3	.053																		
221	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	9	.053	2	-0...	3	.046																		
222	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	10	.053	2	-0...	3	.038																		
223	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	11	.053	2	-0...	3	.027																		
224	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	4	.053	2	-0...	3	6...																		
225	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	5	.053	2	-0...	3	-0...																		
226	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	6	.053	2	-0...	3	-0...																		
227	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	7	.053	2	-0...	3	-0...																		
228	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	8	.053	2	-9...	3	-0...																		
229	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	9	.053	2	.027	3	-0...																		
230	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	10	.053	2	.038	3	-0...																		
231	1.2D + 1.5Lm + 1.0...	Yes	Y		DL	1.2	39	1.5	11	.053	2	.046	3	-0...																		

Envelope Joint Reactions

	Joint		X [lb]	LC	Y [lb]	LC	Z [lb]	LC	MX [lb-ft]	LC	MY [lb-ft]	LC	MZ [lb-ft]	LC
1	N25	max	1416.53	3	904.68	20	1838.62	39	332.01	30	353.24	33	1679.66	19
2		min	-1409.72	27	-908.16	12	-32.32	31	-3408.26	38	-1973.93	175	-1685.39	11
3	N1	max	1468.22	17	837.76	8	1890.06	45	3356.91	45	401.9	19	1720.4	25
4		min	-1467.77	25	-829.46	32	-22.41	21	-275.88	21	-2256.05	43	-1727.19	17
5	N13	max	315.32	18	1440.12	22	1793.87	34	679.89	200	3782.43	34	1417.75	30
6		min	-322.85	10	-1444.8	14	-62.39	26	-554.52	22	-435.57	26	-1422.69	6
7	Totals:	max	2807.11	18	2621.76	6	5271.5	45						
8		min	-2807.11	10	-2621.76	30	1369.25	69						



Envelope AISC 15th(360-16): LRFD Steel Code Checks

Member	Shape	Code Check	Loc[in]	LC	Shea...	Lo...	phi*P...	phi*P...	phi*M...	phi*M...	Eqn		
1	SA2	PIPE 3.5	.505	40	45	.177	40	9	64491...	78750	7953...	7953...	H1-1b
2	SA3	PIPE 3.5	.487	40	39	.169	40	3	64491...	78750	7953...	7953...	H1-1b
3	SA1	PIPE 3.5	.476	40	34	.159	40	14	64491...	78750	7953...	7953...	H1-1b
4	PB2	C3X5	.355	34.86	45	.133	63...y	41	32858...	47628	981.26	4104	H1-1b
5	PB3	C3X5	.351	34.86	40	.134	63...y	36	32858...	47628	981.26	4104	H1-1b
6	PB1	C3X5	.337	34.86	34	.127	63...y	46	32858...	47628	981.26	4104	H1-1b
7	MP3	PIPE 2.0	.327	57	5	.036	57	10	20866...	32130	1871...	1871...	1 H1-1b
8	MP9	PIPE 2.0	.327	57	10	.034	57	3	20866...	32130	1871...	1871...	H1-1b
9	MP8	PIPE 2.0	.321	57	10	.037	57	14	20866...	32130	1871...	1871...	H1-1b
10	MP2	PIPE 2.0	.320	57	5	.046	57	9	20866...	32130	1871...	1871...	1 H1-1b
11	MP1	PIPE 2.0	.314	57	16	.039	57	17	20866...	32130	1871...	1871...	H1-1b
12	MP5	PIPE 2.0	.300	57	16	.046	57	3	20866...	32130	1871...	1871...	H1-1b
13	MP4	PIPE 2.0	.298	57	11	.039	57	11	20866...	32130	1871...	1871...	H1-1b
14	MP6	PIPE 2.0	.298	57	7	.034	57	8	20866...	32130	1871...	1871...	1 H1-1b
15	MP7	PIPE 2.0	.295	57	10	.031	57	9	20866...	32130	1871...	1871...	H1-1b
16	CP5	6.5"x0.37" Plate	.229	21	12	.096	21 y	42	27548...	75757...	583.96	6636	H1-1b
17	CP6	6.5"x0.37" Plate	.229	21	7	.095	21 y	37	27548...	75757...	583.96	6370	H1-1b
18	CP4	6.5"x0.37" Plate	.229	21	2	.090	21 y	48	27548...	75757...	583.96	6399	H1-1b
19	M19	PIPE 2.0	.162	72	10	.168	72	2	14916...	32130	1871...	1871...	H1-1b
20	M21	PIPE 2.0	.156	72	5	.163	72	13	14916...	32130	1871...	1871...	H1-1b
21	M20	PIPE 2.0	.148	72	15	.161	72	8	14916...	32130	1871...	1871...	H1-1b
22	IFH21	L2x2x3	.143	0	14	.025	0 z	43	18084...	23392...	557.72	1182	1 H2-1
23	IFH11	L2x2x3	.143	0	3	.025	0 z	49	18084...	23392...	557.72	1179	1 H2-1
24	IFH 31	L2x2x3	.118	0	9	.025	0 z	38	18084...	23392...	557.72	1182	1 H2-1
25	IFH32	L2x2x3	.103	0	13	.028	0 y	42	18084...	23392...	557.72	1182	1 H2-1
26	H1	PIPE 3.5	.097	72	152	.101	24	10	60666...	78750	7953...	7953...	1 H1-1b
27	H3	PIPE 3.5	.095	72	204	.099	24	16	60666...	78750	7953...	7953...	1 H1-1b
28	IFH22	L2x2x3	.088	0	2	.027	0 y	47	18084...	23392...	557.72	1182	1 H2-1
29	H2	PIPE 3.5	.088	34	7	.093	24	5	60666...	78750	7953...	7953...	H1-1b
30	IFH12	L2x2x3	.087	0	8	.027	0 y	36	18084...	23392...	557.72	1179	1 H2-1
31	CP3	6.6x4.46x0.25	.084	0	21	.037	42 z	4	51170...	87561	2464...	7125	1 H2-1
32	CP2	6.6x4.46x0.25	.082	0	26	.037	0 y	9	51170...	87561	2464...	7125	1 H2-1
33	CP1	6.6x4.46x0.25	.074	0	32	.034	0 y	14	51170...	87561	2464...	7125	1 H2-1

Envelope AISI 100-12: LRFD Cold Formed Steel Code Checks

Member	Shape	Code Check	Loc[in]	LC	Shea...	Loc[i...Dir	LC	phi*Pn[...	phi*Tn[...	phi*Mn...	phi*Mn...	Cb	Cmy	Cmzz	Eqn
No Data to Print ...															

APPENDIX D
ADDITIONAL CALCUATIONS

BOLT TOOL 1.5.2

Project Data	
Job Code:	188627
Carrier Site ID:	BOHVN00007A
Carrier Site Name:	CT-CCI-T-5800059


Code	
Design Standard:	TIA-222-H
Slip Check:	No
Pretension Standard:	TIA-222-H

Bolt Properties		
Connection Type:	Bolt	
Diameter:	0.625	in
Grade:	A325	--
Yield Strength (Fy):	92	ksi
Ultimate Strength (Fu):	120	ksi
Number of Bolts:	4	--
Threads Included:	No	--
Double Shear:	No	--
Connection Pipe Size:	-	in

Connection Description
Standoff to Monopole

Bolt Check*		
Tensile Capacity (ϕT_n):	20340.1	lbs
Shear Capacity (ϕV_n):	17257.3	lbs
Tension Force (T_u):	4142.4	lbs
Shear Force (V_u):	666.5	lbs
Tension Usage:	19.4%	--
Shear Usage:	3.7%	--
Interaction:	19.4%	Pass
Controlling Member:	SA2	--
Controlling LC:	42	--

*Rating per TIA-222-H Section 15.5




APPENDIX E
SUPPLEMENTAL DRAWINGS

ITEM	PART NO.	DESCRIPTION	QTY.	WEIGHT	NOTE NO.
1	MTC3006SB	STEEL BUNDLE FOR SNUB NOSE PLATFORM	1	402.64 LBS	
2	MCPK8CSB	PIPE STEEL BUNDLE FOR MC-PK8-C	1	464.27 LBS	
3	MCPK8CHWK	HARDWARE KIT FOR MC-PK8-C	1	543.22 LBS	



FOR BOM ENTRY ONLY



REV.	ECN	DESCRIPTION	BY	DATE
A		INITIAL RELEASE	DRR	12/27/11
B	8000005979	CHANGE NOSE CORNER BRKT. ADD GUB-4240	MSM	11/25/14
C	8000007579	NEW RINGMOUNT WELDMENT DESIGN	RJC	04/07/15

These drawings are specifications for the assembly property of Andrew Corporation and may be used only for the specific application intended in writing by Andrew Corporation.

ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED:

X = ± .12 ANGLES ±Z
 XX = ± .06 FRACTIONS ±1/32
 XXX = ± .03
 REMOVE BURRS AND BREAK EDGES 0.05




DO NOT SCALE THIS PRINT

DATE OF ISSUE	MSM	1 of 3	REV. NO.	MC-PK8-C
DATE OF ISSUE	TP	NTS	DESCRIPTION	LOW PROFILE PLATFORM KIT 8' FACE ASSEMBLY DRAWING
DATE OF ISSUE	10/18/11	A36, A500	REGION	GALV. A123
DATE OF ISSUE	C	1410.14 LBS		

NOTES:
 1. CUSTOMER ASSEMBLY SHEETS 2-3.

WESTCHESTER, IL. 60154
ANDREW®
 U.S.A.

ϕ 38 [965.2]
15 [381.0]



NOTES:
1. ALL METRIC DIMENSIONS ARE IN BRACKETS.
2. WILL FIT MONOPOLES 15"-38" OD.

ITEM	PART NO.	DESCRIPTION	QTY.	WEIGHT
1	MC-RM1550-3	12" - 50" OD RINGMOUNT	1	230.42 LBS
2	MTC300601	Low Profile Co-Location Platform Snub Nose	3	134.21 LBS
3	MT1195801	Corner Weldment Snub Nose Handrail	3	27.10 LBS
4	XA2020.01	CROSS OVER ANGLE	9	2.65 LBS
5	GUB-4356	1/2" X 3-5/8" X 6" GALV U-BOLT	18	0.82 LBS
6	GUB-4355	1/2" X 3-5/8" X 5" GALV U-BOLT	12	0.71 LBS
7	GUB-4240	1/2" X 2-1/2" X 4" GALV U-BOLT	48	0.56 LBS
8	GB-04145	1/2" X 1-1/2" GALV BOLT KIT	12	0.13 LBS
9	GW-F-04	1/2" GALV FLAT WASHER	24	0.03 LBS
10	GB-0520A	5/8" X 2" GALV BOLT KIT (A325)	12	0.27 LBS
11	MT154796	3.50" OD X 96" GALV PIPE	3	60.28 LBS
12	MT-651-96	ϕ 2.375" OD X 96" PIPE	3	29.07 LBS
13	MT-651	2.375" OD x 72" PIPE	9	21.80 LBS
14	MT119617	MT196 Pipe Mount Plate	6	2.49 LBS
15	MT21701	PIPE MOUNT PLATE	9	7.93 LBS

These drawings are the property of Andrew Corporation and may be used only for the specific application intended in writing by Andrew Corporation.


ALL DIMENSIONS ARE IN INCHES UNLESS TOLERANCES UNLESS OTHERWISE SPECIFIED:
X = ± .12
XX = ± .06
XXX = ± .03
REMOVE BURRS AND BREAK EDGES (R)

ANGLES 4Z
FRACTIONS ±1/32
REGION C


DO NOT SCALE THIS PRINT

REV. NO.	MSM	QTY.	2 of 3	REV. NO.	MC-PK8-C
DATE	NTS	QTY.		DATE	25" OD Snub Nose MT-196
BY	A36, A53	QTY.		BY	ASSEMBLY DRAWING
CHKD	GALV A123	QTY.		CHKD	
APP'D	136127 LBS	QTY.		APP'D	


WESTCHESTER, IL. 60154
U.S.A.
ANDREW®




WITH ANTENNAS



DETAIL A
SCALE 1 : 8



DETAIL C
SCALE 1 : 8



DETAIL B
SCALE 1 : 8

<p>These drawings are specifications on the proprietary property of Andrew Corporation and may be used only for the specific product in which they are used.</p> <p>ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED: X = ± .12 ANGLES ±Z XX = ± .06 XXX = ± .03 REMOVE BURRS AND BREAK EDGES DGS</p>	<p>QUANTITY 3 of 3</p>	<p>REV. 10/18/11</p>	<p>DATE 10/18/11</p>	<p>MC-PK8-C</p>
	<p>DESCRIPTION 25" OD Sub. Nose W1-196</p>	<p>SCALE NTS</p>	<p>DESIGNER A36, A53</p>	<p>DATE 10/18/11</p>
	<p>REVISION C</p>	<p>REVISION GALV. A123</p>	<p>WEIGHT 1361.27 LBS</p>	<p>ASSEMBLY DRAWING</p>
	<p>DO NOT SCALE THIS PRINT</p>			

NOTES:
1. ALL METRIC DIMENSIONS ARE IN BRACKETS.

WESTCHESTER, IL. 60154
ANDREW®
 U.S.A.

Exhibit F

Power Density/RF Emissions Report

**RADIO FREQUENCY EMISSIONS ANALYSIS REPORT
EVALUATION OF HUMAN EXPOSURE POTENTIAL
TO NON-IONIZING EMISSIONS**

Dish Wireless Existing Facility

Site ID: BOHVN00007A

5800059

258 Ridge Road

Madison, Connecticut 06433

September 29, 2021

EBI Project Number: 6221005712

Site Compliance Summary	
Compliance Status:	COMPLIANT
Site total MPE% of FCC general population allowable limit:	17.95%

September 29, 2021

Dish Wireless

Emissions Analysis for Site: BOHVN00007A - 5800059

EBI Consulting was directed to analyze the proposed Dish Wireless facility located at **258 Ridge Road in Madison, Connecticut** for the purpose of determining whether the emissions from the Proposed Dish Wireless Antenna Installation located on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01 and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$). The number of $\mu\text{W}/\text{cm}^2$ calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits; therefore, it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) – (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general population may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general population would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Public exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$). The general population exposure limits for the 600 MHz and 700 MHz frequency bands are approximately $400 \mu\text{W}/\text{cm}^2$ and $467 \mu\text{W}/\text{cm}^2$, respectively. The general population exposure limit for the 1900 MHz (PCS), 2100 MHz (AWS) and 11 GHz frequency bands is $1000 \mu\text{W}/\text{cm}^2$. Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.

Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure.

Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.

CALCULATIONS

Calculations were done for the proposed Dish Wireless Wireless antenna facility located at 258 Ridge Road in Madison, Connecticut using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. Since Dish Wireless is proposing highly focused directional panel antennas, which project most of the emitted energy out toward the horizon, all calculations were performed assuming a lobe representing the maximum gain of the antenna per the antenna manufacturer's supplied specifications, minus 20 dB for directional panel antennas and 20 dB for highly focused parabolic microwave dishes, was focused at the base of the tower. For this report, the sample point is the top of a 6-foot person standing at the base of the tower.

For all calculations, all equipment was calculated using the following assumptions:

- 1) 4 n71 channels (600 MHz Band) were considered for each sector of the proposed installation. These Channels have a transmit power of 30 Watts per Channel.
- 2) 4 n70 channels (PCS Band - 1900 MHz) were considered for each sector of the proposed installation. These Channels have a transmit power of 40 Watts per Channel.
- 3) All radios at the proposed installation were considered to be running at full power and were uncombined in their RF transmissions paths per carrier prescribed configuration. Per FCC OET Bulletin No. 65 - Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. This is rarely the case, and if so, is never continuous.
- 4) For the following calculations, the sample point was the top of a 6-foot person standing at the base of the tower. The maximum gain of the antenna per the antenna manufacturer's supplied specifications, minus 20 dB for directional panel antennas and 20 dB for highly focused parabolic microwave dishes, was used in this direction. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.

- 5) The antennas used in this modeling are the JMA MX08FRO665-20 for the 600 MHz / 1900 MHz channel(s) in Sector A, the JMA MX08FRO665-20 for the 600 MHz / 1900 MHz channel(s) in Sector B, the JMA MX08FRO665-20 for the 600 MHz / 1900 MHz channel(s) in Sector C. This is based on feedback from the carrier with regard to anticipated antenna selection. All Antenna gain values and associated transmit power levels are shown in the Site Inventory and Power Data table below. The maximum gain of the antenna per the antenna manufacturer's supplied specifications, minus 20 dB for directional panel antennas and 20 dB for highly focused parabolic microwave dishes, was used for all calculations. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.
- 6) The antenna mounting height centerline of the proposed antennas is 99 feet above ground level (AGL).
- 7) Emissions values for additional carriers were taken from the Connecticut Siting Council active database. Values in this database are provided by the individual carriers themselves.
- 8) All calculations were done with respect to uncontrolled / general population threshold limits.

Dish Wireless Site Inventory and Power Data

Sector:	A	Sector:	B	Sector:	C
Antenna #:	I	Antenna #:	I	Antenna #:	I
Make / Model:	JMA MX08FRO665-20	Make / Model:	JMA MX08FRO665-20	Make / Model:	JMA MX08FRO665-20
Frequency Bands:	600 MHz / 1900 MHz	Frequency Bands:	600 MHz / 1900 MHz	Frequency Bands:	600 MHz / 1900 MHz
Gain:	17.45 dBd / 22.65 dBd	Gain:	17.45 dBd / 22.65 dBd	Gain:	17.45 dBd / 22.65 dBd
Height (AGL):	99 feet	Height (AGL):	99 feet	Height (AGL):	99 feet
Channel Count:	8	Channel Count:	8	Channel Count:	8
Total TX Power (W):	280 Watts	Total TX Power (W):	280 Watts	Total TX Power (W):	280 Watts
ERP (W):	3,065.51	ERP (W):	3,065.51	ERP (W):	3,065.51
Antenna AI MPE %:	1.83%	Antenna BI MPE %:	1.83%	Antenna CI MPE %:	1.83%

Site Composite MPE %	
Carrier	MPE %
Dish Wireless (Max at Sector A):	1.83%
T-Mobile	9.48%
Verizon	3.17%
AT&T	3.47%
Site Total MPE % :	17.95%

Dish Wireless MPE % Per Sector	
Dish Wireless Sector A Total:	1.83%
Dish Wireless Sector B Total:	1.83%
Dish Wireless Sector C Total:	1.83%
Site Total MPE % :	17.95%

Dish Wireless Maximum MPE Power Values (Sector A)							
Dish Wireless Frequency Band / Technology (Sector A)	# Channels	Watts ERP (Per Channel)	Height (feet)	Total Power Density ($\mu\text{W}/\text{cm}^2$)	Frequency (MHz)	Allowable MPE ($\mu\text{W}/\text{cm}^2$)	Calculated % MPE
Dish Wireless 600 MHz n71	4	223.68	99.0	3.72	600 MHz n71	400	0.93%
Dish Wireless 1900 MHz n70	4	542.70	99.0	9.02	1900 MHz n70	1000	0.90%
						Total:	1.83%

• NOTE: Totals may vary by approximately 0.01% due to summation of remainders in calculations.

Summary

All calculations performed for this analysis yielded results that were **within** the allowable limits for general population exposure to RF Emissions.

The anticipated maximum composite contributions from the Dish Wireless facility as well as the site composite emissions value with regards to compliance with FCC's allowable limits for general population exposure to RF Emissions are shown here:

Dish Wireless Sector	Power Density Value (%)
Sector A:	1.83%
Sector B:	1.83%
Sector C:	1.83%
Dish Wireless Maximum MPE % (Sector A):	1.83%
Site Total:	17.95%
Site Compliance Status:	COMPLIANT

The anticipated composite MPE value for this site assuming all carriers present is **17.95%** of the allowable FCC established general population limit sampled at the ground level. This is based upon values listed in the Connecticut Siting Council database for existing carrier emissions.

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government.

Exhibit G

Letter of Authorization



4545 E River Rd, Suite 320
West Henrietta, NY 14586

Phone: (585) 445-5896
Fax: (724) 416-4461
www.crowncastle.com

Crown Castle Letter of Authorization

CT - CONNECTICUT SITING COUNCIL

Melanie A. Bachman
Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

Re: Tower Share Application
Crown Castle telecommunications site at:
258 RIDGE ROAD, MADISON, CT 06433

TOWER DEVELOPMENT CORPORATION (“Crown Castle”) hereby authorizes DISH Wireless LLC, including their Agent, to act as our Agent in the processing of all zoning applications, building permits and approvals through the CT - CONNECTICUT SITING COUNCIL for the existing wireless communications site described below:


Crown Site ID/Name: 5800059/Ridge Road, Madison
Customer Site ID: BOHVN00007A/CT-CCI-T-5800059
Site Address: 258 Ridge Road, MADISON, CT 06433

Crown Castle

By:  _____ Date: 10/4/2021
Richard Zajac
Site Acquisition Specialist

Exhibit H

Recipient Mailings



USPS TRACKING #

9405 5036 9930 0026 3049 90

Electronic Rate Approved #038555749

P

10/07/2021

PRIORITY MAIL 2-DAY™

Expected Delivery Date: 10/12/21
Ref#: DS-5800059
0006

R013

SHIP TO: RICH ZAJAC
CROWN CASTLE
4545 E RIVER RD
STE 320
W HENRIETTA NY 14586-9024

DEBORAH CHASE
NORTHEAST SITE SOLUTIONS
420 MAIN ST
STE 1
STURBRIDGE MA 01566-1359

UNITED STATES POSTAL SERVICE®

Click-N-Ship®

usps.com 9405 5036 9930 0026 3049 90 0087 0000 0031 4586

US POSTAGE
Flat Rate Envoy

U.S. POSTAGE PAID
Click-N-Ship®

Mailed from 01566



Cut on dotted line.

Instructions

1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. **DO NOT PHOTO COPY OR ALTER LABEL.**
2. Place your label so it does not wrap around the edge of the package.
3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, **DO NOT TAPE OVER BARCODE.** Be sure all edges are secure.
4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING # :
9405 5036 9930 0026 3049 90

Trans. #: 545436265	Priority Mail® Postage: \$8.70
Print Date: 10/07/2021	Total: \$8.70
Ship Date: 10/07/2021	
Expected Delivery Date: 10/12/2021	

From: DEBORAH CHASE
NORTHEAST SITE SOLUTIONS
420 MAIN ST
STE 1
STURBRIDGE MA 01566-1359


Ref#: DS-5800059

To: RICH ZAJAC
CROWN CASTLE
4545 E RIVER RD
STE 320
W HENRIETTA NY 14586-9024

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.



Thank you for shipping with the United States Postal Service!
Check the status of your shipment on the USPS Tracking® page at usps.com



USPS TRACKING #

9405 5036 9930 0026 3050 03

Electronic Rate Approved #038555749

SHIP

TO: PEGGY LYONS
FIRST SELECTWOMAN
8 CAMPUS DR
MADISON CT 06443-2562

P

10/07/2021

USPS.com 9405 5036 9930 0026 3050 03 0087 0000 0010 6443
US POSTAGE
Flat Rate Envoy

U.S. POSTAGE PAID
click-n-ship®


Mailed from 01566

PRIORITY MAIL 2-DAY™

DEBORAH CHASE
NORTHEAST SITE SOLUTIONS
420 MAIN ST
STE 1
STURBRIDGE MA 01566-1359

Expected Delivery Date: 10/12/21
Ref#: DS-5800059
0006

R027



Click-N-Ship®



Cut on dotted line.

Instructions

- Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- Place your label so it does not wrap around the edge of the package.
- Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING # :
9405 5036 9930 0026 3050 03

Trans. #:	545436265	Priority Mail® Postage:	\$8.70
Print Date:	10/07/2021	Total:	\$8.70
Ship Date:	10/07/2021		
Expected			
Delivery Date:	10/12/2021		

From: DEBORAH CHASE
NORTHEAST SITE SOLUTIONS
420 MAIN ST
STE 1
STURBRIDGE MA 01566-1359


Ref#: DS-5800059

To: PEGGY LYONS
FIRST SELECTWOMAN
8 CAMPUS DR
MADISON CT 06443-2562

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.



Thank you for shipping with the United States Postal Service!
Check the status of your shipment on the USPS Tracking® page at usps.com



USPS TRACKING #

9405 5036 9930 0026 3050 34

Electronic Rate Approved #038555749

SHIP TO: JOHN DELAURA
CHIEF ZONING ENFORCEMENT OFFICER
8 CAMPUS DR
MADISON CT 06443-2562

P

10/07/2021

USPS TRACKING #

US POSTAGE

Flat Rate Enviv

U.S. POSTAGE PAID

click-n-ship®

Mailed from 01566

PRIORITY MAIL 2-DAY™

DEBORAH CHASE
NORTHEAST SITE SOLUTIONS
420 MAIN ST
STE 1
STURBRIDGE MA 01566-1359

Expected Delivery Date: 10/12/21
Ref#: DS-5800059
0006

R027

UNITED STATES POSTAL SERVICE®

Click-N-Ship®

usps.com 9405 5036 9930 0026 3050 34 0087 0000 0010 6443

\$8.70



Cut on dotted line.

Instructions

1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
2. Place your label so it does not wrap around the edge of the package.
3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING # :
9405 5036 9930 0026 3050 34

Trans. #: 545436265	Priority Mail® Postage: \$8.70
Print Date: 10/07/2021	Total: \$8.70
Ship Date: 10/07/2021	
Expected Delivery Date: 10/12/2021	

From: DEBORAH CHASE Ref#: DS-5800059
NORTHEAST SITE SOLUTIONS
420 MAIN ST
STE 1
STURBRIDGE MA 01566-1359

To: JOHN DELAURA
CHIEF ZONING ENFORCEMENT OFFICER
8 CAMPUS DR
MADISON CT 06443-2562

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.



Thank you for shipping with the United States Postal Service!
Check the status of your shipment on the USPS Tracking® page at usps.com

5800059



UNIONVILLE
24 MILL ST
UNIONVILLE, CT 06085-9998
(800)275-8777

10/08/2021 01:41 PM

Product	Qty	Unit Price	Price
---------	-----	------------	-------

Prepaid Mail	1		\$0.00
West Henrietta, NY 14586			
Weight: 0 lb 2.10 oz			
Acceptance Date: Fri 10/08/2021			
Tracking #: 9405 5036 9930 0026 3049 90			

Prepaid Mail	1		\$0.00
Madison, CT 06443			
Weight: 1 lb 4.40 oz			
Acceptance Date: Fri 10/08/2021			
Tracking #: 9405 5036 9930 0026 3050 03			

Prepaid Mail	1		\$0.00
Madison, CT 06443			
Weight: 1 lb 4.50 oz			
Acceptance Date: Fri 10/08/2021			
Tracking #: 9405 5036 9930 0026 3050 34			

Grand Total:			\$0.00
--------------	--	--	--------

 USPS is experiencing unprecedented volume
 increases and limited employee
 availability due to the impacts of
 pandemic