



Crown Castle  
3 Corporate Park Drive, Suite 101  
Clifton Park, NY 12065

October 9, 2018

Melanie A. Bachman  
Acting Executive Director  
Connecticut Siting Council  
10 Franklin Square  
New Britain, CT 06051

**RE: Notice of Exempt Modification for Sprint DO Macro: 876370**  
**Sprint Site ID: CT33XC059**  
**41 Beckwith Rd. Montville, CT 06370**  
**Latitude: 41° 26' 7.66"/Longitude: 72° 13' 15.07"**

Dear Ms. Bachman:

Sprint currently maintains six (6) antennas at the 180-foot level of the existing 180-foot monopole tower at 41 Beckwith Rd. Montville, CT 06370. The tower is owned by Crown Castle. Gladys J Bond Trustee owns the property. Sprint now intends to replace six (6) antennas with six (6) new antennas. These antennas would be installed at the 180-foot level of the tower. Sprint also intends to install nine (9) RRHs, one (1) low profile platform, and install four (4) new hybrid cables.

**This facility was approved by the Town of Montville Planning and Zoning Commission on September 6<sup>th</sup> 2000. This approval was made with conditions that were met.**

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.S.C.A. § 16-50j-73, a copy of this letter is being sent to Mayor Ronald McDaniel, Town of Montville, Vernon D Vesey II, Building Official, Town of Montville, the property owner, and Crown Castle is the tower owner.

1. The proposed modifications will not result in an increase in the height of the existing tower.
2. The proposed modifications will not require the extension of the site boundary.
3. The proposed modification will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the replacement antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communication Commission safety standard.

**The Foundation for a Wireless World.**

CrownCastle.com

Melanie A. Bachman

October 9, 2018

Page 2

5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The existing structure and its foundation can support the proposed loading.

For the foregoing reasons, Sprint respectfully submits that the proposed modifications to the above-reference telecommunications facility constitutes an exempt modification under R.C.S.A. § 16-50j-72(b)(2). Please send approval/rejection letter to Attn: Jeffrey Barbadora.

Sincerely,

Jeffrey Barbadora  
Real Estate Specialist  
12 Gill Street, Suite 5800, Woburn, MA 01801  
781-729-0053  
[Jeff.Barbadora@crowncastle.com](mailto:Jeff.Barbadora@crowncastle.com)

Attachments:

- Tab 1: Exhibit-1: Compound plan and elevation depicting the planned changes
- Tab 2: Exhibit-2: Structural Modification Report
- Tab 3: Exhibit-3: General Power Density Table Report (RF Emissions Analysis Report)

cc: The Honorable Ronald McDaniel  
Town Hall  
310 Norwich-New London Tpke.  
Uncasville, CT 06382

Vernon D. Vesey II, Building Official  
Town Hall  
310 Norwich-New London Tpke.  
Uncasville, CT 06382

Gladys J Bond Trustee  
41 Beckwith Rd.  
Oakdale, CT 06370



41 Beckwith Rd  
Oakdale, CT 06370



Directions



SAVE



NEARBY



SEND TO YOUR  
PHONE




SHARE



CQRM+GX Montville, Waterford, CT



Add a missing place



Satellite

Google




CURRENT OWNER		TOPO		UTILITIES		STRT / ROAD		LOCATION		CURRENT ASSESSMENT										
BOND GLADYS J TRUSTEE		1	Level	7	Electric	1	Paved	S	Murphy Schl	Description	Code	Appraised	Assessed	6086 MONTVILLE, CT						
					Well			F	Chesterfield	Res Land	1-1	60,800	42,560							
41 BECKWITH RD		SUPPLEMENTAL DATA								Res Exces	1-2	155,830	109,080							
		Alt Parcel ID 012/001-000		Census 695202		Dev Lot		Subdiv		Dwelling	1-3	172,740	120,920							
OAKDALE CT 06370		Map #		Zoning Notes WRP-160		Gis ID 012/001-000		ASSOC PID#		Res OB	1-4	185,590	129,910							
		OAKDALE CT 06370		Map #		Zoning Notes WRP-160		Gis ID 012/001-000		Util Land	4-1	185,400	129,780							
		OAKDALE CT 06370		Map #		Zoning Notes WRP-160		Gis ID 012/001-000		Farm Land	6-1	22,500	880							
										Forest	6-2	377,500	25,370							
										Total		1,160,360	558,500							
RECORD OF OWNERSHIP		BK-VOL/PAGE		SALE DATE		Q/U V/I		SALE PRICE		VC		PREVIOUS ASSESSMENTS (HISTORY)								
BOND GLADYS J TRUSTEE		0606	806	06-29-2015		U	I	0	10	Year	Code	Assessed	Year	Code	Assessed	Year	Code	Assessed		
BOND LOUIS HEALY EST		0576	0614	10-10-2012		U	I	0	29	2016	1-1	42,560	2015	1-1	53,760	2014	1-1	53,760		
BOND LOUIS HEALY		0101	0472	08-01-1968			I	0			1-2	109,080		1-2	196,340		1-2	196,340		
											1-3	120,920		1-3	108,340		1-3	108,340		
											1-4	129,910		1-4	5,670		1-4	18,040		
										Total	558,500	Total	508,200	Total	520,570					
EXEMPTIONS			OTHER ASSESSMENTS					This signature acknowledges a visit by a Data Collector or Assessor												
Year	Code	Description	Amount	Code	Description	Number	Amount	Comm Int												
Total			0.00																	
ASSESSING NEIGHBORHOOD										APPRAISED VALUE SUMMARY										
NBHD		NBHD Name		Street Index Name		Tracing		Batch		Appraised Bldg. Value (Card)				172,740						
0001										Appraised XF (B) Value (Bldg)				0						
										Appraised OB (B) Value (Bldg)				185,590						
										Appraised Land Value (Bldg)				802,030						
										Special Land Value				26,250						
										Total Appraised Parcel Value				1,160,360						
										Valuation Method				C						
										Adjustment										
										Total Appraised Parcel Value				1,160,360						
BUILDING PERMIT RECORD										VISIT / CHANGE HISTORY										
Permit ID	Issue Date	Type	Description	Amount	Insp Date	% Comp	Date Comp	Comments	Date	Type	IS	ID	Cd	Purpost/Result						
E2017-0036	02-28-2017	00		8,800		100	03-01-2017	CA-INSTALL NEW 2	08-20-2015			LB	06	Permit Inspection						
B2017-0061	02-28-2017	79		15,000		100	05-17-2017	CA-VERIZON REPL	04-13-2011			KN	00	Interior + Exterior Inspe						
B2016-0468	11-30-2016	CM		43,500		100	05-17-2017	CA-CELL TOWER M												
W/O	05-22-2015	79	Misc	0	08-20-2015	100		OUTBLDNGS REM												
M2013-014	09-06-2013	13	AG tank New	500		100	09-09-2013	CA-TANK & LINES												
E2013-0205	08-28-2013	00	Electrical	6,000		100	09-09-2013	CA-STANDBY GEN												
E2002-260	09-12-2002	00	ELECTRICAL FOR	7,000		100		ELECTRICAL FOR												
LAND LINE VALUATION SECTION																				
B	Use co	Description	Zone	D	Fronta	Depth	Units	Unit Price	I. Fact	S.A.	Ac Di	C. Fact	St. Idx	Adj	Notes	Special Pricing		S Adj	Adj Unit Pric	Land Value
																Spec Use	Spec Calc			
1	1010	Single Family	WRP				160,000 SF	0.38	1.000	5	1.000	1.00	016	1.00				1.000		60,800
1	1010	Single Family	WRP				62 AC	2,500.00	1.000	0	1.000	1.00	016	1.00				0.000		155,830
1	4340	Cell Tower	WRP				1 WF	185,400.0	1.000	0	1.000	1.00		1.00				0.000		185,400
1	605	Perm Pasture	WRP				9 AC	2,500.00	1.000	0	1.000	1.00	016	1.00		490	140	0.000		22,500
1	700	Forest	WRP				151 AC	2,500.00	1.000	0	1.000	1.00	016	1.00		490	240	0.000		377,500
Total Card Land Units							226.003 AC	Parcel Total Land Area	226.0031								Total Land Value		802,030	

CONSTRUCTION DETAIL			CONSTRUCTION DETAIL (CONTINUED)		
Element	Cd	Description	Element	Cd	Description
Style	02	Split Level			
Model	01	Residential			
Grade:	09	C+			
Stories:	1				
Occupancy	1				
Exterior Wall A	26	Aluminum Sidng			
Exterior Wall B					
Roof Structure:	03	Gable			
Roof Cover	03	Asphalt			
Interior Wall A	05	Drywall			
Interior Wall B					
Interior Flr A	12	Hardwood			
Interior Flr B					
Heat Fuel	02	Oil			
Heat Type:	04	Forced Air			
AC Type:	01	None			
Total Bedrooms	03	3 Bedrooms			
Total Bthrms:	2				
Total Half Baths	1	1			
Total Xtra Fixtrs	0				
Total Rooms:	6				
Bath Style:	02	Average			
Kitchen Style:	02	Average			
Whirlpool Tub					
Fireplaces	2				
Fin Bsmnt	700				
Fin Bsmnt Qual	R	Rec Room 4			
Attic Access	04	Scuttle			
Basement Gara	0				
MH Basement					
MHP/Complex					

MIXED USE		
Code	Description	Percentage
1010	Single Family	100
		0
		0

COST / MARKET VALUATION	
Base Rate	100.00
RCN	
Net Other Adj	
Year Built	1963
Effective Year Built	
Depreciation Code	A
Remodel Rating	
Year Remodeled	
Depreciation %	36
Functional Obsol	
Economic Obsol	
Cost Trend Factor	1
Condition	
% Complete	
	64
RCNLD	172,740
Dep % Ovr	
Dep Ovr Comment	
Misc Imp Ovr	
Misc Imp Ovr Comment	
Cost to Cure Ovr	
Cost to Cure Ovr Comment	



OB - OUTBUILDING & YARD ITEMS(L) / XF - BUILDING EXTRA FEATURES(B)													
Code	Description	Su	Sub Type	Lan	Units	Unit Price	Year	Pct	Depre	Conditio	Qu	Apprais Va	
SPL2	Pool- Inground			B	1,00	23.00	1963	30	0.00	F	A	1.00	6,900
PAT1	Patio-Ave			B	600	4.00	2011	30	0.00	F	08	1.00	720
SHD1	Shed			B	80	12.00	2011	50	0.00	AV	08	1.00	480
IMP	Implement S			B	2,40	6.00	1977	10	0.00	P	07	1.00	0
CELL	Cell Tower			L	1	163600.0		100	0.00	AV	08	0.00	163,600
CELS	Cell Shed			L	160	100.00		75	0.00	G	08	1.00	12,000
FN8	6' Top Rail F			L	360	7.00		75	0.00	G	08	1.00	1,890


BUILDING SUB-AREA SUMMARY SECTION						
Subarea	Description	Living	Gross	Eff Area	Unit Cost	Undeprec Value
BAS	First Floor	2,054	2,054		102.05	209,604
CRL	Crawl Space	0	988		0.00	0
FGR	Garage	0	672		30.67	20,613
FOP	Open Porch	0	228		15.22	3,470
URB	Raised Basement	0	1,014		35.73	36,227
Ttl Gross Liv / Lease Area		2,054	4,956			



**SPECIAL CONSTRUCTION NOTE:**  
 SPRINT WORK IS CONTINGENT ON THE FOLLOWING:  
 \* COMPLETION OF A GLOBAL STRUCTURAL STABILITY ANALYSIS.  
 \* COMPLETION OF AN ANTENNA/RRH MOUNT STRUCTURAL ASSESSMENT.  
 \* GC SHALL FURNISH, INSTALL AND COMPLETE ALL REQUIRED STRUCTURAL MODIFICATIONS AS INDICATED IN BEFORE-MENTIONED ANALYSIS AND ASSESSMENT.



**PROJECT:** DO MACRO UPGRADE (800 3G/4G & 2.5)  
**SITE NAME:** MAYBROOK/BOND  
**SITE CASCADE:** CT33XC059  
**MARKET:** NE  
**SITE ADDRESS:** 41 BECKWITH ROAD  
 MONTVILLE, CT 06370  
**SITE TYPE:** MONOPOLE



Know what's below.  
 Call before you dig.  
 www.call811.com

**CROWN CASTLE SITE #: 876370**  
**CROWN CASTLE SITE NAME: MAYBROOK/BOND**

**NOTE:**  
 OWNER AND TENANT MAY, FROM TIME TO TIME AT TENANT'S OPTION, REPLACE THIS EXHIBIT WITH AN EXHIBIT SETTING FORTH THE LEGAL DESCRIPTION OF THE SITE, OR WITH ENGINEERED OR AS-BUILT DRAWING DEPICTING THE SITE OR ILLUSTRATING STRUCTURAL MODIFICATIONS OR CONSTRUCTION PLANS OF THE SITE. ANY VISUAL OR TEXTUAL REPRESENTATION OF THE EQUIPMENT LOCATED WITHIN THE SITE CONTAINED IN THESE OTHER DOCUMENTS IS ILLUSTRATIVE ONLY, AND DOES NOT LIMIT THE RIGHTS OF SPRINT AS PROVIDED FOR IN THE AGREEMENT. THE LOCATIONS OF ANY ACCESS AND UTILITY EASEMENTS ARE ILLUSTRATIVE ONLY. ACTUAL LOCATIONS MAY BE DETERMINED BY TENANT AND/OR THE SERVICING UTILITY COMPANY IN COMPLIANCE WITH LOCAL LAWS AND REGULATIONS.

**STRUCTURAL NOTES:**  
 PRIOR TO COMMENCING CONSTRUCTION, GC SHALL REFER TO TOWER STRUCTURAL ANALYSIS PROVIDED BY P-SEC DATED JULY 04, 2018 AND MOUNT STRUCTURAL ANALYSIS BY HDG DATED JUNE 27, 2018 (REV.1) TO DETERMINE IF THERE ANY SUPPLEMENTAL OR SPECIAL INSTALLATION REQUIREMENTS, OR RELOCATION ARRANGEMENTS.

**NOTE:**  
 THESE PLANS ARE BASED ON INFORMATION OBTAINED FROM PHOTOS DATED APRIL 2015 AND JUNE 2017. THE SPRINT CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL ITEMS AND NOTIFYING THE ENGINEER OF RECORD OF ANY DISCREPANCIES.

**VICINITY MAP**  
 N.T.S.



**PROJECT INFORMATION**

**SITE INFORMATION:**

SPRINT EQUIPMENT MODIFICATIONS REQUIRED TO SUPPORT MODERNIZATION OF AN EXISTING WIRELESS COMMUNICATIONS FACILITY AND UTILIZATION OF FCC BROADBAND SPECTRUM LICENSE FOR DO\_MACRO UPGRADE, INCLUDING INSTALLATION OF:  
 GROUND-LEVEL RAN EQUIPMENT, CONSISTING OF:  
 \* NO CHANGES  
 TOWER EQUIPMENT, INCLUDING INSTALLATION OF:  
 \* (6) PANEL ANTENNAS TO REPLACE (6) EXISTING ANTENNAS  
 \* (9) REMOTE RADIO HEADS (RRH)  
 \* (3) RELOCATE EXISTING GROUND MOUNTED RADIO HEADS (RRH) TO TOWER TOP  
 \* (4) HYBRID CABLES  
 \* (1) NEW LOW PROFILE PLATFORM

LATITUDE: N 41° 26' 7.66"  
 LONGITUDE: W 72° 13' 15.07"  
 GROUND ELEVATION: 267'± AMSL (PER GOOGLE EARTH)  
 STRUCTURE HEIGHT: 180'± AGL (TYPE: MONOPOLE)  
 ZONING JURISDICTION: MONTVILLE

**APPLICANT:**

SPRINT  
 1 INTERNATIONAL BLVD, SUITE 800  
 MAHWAH, NJ 07495

**PROPERTY OWNER:**

BOND GLADYS J TRUSTEE  
 41 BECKWITH ROAD  
 OAKDALE, CT 06370

**TOWER OWNER:**

CROWN CASTLE  
 12 GILL STREET  
 SUITE 5800  
 WOBURN, MA 01801

**SPRINT CONSTRUCTION MANAGER:**

MIKE DURKIN  
 PHONE: 401-363-9923  
 michael.durkin@sprint.com

**SPRINT MARKET MANAGER:**

RONALD HIBBARD  
 PHONE: 774-269-8812  
 ronald.hibbard@sprint.com

**CROWN CASTLE PROJECT MANAGER:**

WILL STONE  
 PHONE: 518-373-3543  
 william.stone@crowncastle.com

**DRAWING INDEX**

SHEET NO.	DESCRIPTION	REV.
T-1	TITLE SHEET	3
SP-1	OUTLINE SPECIFICATIONS	3
SP-2	OUTLINE SPECIFICATIONS	3
SP-3	OUTLINE SPECIFICATIONS	3
A-1	COMPOUND PLAN & EQUIPMENT PLAN	3
A-2	ANTENNA PLANS & ELEVATION	3
A-3	EQUIPMENT DETAILS	3
A-4	MOUNTING DETAILS	3
RF-1	RF DATA SHEET	3
RF-2	WIRING DIAGRAMS	3
G-1	ONE LINE DIAGRAM, GROUNDING DETAILS & NOTES	3

**SPECIAL ZONING NOTE**


BASED ON INFORMATION PROVIDED BY SPRINT REGULATORY COMPLIANCE PROFESSIONALS AND LEGAL COUNSEL, THIS TELECOMMUNICATIONS EQUIPMENT DEPLOYMENT IS CONSIDERED AN ELIGIBLE FACILITY UNDER THE TAX RELIEF ACT OF 2012, 47 USC 1455(A), AND IS SUBJECT TO AN EXPEDITED ELIGIBLE FACILITIES REQUEST/REVIEW AND ZONING PRE-EMPTION FOR LOCAL DISCRETIONARY PERMITS (VARIANCE, SPECIAL PERMIT, SITE PLAN REVIEW, ADMINISTRATIVE REVIEW).

**GENERAL NOTES**

- THIS IS AN UNMANNED TELECOMMUNICATION FACILITY AND NOT FOR HUMAN HABITATION:  
 - ADA COMPLIANCE NOT REQUIRED.  
 - POTABLE WATER OR SANITARY SERVICE IS NOT REQUIRED.  
 - NO OUTDOOR STORAGE OR ANY SOLID WASTE RECEPTACLES REQUIRED.
- CONTRACTOR SHALL VERIFY ALL PLANS, EXISTING DIMENSIONS, AND CONDITIONS ON JOB SITE. CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ARCHITECT/ENGINEER IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK. FAILURE TO NOTIFY THE ARCHITECT/ENGINEER PLACE THE RESPONSIBILITY ON THE CONTRACTOR TO CORRECT THE DISCREPANCIES AT THE CONTRACTOR'S EXPENSE.
- CONSTRUCTION DRAWINGS ARE VALID FOR SIX MONTHS AFTER ENGINEER OF RECORD'S STAMPED AND SIGNED SUBMITTAL DATE LISTED HEREIN.
- NEW CONSTRUCTION WILL CONFORM TO ALL APPLICABLE CODES AND ORDINANCES.  
 BUILDING CODE: IBC 2012 W/ 2016 CT STATE BUILDING CODE AMENDMENTS  
 ELECTRICAL CODE: NFPA 70 2014 - NATIONAL ELECTRIC CODE  
 STRUCTURAL CODE: TIA/EIA-222-G STRUCTURAL STANDARDS FOR ANTENNA SUPPORTING STRUCTURES AND ANTENNAS.

**APPROVALS**

PROJECT MANAGER	DATE
CONSTRUCTION	DATE
RF ENGINEERING	DATE
ZONING / SITE ACQ.	DATE
OPERATIONS	DATE
TOWER OWNER	DATE



CHECKED BY: BB

APPROVED BY: DJC

**SUBMITTALS**

REV.	DATE	DESCRIPTION	BY
3	08/28/18	CONSTRUCTION FINAL	BB
2	07/30/18	CONSTRUCTION REVISED	GA
1	01/09/18	CONSTRUCTION REVISED	DJM
0	01/05/18	ISSUED FOR CONSTRUCTION	DJM

SITE NUMBER:  
**CT33XC059**  
 SITE NAME:  
**MAYBROOK/BOND**  
 CROWN BU NUMBER:  
**876370**  
 SITE ADDRESS:  
 41 BECKWITH ROAD  
 MONTVILLE, CT 06370  
 NEW LONDON COUNTY

SHEET TITLE  
**TITLE SHEET**  
 (DO MIMO REDESIGN)

SHEET NUMBER  
**T-1**

THESE OUTLINE SPECIFICATIONS IN CONJUNCTION WITH THE SPRINT STANDARD CONSTRUCTION SPECIFICATIONS, INCLUDING CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.

**SECTION 01 100 – SCOPE OF WORK**

**PART 1 – GENERAL**

- 1.1 **THE WORK:** THESE STANDARD CONSTRUCTION SPECIFICATIONS IN CONJUNCTION WITH THE SPRINT CONSTRUCTION STANDARDS FOR WIRELESS SITES, CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.
- 1.2 **RELATED DOCUMENTS:**
  - A. THE REQUIREMENTS OF THIS SECTION APPLY TO ALL SECTIONS IN THIS SPECIFICATION.
  - B. SPRINT "STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES" ARE INCLUDED IN AND MADE A PART OF THESE SPECIFICATIONS HEREWITH.
- 1.3 **PRECEDENCE:** SHOULD CONFLICTS OCCUR BETWEEN THE STANDARD CONSTRUCTION SPECIFICATIONS FOR WIRELESS SITES INCLUDING THE STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES AND THE CONSTRUCTION DRAWINGS, INFORMATION ON THE CONSTRUCTION DRAWINGS SHALL TAKE PRECEDENCE. NOTIFY SPRINT CONSTRUCTION MANAGER IF THIS OCCURS.
- 1.4 **NATIONALLY RECOGNIZED CODES AND STANDARDS:**
  - A. THE WORK SHALL COMPLY WITH APPLICABLE NATIONAL AND LOCAL CODES AND STANDARDS, LATEST EDITION, AND PORTIONS THEREOF, INCLUDED BUT NOT LIMITED TO THE FOLLOWING:
    - 1. GR-78-CORE GENERIC REQUIREMENTS FOR THE PHYSICAL DESIGN AND MANUFACTURE OF TELECOMMUNICATIONS EQUIPMENT.
    - 2. GR-1089 CORE, ELECTROMAGNETIC COMPATIBILITY AND ELECTRICAL SAFETY –GENERIC CRITERIA FOR NETWORK TELECOMMUNICATIONS EQUIPMENT.
    - 3. NATIONAL FIRE PROTECTION ASSOCIATION CODES AND STANDARDS (NFPA) INCLUDING NFPA 70 (NATIONAL ELECTRICAL CODE – "NEC") AND NFPA 101 (LIFE SAFETY CODE).
    - 4. AMERICAN SOCIETY FOR TESTING OF MATERIALS (ASTM)
    - 5. INSTITUTE OF ELECTRONIC AND ELECTRICAL ENGINEERS (IEEE)
    - 6. AMERICAN CONCRETE INSTITUTE (ACI)
    - 7. AMERICAN WIRE PRODUCERS ASSOCIATION (AWPA)
    - 8. CONCRETE REINFORCING STEEL INSTITUTE (CRSI)
    - 9. AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS (AASHTO)
    - 10. PORTLAND CEMENT ASSOCIATION (PCA)
    - 11. NATIONAL CONCRETE MASONRY ASSOCIATION (NCMA)
    - 12. BRICK INDUSTRY ASSOCIATION (BIA)
    - 13. AMERICAN WELDING SOCIETY (AWS)
    - 14. NATIONAL ROOFING CONTRACTORS ASSOCIATION (NRCA)
    - 15. SHEET METAL AND AIR CONDITIONING CONTRACTORS' NATIONAL ASSOCIATION (SMACNA)
    - 16. DOOR AND HARDWARE INSTITUTE (DHI)
    - 17. OCCUPATIONAL SAFETY AND HEALTH ACT (OSHA)
    - 18. APPLICABLE BUILDING CODES INCLUDING UNIFORM BUILDING CODE, SOUTHERN BUILDING CODE, BOCA, AND THE INTERNATIONAL BUILDING CODE.
- 1.5 **DEFINITIONS:**
  - A. WORK: THE SUM OF TASKS AND RESPONSIBILITIES IDENTIFIED IN THE CONTRACT DOCUMENTS.
  - B. COMPANY: SPRINT CORPORATION
  - C. ENGINEER: SYNONYMOUS WITH ARCHITECT & ENGINEER AND "A&E". THE DESIGN PROFESSIONAL HAVING PROFESSIONAL RESPONSIBILITY FOR DESIGN OF THE PROJECT.
  - D. CONTRACTOR: CONSTRUCTION CONTRACTOR; CONSTRUCTION VENDOR; INDIVIDUAL OR ENTITY WHO AFTER EXECUTION OF A CONTRACT IS BOUND TO ACCOMPLISH THE WORK.
  - E. THIRD PARTY VENDOR OR AGENCY: A VENDOR OR AGENCY ENGAGED SEPARATELY BY THE COMPANY, A&E, OR CONTRACTOR TO PROVIDE MATERIALS OR TO ACCOMPLISH SPECIFIC TASKS RELATED TO BUT NOT INCLUDED IN THE WORK.
  - F. OFCI: OWNER FURNISHED, CONTRACTOR INSTALLED EQUIPMENT.
  - G. CONSTRUCTION MANAGER – ALL PROJECTS RELATED COMMUNICATION TO FLOW THROUGH SPRINT REPRESENTATIVE IN CHARGE OF PROJECT...
- 1.6 **SITE FAMILIARITY:** CONTRACTOR SHALL BE RESPONSIBLE FOR FAMILIARIZING HIMSELF WITH ALL CONTRACT DOCUMENTS, FIELD CONDITIONS AND DIMENSIONS PRIOR TO PROCEEDING WITH CONSTRUCTION. ANY DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE SPRINT CONSTRUCTION MANAGER PRIOR TO THE COMMENCEMENT OF WORK. NO COMPENSATION WILL BE AWARDED BASED ON CLAIM OF LACK OF KNOWLEDGE OR FIELD CONDITIONS.
- 1.7 **POINT OF CONTACT:** COMMUNICATION BETWEEN SPRINT AND THE CONTRACTOR SHALL FLOW THROUGH THE SINGLE SPRINT CONSTRUCTION MANAGER APPOINTED TO MANAGE THE PROJECT FOR SPRINT.
- 1.8 **ON-SITE SUPERVISION:** THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE WORK AND SHALL BE RESPONSIBLE FOR CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, AND PROCEDURES IN ACCORDANCE WITH THE CONTRACT DOCUMENTS. THE CONTRACTOR SHALL EMPLOY A COMPETENT SUPERINTENDENT WHO SHALL BE IN ATTENDANCE AT THE SITE AT ALL TIMES DURING PERFORMANCE OF THE WORK.
- 1.9 **DRAWINGS, SPECIFICATIONS AND DETAILS REQUIRED AT JOBSITE:** THE CONSTRUCTION CONTRACTOR SHALL MAINTAIN A FULL SET OF THE CONSTRUCTION DRAWINGS, STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES AND THE STANDARD CONSTRUCTION SPECIFICATIONS FOR WIRELESS SITES AT THE JOBSITE FROM MOBILIZATION THROUGH CONSTRUCTION COMPLETION.
  - A. THE JOBSITE DRAWINGS, SPECIFICATIONS AND DETAILS SHALL BE CLEARLY MARKED DAILY IN RED PENCIL WITH ANY CHANGES IN CONSTRUCTION OVER WHAT IS DEPICTED IN THE DOCUMENTS. AT CONSTRUCTION COMPLETION, THIS JOBSITE MARKUP SET SHALL BE DELIVERED TO THE COMPANY OR COMPANY'S DESIGNATED REPRESENTATIVE TO BE FORWARDED TO THE COMPANY'S A&E VENDOR FOR PRODUCTION OF "AS-BUILT" DRAWINGS.
  - B. DETAILS ARE INTENDED TO SHOW DESIGN INTENT. MODIFICATIONS MAY BE REQUIRED TO SUIT JOB DIMENSIONS OR CONDITIONS, AND SUCH MODIFICATIONS SHALL BE INCLUDED AS PART OF THE WORK. CONTRACTOR SHALL NOTIFY SPRINT CONSTRUCTION MANAGER OF ANY VARIATIONS PRIOR TO PROCEEDING WITH THE WORK.
  - C. DIMENSIONS SHOWN ARE TO FINISH SURFACES UNLESS NOTED OTHERWISE. SPACING BETWEEN EQUIPMENT IS THE REQUIRED CLEARANCE. SHOULD THERE BE ANY QUESTIONS REGARDING THE CONTRACT DOCUMENTS, EXISTING CONDITIONS AND/OR DESIGN INTENT, THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING A CLARIFICATION FROM THE SPRINT CONSTRUCTION MANAGER PRIOR TO PROCEEDING WITH THE WORK.
- 1.10 **USE OF JOB SITE:** THE CONTRACTOR SHALL CONFINE ALL CONSTRUCTION AND RELATED OPERATIONS INCLUDING STAGING AND STORAGE OF MATERIALS AND EQUIPMENT, PARKING, TEMPORARY FACILITIES, AND WASTE STORAGE TO THE LEASE PARCEL UNLESS OTHERWISE PERMITTED BY THE CONTRACT DOCUMENTS.

- 1.11 **UTILITIES SERVICES:** WHERE NECESSARY TO CUT EXISTING PIPES, ELECTRICAL WIRES, CONDUITS, CABLES, ETC., OF UTILITY SERVICES, OR OF FIRE PROTECTION OR COMMUNICATIONS SYSTEMS, THEY SHALL BE CUT AND CAPPED AT SUITABLE PLACES OR WHERE SHOWN. ALL SUCH ACTIONS SHALL BE COORDINATED WITH THE UTILITY COMPANY INVOLVED:
- 1.12 **PERMITS / FEES:** WHEN REQUIRED THAT A PERMIT OR CONNECTION FEE BE PAID TO A PUBLIC UTILITY PROVIDER FOR NEW SERVICE TO THE CONSTRUCTION PROJECT, PAYMENT OF SUCH FEE SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- 1.13 **CONTRACTOR SHALL TAKE ALL MEASURES AND PROVIDE ALL MATERIAL NECESSARY FOR PROTECTING EXISTING EQUIPMENT AND PROPERTY.**
- 1.14 **METHODS OF PROCEDURE (MOPS) FOR CONSTRUCTION:** CONTRACTOR SHALL PERFORM WORK AS DESCRIBED IN THE FOLLOWING INSTALLATION AND COMMISSIONING MOPS.
  - A. TOP HAT
  - B. HOW TO INSTALL A NEW CABINET
  - C. BASE BAND UNIT IN EXISTING UNIT
  - D. INSTALLATION OF BATTERIES
  - E. INSTALLATION OF HYBRID CABLE
  - F. INSTALLATION OF RRH'S
  - G. CABLING
  - H. SPRINT TS-0200 (CURRENT VERSION) – ANTENNA LINE ACCEPTANCE STANDARDS
  - I. SPRINT CELL SITE ENGINEERING NOTICE – EN 2012-001, REV 1.
  - J. COMMISSIONING MOPS
  - K. SPRINT CELL SITE ENGINEERING NOTICE – EN-2013-002
  - L. SPRINT ENGINEERING LETTER – EL-0504
  - M. SPRINT ENGINEERING LETTER – EL-0568
  - N. SPRINT TECHNICAL SPECIFICATION – TS-0193

**1.15 USE OF ELECTRONIC PROJECT MANAGEMENT SYSTEMS:**

- A. CONTRACTOR WILL UTILIZE ITS BEST EFFORTS TO WORK WITH SPRINT ELECTRONIC PROJECT MANAGEMENT SYSTEMS. CONTRACTOR UNDERSTANDS THAT SUFFICIENT INTERNET ACCESS, EQUIVALENT TO "BROADBAND" OR BETTER, IS REQUIRED TO TIMELY AND EFFECTIVELY UTILIZE SPRINT DATA AND DOCUMENT MANAGEMENT SYSTEMS AND AGREES TO MAINTAIN APPROPRIATE CONNECTIONS FOR CONTRACTOR'S STAFF AND OFFICES THAT ARE COMPATIBLE WITH SPRINT DATA AND DOCUMENT MANAGEMENT SYSTEMS

**PART 2 – PRODUCTS (NOT USED)**  
**PART 3 – EXECUTION**

- 3.1 **TEMPORARY UTILITIES AND FACILITIES:** THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL TEMPORARY UTILITIES AND FACILITIES NECESSARY EXCEPT AS OTHERWISE INDICATED IN THE CONSTRUCTION DOCUMENTS. TEMPORARY UTILITIES AND FACILITIES INCLUDE POTABLE WATER, HEAT, HVAC, ELECTRICITY, SANITARY FACILITIES, WASTE DISPOSAL FACILITIES, AND TELEPHONE/COMMUNICATION SERVICES. PROVIDE TEMPORARY UTILITIES AND FACILITIES IN ACCORDANCE WITH OSHA AND THE AUTHORITY HAVING JURISDICTION. CONTRACTOR MAY UTILIZE THE COMPANY ELECTRICAL SERVICE IN THE COMPLETION OF THE WORK WHEN IT BECOMES AVAILABLE. USE OF THE LESSORS OR SITE OWNER'S UTILITIES OR FACILITIES IS EXPRESSLY FORBIDDEN EXCEPT AS OTHERWISE ALLOWED IN THE CONTRACT DOCUMENTS.
- 3.2 **ACCESS TO WORK:** THE CONTRACTOR SHALL PROVIDE ACCESS TO THE JOB SITE FOR AUTHORIZED COMPANY PERSONNEL AND AUTHORIZED REPRESENTATIVES OF THE ARCHITECT/ENGINEER DURING ALL PHASES OF THE WORK.
- 3.3 **TESTING: REQUIREMENTS FOR TESTING BY THIS CONTRACTOR SHALL BE AS INDICATED HEREWITH, ON THE CONSTRUCTION DRAWINGS, AND IN THE INDIVIDUAL SECTIONS OF THESE SPECIFICATIONS. SHOULD COMPANY CHOOSE TO ENGAGE ANY THIRD-PARTY TO CONDUCT ADDITIONAL TESTING, THE CONTRACTOR SHALL COOPERATE WITH AND PROVIDE A WORK AREA FOR COMPANY'S TEST AGENCY.**
- 3.4 **DIMENSIONS:** VERIFY DIMENSIONS INDICATED ON DRAWINGS WITH FIELD DIMENSIONS BEFORE FABRICATION OR ORDERING OF MATERIALS. DO NOT SCALE DRAWINGS.
- 3.5 **EXISTING CONDITIONS:** NOTIFY THE SPRINT CONSTRUCTION MANAGER OF EXISTING CONDITIONS DIFFERING FROM THOSE INDICATED ON THE DRAWINGS. DO NOT REMOVE OR ALTER STRUCTURAL COMPONENTS WITHOUT PRIOR WRITTEN APPROVAL FROM THE ARCHITECT AND ENGINEER.

**SECTION 01 200 – COMPANY FURNISHED MATERIAL AND EQUIPMENT**

**PART 1 – GENERAL**

- 1.1 **THE WORK:** THESE STANDARD CONSTRUCTION SPECIFICATIONS IN CONJUNCTION WITH THE OTHER CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.
- 1.2 **RELATED DOCUMENTS:**
  - A. THE REQUIREMENTS OF THIS SECTION APPLY TO ALL SECTIONS IN THIS SPECIFICATION.
  - B. SPRINT "STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES" ARE INCLUDED IN AND MADE A PART OF THESE SPECIFICATIONS HEREWITH.
- 1.3 **CONTRACTOR SHALL TAKE ALL MEASURES AND PROVIDE ALL MATERIAL NECESSARY FOR PROTECTING EXISTING EQUIPMENT AND PROPERTY.**
- 1.4 **METHODS OF PROCEDURE (MOPS) FOR CONSTRUCTION:** CONTRACTOR SHALL PERFORM WORK AS DESCRIBED IN THE FOLLOWING INSTALLATION AND COMMISSIONING MOPS.
  - A. TOP HAT
  - B. HOW TO INSTALL A NEW CABINET
  - C. BASE BAND UNIT IN EXISTING UNIT
  - D. INSTALLATION OF BATTERIES
  - E. INSTALLATION OF HYBRID CABLE
  - F. INSTALLATION OF RRH'S
  - G. CABLING
  - H. SPRINT TS-0200 (CURRENT VERSION) – ANTENNA LINE ACCEPTANCE STANDARDS
  - I. SPRINT CELL SITE ENGINEERING NOTICE – EN 2012-001, REV 1.
  - J. COMMISSIONING MOPS
  - K. SPRINT CELL SITE ENGINEERING NOTICE – EN-2013-002
  - L. SPRINT ENGINEERING LETTER – EL-0504
  - M. SPRINT ENGINEERING LETTER – EL-0568
  - N. SPRINT TECHNICAL SPECIFICATION – TS-0193
- 1.5 **USE OF ELECTRONIC PROJECT MANAGEMENT SYSTEMS:**
  - A. CONTRACTOR WILL UTILIZE ITS BEST EFFORTS TO WORK WITH SPRINT ELECTRONIC PROJECT MANAGEMENT SYSTEMS. CONTRACTOR UNDERSTANDS THAT SUFFICIENT INTERNET ACCESS, EQUIVALENT TO "BROADBAND" OR BETTER, IS REQUIRED TO TIMELY AND EFFECTIVELY UTILIZE SPRINT DATA AND DOCUMENT MANAGEMENT SYSTEMS AND AGREES TO MAINTAIN APPROPRIATE CONNECTIONS FOR CONTRACTOR'S STAFF AND OFFICES THAT ARE COMPATIBLE WITH SPRINT DATA AND DOCUMENT MANAGEMENT SYSTEMS

**PART 2 – PRODUCTS (NOT USED)**  
**PART 3 – EXECUTION**

- 3.1 **RECEIPT OF MATERIAL AND EQUIPMENT:**
  - A. COMPANY FURNISHED MATERIAL AND EQUIPMENT IS IDENTIFIED ON THE RF DATA SHEET IN THE CONSTRUCTION DOCUMENTS.
  - B. THE CONTRACTOR IS RESPONSIBLE FOR SPRINT PROVIDED MATERIAL AND EQUIPMENT AND UPON RECEIPT SHALL:
    - 1. ACCEPT DELIVERIES AS SHIPPED AND TAKE RECEIPT.
    - 2. VERIFY COMPLETENESS AND CONDITION OF ALL DELIVERIES.
    - 3. TAKE RESPONSIBILITY FOR EQUIPMENT AND PROVIDE INSURANCE PROTECTION AS REQUIRED IN AGREEMENT.
    - 4. RECORD ANY DEFECTS OR DAMAGES AND WITHIN TWENTY-FOUR HOURS AFTER RECEIPT, REPORT TO SPRINT OR ITS DESIGNATED PROJECT REPRESENTATIVE OF SUCH.
    - 5. PROVIDE SECURE AND NECESSARY WEATHER PROTECTED WAREHOUSING.
    - 6. COORDINATE SAFE AND SECURE TRANSPORTATION OF MATERIAL AND EQUIPMENT, DELIVERING AND OFF-LOADING FROM CONTRACTOR'S WAREHOUSE TO SITE.
- 3.2 **DELIVERABLES:**
  - A. COMPLETE SHIPPING AND RECEIPT DOCUMENTATION IN ACCORDANCE WITH COMPANY PRACTICE.
  - B. IF APPLICABLE, COMPLETE LOST/STOLEN/DAMAGED DOCUMENTATION REPORT AS NECESSARY IN ACCORDANCE WITH COMPANY PRACTICE, AND AS DIRECTED BY COMPANY.
  - C. UPLOAD DOCUMENTATION INTO SPRINT SITE MANAGEMENT SYSTEM (SMS) AND/OR PROVIDE HARD COPY DOCUMENTATION AS REQUESTED.


**SECTION 01 300 – CELL SITE CONSTRUCTION**

**PART 1 – GENERAL**

- 1.1 **THE WORK:** THESE STANDARD CONSTRUCTION SPECIFICATIONS IN CONJUNCTION WITH THE OTHER CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.
- 1.2 **RELATED DOCUMENTS:**
  - A. THE REQUIREMENTS OF THIS SECTION APPLY TO ALL SECTIONS IN THIS SPECIFICATION.
  - B. SPRINT "STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES" ARE INCLUDED IN AND MADE A PART OF THESE SPECIFICATIONS HEREWITH.
- 1.3 **NOTICE TO PROCEED:**
  - A. NO WORK SHALL COMMENCE PRIOR TO COMPANY'S WRITTEN NOTICE TO PROCEED AND THE ISSUANCE OF THE WORK ORDER.
  - B. UPON RECEIVING NOTICE TO PROCEED, CONTRACTOR SHALL FULLY PERFORM ALL WORK NECESSARY TO PROVIDE SPRINT WITH AN OPERATIONAL WIRELESS FACILITY.

**PART 2 – PRODUCTS (NOT USED)**  
**PART 3 – EXECUTION**

- 3.1 **FUNCTIONAL REQUIREMENTS:**
  - A. THE ACTIVITIES DESCRIBED IN THIS PARAGRAPH REPRESENT MINIMUM ACTIONS AND PROCESSES REQUIRED TO SUCCESSFULLY COMPLETE THE WORK. THE ACTIVITIES DESCRIBED ARE NOT EXHAUSTIVE, AND CONTRACTOR SHALL TAKE ANY AND ALL ACTIONS AS NECESSARY TO SUCCESSFULLY COMPLETE THE CONSTRUCTION OF A FULLY FUNCTIONING WIRELESS FACILITY AT THE SITE IN ACCORDANCE WITH COMPANY PROCESSES.
  - B. SUBMIT SPECIFIC DOCUMENTATION AS INDICATED HEREIN, AND OBTAIN REQUIRED APPROVALS WHILE THE WORK IS BEING PERFORMED.
  - C. MANAGE AND CONDUCT ALL FIELD CONSTRUCTION SERVICE RELATED ACTIVITIES
  - D. PROVIDE CONSTRUCTION ACTIVITIES TO THE EXTENT REQUIRED BY THE CONTRACT DOCUMENTS, INCLUDING BUT NOT LIMITED TO THE FOLLOWING:
    - 1. PERFORM ANY REQUIRED SITE ENVIRONMENTAL MITIGATION.
    - 2. PREPARE GROUND SITES; PROVIDE DE-GRUBBING; AND ROUGH AND FINAL GRADING, AND COMPOUND SURFACE TREATMENTS.
    - 3. MANAGE AND CONDUCT ALL ACTIVITIES FOR INSTALLATION OF UTILITIES INCLUDING ELECTRICAL AND TELCO BACKHAUL.
    - 4. INSTALL UNDERGROUND FACILITIES INCLUDING UNDERGROUND POWER AND COMMUNICATIONS CONDUITS, AND UNDERGROUND GROUNDING SYSTEM.
    - 5. INSTALL ABOVE GROUND GROUNDING SYSTEMS.
    - 6. PROVIDE NEW HVAC INSTALLATIONS AND MODIFICATIONS.
    - 7. INSTALL "H-FRAMES", CABINETS AND SHELTERS AS INDICATED.
    - 8. INSTALL ROADS, ACCESS WAYS, CURBS AND DRAINS AS INDICATED.
    - 9. ACCOMPLISH REQUIRED MODIFICATION OF EXISTING FACILITIES.
    - 10. PROVIDE ANTENNA SUPPORT STRUCTURE FOUNDATIONS.
    - 11. PROVIDE SLABS AND EQUIPMENT PLATFORMS.
    - 12. INSTALL COMPOUND FENCING, SIGHT SHIELDING, LANDSCAPING AND ACCESS BARRIERS.
    - 13. PERFORM INSPECTION AND MATERIAL TESTING AS REQUIRED HEREINAFTER.
    - 14. CONDUCT SITE RESISTANCE TO EARTH TESTING AS REQUIRED HEREINAFTER
    - 15. INSTALL FIXED GENERATOR SETS AND OTHER STANDBY POWER SOLUTIONS.
    - 16. INSTALL TOWERS, ANTENNA SUPPORT STRUCTURES AND PLATFORMS ON EXISTING TOWERS AS REQUIRED.
    - 17. INSTALL CELL SITE RADIOS, MICROWAVE, GPS, COAXIAL MAINLINE, ANTENNAS, CROSS BAND COUPLERS, TOWER TOP AMPLIFIERS, LOW NOISE AMPLIFIERS AND RELATED EQUIPMENT.
    - 18. PERFORM, DOCUMENT, AND CLOSE OUT ANY CONSTRUCTION CONTROL DOCUMENTS THAT MAY BE REQUIRED BY GOVERNMENT AGENCIES AND LANDLORDS.
    - 19. PERFORM ANTENNAL AND COAX SWEEP TESTING AND MAKE ANY AND ALL NECESSARY CORRECTIONS.
    - 20. REMAIN ON SITE MOBILIZED THROUGHOUT HAND-OFF AND INTEGRATION TO ASSIST AS NEEDED UNTIL SITE IS DEEMED SUBSTANTIALLY COMPLETE AND PLACED "ON AIR."
- 3.2 **GENERAL REQUIREMENTS FOR CIVIL CONSTRUCTION:**
  - A. CONTRACTOR SHALL KEEP THE SITE FREE FROM ACCUMULATING WASTE MATERIAL, DEBRIS, AND TRASH. AT THE COMPLETION OF THE WORK, CONTRACTOR SHALL REMOVE FROM THE SITE ALL REMAINING RUBBISH, IMPLEMENTS, TEMPORARY FACILITIES, AND SURPLUS MATERIALS.
  - B. EQUIPMENT ROOMS SHALL AT ALL TIMES BE MAINTAINED "BROOM CLEAN" AND CLEAR OF DEBRIS.
  - C. CONTRACTOR SHALL TAKE ALL REASONABLE PRECAUTIONS TO DISCOVER AND LOCATE ANY HAZARDOUS CONDITION.
    - 1. IN THE EVENT CONTRACTOR ENCOUNTERS ANY HAZARDOUS CONDITION WHICH HAS NOT BEEN ABATED OR OTHERWISE MITIGATED, CONTRACTOR AND ALL OTHER PERSONS SHALL IMMEDIATELY STOP WORK IN THE AFFECTED AREA AND NOTIFY COMPANY IN WRITING. THE WORK IN THE AFFECTED AREA SHALL NOT BE RESUMED EXCEPT BY WRITTEN NOTIFICATION BY COMPANY.
    - 2. CONTRACTOR AGREES TO USE CARE WHILE ON THE SITE AND SHALL NOT TAKE ANY ACTION THAT WILL OR MAY RESULT IN OR CAUSE THE HAZARDOUS CONDITION TO BE FURTHER RELEASED IN THE ENVIRONMENT, OR TO FURTHER EXPOSE INDIVIDUALS TO THE HAZARD.
  - D. CONTRACTOR'S ACTIVITIES SHALL BE RESTRICTED TO THE PROJECT LIMITS. SHOULD AREAS OUTSIDE THE PROJECT LIMITS BE AFFECTED BY CONTRACTOR'S ACTIVITIES, CONTRACTOR SHALL IMMEDIATELY RETURN THEM TO ORIGINAL CONDITION
  - E. CONDUCT TESTING AS REQUIRED HEREIN.
- 3.3 **DELIVERABLES:**
  - A. CONTRACTOR SHALL REVIEW, APPROVE, AND SUBMIT TO SPRINT SHOP DRAWINGS, PRODUCT DATA, SAMPLES, AND SIMILAR SUBMITTALS AS REQUIRED HEREINAFTER
  - B. PROVIDE DOCUMENTATION INCLUDING, BUT NOT LIMITED TO, THE FOLLOWING. DOCUMENTATION SHALL BE FORWARDED IN ORIGINAL FORMAT AND/OR UPLOADED INTO SMS.
    - 1. ALL CORRESPONDENCE AND PRELIMINARY CONSTRUCTION REPORTS.
    - 2. PROJECT PROGRESS REPORTS.
    - 3. CIVIL CONSTRUCTION START DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
    - 4. ELECTRICAL SERVICE COMPLETION DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
    - 5. LINES AND ANTENNA INSTALL DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
    - 6. POWER INSTALL DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
    - 7. TELCO READY DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
    - 8. PPC (OR SHELTER) INSTALL DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
    - 9. TOWER CONSTRUCTION START DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
    - 10. TOWER CONSTRUCTION COMPLETE DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
    - 11. BTS AND RADIO EQUIPMENT DELIVERED AT SITE DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
    - 12. NETWORK OPERATIONS HANDOFF CHECKLIST (HOC WALK) COMPLETE (UPLOAD FORM IN SMS)
    - 13. CIVIL CONSTRUCTION COMPLETE DATE (POPULATE FIELD IN SMS AND/OR FORWARD NOTIFICATION).
    - 14. SITE CONSTRUCTION PROGRESS PHOTOS UNLOADED INTO SMS. **CONTINUE SHEET SP-2**



CHECKED BY: BB

APPROVED BY: DJC

SUBMITTALS			
REV.	DATE	DESCRIPTION	BY
3	08/28/18	CONSTRUCTION FINAL	BB
2	07/30/18	CONSTRUCTION REVISED	GA
1	01/09/18	CONSTRUCTION REVISED	DJM
0	01/05/18	ISSUED FOR CONSTRUCTION	DJM

SITE NUMBER:  
**CT33XC059**  
SITE NAME:  
**MAYBROOK/BOND**  
CROWN BU NUMBER:  
**876370**  
SITE ADDRESS:  
**41 BECKWITH ROAD  
MONTVILLE, CT 06370  
NEW LONDON COUNTY**

SHEET TITLE  
**OUTLINE  
SPECIFICATIONS  
(DO MIMO REDESIGN)**

SHEET NUMBER  
**SP-1**

CONTINUED FROM SP-1:

SECTION 01 400 – SUBMITTALS, TESTS, AND INSPECTIONS

PART 1 – GENERAL

1.1 THE WORK: THESE STANDARD CONSTRUCTION SPECIFICATIONS IN CONJUNCTION WITH THE OTHER CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.

1.2 RELATED DOCUMENTS:

- A. THE REQUIREMENTS OF THIS SECTION APPLY TO ALL SECTIONS IN THIS SPECIFICATION.
B. SPRINT "STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES" ARE INCLUDED IN AND MADE A PART OF THESE SPECIFICATIONS HERewith.

1.3 SUBMITTALS:

- A. THE WORK IN ALL ASPECTS SHALL COMPLY WITH THE CONSTRUCTION DRAWINGS AND THESE SPECIFICATIONS.
B. SUBMIT THE FOLLOWING TO COMPANY REPRESENTATIVE FOR APPROVAL.
1. CONCRETE MIX-DESIGNS FOR TOWER FOUNDATIONS, ANCHORS PIERS, AND CONCRETE PAVING.
2. CONCRETE BREAK TESTS AS SPECIFIED HEREIN.
3. SPECIAL FINISHES FOR INTERIOR SPACES, IF ANY.
4. ALL EQUIPMENT AND MATERIALS SO IDENTIFIED ON THE CONSTRUCTION DRAWINGS.
5. CHEMICAL GROUNDING DESIGN.
C. ALTERNATES: AT THE COMPANY'S REQUEST, ANY ALTERNATIVES TO THE MATERIALS OR METHODS SPECIFIED SHALL BE SUBMITTED TO SPRINT'S CONSTRUCTION MANAGER FOR APPROVAL PRIOR TO BEING SHIPPED TO SITE.

1.4 TESTS AND INSPECTIONS:

- A. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL CONSTRUCTION TESTS, INSPECTIONS AND PROJECT DOCUMENTATION.
B. CONTRACTOR SHALL ACCOMPLISH TESTING INCLUDING BUT NOT LIMITED TO THE FOLLOWING:
1. COAX SWEEPS AND FIBER TESTS PER SPRINT TS-0200 (CURRENT VERSION) ANTENNA LINE ACCEPTANCE STANDARDS.
2. AGL, AZIMUTH AND DOWNTILT USING ELECTRONIC COMMERCIAL MADE-FOR-THE-PURPOSE ANTENNA ALIGNMENT TOOL.
3. CONTRACTOR SHALL BE RESPONSIBLE FOR ANY AND ALL CORRECTIONS TO ANY WORK IDENTIFIED AS UNACCEPTABLE IN SITE INSPECTION ACTIVITIES AND/OR AS A RESULT OF TESTING.
C. REQUIRED CLOSEOUT DOCUMENTATION INCLUDES, BUT IS NOT LIMITED TO THE FOLLOWING:
1. AZIMUTH, DOWNTILT, AGL – UPLOAD REPORT FROM ANTENNA ALIGNMENT TOOL TO SITERRA TASK 465.
2. SCANABLE BARCODE PHOTOGRAPHS OF TOWER TOP AND INACCESSIBLE SERIALIZED EQUIPMENT
3. ALL AVAILABLE JURISDICTIONAL INFORMATION
4. PDF SCAN OF REDLINES PRODUCED IN FIELD
5. ELECTRONIC AS-BUILT DRAWINGS IN AUTOCAD AND PDF FORMATS.
6. LIEN WAIVERS
7. FINAL PAYMENT APPLICATION
8. REQUIRED FINAL CONSTRUCTION PHOTOS
9. CONSTRUCTION AND COMMISSIONING CHECKLIST COMPLETE WITH NO DEFICIENT ITEMS
10. ALL POST NTP TASKS INCLUDING DOCUMENT UPLOADS COMPLETED IN SITERRA (SPRINTS DOCUMENT REPOSITORY OF RECORD).

1.5 COMMISSIONING: PERFORM ALL COMMISSIONING AS REQUIRED BY APPLICABLE MOPS

1.6 INTEGRATION: PERFORM ALL INTEGRATION ACTIVITIES AS REQUIRED BY APPLICABLE MOPS

PART 2 – PRODUCTS (NOT USED)

PART 3 – EXECUTION

3.1 REQUIREMENTS FOR TESTING:

- A. THIRD PARTY TESTING AGENCY: WHEN THE USE OF A THIRD PARTY INDEPENDENT TESTING AGENCY IS REQUIRED, THE AGENCY THAT IS SELECTED MUST PERFORM SUCH WORK ON A REGULAR BASIS IN THE STATE WHERE THE PROJECT IS LOCATED AND HAVE A THOROUGH UNDERSTANDING OF LOCAL AVAILABLE MATERIALS, INCLUDING THE SOIL, ROCK, AND GROUNDWATER CONDITIONS.
1. THE THIRD PARTY TESTING AGENCY IS TO BE FAMILIAR WITH THE APPLICABLE REQUIREMENTS FOR THE TESTS TO BE DONE, EQUIPMENT TO BE USED, AND ASSOCIATED HEALTH AND SAFETY ISSUES.
2. EXPERIENCE IN SOILS, CONCRETE, MASONRY, AGGREGATE, AND ASPHALT TESTING USING ASTM, AASJTO, AND OTHER METHODS IS NEEDED.
3. EXPERIENCE IN SOILS, CONCRETE, MASONRY, AGGREGATE, AND ASPHALT TESTING USING ASTM, AASJTO, AND OTHER METHODS IS NEEDED.

3.2 REQUIRED TESTS:

- A. CONTRACTOR SHALL ACCOMPLISH TESTING INCLUDING BUT NOT LIMITED TO THE FOLLOWING:
1. CONCRETE CYLINDER BREAK TESTS FOR THE TOWER AND ANCHOR FOUNDATIONS AS SPECIFIED IN SECTION: PORTLAND CEMENT CONCRETE PAVING.
2. ASPHALT ROADWAY COMPACTED THICKNESS, SURFACE SMOOTHNESS, AND COMPACTED DENSITY TESTING AS SPECIFIED IN SECTION: HOT MIX ASPHALT PAVING.
3. FIELD QUALITY CONTROL TESTING AS SPECIFIED IN SECTION: PORTLAND CEMENT CONCRETE PAVING.
4. TESTING REQUIRED UNDER SECTION: AGGREGATE BASE FOR ACCESS ROADS, PADS AND ANCHOR LOCATIONS
5. STRUCTURAL BACKFILL COMPACTION TESTS FOR THE TOWER FOUNDATION.
6. SITE RESISTANCE TO EARTH TESTING PER EXHIBIT: CELL SITE GROUNDING SYSTEM DESIGN.
7. ANTENNA AND COAX SWEEP TESTS PER EXHIBIT: ANTENNA TRANSMISSION LINE ACCEPTANCE STANDARDS.
8. GROUNDING AT ANTENNA MASTS FOR GPS AND ANTENNAS
9. ALL OTHER TESTS REQUIRED BY COMPANY OR JURISDICTION.

3.3 REQUIRED INSPECTIONS:

- A. SCHEDULE INSPECTIONS WITH COMPANY REPRESENTATIVE.
B. CONDUCT INSPECTIONS INCLUDING BUT NOT LIMITED TO THE FOLLOWING:
1. GROUNDING SYSTEM INSTALLATION PRIOR TO EARTH CONCEALMENT DOCUMENTED WITH DIGITAL PHOTOGRAPHS BY CONTRACTOR, APPROVED BY A&E OR SPRINT REPRESENTATIVE.
2. FORMING FOR CONCRETE AND REBAR PLACEMENT PRIOR TO POUR DOCUMENTED WITH DIGITAL PHOTOGRAPHS BY CONTRACTOR, APPROVED BY A&E OR SPRINT REPRESENTATIVE.
3. COMPACTION OF BACKFILL MATERIALS; AGGREGATE BASE FOR ROADS, PADS, AND ANCHORS; ASPHALT PAVING; AND SHAFT BACKFILL FOR CONCRETE AND WOOD POLES, BY INDEPENDENT THIRD PARTY AGENCY.
4. PRE- AND POST-CONSTRUCTION ROOFTOP AND STRUCTURAL INSPECTIONS ON EXISTING FACILITIES.
5. TOWER ERECTION SECTION STACKING AND PLATFORM ATTACHMENT DOCUMENTED BY DIGITAL PHOTOGRAPHS BY THIRD PARTY AGENCY.
6. ANTENNA AZIMUTH , DOWN TILT AND PER SUNLIGHT TOOL SUNSIGHT INSTRUMENTS – ANTENNALIGN ALIGNMENT TOOL (AAT)
7. VERIFICATION DOCUMENTED WITH THE ANTENNA CHECKLIST REPORT, BY A&E, SITE DEVELOPMENT REP, OR RF REP.
8. FINAL INSPECTION CHECKLIST AND HANDOFF WALK (HOC). SIGNED FORM SHOWING ACCEPTANCE BY FIELD OPS IS TO BE UPLOADED INTO SMS.
9. COAX SWEEP AND FIBER TESTING DOCUMENTS SUBMITTED VIA SMS FOR RF APPROVAL.
10. SCAN-ABLE BARCODE PHOTOGRAPHS OF TOWER TOP AND INACCESSIBLE SERIALIZED EQUIPMENT
11. ALL AVAILABLE JURISDICTIONAL INFORMATION
12. PDF SCAN OF REDLINES PRODUCED IN FIELD
E. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY AND ALL CORRECTIONS TO ANY WORK IDENTIFIED AS UNACCEPTABLE IN SITE INSPECTION ACTIVITIES AND/OR AS A RESULT OF TESTING.
F. CONSTRUCTION INSPECTIONS AND CORRECTIVE MEASURES SHALL BE DOCUMENTED BY THE CONTRACTOR WITH WRITTEN REPORTS AND PHOTOGRAPHS. PHOTOGRAPHS MUST BE DIGITAL AND OF SUFFICIENT QUALITY TO CLEARLY SHOW THE SITE CONSTRUCTION. PHOTOGRAPHS MUST CLEARLY IDENTIFY THE PHOTOGRAPHED ITEM AND BE LABELED WITH THE SITE CASCADE NUMBER, SITE NAME, DESCRIPTION, AND DATE.

3.4 DELIVERABLES: TEST AND INSPECTION REPORTS AND CLOSEOUT DOCUMENTATION SHALL BE UPLOADED TO THE SMS AND/OR FORWARDED TO SPRINT FOR INCLUSION INTO THE PERMANENT SITE FILES.

- A. THE FOLLOWING TEST AND INSPECTION REPORTS SHALL BE PROVIDED AS APPLICABLE.
1. CONCRETE MIX AND CYLINDER BREAK REPORTS.
2. STRUCTURAL BACKFILL COMPACTION REPORTS.
3. SITE RESISTANCE TO EARTH TEST.
4. ANTENNA AZIMUTH AND DOWN TILT VERIFICATION
5. TOWER ERECTION INSPECTIONS AND MEASUREMENTS DOCUMENTING TOWER INSTALLED PER SUPPLIER'S REQUIREMENTS AND THE APPLICABLE SECTIONS HEREIN.
6. COAX CABLE SWEEP TESTS PER COMPANY'S "ANTENNA LINE ACCEPTANCE STANDARDS".
B. REQUIRED CLOSEOUT DOCUMENTATION INCLUDES THE FOLLOWING:
1. TEST WELLS AND TRENCHES: PHOTOGRAPHS OF ALL TEST WELLS; PHOTOGRAPHS SHOWING ALL OPEN EXCAVATIONS AND TRENCHING PRIOR TO BACKFILLING SHOWING A TAPE MEASURE VISIBLE IN THE EXCAVATIONS INDICATING DEPTH.
2. CONDUITS, CONDUCTORS AND GROUNDING: PHOTOGRAPHS SHOWING TYPICAL INSTALLATION OF CONDUCTORS AND CONNECTORS; PHOTOGRAPHS SHOWING TYPICAL BEND RADIUS OF INSTALLED GROUND WIRES AND GROUND ROD SPACING;
3. CONCRETE FORMS AND REINFORCING: CONCRETE FORMING AT TOWER AND EQUIPMENT/SHELTER PAD/FOUNDATIONS – PHOTOGRAPHS SHOWING ALL REINFORCING STEEL, UTILITY AND CONDUIT STUB OUTS; PHOTOGRAPHS SHOWING CONCRETE POUR OF SHELTER SLAB/FOUNDATION, TOWER FOUNDATION AND GUY ANCHORS WITH VIBRATOR IN USE; PHOTOGRAPHS SHOWING EACH ANCHOR ON GUYED TOWERS, BEFORE CONCRETE POUR.
4. TOWER, ANTENNAS AND MAINLINE: INSPECTION AND PHOTOGRAPHS OF SECTION STACKING; INSPECTION AND PHOTOGRAPHS OF PLATFORM COMPONENT ATTACHMENT POINTS; PHOTOGRAPHS OF TOWER TOP GROUNDING; PHOTOS OF TOWER COAX LINE COLOR CODING AT THE TOP AND AT GROUND LEVEL; INSPECTION AND PHOTOGRAPHS OF OPERATIONAL OF TOWER LIGHTING, AND PLACEMENT OF FAA REGISTRATION SIGN; PHOTOGRAPHS SHOWING ADDITIONAL GROUNDING POINTS FOR TOWERS GREATER THAN 200 FEET.; PHOTOS OF ANTENNA GROUND BAR, EQUIPMENT GROUND BAR, AND MASTER GROUND BAR; PHOTOS OF GPS ANTENNA(S); PHOTOS OF EACH SECTOR OF ANTENNAS; ONE PHOTOGRAPH LOOKING AT THE SECTOR AND ONE FROM BEHIND SHOWING THE PROJECTED COVERAGE AREA; PHOTOS OF COAX WEATHERPROOFING – TOP AND BOTTOM; PHOTOS OF COAX GROUNDING--TOP AND BOTTOM; PHOTOS OF ANTENNA AND MAST GROUNDING; PHOTOS OF COAX CABLE ENTRY INTO SHELTER; PHOTOS OF PLATFORM MECHANICAL CONNECTIONS TO TOWER/MONOPOLE.
5. ROOF TOPS: PRE-CONSTRUCTION AND POST-CONSTRUCTION VISUAL INSPECTION AND PHOTOGRAPHS OF THE ROOF AND INTERIOR TO DETERMINE AND DOCUMENT CONDITIONS; ROOF TOP CONSTRUCTION INSPECTIONS AS REQUIRED BY THE JURISDICTION; PHOTOGRAPHS OF CABLE TRAY AND/OR ICE BRIDGE; PHOTOGRAPHS OF DOGHOUSE/CABLE EXIT FROM ROOF;
6. SITE LAYOUT – PHOTOGRAPHS OF THE OVERALL COMPOUND, INCLUDING EQUIPMENT PLATFORM FROM ALL FOUR CORNERS.
7. FINISHED UTILITIES: CLOSE-UP PHOTOGRAPHS OF THE PPC BREAKER PANEL; CLOSE-UP PHOTOGRAPH OF THE INSIDE OF THE TELCO PANEL AND NIU; CLOSE-UP PHOTOGRAPH OF THE POWER METER AND DISCONNECT; PHOTOS OF POWER AND TELCO ENTRANCE TO COMPANY ENCLOSURE; PHOTOGRAPHS AT METER BOX AND/OR FACILITY DISTRIBUTION PANEL.
8. REQUIRED MATERIALS CERTIFICATIONS: CONCRETE MIX DESIGNS; MILL CERTIFICATION FOR ALL REINFORCING AND STRUCTURAL STEEL; AND ASPHALT PAVING MIX DESIGN.
9. ANY AND ALL SUBMITTALS BY THE JURISDICTION OR COMPANY.

SECTION 01 500 – PROJECT REPORTING

PART 1 – GENERAL

1.1 THE WORK: THESE STANDARD CONSTRUCTION SPECIFICATIONS IN CONJUNCTION WITH THE OTHER CONTRACT DOCUMENTS AND THE CONSTRUCTION DRAWINGS DESCRIBE THE WORK TO BE PERFORMED BY THE CONTRACTOR.

1.2 RELATED DOCUMENTS:

- A. THE REQUIREMENTS OF THIS SECTION APPLY TO ALL SECTIONS IN THIS SPECIFICATION.
B. SPRINT "STANDARD CONSTRUCTION DETAILS FOR WIRELESS SITES" ARE INCLUDED IN AND MADE A PART OF THESE SPECIFICATIONS HERewith.

PART 2 – PRODUCTS (NOT USED)

PART 3 – EXECUTION

3.1 WEEKLY REPORTS:

- A. CONTRACTOR SHALL PROVIDE SPRINT WITH WEEKLY REPORTS SHOWING PROJECT STATUS. THIS STATUS REPORT FORMAT WILL BE PROVIDED TO THE CONTRACTOR BY SPRINT. THE REPORT WILL CONTAIN SITE ID NUMBER, THE MILESTONES FOR EACH SITE, INCLUDING THE BASELINE DATE, ESTIMATED COMPLETION DATE AND ACTUAL COMPLETION DATE.

B. REPORT INFORMATION WILL BE TRANSMITTED TO SPRINT VIA ELECTRONIC MEANS AS REQUIRED. THIS INFORMATION WILL PROVIDE A BASIS FOR PROGRESS MONITORING AND PAYMENT.

3.2 PROJECT CONFERENCE CALLS:

- A. SPRINT MAY HOLD WEEKLY PROJECT CONFERENCE CALLS. CONTRACTOR WILL BE REQUIRED TO COMMUNICATE SITE STATUS, MILESTONE COMPLETIONS AND UPCOMING MILESTONE PROJECTIONS, AND ANSWER ANY OTHER SITE STATUS QUESTIONS AS NECESSARY.

3.3 PROJECT TRACKING IN SMS:

- A. CONTRACTOR SHALL PROVIDE SCHEDULE UPDATES AND PROJECTIONS IN THE SMS SYSTEM ON A WEEKLY BASIS.

3.4 ADDITIONAL REPORTING:

- A. ADDITIONAL OR ALTERNATE REPORTING REQUIREMENTS MAY BE ADDED TO THE REPORT AS DETERMINED TO BE REASONABLY NECESSARY BY COMPANY.

3.5 PROJECT PHOTOGRAPHS:

- A. FILE DIGITAL PHOTOGRAPHS OF COMPLETED SITE IN JPEG FORMAT IN THE SMS PHOTO LIBRARY FOR THE RESPECTIVE SITE. PHOTOGRAPHS SHALL BE CLEARLY LABELED WITH SITE NUMBER, NAME AND DESCRIPTION, AND SHALL INCLUDE AT A MINIMUM THE FOLLOWING AS APPLICABLE:
1. SHELTER AND TOWER OVERVIEW.
2. TOWER FOUNDATION(S) – FORMS AND STEEL BEFORE POUR (EACH ANCHOR ON GUYED TOWERS).
3. TOWER FOUNDATION(S) POUR WITH VIBRATOR IN USE (EACH ANCHOR ON GUYED TOWERS).
4. TOWER STEEL AS BEING INSTALLED INTO HOLE (SHOW ANCHOR STEEL ON GUYED TOWERS).
5. PHOTOS OF TOWER SECTION STACKING.
6. CONCRETE TESTING / SAMPLES.
7. PLACING OF ANCHOR BOLTS IN TOWER FOUNDATION.
8. BUILDING/WATER TANK FROM ROAD FOR TENANT IMPROVEMENTS OR COMMENTS.
9. SHELTER FOUNDATION--FORMS AND STEEL BEFORE POURING.
10. SHELTER FOUNDATION POUR WITH VIBRATOR IN USE.
11. COAX CABLE ENTRY INTO SHELTER.
12. PLATFORM MECHANICAL CONNECTIONS TO TOWER/MONOPOLE.
13. ROOFTOP PRE AND POST CONSTRUCTION PHOTOS TO INCLUDE PENETRATIONS AND INTERIOR CEILING.
14. PHOTOS OF TOWER TOP COAX LINE COLOR CODING AND COLOR CODING AT GROUND LEVEL.
15. PHOTOS OF ALL APPROPRIATE COMPANY OR REGULATORY SIGNAGE.
16. PHOTOS OF EQUIPMENT BOLT DOWN INSIDE SHELTER.
17. POWER AND TELCO ENTRANCE TO COMPANY ENCLOSURE AND POWER AND TELCO SUPPLY LOCATIONS INCLUDING METER/DISCONNECT.
18. ELECTRICAL TRENCH(S) WITH ELECTRICAL / CONDUIT BEFORE BACKFILL.
19. ELECTRICAL TRENCH(S) WITH FOIL-BACKED TAPE BEFORE FURTHER BACKFILL.
20. TELCO TRENCH WITH TELEPHONE / CONDUIT BEFORE BACKFILL.
21. TELCO TRENCH WITH FOIL-BACKED TAPE BEFORE FURTHER BACKFILL.
22. SHELTER GROUND-RING TRENCH WITH GROUND-WIRE BEFORE BACKFILL (SHOW ALL CAD WELDS AND BEND RADI).
23. TOWER GROUND-RING TRENCH WITH GROUND-WIRE BEFORE BACKFILL (SHOW ALL CAD WELDS AND BEND RADI).
24. FENCE GROUND-RING TRENCH WITH GROUND-WIRE BEFORE BACKFILL (SHOW ALL CAD WELDS AND BEND RADI).
25. ALL BTS GROUND CONNECTIONS.
26. ALL GROUND TEST WELLS.
27. ANTENNA GROUND BAR AND EQUIPMENT GROUND BAR.
28. ADDITIONAL GROUNDING POINTS ON TOWERS ABOVE 200'.
29. HVAC UNITS INCLUDING CONDENSERS ON SPLIT SYSTEMS.
30. GPS ANTENNAS.
31. CABLE TRAY AND/OR WAVEGUIDE BRIDGE.
32. DOGHOUSE/CABLE EXIT FROM ROOF.
33. EACH SECTOR OF ANTENNAS; ONE PHOTOGRAPH LOOKING AT THE SECTOR AND ONE FROM BEHIND SHOWING THE PROJECTED COVERAGE AREA.
34. MASTER BUS BAR.
35. TELCO BOARD AND NIU.
36. ELECTRICAL DISTRIBUTION WALL.
37. CABLE ENTRY WITH SURGE SUPPRESSION.
38. ENTRANCE TO EQUIPMENT ROOM.
39. COAX WEATHERPROOFING--TOP AND BOTTOM OF TOWER.
40. COAX GROUNDING --TOP AND BOTTOM OF TOWER.
41. ANTENNA AND MAST GROUNDING.
42. LANDSCAPING – WHERE APPLICABLE.

3.6 FINAL PROJECT ACCEPTANCE: COMPLETE ALL REQUIRED REPORTING TASKS PER CONTRACT, CONTRACT DOCUMENTS OR THE SPRINT INTEGRATED CONSTRUCTION STANDARDS FOR WIRELESS SITES AND UPLOAD INTO SITERRA.

SECTION 07 500 – ROOF CUTTING, PATCHING AND REPAIR

SUMMARY:

THIS SECTION SPECIFIES CUTTING AND PATCHING EXISTING ROOFING SYSTEMS WHERE CONDUIT OR CABLES EXIT THE BUILDING ONTO THE ROOF OR BUILDING-MOUNTED ANTENNAS, AND AS REQUIRED FOR WATERTIGHT PERFORMANCE. ROOFTOP ENTRY OPENINGS IN MEMBRANE ROOFTOPS SHALL BE CONSTRUCTED TO COMPLY WITH LANDLORD, ANY EXISTING WARRANTY, AND LOCAL JURISDICTIONAL STANDARDS.

1.4 SUBMITTALS:

A. PRE-CONSTRUCTION ROOF PHOTOS: COMPLETE A ROOF INSPECTION PRIOR TO THE INSTALLATION OF SPRINT EQUIPMENT ON ANY ROOFTOP BUILD. AT A MINIMUM INSPECT AND PHOTOGRAPH (MINIMUM 3 EA.) ALL AREAS IMPACTED BY THE ADDITION OF THE SPRINT EQUIPMENT.

B. PROVIDE SIMILAR PHOTOGRAPHS SHOWING ROOF CONDITIONS AFTER CONSTRUCTION (MINIMUM 3 EA.)

C. ROOF INSPECTION PHOTOGRAPHS SHOULD BE UPLOADED WITH CLOSEOUT PHOTOGRAPHS.

SECTION 09 900 – PAINTING

QUALITY ASSURANCE:

A. COMPLY WITH GOVERNING CODES AND REGULATIONS. PROVIDE PRODUCTS OF ACCEPTABLE MANUFACTURERS WHICH HAVE BEEN IN SATISFACTORY USE IN SIMILAR SERVICE FOR THREE YEARS. USE EXPERIENCED INSTALLERS. DELIVER, HANDLE, AND STORE MATERIALS IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS.

B. COMPLY WITH ALL ENVIRONMENTAL REGULATIONS FOR VOLATILE ORGANIC COMPOUNDS.

CONTINUE SHEET SP-3




1 INTERNATIONAL BLVD, SUITE 800
MAHWAH, NJ 07495
TEL: (800) 357-7641



CROWN CASTLE
12 GILL STREET, SUITE 5800
WOBRUN, MA 01801



45 BEECHWOOD DRIVE
N. ANDOVER, MA 01845
TEL: (978) 557-5553
FAX: (978) 336-5586



CHECKED BY: BB

APPROVED BY: DJC

SUBMITTALS

Table with columns: REV, DATE, DESCRIPTION, BY. Contains revision history for construction final, revised, and issued for construction.

SITE NUMBER: CT33XC059
SITE NAME: MAYBROOK/BOND
CROWN BU NUMBER: 876370
SITE ADDRESS: 41 BECKWITH ROAD, MONTVILLE, CT 06370, NEW LONDON COUNTY

SHEET TITLE: OUTLINE SPECIFICATIONS (DO MIMO REDESIGN)


SHEET NUMBER: SP-2






**STRUCTURAL NOTES:**  
 PRIOR TO COMMENCING CONSTRUCTION, GC SHALL REFER TO TOWER STRUCTURAL ANALYSIS PROVIDED BY P-SEC DATED JULY 04, 2018 AND MOUNT STRUCTURAL ANALYSIS BY HDG DATED JUNE 27, 2018 (REV.1) TO DETERMINE IF THERE ANY SUPPLEMENTAL OR SPECIAL INSTALLATION REQUIREMENTS, OR RELOCATION ARRANGEMENTS.

**NOTE:**  
 REFER TO THE FINAL RF DATA SHEET FOR FINAL ANTENNA SETTINGS.



**COMPOUND PLAN**  
 22x34 SCALE: 1/8"=1'-0"  
 11x17 SCALE: 1/16"=1'-0"

1  
A-1



**EQUIPMENT PLAN**

22x34 SCALE: 1/2"=1'-0"  
 11x17 SCALE: 1/4"=1'-0"

2  
A-1




1 INTERNATIONAL BLVD, SUITE 800  
 MAHWAH, NJ 07495  
 TEL: (800) 357-7641



CROWN CASTLE  
 12 GILL STREET, SUITE 5800  
 WOBURN, MA 01801



45 BEECHWOOD DRIVE  
 N. ANDOVER, MA 01845  
 TEL: (978) 557-5553  
 FAX: (978) 336-5586



CHECKED BY: BB

APPROVED BY: DJC

**SUBMITTALS**

REV.	DATE	DESCRIPTION	BY
3	08/28/18	CONSTRUCTION FINAL	BB
2	07/30/18	CONSTRUCTION REVISED	GA
1	01/09/18	CONSTRUCTION REVISED	DJM
0	01/05/18	ISSUED FOR CONSTRUCTION	DJM

SITE NUMBER:  
 CT33XC059  
 SITE NAME:  
 MAYBROOK/BOND  
 CROWN BU NUMBER:  
 876370  
 SITE ADDRESS:  
 41 BECKWITH ROAD  
 MONTVILLE, CT 06370  
 NEW LONDON COUNTY

SHEET TITLE  
 COMPOUND PLAN &  
 EQUIPMENT PLAN  
 (DO MIMO REDESIGN)

SHEET NUMBER  
**A-1**

**ANTENNA CL NOTE:**  
GC TO VERIFY EXISTING AND PROPOSED ACL IN FIELD AND RECORD AS PART OF COP. MEASURE AND MAINTAIN 10' VERTICAL CLEARANCE (CL TO CL) FROM CARRIER BELOW


**STRUCTURAL NOTE:**  
PRIOR TO COMMENCING CONSTRUCTION, GC SHALL REFER TO TOWER STRUCTURAL ANALYSIS PROVIDED BY P-SEC DATED 07/04/18 AND MOUNT ANALYSIS BY HUDSON DESIGN GROUP DATED 06/27/18 (REV.1) TO DETERMINE IF THERE ANY SUPPLEMENTAL OR SPECIAL INSTALLATION REQUIREMENTS, OR RELOCATION ARRANGEMENTS.

**STRUCTURAL NOTE:**  
DESIGN LIMITATIONS AND ASSUMPTIONS:  
1. EQUIPMENT AND LOCATIONS SHOULD NOT DEVIATE FROM THE CONSTRUCTION DRAWINGS WITHOUT WRITTEN APPROVAL OF THE ENGINEER.  
2. HDG IS NOT RESPONSIBLE FOR ANY MODIFICATIONS COMPLETED PRIOR TO AND HEREAFTER WHICH HDG WAS NOT INVOLVED.  
3. ALL STRUCTURAL MEMBERS AND THEIR CONNECTIONS ARE ASSUMED TO BE IN GOOD CONDITION AND ARE FREE FROM DEFECTS WITH NO DETERIORATION TO ITS MEMBER CAPACITIES. CONTRACTOR IS TO PERFORM A PRE-INSPECTION TO CONFIRM.  
4. ALL ANTENNAS, COAX CABLES AND WAVEGUIDE CABLES ARE ASSUMED TO BE PROPERLY INSTALLED AND SUPPORTED AS PER THE MANUFACTURER'S REQUIREMENTS.  
5. ALL COMPONENTS SUPPORTING THE SPRINT EQUIPMENT ARE ASSUMED TO BE DESIGNED TO ALL APPLICABLE CODES AND DESIGNED FOR IDENTICAL TO OR GREATER THAN THE CURRENT LOADS.


**SCOPE NOTE:**  
PROPOSED DESIGN IS BASED OFF OF CROWN APPLICATION REV 0 DATED 05/21/18

FEEDLINES			
FEEDLINE SCHEDULE	FEEDLINE DESCRIPTION	LOCATION	LENGTH
A	EXISTING TO REMAIN: (1) 1/2" COAX EXISTING TO BE REMOVED: (6) 1-5/8" COAX	ROUTED WITHIN MONOPOLE	ALPHA: 230'± BETA: 230'± GAMMA: 230'±
B	INSTALL: (4) 1-1/4" HYBRID TRUNKS		


**NOTE:**  
EXISTING SPRINT EQUIPMENT FEEDLINE INVENTORY BASED ON OBSERVED FIELD CONDITIONS, RFDS AND FEEDLINE LEASING ENTITLEMENTS MAY DIFFER.



**EXISTING ANTENNA PLAN** (1)  
22x34 SCALE: 3/8"=1'-0"  
11x17 SCALE: 3/16"=1'-0"




**PROPOSED ANTENNA PLAN** (2)  
22x34 SCALE: 3/8"=1'-0"  
11x17 SCALE: 3/16"=1'-0"



**NOTE:**  
GROUND LEVEL EQUIPMENT NOT SHOWN FOR CLARITY

**ELEVATION** (3)  
22x34 SCALE: 1/8"=1'-0"  
11x17 SCALE: 1/16"=1'-0"



1 INTERNATIONAL BLVD, SUITE 800  
MAHWAH, NJ 07495  
TEL: (800) 357-7641

CROWN CASTLE  
12 GILL STREET, SUITE 5800  
WOBBURN, MA 01801

45 BEECHWOOD DRIVE  
N. ANDOVER, MA 01845  
TEL: (978) 557-5553  
FAX: (978) 336-5586

CONSTRUCTION DRAWINGS ARE VALID FOR SIX MONTHS AFTER ENGINEER OF RECORD'S STAMPED AND SIGNED SUBMITTAL DATE LISTED HEREIN

CHECKED BY: BB  
APPROVED BY: DJC

**SUBMITTALS**


REV.	DATE	DESCRIPTION	BY
3	08/28/18	CONSTRUCTION FINAL	BB
2	07/30/18	CONSTRUCTION REVISED	GA
1	01/09/18	CONSTRUCTION REVISED	DJM
0	01/05/18	ISSUED FOR CONSTRUCTION	DJM

SITE NUMBER:  
CT33XC059  
SITE NAME:  
MAYBROOK/BOND  
CROWN BU NUMBER:  
876370  
SITE ADDRESS:  
41 BECKWITH ROAD  
MONTVILLE, CT 06370  
NEW LONDON COUNTY

SHEET TITLE  
ANTENNA PLANS & ELEVATION  
(DO MIMO REDESIGN)


SHEET NUMBER  
**A-2**

800/1900 Mhz ANTENNA DIMENSIONS	
MODEL #	NNV-65B-R4
MANUF.	COMMSCOPE
HEIGHT	72.0"
WIDTH	19.6"
DEPTH	7.8"
WEIGHT	77.4 LBS




**800/1900MHz ANTENNA DETAIL** 1  
SCALE: N.T.S. A-3

2500MHz ANTENNA DIMENSIONS	
MODEL #	APXVTM14-ALU-120
MANUF.	RFS
HEIGHT	56.3"
WIDTH	12.6"
DEPTH	6.3"
WEIGHT	56.2 LBS




**2500MHz ANTENNA DETAIL** 2  
SCALE: N.T.S. A-3

800 MHz RRH DIMENSIONS	
MODEL #	RRH2X50-800
MANUF.	ALCATEL LUCENT
HEIGHT	15.7"
WIDTH	13"
DEPTH	9.8"
WEIGHT	52.9 LBS




**800MHz RRHS DETAIL** 3  
SCALE: N.T.S. A-3

1900 MHz RRH DIMENSIONS	
MODEL #	PCS 1900MHZ 4X45W-65MHZ
MANUF.	ALCATEL LUCENT
HEIGHT	25"
WIDTH	11.1"
DEPTH	10.7"
WEIGHT	60 LBS



**1900MHz RRHS DETAIL** 4  
SCALE: N.T.S. A-3


2500 MHz RRH DIMENSIONS	
MODEL #	TD-RRH8X20-25
MANUF.	ALCATEL LUCENT
HEIGHT	25.4"
WIDTH	17.5"
DEPTH	5.7"
WEIGHT	66 LBS



**2500MHz RRHS DETAIL** 5  
SCALE: N.T.S. A-3


**NOTE:**  
SUBSTITUTE INCLUDED MOUNTING PIPES AND MOUNTING HARDWARE INCLUDED WITH PLATFORM KIT TO ACCOMMODATE 2-1/2" STD (2-7/8" O.D.) MOUNTING PIPES PER MOUNT STRUCTURAL ANALYSIS

FURNISH AND INSTALL NEW 12' LOW PROFILE PLATFORM (SITEPRO1 PART# RMQP-496)



**LOW PROFILE PLATFORM KIT DETAIL** 7  
SCALE: N.T.S. A-3

FURNISH AND INSTALL RRU DUAL SWIVEL MOUNT (SITEPRO1 PART# RRUDSM) (TYP. OF 2 KITS PER SECTOR, TOTAL OF 6 KITS)



**RRU DUAL SWIVEL MOUNT DETAIL** 6  
SCALE: N.T.S. A-3

**Sprint**  
1 INTERNATIONAL BLVD, SUITE 800  
MAHWAH, NJ 07495  
TEL: (800) 357-7641

**CROWN CASTLE**  
CROWN CASTLE  
12 GILL STREET, SUITE 5800  
WOBBURN, MA 01801

**HG HUDSON Design Group LLC**  
45 BEECHWOOD DRIVE  
N. ANDOVER, MA 01845  
TEL: (978) 557-5553  
FAX: (978) 336-5586

STATE OF CONNECTICUT  
Derek J. Creaser  
Professional Engineer  
CONSTRUCTION DRAWINGS ARE VALID FOR SIX MONTHS AFTER ENGINEER OF RECORD'S STAMPED AND SIGNED SUBMITTAL DATE LISTED HEREIN

CHECKED BY: BB

APPROVED BY: DJC

SUBMITTALS			
REV.	DATE	DESCRIPTION	BY
3	08/28/18	CONSTRUCTION FINAL	BB
2	07/30/18	CONSTRUCTION REVISED	GA
1	01/09/18	CONSTRUCTION REVISED	DJM
0	01/05/18	ISSUED FOR CONSTRUCTION	DJM

SITE NUMBER:  
CT33XC059  
SITE NAME:  
MAYBROOK/BOND  
CROWN BU NUMBER:  
876370  
SITE ADDRESS:  
41 BECKWITH ROAD  
MONTVILLE, CT 06370  
NEW LONDON COUNTY

SHEET TITLE  
EQUIPMENT DETAILS  
(DO MIMO REDESIGN)

SHEET NUMBER  
**A-3**

**STRUCTURAL NOTE:**

DESIGN LIMITATIONS AND ASSUMPTIONS:  
 1. EQUIPMENT AND LOCATIONS SHOULD NOT DEVIATE FROM THE CONSTRUCTION DRAWINGS WITHOUT WRITTEN APPROVAL OF THE ENGINEER.  
 2. HDG IS NOT RESPONSIBLE FOR ANY MODIFICATIONS COMPLETED PRIOR TO AND HEREAFTER WHICH HDG WAS NOT INVOLVED.  
 3. ALL STRUCTURAL MEMBERS AND THEIR CONNECTIONS ARE ASSUMED TO BE IN GOOD CONDITION AND ARE FREE FROM DEFECTS WITH NO DETERIORATION TO ITS MEMBER CAPACITIES. CONTRACTOR IS TO PERFORM A PRE-INSPECTION TO CONFIRM.  
 4. ALL ANTENNAS, COAX CABLES AND WAVEGUIDE CABLES ARE ASSUMED TO BE PROPERLY INSTALLED AND SUPPORTED AS PER THE MANUFACTURER'S REQUIREMENTS.  
 5. ALL COMPONENTS SUPPORTING THE SPRINT EQUIPMENT ARE ASSUMED TO BE DESIGNED TO ALL APPLICABLE CODES AND DESIGNED FOR IDENTICAL TO OR GREATER THAN THE CURRENT LOADS.

**ANTENNA CL. NOTE:**

GC TO VERIFY EXISTING AND PROPOSED ACL IN FIELD AND RECORD AS PART OF COP. MEASURE AND MAINTAIN 10' VERTICAL CLEARANCE (CL TO CL) FROM CARRIER BELOW

**STRUCTURAL NOTE:**

PRIOR TO COMMENCING CONSTRUCTION, GC SHALL REFER TO TOWER STRUCTURAL ANALYSIS PROVIDED BY P-SEC DATED 07/04/18 AND MOUNT ANALYSIS BY HUDSON DESIGN GROUP DATED 06/27/18 (REV.1) TO DETERMINE IF THERE ANY SUPPLEMENTAL OR SPECIAL INSTALLATION REQUIREMENTS, OR RELOCATION ARRANGEMENTS.

**SCOPE NOTE:**


PROPOSED DESIGN IS BASED OFF OF CROWN APPLICATION REV 0 DATED 05/21/18

**NOTE:**  
 SUBSTITUTE INCLUDED MOUNTING PIPES AND MOUNTING HARDWARE INCLUDED WITH PLATFORM KIT TO ACCOMMODATE 2-1/2" STD (2-7/8" O.D.) MOUNTING PIPES PER MOUNT STRUCTURAL ANALYSIS

- 2 A-3 REMOVE AND REPLACE EXISTING ANTENNA: INSTALL SPRINT ANTENNA (RFS APXVTM14-ALU-I20) (TYP. OF 1 PER SECTOR, TOTAL OF 3) MOUNTED TO PROPOSED MOUNTING PIPE
- 2 A-2
- 7 A-3 FURNISH AND INSTALL NEW 12' LOW PROFILE PLATFORM (SITEPRO1 PART# RMQP-496)

MAJOR RF EQUIPMENT LIST				
(GC SHALL FURNISH AND INSTALL ALL OTHER MATERIALS AND EQUIPMENT NOT SUPPLIED BY SPRINT)				
DESCRIPTION	QUANTITY	UNITS	MAKE/MODEL/MATERIAL	PROVIDED BY
ANTENNA	3	EA	COMMSCOPE NNVV-65B-R4	SPRINT
ANTENNA	3	EA	RFS APXVTM14-ALU-I20	SPRINT
800 RRH	6 @ TOWER TOP	EA	ALCATEL LUCENT RRH2X50-800	SPRINT
1900 RRH	3 @ TOWER TOP	EA	ALCATEL LUCENT PCS 1900MHZ 4X45W-65MHZ	EXISTING TO REMAIN
2500 RRH	3 @ TOWER TOP	EA	ALCATEL LUCENT TD-RRH8X20-25	SPRINT
HYBRID TRUNK	1 @ 1-1/4"	230 LF ±	RFS HB114-13U3M12-XXXF	SPRINT
HYBRID TRUNK	3 @ 1-1/4"	230 LF ±	RFS HB114-1-0813U4-M5J	SPRINT

**SPRINT-PROVIDED EQUIPMENT SCHEDULE** 3 A-4  
 SCALE: N.T.S.



**ANTENNA & RRH MOUNT PHOTO DETAIL** 2 A-4  
 SCALE: N.T.S.

INSTALL SPRINT 2500 RRH (ALU TD-RRH8x20-25) (TYP. OF 1 PER SECTOR, TOTAL OF 3) ON NEW RRH DUAL SWIVEL MOUNT, MOUNTED TO PROPOSED MOUNTING PIPE 5,6 A-3 2 A-2

INSTALL SPRINT 800 RRH (ALU RRH2X50-800) (TYP. OF 2 PER SECTOR, TOTAL OF 6) ON NEW RRH DUAL SWIVEL MOUNT, MOUNTED TO PROPOSED MOUNTING PIPE 3,6 A-3 2 A-2

REMOVE AND REPLACE EXISTING ANTENNA: INSTALL SPRINT ANTENNA (COMMSCOPE NNVV-65B-R4) (TYP. OF 1 PER SECTOR, TOTAL OF 3) MOUNTED TO PROPOSED MOUNTING PIPE 1 A-3 2 A-2

EXISTING RELOCATED SPRINT 1900 RRHS (ALU PCS 1900MHZ 4x45W-65MHZ) (TYP. OF 1 PER SECTOR, TOTAL OF 3) ON NEW RRH DUAL SWIVEL MOUNT, MOUNTED TO PROPOSED MOUNTING PIPE 4,6 A-3 2 A-2

- 1 A-3 REMOVE AND REPLACE EXISTING ANTENNA: INSTALL SPRINT ANTENNA (COMMSCOPE NNVV-65B-R4) (TYP. OF 1 PER SECTOR, TOTAL OF 3) MOUNTED TO PROPOSED MOUNTING PIPE
- 2 A-2

**NOTE:**  
 SUBSTITUTE INCLUDED MOUNTING PIPES AND MOUNTING HARDWARE INCLUDED WITH PLATFORM KIT TO ACCOMMODATE 2-1/2" STD (2-7/8" O.D.) MOUNTING PIPES PER MOUNT STRUCTURAL ANALYSIS


- 7 A-3 FURNISH AND INSTALL NEW 12' LOW PROFILE PLATFORM (SITEPRO1 PART# RMQP-496)

4,6 A-3 EXISTING RELOCATED SPRINT 1900 RRHS (ALU PCS 1900MHZ 4x45W-65MHZ) (TYP. OF 1 PER SECTOR, TOTAL OF 3) ON NEW RRH DUAL SWIVEL MOUNT, MOUNTED TO PROPOSED MOUNTING PIPE 2 A-2


5,6 A-3 INSTALL SPRINT 2500 RRH (ALU TD-RRH8x20-25) (TYP. OF 1 PER SECTOR, TOTAL OF 3) ON NEW RRH DUAL SWIVEL MOUNT, MOUNTED TO PROPOSED MOUNTING PIPE 2 A-2

REMOVE AND REPLACE EXISTING ANTENNA: INSTALL SPRINT ANTENNA (RFS APXVTM14-ALU-I20) (TYP. OF 1 PER SECTOR, TOTAL OF 3) MOUNTED TO PROPOSED MOUNTING PIPE 2 A-3 2 A-2

3,6 A-3 INSTALL SPRINT 800 RRH (ALU RRH2X50-800) (TYP. OF 2 PER SECTOR, TOTAL OF 6) ON NEW RRH DUAL SWIVEL MOUNT, MOUNTED TO PROPOSED MOUNTING PIPE 2 A-2



**ANTENNA & RRH MOUNTING ELEVATION** 1 A-4  
 22x34 SCALE: 3/4"=1'-0"  
 11x17 SCALE: 3/8"=1'-0"



**Sprint**

1 INTERNATIONAL BLVD, SUITE 800  
 MAHWAH, NJ 07495  
 TEL: (800) 357-7641

**CROWN CASTLE**

CROWN CASTLE  
 12 GILL STREET, SUITE 5800  
 WOBURN, MA 01801

**HDG HUDSON Design Group LLC**

45 BEECHWOOD DRIVE TEL: (978) 557-5553  
 N. ANDOVER, MA 01845 FAX: (978) 336-5586

STATE OF CONNECTICUT  
 DEREK J. CREASER  
 LICENSED PROFESSIONAL ENGINEER  
 No. 29355

CONSTRUCTION DRAWINGS ARE VALID FOR SIX MONTHS AFTER ENGINEER OF RECORD'S STAMPED AND SIGNED SUBMITTAL DATE LISTED HEREIN

CHECKED BY: BB

APPROVED BY: DJC

**SUBMITTALS**

REV.	DATE	DESCRIPTION	BY
3	08/28/18	CONSTRUCTION FINAL	BB
2	07/30/18	CONSTRUCTION REVISED	GA
1	01/09/18	CONSTRUCTION REVISED	DJM
0	01/05/18	ISSUED FOR CONSTRUCTION	DJM

SITE NUMBER: CT33XC059  
 SITE NAME: MAYBROOK/BOND  
 CROWN BU NUMBER: 876370  
 SITE ADDRESS: 41 BECKWITH ROAD  
 MONTVILLE, CT 06370  
 NEW LONDON COUNTY

SHEET TITLE  
 MOUNTING DETAILS  
 (DO MIMO REDESIGN)

SHEET NUMBER  
**A-4**




1 INTERNATIONAL BLVD, SUITE 800  
MAHWAH, NJ 07495  
TEL: (800) 357-7641



CROWN CASTLE  
12 GILL STREET, SUITE 5800  
WOBURN, MA 01801



45 BEECHWOOD DRIVE TEL: (978) 557-5553  
N. ANDOVER, MA 01845 FAX: (978) 336-5586



CONSTRUCTION DRAWINGS ARE VALID FOR SIX MONTHS AFTER ENGINEER OF RECORD'S STAMPED AND SIGNED SUBMITTAL DATE LISTED HEREIN

CHECKED BY: BB

APPROVED BY: DJC

SUBMITTALS

REV.	DATE	DESCRIPTION	BY
3	08/28/18	CONSTRUCTION FINAL	BB
2	07/30/18	CONSTRUCTION REVISED	GA
1	01/09/18	CONSTRUCTION REVISED	DJM
0	01/05/18	ISSUED FOR CONSTRUCTION	DJM

SITE NUMBER:  
CT33XC059  
SITE NAME:  
MAYBROOK/BOND  
CROWN BU NUMBER:  
876370  
SITE ADDRESS:  
41 BECKWITH ROAD  
MONTVILLE, CT 06370  
NEW LONDON COUNTY

SHEET TITLE

RF DATA SHEET  
(DO MIMO REDESIGN)

SHEET NUMBER

RF-1

NOTE:

RFDS HAS NOT BEEN PROVIDED BY CROWN CASTLE,  
REFER TO CROWN APP REV #0 DATED 05/21/18.

NOTE:

SPRINT CM SHALL CONFIRM HYBRID CABLE LENGTH,  
COAX JUMPER LENGTH AND AISG CABLE LENGTH BEFORE  
PREPARING BOM. A&E RECOMMENDED HYBRID CABLE  
LENGTH BASED ON NV 2.5 EQUIPMENT AUDIT PLUS 20  
FEET FOR (2) 10-FOOT COILS AT EACH END OF THE  
FIBER TRUNK.

NOTE:


GENERAL CONTRACTOR/TOWER CREW SHALL VERIFY THAT  
THE LATEST RF DATA SHEET IS USED FOR EQUIPMENT  
INSTALLATION.

SPECIAL WORK NOTE:

JUMPERS (COAX/AISG) FROM THE 2.5 RRH TO THE 2.5  
ANTENNA CANNOT EXCEED 15'. NOTIFY SPRINT  
CONSTRUCTION MANAGER OF ANY DISCREPANCY.

RF DATA SHEET  
SCALE: N.T.S





CONSTRUCTION DRAWINGS ARE VALID FOR SIX MONTHS AFTER ENGINEER OF RECORD'S STAMPED AND SIGNED SUBMITTAL DATE LISTED HEREIN

CHECKED BY: BB

APPROVED BY: DJC

**SUBMITTALS**

REV.	DATE	DESCRIPTION	BY
3	08/28/18	CONSTRUCTION FINAL	BB
2	07/30/18	CONSTRUCTION REVISED	GA
1	01/09/18	CONSTRUCTION REVISED	DJM
0	01/05/18	ISSUED FOR CONSTRUCTION	DJM

SITE NUMBER:  
**CT33XC059**  
SITE NAME:  
**MAYBROOK/BOND**  
CROWN BU NUMBER:  
**876370**  
SITE ADDRESS:  
**41 BECKWITH ROAD  
MONTVILLE, CT 06370  
NEW LONDON COUNTY**

SHEET TITLE


**WIRING DIAGRAM**  
(DO MIMO REDESIGN)

SHEET NUMBER

**RF-2**


Prepared By <b>Mark Elliott</b>	Revision Date <b>March 13, 2018</b>	Revision Number <b>R1</b>	
Approved By <b>RAN Hardware &amp; Antenna Teams</b>	Approval Date <b>Final-Macro Generated</b>		

**ALU 211 APXVTM14-ALU-I20 & NNVV-65B-R4 wo Filters**



**PLUMBING DIAGRAM**  
SCALE: N.T.S



1  
RF-2



**EQUIPMENT GROUNDING SCHEMATIC** 1  
 SCALE: N.T.S. G-1

**PROTECTIVE GROUNDING SYSTEMS GENERAL NOTES:**

- GROUNDING SHALL BE IN ACCORDANCE WITH NEC ARTICLE 250—GROUNDING AND BONDING.
- GROUNDING SHALL BE IN ACCORDANCE WITH SPRINT SSEO DOCUMENTS 3.018.02.004 "BONDING, GROUNDING AND TRANSIENT PROTECTION FOR CELL SITES" AND 3.018.10.002 "SITE RESISTANCE TO EARTH TESTING".
- PROVIDE GROUND CONNECTIONS FOR ALL METALLIC STRUCTURES, ENCLOSURES, RACEWAYS AND OTHER CONDUCTIVE ITEMS ASSOCIATED WITH THE INSTALLATION OF CARRIER'S EQUIPMENT.
- GROUND CONNECTIONS: CLEAN SURFACES THOROUGHLY BEFORE APPLYING GROUND LUGS OR CLAMPS. IF SURFACE IS COATED, REMOVE THE COATING, APPLY A NON-CORROSIVE APPROVED COMPOUND TO CLEAN SURFACE AND INSTALL LUGS OR CLAMPS. WHERE GALVANIZING IS REMOVED FROM METAL, IT SHALL BE PAINTED OR TOUCHED UP WITH "GALVAMOX" OR EQUAL.
- ALL GROUNDING WIRES SHALL PROVIDE A STRAIGHT, DOWNWARD PATH TO GROUND WITH GRADUAL BENDS AS REQUIRED. GROUND WIRES SHALL NOT BE LOOPED OR SHARPLY BENT.
- ALL CLAMPS AND SUPPORTS USED TO SUPPORT THE GROUNDING SYSTEM CONDUCTORS AND PVC CONDUITS SHALL BE PVC TYPE (NON CONDUCTIVE). DO NOT USE METAL BRACKETS OR SUPPORTS WHICH WOULD FORM A COMPLETE RING AROUND ANY GROUNDING CONDUCTOR.
- ALL GROUND WIRES SHALL BE #2 SOLID TINNED BCW UNLESS NOTED OTHERWISE.
- PROVIDE DEDICATED #2 AWG COPPER GROUND WIRE FROM EACH ANTENNA MOUNTING PIPE TO ASSOCIATED CIGBE.
- GROUND ANTENNA BASES, FRAMES, CABLE RACKS, AND OTHER METALLIC COMPONENTS WITH #2 INSULATED TINNED STRANDED COPPER GROUNDING CONDUCTORS AND CONNECT TO INSULATED SURFACE MOUNTED GROUND BARS. CONNECTION DETAILS SHALL FOLLOW MANUFACTURER'S SPECIFICATIONS FOR GROUNDING.
- EACH EQUIPMENT CABINET SHALL BE CONNECTED TO THE MASTER ISOLATION GROUND BAR (MGB) WITH #2 SOLID TINNED BCW EQUIPMENT CABINETS WALL HAVE (2) CONNECTIONS.
- GROUND HYBRIFLEX SHIELD AT TOP, BOTTOM AND AT TRANSITION TO HYBRIFLEX JUMPER CABLES AT EQUIPMENT CABINET ENTRANCE USING MANUFACTURER'S GUIDELINES. WHEN HYBRIFLEX CABLE EXCEEDS 200', GROUND AT INTERVALS NOT EXCEEDING 100'.
- THE CONTRACTOR SHALL VERIFY THAT THE EXISTING GROUND BARS HAVE ENOUGH SPACE/HOLES FOR ADDITIONAL TWO HOLE LUGS.
- EXOTHERMIC WELDING IS RECOMMENDED FOR GROUNDING CONNECTION WHERE PRACTICAL OTHERWISE. THE CONNECTION SHALL BE MADE USING COMPRESSION TYPE-2 HOLES, LONG BARREL LUGS OR DOUBLE CRIMP "C" CLAMP. THE COPPER CABLES SHALL BE COATED WITH AN ANTI-OXIDANT (THOMAS BETTS KOPR-SHILD) BEFORE MAKING THE CRIMP CONNECTIONS THE CONTRACTOR SHALL FOLLOW MANUFACTURER'S RECOMMENDED TORQUES ON THE BOLT ASSEMBLY TO SECURE CONNECTIONS.
- AT ALL TERMINATIONS AT EQUIPMENT ENCLOSURES, PANEL, AND FRAMES OF EQUIPMENT AND WHERE EXPOSED FOR GROUNDING. CONDUCTOR TERMINATION SHALL BE PERFORMED UTILIZING TWO HOLE BOLTED TONGUE COMPRESSION TYPE LUGS WITH STAINLESS STEEL SELF-TAPPING SCREWS.
- THE MASTER GROUND BAR (MGB) SHALL BE MADE OF BARE 1/4"x2" COPPER (FOR OUTDOOR APPLICATIONS IT SHALL BE TINNED COPPER) AND LARGE ENOUGH TO ACCOMMODATE THE REQUIRED NUMBER OF GROUND CONNECTIONS. THE HARDWARE SECURING THE MGB SHALL ELECTRICAL INSULATE THE MGB FROM ANY STRUCTURE TO WHICH IT IS FASTENED.
- ALL BOLTS, WASHERS, AND NUTS USED ON GROUNDING CONNECTIONS SHALL BE STAINLESS STEEL.
- ALL GROUNDING CONNECTIONS SHALL BE COATED WITH A COPPER SHIELD ANTI-CORROSIVE AGENT SUCH AS T&B KOPR SHIELD. VERIFY PRODUCT WITH SPRINT CONSTRUCTION MANAGER.
- FOR NEW OR REPAIRED GROUNDING EQUIPMENT. REFER TO SPRINT GROUNDING STANDARDS AND FOLLOWING (SUPPLEMENTS):  
 -ANTI-THEFT UPDATE TO SPRINT GROUNDING DATED: 08-24-12 (OR CURRENT VERSION)  
 -SPRINT ENGINEERING LETTER EL-0504 DATED: 04-20-12 (OR CURRENT VERSION)



CHECKED BY: BB

APPROVED BY: DJC

**SUBMITTALS**


REV.	DATE	DESCRIPTION	BY
3	08/28/18	CONSTRUCTION FINAL	BB
2	07/30/18	CONSTRUCTION REVISED	GA
1	01/09/18	CONSTRUCTION REVISED	DJM
0	01/05/18	ISSUED FOR CONSTRUCTION	DJM

SITE NUMBER:  
 CT33XC059  
 SITE NAME:  
 MAYBROOK/BOND  
 CROWN BU NUMBER:  
 876370  
 SITE ADDRESS:  
 41 BECKWITH ROAD  
 MONTVILLE, CT 06370  
 NEW LONDON COUNTY

SHEET TITLE  
 ONE LINE DIAGRAM,  
 GROUNDING DETAILS  
 & NOTES  
 (DO MIMO REDESIGN)

SHEET NUMBER


G-1



**NOTES**

- APPLY NO-OX TO LUG AND BAR CONTACT SURFACE. DO NOT COAT INLINE LUG.
- IF STOLEN GROUND BARS ARE ENCOUNTERED, CONTACT SPRINT CM FOR REPLACEMENT THREADED ROD KIT.

**INSTALLATION OF GROUNDING CONDUCTOR TO GROUNDING BAR**  
 SCALE: N.T.S. G-1



**TWO HOLE LUG** 3  
 SCALE: N.T.S. G-1



VOL. 342 PAGE 391

**TOWN OF MONTVILLE  
PLANNING & ZONING COMMISSION**

310 NORWICH-NEW LONDON TPKE.  
UNCASVILLE, CONNECTICUT 06382-2599

**CERTIFICATE OF NOTICE OF DECISION**


**APPROVAL: APPROVED W/CONDITIONS**


**LOCATION/DESCRIPTION: 41 BECKWITH ROAD**

**NATURE OF PROJECT: TELECOMMUNICATIONS TOWER**

**APPLICABLE ZONING REGULATION: REGULATION**

**OWNER OF RECORD: SPRINT PCS/BOND**

  
PLANNING DIRECTOR

  
CLERICAL ASSISTANT

**REMARKS:**

Received for Record SEP 06 2000  
At 11 h 58 m. A. M. and recorded by  
Lisa B. Moore Town Clerk

3142

Received for Record SEP 06 2000

at 11:58 o'clock AM noon

and recorded in MONTVILLE Land Records

Vol. 342 page 391 by

Brian R. Moore

TOWNS CLERK

X

**AFTER RECORDING, PLEASE RETURN TO:**

Thomas J. Regan, Esquire  
Brown Rudnick Freed & Gesmer  
185 Asylum Street, 38<sup>th</sup> Floor  
Hartford, CT 06103-3402

Date: May 9, 2018  
June 27, 2018 (Rev.1)



Charles McGuirt  
Crown Castle  
2000 Corporate Drive  
Canonsburg, PA 15317  
(724) 416-2000

Hudson Design Group LLC  
45 Beechwood Drive  
N. Andover, MA 01845  
(978) 557-5553

**Subject:** Mount Structural Analysis

**Carrier Designation:** Sprint Equipment Change-Out  
Carrier Site Number: CT33XC059  
Carrier Site Name: Maybrook / Bond

**Crown Castle Designation:** Crown Castle BU Number: 876370  
Crown Castle Site Name: Maybrook / Bond  
Crown Castle JDE Number: 505916  
Crown Castle PO Number: 1207313  
Crown Castle Application Number: 441425 Rev.0

**Engineering Firm Designation:** Crown Castle Report Designation: 3876025

**Site Data:** 41 Beckwith Road, Montville, CT, 06370  
Latitude: 41° 26' 7.66" Longitude: -72° 13' 15.07"

**Structure Information:** Tower Height & Type: 180 ft Monopole  
Mount Elevation: 180 ft  
Mount Width & Type: 12 ft Platform

Dear Charles McGuirt,

Hudson Design Group LLC (HDG) is pleased to submit this "Mount Structural Analysis Report" to determine the structural integrity of Sprint's antenna mounting system with the proposed appurtenance and equipment addition on the abovementioned supporting tower structure. Analysis of the existing supporting tower structure is to be completed by others and therefore is not part of this analysis. Analysis of the antenna mounting system as a tie-off point for fall protection or rigging is not part of this document.

Based upon our analysis, we have determined the adequacy of the antenna mounting system that will support the existing and proposed loading to be:

Platform

Conditional

This analysis has been performed in accordance with the 2012 International Building Code and the TIA-222-G based on a basic wind speed of 120 mph as required for use in the TIA-222-G Standard Annex B. Exposure Category B with a maximum topographic factor,  $K_{zt}$ , of 1.0481 and Risk Category II were used in this analysis.

We at HDG appreciate the opportunity of providing our continuing professional services to you and Crown Castle. If you have any questions or need further assistance on this or any other projects, please give us a call.

Mount structural analysis prepared by: HDG  
Respectfully Submitted by:

Michael Cabral  
Structural Dept. Head  
CCI Mount Analysis Report – Version 1.0.0



Daniel P. Hamm, P.E.  
Principal

## TABLE OF CONTENTS

### 1) INTRODUCTION

### 2) ANALYSIS CRITERIA

Table 1 - Proposed Equipment Loading Information

Table 2 - Existing and Reserved Equipment Loading Information

### 3) ANALYSIS PROCEDURE

Table 3 - Documents Provided

3.1) Analysis Method

3.2) Assumptions

### 4) ANALYSIS RESULTS

Table 4 - Mount Component Stresses vs. Capacity

4.1) Recommendations

### 5) APPENDIX A

Wire Frame and Rendered Models

### 6) APPENDIX B

RAM Elements Input Calculations

### 7) APPENDIX C

RAM Elements Analysis Output

### 8) APPENDIX D

Additional Calculations

## 1) INTRODUCTION

This mount is a 12' platform. No original structural design documents or fabrication drawings were available for the existing mounts. A mount mapping was not performed at this site. HDG performed a visual assessment using field photographs and mount mapping data from similar mounts to perform this analysis. The mount is installed at an elevation of 180 ft on the 180 ft Monopole.

## 2) ANALYSIS CRITERIA

The mount structural analysis was conducted in accordance with the requirements of TIA-222-G, Structural Standards for Steel Antenna Towers and Antenna Supporting Structures using a basic wind speed of 120 mph with no ice, 50 mph with a 1.81 inch escalated ice thickness, Exposure Category B and Topographic category 3 with a crest height of 120 ft. In addition, the mounts have been analyzed for various live loading conditions consisting of a 250 pound man live load applied individually at the midpoint and cantilevered ends of horizontal members as well as a 500 pound man live load applied individually at mount pipe locations using a 3-second gust wind speed of 30 mph.

**Table 1 - Proposed Equipment Loading Information**

Mount Centerline (ft)	Antenna Centerline (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Proposed Mount Type	Note
180	180	3	Commscope	NNVV-65B-R4	-	1,2
		3	RFS/Cellwave	APXVTM14-ALU-I20	-	1,2
		3	Alcatel Lucent	PCS 1900MHZ 4X45W-65MHZ	-	1,2
		6	Alcatel Lucent	RRH2X50-800	-	1,2
		3	Alcatel Lucent	RRH8x20-25	-	1,2

Notes:

- 1) Proposed Equipment
- 2) Existing Mount to Remain

**Table 2 - Existing and Reserved Equipment Loading Information**

Mount Centerline (ft)	Antenna Centerline (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Existing Mount Type	Note
180	-	-	-	-	12' Platform	1

Notes:

- 1) Existing Equipment

## 3) ANALYSIS PROCEDURE

**Table 3 - Documents Provided**

Document	Remarks	Reference	Source
RFDS	Sprint	-	ON FILE

### 3.1) Analysis Method

RAM Elements (Version 14.0.1), a commercially available analysis software package, was used to create a three-dimensional model of the antenna mounting system and calculate member stresses for various loading cases.

**3.2) Assumptions**

- 1) The antenna mounting system was properly fabricated, installed and maintained in good condition in accordance with its original design and manufacturer's specifications.
- 2) The configuration of antennas, mounts, and other appurtenances are as specified in Table 1 and 2 and the referenced drawings.
- 3) All member connections are assumed to have been designed to meet or exceed the load carrying capacity of the connected member unless otherwise specified in this report.
- 4) Steel grades have been assumed as follows, unless noted otherwise:
 

Channel, Solid Round, Angle, Plate	ASTM A36 (GR 36)
HSS (Square, Rectangular)	ASTM A500 (GR B)
Pipe	ASTM A53 (GR 53)
Connection Bolts	ASTM A325

This analysis may be affected if any assumptions are not valid or have been made in error. Crown Castle should be notified to determine the effect on the structural integrity of the antenna mounting system.

**4) ANALYSIS RESULTS**

**Table 4(a) - Mount Component Stresses vs. Capacity (Platform, Alpha Sector)**

Notes	Component	Member No.	Centerline (ft)	% Capacity	Pass / Fail
1	Face Horizontal	53	180	37	Pass
1	Standoff Members	67	180	57	Pass
2	Mount-to-Tower Connection	-	180	41	Pass

**Table 4(b) - Mount Component Stresses vs. Capacity (Platform, Beta Sector)**

Notes	Component	Beam No.	Centerline (ft)	% Capacity	Pass / Fail
1	Face Horizontal	53	180	37	Pass
1	Standoff Members	67	180	57	Pass
2	Mount-to-Tower Connection	-	180	41	Pass

**Table 4(c) - Mount Component Stresses vs. Capacity (Platform, Gamma Sector)**

Notes	Component	Beam No.	Centerline (ft)	% Capacity	Pass / Fail
1	Face Horizontal	53	180	37	Pass
1	Standoff Members	67	180	57	Pass
2	Mount-to-Tower Connection	-	180	41	Pass

<b>Structure Rating (max from all components) =</b>	<b>80%</b>
---	------------

Notes:

- 1) See additional documentation in "Appendix C – Analysis Output" for calculations supporting the % Capacity consumed.
- 2) See additional documentation in "Appendix D – Additional Calculations" for calculations supporting the % capacity consumed.

**4.1) Recommendations**

The Mount has sufficient capacity to support the proposed loading with the following modifications:

- **Install new mount, SitePro1 P/N RMQP-496 (or approved equal).**
- **Install new 2-1/2" (2.88" O.D.) steel pipe masts secured to the proposed mount (typ. of 1 per sector, total of 3).**
- **Vertically center the proposed pipe masts on the proposed platform mount (typ. of 3 per sector, total of 9).**



**Pier Structural Engineering Corp.**  
 55 Northfield Drive E, Suite 198  
 Waterloo, ON N2K 3T6  
 Tel: 519-885-3806  
 Fax: 519-884-3806  
 www.p-sec.ca

July 4, 2018

Denice Nicholson, Tower Structural Analyst  
 Crown Castle  
 3 Corporate Park Drive Suite 101  
 Clifton Park, NY 12065

**Subject: Structural Analysis Report**

**Carrier Designation:** Carrier Co-Locate: **Sprint PCS**  
 Carrier Site Number: **CT33XC059**  
 Carrier Site Name: **CT33XC059**

**Crown Castle Designation:** Crown Castle BU Number: **876370**  
 Crown Castle Site Name: **MAYBROOK / BOND**  
 Crown Castle JDE Job Number: **505916**  
 Crown Castle WO Number: **1597518**  
 Crown Castle Order Number: **441425 Rev. 0**

**Engineering Firm Designation:** P-SEC Project Number: **18222**

**Site Data:** **41 Beckwith Rd., MONTVILLE, New London County, CT**  
**Latitude 41° 26' 7.66", Longitude -72° 13' 15.07"**  
**180-ft Monopole Tower**

Dear Denice Nicholson,

Pier Structural Engineering Corp. (P-SEC) is pleased to submit this "**Structural Analysis Report**" to determine the structural integrity of the above mentioned tower. This analysis has been performed in accordance with the Crown Castle Structural 'Statement of Work' and the terms of Crown Castle Purchase Order Number 1214991, in accordance with order 441425, revision 0.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC7: Existing + Reserved + Proposed Equipment **Sufficient Capacity**  
 Note: See Table I and Table II for the proposed and existing/reserved loading, respectively.

This analysis has been performed in accordance with the 2016 Connecticut State Building Code based upon an ultimate 3-second gust wind speed of 135 mph converted to a nominal 3-second gust wind speed of 105 mph per Section 1609.3 and Appendix N as required for use in the TIA-222-G Standard per Exception #5 of Section 1609.1.1. Exposure Category B and Risk Category II were used in this analysis.

We at P-SEC appreciate the opportunity of providing our continuing professional services to you and Crown Castle. If you have any questions or need further assistance on this or any other projects please give us a call.

Structural analysis prepared by: Jordan Ross, E.I.T.

Respectfully submitted by:

Shawn Hoffmeyer, P.E., P.Eng.  
 CT PE# 31228



07/04/18



**Pier Structural Engineering Corp.**  
 55 Northfield Drive E, Suite 198  
 Waterloo, ON N2K 3T6  
 Tel: 519-885-3806  
 Fax: 519-884-3806  
 www.p-sec.ca

**July 4, 2018**

Denice Nicholson, Tower Structural Analyst  
 Crown Castle  
 3 Corporate Park Drive Suite 101  
 Clifton Park, NY 12065

**Subject: Structural Analysis Report**

**Carrier Designation:** Carrier Co-Locate: **Sprint PCS**  
 Carrier Site Number: **CT33XC059**  
 Carrier Site Name: **CT33XC059**

**Crown Castle Designation:** Crown Castle BU Number: **876370**  
 Crown Castle Site Name: **MAYBROOK / BOND**  
 Crown Castle JDE Job Number: **505916**  
 Crown Castle WO Number: **1597518**  
 Crown Castle Order Number: **441425 Rev. 0**

**Engineering Firm Designation:** P-SEC Project Number: **18222**

**Site Data:** **41 Beckwith Rd., MONTVILLE, New London County, CT**  
**Latitude 41° 26' 7.66", Longitude -72° 13' 15.07"**  
**180-ft Monopole Tower**

Dear Denice Nicholson,

Pier Structural Engineering Corp. (P-SEC) is pleased to submit this **"Structural Analysis Report"** to determine the structural integrity of the above mentioned tower. This analysis has been performed in accordance with the Crown Castle Structural 'Statement of Work' and the terms of Crown Castle Purchase Order Number 1214991, in accordance with order 441425, revision 0.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC7: Existing + Reserved + Proposed Equipment

**Sufficient Capacity**

Note: See Table I and Table II for the proposed and existing/reserved loading, respectively.

This analysis has been performed in accordance with the 2016 Connecticut State Building Code based upon an ultimate 3-second gust wind speed of 135 mph converted to a nominal 3-second gust wind speed of 105 mph per Section 1609.3 and Appendix N as required for use in the TIA-222-G Standard per Exception #5 of Section 1609.1.1. Exposure Category B and Risk Category II were used in this analysis.

We at P-SEC appreciate the opportunity of providing our continuing professional services to you and Crown Castle. If you have any questions or need further assistance on this or any other projects please give us a call.

Structural analysis prepared by: Jordan Ross, E.I.T.

Respectfully submitted by:

Shawn Hoffmeyer, P.E., P.Eng.  
 CT PE# 31228



## TABLE OF CONTENTS

### 1) INTRODUCTION

### 2) ANALYSIS CRITERIA

Table 1 - Proposed Antenna and Cable Information

Table 2 - Existing and Reserved Antenna and Cable Information

Table 3 - Design Antenna and Cable Information

### 3) ANALYSIS PROCEDURE

Table 4 - Documents Provided

3.1) Analysis Method

3.2) Assumptions

### 4) ANALYSIS RESULTS

Table 5 - Section Capacity (Summary)

Table 6 - Tower Component Stresses vs. Capacity

4.1) Recommendations

### 5) APPENDIX A

tnxTower Output

### 6) APPENDIX B

Base Level Drawing

### 7) APPENDIX C

Additional Calculations

## 1) INTRODUCTION

This tower is a 180-ft Monopole tower originally designed by ENGINEERED ENDEAVORS, INC. in September of 2000 for a wind speed of 90 mph per TIA/EIA-222-F.

## 2) ANALYSIS CRITERIA

The following design parameters have been used in our analysis:

Design Standard:		TIA-222-G Standard and 2016 Connecticut State Building Code
County/State:		New London County, CT
Wind Speeds:	CASE 1	105 mph (3-second gust; equivalent to 135 mph Ultimate wind speed)
	CASE 2	50 mph (3-second gust) with 3/4" radial solid ice (per ASCE7 ice map)
	CASE 3	60 mph (3-second gust) for serviceability
Exposure Category:		B
Topographic Category:		1
Structure Classification:		II

**Table 1 - Proposed Antenna and Cable Information**

Mounting Level (ft)	Center Line Elev. (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
180	180	3	commscope	NNVV-65B-R4	4	1-1/4	1
		3	rfs celwave	APXVTM14-ALU-I20			
		3	alcatel lucent	PCS 1900MHZ 4X45W-65MHZ			
		6	alcatel lucent	RRH2X50-800			
		3	alcatel lucent	TD-RRH8X20-25			
		1	sitepro	Platform Mount [RMQP-496]			

Notes:

- 1) Proposed equipment

**Table 2 - Existing and Reserved Antenna and Cable Information**

Mounting Level (ft)	Center Line Elev. (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note			
180	181	6	decibel	DB980H90E-M	6	1-5/8	3			
	180	1	--	Platform Mount [LP 601-1]						
175	175	1	fastback	IBR 1300_CCIV2	3	1/4	2			
		3	rfs celwave	APX16DWV-16DWV-S-E-A20	1	1-5/8	1			
		3	commscope	LNx-6515DS-A1M						
		6	ericsson	RRUS 11 B4						
		3	ericsson	RRUS 11 B12						
		1	--	Platform Mount [LP 301-1]						
167	167	6	commscope	JAHH-65B-R3B				2	1-5/8	2
		3	alcatel lucent	B66A RRH4X45-4R						
		3	alcatel lucent	RRH2X60-700						
		3	nokia	B5 4T4R RRH4X40 AIRSCALE						
		2	raycap	RC3DC-3315-PF-48						
		6	antel	LPA-80080/4CF						
		1	--	T-Arm Mount [TA 602-3]	10	1-5/8	1			
		1	--	Side Arm Mount [SO 202-3]						

Mounting Level (ft)	Center Line Elev. (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
75	76	1	lucent	KS24019-L112A	1	1/2	1
	75	1	--	Side Arm Mount [SO 701-1]			

Notes:

- 1) Existing equipment
- 2) Reserved equipment
- 3) Equipment to be removed

**Table 3 - Design Antenna and Cable Information**

Mounting Level (ft)	Center Line Elev. (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
180	180	12	dapa	48000 Panel Antenna	--	--
		1	--	Low Profile Platform		
170	170	12	dapa	48000 Panel Antenna	--	--
		1	--	Low Profile Platform		
160	160	12	dapa	48000 Panel Antenna	--	--
		1	--	Low Profile Platform		
150	150	12	dapa	48000 Panel Antenna	--	--
		1	--	Low Profile Platform		
140	140	12	dapa	48000 Panel Antenna	--	--
		1	--	Low Profile Platform		

### 3) ANALYSIS PROCEDURE

**Table 4 - Documents Provided**

Document	Remarks	Reference	Source
4-GEOTECHNICAL REPORTS	CSA, Proj. No. 2000.905 dated 3/16/2000	1533478	CCISITES
4-TOWER MANUFACTURER DRAWINGS	EEl, Proj. No. 7776 dated 9/7/2000	1532099	CCISITES
APPLICATION	Sprint PCS, Revision # 0 dated 5/21/2018	441425	CCISITES

#### 3.1) Analysis Method

tnxTower (7.0.5.1), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A.

#### 3.2) Assumptions

- 1) Tower and structures were built in accordance with the manufacturer's specifications.
- 2) The tower\structures have been maintained in accordance with the manufacturer's specification.
- 3) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.
- 4) P-SEC did not analyze antenna supporting mounts as part of this analysis report and assumed they are structurally sufficient. It is the carrier's responsibility to ensure structural compliance of their existing and/or proposed antenna supporting mounts.

- 5) All equipment model numbers, quantities, and centerline elevations are as provided in the CCI CAD package dated 7/3/2018.

This analysis may be affected if any assumptions are not valid or have been made in error. P-SEC should be notified to determine the effect on the structural integrity of the tower.

#### 4) ANALYSIS RESULTS

**Table 5 - Section Capacity (Summary)**

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail
L1	180 - 133	Pole	TP27.51x15.5x0.25	1	-10.43	1527.84	78.4	Pass
L2	133 - 87.3333	Pole	TP38.56x25.9879x0.375	2	-19.09	3257.30	63.2	Pass
L3	87.3333 - 42.6667	Pole	TP49.1x36.46x0.4375	3	-31.85	4757.64	57.2	Pass
L4	42.6667 - 0	Pole	TP59x46.5397x0.4375	4	-50.11	5529.76	60.8	Pass
							Summary	
						Pole (L1)	78.4	Pass
						<b>RATING =</b>	<b>78.4</b>	<b>Pass</b>

**Table 6 - Tower Component Stresses vs. Capacity**

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
2	Anchor Rods	--	56.2	Pass
2	Base Plate	--	77.7	Pass
2	Base Foundation (Compared w/ Design Loads)	--	68.4	Pass

<b>Structure Rating (max from all components) =</b>	<b>78.4%</b>
---	--------------

- Notes: 1) See full member breakdown and section capacities in Appendix A.  
 2) See additional documentation in Appendix C for supporting calculations.  
 3) Stresses up to 105% (steel) and 110% (foundations) are within engineering tolerance and considered acceptable.

#### 4.1) Recommendations

The tower and its foundation have sufficient capacity to carry the proposed loading configuration.

No modifications are required at this time.

Should you have any questions, please call us anytime at 519-885-3806.

encl.  
 876370\_441425 SA Report\_20180704.doc



## RADIO FREQUENCY EMISSIONS ANALYSIS REPORT EVALUATION OF HUMAN EXPOSURE POTENTIAL TO NON-IONIZING EMISSIONS

SPRINT Existing Facility

Site ID: CT33XC059

Maybrook/Bond  
41 Beckwith Road  
Montville, CT 06370

**September 20, 2018**

**EBI Project Number: 6218006238**

Site Compliance Summary	
Compliance Status:	<b>COMPLIANT</b>
Site total MPE% of FCC general population allowable limit:	<b>6.32 %</b>



September 20, 2018

SPRINT

Attn: RF Engineering Manager  
1 International Boulevard, Suite 800  
Mahwah, NJ 07495

## Emissions Analysis for Site: **CT33XC059 – Maybrook/Bond**

EBI Consulting was directed to analyze the proposed SPRINT facility located at **41 Beckwith Road, Montville, CT**, for the purpose of determining whether the emissions from the Proposed SPRINT Antenna Installation located on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01 and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter ( $\mu\text{W}/\text{cm}^2$ ). The number of  $\mu\text{W}/\text{cm}^2$  calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits, therefore it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) – (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general population may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general population would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

General population exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter ( $\mu\text{W}/\text{cm}^2$ ). The general population exposure limits for the 850 MHz Band is approximately  $567 \mu\text{W}/\text{cm}^2$ . The general population exposure limit for the 1900 MHz (PCS) and 2500 MHz (BRS) bands is  $1000 \mu\text{W}/\text{cm}^2$ . Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.



Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.

## CALCULATIONS

Calculations were done for the proposed SPRINT Wireless antenna facility located at **41 Beckwith Road, Montville, CT**, using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. Since SPRINT is proposing highly focused directional panel antennas, which project most of the emitted energy out toward the horizon, all calculations were performed assuming a lobe representing the maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB for directional panel antennas, was focused at the base of the tower. For this report the sample point is the top of a 6-foot person standing at the base of the tower.

For all calculations, all equipment was calculated using the following assumptions:

- 1) 1 CDMA channels (850 MHz) were considered for each sector of the proposed installation. These Channels have a transmit power of 20 Watts per Channel.
- 2) 2 LTE channels (850 MHz) were considered for each sector of the proposed installation. These Channels have a transmit power of 50 Watts per Channel.
- 3) 5 CDMA channels (1900 MHz (PCS)) were considered for each sector of the proposed installation. These Channels have a transmit power of 16 Watts per Channel.
- 4) 2 LTE channels (1900 MHz (PCS)) were considered for each sector of the proposed installation. These Channels have a transmit power of 40 Watts per Channel.
- 5) 8 LTE channels (2500 MHz (BRS)) were considered for each sector of the proposed installation. These Channels have a transmit power of 20 Watts per Channel.



- 6) All radios at the proposed installation were considered to be running at full power and were uncombined in their RF transmissions paths per carrier prescribed configuration. Per FCC OET Bulletin No. 65 - Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. This is rarely the case, and if so, is never continuous.
- 7) For the following calculations, the sample point was the top of a 6-foot person standing at the base of the tower. The maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB for directional panel antennas, was used in this direction. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.
- 8) The antennas used in this modeling are the **Commscope NNVV-65B-R4 and the RFS APXVTM14-ALU-I20** for transmission in the 850 MHz, 1900 MHz (PCS) and 2500 MHz (BRS) frequency bands. This is based on feedback from the carrier with regards to anticipated antenna selection. Maximum gain values for all antennas are listed in the Inventory and Power Data table below. The maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB for directional panel antennas, was used for all calculations. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.
- 9) The antenna mounting height centerlines of the proposed panel antennas are **180 feet** above ground level (AGL) for **Sector A**, **180 feet** above ground level (AGL) for **Sector B** and **180 feet** above ground level (AGL) for Sector C.
- 10) Emissions values for additional carriers were taken from the Connecticut Siting Council active database. Values in this database are provided by the individual carriers themselves.

All calculations were done with respect to uncontrolled / general population threshold limits.





## SPRINT Site Inventory and Power Data by Antenna

Sector:	A	Sector:	B	Sector:	C
Antenna #:	<b>1</b>	Antenna #:	<b>1</b>	Antenna #:	<b>1</b>
Make / Model:	Commscope NNVV-65B-R4	Make / Model:	Commscope NNVV-65B-R4	Make / Model:	Commscope NNVV-65B-R4
Gain:	12.75 / 15.05 dBd	Gain:	12.75 / 15.05 dBd	Gain:	12.75 / 15.05 dBd
Height (AGL):	<b>180 feet</b>	Height (AGL):	<b>180 feet</b>	Height (AGL):	<b>180 feet</b>
Frequency Bands	850 MHz / 1900 MHz (PCS)	Frequency Bands	850 MHz / 1900 MHz (PCS)	Frequency Bands	850 MHz / 1900 MHz (PCS)
Channel Count	10	Channel Count	10	Channel Count	10
Total TX Power(W):	280 Watts	Total TX Power(W):	280 Watts	Total TX Power(W):	280 Watts
ERP (W):	7,378.61	ERP (W):	7,378.61	ERP (W):	7,378.61
Antenna A1 MPE%	<b>1.08 %</b>	Antenna B1 MPE%	<b>1.08 %</b>	Antenna C1 MPE%	<b>1.08 %</b>
Antenna #:	<b>2</b>	Antenna #:	<b>2</b>	Antenna #:	<b>2</b>
Make / Model:	RFS APXVTM14-ALU-I20	Make / Model:	RFS APXVTM14-ALU-I20	Make / Model:	RFS APXVTM14-ALU-I20
Gain:	15.9 dBd	Gain:	15.9 dBd	Gain:	15.9 dBd
Height (AGL):	<b>180 feet</b>	Height (AGL):	<b>180 feet</b>	Height (AGL):	<b>180 feet</b>
Frequency Bands	2500 MHz (BRS)	Frequency Bands	2500 MHz (BRS)	Frequency Bands	2500 MHz (BRS)
Channel Count	8	Channel Count	8	Channel Count	8
Total TX Power(W):	160 Watts	Total TX Power(W):	160 Watts	Total TX Power(W):	160 Watts
ERP (W):	6,224.72	ERP (W):	6,224.72	ERP (W):	6,224.72
Antenna A2 MPE%	<b>0.74 %</b>	Antenna B2 MPE%	<b>0.74 %</b>	Antenna C2 MPE%	<b>0.74 %</b>

Site Composite MPE%	
Carrier	MPE%
SPRINT – Max per sector	<b>1.82 %</b>
T-Mobile	1.20 %
Verizon Wireless	3.30 %
<b>Site Total MPE %:</b>	<b>6.32 %</b>

SPRINT Sector A Total:	1.82 %
SPRINT Sector B Total:	1.82 %
SPRINT Sector C Total:	1.82 %
<b>Site Total:</b>	<b>6.32 %</b>

SPRINT _ Frequency Band / Technology (All Sectors)	# Channels	Watts ERP (Per Channel)	Height (feet)	Total Power Density ( $\mu\text{W}/\text{cm}^2$ )	Frequency (MHz)	Allowable MPE ( $\mu\text{W}/\text{cm}^2$ )	Calculated % MPE
Sprint 850 MHz CDMA	1	376.73	180	0.45	850 MHz	567	0.09%
Sprint 850 MHz LTE	2	941.82	180	2.24	850 MHz	567	0.39%
Sprint 1900 MHz (PCS) CDMA	5	511.82	180	3.04	1900 MHz (PCS)	1000	0.30%
Sprint 1900 MHz (PCS) LTE	2	1,279.56	180	3.04	1900 MHz (PCS)	1000	0.30%
Sprint 2500 MHz (BRS) LTE	8	778.09	180	7.39	2500 MHz (BRS)	1000	0.74%
						<b>Total:</b>	<b>1.82%</b>



## Summary

All calculations performed for this analysis yielded results that were **within** the allowable limits for general population exposure to RF Emissions.

The anticipated maximum composite contributions from the SPRINT facility as well as the site composite emissions value with regards to compliance with FCC's allowable limits for general population exposure to RF Emissions are shown here:

SPRINT Sector	Power Density Value (%)
Sector A:	1.82 %
Sector B:	1.82 %
Sector C:	1.82 %
SPRINT Maximum MPE % (per sector):	1.82 %
Site Total:	6.32 %
Site Compliance Status:	<b>COMPLIANT</b>

The anticipated composite MPE value for this site assuming all carriers present is **6.32 %** of the allowable FCC established general population limit sampled at the ground level. This is based upon values listed in the Connecticut Siting Council database for existing carrier emissions.

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government.



October 12, 2018

Dear Customer:

The following is the proof-of-delivery for tracking number **773433474927**.

---

**Delivery Information:**

---

<b>Status:</b>	Delivered	<b>Delivered to:</b>	Residence
<b>Signed for by:</b>	Signature not required	<b>Delivery location:</b>	41 BECKWITH RD OAKDALE, CT 06370
<b>Service type:</b>	FedEx Standard Overnight	<b>Delivery date:</b>	Oct 10, 2018 16:06
<b>Special Handling:</b>	Deliver Weekday Residential Delivery		

**NO SIGNATURE REQUIRED**

Proof-of-delivery details appear below; however, no signature is available for this FedEx Express shipment because a signature was not required.

---

**Shipping Information:**

---

<b>Tracking number:</b>	773433474927	<b>Ship date:</b>	Oct 9, 2018
		<b>Weight:</b>	1.0 lbs/0.5 kg

**Recipient:**

Gladys J Bond Trustee  
41 Beckwith Rd.  
OAKDALE, CT 06370 US

**Shipper:**

Kristian McKay  
3530 Toringdon Way  
STE 300  
CHARLOTTE, NC 28277 US

**Reference**

1766.6680

Thank you for choosing FedEx.



October 12, 2018

Dear Customer:

The following is the proof-of-delivery for tracking number **773433444100**.

---

**Delivery Information:**

<b>Status:</b>	Delivered	<b>Delivered to:</b>	Receptionist/Front Desk
<b>Signed for by:</b>	C.ARMEN KNEILAND	<b>Delivery location:</b>	310 NORWICH NEW LONDON TPKE UNCASVILLE, CT 06382
<b>Service type:</b>	FedEx Standard Overnight	<b>Delivery date:</b>	Oct 10, 2018 11:48
<b>Special Handling:</b>	Deliver Weekday		



---

**Shipping Information:**

<b>Tracking number:</b>	773433444100	<b>Ship date:</b>	Oct 9, 2018
		<b>Weight:</b>	1.0 lbs/0.5 kg

**Recipient:**  
Vernon D Vesey II  
310 NORWICH NEW LONDON TPKE  
UNCASVILLE, CT 06382 US

**Shipper:**  
Kristian McKay  
3530 Toringdon Way  
STE 300  
CHARLOTTE, NC 28277 US

**Reference** 1766.6680

Thank you for choosing FedEx.



October 12, 2018

Dear Customer:

The following is the proof-of-delivery for tracking number **773433430994**.

---

**Delivery Information:**

<b>Status:</b>	Delivered	<b>Delivered to:</b>	Receptionist/Front Desk
<b>Signed for by:</b>	C.ONSTANCE M	<b>Delivery location:</b>	310 NORWICH NEW LONDON TPKE. UNCASVILLE, CT 06382
<b>Service type:</b>	FedEx Standard Overnight	<b>Delivery date:</b>	Oct 10, 2018 11:49
<b>Special Handling:</b>	Deliver Weekday		



---

**Shipping Information:**

<b>Tracking number:</b>	773433430994	<b>Ship date:</b>	Oct 9, 2018
		<b>Weight:</b>	1.0 lbs/0.5 kg

**Recipient:**  
Ronald McDaniel  
310 NORWICH NEW LONDON TPKE  
UNCASVILLE, CT 06382 US

**Shipper:**  
Kristian McKay  
3530 Toringdon Way  
STE 300  
CHARLOTTE, NC 28277 US

**Reference** 1766.6680

Thank you for choosing FedEx.