

STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@po.state.ct.us

www.ct.gov/csc

March 5, 2005

Kenneth C. Baldwin, Esq.
Robinson & Cole LLP
280 Trumbull Street
Hartford, CT 06103-3597

RE: **EM-VER-086-050127** - Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 41 Beckwith Road, Montville, Connecticut.

Dear Attorney Baldwin:

At a public meeting held on March 3, 2005, the Connecticut Siting Council (Council) acknowledged your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies.

The proposed modifications are to be implemented as specified here and in your notice dated January 27, 2005, including the placement of all necessary equipment and shelters within the tower compound. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.

Thank you for your attention and cooperation.

Very truly yours,

Pamela B. Katz, P.E.
Chairman

PBK/laf

c: The Honorable Joseph W. Jaskiewicz, Mayor, Town of Montville
Marcia Vlaun, Town Planner, Town of Montville
Thomas J. Regan, Esq., Brown Rudnick Berlack Israels LLP



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@po.state.ct.us

www.ct.gov/csc

January 31, 2005

The Honorable Joseph W. Jaskiewicz
Mayor
Town of Montville
310 Norwich New London Turnpike
Uncasville, CT 06382

RE: **EM-VER-086-050127** – Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 41 Beckwith Road, Montville, Connecticut.

Dear Mayor Jaskiewicz:


The Connecticut Siting Council (Council) received this request to modify an existing telecommunications facility, pursuant to Regulations of Connecticut State Agencies Section 16-50j-72.

The Council will consider this item at the next meeting scheduled for March 3, 2005 at 1:30 p.m. in Hearing Room One, Ten Franklin Square, New Britain, Connecticut.

If you have any questions or comments regarding this proposal, please call me or inform the council by March 2, 2005.

Thank you for your cooperation and consideration.

Very truly yours,



S. Derek Phelps
Executive Director

SDP/cm

Enclosure: Notice of Intent

c: Marcia Vlaun, Town Planner, Town of Montville

280 Trumbull Street
Hartford, CT 06103-3597
Main (860) 275-8200
Fax (860) 275-8299
kbaldwin@rc.com
Direct (860) 275-8345

January 27, 2005

RECEIVED
JAN 27 2005

CONNECTICUT
SITING COUNCIL

Via Hand Delivery

S. Derek Phelps
Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

**Re: Notice of Exempt Modification – Antenna Swap
41 Beckwith Road Telecommunications Facility
Montville, Connecticut**

Dear Mr. Phelps:

Cellco Partnership d/b/a Verizon Wireless (“Cellco”) currently maintains a wireless telecommunications facility, on an existing tower owned by SprintSites USA at 41 Beckwith Road in Montville. This facility consists of twelve (12) panel-type cellular antennas at the 167-foot level of the 180-foot tower. Equipment associated with the antennas is located in a shelter near the base of the tower.

The Connecticut Siting Council (“the Council”) approved Cellco’s shared use of the Beckwith Road facility on January 3, 2002 (TS-VER-086-011205). Cellco now intends to modify its facility by replacing all twelve (12) cellular antennas (Model DB844H90E-XY) with six (6) new cellular (Model DB844H80E-XY) and six (6) PCS antennas (Model 948F85T2E-M) at the same 167-foot level on the tower. Attached behind Tab 1 are specifications for the existing cellular antennas and the proposed cellular and PCS antennas for the Beckwith Road facility.



Law Offices

BOSTON

HARTFORD

NEW LONDON

STAMFORD

GREENWICH

NEW YORK

SARASOTA

www.rc.com

Please accept this letter as notification pursuant to R.C.S.A. § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Montville Mayor, Joseph W. Jaskiewicz.


The planned modifications to the Beckwith Road facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).

S. Derek Phelps
January 27, 2005
Page 2

1. The proposed modifications will not result in any increase in the overall height of the existing structure. Cellco's replacement antennas will be mounted at the same 167-foot level on the 180-foot tower.
2. The proposed modifications will not affect ground-mounted equipment and will not require the extension of the site boundaries.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more.
4. The proposed modifications will not result in radio frequency (RF) power density levels at the facility that exceed the Federal Communications Commission (FCC) adopted safety standard. Attached behind Tab 2 is a new Power Density Calculation Table.

For the foregoing reasons, Cellco respectfully submits that the proposed modifications to the above-referenced telecommunications facility constitute an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,



Kenneth C. Baldwin

Enclosures

cc: Joseph W. Jaskiewicz, Mayor
Sandy M. Carter



DECIBEL
Base Station Antennas

DB844H90E-XY

Directed Dipole Antenna

806 - 896 MHz


870 - 960 MHz

- Excellent azimuth roll-off - 15-20% reduction in cell to cell overlap
- Superior front to back ratio
- Low profile - low wind load for easy zoning
- Outstanding field record with thousands of units deployed world wide

90°

ELECTRICAL

Frequency (MHz) :	806 - 896	870 - 960
Polarization :	Vertical	Vertical
Gain (dBd/dBi) :	12/14.1	12.4/14.5
Azimuth BW (Deg.):	90	90
Elevation BW (Deg.):	15	15
Beam Tilt (Deg.):	0	0
USLS* (dB) :	>15	>15
Front-To-Back Ratio* (dB) :	40	40
VSWR :	<1.35:1	<1.35:1
Max. Input Power (Watts) :	500	500
Impedance (Ohms) :	50	
Lightning Protection :	DC Ground	
Opt. Electrical Tilt :	6	



MECHANICAL

Weight :	6.3 kg (14 lb)
Dimensions (LxWxD) :	1,219 x 165 x 203 mm (48 x 6.5 x 8 in)
Max. Wind Area :	0.10 m ² (1.1 ft ²)
Max. Wind Load (@ 100 mph) :	262.4 N (59 lbf)
Max. Wind Speed :	241 km/h (150 mph)
Hardware Material :	Galvanized Steel
Connector Type :	7-16 DIN - Female (1, Back)
Color :	Light Gray
Alt. Connectors :	N - Type Female
Standard Mounting Hardware :	DB380
Standard Downtilt Mounting Hardware :	DB5083



Andrew Corporation
2601 Telecom Parkway
Richardson, Texas U.S.A 75082-3521
Tel: 214.631.0310

Fax: 214.631.4706
Toll Free Tel: 1.800.676.5342
Fax: 1.800.229.4706
www.andrew.com

* - Indicates Typical Values

1/11/2005

dbtech@andrew.com

Information correct at date of issue but may be subject to change without notice.

DECIBEL
Base Station Antennas


DB844H90E-XY

Directed Dipole Antenna


806 - 896 MHz
870 - 960 MHz

AZIMUTH PATTERN


ELEVATION PATTERN




Freq: 860 MHz, Tilt: 0



Freq: 860 MHz, Tilt: 0



Freq: 940 MHz, Tilt: 0



Freq: 940 MHz, Tilt: 0



Andrew Corporation
2601 Telecom Parkway
Richardson, Texas U.S.A 75082-3521
Tel: 214.631.0310

Fax: 214.631.4706
Toll Free Tel: 1.800.676.5342
Fax: 1.800.229.4706
www.andrew.com

* - Indicates Typical Values

1/11/2005

dbtech@andrew.com

Information correct at date of issue but may be subject to change without notice.

Page 2 of 2

DECIBEL
Base Station Antennas


DB844H80E-XY

12.5 dBd, Directed Dipole Antenna
806-896, 870-960 MHz


806-896 MHz
870-960 MHz

- Excellent azimuth roll-off, 15-20% reduction in cell to cell overlap
- Superior front to back ratio
- Low profile, low wind load for easy zoning
- Outstanding field record, with thousands of units deployed, world wide


80°



Horizontal 835 MHz (Tilt=0)



Vertical 835 MHz (Tilt=0)



ELECTRICAL

MECHANICAL

Frequency (MHz):	806-896	870-960
Polarization:	Vertical	Vertical
Gain (dBd/dBi):	12.5/14.6	12.8/14.9
Azimuth BW:	80°	80°
Elevation BW:	15°	15°
Beam Tilt:	0°	0°
USLS* (dB):	>15	>15
Front-to-Back Ratio* (dB):	40	40
VSWR:	<1.5:1	<1.5:1
Impedance:	50 Ohms	50 Ohms
Max Input Power:	500 Watts	500 Watts
Lightning Protection:	DC Ground	DC Ground
Opt Electrical Tilt:	6°	6°

Weight:	14 lbs (6.4 kg)
Dimensions (LxWxD):	48 X 6.5 X 8 in (1219 X 165 X 203 mm)
Max. Wind Area:	1.08 ft ² (0.10 m ²)
Max. Wind Load (@ 100mph):	59 lbf (262 N)
Max. Wind Speed:	125 mph (201 km/h)
Radiator Material:	Brass
Reflector Material:	Aluminum
Radome Material:	ABS, UV Resistant
Mounting Hardware Material:	Galvanized Steel
Connector Type:	7-16 DIN - Female (Back)
Alt. Connectors:	N Type - Female
Color:	Light Gray
Standard Mounting Hardware:	DB380 Pipe Mount Kit, included
Downtilt Mounting Hardware:	DB5083, optional
Opt. Mounting Hardware:	DB5084-AZ Azimuth Wall Mount



Andrew Corporation
8635 Stemmons Freeway
Dallas, Texas U.S.A 75247-3701
Tel: 214.631.0310

Fax: 214.631.4706
Toll Free Tel: 1.800.676.5342
Fax: 1.800.229.4706
www.andrew.com


Date: 4/23/2004
* - Indicates Typical Values

dbtech@andrew.com


DECIBEL Base Station Antennas	948F85T2E-M 16.1 dBi, Directed Dipole Antenna 1850-1990 MHz	1850-1990 MHz
		MaxFill™ dB Director®

- Exceptional azimuth roll-off reducing soft hand-offs and improving capacity
- Excellent upper side lobe suppression
- Deep null filling below the horizon assures improved signal intensity
- Low profile appearance and low wind loading profile for easier zoning approvals


850




Azimuth 1850 MHz (Tilt=2)



Vertical 1850 MHz (Tilt=2)



Horizontal 1850 MHz (Tilt=2)



ELECTRICAL		MECHANICAL	
Frequency (MHz):	1850-1990	Weight:	8.5 lbs (3.9 kg)
Polarization:	Vertical	Dimensions (LxWxD):	48 X 3.5 X 7 in (1219 X 89 X 178 mm)
Gain (dBd/dBi):	14/16.1	Max. Wind Area:	1.18 ft ² (0.11 m ²)
Azimuth BW:	85°	Max. Wind Load (@ 100mph):	65 lbf (289 N)
Elevation BW:	8°	Max. Wind Speed:	125 mph (201 km/h)
Beam Tilt:	2°	Radiator Material:	Low Loss Circuit Board
USLS* (dB):	>18	Reflector Material:	Aluminum
Null Fill* (dB):	15	Radome Material:	ABS, UV Resistant
Front-to-Back Ratio* (dB):	40	Mounting Hardware Material:	Galvanized Steel
VSWR:	<1.33:1	Connector Type:	7-16 DIN - Female (Bottom)
IM Suppression - Two 20 Watt Carriers:	-150 dBc	Color:	Light Gray
Impedance:	50 Ohms	Standard Mounting Hardware:	DB390 Pipe Mount Kit, included
Max Input Power:	250 Watts	Downtilt Mounting Hardware:	DB5098, optional
Lightning Protection:	DC Ground	Opt. Mounting Hardware:	DB5094-AZ Azimuth Wall Mount
Opt Electrical Tilt:	0°, 4°, 6°		



Andrew Corporation
8635 Stemmons Freeway
Dallas, Texas U.S.A 75247-3701
Tel: 214.631.0310

Fax: 214.631.4706
Toll Free Tel: 1.800.676.5342
Fax: 1.800.229.4706
www.andrew.com

Date: 4/29/2004
* - Indicates Typical Values

dbtech@andrew.com

General Power Density

Site Name: Chesterfield
 Tower Height: 167 Ft. rad center

Operator	Operating Frequency (MHz)	Number of Trans.	ERP Per Trans. (watts)	Total ERP (watts)	Distance to Target (feet)	Calculated Power Density (mW/cm ²)	Maximum Permissible Exposure (mW/cm ²)	Fraction of MPE (%)
Verizon	880	9	200	1800	167	0.0232	0.56733	4.09%
Verizon	1900	3	255	765	167	0.0099	1	0.99%
Total Percentage of Maximum Permissible Exposure								5.08%

*Guidelines adopted by the FCC on August 1, 1996, 47 CFR Part 1 based on NCRP Report 86, 1986 and generally on ANSI/IEEE C95.1-1992

MHz = Megahertz
 mW/cm² = milliwatts per square centimeter
 ERP = Effective Radiated Power

Absolute worst case scenario, maximum values used.

