


280 Trumbull Street
Hartford, CT 06103-3597
Main (860) 275-8200
Fax (860) 275-8299
kbaldwin@rc.com
Direct (860) 275-8345

Also admitted in Massachusetts

December 28, 2012



Linda Roberts
Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

Re: **EM-VER-063-120423 – 185 Fiske Road, Hampton, Connecticut**
EM-VER-075-120423 – 333 Grassy Hill Road, Lyme, Connecticut
EM-VER-086-120330 – 557 Route 82, Montville, Connecticut
EM-VER-097-120522 – 201 South Main Street, Newtown, Connecticut
EM-VER-107-111219 – Ogg Meadow Road, Orange, Connecticut
EM-VER-141-120423 – 720 Quinebaug Road, Thompson, Connecticut
EM-VER-121-120229 – 399 West Road, Salem, Connecticut

Completion of Construction Activity

Dear Ms. Roberts:

The purpose of this letter is to notify the Siting Council that construction activity associated with the above-referenced Cellco Partnership d/b/a Verizon Wireless telecommunications facilities has been completed.

If you have any questions or need any additional information regarding this facility please do not hesitate to contact me.

Sincerely,

Kenneth C. Baldwin

Copy to:
Sandy M. Carter



Law Offices

BOSTON

PROVIDENCE

HARTFORD

NEW LONDON

STAMFORD

WHITE PLAINS


NEW YORK CITY

ALBANY

SARASOTA

www.rc.com

12012142-v1



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

April 17, 2012

Kenneth C. Baldwin, Esq.
Robinson & Cole LLP
280 Trumbull Street
Hartford, CT 06103

RE: **EM-VER-086-120330** - Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 557 Route 82, Montville, Connecticut.

Dear Attorney Baldwin:

The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies with the following conditions:

- Any deviation from the proposed modification as specified in this notice and supporting materials with Council shall render this acknowledgement invalid;
- Any material changes to this modification as proposed shall require the filing of a new notice with the Council;
- Not less than 45 days after completion of construction, the Council shall be notified in writing that construction has been completed;
- The validity of this action shall expire one year from the date of this letter; and
- The applicant may file a request for an extension of time beyond the one year deadline provided that such request is submitted to the Council not less than 60 days prior to the expiration;

The proposed modifications including the placement of all necessary equipment and shelters within the tower compound are to be implemented as specified here and in your notice dated March 29, 2012. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Thank you for your attention and cooperation.

Very truly yours,



Linda Roberts
Executive Director

LR/CDM/laf

c: The Honorable Ronald K. McDaniel, Mayor, Town of Montville
Marcia Vlaun, Town Planner, Town of Montville
Crown Castle USA, Inc.





STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

April 2, 2012

The Honorable Ronald K. McDaniel
Mayor
Town of Montville
Town Hall
310 Norwich New London Turnpike
Uncasville, CT 06382

RE: **EM-VER-086-120330** - Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 557 Route 82, Montville, Connecticut.

Dear Mayor McDaniel:

The Connecticut Siting Council (Council) received this request to modify an existing telecommunications facility, pursuant to Regulations of Connecticut State Agencies Section 16-50j-72.

If you have any questions or comments regarding this proposal, please call me or inform the Council by April 17, 2012.

Thank you for your cooperation and consideration.

Very truly yours,

A handwritten signature in cursive script that reads "Linda Roberts".

Linda Roberts
Executive Director

LR/jbw


Enclosure: Notice of Intent

c: Marcia Vlaun, Town Planner, Town of Montville

280 Trumbull Street
Hartford, CT 06103-3597
Main (860) 275-8200
Fax (860) 275-8299
kbaldwin@rc.com
Direct (860) 275-8345

March 29, 2012

Linda Roberts
Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051



Re: **Notice of Exempt Modification – Antenna Swap
557 Route 82, Montville, Connecticut**

Dear Ms. Roberts:

Cellco Partnership d/b/a Verizon Wireless (“Cellco”) currently maintains twelve (12) wireless telecommunications antennas at the 167-foot level on the existing 180-foot tower at the above-referenced address. The tower is owned by Crown Castle. The Council approved Cellco’s use of the tower in 2001. Cellco now intends to modify its installation by replacing all of its existing antennas with four (4) model LPA-80063-6CF cellular antennas; two (2) model LPA-80080-6CF cellular antennas; three (3) model BXA-171063-8BF PCS antennas; and three (3) model BXA-70063-6CF LTE antennas, all at the same level on the tower. Cellco also intends to install six (6) coax cable diplexers on its antenna platform. Attached behind Tab 1 are the specifications for the replacement antennas and cable diplexers.

Please accept this letter as notification pursuant to R.C.S.A. § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Ronald K. McDaniel, Mayor for the Town of Montville. A copy of this letter is also being sent to Carolyn, Thomas, Edward, John and Brian Basade, the owners of the property on which the tower is located.

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).

1. The proposed modifications will not result in an increase in the overall height of the existing tower. Cellco’s replacement antennas and diplexers will be located at the 167-foot level on the existing 180-foot tower.



Law Offices
BOSTON
PROVIDENCE
HARTFORD
NEW LONDON
STAMFORD
WHITE PLAINS
NEW YORK CITY
ALBANY
SARASOTA
www.rc.com

ROBINSON & COLE^{LLP}

Linda Roberts
March 29, 2012
Page 2

2. The proposed modifications will not involve any change to ground-mounted equipment and, therefore, will not require the extension of the site boundaries.

3. The proposed modifications will not increase noise levels at the facility by six decibels or more.

4. The operation of the replacement antennas will not increase radio frequency (RF) power density levels at the facility to a level at or above the Federal Communications Commission (FCC) adopted safety standard. A cumulative power density table for Cellco's modified facility is included behind Tab 2.

Also attached is a Structural Analysis Report confirming that the tower and foundation can support Cellco's proposed modifications. (See Tab 3).

For the foregoing reasons, Cellco respectfully submits that the proposed modifications to the above-referenced telecommunications facility constitutes an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,



Kenneth C. Baldwin

Enclosures

Copy to:

Ronald K. McDaniel, Montville Mayor
Carolyn, Thomas, Edward, John and Brian Basade
Sandy M. Carter



Vertically Polarized, Log Periodic 63° / 16 dBd

LPA-80063/8CF

When ordering replace "___" with connector type.

Mechanical specifications

| | | |
|---|---------------------|----------------------|
| Length | 2400 mm | 94.5 in |
| Width | 386 mm | 15.2 in |
| Depth | 335 mm | 13.2 in |
| Depth with z-bracket | 375 mm | 14.8 in |
| 4) Weight | 17.2 kg | 38.0 lbs |
| Wind Area | | |
| Fore/Aft | 0.93 m ² | 10.0 ft ² |
| Side | 0.80 m ² | 8.7 ft ² |
| Rated Wind Velocity (Safety factor 2.0) | >276 km/hr | >172 mph |
| Wind Load @ 100 mph (161 km/hr) | | |
| Fore/Aft | 1357 N | 305 lbs |
| Side | 1197 N | 269 lbs |

Antenna consisting of aluminum alloy with brass feedlines covered by a UV safe fiberglass radome.

Mounting and Downtilting

Mounting brackets attach to a pipe diameter of Ø50-102 mm (2.0-4.0 in). If the lock-down brace is used, the maximum diameter is Ø88.9 mm (3.5 in)

Mounting Bracket & Downtilt Bracket Kit
#21699999


Electrical specifications

| | |
|------------------------|--------------------------------|
| Frequency Range | 806-960 MHz |
| Impedance | 50Ω |
| 3) Connector(s) | NE or E-DIN 1 port / center |
| 1) VSWR | ≤ 1.4:1 |
| Polarization | Vertical |
| 1) Gain | 16 dBd |
| 2) Power Rating | 500 W |
| 1) Half Power Angle | |
| H-Plane | 63° |
| E-Plane | 7° |
| 1) Electrical Downtilt | 0° |
| 1) Null Fill | 10% |
| Lightning Protection | Direct Ground |


- 1) Typical values.
- 2) Power rating limited by connector only.
- 3) NE indicates an elongated N connector.
E-DIN indicates an elongated DIN connector.
- 4) The antenna weight listed above does not include the bracket weight.

Improvements to mechanical and/or electrical performance of the antenna may be made without notice.

Radiation pattern¹⁾



Horizontal




Vertical

Featuring upper side lobe suppression.

Radiation patterns for all antennas are measured with the antenna mounted on a fiberglass pole.

Mounting on a metal pole will typically improve the Front-to-Back ratio.



Amphenol Antel's Exclusive 3T (True Transmission Line Technology) Antenna Design:

- True log-periodic design allows for superior front-to-side characteristics to minimize sector overlap.
- Unique feedline design eliminates the need for conventional solder joints in the signal path.
- A non-collinear system with access to every radiating element for broad bandwidth and superior performance.
- Air as insulation for virtually no internal signal loss.

This Amphenol Antel antenna is under a five-year limited warranty for repair or replacement.

Antenna available with center-fed connector only.

CF Denotes a Center-Fed Connector.


806-960 MHz

LPA-80080-6CF-EDIN-X


V-Pol | Log Periodic | 80° | 14.0 dBd

Replace "X" with desired electrical downtilt.

Antenna is also available with NE connector(s)
Replace "EDIN" with "NE" in the model number
when ordering.



| Electrical Characteristics | | |
|---|---|-----------------|
| Frequency bands | 806-960 MHz | |
| Polarization | Vertical | |
| Horizontal beamwidth | 80° | |
| Vertical beamwidth | 10° | |
| Gain | 14.0 dBd (16.1 dBi) | |
| Electrical downtilt (X) | 0, 2, 4, 5, 6, 8, 10 | |
| Impedance | 50Ω | |
| VSWR | ≤1.4:1 | |
| Upper sidelobe suppression (0°) | -22.6 dB | |
| Null fill | 10% (-20.0 dB) | |
| Input power | 500 W | |
| Lightning protection | Direct Ground | |
| Connector(s) | 1 Port / EDIN or NE / Female / Center (Back) | |
| Mechanical Characteristics | | |
| Dimensions Length x Width x Depth | 1800 x 140 x 335 mm 70.9 x 5.5 x 13.2 in | |
| Depth of antenna with z-bracket | 375 mm 14.8 in | |
| Weight without mounting brackets | 9.5 kg 21.0 lbs | |
| Survival wind speed | > 201 km/hr > 125 mph | |
| Wind area | Front: 0.25 m ² Side: 0.61 m ² Front: 2.7 ft ² Side: 6.6 ft ² | |
| Wind load @ 161 km/hr (100 mph) | Front: 415 N Side: 878 N Front: 93 lbf Side: 198 lbf | |
| Mounting Options | | |
| Part Number | Fits Pipe Diameter | Weight |
| 3-Point Mounting & Downtilt Bracket Kit (0-20°) | 21700000 50-102 mm 2.0-4.0 in | 11 kg 25 lbs |
| Lock-Down Brace | If the lock-down brace is used, the maximum diameter of the mounting pipe is 88.9 mm or 3.5 in. | |




Quoted performance parameters are provided to offer typical or range values only and may vary as a result of normal manufacturing and operational conditions. Extreme operational conditions and/or stress on structural supports is beyond our control. Such conditions may result in damage to this product. Improvements to product may be made without notice.

BXA-171063-8BF-EDIN-X

Replace "X" with desired electrical downtilt.

X-Pol | FET Panel | 63° | 17.4 dBi




| Electrical Characteristics | 1710-2170 MHz | | |
|----------------------------|----------------------------------|---------------------|---------------------|
| Frequency bands | 1710-1880 MHz | 1850-1990 MHz | 1920-2170 MHz |
| Polarization | ±45° | ±45° | ±45° |
| Horizontal beamwidth | 68° | 65° | 60° |
| Vertical beamwidth | 7° | 7° | 7° |
| Gain | 14.5 dBd / 16.6 dBi | 14.9 dBd / 17.0 dBi | 15.3 dBd / 17.4 dBi |
| Electrical downtilt (X) | 0, 2, 4, 8 | | |
| Impedance | 50Ω | | |
| VSWR | ≤1.5:1 | | |
| First upper sidelobe | < -17 dB | | |
| Front-to-back isolation | > 30 dB | | |
| In-band isolation | > 28 dB | | |
| IM3 (20W carrier) | < -150 dBc | | |
| Input power | 300 W | | |
| Lightning protection | Direct Ground | | |
| Connector(s) | 2 Ports / EDIN / Female / Bottom | | |
| Operating temperature | -40° to +60° C / -40° to +140° F | | |


| Mechanical Characteristics | Dimensions Length x Width x Depth | |
|-----------------------------------|--|--|
| Dimensions Length x Width x Depth | 1232 x 154 x 105 mm | 48.5 x 6.1 x 4.1 in |
| Depth with t-brackets | 133 mm | 5.2 in |
| Weight without mounting brackets | 4.8 kg | 10.5 lbs |
| Survival wind speed | 296 km/hr | 184 mph |
| Wind area | Front: 0.19 m ² Side: 0.14 m ² | Front: 2.0 ft ² Side: 1.5 ft ² |
| Wind load @ 161 km/hr (100 mph) | Front: 281 N Side: 223 N | Front: 63 lbf Side: 50 lbf |

| Mounting Options | Part Number | Fits Pipe Diameter | Weight |
|---|--|----------------------|--------------|
| 2-Point Mounting Bracket Kit | 26799997 | 50-102 mm 2.0-4.0 in | 2.3 kg 5 lbs |
| 2-Point Mounting & Downtilt Bracket Kit | 26799999 | 50-102 mm 2.0-4.0 in | 3.6 kg 8 lbs |
| Concealment Configurations | For concealment configurations, order BXA-171063-8BF-EDIN-X-FP | | |

BXA-171063-8BF-EDIN-X




Horizontal | 1710-1880 MHz
BXA-171063-8BF-EDIN-0




0° | Vertical | 1710-1880 MHz

BXA-171063-8BF-EDIN-X




Horizontal | 1850-1990 MHz
BXA-171063-8BF-EDIN-0




0° | Vertical | 1850-1990 MHz

BXA-171063-8BF-EDIN-X



Horizontal | 1920-2170 MHz
BXA-171063-8BF-EDIN-0




0° | Vertical | 1920-2170 MHz

Quoted performance parameters are provided to offer typical or range values only and may vary as a result of normal manufacturing and operational conditions. Extreme operational conditions and/or stress on structural supports is beyond our control. Such conditions may result in damage to this product. Improvements to product may be made without notice.


BXA-171063-8BF-EDIN-X

X-Pol | FET Panel | 63° | 17.4 dBi


BXA-171063-8BF-EDIN-2



2° | Vertical | 1710-1880 MHz
BXA-171063-8BF-EDIN-4




4° | Vertical | 1710-1880 MHz
BXA-171063-8BF-EDIN-8




8° | Vertical | 1710-1880 MHz


BXA-171063-8BF-EDIN-2



2° | Vertical | 1850-1990 MHz
BXA-171063-8BF-EDIN-4




4° | Vertical | 1850-1990 MHz
BXA-171063-8BF-EDIN-8




8° | Vertical | 1850-1990 MHz


BXA-171063-8BF-EDIN-2



2° | Vertical | 1920-2170 MHz
BXA-171063-8BF-EDIN-4



4° | Vertical | 1920-2170 MHz
BXA-171063-8BF-EDIN-8



8° | Vertical | 1920-2170 MHz

Quoted performance parameters are provided to offer typical or range values only and may vary as a result of normal manufacturing and operational conditions. Extreme operational conditions and/or stress on structural supports is beyond our control. Such conditions may result in damage to this product. Improvements to product may be made without notice.

BXA-70063-6CF-EDIN-X

X-Pol | FET Panel | 63° | 14.5 dBd


Replace "X" with desired electrical downtilt.

Antenna is also available with NE connector(s). Replace "EDIN" with "NE" in the model number when ordering.




| Electrical Characteristics | 696-900 MHz | | |
|---|---|--|-----------------|
| | 696-806 MHz | 806-900 MHz | |
| Frequency bands | 696-806 MHz | 806-900 MHz | |
| Polarization | ±45° | | |
| Horizontal beamwidth | 65° | 63° | |
| Vertical beamwidth | 13° | 11° | |
| Gain | 14.0 dBd (16.1 dBi) | 14.5 dBd (16.6 dBi) | |
| Electrical downtilt (X) | 0, 2, 3, 4, 5, 6, 8, 10 | | |
| Impedance | 50Ω | | |
| VSWR | ≤1.35:1 | | |
| Upper sidelobe suppression (0°) | -18.3 dB | -18.2 dB | |
| Front-to-back ratio (+/-30°) | -33.4 dB | -36.3 dB | |
| Null fill | 5% (-26.02 dB) | | |
| Isolation between ports | < -25 dB | | |
| Input power with EDIN connectors | 500 W | | |
| Input power with NE connectors | 300 W | | |
| Lightning protection | Direct Ground | | |
| Connector(s) | 2 Ports / EDIN or NE / Female / Center (Back) | | |
| Mechanical Characteristics | | | |
| Dimensions Length x Width x Depth | 1804 x 285 x 132 mm | 71.0 x 11.2 x 5.2 in | |
| Depth with z-brackets | 172 mm | 6.8 in | |
| Weight without mounting brackets | 7.9 kg | 17 lbs | |
| Survival wind speed | > 201 km/hr | | |
| Wind area | Front: 0.51 m ² Side: 0.24 m ² | Front: 5.5 ft ² Side: 2.6 ft ² | |
| Wind load @ 161 km/hr (100 mph) | Front: 759 N Side: 391 N | Front: 169 lbf Side: 89 lbf | |
| Mounting Options | Part Number | Fits Pipe Diameter | Weight |
| 3-Point Mounting & Downtilt Bracket Kit | 36210008 | 40-115 mm 1.57-4.5 in | 6.9 kg 15.2 lbs |
| Concealment Configurations | For concealment configurations, order BXA-70063-6CF-EDIN-X-FP | | |

BXA-70063-6CF-EDIN-X




Horizontal | 750 MHz




Horizontal | 850 MHz

BXA-70063-6CF-EDIN-0




0° | Vertical | 750 MHz




0° | Vertical | 850 MHz

BXA-70063-6CF-EDIN-2



2° | Vertical | 750 MHz




2° | Vertical | 850 MHz

Quoted performance parameters are provided to offer typical or range values only and may vary as a result of normal manufacturing and operational conditions. Extreme operational conditions and/or stress on structural supports is beyond our control. Such conditions may result in damage to this product. Improvements to product may be made without notice.

BXA-70063-6CF-EDIN-X


X-Pol | FET Panel | 63° | 14.5 dBd

BXA-70063-6CF-EDIN-3




3° | Vertical | 750 MHz

BXA-70063-6CF-EDIN-4




4° | Vertical | 750 MHz


BXA-70063-6CF-EDIN-5




5° | Vertical | 750 MHz



3° | Vertical | 850 MHz




4° | Vertical | 850 MHz




5° | Vertical | 850 MHz

BXA-70063-6CF-EDIN-6




6° | Vertical | 750 MHz

BXA-70063-6CF-EDIN-8




8° | Vertical | 750 MHz


BXA-70063-6CF-EDIN-10




10° | Vertical | 750 MHz



6° | Vertical | 850 MHz



8° | Vertical | 850 MHz



10° | Vertical | 850 MHz


Quoted performance parameters are provided to offer typical or range values only and may vary as a result of normal manufacturing and operational conditions. Extreme operational conditions and/or stress on structural supports is beyond our control. Such conditions may result in damage to this product. Improvements to product may be made without notice.



ShareLite Wideband Diplexer – In-line 698-960 MHz/1710-2200 MHz, DC pass in high frequency path

Product Description

The ShareLite FD9R6004 Series of diplexers are designed to enable feeder sharing between systems in the 698-960 MHz range and in the 1710-2200 MHz range. The diplexer is equipped with in-line connector placement so it can be installed in the BTS cabinet or at the tower top. This is especially valuable in crowded sites or when the feeders are not easily accessible. Due to its wideband design, the FD9R6004 Series can accommodate many combining solutions between 698-960 MHz and 1710-2200 MHz systems such as LTE 700 MHz, Cellular 800 MHz with PCS, GSM900 with GSM1800, or GSM900 with UMTS. This diplexer features a highly selective filter. It provides a high level of isolation between ports, while keeping the insertion loss on both paths at an extremely low level. The FD9R6004 diplexers are available with various DC pass options, helpful in configurations with or without the Tower Mount Amplifiers installed.



Features/Benefits

- LTE ready design
- Extremely Low Insertion Loss
- High level of Rejection between bands – Protection against interferences
- Extremely High Power Handling Capability
- Integrated DC block/bypass versions available
- Very compact & small size design – Easy installation and reduced tower load
- In-line long-neck connectors for easy connection & waterproofing
- Exceptional reliability & environmental protection (IP 67)
- Equipped with 1 * Breathable Vent – Prevent any humidity inside the product
- Mounting hardware for Wall and Pole mount provided (P/N SEM2-1A)
- Grounding already provided through the mounting bracket
- Kit available for easy dual mount

Technical Specifications

| | |
|---|---|
| Product Type | Diplexer/Cross Band Coupler |
| Frequency Range 1, MHz | 698-960 |
| Frequency Range 2, MHz | 1710-2200 |
| Application | LTE700, GSM900, UMTS, GSM1800, Cellular 800, PCS |
| Configuration | Sharelite Single diplexer, outdoor, DC pass in the 1710-2170MHz path, with mounting hardware SEM2-1A |
| Mounting | Wall Mounting: With 4 screws (maximum 6mm diameter); Pole Mounting: With included clamp set 40-110mm (1.57-4.33) |
| Return Loss All Ports Min/Typ, dB | 19/23 |
| Power Handling Continuous, Max, W | 1250 at common port; 750 in low frequency path & 500 in high frequency path |
| Power Handling Peak, Max, W | 15000 in low frequency path & 8000 in high frequency path |
| Impedance, Ohms | 50 |
| Insertion Loss, Path 1, dB | 0.07 typ. |
| Insertion Loss, Path 2, dB | 0.13 typ. |
| Rejection Between Bands Min/Typ, dB | 58/64@698-960MHz; 60/70@1710-2200MHz |
| IMP Level at the COM Port, Typ, dBm | -112 @ 2x43 |
| DC Pass in Low Frequency Path | No |
| DC Pass in High Frequency Path | Yes |
| Temperature Range, °C (°F) | -40 to +60 (-40 to +140) |
| Environmental | ETSI 300-019-2-4 Class 4.1E |
| Ingress Protection | IP 67 |
| Lightning Protection | EN/IEC61000-4-5 Level 4 |
| Connectors | In-line long-neck 7-16-Female |
| Weight, kg (lb) | 1.2 (2.6) |
| Shipping Weight, kg (lb) | 3.2 (7) for 2 * single units in 1 * box, 9.8 (21.6) for 6 * units = 3 * Boxes in 1 * overwrap |
| Dimensions, H x W x D, mm (in) | 147 x 164 x 37 (5.8 x 6.5 x 1.5) |
| Shipping Dimensions, H x W x D, mm (in) | 254 x 406 x 82 (10 x 16 x 3.2) for 2 * Single Units in 1 * box, 280 x 406 x 241 (11 x 16 x 9.5) for 6 * units = 3 * Boxes in 1 * overwrap |
| Volume, L | 0.43 |
| Housing | Aluminum |

Notes

All information contained in the present datasheet is subject to confirmation at time of ordering




ShareLite Wideband Diplexer – In-line 698-960 MHz/1710-2200 MHz, DC pass in high frequency path

Other Documentation

FD9R6004/2C-3L Installation Instructions: [Wideband_Diplexer_Installation_Rev5.pdf](#)

| Selection Guide Diplexer 698-960 / 1710-2200MHz | | | | | |
|---|--------------------|--------------|-------------------|------------------|----------------------------|
| | Model Number | Full DC Pass | DC Pass High Band | DC Pass Low Band | Mounting Hardware Included |
| Single | FD9R6004/1C-3L | | | | X |
| | FD9R6004/2C-3L | | | | X |
| | FD9R6004/3C-3L | | | | X |
| Dual | KIT-FD9R6004/1C-DL | | | | X |
| | KIT-FD9R6004/2C-DL | | | | X |
| | KIT-FD9R6004/3C-DL | | | | X |



The FD9R6004 Series is upgradeable to a Dual Diplexer kit by means of 2 diplexers and mounting hardware kits SEM2-1A and SEM2-3

| Mounting Hardware and Ground Cable Ordering Information | |
|---|---|
| Model Number | Description |
| SEM2-1A | Mounting Hardware, Pole mount ø40-110mm (Included with the Single and Dual Diplexer) Wall Screws M6 (Not included with the product) |
| SEM2-3 | Assembly kit for 2 pcs of FD9R6004/xC-3L (Can be ordered separately but included with the Dual Diplexer Kit) |
| CA020-2 | Ground Cable, 2m, includes lugs (Optional) |
| CA030-2 | Ground Cable, 2m, includes lugs (Optional) |
| SEM6 | Mounting Hardware for 6 Diplexers, Tower Base (Optional) |

All information contained in the present datasheet is subject to confirmation at time of ordering

| | | General | | Power | | Density | | | | | | | |
|-------------------------------|------------|-----------|--------|------------------|--------|--------------------|--------------|--------|--|--|--|--|--|
| Site Name: Montville NW | | | | | | | | | | | | | |
| Tower Height: Verizon @ 167ft | | | | | | | | | | | | | |
| CARRIER | # OF CHAN. | WATTS ERP | HEIGHT | CALC. POWER DENS | FREQ. | MAX. PERMISS. EXP. | FRACTION MPE | Total | | | | | |
| *Sprint | 11 | 122 | 180 | 0.0149 | 1962.5 | 1.0000 | 1.49% | | | | | | |
| *AT&T UMTS | 1 | 500 | 147 | 0.0083 | 880 | 0.5867 | 1.42% | | | | | | |
| *AT&T GSM | 4 | 296 | 147 | 0.0197 | 880 | 0.5867 | 3.36% | | | | | | |
| *AT&T GSM | 2 | 427 | 147 | 0.0142 | 1900 | 1.0000 | 1.42% | | | | | | |
| Verizon PCS | 7 | 256 | 167 | 0.0231 | 1970 | 1.0000 | 2.31% | | | | | | |
| Verizon Cellular | 9 | 362 | 167 | 0.0420 | 869 | 0.5793 | 7.25% | | | | | | |
| Verizon AWS | 1 | 639 | 167 | 0.0082 | 2145 | 1.0000 | 0.82% | | | | | | |
| Verizon 700 | 1 | 760 | 167 | 0.0098 | 698 | 0.4653 | 2.11% | | | | | | |
| | | | | | | | | 20.18% | | | | | |
| * Source: Siting Council | | | | | | | | | | | | | |

Date: March 22, 2012

Veronica Harris
Crown Castle
1200 McArthur Blvd
Mahwah, NJ 07430



Crown Castle
2000 Corporate Drive
Canonsburg, PA 15317
(724) 416-2000

Subject: Structural Analysis Report

Carrier Designation: Verizon Wireless Co-Locate
Carrier Site Number: 117761
Carrier Site Name: Montville NW

Crown Castle Designation: Crown Castle BU Number: 876371
Crown Castle Site Name: WALDEN / CAROLYN BESADE
Crown Castle JDE Job Number: 174831
Crown Castle Work Order Number: 479912
Crown Castle Application Number: 138075 Rev. 1

Engineering Firm Designation: Crown Castle Project Number: 479912

Site Data: 557 Rte. 82, Oakdale, New London County, CT
Latitude 41° 30' 20.3", Longitude -72° 11' 51.1"
180 Foot - Monopole Tower

Dear Veronica Harris,

Crown Castle is pleased to submit this "Structural Analysis Report" to determine the structural integrity of the above mentioned tower. This analysis has been performed in accordance with the Crown Castle Structural 'Statement of Work' and the terms of Crown Castle Purchase Order Number 479912, in accordance with application 138075, revision 1.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC5: Existing + Proposed Equipment **Sufficient Capacity**
Note: See Table I and Table II for the proposed and existing loading, respectively.

This analysis has been performed in accordance with the TIA/EIA-222-F standard and the 2005 Connecticut State Building Code based upon a wind speed of 85 mph fastest mile.

All modifications and equipment proposed in this report shall be installed in accordance with the attached drawings for the determined available structural capacity to be effective.

We at Crown Castle appreciate the opportunity of providing our continuing professional services to you and Crown Castle. If you have any questions or need further assistance on this or any other projects please give us a call.

Structural analysis prepared by: ~~Antoine Samtonge~~, Engineer II / CT

Respectfully submitted by:



Douglas K. Pineo, P.E.
Manager Structural Design

TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

Table 1 - Proposed Antenna and Cable Information

Table 2 - Existing and Reserved Antenna and Cable Information

Table 3 - Design Antenna and Cable Information

3) ANALYSIS PROCEDURE

Table 4 - Documents Provided

3.1) Analysis Method

3.2) Assumptions

4) ANALYSIS RESULTS

Table 5 - Section Capacity (Summary)

Table 6 - Tower Components vs. Capacity

4.1) Recommendations

5) APPENDIX A

tnxTower Output

6) APPENDIX B

Base Level Drawing

7) APPENDIX C

Additional Calculations

1) INTRODUCTION

This tower is a 180 ft Monopole tower designed by ENGINEERED ENDEAVORS, INC. in November of 1999. The tower was originally designed for a wind speed of 90 mph per TIA/EIA-222-F. The tower was modified in 2007 by Vertical Structures.

2) ANALYSIS CRITERIA

The structural analysis was performed for this tower in accordance with the requirements of TIA/EIA-222-F Structural Standards for Steel Antenna Towers and Antenna Supporting Structures using a fastest mile wind speed of 85 mph with no ice, 37.6 mph with 0.75 inch ice thickness and 50 mph under service loads.

Table 1 - Proposed Antenna and Cable Information

| Mounting Level (ft) | Center Line Elevation (ft) | Number of Antennas | Antenna Manufacturer | Antenna Model | Number of Feed Lines | Feed Line Size (in) | Note |
|---------------------|----------------------------|--------------------|----------------------|----------------------------------|----------------------|---------------------|------|
| 167 | 167 | 3 | antel | BXA-171063-8BF-2 w/ Mount Pipe | - | - | - |
| | | 3 | antel | BXA-70063-6CF-2 w/ Mount Pipe | | | |
| | | 4 | antel | LPA-80063/6CF w/ Mount Pipe | | | |
| | | 2 | antel | LPA-80080-6CF-EDIN w/ Mount Pipe | | | |
| | | 6 | rfs celwave | FD9R6004/2C-3L | | | |

Table 2 - Existing Antenna and Cable Information

| Mounting Level (ft) | Center Line Elevation (ft) | Number of Antennas | Antenna Manufacturer | Antenna Model | Number of Feed Lines | Feed Line Size (in) | Note |
|---------------------|----------------------------|--------------------|------------------------|---------------------------|----------------------|---------------------|------|
| 180 | 180 | 6 | decibel | DB980H90E-M w/ Mount Pipe | 6 | 1-5/8 | 1 |
| | | 1 | tower mounts | Platform Mount [LP 712-1] | - | - | 1 |
| 167 | 167 | 6 | decibel | 948F85T4E-M w/ Mount Pipe | - | - | 2 |
| | | 6 | decibel | DB844H90-XY w/ Mount Pipe | | | |
| | | 1 | gps | GPS_A | 1 | 1/2 | 1 |
| | | 1 | tower mounts | Platform Mount [LP 712-1] | 12 | 1-5/8 | |
| 147 | 147 | 6 | powerwave technologies | 7770.00 w/ Mount Pipe | 12 | 1-5/8 | 1 |
| | | 6 | powerwave technologies | LGP21401 | | | |
| | | 6 | powerwave technologies | LGP21901 | | | |
| | | 1 | tower mounts | Platform Mount [LP 712-1] | | | |
| 75 | 76 | 1 | gps | GPS_A | 1 | 1/2 | 1 |
| | 75 | 1 | tower mounts | Pipe Mount [PM 501-1] | | | |

Notes:

- 1) Existing Equipment
- 2) Existing Equipment to be removed not considered in this analysis

Table 3 - Design Antenna and Cable Information

| Mounting Level (ft) | Center Line Elevation (ft) | Number of Antennas | Antenna Manufacturer | Antenna Model | Number of Feed Lines | Feed Line Size (In) |
|---------------------|----------------------------|--------------------|----------------------|----------------------|----------------------|---------------------|
| 180 | 180 | 12 | Generic | DB980 Panel Antennas | - | - |
| 170 | 170 | 12 | Generic | DB980 Panel Antennas | - | - |
| 160 | 160 | 12 | Generic | DB980 Panel Antennas | - | - |

3) ANALYSIS PROCEDURE

Table 4 - Documents Provided

| Document | Remarks | Reference | Source |
|--|----------------------------|-----------|----------|
| 4-GEOTECHNICAL REPORTS | Clarence Welti Assoc, Inc. | 2053524 | CCISITES |
| 4-TOWER FOUNDATION DRAWINGS/DESIGN/SPECS | EEI | 1615419 | CCISITES |
| 4-TOWER MANUFACTURER DRAWINGS | EEI | 1615393 | CCISITES |
| 4-TOWER REINFORCEMENT DESIGN/DRAWINGS/DATA | Vertical Structures, Inc. | 2254969 | CCISITES |

3.1) Analysis Method

tnxTower (version 6.0.4.0), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A.

3.2) Assumptions

- 1) Tower and structures were built in accordance with the manufacturer's specifications.
- 2) The tower and structures have been maintained in accordance with the manufacturer's specification.
- 3) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.
- 4) When applicable, transmission cables are considered as structural components for calculating wind loads as allowed by TIA/EIA-222-F.

This analysis may be affected if any assumptions are not valid or have been made in error. Crown Castle should be notified to determine the effect on the structural integrity of the tower.

4) ANALYSIS RESULTS

Table 5 - Section Capacity (Summary)

| Section No. | Elevation (ft) | Component Type | Size | Critical Element | P (K) | SF*P_allow (K) | % Capacity | Pass / Fail | |
|-------------|----------------|----------------|------------------------|------------------|--------|----------------|------------|-------------|------|
| L1 | 180 - 133 | Pole | TP27.99x18x0.25 | 1 | -6.91 | 1109.25 | 63.3 | Pass | |
| L2 | 133 - 87.42 | Pole | TP37.05x26.6398x0.3125 | 2 | -13.25 | 1838.38 | 83.0 | Pass | |
| L3 | 87.42 - 42.88 | Pole | TP45.76x35.3395x0.375 | 3 | -22.42 | 2727.24 | 80.6 | Pass | |
| L4 | 42.88 - 0 | Pole | TP54x43.6998x0.4375 | 4 | -36.43 | 3866.70 | 74.2 | Pass | |
| | | | | | | | Summary: | | |
| | | | | | | | Pole (L2) | 83.0 | Pass |
| | | | | | | | Rating = | 83.0 | Pass |

Table 6 - Tower Component Stresses vs. Capacity – LC5

| Notes | Component | Elevation (ft) | % Capacity | Pass / Fail |
|-------|-------------------------------------|----------------|------------|-------------|
| 1 | Anchor Rods | 0 | 75.0 | Pass |
| 1 | Base Plate | 0 | 62.5 | Pass |
| 1 | Base Foundation Soil Interaction | 0 | 77.1 | Pass |

| | |
|---|------------|
| Structure Rating (max from all components) = | 83% |
|---|------------|

Notes:


- 1) See additional documentation in "Appendix C – Additional Calculations" for calculations supporting the % capacity consumed.

4.1) Recommendations

The tower and its foundation have sufficient capacity to carry the existing, reserved, and proposed loads. No modifications are required at this time.

APPENDIX A
TNXTOWER OUTPUT

| Section | Length (ft) | Number of Sides | Thickness (in) | Socket Length (ft) | Top Dia (in) | Bot Dia (in) | Grade | Weight (K) |
|---------|-------------|-----------------|----------------|--------------------|--------------|--------------|---------|------------|
| 1 | 47.00 | 18 | 0.2500 | 4.00 | 18.0000 | 27.9800 | | 2.9 |
| 2 | 49.58 | 18 | 0.3125 | 5.17 | 26.6398 | 37.0500 | | 5.3 |
| 3 | 49.71 | 18 | 0.3750 | 6.25 | 35.3395 | 45.7600 | A572-65 | 8.1 |
| 4 | 49.13 | 18 | 0.4375 | 43.6998 | 54.0000 | | | 11.2 |



DESIGNED APPURTENANCE LOADING


| TYPE | ELEVATION | TYPE | ELEVATION |
|--------------------------------------|-----------|---------------------------|-----------|
| (2) DB980H90E-M w/ Mount Pipe | 180 | (2) FD9R6004/2C-3L | 167 |
| (2) DB980H90E-M w/ Mount Pipe | 180 | Platform Mount [LP 712-1] | 167 |
| (2) DB980H90E-M w/ Mount Pipe | 180 | (2) 7770.00 w/Mount Pipe | 147 |
| Platform Mount [LP 712-1] | 180 | (2) LGP21401 | 147 |
| GPS_A | 167 | (2) LGP21901 | 147 |
| BXA-171063-8BF-2 w/ Mount Pipe | 167 | (2) 7770.00 w/Mount Pipe | 147 |
| BXA-70063-6CF-2 w/ Mount Pipe | 167 | (2) LGP21401 | 147 |
| (2) LPA-80080-6CF-EDIN w/ Mount Pipe | 167 | (2) LGP21901 | 147 |
| (2) FD9R6004/2C-3L | 167 | (2) 7770.00 w/Mount Pipe | 147 |
| BXA-171063-8BF-2 w/ Mount Pipe | 167 | (2) LGP21401 | 147 |
| BXA-70063-6CF-2 w/ Mount Pipe | 167 | (2) LGP21901 | 147 |
| (2) LPA-80063/6CF w/Mount Pipe | 167 | (2) 4' x 2" Pipe Mount | 147 |
| (2) FD9R6004/2C-3L | 167 | (2) 4' x 2" Pipe Mount | 147 |
| BXA-171063-8BF-2 w/ Mount Pipe | 167 | Platform Mount [LP 712-1] | 147 |
| BXA-70063-6CF-2 w/ Mount Pipe | 167 | GPS_A | 75 |
| (2) LPA-80063/6CF w/Mount Pipe | 167 | Pipe Mount [PM 501-1] | 75 |

MATERIAL STRENGTH

| GRADE | Fy | Fu | GRADE | Fy | Fu |
|---------|--------|--------|-------|----|----|
| A572-65 | 65 ksi | 80 ksi | | | |

TOWER DESIGN NOTES

1. Tower is located in New London County, Connecticut.
2. Tower designed for a 85 mph basic wind in accordance with the TIA/EIA-222-F Standard.
3. Tower is also designed for a 38 mph basic wind with 0.75 in ice. Ice is considered to increase in thickness with height.
4. Deflections are based upon a 50 mph wind.
5. TOWER RATING: 83%



| | | | |
|--|------------------------|----------------------|------------|
| <p>Crown Castle 2000 Corporate Drive Canonsburg, PA 15317 We Are Solutions Phone: 724-416-2000 FAX:</p> | Job: BU# 876371 | | |
| | Project: | | |
| | Client: Crown Castle | Drawn by: ASaintonge | App'd: |
| | Code: TIA/EIA-222-F | Date: 03/21/12 | Scale: NTS |
| | Path: | Dwg No. E-1 | |

Tower Input Data

There is a pole section.

This tower is designed using the TIA/EIA-222-F standard.

The following design criteria apply:

- 3) Tower is located in New London County, Connecticut.
- 4) Basic wind speed of 85 mph.
- 5) Nominal ice thickness of 0.7500 in.
- 6) Ice thickness is considered to increase with height.
- 7) Ice density of 56 pcf.
- 8) A wind speed of 38 mph is used in combination with ice.
- 9) Temperature drop of 50 °F.
- 10) Deflections calculated using a wind speed of 50 mph.
- 11) A non-linear (P-delta) analysis was used.
- 12) Pressures are calculated at each section.
- 13) Stress ratio used in pole design is 1.333.
- 14) Local bending stresses due to climbing loads, feedline supports, and appurtenance mounts are not considered.

Options

| | | |
|--|--|---|
| Consider Moments - Legs Consider Moments - Horizontals Consider Moments - Diagonals Use Moment Magnification ✓ Use Code Stress Ratios ✓ Use Code Safety Factors - Guys ✓ Escalate Ice Always Use Max Kz Use Special Wind Profile Include Bolts In Member Capacity Leg Bolts Are At Top Of Section Secondary Horizontal Braces Leg Use Diamond Inner Bracing (4 Sided) Add IBC .6D+W Combination | Distribute Leg Loads As Uniform Assume Legs Pinned ✓ Assume Rigid Index Plate ✓ Use Clear Spans For Wind Area Use Clear Spans For KL/r Retension Guys To Initial Tension ✓ Bypass Mast Stability Checks ✓ Use Azimuth Dish Coefficients ✓ Project Wind Area of Appurt. Autocalc Torque Arm Areas SR Members Have Cut Ends ✓ Sort Capacity Reports By Component Triangulate Diamond Inner Bracing | Treat Feedline Bundles As Cylinder Use ASCE 10 X-Brace Ly Rules Calculate Redundant Bracing Forces Ignore Redundant Members in FEA SR Leg Bolts Resist Compression All Leg Panels Have Same Allowable Offset Girt At Foundation ✓ Consider Feedline Torque Include Angle Block Shear Check Poles ✓ Include Shear-Torsion Interaction Always Use Sub-Critical Flow Use Top Mounted Sockets |
|--|--|---|

Tapered Pole Section Geometry

| Section | Elevation ft | Section Length ft | Splice Length ft | Number of Sides | Top Diameter in | Bottom Diameter in | Wall Thickness in | Bend Radius in | Pole Grade |
|---------|-----------------|-------------------------|------------------------|-----------------------|-----------------------|--------------------------|-------------------------|----------------------|---------------------|
| L1 | 180.00-133.00 | 47.00 | 4.00 | 18 | 18.0000 | 27.9900 | 0.2500 | 1.0000 | A572-65 (65 ksi) |
| L2 | 133.00-87.42 | 49.58 | 5.17 | 18 | 26.6398 | 37.0500 | 0.3125 | 1.2500 | A572-65 (65 ksi) |
| L3 | 87.42-42.88 | 49.71 | 6.25 | 18 | 35.3395 | 45.7600 | 0.3750 | 1.5000 | A572-65 (65 ksi) |
| L4 | 42.88-0.00 | 49.13 | | 18 | 43.6998 | 54.0000 | 0.4375 | 1.7500 | A572-65 (65 ksi) |

Tapered Pole Properties

| Section | Tip Dia. in | Area in ² | I in ⁴ | r in | C in | I/C in ³ | J in ⁴ | I/Q in ² | w in | w/t |
|---------|----------------|-------------------------|----------------------|---------|---------|------------------------|----------------------|------------------------|---------|--------|
| L1 | 18.2777 | 14.0846 | 560.6340 | 6.3012 | 9.1440 | 61.3117 | 1122.0058 | 7.0437 | 2.7280 | 10.912 |

| Section | Tip Dia. in | Area in ² | I in ⁴ | r in | C in | I/C in ³ | J in ⁴ | I/Q in ² | w in | w/t |
|---------|----------------|-------------------------|----------------------|---------|---------|------------------------|----------------------|------------------------|---------|--------|
| L2 | 28.4218 | 22.0117 | 2139.9506 | 9.8477 | 14.2189 | 150.5002 | 4282.7170 | 11.0079 | 4.4862 | 17.945 |
| | 27.9036 | 26.1134 | 2286.7186 | 9.3462 | 13.5330 | 168.9734 | 4576.4462 | 13.0592 | 4.1386 | 13.244 |
| | 37.6216 | 36.4390 | 6213.3124 | 13.0418 | 18.8214 | 330.1196 | 12434.800 | 18.2230 | 5.9708 | 19.107 |
| L3 | 36.9851 | 41.6165 | 6427.7107 | 12.4124 | 17.9524 | 358.0409 | 12863.879 | 20.8122 | 5.5597 | 14.826 |
| | 46.4659 | 54.0195 | 14057.647 | 16.1117 | 23.2461 | 604.7320 | 28133.793 | 27.0149 | 7.3938 | 19.717 |
| L4 | 45.7045 | 60.0752 | 14205.361 | 15.3581 | 22.1995 | 639.8951 | 28429.413 | 30.0433 | 6.9212 | 15.82 |
| | 54.8330 | 74.3782 | 26959.072 | 19.0147 | 27.4320 | 982.7600 | 53953.618 | 37.1962 | 8.7340 | 19.963 |
| | | | | | | | | | | |

| Tower Elevation | Gusset Area (per face) | Gusset Thickness | Gusset Grade | Adjust. Factor A _r | Adjust. Factor A _r | Weight Mult. | Double Angle Stitch Bolt Spacing Diagonals | Double Angle Stitch Bolt Spacing Horizontals |
|------------------|---------------------------|------------------|--------------|----------------------------------|----------------------------------|--------------|---|---|
| ft | ft ² | in | | | | | in | in |
| L1 180.00-133.00 | | | | 1 | 1 | 1 | | |
| L2 133.00-87.42 | | | | 1 | 1 | 1 | | |
| L3 87.42-42.88 | | | | 1 | 1 | 1 | | |
| L4 42.88-0.00 | | | | 1 | 1 | 1 | | |

Feed Line/Linear Appurtenances - Entered As Round Or Flat

| Description | Face or Leg | Allow or Shield | Component Type | Placement | Total Number | Number Per Row | Clear Spacing | Width or Diameter | Perimeter | Weight |
|-------------|-------------|-----------------|----------------|-----------|--------------|----------------|---------------|-------------------|-----------|--------|
| | | | | ft | | | in | r | r | plf |
| * | | | | | | | | | | |

Feed Line/Linear Appurtenances - Entered As Area

| Description | Face or Leg | Allow or Shield | Component Type | Placement | Total Number | C _A A _A | Weight |
|--------------------|-------------|-----------------|----------------|---------------|--------------|-------------------------------|--------|
| | | | | ft | | ft ² /ft | plf |
| VXL7-50(1-5/8") | B | No | Inside Pole | 180.00 - 7.00 | 6 | No Ice | 0.75 |
| | | | | | | 1/2" Ice | 0.75 |
| | | | | | | 1" Ice | 0.75 |
| | | | | | | 2" Ice | 0.75 |
| | | | | | | 4" Ice | 0.75 |
| LDF4-50A(1/2") | B | No | Inside Pole | 167.00 - 7.00 | 1 | No Ice | 0.15 |
| | | | | | | 1/2" Ice | 0.15 |
| | | | | | | 1" Ice | 0.15 |
| | | | | | | 2" Ice | 0.15 |
| | | | | | | 4" Ice | 0.15 |
| LDF7-50A(1-5/8") | B | No | Inside Pole | 167.00 - 7.00 | 12 | No Ice | 0.82 |
| | | | | | | 1/2" Ice | 0.82 |
| | | | | | | 1" Ice | 0.82 |
| | | | | | | 2" Ice | 0.82 |
| | | | | | | 4" Ice | 0.82 |
| LCF158-50A(1-5/8") | A | No | Inside Pole | 147.00 - 7.00 | 12 | No Ice | 0.80 |
| | | | | | | 1/2" Ice | 0.80 |
| | | | | | | 1" Ice | 0.80 |
| | | | | | | 2" Ice | 0.80 |
| | | | | | | 4" Ice | 0.80 |
| LCF12-50J(1/2") | B | No | Inside Pole | 75.00 - 7.00 | 1 | No Ice | 0.15 |
| | | | | | | 1/2" Ice | 0.15 |
| | | | | | | 1" Ice | 0.15 |

| Description | Face or Leg | Allow Shield | Component Type | Placement ft | Total Number | C _{AA} ft ² /ft | Weight plf |
|-------------|-------------|--------------|----------------|-----------------|--------------|--|---------------|
| | | | | | | 2" Ice | 0.00 |
| | | | | | | 4" Ice | 0.00 |

Feed Line/Linear Appurtenances Section Areas

| Tower Sectio n | Tower Elevation ft | Face | A _R ft ² | A _F ft ² | C _{AA} In Face ft ² | C _{AA} Out Face ft ² | Weight K |
|-------------------|-----------------------|------|-----------------------------------|-----------------------------------|---|--|-------------|
| L1 | 180.00-133.00 | A | 0.000 | 0.000 | 0.000 | 0.000 | 0.13 |
| | | B | 0.000 | 0.000 | 0.000 | 0.000 | 0.55 |
| | | C | 0.000 | 0.000 | 0.000 | 0.000 | 0.00 |
| L2 | 133.00-87.42 | A | 0.000 | 0.000 | 0.000 | 0.000 | 0.44 |
| | | B | 0.000 | 0.000 | 0.000 | 0.000 | 0.66 |
| | | C | 0.000 | 0.000 | 0.000 | 0.000 | 0.00 |
| L3 | 87.42-42.88 | A | 0.000 | 0.000 | 0.000 | 0.000 | 0.43 |
| | | B | 0.000 | 0.000 | 0.000 | 0.000 | 0.65 |
| | | C | 0.000 | 0.000 | 0.000 | 0.000 | 0.00 |
| L4 | 42.88-0.00 | A | 0.000 | 0.000 | 0.000 | 0.000 | 0.34 |
| | | B | 0.000 | 0.000 | 0.000 | 0.000 | 0.53 |
| | | C | 0.000 | 0.000 | 0.000 | 0.000 | 0.00 |

Feed Line/Linear Appurtenances Section Areas - With Ice

| Tower Sectio n | Tower Elevation ft | Face or Leg | Ice Thickness in | A _R ft ² | A _F ft ² | C _{AA} In Face ft ² | C _{AA} Out Face ft ² | Weight K |
|-------------------|-----------------------|-------------|---------------------|-----------------------------------|-----------------------------------|---|--|-------------|
| L1 | 180.00-133.00 | A | 0.903 | 0.000 | 0.000 | 0.000 | 0.000 | 0.13 |
| | | B | | 0.000 | 0.000 | 0.000 | 0.000 | 0.55 |
| | | C | | 0.000 | 0.000 | 0.000 | 0.000 | 0.00 |
| L2 | 133.00-87.42 | A | 0.866 | 0.000 | 0.000 | 0.000 | 0.000 | 0.44 |
| | | B | | 0.000 | 0.000 | 0.000 | 0.000 | 0.66 |
| | | C | | 0.000 | 0.000 | 0.000 | 0.000 | 0.00 |
| L3 | 87.42-42.88 | A | 0.813 | 0.000 | 0.000 | 0.000 | 0.000 | 0.43 |
| | | B | | 0.000 | 0.000 | 0.000 | 0.000 | 0.65 |
| | | C | | 0.000 | 0.000 | 0.000 | 0.000 | 0.00 |
| L4 | 42.88-0.00 | A | 0.750 | 0.000 | 0.000 | 0.000 | 0.000 | 0.34 |
| | | B | | 0.000 | 0.000 | 0.000 | 0.000 | 0.53 |
| | | C | | 0.000 | 0.000 | 0.000 | 0.000 | 0.00 |

Feed Line Center of Pressure

| Section | Elevation ft | CP _x in | CP _z in | CP _x Ice in | CP _z Ice in |
|---------|-----------------|-----------------------|-----------------------|------------------------------|------------------------------|
| L1 | 180.00-133.00 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| L2 | 133.00-87.42 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| L3 | 87.42-42.88 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| L4 | 42.88-0.00 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

Discrete Tower Loads

| Description | Face or Leg | Offset Type | Offsets: Horz Lateral Vert ft ft ft | Azimuth Adjustment ° | Placement ft | | C _{AA} Front ft ² | C _{AA} Side ft ² | Weight K |
|--------------------------------------|-------------|-------------|--|-------------------------|-----------------|----------|---|--|-------------|
| * | | | | | | | | | |
| (2) DB980H90E-M w/ Mount Pipe | A | From Leg | 4.00 0.00 0.00 | 0.0000 | 180.00 | No Ice | 4.04 | 3.62 | 0.03 |
| | | | | | | 1/2" Ice | 4.50 | 4.48 | 0.06 |
| | | | | | | 1" Ice | 4.95 | 5.22 | 0.11 |
| | | | | | | 2" Ice | 5.87 | 6.74 | 0.22 |
| | | | | | | 4" Ice | 8.05 | 10.00 | 0.55 |
| (2) DB980H90E-M w/ Mount Pipe | B | From Leg | 4.00 0.00 0.00 | 0.0000 | 180.00 | No Ice | 4.04 | 3.62 | 0.03 |
| | | | | | | 1/2" Ice | 4.50 | 4.48 | 0.06 |
| | | | | | | 1" Ice | 4.95 | 5.22 | 0.11 |
| | | | | | | 2" Ice | 5.87 | 6.74 | 0.22 |
| | | | | | | 4" Ice | 8.05 | 10.00 | 0.55 |
| (2) DB980H90E-M w/ Mount Pipe | C | From Leg | 4.00 0.00 0.00 | 0.0000 | 180.00 | No Ice | 4.04 | 3.62 | 0.03 |
| | | | | | | 1/2" Ice | 4.50 | 4.48 | 0.06 |
| | | | | | | 1" Ice | 4.95 | 5.22 | 0.11 |
| | | | | | | 2" Ice | 5.87 | 6.74 | 0.22 |
| | | | | | | 4" Ice | 8.05 | 10.00 | 0.55 |
| Platform Mount [LP 712-1] | C | None | | 0.0000 | 180.00 | No Ice | 24.53 | 24.53 | 1.34 |
| | | | | | | 1/2" Ice | 29.94 | 29.94 | 1.65 |
| | | | | | | 1" Ice | 35.35 | 35.35 | 1.96 |
| | | | | | | 2" Ice | 46.17 | 46.17 | 2.58 |
| | | | | | | 4" Ice | 67.81 | 67.81 | 3.82 |
| * | | | | | | | | | |
| GPS_A | A | From Leg | 4.00 0.00 0.00 | 0.0000 | 167.00 | No Ice | 0.30 | 0.30 | 0.00 |
| | | | | | | 1/2" Ice | 0.37 | 0.37 | 0.00 |
| | | | | | | 1" Ice | 0.46 | 0.46 | 0.01 |
| | | | | | | 2" Ice | 0.65 | 0.65 | 0.02 |
| | | | | | | 4" Ice | 1.15 | 1.15 | 0.08 |
| BXA-171063-8BF-2 w/ Mount Pipe | A | From Leg | 4.00 0.00 0.00 | 0.0000 | 167.00 | No Ice | 3.18 | 3.35 | 0.03 |
| | | | | | | 1/2" Ice | 3.56 | 3.97 | 0.06 |
| | | | | | | 1" Ice | 3.96 | 4.60 | 0.10 |
| | | | | | | 2" Ice | 4.85 | 5.89 | 0.19 |
| | | | | | | 4" Ice | 6.77 | 8.89 | 0.49 |
| BXA-70063-6CF-2 w/ Mount Pipe | A | From Leg | 4.00 0.00 0.00 | 0.0000 | 167.00 | No Ice | 7.97 | 5.80 | 0.04 |
| | | | | | | 1/2" Ice | 8.61 | 6.95 | 0.10 |
| | | | | | | 1" Ice | 9.22 | 7.82 | 0.17 |
| | | | | | | 2" Ice | 10.46 | 9.60 | 0.34 |
| | | | | | | 4" Ice | 13.07 | 13.37 | 0.80 |
| (2) LPA-80080-6CF-EDIN w/ Mount Pipe | A | From Leg | 4.00 0.00 0.00 | 0.0000 | 167.00 | No Ice | 4.56 | 10.74 | 0.05 |
| | | | | | | 1/2" Ice | 5.10 | 12.00 | 0.11 |
| | | | | | | 1" Ice | 5.61 | 12.98 | 0.19 |
| | | | | | | 2" Ice | 6.65 | 14.99 | 0.36 |
| | | | | | | 4" Ice | 8.83 | 19.23 | 0.86 |
| (2) FD9R6004/2C-3L | A | From Leg | 4.00 0.00 0.00 | 0.0000 | 167.00 | No Ice | 0.37 | 0.08 | 0.00 |
| | | | | | | 1/2" Ice | 0.45 | 0.14 | 0.01 |
| | | | | | | 1" Ice | 0.54 | 0.20 | 0.01 |
| | | | | | | 2" Ice | 0.75 | 0.34 | 0.02 |
| | | | | | | 4" Ice | 1.28 | 0.74 | 0.06 |
| BXA-171063-8BF-2 w/ Mount Pipe | B | From Leg | 4.00 0.00 0.00 | 0.0000 | 167.00 | No Ice | 3.18 | 3.35 | 0.03 |
| | | | | | | 1/2" Ice | 3.56 | 3.97 | 0.06 |
| | | | | | | 1" Ice | 3.96 | 4.60 | 0.10 |
| | | | | | | 2" Ice | 4.85 | 5.89 | 0.19 |
| | | | | | | 4" Ice | 6.77 | 8.89 | 0.49 |
| BXA-70063-6CF-2 w/ Mount Pipe | B | From Leg | 4.00 0.00 0.00 | 0.0000 | 167.00 | No Ice | 7.97 | 5.80 | 0.04 |
| | | | | | | 1/2" Ice | 8.61 | 6.95 | 0.10 |
| | | | | | | 1" Ice | 9.22 | 7.82 | 0.17 |

| Description | Face or Leg | Offset Type | Offsets: | | | Azimuth Adjustment | Placement | C _A A _A Front | C _A A _A Side | Weight |
|--------------------------------|-------------|-------------|----------|---------|--------|--------------------|-----------|-------------------------------------|------------------------------------|--------|
| | | | Horz | Lateral | Vert | | | | | |
| | | | ft | ft | ft | ° | ft | ft ² | ft ² | K |
| | | | | | | | 1" Ice | 10.46 | 9.60 | 0.34 |
| | | | | | | | 2" Ice | 13.07 | 13.37 | 0.80 |
| | | | | | | | 4" Ice | | | |
| (2) LPA-80063/6CF w/Mount Pipe | B | From Leg | 4.00 | 0.0000 | 167.00 | | No Ice | 10.35 | 10.45 | 0.02 |
| | | | 0.00 | | | | 1/2" | 10.92 | 11.51 | 0.11 |
| | | | 0.00 | | | | Ice | 11.50 | 12.44 | 0.21 |
| | | | | | | | 1" Ice | 12.69 | 14.36 | 0.44 |
| | | | | | | | 2" Ice | 15.17 | 18.40 | 1.03 |
| | | | | | | | 4" Ice | | | |
| (2) FD9R6004/2C-3L | B | From Leg | 4.00 | 0.0000 | 167.00 | | No Ice | 0.37 | 0.08 | 0.00 |
| | | | 0.00 | | | | 1/2" | 0.45 | 0.14 | 0.01 |
| | | | 0.00 | | | | Ice | 0.54 | 0.20 | 0.01 |
| | | | | | | | 1" Ice | 0.75 | 0.34 | 0.02 |
| | | | | | | | 2" Ice | 1.28 | 0.74 | 0.06 |
| | | | | | | | 4" Ice | | | |
| BXA-171063-8BF-2 w/ Mount Pipe | C | From Leg | 4.00 | 0.0000 | 167.00 | | No Ice | 3.18 | 3.35 | 0.03 |
| | | | 0.00 | | | | 1/2" | 3.56 | 3.97 | 0.06 |
| | | | 0.00 | | | | Ice | 3.96 | 4.60 | 0.10 |
| | | | | | | | 1" Ice | 4.85 | 5.89 | 0.19 |
| | | | | | | | 2" Ice | 6.77 | 8.89 | 0.49 |
| | | | | | | | 4" Ice | | | |
| BXA-70063-6CF-2 w/ Mount Pipe | C | From Leg | 4.00 | 0.0000 | 167.00 | | No Ice | 7.97 | 5.80 | 0.04 |
| | | | 0.00 | | | | 1/2" | 8.61 | 6.95 | 0.10 |
| | | | 0.00 | | | | Ice | 9.22 | 7.82 | 0.17 |
| | | | | | | | 1" Ice | 10.46 | 9.60 | 0.34 |
| | | | | | | | 2" Ice | 13.07 | 13.37 | 0.80 |
| | | | | | | | 4" Ice | | | |
| (2) LPA-80063/6CF w/Mount Pipe | C | From Leg | 4.00 | 0.0000 | 167.00 | | No Ice | 10.35 | 10.45 | 0.02 |
| | | | 0.00 | | | | 1/2" | 10.92 | 11.51 | 0.11 |
| | | | 0.00 | | | | Ice | 11.50 | 12.44 | 0.21 |
| | | | | | | | 1" Ice | 12.69 | 14.36 | 0.44 |
| | | | | | | | 2" Ice | 15.17 | 18.40 | 1.03 |
| | | | | | | | 4" Ice | | | |
| (2) FD9R6004/2C-3L | C | From Leg | 4.00 | 0.0000 | 167.00 | | No Ice | 0.37 | 0.08 | 0.00 |
| | | | 0.00 | | | | 1/2" | 0.45 | 0.14 | 0.01 |
| | | | 0.00 | | | | Ice | 0.54 | 0.20 | 0.01 |
| | | | | | | | 1" Ice | 0.75 | 0.34 | 0.02 |
| | | | | | | | 2" Ice | 1.28 | 0.74 | 0.06 |
| | | | | | | | 4" Ice | | | |
| Platform Mount [LP 712-1] | C | None | | 0.0000 | 167.00 | | No Ice | 24.53 | 24.53 | 1.34 |
| | | | | | | | 1/2" | 29.94 | 29.94 | 1.65 |
| | | | | | | | Ice | 35.35 | 35.35 | 1.96 |
| | | | | | | | 1" Ice | 46.17 | 46.17 | 2.58 |
| | | | | | | | 2" Ice | 67.81 | 67.81 | 3.82 |
| | | | | | | | 4" Ice | | | |
| * (2) 7770.00 w/Mount Pipe | A | From Leg | 4.00 | 0.0000 | 147.00 | | No Ice | 5.92 | 4.04 | 0.05 |
| | | | 0.00 | | | | 1/2" | 6.36 | 4.67 | 0.10 |
| | | | 0.00 | | | | Ice | 6.81 | 5.32 | 0.15 |
| | | | | | | | 1" Ice | 7.74 | 6.67 | 0.27 |
| | | | | | | | 2" Ice | 9.71 | 9.81 | 0.63 |
| | | | | | | | 4" Ice | | | |
| (2) LGP21401 | A | From Leg | 4.00 | 0.0000 | 147.00 | | No Ice | 0.00 | 0.23 | 0.01 |
| | | | 0.00 | | | | 1/2" | 1.45 | 0.31 | 0.02 |
| | | | 0.00 | | | | Ice | 1.61 | 0.40 | 0.03 |
| | | | | | | | 1" Ice | 1.97 | 0.61 | 0.05 |
| | | | | | | | 2" Ice | 2.79 | 1.12 | 0.14 |
| | | | | | | | 4" Ice | | | |
| (2) LGP21901 | A | From Leg | 4.00 | 0.0000 | 147.00 | | No Ice | 0.00 | 0.18 | 0.01 |
| | | | 0.00 | | | | 1/2" | 0.34 | 0.25 | 0.01 |
| | | | 0.00 | | | | Ice | 0.43 | 0.32 | 0.01 |
| | | | | | | | 1" Ice | 0.62 | 0.49 | 0.02 |
| | | | | | | | 2" Ice | 1.10 | 0.94 | 0.07 |
| | | | | | | | 4" Ice | | | |
| (2) 7770.00 w/Mount Pipe | B | From Leg | 4.00 | 0.0000 | 147.00 | | No Ice | 5.92 | 4.04 | 0.05 |

| Description | Face or Leg | Offset Type | Offsets: Horz Lateral Vert ft ft ft | Azimuth Adjustment | Placement ft | C _{AA} _{Front} ft ² | C _{AA} _{Side} ft ² | Weight K | |
|---------------------------|-------------|-------------|--|--------------------|-----------------|---|--|-------------|------|
| | | | 0.00 | | | 1/2" | 6.36 | 4.67 | 0.10 |
| | | | 0.00 | | | Ice | 6.81 | 5.32 | 0.15 |
| | | | | | | 1" Ice | 7.74 | 6.67 | 0.27 |
| | | | | | | 2" Ice | 9.71 | 9.81 | 0.63 |
| | | | | | | 4" Ice | | | |
| (2) LGP21401 | B | From Leg | 4.00 | 0.0000 | 147.00 | No Ice | 0.00 | 0.23 | 0.01 |
| | | | 0.00 | | | 1/2" | 1.45 | 0.31 | 0.02 |
| | | | 0.00 | | | Ice | 1.61 | 0.40 | 0.03 |
| | | | | | | 1" Ice | 1.97 | 0.61 | 0.05 |
| | | | | | | 2" Ice | 2.79 | 1.12 | 0.14 |
| | | | | | | 4" Ice | | | |
| (2) LGP21901 | B | From Leg | 4.00 | 0.0000 | 147.00 | No Ice | 0.00 | 0.18 | 0.01 |
| | | | 0.00 | | | 1/2" | 0.34 | 0.25 | 0.01 |
| | | | 0.00 | | | Ice | 0.43 | 0.32 | 0.01 |
| | | | | | | 1" Ice | 0.62 | 0.49 | 0.02 |
| | | | | | | 2" Ice | 1.10 | 0.94 | 0.07 |
| | | | | | | 4" Ice | | | |
| (2) 7770.00 w/Mount Pipe | C | From Leg | 4.00 | 0.0000 | 147.00 | No Ice | 5.92 | 4.04 | 0.05 |
| | | | 0.00 | | | 1/2" | 6.36 | 4.67 | 0.10 |
| | | | 0.00 | | | Ice | 6.81 | 5.32 | 0.15 |
| | | | | | | 1" Ice | 7.74 | 6.67 | 0.27 |
| | | | | | | 2" Ice | 9.71 | 9.81 | 0.63 |
| | | | | | | 4" Ice | | | |
| (2) LGP21401 | C | From Leg | 4.00 | 0.0000 | 147.00 | No Ice | 0.00 | 0.23 | 0.01 |
| | | | 0.00 | | | 1/2" | 1.45 | 0.31 | 0.02 |
| | | | 0.00 | | | Ice | 1.61 | 0.40 | 0.03 |
| | | | | | | 1" Ice | 1.97 | 0.61 | 0.05 |
| | | | | | | 2" Ice | 2.79 | 1.12 | 0.14 |
| | | | | | | 4" Ice | | | |
| (2) LGP21901 | C | From Leg | 4.00 | 0.0000 | 147.00 | No Ice | 0.00 | 0.18 | 0.01 |
| | | | 0.00 | | | 1/2" | 0.34 | 0.25 | 0.01 |
| | | | 0.00 | | | Ice | 0.43 | 0.32 | 0.01 |
| | | | | | | 1" Ice | 0.62 | 0.49 | 0.02 |
| | | | | | | 2" Ice | 1.10 | 0.94 | 0.07 |
| | | | | | | 4" Ice | | | |
| (2) 4' x 2" Pipe Mount | A | From Leg | 4.00 | 0.0000 | 147.00 | No Ice | 0.79 | 0.79 | 0.03 |
| | | | 0.00 | | | 1/2" | 1.03 | 1.03 | 0.04 |
| | | | 0.00 | | | Ice | 1.28 | 1.28 | 0.04 |
| | | | | | | 1" Ice | 1.81 | 1.81 | 0.07 |
| | | | | | | 2" Ice | 3.11 | 3.11 | 0.17 |
| | | | | | | 4" Ice | | | |
| (2) 4' x 2" Pipe Mount | B | From Leg | 4.00 | 0.0000 | 147.00 | No Ice | 0.79 | 0.79 | 0.03 |
| | | | 0.00 | | | 1/2" | 1.03 | 1.03 | 0.04 |
| | | | 0.00 | | | Ice | 1.28 | 1.28 | 0.04 |
| | | | | | | 1" Ice | 1.81 | 1.81 | 0.07 |
| | | | | | | 2" Ice | 3.11 | 3.11 | 0.17 |
| | | | | | | 4" Ice | | | |
| (2) 4' x 2" Pipe Mount | C | From Leg | 4.00 | 0.0000 | 147.00 | No Ice | 0.79 | 0.79 | 0.03 |
| | | | 0.00 | | | 1/2" | 1.03 | 1.03 | 0.04 |
| | | | 0.00 | | | Ice | 1.28 | 1.28 | 0.04 |
| | | | | | | 1" Ice | 1.81 | 1.81 | 0.07 |
| | | | | | | 2" Ice | 3.11 | 3.11 | 0.17 |
| | | | | | | 4" Ice | | | |
| Platform Mount [LP 712-1] | C | None | | 0.0000 | 147.00 | No Ice | 24.53 | 24.53 | 1.34 |
| | | | | | | 1/2" | 29.94 | 29.94 | 1.65 |
| | | | | | | Ice | 35.35 | 35.35 | 1.96 |
| | | | | | | 1" Ice | 46.17 | 46.17 | 2.58 |
| | | | | | | 2" Ice | 67.81 | 67.81 | 3.82 |
| | | | | | | 4" Ice | | | |
| * GPS_A | C | From Leg | 4.00 | 0.0000 | 75.00 | No Ice | 0.30 | 0.30 | 0.00 |
| | | | 0.00 | | | 1/2" | 0.37 | 0.37 | 0.00 |
| | | | 1.00 | | | Ice | 0.46 | 0.46 | 0.01 |
| | | | | | | 1" Ice | 0.65 | 0.65 | 0.02 |
| | | | | | | 2" Ice | 1.15 | 1.15 | 0.08 |

| Description | Face or Leg | Offset Type | Offsets: | | Azimuth Adjustmen t ° | Placement ft | C _{AA} Front ft ² | C _{AA} Side ft ² | Weight K | |
|-----------------------|-------------------|----------------|-----------------------|------------|--------------------------------|---------------------|---|--|-----------------|------|
| | | | Horz Lateral ft | Vert ft | | | | | | |
| Pipe Mount [PM 501-1] | C | None | | | 0.0000 | 75.00 | 4" Ice | | | |
| | | | | | | | No Ice | 3.47 | 1.67 | 0.05 |
| | | | | | | | 1/2" Ice | 4.45 | 2.10 | 0.06 |
| | | | | | | | 1" Ice | 5.43 | 2.53 | 0.07 |
| | | | | | | | 2" Ice | 7.39 | 3.39 | 0.08 |
| | | | | | | 11.31 | 5.11 | 0.11 | | |
| | | | | | | 4" Ice | | | | |

*

Load Combinations

| Comb. No. | Description |
|--------------|-----------------------------|
| 1 | Dead Only |
| 2 | Dead+Wind 0 deg - No Ice |
| 3 | Dead+Wind 30 deg - No Ice |
| 4 | Dead+Wind 60 deg - No Ice |
| 5 | Dead+Wind 90 deg - No Ice |
| 6 | Dead+Wind 120 deg - No Ice |
| 7 | Dead+Wind 150 deg - No Ice |
| 8 | Dead+Wind 180 deg - No Ice |
| 9 | Dead+Wind 210 deg - No Ice |
| 10 | Dead+Wind 240 deg - No Ice |
| 11 | Dead+Wind 270 deg - No Ice |
| 12 | Dead+Wind 300 deg - No Ice |
| 13 | Dead+Wind 330 deg - No Ice |
| 14 | Dead+Ice+Temp |
| 15 | Dead+Wind 0 deg+Ice+Temp |
| 16 | Dead+Wind 30 deg+Ice+Temp |
| 17 | Dead+Wind 60 deg+Ice+Temp |
| 18 | Dead+Wind 90 deg+Ice+Temp |
| 19 | Dead+Wind 120 deg+Ice+Temp |
| 20 | Dead+Wind 150 deg+Ice+Temp |
| 21 | Dead+Wind 180 deg+Ice+Temp |
| 22 | Dead+Wind 210 deg+Ice+Temp |
| 23 | Dead+Wind 240 deg+Ice+Temp |
| 24 | Dead+Wind 270 deg+Ice+Temp |
| 25 | Dead+Wind 300 deg+Ice+Temp |
| 26 | Dead+Wind 330 deg+Ice+Temp |
| 27 | Dead+Wind 0 deg - Service |
| 28 | Dead+Wind 30 deg - Service |
| 29 | Dead+Wind 60 deg - Service |
| 30 | Dead+Wind 90 deg - Service |
| 31 | Dead+Wind 120 deg - Service |
| 32 | Dead+Wind 150 deg - Service |
| 33 | Dead+Wind 180 deg - Service |
| 34 | Dead+Wind 210 deg - Service |
| 35 | Dead+Wind 240 deg - Service |
| 36 | Dead+Wind 270 deg - Service |
| 37 | Dead+Wind 300 deg - Service |
| 38 | Dead+Wind 330 deg - Service |

Maximum Member Forces

| Sectio n No. | Elevation ft | Component Type | Condition | Gov. Load Comb. | Force K | Major Axis Moment kip-ft | Minor Axis Moment kip-ft |
|--------------------|------------------|-------------------|------------------|-----------------------|------------|--------------------------------|--------------------------------|
| L1 | 180 - 133 | Pole | Max Tension | 1 | 0.00 | 0.00 | 0.00 |
| | | | Max. Compression | 14 | -13.89 | 0.00 | -0.15 |
| | | | Max. Mx | 11 | -6.91 | 383.37 | 0.29 |
| | | | Max. My | 2 | -7.03 | 0.00 | 364.90 |
| | | | Max. Vy | 11 | -14.60 | 383.37 | 0.29 |
| | | | Max. Vx | 2 | -13.97 | 0.00 | 364.90 |
| L2 | 133 - 87.42 | Pole | Max. Torque | 5 | | | 0.21 |
| | | | Max Tension | 1 | 0.00 | 0.00 | 0.00 |
| | | | Max. Compression | 14 | -21.54 | 0.00 | -0.15 |
| | | | Max. Mx | 11 | -13.25 | 1107.29 | 0.31 |
| | | | Max. My | 2 | -13.33 | 0.00 | 1060.66 |
| | | | Max. Vy | 11 | -18.03 | 1107.29 | 0.31 |
| L3 | 87.42 - 42.88 | Pole | Max. Vx | 2 | -17.39 | 0.00 | 1060.66 |
| | | | Max. Torque | 5 | | | 0.21 |
| | | | Max Tension | 1 | 0.00 | 0.00 | 0.00 |
| | | | Max. Compression | 14 | -32.27 | 0.04 | -0.17 |
| | | | Max. Mx | 11 | -22.42 | 1970.70 | 0.31 |
| | | | Max. My | 2 | -22.46 | 0.00 | 1896.56 |
| L4 | 42.88 - 0 | Pole | Max. Vy | 11 | -21.61 | 1970.70 | 0.31 |
| | | | Max. Vx | 2 | -20.98 | 0.00 | 1896.56 |
| | | | Max. Torque | 5 | | | 0.20 |
| | | | Max Tension | 1 | 0.00 | 0.00 | 0.00 |
| | | | Max. Compression | 14 | -48.21 | 0.04 | -0.17 |
| | | | Max. Mx | 11 | -36.43 | 3119.05 | 0.31 |
| | | | Max. My | 2 | -36.43 | 0.00 | 3014.54 |
| | | | Max. Vy | 11 | -25.09 | 3119.05 | 0.31 |
| | | | Max. Vx | 2 | -24.49 | 0.00 | 3014.54 |
| | | | Max. Torque | 10 | | | -0.18 |

Maximum Reactions

| Location | Condition | Gov. Load Comb. | Vertical K | Horizontal, X K | Horizontal, Z K |
|----------|---------------------|-----------------------|---------------|--------------------|--------------------|
| Pole | Max. Vert | 24 | 48.21 | 5.72 | -0.00 |
| | Max. H _x | 11 | 36.44 | 25.07 | 0.00 |
| | Max. H _z | 2 | 36.44 | 0.00 | 24.47 |
| | Max. M _x | 2 | 3014.54 | 0.00 | 24.47 |
| | Max. M _z | 5 | 3119.04 | -25.07 | 0.00 |
| | Max. Torsion | 4 | 0.17 | -21.71 | 12.23 |
| | Min. Vert | 1 | 36.44 | 0.00 | 0.00 |
| | Min. H _x | 5 | 36.44 | -25.07 | 0.00 |
| | Min. H _z | 8 | 36.44 | 0.00 | -24.47 |
| | Min. M _x | 8 | -3013.92 | 0.00 | -24.47 |
| | Min. M _z | 11 | -3119.05 | 25.07 | 0.00 |
| | Min. Torsion | 10 | -0.18 | 21.71 | -12.23 |

Tower Mast Reaction Summary

| Load Combination | Vertical K | Shear _x K | Shear _z K | Overturing Moment, M _x kip-ft | Overturing Moment, M _z kip-ft | Torque kip-ft |
|----------------------------|---------------|-------------------------|-------------------------|--|--|------------------|
| Dead Only | 36.44 | 0.00 | 0.00 | -0.29 | 0.00 | 0.00 |
| Dead+Wind 0 deg - No Ice | 36.44 | 0.00 | -24.47 | -3014.54 | 0.00 | -0.06 |
| Dead+Wind 30 deg - No Ice | 36.44 | 12.53 | -21.19 | -2610.62 | -1559.71 | -0.13 |
| Dead+Wind 60 deg - No Ice | 36.44 | 21.71 | -12.23 | -1507.26 | -2701.29 | -0.17 |
| Dead+Wind 90 deg - No Ice | 36.44 | 25.07 | -0.00 | -0.31 | -3119.04 | -0.17 |
| Dead+Wind 120 deg - No Ice | 36.44 | 21.71 | 12.23 | 1506.63 | -2701.29 | -0.12 |
| Dead+Wind 150 deg - No Ice | 36.44 | 12.53 | 21.19 | 2609.99 | -1559.71 | -0.04 |
| Dead+Wind 180 deg - No Ice | 36.44 | 0.00 | 24.47 | 3013.92 | 0.00 | 0.06 |

| Load Combination | Vertical | Shear _x | Shear _z | Overturning Moment, M _x | Overturning Moment, M _z | Torque |
|-----------------------------|----------|--------------------|--------------------|------------------------------------|------------------------------------|--------|
| | K | K | K | kip-ft | kip-ft | kip-ft |
| Dead+Wind 210 deg - No Ice | 36.44 | -12.53 | 21.19 | 2609.99 | 1559.72 | 0.14 |
| Dead+Wind 240 deg - No Ice | 36.44 | -21.71 | 12.23 | 1506.63 | 2701.29 | 0.18 |
| Dead+Wind 270 deg - No Ice | 36.44 | -25.07 | -0.00 | -0.31 | 3119.05 | 0.17 |
| Dead+Wind 300 deg - No Ice | 36.44 | -21.71 | -12.23 | -1507.26 | 2701.29 | 0.11 |
| Dead+Wind 330 deg - No Ice | 36.44 | -12.53 | -21.19 | -2610.62 | 1559.72 | 0.03 |
| Dead+Ice+Temp | 48.21 | 0.00 | 0.00 | 0.17 | 0.04 | 0.00 |
| Dead+Wind 0 deg+Ice+Temp | 48.21 | 0.00 | -5.60 | -734.45 | 0.04 | -0.02 |
| Dead+Wind 30 deg+Ice+Temp | 48.21 | 2.86 | -4.85 | -636.02 | -378.45 | -0.05 |
| Dead+Wind 60 deg+Ice+Temp | 48.21 | 4.95 | -2.80 | -367.13 | -655.52 | -0.06 |
| Dead+Wind 90 deg+Ice+Temp | 48.21 | 5.72 | 0.00 | 0.19 | -756.93 | -0.06 |
| Dead+Wind 120 deg+Ice+Temp | 48.21 | 4.95 | 2.80 | 367.51 | -655.52 | -0.05 |
| Dead+Wind 150 deg+Ice+Temp | 48.21 | 2.86 | 4.85 | 636.40 | -378.45 | -0.02 |
| Dead+Wind 180 deg+Ice+Temp | 48.21 | 0.00 | 5.60 | 734.83 | 0.04 | 0.02 |
| Dead+Wind 210 deg+Ice+Temp | 48.21 | -2.86 | 4.85 | 636.40 | 378.53 | 0.05 |
| Dead+Wind 240 deg+Ice+Temp | 48.21 | -4.95 | 2.80 | 367.51 | 655.60 | 0.06 |
| Dead+Wind 270 deg+Ice+Temp | 48.21 | -5.72 | 0.00 | 0.19 | 757.02 | 0.06 |
| Dead+Wind 300 deg+Ice+Temp | 48.21 | -4.95 | -2.80 | -367.13 | 655.60 | 0.05 |
| Dead+Wind 330 deg+Ice+Temp | 48.21 | -2.86 | -4.85 | -636.02 | 378.53 | 0.02 |
| Dead+Wind 0 deg - Service | 36.44 | 0.00 | -8.47 | -1045.01 | 0.00 | -0.02 |
| Dead+Wind 30 deg - Service | 36.44 | 4.34 | -7.33 | -905.05 | -540.60 | -0.05 |
| Dead+Wind 60 deg - Service | 36.44 | 7.51 | -4.23 | -522.66 | -936.34 | -0.06 |
| Dead+Wind 90 deg - Service | 36.44 | 8.67 | 0.00 | -0.32 | -1081.18 | -0.06 |
| Dead+Wind 120 deg - Service | 36.44 | 7.51 | 4.23 | 522.02 | -936.34 | -0.04 |
| Dead+Wind 150 deg - Service | 36.44 | 4.34 | 7.33 | 904.41 | -540.60 | -0.01 |
| Dead+Wind 180 deg - Service | 36.44 | 0.00 | 8.47 | 1044.37 | 0.00 | 0.02 |
| Dead+Wind 210 deg - Service | 36.44 | -4.34 | 7.33 | 904.41 | 540.61 | 0.05 |
| Dead+Wind 240 deg - Service | 36.44 | -7.51 | 4.23 | 522.02 | 936.35 | 0.06 |
| Dead+Wind 270 deg - Service | 36.44 | -8.67 | 0.00 | -0.32 | 1081.19 | 0.06 |
| Dead+Wind 300 deg - Service | 36.44 | -7.51 | -4.23 | -522.66 | 936.35 | 0.04 |
| Dead+Wind 330 deg - Service | 36.44 | -4.34 | -7.33 | -905.05 | 540.61 | 0.01 |

Solution Summary

| Load Comb. | Sum of Applied Forces | | | Sum of Reactions | | | % Error |
|------------|-----------------------|---------|---------|------------------|---------|---------|---------|
| | PX K | PY K | PZ K | PX K | PY K | PZ K | |
| 1 | 0.00 | -36.44 | 0.00 | 0.00 | 36.44 | 0.00 | 0.000% |
| 2 | 0.00 | -36.44 | -24.47 | 0.00 | 36.44 | 24.47 | 0.000% |
| 3 | 12.53 | -36.44 | -21.19 | -12.53 | 36.44 | 21.19 | 0.000% |
| 4 | 21.71 | -36.44 | -12.23 | -21.71 | 36.44 | 12.23 | 0.000% |
| 5 | 25.07 | -36.44 | 0.00 | -25.07 | 36.44 | 0.00 | 0.000% |
| 6 | 21.71 | -36.44 | 12.23 | -21.71 | 36.44 | -12.23 | 0.000% |
| 7 | 12.53 | -36.44 | 21.19 | -12.53 | 36.44 | -21.19 | 0.000% |
| 8 | 0.00 | -36.44 | 24.47 | 0.00 | 36.44 | -24.47 | 0.000% |
| 9 | -12.53 | -36.44 | 21.19 | 12.53 | 36.44 | -21.19 | 0.000% |
| 10 | -21.71 | -36.44 | 12.23 | 21.71 | 36.44 | -12.23 | 0.000% |

| Load Comb. | Sum of Applied Forces | | | Sum of Reactions | | | % Error |
|------------|-----------------------|---------|---------|------------------|---------|---------|---------|
| | PX K | PY K | PZ K | PX K | PY K | PZ K | |
| 11 | -25.07 | -36.44 | 0.00 | 25.07 | 36.44 | 0.00 | 0.000% |
| 12 | -21.71 | -36.44 | -12.23 | 21.71 | 36.44 | 12.23 | 0.000% |
| 13 | -12.53 | -36.44 | -21.19 | 12.53 | 36.44 | 21.19 | 0.000% |
| 14 | 0.00 | -48.21 | 0.00 | 0.00 | 48.21 | 0.00 | 0.000% |
| 15 | 0.00 | -48.21 | -5.60 | 0.00 | 48.21 | 5.60 | 0.000% |
| 16 | 2.86 | -48.21 | -4.85 | -2.86 | 48.21 | 4.85 | 0.000% |
| 17 | 4.95 | -48.21 | -2.80 | -4.95 | 48.21 | 2.80 | 0.000% |
| 18 | 5.72 | -48.21 | 0.00 | -5.72 | 48.21 | -0.00 | 0.000% |
| 19 | 4.95 | -48.21 | 2.80 | -4.95 | 48.21 | -2.80 | 0.000% |
| 20 | 2.86 | -48.21 | 4.85 | -2.86 | 48.21 | -4.85 | 0.000% |
| 21 | 0.00 | -48.21 | 5.60 | 0.00 | 48.21 | -5.60 | 0.000% |
| 22 | -2.86 | -48.21 | 4.85 | 2.86 | 48.21 | -4.85 | 0.000% |
| 23 | -4.95 | -48.21 | 2.80 | 4.95 | 48.21 | -2.80 | 0.000% |
| 24 | -5.72 | -48.21 | 0.00 | 5.72 | 48.21 | -0.00 | 0.000% |
| 25 | -4.95 | -48.21 | -2.80 | 4.95 | 48.21 | 2.80 | 0.000% |
| 26 | -2.86 | -48.21 | -4.85 | 2.86 | 48.21 | 4.85 | 0.000% |
| 27 | 0.00 | -36.44 | -8.47 | 0.00 | 36.44 | 8.47 | 0.000% |
| 28 | 4.34 | -36.44 | -7.33 | -4.34 | 36.44 | 7.33 | 0.000% |
| 29 | 7.51 | -36.44 | -4.23 | -7.51 | 36.44 | 4.23 | 0.000% |
| 30 | 8.67 | -36.44 | 0.00 | -8.67 | 36.44 | 0.00 | 0.000% |
| 31 | 7.51 | -36.44 | 4.23 | -7.51 | 36.44 | -4.23 | 0.000% |
| 32 | 4.34 | -36.44 | 7.33 | -4.34 | 36.44 | -7.33 | 0.000% |
| 33 | 0.00 | -36.44 | 8.47 | 0.00 | 36.44 | -8.47 | 0.000% |
| 34 | -4.34 | -36.44 | 7.33 | 4.34 | 36.44 | -7.33 | 0.000% |
| 35 | -7.51 | -36.44 | 4.23 | 7.51 | 36.44 | -4.23 | 0.000% |
| 36 | -8.67 | -36.44 | 0.00 | 8.67 | 36.44 | 0.00 | 0.000% |
| 37 | -7.51 | -36.44 | -4.23 | 7.51 | 36.44 | 4.23 | 0.000% |
| 38 | -4.34 | -36.44 | -7.33 | 4.34 | 36.44 | 7.33 | 0.000% |

Non-Linear Convergence Results

| Load Combination | Converged? | Number of Cycles | Displacement Tolerance | Force Tolerance |
|------------------|------------|------------------|------------------------|-----------------|
| 1 | Yes | 4 | 0.00000001 | 0.00000001 |
| 2 | Yes | 4 | 0.00000001 | 0.00041440 |
| 3 | Yes | 5 | 0.00000001 | 0.00093083 |
| 4 | Yes | 5 | 0.00000001 | 0.00094427 |
| 5 | Yes | 4 | 0.00000001 | 0.00045247 |
| 6 | Yes | 5 | 0.00000001 | 0.00093715 |
| 7 | Yes | 5 | 0.00000001 | 0.00093360 |
| 8 | Yes | 4 | 0.00000001 | 0.00041433 |
| 9 | Yes | 5 | 0.00000001 | 0.00093421 |
| 10 | Yes | 5 | 0.00000001 | 0.00093676 |
| 11 | Yes | 4 | 0.00000001 | 0.00045247 |
| 12 | Yes | 5 | 0.00000001 | 0.00094388 |
| 13 | Yes | 5 | 0.00000001 | 0.00093143 |
| 14 | Yes | 4 | 0.00000001 | 0.00000001 |
| 15 | Yes | 5 | 0.00000001 | 0.00019114 |
| 16 | Yes | 5 | 0.00000001 | 0.00025144 |
| 17 | Yes | 5 | 0.00000001 | 0.00025497 |
| 18 | Yes | 5 | 0.00000001 | 0.00019776 |
| 19 | Yes | 5 | 0.00000001 | 0.00025453 |
| 20 | Yes | 5 | 0.00000001 | 0.00025215 |
| 21 | Yes | 5 | 0.00000001 | 0.00019137 |
| 22 | Yes | 5 | 0.00000001 | 0.00025223 |
| 23 | Yes | 5 | 0.00000001 | 0.00025452 |
| 24 | Yes | 5 | 0.00000001 | 0.00019778 |
| 25 | Yes | 5 | 0.00000001 | 0.00025496 |
| 26 | Yes | 5 | 0.00000001 | 0.00025152 |
| 27 | Yes | 4 | 0.00000001 | 0.00009685 |
| 28 | Yes | 5 | 0.00000001 | 0.00007384 |
| 29 | Yes | 5 | 0.00000001 | 0.00007627 |
| 30 | Yes | 4 | 0.00000001 | 0.00010667 |
| 31 | Yes | 5 | 0.00000001 | 0.00007485 |
| 32 | Yes | 5 | 0.00000001 | 0.00007417 |

| | | | | |
|----|-----|---|------------|------------|
| 33 | Yes | 4 | 0.00000001 | 0.00009661 |
| 34 | Yes | 5 | 0.00000001 | 0.00007427 |
| 35 | Yes | 5 | 0.00000001 | 0.00007479 |
| 36 | Yes | 4 | 0.00000001 | 0.00010667 |
| 37 | Yes | 5 | 0.00000001 | 0.00007620 |
| 38 | Yes | 5 | 0.00000001 | 0.00007394 |

Maximum Tower Deflections - Service Wind

| Section No. | Elevation ft | Horz. Deflection in | Gov. Load Comb. | Tilt ° | Twist ° |
|-------------|-----------------|------------------------|-----------------|-----------|------------|
| L1 | 180 - 133 | 47.826 | 36 | 2.4721 | 0.0010 |
| L2 | 137 - 87.42 | 26.830 | 36 | 2.0407 | 0.0004 |
| L3 | 92.59 - 42.88 | 11.384 | 36 | 1.2353 | 0.0002 |
| L4 | 49.13 - 0 | 3.044 | 36 | 0.5751 | 0.0001 |

Critical Deflections and Radius of Curvature - Service Wind

| Elevation ft | Appurtenance | Gov. Load Comb. | Deflection in | Tilt ° | Twist ° | Radius of Curvature ft |
|-----------------|-------------------------------|-----------------|------------------|-----------|------------|---------------------------|
| 180.00 | (2) DB980H90E-M w/ Mount Pipe | 36 | 47.826 | 2.4721 | 0.0010 | 26298 |
| 167.00 | GPS_A | 36 | 41.145 | 2.3687 | 0.0008 | 10114 |
| 147.00 | (2) 7770.00 w/Mount Pipe | 36 | 31.330 | 2.1720 | 0.0006 | 3983 |
| 75.00 | GPS_A | 36 | 7.225 | 0.9404 | 0.0001 | 3480 |

Maximum Tower Deflections - Design Wind

| Section No. | Elevation ft | Horz. Deflection in | Gov. Load Comb. | Tilt ° | Twist ° |
|-------------|-----------------|------------------------|-----------------|-----------|------------|
| L1 | 180 - 133 | 137.573 | 11 | 7.1152 | 0.0031 |
| L2 | 137 - 87.42 | 77.255 | 11 | 5.8762 | 0.0017 |
| L3 | 92.59 - 42.88 | 32.811 | 11 | 3.5599 | 0.0005 |
| L4 | 49.13 - 0 | 8.778 | 11 | 1.6582 | 0.0001 |

Critical Deflections and Radius of Curvature - Design Wind

| Elevation ft | Appurtenance | Gov. Load Comb. | Deflection in | Tilt ° | Twist ° | Radius of Curvature ft |
|-----------------|-------------------------------|-----------------|------------------|-----------|------------|---------------------------|
| 180.00 | (2) DB980H90E-M w/ Mount Pipe | 11 | 137.573 | 7.1152 | 0.0032 | 9384 |
| 167.00 | GPS_A | 11 | 118.385 | 6.8185 | 0.0028 | 3607 |
| 147.00 | (2) 7770.00 w/Mount Pipe | 11 | 90.189 | 6.2538 | 0.0021 | 1416 |
| 75.00 | GPS_A | 11 | 20.829 | 2.7109 | 0.0003 | 1213 |

Compression Checks

Pole Design Data

| Section No. | Elevation ft | Size | L ft | L _u ft | Kl/r | F _a ksi | A in ² | Actual P K | Allow. P _a K | Ratio P P _a |
|-------------|-------------------|------------------------|---------|----------------------|------|-----------------------|----------------------|---------------|----------------------------|---------------------------|
| L1 | 180 - 133 (1) | TP27.99x18x0.25 | 47.00 | 0.00 | 0.0 | 39.000 | 21.3370 | -6.91 | 832.14 | 0.008 |
| L2 | 133 - 87.42 (2) | TP37.05x26.6398x0.3125 | 49.58 | 0.00 | 0.0 | 39.000 | 35.3623 | -13.25 | 1379.13 | 0.010 |
| L3 | 87.42 - 42.88 (3) | TP45.76x35.3395x0.375 | 49.71 | 0.00 | 0.0 | 39.000 | 52.4601 | -22.42 | 2045.94 | 0.011 |
| L4 | 42.88 - 0 (4) | TP54x43.6998x0.4375 | 49.13 | 0.00 | 0.0 | 39.000 | 74.3782 | -36.43 | 2900.75 | 0.013 |

Pole Bending Design Data

| Section No. | Elevation ft | Size | Actual M _x kip-ft | Actual f _{bx} ksi | Allow. F _{bx} ksi | Ratio f _{bx} F _{bx} | Actual M _y kip-ft | Actual f _{by} ksi | Allow. F _{by} ksi | Ratio f _{by} F _{by} |
|-------------|-------------------|------------------------|---------------------------------|-------------------------------|-------------------------------|--|---------------------------------|-------------------------------|-------------------------------|--|
| L1 | 180 - 133 (1) | TP27.99x18x0.25 | 383.37 | 32.540 | 39.000 | 0.834 | 0.00 | 0.000 | 39.000 | 0.000 |
| L2 | 133 - 87.42 (2) | TP37.05x26.6398x0.3125 | 1107.2 9 | 42.750 | 39.000 | 1.096 | 0.00 | 0.000 | 39.000 | 0.000 |
| L3 | 87.42 - 42.88 (3) | TP45.76x35.3395x0.375 | 1970.7 0 | 41.475 | 39.000 | 1.063 | 0.00 | 0.000 | 39.000 | 0.000 |
| L4 | 42.88 - 0 (4) | TP54x43.6998x0.4375 | 3119.0 5 | 38.085 | 39.000 | 0.977 | 0.00 | 0.000 | 39.000 | 0.000 |

Pole Shear Design Data

| Section No. | Elevation ft | Size | Actual V K | Actual f _v ksi | Allow. F _v ksi | Ratio f _v F _v | Actual T kip-ft | Actual f _{vt} ksi | Allow. F _{vt} ksi | Ratio f _{vt} F _{vt} |
|-------------|-------------------|------------------------|---------------|------------------------------|------------------------------|--|--------------------|-------------------------------|-------------------------------|--|
| L1 | 180 - 133 (1) | TP27.99x18x0.25 | 14.60 | 0.684 | 26.000 | 0.053 | 0.21 | 0.009 | 26.000 | 0.000 |
| L2 | 133 - 87.42 (2) | TP37.05x26.6398x0.3125 | 18.03 | 0.510 | 26.000 | 0.039 | 0.20 | 0.004 | 26.000 | 0.000 |
| L3 | 87.42 - 42.88 (3) | TP45.76x35.3395x0.375 | 21.61 | 0.412 | 26.000 | 0.032 | 0.17 | 0.002 | 26.000 | 0.000 |
| L4 | 42.88 - 0 (4) | TP54x43.6998x0.4375 | 25.09 | 0.337 | 26.000 | 0.026 | 0.17 | 0.001 | 26.000 | 0.000 |

Pole Interaction Design Data

| Section No. | Elevation ft | Ratio P P _a | Ratio f _{bx} F _{bx} | Ratio f _{by} F _{by} | Ratio f _v F _v | Ratio f _{vt} F _{vt} | Comb. Stress Ratio | Allow. Stress Ratio | Criteria |
|-------------|-------------------|---------------------------|--|--|--|--|--------------------|---------------------|-----------|
| L1 | 180 - 133 (1) | 0.008 | 0.834 | 0.000 | 0.053 | 0.000 | 0.843 | 1.333 | H1-3+VT ✓ |
| L2 | 133 - 87.42 (2) | 0.010 | 1.096 | 0.000 | 0.039 | 0.000 | 1.106 | 1.333 | H1-3+VT ✓ |
| L3 | 87.42 - 42.88 (3) | 0.011 | 1.063 | 0.000 | 0.032 | 0.000 | 1.075 | 1.333 | H1-3+VT ✓ |
| L4 | 42.88 - 0 (4) | 0.013 | 0.977 | 0.000 | 0.026 | 0.000 | 0.989 | 1.333 | H1-3+VT ✓ |

Section Capacity Table

| Section No. | Elevation ft | Component Type | Size | Critical Element | P K | SF*P _{allow} K | % Capacity | Pass Fail | |
|-------------|---------------|----------------|------------------------|------------------|--------|-------------------------|-----------------|-------------|-------------|
| L1 | 180 - 133 | Pole | TP27.99x18x0.25 | 1 | -6.91 | 1109.25 | 63.3 | Pass | |
| L2 | 133 - 87.42 | Pole | TP37.05x26.6398x0.3125 | 2 | -13.25 | 1838.38 | 83.0 | Pass | |
| L3 | 87.42 - 42.88 | Pole | TP45.76x35.3395x0.375 | 3 | -22.42 | 2727.24 | 80.6 | Pass | |
| L4 | 42.88 - 0 | Pole | TP54x43.6998x0.4375 | 4 | -36.43 | 3866.70 | 74.2 | Pass | |
| | | | | | | | Summary | | |
| | | | | | | | Pole (L2) | 83.0 | Pass |
| | | | | | | | RATING = | 83.0 | Pass |


APPENDIX B
BASE LEVEL DRAWING



(INSTALLED)
(1) 1/2" TO 167 FT LEVEL
(12) 1-5/8" TO 167 FT LEVEL

(INSTALLED)
(1) 1/2" TO 75 FT LEVEL
(6) 1-5/8" TO 180 FT LEVEL

(INSTALLED)
(12) 1-5/8" TO 147 FT LEVEL



BUSINESS UNIT: 876371 TOWER ID: C_BASELEVEL



: SCALE :

APPENDIX C
ADDITIONAL CALCULATIONS

Stiffened or Unstiffened, UngROUTED, Circular Base Plate - Any Rod Material

TIA Rev F

Site Data

| |
|---------------------------------|
| BU#: 876371 |
| Site Name: WALDEN / CAROLYN BES |
| App #: 138075 Rev. #1 |
| Pole Manufacturer: <i>Other</i> |

Anchor Rod Data

| | | |
|----------------|--------|-----|
| Qty: | 16 | |
| Diam: | 2.25 | in |
| Rod Material: | A615-J | |
| Strength (Fu): | 100 | ksi |
| Yield (Fy): | 75 | ksi |
| Bolt Circle: | 63 | in |

Plate Data

| | | |
|-------------------|-------|-----|
| Diam: | 69 | in |
| Thick: | 2 | in |
| Grade: | 60 | ksi |
| Single-Rod B-eff: | 10.71 | in |

Stiffener Data (Welding at both sides)

| | | |
|-----------------|--------|---------------|
| Config: | 1 | * |
| Weld Type: | Fillet | |
| Groove Depth: | | <-- Disregard |
| Groove Angle: | | <-- Disregard |
| Fillet H. Weld: | 0.75 | in |
| Fillet V. Weld: | 0.4375 | in |
| Width: | 7 | in |
| Height: | 20 | in |
| Thick: | 1 | in |
| Notch: | 0.75 | in |
| Grade: | 50 | ksi |
| Weld str.: | 70 | ksi |

Pole Data

| | | |
|--------------------|--------|--------------|
| Diam: | 54 | in |
| Thick: | 0.4375 | in |
| Grade: | 65 | ksi |
| # of Sides: | 18 | "0" IF Round |
| Fu | 80 | ksi |
| Reinf. Fillet Weld | 0 | "0" if None |

Stress Increase Factor

| | |
|-------|-------|
| ASIF: | 1.333 |
|-------|-------|

Reactions

| | | |
|---------|------|---------|
| Moment: | 3119 | ft-kips |
| Axial: | 36 | kips |
| Shear: | 25 | kips |

If No stiffeners, Criteria: **AISC ASD** <-Only Applicable to Unstiffened Cases

Anchor Rod Results

| | |
|--------------------------|-------------------|
| Maximum Rod Tension: | 146.3 Kips |
| Allowable Tension: | 195.0 Kips |
| Anchor Rod Stress Ratio: | 75.0% Pass |

| |
|--------------|
| Stiffened |
| Service, ASD |
| Fty*ASIF |

Base Plate Results

| | | |
|--------------------------|-------------------|----------------|
| Base Plate Stress: | 37.5 ksi | Flexural Check |
| Allowable Plate Stress: | 60.0 ksi | |
| Base Plate Stress Ratio: | 62.5% Pass | |


| |
|--------------|
| Stiffened |
| Service, ASD |
| 0.75*Fy*ASIF |
| Y.L. Length: |
| N/A, Roark |

Stiffener Results

| | |
|---------------------------------------|-------------------|
| Horizontal Weld : | 54.9% Pass |
| Vertical Weld: | 33.6% Pass |
| Plate Flex+Shear, fb/Fb+(fv/Fv)^2: | 10.8% Pass |
| Plate Tension+Shear, ft/Ft+(fv/Fv)^2: | 42.1% Pass |
| Plate Comp. (AISC Bracket): | 45.7% Pass |

Pole Results

| | |
|----------------------------|------------------|
| Pole Punching Shear Check: | 9.4% Pass |
|----------------------------|------------------|



* 0 = none, 1 = every bolt, 2 = every 2 bolts, 3 = 2 per bolt

** Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes

Monopole Block Foundation

Checks capacity of monolithic block foundation for a monopole tower per TIA/EIA-222-F

BU #: 876371

Site Name: WALDEN / CAROLYN BESA

App No.: 138075, Rev 1



| Design Reactions | | |
|--------------------|---------|---------|
| Shear, S: | 25.00 | kips |
| Moment, M: | 3119.00 | ft*kips |
| Height, H: | 180.00 | ft |
| Weight, Wt: | 36.00 | kips |
| Base Diameter, BD: | 54.0 | in |


| Foundation Dimensions | | |
|---------------------------|------|----|
| Depth, D: | 4.25 | ft |
| Block Width, W: | 25.0 | ft |
| Neglected Depth, N: | 3.5 | ft |
| Ext. Above Grade, E: | 0.75 | ft |
| Anchor Steel Length, Lst: | 72.0 | in |
| Clear Cover, cc: | 3.0 | in |

| Soil Properties | | |
|----------------------------------|--------|-----|
| Soil Unit Weight, γ : | 0.120 | kcf |
| Allowable Bearing, Bc: | 12.000 | kcf |
| Int. Angle of Friction, Φ : | 32.000 | deg |
| Cohesion, Co: | 0.000 | kcf |
| Passive Pressure, Pp: | 0.000 | kcf |
| Base Friction, μ : | 0.6 | |
| Seismic Zone, z: | 2 | |

| Material Properties | | |
|--------------------------------|-------|-----|
| Rebar Yield Strength, Fy: | 60000 | psi |
| Concrete Strength, Fc: | 4000 | psi |
| Concrete Density, δ_c : | 0.150 | kcf |

| Rebar Properties | | |
|---------------------|----|----|
| Pad Rebar Size, sp: | 8 | |
| Rebar Quantity, mp: | 40 | 21 |

| Design Checks | | | | |
|------------------------------------|-----------------------|----------------|-------|-------|
| | Capacity/Availability | Demands/Limits | Check | % |
| Shear (ksf): | 151.43 | 25.00 | OK | 16.5% |
| Overturning (ft*kips): | 4206.25 | 3244.00 | OK | 77.1% |
| Bearing (ksf): | 12.00 | 2.22 | OK | 18.5% |
| Shear - 1-Way (kips): | 2144.02 | 707.51 | OK | 33.0% |
| Pad Rebar Area (in ²): | 31.42 | 16.20 | OK | N/A |
| Bar Spacing (in): | 6.51 | 18 > Bs > 2 | OK | N/A |
| Development Length (in): | 147.00 | 37.00 | OK | N/A |



| Modification Checks | | | | |
|--|-----------------------|----------------|----------|--|
| | Capacity/Availability | Demands/Limits | Check | |
| Minimum Extra Thickness (in): | 0.00 | 0.00 | Not Used | |
| Pad Rebar Area-short (in ²): | 8.84 | 0.00 | Not Used | |
| Pad Rebar Area-long (in ²): | 2.21 | 0.00 | Not Used | |
| Pad Rebar Spacing-short (in): | 14.68 | 18 > Bs > 2 | Not Used | |
| Pad Rebar Spacing-long (in): | 72.56 | 18 > Bs > 2 | Not Used | |
| End Cap Width (in): | 0.00 | 0.00 | Not Used | |
| End Cap Rebar Area (in ²): | 4.81 | 0.00 | Not Used | |
| EC Rebar Spacing (in): | -1.73 | 18 > Bs > 2 | Not Used | |
| Tie Spacing (in): | 14.97 | 294 > s > 4.5 | Not Used | |
| Dowel Area (in ²): | 8.84 | 0.00 | Not Used | |
| Dowel Embedment (in): | 15.00 | 6.00 | Not Used | |
| Shear Strength of Cone (kips): | 68.73 | 23.86 | Not Used | |
| Dowel Edge Distance (in): | 12.00 | 14.51 | Not Used | |
| Dowel Spacing (in): | 30.67 | 30.00 | Not Used | |
| Dowel Edge Distance (vert) (in): | 30.00 | 14.51 | Not Used | |
| Dowel Devel. Length (in): | -3.00 | 13.32 | Not Used | |

| Modifications | | | | | | |
|------------------------------|----|----|-------------------------|----|----|------------------------|
| Pad Thickness, Te: | 0 | in | End Cap Width, Wec: | 0 | in | |
| Revised Pad Thickness, Tr: | 5 | ft | Revised Width, Wc: | 25 | ft | |
| Pad Rebar Size, Se: | 6 | | EC Rebar Size, Sec: | 7 | | per side, top & bottom |
| Rebar Quantity (long), me: | 20 | | EC Rebar Quantity, mec: | 8 | | |
| Rebar Quantity (short), mex: | 5 | | EC Tie Size, Sect: | 4 | | per side |
| Dowel Size, Sed: | 7 | | Tie Quantity, mect: | 20 | | |
| Dowel Quantity, med: | 20 | | EC Dowel Size, Secd: | 6 | | per side |
| | | | Dowel Quantity, mecd: | 20 | | |
| | | | Rows of Dowels, Nd: | 2 | | |
| | | | Dowel Depth, dcd: | 15 | in | |
| | | | Edge Distance, eecd: | 12 | in | |