



**QC Development**

PO Box 916

Storrs, CT 06268

860-670-9068

Mark.Roberts@QCDevelopment.net

May 28, 2019

Melanie A. Bachman  
Executive Director  
Connecticut Siting Council  
10 Franklin Square  
New Britain, CT 06051

**Notice of Exempt Modification – New Cingular Wireless PCS, LLC (AT&T)  
1 Waterfront Park (City Pier), New London, CT 06320  
N 41-21-13  
W 72-05-29**

Dear Ms. Bachman:

AT&T intends to install a temporary cellular communications facility for service during Sailfest 2019 in New London. AT&T operates under licenses issued by the Federal Communications Commission (FCC) to provide cellular and PCS mobile telephone service in New London County, which includes the area to be served by AT&T's proposed temporary installation. The proposed temporary facility would be installed at 1 Waterfront Park on property owned by the City of New London.

**Proposed Temporary Facility**

The proposed temporary cell site meets the criteria set forth in R.C.S.A § 16-50j-72(d) for temporary cellular service for events of statewide significance. The site is necessary to provide additional system capacity to accommodate increased communication needs during Sailfest 2019.

Sailfest 2019 will be held in the vicinity of Waterfront Park in downtown New London on July 12<sup>th</sup> – 14<sup>th</sup> 2019. The temporary cell site will be located at the far end of City Pier as illustrated in the attached Aerial Photograph. As previously documented by AT&T, the City Assessor has confirmed that the 31,000 sq. ft. pier is considered an outbuilding of the City Pier property. An e-mail from



\*\* Please note that the standard power density equation provided by the Council in its memo of January 22, 2001 incorporates a ground reflection factor of 2.56 as described in FCC OET Bulletin No. 65

This calculation shows that AT&T's temporary transmissions for the COW installation will result in a power density corresponding to approximately 68.3% of the ANSI/IEEE standard for uncontrolled environments. Therefore, total worst-case power density levels adjacent to the COW would be within applicable standard limits.

**Conclusion**

For the foregoing reasons, AT&T respectfully submits that the proposed modifications to the above-referenced telecommunications facility constitute an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Please feel free to call me at (860) 670-9068 with any questions regarding this Notice. Thank you for your consideration in this matter.

Sincerely,



Mark Roberts  
QC Development  
Consultant for AT&T

**Attachments**

cc: The Honorable Michael Passero – City of New London Elected Official & Property Owner  
Felix J. Reyes – Director of Devt. & Planning, City of New London  
Barbara J. Neff – New London City Dock Master & Sailfest Executive Director (via e-mail)

From: Barbara J. Neff <bjneff1369@sbcglobal.net>  
Sent: Friday, May 17, 2019 11:44 AM  
To: Frank Kelley <fkelly@saigrp.com>  
Subject: FW: Sailfest 2018 / Sail18 / CT4992/ FA 10122531 Expense Project

Hello Frank,

“This email authorizes AT&T Wireless and/or its authorized agent to file for all necessary federal, state or local permits and approvals for the proposed temporary wireless telecommunications facility located at the End of City Pier - 1 Waterfront Park New London, CT for the 2017 Sailfest 2019.”

Thanks,  
Barbara J. Neff  
Neff Productions  
2 State ST  
New London CT 06320  
\* Sailfest - Executive Director  
\* New London City Dock Master  
[www.neffproductions.com](http://www.neffproductions.com)  
(860) 443- 3786

---

\* **Sailfest - Executive Director**  
\* **New London City Dock Master**  
[www.neffproductions.com](http://www.neffproductions.com)  
(860) 443- 3786

**CITY PIER**

**Assessor's Card**

**Location** CITY PIER

**Mblu** G12/ 108/ 2/A /

**Acct#** G12 0108 0002A

**Owner** NEW LONDON CITY OF-WAT

**Assessment** \$3,242,470

**Appraisal** \$4,632,100

**PID** 4446

**Building Count** 1

**Current Value**

Appraisal			
Valuation Year	Improvements	Land	Total
2013	\$3,747,300	\$884,800	\$4,632,100

Assessment			
Valuation Year	Improvements	Land	Total
2013	\$2,623,110	\$619,360	\$3,242,470

**Owner of Record**

**Owner** NEW LONDON CITY OF-WAT  
**Co-Owner** CITY PIER  
**Address** 181 STATE STREET  
 NEW LONDON, CT 06320

**Sale Price** \$0  
**Certificate**  
**Book & Page** 2083/ 66  
**Sale Date** 09/25/2014  
**Instrument** 24

**Ownership History**

Ownership History					
Owner	Sale Price	Certificate	Book & Page	Instrument	Sale Date
NEW LONDON CITY OF-WAT	\$0		2083/ 66	24	09/25/2014
NEW LONDON CITY OF-WAT	\$0		1810/ 260	19	12/03/2008
NEW LONDON CITY OF-WAT	\$0		000/ 000		01/01/1700

**Building Information**

**Building 1 : Section 1**

**Year Built:** 1950  
**Living Area:** 156  
**Replacement Cost:** \$12,749  
**Building Percent Good:** 47  
**Replacement Cost Less Depreciation:** \$6,000


Building Attributes	
Field	Description
STYLE	Commercial
MODEL	Commercial
Grade	Above Ave
Stories:	2
Occupancy	1
Exterior Wall 1	Wood Shingle
Exterior Wall 2	
Roof Structure	Gable/Hip
Roof Cover	Asph/F GlS/Cmp
Interior Wall 1	Wall Brd/Wood
Interior Wall 2	
Interior Floor 1	Concr-Finished
Interior Floor 2	
Heating Fuel	Coal or Wood
Heating Type	None
AC Type	None
Bldg Use	MUNICIPAL MDL-94
Total Rooms	
Total Bedrms	00
Total Baths	0
Conv Type	
1st Floor Use:	903C
Heat/AC	NONE
Frame Type	WOOD FRAME
Baths/Plumbing	NONE
Ceiling/Wall	CEIL & WALLS
Rooms/Prtns	LIGHT
Wall Height	16
% Comn Wall	0

**Building Photo**



(http://images.vgsi.com/photos/NewLondonCTPhotos/\00\01\12\10.jpg)

**Building Layout**



Building Sub-Areas (sq ft)			Legend
Code	Description	Gross Area	Living Area
BAS	First Floor	156	156
		156	156

**Extra Features**

Extra Features					<u>Legend</u>
Code	Description	Size	Value	Bldg #	
	PLB & EL FPR PIER PER PLANS	1	\$157,000	1	
CNP2	GOOD QUALITY	684 S.F.	\$16,100	1	

**Land**

**Land Use**

**Use Code** 903C  
**Description** MUNICIPAL MDL-94  
**Zone** WD  
**Neighborhood** CBD1  
**Alt Land Appr Category** No

**Land Line Valuation**

**Size (Acres)** 0.56  
**Frontage** 0  
**Depth** 0  
**Assessed Value** \$619,360  
**Appraised Value** \$884,800

**Outbuildings**

Outbuildings							<u>Legend</u>
Code	Description	Sub Code	Sub Description	Size	Value	Bldg #	
DOLP	SHIP MOORING			18 UNIT	\$360,000	1	
	PHASE 3			1	\$65,000	1	
DCK2	COMM DOCK			31150 S.F.	\$3,083,900	1	
BTH2	W/PLUMBING			432 S.F.	\$9,300	1	
PAT2	PATIO-GOOD			20000 S.F.	\$50,000	1	

**Valuation History**

Appraisal			
Valuation Year	Improvements	Land	Total
2015	\$3,747,300	\$884,800	\$4,632,100
2014	\$3,747,300	\$884,800	\$4,632,100
2013	\$3,747,300	\$898,900	\$4,646,200

Assessment			
Valuation Year	Improvements	Land	Total
2015	\$2,623,110	\$619,360	\$3,242,470
2014	\$2,623,110	\$619,360	\$3,242,470
2013	\$2,623,110	\$629,230	\$3,252,340



**Property Information**

**Property ID** 95-G12-108-2A  
**Location** CITY PIER  
**Owner** NEW LONDON CITY OF-WAT



**MAP FOR REFERENCE ONLY  
 NOT A LEGAL DOCUMENT**

SCCOG makes no claims and no warranties, expressed or implied, concerning the validity or accuracy of the GIS data presented on this map.

Parcels updated 01/11/2017  
 Properties updated 10/1/2013





- ATM
- Beer Tent
- Streets closed
- Public Restroom
- Tall ships
- Amusement Rides
- Custom House Pier stage
- Fireworks Experience/Picnic on the Pier
- Waterfront vendors
- Police & Emergency/Lost Persons
- City Hall stage
- Street vendors (sat/sun only)
- Hygienic outdoor Fine craft Festival

- Hygienic Art Park stage
- Sailfest Information & Merchandise
- Public Parking
- SK Road Race (Sunday)
- Handicapped parking

**Proposed Location of COW End of City Pier**



sailfest Hours - Friday 12 noon-11pm • Saturday 10am-11pm • Sunday 9am-6pm



Generalized Site Plan of AT&T COW on City Pier  
(No Scale)

The COW  
With Mast  
Stowed



# The Will-Burt Company's Strongest

## ULTRA-HEAVY DUTY PNEUMATIC MAST

Designed to Save You Time and Money

No Need for a Guyed Mast for your largest antennas!  
Ultimate Unguyed Performance. No Guying or Spacing Needed for set-up

This Mast Is Built into the COW  
(Shown With Spherical Antenna)

### STRONG


- Elevates heavier loads with greater wind sail area
- Greater unguyed performance
- Close azimuth for less twist for signal accuracy
- Shorter guy radius support requires less space

### FAST & EFFICIENT

- Lower nested height eliminates the need for costly and complicated tilt systems
- Easier to deploy in urban areas
- Lightweight design allows for more COW and COLT payload space
- Safe long-term deployment with easy to operate positive locking pins

### RELIABLE

- 5 year manufacturer warranty
- No maintenance required
- No hydraulic fluid concerns
- Designed and manufactured in the USA by the portable elevation experts - [The Will-Burt Company](#)





Ultra Heavy-Duty Mast Specifications	11.3-59
Payload Capacity*	1200 lbs. / 544 kg
Extended Height	59 ft. / 18 m
Nested Height	11.3 ft. / 3.4 m
Approximate Weight	880 lbs. / 399 kg
Number of Sections	7
Tube Diameter	13.5 in. / 34.29 cm through 7.5 in. / 19.05 cm
Collar Type	Locking with Super Pins
Maximum Operating Pressure	35 psig (2.4 bar)

\*Dimensions provided are for reference only and are not intended for vehicle design purposes.

Specifications subject to change without notice.

\*Capacity will be affected by wind sail area. Consult factory.



### 11.3-59 UHDL P/N 710905700, TUBE SET 13.5" - 7.5"

	Extended Height (ft.)	Unguyed SWS (mph)	Guy Levels	Guy Radius (ft.)	Mast Guy Points	Guyline Diameter (inches)	Guyed SWS (mph)
Full Extension	59.0	58	2	60	Platform, 9 1/8" collar	3/16	92
7.5" Tube Retracted	50.4	69	2	50	Platform, 9 1/8" collar	3/16	96
7.5" Tube Retracted	50.4	69	2	50	Platform, 9 1/8" collar	1/4	115
7.5" Tube Retracted	50.4	69	1	50	Platform	1/4	104
7.5" & 8.25" Tubes Retracted	42.1	82	1	42	Platform	3/16	98
7.5" & 8.25" Tubes Retracted	42.1	82	1	42	Platform	1/4	112
7.5", 8.25" & 9.12" Tubes Retracted	34.0	96	1	34	Platform	3/16	112
7.5", 8.25" & 9.12" Tubes Retracted	34.0	96	1	34	Platform	1/4	127

Payload	
(1) MS-12.6DB180-A	
(36) 1/2" RF CABLES	
Total Sail Area	29.4 FT <sup>2</sup>
Total Payload Weight	914 lbs.
Center of projected area	36" above top of mast
Coefficient of drag	1.0

## CONTACT YOUR SALES REPRESENTATIVE TODAY

**TRAVIS POWELL**  
Director of Sales  
Mobile: 330.347.9154  
tpowell@willburt.com

**JAKE FRANKEN**  
Business Development Manager  
Office: 330.684.4037  
Mobile: 330.347.4941  
jfranken@willburt.com

The Will-Burt Company ([www.willburt.com](http://www.willburt.com)), located in Orrville, Ohio, USA, is the world's premier manufacturer of mobile telescoping masts, towers and pan and tilt positioners. We offer virtually every payload elevation and integration solution from the top brands; Will-Burt, GEROH, Integrated Tower Solutions (ITS) and MAD – for military, first responders, cellular, broadcast, entertainment and other applications. Will-Burt designs and manufactures shelters made of all-composite materials that deliver higher performance at lower life cycle cost than metal or partial composite shelters. Will-Burt's LINX security solutions provide integrated access control and intrusion detection certified to protect critical assets. Will-Burt offers a variety of metal fabrication and manufacturing services backed by a certified ISO 9001:2008 Quality Management System and ISO 14001:2004 Environmental Management System. Incorporated in 1918, Will-Burt is 100% employee-owned and is classified as a small business.



**UNITED STATES  
WORLD HEADQUARTERS**  
169 S. Main St.,  
Orrville, Ohio USA 44667  
Telephone: 330.682.7015  
Mast Customer Service: 330.684.4000  
Fax: 330.684.1190  
Email: contact\_us@willburt.com

**INTEGRATED TOWER SYSTEMS**  
2703 Dawson Road,  
Tulsa, OK 74110  
Telephone: 800.850.8535  
Fax: 918.749.8537  
Email: programs@itstowers.com

**EUROPE  
GEROH**  
A Will-Burt Company  
Fischergasse 25  
91344 Waischenfeld, Germany  
Telephone: +49-9202-18-0  
Fax: +49-9202-18-11  
Email: info@geroh.com

**UNITED KINGDOM  
MAD**  
Unit 5, Station Approach  
Four Marks, Alton Hampshire,  
GU34 5HN, United Kingdom  
Telephone: +44 (0) 1420 565618  
Fax: +44 (0) 1420 565628  
Email: info@madcctv.com

**UK SALES OFFICE**  
Unit 5b, Station Approach  
Four Marks, Alton Hampshire,  
GU34 5HN, United Kingdom  
Telephone: +44 (0) 1403 265532  
Fax: +44 (0) 1403 259072

**ASIA  
SINGAPORE SALES OFFICE**  
1 Fullerton Road,  
#02-01 One Fullerton,  
Singapore 049213  
Telephone: +65 6832 5689  
Fax: +65 6722 0664

# Matsing Spherical Antenna

## MS-12.6DB180-A

**Multi-Beam Dual Band Spherical Lens Antenna: 6 independent low frequency (698-896MHz) cross-polarized beams and 12 independent high-frequency (1710-2690MHz) cross-polarized beams, with 0-15° tilt for each 20° sector and 2X2 MIMO support. Sector consists of 1 low-band beam and 2 high-band beams.**


**\*Optional Packages:**

- a) **MS-12.6DB180-RET**  
AISG 2.0 Remote Electrical Tilt
- b) **MS-12.6DB180-B**  
Low Band Frequency Range (800-960MHz)




**PATTERN RESULTS:**


**High-Band Horizontal Pattern (1.80GHz)**




**High-Band Vertical pattern (1.80GHz)**



**Low-Band Horizontal Pattern (0.85GHz)**



**Low-Band Vertical Pattern (0.85GHz)**





### ESTIMATED TECHNICAL SPECIFICATIONS PER BEAM

Frequency	698-896 MHz	1710-2690 MHz
Gain	21dBi	29dBi
Return Loss	>15dB	>15dB
Polarization	Dual Slant ±45	Dual Slant ±45
Horizontal Coverage	120°	120°
Horizontal Beamwidth (10dB level)	20° ± 2°	10° ± 1°
Vertical Beamwidth (10dB level)	22°	12°
Beam Cross-over	10dB typical	10dB typical
Total Number of Beams	6	12
Manual Adjustable Tilt per 20° sector (each sector having 2 high-band beams and 1 low-band beam)	5° to 20°	0° to 15°
First Sidelobe Level	<-18dB	<-18dB
Front to Back Ratio	>28dB	>28dB
Isolation Port to Port -Polarization	>28dB	>28dB
Isolation Port to Port – Beam	>28dB	>28dB
Power Rating	400W per port	300W per port
Intermodulation	<-150dBc	<-150dBc
Impedance	50 ohm	50 ohm
Connector Quantity and Type	12 7/16 DIN female	24 7/16 DIN female


### ESTIMATED MECHANICAL DATA


Dimensions (H x W x D)	Spherical Lens diameter: 180cm/70inch
	Antenna dimensions: 182 x 205 x 207 cm 71 x 80 x 81 inch
Antenna Weight	225kg 495lbs
Radome Material	Fibre Glass
Mounting	2 position pipe mount Compatible pipe diameter: 6.1 – 11.4 cm 2.4 – 4.5 inch

### ESTIMATED ENVIRONMENTAL RATINGS

Humidity	95% RH @ +30°C
Temperature	-40°C to +70°C
Wind load (Front)	2316 N @ 160km/hr 520 lbf @ 160km/hr

### Connector Layout






**UNITED STATES  
POSTAL SERVICE®**

**Click-N-Ship®**

**P**

usps.com  
**US POSTAGE** \$7.35  
 Flat Rate Env  
 9405 5036 9930 0019 1215 11 0073 5000 0010 6320



05/29/2019 Mailed from 06268 062S0000000314

**PRIORITY MAIL 1-DAY™**

Expected Delivery Date: 05/30/19

MARK J ROBERTS  
 QC DEVELOPMENT  
 PO BOX 916  
 STORRS CT 06268-0916


**0024**

**Carrier -- Leave if No Response**

**C015**

SHIP TO: MAYOR MICHAEL PASSERO  
 CITY OF NEW LONDON  
 181 STATE ST  
 CC: FELIX J REYES, DEVT & PLANNING  
 NEW LONDON CT 06320-6302

**USPS TRACKING #**



**9405 5036 9930 0019 1215 11**

Electronic Rate Approved #038555749



Cut on dotted line.

### Instructions

1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
2. Place your label so it does not wrap around the edge of the package.
3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
5. Mail your package on the "Ship Date" you selected when creating this label.

### Click-N-Ship® Label Record

**USPS TRACKING # :**  
**9405 5036 9930 0019 1215 11**

Trans. #: 464991833	Priority Mail® Postage: <b>\$7.35</b>
Print Date: 05/29/2019	Total: <b>\$7.35</b>
Ship Date: 05/29/2019	
Expected Delivery Date: 05/30/2019	

**From:** MARK J ROBERTS  
 QC DEVELOPMENT  
 PO BOX 916  
 STORRS CT 06268-0916

**To:** MAYOR MICHAEL PASSERO  
 CITY OF NEW LONDON  
 181 STATE ST  
 CC: FELIX J REYES, DEVT & PLANNING  
 NEW LONDON CT 06320-6302

\* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.



Thank you for shipping with the United States Postal Service!  
 Check the status of your shipment on the USPS Tracking® page at usps.com





# Shipment Confirmation Acceptance Notice

## A. Mailer Action

**Note To Mailer:** The labels and volume associated to this form online, **must** match the labeled packages being presented to the USPS® employee with this form.

Shipment Date: 05/29/19

Shipped From:

MARK J ROBERTS  
QC DEVELOPMENT  
PO BOX 916  
STORRS CT 06268-0916


Type of Mail	Volume
Priority Mail®	2
Priority Mail Express™*	0
International Mail*	0
Other	0
Total Volume	2

\*Start time for products with service guarantees will begin when mail arrives at the local Post Office™ and items receive individual processing and acceptance scans.

## B. USPS Action

- USPS EMPLOYEE: Please scan upon pickup or receipt of mail. Leave form with customer or in customer's mail receptacle.
- Employee verifies the package volume count on the Package Pickup Carrier Manifest.
  - If the volume on the manifest matches the volume being collected from the customer, the employee should make the **1:YES** selection by pressing the number 1 on the keypad of the handheld scanner, or on the keyboard of the POS ONE terminal.
  - If the volume on the manifest does not match the volume being collected from the customer, the employee should make the **2:NO** selection. The mail should still be collected and dispatched as normal.

**USPS SCAN**



**9475 7036 9930 0315 8908 55**