



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

Web Site: portal.ct.gov/csc

VIA ELECTRONIC MAIL

March 14, 2023

Denise Sabo
Northeast Site Solutions
4 Angela's Way
Burlington CT 06013
denise@northeastsitesolutions.com

RE: **EM-VER-108-230227** – Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 20 Great Oak Road, Oxford, Connecticut.

Dear Denise Sabo:

The Connecticut Siting Council (Council) received a notice of intent to modify the above-referenced facility on February 27, 2023.

According to Section 16-50j-71 of the Regulations of Connecticut State Agencies, "...any modification, as defined in Section 16-50j-2a of the Regulations of Connecticut State Agencies, to an existing tower site, except as specified in Sections 16-50j-72 and 16-50j-88 of the Regulations of Connecticut State Agencies, may have a substantial adverse environmental effect."

Staff has reviewed this exempt modification request for completeness and has identified the following deficiencies:

- a. the Mount Analysis dated November 11, 2022, cites ANSI/TIA-222-H but does not specifically cite the 2022 Connecticut State Building Code (CSBC) effective October 1, 2022 and
- b. On September 23, 2022, the Council issued a memorandum to telecommunications industry representatives requiring a cumulative far-field Radio Frequency Power Density Analysis to be provided with all telecommunications exempt modification requests. The radio frequency emissions report provided with the request includes a far-field analysis for Verizon but does not include a cumulative far-field analysis for all entities on the tower. A copy of the memorandum is available on the Council's website at the following link: [20220923-farfieldmemo_final.pdf \(ct.gov\)](#)

Therefore, the exempt modification request is incomplete at this time. The Council recommends that Verizon provide an updated Mount Analysis that comports with the current 2022 CSBC and an RF Analysis including a rigorous cumulative far-field analysis for all entities located on the tower that accounts for a 6-foot tall person and the actual antenna pattern for the proposed modifications to the facility with a cumulative %MPE at or below 100%, on or before April 14, 2023. If additional time is needed to gather the requested information, please submit a written request for an extension of time prior to April 14, 2023. **Please provide an electronic version of the requested information for the incomplete exempt modification to be rendered complete and processed. Please include the Council's exempt modification identification number referenced above with the submittal.**

This notice of incompleteness shall have the effect of tolling the Federal Communications Commission (FCC) 60-day timeframe in accordance with Paragraph 217 of the FCC Wireless Infrastructure Report and Order issued on October 21, 2014 (FCC 14-153).

Thank you for your attention to this matter. Should you have any questions, please feel free to contact me at 860-827-2951.

Sincerely,

A handwritten signature in dark ink, appearing to read "Melanie Bachman". The signature is fluid and cursive, with a prominent initial "M" and a long, sweeping tail.

Melanie Bachman
Executive Director

MAB/ANM/laf