



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

Web Site: portal.ct.gov/csc

VIA ELECTRONIC MAIL

June 23, 2025

Domenica Tatasciore
Permitting Specialist
Crown Castle
1800 West Park Drive
Westborough, MA 01581
Domenica.Tatasciore@crowncastle.com

RE: **EM-VER-129-250508** – Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 400 Main Street, Somers, Connecticut. **Decision.**

Dear Domenica Tatasciore:

The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies with the following conditions:

1. Approval of any changes be delegated to Council staff;
2. Antennas and equipment shall be installed in accordance with the Mount Analysis prepared by Colliers Engineering and Design dated December 18, 2024 and stamped and signed by Grant Walters;
3. Within 45 days following completion of equipment installation, Cellco shall provide documentation certified by a Professional Engineer that its installation complied with the recommendations of the Mount Analysis;
4. RF access restriction and caution signage shall be installed at the site in compliance with FCC guidance;
5. Deployment of any 5G services must comply with FCC and FAA guidance relative to air navigation, as applicable;
6. Any deviation from the proposed modification as specified in this notice and supporting materials submitted to the Council shall render this acknowledgement invalid;
7. Any material changes to the proposed installation as specified in the original request and supporting materials filed with the Council shall require an explicit request for modification to the Council, including all relevant information regarding the proposed change with a rigorous cumulative far-field analysis for all entities located on the tower, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65;
8. The Council shall be notified in writing at least two weeks prior to the commencement of site construction activities;

9. Within 45 days after completion of construction, the Council shall be notified in writing that construction has been completed **along with a representative photograph of the facility modification**;
10. Any nonfunctioning antenna and associated antenna mounting equipment, or other equipment at this facility owned and operated by Cellco shall be removed within 60 days of the date the antenna or equipment ceased to function;
11. The validity of this action shall expire one year from the date of this letter; and
12. Cellco may file a request for an extension of time beyond the one year deadline provided that such request is submitted to the Council not less than 60 days prior to the expiration.

The proposed modifications including the placement of all necessary equipment and shelters within the tower compound are to be implemented as specified here and in your notice dated April 29, 2025. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site by any dimension, increase noise levels at the tower site boundary by six decibels or more, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standards adopted by the Federal Communications Commission pursuant to Section 704 of the Telecommunications Act of 1996 and by the state Department of Energy and Environmental Protection pursuant to Connecticut General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below state and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Thank you for your attention and cooperation.

Sincerely,



Melanie A. Bachman
Executive Director

MAB/ANM/kd

c: The Honorable Tim Keeney, First Selectperson, Town of Somers (tkeeney@somersct.gov)