



STATE OF CONNECTICUT  
*CONNECTICUT SITING COUNCIL*

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)

Web Site: [portal.ct.gov/csc](http://portal.ct.gov/csc)

**VIA ELECTRONIC MAIL**

January 24, 2022

John Coleman  
Project Manager  
Centerline Communications LLC  
750 W. Center Street, Suite 301  
West Bridgewater, MA 02379  
[jcoleman@clinellc.com](mailto:jcoleman@clinellc.com)

RE: **EM-VER-130-211014** - Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 133 Horse Fence Hill Road, Southbury, Connecticut.

Dear Mr. Coleman:

The Connecticut Siting Council (Council) is in receipt of your correspondence of January 11, 2022 submitted in response to the Council's November 26, 2021 notification of an incomplete request for exempt modification with regard to the above-referenced matter.

The submission renders the request for exempt modification complete and the Council will process the request in accordance with the Federal Communications Commission 60-day timeframe.

Thank you for your attention and cooperation.

Sincerely,

Melanie A. Bachman  
Executive Director

MAB/CMW/emr

John Coleman, Project Manager  
c/o Cellco Partnership d/b/a Verizon Wireless  
Centerline Communications, LLC  
750 West Center Street, Floor 3  
West Bridgewater, MA 02379  
Mobile: (240) 615 -7389  
[JColeman@clinellc.com](mailto:JColeman@clinellc.com)

January 11, 2022

Melanie A. Bachman  
Acting Executive Director  
Connecticut Siting Council  
10 Franklin Square  
New Britain, CT 06051

**RE: EM-VER-130-211014** – Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 133 Horse Fence Hill Road, Southbury, CT.

Dear Ms. Bachman,

In response to the Council's Incomplete Letter to modify an existing telecommunications facility dated November 26, 2021 for the afore mentioned site, please see the following attachments as outlined below per Councils request:

1. Proof of mailing and delivery confirmation to Chief Elected Official: Jeff Manville.
  - a. UPS Label: 1Z9Y45030334322950
  - b. Delivery Confirmation.
2. Proof of mailing and delivery confirmation to Zoning Official: Jessica Townsend.
  - a. UPS Label: 1Z9Y45030334322950 (Same Address)
  - b. Delivery Confirmation.
3. Proof of mailing and delivery confirmation to Property Owner: William Beatty.
  - a. UPS Label: 1Z9Y45030334177564
  - b. Delivery Confirmation.

The Original Filing sent to the CSC on 10/14/2021 – Notice of Exempt Modification // Site: Southbury West (ATC: 302519) 133 Horse Fence Hill Road, Southbury, CT, 06488 Cellco Partnership d/b/a/ Verizon Wireless.



This list completes the items listed in the afore mentioned Letter of Incompleteness. I appreciate your time and consideration.

Sincerely,

*John Coleman*

---

John Coleman, Project Manager  
c/o Cellco Partnership d/b/a Verizon Wireless  
Centerline Communications, LLC  
750 West Center Street, Floor 3  
West Bridgewater, MA 02379  
Mobile: (240) 615 -7389  
[JColeman@clinellc.com](mailto:JColeman@clinellc.com)

**UPS CampusShip: View/Print Label**

- 1. **Ensure there are no other shipping or tracking labels attached to your package.** Select the Print button on the print dialog box that appears. Note: If your browser does not support this function select Print from the File menu to print the label.
- 2. **Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
- 3. **GETTING YOUR SHIPMENT TO UPS**  
**Customers with a Daily Pickup**  
 Your driver will pickup your shipment(s) as usual.

**Customers without a Daily Pickup**




Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. Items sent via UPS Return Services(SM) (including via Ground) are also accepted at Drop Boxes. To find the location nearest you, please visit the Resources area of CampusShip and select UPS Locations.  
 Schedule a same day or future day Pickup to have a UPS driver pickup all your CampusShip packages.  
 Hand the package to any UPS driver in your area.

UPS Access Point™  
 CVS STORE # 972  
 555 WASHINGTON ST  
 SOUTH EASTON ,MA 02375

UPS Access Point™  
 CVS STORE # 7232  
 689 DEPOT ST  
 NORTH EASTON ,MA 02356

UPS Access Point™  
 TOWN LINE GENERAL STORE  
 450 E CENTER ST  
 WEST BRIDGEWATER ,MA 02379

FOLD HERE

|  |   |   |
|--|---|---|
| <p style="text-align: right;"><b>1 OF 1</b></p> <p style="text-align: center;"><b>5 LBS</b></p> <p>SHIP TO:<br/>         JEFF MANVILLE, FIRST SELECTMAN<br/>         ROOM 212<br/>         501 MAIN STREET SOUTH<br/> <b>SOUTH BURY CT 06488-4217</b></p> <p>MI UMALT<br/>         9785667906<br/>         CENTERLINE COMMUNICATIONS, LLC<br/>         750 WEST CENTER STREET<br/>         WEST BRIDGEWATER MA 02379</p> | <p style="font-size: 2em; font-weight: bold;">CT 067 9-04</p>  | <p style="font-size: 1.5em; font-weight: bold;">UPS GROUND</p> <p>TRACKING #: 1Z 9Y4 503 03 3432 2950</p>              |
|   |   | <p style="text-align: right;"><b>BILLING: P/P</b></p> <p style="font-size: 0.8em;">Reference # 1: 302519<br/>         Reference # 2: Southbury<br/> <small>CS 22.0/18. WNTNV50 38.0A 09/2021*</small></p> |



# Proof of Delivery

Dear Customer,

This notice serves as proof of delivery for the shipment listed below.

**Tracking Number**

1Z9Y45030334322950

**Weight**

5.00 LBS

**Service**

UPS Ground

**Shipped / Billed On**

09/20/2021

**Delivered On**

09/24/2021 12:14 P.M.

**Delivered To**

JEFF MANVILLE, FIRST SELE  
501 MAIN ST S  
SOUTHBURY, CT, 06488, US

**Received By**

ROSA

UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS  
UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS  
UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS  
UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS  
UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS  
UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS  
UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS  
UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS UPS

Signature is not available at this time.

**Left At**

Office

**Reference Number(s)**

SOUTHBURY, 302519

Thank you for giving us this opportunity to serve you. Details are only available for shipments delivered within the last 120 days. Please print for your records if you require this information after 120 days.

Sincerely,

UPS

Tracking results provided by UPS: 09/27/2021 1:53 P.M. EST

**UPS CampusShip: View/Print Label**

- 1. Ensure there are no other shipping or tracking labels attached to your package.** Select the Print button on the print dialog box that appears. Note: If your browser does not support this function select Print from the File menu to print the label.
- 2. Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
- 3. GETTING YOUR SHIPMENT TO UPS**  
**Customers with a Daily Pickup**  
 Your driver will pickup your shipment(s) as usual.

**Customers without a Daily Pickup**



Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. Items sent via UPS Return Services(SM) (including via Ground) are also accepted at Drop Boxes. To find the location nearest you, please visit the Resources area of CampusShip and select UPS Locations.  
 Schedule a same day or future day Pickup to have a UPS driver pickup all your CampusShip packages.  
 Hand the package to any UPS driver in your area.

UPS Access Point™  
 CVS STORE # 972  
 555 WASHINGTON ST  
 SOUTH EASTON ,MA 02375

UPS Access Point™  
 CVS STORE # 7232  
 689 DEPOT ST  
 NORTH EASTON ,MA 02356

UPS Access Point™  
 TOWN LINE GENERAL STORE  
 450 E CENTER ST  
 WEST BRIDGEWATER ,MA 02379

FOLD HERE

|  |   |   |   |
|--|---|---|---|
| <p style="text-align: right;"><b>1 OF 1</b></p> <p style="text-align: right;"><b>5 LBS</b></p> <p>MJUMALT<br/>       9785667906<br/>       CENTERLINE COMMUNICATIONS, LLC<br/>       750 WEST CENTER STREET<br/>       WEST BRIDGEWATER MA 02379</p> <p><b>SHIP TO:</b><br/>       WILLIAM BEATTY<br/>       133 HORSE FENCE HILL ROAD<br/>       SOUTH BURY CT 06488-2106</p> | <p style="font-size: 2em;"><b>CT 067 9-04</b></p>  | <p style="font-size: 1.5em;"><b>UPS GROUND</b></p> <p>TRACKING #: 1Z 9Y4 503 03 3417 7564</p>  | <p style="text-align: right;"><b>BILLING: P/P</b></p> <p style="text-align: right;">Reference # 1: 302519<br/>       Reference # 2: Southbury<br/> <small>CS 22.07.18. WNTNV50 38.0A 09/2021*</small></p>  |
|--|---|---|---|

# Proof of Delivery

Dear Customer,

This notice serves as proof of delivery for the shipment listed below.

**Tracking Number**

1Z9Y45030334177564

**Weight**

5.00 LBS

**Service**

UPS Ground

**Shipped / Billed On**

09/20/2021

**Delivered On**

09/30/2021 12:31 P.M.

**Delivered To**

SOUTHBURY, CT, US

**Received By**

DRIVER RELEASE

**Left At**

Front Door

Thank you for giving us this opportunity to serve you. Details are only available for shipments delivered within the last 120 days. Please print for your records if you require this information after 120 days.

Sincerely,

UPS

Tracking results provided by UPS: 01/07/2022 1:07 P.M. EST





MJ Umali, Site Acquisition Consultant  
c/o Cellco Partnership d/b/a Verizon Wireless  
Centerline Communications, LLC  
750 West Center Street, Floor 3  
West Bridgewater, MA 02379  
Mobile: (978) 568-7906  
[MUmali@centerlinecommunications.com](mailto:MUmali@centerlinecommunications.com)

September 21, 2021

Melanie A. Bachman  
Acting Executive Director  
Connecticut Siting Council  
10 Franklin Square  
New Britain, CT 06051

**RE: Notice of Exempt Modification // Site: Southbury West (ATC: 302519)  
133 Horse Fence Hill Road, Southbury, CT, 06488  
N 41.4600 // W 73.2450**

Dear Ms. Bachman,

Cellco Partnership d/b/a Verizon Wireless currently maintains 12 antennas at the 113-ft level on the existing 150ft Monopole tower, located at 133 Horse Fence Hill Road, Southbury, CT. The tower is owned by American Tower. The property is also owned by William Beatty. The Council approved Verizon Wireless use of the existing tower in 2000. Verizon Wireless now intends to remove 9 antennas and install 9 new ones for the LTE (3700 MHz) replacements for its 5G upgrade. Additionally, Verizon Wireless intends to remove 3 Remote Radio Heads (RRHs) and install 6 new RRHs, remove 6 diplexers, remove 1 OVP and replace with 1 new one, remove 1 hybrid cable and replace with 2 new ones, and remove 1 coax cable, and install mount modifications; altogether updating leased equipment rights, as reflected by the final configuration outlined in the structural analysis and proposed hereby.

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies §16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Jeff Manville, First Selectman, its Land Use Inspector/Enforcement Officer, Taianna Kern, American Tower, the tower owner, and the property owner, William Beatty.

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2). Enclosed to accommodate this filing are construction drawings dated August 24, 2021, by Colliers Engineering & Design, a structural analysis dated August 5, 2021, by Tower Engineering Professionals, Inc., and a structural mount analysis by GDP Engineering & Architecture date August 10, 2021, and radio frequency (RF) analysis table showing worst-case RF emission calculation by Verizon Wireless RF Design Engineering.

1. The proposed modifications will not result in an increase in the height of the existing structure.
2. The proposed modifications will not require the extension of the site boundary.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the new antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commission safety standard.
5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The existing structure and its foundation can support the proposed loading, as shown in the attached structural analysis by Tower Engineering Professionals, Inc., dated August 5, 2021, and a structural mount analysis by GDP Engineering & Architecture, dated August 10, 2021, pursuant to certain conditions defined therein. Design and engineering is fully illustrated within final construction drawings, signed and stamped dated August 24, 2021.

For the foregoing reasons, Verizon Wireless respectfully submits that the proposed modifications to the above referenced telecommunications facility constitute an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,

*MJ Umali*

---

MJ Umali, Site Acquisition Consultant  
c/o Cellco Partnership d/b/a Verizon Wireless  
Centerline Communications, LLC  
750 West Center Street, Floor 3  
West Bridgewater, MA 02379  
Mobile: (978) 568-7906  
[MUmali@centerlinecommunications.com](mailto:MUmali@centerlinecommunications.com)

Attachments

cc: Jeff Manville, First Selectman – Chief Elected Official  
Tianna Kern – Land Use Inspector/Enforcement Officer - as P&Z official  
American Tower Corporation - as tower owner  
William Beatty – as ground owner



**UPS CampusShip: View/Print Label**

- 1. Ensure there are no other shipping or tracking labels attached to your package.** Select the Print button on the print dialog box that appears. Note: If your browser does not support this function select Print from the File menu to print the label.
- 2. Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
- 3. GETTING YOUR SHIPMENT TO UPS**  
**Customers with a Daily Pickup**  
 Your driver will pickup your shipment(s) as usual.

**Customers without a Daily Pickup**




Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. Items sent via UPS Return Services(SM) (including via Ground) are also accepted at Drop Boxes. To find the location nearest you, please visit the Resources area of CampusShip and select UPS Locations.  
 Schedule a same day or future day Pickup to have a UPS driver pickup all your CampusShip packages.  
 Hand the package to any UPS driver in your area.

UPS Access Point™  
 CVS STORE # 972  
 555 WASHINGTON ST  
 SOUTH EASTON ,MA 02375

UPS Access Point™  
 CVS STORE # 7232  
 689 DEPOT ST  
 NORTH EASTON ,MA 02356

UPS Access Point™  
 TOWN LINE GENERAL STORE  
 450 E CENTER ST  
 WEST BRIDGEWATER ,MA 02379

FOLD HERE

|   |   |   |  |
|---|---|---|--|
| <p style="text-align: right;"><b>1 OF 1</b></p> <p style="text-align: center;"><b>5 LBS</b></p> <p>SHIP TO:<br/>         JEFF MANVILLE, FIRST SELECTMAN<br/>         ROOM 212<br/>         501 MAIN STREET SOUTH<br/> <b>SOUTH BURY CT 06488-4217</b></p> | <p style="font-size: 2em;"><b>CT 067 9-04</b></p>  | <p style="font-size: 1.5em;"><b>UPS GROUND</b></p> <p>TRACKING #: 1Z 9Y4 503 03 3432 2950</p>  | <p style="text-align: center;"><b>BILLING: P/P</b></p> <p>Reference # 1: 302519<br/>         Reference # 2: Southbury<br/> <small>CS 22.0/18. WNTNV50 38.0A 09/2021*</small></p>  |
|---|---|---|--|



**UPS CampusShip: View/Print Label**

- 1. **Ensure there are no other shipping or tracking labels attached to your package.** Select the Print button on the print dialog box that appears. Note: If your browser does not support this function select Print from the File menu to print the label.
- 2. **Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
- 3. **GETTING YOUR SHIPMENT TO UPS**  
**Customers with a Daily Pickup**  
 Your driver will pickup your shipment(s) as usual.

**Customers without a Daily Pickup**




Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. Items sent via UPS Return Services(SM) (including via Ground) are also accepted at Drop Boxes. To find the location nearest you, please visit the Resources area of CampusShip and select UPS Locations.  
 Schedule a same day or future day Pickup to have a UPS driver pickup all your CampusShip packages.  
 Hand the package to any UPS driver in your area.

UPS Access Point™  
 CVS STORE # 972  
 555 WASHINGTON ST  
 SOUTH EASTON ,MA 02375

UPS Access Point™  
 CVS STORE # 7232  
 689 DEPOT ST  
 NORTH EASTON ,MA 02356

UPS Access Point™  
 TOWN LINE GENERAL STORE  
 450 E CENTER ST  
 WEST BRIDGEWATER ,MA 02379

FOLD HERE

|   |   |   |   |
|---|---|---|---|
| <p style="text-align: right;"><b>1 OF 1</b></p> <p style="text-align: right;"><b>5 LBS</b></p> <p>MJUMALT<br/>       9785667906<br/>       CENTERLINE COMMUNICATIONS, LLC<br/>       750 WEST CENTER STREET<br/>       WEST BRIDGEWATER MA 02379</p> <p><b>SHIP TO:</b><br/>       WILLIAM BEATTY<br/>       133 HORSE FENCE HILL ROAD<br/> <b>SOUTH BURY CT 06488-2106</b></p> | <p><b>CT 067 9-04</b></p>  | <p><b>UPS GROUND</b></p> <p>TRACKING #: 1Z 9Y4 503 03 3417 7564</p>  | <p style="text-align: right;"><b>BILLING: P/P</b></p> <p style="text-align: right;">Reference # 1: 302519<br/>       Reference # 2: Southbury<br/> <small>CS 22.07.18. WNTNV50 38.0A 09/2021*</small></p>  |
|---|---|---|---|

CT-652



# TOWN OF SOUTHBURY

## ZONING COMMISSION

501 Main Street South  
Southbury, Connecticut 06488-2295

(203) 262-0665

FAX: (203) 264-3719

### Zoning Permit

|                                 |                           |                   |         |
|---------------------------------|---------------------------|-------------------|---------|
| <i>Permit Number</i>            | 4548                      | <i>Issue Date</i> | 3/19/03 |
| <i>Permission is granted to</i> | SMITH, SCOTT & LYNN       |                   |         |
| <i>To build</i>                 | CELL TOWER/CO-LOCATE      |                   |         |
| <i>Address</i>                  | 133 HORSE FENCE HILL ROAD | <i>Lot</i>        | 58      |

*This permit is granted subject to compliance with the state law of Connecticut and zoning and building ordinances of the Town of Southbury.*

*Paul J. [Signature]*  
Zoning Enforcement Officer

*NOTE: As of March 1, 1985, on completion of the foundations, a certified plot plan will be required and filed in the zoning department (as built).*

Z/B/A



**AMERICAN TOWER®**  
CORPORATION

This report was prepared for American Tower Corporation by



**TOWER  
ENGINEERING  
PROFESSIONALS**

---

## Structural Analysis Report

**Structure** : 150 ft Monopole  
**ATC Site Name** : Southbury, CT  
**ATC Asset Number** : 302519  
**Engineering Number** : 13673542\_C3\_02  
**Proposed Carrier** : VERIZON WIRELESS  
**Carrier Site Name** : SOUTHBURY WEST  
**Carrier Site Number** : 467324  
**Site Location** : 133 Horse Fence Hill Rd  
Southbury, CT 06488-2106  
41.460000,-73.245000  
**County** : New Haven  
**Date** : August 5, 2021  
**Max Usage** : 97%  
**Result** : Pass

Prepared By:  
Andy Schaffner  
TEP

Reviewed By:



08/05/2021

COA: PEC.0001553



**Table of Contents**

Introduction ..... 1

Supporting Documents ..... 1

Analysis ..... 1

Conclusion..... 1

Existing and Reserved Equipment..... 2

Equipment to be Removed..... 2

Proposed Equipment ..... 2

Structure Usages ..... 3

Foundations ..... 3

Deflection, Twist, and Sway..... 3

Standard Conditions ..... 4

Calculations ..... Attached



## Introduction

The purpose of this report is to summarize results of a structural analysis performed on the 150 ft monopole to reflect the change in loading by VERIZON WIRELESS.

## Supporting Documents

|                           |  |
|---------------------------|--|
| <b>Tower Drawings</b>     | ITT Meyers Site #CT-0055, dated May 21, 2002   |
| <b>Foundation Drawing</b> | Girard Project #1C140, dated November 19, 1987 |
| <b>Modifications</b>      | SpectraSite Site #CT-0055, dated May 21, 2002  |

## Analysis

The tower was analyzed using American Tower Corporation's tower analysis software. This program considers an elastic three-dimensional model and second-order effects per ANSI/TIA-222.

|                                      |  |
|--------------------------------------|--|
| <b>Basic Wind Speed:</b>             | 113.06 mph (3-Second Gust)                                       |
| <b>Basic Wind Speed w/ Ice:</b>      | 48.73 mph (3-Second Gust) w/ 0.85" radial ice concurrent         |
| <b>Code:</b>                         | ANSI/TIA-222-H / 2015 IBC / 2018 Connecticut State Building Code |
| <b>Exposure Category:</b>            | B  |
| <b>Risk Category:</b>                | II   |
| <b>Topographic Factor Procedure:</b> | Method 2   |
| <b>Feature:</b>                      | Hill   |
| <b>Crest Height (H):</b>             | 132 ft   |
| <b>Crest Length (L):</b>             | 456 ft   |
| <b>Spectral Response:</b>            | $S_s = 0.20, S_1 = 0.06$   |
| <b>Site Class:</b>                   | D - Stiff Soil   |

\*\*Wind load and Ice thickness have been reduced by applicable existing structure load modification factors in accordance with TIA-222-H, Annex S.

## Conclusion

Based on the analysis results, the structure meets the requirements per the applicable codes listed above. The tower and foundation can support the equipment as described in this report.

If you have any questions or require additional information, please contact American Tower via email at [Engineering@americantower.com](mailto:Engineering@americantower.com). Please include the American Tower site name, site number, and engineering number in the subject line for any questions.



**Existing and Reserved Equipment**

| Elev. <sup>1</sup> (ft) | Qty                | Equipment                              | Mount Type              | Lines  | Carrier          |
|-------------------------|--------------------|--|-------------------------|--|------------------|
| 153.0                   | 6                  | Powerwave Allgon 7020.00 Dual Band RET | Platform with Handrails | (3) 0.39" (10mm)<br>Fiber Trunk<br>(6) 0.78" (19.7mm)<br>8 AWG 6<br>(12) 1 1/4" Coax<br>(3) 2" conduit | AT&T MOBILITY    |
|                         | 6                  | Kaelus DBC0061F1V51-1                  |                         |  |                  |
|                         | 3                  | CCI DMP65R-BU6DA                       |                         |  |                  |
|                         | 3                  | Powerwave Allgon TT19-08BP111-001      |                         |  |                  |
|                         | 3                  | Raycap DC6-48-60-18-8F ("Squid")       |                         |  |                  |
|                         | 3                  | Ericsson RRUS 4478 B14                 |                         |  |                  |
|                         | 3                  | Ericsson RRUS 4449 B5, B12             |                         |  |                  |
|                         | 3                  | Ericsson RRUS 32 B66A                  |                         |  |                  |
|                         | 3                  | Ericsson RRUS 32 B2                    |                         |  |                  |
|                         | 3                  | Ericsson RRUS-32 B30 (77 lbs)          |                         |  |                  |
|                         | 3                  | Quintel QS66512-2                      |                         |  |                  |
| 3                       | CCI HPA-65R-BUU-H6 |  |                         |  |                  |
| 148.0                   | 3                  | Ericsson RRUS 11 (Band 12) (55 lb)     |                         |  |                  |
| 140.0                   | -                  | -                                      | Collar Mount            | -  | UNKNOWN          |
| 113.0                   | 3                  | Andrew LNX-6514DS-VTM (72.7" height)   | T-Arms                  | (11) 1 5/8" Coax<br>(1) 1 5/8" Hybriflex   | VERIZON WIRELESS |

**Equipment to be Removed**

| Elev. <sup>1</sup> (ft) | Qty | Equipment                       | Mount Type | Lines           | Carrier          |
|-------------------------|-----|---------------------------------|------------|-----------------|------------------|
| 113.0                   | 6   | RFS FD9R6004/1C-3L              | -          | (1) 1 5/8" Coax | VERIZON WIRELESS |
|                         | 3   | Alcatel-Lucent RRH2x40-AWS      |            |                 |                  |
|                         | 3   | Powerwave Allgon P65-16-XL-2    |            |                 |                  |
|                         | 1   | RFS DB-T1-6Z-8AB-OZ             |            |                 |                  |
|                         | 3   | Andrew HBX-6517DS-VTM (13.2lbs) |            |                 |                  |
|                         | 3   | Decibel 932DG90T2E-M            |            |                 |                  |

**Proposed Equipment**

| Elev. <sup>1</sup> (ft) | Qty | Equipment                  | Mount Type | Lines                | Carrier          |
|-------------------------|-----|----------------------------|------------|----------------------|------------------|
| 113.0                   | 3   | Samsung RF4440d-13A        | T-Arms     | (1) 1 5/8" Hybriflex | VERIZON WIRELESS |
|                         | 3   | Samsung RF4439d-25A        |            |                      |                  |
|                         | 1   | Raycap RCMD-6627-PF-48     |            |                      |                  |
|                         | 3   | Samsung MT6407-77A         |            |                      |                  |
|                         | 6   | JMA Wireless MX06FRO660-03 |            |                      |                  |

<sup>1</sup> Contracted elevations are shown for appurtenances within contracted installation tolerances. Appurtenances outside of contract limits are shown at installed elevations.

Install proposed lines inside the pole shaft.



**Structure Usages**

| Structural Component | Controlling Usage | Pass/Fail |
|----------------------|-------------------|-----------|
| Anchor Bolts         | 61%               | Pass      |
| Shaft                | 97%               | Pass      |
| Base Plate           | 83%               | Pass      |
| Reinforcement        | 92%               | Pass      |
| Flange               | 77%               | Pass      |

**Foundations**

| Reaction Component | Analysis Reactions | % of Usage |
|--------------------|--------------------|------------|
| Moment (Kips-Ft)   | 1,831.3            | 63%        |
| Axial (Kips)       | 30.4               | 21%        |
| Shear (Kips)       | 17.2               | 43%        |

The structure base reactions resulting from this analysis were found to be acceptable through analysis based on geotechnical and foundation information, therefore no modification or reinforcement of the foundation will be required.

**Deflection and Sway\***

| Antenna Elevation (ft) | Antenna                    | Carrier          | Deflection (ft) | Sway (Rotation) (°) |
|------------------------|----------------------------|------------------|-----------------|---------------------|
| 113.0                  | Samsung RF4440d-13A        | VERIZON WIRELESS | 2.221           | 2.502               |
|                        | Samsung RF4439d-25A        |                  |                 |                     |
|                        | Raycap RCMDC-6627-PF-48    |                  |                 |                     |
|                        | Samsung MT6407-77A         |                  |                 |                     |
|                        | JMA Wireless MX06FRO660-03 |                  |                 |                     |

\*Deflection and Sway was evaluated considering a design wind speed of 60 mph (3-Second Gust) per ANSI/TIA-222-H



## **Standard Conditions**

All engineering services performed by A.T. Engineering Service, PLLC are prepared on the basis that the information used is current and correct. This information may consist of, but is not limited to the following:

- Information supplied by the client regarding antenna, mounts and feed line loading
- Information from drawings, design and analysis documents, and field notes in the possession of A.T. Engineering Service, PLLC


It is the responsibility of the client to ensure that the information provided to A.T. Engineering Service, PLLC and used in the performance of our engineering services is correct and complete.

All assets of American Tower Corporation, its affiliates and subsidiaries (collectively "American Tower") are inspected at regular intervals. Based upon these inspections and in the absence of information to the contrary, American Tower assumes that all structures were constructed in accordance with the drawings and specifications.

Unless explicitly agreed by both the client and A.T. Engineering Service, PLLC, all services will be performed in accordance with the current revision of ANSI/TIA-222.

All services are performed, results obtained, and recommendations made in accordance with generally accepted engineering principles and practices. A.T. Engineering Service, PLLC is not responsible for the conclusions, opinions and recommendations made by others based on the information supplied herein.





| Job Information                                |                            |
|--|----------------------------|
| Client : VERIZON WIRELESS                      | Code: ANSI/TIA-222-H       |
| Pole : 302519                                  |                            |
| Location : Southbury, CT                       | Risk Category : II         |
| Description : 150 ft ITT Meyer Type B Monopole | Exposure : B               |
| Shape : 12 Sides                               |                            |
| Height : 150.00 (ft)                           | Topo Method : Method 2     |
| Base Elev (ft): 0.00                           | Topographic Feature : Hill |
| Taper: 0.143834in/ft)                          |                            |

| Sections Properties |             |               |               |            |            |                     |             |
|---------------------|-------------|---------------|---------------|------------|------------|---------------------|-------------|
| Shaft Section       | Length (ft) | Diameter (in) |               | Thick (in) | Joint Type | Overlap Length (in) | Steel Grade |
|                     |             | Across Top    | Across Bottom |            |            |                     |             |
| 1                   | 35.667      | 30.32         | 35.45         | 0.375      |            | 0.000               | 12 Sides 65 |
| 2                   | 42.000      | 25.50         | 31.54         | 0.313      | Slip Joint | 50.000              | 12 Sides 65 |
| 3                   | 39.667      | 20.80         | 26.50         | 0.250      | Slip Joint | 42.000              | 12 Sides 65 |
| 4                   | 40.333      | 15.00         | 20.80         | 0.188      | Butt Joint | 0.000               | 12 Sides 65 |

| Discrete Appurtenance |                 |     |                                |
|-----------------------|-----------------|-----|--------------------------------|
| Attach Elev (ft)      | Force Elev (ft) | Qty | Description                    |
| 153.000               | 153.000         | 3   | CCI DMP65R-BU6DA               |
| 153.000               | 153.000         | 3   | CCI HPA-65R-BUU-H6             |
| 153.000               | 153.000         | 3   | Quintel QS66512-2              |
| 153.000               | 153.000         | 3   | Ericsson RRUS-32 B30 (77 lbs)  |
| 153.000               | 153.000         | 3   | Ericsson RRUS 32 B2            |
| 153.000               | 153.000         | 3   | Ericsson RRUS 32 B66A          |
| 153.000               | 153.000         | 3   | Ericsson RRUS 4449 B5, B12     |
| 153.000               | 153.000         | 3   | Ericsson RRUS 4478 B14         |
| 153.000               | 153.000         | 3   | Raycap DC6-48-60-18-8F         |
| 153.000               | 153.000         | 3   | Powerwave Allgon TT19-         |
| 153.000               | 153.000         | 6   | Kaelus DBC0061F1V51-1          |
| 153.000               | 153.000         | 6   | Powerwave Allgon 7020.00       |
| 150.000               | 150.000         | 1   | Flat Platform w/ Handrails     |
| 148.000               | 148.000         | 3   | Ericsson RRUS 11 (Band 12) (55 |
| 140.000               | 140.000         | 3   | Flush Mounts                   |
| 113.000               | 113.000         | 3   | Round T-Arms                   |
| 113.000               | 113.000         | 6   | JMA Wireless MX06FRO660-03     |
| 113.000               | 114.000         | 3   | Andrew LNX-6514DS-VTM          |
| 113.000               | 113.000         | 3   | Samsung MT6407-77A             |
| 113.000               | 113.000         | 1   | Raycap RCMD-6627-PF-48         |
| 113.000               | 113.000         | 3   | Samsung RF4439d-25A            |
| 113.000               | 113.000         | 3   | Samsung RF4440d-13A            |

| Linear Appurtenance |        |                  |                 |
|---------------------|--------|------------------|-----------------|
| Elev (ft) From      | To     | Description      | Exposed To Wind |
| 0.000               | 22.000 | #20 w/ Angle     | Yes             |
| 0.000               | 22.000 | #20 w/ Angle     | Yes             |
| 0.000               | 22.000 | #20 w/ Angle     | Yes             |
| 0.000               | 22.000 | #20 w/ Angle     | Yes             |
| 0.000               | 113.0  | 1 5/8" Coax      | No              |
| 0.000               | 113.0  | 1 5/8" Hybriflex | No              |
| 0.000               | 113.0  | 1 5/8" Hybriflex | No              |
| 0.000               | 153.0  | 0.39" (10mm)     | No              |
| 0.000               | 153.0  | 0.78" (19.7mm) 8 | No              |
| 0.000               | 153.0  | 1 1/4" Coax      | No              |
| 0.000               | 153.0  | 2" conduit       | No              |

| Load Cases |
|------------|
|            |


|                      |                                  |
|----------------------|----------------------------------|
| 1.2D + 1.0W          | 113 mph with No Ice              |
| 0.9D + 1.0W          | 113 mph with No Ice (Reduced DL) |
| 1.2D + 1.0Di + 1.0Wi | 49 mph with 0.85 in Radial Ice   |
| 1.2D + 1.0Ev + 1.0Eh | Seismic                          |
| 0.9D - 1.0Ev + 1.0Eh | Seismic (Reduced DL)             |
| 1.0D + 1.0W          | Serviceability 60 mph            |

### Reactions


| Load Case            | Moment (kip-ft) | Shear (kip) | Axial (kip) |
|----------------------|-----------------|-------------|-------------|
| 1.2D + 1.0W          | 1831.32         | 17.20       | 30.43       |
| 0.9D + 1.0W          | 1779.83         | 17.18       | 22.82       |
| 1.2D + 1.0Di + 1.0Wi | 464.68          | 3.98        | 39.16       |
| 1.2D + 1.0Ev + 1.0Eh | 138.57          | 0.99        | 29.93       |
| 0.9D - 1.0Ev + 1.0Eh | 133.28          | 0.99        | 20.63       |
| 1.0D + 1.0W          | 455.24          | 4.33        | 25.39       |

### Dish Deflections

| Load Case | Attach Elev (ft) | Deflection (in) | Rotation (deg) |
|-----------|------------------|-----------------|----------------|
|           | 0.00             | 0.000           | 0.000          |



Load Case : 1.2D + 1.0W  
Max Ratio 97.32% at 73.5 ft



Site Number: 302519

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Southbury, CT

Engineering Number: 13673542\_C3\_02

8/5/2021 11:30:19 AM

Customer: VERIZON WIRELESS

Analysis Parameters

|                     |                      |                      |       |
|---------------------|----------------------|----------------------|-------|
| Location :          | New Haven County, CT | Height (ft) :        | 150   |
| Code :              | ANSI/TIA-222-H       | Base Diameter (in) : | 35.45 |
| Shape :             | 12 Sides             | Top Diameter (in) :  | 15.00 |
| Pole Type :         | Taper                | Taper (in/ft) :      | 0.144 |
| Pole Manufacturer : | ITT Meyer            | Rotation (deg) :     | 0.00  |
| Kd (non-service) :  | 0.95                 | Ke :                 | 0.99  |

Ice & Wind Parameters

|                               |          |                                |           |
|-------------------------------|----------|--------------------------------|-----------|
| Exposure Category:            | B        | Design Wind Speed Without Ice: | 113 mph   |
| Risk Category:                | II       | Design Wind Speed With Ice:    | 49 mph    |
| Topographic Factor Procedure: | Method 2 | Operational Wind Speed:        | 60 mph    |
| Feature:                      | Hill     | Design Ice Thickness:          | 0.85 in   |
| Crest Height (H):             | 132 ft   | HMSL:                          | 346.00 ft |
| Crest Length (L):             | 456 ft   |                                |           |
| Distance from Apex (x):       | 379 ft   |                                |           |
| Upwind / Downwind             | Downwind |                                |           |

Seismic Parameters

|  |                                 |            |       |
|--|---------------------------------|------------|-------|
| Analysis Method:                       | Equivalent Lateral Force Method |            |       |
| Site Class:                            | D - Stiff Soil                  |            |       |
| Period Based on Rayleigh Method (sec): | 3.72                            |            |       |
| $T_L$ (sec):                           | 6                               | $p$ :      | 1.3   |
| $S_s$ :                                | 0.202                           | $S_1$ :    | 0.055 |
| $F_a$ :                                | 1.600                           | $F_v$ :    | 2.400 |
| $S_{ds}$ :                             | 0.215                           | $S_{d1}$ : | 0.088 |
|  |                                 | $C_s$ :    | 0.030 |
|  |                                 | $C_s$ Max: | 0.030 |
|  |                                 | $C_s$ Min: | 0.030 |

Load Cases

|                      |                                  |
|----------------------|----------------------------------|
| 1.2D + 1.0W          | 113 mph with No Ice              |
| 0.9D + 1.0W          | 113 mph with No Ice (Reduced DL) |
| 1.2D + 1.0Di + 1.0Wi | 49 mph with 0.85 in Radial Ice   |
| 1.2D + 1.0Ev + 1.0Eh | Seismic                          |
| 0.9D - 1.0Ev + 1.0Eh | Seismic (Reduced DL)             |
| 1.0D + 1.0W          | Serviceability 60 mph            |

Site Number: 302519

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Southbury, CT

Engineering Number: 13673542\_C3\_02

8/5/2021 11:30:19 AM

Customer: VERIZON WIRELESS

**Shaft Section Properties**

| Sect Info    | Length (ft) | Thick (in) | Fy (ksi) | Joint Type | Joint Len (in) | Weight (lb) | Bottom   |           |                         |                       |           |           | Top      |           |                         |                       |           |           |               |
|--------------|-------------|------------|----------|------------|----------------|-------------|----------|-----------|-------------------------|-----------------------|-----------|-----------|----------|-----------|-------------------------|-----------------------|-----------|-----------|---------------|
|              |             |            |          |            |                |             | Dia (in) | Elev (ft) | Area (in <sup>2</sup> ) | Ix (in <sup>4</sup> ) | W/t Ratio | D/t Ratio | Dia (in) | Elev (ft) | Area (in <sup>2</sup> ) | Ix (in <sup>4</sup> ) | W/t Ratio | D/t Ratio | Taper (in/ft) |
| 1-12         | 35.667      | 0.3750     | 65       |            | 0.00           | 4,764       | 35.45    | 0.00      | 42.35                   | 6650.7                | 22.65     | 94.53     | 30.32    | 35.67     | 36.16                   | 4138.5                | 18.99     | 80.85     | 0.143833      |
| 2-12         | 42.000      | 0.3125     | 65       | Slip       | 50.00          | 4,057       | 31.54    | 31.50     | 31.43                   | 3912.7                | 24.37     | 100.94    | 25.50    | 73.50     | 25.35                   | 2053.1                | 19.19     | 81.61     | 0.143833      |
| 3-12         | 39.667      | 0.2500     | 65       | Slip       | 42.00          | 2,543       | 26.50    | 70.00     | 21.14                   | 1859.9                | 25.73     | 106.03    | 20.80    | 109.67    | 16.54                   | 891.9                 | 19.62     | 83.20     | 0.143833      |
| 4-12         | 40.333      | 0.1875     | 65       | Butt       | 0.00           | 1,468       | 20.80    | 109.67    | 12.45                   | 675.0                 | 27.05     | 110.94    | 15.00    | 150.00    | 8.94                    | 250.5                 | 18.76     | 80.00     | 0.143833      |
| Shaft Weight |             |            |          |            |                | 12,832      |          |           |                         |                       |           |           |          |           |                         |                       |           |           |               |

**Discrete Appurtenance Properties**

| Attach Elev (ft) | Description                    | Qty | Ka   | Vert Ecc (ft) | Weight (lb) | No Ice EPAa (sf) | Orientation Factor | Weight (lb) | Ice EPAa (sf) | Orientation Factor |
|------------------|--------------------------------|-----|------|---------------|-------------|------------------|--------------------|-------------|---------------|--------------------|
| 153.00           | Powerwave Allgon 7020.00 Dual  | 6   | 0.75 | 0.000         | 2.20        | 0.339            | 0.50               | 8.01        | 0.572         | 0.50               |
| 153.00           | Kaelus DBC0061F1V51-1          | 6   | 0.75 | 0.000         | 12.70       | 0.413            | 0.50               | 19.98       | 0.664         | 0.50               |
| 153.00           | Powerwave Allgon TT19-         | 3   | 0.75 | 0.000         | 16.00       | 0.553            | 0.50               | 27.48       | 0.844         | 0.50               |
| 153.00           | Raycap DC6-48-60-18-8F         | 3   | 0.75 | 0.000         | 31.80       | 1.470            | 0.50               | 66.86       | 1.867         | 0.50               |
| 153.00           | Ericsson RRUS 4478 B14         | 3   | 0.75 | 0.000         | 59.90       | 1.842            | 0.50               | 91.32       | 2.352         | 0.50               |
| 153.00           | Ericsson RRUS 4449 B5, B12     | 3   | 0.75 | 0.000         | 71.00       | 1.969            | 0.50               | 107.63      | 2.499         | 0.50               |
| 153.00           | Ericsson RRUS 32 B66A          | 3   | 0.75 | 0.000         | 50.70       | 2.720            | 0.50               | 92.35       | 3.381         | 0.50               |
| 153.00           | Ericsson RRUS 32 B2            | 3   | 0.75 | 0.000         | 53.00       | 2.743            | 0.50               | 94.80       | 3.408         | 0.50               |
| 153.00           | Ericsson RRUS-32 B30 (77 lbs)  | 3   | 0.75 | 0.000         | 77.00       | 3.314            | 0.50               | 132.27      | 4.044         | 0.50               |
| 153.00           | Quintel QS66512-2              | 3   | 0.75 | 0.000         | 111.00      | 8.133            | 0.74               | 224.25      | 9.717         | 0.74               |
| 153.00           | CCI HPA-65R-BUU-H6             | 3   | 0.75 | 0.000         | 51.00       | 9.658            | 0.69               | 175.68      | 11.233        | 0.69               |
| 153.00           | CCI DMP65R-BU6DA               | 3   | 0.75 | 0.000         | 79.40       | 12.709           | 0.63               | 225.80      | 14.294        | 0.63               |
| 150.00           | Flat Platform w/ Handrails     | 1   | 1.00 | 0.000         | 2,000.00    | 42.400           | 1.00               | 2,807.66    | 54.319        | 1.00               |
| 148.00           | Ericsson RRUS 11 (Band 12) (55 | 3   | 0.75 | 0.000         | 55.00       | 2.522            | 0.50               | 93.17       | 3.112         | 0.50               |
| 140.00           | Flush Mounts                   | 3   | 1.00 | 0.000         | 200.00      | 3.500            | 1.00               | 396.43      | 5.563         | 1.00               |
| 113.00           | Samsung RF4440d-13A            | 3   | 0.80 | 0.000         | 70.30       | 1.875            | 0.50               | 103.65      | 2.374         | 0.50               |
| 113.00           | Samsung RF4439d-25A            | 3   | 0.80 | 0.000         | 74.70       | 2.500            | 0.50               | 118.88      | 3.079         | 0.50               |
| 113.00           | Raycap RCMDC-6627-PF-48        | 1   | 0.80 | 0.000         | 32.00       | 4.056            | 0.50               | 102.24      | 4.810         | 0.50               |
| 113.00           | Samsung MT6407-77A             | 3   | 0.80 | 0.000         | 81.60       | 4.709            | 0.61               | 137.94      | 5.548         | 0.61               |
| 113.00           | Andrew LNX-6514DS-VTM (72.7"   | 3   | 0.80 | 1.000         | 38.80       | 8.173            | 0.69               | 136.04      | 9.731         | 0.69               |
| 113.00           | Round T-Arms                   | 3   | 0.75 | 0.000         | 250.00      | 9.700            | 0.67               | 365.51      | 14.257        | 0.67               |
| 113.00           | JMA Wireless MX06FRO660-03     | 6   | 0.80 | 0.000         | 60.00       | 9.872            | 0.71               | 192.52      | 11.389        | 0.71               |
| Totals           | Num Loadings:22                | 71  |      |               | 6,595.00    |                  |                    | 12,003.08   |               |                    |

**Linear Appurtenance Properties**

Load Case Azimuth (deg) :

| Elev From (ft) | Elev To (ft) | Qty | Description           | Coax Dia (in) | Coax Wt (lb/ft) | Max Coax / Flat Row | Dist Between Rows (in) | Dist Between Cols (in) | Azimuth (deg) | Dist From Face (in) | Exposed To Wind Carrier |
|----------------|--------------|-----|-----------------------|---------------|-----------------|---------------------|------------------------|------------------------|---------------|---------------------|-------------------------|
| 0.00           | 153.00       | 3   | 0.39" (10mm) Fiber    | 0.39          | 0.06            | N                   | 0                      | 0.00                   | 0             | 0.00                | N AT&T MOBILITY         |
| 0.00           | 153.00       | 6   | 0.78" (19.7mm) 8 AWG  | 0.78          | 0.59            | N                   | 0                      | 0.00                   | 0             | 0.00                | N AT&T MOBILITY         |
| 0.00           | 153.00       | 12  | 1 1/4" Coax           | 1.55          | 0.63            | N                   | 0                      | 0.00                   | 0             | 0.00                | N AT&T MOBILITY         |
| 0.00           | 153.00       | 3   | 2" conduit            | 2.38          | 3.65            | N                   | 0                      | 0.00                   | 0             | 0.00                | N AT&T MOBILITY         |
| 0.00           | 113.00       | 11  | 1 5/8" Coax           | 1.98          | 0.82            | N                   | 0                      | 0.00                   | 0             | 0.00                | N VERIZON WIRELESS      |
| 0.00           | 113.00       | 1   | 1 5/8" Hybriflex      | 1.98          | 1.30            | N                   | 0                      | 0.00                   | 0             | 0.00                | N VERIZON WIRELESS      |
| 0.00           | 113.00       | 1   | 1 5/8" Hybriflex      | 1.98          | 1.30            | N                   | 0                      | 0.00                   | 0             | 0.00                | N VERIZON WIRELESS      |
| 0.00           | 22.00        | 1   | #20 w/ Angle Brackets | 4.00          | 4.68            | N                   | 1                      | 0.00                   | 0             | 1.00                | Y                       |
| 0.00           | 22.00        | 1   | #20 w/ Angle Brackets | 4.00          | 4.68            | N                   | 1                      | 0.00                   | 90            | 1.00                | Y                       |
| 0.00           | 22.00        | 1   | #20 w/ Angle Brackets | 4.00          | 4.68            | N                   | 1                      | 0.00                   | 180           | 1.00                | Y                       |
| 0.00           | 22.00        | 1   | #20 w/ Angle Brackets | 4.00          | 4.68            | N                   | 1                      | 0.00                   | 270           | 1.00                | Y                       |

Site Number: 302519

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Southbury, CT

Engineering Number: 13673542\_C3\_02

8/5/2021 11:30:19 AM

Customer: VERIZON WIRELESS

Additional Steel

| Elev From (ft) | Elev To (ft) | Qty | Description        | Fy (ksi) | Offset (in) | <del>Intermediate Connections</del><br>Description | Spacing (in) | Len (in) | Connectors      | Continuation? |
|----------------|--------------|-----|--------------------|----------|-------------|--|--------------|----------|-----------------|---------------|
| 0.00           | 13.50        | 4   | SOL #20 All Thread | 80       | 2.19        | 6" Angle Bracket                                   | 30.0         | 3.31     | 5/8" A36 U-Bolt | No            |

**Segment Properties** (Max Len : 5. ft)

| Seg Top Elev (ft) | Description     | Thick (in) | Flat Dia (in) | Area (in <sup>2</sup> ) | Ix (in <sup>4</sup> ) | W/t Ratio | D/t Ratio | F'y (ksi) | S (in <sup>3</sup> ) | Z (in <sup>3</sup> ) | Weight (lb) | Additional Reinforcing  |                       |             |
|-------------------|-----------------|------------|---------------|-------------------------|-----------------------|-----------|-----------|-----------|----------------------|----------------------|-------------|-------------------------|-----------------------|-------------|
|                   |                 |            |               |                         |                       |           |           |           |                      |                      |             | Area (in <sup>2</sup> ) | Ix (in <sup>4</sup> ) | Weight (lb) |
| 0.00              |                 | 0.3750     | 35.450        | 42.353                  | 6,650.7               | 22.65     | 94.53     | 80.0      | 362.4                | 0.0                  | 0.0         | 19.64                   | 4,406                 | 0.0         |
| 5.00              |                 | 0.3750     | 34.731        | 41.485                  | 6,249.9               | 22.14     | 92.62     | 80.6      | 347.6                | 0.0                  | 713.2       | 19.64                   | 4,258                 | 334.0       |
| 10.00             |                 | 0.3750     | 34.012        | 40.616                  | 5,865.6               | 21.62     | 90.70     | 81.1      | 333.2                | 0.0                  | 698.4       | 19.64                   | 4,112                 | 334.0       |
| 13.50             | Reinf. Top      | 0.3750     | 33.508        | 40.008                  | 5,606.2               | 21.26     | 89.36     | 81.5      | 323.2                | 0.0                  | 480.1       | 19.64                   | 4,012                 | 233.8       |
| 15.00             |                 | 0.3750     | 33.292        | 39.748                  | 5,497.4               | 21.11     | 88.78     | 81.7      | 319.0                | 0.0                  | 203.5       |                         |                       |             |
| 20.00             |                 | 0.3750     | 32.573        | 38.879                  | 5,144.9               | 20.60     | 86.86     | 81.9      | 305.1                | 0.0                  | 668.9       |                         |                       |             |
| 25.00             |                 | 0.3750     | 31.854        | 38.011                  | 4,807.8               | 20.08     | 84.94     | 81.9      | 291.6                | 0.0                  | 654.1       |                         |                       |             |
| 30.00             |                 | 0.3750     | 31.135        | 37.143                  | 4,485.7               | 19.57     | 83.03     | 81.9      | 278.3                | 0.0                  | 639.3       |                         |                       |             |
| 31.50             | Bot - Section 2 | 0.3750     | 30.919        | 36.882                  | 4,392.0               | 19.41     | 82.45     | 81.9      | 274.4                | 0.0                  | 188.9       |                         |                       |             |
| 35.00             |                 | 0.3750     | 30.416        | 36.274                  | 4,178.4               | 19.05     | 81.11     | 81.9      | 265.4                | 0.0                  | 806.9       |                         |                       |             |
| 35.67             | Top - Section 1 | 0.3125     | 30.945        | 30.824                  | 3,691.8               | 23.85     | 99.02     | 78.7      | 230.5                | 0.0                  | 152.2       |                         |                       |             |
| 40.00             |                 | 0.3125     | 30.322        | 30.197                  | 3,471.0               | 23.32     | 97.03     | 79.3      | 221.1                | 0.0                  | 449.9       |                         |                       |             |
| 45.00             |                 | 0.3125     | 29.603        | 29.473                  | 3,227.4               | 22.70     | 94.73     | 80.0      | 210.6                | 0.0                  | 507.6       |                         |                       |             |
| 50.00             |                 | 0.3125     | 28.883        | 28.749                  | 2,995.4               | 22.09     | 92.43     | 80.6      | 200.3                | 0.0                  | 495.3       |                         |                       |             |
| 55.00             |                 | 0.3125     | 28.164        | 28.026                  | 2,774.9               | 21.47     | 90.13     | 81.3      | 190.3                | 0.0                  | 483.0       |                         |                       |             |
| 60.00             |                 | 0.3125     | 27.445        | 27.302                  | 2,565.4               | 20.85     | 87.82     | 81.9      | 180.6                | 0.0                  | 470.7       |                         |                       |             |
| 65.00             |                 | 0.3125     | 26.726        | 26.578                  | 2,366.8               | 20.24     | 85.52     | 81.9      | 171.1                | 0.0                  | 458.4       |                         |                       |             |
| 70.00             | Bot - Section 3 | 0.3125     | 26.007        | 25.855                  | 2,178.7               | 19.62     | 83.22     | 81.9      | 161.8                | 0.0                  | 446.0       |                         |                       |             |
| 73.50             | Top - Section 2 | 0.2500     | 26.003        | 20.731                  | 1,755.0               | 25.19     | 104.01    | 77.2      | 130.4                | 0.0                  | 554.2       |                         |                       |             |
| 75.00             |                 | 0.2500     | 25.788        | 20.558                  | 1,711.3               | 24.96     | 103.15    | 77.5      | 128.2                | 0.0                  | 105.4       |                         |                       |             |
| 80.00             |                 | 0.2500     | 25.068        | 19.979                  | 1,570.7               | 24.19     | 100.27    | 78.3      | 121.0                | 0.0                  | 344.8       |                         |                       |             |
| 85.00             |                 | 0.2500     | 24.349        | 19.400                  | 1,438.1               | 23.42     | 97.40     | 79.2      | 114.1                | 0.0                  | 335.0       |                         |                       |             |
| 90.00             |                 | 0.2500     | 23.630        | 18.821                  | 1,313.2               | 22.65     | 94.52     | 80.0      | 107.4                | 0.0                  | 325.1       |                         |                       |             |
| 95.00             |                 | 0.2500     | 22.911        | 18.242                  | 1,195.7               | 21.88     | 91.64     | 80.9      | 100.8                | 0.0                  | 315.3       |                         |                       |             |
| 100.0             |                 | 0.2500     | 22.192        | 17.663                  | 1,085.4               | 21.11     | 88.77     | 81.7      | 94.5                 | 0.0                  | 305.4       |                         |                       |             |
| 105.0             |                 | 0.2500     | 21.472        | 17.084                  | 982.1                 | 20.33     | 85.89     | 81.9      | 88.4                 | 0.0                  | 295.6       |                         |                       |             |
| 109.6             | Top - Section 3 | 0.2500     | 20.801        | 16.544                  | 891.9                 | 19.62     | 83.20     | 81.9      | 82.8                 | 0.0                  | 267.0       |                         |                       |             |
| 109.6             | Bot - Section 4 | 0.1875     | 20.801        | 12.446                  | 675.0                 | 27.05     | 110.94    | 75.2      | 62.7                 | 0.0                  |             |                         |                       |             |
| 110.0             |                 | 0.1875     | 20.753        | 12.417                  | 670.3                 | 26.98     | 110.68    | 75.3      | 62.4                 | 0.0                  | 14.1        |                         |                       |             |
| 113.0             |                 | 0.1875     | 20.322        | 12.156                  | 629.0                 | 26.36     | 108.38    | 76.0      | 59.8                 | 0.0                  | 125.4       |                         |                       |             |
| 115.0             |                 | 0.1875     | 20.034        | 11.982                  | 602.4                 | 25.95     | 106.85    | 76.4      | 58.1                 | 0.0                  | 82.1        |                         |                       |             |
| 120.0             |                 | 0.1875     | 19.315        | 11.548                  | 539.3                 | 24.92     | 103.01    | 77.5      | 53.9                 | 0.0                  | 200.2       |                         |                       |             |
| 125.0             |                 | 0.1875     | 18.596        | 11.114                  | 480.7                 | 23.90     | 99.18     | 78.7      | 49.9                 | 0.0                  | 192.8       |                         |                       |             |
| 130.0             |                 | 0.1875     | 17.877        | 10.680                  | 426.5                 | 22.87     | 95.34     | 79.8      | 46.1                 | 0.0                  | 185.4       |                         |                       |             |
| 135.0             |                 | 0.1875     | 17.158        | 10.246                  | 376.6                 | 21.84     | 91.51     | 80.9      | 42.4                 | 0.0                  | 178.0       |                         |                       |             |
| 140.0             |                 | 0.1875     | 16.438        | 9.811                   | 330.7                 | 20.81     | 87.67     | 81.9      | 38.9                 | 0.0                  | 170.6       |                         |                       |             |
| 145.0             |                 | 0.1875     | 15.719        | 9.377                   | 288.7                 | 19.78     | 83.84     | 81.9      | 35.5                 | 0.0                  | 163.2       |                         |                       |             |
| 148.0             |                 | 0.1875     | 15.288        | 9.117                   | 265.3                 | 19.17     | 81.53     | 81.9      | 33.5                 | 0.0                  | 94.4        |                         |                       |             |
| 150.0             |                 | 0.1875     | 15.000        | 8.943                   | 250.5                 | 18.76     | 80.00     | 81.9      | 32.3                 | 0.0                  | 61.5        |                         |                       |             |
|                   |                 |            |               |                         |                       |           |           |           |                      |                      | 12,832.1    | 901.8                   |                       |             |

|                               |                            |                      |
|-------------------------------|----------------------------|----------------------|
| <b>Load Case: 1.2D + 1.0W</b> | <b>113 mph with No Ice</b> | <b>31 Iterations</b> |
| Gust Response Factor :1.10    |                            |                      |
| Dead Load Factor :1.20        |                            |                      |
| Wind Load Factor :1.00        |                            |                      |

Applied Segment Forces Summary

| Seg Elev (ft) | Description     | Shaft Forces |                | Discrete Forces |                    |                   | Linear Forces  |              | Sum of Forces  |              |                |                    |                |
|---------------|-----------------|--------------|----------------|-----------------|--------------------|-------------------|----------------|--------------|----------------|--------------|----------------|--------------------|----------------|
|               |                 | Wind FX (lb) | Dead Load (lb) | Wind FX (lb)    | Torsion MY (lb-ft) | Moment MZ (lb-ft) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Torsion MY (lb-ft) | Moment MZ (lb) |
| 0.00          |                 | 223.3        | 0.0            |                 |                    |                   |                | 0.0          | 0.0            | 223.3        | 0.0            | 0.0                | 0.0            |
| 5.00          |                 | 441.4        | 855.8          |                 |                    |                   |                | 98.3         | 716.2          | 539.7        | 1,572.1        | 0.0                | 0.0            |
| 10.00         |                 | 367.7        | 838.1          |                 |                    |                   |                | 98.1         | 716.2          | 465.8        | 1,554.3        | 0.0                | 0.0            |
| 13.50         | Reinf. Top      | 213.0        | 576.1          |                 |                    |                   |                | 68.5         | 501.4          | 281.5        | 1,077.5        | 0.0                | 0.0            |
| 15.00         |                 | 271.3        | 244.3          |                 |                    |                   |                | 29.3         | 94.6           | 300.6        | 338.9          | 0.0                | 0.0            |
| 20.00         |                 | 410.8        | 802.7          |                 |                    |                   |                | 97.6         | 315.4          | 508.4        | 1,118.1        | 0.0                | 0.0            |
| 25.00         |                 | 359.6        | 784.9          |                 |                    |                   |                | 97.3         | 248.0          | 457.0        | 1,033.0        | 0.0                | 0.0            |
| 30.00         |                 | 203.3        | 767.2          |                 |                    |                   |                | 0.0          | 203.1          | 203.3        | 970.3          | 0.0                | 0.0            |
| 31.50         | Bot - Section 2 | 158.7        | 226.7          |                 |                    |                   |                | 0.0          | 60.9           | 158.7        | 287.6          | 0.0                | 0.0            |
| 35.00         |                 | 133.6        | 968.3          |                 |                    |                   |                | 0.0          | 142.2          | 133.6        | 1,110.4        | 0.0                | 0.0            |
| 35.67         | Top - Section 1 | 162.2        | 182.6          |                 |                    |                   |                | 0.0          | 27.1           | 162.2        | 209.7          | 0.0                | 0.0            |
| 40.00         |                 | 304.7        | 539.9          |                 |                    |                   |                | 0.0          | 176.0          | 304.7        | 715.9          | 0.0                | 0.0            |
| 45.00         |                 | 328.8        | 609.1          |                 |                    |                   |                | 0.0          | 203.1          | 328.8        | 812.2          | 0.0                | 0.0            |
| 50.00         |                 | 330.2        | 594.4          |                 |                    |                   |                | 0.0          | 203.1          | 330.2        | 797.5          | 0.0                | 0.0            |
| 55.00         |                 | 330.4        | 579.6          |                 |                    |                   |                | 0.0          | 203.1          | 330.4        | 782.7          | 0.0                | 0.0            |
| 60.00         |                 | 329.7        | 564.8          |                 |                    |                   |                | 0.0          | 203.1          | 329.7        | 767.9          | 0.0                | 0.0            |
| 65.00         |                 | 328.1        | 550.0          |                 |                    |                   |                | 0.0          | 203.1          | 328.1        | 753.1          | 0.0                | 0.0            |
| 70.00         | Bot - Section 3 | 279.4        | 535.3          |                 |                    |                   |                | 0.0          | 203.1          | 279.4        | 738.4          | 0.0                | 0.0            |
| 73.50         | Top - Section 2 | 165.3        | 665.1          |                 |                    |                   |                | 0.0          | 142.2          | 165.3        | 807.2          | 0.0                | 0.0            |
| 75.00         |                 | 213.2        | 126.4          |                 |                    |                   |                | 0.0          | 60.9           | 213.2        | 187.4          | 0.0                | 0.0            |
| 80.00         |                 | 325.5        | 413.8          |                 |                    |                   |                | 0.0          | 203.1          | 325.5        | 616.9          | 0.0                | 0.0            |
| 85.00         |                 | 321.5        | 402.0          |                 |                    |                   |                | 0.0          | 203.1          | 321.5        | 605.1          | 0.0                | 0.0            |
| 90.00         |                 | 316.8        | 390.2          |                 |                    |                   |                | 0.0          | 203.1          | 316.8        | 593.3          | 0.0                | 0.0            |
| 95.00         |                 | 311.7        | 378.4          |                 |                    |                   |                | 0.0          | 203.1          | 311.7        | 581.5          | 0.0                | 0.0            |
| 100.00        |                 | 306.2        | 366.5          |                 |                    |                   |                | 0.0          | 203.1          | 306.2        | 569.6          | 0.0                | 0.0            |
| 105.00        |                 | 290.4        | 354.7          |                 |                    |                   |                | 0.0          | 203.1          | 290.4        | 557.8          | 0.0                | 0.0            |
| 109.67        | Top - Section 3 | 148.6        | 320.4          |                 |                    |                   |                | 0.0          | 189.6          | 148.6        | 510.0          | 0.0                | 0.0            |
| 110.00        |                 | 97.4         | 16.9           |                 |                    |                   |                | 0.0          | 13.5           | 97.4         | 30.4           | 0.0                | 0.0            |
| 113.00        | Appurtenance(s) | 145.3        | 150.5          | 2,632.1         | 0.0                | 472.4             | 2,325.8        | 0.0          | 121.9          | 2,777.4      | 2,598.2        | 0.0                | 0.0            |
| 115.00        |                 | 199.6        | 98.6           |                 |                    |                   |                | 0.0          | 53.4           | 199.6        | 151.9          | 0.0                | 0.0            |
| 120.00        |                 | 280.1        | 240.2          |                 |                    |                   |                | 0.0          | 133.4          | 280.1        | 373.6          | 0.0                | 0.0            |
| 125.00        |                 | 272.7        | 231.3          |                 |                    |                   |                | 0.0          | 133.4          | 272.7        | 364.7          | 0.0                | 0.0            |
| 130.00        |                 | 265.0        | 222.5          |                 |                    |                   |                | 0.0          | 133.4          | 265.0        | 355.9          | 0.0                | 0.0            |
| 135.00        |                 | 257.0        | 213.6          |                 |                    |                   |                | 0.0          | 133.4          | 257.0        | 347.0          | 0.0                | 0.0            |
| 140.00        | Appurtenance(s) | 248.7        | 204.7          | 387.7           | 0.0                | 0.0               | 720.0          | 0.0          | 133.4          | 636.4        | 1,058.1        | 0.0                | 0.0            |
| 145.00        |                 | 193.5        | 195.9          |                 |                    |                   |                | 0.0          | 133.4          | 193.5        | 329.3          | 0.0                | 0.0            |
| 148.00        | Appurtenance(s) | 117.9        | 113.3          | 106.4           | 0.0                | 0.0               | 198.0          | 0.0          | 80.0           | 224.3        | 391.3          | 0.0                | 0.0            |
| 150.00        | Appurtenance(s) | 46.6         | 73.7           | 1,595.6         | 0.0                | 0.0               | 2,400.0        | 0.0          | 53.4           | 1,642.2      | 2,527.1        | 0.0                | 0.0            |
| Totals:       |                 |              |                |                 |                    |                   |                |              |                | 14,910.2     | 28,195.8       | 0.00               | 0.00           |



Site Number: 302519

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Southbury, CT

Engineering Number: 13673542\_C3\_02

8/5/2021 11:30:23 AM

Customer: VERIZON WIRELESS

Load Case: 1.2D + 1.0W

113 mph with No Ice

31 Iterations

Gust Response Factor :1.10

Dead Load Factor :1.20

Wind Load Factor :1.00

Calculated Forces

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00          | -30.43           | -17.20           | 0.00            | -1,831.32       | 0.00            | 1,831.32                   | 3,049.83      | 743.30        | 2,459.73         | 2,174.87         | 0.00               | 0.00           | 0.514 |
| 5.00          | -28.79           | -16.77           | 0.00            | -1,745.34       | 0.00            | 1,745.34                   | 3,008.23      | 728.06        | 2,359.94         | 2,100.75         | 0.12               | -0.23          | 0.501 |
| 10.00         | -27.19           | -16.39           | 0.00            | -1,661.50       | 0.00            | 1,661.50                   | 2,965.74      | 712.82        | 2,262.21         | 2,027.26         | 0.49               | -0.46          | 0.488 |
| 13.50         | -26.08           | -16.15           | 0.00            | -1,604.14       | 0.00            | 1,604.14                   | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.89               | -0.62          | 0.480 |
| 13.50         | -26.08           | -16.15           | 0.00            | -1,604.14       | 0.00            | 1,604.14                   | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.89               | -0.62          | 0.821 |
| 15.00         | -25.68           | -15.95           | 0.00            | -1,579.92       | 0.00            | 1,579.92                   | 2,922.38      | 697.58        | 2,166.54         | 1,954.44         | 1.09               | -0.69          | 0.818 |
| 20.00         | -24.46           | -15.60           | 0.00            | -1,500.18       | 0.00            | 1,500.18                   | 2,865.81      | 682.34        | 2,072.95         | 1,874.26         | 2.03               | -1.09          | 0.809 |
| 25.00         | -23.33           | -15.28           | 0.00            | -1,422.20       | 0.00            | 1,422.20                   | 2,801.80      | 667.09        | 1,981.42         | 1,791.00         | 3.39               | -1.50          | 0.803 |
| 30.00         | -22.29           | -15.15           | 0.00            | -1,345.79       | 0.00            | 1,345.79                   | 2,737.79      | 651.85        | 1,891.95         | 1,709.63         | 5.18               | -1.91          | 0.796 |
| 31.50         | -21.96           | -15.07           | 0.00            | -1,323.07       | 0.00            | 1,323.07                   | 2,718.59      | 647.28        | 1,865.51         | 1,685.59         | 5.80               | -2.03          | 0.794 |
| 35.00         | -20.81           | -14.95           | 0.00            | -1,270.34       | 0.00            | 1,270.34                   | 2,673.78      | 636.61        | 1,804.55         | 1,630.15         | 7.40               | -2.33          | 0.788 |
| 35.67         | -20.55           | -14.86           | 0.00            | -1,260.37       | 0.00            | 1,260.37                   | 2,183.22      | 540.96        | 1,563.37         | 1,360.34         | 7.73               | -2.38          | 0.937 |
| 40.00         | -19.74           | -14.67           | 0.00            | -1,195.98       | 0.00            | 1,195.98                   | 2,154.64      | 529.95        | 1,500.42         | 1,314.94         | 10.06              | -2.75          | 0.919 |
| 45.00         | -18.83           | -14.45           | 0.00            | -1,122.64       | 0.00            | 1,122.64                   | 2,120.84      | 517.25        | 1,429.39         | 1,262.98         | 13.19              | -3.23          | 0.899 |
| 50.00         | -17.93           | -14.23           | 0.00            | -1,050.37       | 0.00            | 1,050.37                   | 2,086.17      | 504.55        | 1,360.08         | 1,211.51         | 16.82              | -3.70          | 0.876 |
| 55.00         | -17.06           | -13.99           | 0.00            | -979.23         | 0.00            | 979.23                     | 2,050.62      | 491.85        | 1,292.50         | 1,160.56         | 20.95              | -4.19          | 0.853 |
| 60.00         | -16.20           | -13.74           | 0.00            | -909.29         | 0.00            | 909.29                     | 2,012.44      | 479.15        | 1,226.64         | 1,109.22         | 25.59              | -4.67          | 0.829 |
| 65.00         | -15.36           | -13.48           | 0.00            | -840.60         | 0.00            | 840.60                     | 1,959.10      | 466.45        | 1,162.50         | 1,050.87         | 30.74              | -5.16          | 0.809 |
| 70.00         | -14.56           | -13.23           | 0.00            | -773.21         | 0.00            | 773.21                     | 1,905.75      | 453.75        | 1,100.08         | 994.10           | 36.39              | -5.64          | 0.786 |
| 73.50         | -13.72           | -13.05           | 0.00            | -726.89         | 0.00            | 726.89                     | 1,441.17      | 363.84        | 883.97           | 755.32           | 40.64              | -5.98          | 0.973 |
| 75.00         | -13.47           | -12.90           | 0.00            | -707.32         | 0.00            | 707.32                     | 1,433.76      | 360.79        | 869.22           | 745.08           | 42.54              | -6.13          | 0.960 |
| 80.00         | -12.77           | -12.63           | 0.00            | -642.82         | 0.00            | 642.82                     | 1,408.50      | 350.63        | 820.97           | 711.14           | 49.25              | -6.69          | 0.914 |
| 85.00         | -12.10           | -12.36           | 0.00            | -579.66         | 0.00            | 579.66                     | 1,382.37      | 340.47        | 774.10           | 677.52           | 56.54              | -7.25          | 0.866 |
| 90.00         | -11.44           | -12.07           | 0.00            | -517.88         | 0.00            | 517.88                     | 1,355.35      | 330.31        | 728.60           | 644.25           | 64.40              | -7.79          | 0.814 |
| 95.00         | -10.80           | -11.78           | 0.00            | -457.52         | 0.00            | 457.52                     | 1,327.47      | 320.15        | 684.48           | 611.38           | 72.81              | -8.32          | 0.758 |
| 100.00        | -10.18           | -11.48           | 0.00            | -398.62         | 0.00            | 398.62                     | 1,298.70      | 309.99        | 641.74           | 578.94           | 81.77              | -8.83          | 0.698 |
| 105.00        | -9.59            | -11.18           | 0.00            | -341.21         | 0.00            | 341.21                     | 1,259.27      | 299.83        | 600.38           | 542.76           | 91.23              | -9.31          | 0.638 |
| 109.67        | -9.07            | -10.99           | 0.00            | -289.02         | 0.00            | 289.02                     | 1,219.44      | 290.34        | 563.02           | 508.77           | 100.51             | -9.74          | 0.577 |
| 109.67        | -9.07            | -10.99           | 0.00            | -289.02         | 0.00            | 289.02                     | 842.50        | 218.42        | 424.75           | 353.65           | 100.51             | -9.74          | 0.831 |
| 110.00        | -9.02            | -10.92           | 0.00            | -285.36         | 0.00            | 285.36                     | 841.37        | 217.91        | 422.77           | 352.35           | 101.19             | -9.77          | 0.823 |
| 113.00        | -6.90            | -7.77            | 0.00            | -252.14         | 0.00            | 252.14                     | 831.08        | 213.34        | 405.23           | 340.67           | 107.40             | -10.11         | 0.750 |
| 115.00        | -6.74            | -7.59            | 0.00            | -236.61         | 0.00            | 236.61                     | 824.04        | 210.29        | 393.73           | 332.91           | 111.67             | -10.33         | 0.720 |
| 120.00        | -6.36            | -7.30            | 0.00            | -198.68         | 0.00            | 198.68                     | 805.83        | 202.67        | 365.72           | 313.65           | 122.70             | -10.85         | 0.643 |
| 125.00        | -6.00            | -7.01            | 0.00            | -162.19         | 0.00            | 162.19                     | 786.74        | 195.05        | 338.75           | 294.59           | 134.25             | -11.32         | 0.559 |
| 130.00        | -5.66            | -6.72            | 0.00            | -127.15         | 0.00            | 127.15                     | 766.78        | 187.43        | 312.81           | 275.79           | 146.26             | -11.75         | 0.470 |
| 135.00        | -5.33            | -6.42            | 0.00            | -93.57          | 0.00            | 93.57                      | 745.94        | 179.81        | 287.90           | 257.27           | 158.68             | -12.12         | 0.372 |
| 140.00        | -4.41            | -5.60            | 0.00            | -61.45          | 0.00            | 61.45                      | 723.20        | 172.19        | 264.02           | 238.74           | 171.44             | -12.41         | 0.265 |
| 145.00        | -4.12            | -5.35            | 0.00            | -33.47          | 0.00            | 33.47                      | 691.20        | 164.57        | 241.18           | 217.96           | 184.45             | -12.62         | 0.161 |
| 148.00        | -3.78            | -5.04            | 0.00            | -17.43          | 0.00            | 17.43                      | 671.99        | 160.00        | 227.97           | 205.95           | 192.34             | -12.69         | 0.091 |
| 150.00        | 0.00             | -4.09            | 0.00            | -7.34           | 0.00            | 7.34                       | 659.19        | 156.95        | 219.37           | 198.13           | 197.62             | -12.72         | 0.038 |

**Load Case:** 0.9D + 1.0W

113 mph with No Ice (Reduced DL)

31 Iterations

Gust Response Factor :1.10

Dead Load Factor :0.90

Wind Load Factor :1.00

### Applied Segment Forces Summary

| Seg Elev (ft) | Description     | Shaft Forces |                | Discrete Forces |                    |                   | Linear Forces  |              | Sum of Forces  |              |                |                    |                |
|---------------|-----------------|--------------|----------------|-----------------|--------------------|-------------------|----------------|--------------|----------------|--------------|----------------|--------------------|----------------|
|               |                 | Wind FX (lb) | Dead Load (lb) | Wind FX (lb)    | Torsion MY (lb-ft) | Moment MZ (lb-ft) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Torsion MY (lb-ft) | Moment MZ (lb) |
| 0.00          |                 | 223.3        | 0.0            |                 |                    |                   |                | 0.0          | 0.0            | 223.3        | 0.0            | 0.0                | 0.0            |
| 5.00          |                 | 441.4        | 641.9          |                 |                    |                   |                | 98.3         | 537.2          | 539.7        | 1,179.0        | 0.0                | 0.0            |
| 10.00         |                 | 367.7        | 628.6          |                 |                    |                   |                | 98.1         | 537.2          | 465.8        | 1,165.7        | 0.0                | 0.0            |
| 13.50         | Reinf. Top      | 213.0        | 432.1          |                 |                    |                   |                | 68.5         | 376.0          | 281.5        | 808.1          | 0.0                | 0.0            |
| 15.00         |                 | 271.3        | 183.2          |                 |                    |                   |                | 29.3         | 71.0           | 300.6        | 254.2          | 0.0                | 0.0            |
| 20.00         |                 | 410.8        | 602.0          |                 |                    |                   |                | 97.6         | 236.6          | 508.4        | 838.6          | 0.0                | 0.0            |
| 25.00         |                 | 359.6        | 588.7          |                 |                    |                   |                | 97.3         | 186.0          | 457.0        | 774.7          | 0.0                | 0.0            |
| 30.00         |                 | 203.3        | 575.4          |                 |                    |                   |                | 0.0          | 152.3          | 203.3        | 727.7          | 0.0                | 0.0            |
| 31.50         | Bot - Section 2 | 158.7        | 170.0          |                 |                    |                   |                | 0.0          | 45.7           | 158.7        | 215.7          | 0.0                | 0.0            |
| 35.00         |                 | 133.6        | 726.2          |                 |                    |                   |                | 0.0          | 106.6          | 133.6        | 832.8          | 0.0                | 0.0            |
| 35.67         | Top - Section 1 | 162.2        | 137.0          |                 |                    |                   |                | 0.0          | 20.3           | 162.2        | 157.3          | 0.0                | 0.0            |
| 40.00         |                 | 304.7        | 404.9          |                 |                    |                   |                | 0.0          | 132.0          | 304.7        | 536.9          | 0.0                | 0.0            |
| 45.00         |                 | 328.8        | 456.8          |                 |                    |                   |                | 0.0          | 152.3          | 328.8        | 609.2          | 0.0                | 0.0            |
| 50.00         |                 | 330.2        | 445.8          |                 |                    |                   |                | 0.0          | 152.3          | 330.2        | 598.1          | 0.0                | 0.0            |
| 55.00         |                 | 330.4        | 434.7          |                 |                    |                   |                | 0.0          | 152.3          | 330.4        | 587.0          | 0.0                | 0.0            |
| 60.00         |                 | 329.7        | 423.6          |                 |                    |                   |                | 0.0          | 152.3          | 329.7        | 575.9          | 0.0                | 0.0            |
| 65.00         |                 | 328.1        | 412.5          |                 |                    |                   |                | 0.0          | 152.3          | 328.1        | 564.8          | 0.0                | 0.0            |
| 70.00         | Bot - Section 3 | 279.4        | 401.4          |                 |                    |                   |                | 0.0          | 152.3          | 279.4        | 553.8          | 0.0                | 0.0            |
| 73.50         | Top - Section 2 | 165.3        | 498.8          |                 |                    |                   |                | 0.0          | 106.6          | 165.3        | 605.4          | 0.0                | 0.0            |
| 75.00         |                 | 213.2        | 94.8           |                 |                    |                   |                | 0.0          | 45.7           | 213.2        | 140.5          | 0.0                | 0.0            |
| 80.00         |                 | 325.5        | 310.4          |                 |                    |                   |                | 0.0          | 152.3          | 325.5        | 462.7          | 0.0                | 0.0            |
| 85.00         |                 | 321.5        | 301.5          |                 |                    |                   |                | 0.0          | 152.3          | 321.5        | 453.8          | 0.0                | 0.0            |
| 90.00         |                 | 316.8        | 292.6          |                 |                    |                   |                | 0.0          | 152.3          | 316.8        | 445.0          | 0.0                | 0.0            |
| 95.00         |                 | 311.7        | 283.8          |                 |                    |                   |                | 0.0          | 152.3          | 311.7        | 436.1          | 0.0                | 0.0            |
| 100.00        |                 | 306.2        | 274.9          |                 |                    |                   |                | 0.0          | 152.3          | 306.2        | 427.2          | 0.0                | 0.0            |
| 105.00        |                 | 290.4        | 266.0          |                 |                    |                   |                | 0.0          | 152.3          | 290.4        | 418.4          | 0.0                | 0.0            |
| 109.67        | Top - Section 3 | 148.6        | 240.3          |                 |                    |                   |                | 0.0          | 142.2          | 148.6        | 382.5          | 0.0                | 0.0            |
| 110.00        |                 | 97.4         | 12.7           |                 |                    |                   |                | 0.0          | 10.1           | 97.4         | 22.8           | 0.0                | 0.0            |
| 113.00        | Appurtenance(s) | 145.3        | 112.9          | 2,632.1         | 0.0                | 472.4             | 1,744.4        | 0.0          | 91.4           | 2,777.4      | 1,948.7        | 0.0                | 0.0            |
| 115.00        |                 | 199.6        | 73.9           |                 |                    |                   |                | 0.0          | 40.0           | 199.6        | 113.9          | 0.0                | 0.0            |
| 120.00        |                 | 280.1        | 180.2          |                 |                    |                   |                | 0.0          | 100.0          | 280.1        | 280.2          | 0.0                | 0.0            |
| 125.00        |                 | 272.7        | 173.5          |                 |                    |                   |                | 0.0          | 100.0          | 272.7        | 273.5          | 0.0                | 0.0            |
| 130.00        |                 | 265.0        | 166.9          |                 |                    |                   |                | 0.0          | 100.0          | 265.0        | 266.9          | 0.0                | 0.0            |
| 135.00        |                 | 257.0        | 160.2          |                 |                    |                   |                | 0.0          | 100.0          | 257.0        | 260.2          | 0.0                | 0.0            |
| 140.00        | Appurtenance(s) | 248.7        | 153.6          | 387.7           | 0.0                | 0.0               | 540.0          | 0.0          | 100.0          | 636.4        | 793.6          | 0.0                | 0.0            |
| 145.00        |                 | 193.5        | 146.9          |                 |                    |                   |                | 0.0          | 100.0          | 193.5        | 246.9          | 0.0                | 0.0            |
| 148.00        | Appurtenance(s) | 117.9        | 85.0           | 106.4           | 0.0                | 0.0               | 148.5          | 0.0          | 60.0           | 224.3        | 293.5          | 0.0                | 0.0            |
| 150.00        | Appurtenance(s) | 46.6         | 55.3           | 1,595.6         | 0.0                | 0.0               | 1,800.0        | 0.0          | 40.0           | 1,642.2      | 1,895.3        | 0.0                | 0.0            |
| Totals:       |                 |              |                |                 |                    |                   |                |              |                | 14,910.2     | 21,146.8       | 0.00               | 0.00           |

Site Number: 302519

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Southbury, CT

Engineering Number: 13673542\_C3\_02

8/5/2021 11:30:26 AM

Customer: VERIZON WIRELESS

**Load Case: 0.9D + 1.0W**

113 mph with No Ice (Reduced DL)

31 Iterations

Gust Response Factor :1.10

Dead Load Factor :0.90

Wind Load Factor :1.00

**Calculated Forces**

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00          | -22.82           | -17.18           | 0.00            | -1,779.83       | 0.00            | 1,779.83                   | 3,049.83      | 743.30        | 2,459.73         | 2,174.87         | 0.00               | 0.00           | 0.498 |
| 5.00          | -21.57           | -16.72           | 0.00            | -1,693.94       | 0.00            | 1,693.94                   | 3,008.23      | 728.06        | 2,359.94         | 2,100.75         | 0.12               | -0.22          | 0.485 |
| 10.00         | -20.36           | -16.32           | 0.00            | -1,610.33       | 0.00            | 1,610.33                   | 2,965.74      | 712.82        | 2,262.21         | 2,027.26         | 0.47               | -0.45          | 0.472 |
| 13.50         | -19.52           | -16.07           | 0.00            | -1,553.23       | 0.00            | 1,553.23                   | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.86               | -0.60          | 0.463 |
| 13.50         | -19.52           | -16.07           | 0.00            | -1,553.23       | 0.00            | 1,553.23                   | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.86               | -0.60          | 0.793 |
| 15.00         | -19.20           | -15.84           | 0.00            | -1,529.13       | 0.00            | 1,529.13                   | 2,922.38      | 697.58        | 2,166.54         | 1,954.44         | 1.06               | -0.67          | 0.789 |
| 20.00         | -18.27           | -15.44           | 0.00            | -1,449.93       | 0.00            | 1,449.93                   | 2,865.81      | 682.34        | 2,072.95         | 1,874.26         | 1.97               | -1.06          | 0.780 |
| 25.00         | -17.40           | -15.09           | 0.00            | -1,372.72       | 0.00            | 1,372.72                   | 2,801.80      | 667.09        | 1,981.42         | 1,791.00         | 3.29               | -1.45          | 0.773 |
| 30.00         | -16.61           | -14.94           | 0.00            | -1,297.28       | 0.00            | 1,297.28                   | 2,737.79      | 651.85        | 1,891.95         | 1,709.63         | 5.02               | -1.84          | 0.765 |
| 31.50         | -16.35           | -14.83           | 0.00            | -1,274.88       | 0.00            | 1,274.88                   | 2,718.59      | 647.28        | 1,865.51         | 1,685.59         | 5.62               | -1.97          | 0.763 |
| 35.00         | -15.48           | -14.71           | 0.00            | -1,222.97       | 0.00            | 1,222.97                   | 2,673.78      | 636.61        | 1,804.55         | 1,630.15         | 7.16               | -2.25          | 0.757 |
| 35.67         | -15.28           | -14.60           | 0.00            | -1,213.16       | 0.00            | 1,213.16                   | 2,183.22      | 540.96        | 1,563.37         | 1,360.34         | 7.48               | -2.30          | 0.900 |
| 40.00         | -14.65           | -14.38           | 0.00            | -1,149.90       | 0.00            | 1,149.90                   | 2,154.64      | 529.95        | 1,500.42         | 1,314.94         | 9.73               | -2.66          | 0.882 |
| 45.00         | -13.95           | -14.13           | 0.00            | -1,078.03       | 0.00            | 1,078.03                   | 2,120.84      | 517.25        | 1,429.39         | 1,262.98         | 12.76              | -3.11          | 0.861 |
| 50.00         | -13.26           | -13.87           | 0.00            | -1,007.39       | 0.00            | 1,007.39                   | 2,086.17      | 504.55        | 1,360.08         | 1,211.51         | 16.26              | -3.57          | 0.839 |
| 55.00         | -12.59           | -13.60           | 0.00            | -938.04         | 0.00            | 938.04                     | 2,050.62      | 491.85        | 1,292.50         | 1,160.56         | 20.25              | -4.03          | 0.815 |
| 60.00         | -11.93           | -13.33           | 0.00            | -870.02         | 0.00            | 870.02                     | 2,012.44      | 479.15        | 1,226.64         | 1,109.22         | 24.72              | -4.50          | 0.791 |
| 65.00         | -11.29           | -13.05           | 0.00            | -803.38         | 0.00            | 803.38                     | 1,959.10      | 466.45        | 1,162.50         | 1,050.87         | 29.67              | -4.96          | 0.771 |
| 70.00         | -10.67           | -12.79           | 0.00            | -738.14         | 0.00            | 738.14                     | 1,905.75      | 453.75        | 1,100.08         | 994.10           | 35.11              | -5.43          | 0.749 |
| 73.50         | -10.04           | -12.61           | 0.00            | -693.37         | 0.00            | 693.37                     | 1,441.17      | 363.84        | 883.97           | 755.32           | 39.20              | -5.75          | 0.926 |
| 75.00         | -9.84            | -12.44           | 0.00            | -674.45         | 0.00            | 674.45                     | 1,433.76      | 360.79        | 869.22           | 745.08           | 41.03              | -5.89          | 0.913 |
| 80.00         | -9.31            | -12.16           | 0.00            | -612.24         | 0.00            | 612.24                     | 1,408.50      | 350.63        | 820.97           | 711.14           | 47.47              | -6.43          | 0.869 |
| 85.00         | -8.79            | -11.86           | 0.00            | -551.46         | 0.00            | 551.46                     | 1,382.37      | 340.47        | 774.10           | 677.52           | 54.47              | -6.96          | 0.822 |
| 90.00         | -8.28            | -11.57           | 0.00            | -492.14         | 0.00            | 492.14                     | 1,355.35      | 330.31        | 728.60           | 644.25           | 62.02              | -7.47          | 0.771 |
| 95.00         | -7.79            | -11.27           | 0.00            | -434.29         | 0.00            | 434.29                     | 1,327.47      | 320.15        | 684.48           | 611.38           | 70.09              | -7.97          | 0.717 |
| 100.00        | -7.33            | -10.96           | 0.00            | -377.95         | 0.00            | 377.95                     | 1,298.70      | 309.99        | 641.74           | 578.94           | 78.67              | -8.46          | 0.660 |
| 105.00        | -6.88            | -10.67           | 0.00            | -323.13         | 0.00            | 323.13                     | 1,259.27      | 299.83        | 600.38           | 542.76           | 87.74              | -8.92          | 0.602 |
| 109.67        | -6.48            | -10.48           | 0.00            | -273.35         | 0.00            | 273.35                     | 1,219.44      | 290.34        | 563.02           | 508.77           | 96.62              | -9.32          | 0.544 |
| 109.67        | -6.48            | -10.48           | 0.00            | -273.35         | 0.00            | 273.35                     | 842.50        | 218.42        | 424.75           | 353.65           | 96.62              | -9.32          | 0.783 |
| 110.00        | -6.44            | -10.40           | 0.00            | -269.86         | 0.00            | 269.86                     | 841.37        | 217.91        | 422.77           | 352.35           | 97.27              | -9.35          | 0.776 |
| 113.00        | -4.95            | -7.37            | 0.00            | -238.18         | 0.00            | 238.18                     | 831.08        | 213.34        | 405.23           | 340.67           | 103.22             | -9.67          | 0.706 |
| 115.00        | -4.83            | -7.18            | 0.00            | -223.45         | 0.00            | 223.45                     | 824.04        | 210.29        | 393.73           | 332.91           | 107.30             | -9.88          | 0.678 |
| 120.00        | -4.54            | -6.89            | 0.00            | -187.55         | 0.00            | 187.55                     | 805.83        | 202.67        | 365.72           | 313.65           | 117.86             | -10.37         | 0.605 |
| 125.00        | -4.27            | -6.61            | 0.00            | -153.10         | 0.00            | 153.10                     | 786.74        | 195.05        | 338.75           | 294.59           | 128.90             | -10.82         | 0.526 |
| 130.00        | -4.02            | -6.32            | 0.00            | -120.07         | 0.00            | 120.07                     | 766.78        | 187.43        | 312.81           | 275.79           | 140.37             | -11.22         | 0.442 |
| 135.00        | -3.78            | -6.04            | 0.00            | -88.47          | 0.00            | 88.47                      | 745.94        | 179.81        | 287.90           | 257.27           | 152.24             | -11.57         | 0.350 |
| 140.00        | -3.12            | -5.27            | 0.00            | -58.28          | 0.00            | 58.28                      | 723.20        | 172.19        | 264.02           | 238.74           | 164.43             | -11.85         | 0.249 |
| 145.00        | -2.90            | -5.03            | 0.00            | -31.95          | 0.00            | 31.95                      | 691.20        | 164.57        | 241.18           | 217.96           | 176.85             | -12.04         | 0.152 |
| 148.00        | -2.66            | -4.75            | 0.00            | -16.85          | 0.00            | 16.85                      | 671.99        | 160.00        | 227.97           | 205.95           | 184.39             | -12.11         | 0.087 |
| 150.00        | 0.00             | -4.09            | 0.00            | -7.34           | 0.00            | 7.34                       | 659.19        | 156.95        | 219.37           | 198.13           | 189.43             | -12.14         | 0.038 |

Load Case: 1.2D + 1.0Di + 1.0Wi

49 mph with 0.85 in Radial Ice

31 Iterations

Gust Response Factor :1.10

Ice Dead Load Factor :1.00

Dead Load Factor :1.20

Ice Importance Factor :1.00

Wind Load Factor :1.00

### Applied Segment Forces Summary

| Seg Elev (ft) | Description     | Shaft Forces |                | Discrete Forces |                    |                   | Linear Forces  |              | Sum of Forces  |              |                |                    |                |
|---------------|-----------------|--------------|----------------|-----------------|--------------------|-------------------|----------------|--------------|----------------|--------------|----------------|--------------------|----------------|
|               |                 | Wind FX (lb) | Dead Load (lb) | Wind FX (lb)    | Torsion MY (lb-ft) | Moment MZ (lb-ft) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Torsion MY (lb-ft) | Moment MZ (lb) |
| 0.00          |                 | 43.9         | 0.0            |                 |                    |                   |                | 0.0          | 0.0            | 43.9         | 0.0            | 0.0                | 0.0            |
| 5.00          |                 | 87.1         | 1,008.5        |                 |                    |                   |                | 0.0          | 751.5          | 87.1         | 1,760.0        | 0.0                | 0.0            |
| 10.00         |                 | 73.1         | 1,005.2        |                 |                    |                   |                | 0.0          | 755.9          | 73.1         | 1,761.1        | 0.0                | 0.0            |
| 13.50         | Reinf. Top      | 42.6         | 696.7          |                 |                    |                   |                | 0.0          | 530.5          | 42.6         | 1,227.2        | 0.0                | 0.0            |
| 15.00         |                 | 54.5         | 296.6          |                 |                    |                   |                | 0.0          | 107.4          | 54.5         | 404.0          | 0.0                | 0.0            |
| 20.00         |                 | 83.0         | 977.0          |                 |                    |                   |                | 0.0          | 358.8          | 83.0         | 1,335.8        | 0.0                | 0.0            |
| 25.00         |                 | 79.8         | 959.8          |                 |                    |                   |                | 0.0          | 265.9          | 79.8         | 1,225.7        | 0.0                | 0.0            |
| 30.00         |                 | 50.2         | 941.7          |                 |                    |                   |                | 0.0          | 203.1          | 50.2         | 1,144.8        | 0.0                | 0.0            |
| 31.50         | Bot - Section 2 | 39.2         | 279.3          |                 |                    |                   |                | 0.0          | 60.9           | 39.2         | 340.2          | 0.0                | 0.0            |
| 35.00         |                 | 33.0         | 1,092.4        |                 |                    |                   |                | 0.0          | 142.2          | 33.0         | 1,234.5        | 0.0                | 0.0            |
| 35.67         | Top - Section 1 | 40.2         | 206.3          |                 |                    |                   |                | 0.0          | 27.1           | 40.2         | 233.4          | 0.0                | 0.0            |
| 40.00         |                 | 75.5         | 691.9          |                 |                    |                   |                | 0.0          | 176.0          | 75.5         | 867.9          | 0.0                | 0.0            |
| 45.00         |                 | 81.6         | 782.5          |                 |                    |                   |                | 0.0          | 203.1          | 81.6         | 985.6          | 0.0                | 0.0            |
| 50.00         |                 | 82.1         | 765.5          |                 |                    |                   |                | 0.0          | 203.1          | 82.1         | 968.6          | 0.0                | 0.0            |
| 55.00         |                 | 82.3         | 748.2          |                 |                    |                   |                | 0.0          | 203.1          | 82.3         | 951.3          | 0.0                | 0.0            |
| 60.00         |                 | 82.3         | 730.7          |                 |                    |                   |                | 0.0          | 203.1          | 82.3         | 933.8          | 0.0                | 0.0            |
| 65.00         |                 | 82.1         | 713.1          |                 |                    |                   |                | 0.0          | 203.1          | 82.1         | 916.2          | 0.0                | 0.0            |
| 70.00         | Bot - Section 3 | 70.0         | 695.2          |                 |                    |                   |                | 0.0          | 203.1          | 70.0         | 898.4          | 0.0                | 0.0            |
| 73.50         | Top - Section 2 | 41.4         | 777.7          |                 |                    |                   |                | 0.0          | 142.2          | 41.4         | 919.9          | 0.0                | 0.0            |
| 75.00         |                 | 53.5         | 174.5          |                 |                    |                   |                | 0.0          | 60.9           | 53.5         | 235.4          | 0.0                | 0.0            |
| 80.00         |                 | 81.9         | 570.3          |                 |                    |                   |                | 0.0          | 203.1          | 81.9         | 773.4          | 0.0                | 0.0            |
| 85.00         |                 | 81.0         | 555.1          |                 |                    |                   |                | 0.0          | 203.1          | 81.0         | 758.2          | 0.0                | 0.0            |
| 90.00         |                 | 80.1         | 539.8          |                 |                    |                   |                | 0.0          | 203.1          | 80.1         | 742.9          | 0.0                | 0.0            |
| 95.00         |                 | 79.0         | 524.4          |                 |                    |                   |                | 0.0          | 203.1          | 79.0         | 727.5          | 0.0                | 0.0            |
| 100.00        |                 | 77.8         | 508.9          |                 |                    |                   |                | 0.0          | 203.1          | 77.8         | 712.0          | 0.0                | 0.0            |
| 105.00        |                 | 74.0         | 493.3          |                 |                    |                   |                | 0.0          | 203.1          | 74.0         | 696.4          | 0.0                | 0.0            |
| 109.67        | Top - Section 3 | 37.9         | 446.5          |                 |                    |                   |                | 0.0          | 189.6          | 37.9         | 636.1          | 0.0                | 0.0            |
| 110.00        |                 | 24.9         | 25.9           |                 |                    |                   |                | 0.0          | 13.5           | 24.9         | 39.4           | 0.0                | 0.0            |
| 113.00        | Appurtenance(s) | 37.2         | 230.1          | 601.8           | 0.0                | 104.5             | 3,736.2        | 0.0          | 121.9          | 639.0        | 4,088.2        | 0.0                | 0.0            |
| 115.00        |                 | 51.2         | 151.0          |                 |                    |                   |                | 0.0          | 53.4           | 51.2         | 204.4          | 0.0                | 0.0            |
| 120.00        |                 | 72.1         | 367.2          |                 |                    |                   |                | 0.0          | 133.4          | 72.1         | 500.6          | 0.0                | 0.0            |
| 125.00        |                 | 70.5         | 354.3          |                 |                    |                   |                | 0.0          | 133.4          | 70.5         | 487.7          | 0.0                | 0.0            |
| 130.00        |                 | 68.7         | 341.4          |                 |                    |                   |                | 0.0          | 133.4          | 68.7         | 474.8          | 0.0                | 0.0            |
| 135.00        |                 | 67.0         | 328.5          |                 |                    |                   |                | 0.0          | 133.4          | 67.0         | 461.8          | 0.0                | 0.0            |
| 140.00        | Appurtenance(s) | 65.1         | 315.4          | 114.5           | 0.0                | 0.0               | 1,159.3        | 0.0          | 133.4          | 179.6        | 1,608.1        | 0.0                | 0.0            |
| 145.00        |                 | 50.9         | 302.4          |                 |                    |                   |                | 0.0          | 133.4          | 50.9         | 435.8          | 0.0                | 0.0            |
| 148.00        | Appurtenance(s) | 31.1         | 175.7          | 24.4            | 0.0                | 0.0               | 283.6          | 0.0          | 80.0           | 55.5         | 539.3          | 0.0                | 0.0            |
| 150.00        | Appurtenance(s) | 12.3         | 114.7          | 379.7           | 0.0                | 0.0               | 3,003.7        | 0.0          | 53.4           | 392.0        | 3,171.7        | 0.0                | 0.0            |
| Totals:       |                 |              |                |                 |                    |                   |                |              |                | 3,460.68     | 35,402.0       | 0.00               | 0.00           |

Site Number: 302519

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Southbury, CT

Engineering Number: 13673542\_C3\_02

8/5/2021 11:30:29 AM

Customer: VERIZON WIRELESS

Load Case: 1.2D + 1.0Di + 1.0Wi

49 mph with 0.85 in Radial Ice

31 Iterations

Gust Response Factor :1.10

Ice Dead Load Factor :1.00

Dead Load Factor :1.20

Ice Importance Factor :1.00

Wind Load Factor :1.00

Calculated Forces

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00          | -39.16           | -3.98            | 0.00            | -464.68         | 0.00            | 464.68                     | 3,049.83      | 743.30        | 2,459.73         | 2,174.87         | 0.00               | 0.00           | 0.137 |
| 5.00          | -37.39           | -3.93            | 0.00            | -444.78         | 0.00            | 444.78                     | 3,008.23      | 728.06        | 2,359.94         | 2,100.75         | 0.03               | -0.06          | 0.134 |
| 10.00         | -35.63           | -3.89            | 0.00            | -425.12         | 0.00            | 425.12                     | 2,965.74      | 712.82        | 2,262.21         | 2,027.26         | 0.12               | -0.12          | 0.131 |
| 13.50         | -34.40           | -3.86            | 0.00            | -411.52         | 0.00            | 411.52                     | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.23               | -0.16          | 0.129 |
| 13.50         | -34.40           | -3.86            | 0.00            | -411.52         | 0.00            | 411.52                     | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.23               | -0.16          | 0.220 |
| 15.00         | -33.99           | -3.84            | 0.00            | -405.73         | 0.00            | 405.73                     | 2,922.38      | 697.58        | 2,166.54         | 1,954.44         | 0.28               | -0.18          | 0.219 |
| 20.00         | -32.65           | -3.81            | 0.00            | -386.54         | 0.00            | 386.54                     | 2,865.81      | 682.34        | 2,072.95         | 1,874.26         | 0.52               | -0.28          | 0.218 |
| 25.00         | -31.42           | -3.78            | 0.00            | -367.49         | 0.00            | 367.49                     | 2,801.80      | 667.09        | 1,981.42         | 1,791.00         | 0.87               | -0.38          | 0.216 |
| 30.00         | -30.27           | -3.76            | 0.00            | -348.59         | 0.00            | 348.59                     | 2,737.79      | 651.85        | 1,891.95         | 1,709.63         | 1.33               | -0.49          | 0.215 |
| 31.50         | -29.93           | -3.74            | 0.00            | -342.95         | 0.00            | 342.95                     | 2,718.59      | 647.28        | 1,865.51         | 1,685.59         | 1.48               | -0.52          | 0.215 |
| 35.00         | -28.69           | -3.72            | 0.00            | -329.85         | 0.00            | 329.85                     | 2,673.78      | 636.61        | 1,804.55         | 1,630.15         | 1.90               | -0.60          | 0.213 |
| 35.67         | -28.45           | -3.71            | 0.00            | -327.37         | 0.00            | 327.37                     | 2,183.22      | 540.96        | 1,563.37         | 1,360.34         | 1.98               | -0.61          | 0.254 |
| 40.00         | -27.58           | -3.67            | 0.00            | -311.31         | 0.00            | 311.31                     | 2,154.64      | 529.95        | 1,500.42         | 1,314.94         | 2.58               | -0.71          | 0.250 |
| 45.00         | -26.59           | -3.64            | 0.00            | -292.94         | 0.00            | 292.94                     | 2,120.84      | 517.25        | 1,429.39         | 1,262.98         | 3.39               | -0.83          | 0.245 |
| 50.00         | -25.61           | -3.60            | 0.00            | -274.75         | 0.00            | 274.75                     | 2,086.17      | 504.55        | 1,360.08         | 1,211.51         | 4.33               | -0.96          | 0.239 |
| 55.00         | -24.65           | -3.55            | 0.00            | -256.77         | 0.00            | 256.77                     | 2,050.62      | 491.85        | 1,292.50         | 1,160.56         | 5.40               | -1.08          | 0.233 |
| 60.00         | -23.71           | -3.50            | 0.00            | -239.02         | 0.00            | 239.02                     | 2,012.44      | 479.15        | 1,226.64         | 1,109.22         | 6.60               | -1.21          | 0.227 |
| 65.00         | -22.79           | -3.45            | 0.00            | -221.50         | 0.00            | 221.50                     | 1,959.10      | 466.45        | 1,162.50         | 1,050.87         | 7.94               | -1.34          | 0.222 |
| 70.00         | -21.89           | -3.40            | 0.00            | -204.25         | 0.00            | 204.25                     | 1,905.75      | 453.75        | 1,100.08         | 994.10           | 9.41               | -1.47          | 0.217 |
| 73.50         | -20.97           | -3.36            | 0.00            | -192.35         | 0.00            | 192.35                     | 1,441.17      | 363.84        | 883.97           | 755.32           | 10.52              | -1.56          | 0.269 |
| 75.00         | -20.73           | -3.33            | 0.00            | -187.31         | 0.00            | 187.31                     | 1,433.76      | 360.79        | 869.22           | 745.08           | 11.02              | -1.60          | 0.266 |
| 80.00         | -19.95           | -3.28            | 0.00            | -170.64         | 0.00            | 170.64                     | 1,408.50      | 350.63        | 820.97           | 711.14           | 12.77              | -1.75          | 0.254 |
| 85.00         | -19.19           | -3.22            | 0.00            | -154.24         | 0.00            | 154.24                     | 1,382.37      | 340.47        | 774.10           | 677.52           | 14.67              | -1.89          | 0.242 |
| 90.00         | -18.44           | -3.16            | 0.00            | -138.12         | 0.00            | 138.12                     | 1,355.35      | 330.31        | 728.60           | 644.25           | 16.73              | -2.04          | 0.228 |
| 95.00         | -17.71           | -3.10            | 0.00            | -122.30         | 0.00            | 122.30                     | 1,327.47      | 320.15        | 684.48           | 611.38           | 18.94              | -2.18          | 0.213 |
| 100.00        | -16.99           | -3.04            | 0.00            | -106.79         | 0.00            | 106.79                     | 1,298.70      | 309.99        | 641.74           | 578.94           | 21.30              | -2.31          | 0.198 |
| 105.00        | -16.29           | -2.97            | 0.00            | -91.61          | 0.00            | 91.61                      | 1,259.27      | 299.83        | 600.38           | 542.76           | 23.79              | -2.44          | 0.182 |
| 109.67        | -15.66           | -2.92            | 0.00            | -77.76          | 0.00            | 77.76                      | 1,219.44      | 290.34        | 563.02           | 508.77           | 26.24              | -2.56          | 0.166 |
| 109.67        | -15.66           | -2.92            | 0.00            | -77.76          | 0.00            | 77.76                      | 842.50        | 218.42        | 424.75           | 353.65           | 26.24              | -2.56          | 0.239 |
| 110.00        | -15.61           | -2.91            | 0.00            | -76.79          | 0.00            | 76.79                      | 841.37        | 217.91        | 422.77           | 352.35           | 26.42              | -2.57          | 0.237 |
| 113.00        | -11.56           | -2.10            | 0.00            | -67.97          | 0.00            | 67.97                      | 831.08        | 213.34        | 405.23           | 340.67           | 28.06              | -2.66          | 0.214 |
| 115.00        | -11.35           | -2.06            | 0.00            | -63.78          | 0.00            | 63.78                      | 824.04        | 210.29        | 393.73           | 332.91           | 29.19              | -2.72          | 0.205 |
| 120.00        | -10.85           | -1.98            | 0.00            | -53.50          | 0.00            | 53.50                      | 805.83        | 202.67        | 365.72           | 313.65           | 32.11              | -2.86          | 0.184 |
| 125.00        | -10.36           | -1.91            | 0.00            | -43.58          | 0.00            | 43.58                      | 786.74        | 195.05        | 338.75           | 294.59           | 35.17              | -2.99          | 0.161 |
| 130.00        | -9.89            | -1.84            | 0.00            | -34.03          | 0.00            | 34.03                      | 766.78        | 187.43        | 312.81           | 275.79           | 38.36              | -3.10          | 0.136 |
| 135.00        | -9.43            | -1.76            | 0.00            | -24.85          | 0.00            | 24.85                      | 745.94        | 179.81        | 287.90           | 257.27           | 41.66              | -3.20          | 0.109 |
| 140.00        | -7.83            | -1.50            | 0.00            | -16.06          | 0.00            | 16.06                      | 723.20        | 172.19        | 264.02           | 238.74           | 45.05              | -3.28          | 0.078 |
| 145.00        | -7.40            | -1.42            | 0.00            | -8.58           | 0.00            | 8.58                       | 691.20        | 164.57        | 241.18           | 217.96           | 48.51              | -3.33          | 0.050 |
| 148.00        | -6.86            | -1.34            | 0.00            | -4.31           | 0.00            | 4.31                       | 671.99        | 160.00        | 227.97           | 205.95           | 50.61              | -3.35          | 0.031 |
| 150.00        | 0.00             | -0.94            | 0.00            | -1.63           | 0.00            | 1.63                       | 659.19        | 156.95        | 219.37           | 198.13           | 52.01              | -3.35          | 0.008 |

**Load Case:** 1.0D + 1.0W

Serviceability 60 mph

29 Iterations

Gust Response Factor :1.10

Dead Load Factor :1.00

Wind Load Factor :1.00

**Applied Segment Forces Summary**

| Seg Elev (ft) | Description     | Shaft Forces |                | Discrete Forces |                    |                   | Linear Forces  |              | Sum of Forces  |              |                |                    |                |
|---------------|-----------------|--------------|----------------|-----------------|--------------------|-------------------|----------------|--------------|----------------|--------------|----------------|--------------------|----------------|
|               |                 | Wind FX (lb) | Dead Load (lb) | Wind FX (lb)    | Torsion MY (lb-ft) | Moment MZ (lb-ft) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Wind FX (lb) | Dead Load (lb) | Torsion MY (lb-ft) | Moment MZ (lb) |
| 0.00          |                 | 56.3         | 0.0            |                 |                    |                   |                | 0.0          | 0.0            | 56.3         | 0.0            | 0.0                | 0.0            |
| 5.00          |                 | 111.2        | 713.2          |                 |                    |                   |                | 24.8         | 596.8          | 136.0        | 1,310.1        | 0.0                | 0.0            |
| 10.00         |                 | 92.7         | 698.4          |                 |                    |                   |                | 24.7         | 596.8          | 117.4        | 1,295.3        | 0.0                | 0.0            |
| 13.50         | Reinf. Top      | 53.7         | 480.1          |                 |                    |                   |                | 17.3         | 417.8          | 70.9         | 897.9          | 0.0                | 0.0            |
| 15.00         |                 | 68.4         | 203.5          |                 |                    |                   |                | 7.4          | 78.9           | 75.7         | 282.4          | 0.0                | 0.0            |
| 20.00         |                 | 103.5        | 668.9          |                 |                    |                   |                | 24.6         | 262.8          | 128.1        | 931.7          | 0.0                | 0.0            |
| 25.00         |                 | 90.6         | 654.1          |                 |                    |                   |                | 24.5         | 206.7          | 115.2        | 860.8          | 0.0                | 0.0            |
| 30.00         |                 | 51.2         | 639.3          |                 |                    |                   |                | 0.0          | 169.2          | 51.2         | 808.6          | 0.0                | 0.0            |
| 31.50         | Bot - Section 2 | 40.0         | 188.9          |                 |                    |                   |                | 0.0          | 50.8           | 40.0         | 239.7          | 0.0                | 0.0            |
| 35.00         |                 | 33.7         | 806.9          |                 |                    |                   |                | 0.0          | 118.5          | 33.7         | 925.4          | 0.0                | 0.0            |
| 35.67         | Top - Section 1 | 40.9         | 152.2          |                 |                    |                   |                | 0.0          | 22.6           | 40.9         | 174.8          | 0.0                | 0.0            |
| 40.00         |                 | 76.8         | 449.9          |                 |                    |                   |                | 0.0          | 146.7          | 76.8         | 596.6          | 0.0                | 0.0            |
| 45.00         |                 | 82.9         | 507.6          |                 |                    |                   |                | 0.0          | 169.2          | 82.9         | 676.9          | 0.0                | 0.0            |
| 50.00         |                 | 83.2         | 495.3          |                 |                    |                   |                | 0.0          | 169.2          | 83.2         | 664.5          | 0.0                | 0.0            |
| 55.00         |                 | 83.3         | 483.0          |                 |                    |                   |                | 0.0          | 169.2          | 83.3         | 652.2          | 0.0                | 0.0            |
| 60.00         |                 | 83.1         | 470.7          |                 |                    |                   |                | 0.0          | 169.2          | 83.1         | 639.9          | 0.0                | 0.0            |
| 65.00         |                 | 82.7         | 458.4          |                 |                    |                   |                | 0.0          | 169.2          | 82.7         | 627.6          | 0.0                | 0.0            |
| 70.00         | Bot - Section 3 | 70.4         | 446.0          |                 |                    |                   |                | 0.0          | 169.3          | 70.4         | 615.3          | 0.0                | 0.0            |
| 73.50         | Top - Section 2 | 41.7         | 554.2          |                 |                    |                   |                | 0.0          | 118.5          | 41.7         | 672.7          | 0.0                | 0.0            |
| 75.00         |                 | 53.7         | 105.4          |                 |                    |                   |                | 0.0          | 50.8           | 53.7         | 156.1          | 0.0                | 0.0            |
| 80.00         |                 | 82.0         | 344.8          |                 |                    |                   |                | 0.0          | 169.2          | 82.0         | 514.1          | 0.0                | 0.0            |
| 85.00         |                 | 81.0         | 335.0          |                 |                    |                   |                | 0.0          | 169.2          | 81.0         | 504.2          | 0.0                | 0.0            |
| 90.00         |                 | 79.8         | 325.1          |                 |                    |                   |                | 0.0          | 169.2          | 79.8         | 494.4          | 0.0                | 0.0            |
| 95.00         |                 | 78.6         | 315.3          |                 |                    |                   |                | 0.0          | 169.2          | 78.6         | 484.5          | 0.0                | 0.0            |
| 100.00        |                 | 77.2         | 305.4          |                 |                    |                   |                | 0.0          | 169.2          | 77.2         | 474.7          | 0.0                | 0.0            |
| 105.00        |                 | 73.2         | 295.6          |                 |                    |                   |                | 0.0          | 169.2          | 73.2         | 464.8          | 0.0                | 0.0            |
| 109.67        | Top - Section 3 | 37.4         | 267.0          |                 |                    |                   |                | 0.0          | 158.0          | 37.4         | 425.0          | 0.0                | 0.0            |
| 110.00        |                 | 24.5         | 14.1           |                 |                    |                   |                | 0.0          | 11.3           | 24.5         | 25.4           | 0.0                | 0.0            |
| 113.00        | Appurtenance(s) | 36.6         | 125.4          | 663.3           | 0.0                | 119.0             | 1,938.2        | 0.0          | 101.6          | 699.9        | 2,165.2        | 0.0                | 0.0            |
| 115.00        |                 | 50.3         | 82.1           |                 |                    |                   |                | 0.0          | 44.5           | 50.3         | 126.6          | 0.0                | 0.0            |
| 120.00        |                 | 70.6         | 200.2          |                 |                    |                   |                | 0.0          | 111.1          | 70.6         | 311.3          | 0.0                | 0.0            |
| 125.00        |                 | 68.7         | 192.8          |                 |                    |                   |                | 0.0          | 111.1          | 68.7         | 303.9          | 0.0                | 0.0            |
| 130.00        |                 | 66.8         | 185.4          |                 |                    |                   |                | 0.0          | 111.1          | 66.8         | 296.5          | 0.0                | 0.0            |
| 135.00        |                 | 64.8         | 178.0          |                 |                    |                   |                | 0.0          | 111.1          | 64.8         | 289.2          | 0.0                | 0.0            |
| 140.00        | Appurtenance(s) | 62.7         | 170.6          | 97.7            | 0.0                | 0.0               | 600.0          | 0.0          | 111.1          | 160.4        | 881.8          | 0.0                | 0.0            |
| 145.00        |                 | 48.8         | 163.2          |                 |                    |                   |                | 0.0          | 111.1          | 48.8         | 274.4          | 0.0                | 0.0            |
| 148.00        | Appurtenance(s) | 29.7         | 94.4           | 26.8            | 0.0                | 0.0               | 165.0          | 0.0          | 66.7           | 56.5         | 326.1          | 0.0                | 0.0            |
| 150.00        | Appurtenance(s) | 11.7         | 61.5           | 402.1           | 0.0                | 0.0               | 2,000.0        | 0.0          | 44.5           | 413.8        | 2,105.9        | 0.0                | 0.0            |
| Totals:       |                 |              |                |                 |                    |                   |                |              |                | 3,757.20     | 23,496.5       | 0.00               | 0.00           |

Site Number: 302519

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Southbury, CT

Engineering Number: 13673542\_C3\_02

8/5/2021 11:30:32 AM

Customer: VERIZON WIRELESS

Load Case: 1.0D + 1.0W

Serviceability 60 mph

29 Iterations

Gust Response Factor :1.10

Dead Load Factor :1.00

Wind Load Factor :1.00

Calculated Forces

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00          | -25.39           | -4.33            | 0.00            | -455.24         | 0.00            | 455.24                     | 3,049.83      | 743.30        | 2,459.73         | 2,174.87         | 0.00               | 0.00           | 0.132 |
| 5.00          | -24.07           | -4.22            | 0.00            | -433.59         | 0.00            | 433.59                     | 3,008.23      | 728.06        | 2,359.94         | 2,100.75         | 0.03               | -0.06          | 0.128 |
| 10.00         | -22.77           | -4.12            | 0.00            | -412.50         | 0.00            | 412.50                     | 2,965.74      | 712.82        | 2,262.21         | 2,027.26         | 0.12               | -0.11          | 0.125 |
| 13.50         | -21.87           | -4.05            | 0.00            | -398.09         | 0.00            | 398.09                     | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.22               | -0.15          | 0.122 |
| 13.50         | -21.87           | -4.05            | 0.00            | -398.09         | 0.00            | 398.09                     | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.22               | -0.15          | 0.209 |
| 15.00         | -21.59           | -4.00            | 0.00            | -392.01         | 0.00            | 392.01                     | 2,922.38      | 697.58        | 2,166.54         | 1,954.44         | 0.27               | -0.17          | 0.208 |
| 20.00         | -20.65           | -3.90            | 0.00            | -372.01         | 0.00            | 372.01                     | 2,865.81      | 682.34        | 2,072.95         | 1,874.26         | 0.50               | -0.27          | 0.206 |
| 25.00         | -19.78           | -3.82            | 0.00            | -352.49         | 0.00            | 352.49                     | 2,801.80      | 667.09        | 1,981.42         | 1,791.00         | 0.84               | -0.37          | 0.204 |
| 30.00         | -18.97           | -3.78            | 0.00            | -333.39         | 0.00            | 333.39                     | 2,737.79      | 651.85        | 1,891.95         | 1,709.63         | 1.29               | -0.47          | 0.202 |
| 31.50         | -18.73           | -3.76            | 0.00            | -327.71         | 0.00            | 327.71                     | 2,718.59      | 647.28        | 1,865.51         | 1,685.59         | 1.44               | -0.50          | 0.201 |
| 35.00         | -17.80           | -3.73            | 0.00            | -314.56         | 0.00            | 314.56                     | 2,673.78      | 636.61        | 1,804.55         | 1,630.15         | 1.84               | -0.58          | 0.200 |
| 35.67         | -17.62           | -3.70            | 0.00            | -312.07         | 0.00            | 312.07                     | 2,183.22      | 540.96        | 1,563.37         | 1,360.34         | 1.92               | -0.59          | 0.238 |
| 40.00         | -17.02           | -3.65            | 0.00            | -296.02         | 0.00            | 296.02                     | 2,154.64      | 529.95        | 1,500.42         | 1,314.94         | 2.50               | -0.68          | 0.233 |
| 45.00         | -16.34           | -3.59            | 0.00            | -277.76         | 0.00            | 277.76                     | 2,120.84      | 517.25        | 1,429.39         | 1,262.98         | 3.27               | -0.80          | 0.228 |
| 50.00         | -15.67           | -3.53            | 0.00            | -259.80         | 0.00            | 259.80                     | 2,086.17      | 504.55        | 1,360.08         | 1,211.51         | 4.17               | -0.92          | 0.222 |
| 55.00         | -15.01           | -3.47            | 0.00            | -242.13         | 0.00            | 242.13                     | 2,050.62      | 491.85        | 1,292.50         | 1,160.56         | 5.20               | -1.04          | 0.216 |
| 60.00         | -14.36           | -3.40            | 0.00            | -224.78         | 0.00            | 224.78                     | 2,012.44      | 479.15        | 1,226.64         | 1,109.22         | 6.35               | -1.16          | 0.210 |
| 65.00         | -13.73           | -3.34            | 0.00            | -207.76         | 0.00            | 207.76                     | 1,959.10      | 466.45        | 1,162.50         | 1,050.87         | 7.62               | -1.28          | 0.205 |
| 70.00         | -13.11           | -3.28            | 0.00            | -191.08         | 0.00            | 191.08                     | 1,905.75      | 453.75        | 1,100.08         | 994.10           | 9.02               | -1.40          | 0.199 |
| 73.50         | -12.44           | -3.23            | 0.00            | -179.61         | 0.00            | 179.61                     | 1,441.17      | 363.84        | 883.97           | 755.32           | 10.08              | -1.48          | 0.247 |
| 75.00         | -12.28           | -3.19            | 0.00            | -174.76         | 0.00            | 174.76                     | 1,433.76      | 360.79        | 869.22           | 745.08           | 10.55              | -1.52          | 0.243 |
| 80.00         | -11.76           | -3.12            | 0.00            | -158.81         | 0.00            | 158.81                     | 1,408.50      | 350.63        | 820.97           | 711.14           | 12.22              | -1.66          | 0.232 |
| 85.00         | -11.25           | -3.05            | 0.00            | -143.19         | 0.00            | 143.19                     | 1,382.37      | 340.47        | 774.10           | 677.52           | 14.02              | -1.79          | 0.220 |
| 90.00         | -10.75           | -2.98            | 0.00            | -127.92         | 0.00            | 127.92                     | 1,355.35      | 330.31        | 728.60           | 644.25           | 15.97              | -1.93          | 0.207 |
| 95.00         | -10.26           | -2.91            | 0.00            | -113.00         | 0.00            | 113.00                     | 1,327.47      | 320.15        | 684.48           | 611.38           | 18.06              | -2.06          | 0.193 |
| 100.00        | -9.78            | -2.84            | 0.00            | -98.45          | 0.00            | 98.45                      | 1,298.70      | 309.99        | 641.74           | 578.94           | 20.28              | -2.18          | 0.178 |
| 105.00        | -9.32            | -2.76            | 0.00            | -84.26          | 0.00            | 84.26                      | 1,259.27      | 299.83        | 600.38           | 542.76           | 22.64              | -2.30          | 0.163 |
| 109.67        | -8.89            | -2.72            | 0.00            | -71.36          | 0.00            | 71.36                      | 1,219.44      | 290.34        | 563.02           | 508.77           | 24.94              | -2.41          | 0.148 |
| 109.67        | -8.89            | -2.72            | 0.00            | -71.36          | 0.00            | 71.36                      | 842.50        | 218.42        | 424.75           | 353.65           | 24.94              | -2.41          | 0.212 |
| 110.00        | -8.86            | -2.70            | 0.00            | -70.46          | 0.00            | 70.46                      | 841.37        | 217.91        | 422.77           | 352.35           | 25.11              | -2.42          | 0.211 |
| 113.00        | -6.73            | -1.92            | 0.00            | -62.24          | 0.00            | 62.24                      | 831.08        | 213.34        | 405.23           | 340.67           | 26.65              | -2.50          | 0.191 |
| 115.00        | -6.60            | -1.87            | 0.00            | -58.41          | 0.00            | 58.41                      | 824.04        | 210.29        | 393.73           | 332.91           | 27.71              | -2.56          | 0.184 |
| 120.00        | -6.29            | -1.80            | 0.00            | -49.06          | 0.00            | 49.06                      | 805.83        | 202.67        | 365.72           | 313.65           | 30.46              | -2.68          | 0.164 |
| 125.00        | -5.99            | -1.73            | 0.00            | -40.06          | 0.00            | 40.06                      | 786.74        | 195.05        | 338.75           | 294.59           | 33.33              | -2.80          | 0.144 |
| 130.00        | -5.69            | -1.66            | 0.00            | -31.42          | 0.00            | 31.42                      | 766.78        | 187.43        | 312.81           | 275.79           | 36.32              | -2.91          | 0.121 |
| 135.00        | -5.40            | -1.58            | 0.00            | -23.14          | 0.00            | 23.14                      | 745.94        | 179.81        | 287.90           | 257.27           | 39.41              | -3.00          | 0.097 |
| 140.00        | -4.53            | -1.38            | 0.00            | -15.22          | 0.00            | 15.22                      | 723.20        | 172.19        | 264.02           | 238.74           | 42.59              | -3.07          | 0.070 |
| 145.00        | -4.26            | -1.32            | 0.00            | -8.31           | 0.00            | 8.31                       | 691.20        | 164.57        | 241.18           | 217.96           | 45.83              | -3.12          | 0.044 |
| 148.00        | -3.94            | -1.25            | 0.00            | -4.35           | 0.00            | 4.35                       | 671.99        | 160.00        | 227.97           | 205.95           | 47.80              | -3.14          | 0.027 |
| 150.00        | 0.00             | -1.03            | 0.00            | -1.85           | 0.00            | 1.85                       | 659.19        | 156.95        | 219.37           | 198.13           | 49.11              | -3.15          | 0.009 |

### Equivalent Lateral Forces Method Analysis

|  |         |
|--|---------|
| Spectral Response Acceleration for Short Period ( $S_s$ ):               | 0.20    |
| Spectral Response Acceleration at 1.0 Second Period ( $S_{d1}$ ):        | 0.05    |
| Long-Period Transition Period ( $T_L$ ):                                 | 6       |
| Importance Factor ( $I_E$ ):   | 1.00    |
| Site Coefficient $F_a$ :   | 1.60    |
| Site Coefficient $F_v$ :   | 2.40    |
| Response Modification Coefficient (R):                                   | 1.50    |
| Design Spectral Response Acceleration at Short Period ( $S_{ds}$ ):      | 0.22    |
| Design Spectral Response Acceleration at 1.0 Second Period ( $S_{d1}$ ): | 0.09    |
| Seismic Response Coefficient ( $C_s$ ):                                  | 0.03    |
| Upper Limit $C_s$  | 0.03    |
| Lower Limit $C_s$  | 0.03    |
| Period based on Rayleigh Method (sec):                                   | 3.72    |
| Redundancy Factor ( $\rho$ ):  | 1.30    |
| Seismic Force Distribution Exponent (k):                                 | 2.00    |
| Total Unfactored Dead Load:  | 25.39 k |
| Seismic Base Shear (E):  | 0.99 k  |

Load Case 1.2D + 1.0Ev + 1.0Eh

Seismic

| Segment | Height Above Base (ft) | Weight (lb) | $W_z$ (lb-ft) | $C_{vx}$ | Horizontal Force (lb) | Vertical Force (lb) |
|---------|------------------------|-------------|---------------|----------|-----------------------|---------------------|
| 37      | 149.00                 | 106         | 2,351         | 0.011    | 11                    | 132                 |
| 36      | 146.50                 | 161         | 3,457         | 0.016    | 16                    | 200                 |
| 35      | 142.50                 | 274         | 5,572         | 0.026    | 25                    | 341                 |
| 34      | 137.50                 | 282         | 5,327         | 0.025    | 24                    | 350                 |
| 33      | 132.50                 | 289         | 5,077         | 0.023    | 23                    | 359                 |
| 32      | 127.50                 | 297         | 4,821         | 0.022    | 22                    | 369                 |
| 31      | 122.50                 | 304         | 4,561         | 0.021    | 21                    | 378                 |
| 30      | 117.50                 | 311         | 4,298         | 0.020    | 20                    | 387                 |
| 29      | 114.00                 | 127         | 1,645         | 0.008    | 8                     | 157                 |
| 28      | 111.50                 | 227         | 2,822         | 0.013    | 13                    | 282                 |
| 27      | 109.83                 | 25          | 306           | 0.001    | 1                     | 32                  |
| 26      | 107.33                 | 425         | 4,896         | 0.023    | 22                    | 528                 |
| 25      | 102.50                 | 465         | 4,884         | 0.023    | 22                    | 578                 |
| 24      | 97.50                  | 475         | 4,513         | 0.021    | 21                    | 590                 |
| 23      | 92.50                  | 485         | 4,146         | 0.019    | 19                    | 602                 |
| 22      | 87.50                  | 494         | 3,785         | 0.017    | 17                    | 615                 |
| 21      | 82.50                  | 504         | 3,432         | 0.016    | 16                    | 627                 |
| 20      | 77.50                  | 514         | 3,088         | 0.014    | 14                    | 639                 |
| 19      | 74.25                  | 156         | 861           | 0.004    | 4                     | 194                 |
| 18      | 71.75                  | 673         | 3,463         | 0.016    | 16                    | 836                 |
| 17      | 67.50                  | 615         | 2,803         | 0.013    | 13                    | 765                 |
| 16      | 62.50                  | 628         | 2,452         | 0.011    | 11                    | 780                 |
| 15      | 57.50                  | 640         | 2,116         | 0.010    | 10                    | 795                 |
| 14      | 52.50                  | 652         | 1,798         | 0.008    | 8                     | 811                 |
| 13      | 47.50                  | 665         | 1,499         | 0.007    | 7                     | 826                 |



|                      |        |        |         |       |     |        |
|----------------------|--------|--------|---------|-------|-----|--------|
| 12                   | 42.50  | 677    | 1,223   | 0.006 | 6   | 841    |
| 11                   | 37.83  | 597    | 854     | 0.004 | 4   | 742    |
| 10                   | 35.33  | 175    | 218     | 0.001 | 1   | 217    |
| 9                    | 33.25  | 925    | 1,023   | 0.005 | 5   | 1,150  |
| 8                    | 30.75  | 240    | 227     | 0.001 | 1   | 298    |
| 7                    | 27.50  | 809    | 611     | 0.003 | 3   | 1,005  |
| 6                    | 22.50  | 861    | 436     | 0.002 | 2   | 1,070  |
| 5                    | 17.50  | 932    | 285     | 0.001 | 1   | 1,158  |
| 4                    | 14.25  | 282    | 57      | 0.000 | 0   | 351    |
| 3                    | 11.75  | 898    | 124     | 0.001 | 1   | 1,116  |
| 2                    | 7.50   | 1,295  | 73      | 0.000 | 0   | 1,610  |
| 1                    | 2.50   | 1,310  | 8       | 0.000 | 0   | 1,629  |
| Powerwave Allgon 702 | 150.00 | 13     | 297     | 0.001 | 1   | 16     |
| Kaelus DBC0061F1V51- | 150.00 | 76     | 1,715   | 0.008 | 8   | 95     |
| Powerwave Allgon TT1 | 150.00 | 48     | 1,080   | 0.005 | 5   | 60     |
| Raycap DC6-48-60-18- | 150.00 | 95     | 2,147   | 0.010 | 10  | 119    |
| Ericsson RRUS 4478 B | 150.00 | 180    | 4,043   | 0.019 | 18  | 223    |
| Ericsson RRUS 4449 B | 150.00 | 213    | 4,793   | 0.022 | 22  | 265    |
| Ericsson RRUS 32 B66 | 150.00 | 152    | 3,422   | 0.016 | 16  | 189    |
| Ericsson RRUS 32 B2  | 150.00 | 159    | 3,577   | 0.017 | 16  | 198    |
| Ericsson RRUS-32 B30 | 150.00 | 231    | 5,198   | 0.024 | 24  | 287    |
| Quintel QS66512-2    | 150.00 | 333    | 7,493   | 0.035 | 34  | 414    |
| CCI HPA-65R-BUU-H6   | 150.00 | 153    | 3,443   | 0.016 | 16  | 190    |
| CCI DMP65R-BU6DA     | 150.00 | 238    | 5,360   | 0.025 | 24  | 296    |
| Flat Platform w/ Han | 150.00 | 2,000  | 45,000  | 0.208 | 206 | 2,486  |
| Ericsson RRUS 11 (Ba | 148.00 | 165    | 3,614   | 0.017 | 17  | 205    |
| Flush Mounts         | 140.00 | 600    | 11,760  | 0.054 | 54  | 746    |
| Samsung RF4440d-13A  | 113.00 | 211    | 2,693   | 0.012 | 12  | 262    |
| Samsung RF4439d-25A  | 113.00 | 224    | 2,862   | 0.013 | 13  | 279    |
| Raycap RCMD-6627-PF  | 113.00 | 32     | 409     | 0.002 | 2   | 40     |
| Samsung MT6407-77A   | 113.00 | 245    | 3,126   | 0.014 | 14  | 304    |
| Andrew LNX-6514DS-VT | 113.00 | 116    | 1,486   | 0.007 | 7   | 145    |
| Round T-Arms         | 113.00 | 750    | 9,577   | 0.044 | 44  | 932    |
| JMA Wireless MX06FRO | 113.00 | 360    | 4,597   | 0.021 | 21  | 448    |
|                      |        | 25,388 | 216,800 | 1.000 | 990 | 31,560 |

Load Case 0.9D - 1.0Ev + 1.0Eh

Seismic (Reduced DL)

| Segment | Height Above Base (ft) | Weight (lb) | W <sub>z</sub> (lb-ft) | C <sub>vx</sub> | Horizontal Force (lb) | Vertical Force (lb) |
|---------|------------------------|-------------|------------------------|-----------------|-----------------------|---------------------|
| 37      | 149.00                 | 106         | 2,351                  | 0.011           | 11                    | 91                  |
| 36      | 146.50                 | 161         | 3,457                  | 0.016           | 16                    | 138                 |
| 35      | 142.50                 | 274         | 5,572                  | 0.026           | 25                    | 235                 |
| 34      | 137.50                 | 282         | 5,327                  | 0.025           | 24                    | 241                 |
| 33      | 132.50                 | 289         | 5,077                  | 0.023           | 23                    | 248                 |
| 32      | 127.50                 | 297         | 4,821                  | 0.022           | 22                    | 254                 |
| 31      | 122.50                 | 304         | 4,561                  | 0.021           | 21                    | 260                 |
| 30      | 117.50                 | 311         | 4,298                  | 0.020           | 20                    | 267                 |
| 29      | 114.00                 | 127         | 1,645                  | 0.008           | 8                     | 108                 |
| 28      | 111.50                 | 227         | 2,822                  | 0.013           | 13                    | 194                 |
| 27      | 109.83                 | 25          | 306                    | 0.001           | 1                     | 22                  |
| 26      | 107.33                 | 425         | 4,896                  | 0.023           | 22                    | 364                 |
| 25      | 102.50                 | 465         | 4,884                  | 0.023           | 22                    | 398                 |
| 24      | 97.50                  | 475         | 4,513                  | 0.021           | 21                    | 407                 |
| 23      | 92.50                  | 485         | 4,146                  | 0.019           | 19                    | 415                 |
| 22      | 87.50                  | 494         | 3,785                  | 0.017           | 17                    | 424                 |
| 21      | 82.50                  | 504         | 3,432                  | 0.016           | 16                    | 432                 |
| 20      | 77.50                  | 514         | 3,088                  | 0.014           | 14                    | 441                 |
| 19      | 74.25                  | 156         | 861                    | 0.004           | 4                     | 134                 |
| 18      | 71.75                  | 673         | 3,463                  | 0.016           | 16                    | 576                 |
| 17      | 67.50                  | 615         | 2,803                  | 0.013           | 13                    | 527                 |

|                      |        |        |         |       |     |        |
|----------------------|--------|--------|---------|-------|-----|--------|
| 16                   | 62.50  | 628    | 2,452   | 0.011 | 11  | 538    |
| 15                   | 57.50  | 640    | 2,116   | 0.010 | 10  | 548    |
| 14                   | 52.50  | 652    | 1,798   | 0.008 | 8   | 559    |
| 13                   | 47.50  | 665    | 1,499   | 0.007 | 7   | 569    |
| 12                   | 42.50  | 677    | 1,223   | 0.006 | 6   | 580    |
| 11                   | 37.83  | 597    | 854     | 0.004 | 4   | 511    |
| 10                   | 35.33  | 175    | 218     | 0.001 | 1   | 150    |
| 9                    | 33.25  | 925    | 1,023   | 0.005 | 5   | 793    |
| 8                    | 30.75  | 240    | 227     | 0.001 | 1   | 205    |
| 7                    | 27.50  | 809    | 611     | 0.003 | 3   | 693    |
| 6                    | 22.50  | 861    | 436     | 0.002 | 2   | 738    |
| 5                    | 17.50  | 932    | 285     | 0.001 | 1   | 798    |
| 4                    | 14.25  | 282    | 57      | 0.000 | 0   | 242    |
| 3                    | 11.75  | 898    | 124     | 0.001 | 1   | 769    |
| 2                    | 7.50   | 1,295  | 73      | 0.000 | 0   | 1,110  |
| 1                    | 2.50   | 1,310  | 8       | 0.000 | 0   | 1,123  |
| Powerwave Allgon 702 | 150.00 | 13     | 297     | 0.001 | 1   | 11     |
| Kaelus DBC0061F1V51- | 150.00 | 76     | 1,715   | 0.008 | 8   | 65     |
| Powerwave Allgon TT1 | 150.00 | 48     | 1,080   | 0.005 | 5   | 41     |
| Raycap DC6-48-60-18- | 150.00 | 95     | 2,147   | 0.010 | 10  | 82     |
| Ericsson RRUS 4478 B | 150.00 | 180    | 4,043   | 0.019 | 18  | 154    |
| Ericsson RRUS 4449 B | 150.00 | 213    | 4,793   | 0.022 | 22  | 183    |
| Ericsson RRUS 32 B66 | 150.00 | 152    | 3,422   | 0.016 | 16  | 130    |
| Ericsson RRUS 32 B2  | 150.00 | 159    | 3,577   | 0.017 | 16  | 136    |
| Ericsson RRUS-32 B30 | 150.00 | 231    | 5,198   | 0.024 | 24  | 198    |
| Quintel QS66512-2    | 150.00 | 333    | 7,493   | 0.035 | 34  | 285    |
| CCI HPA-65R-BUU-H6   | 150.00 | 153    | 3,443   | 0.016 | 16  | 131    |
| CCI DMP65R-BU6DA     | 150.00 | 238    | 5,360   | 0.025 | 24  | 204    |
| Flat Platform w/ Han | 150.00 | 2,000  | 45,000  | 0.208 | 206 | 1,714  |
| Ericsson RRUS 11 (Ba | 148.00 | 165    | 3,614   | 0.017 | 17  | 141    |
| Flush Mounts         | 140.00 | 600    | 11,760  | 0.054 | 54  | 514    |
| Samsung RF4440d-13A  | 113.00 | 211    | 2,693   | 0.012 | 12  | 181    |
| Samsung RF4439d-25A  | 113.00 | 224    | 2,862   | 0.013 | 13  | 192    |
| Raycap RCMDC-6627-PF | 113.00 | 32     | 409     | 0.002 | 2   | 27     |
| Samsung MT6407-77A   | 113.00 | 245    | 3,126   | 0.014 | 14  | 210    |
| Andrew LNX-6514DS-VT | 113.00 | 116    | 1,486   | 0.007 | 7   | 100    |
| Round T-Arms         | 113.00 | 750    | 9,577   | 0.044 | 44  | 643    |
| JMA Wireless MX06FRO | 113.00 | 360    | 4,597   | 0.021 | 21  | 308    |
|                      |        | 25,388 | 216,800 | 1.000 | 990 | 21,755 |

Load Case 1.2D + 1.0Ev + 1.0Eh

Seismic

Calculated Forces

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00          | -29.93           | -0.99            | 0.00            | -138.57         | 0.00            | 138.57                     | 3,049.83      | 743.30        | 2,459.73         | 2,174.87         | 0.00               | 0.00           | 0.045 |
| 5.00          | -28.32           | -1.00            | 0.00            | -133.60         | 0.00            | 133.60                     | 3,008.23      | 728.06        | 2,359.94         | 2,100.75         | 0.01               | -0.02          | 0.044 |
| 10.00         | -27.20           | -1.01            | 0.00            | -128.59         | 0.00            | 128.59                     | 2,965.74      | 712.82        | 2,262.21         | 2,027.26         | 0.04               | -0.04          | 0.043 |
| 13.50         | -26.85           | -1.01            | 0.00            | -125.06         | 0.00            | 125.06                     | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.07               | -0.05          | 0.043 |
| 13.50         | -26.85           | -1.01            | 0.00            | -125.06         | 0.00            | 125.06                     | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.07               | -0.05          | 0.072 |
| 15.00         | -25.69           | -1.02            | 0.00            | -123.55         | 0.00            | 123.55                     | 2,922.38      | 697.58        | 2,166.54         | 1,954.44         | 0.08               | -0.05          | 0.072 |
| 20.00         | -24.62           | -1.03            | 0.00            | -118.46         | 0.00            | 118.46                     | 2,865.81      | 682.34        | 2,072.95         | 1,874.26         | 0.16               | -0.08          | 0.072 |
| 25.00         | -23.62           | -1.04            | 0.00            | -113.32         | 0.00            | 113.32                     | 2,801.80      | 667.09        | 1,981.42         | 1,791.00         | 0.26               | -0.12          | 0.072 |
| 30.00         | -23.32           | -1.04            | 0.00            | -108.13         | 0.00            | 108.13                     | 2,737.79      | 651.85        | 1,891.95         | 1,709.63         | 0.40               | -0.15          | 0.072 |
| 31.50         | -22.17           | -1.04            | 0.00            | -106.57         | 0.00            | 106.57                     | 2,718.59      | 647.28        | 1,865.51         | 1,685.59         | 0.45               | -0.16          | 0.071 |
| 35.00         | -21.95           | -1.05            | 0.00            | -102.92         | 0.00            | 102.92                     | 2,673.78      | 636.61        | 1,804.55         | 1,630.15         | 0.58               | -0.18          | 0.071 |
| 35.67         | -21.21           | -1.05            | 0.00            | -102.22         | 0.00            | 102.22                     | 2,183.22      | 540.96        | 1,563.37         | 1,360.34         | 0.60               | -0.19          | 0.085 |
| 40.00         | -20.37           | -1.05            | 0.00            | -97.68          | 0.00            | 97.68                      | 2,154.64      | 529.95        | 1,500.42         | 1,314.94         | 0.79               | -0.22          | 0.084 |
| 45.00         | -19.54           | -1.05            | 0.00            | -92.43          | 0.00            | 92.43                      | 2,120.84      | 517.25        | 1,429.39         | 1,262.98         | 1.04               | -0.26          | 0.082 |
| 50.00         | -18.73           | -1.05            | 0.00            | -87.17          | 0.00            | 87.17                      | 2,086.17      | 504.55        | 1,360.08         | 1,211.51         | 1.33               | -0.30          | 0.081 |
| 55.00         | -17.93           | -1.05            | 0.00            | -81.89          | 0.00            | 81.89                      | 2,050.62      | 491.85        | 1,292.50         | 1,160.56         | 1.66               | -0.34          | 0.079 |
| 60.00         | -17.15           | -1.05            | 0.00            | -76.63          | 0.00            | 76.63                      | 2,012.44      | 479.15        | 1,226.64         | 1,109.22         | 2.03               | -0.38          | 0.078 |
| 65.00         | -16.39           | -1.04            | 0.00            | -71.38          | 0.00            | 71.38                      | 1,959.10      | 466.45        | 1,162.50         | 1,050.87         | 2.45               | -0.42          | 0.076 |
| 70.00         | -15.55           | -1.03            | 0.00            | -66.17          | 0.00            | 66.17                      | 1,905.75      | 453.75        | 1,100.08         | 994.10           | 2.91               | -0.46          | 0.075 |
| 73.50         | -15.36           | -1.03            | 0.00            | -62.56          | 0.00            | 62.56                      | 1,441.17      | 363.84        | 883.97           | 755.32           | 3.26               | -0.49          | 0.093 |
| 75.00         | -14.72           | -1.02            | 0.00            | -61.02          | 0.00            | 61.02                      | 1,433.76      | 360.79        | 869.22           | 745.08           | 3.41               | -0.50          | 0.092 |
| 80.00         | -14.09           | -1.01            | 0.00            | -55.93          | 0.00            | 55.93                      | 1,408.50      | 350.63        | 820.97           | 711.14           | 3.96               | -0.55          | 0.089 |
| 85.00         | -13.47           | -1.00            | 0.00            | -50.88          | 0.00            | 50.88                      | 1,382.37      | 340.47        | 774.10           | 677.52           | 4.57               | -0.60          | 0.085 |
| 90.00         | -12.87           | -0.98            | 0.00            | -45.90          | 0.00            | 45.90                      | 1,355.35      | 330.31        | 728.60           | 644.25           | 5.22               | -0.65          | 0.081 |
| 95.00         | -12.28           | -0.96            | 0.00            | -40.98          | 0.00            | 40.98                      | 1,327.47      | 320.15        | 684.48           | 611.38           | 5.92               | -0.69          | 0.076 |
| 100.00        | -11.70           | -0.94            | 0.00            | -36.16          | 0.00            | 36.16                      | 1,298.70      | 309.99        | 641.74           | 578.94           | 6.67               | -0.74          | 0.071 |
| 105.00        | -11.17           | -0.92            | 0.00            | -31.44          | 0.00            | 31.44                      | 1,259.27      | 299.83        | 600.38           | 542.76           | 7.47               | -0.78          | 0.067 |
| 109.67        | -11.14           | -0.93            | 0.00            | -27.13          | 0.00            | 27.13                      | 1,219.44      | 290.34        | 563.02           | 508.77           | 8.26               | -0.82          | 0.062 |
| 109.67        | -11.14           | -0.93            | 0.00            | -27.13          | 0.00            | 27.13                      | 842.50        | 218.42        | 424.75           | 353.65           | 8.26               | -0.82          | 0.090 |
| 110.00        | -10.86           | -0.91            | 0.00            | -26.82          | 0.00            | 26.82                      | 841.37        | 217.91        | 422.77           | 352.35           | 8.32               | -0.83          | 0.089 |
| 113.00        | -8.29            | -0.76            | 0.00            | -24.09          | 0.00            | 24.09                      | 831.08        | 213.34        | 405.23           | 340.67           | 8.84               | -0.86          | 0.081 |
| 115.00        | -7.91            | -0.74            | 0.00            | -22.57          | 0.00            | 22.57                      | 824.04        | 210.29        | 393.73           | 332.91           | 9.21               | -0.88          | 0.077 |
| 120.00        | -7.53            | -0.72            | 0.00            | -18.89          | 0.00            | 18.89                      | 805.83        | 202.67        | 365.72           | 313.65           | 10.16              | -0.93          | 0.070 |
| 125.00        | -7.16            | -0.69            | 0.00            | -15.30          | 0.00            | 15.30                      | 786.74        | 195.05        | 338.75           | 294.59           | 11.15              | -0.97          | 0.061 |
| 130.00        | -6.80            | -0.67            | 0.00            | -11.83          | 0.00            | 11.83                      | 766.78        | 187.43        | 312.81           | 275.79           | 12.20              | -1.01          | 0.052 |
| 135.00        | -6.45            | -0.64            | 0.00            | -8.49           | 0.00            | 8.49                       | 745.94        | 179.81        | 287.90           | 257.27           | 13.28              | -1.05          | 0.042 |
| 140.00        | -5.37            | -0.54            | 0.00            | -5.28           | 0.00            | 5.28                       | 723.20        | 172.19        | 264.02           | 238.74           | 14.39              | -1.07          | 0.030 |
| 145.00        | -5.17            | -0.53            | 0.00            | -2.56           | 0.00            | 2.56                       | 691.20        | 164.57        | 241.18           | 217.96           | 15.52              | -1.09          | 0.019 |
| 148.00        | -4.83            | -0.49            | 0.00            | -0.98           | 0.00            | 0.98                       | 671.99        | 160.00        | 227.97           | 205.95           | 16.21              | -1.10          | 0.012 |
| 150.00        | 0.00             | -0.40            | 0.00            | 0.00            | 0.00            | 0.00                       | 659.19        | 156.95        | 219.37           | 198.13           | 16.67              | -1.10          | 0.000 |

Load Case 0.9D - 1.0Ev + 1.0Eh

Seismic (Reduced DL)

Calculated Forces

| Seg Elev (ft) | Pu FY (-) (kips) | Vu FX (-) (kips) | Tu MY (ft-kips) | Mu MZ (ft-kips) | Mu MX (ft-kips) | Resultant Moment (ft-kips) | phi Pn (kips) | phi Vn (kips) | phi Tn (ft-kips) | phi Mn (ft-kips) | Total Deflect (in) | Rotation (deg) | Ratio |
|---------------|------------------|------------------|-----------------|-----------------|-----------------|----------------------------|---------------|---------------|------------------|------------------|--------------------|----------------|-------|
| 0.00          | -20.63           | -0.99            | 0.00            | -133.28         | 0.00            | 133.28                     | 3,049.83      | 743.30        | 2,459.73         | 2,174.87         | 0.00               | 0.00           | 0.041 |
| 5.00          | -19.52           | -1.00            | 0.00            | -128.31         | 0.00            | 128.31                     | 3,008.23      | 728.06        | 2,359.94         | 2,100.75         | 0.01               | -0.02          | 0.041 |
| 10.00         | -18.75           | -1.00            | 0.00            | -123.32         | 0.00            | 123.32                     | 2,965.74      | 712.82        | 2,262.21         | 2,027.26         | 0.04               | -0.03          | 0.040 |
| 13.50         | -18.51           | -1.00            | 0.00            | -119.82         | 0.00            | 119.82                     | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.07               | -0.05          | 0.040 |
| 13.50         | -18.51           | -1.00            | 0.00            | -119.82         | 0.00            | 119.82                     | 2,935.48      | 702.15        | 2,195.03         | 1,976.22         | 0.07               | -0.05          | 0.067 |
| 15.00         | -17.71           | -1.01            | 0.00            | -118.31         | 0.00            | 118.31                     | 2,922.38      | 697.58        | 2,166.54         | 1,954.44         | 0.08               | -0.05          | 0.067 |
| 20.00         | -16.97           | -1.01            | 0.00            | -113.27         | 0.00            | 113.27                     | 2,865.81      | 682.34        | 2,072.95         | 1,874.26         | 0.15               | -0.08          | 0.066 |
| 25.00         | -16.28           | -1.02            | 0.00            | -108.21         | 0.00            | 108.21                     | 2,801.80      | 667.09        | 1,981.42         | 1,791.00         | 0.25               | -0.11          | 0.066 |
| 30.00         | -16.07           | -1.02            | 0.00            | -103.11         | 0.00            | 103.11                     | 2,737.79      | 651.85        | 1,891.95         | 1,709.63         | 0.39               | -0.14          | 0.066 |
| 31.50         | -15.28           | -1.02            | 0.00            | -101.58         | 0.00            | 101.58                     | 2,718.59      | 647.28        | 1,865.51         | 1,685.59         | 0.43               | -0.15          | 0.066 |
| 35.00         | -15.13           | -1.02            | 0.00            | -98.01          | 0.00            | 98.01                      | 2,673.78      | 636.61        | 1,804.55         | 1,630.15         | 0.55               | -0.18          | 0.066 |
| 35.67         | -14.62           | -1.02            | 0.00            | -97.33          | 0.00            | 97.33                      | 2,183.22      | 540.96        | 1,563.37         | 1,360.34         | 0.58               | -0.18          | 0.078 |
| 40.00         | -14.04           | -1.02            | 0.00            | -92.90          | 0.00            | 92.90                      | 2,154.64      | 529.95        | 1,500.42         | 1,314.94         | 0.75               | -0.21          | 0.077 |
| 45.00         | -13.47           | -1.02            | 0.00            | -87.79          | 0.00            | 87.79                      | 2,120.84      | 517.25        | 1,429.39         | 1,262.98         | 0.99               | -0.25          | 0.076 |
| 50.00         | -12.91           | -1.02            | 0.00            | -82.69          | 0.00            | 82.69                      | 2,086.17      | 504.55        | 1,360.08         | 1,211.51         | 1.27               | -0.28          | 0.074 |
| 55.00         | -12.36           | -1.01            | 0.00            | -77.59          | 0.00            | 77.59                      | 2,050.62      | 491.85        | 1,292.50         | 1,160.56         | 1.58               | -0.32          | 0.073 |
| 60.00         | -11.82           | -1.01            | 0.00            | -72.52          | 0.00            | 72.52                      | 2,012.44      | 479.15        | 1,226.64         | 1,109.22         | 1.94               | -0.36          | 0.071 |
| 65.00         | -11.29           | -1.00            | 0.00            | -67.48          | 0.00            | 67.48                      | 1,959.10      | 466.45        | 1,162.50         | 1,050.87         | 2.34               | -0.40          | 0.070 |
| 70.00         | -10.72           | -0.99            | 0.00            | -62.48          | 0.00            | 62.48                      | 1,905.75      | 453.75        | 1,100.08         | 994.10           | 2.78               | -0.44          | 0.068 |
| 73.50         | -10.58           | -0.98            | 0.00            | -59.03          | 0.00            | 59.03                      | 1,441.17      | 363.84        | 883.97           | 755.32           | 3.11               | -0.47          | 0.085 |
| 75.00         | -10.14           | -0.97            | 0.00            | -57.55          | 0.00            | 57.55                      | 1,433.76      | 360.79        | 869.22           | 745.08           | 3.25               | -0.48          | 0.084 |
| 80.00         | -9.71            | -0.96            | 0.00            | -52.69          | 0.00            | 52.69                      | 1,408.50      | 350.63        | 820.97           | 711.14           | 3.78               | -0.52          | 0.081 |
| 85.00         | -9.29            | -0.95            | 0.00            | -47.89          | 0.00            | 47.89                      | 1,382.37      | 340.47        | 774.10           | 677.52           | 4.35               | -0.57          | 0.077 |
| 90.00         | -8.87            | -0.93            | 0.00            | -43.16          | 0.00            | 43.16                      | 1,355.35      | 330.31        | 728.60           | 644.25           | 4.97               | -0.61          | 0.074 |
| 95.00         | -8.46            | -0.91            | 0.00            | -38.50          | 0.00            | 38.50                      | 1,327.47      | 320.15        | 684.48           | 611.38           | 5.64               | -0.66          | 0.069 |
| 100.00        | -8.06            | -0.89            | 0.00            | -33.95          | 0.00            | 33.95                      | 1,298.70      | 309.99        | 641.74           | 578.94           | 6.35               | -0.70          | 0.065 |
| 105.00        | -7.70            | -0.87            | 0.00            | -29.49          | 0.00            | 29.49                      | 1,259.27      | 299.83        | 600.38           | 542.76           | 7.11               | -0.74          | 0.060 |
| 109.67        | -7.68            | -0.87            | 0.00            | -25.44          | 0.00            | 25.44                      | 1,219.44      | 290.34        | 563.02           | 508.77           | 7.85               | -0.78          | 0.056 |
| 109.67        | -7.68            | -0.87            | 0.00            | -25.44          | 0.00            | 25.44                      | 842.50        | 218.42        | 424.75           | 353.65           | 7.85               | -0.78          | 0.081 |
| 110.00        | -7.48            | -0.86            | 0.00            | -25.15          | 0.00            | 25.15                      | 841.37        | 217.91        | 422.77           | 352.35           | 7.90               | -0.78          | 0.080 |
| 113.00        | -5.72            | -0.71            | 0.00            | -22.58          | 0.00            | 22.58                      | 831.08        | 213.34        | 405.23           | 340.67           | 8.41               | -0.81          | 0.073 |
| 115.00        | -5.45            | -0.69            | 0.00            | -21.15          | 0.00            | 21.15                      | 824.04        | 210.29        | 393.73           | 332.91           | 8.75               | -0.83          | 0.070 |
| 120.00        | -5.19            | -0.67            | 0.00            | -17.68          | 0.00            | 17.68                      | 805.83        | 202.67        | 365.72           | 313.65           | 9.65               | -0.88          | 0.063 |
| 125.00        | -4.93            | -0.65            | 0.00            | -14.32          | 0.00            | 14.32                      | 786.74        | 195.05        | 338.75           | 294.59           | 10.59              | -0.92          | 0.055 |
| 130.00        | -4.69            | -0.63            | 0.00            | -11.07          | 0.00            | 11.07                      | 766.78        | 187.43        | 312.81           | 275.79           | 11.57              | -0.96          | 0.046 |
| 135.00        | -4.44            | -0.60            | 0.00            | -7.94           | 0.00            | 7.94                       | 745.94        | 179.81        | 287.90           | 257.27           | 12.59              | -0.99          | 0.037 |
| 140.00        | -3.70            | -0.51            | 0.00            | -4.94           | 0.00            | 4.94                       | 723.20        | 172.19        | 264.02           | 238.74           | 13.65              | -1.01          | 0.026 |
| 145.00        | -3.56            | -0.49            | 0.00            | -2.39           | 0.00            | 2.39                       | 691.20        | 164.57        | 241.18           | 217.96           | 14.72              | -1.03          | 0.016 |
| 148.00        | -3.33            | -0.46            | 0.00            | -0.92           | 0.00            | 0.92                       | 671.99        | 160.00        | 227.97           | 205.95           | 15.37              | -1.03          | 0.009 |
| 150.00        | 0.00             | -0.40            | 0.00            | 0.00            | 0.00            | 0.00                       | 659.19        | 156.95        | 219.37           | 198.13           | 15.80              | -1.04          | 0.000 |

Site Number: 302519

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Southbury, CT

Engineering Number: 13673542\_C3\_02

8/5/2021 11:30:33 AM

Customer: VERIZON WIRELESS

## Analysis Summary

| Load Case            | Reactions             |                       |                       |                           |                           |                           | Max Usage    |                      |
|----------------------|-----------------------|-----------------------|-----------------------|---------------------------|---------------------------|---------------------------|--------------|----------------------|
|                      | Shear<br>FX<br>(kips) | Shear<br>FZ<br>(kips) | Axial<br>FY<br>(kips) | Moment<br>MX<br>(ft-kips) | Moment<br>MY<br>(ft-kips) | Moment<br>MZ<br>(ft-kips) | Elev<br>(ft) | Interaction<br>Ratio |
| 1.2D + 1.0W          | 17.20                 | 0.00                  | 30.43                 | 0.00                      | 0.00                      | 1831.32                   | 73.50        | 0.97                 |
| 0.9D + 1.0W          | 17.18                 | 0.00                  | 22.82                 | 0.00                      | 0.00                      | 1779.83                   | 73.50        | 0.93                 |
| 1.2D + 1.0Di + 1.0Wi | 3.98                  | 0.00                  | 39.16                 | 0.00                      | 0.00                      | 464.68                    | 73.50        | 0.27                 |
| 1.2D + 1.0Ev + 1.0Eh | 0.99                  | 0.00                  | 29.93                 | 0.00                      | 0.00                      | 138.57                    | 73.50        | 0.09                 |
| 0.9D - 1.0Ev + 1.0Eh | 0.99                  | 0.00                  | 20.63                 | 0.00                      | 0.00                      | 133.28                    | 73.50        | 0.09                 |
| 1.0D + 1.0W          | 4.33                  | 0.00                  | 25.39                 | 0.00                      | 0.00                      | 455.24                    | 73.50        | 0.25                 |

Site Number: 302519

Code: ANSI/TIA-222-H

© 2007 - 2021 by ATC IP LLC. All rights reserved.

Site Name: Southbury, CT

Engineering Number: 13673542\_C3\_02

8/5/2021 11:30:33 AM

Customer: VERIZON WIRELESS

Additional Steel Summary

|                |              |                            | Intermediate Connectors |                      |                    |       | Max Member |             |       |
|----------------|--------------|----------------------------|-------------------------|----------------------|--------------------|-------|------------|-------------|-------|
| Elev From (ft) | Elev To (ft) | Member                     | VQ/I (lb/in)            | Shear Applied (kips) | Shear phiVn (kips) | Ratio | Pu (kip)   | phiPn (kip) | Ratio |
| 0.00           | 13.50        | (4) SOL-#20 All Thread Bar | 166.5                   | 5.0                  | 16.8               | 0.297 | 208.9      | 330.5       | 0.632 |

|                |              |                            | Upper Termination Connectors |              |          |            | Lower Termination Connectors |             |              |          |            |       |
|----------------|--------------|----------------------------|------------------------------|--------------|----------|------------|------------------------------|-------------|--------------|----------|------------|-------|
| Elev From (ft) | Elev To (ft) | Member                     | MQ/I (kips)                  | phiVn (kips) | Num Reqd | Num Actual | Ratio                        | MQ/I (kips) | phiVn (kips) | Num Reqd | Num Actual | Ratio |
| 0.00           | 13.50        | (4) SOL-#20 All Thread Bar | 198.4                        | 12.0         | 17       | 18         | 0.919                        | 0.0         | 12.0         | 0        | 0          | 0.000 |

# Flange Plate Analysis


|              |                           |               |                 |
|--------------|---------------------------|---------------|-----------------|
| Flange Plate | Plate Type                | <b>Flange</b> | <b>@ 110 ft</b> |
|              | Pole Diameter             | 21.267        | in              |
|              | Pole Thickness            | 0.1875        | in              |
|              | Plate Diameter            | 30            | in              |
|              | Plate Thickness           | 1             | in              |
|              | Plate Fy                  | 36            | ksi             |
|              | Weld Length               | 3/16          | in              |
|              | f <sub>s</sub> Resistance | 145.94        | k-in            |
|              | Applied                   | 88.98         | k-in            |

|           |            |
|-----------|------------|
| Code Rev. | <b>H</b>   |
| Moment    | 289.0 k-ft |
| Axial     | 9.1 k      |

|          |                  |
|----------|------------------|
| Date     | 8/5/2021         |
| Engineer | JAS              |
| Site #   | 302519           |
| Carrier  | VERIZON WIRELESS |

|            |              |           |             |
|------------|--------------|-----------|-------------|
| Stiffeners | #            | <b>12</b> | <b>Show</b> |
|            | Thickness    | 1/2       | in          |
|            | Length       | 2 3/4     | in          |
|            | Height       | 4         | in          |
|            | Chamfer      | 0         | in          |
|            | Offset Angle | 0         | °           |
|            | Fy           | 36        | ksi         |

|       |                                 |           |     |
|-------|---------------------------------|-----------|-----|
| Bolts | #                               | <b>12</b> |     |
|       | Bolt Circle (R)adial / (S)quare | 27<br>R   | in  |
|       | Diameter                        | 1         | in  |
|       | Hole Diameter                   | 1 1/8     | in  |
|       | Type                            | A325      |     |
|       | Fy                              | 92        | ksi |
|       | Fu                              | 120       | ksi |
|       | f <sub>s</sub> Resistance       | 54.52     | k   |
|       | Applied                         | 42.04     | k   |



|               |   |  |  |
|---------------|---|--|--|
| Reinforcement | # |  |  |
|---------------|---|--|--|

**Plate Stress Ratio:**  
61% Pass

**Bolt Stress Ratio:**  
77% Pass

|             |   |  |  |
|-------------|---|--|--|
| Extra Bolts | # |  |  |
|-------------|---|--|--|



## Base Plate & Anchor Rod Analysis


| Pole Dimensions    |       |    |
|--------------------|-------|----|
| Number of Sides    | 12    | -  |
| Diameter           | 35.45 | in |
| Thickness          | 3/8   | in |
| Orientation Offset |       | °  |

| Base Reactions |        |      |  |
|----------------|--------|------|--|
| Moment, Mu     | 1831.3 | k-ft |  |
| Axial, Pu      | 30.4   | k    |  |
| Shear, Vu      | 17.2   | k    |  |
| Neutral Axis   | 226    | °    |  |

| Report Capacities |          |        |
|-------------------|----------|--------|
| Component         | Capacity | Result |
| Base Plate        | 83%      | Pass   |
| Anchor Rods       | 61%      | Pass   |
| Dwyidag           | 54%      | Pass   |


| Base Plate                |        |             |
|---------------------------|--------|-------------|
| Shape                     | Square | -           |
| Width                     | 44     | in          |
| Thickness                 | 2 1/2  | in          |
| Grade                     | A36    |             |
| Yield Strength, Fy        | 36     | ksi         |
| Tensile Strength, Fu      | 58     | ksi         |
| Clip                      | 0      | in          |
| Orientation Offset        |        | °           |
| Anchor Rod Detail         | c      | $\eta=0.55$ |
| Clear Distance            | N/A    | in          |
| Applied Moment, Mu        | 1181.5 | k           |
| Bending Stress, $\phi Mn$ | 1415.0 | k           |

| Dwyidag Reinforcement  |       |    |
|------------------------|-------|----|
| Quantity               | 4     | -  |
| Bar Size               | #20   | in |
| Diameter, $\phi$       | 2.5   | in |
| Bracket Type           | Angle | -  |
| Circle                 | 42.33 | in |
| Orientation Offset     | 22.5  | °  |
| Applied Force, Pu      | 199.0 | k  |
| Dwyidag Bar, $\phi Pn$ | 368.2 | k  |



| Original Anchor Rods   |         |     |
|------------------------|---------|-----|
| Arrangement            | Cluster | -   |
| Quantity               | 8       | -   |
| Diameter, $\phi$       | 2 1/4   | in  |
| Bolt Circle            | 44      | in  |
| Grade                  | A615-75 |     |
| Yield Strength, Fy     | 75      | ksi |
| Tensile Strength, Fu   | 100     | ksi |
| Spacing                | 6.0     | in  |
| Orientation Offset     |         | °   |
| Applied Force, Pu      | 147.9   | k   |
| Anchor Rods, $\phi Pn$ | 243.6   | k   |

| Stiffeners                |         |     |
|---------------------------|---------|-----|
| Arrangement               | Cluster | -   |
| Quantity                  | 8       | -   |
| Height                    | 5       | in  |
| Width                     | 3.75    | in  |
| Effective Width           | 3.750   | in  |
| Thickness                 | 5/8     | in  |
| Effective Thickness       | 0.455   | in  |
| Notch                     | 0       | in  |
| Flat Edge                 | 0.5     | in  |
| Grade                     | A36     |     |
| Yield Strength, Fy        | 36      | ksi |
| Tensile Strength, Fu      | 58      | ksi |
| Horizontal Weld           | Fillet  |     |
| Horizontal Fillet Size    | 1/4     | in  |
| Bevel Depth               | 0       | in  |
| Vertical Weld             | Fillet  |     |
| Vertical Fillet Size      | 1/4     | in  |
| Weld Strength             | 70      | ksi |
| Electrode Coefficient     | 1       | -   |
| Orientation Offset        | 67.5    | °   |
| Vertical Weld, $\phi Rn$  | 49.7    | k   |
| Horz. Weld, $\phi Rn$     | 44.3    | k   |
| Ten. Capacity, $\phi Tn$  | 75.9    | k   |
| Comp. Capacity, $\phi Pn$ | 1015.0  | k   |





# Calculations for Monopole Base Plate & Anchor Rod Analysis

## Reaction Distribution

| Reaction                      | Shear<br>Vu | Moment<br>Mu | Factor |
|-------------------------------|-------------|--------------|--------|
| -                             | k           | k-ft         | -      |
| Base Forces                   | 17.2        | 1076.6       | 0.59   |
| Anchor Rod Forces             | 17.2        | 1076.6       | 0.59   |
| Additional Bolt (Grp1) Forces | 0.0         | 0.0          | 0.00   |
| Additional Bolt (Grp2) Forces | 0.0         | 0.0          | 0.00   |
| Dywidag Forces                | 0.0         | 754.7        | 0.41   |
| Stiffener Forces              | 4.7         | 294.6        | 0.16   |

## Geometric Properties

| Section   | Gross Area      | Net Area        | Individual Inertia | Threads per Inch | Moment of Inertia |
|-----------|-----------------|-----------------|--------------------|------------------|-------------------|
| -         | in <sup>2</sup> | in <sup>2</sup> | in <sup>4</sup>    | #                | in <sup>4</sup>   |
| Pole      | 40.8514         | 3.4043          | 0.1604             |                  | 6284.13           |
| Bolt      | 3.9761          | 3.2477          | 0.8393             | 4.5              | 6294.24           |
| Bolt1     | 0.0000          | 0.0000          | 0.0000             | 0                | 0.00              |
| Bolt2     | 0.0000          | 0.0000          | 0.0000             | 0                | 0.00              |
| Dywidag   | 4.9087          | 4.9087          | 1.9175             |                  | 4405.48           |
| Stiffener | 1.7063          | 1.5356          | 7.9980             |                  | 2367.82           |

| Base Plate           |        |     |
|----------------------|--------|-----|
| Shape                | Square | -   |
| Width, W             | 44     | in  |
| Thickness, t         | 2.5    | in  |
| Yield Strength, Fy   | 36     | ksi |
| Tensile Strength, Fu | 58     | ksi |
| Base Plate Chord     | 26.063 | in  |
| Detail Type          | c      | -   |
| Detail Factor        | 0.55   | -   |
| Clear Distance       | N/A    | -   |

| Anchor Rods                      |       |     |
|----------------------------------|-------|-----|
| Anchor Rod Quantity, N           | 8     | -   |
| Rod Diameter, d                  | 2.25  | in  |
| Bolt Circle, BC                  | 44    | in  |
| Yield Strength, Fy               | 75    | ksi |
| Tensile Strength, Fu             | 100   | ksi |
| Applied Axial, Pu                | 147.9 | k   |
| Applied Shear, Vu                | 0.5   | k   |
| Compressive Capacity, $\phi P_n$ | 243.6 | k   |
| Tensile Capacity, $\phi R_{nt}$  | 0.607 | OK  |
| Interaction Capacity             | 0.610 | OK  |

| Base Plate Stiffeners        |      |   |
|------------------------------|------|---|
| Applied Axial Force, Pu      | 43.9 | k |
| Applied Horizontal Force, Vu | 0.29 | k |

| Vertical Weld                    |       |    |
|----------------------------------|-------|----|
| Vert.-to-Stiffener $a=e_x/l$     | 0.250 | -  |
| Spacing Ratio, k                 | 0.125 | -  |
| Weld Coefficient, C              | 3.310 | -  |
| Compressive Capacity, $\phi P_n$ | 49.7  | k  |
| Vert.-to-Plate $a=e_x/l$         | 0.333 | -  |
| Spacing Ratio, k                 | 0.125 | -  |
| Weld Coefficient, C              | 2.970 | -  |
| Shear Capacity, $\phi V_n$       | 44.6  | k  |
| $P_u/\phi P_n + V_u/\phi V_n$    | 0.890 | OK |

| External Base Plate          |        |                 |
|------------------------------|--------|-----------------|
| Chord Length AA              | 26.650 | in              |
| Additional AA                | 1.300  | in              |
| Section Modulus, Z           | 43.673 | in <sup>3</sup> |
| Applied Moment, Mu           | 1181.5 | k-ft            |
| Bending Capacity, $\phi M_n$ | 1415.0 | k-ft            |
| Capacity, $M_u/\phi M_n$     | 0.835  | OK              |

| Horizontal Weld                  |       |    |
|----------------------------------|-------|----|
| Horz.-to-Stiffener $a=e_x/l$     | 0.167 | -  |
| Spacing Ratio, k                 | 0.167 | -  |
| Weld Coefficient, C              | 3.940 | -  |
| Effective Fillet                 | 0.250 | in |
| Compressive Capacity, $\phi P_n$ | 44.3  | k  |
| Horz.-to-Pole $a=e_x/l$          | 0.222 | -  |
| Spacing Ratio, k                 | 0.167 | -  |
| Weld Coefficient, C              | 3.510 | -  |
| Shear Capacity, $\phi V_n$       | 39.5  | k  |
| $P_u/\phi P_n + V_u/\phi V_n$    | 0.997 | OK |

|                              |        |                 |
|------------------------------|--------|-----------------|
| Chord Length AB              | 25.395 | in              |
| Additional AB                | 0.810  | in              |
| Section Modulus, Z           | 40.946 | in <sup>3</sup> |
| Applied Moment, Mu           | 996.4  | k-ft            |
| Bending Capacity, $\phi M_n$ | 1326.7 | k-ft            |
| Capacity, $M_u/\phi M_n$     | 0.751  | OK              |

| Plate Tension                |       |                 |
|------------------------------|-------|-----------------|
| Gross Cross Section          | 1.706 | in <sup>2</sup> |
| Net Cross Section            | 1.536 | in <sup>2</sup> |
| Tensile Capacity, $\phi T_n$ | 75.9  | k               |
| Capacity, $T_u/\phi T_n$     | 0.289 | OK              |

|                              |       |                 |
|------------------------------|-------|-----------------|
| Bend Line Length             | 0.000 | in              |
| Additional Bend Line         | 0.000 | in              |
| Section Modulus, Z           | 0.000 | in <sup>3</sup> |
| Applied Moment, Mu           | 0.0   | k-ft            |
| Bending Capacity, $\phi M_n$ | 0.0   | k-ft            |
| Capacity, $M_u/\phi M_n$     |       |                 |

| Plate Compression                 |        |                 |
|-----------------------------------|--------|-----------------|
| Radius of Gyration                | 0.131  | in <sup>3</sup> |
| $kl/r$                            | 22.84  | -               |
| $4.71 \sqrt{E/F_y}$               | 133.68 | -               |
| Buckling Stress( $F_e$ )          | 548.7  | -               |
| Crit. Buckling Stress( $F_{cr}$ ) | 481.2  | ksi             |
| Compressive Capacity, $\phi P_n$  | 1015.0 | k               |
| Capacity, $P_u/\phi P_n$          | 0.022  | OK              |

| Internal Base Plate          |       |                 |
|------------------------------|-------|-----------------|
| Arc Length                   | 0.000 | in              |
| Section Modulus, Z           | 0.000 | in <sup>3</sup> |
| Moment Arm                   | 0.000 | in              |
| Applied Moment, Mu           | 0.0   | k-ft            |
| Bending Capacity, $\phi M_n$ | 0.0   | k-ft            |
| Capacity, $M_u/\phi M_n$     |       |                 |

| Dywidag Reinforcement            |       |     |
|----------------------------------|-------|-----|
| Dywidag Quantity, N              | 4     | -   |
| Dywidag Diameter, d              | 2.5   | in  |
| Bolt Circle, BC                  | 42.33 | in  |
| Yield Strength, Fy               | 80    | ksi |
| Tensile Strength, Fu             | 100   | ksi |
| Applied Axial, Pu                | 199.0 | k   |
| Compressive Capacity, $\phi P_n$ | 368.2 | k   |
| Capacity, $P_u/\phi P_n$         | 0.541 | OK  |

**Site Name:** Southbury, CT  
**Site Number:** 302519  
**Tower Type:** MP  
**Design Loads (Factored) - Analysis per TIA-222-H Standards**

## Monolithic Mat & Pier Foundation Analysis


| Foundation Analysis Parameters             |          |      |
|--|----------|------|
| Design / Analysis / Mapping:               | Analysis | -    |
| Compression/Leg:                           | 30.4     | k    |
| Uplift/Leg:                                | 0.0      | k    |
| Total Shear:                               | 17.2     | k    |
| Moment:                                    | 1,831.3  | k-ft |
| Tower + Appurtenance Weight:               | 30.4     | k    |
| Depth to Base of Foundation (l + t - h):   | 8        | ft   |
| Diameter of Pier (d):                      | 5        | ft   |
| Length of Pier (l):                        | 5.5      | ft   |
| Height of Pier above Ground (h):           | 0.5      | ft   |
| Width of Pad (W):                          | 18       | ft   |
| Length of Pad (L):                         | 18       | ft   |
| Thickness of Pad (t):                      | 3        | ft   |
| Tower Leg Center to Center:                | 0        | ft   |
| Number of Tower Legs:                      | 1        | -    |
| Tower Center from Mat Center:              | 0        | ft   |
| Depth Below Ground Surface to Water Table: | 18       | ft   |
| Unit Weight of Concrete:                   | 150      | pcf  |
| Unit Weight of Soil Above Water Table:     | 113      | pcf  |
| Unit Weight of Water:                      | 62.4     | pcf  |
| Unit Weight of Soil Below Water Table:     | 50.6     | pcf  |
| Friction Angle of Uplift:                  | 15       | °    |
| Coefficient of Shear Friction:             | 0.5      | -    |
| Ultimate Compressive Bearing Pressure:     | 42,025   | psf  |
| Ultimate Passive Pressure on Pad Face:     | 0        | psf  |
| $f_{\text{Soil and Concrete Weight}}$ :    | 0.9      | -    |
| $f_{\text{Soil}}$ :                        | 0.75     | -    |

| Overturning Moment Usage     |        |      |
|------------------------------|--------|------|
| Design OTM:                  | 1977.5 | k-ft |
| OTM Resistance:              | 3134.6 | k-ft |
| Design OTM / OTM Resistance: | 63%    | Pass |

| Soil Bearing Pressure Usage                         |                      |      |
|---|----------------------|------|
| Net Bearing Pressure:                               | 6468                 | psf  |
| Factored Nominal Bearing Pressure:                  | 31519                | psf  |
| Factored Nominal (Net) Bearing Pressure:            | 21%                  | Pass |
| Load Direction Controlling Design Bearing Pressure: | Diagonal to Pad Edge |      |

| Sliding Factor of Safety              |       |      |
|---------------------------------------|-------|------|
| Ultimate Friction Resistance:         | 179.6 | k    |
| Ultimate Passive Pressure Resistance: | 0.0   | k    |
| Total Factored Sliding Resistance:    | 134.7 | k    |
| Sliding Design / Sliding Resistance:  | 13%   | Pass |

| Foundation Steel Parameters      |        |                 |
|----------------------------------|--------|-----------------|
| Shear/Leg (Compression):         | 11.5   | k               |
| Shear/Leg (Uplift):              | 9.5    | k               |
| Concrete Strength ( $f_c$ ):     | 3,000  | psi             |
| Pad Tension Steel Depth:         | 32.38  | in              |
| Dead Load Factor:                | 0.9    | -               |
| $f_{\text{shear}}$ :             | 0.75   | -               |
| $f_{\text{Flexure / Tension}}$ : | 0.9    | -               |
| $f_{\text{Compression}}$ :       | 0.65   | -               |
| b:                               | 0.85   | -               |
| Bottom Pad Rebar Size #:         | 10     | -               |
| # of Bottom Pad Rebar:           | 36     | -               |
| Pad Bottom Steel Area:           | 45.72  | in <sup>2</sup> |
| Pad Steel $F_y$ :                | 60,000 | psi             |
| Top Pad Rebar Size #:            | 5      | -               |
| # of Top Pad Rebar:              | 36     | -               |
| Pad Top Steel Area:              | 11.16  | in <sup>2</sup> |
| Pier Rebar Size #:               | 11     | -               |
| Pier Steel Area (Single Bar):    | 1.56   | in <sup>2</sup> |
| # of Pier Rebar:                 | 52     | -               |
| Pier Steel $F_y$ :               | 60,000 | psi             |
| Pier Cage Diameter:              | 51.6   | in              |
| Rebar Strain Limit:              | 0.008  | -               |
| Steel Elastic Modulus:           | 29,000 | ksi             |
| Tie Rebar Size #:                | 4      | -               |
| Tie Steel Area (Single Bar):     | 0.20   | in <sup>2</sup> |
| Tie Spacing:                     | 12     | in              |
| Tie Steel $F_y$ :                | 60,000 | psi             |
| Clear Cover:                     | 3      | in              |



| Pad Strength Capacity                                 |                      |      |  |
|---|----------------------|------|--|
| Factored One Way Shear ( $V_u$ ):                     | 208.5                | k    |  |
| One Way Shear Capacity ( $fV_c$ ):                    | 480.7                | k    | ACI 318-14 25.5.5.1                          |
| $V_u / fV_c$ :  | 43%                  | Pass |  |
| Load Direction Controlling Shear Capacity:            | Diagonal to Pad Edge |      |  |
| Lower Steel Pad Factored Moment ( $M_u$ ):            | 1206.7               | k-ft |  |
| Lower Steel Pad Moment Capacity ( $fM_n$ ):           | 6225.3               | k-ft | ACI 318-14 22.3.1.1                          |
| $M_u / fM_n$ :  | 19%                  | Pass |  |
| Load Direction Controlling Flexural Capacity:         | Parallel to Pad Edge |      |  |
| Upper Steel Pad Factored Moment ( $M_u$ ):            | 386.0                | k-ft |  |
| Upper Steel Pad Moment Capacity ( $fM_n$ ):           | 1599.9               | k-ft |  |
| $M_u / fM_n$ :  | 24%                  | Pass |  |
| Lower Pad Flexural Reinforcement Ratio:               | 0.0065               |      | OK - ACI 318-14 7.6.1.1 & 8.6.1.1            |
| Upper Pad Flexural Reinforcement Ratio:               | 0.0016               |      | OK - ACI 318-14 7.6.1.1 & 8.6.1.1            |
| Pad Shrinkage Reinforcement Ratio:                    | 0.0081               |      | OK - ACI 318-14 24.4.3.2                     |
| Lower Pad Reinforcement Spacing:                      | 6.0                  | in   | OK - ACI 318-14 7.7.2.3, 8.7.2.2, & 24.4.3.3 |
| Upper Pad Reinforcement Spacing:                      | 6.0                  | in   | OK - ACI 318-14 7.7.2.3, 8.7.2.2, & 24.4.3.3 |
| Ultimate Punching Shear Stress, $v_u$ :               | 32.41                | psi  | ACI 318-14 R8.4.4.2.3                        |
| Nominal Punching Shear Capacity ( $f_c v_c$ ):        | 164.3                | psi  | ACI 318-14 22.6.5.2                          |
| $v_u / f_c v_c$ :                                     | 20%                  | Pass |  |
| Pier Moment Pad Flexure Transfer Ratio, $\psi$ :      | 0.60                 |      | TIA-222-H 9.4.2                              |
| Moment Transfer Effective Flexural Width, $B_{eff}$ : | 14.00                | ft   | TIA-222-H 9.4.2                              |
| Moment Transfer Through Pad Flexure:                  | 13866.48             | k-in | TIA-222-H 9.4.2                              |
| Moment Transfer Flexural Capacity ( $fM_{sc,f}$ ):    | 60188.44             | k-in |  |
| $g_f M_{sc} / fM_{sc,f}$ :                            | 0%                   | Pass |  |

| Pier Strength Capacity                           |        |      |  |
|--|--------|------|--|
| Factored Moment in Pier ( $M_u$ ):               | 1925.9 | k-ft |  |
| Pier Moment Capacity ( $fM_n$ ):                 | 9214.4 | k-ft |  |
| $M_u / fM_n$ :                                   | 21%    | Pass |  |
| Factored Shear in Pier ( $V_u$ ):                | 17.2   | k    |  |
| Pier Shear Capacity ( $fV_n$ ):                  | 305.5  | k    | ACI 318-14 22.5.1.1                            |
| $V_u / fV_c$ :                                   | 6%     | Pass |  |
| Pier Shear Reinforcement Ratio:                  | 0.0007 |      | OK - No Ties Necessary for Shear - ACI11.5.6.1 |
| Factored Tension in Pier ( $T_u$ ):              | 0.0    | k    |  |
| Pier Tension Capacity ( $fT_n$ ):                | 4380.5 | k    |  |
| $T_u / fT_n$ :                                   | 0%     | Pass |  |
| Factored Compression in Pier ( $P_u$ ):          | 30.4   | k    |  |
| Pier Compression Capacity ( $fP_n$ ):            | 3690.3 | k    | ACI 318-14 22.4.2.1                            |
| $P_u / fP_n$ :                                   | 1%     | Pass |  |
| Pier Compression Reinforcement Ratio:            | 0.029  |      | OK - TIA-222-H 9.4.1                           |
| Minimum Depth to Develop Vertical Rebar:         | 63     | in   | ACI 318-14 25.4.2.3                            |
| Minimum Hook Development Length:                 | 31     | in   | ACI 318-14 25.4.3.1                            |
| Minimum Mat Thickness / Edge Distance from Pier: | 34.0   | in   |  |
| Minimum Foundation Depth:                        | 8.35   | ft   |  |
| $M_u / f_g M_n + T_u / f_T T_n$ :                | 21%    | Pass |  |


# SOUTHBURY W CT

## SITE #: 467324

## SMART TOOL PROJECT #: 10091168



520 South Main Street  
Akron, OH 44311  
330.572.2100 Fax 330.572.2102



### MOUNT INFORMATION:

MOUNT TYPE: 12'-6" T-ARM  
 SITE LOCATION:  
 LAT.: 41.460096°  
 LONG.: -73.245390°  
 STREET ADDRESS: 133 HORSE FENCE HILL ROAD  
 CITY, STATE ZIP: SOUTHBURY, CT 06488  
 COUNTY: NEW HAVEN  
 TOWER OWNER: ATC  
 TOWER SITE NUMBER: 302519

### CODE COMPLIANCE:

GOVERNING CODES: TIA-222-H  
 WIND SPEEDS: 116 MPH 3-SECOND GUST  
 50 MPH 3-SECOND GUST (W/ ICE)  
 ICE THICKNESS: 1"  
 RISK CATEGORY: II  
 EXPOSURE CATEGORY: B  
 TOPO CATEGORY: 1  
 SEISMIC CRITERIA:  
 SITE CLASS: D  
 RESPONSE COEFFICIENT (R): 2  
 1-SECOND SPECTRAL RESPONSE ACCELERATION (S<sub>1</sub>): 0.055  
 SHORT PERIOD SPECTRAL RESPONSE ACCELERATION (S<sub>s</sub>): 0.202

### PROJECT CONTACTS:

MASER CONSULTING CONTACT:  
 PETER ALBANO  
 PETER.ALBANO@COLLIERSENGINEERING.COM  
 (856) 371-9457  
 PROJECT #: 21777856

ENGINEER CONTACT:  
 GPD ENGINEERING AND ARCHITECTURE  
 PROFESSIONAL CORPORATION  
 520 SOUTH MAIN STREET, SUITE 2531  
 AKRON, OH 44311  
 (330)572-2100  
 FOR QUESTIONS PLEASE EMAIL:  
 GPDMODS@GPDGROUP.COM

### SHEET INDEX:


- T-01: TITLE SHEET
- N-01: PROJECT NOTES & INSPECTION CHECKLIST
- S-01: BILL OF MATERIALS
- S-02: CLIMBING FACILITY DETAIL
- S-03: MODIFICATION SCHEDULE & DETAILS
- S-04 - S-06: DETAILS/PARTS
- S-07: MOUNT GEOMETRY VERIFICATION
- P-01: MOUNT PHOTOS

### CONTRACTOR PMI REQUIREMENTS:

PMI LOCATION: [HTTPS://PMI.VZSMART.COM](https://pmi.vzsmart.com)  
 SMART TOOL PROJECT #: 10091168  
 VZW LOCATION CODE (PSLC): 467324  
 FUZE ID: 16053187

### REFERENCED DOCUMENTS:

PASSING MOUNT ANALYSIS REPORT  
 SMART TOOL PROJECT #: 10091168  
 GPD PROJECT #: 2021740.467324.02  
 ANALYSIS DATE: 8/10/2021



| REV. | DATE    | DESCRIPTION     |
|------|---------|-----------------|
| 0    | 8/10/21 | INITIAL RELEASE |

SOUTHBURY W CT  
 133 HORSE FENCE HILL ROAD  
 SOUTHBURY, CT 06488  
 TITLE SHEET

| ISSUED FOR:  |           |
|--------------|-----------|
| PERMIT       | 8/10/2021 |
| BID          | -         |
| CONSTRUCTION | -         |
| RECORD       | -         |

| ENGINEER        | DESIGNER    |
|-----------------|-------------|
| EAN             | EAN         |
| PROJECT MANAGER | APPROVED BY |
| DP              | CJS         |


JOB NO.  
2021740.467324.02

T-01




| MODIFICATION INSPECTION CHECKLIST |   |   |
|-----------------------------------|---|---|
| REQUIRED                          | REPORT ITEM   | BRIEF DESCRIPTION   |
| PRE-CONSTRUCTION                  |   |   |
| X                                 | PACKING SLIPS   | ANY RECEIPT OF PURCHASE FOR THE MODIFICATION MATERIAL IS ACCEPTABLE.  |
| X                                 | CERTIFICATE OF CONFORMANCE  | ALL PRE-ENGINEERED KITS, PARTS, AND/OR ASSEMBLIES PURCHASED FROM REPUTABLE SUPPLIERS SHALL HAVE A SITE SPECIFIC CERTIFICATE OF CONFORMANCE PROVIDED TO CONFIRM ACCEPTABILITY.                     |
| X                                 | MATERIAL TEST REPORT (CUSTOM ORDERED OR FABRICATED HARDWARE ONLY)                   | ALL HARDWARE NOT SPECIFICALLY PROVIDED AS A PRE-ENGINEERED KIT, PART, AND/OR ASSEMBLY SHALL REQUIRE MTR'S TO VERIFY ACCEPTABILITY.  |
| X                                 | EXISTING MOUNT(S)   | PHOTOS OF ALL SECTORS (WHERE APPLICABLE) PRIOR TO MODIFICATIONS.  |
| X                                 | HARDWARE PRIOR TO INSTALLATION  | PHOTOS OF ALL HARDWARE BEFORE BEING INSTALLED ON THE MOUNT(S).  |
| X                                 | NDT - ALL FULL PENETRATION OR WELDS > 5/16"   | AWS STAMPED REPORT REQUIRED. WELDING REQUIREMENTS NOT APPLICABLE FOR PRE-ENGINEERED KITS, PARTS OR ASSEMBLIES FROM REPUTABLE SUPPLIERS.   |
| X                                 | FABRICATOR CERTIFIED WELD INSPECTION  |   |
| X                                 | WELDER'S CERTIFICATIONS   |   |
| POST-CONSTRUCTION                 |   |   |
| X                                 | ON SITE COLD GALVANIZING VERIFICATION (IF APPLICABLE, SEE STRUCTURAL STEEL NOTE #2) | ANY DAMAGE TO THE TOWER SHALL BE REPAIRED IN ACCORDANCE WITH STRUCTURAL STEEL NOTE #2.  |
| X                                 | GC AS-BUILT DRAWINGS  | ALL DEVIATIONS TO THE DRAWINGS THAT WERE FOUND MUST BE CLEARLY MARKED AND APPROVED BY THE EOR.  |
| X                                 | MEMBER SIZES  | NEW MEMBERS SHALL BE VERIFIED WITH A TAPE MEASURE, CALIPERS, THICKNESS GAUGE, OR OTHER STANDARD INDUSTRY EQUIPMENT.   |
| X                                 | CONNECTION HARDWARE   | BOLT SIZE (VIA CALIPERS), FIT-UP, LOCKING MECHANISMS, AND TIGHTNESS SHALL ALL BE VERIFIED AND DOCUMENTED.   |
| X                                 | CRITICAL DIMENSIONS   | ALL DIMENSIONS SPECIFICALLY CALLED OUT IN THE DRAWING PACKAGE SHALL BE VERIFIED WITH A TAPE MEASURE. THIS INCLUDES MEMBER LENGTHS, HORIZONTAL AND/OR VERTICAL OFFSETS, SPACING REQUIREMENTS, ETC. |
| X                                 | FINAL INSTALLED CONFIGURATION   | THE COMPLETE MODIFIED CONDITION SHALL BE INSPECTED TO ENSURE FULL CONFORMANCE WITH THE DESIGN DRAWINGS.   |

### BOLTING DETAILS




| BOLT SCHEDULE |               |              |                    |             |
|---------------|---------------|--------------|--------------------|-------------|
| BOLT DIAMETER | STANDARD HOLE | SHORT SLOT   | MIN. EDGE DISTANCE | C-C SPACING |
| 1/2           | 9/16          | 9/16x11/16   | 7/8                | 1-1/2       |
| 5/8           | 11/16         | 11/16x7/8    | 1-1/8              | 1-7/8       |
| 3/4           | 13/16         | 13/16x1      | 1-1/4              | 2-1/4       |
| 7/8           | 15/16         | 15/16x1-1/8  | 1-1/2              | 2-5/8       |
| 1             | 1-1/8         | 1-1/8x1-5/16 | 1-3/4              | 3           |

| WORKABLE GAGES |       |       |       |       |       |       |
|----------------|-------|-------|-------|-------|-------|-------|
| LEG            | 4     | 3-1/2 | 3     | 2-1/2 | 2     | 1-3/4 |
| G              | 2-1/2 | 2     | 1-3/4 | 1-3/8 | 1-1/8 | 1     |



**NOTES:**

- ALL DIMENSIONS REPRESENTED IN THESE TABLES ARE AISC MINIMUM REQUIREMENTS. CONTRACTOR SHALL VERIFY EXISTING CONDITIONS IN FIELD AND NOTIFY ENGINEER IF DISTANCES ARE LESS THAN THOSE PROVIDED.
- THE DIMENSIONS PROVIDED ARE MINIMUM REQUIREMENTS. ACTUAL DIMENSIONS OF PROPOSED MEMBERS WITHIN THESE DRAWINGS MAY VARY FROM THE AISC MINIMUM REQUIREMENTS.
- AS AN ALTERNATIVE TO USING A LOCK WASHER PAL-NUTS CAN BE INSTALLED ABOVE THE HEX NUT. ALL BOLTS MUST HAVE LOCKING DEVICES INSTALLED AS PART OF THE ASSEMBLY.
- ADDITIONAL HARDENED FLAT WASHERS MAY BE REQUIRED IN CASES WHERE OVERSIZED OR SLOTTED HOLES ARE PRESENT. EXISTING CONDITIONS SHALL BE APPROVED BY THE EOR.



**NOTES:**

- ALL DIMENSIONS REPRESENTED IN THESE TABLES ARE AISC MINIMUM REQUIREMENTS. CONTRACTOR SHALL VERIFY EXISTING CONDITIONS IN FIELD AND NOTIFY ENGINEER IF DISTANCES ARE LESS THAN THOSE PROVIDED.
- THE DIMENSIONS PROVIDED ARE MINIMUM REQUIREMENTS. ACTUAL DIMENSIONS OF PROPOSED MEMBERS WITHIN THESE DRAWINGS MAY VARY FROM THE AISC MINIMUM REQUIREMENTS.
- AS AN ALTERNATIVE TO USING A LOCK WASHER PAL-NUTS CAN BE INSTALLED ABOVE THE HEX NUT. ALL BOLTS MUST HAVE LOCKING DEVICES INSTALLED AS PART OF THE ASSEMBLY.
- ADDITIONAL HARDENED FLAT WASHERS MAY BE REQUIRED IN CASES WHERE OVERSIZED OR SLOTTED HOLES ARE PRESENT. EXISTING CONDITIONS SHALL BE APPROVED BY THE EOR.

### GENERAL NOTES

- THIS DESIGN IS IN ACCORDANCE WITH THE GOVERNING PROVISIONS OF TIA/EIA-222, AWS, ANSI TIA-322 AND AISC. MATERIALS, FABRICATION, INSTALLATION, AND ALL OTHER SERVICES PROVIDED BY THE CONTRACTOR SHALL CONFORM TO THE ABOVE MENTIONED CODES AND THE CONTRACT SPECIFICATIONS.
- THIS DESIGN ASSUMES THE TOWER AND MOUNTS HAVE BEEN WELL MAINTAINED, ARE IN GOOD CONDITION, AND ARE WITHOUT DEFECT. BENT MEMBERS, CORRODED MEMBERS, LOOSE BOLTS, CRACKED WELDS AND OTHER MEMBER DEFECTS HAVE NOT BEEN CONSIDERED. THE TOWER IS ASSUMED TO BE PLUMB AND THE SITE IS ASSUMED TO BE LEVEL. THIS DESIGN IS BEING PROVIDED WITHOUT THE BENEFIT OF A CONDITION ASSESSMENT BY GPD.
- THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO BIDDING; ANY PROBLEMS WITH ACCESS, INTERFERENCE, ETC. SHALL BE RESOLVED PRIOR TO MOBILIZATION. CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND NOTE ANY EXISTING CONDITIONS THAT ARE NOT REPRESENTED ON THESE DRAWINGS OR THAT INTERFERE WITH THE CONTINUOUS INSTALLATION OF THE MODIFICATIONS. CONTRACTOR SHALL NOTE ALL ATTACHMENT POINTS, ANTENNAS, MOUNTS, COAX LIGHTING CLIMBING SUPPORTS, STEP BOLTS, PORT HOLES, AND ANY OTHER APPURTENANCES IN THE REGION OF THE MODIFICATIONS. GPD SHALL BE CONTACTED IMMEDIATELY TO EVALUATE THE SIGNIFICANCE OF ANY DEVIATION PRIOR TO ORDERING MATERIAL.
- ALL MATERIAL SPECIFIED FOR THIS PROJECT MUST BE NEW AND FREE OF ANY DEFECTS. ANY MATERIAL SUBSTITUTIONS, INCLUDING BUT NOT LIMITED TO ALTERED SIZES AND/OR STRENGTHS, MUST BE APPROVED BY THE OWNER AND ENGINEER IN WRITING. CONTRACTOR SHALL PROVIDE DOCUMENTATION TO ENGINEER FOR DETERMINING IF SUBSTITUTE IS SUITABLE FOR USE AND MEETS THE ORIGINAL DESIGN CRITERIA. DIFFERENCES FROM THE ORIGINAL DESIGN, INCLUDING MAINTENANCE, REPAIR AND REPLACEMENT, SHALL BE NOTED. ESTIMATES OF COSTS/CREDITS ASSOCIATED WITH THE SUBSTITUTION (INCLUDING RE-DESIGN COSTS AND COSTS TO SUB-CONTRACTORS) SHALL BE PROVIDED TO THE ENGINEER.
- CONTRACTOR IS RESPONSIBLE FOR ENGAGING A MODIFICATION INSPECTOR AT THE TIME OF AWARD TO COORDINATE AN INSPECTION SCHEDULE AND ENSURE PROPER DOCUMENTATION IS RETAINED THROUGHOUT THE PROJECT. REFER TO THE MODIFICATION INSPECTION TABLES ON THIS SHEET.
- INSTALLATION OF THE PROPOSED LOADING IS BY OTHERS AND IS BEYOND THE SCOPE OF THESE DRAWINGS.
- ALL CONTRACTORS AND LOWER TIER CONTRACTORS MUST ACKNOWLEDGE IN WRITING TO TOWER OWNER AND GPD THAT THEY HAVE OBTAINED, UNDERSTAND, AND WILL FOLLOW TOWER OWNER STANDARDS OF PRACTICE, CONSTRUCTION GUIDELINES, ALL SITE AND TOWER SAFETY PROCEDURES, ALL PRODUCT LIMITATIONS AND INSTALLATION PROCEDURES USED ON SITE, AND PROPOSED MODIFICATIONS DESCRIBED. RECEIPT OF ACKNOWLEDGMENT MUST OCCUR PRIOR TO BEGINNING CONSTRUCTION OR CLIMBING. IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO PROVIDE THIS DOCUMENTATION FOR TOWER OWNER AND GPD ON COMPANY LETTERHEAD AND THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO OBTAIN THIS DOCUMENTATION FROM LOWER TIER SUBCONTRACTORS (ON SUBCONTRACTOR LETTERHEAD) AND DELIVER IT TO TOWER OWNER AND GPD.
- IT IS ASSUMED THAT ANY STRUCTURAL MODIFICATION WORK SPECIFIED ON THESE PLANS WILL BE ACCOMPLISHED BY KNOWLEDGEABLE WORKMEN WITH TOWER CONSTRUCTION EXPERIENCE. THIS INCLUDES PROVIDING THE NECESSARY CERTIFICATIONS TO THE TOWER OWNER AND ENGINEER.
- THESE DRAWINGS DO NOT INDICATE THE METHOD OF CONSTRUCTION. THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE WORK AND SHALL BE SOLELY RESPONSIBLE FOR ALL CONSTRUCTION METHODS, MEANS, TECHNIQUES, SEQUENCES, AND PROCEDURES.
- THE CONTRACTOR AND ALL SUB-CONTRACTORS SHALL BE RESPONSIBLE FOR THE SAFETY OF THEIR WORK FORCE, THE WORK AREA, ADJACENT AREA, AND ANY PROPERTY OCCUPANTS WHO MAY BE AFFECTED BY THE WORK UNDER CONTRACT. THE CONTRACTOR SHALL REVIEW AND ABIDE BY ALL LANDOWNER, PRIME CONTRACTOR, CARRIER, OSHA, AND LOCAL SAFETY GUIDELINES. ALL TOWER WORKERS SHALL UTILIZE APPROPRIATE FALL PROTECTION AND SAFETY EQUIPMENT THAT IS UP-TO-DATE AND INSPECTED PER OSHA AND INDUSTRY GUIDELINES. ALL WORKERS SHALL BE TRAINED AND MONITORED TO ENSURE SAFE WORKING PRACTICES ARE MAINTAINED.
- CONTRACTOR IS RESPONSIBLE FOR TEMPORARILY REMOVING ALL COAX, T-BRACKETS, ANTENNA MOUNTS, AND ANY OTHER APPURTENANCE THAT MAY INTERFERE WITH THE TOWER MODIFICATIONS. ALL TOWER APPURTENANCES MUST BE REPLACED AND/OR RESTORED TO ITS ORIGINAL LOCATION. SOME ATTACHMENTS MAY REQUIRE CUSTOM MODIFICATIONS TO PROPERLY FIT THE MODIFIED REGION OF THE STRUCTURE. THESE CUSTOMIZATIONS ARE DESIGNED BY OTHERS AND MUST BE APPROVED BY THE ENGINEER PRIOR TO REMOVING SUCH ATTACHMENTS. ANY CARRIER DOWNTIME MUST BE COORDINATED WITH THE TOWER OWNER IN WRITING.
- CONTRACTOR SHALL ONLY WORK WITHIN THE LIMITS OF THE TOWER OWNER'S PROPERTY OR LEASE AREA AND APPROVED EASEMENTS. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY WORK IS WITHIN THESE BOUNDARIES. CONTRACTOR SHALL EMPLOY A SURVEYOR AS REQUIRED. ANY WORK OUTSIDE THESE BOUNDARIES SHALL BE APPROVED IN WRITING BY THE LAND OWNER PRIOR TO MOBILIZATION. CONSTRUCTION STAKING AND BOUNDARY MARKING IS THE RESPONSIBILITY OF THE CONTRACTOR.
- THE STRUCTURAL INTEGRITY OF THIS DESIGN EXTENDS TO THE COMPLETE CONDITION ONLY. THE CONTRACTOR MUST BE COGNIZANT THAT THE REMOVAL OF ANY STRUCTURAL COMPONENT HAS THE POTENTIAL TO CAUSE THE PARTIAL OR COMPLETE COLLAPSE OF THE STRUCTURE. ALL NECESSARY PRECAUTIONS MUST BE TAKEN TO ENSURE THE STRUCTURAL INTEGRITY, INCLUDING, BUT NOT LIMITED TO, ENGINEERING ASSESSMENT OF CONSTRUCTION STRESSES WITH INSTALLATION MAXIMUM WIND SPEED AND/OR TEMPORARY BRACING AND SHORING.
- WORK SHALL ONLY BE PERFORMED DURING CALM DRY DAYS (WINDS LESS THAN 10-MPH). ALL TEMPORARY BRACING AND TEMPORARY SUPPORTS ARE THE RESPONSIBILITY OF THE CONTRACTOR.
- VERIFY IF THIS STRUCTURE IS AN FM TOWER AND TAKE NECESSARY ACTIONS TO PROVIDE SAFE WORKING CONDITIONS INCLUDING, BUT NOT LIMITED TO, HAVING FM SIGNAL TURNED OFF. CONTRACTOR SHALL HAVE PROPER RADMAN FOR NOTIFICATION OF EXCESSIVE RF EXPOSURE FOR ALL INDIVIDUALS WORKING ON SITE IF FM ANTENNAS ARE PRESENT.
- ALL MANUFACTURERS HARDWARE AND ASSEMBLY INSTRUCTIONS SHALL BE FOLLOWED EXACTLY. DEVIATION FROM THE INSTRUCTIONS IS UNACCEPTABLE AND REQUIRES WRITTEN APPROVAL FROM ENGINEER.
- DO NOT SCALE DRAWINGS.
- THE CLIMBING FACILITIES, SAFETY CLIMB AND ALL ASSOCIATED HARDWARE SHALL NOT BE IMPEDED OR MODIFIED WITHOUT THE WRITTEN CONSENT OF GPD.
- INSTALL SHALL NOT CAUSE HARM TO THE STRUCTURE, CLIMBING FACILITY, SAFETY CLIMB OR ANY SYSTEM INSTALLED ON THE STRUCTURE.

### STRUCTURAL STEEL NOTES

- ALL NEW STEEL SHALL BE HOT-DIPPED GALVANIZED PER ASTM A123, ASTM A153/A153M, OR ASTM A653 G90, AS APPLICABLE FOR FULL WEATHER PROTECTION. FOR HIGH STRENGTH STEEL FASTENERS WHERE HOT-DIPPED GALVANIZING IS NOT PERMITTED MAONI 565 COATING (OR ENGINEER APPROVED EQUIVALENT) SHALL BE USED. IN ADDITION ALL NEW STEEL SHALL BE PAINTED TO MATCH EXISTING TOWER STEEL. CONTRACTOR SHALL OBTAIN WRITTEN PERMISSION TO PROTECT STEEL BY ANY OTHER MEANS.
- ALL EXPOSED STRUCTURAL STEEL AS THE RESULT OF THIS SCOPE OF WORK INCLUDING, BUT NOT LIMITED TO, DAMAGED MEMBERS, FIELD WELDS, FIELD CUT MEMBERS, FIELD DRILLED HOLES, AND SHAFT INTERIORS (WHERE APPLICABLE) SHALL BE SOLVENT CLEANED AND HAVE TWO (2) COATS OF BRUSHED ON ZRC ZINC RICH COLD GALVANIZING PAINT APPLIED AND SHALL BE PAINTED TO MATCH THE TOWER FINISH (WHERE APPLICABLE). PHOTO DOCUMENTATION IS REQUIRED TO BE SUBMITTED TO THE MODIFICATION INSPECTOR.
- ALL STRUCTURAL STEEL SHALL CONFORM TO THE LISTED REQUIREMENTS U.N.O. IN THESE DRAWINGS:
  - STEEL ANGLE: ASTM A36 (Fy=36 KSI)
  - PIPE (ROUND): ASTM A53 GRADE B (Fy=35 KSI)
  - BOLTS: ASTM A325 TYPE 1
  - THREADED RODS: ASTM A307 GRADE A
  - U-BOLTS: ASTM A307 GRADE A
  - NUTS: ASTM A563 GRADE DH
  - WASHERS (AS REQUIRED): ASTM F436 TYPE 1
  - LOCKING DEVICES: PAL-NUT OR SPLIT WASHER
- ALL BOLT ASSEMBLIES FOR STRUCTURAL MEMBERS REPRESENTED IN THIS DRAWING REQUIRE LOCKING DEVICES TO BE INSTALLED IN ACCORDANCE WITH THE GOVERNING PROVISIONS OF TIA/EIA-222 REQUIREMENTS.
- ALL BOLTS, INCLUDING U-BOLTS, SHALL BE TIGHTENED IN ACCORDANCE WITH AISC "SNUG TIGHT" REQUIREMENTS, U.N.O.
- ALL U-BOLTS SPECIFIED SHALL MEET THE REQUIREMENTS OF ASME B18.31.5-2011 BENT BOLTS.
- STRUCTURAL STEEL SHOP DRAWINGS SHALL BE PROVIDED TO ENGINEER FOR APPROVAL PRIOR TO FABRICATION.
- UNLESS NOTED OTHERWISE, ALL NEW MEMBERS SHALL MAINTAIN THE EXISTING MEMBER WORK LINES AND NOT INTRODUCE ECCENTRICITIES INTO THE STRUCTURE.
- WELDING OF ANY KIND IS NOT PERMITTED ON SITE UNLESS SPECIFIED WITHIN THESE DRAWINGS. OXY FUEL GAS WELDING OR BRAZING IS STRICTLY PROHIBITED. SPECIFICALLY, NO TORCH CUTTING OR OPEN FLAME IS PERMITTED ON SITE. ALL HOLES SHALL BE CUT WITH A GRINDER.
- FOR ALL SHOP WELDING, USE E70XX ELECTRODES FOR SMAW PROCESS AND E7XT-XX ELECTRODES FOR FCAW PROCESS, UNO.

### MODIFICATION INSPECTION NOTES

#### GENERAL

- THE MI IS AN ON-SITE AND HANDS-ON INSPECTION OF THE MODIFICATIONS INCLUDING A REVIEW OF CONSTRUCTION REPORTS AND ADDITIONAL PERTINENT DOCUMENTATION PROVIDED BY THE GENERAL CONTRACTOR (GC), AS WELL AS AND INSPECTION DOCUMENTS PROVIDED BY 3RD PARTY INSPECTORS. THE MI IS TO ENSURE THE INSTALLATION WAS CONSTRUCTED IN ACCORDANCE WITH THE MODIFICATION DRAWINGS; IN ACCORDANCE WITH ALL APPLICABLE INDUSTRY STANDARDS; AND AS DESIGNED BY THE ENGINEER OF RECORD (EOR).
- NO DOCUMENT, CODE, OR POLICY CAN ANTICIPATE EVERY SITUATION THAT MAY ARISE. ACCORDINGLY, THE CHECKLIST IS INTENDED TO SERVE AS A SOURCE OF GUIDING PRINCIPLES IN ESTABLISHING GUIDELINES FOR THE MODIFICATION INSPECTION.
- THE MI IS TO CONFIRM INSTALLATION CONFIGURATION AND WORKMANSHIP ONLY AND IS NOT A REVIEW OF THE MODIFICATION DESIGN ITSELF. AND THE MI INSPECTOR DOES NOT TAKE OWNERSHIP OF THE DESIGN. THE MI INSPECTOR SHALL INSPECT AN NOTE CONFORMANCE/NON-CONFORMANCE AND PROVIDE TO THE TOWER/STRUCTURE OWNER AND EOR FOR EVALUATION.
- TO ENSURE THAT THE REQUIREMENTS OF THE MODIFICATION INSPECTION ARE MET, IT IS VITAL THAT THE GENERAL CONTRACTOR (GC) AND THE MI INSPECTOR BEGIN COMMUNICATING AND COORDINATING AS SOON AS A PO OR PAYMENT IS RECEIVED. IT IS EXPECTED THAT EACH PARTY WILL BE PROACTIVE IN REACHING OUT TO THE OTHER PARTY. CONTACT LISTED ON THE TITLE SHEET SHALL BE CONTACTED IF SPECIFIC INSPECTOR CONTACT INFORMATION IS NOT KNOWN.

#### FAILING INSPECTION REQUIREMENTS

- IF THE MODIFICATION INSTALLATION WOULD FAIL THE MODIFICATION INSPECTION ("FAILED MODIFICATION INSPECTION"), THE GC SHALL WORK WITH THE MI INSPECTOR TO COORDINATE A REMEDIATION PLAN IN ONE OF TWO WAYS:
  - CORRECT FAILING ISSUES TO COMPLY WITH THE SPECIFICATIONS CONTAINED IN THE ORIGINAL MODIFICATION DRAWINGS AND COORDINATE A SUPPLEMENT MODIFICATION INSPECTION.
  - OR, WITH TOWER OWNER APPROVAL, THE GC MAY WORK WITH THE ENGINEER OF RECORD TO RE-ANALYZE THE MODIFICATION/REINFORCEMENT USING THE AS-BUILT CONDITION.

#### SERVICE LEVEL COMMITMENT

- THE FOLLOWING RECOMMENDATIONS AND SUGGESTIONS ARE OFFERED TO ENHANCE THE EFFICIENCY AND EFFECTIVENESS OF DELIVERING AN MI REPORT:
  - THE GC SHALL PROVIDE A MINIMUM OF 5 BUSINESS DAYS NOTICE, PREFERABLY 10, TO THE MI INSPECTOR AS TO WHEN THE SITE WILL BE READY TO THE MI TO BE CONDUCTED.
  - THE GC AND MI INSPECTOR COORDINATE CLOSELY THROUGHOUT THE ENTIRE PROJECT.
  - WHEN POSSIBLE, IT IS PREFERRED TO HAVE THE GC AND MI INSPECTOR ON-SITE DURING THE MI TO HAVE ANY MINOR DEFICIENCIES CORRECTED DURING THE INITIAL MI. THEREFORE, THE GC MAY CHOOSE TO COORDINATE THE MI CAREFULLY TO ENSURE ALL CONSTRUCTION FACILITIES ARE AT THEIR DISPOSAL WHEN THE MI INSPECTOR IS ON SITE.

#### REQUIRED PHOTOS

- BETWEEN THE GC AND THE MI INSPECTOR THE FOLLOWING PHOTOGRAPHS, AT A MINIMUM, ARE TO BE TAKEN AND INCLUDED IN THE MI REPORT:
  - PRE-CONSTRUCTION GENERAL SITE CONDITION
  - PHOTOGRAPHS DURING THE MODIFICATION CONSTRUCTION/ERECTION AND INSPECTION
    - RAW MATERIALS
    - PHOTOS OF ALL CRITICAL DETAILS
    - WELD PREPARATION
    - BOLT INSTALLATION
    - FINAL INSTALLED CONDITION
    - SURFACE COATING REPAIR
    - ANY OTHER PHOTOS DEEMED RELEVANT TO SHOW COMPLETE DETAILS OF THE MODIFICATIONS.
- PHOTOS OF ELEVATED MODIFICATION TAKEN ONLY FROM THE GROUND SHALL BE CONSIDERED INADEQUATE.



| REV. | DATE    | DESCRIPTION     |
|------|---------|-----------------|
| 0    | 8/10/21 | INITIAL RELEASE |

SOUTHURY W CT  
133 HORSE FENCE HILL ROAD  
SOUTHURY, CT 06488


PROJECT NOTES  
& INSPECTION CHECKLIST

| ISSUED FOR:  |           |
|--------------|-----------|
| PERMIT       | 8/10/2021 |
| BID          | -         |
| CONSTRUCTION | -         |
| RECORD       | -         |

| ENGINEER        | DESIGNER    |
|-----------------|-------------|
| EAN             | EAN         |
| PROJECT MANAGER | APPROVED BY |
| DP              | CJS         |

JOB NO.  
2021740.467324.02

N-01



**BILL OF MATERIALS**


**VZWSMART KITS**

| QUANTITY                   | MANUFACTURER | PART NUMBER         | DESCRIPTION              | NOTES   | UNIT WEIGHT | WEIGHT      |
|----------------------------|--------------|---------------------|--------------------------|---|-------------|-------------|
| 3                          | VZWSMART     | VZWSMART-SFK4       | T-ARM REINFORCEMENT KIT  | FIELD TRIM REINFORCEMENT HSS TUBES TO REQUIRED LENGTH.                    | 106         | 318         |
| 1                          |              | VZWSMART-PLK7       | COLLAR MOUNT ASSEMBLY    |   | 150         | 150         |
| 15                         |              | VZWSMART-MSK2       | CROSSOVER PLATE ASSEMBLY |   | 15          | 225         |
| <b>OTHER REQUIRED KITS</b> |              |                     |                          |   |             |             |
| 3                          |              | 12'-6"± P3 STD PIPE | FACE HORIZONTAL          | FIELD VERIFY REQUIRED LENGTH. SEE PAGE N-01 FOR STEEL GRADE REQUIREMENTS. | 95          | 285         |
| 3                          |              | 7'-0" P2.5 STD PIPE | MOUNT PIPE               | SEE PAGE N-01 FOR STEEL GRADE REQUIREMENTS.                               | 41          | 123         |
| <b>TOTAL:</b>              |              |                     |                          |   |             | <b>1101</b> |

**VZWSMART KITS - APPROVED VENDORS**

| COMMSCOPE                  |  |
|----------------------------|--|
| CONTACT                    | SALVADOR ANGUIANO                      |
| PHONE                      | (817) 304-7492                         |
| EMAIL                      | SALVADOR.ANGUIANO@COMMSCOPE.COM        |
| WEBSITE                    | WWW.COMMSCOPE.COM                      |
| METROSITE FABRICATORS, LLC |  |
| CONTACT                    | KENT RAMEY                             |
| PHONE                      | (706) 335-7045 (O), (706) 982-9788 (M) |
| EMAIL                      | KENT@METROSITELLC.COM                  |
| WEBSITE                    | METROSITEFABRICATORS.COM               |
| PERFECTVISION              |  |
| CONTACT                    | WIRELESS SALES                         |
| PHONE                      | (844) 887-6723                         |
| EMAIL                      | WIRELESSSALES@PERFECT-VISION.COM       |
| WEBSITE                    | WWW.PERFECT-VISION.COM                 |
| SABRE INDUSTRIES, INC.     |  |
| CONTACT                    | ANGIE WELCH                            |
| PHONE                      | (866) 428-6937                         |
| EMAIL                      | AKWELCH@SABREINDUSTRIES.COM            |
| WEBSITE                    | WWW.SABRESITESOLUTIONS.COM             |
| SITE PRO 1                 |  |
| CONTACT                    | PAULA BOSWELL                          |
| PHONE                      | (972) 236-9843                         |
| EMAIL                      | PAULA.BOSWELL@VALMONT.COM              |
| WEBSITE                    | WWW.SITEPRO1.COM                       |

- NOTES:
- THE MANUFACTURERS LISTED ARE THE APPROVED VENDORS FOR THE VZW MOUNT KITS. EACH MANUFACTURER WILL BE AWARE OF WHICH KITS HAVE BEEN THROUGH THE VZW APPROVAL PROCESS AND THEY ARE IN TURN APPROVED TO PLEASE NOTE THAT THE MATERIAL UTILIZED ON THE MOUNT MODIFICATIONS WILL BE REVIEWED AS A PART OF THE DESKTOP PMI COMPLETED BY THE SMART TOOL VENDOR. IT WILL BE REQUIRED THAT THE VZW KITS SPECIFIED ARE UTILIZED IN THE MODIFICATIONS.
  - ALL MATERIALS REQUIRED FOR THE DESIGNED MODIFICATIONS BUT NOT LISTED IN THIS SHEET ARE ASSUMED TO BE PROVIDED BY THE CONTRACTOR.



| REV. | DATE    | DESCRIPTION     |
|------|---------|-----------------|
| 0    | 8/10/21 | INITIAL RELEASE |

**SOUTHURBY W CT**  
133 HORSE FENCE HILL ROAD  
SOUTHURBY, CT 06488

**BILL OF MATERIALS**

| ISSUED FOR:  |           |
|--------------|-----------|
| PERMIT       | 8/10/2021 |
| BID          | -         |
| CONSTRUCTION | -         |
| RECORD       | -         |

| ENGINEER        | DESIGNER    |
|-----------------|-------------|
| EAN             | EAN         |
| PROJECT MANAGER | APPROVED BY |
| DP              | CJS         |

JOB NO.  
**2021740.467324.02**

**S-01**





DESIGN DRAWINGS  
PREPARED FOR:



SOUTHURY W CT  
SITE #: 467324  
SMART TOOL PROJECT #: 10091168


| MOUNT MODIFICATION SCHEDULE |           |          |  |   |
|-----------------------------|-----------|----------|--|---|
| NO.                         | ELEVATION | QUANTITY | DESCRIPTION  | NOTES   |
| 1                           | 109'-6"±  | 3        | REPLACEMENT MOUNT PIPE (P2.5 STD)                        | REPLACE EXISTING POSITION 2 MOUNT PIPE WITH LARGER DIAMETER MOUNT PIPE. CONNECT NEW MOUNT PIPE TO EXISTING FACE HORIZONTAL USING NEW CROSSOVER PLATE ASSEMBLIES (VERIZON P/N: VZWSMART-MSK2).   |
| 2                           |           | 3        | PROPOSED FACE HORIZONTAL (P3 STD)                        | INSTALL A NEW FACE HORIZONTAL CONNECTED TO MOUNT PIPES (F.V. REQUIRED LENGTH BEFORE ORDERING). CONNECT NEW FACE HORIZONTAL TO MOUNT PIPES USING NEW CROSSOVER PLATE ASSEMBLIES (VERIZON P/N: VZWSMART-MSK2).  |
| 3                           |           | 3        | PROPOSED T-ARM REINFORCEMENT KIT (PART #: VZWSMART-SFK4) | INSTALL A NEW T-ARM REINFORCEMENT KIT (VERIZON P/N: VZWSMART-SFK4) CONNECTED TO TOWER SHAFT AND NEW FACE HORIZONTAL. FIELD TRIM REINFORCEMENT TUBES TO REQUIRED LENGTH AND DRILL NEW STANDARD SIZE HOLES FOR CONNECTION BOLTS. CONNECT NEW T-ARM REINFORCEMENT KIT TO TOWER SHAFT USING NEW COLLAR MOUNT ASSEMBLY (VERIZON P/N: VZWSMART-PLK7). |

- NOTES:**
- ANY SUBSTITUTION OF PARTS SPECIFIED IN THIS DESIGN PACKAGE SHALL REQUIRE ENGINEER APPROVAL PRIOR TO FABRICATION.
  - ALL MATERIAL REMOVED FROM MOUNT SHALL BE DISPOSED OF BY CONTRACTOR OFF SITE.
  - INSTALL SHALL NOT CAUSE HARM TO THE STRUCTURE, CLIMBING FACILITY, SAFETY CLIMB OR ANY SYSTEM INSTALLED ON THE STRUCTURE.




**1 ELEVATION VIEW**  
S-03

- NOTE:**
- DETAIL IS TYPICAL FOR ALL THREE SECTORS. ONLY ONE SECTOR SHOWN FOR DETAIL CLARITY.
  - ALL FIELD CUT MEMBERS AND DRILLED HOLES SHALL BE SOLVENT CLEANED AND TOUCHED UP WITH TWO COATS OF BRUSH APPLIED ZRC ZINC RICH COLD GALVANIZING PAINT.



**2 PLAN VIEW**  
S-03

- NOTE:**
- DETAIL IS TYPICAL FOR ALL THREE SECTORS. ONLY ONE SECTOR SHOWN FOR DETAIL CLARITY.
  - ALL FIELD CUT MEMBERS AND DRILLED HOLES SHALL BE SOLVENT CLEANED AND TOUCHED UP WITH TWO COATS OF BRUSH APPLIED ZRC ZINC RICH COLD GALVANIZING PAINT.



**3 ISOMETRIC VIEW**  
S-03

- NOTE:**
- DETAIL IS TYPICAL FOR ALL THREE SECTORS. ONLY ONE SECTOR SHOWN FOR DETAIL CLARITY.
  - ALL FIELD CUT MEMBERS AND DRILLED HOLES SHALL BE SOLVENT CLEANED AND TOUCHED UP WITH TWO COATS OF BRUSH APPLIED ZRC ZINC RICH COLD GALVANIZING PAINT.

| REV. | DATE    | DESCRIPTION     |
|------|---------|-----------------|
| 0    | 8/10/21 | INITIAL RELEASE |

**SOUTHURY W CT**  
133 HORSE FENCE HILL ROAD  
SOUTHURY, CT 06488

**MODIFICATION SCHEDULE  
& DETAILS**

| ISSUED FOR:  |           |
|--------------|-----------|
| PERMIT       | 8/10/2021 |
| BID          | -         |
| CONSTRUCTION | -         |
| RECORD       | -         |



| ENGINEER        | DESIGNER    |
|-----------------|-------------|
| EAN             | EAN         |
| PROJECT MANAGER | APPROVED BY |
| DP              | CJS         |

JOB NO.  
2021740.467324.02

**S-03**



# REFERENCE ONLY



VzW  
**SMART Tool**<sup>®</sup>  
Vendor



|               |             |                 |          |
|---------------|-------------|-----------------|----------|
| DRAWN BY: H.R |             | CHECKED BY: HMA |          |
| REV.          | DESCRIPTION | BY              | DATE     |
| △             | FIRST ISSUE | H.R             | 05/08/20 |
| △             |             |                 |          |
| △             |             |                 |          |
| △             |             |                 |          |

SHEET TITLE:  
**VZSMART-MSK2  
CROSSOVER PLATE**

SHEET NUMBER: **VZSMART-MSK2**      REV #: **0**

| VZSMART-MSK2 (CROSSOVER PLATE) |      |                   |  |         |    |
|--------------------------------|------|-------------------|--|---------|----|
| ITEM NO.                       | QTY. | PART NO.          | DESCRIPTION  | SHEET # | WT |
| 1                              | 1    | PL375-88758       | PL 3/8" X 8 3/4" X 0'-8" A36                         | MSK2-F1 | 8  |
| 2                              | 2    | MS02-625-4125-600 | RU-BOLT 5/8" X 4 1/8" I.W. X 6" I.L. A36 (OR EQUIV.) | RBC-1   | 3  |
| 3                              | 2    | MS02-625-300-500  | RU-BOLT 5/8" X 3" I.W. X 5" I.L. A36 (OR EQUIV.)     | RBC-1   | 3  |
| 4                              | 8    | FW-625            | 5/8" HDG USS FLAT WASHER                             | ---     | 1  |
| 5                              | 8    | LW-625            | 5/8" HDG LOCK WASHER                                 | ---     | 0  |
| 6                              | 8    | NUT-625           | 5/8" HDG HEX NUT                                     | ---     | 1  |
| GALVANIZED WT                  |      |                   |  |         | 15 |

NOTES:  
1. HOT-DIPPED GALVANIZED PER ASTM A123.

| REV. | DATE    | DESCRIPTION     |
|------|---------|-----------------|
| 0    | 8/10/21 | INITIAL RELEASE |
|      |         |                 |
|      |         |                 |
|      |         |                 |
|      |         |                 |
|      |         |                 |
|      |         |                 |
|      |         |                 |
|      |         |                 |

**SOUTHURY W CT**  
133 HORSE FENCE HILL ROAD  
SOUTHURY, CT 06488  
**DETAILS/PARTS**

|              |           |
|--------------|-----------|
| ISSUED FOR:  |           |
| PERMIT       | 8/10/2021 |
| BID          | -         |
| CONSTRUCTION | -         |
| RECORD       | -         |

|                 |             |
|-----------------|-------------|
| ENGINEER        | DESIGNER    |
| EAN             | EAN         |
| PROJECT MANAGER | APPROVED BY |
| DP              | CJS         |

JOB NO.  
2021740.467324.02



**S-04**

DESIGN DRAWINGS  
PREPARED FOR:



SOUTHBURY W CT  
SITE #: 467324  
SMART TOOL PROJECT #: 10091168

REFERENCE  
ONLY



NOTES:  
1. FIT 12" TO 45" DIA MONOPOLE.  
2. HOT-DIPPED GALVANIZED PER ASTM A123.

| VZSMART-PLK7 (MONOPOLE COLLAR MOUNT ASSEMBLY) |      |          |                                   |         |     |
|---|------|----------|-----------------------------------|---------|-----|
| ITEM NO.                                      | QTY. | PART NO. | DESCRIPTION                       | SHEET # | WT  |
| 1   | 3    | CM-1245  | COLLAR MOUNT ASSEMBLY             | PLK7-F1 | 147 |
| 2   | 6    | ---      | THREADED ROD 5/8" X 4'-0" A193-B7 | ---     | --- |
| 3   | 12   | FW-625   | 5/8" HDG USS FLAT WASHER          | ---     | 1   |
| 4   | 12   | LW-625   | 5/8" HDG LOCK WASHER              | ---     | 0   |
| 5   | 12   | NUT-625  | 5/8" HDG HEX NUT                  | ---     | 1   |
| GALVANIZED WT                                 |      |          |                                   |         | 150 |

VzW  
SMART Tool<sup>®</sup>  
Vendor



DRAWN BY: BT      CHECKED BY: HMA/KW

| REV. | DESCRIPTION | BY | DATE     |
|------|-------------|----|----------|
| 1    | FIRST ISSUE | BT | 05/11/20 |
|      |             |    |          |
|      |             |    |          |
|      |             |    |          |
|      |             |    |          |

SHEET TITLE:  
VZSMART-PLK7  
MONOPOLE COLLAR  
MOUNT ASSEMBLY

SHEET NUMBER: VZSMART-PLK7      REV #: 0

| REV. | DATE    | DESCRIPTION     |
|------|---------|-----------------|
| 0    | 8/10/21 | INITIAL RELEASE |
|      |         |                 |
|      |         |                 |
|      |         |                 |
|      |         |                 |

SOUTHBURY W CT  
133 HORSE FENCE HILL ROAD  
SOUTHBURY, CT 06488

DETAILS/PARTS

ISSUED FOR:





|              |           |
|--------------|-----------|
| PERMIT       | 8/10/2021 |
| BID          | -         |
| CONSTRUCTION | -         |
| RECORD       | -         |

|                 |             |
|-----------------|-------------|
| ENGINEER        | DESIGNER    |
| EAN             | EAN         |
| PROJECT MANAGER | APPROVED BY |
| DP              | CJS         |

JOB NO.  
2021740.467324.02

S-05

# REFERENCE ONLY



| VZSMART-SFK4 (T-ARM KIT) |      |                   |  |         |               |     |
|--------------------------|------|-------------------|--|---------|---------------|-----|
| ITEM NO.                 | QTY. | PART NO.          | DESCRIPTION  | SHEET # | WT            |     |
| 1                        | 1    | RO-TAW-6          | T-ARM WELDMENT                                       | SFK4-F1 | 71            |     |
| 2                        | 2    | BP825-94375       | PL 3/8" X 8 1/4" X 9 7/16" A36 BEND PLATE            | SFK4-F2 | 17            |     |
| 3                        | 1    | PL375-92512025    | PL 3/8" X 9 1/4" X 1'-0 1/2" A36                     | SFK4-F3 | 12            |     |
| 4                        | 4    | ---               | BOLT 5/8" X 2 1/4" A325                              | ---     | 0             |     |
| 5                        | 4    | ---               | BOLT 5/8" X 2" A325                                  | ---     | 0             |     |
| 6                        | 2    | ---               | BOLT 3/4" X 5 1/4" A325                              | ---     | 0             |     |
| 7                        | 2    | MS02-625-3625-600 | RU-BOLT 5/8" X 3 5/8" I.W. X 6" I.L. A36 (OR EQUIV.) | RBC-1   | 3             |     |
| 8                        | 12   | FW-625            | 5/8" HDG USS FLAT WASHER                             | ---     | 1             |     |
| 9                        | 12   | LW-625            | 5/8" HDG LOCK WASHER                                 | ---     | 0             |     |
| 10                       | 12   | NUT-625           | 5/8" HDG HEX NUT                                     | ---     | 1             |     |
| 11                       | 2    | FW-75             | 3/4" HDG USS FLAT WASHER                             | ---     | 0             |     |
| 12                       | 2    | LW-75             | 3/4" HDG LOCK WASHER                                 | ---     | 0             |     |
| 13                       | 2    | NUT-75            | 3/4" HDG HEX NUT                                     | ---     | 0             |     |
|                          |      |                   |  |         | GALVANIZED WT | 106 |

VzW  
**SMART Tool**<sup>®</sup>  
Vendor



DRAWN BY: BT      CHECKED BY: HMA/KW  
REV.      DESCRIPTION      BY      DATE  
FIRST ISSUE      BT      05/08/20

SHEET TITLE:  
**VZSMART-SFK4  
T-ARM KIT**  
SHEET NUMBER:      REV #:  
**VZSMART-SFK4      0**

DESIGN DRAWINGS PREPARED FOR:  
**verizon**  
SOUTHURY W CT  
SITE #: 467324  
SMART TOOL PROJECT #: 10091168

| REV. | DATE    | DESCRIPTION     |
|------|---------|-----------------|
| 0    | 8/10/21 | INITIAL RELEASE |

**SOUTHURY W CT**  
133 HORSE FENCE HILL ROAD  
SOUTHURY, CT 06488  
**DETAILS/PARTS**

| ISSUED FOR:  |           |
|--------------|-----------|
| PERMIT       | 8/10/2021 |
| BID          | -         |
| CONSTRUCTION | -         |
| RECORD       | -         |

| ENGINEER        | DESIGNER    |
|-----------------|-------------|
| EAN             | EAN         |
| PROJECT MANAGER | APPROVED BY |
| DP              | CJS         |


JOB NO.  
2021740.467324.02

**S-06**

NOTES:  
1. HOT-DIPPED GALVANIZED PER ASTM A123.


MOUNT PLAN VIEW

MOUNT CONNECTION:  
 8" X 8" X 3/4" FLANGE PLATE  
 (4) 5/8" Ø BOLTS 6" C-C SPACING  
 STANDOFF TO FLANGE PLATE WELD - 1/4" FILLET



CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND MEMBER SIZES SHOWN IN THIS SKETCH. DOCUMENT ALL VARIATIONS OR DEVIATIONS VIA PHOTOS AND SKETCHES AND PROVIDE TO THE EOR FOR EVALUATION

MOUNT FRONT VIEW



CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND MEMBER SIZES SHOWN IN THIS SKETCH. DOCUMENT ALL VARIATIONS OR DEVIATIONS VIA PHOTOS AND SKETCHES AND PROVIDE TO THE EOR FOR EVALUATION

DESIGN DRAWINGS  
 PREPARED FOR:

SOUTHURY W CT  
 SITE #: 467324  
 SMART TOOL PROJECT #: 1009168

| REV. | DATE    | DESCRIPTION     |
|------|---------|-----------------|
| 0    | 8/10/21 | INITIAL RELEASE |

SOUTHURY W CT  
 133 HORSE FENCE HILL ROAD  
 SOUTHURY, CT 06488


MOUNT GEOMETRY  
 VERIFICATION

|              |           |
|--------------|-----------|
| ISSUED FOR:  |           |
| PERMIT       | 8/10/2021 |
| BID          | -         |
| CONSTRUCTION | -         |
| RECORD       | -         |

|                 |             |
|-----------------|-------------|
| ENGINEER        | DESIGNER    |
| EAN             | EAN         |
| PROJECT MANAGER | APPROVED BY |
| DP              | CJS         |

JOB NO.  
 2021740.467324.02

S-07



8/10/21







GPD Engineering And Architecture Professional Corporation  
520 South Main Street, Suite 2531  
Akron, OH 44311  
(317) 295-3174

Maser Consulting Contact:  
Peter.albano@colliersengineering.com  
(856) 371-9457

---

## Post-Mod Antenna Mount Analysis Report and PMI Requirements

Mount Fix

SMART Tool Project #: 10091168  
GPD Project #: 2021740.467324.02  
Maser Consulting Project #: 21777856

August 10, 2021

### Site Information

Site ID: 467324-VZW / SOUTHBURY W CT  
Site Name: SOUTHBURY W CT  
Carrier Name: Verizon Wireless  
Address: 133 Horse Fence Hill Road  
Southbury, Connecticut 06488, New Haven County  
Latitude: 41.460096°  
Longitude: -73.245390°

### Structure Information

Tower Type: 150-Ft Monopole  
Mount Type: 12.50-Ft T-Arm

FUZE ID # 16053187

### Analysis Results

T-Arm: 69.8% Pass

### \*\*\*Contractor PMI Requirements:

**Included at the end of this MA report**

**Available & Submitted via portal at <https://pmi.vzwsmart.com>**

**Contractor - Please Review Specific Site PMI Requirements Upon Award**

**Requirements also Noted on Mount Modification Drawings**

**Requirements may also be Noted on A & E drawings**

Report Prepared by: Eric Nieto

Respectfully Submitted by:

Christopher J. Scheks, P.E.  
Connecticut #: 30026



8/10/2021

**Executive Summary:**

The objective of this report is to summarize the analysis results of the antenna support mount including the proposed modifications at the subject facility for the final wireless telecommunications configuration, per the applicable codes and standards.

This analysis is inclusive of the mount structure only and does not address the structural capacity of the supporting structure. This mounting frame was not analyzed as an anchor attachment point for fall protection. All climbing activities are required to have a fall protection plan completed by a competent person.

**Sources of Information:**

| Document Type                      | Remarks  |
|------------------------------------|--|
| Radio Frequency Data Sheet (RFDS)  | Verizon RFDS Site ID: 324866, dated 7/20/2021            |
| Desktop Mount Mapping Form         | Colliers Project #: 21777856, dated 7/9/2021             |
| Previous Mount Analysis Report     | GPD Project #: 2021740.467324.01, dated 7/27/2021        |
| Proposed Mount Modification Design | GPD Project #: 2021740.467324.02 Rev. 0, dated 8/10/2021 |

**Analysis Criteria:**

|                         |   |
|-------------------------|---|
| Codes and Standards:    | ANSI/TIA-222-H  |
| Wind Parameters:        | Basic Wind Speed (Ultimate 3-sec. Gust), $V_{ULT}$ : 116 mph<br>Ice Wind Speed (3-sec. Gust): 50 mph<br>Design Ice Thickness: 1.00 in<br>Risk Category: II<br>Exposure Category: B<br>Topographic Category: 1<br>Topographic Feature Considered: N/A<br>Topographic Method: N/A<br>Ground Elevation Factor, $K_e$ : 0.988 |
| Seismic Parameters:     | $S_s$ : 0.202<br>$S_1$ : 0.055  |
| Maintenance Parameters: | Wind Speed (3-sec. Gust): 30 mph<br>Maintenance Live Load, $L_v$ : 250 lbs.<br>Maintenance Live Load, $L_m$ : 250 lbs.*   |
| Analysis Software:      | *Reduced as allowed per ANSI/TIA-222-H 16.9<br>RISA-3D (V17.0.2)  |

**Final Loading Configuration:**

The following equipment has been considered for the analysis of the mounts:

| Mount Elevation (ft) | Equipment Elevation (ft) | Quantity | Manufacturer | Model            | Status   |
|----------------------|--------------------------|----------|--------------|------------------|----------|
| 109.50               | 111.00                   | 6        | JMA Wireless | MX06FRO660-03    | Added    |
|                      |                          | 3        | Samsung      | MT6407-77A       |          |
|                      |                          | 3        | Samsung      | RF4439d-25A      |          |
|                      |                          | 3        | Samsung      | RF4440d-13A      |          |
|                      |                          | 1        | Raycap       | RVZDC-6627-PF-48 |          |
|                      |                          | 3        | Andrew       | LNx-6514DS-VTM   | Retained |

It is acceptable to install up to any three (3) of the OVP model numbers listed below as required at any location other than the mount face without affecting the structural capacity of the mount. If OVP units are installed on the mount face, a mount re-analysis may be required unless replacing an existing OVP.

| Model Number     | Ports | AKA    |
|------------------|-------|--------|
| DB-B1-6C-12AB-0Z | 6     | OVP-6  |
| RVZDC-6627-PF-48 | 12    | OVP-12 |

**Standard Conditions:**

1. All engineering services are performed on the basis that the information provided to GPD and used in this analysis is current and correct. The existing equipment loading has been applied at locations determined from the supplied documentation. Any deviation from the loading locations specified in this report shall be communicated to GPD to verify deviation will not adversely impact the analysis.
2. Mounts are assumed to have been properly fabricated, installed and maintained in good condition, twist free and plumb in accordance with its original design and manufacturer’s specifications.

Obvious safety and structural issues/deficiencies noticed at the time of the mount mapping and reported in the Mount Mapping Report are assumed to be corrected and documented as part of the PMI process and are not considered in the mount analysis.

The mount analysis and the mount mapping are not a condition assessment of the mount. Proper maintenance and condition assessments are still required post analysis.

3. For mount analyses completed from other data sources (including new replacement mounts) and not specifically mapped by TES, the mounts are assumed to have been properly fabricated, installed and maintained in good condition, twist free and plumb in accordance with its original design and manufacturer’s specifications.
4. All member connections are assumed to have been designed to meet or exceed the load carrying capacity of the connected member unless otherwise specified in this report.
5. The mount was checked up to, and including, the bolts that fasten it to the mount collar/attachment and threaded rod connections in collar members if applicable. Local deformation and interaction between the mount collar/attachment and the supporting tower structure are outside the scope of this analysis.
6. All services are performed, results obtained, and recommendations made in accordance with generally accepted engineering principles and practices. GPD is not responsible for the conclusion, opinions, and recommendations made by others based on the information supplied.



7. Structural Steel Grades have been assumed as follows, if applicable, unless otherwise noted in this analysis:
  - Channel, Solid Round, Angle, Plate      ASTM A36 (Gr. 36)
  - HSS (Rectangular)                              ASTM 500 (Gr. B-46)
  - Pipe    ASTM A53 (Gr. B-35)
  - Threaded Rod                                        F1554 (Gr. 36)
  - Bolts    ASTM A325
  
8. Any mount modifications listed under Sources of Information are assumed to have been installed per the design specifications.

**Discrepancies between in-field conditions and the assumptions listed above may render this analysis invalid unless explicitly approved by GPD.**

**Analysis Results:**

| Component           | Utilization % | Pass/Fail |
|---------------------|---------------|-----------|
| Face Horizontal     | 44.8 %        | Pass      |
| Standoff            | 40.1 %        | Pass      |
| Mount Pipe          | 27.0 %        | Pass      |
| Mod Mount Pipe      | 34.6 %        | Pass      |
| Mod Face Horizontal | 32.6 %        | Pass      |
| Mod Standoff        | 35.9 %        | Pass      |
| Mount Connection    | 69.8 %        | Pass      |

|   |               |
|---|---------------|
| <b>Structure Rating – (Controlling Utilization of all Components)</b> | <b>69.8%*</b> |
|---|---------------|

**\*The mount has been found structurally adequate for all steel and external connection capacities. Serviceability in accordance with TIA-222-H Section 4.9.11.3 has not been considered.**

**Recommendation:**


The existing mounts will be **SUFFICIENT** for the final loading after the proposed modifications are successfully completed.

ANSI/ASSP rigging plan review services compliant with the requirements of ANSI/TIA 322 are available for a Construction Class IV site or other, if required. Separate review fees will apply.

**Attachments:**

1. Mount Photos
2. Desktop Mount Mapping Form (for reference only)
3. Analysis Calculations
- 4. Contractor Required PMI Report Deliverables**
5. Antenna Placement Diagrams
6. TIA Adoption Wind Speed Letter



| <b>Desktop Mount Mapping Form</b>   |                       |                  |                        |          |
|---|-----------------------|------------------|------------------------|----------|
|  | Site Name:            | SOUTHBURY W CT   | Tower Type:            | Monopole |
|   | Site ID:              | 467324           | Tower Owner:           | ATC      |
|   | FUZE Project ID:      | 16053187         | Tower Height (Ft.):    |          |
|   | Customer:             | Verizon Wireless | Mount Elevation (Ft.): |          |
|   | Colliers Project No.: | 21777856         | Date:                  | 7/9/2021 |

The information contained herein is considered confidential in nature and is to be used only for the specific customer it was intended for. Reproduction, transmission, publication, modification or disclosure by any method is prohibited except by express written permission of Colliers Engineering & Design.

| Document Type                | Provided? (Yes/No) | Source Name         | Project No. | Dated    | Comments/Remarks      |
|------------------------------|--------------------|---------------------|-------------|----------|-----------------------|
| Previous Mount Mapping       | No                 |                     |             |          |                       |
| Previous Mapping Photos      | No                 |                     |             |          |                       |
| Previous Mount Analysis      | No                 |                     |             |          |                       |
| Previous Mount Modifications | No                 |                     |             |          |                       |
| Previous Structural Analysis | No                 |                     |             |          |                       |
| Construction Drawings        | No                 |                     |             |          |                       |
| Closeout Package             | No                 |                     |             |          |                       |
| Closeout Photos              | No                 |                     |             |          |                       |
| Handover Package             | No                 |                     |             |          |                       |
| New Build 445 Documentation  | No                 |                     |             |          |                       |
| Other                        | Yes                | Hudson Design Group |             | 5/7/2021 | Ground Photos Package |
| Previous PMI                 | No                 |                     |             |          |                       |



The **desktop mount mapping** is based on the engineering review of the available site documents in FUZE, as listed above, in place of a full mount mapping. It is assumed that the information provided in the documents listed above, provide an accurate representation of the existing mount. EOR reserves the right and will typically require additional clarification and verification as will be included in the PMI requirements. During the Post Modification Inspection (PMI) process, the GC on site will be required to confirm all questions, confirmations, and validations as posed by the EOR. The engineering review for this desktop mount mapping was performed in accordance to the ANSI/TIA-222-H requirements and Verizon's NSTD446 standard.




Photo taken from: Closeout Package




Photo taken from: Closeout Package







| Code Check (Env) |         |
|------------------|---------|
| Black            | No Calc |
| Red              | > 1.0   |
| Pink             | .90-1.0 |
| Green            | .75-.90 |
| Cyan             | .50-.75 |
| Blue             | 0-.50   |



Member Code Checks Displayed (Enveloped)  
Results for LC 1, 1.2D+1.0Wo (0 Deg)



| Shear Check (Env) |         |
|-------------------|---------|
| Black             | No Calc |
| Red               | > 1.0   |
| Pink              | .90-1.0 |
| Green             | .75-.90 |
| Cyan              | .50-.75 |
| Blue              | 0-.50   |



Member Shear Checks Displayed (Enveloped)  
Results for LC 1, 1.2D+1.0Wo (0 Deg)



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

### Basic Load Cases

|    | BLC Description        | Category | X Gra... | Y Gra... | Z Grav... | Joint | Point | Distrib... | Area(Member) | Surface(Plate/W... |
|----|------------------------|----------|----------|----------|-----------|-------|-------|------------|--------------|--------------------|
| 1  | Antenna D              | None     |          |          |           |       | 42    |            |              |                    |
| 2  | Antenna Di             | None     |          |          |           |       | 42    |            |              |                    |
| 3  | Antenna Wo (0 Deg)     | None     |          |          |           |       | 42    |            |              |                    |
| 4  | Antenna Wo (30 Deg)    | None     |          |          |           |       | 42    |            |              |                    |
| 5  | Antenna Wo (60 Deg)    | None     |          |          |           |       | 42    |            |              |                    |
| 6  | Antenna Wo (90 Deg)    | None     |          |          |           |       | 42    |            |              |                    |
| 7  | Antenna Wo (120 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 8  | Antenna Wo (150 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 9  | Antenna Wo (180 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 10 | Antenna Wo (210 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 11 | Antenna Wo (240 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 12 | Antenna Wo (270 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 13 | Antenna Wo (300 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 14 | Antenna Wo (330 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 15 | Antenna Wi (0 Deg)     | None     |          |          |           |       | 42    |            |              |                    |
| 16 | Antenna Wi (30 Deg)    | None     |          |          |           |       | 42    |            |              |                    |
| 17 | Antenna Wi (60 Deg)    | None     |          |          |           |       | 42    |            |              |                    |
| 18 | Antenna Wi (90 Deg)    | None     |          |          |           |       | 42    |            |              |                    |
| 19 | Antenna Wi (120 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 20 | Antenna Wi (150 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 21 | Antenna Wi (180 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 22 | Antenna Wi (210 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 23 | Antenna Wi (240 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 24 | Antenna Wi (270 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 25 | Antenna Wi (300 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 26 | Antenna Wi (330 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 27 | Antenna Wm (0 Deg)     | None     |          |          |           |       | 42    |            |              |                    |
| 28 | Antenna Wm (30 Deg)    | None     |          |          |           |       | 42    |            |              |                    |
| 29 | Antenna Wm (60 Deg)    | None     |          |          |           |       | 42    |            |              |                    |
| 30 | Antenna Wm (90 Deg)    | None     |          |          |           |       | 42    |            |              |                    |
| 31 | Antenna Wm (120 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 32 | Antenna Wm (150 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 33 | Antenna Wm (180 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 34 | Antenna Wm (210 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 35 | Antenna Wm (240 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 36 | Antenna Wm (270 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 37 | Antenna Wm (300 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 38 | Antenna Wm (330 Deg)   | None     |          |          |           |       | 42    |            |              |                    |
| 39 | Structure D            | None     |          | -1       |           |       |       |            |              |                    |
| 40 | Structure Di           | None     |          |          |           |       |       | 9          |              |                    |
| 41 | Structure Wo (0 Deg)   | None     |          |          |           |       |       | 18         |              |                    |
| 42 | Structure Wo (30 Deg)  | None     |          |          |           |       |       | 18         |              |                    |
| 43 | Structure Wo (60 Deg)  | None     |          |          |           |       |       | 18         |              |                    |
| 44 | Structure Wo (90 Deg)  | None     |          |          |           |       |       | 18         |              |                    |
| 45 | Structure Wo (120 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 46 | Structure Wo (150 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 47 | Structure Wo (180 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 48 | Structure Wo (210 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 49 | Structure Wo (240 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 50 | Structure Wo (270 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 51 | Structure Wo (300 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 52 | Structure Wo (330 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 53 | Structure Wi (0 Deg)   | None     |          |          |           |       |       | 18         |              |                    |
| 54 | Structure Wi (30 Deg)  | None     |          |          |           |       |       | 18         |              |                    |
| 55 | Structure Wi (60 Deg)  | None     |          |          |           |       |       | 18         |              |                    |
| 56 | Structure Wi (90 Deg)  | None     |          |          |           |       |       | 18         |              |                    |





**Basic Load Cases (Continued)**

| BLC Description           | Category | X Gra... | Y Gra... | Z Grav... | Joint | Point | Distrib... | Area(Member) | Surface(Plate/W... |
|---------------------------|----------|----------|----------|-----------|-------|-------|------------|--------------|--------------------|
| 57 Structure Wi (120 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 58 Structure Wi (150 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 59 Structure Wi (180 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 60 Structure Wi (210 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 61 Structure Wi (240 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 62 Structure Wi (270 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 63 Structure Wi (300 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 64 Structure Wi (330 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 65 Structure Wm (0 Deg)   | None     |          |          |           |       |       | 18         |              |                    |
| 66 Structure Wm (30 Deg)  | None     |          |          |           |       |       | 18         |              |                    |
| 67 Structure Wm (60 Deg)  | None     |          |          |           |       |       | 18         |              |                    |
| 68 Structure Wm (90 Deg)  | None     |          |          |           |       |       | 18         |              |                    |
| 69 Structure Wm (120 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 70 Structure Wm (150 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 71 Structure Wm (180 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 72 Structure Wm (210 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 73 Structure Wm (240 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 74 Structure Wm (270 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 75 Structure Wm (300 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 76 Structure Wm (330 Deg) | None     |          |          |           |       |       | 18         |              |                    |
| 77 Lm1                    | None     |          |          |           |       | 1     |            |              |                    |
| 78 Lm2                    | None     |          |          |           |       | 1     |            |              |                    |
| 79 Lv1                    | None     |          |          |           |       | 1     |            |              |                    |
| 80 Lv2                    | None     |          |          |           |       | 1     |            |              |                    |

**Load Combinations**

| Description                       | S... | PDel.. | SRSSB... | Fa...B... | Fa...BLC | Fa...B... | Fa...B... | Fa...B... | Fa...B... | Fa...B... | Fa...B... | Fa...B... | Fa...B... | Fa...B... | Fa...B... | Fa...B... | Fa...B... |
|-----------------------------------|------|--------|----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 1.2D+1.0Wo (0 Deg)              | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 3         | 1         | 41        | 1         |           |           |           |           |           |           |           |
| 2 1.2D+1.0Wo (30 Deg)             | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 4         | 1         | 42        | 1         |           |           |           |           |           |           |           |
| 3 1.2D+1.0Wo (60 Deg)             | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 5         | 1         | 43        | 1         |           |           |           |           |           |           |           |
| 4 1.2D+1.0Wo (90 Deg)             | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 6         | 1         | 44        | 1         |           |           |           |           |           |           |           |
| 5 1.2D+1.0Wo (120 Deg)            | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 7         | 1         | 45        | 1         |           |           |           |           |           |           |           |
| 6 1.2D+1.0Wo (150 Deg)            | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 8         | 1         | 46        | 1         |           |           |           |           |           |           |           |
| 7 1.2D+1.0Wo (180 Deg)            | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 9         | 1         | 47        | 1         |           |           |           |           |           |           |           |
| 8 1.2D+1.0Wo (210 Deg)            | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 10        | 1         | 48        | 1         |           |           |           |           |           |           |           |
| 9 1.2D+1.0Wo (240 Deg)            | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 11        | 1         | 49        | 1         |           |           |           |           |           |           |           |
| 10 1.2D+1.0Wo (270 Deg)           | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 12        | 1         | 50        | 1         |           |           |           |           |           |           |           |
| 11 1.2D+1.0Wo (300 Deg)           | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 13        | 1         | 51        | 1         |           |           |           |           |           |           |           |
| 12 1.2D+1.0Wo (330 Deg)           | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 14        | 1         | 52        | 1         |           |           |           |           |           |           |           |
| 13 1.2D + 1.0Di + 1.0Wi (0 Deg)   | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 15        | 1         | 53        | 1         |           |           |           |
| 14 1.2D + 1.0Di + 1.0Wi (30 Deg)  | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 16        | 1         | 54        | 1         |           |           |           |
| 15 1.2D + 1.0Di + 1.0Wi (60 Deg)  | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 17        | 1         | 55        | 1         |           |           |           |
| 16 1.2D + 1.0Di + 1.0Wi (90 Deg)  | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 18        | 1         | 56        | 1         |           |           |           |
| 17 1.2D + 1.0Di + 1.0Wi (120 Deg) | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 19        | 1         | 57        | 1         |           |           |           |
| 18 1.2D + 1.0Di + 1.0Wi (150 Deg) | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 20        | 1         | 58        | 1         |           |           |           |
| 19 1.2D + 1.0Di + 1.0Wi (180 Deg) | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 21        | 1         | 59        | 1         |           |           |           |
| 20 1.2D + 1.0Di + 1.0Wi (210 Deg) | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 22        | 1         | 60        | 1         |           |           |           |
| 21 1.2D + 1.0Di + 1.0Wi (240 Deg) | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 23        | 1         | 61        | 1         |           |           |           |
| 22 1.2D + 1.0Di + 1.0Wi (270 Deg) | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 24        | 1         | 62        | 1         |           |           |           |
| 23 1.2D + 1.0Di + 1.0Wi (300 Deg) | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 25        | 1         | 63        | 1         |           |           |           |
| 24 1.2D + 1.0Di + 1.0Wi (330 Deg) | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 2         | 1         | 40        | 1         | 26        | 1         | 64        | 1         |           |           |           |
| 25 1.2D + 1.5Lm1 + 1.0Wm (0 Deg)  | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 77        | 1.5       | 27        | 1         | 65        | 1         |           |           |           |           |           |
| 26 1.2D + 1.5Lm1 + 1.0Wm (30 Deg) | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 77        | 1.5       | 28        | 1         | 66        | 1         |           |           |           |           |           |
| 27 1.2D + 1.5Lm1 + 1.0Wm (60 Deg) | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 77        | 1.5       | 29        | 1         | 67        | 1         |           |           |           |           |           |
| 28 1.2D + 1.5Lm1 + 1.0Wm (90 Deg) | Y... | Y      | 1        | 1.2       | 39       | 1.2       | 77        | 1.5       | 30        | 1         | 68        | 1         |           |           |           |           |           |



**Load Combinations (Continued)**

| Description | S...                            | PDel... | SRSSB... | Fa... | B... | Fa... | BLC | Fa... | B...   | Fa... | B... | Fa... | B...   | Fa... | B... | Fa... | B... | Fa... | B... | Fa... | B... |
|-------------|---------------------------------|---------|----------|-------|------|-------|-----|-------|--------|-------|------|-------|--------|-------|------|-------|------|-------|------|-------|------|
| 29          | 1.2D + 1.5Lm1 + 1.0Wm (120 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 77    | 1.5    | 31    | 1    | 69    | 1      |       |      |       |      |       |      |       |      |
| 30          | 1.2D + 1.5Lm1 + 1.0Wm (150 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 77    | 1.5    | 32    | 1    | 70    | 1      |       |      |       |      |       |      |       |      |
| 31          | 1.2D + 1.5Lm1 + 1.0Wm (180 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 77    | 1.5    | 33    | 1    | 71    | 1      |       |      |       |      |       |      |       |      |
| 32          | 1.2D + 1.5Lm1 + 1.0Wm (210 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 77    | 1.5    | 34    | 1    | 72    | 1      |       |      |       |      |       |      |       |      |
| 33          | 1.2D + 1.5Lm1 + 1.0Wm (240 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 77    | 1.5    | 35    | 1    | 73    | 1      |       |      |       |      |       |      |       |      |
| 34          | 1.2D + 1.5Lm1 + 1.0Wm (270 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 77    | 1.5    | 36    | 1    | 74    | 1      |       |      |       |      |       |      |       |      |
| 35          | 1.2D + 1.5Lm1 + 1.0Wm (300 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 77    | 1.5    | 37    | 1    | 75    | 1      |       |      |       |      |       |      |       |      |
| 36          | 1.2D + 1.5Lm1 + 1.0Wm (330 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 77    | 1.5    | 38    | 1    | 76    | 1      |       |      |       |      |       |      |       |      |
| 37          | 1.2D + 1.5Lm2 + 1.0Wm (0 Deg)   | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 27    | 1    | 65    | 1      |       |      |       |      |       |      |       |      |
| 38          | 1.2D + 1.5Lm2 + 1.0Wm (30 Deg)  | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 28    | 1    | 66    | 1      |       |      |       |      |       |      |       |      |
| 39          | 1.2D + 1.5Lm2 + 1.0Wm (60 Deg)  | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 29    | 1    | 67    | 1      |       |      |       |      |       |      |       |      |
| 40          | 1.2D + 1.5Lm2 + 1.0Wm (90 Deg)  | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 30    | 1    | 68    | 1      |       |      |       |      |       |      |       |      |
| 41          | 1.2D + 1.5Lm2 + 1.0Wm (120 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 31    | 1    | 69    | 1      |       |      |       |      |       |      |       |      |
| 42          | 1.2D + 1.5Lm2 + 1.0Wm (150 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 32    | 1    | 70    | 1      |       |      |       |      |       |      |       |      |
| 43          | 1.2D + 1.5Lm2 + 1.0Wm (180 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 33    | 1    | 71    | 1      |       |      |       |      |       |      |       |      |
| 44          | 1.2D + 1.5Lm2 + 1.0Wm (210 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 34    | 1    | 72    | 1      |       |      |       |      |       |      |       |      |
| 45          | 1.2D + 1.5Lm2 + 1.0Wm (240 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 35    | 1    | 73    | 1      |       |      |       |      |       |      |       |      |
| 46          | 1.2D + 1.5Lm2 + 1.0Wm (270 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 36    | 1    | 74    | 1      |       |      |       |      |       |      |       |      |
| 47          | 1.2D + 1.5Lm2 + 1.0Wm (300 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 37    | 1    | 75    | 1      |       |      |       |      |       |      |       |      |
| 48          | 1.2D + 1.5Lm2 + 1.0Wm (330 Deg) | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 78    | 1.5    | 38    | 1    | 76    | 1      |       |      |       |      |       |      |       |      |
| 49          | 1.2D + 1.5Lv1                   | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 79    | 1.5    |       |      |       |        |       |      |       |      |       |      |       |      |
| 50          | 1.2D + 1.5Lv2                   | Y...    | Y        | 1     | 1.2  | 39    | 1.2 | 80    | 1.5    |       |      |       |        |       |      |       |      |       |      |       |      |
| 51          | 1.4D                            | Y...    | Y        | 1     | 1.4  | 39    | 1.4 |       |        |       |      |       |        |       |      |       |      |       |      |       |      |
| 52          | Seismic Mass                    |         | Y        | 1     | 1    | 39    | 1   |       |        |       |      |       |        |       |      |       |      |       |      |       |      |
| 53          | 1.2D + 1.0Ev + 1.0Eh (0 Deg)    |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    |        | SY    | 1    | SZ    | -.1    |       |      |       |      |       |      |       |      |
| 54          | 1.2D + 1.0Ev + 1.0Eh (30 Deg)   |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    | .5     | SY    | 1    | SZ    | -.8... |       |      |       |      |       |      |       |      |
| 55          | 1.2D + 1.0Ev + 1.0Eh (60 Deg)   |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    | .866   | SY    | 1    | SZ    | -.5    |       |      |       |      |       |      |       |      |
| 56          | 1.2D + 1.0Ev + 1.0Eh (90 Deg)   |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    | 1      | SY    | 1    | SZ    |        |       |      |       |      |       |      |       |      |
| 57          | 1.2D + 1.0Ev + 1.0Eh (120 Deg)  |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    | .866   | SY    | 1    | SZ    | .5     |       |      |       |      |       |      |       |      |
| 58          | 1.2D + 1.0Ev + 1.0Eh (150 Deg)  |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    | .5     | SY    | 1    | SZ    | .866   |       |      |       |      |       |      |       |      |
| 59          | 1.2D + 1.0Ev + 1.0Eh (180 Deg)  |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    |        | SY    | 1    | SZ    | 1      |       |      |       |      |       |      |       |      |
| 60          | 1.2D + 1.0Ev + 1.0Eh (210 Deg)  |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    | -.5    | SY    | 1    | SZ    | .866   |       |      |       |      |       |      |       |      |
| 61          | 1.2D + 1.0Ev + 1.0Eh (240 Deg)  |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    | -.8... | SY    | 1    | SZ    | .5     |       |      |       |      |       |      |       |      |
| 62          | 1.2D + 1.0Ev + 1.0Eh (270 Deg)  |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    | -.1    | SY    | 1    | SZ    |        |       |      |       |      |       |      |       |      |
| 63          | 1.2D + 1.0Ev + 1.0Eh (300 Deg)  |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    | -.8... | SY    | 1    | SZ    | -.5    |       |      |       |      |       |      |       |      |
| 64          | 1.2D + 1.0Ev + 1.0Eh (330 Deg)  |         | Y        | 1     | 1.2  | 39    | 1.2 | SX    | -.5    | SY    | 1    | SZ    | -.8... |       |      |       |      |       |      |       |      |

**Joint Coordinates and Temperatures**

| Label | X [ft] | Y [ft]    | Z [ft] | Temp [F] | Detach From Diap... |
|-------|--------|-----------|--------|----------|---------------------|
| 1     | N1     | 5.759072  | 0      | 7.59669  | 0                   |
| 2     | N2     | -5.987086 | 0      | 3.321438 | 0                   |
| 3     | N3     | 5.524149  | 0      | 7.511185 | 0                   |
| 4     | N4     | 5.440425  | 0      | 7.741214 | 0                   |
| 5     | N5     | 1.765379  | 0      | 6.143104 | 0                   |
| 6     | N6     | 1.681655  | 0      | 6.373133 | 0                   |
| 7     | N7     | -1.993392 | 0      | 4.775024 | 0                   |
| 8     | N8     | -2.077116 | 0      | 5.005053 | 0                   |
| 9     | N9     | -5.752162 | 0      | 3.406943 | 0                   |
| 10    | N10    | -5.835886 | 0      | 3.636972 | 0                   |
| 11    | N11    | -0.114007 | 0      | 5.459064 | 0                   |
| 12    | N12    | 0         | 0      | 5        | 0                   |
| 13    | N13    | 0         | 0      | 1        | 0                   |
| 14    | N14    | 0         | 0      | 5.145833 | 0                   |
| 15    | N15    | 0         | .625   | 5.145833 | 0                   |
| 16    | N16    | 0         | -.625  | 5.145833 | 0                   |



**Joint Coordinates and Temperatures (Continued)**

|    | Label | X [ft]    | Y [ft] | Z [ft]   | Temp [F] | Detach From Diap... |
|----|-------|-----------|--------|----------|----------|---------------------|
| 17 | N17   | 5.440425  | -2     | 7.741214 | 0        |                     |
| 18 | N18   | 1.681655  | -2.5   | 6.373133 | 0        |                     |
| 19 | N19   | -2.077116 | -2     | 5.005053 | 0        |                     |
| 20 | N20   | -5.835886 | -2     | 3.636972 | 0        |                     |
| 21 | N21   | 5.440425  | 4      | 7.741214 | 0        |                     |
| 22 | N22   | 1.681655  | 4.5    | 6.373133 | 0        |                     |
| 23 | N23   | -2.077116 | 4      | 5.005053 | 0        |                     |
| 24 | N24   | -5.835886 | 4      | 3.636972 | 0        |                     |
| 25 | C     | 0         | 0      | 0        | 0        |                     |
| 26 | N26   | 5.759072  | 3.5    | 7.59669  | 0        |                     |
| 27 | N27   | -5.987086 | 3.5    | 3.321438 | 0        |                     |
| 28 | N28   | 5.524149  | 3.5    | 7.511185 | 0        |                     |
| 29 | N29   | 5.440425  | 3.5    | 7.741214 | 0        |                     |
| 30 | N30   | 1.765379  | 3.5    | 6.143104 | 0        |                     |
| 31 | N31   | 1.681655  | 3.5    | 6.373133 | 0        |                     |
| 32 | N32   | -1.993392 | 3.5    | 4.775024 | 0        |                     |
| 33 | N33   | -2.077116 | 3.5    | 5.005053 | 0        |                     |
| 34 | N34   | -5.752162 | 3.5    | 3.406943 | 0        |                     |
| 35 | N35   | -5.835886 | 3.5    | 3.636972 | 0        |                     |
| 36 | N36   | 0         | 3.5    | 1        | 0        |                     |
| 37 | N37   | -0.114007 | 3.5    | 5.459064 | 0        |                     |
| 38 | N39   | 0         | 3.5    | 5.145833 | 0        |                     |

**Hot Rolled Steel Section Sets**

|   | Label               | Shape    | Type | Design List | Material       | Design Rules A [in...Iyy [i...Jzz [i...J [in4] |
|---|---------------------|----------|------|-------------|----------------|--|
| 1 | Face Horizontal     | PIPE 3.0 | None | None        | A53 Gr.B       | Typical 2.07 2.85 2.85 5.69                    |
| 2 | Standoff Vertical   | PIPE 3.0 | None | None        | A53 Gr.B       | Typical 2.07 2.85 2.85 5.69                    |
| 3 | Standoff            | HSS4X4X4 | None | None        | A500 Gr.B Rect | Typical 3.37 7.8 7.8 12.8                      |
| 4 | Mount Pipe          | PIPE 2.0 | None | None        | A53 Gr.B       | Typical 1.02 .627 .627 1.25                    |
| 5 | Mod Mount Pipe      | PIPE 2.5 | None | None        | A53 Gr.B       | Typical 1.61 1.45 1.45 2.89                    |
| 6 | Mod Face Horizontal | PIPE 3.0 | None | None        | A53 Gr.B       | Typical 2.07 2.85 2.85 5.69                    |
| 7 | Mod Standoff        | HSS3X3X4 | None | None        | A500 Gr.B Rect | Typical 2.44 3.02 3.02 5.08                    |

**Hot Rolled Steel Properties**

|   | Label          | E [ksi] | G [ksi] | Nu | Therm (1E5 F) | Density[k/ft^3] | Yield[ksi] | Ry  | Fu[ksi] | Rt  |
|---|----------------|---------|---------|----|---------------|-----------------|------------|-----|---------|-----|
| 1 | A992           | 29000   | 11154   | .3 | .65           | .49             | 50         | 1.1 | 65      | 1.1 |
| 2 | A36 Gr.36      | 29000   | 11154   | .3 | .65           | .49             | 36         | 1.5 | 58      | 1.2 |
| 3 | A572 Gr.50     | 29000   | 11154   | .3 | .65           | .49             | 50         | 1.1 | 65      | 1.1 |
| 4 | A500 Gr.B RND  | 29000   | 11154   | .3 | .65           | .527            | 42         | 1.4 | 58      | 1.3 |
| 5 | A500 Gr.B Rect | 29000   | 11154   | .3 | .65           | .527            | 46         | 1.4 | 58      | 1.3 |
| 6 | A53 Gr.B       | 29000   | 11154   | .3 | .65           | .49             | 35         | 1.6 | 60      | 1.2 |
| 7 | A1085          | 29000   | 11154   | .3 | .65           | .49             | 50         | 1.4 | 65      | 1.3 |

**Member Primary Data**

|   | Label | I Joint | J Joint | K Joint | Rotate(d... | Section/Shape     | Type | Design List | Material   | Design Rul... |
|---|-------|---------|---------|---------|-------------|-------------------|------|-------------|------------|---------------|
| 1 | M1    | N1      | N2      |         |             | Face Horizontal   | None | None        | A53 Gr.B   | Typical       |
| 2 | M2    | N3      | N4      |         |             | RIGID             | None | None        | RIGID      | Typical       |
| 3 | M3    | N5      | N6      |         |             | RIGID             | None | None        | RIGID      | Typical       |
| 4 | M4    | N7      | N8      |         |             | RIGID             | None | None        | RIGID      | Typical       |
| 5 | M5    | N9      | N10     |         |             | RIGID             | None | None        | RIGID      | Typical       |
| 6 | M7    | N14     | N13     |         |             | Standoff          | None | None        | A500 Gr... | Typical       |
| 7 | M8    | N15     | N16     |         |             | Standoff Vertical | None | None        | A53 Gr.B   | Typical       |



**Member Primary Data (Continued)**

|    | Label | I Joint | J Joint | K Joint | Rotate(d... | Section/Shape       | Type | Design List | Material   | Design Rul... |
|----|-------|---------|---------|---------|-------------|---------------------|------|-------------|------------|---------------|
| 8  | MP1A  | N21     | N17     |         |             | Mount Pipe          | None | None        | A53 Gr.B   | Typical       |
| 9  | MP2A  | N22     | N18     |         |             | Mod Mount Pipe      | None | None        | A53 Gr.B   | Typical       |
| 10 | MP3A  | N23     | N19     |         |             | Mount Pipe          | None | None        | A53 Gr.B   | Typical       |
| 11 | MP4A  | N24     | N20     |         |             | Mount Pipe          | None | None        | A53 Gr.B   | Typical       |
| 12 | M13   | N26     | N27     |         |             | Mod Face Horizontal | None | None        | A53 Gr.B   | Typical       |
| 13 | M14   | N28     | N29     |         |             | RIGID               | None | None        | RIGID      | Typical       |
| 14 | M15   | N30     | N31     |         |             | RIGID               | None | None        | RIGID      | Typical       |
| 15 | M16   | N32     | N33     |         |             | RIGID               | None | None        | RIGID      | Typical       |
| 16 | M17   | N34     | N35     |         |             | RIGID               | None | None        | RIGID      | Typical       |
| 17 | M17A  | N11     | N14     |         |             | RIGID               | None | None        | RIGID      | Typical       |
| 18 | M18   | N37     | N39     |         |             | RIGID               | None | None        | RIGID      | Typical       |
| 19 | M19   | N39     | N36     |         |             | Mod Standoff        | None | None        | A500 Gr... | Typical       |

**Member Advanced Data**

|    | Label | I Release | J Release | I Offset[in] | J Offset[in] | T/C Only | Physical | Defl Ratio | Opti... | Analysis Offs... | Inactive | Seismi... |
|----|-------|-----------|-----------|--------------|--------------|----------|----------|------------|---------|------------------|----------|-----------|
| 1  | M1    |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 2  | M2    |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 3  | M3    |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 4  | M4    |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 5  | M5    |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 6  | M7    |           |           | 1.75         |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 7  | M8    |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 8  | MP1A  |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 9  | MP2A  |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 10 | MP3A  |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 11 | MP4A  |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 12 | M13   |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 13 | M14   |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 14 | M15   |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 15 | M16   |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 16 | M17   |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 17 | M17A  |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 18 | M18   |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |
| 19 | M19   |           |           |              |              |          | Yes      | ** NA **   |         |                  |          | None      |

**Member Point Loads (BLC 1 : Antenna D)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft,%] |
|----|--------------|-----------|--------------------|----------------|
| 1  | MP2A         | Y         | -23                | .28            |
| 2  | MP2A         | My        | -.023              | .28            |
| 3  | MP2A         | Mz        | -.019              | .28            |
| 4  | MP2A         | Y         | -23                | 5.72           |
| 5  | MP2A         | My        | -.023              | 5.72           |
| 6  | MP2A         | Mz        | -.019              | 5.72           |
| 7  | MP2A         | Y         | -23                | .28            |
| 8  | MP2A         | My        | -.023              | .28            |
| 9  | MP2A         | Mz        | .019               | .28            |
| 10 | MP2A         | Y         | -23                | 5.72           |
| 11 | MP2A         | My        | -.023              | 5.72           |
| 12 | MP2A         | Mz        | .019               | 5.72           |
| 13 | MP4A         | Y         | -43.55             | 1.04           |
| 14 | MP4A         | My        | -.036              | 1.04           |
| 15 | MP4A         | Mz        | 0                  | 1.04           |
| 16 | MP4A         | Y         | -43.55             | 3.96           |
| 17 | MP4A         | My        | -.036              | 3.96           |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 1 : Antenna D) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.-%] |
|----|--------------|-----------|--------------------|-----------------|
| 18 | MP4A         | Mz        | 0                  | 3.96            |
| 19 | MP1A         | Y         | -35.15             | 2.25            |
| 20 | MP1A         | My        | .035               | 2.25            |
| 21 | MP1A         | Mz        | 0                  | 2.25            |
| 22 | MP1A         | Y         | -35.15             | 2.25            |
| 23 | MP1A         | My        | .035               | 2.25            |
| 24 | MP1A         | Mz        | 0                  | 2.25            |
| 25 | MP3A         | Y         | -35.15             | 2.25            |
| 26 | MP3A         | My        | .035               | 2.25            |
| 27 | MP3A         | Mz        | 0                  | 2.25            |
| 28 | MP3A         | Y         | -35.15             | 2.25            |
| 29 | MP3A         | My        | .035               | 2.25            |
| 30 | MP3A         | Mz        | 0                  | 2.25            |
| 31 | M7           | Y         | -16                | 2.89            |
| 32 | M7           | My        | -.008              | 2.89            |
| 33 | M7           | Mz        | 0                  | 2.89            |
| 34 | M7           | Y         | -16                | 2.89            |
| 35 | M7           | My        | -.008              | 2.89            |
| 36 | M7           | Mz        | 0                  | 2.89            |
| 37 | MP1A         | Y         | -16.55             | .5              |
| 38 | MP1A         | My        | -.014              | .5              |
| 39 | MP1A         | Mz        | 0                  | .5              |
| 40 | MP1A         | Y         | -16.55             | 5.5             |
| 41 | MP1A         | My        | -.014              | 5.5             |
| 42 | MP1A         | Mz        | 0                  | 5.5             |

**Member Point Loads (BLC 2 : Antenna Di)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.-%] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | Y         | -80.532            | .28             |
| 2  | MP2A         | My        | -.081              | .28             |
| 3  | MP2A         | Mz        | -.067              | .28             |
| 4  | MP2A         | Y         | -80.532            | 5.72            |
| 5  | MP2A         | My        | -.081              | 5.72            |
| 6  | MP2A         | Mz        | -.067              | 5.72            |
| 7  | MP2A         | Y         | -80.532            | .28             |
| 8  | MP2A         | My        | -.081              | .28             |
| 9  | MP2A         | Mz        | .067               | .28             |
| 10 | MP2A         | Y         | -80.532            | 5.72            |
| 11 | MP2A         | My        | -.081              | 5.72            |
| 12 | MP2A         | Mz        | .067               | 5.72            |
| 13 | MP4A         | Y         | -34.755            | 1.04            |
| 14 | MP4A         | My        | -.029              | 1.04            |
| 15 | MP4A         | Mz        | 0                  | 1.04            |
| 16 | MP4A         | Y         | -34.755            | 3.96            |
| 17 | MP4A         | My        | -.029              | 3.96            |
| 18 | MP4A         | Mz        | 0                  | 3.96            |
| 19 | MP1A         | Y         | -19.692            | 2.25            |
| 20 | MP1A         | My        | .02                | 2.25            |
| 21 | MP1A         | Mz        | 0                  | 2.25            |
| 22 | MP1A         | Y         | -19.692            | 2.25            |
| 23 | MP1A         | My        | .02                | 2.25            |
| 24 | MP1A         | Mz        | 0                  | 2.25            |
| 25 | MP3A         | Y         | -19.692            | 2.25            |
| 26 | MP3A         | My        | .02                | 2.25            |
| 27 | MP3A         | Mz        | 0                  | 2.25            |
| 28 | MP3A         | Y         | -19.692            | 2.25            |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 2 : Antenna Di) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 29 | MP3A         | My        | .02                | 2.25           |
| 30 | MP3A         | Mz        | 0                  | 2.25           |
| 31 | M7           | Y         | -42.914            | 2.89           |
| 32 | M7           | My        | -.021              | 2.89           |
| 33 | M7           | Mz        | 0                  | 2.89           |
| 34 | M7           | Y         | -42.914            | 2.89           |
| 35 | M7           | My        | -.021              | 2.89           |
| 36 | M7           | Mz        | 0                  | 2.89           |
| 37 | MP1A         | Y         | -59.144            | .5             |
| 38 | MP1A         | My        | -.049              | .5             |
| 39 | MP1A         | Mz        | 0                  | .5             |
| 40 | MP1A         | Y         | -59.144            | 5.5            |
| 41 | MP1A         | My        | -.049              | 5.5            |
| 42 | MP1A         | Mz        | 0                  | 5.5            |

**Member Point Loads (BLC 3 : Antenna Wo (0 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1  | MP2A         | X         | 0                  | .28            |
| 2  | MP2A         | Z         | -146.153           | .28            |
| 3  | MP2A         | Mx        | .122               | .28            |
| 4  | MP2A         | X         | 0                  | 5.72           |
| 5  | MP2A         | Z         | -146.153           | 5.72           |
| 6  | MP2A         | Mx        | .122               | 5.72           |
| 7  | MP2A         | X         | 0                  | .28            |
| 8  | MP2A         | Z         | -146.153           | .28            |
| 9  | MP2A         | Mx        | -.122              | .28            |
| 10 | MP2A         | X         | 0                  | 5.72           |
| 11 | MP2A         | Z         | -146.153           | 5.72           |
| 12 | MP2A         | Mx        | -.122              | 5.72           |
| 13 | MP4A         | X         | 0                  | 1.04           |
| 14 | MP4A         | Z         | -69.597            | 1.04           |
| 15 | MP4A         | Mx        | 0                  | 1.04           |
| 16 | MP4A         | X         | 0                  | 3.96           |
| 17 | MP4A         | Z         | -69.597            | 3.96           |
| 18 | MP4A         | Mx        | 0                  | 3.96           |
| 19 | MP1A         | X         | 0                  | 2.25           |
| 20 | MP1A         | Z         | -27.691            | 2.25           |
| 21 | MP1A         | Mx        | 0                  | 2.25           |
| 22 | MP1A         | X         | 0                  | 2.25           |
| 23 | MP1A         | Z         | -27.691            | 2.25           |
| 24 | MP1A         | Mx        | 0                  | 2.25           |
| 25 | MP3A         | X         | 0                  | 2.25           |
| 26 | MP3A         | Z         | -27.691            | 2.25           |
| 27 | MP3A         | Mx        | 0                  | 2.25           |
| 28 | MP3A         | X         | 0                  | 2.25           |
| 29 | MP3A         | Z         | -27.691            | 2.25           |
| 30 | MP3A         | Mx        | 0                  | 2.25           |
| 31 | M7           | X         | 0                  | 2.89           |
| 32 | M7           | Z         | -60.12             | 2.89           |
| 33 | M7           | Mx        | 0                  | 2.89           |
| 34 | M7           | X         | 0                  | 2.89           |
| 35 | M7           | Z         | -60.12             | 2.89           |
| 36 | M7           | Mx        | 0                  | 2.89           |
| 37 | MP1A         | X         | 0                  | .5             |
| 38 | MP1A         | Z         | -119.795           | .5             |
| 39 | MP1A         | Mx        | 0                  | .5             |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 3 : Antenna Wo (0 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 40 | MP1A         | X         | 0                  | 5.5             |
| 41 | MP1A         | Z         | -119.795           | 5.5             |
| 42 | MP1A         | Mx        | 0                  | 5.5             |

**Member Point Loads (BLC 4 : Antenna Wo (30 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 68.39              | .28             |
| 2  | MP2A         | Z         | -118.455           | .28             |
| 3  | MP2A         | Mx        | .03                | .28             |
| 4  | MP2A         | X         | 68.39              | 5.72            |
| 5  | MP2A         | Z         | -118.455           | 5.72            |
| 6  | MP2A         | Mx        | .03                | 5.72            |
| 7  | MP2A         | X         | 68.39              | .28             |
| 8  | MP2A         | Z         | -118.455           | .28             |
| 9  | MP2A         | Mx        | -.167              | .28             |
| 10 | MP2A         | X         | 68.39              | 5.72            |
| 11 | MP2A         | Z         | -118.455           | 5.72            |
| 12 | MP2A         | Mx        | -.167              | 5.72            |
| 13 | MP4A         | X         | 29.505             | 1.04            |
| 14 | MP4A         | Z         | -51.104            | 1.04            |
| 15 | MP4A         | Mx        | -.025              | 1.04            |
| 16 | MP4A         | X         | 29.505             | 3.96            |
| 17 | MP4A         | Z         | -51.104            | 3.96            |
| 18 | MP4A         | Mx        | -.025              | 3.96            |
| 19 | MP1A         | X         | 12.258             | 2.25            |
| 20 | MP1A         | Z         | -21.232            | 2.25            |
| 21 | MP1A         | Mx        | .012               | 2.25            |
| 22 | MP1A         | X         | 12.258             | 2.25            |
| 23 | MP1A         | Z         | -21.232            | 2.25            |
| 24 | MP1A         | Mx        | .012               | 2.25            |
| 25 | MP3A         | X         | 12.258             | 2.25            |
| 26 | MP3A         | Z         | -21.232            | 2.25            |
| 27 | MP3A         | Mx        | .012               | 2.25            |
| 28 | MP3A         | X         | 12.258             | 2.25            |
| 29 | MP3A         | Z         | -21.232            | 2.25            |
| 30 | MP3A         | Mx        | .012               | 2.25            |
| 31 | M7           | X         | 28.278             | 2.89            |
| 32 | M7           | Z         | -48.98             | 2.89            |
| 33 | M7           | Mx        | -.014              | 2.89            |
| 34 | M7           | X         | 28.278             | 2.89            |
| 35 | M7           | Z         | -48.98             | 2.89            |
| 36 | M7           | Mx        | -.014              | 2.89            |
| 37 | MP1A         | X         | 54.811             | .5              |
| 38 | MP1A         | Z         | -94.935            | .5              |
| 39 | MP1A         | Mx        | -.046              | .5              |
| 40 | MP1A         | X         | 54.811             | 5.5             |
| 41 | MP1A         | Z         | -94.935            | 5.5             |
| 42 | MP1A         | Mx        | -.046              | 5.5             |

**Member Point Loads (BLC 5 : Antenna Wo (60 Deg))**

|   | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|---|--------------|-----------|--------------------|-----------------|
| 1 | MP2A         | X         | 102.219            | .28             |
| 2 | MP2A         | Z         | -59.016            | .28             |
| 3 | MP2A         | Mx        | -.053              | .28             |
| 4 | MP2A         | X         | 102.219            | 5.72            |
| 5 | MP2A         | Z         | -59.016            | 5.72            |





Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 5 : Antenna Wo (60 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 6  | MP2A         | Mx        | -.053              | 5.72            |
| 7  | MP2A         | X         | 102.219            | .28             |
| 8  | MP2A         | Z         | -59.016            | .28             |
| 9  | MP2A         | Mx        | -.151              | .28             |
| 10 | MP2A         | X         | 102.219            | 5.72            |
| 11 | MP2A         | Z         | -59.016            | 5.72            |
| 12 | MP2A         | Mx        | -.151              | 5.72            |
| 13 | MP4A         | X         | 32.766             | 1.04            |
| 14 | MP4A         | Z         | -18.917            | 1.04            |
| 15 | MP4A         | Mx        | -.027              | 1.04            |
| 16 | MP4A         | X         | 32.766             | 3.96            |
| 17 | MP4A         | Z         | -18.917            | 3.96            |
| 18 | MP4A         | Mx        | -.027              | 3.96            |
| 19 | MP1A         | X         | 15.733             | 2.25            |
| 20 | MP1A         | Z         | -9.084             | 2.25            |
| 21 | MP1A         | Mx        | .016               | 2.25            |
| 22 | MP1A         | X         | 15.733             | 2.25            |
| 23 | MP1A         | Z         | -9.084             | 2.25            |
| 24 | MP1A         | Mx        | .016               | 2.25            |
| 25 | MP3A         | X         | 15.733             | 2.25            |
| 26 | MP3A         | Z         | -9.084             | 2.25            |
| 27 | MP3A         | Mx        | .016               | 2.25            |
| 28 | MP3A         | X         | 15.733             | 2.25            |
| 29 | MP3A         | Z         | -9.084             | 2.25            |
| 30 | MP3A         | Mx        | .016               | 2.25            |
| 31 | M7           | X         | 42.808             | 2.89            |
| 32 | M7           | Z         | -24.715            | 2.89            |
| 33 | M7           | Mx        | -.021              | 2.89            |
| 34 | M7           | X         | 42.808             | 2.89            |
| 35 | M7           | Z         | -24.715            | 2.89            |
| 36 | M7           | Mx        | -.021              | 2.89            |
| 37 | MP1A         | X         | 77.313             | .5              |
| 38 | MP1A         | Z         | -44.636            | .5              |
| 39 | MP1A         | Mx        | -.064              | .5              |
| 40 | MP1A         | X         | 77.313             | 5.5             |
| 41 | MP1A         | Z         | -44.636            | 5.5             |
| 42 | MP1A         | Mx        | -.064              | 5.5             |

**Member Point Loads (BLC 6 : Antenna Wo (90 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 108.659            | .28             |
| 2  | MP2A         | Z         | 0                  | .28             |
| 3  | MP2A         | Mx        | -.109              | .28             |
| 4  | MP2A         | X         | 108.659            | 5.72            |
| 5  | MP2A         | Z         | 0                  | 5.72            |
| 6  | MP2A         | Mx        | -.109              | 5.72            |
| 7  | MP2A         | X         | 108.659            | .28             |
| 8  | MP2A         | Z         | 0                  | .28             |
| 9  | MP2A         | Mx        | -.109              | .28             |
| 10 | MP2A         | X         | 108.659            | 5.72            |
| 11 | MP2A         | Z         | 0                  | 5.72            |
| 12 | MP2A         | Mx        | -.109              | 5.72            |
| 13 | MP4A         | X         | 27.247             | 1.04            |
| 14 | MP4A         | Z         | 0                  | 1.04            |
| 15 | MP4A         | Mx        | -.023              | 1.04            |
| 16 | MP4A         | X         | 27.247             | 3.96            |





Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 6 : Antenna Wo (90 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 17 | MP4A         | Z         | 0                  | 3.96            |
| 18 | MP4A         | Mx        | -.023              | 3.96            |
| 19 | MP1A         | X         | 14.993             | 2.25            |
| 20 | MP1A         | Z         | 0                  | 2.25            |
| 21 | MP1A         | Mx        | .015               | 2.25            |
| 22 | MP1A         | X         | 14.993             | 2.25            |
| 23 | MP1A         | Z         | 0                  | 2.25            |
| 24 | MP1A         | Mx        | .015               | 2.25            |
| 25 | MP3A         | X         | 14.993             | 2.25            |
| 26 | MP3A         | Z         | 0                  | 2.25            |
| 27 | MP3A         | Mx        | .015               | 2.25            |
| 28 | MP3A         | X         | 14.993             | 2.25            |
| 29 | MP3A         | Z         | 0                  | 2.25            |
| 30 | MP3A         | Mx        | .015               | 2.25            |
| 31 | M7           | X         | 45.867             | 2.89            |
| 32 | M7           | Z         | 0                  | 2.89            |
| 33 | M7           | Mx        | -.023              | 2.89            |
| 34 | M7           | X         | 45.867             | 2.89            |
| 35 | M7           | Z         | 0                  | 2.89            |
| 36 | M7           | Mx        | -.023              | 2.89            |
| 37 | MP1A         | X         | 79.099             | .5              |
| 38 | MP1A         | Z         | 0                  | .5              |
| 39 | MP1A         | Mx        | -.066              | .5              |
| 40 | MP1A         | X         | 79.099             | 5.5             |
| 41 | MP1A         | Z         | 0                  | 5.5             |
| 42 | MP1A         | Mx        | -.066              | 5.5             |

**Member Point Loads (BLC 7 : Antenna Wo (120 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 102.219            | .28             |
| 2  | MP2A         | Z         | 59.016             | .28             |
| 3  | MP2A         | Mx        | -.151              | .28             |
| 4  | MP2A         | X         | 102.219            | 5.72            |
| 5  | MP2A         | Z         | 59.016             | 5.72            |
| 6  | MP2A         | Mx        | -.151              | 5.72            |
| 7  | MP2A         | X         | 102.219            | .28             |
| 8  | MP2A         | Z         | 59.016             | .28             |
| 9  | MP2A         | Mx        | -.053              | .28             |
| 10 | MP2A         | X         | 102.219            | 5.72            |
| 11 | MP2A         | Z         | 59.016             | 5.72            |
| 12 | MP2A         | Mx        | -.053              | 5.72            |
| 13 | MP4A         | X         | 32.766             | 1.04            |
| 14 | MP4A         | Z         | 18.917             | 1.04            |
| 15 | MP4A         | Mx        | -.027              | 1.04            |
| 16 | MP4A         | X         | 32.766             | 3.96            |
| 17 | MP4A         | Z         | 18.917             | 3.96            |
| 18 | MP4A         | Mx        | -.027              | 3.96            |
| 19 | MP1A         | X         | 15.733             | 2.25            |
| 20 | MP1A         | Z         | 9.084              | 2.25            |
| 21 | MP1A         | Mx        | .016               | 2.25            |
| 22 | MP1A         | X         | 15.733             | 2.25            |
| 23 | MP1A         | Z         | 9.084              | 2.25            |
| 24 | MP1A         | Mx        | .016               | 2.25            |
| 25 | MP3A         | X         | 15.733             | 2.25            |
| 26 | MP3A         | Z         | 9.084              | 2.25            |
| 27 | MP3A         | Mx        | .016               | 2.25            |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 7 : Antenna Wo (120 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 28 | MP3A         | X         | 15.733             | 2.25           |
| 29 | MP3A         | Z         | 9.084              | 2.25           |
| 30 | MP3A         | Mx        | .016               | 2.25           |
| 31 | M7           | X         | 42.808             | 2.89           |
| 32 | M7           | Z         | 24.715             | 2.89           |
| 33 | M7           | Mx        | -.021              | 2.89           |
| 34 | M7           | X         | 42.808             | 2.89           |
| 35 | M7           | Z         | 24.715             | 2.89           |
| 36 | M7           | Mx        | -.021              | 2.89           |
| 37 | MP1A         | X         | 77.313             | .5             |
| 38 | MP1A         | Z         | 44.636             | .5             |
| 39 | MP1A         | Mx        | -.064              | .5             |
| 40 | MP1A         | X         | 77.313             | 5.5            |
| 41 | MP1A         | Z         | 44.636             | 5.5            |
| 42 | MP1A         | Mx        | -.064              | 5.5            |

**Member Point Loads (BLC 8 : Antenna Wo (150 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1  | MP2A         | X         | 68.39              | .28            |
| 2  | MP2A         | Z         | 118.455            | .28            |
| 3  | MP2A         | Mx        | -.167              | .28            |
| 4  | MP2A         | X         | 68.39              | 5.72           |
| 5  | MP2A         | Z         | 118.455            | 5.72           |
| 6  | MP2A         | Mx        | -.167              | 5.72           |
| 7  | MP2A         | X         | 68.39              | .28            |
| 8  | MP2A         | Z         | 118.455            | .28            |
| 9  | MP2A         | Mx        | .03                | .28            |
| 10 | MP2A         | X         | 68.39              | 5.72           |
| 11 | MP2A         | Z         | 118.455            | 5.72           |
| 12 | MP2A         | Mx        | .03                | 5.72           |
| 13 | MP4A         | X         | 29.505             | 1.04           |
| 14 | MP4A         | Z         | 51.104             | 1.04           |
| 15 | MP4A         | Mx        | -.025              | 1.04           |
| 16 | MP4A         | X         | 29.505             | 3.96           |
| 17 | MP4A         | Z         | 51.104             | 3.96           |
| 18 | MP4A         | Mx        | -.025              | 3.96           |
| 19 | MP1A         | X         | 12.258             | 2.25           |
| 20 | MP1A         | Z         | 21.232             | 2.25           |
| 21 | MP1A         | Mx        | .012               | 2.25           |
| 22 | MP1A         | X         | 12.258             | 2.25           |
| 23 | MP1A         | Z         | 21.232             | 2.25           |
| 24 | MP1A         | Mx        | .012               | 2.25           |
| 25 | MP3A         | X         | 12.258             | 2.25           |
| 26 | MP3A         | Z         | 21.232             | 2.25           |
| 27 | MP3A         | Mx        | .012               | 2.25           |
| 28 | MP3A         | X         | 12.258             | 2.25           |
| 29 | MP3A         | Z         | 21.232             | 2.25           |
| 30 | MP3A         | Mx        | .012               | 2.25           |
| 31 | M7           | X         | 28.278             | 2.89           |
| 32 | M7           | Z         | 48.98              | 2.89           |
| 33 | M7           | Mx        | -.014              | 2.89           |
| 34 | M7           | X         | 28.278             | 2.89           |
| 35 | M7           | Z         | 48.98              | 2.89           |
| 36 | M7           | Mx        | -.014              | 2.89           |
| 37 | MP1A         | X         | 54.811             | .5             |
| 38 | MP1A         | Z         | 94.935             | .5             |





Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 10 : Antenna Wo (210 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 5  | MP2A         | Z         | 118.455            | 5.72            |
| 6  | MP2A         | Mx        | -.03               | 5.72            |
| 7  | MP2A         | X         | -68.39             | .28             |
| 8  | MP2A         | Z         | 118.455            | .28             |
| 9  | MP2A         | Mx        | .167               | .28             |
| 10 | MP2A         | X         | -68.39             | 5.72            |
| 11 | MP2A         | Z         | 118.455            | 5.72            |
| 12 | MP2A         | Mx        | .167               | 5.72            |
| 13 | MP4A         | X         | -29.505            | 1.04            |
| 14 | MP4A         | Z         | 51.104             | 1.04            |
| 15 | MP4A         | Mx        | .025               | 1.04            |
| 16 | MP4A         | X         | -29.505            | 3.96            |
| 17 | MP4A         | Z         | 51.104             | 3.96            |
| 18 | MP4A         | Mx        | .025               | 3.96            |
| 19 | MP1A         | X         | -12.258            | 2.25            |
| 20 | MP1A         | Z         | 21.232             | 2.25            |
| 21 | MP1A         | Mx        | -.012              | 2.25            |
| 22 | MP1A         | X         | -12.258            | 2.25            |
| 23 | MP1A         | Z         | 21.232             | 2.25            |
| 24 | MP1A         | Mx        | -.012              | 2.25            |
| 25 | MP3A         | X         | -12.258            | 2.25            |
| 26 | MP3A         | Z         | 21.232             | 2.25            |
| 27 | MP3A         | Mx        | -.012              | 2.25            |
| 28 | MP3A         | X         | -12.258            | 2.25            |
| 29 | MP3A         | Z         | 21.232             | 2.25            |
| 30 | MP3A         | Mx        | -.012              | 2.25            |
| 31 | M7           | X         | -28.278            | 2.89            |
| 32 | M7           | Z         | 48.98              | 2.89            |
| 33 | M7           | Mx        | .014               | 2.89            |
| 34 | M7           | X         | -28.278            | 2.89            |
| 35 | M7           | Z         | 48.98              | 2.89            |
| 36 | M7           | Mx        | .014               | 2.89            |
| 37 | MP1A         | X         | -54.811            | .5              |
| 38 | MP1A         | Z         | 94.935             | .5              |
| 39 | MP1A         | Mx        | .046               | .5              |
| 40 | MP1A         | X         | -54.811            | 5.5             |
| 41 | MP1A         | Z         | 94.935             | 5.5             |
| 42 | MP1A         | Mx        | .046               | 5.5             |

**Member Point Loads (BLC 11 : Antenna Wo (240 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | -102.219           | .28             |
| 2  | MP2A         | Z         | 59.016             | .28             |
| 3  | MP2A         | Mx        | .053               | .28             |
| 4  | MP2A         | X         | -102.219           | 5.72            |
| 5  | MP2A         | Z         | 59.016             | 5.72            |
| 6  | MP2A         | Mx        | .053               | 5.72            |
| 7  | MP2A         | X         | -102.219           | .28             |
| 8  | MP2A         | Z         | 59.016             | .28             |
| 9  | MP2A         | Mx        | .151               | .28             |
| 10 | MP2A         | X         | -102.219           | 5.72            |
| 11 | MP2A         | Z         | 59.016             | 5.72            |
| 12 | MP2A         | Mx        | .151               | 5.72            |
| 13 | MP4A         | X         | -32.766            | 1.04            |
| 14 | MP4A         | Z         | 18.917             | 1.04            |
| 15 | MP4A         | Mx        | .027               | 1.04            |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 11 : Antenna Wo (240 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 16 | MP4A         | X         | -32.766            | 3.96            |
| 17 | MP4A         | Z         | 18.917             | 3.96            |
| 18 | MP4A         | Mx        | .027               | 3.96            |
| 19 | MP1A         | X         | -15.733            | 2.25            |
| 20 | MP1A         | Z         | 9.084              | 2.25            |
| 21 | MP1A         | Mx        | -.016              | 2.25            |
| 22 | MP1A         | X         | -15.733            | 2.25            |
| 23 | MP1A         | Z         | 9.084              | 2.25            |
| 24 | MP1A         | Mx        | -.016              | 2.25            |
| 25 | MP3A         | X         | -15.733            | 2.25            |
| 26 | MP3A         | Z         | 9.084              | 2.25            |
| 27 | MP3A         | Mx        | -.016              | 2.25            |
| 28 | MP3A         | X         | -15.733            | 2.25            |
| 29 | MP3A         | Z         | 9.084              | 2.25            |
| 30 | MP3A         | Mx        | -.016              | 2.25            |
| 31 | M7           | X         | -42.808            | 2.89            |
| 32 | M7           | Z         | 24.715             | 2.89            |
| 33 | M7           | Mx        | .021               | 2.89            |
| 34 | M7           | X         | -42.808            | 2.89            |
| 35 | M7           | Z         | 24.715             | 2.89            |
| 36 | M7           | Mx        | .021               | 2.89            |
| 37 | MP1A         | X         | -77.313            | .5              |
| 38 | MP1A         | Z         | 44.636             | .5              |
| 39 | MP1A         | Mx        | .064               | .5              |
| 40 | MP1A         | X         | -77.313            | 5.5             |
| 41 | MP1A         | Z         | 44.636             | 5.5             |
| 42 | MP1A         | Mx        | .064               | 5.5             |

**Member Point Loads (BLC 12 : Antenna Wo (270 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | -108.659           | .28             |
| 2  | MP2A         | Z         | 0                  | .28             |
| 3  | MP2A         | Mx        | .109               | .28             |
| 4  | MP2A         | X         | -108.659           | 5.72            |
| 5  | MP2A         | Z         | 0                  | 5.72            |
| 6  | MP2A         | Mx        | .109               | 5.72            |
| 7  | MP2A         | X         | -108.659           | .28             |
| 8  | MP2A         | Z         | 0                  | .28             |
| 9  | MP2A         | Mx        | .109               | .28             |
| 10 | MP2A         | X         | -108.659           | 5.72            |
| 11 | MP2A         | Z         | 0                  | 5.72            |
| 12 | MP2A         | Mx        | .109               | 5.72            |
| 13 | MP4A         | X         | -27.247            | 1.04            |
| 14 | MP4A         | Z         | 0                  | 1.04            |
| 15 | MP4A         | Mx        | .023               | 1.04            |
| 16 | MP4A         | X         | -27.247            | 3.96            |
| 17 | MP4A         | Z         | 0                  | 3.96            |
| 18 | MP4A         | Mx        | .023               | 3.96            |
| 19 | MP1A         | X         | -14.993            | 2.25            |
| 20 | MP1A         | Z         | 0                  | 2.25            |
| 21 | MP1A         | Mx        | -.015              | 2.25            |
| 22 | MP1A         | X         | -14.993            | 2.25            |
| 23 | MP1A         | Z         | 0                  | 2.25            |
| 24 | MP1A         | Mx        | -.015              | 2.25            |
| 25 | MP3A         | X         | -14.993            | 2.25            |
| 26 | MP3A         | Z         | 0                  | 2.25            |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 12 : Antenna Wo (270 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 27 | MP3A         | Mx        | -.015              | 2.25            |
| 28 | MP3A         | X         | -14.993            | 2.25            |
| 29 | MP3A         | Z         | 0                  | 2.25            |
| 30 | MP3A         | Mx        | -.015              | 2.25            |
| 31 | M7           | X         | -45.867            | 2.89            |
| 32 | M7           | Z         | 0                  | 2.89            |
| 33 | M7           | Mx        | .023               | 2.89            |
| 34 | M7           | X         | -45.867            | 2.89            |
| 35 | M7           | Z         | 0                  | 2.89            |
| 36 | M7           | Mx        | .023               | 2.89            |
| 37 | MP1A         | X         | -79.099            | .5              |
| 38 | MP1A         | Z         | 0                  | .5              |
| 39 | MP1A         | Mx        | .066               | .5              |
| 40 | MP1A         | X         | -79.099            | 5.5             |
| 41 | MP1A         | Z         | 0                  | 5.5             |
| 42 | MP1A         | Mx        | .066               | 5.5             |

**Member Point Loads (BLC 13 : Antenna Wo (300 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | -102.219           | .28             |
| 2  | MP2A         | Z         | -59.016            | .28             |
| 3  | MP2A         | Mx        | .151               | .28             |
| 4  | MP2A         | X         | -102.219           | 5.72            |
| 5  | MP2A         | Z         | -59.016            | 5.72            |
| 6  | MP2A         | Mx        | .151               | 5.72            |
| 7  | MP2A         | X         | -102.219           | .28             |
| 8  | MP2A         | Z         | -59.016            | .28             |
| 9  | MP2A         | Mx        | .053               | .28             |
| 10 | MP2A         | X         | -102.219           | 5.72            |
| 11 | MP2A         | Z         | -59.016            | 5.72            |
| 12 | MP2A         | Mx        | .053               | 5.72            |
| 13 | MP4A         | X         | -32.766            | 1.04            |
| 14 | MP4A         | Z         | -18.917            | 1.04            |
| 15 | MP4A         | Mx        | .027               | 1.04            |
| 16 | MP4A         | X         | -32.766            | 3.96            |
| 17 | MP4A         | Z         | -18.917            | 3.96            |
| 18 | MP4A         | Mx        | .027               | 3.96            |
| 19 | MP1A         | X         | -15.733            | 2.25            |
| 20 | MP1A         | Z         | -9.084             | 2.25            |
| 21 | MP1A         | Mx        | -.016              | 2.25            |
| 22 | MP1A         | X         | -15.733            | 2.25            |
| 23 | MP1A         | Z         | -9.084             | 2.25            |
| 24 | MP1A         | Mx        | -.016              | 2.25            |
| 25 | MP3A         | X         | -15.733            | 2.25            |
| 26 | MP3A         | Z         | -9.084             | 2.25            |
| 27 | MP3A         | Mx        | -.016              | 2.25            |
| 28 | MP3A         | X         | -15.733            | 2.25            |
| 29 | MP3A         | Z         | -9.084             | 2.25            |
| 30 | MP3A         | Mx        | -.016              | 2.25            |
| 31 | M7           | X         | -42.808            | 2.89            |
| 32 | M7           | Z         | -24.715            | 2.89            |
| 33 | M7           | Mx        | .021               | 2.89            |
| 34 | M7           | X         | -42.808            | 2.89            |
| 35 | M7           | Z         | -24.715            | 2.89            |
| 36 | M7           | Mx        | .021               | 2.89            |
| 37 | MP1A         | X         | -77.313            | .5              |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 13 : Antenna Wo (300 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft, %] |
|----|--------------|-----------|--------------------|-----------------|
| 38 | MP1A         | Z         | -44.636            | .5              |
| 39 | MP1A         | Mx        | .064               | .5              |
| 40 | MP1A         | X         | -77.313            | 5.5             |
| 41 | MP1A         | Z         | -44.636            | 5.5             |
| 42 | MP1A         | Mx        | .064               | 5.5             |

**Member Point Loads (BLC 14 : Antenna Wo (330 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft, %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | -68.39             | .28             |
| 2  | MP2A         | Z         | -118.455           | .28             |
| 3  | MP2A         | Mx        | .167               | .28             |
| 4  | MP2A         | X         | -68.39             | 5.72            |
| 5  | MP2A         | Z         | -118.455           | 5.72            |
| 6  | MP2A         | Mx        | .167               | 5.72            |
| 7  | MP2A         | X         | -68.39             | .28             |
| 8  | MP2A         | Z         | -118.455           | .28             |
| 9  | MP2A         | Mx        | -.03               | .28             |
| 10 | MP2A         | X         | -68.39             | 5.72            |
| 11 | MP2A         | Z         | -118.455           | 5.72            |
| 12 | MP2A         | Mx        | -.03               | 5.72            |
| 13 | MP4A         | X         | -29.505            | 1.04            |
| 14 | MP4A         | Z         | -51.104            | 1.04            |
| 15 | MP4A         | Mx        | .025               | 1.04            |
| 16 | MP4A         | X         | -29.505            | 3.96            |
| 17 | MP4A         | Z         | -51.104            | 3.96            |
| 18 | MP4A         | Mx        | .025               | 3.96            |
| 19 | MP1A         | X         | -12.258            | 2.25            |
| 20 | MP1A         | Z         | -21.232            | 2.25            |
| 21 | MP1A         | Mx        | -.012              | 2.25            |
| 22 | MP1A         | X         | -12.258            | 2.25            |
| 23 | MP1A         | Z         | -21.232            | 2.25            |
| 24 | MP1A         | Mx        | -.012              | 2.25            |
| 25 | MP3A         | X         | -12.258            | 2.25            |
| 26 | MP3A         | Z         | -21.232            | 2.25            |
| 27 | MP3A         | Mx        | -.012              | 2.25            |
| 28 | MP3A         | X         | -12.258            | 2.25            |
| 29 | MP3A         | Z         | -21.232            | 2.25            |
| 30 | MP3A         | Mx        | -.012              | 2.25            |
| 31 | M7           | X         | -28.278            | 2.89            |
| 32 | M7           | Z         | -48.98             | 2.89            |
| 33 | M7           | Mx        | .014               | 2.89            |
| 34 | M7           | X         | -28.278            | 2.89            |
| 35 | M7           | Z         | -48.98             | 2.89            |
| 36 | M7           | Mx        | .014               | 2.89            |
| 37 | MP1A         | X         | -54.811            | .5              |
| 38 | MP1A         | Z         | -94.935            | .5              |
| 39 | MP1A         | Mx        | .046               | .5              |
| 40 | MP1A         | X         | -54.811            | 5.5             |
| 41 | MP1A         | Z         | -94.935            | 5.5             |
| 42 | MP1A         | Mx        | .046               | 5.5             |

**Member Point Loads (BLC 15 : Antenna Wi (0 Deg))**

|   | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft, %] |
|---|--------------|-----------|--------------------|-----------------|
| 1 | MP2A         | X         | 0                  | .28             |
| 2 | MP2A         | Z         | -29.555            | .28             |
| 3 | MP2A         | Mx        | .025               | .28             |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 15 : Antenna Wi (0 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 4  | MP2A         | X         | 0                  | 5.72           |
| 5  | MP2A         | Z         | -29.555            | 5.72           |
| 6  | MP2A         | Mx        | .025               | 5.72           |
| 7  | MP2A         | X         | 0                  | .28            |
| 8  | MP2A         | Z         | -29.555            | .28            |
| 9  | MP2A         | Mx        | -.025              | .28            |
| 10 | MP2A         | X         | 0                  | 5.72           |
| 11 | MP2A         | Z         | -29.555            | 5.72           |
| 12 | MP2A         | Mx        | -.025              | 5.72           |
| 13 | MP4A         | X         | 0                  | 1.04           |
| 14 | MP4A         | Z         | -14.57             | 1.04           |
| 15 | MP4A         | Mx        | 0                  | 1.04           |
| 16 | MP4A         | X         | 0                  | 3.96           |
| 17 | MP4A         | Z         | -14.57             | 3.96           |
| 18 | MP4A         | Mx        | 0                  | 3.96           |
| 19 | MP1A         | X         | 0                  | 2.25           |
| 20 | MP1A         | Z         | -6.133             | 2.25           |
| 21 | MP1A         | Mx        | 0                  | 2.25           |
| 22 | MP1A         | X         | 0                  | 2.25           |
| 23 | MP1A         | Z         | -6.133             | 2.25           |
| 24 | MP1A         | Mx        | 0                  | 2.25           |
| 25 | MP3A         | X         | 0                  | 2.25           |
| 26 | MP3A         | Z         | -6.133             | 2.25           |
| 27 | MP3A         | Mx        | 0                  | 2.25           |
| 28 | MP3A         | X         | 0                  | 2.25           |
| 29 | MP3A         | Z         | -6.133             | 2.25           |
| 30 | MP3A         | Mx        | 0                  | 2.25           |
| 31 | M7           | X         | 0                  | 2.89           |
| 32 | M7           | Z         | -12.617            | 2.89           |
| 33 | M7           | Mx        | 0                  | 2.89           |
| 34 | M7           | X         | 0                  | 2.89           |
| 35 | M7           | Z         | -12.617            | 2.89           |
| 36 | M7           | Mx        | 0                  | 2.89           |
| 37 | MP1A         | X         | 0                  | .5             |
| 38 | MP1A         | Z         | -24.469            | .5             |
| 39 | MP1A         | Mx        | 0                  | .5             |
| 40 | MP1A         | X         | 0                  | 5.5            |
| 41 | MP1A         | Z         | -24.469            | 5.5            |
| 42 | MP1A         | Mx        | 0                  | 5.5            |

**Member Point Loads (BLC 16 : Antenna Wi (30 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1  | MP2A         | X         | 13.877             | .28            |
| 2  | MP2A         | Z         | -24.035            | .28            |
| 3  | MP2A         | Mx        | .006               | .28            |
| 4  | MP2A         | X         | 13.877             | 5.72           |
| 5  | MP2A         | Z         | -24.035            | 5.72           |
| 6  | MP2A         | Mx        | .006               | 5.72           |
| 7  | MP2A         | X         | 13.877             | .28            |
| 8  | MP2A         | Z         | -24.035            | .28            |
| 9  | MP2A         | Mx        | -.034              | .28            |
| 10 | MP2A         | X         | 13.877             | 5.72           |
| 11 | MP2A         | Z         | -24.035            | 5.72           |
| 12 | MP2A         | Mx        | -.034              | 5.72           |
| 13 | MP4A         | X         | 6.238              | 1.04           |
| 14 | MP4A         | Z         | -10.805            | 1.04           |





Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 16 : Antenna Wi (30 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 15 | MP4A         | Mx        | -.005              | 1.04            |
| 16 | MP4A         | X         | 6.238              | 3.96            |
| 17 | MP4A         | Z         | -10.805            | 3.96            |
| 18 | MP4A         | Mx        | -.005              | 3.96            |
| 19 | MP1A         | X         | 2.744              | 2.25            |
| 20 | MP1A         | Z         | -4.752             | 2.25            |
| 21 | MP1A         | Mx        | .003               | 2.25            |
| 22 | MP1A         | X         | 2.744              | 2.25            |
| 23 | MP1A         | Z         | -4.752             | 2.25            |
| 24 | MP1A         | Mx        | .003               | 2.25            |
| 25 | MP3A         | X         | 2.744              | 2.25            |
| 26 | MP3A         | Z         | -4.752             | 2.25            |
| 27 | MP3A         | Mx        | .003               | 2.25            |
| 28 | MP3A         | X         | 2.744              | 2.25            |
| 29 | MP3A         | Z         | -4.752             | 2.25            |
| 30 | MP3A         | Mx        | .003               | 2.25            |
| 31 | M7           | X         | 5.964              | 2.89            |
| 32 | M7           | Z         | -10.33             | 2.89            |
| 33 | M7           | Mx        | -.003              | 2.89            |
| 34 | M7           | X         | 5.964              | 2.89            |
| 35 | M7           | Z         | -10.33             | 2.89            |
| 36 | M7           | Mx        | -.003              | 2.89            |
| 37 | MP1A         | X         | 11.283             | .5              |
| 38 | MP1A         | Z         | -19.543            | .5              |
| 39 | MP1A         | Mx        | -.009              | .5              |
| 40 | MP1A         | X         | 11.283             | 5.5             |
| 41 | MP1A         | Z         | -19.543            | 5.5             |
| 42 | MP1A         | Mx        | -.009              | 5.5             |

**Member Point Loads (BLC 17 : Antenna Wi (60 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 20.915             | .28             |
| 2  | MP2A         | Z         | -12.075            | .28             |
| 3  | MP2A         | Mx        | -.011              | .28             |
| 4  | MP2A         | X         | 20.915             | 5.72            |
| 5  | MP2A         | Z         | -12.075            | 5.72            |
| 6  | MP2A         | Mx        | -.011              | 5.72            |
| 7  | MP2A         | X         | 20.915             | .28             |
| 8  | MP2A         | Z         | -12.075            | .28             |
| 9  | MP2A         | Mx        | -.031              | .28             |
| 10 | MP2A         | X         | 20.915             | 5.72            |
| 11 | MP2A         | Z         | -12.075            | 5.72            |
| 12 | MP2A         | Mx        | -.031              | 5.72            |
| 13 | MP4A         | X         | 7.178              | 1.04            |
| 14 | MP4A         | Z         | -4.144             | 1.04            |
| 15 | MP4A         | Mx        | -.006              | 1.04            |
| 16 | MP4A         | X         | 7.178              | 3.96            |
| 17 | MP4A         | Z         | -4.144             | 3.96            |
| 18 | MP4A         | Mx        | -.006              | 3.96            |
| 19 | MP1A         | X         | 3.634              | 2.25            |
| 20 | MP1A         | Z         | -2.098             | 2.25            |
| 21 | MP1A         | Mx        | .004               | 2.25            |
| 22 | MP1A         | X         | 3.634              | 2.25            |
| 23 | MP1A         | Z         | -2.098             | 2.25            |
| 24 | MP1A         | Mx        | .004               | 2.25            |
| 25 | MP3A         | X         | 3.634              | 2.25            |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 17 : Antenna Wi (60 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 26 | MP3A         | Z         | -2.098             | 2.25            |
| 27 | MP3A         | Mx        | .004               | 2.25            |
| 28 | MP3A         | X         | 3.634              | 2.25            |
| 29 | MP3A         | Z         | -2.098             | 2.25            |
| 30 | MP3A         | Mx        | .004               | 2.25            |
| 31 | M7           | X         | 9.137              | 2.89            |
| 32 | M7           | Z         | -5.275             | 2.89            |
| 33 | M7           | Mx        | -.005              | 2.89            |
| 34 | M7           | X         | 9.137              | 2.89            |
| 35 | M7           | Z         | -5.275             | 2.89            |
| 36 | M7           | Mx        | -.005              | 2.89            |
| 37 | MP1A         | X         | 16.248             | .5              |
| 38 | MP1A         | Z         | -9.381             | .5              |
| 39 | MP1A         | Mx        | -.014              | .5              |
| 40 | MP1A         | X         | 16.248             | 5.5             |
| 41 | MP1A         | Z         | -9.381             | 5.5             |
| 42 | MP1A         | Mx        | -.014              | 5.5             |

**Member Point Loads (BLC 18 : Antenna Wi (90 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 22.35              | .28             |
| 2  | MP2A         | Z         | 0                  | .28             |
| 3  | MP2A         | Mx        | -.022              | .28             |
| 4  | MP2A         | X         | 22.35              | 5.72            |
| 5  | MP2A         | Z         | 0                  | 5.72            |
| 6  | MP2A         | Mx        | -.022              | 5.72            |
| 7  | MP2A         | X         | 22.35              | .28             |
| 8  | MP2A         | Z         | 0                  | .28             |
| 9  | MP2A         | Mx        | -.022              | .28             |
| 10 | MP2A         | X         | 22.35              | 5.72            |
| 11 | MP2A         | Z         | 0                  | 5.72            |
| 12 | MP2A         | Mx        | -.022              | 5.72            |
| 13 | MP4A         | X         | 6.195              | 1.04            |
| 14 | MP4A         | Z         | 0                  | 1.04            |
| 15 | MP4A         | Mx        | -.005              | 1.04            |
| 16 | MP4A         | X         | 6.195              | 3.96            |
| 17 | MP4A         | Z         | 0                  | 3.96            |
| 18 | MP4A         | Mx        | -.005              | 3.96            |
| 19 | MP1A         | X         | 3.551              | 2.25            |
| 20 | MP1A         | Z         | 0                  | 2.25            |
| 21 | MP1A         | Mx        | .004               | 2.25            |
| 22 | MP1A         | X         | 3.551              | 2.25            |
| 23 | MP1A         | Z         | 0                  | 2.25            |
| 24 | MP1A         | Mx        | .004               | 2.25            |
| 25 | MP3A         | X         | 3.551              | 2.25            |
| 26 | MP3A         | Z         | 0                  | 2.25            |
| 27 | MP3A         | Mx        | .004               | 2.25            |
| 28 | MP3A         | X         | 3.551              | 2.25            |
| 29 | MP3A         | Z         | 0                  | 2.25            |
| 30 | MP3A         | Mx        | .004               | 2.25            |
| 31 | M7           | X         | 9.861              | 2.89            |
| 32 | M7           | Z         | 0                  | 2.89            |
| 33 | M7           | Mx        | -.005              | 2.89            |
| 34 | M7           | X         | 9.861              | 2.89            |
| 35 | M7           | Z         | 0                  | 2.89            |
| 36 | M7           | Mx        | -.005              | 2.89            |



**Member Point Loads (BLC 18 : Antenna Wi (90 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 37 | MP1A         | X         | 16.858             | .5              |
| 38 | MP1A         | Z         | 0                  | .5              |
| 39 | MP1A         | Mx        | -.014              | .5              |
| 40 | MP1A         | X         | 16.858             | 5.5             |
| 41 | MP1A         | Z         | 0                  | 5.5             |
| 42 | MP1A         | Mx        | -.014              | 5.5             |

**Member Point Loads (BLC 19 : Antenna Wi (120 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 20.915             | .28             |
| 2  | MP2A         | Z         | 12.075             | .28             |
| 3  | MP2A         | Mx        | -.031              | .28             |
| 4  | MP2A         | X         | 20.915             | 5.72            |
| 5  | MP2A         | Z         | 12.075             | 5.72            |
| 6  | MP2A         | Mx        | -.031              | 5.72            |
| 7  | MP2A         | X         | 20.915             | .28             |
| 8  | MP2A         | Z         | 12.075             | .28             |
| 9  | MP2A         | Mx        | -.011              | .28             |
| 10 | MP2A         | X         | 20.915             | 5.72            |
| 11 | MP2A         | Z         | 12.075             | 5.72            |
| 12 | MP2A         | Mx        | -.011              | 5.72            |
| 13 | MP4A         | X         | 7.178              | 1.04            |
| 14 | MP4A         | Z         | 4.144              | 1.04            |
| 15 | MP4A         | Mx        | -.006              | 1.04            |
| 16 | MP4A         | X         | 7.178              | 3.96            |
| 17 | MP4A         | Z         | 4.144              | 3.96            |
| 18 | MP4A         | Mx        | -.006              | 3.96            |
| 19 | MP1A         | X         | 3.634              | 2.25            |
| 20 | MP1A         | Z         | 2.098              | 2.25            |
| 21 | MP1A         | Mx        | .004               | 2.25            |
| 22 | MP1A         | X         | 3.634              | 2.25            |
| 23 | MP1A         | Z         | 2.098              | 2.25            |
| 24 | MP1A         | Mx        | .004               | 2.25            |
| 25 | MP3A         | X         | 3.634              | 2.25            |
| 26 | MP3A         | Z         | 2.098              | 2.25            |
| 27 | MP3A         | Mx        | .004               | 2.25            |
| 28 | MP3A         | X         | 3.634              | 2.25            |
| 29 | MP3A         | Z         | 2.098              | 2.25            |
| 30 | MP3A         | Mx        | .004               | 2.25            |
| 31 | M7           | X         | 9.137              | 2.89            |
| 32 | M7           | Z         | 5.275              | 2.89            |
| 33 | M7           | Mx        | -.005              | 2.89            |
| 34 | M7           | X         | 9.137              | 2.89            |
| 35 | M7           | Z         | 5.275              | 2.89            |
| 36 | M7           | Mx        | -.005              | 2.89            |
| 37 | MP1A         | X         | 16.248             | .5              |
| 38 | MP1A         | Z         | 9.381              | .5              |
| 39 | MP1A         | Mx        | -.014              | .5              |
| 40 | MP1A         | X         | 16.248             | 5.5             |
| 41 | MP1A         | Z         | 9.381              | 5.5             |
| 42 | MP1A         | Mx        | -.014              | 5.5             |

**Member Point Loads (BLC 20 : Antenna Wi (150 Deg))**

|   | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|---|--------------|-----------|--------------------|-----------------|
| 1 | MP2A         | X         | 13.877             | .28             |
| 2 | MP2A         | Z         | 24.035             | .28             |



**Member Point Loads (BLC 20 : Antenna Wi (150 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.-%] |
|----|--------------|-----------|--------------------|-----------------|
| 3  | MP2A         | Mx        | -.034              | .28             |
| 4  | MP2A         | X         | 13.877             | 5.72            |
| 5  | MP2A         | Z         | 24.035             | 5.72            |
| 6  | MP2A         | Mx        | -.034              | 5.72            |
| 7  | MP2A         | X         | 13.877             | .28             |
| 8  | MP2A         | Z         | 24.035             | .28             |
| 9  | MP2A         | Mx        | .006               | .28             |
| 10 | MP2A         | X         | 13.877             | 5.72            |
| 11 | MP2A         | Z         | 24.035             | 5.72            |
| 12 | MP2A         | Mx        | .006               | 5.72            |
| 13 | MP4A         | X         | 6.238              | 1.04            |
| 14 | MP4A         | Z         | 10.805             | 1.04            |
| 15 | MP4A         | Mx        | -.005              | 1.04            |
| 16 | MP4A         | X         | 6.238              | 3.96            |
| 17 | MP4A         | Z         | 10.805             | 3.96            |
| 18 | MP4A         | Mx        | -.005              | 3.96            |
| 19 | MP1A         | X         | 2.744              | 2.25            |
| 20 | MP1A         | Z         | 4.752              | 2.25            |
| 21 | MP1A         | Mx        | .003               | 2.25            |
| 22 | MP1A         | X         | 2.744              | 2.25            |
| 23 | MP1A         | Z         | 4.752              | 2.25            |
| 24 | MP1A         | Mx        | .003               | 2.25            |
| 25 | MP3A         | X         | 2.744              | 2.25            |
| 26 | MP3A         | Z         | 4.752              | 2.25            |
| 27 | MP3A         | Mx        | .003               | 2.25            |
| 28 | MP3A         | X         | 2.744              | 2.25            |
| 29 | MP3A         | Z         | 4.752              | 2.25            |
| 30 | MP3A         | Mx        | .003               | 2.25            |
| 31 | M7           | X         | 5.964              | 2.89            |
| 32 | M7           | Z         | 10.33              | 2.89            |
| 33 | M7           | Mx        | -.003              | 2.89            |
| 34 | M7           | X         | 5.964              | 2.89            |
| 35 | M7           | Z         | 10.33              | 2.89            |
| 36 | M7           | Mx        | -.003              | 2.89            |
| 37 | MP1A         | X         | 11.283             | .5              |
| 38 | MP1A         | Z         | 19.543             | .5              |
| 39 | MP1A         | Mx        | -.009              | .5              |
| 40 | MP1A         | X         | 11.283             | 5.5             |
| 41 | MP1A         | Z         | 19.543             | 5.5             |
| 42 | MP1A         | Mx        | -.009              | 5.5             |

**Member Point Loads (BLC 21 : Antenna Wi (180 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.-%] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 0                  | .28             |
| 2  | MP2A         | Z         | 29.555             | .28             |
| 3  | MP2A         | Mx        | -.025              | .28             |
| 4  | MP2A         | X         | 0                  | 5.72            |
| 5  | MP2A         | Z         | 29.555             | 5.72            |
| 6  | MP2A         | Mx        | -.025              | 5.72            |
| 7  | MP2A         | X         | 0                  | .28             |
| 8  | MP2A         | Z         | 29.555             | .28             |
| 9  | MP2A         | Mx        | .025               | .28             |
| 10 | MP2A         | X         | 0                  | 5.72            |
| 11 | MP2A         | Z         | 29.555             | 5.72            |
| 12 | MP2A         | Mx        | .025               | 5.72            |
| 13 | MP4A         | X         | 0                  | 1.04            |



**Member Point Loads (BLC 21 : Antenna Wi (180 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 14 | MP4A         | Z         | 14.57              | 1.04           |
| 15 | MP4A         | Mx        | 0                  | 1.04           |
| 16 | MP4A         | X         | 0                  | 3.96           |
| 17 | MP4A         | Z         | 14.57              | 3.96           |
| 18 | MP4A         | Mx        | 0                  | 3.96           |
| 19 | MP1A         | X         | 0                  | 2.25           |
| 20 | MP1A         | Z         | 6.133              | 2.25           |
| 21 | MP1A         | Mx        | 0                  | 2.25           |
| 22 | MP1A         | X         | 0                  | 2.25           |
| 23 | MP1A         | Z         | 6.133              | 2.25           |
| 24 | MP1A         | Mx        | 0                  | 2.25           |
| 25 | MP3A         | X         | 0                  | 2.25           |
| 26 | MP3A         | Z         | 6.133              | 2.25           |
| 27 | MP3A         | Mx        | 0                  | 2.25           |
| 28 | MP3A         | X         | 0                  | 2.25           |
| 29 | MP3A         | Z         | 6.133              | 2.25           |
| 30 | MP3A         | Mx        | 0                  | 2.25           |
| 31 | M7           | X         | 0                  | 2.89           |
| 32 | M7           | Z         | 12.617             | 2.89           |
| 33 | M7           | Mx        | 0                  | 2.89           |
| 34 | M7           | X         | 0                  | 2.89           |
| 35 | M7           | Z         | 12.617             | 2.89           |
| 36 | M7           | Mx        | 0                  | 2.89           |
| 37 | MP1A         | X         | 0                  | .5             |
| 38 | MP1A         | Z         | 24.469             | .5             |
| 39 | MP1A         | Mx        | 0                  | .5             |
| 40 | MP1A         | X         | 0                  | 5.5            |
| 41 | MP1A         | Z         | 24.469             | 5.5            |
| 42 | MP1A         | Mx        | 0                  | 5.5            |

**Member Point Loads (BLC 22 : Antenna Wi (210 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1  | MP2A         | X         | -13.877            | .28            |
| 2  | MP2A         | Z         | 24.035             | .28            |
| 3  | MP2A         | Mx        | -.006              | .28            |
| 4  | MP2A         | X         | -13.877            | 5.72           |
| 5  | MP2A         | Z         | 24.035             | 5.72           |
| 6  | MP2A         | Mx        | -.006              | 5.72           |
| 7  | MP2A         | X         | -13.877            | .28            |
| 8  | MP2A         | Z         | 24.035             | .28            |
| 9  | MP2A         | Mx        | .034               | .28            |
| 10 | MP2A         | X         | -13.877            | 5.72           |
| 11 | MP2A         | Z         | 24.035             | 5.72           |
| 12 | MP2A         | Mx        | .034               | 5.72           |
| 13 | MP4A         | X         | -6.238             | 1.04           |
| 14 | MP4A         | Z         | 10.805             | 1.04           |
| 15 | MP4A         | Mx        | .005               | 1.04           |
| 16 | MP4A         | X         | -6.238             | 3.96           |
| 17 | MP4A         | Z         | 10.805             | 3.96           |
| 18 | MP4A         | Mx        | .005               | 3.96           |
| 19 | MP1A         | X         | -2.744             | 2.25           |
| 20 | MP1A         | Z         | 4.752              | 2.25           |
| 21 | MP1A         | Mx        | -.003              | 2.25           |
| 22 | MP1A         | X         | -2.744             | 2.25           |
| 23 | MP1A         | Z         | 4.752              | 2.25           |
| 24 | MP1A         | Mx        | -.003              | 2.25           |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 22 : Antenna Wi (210 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 25 | MP3A         | X         | -2.744             | 2.25            |
| 26 | MP3A         | Z         | 4.752              | 2.25            |
| 27 | MP3A         | Mx        | -.003              | 2.25            |
| 28 | MP3A         | X         | -2.744             | 2.25            |
| 29 | MP3A         | Z         | 4.752              | 2.25            |
| 30 | MP3A         | Mx        | -.003              | 2.25            |
| 31 | M7           | X         | -5.964             | 2.89            |
| 32 | M7           | Z         | 10.33              | 2.89            |
| 33 | M7           | Mx        | .003               | 2.89            |
| 34 | M7           | X         | -5.964             | 2.89            |
| 35 | M7           | Z         | 10.33              | 2.89            |
| 36 | M7           | Mx        | .003               | 2.89            |
| 37 | MP1A         | X         | -11.283            | .5              |
| 38 | MP1A         | Z         | 19.543             | .5              |
| 39 | MP1A         | Mx        | .009               | .5              |
| 40 | MP1A         | X         | -11.283            | 5.5             |
| 41 | MP1A         | Z         | 19.543             | 5.5             |
| 42 | MP1A         | Mx        | .009               | 5.5             |

**Member Point Loads (BLC 23 : Antenna Wi (240 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | -20.915            | .28             |
| 2  | MP2A         | Z         | 12.075             | .28             |
| 3  | MP2A         | Mx        | .011               | .28             |
| 4  | MP2A         | X         | -20.915            | 5.72            |
| 5  | MP2A         | Z         | 12.075             | 5.72            |
| 6  | MP2A         | Mx        | .011               | 5.72            |
| 7  | MP2A         | X         | -20.915            | .28             |
| 8  | MP2A         | Z         | 12.075             | .28             |
| 9  | MP2A         | Mx        | .031               | .28             |
| 10 | MP2A         | X         | -20.915            | 5.72            |
| 11 | MP2A         | Z         | 12.075             | 5.72            |
| 12 | MP2A         | Mx        | .031               | 5.72            |
| 13 | MP4A         | X         | -7.178             | 1.04            |
| 14 | MP4A         | Z         | 4.144              | 1.04            |
| 15 | MP4A         | Mx        | .006               | 1.04            |
| 16 | MP4A         | X         | -7.178             | 3.96            |
| 17 | MP4A         | Z         | 4.144              | 3.96            |
| 18 | MP4A         | Mx        | .006               | 3.96            |
| 19 | MP1A         | X         | -3.634             | 2.25            |
| 20 | MP1A         | Z         | 2.098              | 2.25            |
| 21 | MP1A         | Mx        | -.004              | 2.25            |
| 22 | MP1A         | X         | -3.634             | 2.25            |
| 23 | MP1A         | Z         | 2.098              | 2.25            |
| 24 | MP1A         | Mx        | -.004              | 2.25            |
| 25 | MP3A         | X         | -3.634             | 2.25            |
| 26 | MP3A         | Z         | 2.098              | 2.25            |
| 27 | MP3A         | Mx        | -.004              | 2.25            |
| 28 | MP3A         | X         | -3.634             | 2.25            |
| 29 | MP3A         | Z         | 2.098              | 2.25            |
| 30 | MP3A         | Mx        | -.004              | 2.25            |
| 31 | M7           | X         | -9.137             | 2.89            |
| 32 | M7           | Z         | 5.275              | 2.89            |
| 33 | M7           | Mx        | .005               | 2.89            |
| 34 | M7           | X         | -9.137             | 2.89            |
| 35 | M7           | Z         | 5.275              | 2.89            |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 23 : Antenna Wi (240 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 36 | M7           | Mx        | .005               | 2.89            |
| 37 | MP1A         | X         | -16.248            | .5              |
| 38 | MP1A         | Z         | 9.381              | .5              |
| 39 | MP1A         | Mx        | .014               | .5              |
| 40 | MP1A         | X         | -16.248            | 5.5             |
| 41 | MP1A         | Z         | 9.381              | 5.5             |
| 42 | MP1A         | Mx        | .014               | 5.5             |

**Member Point Loads (BLC 24 : Antenna Wi (270 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | -22.35             | .28             |
| 2  | MP2A         | Z         | 0                  | .28             |
| 3  | MP2A         | Mx        | .022               | .28             |
| 4  | MP2A         | X         | -22.35             | 5.72            |
| 5  | MP2A         | Z         | 0                  | 5.72            |
| 6  | MP2A         | Mx        | .022               | 5.72            |
| 7  | MP2A         | X         | -22.35             | .28             |
| 8  | MP2A         | Z         | 0                  | .28             |
| 9  | MP2A         | Mx        | .022               | .28             |
| 10 | MP2A         | X         | -22.35             | 5.72            |
| 11 | MP2A         | Z         | 0                  | 5.72            |
| 12 | MP2A         | Mx        | .022               | 5.72            |
| 13 | MP4A         | X         | -6.195             | 1.04            |
| 14 | MP4A         | Z         | 0                  | 1.04            |
| 15 | MP4A         | Mx        | .005               | 1.04            |
| 16 | MP4A         | X         | -6.195             | 3.96            |
| 17 | MP4A         | Z         | 0                  | 3.96            |
| 18 | MP4A         | Mx        | .005               | 3.96            |
| 19 | MP1A         | X         | -3.551             | 2.25            |
| 20 | MP1A         | Z         | 0                  | 2.25            |
| 21 | MP1A         | Mx        | -.004              | 2.25            |
| 22 | MP1A         | X         | -3.551             | 2.25            |
| 23 | MP1A         | Z         | 0                  | 2.25            |
| 24 | MP1A         | Mx        | -.004              | 2.25            |
| 25 | MP3A         | X         | -3.551             | 2.25            |
| 26 | MP3A         | Z         | 0                  | 2.25            |
| 27 | MP3A         | Mx        | -.004              | 2.25            |
| 28 | MP3A         | X         | -3.551             | 2.25            |
| 29 | MP3A         | Z         | 0                  | 2.25            |
| 30 | MP3A         | Mx        | -.004              | 2.25            |
| 31 | M7           | X         | -9.861             | 2.89            |
| 32 | M7           | Z         | 0                  | 2.89            |
| 33 | M7           | Mx        | .005               | 2.89            |
| 34 | M7           | X         | -9.861             | 2.89            |
| 35 | M7           | Z         | 0                  | 2.89            |
| 36 | M7           | Mx        | .005               | 2.89            |
| 37 | MP1A         | X         | -16.858            | .5              |
| 38 | MP1A         | Z         | 0                  | .5              |
| 39 | MP1A         | Mx        | .014               | .5              |
| 40 | MP1A         | X         | -16.858            | 5.5             |
| 41 | MP1A         | Z         | 0                  | 5.5             |
| 42 | MP1A         | Mx        | .014               | 5.5             |

**Member Point Loads (BLC 25 : Antenna Wi (300 Deg))**

|   | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|---|--------------|-----------|--------------------|-----------------|
| 1 | MP2A         | X         | -20.915            | .28             |



**Member Point Loads (BLC 25 : Antenna Wi (300 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 2  | MP2A         | Z         | -12.075            | .28             |
| 3  | MP2A         | Mx        | .031               | .28             |
| 4  | MP2A         | X         | -20.915            | 5.72            |
| 5  | MP2A         | Z         | -12.075            | 5.72            |
| 6  | MP2A         | Mx        | .031               | 5.72            |
| 7  | MP2A         | X         | -20.915            | .28             |
| 8  | MP2A         | Z         | -12.075            | .28             |
| 9  | MP2A         | Mx        | .011               | .28             |
| 10 | MP2A         | X         | -20.915            | 5.72            |
| 11 | MP2A         | Z         | -12.075            | 5.72            |
| 12 | MP2A         | Mx        | .011               | 5.72            |
| 13 | MP4A         | X         | -7.178             | 1.04            |
| 14 | MP4A         | Z         | -4.144             | 1.04            |
| 15 | MP4A         | Mx        | .006               | 1.04            |
| 16 | MP4A         | X         | -7.178             | 3.96            |
| 17 | MP4A         | Z         | -4.144             | 3.96            |
| 18 | MP4A         | Mx        | .006               | 3.96            |
| 19 | MP1A         | X         | -3.634             | 2.25            |
| 20 | MP1A         | Z         | -2.098             | 2.25            |
| 21 | MP1A         | Mx        | -.004              | 2.25            |
| 22 | MP1A         | X         | -3.634             | 2.25            |
| 23 | MP1A         | Z         | -2.098             | 2.25            |
| 24 | MP1A         | Mx        | -.004              | 2.25            |
| 25 | MP3A         | X         | -3.634             | 2.25            |
| 26 | MP3A         | Z         | -2.098             | 2.25            |
| 27 | MP3A         | Mx        | -.004              | 2.25            |
| 28 | MP3A         | X         | -3.634             | 2.25            |
| 29 | MP3A         | Z         | -2.098             | 2.25            |
| 30 | MP3A         | Mx        | -.004              | 2.25            |
| 31 | M7           | X         | -9.137             | 2.89            |
| 32 | M7           | Z         | -5.275             | 2.89            |
| 33 | M7           | Mx        | .005               | 2.89            |
| 34 | M7           | X         | -9.137             | 2.89            |
| 35 | M7           | Z         | -5.275             | 2.89            |
| 36 | M7           | Mx        | .005               | 2.89            |
| 37 | MP1A         | X         | -16.248            | .5              |
| 38 | MP1A         | Z         | -9.381             | .5              |
| 39 | MP1A         | Mx        | .014               | .5              |
| 40 | MP1A         | X         | -16.248            | 5.5             |
| 41 | MP1A         | Z         | -9.381             | 5.5             |
| 42 | MP1A         | Mx        | .014               | 5.5             |

**Member Point Loads (BLC 26 : Antenna Wi (330 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | -13.877            | .28             |
| 2  | MP2A         | Z         | -24.035            | .28             |
| 3  | MP2A         | Mx        | .034               | .28             |
| 4  | MP2A         | X         | -13.877            | 5.72            |
| 5  | MP2A         | Z         | -24.035            | 5.72            |
| 6  | MP2A         | Mx        | .034               | 5.72            |
| 7  | MP2A         | X         | -13.877            | .28             |
| 8  | MP2A         | Z         | -24.035            | .28             |
| 9  | MP2A         | Mx        | -.006              | .28             |
| 10 | MP2A         | X         | -13.877            | 5.72            |
| 11 | MP2A         | Z         | -24.035            | 5.72            |
| 12 | MP2A         | Mx        | -.006              | 5.72            |





**Member Point Loads (BLC 26 : Antenna Wi (330 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 13 | MP4A         | X         | -6.238             | 1.04            |
| 14 | MP4A         | Z         | -10.805            | 1.04            |
| 15 | MP4A         | Mx        | .005               | 1.04            |
| 16 | MP4A         | X         | -6.238             | 3.96            |
| 17 | MP4A         | Z         | -10.805            | 3.96            |
| 18 | MP4A         | Mx        | .005               | 3.96            |
| 19 | MP1A         | X         | -2.744             | 2.25            |
| 20 | MP1A         | Z         | -4.752             | 2.25            |
| 21 | MP1A         | Mx        | -.003              | 2.25            |
| 22 | MP1A         | X         | -2.744             | 2.25            |
| 23 | MP1A         | Z         | -4.752             | 2.25            |
| 24 | MP1A         | Mx        | -.003              | 2.25            |
| 25 | MP3A         | X         | -2.744             | 2.25            |
| 26 | MP3A         | Z         | -4.752             | 2.25            |
| 27 | MP3A         | Mx        | -.003              | 2.25            |
| 28 | MP3A         | X         | -2.744             | 2.25            |
| 29 | MP3A         | Z         | -4.752             | 2.25            |
| 30 | MP3A         | Mx        | -.003              | 2.25            |
| 31 | M7           | X         | -5.964             | 2.89            |
| 32 | M7           | Z         | -10.33             | 2.89            |
| 33 | M7           | Mx        | .003               | 2.89            |
| 34 | M7           | X         | -5.964             | 2.89            |
| 35 | M7           | Z         | -10.33             | 2.89            |
| 36 | M7           | Mx        | .003               | 2.89            |
| 37 | MP1A         | X         | -11.283            | .5              |
| 38 | MP1A         | Z         | -19.543            | .5              |
| 39 | MP1A         | Mx        | .009               | .5              |
| 40 | MP1A         | X         | -11.283            | 5.5             |
| 41 | MP1A         | Z         | -19.543            | 5.5             |
| 42 | MP1A         | Mx        | .009               | 5.5             |

**Member Point Loads (BLC 27 : Antenna Wm (0 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 0                  | .28             |
| 2  | MP2A         | Z         | -9.775             | .28             |
| 3  | MP2A         | Mx        | .008               | .28             |
| 4  | MP2A         | X         | 0                  | 5.72            |
| 5  | MP2A         | Z         | -9.775             | 5.72            |
| 6  | MP2A         | Mx        | .008               | 5.72            |
| 7  | MP2A         | X         | 0                  | .28             |
| 8  | MP2A         | Z         | -9.775             | .28             |
| 9  | MP2A         | Mx        | -.008              | .28             |
| 10 | MP2A         | X         | 0                  | 5.72            |
| 11 | MP2A         | Z         | -9.775             | 5.72            |
| 12 | MP2A         | Mx        | -.008              | 5.72            |
| 13 | MP4A         | X         | 0                  | 1.04            |
| 14 | MP4A         | Z         | -4.655             | 1.04            |
| 15 | MP4A         | Mx        | 0                  | 1.04            |
| 16 | MP4A         | X         | 0                  | 3.96            |
| 17 | MP4A         | Z         | -4.655             | 3.96            |
| 18 | MP4A         | Mx        | 0                  | 3.96            |
| 19 | MP1A         | X         | 0                  | 2.25            |
| 20 | MP1A         | Z         | -1.852             | 2.25            |
| 21 | MP1A         | Mx        | 0                  | 2.25            |
| 22 | MP1A         | X         | 0                  | 2.25            |
| 23 | MP1A         | Z         | -1.852             | 2.25            |



**Member Point Loads (BLC 27 : Antenna Wm (0 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 24 | MP1A         | Mx        | 0                  | 2.25           |
| 25 | MP3A         | X         | 0                  | 2.25           |
| 26 | MP3A         | Z         | -1.852             | 2.25           |
| 27 | MP3A         | Mx        | 0                  | 2.25           |
| 28 | MP3A         | X         | 0                  | 2.25           |
| 29 | MP3A         | Z         | -1.852             | 2.25           |
| 30 | MP3A         | Mx        | 0                  | 2.25           |
| 31 | M7           | X         | 0                  | 2.89           |
| 32 | M7           | Z         | -4.021             | 2.89           |
| 33 | M7           | Mx        | 0                  | 2.89           |
| 34 | M7           | X         | 0                  | 2.89           |
| 35 | M7           | Z         | -4.021             | 2.89           |
| 36 | M7           | Mx        | 0                  | 2.89           |
| 37 | MP1A         | X         | 0                  | .5             |
| 38 | MP1A         | Z         | -8.012             | .5             |
| 39 | MP1A         | Mx        | 0                  | .5             |
| 40 | MP1A         | X         | 0                  | 5.5            |
| 41 | MP1A         | Z         | -8.012             | 5.5            |
| 42 | MP1A         | Mx        | 0                  | 5.5            |

**Member Point Loads (BLC 28 : Antenna Wm (30 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1  | MP2A         | X         | 4.574              | .28            |
| 2  | MP2A         | Z         | -7.923             | .28            |
| 3  | MP2A         | Mx        | .002               | .28            |
| 4  | MP2A         | X         | 4.574              | 5.72           |
| 5  | MP2A         | Z         | -7.923             | 5.72           |
| 6  | MP2A         | Mx        | .002               | 5.72           |
| 7  | MP2A         | X         | 4.574              | .28            |
| 8  | MP2A         | Z         | -7.923             | .28            |
| 9  | MP2A         | Mx        | -.011              | .28            |
| 10 | MP2A         | X         | 4.574              | 5.72           |
| 11 | MP2A         | Z         | -7.923             | 5.72           |
| 12 | MP2A         | Mx        | -.011              | 5.72           |
| 13 | MP4A         | X         | 1.973              | 1.04           |
| 14 | MP4A         | Z         | -3.418             | 1.04           |
| 15 | MP4A         | Mx        | -.002              | 1.04           |
| 16 | MP4A         | X         | 1.973              | 3.96           |
| 17 | MP4A         | Z         | -3.418             | 3.96           |
| 18 | MP4A         | Mx        | -.002              | 3.96           |
| 19 | MP1A         | X         | .82                | 2.25           |
| 20 | MP1A         | Z         | -1.42              | 2.25           |
| 21 | MP1A         | Mx        | .00082             | 2.25           |
| 22 | MP1A         | X         | .82                | 2.25           |
| 23 | MP1A         | Z         | -1.42              | 2.25           |
| 24 | MP1A         | Mx        | .00082             | 2.25           |
| 25 | MP3A         | X         | .82                | 2.25           |
| 26 | MP3A         | Z         | -1.42              | 2.25           |
| 27 | MP3A         | Mx        | .00082             | 2.25           |
| 28 | MP3A         | X         | .82                | 2.25           |
| 29 | MP3A         | Z         | -1.42              | 2.25           |
| 30 | MP3A         | Mx        | .00082             | 2.25           |
| 31 | M7           | X         | 1.891              | 2.89           |
| 32 | M7           | Z         | -3.276             | 2.89           |
| 33 | M7           | Mx        | -.000946           | 2.89           |
| 34 | M7           | X         | 1.891              | 2.89           |



**Member Point Loads (BLC 28 : Antenna Wm (30 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.-%] |
|----|--------------|-----------|--------------------|-----------------|
| 35 | M7           | Z         | -3.276             | 2.89            |
| 36 | M7           | Mx        | -0.00946           | 2.89            |
| 37 | MP1A         | X         | 3.666              | .5              |
| 38 | MP1A         | Z         | -6.35              | .5              |
| 39 | MP1A         | Mx        | -.003              | .5              |
| 40 | MP1A         | X         | 3.666              | 5.5             |
| 41 | MP1A         | Z         | -6.35              | 5.5             |
| 42 | MP1A         | Mx        | -.003              | 5.5             |

**Member Point Loads (BLC 29 : Antenna Wm (60 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.-%] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 6.837              | .28             |
| 2  | MP2A         | Z         | -3.947             | .28             |
| 3  | MP2A         | Mx        | -.004              | .28             |
| 4  | MP2A         | X         | 6.837              | 5.72            |
| 5  | MP2A         | Z         | -3.947             | 5.72            |
| 6  | MP2A         | Mx        | -.004              | 5.72            |
| 7  | MP2A         | X         | 6.837              | .28             |
| 8  | MP2A         | Z         | -3.947             | .28             |
| 9  | MP2A         | Mx        | -.01               | .28             |
| 10 | MP2A         | X         | 6.837              | 5.72            |
| 11 | MP2A         | Z         | -3.947             | 5.72            |
| 12 | MP2A         | Mx        | -.01               | 5.72            |
| 13 | MP4A         | X         | 2.192              | 1.04            |
| 14 | MP4A         | Z         | -1.265             | 1.04            |
| 15 | MP4A         | Mx        | -.002              | 1.04            |
| 16 | MP4A         | X         | 2.192              | 3.96            |
| 17 | MP4A         | Z         | -1.265             | 3.96            |
| 18 | MP4A         | Mx        | -.002              | 3.96            |
| 19 | MP1A         | X         | 1.052              | 2.25            |
| 20 | MP1A         | Z         | -.608              | 2.25            |
| 21 | MP1A         | Mx        | .001               | 2.25            |
| 22 | MP1A         | X         | 1.052              | 2.25            |
| 23 | MP1A         | Z         | -.608              | 2.25            |
| 24 | MP1A         | Mx        | .001               | 2.25            |
| 25 | MP3A         | X         | 1.052              | 2.25            |
| 26 | MP3A         | Z         | -.608              | 2.25            |
| 27 | MP3A         | Mx        | .001               | 2.25            |
| 28 | MP3A         | X         | 1.052              | 2.25            |
| 29 | MP3A         | Z         | -.608              | 2.25            |
| 30 | MP3A         | Mx        | .001               | 2.25            |
| 31 | M7           | X         | 2.863              | 2.89            |
| 32 | M7           | Z         | -1.653             | 2.89            |
| 33 | M7           | Mx        | -.001              | 2.89            |
| 34 | M7           | X         | 2.863              | 2.89            |
| 35 | M7           | Z         | -1.653             | 2.89            |
| 36 | M7           | Mx        | -.001              | 2.89            |
| 37 | MP1A         | X         | 5.171              | .5              |
| 38 | MP1A         | Z         | -2.985             | .5              |
| 39 | MP1A         | Mx        | -.004              | .5              |
| 40 | MP1A         | X         | 5.171              | 5.5             |
| 41 | MP1A         | Z         | -2.985             | 5.5             |
| 42 | MP1A         | Mx        | -.004              | 5.5             |

**Member Point Loads (BLC 30 : Antenna Wm (90 Deg))**

|  | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.-%] |
|--|--------------|-----------|--------------------|-----------------|
|--|--------------|-----------|--------------------|-----------------|



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 30 : Antenna Wm (90 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 7.268              | .28             |
| 2  | MP2A         | Z         | 0                  | .28             |
| 3  | MP2A         | Mx        | -.007              | .28             |
| 4  | MP2A         | X         | 7.268              | 5.72            |
| 5  | MP2A         | Z         | 0                  | 5.72            |
| 6  | MP2A         | Mx        | -.007              | 5.72            |
| 7  | MP2A         | X         | 7.268              | .28             |
| 8  | MP2A         | Z         | 0                  | .28             |
| 9  | MP2A         | Mx        | -.007              | .28             |
| 10 | MP2A         | X         | 7.268              | 5.72            |
| 11 | MP2A         | Z         | 0                  | 5.72            |
| 12 | MP2A         | Mx        | -.007              | 5.72            |
| 13 | MP4A         | X         | 1.822              | 1.04            |
| 14 | MP4A         | Z         | 0                  | 1.04            |
| 15 | MP4A         | Mx        | -.002              | 1.04            |
| 16 | MP4A         | X         | 1.822              | 3.96            |
| 17 | MP4A         | Z         | 0                  | 3.96            |
| 18 | MP4A         | Mx        | -.002              | 3.96            |
| 19 | MP1A         | X         | 1.003              | 2.25            |
| 20 | MP1A         | Z         | 0                  | 2.25            |
| 21 | MP1A         | Mx        | .001               | 2.25            |
| 22 | MP1A         | X         | 1.003              | 2.25            |
| 23 | MP1A         | Z         | 0                  | 2.25            |
| 24 | MP1A         | Mx        | .001               | 2.25            |
| 25 | MP3A         | X         | 1.003              | 2.25            |
| 26 | MP3A         | Z         | 0                  | 2.25            |
| 27 | MP3A         | Mx        | .001               | 2.25            |
| 28 | MP3A         | X         | 1.003              | 2.25            |
| 29 | MP3A         | Z         | 0                  | 2.25            |
| 30 | MP3A         | Mx        | .001               | 2.25            |
| 31 | M7           | X         | 3.068              | 2.89            |
| 32 | M7           | Z         | 0                  | 2.89            |
| 33 | M7           | Mx        | -.002              | 2.89            |
| 34 | M7           | X         | 3.068              | 2.89            |
| 35 | M7           | Z         | 0                  | 2.89            |
| 36 | M7           | Mx        | -.002              | 2.89            |
| 37 | MP1A         | X         | 5.29               | .5              |
| 38 | MP1A         | Z         | 0                  | .5              |
| 39 | MP1A         | Mx        | -.004              | .5              |
| 40 | MP1A         | X         | 5.29               | 5.5             |
| 41 | MP1A         | Z         | 0                  | 5.5             |
| 42 | MP1A         | Mx        | -.004              | 5.5             |

**Member Point Loads (BLC 31 : Antenna Wm (120 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 6.837              | .28             |
| 2  | MP2A         | Z         | 3.947              | .28             |
| 3  | MP2A         | Mx        | -.01               | .28             |
| 4  | MP2A         | X         | 6.837              | 5.72            |
| 5  | MP2A         | Z         | 3.947              | 5.72            |
| 6  | MP2A         | Mx        | -.01               | 5.72            |
| 7  | MP2A         | X         | 6.837              | .28             |
| 8  | MP2A         | Z         | 3.947              | .28             |
| 9  | MP2A         | Mx        | -.004              | .28             |
| 10 | MP2A         | X         | 6.837              | 5.72            |
| 11 | MP2A         | Z         | 3.947              | 5.72            |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 31 : Antenna Wm (120 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 12 | MP2A         | Mx        | -.004              | 5.72            |
| 13 | MP4A         | X         | 2.192              | 1.04            |
| 14 | MP4A         | Z         | 1.265              | 1.04            |
| 15 | MP4A         | Mx        | -.002              | 1.04            |
| 16 | MP4A         | X         | 2.192              | 3.96            |
| 17 | MP4A         | Z         | 1.265              | 3.96            |
| 18 | MP4A         | Mx        | -.002              | 3.96            |
| 19 | MP1A         | X         | 1.052              | 2.25            |
| 20 | MP1A         | Z         | .608               | 2.25            |
| 21 | MP1A         | Mx        | .001               | 2.25            |
| 22 | MP1A         | X         | 1.052              | 2.25            |
| 23 | MP1A         | Z         | .608               | 2.25            |
| 24 | MP1A         | Mx        | .001               | 2.25            |
| 25 | MP3A         | X         | 1.052              | 2.25            |
| 26 | MP3A         | Z         | .608               | 2.25            |
| 27 | MP3A         | Mx        | .001               | 2.25            |
| 28 | MP3A         | X         | 1.052              | 2.25            |
| 29 | MP3A         | Z         | .608               | 2.25            |
| 30 | MP3A         | Mx        | .001               | 2.25            |
| 31 | M7           | X         | 2.863              | 2.89            |
| 32 | M7           | Z         | 1.653              | 2.89            |
| 33 | M7           | Mx        | -.001              | 2.89            |
| 34 | M7           | X         | 2.863              | 2.89            |
| 35 | M7           | Z         | 1.653              | 2.89            |
| 36 | M7           | Mx        | -.001              | 2.89            |
| 37 | MP1A         | X         | 5.171              | .5              |
| 38 | MP1A         | Z         | 2.985              | .5              |
| 39 | MP1A         | Mx        | -.004              | .5              |
| 40 | MP1A         | X         | 5.171              | 5.5             |
| 41 | MP1A         | Z         | 2.985              | 5.5             |
| 42 | MP1A         | Mx        | -.004              | 5.5             |

**Member Point Loads (BLC 32 : Antenna Wm (150 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 4.574              | .28             |
| 2  | MP2A         | Z         | 7.923              | .28             |
| 3  | MP2A         | Mx        | -.011              | .28             |
| 4  | MP2A         | X         | 4.574              | 5.72            |
| 5  | MP2A         | Z         | 7.923              | 5.72            |
| 6  | MP2A         | Mx        | -.011              | 5.72            |
| 7  | MP2A         | X         | 4.574              | .28             |
| 8  | MP2A         | Z         | 7.923              | .28             |
| 9  | MP2A         | Mx        | .002               | .28             |
| 10 | MP2A         | X         | 4.574              | 5.72            |
| 11 | MP2A         | Z         | 7.923              | 5.72            |
| 12 | MP2A         | Mx        | .002               | 5.72            |
| 13 | MP4A         | X         | 1.973              | 1.04            |
| 14 | MP4A         | Z         | 3.418              | 1.04            |
| 15 | MP4A         | Mx        | -.002              | 1.04            |
| 16 | MP4A         | X         | 1.973              | 3.96            |
| 17 | MP4A         | Z         | 3.418              | 3.96            |
| 18 | MP4A         | Mx        | -.002              | 3.96            |
| 19 | MP1A         | X         | .82                | 2.25            |
| 20 | MP1A         | Z         | 1.42               | 2.25            |
| 21 | MP1A         | Mx        | .00082             | 2.25            |
| 22 | MP1A         | X         | .82                | 2.25            |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 32 : Antenna Wm (150 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 23 | MP1A         | Z         | 1.42               | 2.25            |
| 24 | MP1A         | Mx        | .00082             | 2.25            |
| 25 | MP3A         | X         | .82                | 2.25            |
| 26 | MP3A         | Z         | 1.42               | 2.25            |
| 27 | MP3A         | Mx        | .00082             | 2.25            |
| 28 | MP3A         | X         | .82                | 2.25            |
| 29 | MP3A         | Z         | 1.42               | 2.25            |
| 30 | MP3A         | Mx        | .00082             | 2.25            |
| 31 | M7           | X         | 1.891              | 2.89            |
| 32 | M7           | Z         | 3.276              | 2.89            |
| 33 | M7           | Mx        | -.000946           | 2.89            |
| 34 | M7           | X         | 1.891              | 2.89            |
| 35 | M7           | Z         | 3.276              | 2.89            |
| 36 | M7           | Mx        | -.000946           | 2.89            |
| 37 | MP1A         | X         | 3.666              | .5              |
| 38 | MP1A         | Z         | 6.35               | .5              |
| 39 | MP1A         | Mx        | -.003              | .5              |
| 40 | MP1A         | X         | 3.666              | 5.5             |
| 41 | MP1A         | Z         | 6.35               | 5.5             |
| 42 | MP1A         | Mx        | -.003              | 5.5             |

**Member Point Loads (BLC 33 : Antenna Wm (180 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | 0                  | .28             |
| 2  | MP2A         | Z         | 9.775              | .28             |
| 3  | MP2A         | Mx        | -.008              | .28             |
| 4  | MP2A         | X         | 0                  | 5.72            |
| 5  | MP2A         | Z         | 9.775              | 5.72            |
| 6  | MP2A         | Mx        | -.008              | 5.72            |
| 7  | MP2A         | X         | 0                  | .28             |
| 8  | MP2A         | Z         | 9.775              | .28             |
| 9  | MP2A         | Mx        | .008               | .28             |
| 10 | MP2A         | X         | 0                  | 5.72            |
| 11 | MP2A         | Z         | 9.775              | 5.72            |
| 12 | MP2A         | Mx        | .008               | 5.72            |
| 13 | MP4A         | X         | 0                  | 1.04            |
| 14 | MP4A         | Z         | 4.655              | 1.04            |
| 15 | MP4A         | Mx        | 0                  | 1.04            |
| 16 | MP4A         | X         | 0                  | 3.96            |
| 17 | MP4A         | Z         | 4.655              | 3.96            |
| 18 | MP4A         | Mx        | 0                  | 3.96            |
| 19 | MP1A         | X         | 0                  | 2.25            |
| 20 | MP1A         | Z         | 1.852              | 2.25            |
| 21 | MP1A         | Mx        | 0                  | 2.25            |
| 22 | MP1A         | X         | 0                  | 2.25            |
| 23 | MP1A         | Z         | 1.852              | 2.25            |
| 24 | MP1A         | Mx        | 0                  | 2.25            |
| 25 | MP3A         | X         | 0                  | 2.25            |
| 26 | MP3A         | Z         | 1.852              | 2.25            |
| 27 | MP3A         | Mx        | 0                  | 2.25            |
| 28 | MP3A         | X         | 0                  | 2.25            |
| 29 | MP3A         | Z         | 1.852              | 2.25            |
| 30 | MP3A         | Mx        | 0                  | 2.25            |
| 31 | M7           | X         | 0                  | 2.89            |
| 32 | M7           | Z         | 4.021              | 2.89            |
| 33 | M7           | Mx        | 0                  | 2.89            |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 33 : Antenna Wm (180 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 34 | M7           | X         | 0                  | 2.89           |
| 35 | M7           | Z         | 4.021              | 2.89           |
| 36 | M7           | Mx        | 0                  | 2.89           |
| 37 | MP1A         | X         | 0                  | .5             |
| 38 | MP1A         | Z         | 8.012              | .5             |
| 39 | MP1A         | Mx        | 0                  | .5             |
| 40 | MP1A         | X         | 0                  | 5.5            |
| 41 | MP1A         | Z         | 8.012              | 5.5            |
| 42 | MP1A         | Mx        | 0                  | 5.5            |

**Member Point Loads (BLC 34 : Antenna Wm (210 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 1  | MP2A         | X         | -4.574             | .28            |
| 2  | MP2A         | Z         | 7.923              | .28            |
| 3  | MP2A         | Mx        | -.002              | .28            |
| 4  | MP2A         | X         | -4.574             | 5.72           |
| 5  | MP2A         | Z         | 7.923              | 5.72           |
| 6  | MP2A         | Mx        | -.002              | 5.72           |
| 7  | MP2A         | X         | -4.574             | .28            |
| 8  | MP2A         | Z         | 7.923              | .28            |
| 9  | MP2A         | Mx        | .011               | .28            |
| 10 | MP2A         | X         | -4.574             | 5.72           |
| 11 | MP2A         | Z         | 7.923              | 5.72           |
| 12 | MP2A         | Mx        | .011               | 5.72           |
| 13 | MP4A         | X         | -1.973             | 1.04           |
| 14 | MP4A         | Z         | 3.418              | 1.04           |
| 15 | MP4A         | Mx        | .002               | 1.04           |
| 16 | MP4A         | X         | -1.973             | 3.96           |
| 17 | MP4A         | Z         | 3.418              | 3.96           |
| 18 | MP4A         | Mx        | .002               | 3.96           |
| 19 | MP1A         | X         | -.82               | 2.25           |
| 20 | MP1A         | Z         | 1.42               | 2.25           |
| 21 | MP1A         | Mx        | -.00082            | 2.25           |
| 22 | MP1A         | X         | -.82               | 2.25           |
| 23 | MP1A         | Z         | 1.42               | 2.25           |
| 24 | MP1A         | Mx        | -.00082            | 2.25           |
| 25 | MP3A         | X         | -.82               | 2.25           |
| 26 | MP3A         | Z         | 1.42               | 2.25           |
| 27 | MP3A         | Mx        | -.00082            | 2.25           |
| 28 | MP3A         | X         | -.82               | 2.25           |
| 29 | MP3A         | Z         | 1.42               | 2.25           |
| 30 | MP3A         | Mx        | -.00082            | 2.25           |
| 31 | M7           | X         | -1.891             | 2.89           |
| 32 | M7           | Z         | 3.276              | 2.89           |
| 33 | M7           | Mx        | .000946            | 2.89           |
| 34 | M7           | X         | -1.891             | 2.89           |
| 35 | M7           | Z         | 3.276              | 2.89           |
| 36 | M7           | Mx        | .000946            | 2.89           |
| 37 | MP1A         | X         | -3.666             | .5             |
| 38 | MP1A         | Z         | 6.35               | .5             |
| 39 | MP1A         | Mx        | .003               | .5             |
| 40 | MP1A         | X         | -3.666             | 5.5            |
| 41 | MP1A         | Z         | 6.35               | 5.5            |
| 42 | MP1A         | Mx        | .003               | 5.5            |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 35 : Antenna Wm (240 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | -6.837             | .28             |
| 2  | MP2A         | Z         | 3.947              | .28             |
| 3  | MP2A         | Mx        | .004               | .28             |
| 4  | MP2A         | X         | -6.837             | 5.72            |
| 5  | MP2A         | Z         | 3.947              | 5.72            |
| 6  | MP2A         | Mx        | .004               | 5.72            |
| 7  | MP2A         | X         | -6.837             | .28             |
| 8  | MP2A         | Z         | 3.947              | .28             |
| 9  | MP2A         | Mx        | .01                | .28             |
| 10 | MP2A         | X         | -6.837             | 5.72            |
| 11 | MP2A         | Z         | 3.947              | 5.72            |
| 12 | MP2A         | Mx        | .01                | 5.72            |
| 13 | MP4A         | X         | -2.192             | 1.04            |
| 14 | MP4A         | Z         | 1.265              | 1.04            |
| 15 | MP4A         | Mx        | .002               | 1.04            |
| 16 | MP4A         | X         | -2.192             | 3.96            |
| 17 | MP4A         | Z         | 1.265              | 3.96            |
| 18 | MP4A         | Mx        | .002               | 3.96            |
| 19 | MP1A         | X         | -1.052             | 2.25            |
| 20 | MP1A         | Z         | .608               | 2.25            |
| 21 | MP1A         | Mx        | -.001              | 2.25            |
| 22 | MP1A         | X         | -1.052             | 2.25            |
| 23 | MP1A         | Z         | .608               | 2.25            |
| 24 | MP1A         | Mx        | -.001              | 2.25            |
| 25 | MP3A         | X         | -1.052             | 2.25            |
| 26 | MP3A         | Z         | .608               | 2.25            |
| 27 | MP3A         | Mx        | -.001              | 2.25            |
| 28 | MP3A         | X         | -1.052             | 2.25            |
| 29 | MP3A         | Z         | .608               | 2.25            |
| 30 | MP3A         | Mx        | -.001              | 2.25            |
| 31 | M7           | X         | -2.863             | 2.89            |
| 32 | M7           | Z         | 1.653              | 2.89            |
| 33 | M7           | Mx        | .001               | 2.89            |
| 34 | M7           | X         | -2.863             | 2.89            |
| 35 | M7           | Z         | 1.653              | 2.89            |
| 36 | M7           | Mx        | .001               | 2.89            |
| 37 | MP1A         | X         | -5.171             | .5              |
| 38 | MP1A         | Z         | 2.985              | .5              |
| 39 | MP1A         | Mx        | .004               | .5              |
| 40 | MP1A         | X         | -5.171             | 5.5             |
| 41 | MP1A         | Z         | 2.985              | 5.5             |
| 42 | MP1A         | Mx        | .004               | 5.5             |

**Member Point Loads (BLC 36 : Antenna Wm (270 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | -7.268             | .28             |
| 2  | MP2A         | Z         | 0                  | .28             |
| 3  | MP2A         | Mx        | .007               | .28             |
| 4  | MP2A         | X         | -7.268             | 5.72            |
| 5  | MP2A         | Z         | 0                  | 5.72            |
| 6  | MP2A         | Mx        | .007               | 5.72            |
| 7  | MP2A         | X         | -7.268             | .28             |
| 8  | MP2A         | Z         | 0                  | .28             |
| 9  | MP2A         | Mx        | .007               | .28             |
| 10 | MP2A         | X         | -7.268             | 5.72            |
| 11 | MP2A         | Z         | 0                  | 5.72            |





Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 36 : Antenna Wm (270 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 12 | MP2A         | Mx        | .007               | 5.72            |
| 13 | MP4A         | X         | -1.822             | 1.04            |
| 14 | MP4A         | Z         | 0                  | 1.04            |
| 15 | MP4A         | Mx        | .002               | 1.04            |
| 16 | MP4A         | X         | -1.822             | 3.96            |
| 17 | MP4A         | Z         | 0                  | 3.96            |
| 18 | MP4A         | Mx        | .002               | 3.96            |
| 19 | MP1A         | X         | -1.003             | 2.25            |
| 20 | MP1A         | Z         | 0                  | 2.25            |
| 21 | MP1A         | Mx        | -.001              | 2.25            |
| 22 | MP1A         | X         | -1.003             | 2.25            |
| 23 | MP1A         | Z         | 0                  | 2.25            |
| 24 | MP1A         | Mx        | -.001              | 2.25            |
| 25 | MP3A         | X         | -1.003             | 2.25            |
| 26 | MP3A         | Z         | 0                  | 2.25            |
| 27 | MP3A         | Mx        | -.001              | 2.25            |
| 28 | MP3A         | X         | -1.003             | 2.25            |
| 29 | MP3A         | Z         | 0                  | 2.25            |
| 30 | MP3A         | Mx        | -.001              | 2.25            |
| 31 | M7           | X         | -3.068             | 2.89            |
| 32 | M7           | Z         | 0                  | 2.89            |
| 33 | M7           | Mx        | .002               | 2.89            |
| 34 | M7           | X         | -3.068             | 2.89            |
| 35 | M7           | Z         | 0                  | 2.89            |
| 36 | M7           | Mx        | .002               | 2.89            |
| 37 | MP1A         | X         | -5.29              | .5              |
| 38 | MP1A         | Z         | 0                  | .5              |
| 39 | MP1A         | Mx        | .004               | .5              |
| 40 | MP1A         | X         | -5.29              | 5.5             |
| 41 | MP1A         | Z         | 0                  | 5.5             |
| 42 | MP1A         | Mx        | .004               | 5.5             |

**Member Point Loads (BLC 37 : Antenna Wm (300 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | -6.837             | .28             |
| 2  | MP2A         | Z         | -3.947             | .28             |
| 3  | MP2A         | Mx        | .01                | .28             |
| 4  | MP2A         | X         | -6.837             | 5.72            |
| 5  | MP2A         | Z         | -3.947             | 5.72            |
| 6  | MP2A         | Mx        | .01                | 5.72            |
| 7  | MP2A         | X         | -6.837             | .28             |
| 8  | MP2A         | Z         | -3.947             | .28             |
| 9  | MP2A         | Mx        | .004               | .28             |
| 10 | MP2A         | X         | -6.837             | 5.72            |
| 11 | MP2A         | Z         | -3.947             | 5.72            |
| 12 | MP2A         | Mx        | .004               | 5.72            |
| 13 | MP4A         | X         | -2.192             | 1.04            |
| 14 | MP4A         | Z         | -1.265             | 1.04            |
| 15 | MP4A         | Mx        | .002               | 1.04            |
| 16 | MP4A         | X         | -2.192             | 3.96            |
| 17 | MP4A         | Z         | -1.265             | 3.96            |
| 18 | MP4A         | Mx        | .002               | 3.96            |
| 19 | MP1A         | X         | -1.052             | 2.25            |
| 20 | MP1A         | Z         | -.608              | 2.25            |
| 21 | MP1A         | Mx        | -.001              | 2.25            |
| 22 | MP1A         | X         | -1.052             | 2.25            |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Point Loads (BLC 37 : Antenna Wm (300 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 23 | MP1A         | Z         | -.608              | 2.25            |
| 24 | MP1A         | Mx        | -.001              | 2.25            |
| 25 | MP3A         | X         | -1.052             | 2.25            |
| 26 | MP3A         | Z         | -.608              | 2.25            |
| 27 | MP3A         | Mx        | -.001              | 2.25            |
| 28 | MP3A         | X         | -1.052             | 2.25            |
| 29 | MP3A         | Z         | -.608              | 2.25            |
| 30 | MP3A         | Mx        | -.001              | 2.25            |
| 31 | M7           | X         | -2.863             | 2.89            |
| 32 | M7           | Z         | -1.653             | 2.89            |
| 33 | M7           | Mx        | .001               | 2.89            |
| 34 | M7           | X         | -2.863             | 2.89            |
| 35 | M7           | Z         | -1.653             | 2.89            |
| 36 | M7           | Mx        | .001               | 2.89            |
| 37 | MP1A         | X         | -5.171             | .5              |
| 38 | MP1A         | Z         | -2.985             | .5              |
| 39 | MP1A         | Mx        | .004               | .5              |
| 40 | MP1A         | X         | -5.171             | 5.5             |
| 41 | MP1A         | Z         | -2.985             | 5.5             |
| 42 | MP1A         | Mx        | .004               | 5.5             |

**Member Point Loads (BLC 38 : Antenna Wm (330 Deg))**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft. %] |
|----|--------------|-----------|--------------------|-----------------|
| 1  | MP2A         | X         | -4.574             | .28             |
| 2  | MP2A         | Z         | -7.923             | .28             |
| 3  | MP2A         | Mx        | .011               | .28             |
| 4  | MP2A         | X         | -4.574             | 5.72            |
| 5  | MP2A         | Z         | -7.923             | 5.72            |
| 6  | MP2A         | Mx        | .011               | 5.72            |
| 7  | MP2A         | X         | -4.574             | .28             |
| 8  | MP2A         | Z         | -7.923             | .28             |
| 9  | MP2A         | Mx        | -.002              | .28             |
| 10 | MP2A         | X         | -4.574             | 5.72            |
| 11 | MP2A         | Z         | -7.923             | 5.72            |
| 12 | MP2A         | Mx        | -.002              | 5.72            |
| 13 | MP4A         | X         | -1.973             | 1.04            |
| 14 | MP4A         | Z         | -3.418             | 1.04            |
| 15 | MP4A         | Mx        | .002               | 1.04            |
| 16 | MP4A         | X         | -1.973             | 3.96            |
| 17 | MP4A         | Z         | -3.418             | 3.96            |
| 18 | MP4A         | Mx        | .002               | 3.96            |
| 19 | MP1A         | X         | -.82               | 2.25            |
| 20 | MP1A         | Z         | -1.42              | 2.25            |
| 21 | MP1A         | Mx        | -.00082            | 2.25            |
| 22 | MP1A         | X         | -.82               | 2.25            |
| 23 | MP1A         | Z         | -1.42              | 2.25            |
| 24 | MP1A         | Mx        | -.00082            | 2.25            |
| 25 | MP3A         | X         | -.82               | 2.25            |
| 26 | MP3A         | Z         | -1.42              | 2.25            |
| 27 | MP3A         | Mx        | -.00082            | 2.25            |
| 28 | MP3A         | X         | -.82               | 2.25            |
| 29 | MP3A         | Z         | -1.42              | 2.25            |
| 30 | MP3A         | Mx        | -.00082            | 2.25            |
| 31 | M7           | X         | -1.891             | 2.89            |
| 32 | M7           | Z         | -3.276             | 2.89            |
| 33 | M7           | Mx        | .000946            | 2.89            |

**Member Point Loads (BLC 38 : Antenna Wm (330 Deg)) (Continued)**

|    | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|----|--------------|-----------|--------------------|----------------|
| 34 | M7           | X         | -1.891             | 2.89           |
| 35 | M7           | Z         | -3.276             | 2.89           |
| 36 | M7           | Mx        | .000946            | 2.89           |
| 37 | MP1A         | X         | -3.666             | .5             |
| 38 | MP1A         | Z         | -6.35              | .5             |
| 39 | MP1A         | Mx        | .003               | .5             |
| 40 | MP1A         | X         | -3.666             | 5.5            |
| 41 | MP1A         | Z         | -6.35              | 5.5            |
| 42 | MP1A         | Mx        | .003               | 5.5            |

**Member Point Loads (BLC 77 : Lm1)**

|   | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | M1           | Y         | -250               | %34            |

**Member Point Loads (BLC 78 : Lm2)**

|   | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | M1           | Y         | -250               | %2             |

**Member Point Loads (BLC 79 : Lv1)**

|   | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | M1           | Y         | -250               | 0              |

**Member Point Loads (BLC 80 : Lv2)**

|   | Member Label | Direction | Magnitude[lb.k-ft] | Location[ft.%] |
|---|--------------|-----------|--------------------|----------------|
| 1 | M1           | Y         | -250               | %100           |

**Member Distributed Loads (BLC 40 : Structure Di)**

|   | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|---|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1 | M1           | Y         | -6.374                       | -6.374                     | 0                    | %100               |
| 2 | M7           | Y         | -9.345                       | -9.345                     | 0                    | %100               |
| 3 | M8           | Y         | -6.374                       | -6.374                     | 0                    | %100               |
| 4 | MP1A         | Y         | -4.824                       | -4.824                     | 0                    | %100               |
| 5 | MP2A         | Y         | -5.513                       | -5.513                     | 0                    | %100               |
| 6 | MP3A         | Y         | -4.824                       | -4.824                     | 0                    | %100               |
| 7 | MP4A         | Y         | -4.824                       | -4.824                     | 0                    | %100               |
| 8 | M13          | Y         | -6.374                       | -6.374                     | 0                    | %100               |
| 9 | M19          | Y         | -7.397                       | -7.397                     | 0                    | %100               |

**Member Distributed Loads (BLC 41 : Structure Wo (0 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | 0                            | 0                          | 0                    | %100               |
| 2  | M1           | Z         | -9.117                       | -9.117                     | 0                    | %100               |
| 3  | M7           | X         | 0                            | 0                          | 0                    | %100               |
| 4  | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5  | M8           | X         | 0                            | 0                          | 0                    | %100               |
| 6  | M8           | Z         | -6.365                       | -6.365                     | 0                    | %100               |
| 7  | MP1A         | X         | 0                            | 0                          | 0                    | %100               |
| 8  | MP1A         | Z         | -7.006                       | -7.006                     | 0                    | %100               |
| 9  | MP2A         | X         | 0                            | 0                          | 0                    | %100               |
| 10 | MP2A         | Z         | -8.481                       | -8.481                     | 0                    | %100               |
| 11 | MP3A         | X         | 0                            | 0                          | 0                    | %100               |
| 12 | MP3A         | Z         | -7.006                       | -7.006                     | 0                    | %100               |
| 13 | MP4A         | X         | 0                            | 0                          | 0                    | %100               |



**Member Distributed Loads (BLC 41 : Structure Wo (0 Deg)) (Continued)**

|    | Member Label | Direction | Start Magnitude[lb/ft,F,ksf] | End Magnitude[lb/ft,F,ksf] | Start Location[ft,%] | End Location[ft,%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 14 | MP4A         | Z         | -7.006                       | -7.006                     | 0                    | %100               |
| 15 | M13          | X         | 0                            | 0                          | 0                    | %100               |
| 16 | M13          | Z         | -9.117                       | -9.117                     | 0                    | %100               |
| 17 | M19          | X         | 0                            | 0                          | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |

**Member Distributed Loads (BLC 42 : Structure Wo (30 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft,F,ksf] | End Magnitude[lb/ft,F,ksf] | Start Location[ft,%] | End Location[ft,%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | 5.007                        | 5.007                      | 0                    | %100               |
| 2  | M1           | Z         | -8.672                       | -8.672                     | 0                    | %100               |
| 3  | M7           | X         | 1.236                        | 1.236                      | 0                    | %100               |
| 4  | M7           | Z         | -2.141                       | -2.141                     | 0                    | %100               |
| 5  | M8           | X         | 3.182                        | 3.182                      | 0                    | %100               |
| 6  | M8           | Z         | -5.512                       | -5.512                     | 0                    | %100               |
| 7  | MP1A         | X         | 3.503                        | 3.503                      | 0                    | %100               |
| 8  | MP1A         | Z         | -6.068                       | -6.068                     | 0                    | %100               |
| 9  | MP2A         | X         | 4.241                        | 4.241                      | 0                    | %100               |
| 10 | MP2A         | Z         | -7.345                       | -7.345                     | 0                    | %100               |
| 11 | MP3A         | X         | 3.503                        | 3.503                      | 0                    | %100               |
| 12 | MP3A         | Z         | -6.068                       | -6.068                     | 0                    | %100               |
| 13 | MP4A         | X         | 3.503                        | 3.503                      | 0                    | %100               |
| 14 | MP4A         | Z         | -6.068                       | -6.068                     | 0                    | %100               |
| 15 | M13          | X         | 5.007                        | 5.007                      | 0                    | %100               |
| 16 | M13          | Z         | -8.672                       | -8.672                     | 0                    | %100               |
| 17 | M19          | X         | 1.001                        | 1.001                      | 0                    | %100               |
| 18 | M19          | Z         | -1.735                       | -1.735                     | 0                    | %100               |

**Member Distributed Loads (BLC 43 : Structure Wo (60 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft,F,ksf] | End Magnitude[lb/ft,F,ksf] | Start Location[ft,%] | End Location[ft,%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | 5.247                        | 5.247                      | 0                    | %100               |
| 2  | M1           | Z         | -3.03                        | -3.03                      | 0                    | %100               |
| 3  | M7           | X         | 6.424                        | 6.424                      | 0                    | %100               |
| 4  | M7           | Z         | -3.709                       | -3.709                     | 0                    | %100               |
| 5  | M8           | X         | 5.512                        | 5.512                      | 0                    | %100               |
| 6  | M8           | Z         | -3.182                       | -3.182                     | 0                    | %100               |
| 7  | MP1A         | X         | 6.068                        | 6.068                      | 0                    | %100               |
| 8  | MP1A         | Z         | -3.503                       | -3.503                     | 0                    | %100               |
| 9  | MP2A         | X         | 7.345                        | 7.345                      | 0                    | %100               |
| 10 | MP2A         | Z         | -4.241                       | -4.241                     | 0                    | %100               |
| 11 | MP3A         | X         | 6.068                        | 6.068                      | 0                    | %100               |
| 12 | MP3A         | Z         | -3.503                       | -3.503                     | 0                    | %100               |
| 13 | MP4A         | X         | 6.068                        | 6.068                      | 0                    | %100               |
| 14 | MP4A         | Z         | -3.503                       | -3.503                     | 0                    | %100               |
| 15 | M13          | X         | 5.247                        | 5.247                      | 0                    | %100               |
| 16 | M13          | Z         | -3.03                        | -3.03                      | 0                    | %100               |
| 17 | M19          | X         | 5.204                        | 5.204                      | 0                    | %100               |
| 18 | M19          | Z         | -3.004                       | -3.004                     | 0                    | %100               |

**Member Distributed Loads (BLC 44 : Structure Wo (90 Deg))**

|   | Member Label | Direction | Start Magnitude[lb/ft,F,ksf] | End Magnitude[lb/ft,F,ksf] | Start Location[ft,%] | End Location[ft,%] |
|---|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1 | M1           | X         | 1.208                        | 1.208                      | 0                    | %100               |
| 2 | M1           | Z         | 0                            | 0                          | 0                    | %100               |
| 3 | M7           | X         | 9.89                         | 9.89                       | 0                    | %100               |
| 4 | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5 | M8           | X         | 6.365                        | 6.365                      | 0                    | %100               |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Distributed Loads (BLC 44 : Structure Wo (90 Deg)) (Continued)**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 6  | M8           | Z         | 0                            | 0                          | 0                    | %100               |
| 7  | MP1A         | X         | 7.006                        | 7.006                      | 0                    | %100               |
| 8  | MP1A         | Z         | 0                            | 0                          | 0                    | %100               |
| 9  | MP2A         | X         | 8.481                        | 8.481                      | 0                    | %100               |
| 10 | MP2A         | Z         | 0                            | 0                          | 0                    | %100               |
| 11 | MP3A         | X         | 7.006                        | 7.006                      | 0                    | %100               |
| 12 | MP3A         | Z         | 0                            | 0                          | 0                    | %100               |
| 13 | MP4A         | X         | 7.006                        | 7.006                      | 0                    | %100               |
| 14 | MP4A         | Z         | 0                            | 0                          | 0                    | %100               |
| 15 | M13          | X         | 1.208                        | 1.208                      | 0                    | %100               |
| 16 | M13          | Z         | 0                            | 0                          | 0                    | %100               |
| 17 | M19          | X         | 8.012                        | 8.012                      | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |

**Member Distributed Loads (BLC 45 : Structure Wo (120 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | .27                          | .27                        | 0                    | %100               |
| 2  | M1           | Z         | .156                         | .156                       | 0                    | %100               |
| 3  | M7           | X         | 6.424                        | 6.424                      | 0                    | %100               |
| 4  | M7           | Z         | 3.709                        | 3.709                      | 0                    | %100               |
| 5  | M8           | X         | 5.512                        | 5.512                      | 0                    | %100               |
| 6  | M8           | Z         | 3.182                        | 3.182                      | 0                    | %100               |
| 7  | MP1A         | X         | 6.068                        | 6.068                      | 0                    | %100               |
| 8  | MP1A         | Z         | 3.503                        | 3.503                      | 0                    | %100               |
| 9  | MP2A         | X         | 7.345                        | 7.345                      | 0                    | %100               |
| 10 | MP2A         | Z         | 4.241                        | 4.241                      | 0                    | %100               |
| 11 | MP3A         | X         | 6.068                        | 6.068                      | 0                    | %100               |
| 12 | MP3A         | Z         | 3.503                        | 3.503                      | 0                    | %100               |
| 13 | MP4A         | X         | 6.068                        | 6.068                      | 0                    | %100               |
| 14 | MP4A         | Z         | 3.503                        | 3.503                      | 0                    | %100               |
| 15 | M13          | X         | .27                          | .27                        | 0                    | %100               |
| 16 | M13          | Z         | .156                         | .156                       | 0                    | %100               |
| 17 | M19          | X         | 5.204                        | 5.204                      | 0                    | %100               |
| 18 | M19          | Z         | 3.004                        | 3.004                      | 0                    | %100               |

**Member Distributed Loads (BLC 46 : Structure Wo (150 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | 2.133                        | 2.133                      | 0                    | %100               |
| 2  | M1           | Z         | 3.695                        | 3.695                      | 0                    | %100               |
| 3  | M7           | X         | 1.236                        | 1.236                      | 0                    | %100               |
| 4  | M7           | Z         | 2.141                        | 2.141                      | 0                    | %100               |
| 5  | M8           | X         | 3.182                        | 3.182                      | 0                    | %100               |
| 6  | M8           | Z         | 5.512                        | 5.512                      | 0                    | %100               |
| 7  | MP1A         | X         | 3.503                        | 3.503                      | 0                    | %100               |
| 8  | MP1A         | Z         | 6.068                        | 6.068                      | 0                    | %100               |
| 9  | MP2A         | X         | 4.241                        | 4.241                      | 0                    | %100               |
| 10 | MP2A         | Z         | 7.345                        | 7.345                      | 0                    | %100               |
| 11 | MP3A         | X         | 3.503                        | 3.503                      | 0                    | %100               |
| 12 | MP3A         | Z         | 6.068                        | 6.068                      | 0                    | %100               |
| 13 | MP4A         | X         | 3.503                        | 3.503                      | 0                    | %100               |
| 14 | MP4A         | Z         | 6.068                        | 6.068                      | 0                    | %100               |
| 15 | M13          | X         | 2.133                        | 2.133                      | 0                    | %100               |
| 16 | M13          | Z         | 3.695                        | 3.695                      | 0                    | %100               |
| 17 | M19          | X         | 1.001                        | 1.001                      | 0                    | %100               |
| 18 | M19          | Z         | 1.735                        | 1.735                      | 0                    | %100               |



**Member Distributed Loads (BLC 47 : Structure Wo (180 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | 0                            | 0                          | 0                    | %100               |
| 2  | M1           | Z         | 9.117                        | 9.117                      | 0                    | %100               |
| 3  | M7           | X         | 0                            | 0                          | 0                    | %100               |
| 4  | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5  | M8           | X         | 0                            | 0                          | 0                    | %100               |
| 6  | M8           | Z         | 6.365                        | 6.365                      | 0                    | %100               |
| 7  | MP1A         | X         | 0                            | 0                          | 0                    | %100               |
| 8  | MP1A         | Z         | 7.006                        | 7.006                      | 0                    | %100               |
| 9  | MP2A         | X         | 0                            | 0                          | 0                    | %100               |
| 10 | MP2A         | Z         | 8.481                        | 8.481                      | 0                    | %100               |
| 11 | MP3A         | X         | 0                            | 0                          | 0                    | %100               |
| 12 | MP3A         | Z         | 7.006                        | 7.006                      | 0                    | %100               |
| 13 | MP4A         | X         | 0                            | 0                          | 0                    | %100               |
| 14 | MP4A         | Z         | 7.006                        | 7.006                      | 0                    | %100               |
| 15 | M13          | X         | 0                            | 0                          | 0                    | %100               |
| 16 | M13          | Z         | 9.117                        | 9.117                      | 0                    | %100               |
| 17 | M19          | X         | 0                            | 0                          | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |

**Member Distributed Loads (BLC 48 : Structure Wo (210 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -5.007                       | -5.007                     | 0                    | %100               |
| 2  | M1           | Z         | 8.672                        | 8.672                      | 0                    | %100               |
| 3  | M7           | X         | -1.236                       | -1.236                     | 0                    | %100               |
| 4  | M7           | Z         | 2.141                        | 2.141                      | 0                    | %100               |
| 5  | M8           | X         | -3.182                       | -3.182                     | 0                    | %100               |
| 6  | M8           | Z         | 5.512                        | 5.512                      | 0                    | %100               |
| 7  | MP1A         | X         | -3.503                       | -3.503                     | 0                    | %100               |
| 8  | MP1A         | Z         | 6.068                        | 6.068                      | 0                    | %100               |
| 9  | MP2A         | X         | -4.241                       | -4.241                     | 0                    | %100               |
| 10 | MP2A         | Z         | 7.345                        | 7.345                      | 0                    | %100               |
| 11 | MP3A         | X         | -3.503                       | -3.503                     | 0                    | %100               |
| 12 | MP3A         | Z         | 6.068                        | 6.068                      | 0                    | %100               |
| 13 | MP4A         | X         | -3.503                       | -3.503                     | 0                    | %100               |
| 14 | MP4A         | Z         | 6.068                        | 6.068                      | 0                    | %100               |
| 15 | M13          | X         | -5.007                       | -5.007                     | 0                    | %100               |
| 16 | M13          | Z         | 8.672                        | 8.672                      | 0                    | %100               |
| 17 | M19          | X         | -1.001                       | -1.001                     | 0                    | %100               |
| 18 | M19          | Z         | 1.735                        | 1.735                      | 0                    | %100               |

**Member Distributed Loads (BLC 49 : Structure Wo (240 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -5.247                       | -5.247                     | 0                    | %100               |
| 2  | M1           | Z         | 3.03                         | 3.03                       | 0                    | %100               |
| 3  | M7           | X         | -6.424                       | -6.424                     | 0                    | %100               |
| 4  | M7           | Z         | 3.709                        | 3.709                      | 0                    | %100               |
| 5  | M8           | X         | -5.512                       | -5.512                     | 0                    | %100               |
| 6  | M8           | Z         | 3.182                        | 3.182                      | 0                    | %100               |
| 7  | MP1A         | X         | -6.068                       | -6.068                     | 0                    | %100               |
| 8  | MP1A         | Z         | 3.503                        | 3.503                      | 0                    | %100               |
| 9  | MP2A         | X         | -7.345                       | -7.345                     | 0                    | %100               |
| 10 | MP2A         | Z         | 4.241                        | 4.241                      | 0                    | %100               |
| 11 | MP3A         | X         | -6.068                       | -6.068                     | 0                    | %100               |
| 12 | MP3A         | Z         | 3.503                        | 3.503                      | 0                    | %100               |
| 13 | MP4A         | X         | -6.068                       | -6.068                     | 0                    | %100               |
| 14 | MP4A         | Z         | 3.503                        | 3.503                      | 0                    | %100               |



Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Distributed Loads (BLC 49 : Structure Wo (240 Deg)) (Continued)**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 15 | M13          | X         | -5.247                       | -5.247                     | 0                    | %100               |
| 16 | M13          | Z         | 3.03                         | 3.03                       | 0                    | %100               |
| 17 | M19          | X         | -5.204                       | -5.204                     | 0                    | %100               |
| 18 | M19          | Z         | 3.004                        | 3.004                      | 0                    | %100               |

**Member Distributed Loads (BLC 50 : Structure Wo (270 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -1.208                       | -1.208                     | 0                    | %100               |
| 2  | M1           | Z         | 0                            | 0                          | 0                    | %100               |
| 3  | M7           | X         | -9.89                        | -9.89                      | 0                    | %100               |
| 4  | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5  | M8           | X         | -6.365                       | -6.365                     | 0                    | %100               |
| 6  | M8           | Z         | 0                            | 0                          | 0                    | %100               |
| 7  | MP1A         | X         | -7.006                       | -7.006                     | 0                    | %100               |
| 8  | MP1A         | Z         | 0                            | 0                          | 0                    | %100               |
| 9  | MP2A         | X         | -8.481                       | -8.481                     | 0                    | %100               |
| 10 | MP2A         | Z         | 0                            | 0                          | 0                    | %100               |
| 11 | MP3A         | X         | -7.006                       | -7.006                     | 0                    | %100               |
| 12 | MP3A         | Z         | 0                            | 0                          | 0                    | %100               |
| 13 | MP4A         | X         | -7.006                       | -7.006                     | 0                    | %100               |
| 14 | MP4A         | Z         | 0                            | 0                          | 0                    | %100               |
| 15 | M13          | X         | -1.208                       | -1.208                     | 0                    | %100               |
| 16 | M13          | Z         | 0                            | 0                          | 0                    | %100               |
| 17 | M19          | X         | -8.012                       | -8.012                     | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |

**Member Distributed Loads (BLC 51 : Structure Wo (300 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -.27                         | -.27                       | 0                    | %100               |
| 2  | M1           | Z         | -.156                        | -.156                      | 0                    | %100               |
| 3  | M7           | X         | -6.424                       | -6.424                     | 0                    | %100               |
| 4  | M7           | Z         | -3.709                       | -3.709                     | 0                    | %100               |
| 5  | M8           | X         | -5.512                       | -5.512                     | 0                    | %100               |
| 6  | M8           | Z         | -3.182                       | -3.182                     | 0                    | %100               |
| 7  | MP1A         | X         | -6.068                       | -6.068                     | 0                    | %100               |
| 8  | MP1A         | Z         | -3.503                       | -3.503                     | 0                    | %100               |
| 9  | MP2A         | X         | -7.345                       | -7.345                     | 0                    | %100               |
| 10 | MP2A         | Z         | -4.241                       | -4.241                     | 0                    | %100               |
| 11 | MP3A         | X         | -6.068                       | -6.068                     | 0                    | %100               |
| 12 | MP3A         | Z         | -3.503                       | -3.503                     | 0                    | %100               |
| 13 | MP4A         | X         | -6.068                       | -6.068                     | 0                    | %100               |
| 14 | MP4A         | Z         | -3.503                       | -3.503                     | 0                    | %100               |
| 15 | M13          | X         | -.27                         | -.27                       | 0                    | %100               |
| 16 | M13          | Z         | -.156                        | -.156                      | 0                    | %100               |
| 17 | M19          | X         | -5.204                       | -5.204                     | 0                    | %100               |
| 18 | M19          | Z         | -3.004                       | -3.004                     | 0                    | %100               |

**Member Distributed Loads (BLC 52 : Structure Wo (330 Deg))**

|   | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|---|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1 | M1           | X         | -2.133                       | -2.133                     | 0                    | %100               |
| 2 | M1           | Z         | -3.695                       | -3.695                     | 0                    | %100               |
| 3 | M7           | X         | -1.236                       | -1.236                     | 0                    | %100               |
| 4 | M7           | Z         | -2.141                       | -2.141                     | 0                    | %100               |
| 5 | M8           | X         | -3.182                       | -3.182                     | 0                    | %100               |
| 6 | M8           | Z         | -5.512                       | -5.512                     | 0                    | %100               |





Company : GPD  
 Designer : enieto  
 Job Number : Project No. 10091168  
 Model Name : 467324-VZW\_MT\_LOT\_SectorA\_H

Aug 10, 2021  
 3:51 PM  
 Checked By: \_\_\_\_\_

**Member Distributed Loads (BLC 52 : Structure Wo (330 Deg)) (Continued)**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 7  | MP1A         | X         | -3.503                       | -3.503                     | 0                    | %100               |
| 8  | MP1A         | Z         | -6.068                       | -6.068                     | 0                    | %100               |
| 9  | MP2A         | X         | -4.241                       | -4.241                     | 0                    | %100               |
| 10 | MP2A         | Z         | -7.345                       | -7.345                     | 0                    | %100               |
| 11 | MP3A         | X         | -3.503                       | -3.503                     | 0                    | %100               |
| 12 | MP3A         | Z         | -6.068                       | -6.068                     | 0                    | %100               |
| 13 | MP4A         | X         | -3.503                       | -3.503                     | 0                    | %100               |
| 14 | MP4A         | Z         | -6.068                       | -6.068                     | 0                    | %100               |
| 15 | M13          | X         | -2.133                       | -2.133                     | 0                    | %100               |
| 16 | M13          | Z         | -3.695                       | -3.695                     | 0                    | %100               |
| 17 | M19          | X         | -1.001                       | -1.001                     | 0                    | %100               |
| 18 | M19          | Z         | -1.735                       | -1.735                     | 0                    | %100               |

**Member Distributed Loads (BLC 53 : Structure Wi (0 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | 0                            | 0                          | 0                    | %100               |
| 2  | M1           | Z         | -2.796                       | -2.796                     | 0                    | %100               |
| 3  | M7           | X         | 0                            | 0                          | 0                    | %100               |
| 4  | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5  | M8           | X         | 0                            | 0                          | 0                    | %100               |
| 6  | M8           | Z         | -2.006                       | -2.006                     | 0                    | %100               |
| 7  | MP1A         | X         | 0                            | 0                          | 0                    | %100               |
| 8  | MP1A         | Z         | -2.547                       | -2.547                     | 0                    | %100               |
| 9  | MP2A         | X         | 0                            | 0                          | 0                    | %100               |
| 10 | MP2A         | Z         | -2.823                       | -2.823                     | 0                    | %100               |
| 11 | MP3A         | X         | 0                            | 0                          | 0                    | %100               |
| 12 | MP3A         | Z         | -2.547                       | -2.547                     | 0                    | %100               |
| 13 | MP4A         | X         | 0                            | 0                          | 0                    | %100               |
| 14 | MP4A         | Z         | -2.547                       | -2.547                     | 0                    | %100               |
| 15 | M13          | X         | 0                            | 0                          | 0                    | %100               |
| 16 | M13          | Z         | -2.796                       | -2.796                     | 0                    | %100               |
| 17 | M19          | X         | 0                            | 0                          | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |

**Member Distributed Loads (BLC 54 : Structure Wi (30 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | 1.536                        | 1.536                      | 0                    | %100               |
| 2  | M1           | Z         | -2.66                        | -2.66                      | 0                    | %100               |
| 3  | M7           | X         | .377                         | .377                       | 0                    | %100               |
| 4  | M7           | Z         | -.653                        | -.653                      | 0                    | %100               |
| 5  | M8           | X         | 1.003                        | 1.003                      | 0                    | %100               |
| 6  | M8           | Z         | -1.737                       | -1.737                     | 0                    | %100               |
| 7  | MP1A         | X         | 1.274                        | 1.274                      | 0                    | %100               |
| 8  | MP1A         | Z         | -2.206                       | -2.206                     | 0                    | %100               |
| 9  | MP2A         | X         | 1.411                        | 1.411                      | 0                    | %100               |
| 10 | MP2A         | Z         | -2.444                       | -2.444                     | 0                    | %100               |
| 11 | MP3A         | X         | 1.274                        | 1.274                      | 0                    | %100               |
| 12 | MP3A         | Z         | -2.206                       | -2.206                     | 0                    | %100               |
| 13 | MP4A         | X         | 1.274                        | 1.274                      | 0                    | %100               |
| 14 | MP4A         | Z         | -2.206                       | -2.206                     | 0                    | %100               |
| 15 | M13          | X         | 1.536                        | 1.536                      | 0                    | %100               |
| 16 | M13          | Z         | -2.66                        | -2.66                      | 0                    | %100               |
| 17 | M19          | X         | .333                         | .333                       | 0                    | %100               |
| 18 | M19          | Z         | -.578                        | -.578                      | 0                    | %100               |





**Member Distributed Loads (BLC 55 : Structure Wi (60 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | 1.609                        | 1.609                      | 0                    | %100               |
| 2  | M1           | Z         | -.929                        | -.929                      | 0                    | %100               |
| 3  | M7           | X         | 1.96                         | 1.96                       | 0                    | %100               |
| 4  | M7           | Z         | -1.132                       | -1.132                     | 0                    | %100               |
| 5  | M8           | X         | 1.737                        | 1.737                      | 0                    | %100               |
| 6  | M8           | Z         | -1.003                       | -1.003                     | 0                    | %100               |
| 7  | MP1A         | X         | 2.206                        | 2.206                      | 0                    | %100               |
| 8  | MP1A         | Z         | -1.274                       | -1.274                     | 0                    | %100               |
| 9  | MP2A         | X         | 2.444                        | 2.444                      | 0                    | %100               |
| 10 | MP2A         | Z         | -1.411                       | -1.411                     | 0                    | %100               |
| 11 | MP3A         | X         | 2.206                        | 2.206                      | 0                    | %100               |
| 12 | MP3A         | Z         | -1.274                       | -1.274                     | 0                    | %100               |
| 13 | MP4A         | X         | 2.206                        | 2.206                      | 0                    | %100               |
| 14 | MP4A         | Z         | -1.274                       | -1.274                     | 0                    | %100               |
| 15 | M13          | X         | 1.609                        | 1.609                      | 0                    | %100               |
| 16 | M13          | Z         | -.929                        | -.929                      | 0                    | %100               |
| 17 | M19          | X         | 1.733                        | 1.733                      | 0                    | %100               |
| 18 | M19          | Z         | -1                           | -1                         | 0                    | %100               |

**Member Distributed Loads (BLC 56 : Structure Wi (90 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | .37                          | .37                        | 0                    | %100               |
| 2  | M1           | Z         | 0                            | 0                          | 0                    | %100               |
| 3  | M7           | X         | 3.018                        | 3.018                      | 0                    | %100               |
| 4  | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5  | M8           | X         | 2.006                        | 2.006                      | 0                    | %100               |
| 6  | M8           | Z         | 0                            | 0                          | 0                    | %100               |
| 7  | MP1A         | X         | 2.547                        | 2.547                      | 0                    | %100               |
| 8  | MP1A         | Z         | 0                            | 0                          | 0                    | %100               |
| 9  | MP2A         | X         | 2.823                        | 2.823                      | 0                    | %100               |
| 10 | MP2A         | Z         | 0                            | 0                          | 0                    | %100               |
| 11 | MP3A         | X         | 2.547                        | 2.547                      | 0                    | %100               |
| 12 | MP3A         | Z         | 0                            | 0                          | 0                    | %100               |
| 13 | MP4A         | X         | 2.547                        | 2.547                      | 0                    | %100               |
| 14 | MP4A         | Z         | 0                            | 0                          | 0                    | %100               |
| 15 | M13          | X         | .37                          | .37                        | 0                    | %100               |
| 16 | M13          | Z         | 0                            | 0                          | 0                    | %100               |
| 17 | M19          | X         | 2.668                        | 2.668                      | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |

**Member Distributed Loads (BLC 57 : Structure Wi (120 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | .083                         | .083                       | 0                    | %100               |
| 2  | M1           | Z         | .048                         | .048                       | 0                    | %100               |
| 3  | M7           | X         | 1.96                         | 1.96                       | 0                    | %100               |
| 4  | M7           | Z         | 1.132                        | 1.132                      | 0                    | %100               |
| 5  | M8           | X         | 1.737                        | 1.737                      | 0                    | %100               |
| 6  | M8           | Z         | 1.003                        | 1.003                      | 0                    | %100               |
| 7  | MP1A         | X         | 2.206                        | 2.206                      | 0                    | %100               |
| 8  | MP1A         | Z         | 1.274                        | 1.274                      | 0                    | %100               |
| 9  | MP2A         | X         | 2.444                        | 2.444                      | 0                    | %100               |
| 10 | MP2A         | Z         | 1.411                        | 1.411                      | 0                    | %100               |
| 11 | MP3A         | X         | 2.206                        | 2.206                      | 0                    | %100               |
| 12 | MP3A         | Z         | 1.274                        | 1.274                      | 0                    | %100               |
| 13 | MP4A         | X         | 2.206                        | 2.206                      | 0                    | %100               |
| 14 | MP4A         | Z         | 1.274                        | 1.274                      | 0                    | %100               |



**Member Distributed Loads (BLC 57 : Structure Wi (120 Deg)) (Continued)**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 15 | M13          | X         | .083                         | .083                       | 0                    | %100               |
| 16 | M13          | Z         | .048                         | .048                       | 0                    | %100               |
| 17 | M19          | X         | 1.733                        | 1.733                      | 0                    | %100               |
| 18 | M19          | Z         | 1                            | 1                          | 0                    | %100               |

**Member Distributed Loads (BLC 58 : Structure Wi (150 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | .654                         | .654                       | 0                    | %100               |
| 2  | M1           | Z         | 1.133                        | 1.133                      | 0                    | %100               |
| 3  | M7           | X         | .377                         | .377                       | 0                    | %100               |
| 4  | M7           | Z         | .653                         | .653                       | 0                    | %100               |
| 5  | M8           | X         | 1.003                        | 1.003                      | 0                    | %100               |
| 6  | M8           | Z         | 1.737                        | 1.737                      | 0                    | %100               |
| 7  | MP1A         | X         | 1.274                        | 1.274                      | 0                    | %100               |
| 8  | MP1A         | Z         | 2.206                        | 2.206                      | 0                    | %100               |
| 9  | MP2A         | X         | 1.411                        | 1.411                      | 0                    | %100               |
| 10 | MP2A         | Z         | 2.444                        | 2.444                      | 0                    | %100               |
| 11 | MP3A         | X         | 1.274                        | 1.274                      | 0                    | %100               |
| 12 | MP3A         | Z         | 2.206                        | 2.206                      | 0                    | %100               |
| 13 | MP4A         | X         | 1.274                        | 1.274                      | 0                    | %100               |
| 14 | MP4A         | Z         | 2.206                        | 2.206                      | 0                    | %100               |
| 15 | M13          | X         | .654                         | .654                       | 0                    | %100               |
| 16 | M13          | Z         | 1.133                        | 1.133                      | 0                    | %100               |
| 17 | M19          | X         | .333                         | .333                       | 0                    | %100               |
| 18 | M19          | Z         | .578                         | .578                       | 0                    | %100               |

**Member Distributed Loads (BLC 59 : Structure Wi (180 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | 0                            | 0                          | 0                    | %100               |
| 2  | M1           | Z         | 2.796                        | 2.796                      | 0                    | %100               |
| 3  | M7           | X         | 0                            | 0                          | 0                    | %100               |
| 4  | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5  | M8           | X         | 0                            | 0                          | 0                    | %100               |
| 6  | M8           | Z         | 2.006                        | 2.006                      | 0                    | %100               |
| 7  | MP1A         | X         | 0                            | 0                          | 0                    | %100               |
| 8  | MP1A         | Z         | 2.547                        | 2.547                      | 0                    | %100               |
| 9  | MP2A         | X         | 0                            | 0                          | 0                    | %100               |
| 10 | MP2A         | Z         | 2.823                        | 2.823                      | 0                    | %100               |
| 11 | MP3A         | X         | 0                            | 0                          | 0                    | %100               |
| 12 | MP3A         | Z         | 2.547                        | 2.547                      | 0                    | %100               |
| 13 | MP4A         | X         | 0                            | 0                          | 0                    | %100               |
| 14 | MP4A         | Z         | 2.547                        | 2.547                      | 0                    | %100               |
| 15 | M13          | X         | 0                            | 0                          | 0                    | %100               |
| 16 | M13          | Z         | 2.796                        | 2.796                      | 0                    | %100               |
| 17 | M19          | X         | 0                            | 0                          | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |

**Member Distributed Loads (BLC 60 : Structure Wi (210 Deg))**

|   | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|---|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1 | M1           | X         | -1.536                       | -1.536                     | 0                    | %100               |
| 2 | M1           | Z         | 2.66                         | 2.66                       | 0                    | %100               |
| 3 | M7           | X         | -.377                        | -.377                      | 0                    | %100               |
| 4 | M7           | Z         | .653                         | .653                       | 0                    | %100               |
| 5 | M8           | X         | -1.003                       | -1.003                     | 0                    | %100               |
| 6 | M8           | Z         | 1.737                        | 1.737                      | 0                    | %100               |



**Member Distributed Loads (BLC 60 : Structure Wi (210 Deg)) (Continued)**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 7  | MP1A         | X         | -1.274                       | -1.274                     | 0                    | %100               |
| 8  | MP1A         | Z         | 2.206                        | 2.206                      | 0                    | %100               |
| 9  | MP2A         | X         | -1.411                       | -1.411                     | 0                    | %100               |
| 10 | MP2A         | Z         | 2.444                        | 2.444                      | 0                    | %100               |
| 11 | MP3A         | X         | -1.274                       | -1.274                     | 0                    | %100               |
| 12 | MP3A         | Z         | 2.206                        | 2.206                      | 0                    | %100               |
| 13 | MP4A         | X         | -1.274                       | -1.274                     | 0                    | %100               |
| 14 | MP4A         | Z         | 2.206                        | 2.206                      | 0                    | %100               |
| 15 | M13          | X         | -1.536                       | -1.536                     | 0                    | %100               |
| 16 | M13          | Z         | 2.66                         | 2.66                       | 0                    | %100               |
| 17 | M19          | X         | -.333                        | -.333                      | 0                    | %100               |
| 18 | M19          | Z         | .578                         | .578                       | 0                    | %100               |

**Member Distributed Loads (BLC 61 : Structure Wi (240 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -1.609                       | -1.609                     | 0                    | %100               |
| 2  | M1           | Z         | .929                         | .929                       | 0                    | %100               |
| 3  | M7           | X         | -1.96                        | -1.96                      | 0                    | %100               |
| 4  | M7           | Z         | 1.132                        | 1.132                      | 0                    | %100               |
| 5  | M8           | X         | -1.737                       | -1.737                     | 0                    | %100               |
| 6  | M8           | Z         | 1.003                        | 1.003                      | 0                    | %100               |
| 7  | MP1A         | X         | -2.206                       | -2.206                     | 0                    | %100               |
| 8  | MP1A         | Z         | 1.274                        | 1.274                      | 0                    | %100               |
| 9  | MP2A         | X         | -2.444                       | -2.444                     | 0                    | %100               |
| 10 | MP2A         | Z         | 1.411                        | 1.411                      | 0                    | %100               |
| 11 | MP3A         | X         | -2.206                       | -2.206                     | 0                    | %100               |
| 12 | MP3A         | Z         | 1.274                        | 1.274                      | 0                    | %100               |
| 13 | MP4A         | X         | -2.206                       | -2.206                     | 0                    | %100               |
| 14 | MP4A         | Z         | 1.274                        | 1.274                      | 0                    | %100               |
| 15 | M13          | X         | -1.609                       | -1.609                     | 0                    | %100               |
| 16 | M13          | Z         | .929                         | .929                       | 0                    | %100               |
| 17 | M19          | X         | -1.733                       | -1.733                     | 0                    | %100               |
| 18 | M19          | Z         | 1                            | 1                          | 0                    | %100               |

**Member Distributed Loads (BLC 62 : Structure Wi (270 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -.37                         | -.37                       | 0                    | %100               |
| 2  | M1           | Z         | 0                            | 0                          | 0                    | %100               |
| 3  | M7           | X         | -3.018                       | -3.018                     | 0                    | %100               |
| 4  | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5  | M8           | X         | -2.006                       | -2.006                     | 0                    | %100               |
| 6  | M8           | Z         | 0                            | 0                          | 0                    | %100               |
| 7  | MP1A         | X         | -2.547                       | -2.547                     | 0                    | %100               |
| 8  | MP1A         | Z         | 0                            | 0                          | 0                    | %100               |
| 9  | MP2A         | X         | -2.823                       | -2.823                     | 0                    | %100               |
| 10 | MP2A         | Z         | 0                            | 0                          | 0                    | %100               |
| 11 | MP3A         | X         | -2.547                       | -2.547                     | 0                    | %100               |
| 12 | MP3A         | Z         | 0                            | 0                          | 0                    | %100               |
| 13 | MP4A         | X         | -2.547                       | -2.547                     | 0                    | %100               |
| 14 | MP4A         | Z         | 0                            | 0                          | 0                    | %100               |
| 15 | M13          | X         | -.37                         | -.37                       | 0                    | %100               |
| 16 | M13          | Z         | 0                            | 0                          | 0                    | %100               |
| 17 | M19          | X         | -2.668                       | -2.668                     | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |



**Member Distributed Loads (BLC 63 : Structure Wi (300 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft,F,ksf] | End Magnitude[lb/ft,F,ksf] | Start Location[ft,%] | End Location[ft,%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -0.83                        | -0.83                      | 0                    | %100               |
| 2  | M1           | Z         | -0.048                       | -0.048                     | 0                    | %100               |
| 3  | M7           | X         | -1.96                        | -1.96                      | 0                    | %100               |
| 4  | M7           | Z         | -1.132                       | -1.132                     | 0                    | %100               |
| 5  | M8           | X         | -1.737                       | -1.737                     | 0                    | %100               |
| 6  | M8           | Z         | -1.003                       | -1.003                     | 0                    | %100               |
| 7  | MP1A         | X         | -2.206                       | -2.206                     | 0                    | %100               |
| 8  | MP1A         | Z         | -1.274                       | -1.274                     | 0                    | %100               |
| 9  | MP2A         | X         | -2.444                       | -2.444                     | 0                    | %100               |
| 10 | MP2A         | Z         | -1.411                       | -1.411                     | 0                    | %100               |
| 11 | MP3A         | X         | -2.206                       | -2.206                     | 0                    | %100               |
| 12 | MP3A         | Z         | -1.274                       | -1.274                     | 0                    | %100               |
| 13 | MP4A         | X         | -2.206                       | -2.206                     | 0                    | %100               |
| 14 | MP4A         | Z         | -1.274                       | -1.274                     | 0                    | %100               |
| 15 | M13          | X         | -0.83                        | -0.83                      | 0                    | %100               |
| 16 | M13          | Z         | -0.048                       | -0.048                     | 0                    | %100               |
| 17 | M19          | X         | -1.733                       | -1.733                     | 0                    | %100               |
| 18 | M19          | Z         | -1                           | -1                         | 0                    | %100               |

**Member Distributed Loads (BLC 64 : Structure Wi (330 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft,F,ksf] | End Magnitude[lb/ft,F,ksf] | Start Location[ft,%] | End Location[ft,%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -0.654                       | -0.654                     | 0                    | %100               |
| 2  | M1           | Z         | -1.133                       | -1.133                     | 0                    | %100               |
| 3  | M7           | X         | -0.377                       | -0.377                     | 0                    | %100               |
| 4  | M7           | Z         | -0.653                       | -0.653                     | 0                    | %100               |
| 5  | M8           | X         | -1.003                       | -1.003                     | 0                    | %100               |
| 6  | M8           | Z         | -1.737                       | -1.737                     | 0                    | %100               |
| 7  | MP1A         | X         | -1.274                       | -1.274                     | 0                    | %100               |
| 8  | MP1A         | Z         | -2.206                       | -2.206                     | 0                    | %100               |
| 9  | MP2A         | X         | -1.411                       | -1.411                     | 0                    | %100               |
| 10 | MP2A         | Z         | -2.444                       | -2.444                     | 0                    | %100               |
| 11 | MP3A         | X         | -1.274                       | -1.274                     | 0                    | %100               |
| 12 | MP3A         | Z         | -2.206                       | -2.206                     | 0                    | %100               |
| 13 | MP4A         | X         | -1.274                       | -1.274                     | 0                    | %100               |
| 14 | MP4A         | Z         | -2.206                       | -2.206                     | 0                    | %100               |
| 15 | M13          | X         | -0.654                       | -0.654                     | 0                    | %100               |
| 16 | M13          | Z         | -1.133                       | -1.133                     | 0                    | %100               |
| 17 | M19          | X         | -0.333                       | -0.333                     | 0                    | %100               |
| 18 | M19          | Z         | -0.578                       | -0.578                     | 0                    | %100               |

**Member Distributed Loads (BLC 65 : Structure Wm (0 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft,F,ksf] | End Magnitude[lb/ft,F,ksf] | Start Location[ft,%] | End Location[ft,%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | 0                            | 0                          | 0                    | %100               |
| 2  | M1           | Z         | -0.612                       | -0.612                     | 0                    | %100               |
| 3  | M7           | X         | 0                            | 0                          | 0                    | %100               |
| 4  | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5  | M8           | X         | 0                            | 0                          | 0                    | %100               |
| 6  | M8           | Z         | -0.427                       | -0.427                     | 0                    | %100               |
| 7  | MP1A         | X         | 0                            | 0                          | 0                    | %100               |
| 8  | MP1A         | Z         | -0.47                        | -0.47                      | 0                    | %100               |
| 9  | MP2A         | X         | 0                            | 0                          | 0                    | %100               |
| 10 | MP2A         | Z         | -0.569                       | -0.569                     | 0                    | %100               |
| 11 | MP3A         | X         | 0                            | 0                          | 0                    | %100               |
| 12 | MP3A         | Z         | -0.47                        | -0.47                      | 0                    | %100               |
| 13 | MP4A         | X         | 0                            | 0                          | 0                    | %100               |
| 14 | MP4A         | Z         | -0.47                        | -0.47                      | 0                    | %100               |



**Member Distributed Loads (BLC 65 : Structure Wm (0 Deg)) (Continued)**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 15 | M13          | X         | 0                            | 0                          | 0                    | %100               |
| 16 | M13          | Z         | -.612                        | -.612                      | 0                    | %100               |
| 17 | M19          | X         | 0                            | 0                          | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |

**Member Distributed Loads (BLC 66 : Structure Wm (30 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | .336                         | .336                       | 0                    | %100               |
| 2  | M1           | Z         | -.582                        | -.582                      | 0                    | %100               |
| 3  | M7           | X         | .083                         | .083                       | 0                    | %100               |
| 4  | M7           | Z         | -.144                        | -.144                      | 0                    | %100               |
| 5  | M8           | X         | .214                         | .214                       | 0                    | %100               |
| 6  | M8           | Z         | -.37                         | -.37                       | 0                    | %100               |
| 7  | MP1A         | X         | .235                         | .235                       | 0                    | %100               |
| 8  | MP1A         | Z         | -.407                        | -.407                      | 0                    | %100               |
| 9  | MP2A         | X         | .285                         | .285                       | 0                    | %100               |
| 10 | MP2A         | Z         | -.493                        | -.493                      | 0                    | %100               |
| 11 | MP3A         | X         | .235                         | .235                       | 0                    | %100               |
| 12 | MP3A         | Z         | -.407                        | -.407                      | 0                    | %100               |
| 13 | MP4A         | X         | .235                         | .235                       | 0                    | %100               |
| 14 | MP4A         | Z         | -.407                        | -.407                      | 0                    | %100               |
| 15 | M13          | X         | .336                         | .336                       | 0                    | %100               |
| 16 | M13          | Z         | -.582                        | -.582                      | 0                    | %100               |
| 17 | M19          | X         | .067                         | .067                       | 0                    | %100               |
| 18 | M19          | Z         | -.116                        | -.116                      | 0                    | %100               |

**Member Distributed Loads (BLC 67 : Structure Wm (60 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | .352                         | .352                       | 0                    | %100               |
| 2  | M1           | Z         | -.203                        | -.203                      | 0                    | %100               |
| 3  | M7           | X         | .431                         | .431                       | 0                    | %100               |
| 4  | M7           | Z         | -.249                        | -.249                      | 0                    | %100               |
| 5  | M8           | X         | .37                          | .37                        | 0                    | %100               |
| 6  | M8           | Z         | -.214                        | -.214                      | 0                    | %100               |
| 7  | MP1A         | X         | .407                         | .407                       | 0                    | %100               |
| 8  | MP1A         | Z         | -.235                        | -.235                      | 0                    | %100               |
| 9  | MP2A         | X         | .493                         | .493                       | 0                    | %100               |
| 10 | MP2A         | Z         | -.285                        | -.285                      | 0                    | %100               |
| 11 | MP3A         | X         | .407                         | .407                       | 0                    | %100               |
| 12 | MP3A         | Z         | -.235                        | -.235                      | 0                    | %100               |
| 13 | MP4A         | X         | .407                         | .407                       | 0                    | %100               |
| 14 | MP4A         | Z         | -.235                        | -.235                      | 0                    | %100               |
| 15 | M13          | X         | .352                         | .352                       | 0                    | %100               |
| 16 | M13          | Z         | -.203                        | -.203                      | 0                    | %100               |
| 17 | M19          | X         | .349                         | .349                       | 0                    | %100               |
| 18 | M19          | Z         | -.202                        | -.202                      | 0                    | %100               |

**Member Distributed Loads (BLC 68 : Structure Wm (90 Deg))**

|   | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|---|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1 | M1           | X         | .081                         | .081                       | 0                    | %100               |
| 2 | M1           | Z         | 0                            | 0                          | 0                    | %100               |
| 3 | M7           | X         | .664                         | .664                       | 0                    | %100               |
| 4 | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5 | M8           | X         | .427                         | .427                       | 0                    | %100               |
| 6 | M8           | Z         | 0                            | 0                          | 0                    | %100               |



**Member Distributed Loads (BLC 68 : Structure Wm (90 Deg)) (Continued)**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 7  | MP1A         | X         | .47                          | .47                        | 0                    | %100               |
| 8  | MP1A         | Z         | 0                            | 0                          | 0                    | %100               |
| 9  | MP2A         | X         | .569                         | .569                       | 0                    | %100               |
| 10 | MP2A         | Z         | 0                            | 0                          | 0                    | %100               |
| 11 | MP3A         | X         | .47                          | .47                        | 0                    | %100               |
| 12 | MP3A         | Z         | 0                            | 0                          | 0                    | %100               |
| 13 | MP4A         | X         | .47                          | .47                        | 0                    | %100               |
| 14 | MP4A         | Z         | 0                            | 0                          | 0                    | %100               |
| 15 | M13          | X         | .081                         | .081                       | 0                    | %100               |
| 16 | M13          | Z         | 0                            | 0                          | 0                    | %100               |
| 17 | M19          | X         | .538                         | .538                       | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |

**Member Distributed Loads (BLC 69 : Structure Wm (120 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | .018                         | .018                       | 0                    | %100               |
| 2  | M1           | Z         | .01                          | .01                        | 0                    | %100               |
| 3  | M7           | X         | .431                         | .431                       | 0                    | %100               |
| 4  | M7           | Z         | .249                         | .249                       | 0                    | %100               |
| 5  | M8           | X         | .37                          | .37                        | 0                    | %100               |
| 6  | M8           | Z         | .214                         | .214                       | 0                    | %100               |
| 7  | MP1A         | X         | .407                         | .407                       | 0                    | %100               |
| 8  | MP1A         | Z         | .235                         | .235                       | 0                    | %100               |
| 9  | MP2A         | X         | .493                         | .493                       | 0                    | %100               |
| 10 | MP2A         | Z         | .285                         | .285                       | 0                    | %100               |
| 11 | MP3A         | X         | .407                         | .407                       | 0                    | %100               |
| 12 | MP3A         | Z         | .235                         | .235                       | 0                    | %100               |
| 13 | MP4A         | X         | .407                         | .407                       | 0                    | %100               |
| 14 | MP4A         | Z         | .235                         | .235                       | 0                    | %100               |
| 15 | M13          | X         | .018                         | .018                       | 0                    | %100               |
| 16 | M13          | Z         | .01                          | .01                        | 0                    | %100               |
| 17 | M19          | X         | .349                         | .349                       | 0                    | %100               |
| 18 | M19          | Z         | .202                         | .202                       | 0                    | %100               |

**Member Distributed Loads (BLC 70 : Structure Wm (150 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | .143                         | .143                       | 0                    | %100               |
| 2  | M1           | Z         | .248                         | .248                       | 0                    | %100               |
| 3  | M7           | X         | .083                         | .083                       | 0                    | %100               |
| 4  | M7           | Z         | .144                         | .144                       | 0                    | %100               |
| 5  | M8           | X         | .214                         | .214                       | 0                    | %100               |
| 6  | M8           | Z         | .37                          | .37                        | 0                    | %100               |
| 7  | MP1A         | X         | .235                         | .235                       | 0                    | %100               |
| 8  | MP1A         | Z         | .407                         | .407                       | 0                    | %100               |
| 9  | MP2A         | X         | .285                         | .285                       | 0                    | %100               |
| 10 | MP2A         | Z         | .493                         | .493                       | 0                    | %100               |
| 11 | MP3A         | X         | .235                         | .235                       | 0                    | %100               |
| 12 | MP3A         | Z         | .407                         | .407                       | 0                    | %100               |
| 13 | MP4A         | X         | .235                         | .235                       | 0                    | %100               |
| 14 | MP4A         | Z         | .407                         | .407                       | 0                    | %100               |
| 15 | M13          | X         | .143                         | .143                       | 0                    | %100               |
| 16 | M13          | Z         | .248                         | .248                       | 0                    | %100               |
| 17 | M19          | X         | .067                         | .067                       | 0                    | %100               |
| 18 | M19          | Z         | .116                         | .116                       | 0                    | %100               |



**Member Distributed Loads (BLC 71 : Structure Wm (180 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | 0                            | 0                          | 0                    | %100               |
| 2  | M1           | Z         | .612                         | .612                       | 0                    | %100               |
| 3  | M7           | X         | 0                            | 0                          | 0                    | %100               |
| 4  | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5  | M8           | X         | 0                            | 0                          | 0                    | %100               |
| 6  | M8           | Z         | .427                         | .427                       | 0                    | %100               |
| 7  | MP1A         | X         | 0                            | 0                          | 0                    | %100               |
| 8  | MP1A         | Z         | .47                          | .47                        | 0                    | %100               |
| 9  | MP2A         | X         | 0                            | 0                          | 0                    | %100               |
| 10 | MP2A         | Z         | .569                         | .569                       | 0                    | %100               |
| 11 | MP3A         | X         | 0                            | 0                          | 0                    | %100               |
| 12 | MP3A         | Z         | .47                          | .47                        | 0                    | %100               |
| 13 | MP4A         | X         | 0                            | 0                          | 0                    | %100               |
| 14 | MP4A         | Z         | .47                          | .47                        | 0                    | %100               |
| 15 | M13          | X         | 0                            | 0                          | 0                    | %100               |
| 16 | M13          | Z         | .612                         | .612                       | 0                    | %100               |
| 17 | M19          | X         | 0                            | 0                          | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |

**Member Distributed Loads (BLC 72 : Structure Wm (210 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -.336                        | -.336                      | 0                    | %100               |
| 2  | M1           | Z         | .582                         | .582                       | 0                    | %100               |
| 3  | M7           | X         | -.083                        | -.083                      | 0                    | %100               |
| 4  | M7           | Z         | .144                         | .144                       | 0                    | %100               |
| 5  | M8           | X         | -.214                        | -.214                      | 0                    | %100               |
| 6  | M8           | Z         | .37                          | .37                        | 0                    | %100               |
| 7  | MP1A         | X         | -.235                        | -.235                      | 0                    | %100               |
| 8  | MP1A         | Z         | .407                         | .407                       | 0                    | %100               |
| 9  | MP2A         | X         | -.285                        | -.285                      | 0                    | %100               |
| 10 | MP2A         | Z         | .493                         | .493                       | 0                    | %100               |
| 11 | MP3A         | X         | -.235                        | -.235                      | 0                    | %100               |
| 12 | MP3A         | Z         | .407                         | .407                       | 0                    | %100               |
| 13 | MP4A         | X         | -.235                        | -.235                      | 0                    | %100               |
| 14 | MP4A         | Z         | .407                         | .407                       | 0                    | %100               |
| 15 | M13          | X         | -.336                        | -.336                      | 0                    | %100               |
| 16 | M13          | Z         | .582                         | .582                       | 0                    | %100               |
| 17 | M19          | X         | -.067                        | -.067                      | 0                    | %100               |
| 18 | M19          | Z         | .116                         | .116                       | 0                    | %100               |

**Member Distributed Loads (BLC 73 : Structure Wm (240 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -.352                        | -.352                      | 0                    | %100               |
| 2  | M1           | Z         | .203                         | .203                       | 0                    | %100               |
| 3  | M7           | X         | -.431                        | -.431                      | 0                    | %100               |
| 4  | M7           | Z         | .249                         | .249                       | 0                    | %100               |
| 5  | M8           | X         | -.37                         | -.37                       | 0                    | %100               |
| 6  | M8           | Z         | .214                         | .214                       | 0                    | %100               |
| 7  | MP1A         | X         | -.407                        | -.407                      | 0                    | %100               |
| 8  | MP1A         | Z         | .235                         | .235                       | 0                    | %100               |
| 9  | MP2A         | X         | -.493                        | -.493                      | 0                    | %100               |
| 10 | MP2A         | Z         | .285                         | .285                       | 0                    | %100               |
| 11 | MP3A         | X         | -.407                        | -.407                      | 0                    | %100               |
| 12 | MP3A         | Z         | .235                         | .235                       | 0                    | %100               |
| 13 | MP4A         | X         | -.407                        | -.407                      | 0                    | %100               |
| 14 | MP4A         | Z         | .235                         | .235                       | 0                    | %100               |





**Member Distributed Loads (BLC 73 : Structure Wm (240 Deg)) (Continued)**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 15 | M13          | X         | -.352                        | -.352                      | 0                    | %100               |
| 16 | M13          | Z         | .203                         | .203                       | 0                    | %100               |
| 17 | M19          | X         | -.349                        | -.349                      | 0                    | %100               |
| 18 | M19          | Z         | .202                         | .202                       | 0                    | %100               |

**Member Distributed Loads (BLC 74 : Structure Wm (270 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -.081                        | -.081                      | 0                    | %100               |
| 2  | M1           | Z         | 0                            | 0                          | 0                    | %100               |
| 3  | M7           | X         | -.664                        | -.664                      | 0                    | %100               |
| 4  | M7           | Z         | 0                            | 0                          | 0                    | %100               |
| 5  | M8           | X         | -.427                        | -.427                      | 0                    | %100               |
| 6  | M8           | Z         | 0                            | 0                          | 0                    | %100               |
| 7  | MP1A         | X         | -.47                         | -.47                       | 0                    | %100               |
| 8  | MP1A         | Z         | 0                            | 0                          | 0                    | %100               |
| 9  | MP2A         | X         | -.569                        | -.569                      | 0                    | %100               |
| 10 | MP2A         | Z         | 0                            | 0                          | 0                    | %100               |
| 11 | MP3A         | X         | -.47                         | -.47                       | 0                    | %100               |
| 12 | MP3A         | Z         | 0                            | 0                          | 0                    | %100               |
| 13 | MP4A         | X         | -.47                         | -.47                       | 0                    | %100               |
| 14 | MP4A         | Z         | 0                            | 0                          | 0                    | %100               |
| 15 | M13          | X         | -.081                        | -.081                      | 0                    | %100               |
| 16 | M13          | Z         | 0                            | 0                          | 0                    | %100               |
| 17 | M19          | X         | -.538                        | -.538                      | 0                    | %100               |
| 18 | M19          | Z         | 0                            | 0                          | 0                    | %100               |

**Member Distributed Loads (BLC 75 : Structure Wm (300 Deg))**

|    | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|----|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1  | M1           | X         | -.018                        | -.018                      | 0                    | %100               |
| 2  | M1           | Z         | -.01                         | -.01                       | 0                    | %100               |
| 3  | M7           | X         | -.431                        | -.431                      | 0                    | %100               |
| 4  | M7           | Z         | -.249                        | -.249                      | 0                    | %100               |
| 5  | M8           | X         | -.37                         | -.37                       | 0                    | %100               |
| 6  | M8           | Z         | -.214                        | -.214                      | 0                    | %100               |
| 7  | MP1A         | X         | -.407                        | -.407                      | 0                    | %100               |
| 8  | MP1A         | Z         | -.235                        | -.235                      | 0                    | %100               |
| 9  | MP2A         | X         | -.493                        | -.493                      | 0                    | %100               |
| 10 | MP2A         | Z         | -.285                        | -.285                      | 0                    | %100               |
| 11 | MP3A         | X         | -.407                        | -.407                      | 0                    | %100               |
| 12 | MP3A         | Z         | -.235                        | -.235                      | 0                    | %100               |
| 13 | MP4A         | X         | -.407                        | -.407                      | 0                    | %100               |
| 14 | MP4A         | Z         | -.235                        | -.235                      | 0                    | %100               |
| 15 | M13          | X         | -.018                        | -.018                      | 0                    | %100               |
| 16 | M13          | Z         | -.01                         | -.01                       | 0                    | %100               |
| 17 | M19          | X         | -.349                        | -.349                      | 0                    | %100               |
| 18 | M19          | Z         | -.202                        | -.202                      | 0                    | %100               |

**Member Distributed Loads (BLC 76 : Structure Wm (330 Deg))**

|   | Member Label | Direction | Start Magnitude[lb/ft.F,ksf] | End Magnitude[lb/ft.F,ksf] | Start Location[ft.%] | End Location[ft.%] |
|---|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 1 | M1           | X         | -.143                        | -.143                      | 0                    | %100               |
| 2 | M1           | Z         | -.248                        | -.248                      | 0                    | %100               |
| 3 | M7           | X         | -.083                        | -.083                      | 0                    | %100               |
| 4 | M7           | Z         | -.144                        | -.144                      | 0                    | %100               |
| 5 | M8           | X         | -.214                        | -.214                      | 0                    | %100               |
| 6 | M8           | Z         | -.37                         | -.37                       | 0                    | %100               |





**Member Distributed Loads (BLC 76 : Structure Wm (330 Deg)) (Continued)**

| Member Label | Direction | Start Magnitude[lb/ft,F,ksf] | End Magnitude[lb/ft,F,ksf] | Start Location[ft,%] | End Location[ft,%] |
|--------------|-----------|------------------------------|----------------------------|----------------------|--------------------|
| 7            | MP1A      | X                            | -.235                      | -.235                | 0 %100             |
| 8            | MP1A      | Z                            | -.407                      | -.407                | 0 %100             |
| 9            | MP2A      | X                            | -.285                      | -.285                | 0 %100             |
| 10           | MP2A      | Z                            | -.493                      | -.493                | 0 %100             |
| 11           | MP3A      | X                            | -.235                      | -.235                | 0 %100             |
| 12           | MP3A      | Z                            | -.407                      | -.407                | 0 %100             |
| 13           | MP4A      | X                            | -.235                      | -.235                | 0 %100             |
| 14           | MP4A      | Z                            | -.407                      | -.407                | 0 %100             |
| 15           | M13       | X                            | -.143                      | -.143                | 0 %100             |
| 16           | M13       | Z                            | -.248                      | -.248                | 0 %100             |
| 17           | M19       | X                            | -.067                      | -.067                | 0 %100             |
| 18           | M19       | Z                            | -.116                      | -.116                | 0 %100             |

**Member Area Loads**

| Joint A              | Joint B | Joint C | Joint D | Direction | Distribution | Magnitude[ksf] |
|----------------------|---------|---------|---------|-----------|--------------|----------------|
| No Data to Print ... |         |         |         |           |              |                |

**Envelope Joint Reactions**

| Joint | X [lb]  | LC            | Y [lb] | LC       | Z [lb] | LC        | MX [k-ft] | LC     | MY [k-ft] | LC     | MZ [k-ft] | LC    |    |
|-------|---------|---------------|--------|----------|--------|-----------|-----------|--------|-----------|--------|-----------|-------|----|
| 1     | N13     | m..801.705    | 9      | 1277.574 | 19     | 1305.984  | 1         | -1.864 | 8         | 4.619  | 9         | .677  | 49 |
| 2     |         | min-748.201   | 3      | 548.914  | 1      | -657.306  | 7         | -4.194 | 14        | -4.434 | 3         | -.822 | 50 |
| 3     | N36     | m..321.776    | 9      | 680.924  | 13     | 309.818   | 1         | -.794  | 7         | 1.971  | 9         | .303  | 49 |
| 4     |         | min-375.283   | 3      | 282.897  | 7      | -987.907  | 19        | -1.96  | 13        | -2.118 | 3         | -.335 | 50 |
| 5     | Totals: | m..1123.482   | 9      | 1943.575 | 21     | 1615.802  | 1         |        |           |        |           |       |    |
| 6     |         | min-1123.4... | 3      | 908.257  | 3      | -1615.788 | 7         |        |           |        |           |       |    |

**Envelope AISC 15th(360-16): LRFD Steel Code Checks**

| Member | Shape | Code Che... | Loc[ft] | LC    | Shear Che... | Loc[ft] | Dir   | LC | phi*... | phi*... | phi*... | phi*... | Eqn            |
|--------|-------|-------------|---------|-------|--------------|---------|-------|----|---------|---------|---------|---------|----------------|
| 1      | M1    | PIPE 3.0    | .448    | 6.25  | 2            | .160    | 6.25  | 18 | 2825..  | 65205   | 5.749   | 5.749   | ...H1-...      |
| 2      | M7    | HSS4X4X4    | .401    | 4     | 9            | .082    | 4     | y  | 50      | 1304..  | 1395..  | 16.1... | 16.1...H1-...  |
| 3      | M19   | HSS3X3X4    | .359    | 4.146 | 3            | .059    | 4.146 | y  | 50      | 8830..  | 1010..  | 8.556   | 8.556...H1-... |
| 4      | MP2A  | PIPE 2.5    | .346    | 4.448 | 13           | .084    | 4.521 | 4  | 3396..  | 50715   | 3.596   | 3.596   | ...H1-...      |
| 5      | M13   | PIPE 3.0    | .326    | 6.25  | 8            | .145    | 6.25  | 15 | 2825..  | 65205   | 5.749   | 5.749   | ...H1-...      |
| 6      | MP1A  | PIPE 2.0    | .270    | 4     | 49           | .054    | 4     | 10 | 2086..  | 32130   | 1.872   | 1.872   | ...H1-...      |
| 7      | MP4A  | PIPE 2.0    | .269    | 4     | 50           | .053    | 4     | 15 | 2086..  | 32130   | 1.872   | 1.872   | ...H1-...      |
| 8      | MP3A  | PIPE 2.0    | .262    | 4     | 50           | .070    | 2.188 | 15 | 2086..  | 32130   | 1.872   | 1.872   | ...H1-...      |
| 9      | M8    | PIPE 3.0    | .000    | .625  | 7            | .000    | .625  | 8  | 6466..  | 65205   | 5.749   | 5.749   | 1 H1-...       |



**TIA-222-H CONNECTION CHECK**  
**Mount to Tower Connection - Typ. All Sectors**  
**2021740.467324.02**

| Bolt Information                         |       |                 |
|--|-------|-----------------|
| Bolt Diameter (d)                        | 0.625 | in              |
| Net Tensile Area (A <sub>n</sub> )       | 0.226 | in <sup>2</sup> |
| # of Bolts Total (n)                     | 4     |                 |
| Bolt Distance Up-Down                    | 6     | in              |
| Bolt Distance Left-Right                 | 6     | in              |
| Bolt Grade                               | A325N |                 |
| Bolt Tensile Strength (F <sub>ub</sub> ) | 120   | ksi             |

| Flange Information                     |      |     |
|--|------|-----|
| Height (h)                             | 8    | in  |
| Width (w)                              | 8    | in  |
| Thickness (t)                          | 0.75 | in  |
| Steel Grade                            | A36  |     |
| Plate Yield Strength (F <sub>y</sub> ) | 36   | ksi |
| Support Arm Height                     | 4    | in  |
| Support Arm Width                      | 4    | in  |

| RISA 3D Reactions |       |      |
|-------------------|-------|------|
| Moment (M)        | 4.17  | k-ft |
| Axial (T)         | -0.60 | kips |
| Shear (V)         | 1.29  | kips |

| Bolt Capacity                                     |              |           |
|---|--------------|-----------|
| Nominal Tensile Strength (R <sub>nt</sub> )       | 27.120       | kips      |
| Nominal Shear Strength (R <sub>nv</sub> )         | 18.41        | kips      |
| Bolt Tensile Force (T <sub>ub</sub> )             | 7.03         | kips      |
| Bolt Shear Force (V <sub>ub</sub> )               | 0.323        | kips      |
| $T_{ub}/\phi R_{nt}$                              | 0.34567      |           |
| $V_{ub}/\phi R_{nv}$                              | 0.02336      |           |
| $(V_{ub}/\phi R_{nv})^2 + (T_{ub}/\phi R_{nt})^2$ | 0.12004      |           |
| <b>Bolt Capacity =</b>                            | <b>34.6%</b> | <b>OK</b> |

| Plate Capacity                      |              |           |
|-------------------------------------|--------------|-----------|
| Bolt Circle (D <sub>bc</sub> )      | 8.485        | in        |
| Effective Width (B <sub>eff</sub> ) | 5.66         | in        |
| Flexural Moment (M <sub>u</sub> )   | 9.94         | k-in      |
| Flexural Strength ( $\phi M_n$ )    | 25.77        | k-in      |
| <b>Plate Capacity=</b>              | <b>38.6%</b> | <b>OK</b> |

| Weld Capacity         |              |           |
|-----------------------|--------------|-----------|
| Fillet (leg) =        | 0.250        | in        |
| Throat (eff) =        | 0.18         | in        |
| F <sub>exx</sub> =    | 70.00        | ksi       |
| $\phi$ =              | 0.75         |           |
| $\phi R_n$ =          | 5.57         | kips/in   |
| <b>Weld Capacity=</b> | <b>69.8%</b> | <b>OK</b> |



**TIA-222-H CONNECTION CHECK**  
**Mod Standoff to Tower Connection - Typ. All Sectors**  
**2021740.467324.02**

| Bolt Information                         |       |                 |
|--|-------|-----------------|
| Bolt Diameter (d)                        | 0.625 | in              |
| Net Tensile Area (A <sub>n</sub> )       | 0.226 | in <sup>2</sup> |
| # of Bolts Total (n)                     | 4     |                 |
| Bolt Distance Up-Down                    | 6     | in              |
| Bolt Distance Left-Right                 | 6     | in              |
| Bolt Grade                               | A325N |                 |
| Bolt Tensile Strength (F <sub>ub</sub> ) | 120   | ksi             |

| Flange Information                     |         |     |
|--|---------|-----|
| Height (h)                             | 8.25    | in  |
| Width (w)                              | 8.25    | in  |
| Thickness (t)                          | 0.75    | in  |
| Steel Grade                            | A572-50 |     |
| Plate Yield Strength (F <sub>y</sub> ) | 50      | ksi |
| Support Arm Height                     | 3       | in  |
| Support Arm Width                      | 3       | in  |

| RISA 3D Reactions |      |      |
|-------------------|------|------|
| Moment (M)        | 1.92 | k-ft |
| Axial (T)         | 0.99 | kips |
| Shear (V)         | 0.69 | kips |

| Bolt Capacity  |              |           |
|--|--------------|-----------|
| Nominal Tensile Strength (R <sub>nt</sub> )  | 27.120       | kips      |
| Nominal Shear Strength (R <sub>nv</sub> )  | 18.41        | kips      |
| Bolt Tensile Force (T <sub>ub</sub> )  | 3.27         | kips      |
| Bolt Shear Force (V <sub>ub</sub> )  | 0.172        | kips      |
| T <sub>ub</sub> /φR <sub>nt</sub>  | 0.16062      |           |
| V <sub>ub</sub> /φR <sub>nv</sub>  | 0.01249      |           |
| (V <sub>ub</sub> /φR <sub>nv</sub> ) <sup>2</sup> +(T <sub>ub</sub> /φR <sub>nt</sub> ) <sup>2</sup> | 0.02596      |           |
| <b>Bolt Capacity =</b>   | <b>16.1%</b> | <b>OK</b> |

| Plate Capacity                       |              |           |
|--------------------------------------|--------------|-----------|
| Bolt Circle (D <sub>bc</sub> )       | 8.485        | in        |
| Effective Width (B <sub>eff</sub> )  | 7.35         | in        |
| Flexural Moment (M <sub>u</sub> )    | 6.93         | k-in      |
| Flexural Strength (φM <sub>n</sub> ) | 46.50        | k-in      |
| <b>Plate Capacity=</b>               | <b>14.9%</b> | <b>OK</b> |

| Weld Capacity         |              |           |
|-----------------------|--------------|-----------|
| Fillet (leg) =        | 0.313        | in        |
| Throat (eff) =        | 0.22         | in        |
| F <sub>exx</sub> =    | 70.00        | ksi       |
| φ =                   | 0.75         |           |
| φR <sub>n</sub> =     | 6.96         | kips/in   |
| <b>Weld Capacity=</b> | <b>48.1%</b> | <b>OK</b> |

# Mount Desktop – Post Modification Inspection (PMI) Report Requirements

## Documents & Photos Required from Contractor – Mount Modification

---

**Purpose** – to provide TES the proper documentation in order to complete the required Mount Desktop review of the Post Modification Inspection Report.

- Contractor is responsible for making certain the photos provided as noted below provide confirmation that the modification was completed in accordance with the modification drawings.
- Contractor shall relay any data that can impact the performance of the mount or the mount modification, this includes safety issues.

### **Base Requirements:**

- Any special photos outside of the standard requirements will be indicated on the drawings
- Provide “as built drawings” showing contractor’s name, preparer’s signature, and date. Any deviations from the drawings (proposed modification) must be shown.
- Notation that all hardware was properly installed, and the existing hardware was inspected for any issues.
- Verification that loading is as communicated in the modification drawings. NOTE If loading is different than what is conveyed in the modification drawing contact TES immediately.
- Each photo should be time and date stamped
- Photos should be high resolution and submitted in a Zip File and should be organized in the file structure as depicted in Schedule A attached.
- Contractor shall ensure that the safety climb wire rope is supported and not adversely impacted by the install of the modification components. This may involve the install of wire rope guides, or other items to protect the wire rope.
- The photos in the file structure should be uploaded to <https://pmi.vzwsmart.com> as depicted on the drawings

### **Photo Requirements:**

- Base and “During Installation Photos”
  - Base pictures include
    - Photo of Gate Signs showing the tower owner, site name, and number
    - Photo of carrier shelter showing the carrier site name and number if available
    - Photos of the galvanizing compound and/or paint used (if applicable), clearly showing the label and name
  - “During Installation Photos if provided - must be placed only in this folder
- Photos taken at ground level
  - Overall tower structure before and after installation of the modifications
  - Photos of the appropriate mount before and after installation of the modifications; if the mounts are at different rad elevations, pictures must be provided for all elevations that the modifications were installed

- Photos taken at Mount Elevation
  - Photos showing each individual sector before and also after installation of modifications. Each entire sector must be in one photo to show in the inter-connection of members.
    - These photos should also certify that the placement and geometry of the equipment on the mount is as depicted on the sketch and table in the mount analysis
  - Close-up photos of each installed modification per the modification drawings; pictures should also include connection hardware (U-bolts, bolts, nuts, all-threaded rods, etc.)
  - Photos showing the measurements of the installed modification member sizes (i.e. lengths, widths, depths, diameters, thicknesses)
  - Photos showing the elevation or distances of the installed modifications from the appropriate reference locations shown in the modification drawings
  - Photos showing the installed modifications onto the tower with tape drop measurements (if applicable) (i.e. ring/collar mounts, tie-backs, V-bracing kits, etc.); if the existing mount elevation needs to be changed according to the modification drawings, a tape drop measurement shall be provided before the elevation change
  - Photos showing the safety climb wire rope above and below the mount prior to modification.
  - Photos showing the climbing facility and safety climb if present.

**Material Certification:**

- Materials utilized must be as per specification on the drawings or the equivalent as validated by TES.
  - If the drawings are as specified on the drawings
    - The contractor should provide the packing list or the materials utilized to perform the mount modification
  - If an equivalent is utilized
    - It is required that the TES certification of such is included in the contractor submission package. There may be an additional charge for this certification if the equivalent submission doesn't meet specifications as prescribed in the drawings.
- The contractor must certify that the materials meet these specifications by one of these methods.

The Material utilized was as specified on the TES Mount Modification Drawings and included in the Material certification folder is a packing list or invoice for these materials

The material utilized was an "equivalent" and included as part of the contractor submission is the TES certification, invoices, or specifications validating accepted status


















Certifying Individual: Company \_\_\_\_\_

Name \_\_\_\_\_


Signature \_\_\_\_\_



## Schedule A – Photo & Document File Structure


-  VzW Site Number / Name
  -  Base & “During Installation” Photos
  -  Pre-Installation Photos
    -  Alpha
    -  Beta
    -  Gamma
    -  Ground Level
    -  Tape Drop
  -  Post-Installation Photos
    -  Alpha
    -  Beta
    -  Gamma
    -  Ground Level
    -  Tape Drop
    -  Photos of climbing facility and safety climb – If Present
-  Certifications – Submission of this document including certifications
-  Specific Required Additional Photos

Plan View



Front View


Lo o i g t Str t re



| Re # | Model                         | Height (i ) | Width (i ) | H Dist Fr L. | Pipe # | Pipe Pos V | A t Pos | C. A t Fr T. | A t H O | St t s   | V lid tio |
|------|-------------------------------|-------------|------------|--------------|--------|------------|---------|--------------|---------|----------|-----------|
| A6   | LNx-6514DS-VTM                | 72          | 11.9       | 147          | 1      |            | Fro t   | 36           | 0       | Ret i ed |           |
| R3   | B5/B13 RRH-BR04C (RFV01U-D2A) | 15          | 15         | 147          | 1      |            | Behi d  | 27           | 0       | Added    |           |
| A1   | MX06FRO660-02                 | 71.3        | 15.4       | 99           | 2      |            | Fro t   | 36           | -10     | Added    |           |
| A1   | MX06FRO660-02                 | 71.3        | 15.4       | 99           | 2      |            | Fro t   | 36           | 10      | Added    |           |
| R4   | B5/B13 RRH-BR04C (RFV01U-D2A) | 15          | 15         | 51           | 3      |            | Behi d  | 27           | 0       | Added    |           |
| A2   | MT6407-77A                    | 35.1        | 16.1       | 3            | 4      |            | Fro t   | 30           | 0       | Added    |           |




Plan View




Front View

Lo o i g t Str t re




| Re # | Model                         | Height (i ) | Width (i ) | H Dist Fr L. | Pipe # | Pipe Pos V | A t Pos | C. A t Fr T. | A t H O | St t s   | V lid tio |
|------|-------------------------------|-------------|------------|--------------|--------|------------|---------|--------------|---------|----------|-----------|
| A6   | LNx-6514DS-VTM                | 72          | 11.9       | 147          | 1      |            | Fro t   | 36           | 0       | Ret i ed |           |
| R3   | B5/B13 RRH-BR04C (RFV01U-D2A) | 15          | 15         | 147          | 1      |            | Behi d  | 27           | 0       | Added    |           |
| A1   | MX06FRO660-02                 | 71.3        | 15.4       | 99           | 2      |            | Fro t   | 36           | -10     | Added    |           |
| A1   | MX06FRO660-02                 | 71.3        | 15.4       | 99           | 2      |            | Fro t   | 36           | 10      | Added    |           |
| R4   | B5/B13 RRH-BR04C (RFV01U-D2A) | 15          | 15         | 51           | 3      |            | Behi d  | 27           | 0       | Added    |           |
| A2   | MT6407-77A                    | 35.1        | 16.1       | 3            | 4      |            | Fro t   | 30           | 0       | Added    |           |

Plan View



Front View

Lo o i g t Str t re



| Re # | Model                         | Height (i ) | Width (i ) | H Dist Fr L. | Pipe # | Pipe Pos V | A t Pos | C. A t Fr T. | A t H O | St t s   | V lid tio |
|------|-------------------------------|-------------|------------|--------------|--------|------------|---------|--------------|---------|----------|-----------|
| A6   | LNx-6514DS-VTM                | 72          | 11.9       | 147          | 1      |            | Fro t   | 36           | 0       | Ret i ed |           |
| R3   | B5/B13 RRH-BR04C (RFV01U-D2A) | 15          | 15         | 147          | 1      |            | Behi d  | 27           | 0       | Added    |           |
| A1   | MX06FRO660-02                 | 71.3        | 15.4       | 99           | 2      |            | Fro t   | 36           | -10     | Added    |           |
| A1   | MX06FRO660-02                 | 71.3        | 15.4       | 99           | 2      |            | Fro t   | 36           | 10      | Added    |           |
| R4   | B5/B13 RRH-BR04C (RFV01U-D2A) | 15          | 15         | 51           | 3      |            | Behi d  | 27           | 0       | Added    |           |
| A2   | MT6407-77A                    | 35.1        | 16.1       | 3            | 4      |            | Fro t   | 30           | 0       | Added    |           |

Subject TIA-222-H Usage

Site Information Site ID: 467324-VZW / SOUTHBURY W CT  
Site Name: SOUTHBURY W CT  
Carrier Name: Verizon Wireless  
Address: 133 Horse Fence Hill Road, Southbury, Connecticut 06488, New Haven County  
Latitude: 41.460096°  
Longitude: -73.245390°

Structure Information Tower Type: 150-Ft Monopole  
Mount Type: 12.50-Ft T-Arm

To Whom It May Concern,

We respectfully submit the above referenced Antenna Mount Structural Analysis report in conformance with ANSI/TIA-222-H, Structural Standard for Antenna Supporting Structures and Antennas and Small Wind Turbine Support Structures.

The 2018 Connecticut State Building Code states that, in Section 3108, telecommunication towers shall be designed and constructed in accordance with the provisions of TIA-222. TIA-222-H is the latest revision of the TIA-222 Standard, effective as of January 01, 2018.

As with all ANSI standards and engineering best practice is to apply the most current revision of the standard. This ensures the engineer is applying all updates. As an example, the TIA-222-H Standard includes updates to bring it in line with the latest AISC and ACI standards and it also incorporates the latest wind speed maps by ASCE 7 based on updated studies of the wind data.

The TIA-222-H standard clarifies these specific requirements for the antenna mount analysis such as modeling methods, seismic analysis, 30-degree increment wind directions and maintenance loading. Therefore, it is our opinion that TIA-222-H is the most appropriate standard for antenna mount structural analysis and is acceptable for use at this site to ensure the engineer is taking into account the most current engineering standard available.

Sincerely,

GPD Group



Christopher J. Scheks, P.E.  
Connecticut #: 30026

Site Name: **SOUTHBURY W CT**  
 Cumulative Power Density

| Operator  | Operating Frequency | Number of Trans. | ERP Per Trans. | Total ERP | Distance to Target | Calculated Power Density | Maximum Permissible Exposure* | Fraction of MPE |
|---|---------------------|------------------|----------------|-----------|--------------------|--------------------------|-------------------------------|-----------------|
|   | (MHz)               |                  | (watts)        | (watts)   | (feet)             | (mW/cm <sup>2</sup> )    | (mW/cm <sup>2</sup> )         | (%)             |
| VZW 700   | 751                 | 4                | 609            | 2437      | 111                | 0.0071                   | 0.5007                        | 1.42%           |
| VZW CDMA  | 877.26              | 2                | 497            | 993       | 111                | 0.0029                   | 0.5848                        | 0.50%           |
| VZW Cellular  | 874                 | 4                | 609            | 2437      | 111                | 0.0071                   | 0.5827                        | 1.22%           |
| VZW PCS   | 1975                | 4                | 1442           | 5769      | 111                | 0.0168                   | 1.0000                        | 1.68%           |
| VZW AWS   | 2120                | 4                | 1530           | 6122      | 111                | 0.0179                   | 1.0000                        | 1.79%           |
| VZW CBAND   | 3730.08             | 4                | 6237           | 24949     | 111                | 0.0728                   | 1.0000                        | 7.28%           |
|   |                     |                  |                |           |                    |                          |                               |                 |
|   |                     |                  |                |           |                    |                          |                               |                 |
|   |                     |                  |                |           |                    |                          |                               |                 |
|   |                     |                  |                |           |                    |                          |                               |                 |
| <b>Total Percentage of Maximum Permissible Exposure</b> |                     |                  |                |           |                    |                          |                               | <b>13.89%</b>   |

\*Guidelines adopted by the FCC on August 1, 1996, 47 CFR Part 1 based on NCRP Report 86, 1986 and generally on ANSI/IEEE C95.1-1992

\*\*Calculation includes a -10 dB Off Beam Antenna Pattern Adjustment pursuant to Attachments B and C of the Siting Council's November 10, 2015 Memorandum for Exempt Modification filings

MHz = Megahertz


mW/cm<sup>2</sup> = milliwatts per square centimeter

ERP = Effective Radiated Power


Absolute worst case maximum values used.

# Town of Southbury

Geographic Information System (GIS)




Date Printed: 9/15/2021



**MAP DISCLAIMER - NOTICE OF LIABILITY**

This map is for informational purposes only. It is not for legal description or conveyances. All information is subject to verification by any user. The Town of Southbury and its mapping contractors assume no legal responsibility for the information contained herein.

Approximate Scale: 1 inch = 75 feet



# 133 HORSE FENCE HILL ROAD

**Location** 133 HORSE FENCE HILL ROAD

**Mblu** 24/ 92/ 58/ /

**Acct#** 00214500

**Owner** BEATTY WILLIAM

**Assessment** \$197,400

**Appraisal** \$382,600

**PID** 2310

**Building Count** 1

## Current Value

| Appraisal      |              |           |           |
|----------------|--------------|-----------|-----------|
| Valuation Year | Improvements | Land      | Total     |
| 2017           | \$89,140     | \$293,460 | \$382,600 |

| Assessment     |              |           |           |
|----------------|--------------|-----------|-----------|
| Valuation Year | Improvements | Land      | Total     |
| 2017           | \$62,390     | \$135,010 | \$197,400 |

## Owner of Record

**Owner** BEATTY WILLIAM

**Sale Price** \$175,000

**Co-Owner**

**Certificate**

**Address** 133 HORSE FENCE HILL ROAD  
SOUTHURY, CT 06488

**Book & Page** 0689/0156

**Sale Date** 05/06/2019

**Instrument** 01

## Ownership History

| Ownership History        |            |             |             |            |            |
|--------------------------|------------|-------------|-------------|------------|------------|
| Owner                    | Sale Price | Certificate | Book & Page | Instrument | Sale Date  |
| BEATTY WILLIAM           | \$175,000  |             | 0689/0156   | 01         | 05/06/2019 |
| BEATTY DAVID             | \$147,000  |             | 0681/0599   | 00         | 08/13/2018 |
| SMITH LYNN REV FAM TRUST | \$0        |             | 0493/1152   | 25         | 08/19/2005 |
| SMITH SCOTT S & LYNN     | \$0        |             | 1640/0144   | 25         | 03/15/1983 |

## Building Information

### Building 1 : Section 1

**Year Built:** 1950  
**Living Area:** 1,104  
**Replacement Cost:** \$124,272

**Building Percent Good:** 66  
**Replacement Cost**  
**Less Depreciation:** \$82,020


**Building Photo**



(<http://images.vgsi.com/photos/SouthburyCTPhotos/\00\00\11\05.JPG>)

| Building Attributes |                |
|---------------------|----------------|
| Field               | Description    |
| Style               | Ranch          |
| Model               | Residential    |
| Grade:              | D              |
| Stories             | 1              |
| Occupancy           | 1              |
| Exterior Wall 1     | Clapboard      |
| Exterior Wall 2     |                |
| Roof Structure      | Gable          |
| Roof Cover          | Asphalt        |
| Interior Wall 1     | Drywall        |
| Interior Wall 2     |                |
| Interior Flr 1      | Hardwood       |
| Interior Flr 2      |                |
| Heat Fuel           | Oil            |
| Heat Type:          | Forced Hot Air |
| AC Percent          | 0              |
| Total Bedrooms:     | 3 Bedrooms     |
| Full Bthrms:        | 2              |
| Half Baths:         | 0              |
| Extra Fixtures      | 0              |
| Total Rooms:        | 5              |
| Bath Style:         | Average        |
| Kitchen Style:      | Average        |
| Num Kitchens        | 1              |
| Pln FPL:            | 0              |
| Det FPL:            | 0              |
| Gas Fireplace(s)    | 0              |
| % Attic Fin         | 0              |
| LF Dormer           | 0              |
| Foundation          | Conc Block     |
| Bsmt Gar(s)         | 0              |
| Bsmt %              | 75             |
| SF FBM              | 0.00           |
| SF Rec Rm           | 0              |
| Fin Bsmt Qual       |                |
| Bsmt Access         | Hatchway       |
| Fndtn Cndtn         |                |

**Building Layout**



([http://images.vgsi.com/photos/SouthburyCTPhotos//Sketches/2310\\_2310](http://images.vgsi.com/photos/SouthburyCTPhotos//Sketches/2310_2310)).

| Building Sub-Areas (sq ft) |                       |            | Legend      |
|----------------------------|-----------------------|------------|-------------|
| Code                       | Description           | Gross Area | Living Area |
| BAS                        | First Floor           | 1,104      | 1,104       |
| BSM                        | Basement              | 720        | 0           |
| CRL                        | Crawl Space           | 384        | 0           |
| FOP                        | Open Porch            | 24         | 0           |
| UEP                        | Unfin. Enclosed Porch | 200        | 0           |
|                            |                       | 2,432      | 1,104       |

## Extra Features

| Extra Features             | <u>Legend</u> |
|----------------------------|---------------|
| No Data for Extra Features |               |

## Land

## Land Use

|                               |              |
|-------------------------------|--------------|
| <b>Use Code</b>               | 101          |
| <b>Description</b>            | Res Dwelling |
| <b>Zone</b>                   | R-60         |
| <b>Neighborhood</b>           | 25           |
| <b>Alt Land Appr Category</b> | No           |

## Land Line Valuation

|                        |           |
|------------------------|-----------|
| <b>Size (Acres)</b>    | 3.78      |
| <b>Frontage</b>        | 0         |
| <b>Depth</b>           | 0         |
| <b>Assessed Value</b>  | \$135,010 |
| <b>Appraised Value</b> | \$293,460 |

## Outbuildings

| Outbuildings |             |          |                 |             |         | <u>Legend</u> |
|--------------|-------------|----------|-----------------|-------------|---------|---------------|
| Code         | Description | Sub Code | Sub Description | Size        | Value   | Bldg #        |
| FGR1         | Garage      | FR       | Frame           | 336.00 S.F. | \$4,700 | 1             |
| SHD1         | Shed        | FR       | Frame           | 200.00 S.F. | \$1,200 | 1             |
| SHD1         | Shed        | FR       | Frame           | 160.00 S.F. | \$960   | 1             |
| SHD1         | Shed        | FR       | Frame           | 240.00 S.F. | \$260   | 1             |

## Valuation History

| Appraisal      |              |           |           |
|----------------|--------------|-----------|-----------|
| Valuation Year | Improvements | Land      | Total     |
| 2017           | \$89,140     | \$212,360 | \$301,500 |
| 2016           | \$99,290     | \$216,960 | \$316,250 |
| 2012           | \$99,290     | \$216,960 | \$316,250 |

| Assessment     |              |           |           |
|----------------|--------------|-----------|-----------|
| Valuation Year | Improvements | Land      | Total     |
| 2017           | \$62,390     | \$148,650 | \$211,040 |
| 2016           | \$69,500     | \$151,870 | \$221,370 |
| 2012           | \$69,500     | \$151,870 | \$221,370 |







**GENERAL CONSTRUCTION NOTES:**

1. OWNER FURNISHED MATERIALS, VERIZON "THE COMPANY" WILL PROVIDE AND THE CONTRACTOR WILL INSTALL
  - A. BTS EQUIPMENT FRAME (PLATFORM) AND ICEBRIDGE SHELTER (GROUND BUILD/CO-LOCATE ONLY)
  - B. AC/TELCO INTERFACE BOX (PPC)
  - C. ICE BRIDGE (CABLE TRAY WITH COVER) (GROUND BUILD/CO-LOCATE ONLY, GC TO FURNISH AND INSTALL FOR ROOFTOP INSTALLATION)
  - D. TOWERS, MONOPOLES
  - E. TOWER LIGHTING
  - F. GENERATORS & LIQUID PROPANE TANK
  - G. ANTENNA STANDARD BRACKETS, FRAMES AND PIPES FOR MOUNTING
  - H. ANTENNAS (INSTALLED BY OTHERS)
  - I. TRANSMISSION LINE
  - J. TRANSMISSION LINE JUMPERS
  - K. TRANSMISSION LINE CONNECTORS WITH WEATHERPROOFING KITS
  - L. TRANSMISSION LINE GROUND KITS
  - M. HANGERS
  - N. HOISTING GRIPS
  - O. BTS EQUIPMENT
2. THE CONTRACTOR IS RESPONSIBLE TO PROVIDE ALL OTHER MATERIALS FOR THE COMPLETE INSTALLATION OF THE SITE INCLUDING, BUT NOT LIMITED TO, SUCH MATERIALS AS FENCING, STRUCTURAL STEEL SUPPORTING SUB-FRAME FOR PLATFORM, ROOFING LABOR AND MATERIALS, GROUNDING RINGS, GROUNDING WIRES, COPPER-CLAD OR XIT CHEMICAL GROUND ROD(S), BUSS BARS, TRANSFORMERS AND DISCONNECT SWITCHES WHERE APPLICABLE, TEMPORARY ELECTRICAL POWER, CONDUIT, LANDSCAPING COMPOUND STONE, CRANES, CORE DRILLING, SLEEPERS AND RUBBER MATTING, REBAR, CONCRETE CAISSONS, PADS AND/OR AUGER MOUNTS, MISCELLANEOUS FASTENERS, CABLE TRAYS, NON-STANDARD ANTENNA FRAMES AND ALL OTHER MATERIAL AND LABOR REQUIRED TO COMPLETE THE JOB ACCORDING TO THE DRAWINGS AND SPECIFICATIONS. IT IS THE POSITION OF VERIZON TO APPLY FOR PERMITTING AND CONTRACTOR RESPONSIBLE FOR PICKUP AND PAYMENT OF REQUIRED PERMITS.
3. ALL WORK SHALL CONFORM TO ALL CURRENT APPLICABLE FEDERAL, STATE, AND LOCAL CODES, INCLUDING ANSI/EIA/TIA-222, AND COMPLY WITH ATC CONSTRUCTION SPECIFICATIONS.
4. CONTRACTOR SHALL CONTACT LOCAL 811 FOR IDENTIFICATION OF UNDERGROUND UTILITIES PRIOR TO START OF CONSTRUCTION.
5. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING ALL REQUIRED INSPECTIONS.
6. ALL DIMENSIONS TO, OF, AND ON EXISTING BUILDINGS, DRAINAGE STRUCTURES, AND SITE IMPROVEMENTS SHALL BE VERIFIED IN FIELD BY CONTRACTOR WITH ALL DISCREPANCIES REPORTED TO THE ENGINEER.
7. DO NOT CHANGE SIZE OR SPACING OF STRUCTURAL ELEMENTS.
8. DETAILS SHOWN ARE TYPICAL; SIMILAR DETAILS APPLY TO SIMILAR CONDITIONS UNLESS OTHERWISE NOTED.
9. THESE DRAWINGS DO NOT INCLUDE NECESSARY COMPONENTS FOR CONSTRUCTION SAFETY WHICH SHALL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR.
10. CONTRACTOR SHALL BRACE STRUCTURES UNTIL ALL STRUCTURAL ELEMENTS NEEDED FOR STABILITY ARE INSTALLED. THESE ELEMENTS ARE AS FOLLOWS: LATERAL BRACING, ANCHOR BOLTS, ETC.
11. CONTRACTOR SHALL DETERMINE EXACT LOCATION OF EXISTING UTILITIES, GROUNDS DRAINS, DRAIN PIPES, VENTS, ETC. BEFORE COMMENCING WORK.
12. INCORRECTLY FABRICATED, DAMAGED, OR OTHERWISE MISFITTING OR NONCONFORMING MATERIALS OR CONDITIONS SHALL BE REPORTED TO THE VERIZON REP PRIOR TO REMEDIAL OR CORRECTIVE ACTION. ANY SUCH REMEDIAL ACTION SHALL REQUIRE WRITTEN APPROVAL BY THE VERIZON REP PRIOR TO PROCEEDING.
13. EACH CONTRACTOR SHALL COOPERATE WITH THE VERIZON REP, AND COORDINATE HIS WORK WITH THE WORK OF OTHERS.
14. CONTRACTOR SHALL REPAIR ANY DAMAGE CAUSED BY CONSTRUCTION OF THIS PROJECT TO MATCH EXISTING PRE-CONSTRUCTION CONDITIONS TO THE SATISFACTION OF THE VERIZON CONSTRUCTION MANAGER.
15. ALL CABLE/CONDUIT ENTRY/EXIT PORTS SHALL BE WEATHERPROOFED DURING INSTALLATION USING A SILICONE SEALANT.
16. WHERE EXISTING CONDITIONS DO NOT MATCH THOSE SHOWN IN THIS PLAN SET, CONTRACTOR SHALL NOTIFY THE VERIZON REP AND ENGINEER OF RECORD IMMEDIATELY.
17. CONTRACTOR SHALL ENSURE ALL SUBCONTRACTORS ARE PROVIDED WITH A COMPLETE AND CURRENT SET OF DRAWINGS AND SPECIFICATIONS FOR THIS PROJECT.
18. CONTRACTOR SHALL REMOVE ALL RUBBISH AND DEBRIS FROM THE SITE AT THE END OF EACH DAY.
19. CONTRACTOR SHALL COORDINATE WORK SCHEDULE WITH AMERICAN TOWER CORPORATION (ATC) AND TAKE PRECAUTIONS TO MINIMIZE IMPACT AND DISRUPTION OF OTHER OCCUPANTS OF THE FACILITY.
20. CONTRACTOR SHALL FURNISH VERIZON AND AMERICAN TOWER CORPORATION (ATC) WITH A PDF MARKED UP AS-BUILT SET OF DRAWINGS UPON COMPLETION OF WORK.
21. PRIOR TO SUBMISSION OF BID, CONTRACTOR SHALL COORDINATE WITH VERIZON REP TO DETERMINE WHAT, IF ANY, ITEMS WILL BE PROVIDED. ALL ITEMS NOT PROVIDED SHALL BE PROVIDED AND INSTALLED BY THE CONTRACTOR. CONTRACTOR WILL INSTALL ALL ITEMS PROVIDED.

22. PRIOR TO SUBMISSION OF BID, CONTRACTOR SHALL COORDINATE WITH VERIZON REP TO DETERMINE IF ANY PERMITS WILL BE OBTAINED BY CONTRACTOR. ALL REQUIRED PERMITS NOT OBTAINED BY VERIZON MUST BE OBTAINED, AND PAID FOR, BY THE CONTRACTOR.
23. CONTRACTOR SHALL INSTALL ALL SITE SIGNAGE IN ACCORDANCE WITH VERIZON SPECIFICATIONS AND REQUIREMENTS.
24. CONTRACTOR SHALL SUBMIT ALL SHOP DRAWINGS TO VERIZON FOR REVIEW AND APPROVAL PRIOR TO FABRICATION.
25. ALL EQUIPMENT SHALL BE INSTALLED ACCORDING TO MANUFACTURER'S SPECIFICATIONS AND LOCATED ACCORDING TO VERIZON SPECIFICATIONS, AND AS SHOWN IN THESE PLANS.
26. THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE PROJECT DESCRIBED HEREIN. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR ALL THE CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES AND PROCEDURES AND FOR COORDINATING ALL PORTIONS OF THE WORK UNDER THE CONTRACT.
27. CONTRACTOR SHALL NOTIFY VERIZON REP A MINIMUM OF 48 HOURS IN ADVANCE OF POURING CONCRETE OR BACKFILLING ANY UNDERGROUND UTILITIES, FOUNDATIONS OR SEALING ANY WALL, FLOOR OR ROOF PENETRATIONS FOR ENGINEERING REVIEW AND APPROVAL.
28. CONTRACTOR SHALL BE RESPONSIBLE FOR SITE SAFETY INCLUDING COMPLIANCE WITH ALL APPLICABLE OSHA STANDARDS AND RECOMMENDATIONS AND SHALL PROVIDE ALL NECESSARY SAFETY DEVICES INCLUDING PPE AND PPM AND CONSTRUCTION DEVICES SUCH AS WELDING AND FIRE PREVENTION, TEMPORARY SHORING, SCAFFOLDING, TRENCH BOXES/SLOPING, BARRIERS, ETC.
29. THE CONTRACTOR SHALL PROTECT AT HIS OWN EXPENSE, ALL EXISTING FACILITIES AND SUCH OF HIS NEW WORK LIABLE TO INJURY DURING THE CONSTRUCTION PERIOD. ANY DAMAGE CAUSED BY NEGLIGENCE ON THE PART OF THIS CONTRACTOR OR HIS REPRESENTATIVES, OR BY THE ELEMENTS DUE TO NEGLIGENCE ON THE PART OF THIS CONTRACTOR OR HIS REPRESENTATIVES, EITHER TO THE EXISTING WORK, OR TO HIS WORK OR THE WORK OF ANY OTHER CONTRACTOR, SHALL BE REPAIRED AT HIS EXPENSE TO THE OWNER'S SATISFACTION.
30. ALL WORK SHALL BE INSTALLED IN A FIRST CLASS, NEAT AND WORKMANLIKE MANNER BY MECHANICS SKILLED IN THE TRADE INVOLVED. THE QUALITY OF WORKMANSHIP SHALL BE SUBJECT TO THE APPROVAL OF THE VERIZON REP. ANY WORK FOUND BY THE VERIZON REP TO BE OF INFERIOR QUALITY AND/OR WORKMANSHIP SHALL BE REPLACED AND/OR REWORKED AT CONTRACTOR EXPENSE UNTIL APPROVAL IS OBTAINED.
31. IN ORDER TO ESTABLISH STANDARDS OF QUALITY AND PERFORMANCE, ALL TYPES OF MATERIALS LISTED HEREINAFTER BY MANUFACTURER'S NAMES AND/OR MANUFACTURER'S CATALOG NUMBER SHALL BE PROVIDED BY THESE MANUFACTURERS AS SPECIFIED.
32. VERIZON FURNISHED EQUIPMENT SHALL BE PICKED-UP AT THE VERIZON WAREHOUSE, NO LATER THAN 48HR AFTER BEING NOTIFIED INSURED, STORED, UNCRATE, PROTECTED AND INSTALLED BY THE CONTRACTOR WITH ALL APPURTENANCES REQUIRED TO PLACE THE EQUIPMENT IN OPERATION, READY FOR USE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EQUIPMENT AFTER PICKING IT UP.
33. VERIZON OR HIS ARCHITECT/ENGINEER RESERVES THE RIGHT TO REJECT ANY EQUIPMENT OR MATERIALS WHICH, IN HIS OWN OPINION ARE NOT IN COMPLIANCE WITH THE CONTRACT DOCUMENTS, EITHER BEFORE OR AFTER INSTALLATION AND THE EQUIPMENT SHALL BE REPLACED WITH EQUIPMENT CONFORMING TO THE REQUIREMENTS OF THE CONTRACT DOCUMENTS BY THE CONTRACTOR AT NO COST TO VERIZON OR THEIR ARCHITECT/ENGINEER.

**SPECIAL CONSTRUCTION**

**ANTENNA INSTALLATION NOTES:**

1. WORK INCLUDED:
  - A. ANTENNA AND COAXIAL CABLES ARE FURNISHED BY VERIZON UNDER A SEPARATE CONTRACT. THE CONTRACTOR SHALL ASSIST ANTENNA INSTALLATION CONTRACTOR IN TERMS OF COORDINATION AND SITE ACCESS. ERECTION SUBCONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF PERSONNEL AND
  - B. INSTALL ANTENNA AS INDICATE ON DRAWINGS AND VERIZON SPECIFICATIONS.
  - C. INSTALL GALVANIZED STEEL ANTENNA MOUNTS AS INDICATED ON DRAWINGS
  - D. INSTALL FURNISHED GALVANIZED STEEL OR ALUMINUM WAVEGUIDE.
  - E. CONTRACTOR SHALL PROVIDE FOUR (4) SETS OF SWEEP TESTS USING ANRITZU-PACKARD 8713B RF SCALAR NETWORK ANALYZER. SUBMIT FREQUENCY DOMAIN REFLECTOMETER(FDR) TESTS RESULTS TO THE PROJECT MANAGER. SWEEP TESTS SHALL BE AS PER ATTACHED RFS "MINIMUM FIELD TESTING RECOMMENDED FOR ANTENNA AND HELIAX COAXIAL CABLE SYSTEMS" DATED 10/5/93. TESTING SHALL BE PERFORMED BY AN INDEPENDENT TESTING SERVICE AND BE BOUND AND SUBMITTED WITHIN ONE WEEK OF WORK COMPLETION.
  - F. INSTALL COAXIAL CABLES AND TERMINATING BETWEEN ANTENNAS AND EQUIPMENT PER MANUFACTURER'S RECOMMENDATIONS. WEATHERPROOF ALL CONNECTIONS BETWEEN THE ANTENNA AND EQUIPMENT PER MANUFACTURER'S REQUIREMENTS. TERMINATE ALL COAXIAL CABLE THREE (3) FEET IN EXCESS OF ENTRY PORT LOCATION UNLESS OTHERWISE STATED.
  - G. ANTENNA AND COAXIAL CABLE GROUNDING:
2. ALL EXTERIOR #6 GREED GROUND WIRE "DAISY CHAIN" CONNECTIONS ARE TO BE WEATHER SEALED WITH RFS CONNECTORS/SPICE WEATHERPROOFING KIT #221213 OR EQUAL.
3. ALL COAXIAL CABLE GROUNDING KITS ARE TO BE INSTALLED ON STRAIGHT RUNS OF COAXIAL CABLE (NOT WITHIN BENDS)

ALL DISCREPANCIES FROM WHAT IS SHOWN ON THESE CONSTRUCTION DRAWINGS SHALL BE COMMUNICATED TO ATC ENGINEERING IMMEDIATELY FOR CORRECTION OR RE-DESIGN. FAILURE TO COMMUNICATE DIRECTLY WITH ATC ENGINEERING OR ANY CHANGES FROM THE DESIGN CONDUCTED WITHOUT PRIOR APPROVAL FROM ATC ENGINEERING SHALL BE THE SOLE RESPONSIBILITY OF THE GENERAL CONTRACTOR.



**Colliers Engineering & Design**

www.colliersengineering.com

Doing Business as **MASER CONSULTING**

MADISON  
135 New Road  
Madison, CT 06443  
Phone: 860.395.0055  
COLLIERS ENGINEERING & DESIGN CT, P.C.  
DOING BUSINESS AS MASER CONSULTING

Copyright © 2021, Colliers Engineering & Design All Rights Reserved. This drawing and all the information contained herein is authorized for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Colliers Engineering & Design.

| REV. | DESCRIPTION      | BY  | DATE     |
|------|------------------|-----|----------|
| A    | PRELIM           | RMD | 08/13/21 |
| 0    | FOR CONSTRUCTION | AMN | 08/24/21 |
|      |                  |     |          |
|      |                  |     |          |
|      |                  |     |          |

ATC SITE NUMBER:  
**302519**

ATC SITE NAME:  
**SOUTHBURY**

VERIZON SITE NAME:  
**SOUTHBURY W CT**

SITE ADDRESS:  
133 HORSE FENCE HILL RD  
SOUTHBURY, CT 06488

SEAL:

**Alec S. Norris**  
CONNECTICUT LICENSED PROFESSIONAL ENGINEER  
LICENSE NUMBER: 32588  
COLLIERS ENGINEERING & DESIGN CT, P.C.  
C.T.JPC.0000131

**verizon**

|              |                |
|--------------|----------------|
| DATE DRAWN:  | 08/13/21       |
| ATC JOB NO:  | 13673542_D1    |
| CUSTOMER ID: | SOUTHBURY W CT |
| CUSTOMER #:  | 467324         |

**GENERAL NOTES**

|                               |                       |
|-------------------------------|-----------------------|
| SHEET NUMBER:<br><b>G-002</b> | REVISION:<br><b>0</b> |
|-------------------------------|-----------------------|

Copyright © 2021 ATC IP, LLC. All Rights Reserved.



**SITE PLAN NOTES:**

1. THIS SITE PLAN REPRESENTS THE BEST PRESENT KNOWLEDGE AVAILABLE TO THE ENGINEER AT THE TIME OF THIS DESIGN. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO CONSTRUCTION AND VERIFY ALL EXISTING CONDITIONS RELATED TO THE SCOPE OF WORK FOR THIS PROJECT.
2. ICE BRIDGE, CABLE LADDER, COAX PORT, AND COAX CABLE ARE SHOWN FOR REFERENCE ONLY. CONTRACTOR SHALL CONFIRM THE EXACT LOCATION OF ALL PROPOSED AND EXISTING EQUIPMENT AND STRUCTURES DEPICTED ON THIS PLAN. BEFORE UTILIZING EXISTING CABLE SUPPORTS, COAX PORTS, INSTALLING NEW PORTS OR ANY OTHER EQUIPMENT, CONTRACTOR SHALL VERIFY ALL ASPECTS OF THE COMPONENTS MEET THE ATC SPECIFICATIONS.
3. THIS PROJECT INCLUDES NO INSTALL OR MODIFICATION AT GRADE.

| LEGEND |                           |
|--------|---------------------------|
| ⊗      | GROUNDING TEST WELL       |
| ATS    | AUTOMATIC TRANSFER SWITCH |
| B      | BOLLARD                   |
| CSC    | CELL SITE CABINET         |
| D      | DISCONNECT                |
| E      | ELECTRICAL                |
| F      | FIBER                     |
| GEN    | GENERATOR                 |
| G      | GENERATOR RECEPTACAL      |
| HH, V  | HAND HOLE, VAULT          |
| IB     | ICE BRIDGE                |
| K      | KENTROX BOX               |
| LC     | LIGHTING CONTROL          |
| M      | METER                     |
| PB     | PULL BOX                  |
| PP     | POWER POLE                |
| T      | TELCO                     |
| TRN    | TRANSFORMER               |
| — x —  | CHAINLINK FENCE           |

**PROPOSED CABLE LENGTH:**

1. ESTIMATED LENGTH OF PROPOSED CABLE IS **170'**. ESTIMATED LENGTH OF CABLE WAS PROVIDED BY CUSTOMER OR CALCULATED BY ADDING THE RAD CENTER AND THE DISTANCE FROM THE SHELTER ENTRY PLATE TO THE TOWER (ALONG THE ICE BRIDGE) AND A SAFETY FACTOR MEASUREMENT OF 15% (OF THE TWO PREVIOUS VALUES), CDS DEFER TO GREATEST CABLE LENGTH.
2. ROUTE PROPOSED CABLES ALONG SAME PATH AS EXISTING CABLES AND IN ACCORDANCE WITH STRUCTURAL ANALYSIS. IF ADEQUATE SPACE EXISTS, ROUTE CABLES THROUGH ENTRY PORT HOLE, UP INSIDE OF MONOPOLE, AND THROUGH EXIT PORT HOLE. IF ROUTING OUTSIDE THE MONOPOLE, ATTACH CABLES USING STAND-OFF ADAPTERS MOUNTED TO TOWER USING STAINLESS STEEL BANDING. ADEQUATELY SECURE CABLES USING EITHER APPROPRIATELY SIZED STAINLESS STEEL SNAP-INS OR MOUNTING HARDWARE AND BRACKETS AS SPECIFIED BY CABLE MANUFACTURER.



**Colliers Engineering & Design**

www.colliersengineering.com

Doing Business as **MASER CONSULTING**

MADISON  
135 New Road  
Madison, CT 06443  
Phone: 860.395.0055  
COLLIERS ENGINEERING & DESIGN CT, P.C.  
DOING BUSINESS AS MASER CONSULTING

Copyright © 2021. Colliers Engineering & Design All Rights Reserved. This drawing and all the information contained herein is authorized for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Colliers Engineering & Design.

| REV. | DESCRIPTION      | BY  | DATE     |
|------|------------------|-----|----------|
| A    | PRELIM           | RMD | 08/13/21 |
| B    | FOR CONSTRUCTION | AMN | 08/24/21 |
|      |                  |     |          |
|      |                  |     |          |
|      |                  |     |          |

ATC SITE NUMBER:  
**302519**

ATC SITE NAME:  
**SOUTHBURY**

VERIZON SITE NAME:  
**SOUTHBURY W CT**

SITE ADDRESS:  
133 HORSE FENCE HILL RD  
SOUTHBURY, CT 06488

SEAL:

**Alec S. Norris**  
CONNECTICUT LICENSED PROFESSIONAL ENGINEER  
LICENSE NUMBER: 32588  
COLLIERS ENGINEERING & DESIGN CT, P.C.  
C.T. JPC.000131




|              |                |
|--------------|----------------|
| DATE DRAWN:  | 08/13/21       |
| ATC JOB NO:  | 13673542_D1    |
| CUSTOMER ID: | SOUTHBURY W CT |
| CUSTOMER #:  | 467324         |

**DETAILED SITE PLAN**

|               |           |
|---------------|-----------|
| SHEET NUMBER: | REVISION: |
| <b>C-101</b>  | <b>0</b>  |

Copyright © 2021 ATC IP, LLC. All Rights Reserved.





PER MOUNT ANALYSIS COMPLETED BY GDP ENGINEERING AND ARCHITECTURE PROFESSIONAL CORPORATION, DATED 08/10/21, THE EXISTING MOUNT MUST BE MODIFIED TO ADEQUATELY SUPPORT THE PROPOSED LOADING. THE MOUNT MODIFICATION PROPOSED IN THE MOUNT ANALYSIS, INCLUDED AT THE END OF THIS PLAN SET, MUST BE INSTALLED PRIOR TO THE INSTALLATION OF THE PROPOSED ANTENNAS AND OTHER EQUIPMENT.

**TOWER NOTE:**

- IT IS THE CONTRACTOR'S RESPONSIBILITY TO CONFIRM WITH THE PROJECT MANAGER THAT THEY HAVE THE MOST RECENT VERSION OF THE STRUCTURAL ANALYSIS BEFORE COMMENCING WORK. EXISTING AND PROPOSED TOWER APPURTENANCES, MOUNTS, AND ANTENNAS ARE SHOWN BASED ON THE STRUCTURAL ANALYSIS. WHERE APPLICABLE, ALL NEW ANTENNAS, EQUIPMENT, MOUNTS, CABLING, ETC. SHALL BE PAINTED/SOCKED TO MATCH EXISTING EQUIPMENT IN ACCORDANCE WITH FAA, JURISDICTION, AND/OR OTHER LOCAL REQUIREMENTS.
- ROUTE PROPOSED CABLES ALONG SAME PATH AS EXISTING CABLES AND IN ACCORDANCE WITH STRUCTURAL ANALYSIS. IF ADEQUATE SPACE EXISTS, ROUTE CABLES THROUGH ENTRY PORT HOLE, UP INSIDE OF MONOPOLE, AND THROUGH EXIT PORT HOLE. IF ROUTING OUTSIDE THE MONOPOLE, ATTACH CABLES USING STAND-OFF ADAPTERS MOUNTED TO TOWER USING STAINLESS STEEL BANDING. ADEQUATELY SECURE CABLES USING EITHER APPROPRIATELY SIZED STAINLESS STEEL SNAP-INS OR MOUNTING HARDWARE AND BRACKETS AS SPECIFIED BY CABLE MANUFACTURER.
- TOWER ELEVATIONS ARE MEASURED FROM TOP OF BASE PLATE TO MATCH STRUCTURAL ANALYSIS. ELEVATIONS DO NOT REFLECT TRUE ABOVE GROUND LEVEL (A.G.L.)
- TOWER ELEVATION DEPICTION MAY NOT REFLECT ALL EQUIPMENT INCLUDED IN STRUCTURAL ANALYSIS. REFER TO STRUCTURAL ANALYSIS FOR FULL TOWER LOADING.

**1 TOWER ELEVATION**  
SCALE: N.T.S.



**Colliers Engineering & Design**  
 www.colliersengineering.com  
 Doing Business as **MASER CONSULTING**  
 MADISON  
 135 New Road  
 Madison, CT 06443  
 Phone: 860.395.0055  
 COLLIERS ENGINEERING & DESIGN CT, P.C.  
 DOING BUSINESS AS MASER CONSULTING

| REV. | DESCRIPTION      | BY  | DATE     |
|------|------------------|-----|----------|
| A    | PRELIM           | RMD | 08/13/21 |
| 0    | FOR CONSTRUCTION | AMN | 08/24/21 |
|      |                  |     |          |
|      |                  |     |          |
|      |                  |     |          |

ATC SITE NUMBER:  
**302519**

ATC SITE NAME:  
**SOUTHBURY**

VERIZON SITE NAME:  
**SOUTHBURY W CT**

SITE ADDRESS:  
133 HORSE FENCE HILL RD  
SOUTHBURY, CT 06488

SEAL:

**Alec S. Norris**  
 CONNECTICUT LICENSED PROFESSIONAL ENGINEER  
 LICENSE NUMBER: 32588  
 COLLIERS ENGINEERING & DESIGN CT, P.C.  
 C.T. JPC.0000131



|              |                |
|--------------|----------------|
| DATE DRAWN:  | 08/13/21       |
| ATC JOB NO:  | 13673542_D1    |
| CUSTOMER ID: | SOUTHBURY W CT |
| CUSTOMER #:  | 467324         |

**TOWER ELEVATION**

|                               |                       |
|-------------------------------|-----------------------|
| SHEET NUMBER:<br><b>C-201</b> | REVISION:<br><b>0</b> |
|-------------------------------|-----------------------|

Copyright © 2021 ATC IP, LLC. All Rights Reserved.

| REV. | DESCRIPTION      | BY  | DATE     |
|------|------------------|-----|----------|
| A    | PRELIM           | RMD | 08/13/21 |
| B    | FOR CONSTRUCTION | AMN | 08/24/21 |
|      |                  |     |          |
|      |                  |     |          |
|      |                  |     |          |

ATC SITE NUMBER:  
302519

ATC SITE NAME:  
SOUTHBURY

VERIZON SITE NAME:  
SOUTHBURY W CT

SITE ADDRESS:  
133 HORSE FENCE HILL RD  
SOUTHBURY, CT 06488

SEAL:

**Alec S. Norris**  
 CONNECTICUT LICENSED PROFESSIONAL ENGINEER  
 LICENSE NUMBER: 32588  
 COLLIERS ENGINEERING & DESIGN CT, P.C.  
 C.T. JPC.0000131





|              |                |
|--------------|----------------|
| DATE DRAWN:  | 08/13/21       |
| ATC JOB NO:  | 13673542_D1    |
| CUSTOMER ID: | SOUTHBURY W CT |
| CUSTOMER #:  | 467324         |

**ANTENNA INFORMATION & SCHEDULE**

SHEET NUMBER:  
**C-401**

REVISION:  
**0**

PER MOUNT ANALYSIS COMPLETED BY GDP ENGINEERING AND ARCHITECTURE PROFESSIONAL CORPORATION, DATED 08/10/21, THE EXISTING MOUNT MUST BE MODIFIED TO ADEQUATELY SUPPORT THE PROPOSED LOADING. THE MOUNT MODIFICATION PROPOSED IN THE MOUNT ANALYSIS, INCLUDED AT THE END OF THIS PLAN SET, MUST BE INSTALLED PRIOR TO THE INSTALLATION OF THE PROPOSED ANTENNAS AND OTHER EQUIPMENT.



PROPOSED OVP BOX (REFER TO CHART FOR DETAILED INFORMATION)

PROPOSED RRU (2 PER SECTOR) (TYP. 6) (REFER TO CHART FOR DETAILED INFORMATION)

EXISTING T-ARM SECTOR FRAME (TYP.) (TO BE MODIFIED)

PROPOSED 5G ANTENNA (1 PER SECTOR) (TYP. 3) (REFER TO CHART FOR DETAILED INFORMATION)

| EXISTING ANTENNA SCHEDULE |      |                 |     |                |          |                  |                     |                                    |        |
|---------------------------|------|-----------------|-----|----------------|----------|------------------|---------------------|------------------------------------|--------|
| LOCATION                  |      | ANTENNA SUMMARY |     |                |          |                  | NON ANTENNA SUMMARY |                                    |        |
| SECTOR                    | RAD  | AZ              | POS | ANTENNA        | BAND     | MECH/ELEC D-TILT | STATUS              | ADDITIONAL TOWER MOUNTED EQUIPMENT | STATUS |
| ALPHA                     | 113' | 30°             | A1  | LNx-6514DS-VTM | CDMA 850 | 0/0              | RMN                 | -                                  | -      |
|                           |      |                 | A2  | 932DG90T2E-M   | -        | 0/0              | RMV                 | -                                  | -      |
|                           |      |                 | A3  | -              | -        | -                | -                   | -                                  | -      |
|                           |      |                 | A4  | P65-16-XL-2    | LTE 700  | 0/-2             | RMV                 | -                                  | -      |
|                           |      |                 | A5  | HBX-6517DS-VTM | LTE AWS  | 0/2              | RMV                 | RRH2X40-AWS                        | RMV    |
| BETA                      | 113' | 150°            | B1  | LNx-6514DS-VTM | CDMA 850 | 0/0              | RMN                 | -                                  | -      |
|                           |      |                 | B2  | 932DG90T2E-M   | -        | 0/0              | RMV                 | -                                  | -      |
|                           |      |                 | B3  | -              | -        | -                | -                   | -                                  | -      |
|                           |      |                 | B4  | P65-16-XL-2    | LTE 700  | 0/-2             | RMV                 | -                                  | -      |
|                           |      |                 | B5  | HBX-6517DS-VTM | LTE AWS  | 0/2              | RMV                 | RRH2X40-AWS                        | RMV    |
| GAMMA                     | 113' | 270°            | C1  | LNx-6514DS-VTM | CDMA 850 | 0/0              | RMN                 | -                                  | -      |
|                           |      |                 | C2  | 932DG90T2E-M   | -        | 0/0              | RMV                 | -                                  | -      |
|                           |      |                 | C3  | -              | -        | -                | -                   | -                                  | -      |
|                           |      |                 | C4  | P65-16-XL-2    | LTE 700  | 0/-2             | RMV                 | -                                  | -      |
|                           |      |                 | C5  | HBX-6517DS-VTM | LTE AWS  | 0/2              | RMV                 | RRH2X40-AWS                        | RMV    |

**NOTES**

- CONFIRM WITH VERIZON REP FOR APPLICABLE UPDATES/REVISIONS AND MOST RECENT RFDS FOR NSN CONFIGURATION (CONFIG). GC TO CAP ALL UNUSED PORTS.
- CONFIRM SPACING OF PROPOSED EQUIP DOES NOT CAUSE TOWER CONFLICTS NOR IMPEDE TOWER CLIMBING PEGS.

**STATUS ABBREVIATIONS**

RMV: TO BE REMOVED  
 RMN: TO REMAIN  
 REL: TO BE RELOCATED  
 ADD: TO BE ADDED

**CABLE LENGTHS FOR JUMPERS**


JUNCTION BOX TO RRU: 15'  
 RRU TO ANTENNA: 10'

| FINAL ANTENNA SCHEDULE |      |                 |     |                   |                      |                  |                     |                                    |        |
|------------------------|------|-----------------|-----|-------------------|----------------------|------------------|---------------------|------------------------------------|--------|
| LOCATION               |      | ANTENNA SUMMARY |     |                   |                      |                  | NON ANTENNA SUMMARY |                                    |        |
| SECTOR                 | RAD  | AZ              | POS | ANTENNA           | BAND                 | MECH/ELEC D-TILT | STATUS              | ADDITIONAL TOWER MOUNTED EQUIPMENT | STATUS |
| ALPHA                  | 113' | 30°             | A1  | LNx-6514DS-VTM    | CDMA 850             | 0/0              | RMN                 | -                                  | -      |
|                        |      |                 | A2  | -                 | -                    | -                | -                   | -                                  | -      |
|                        |      |                 | A3  | (2) MX06FRO660-03 | LTE 700/850/1900/AWS | 0/2/2/2          | ADD                 | RF4440D-13A                        | ADD    |
|                        |      |                 | A4  | -                 | -                    | -                | -                   | -                                  | -      |
|                        |      |                 | A5  | MT6407-77A        | 5G                   | 0/6              | ADD                 | RF4439D-25A                        | ADD    |
| BETA                   | 113' | 150°            | B1  | LNx-6514DS-VTM    | CDMA 850             | 0/0              | RMN                 | -                                  | -      |
|                        |      |                 | B2  | -                 | -                    | -                | -                   | -                                  | -      |
|                        |      |                 | B3  | (2) MX06FRO660-03 | LTE 700/850/1900/AWS | 0/2/2/2          | ADD                 | RF4440D-13A                        | ADD    |
|                        |      |                 | B4  | -                 | -                    | -                | -                   | -                                  | -      |
|                        |      |                 | B5  | MT6407-77A        | 5G                   | 0/6              | ADD                 | RF4439D-25A                        | ADD    |
| GAMMA                  | 113' | 270°            | C1  | LNx-6514DS-VTM    | CDMA 850             | 0/0              | RMN                 | -                                  | -      |
|                        |      |                 | C2  | -                 | -                    | -                | -                   | -                                  | -      |
|                        |      |                 | C3  | (2) MX06FRO660-03 | LTE 700/850/1900/AWS | 0/2/2/2          | ADD                 | RF4440D-13A                        | ADD    |
|                        |      |                 | C4  | -                 | -                    | -                | -                   | -                                  | -      |
|                        |      |                 | C5  | MT6407-77A        | 5G                   | 0/6              | ADD                 | RF4439D-25A                        | ADD    |


| EXISTING FIBER DISTRIBUTION / OVP BOX |        | EXISTING CABLING SUMMARY |            |        |
|---------------------------------------|--------|--------------------------|------------|--------|
| MODEL NUMBER                          | STATUS | COAX                     | HYBRID     | STATUS |
| -                                     | -      | (11) 1-5/8"              | -          | RMN    |
| DB-T1-6Z-8AB-0Z                       | RMV    | (1) 1-5/8"               | (1) 1-1/4" | RMV    |

**3 EQUIPMENT SCHEDULES**

| FINAL FIBER DISTRIBUTION / OVP BOX |        | FINAL CABLING SUMMARY |            |        |
|------------------------------------|--------|-----------------------|------------|--------|
| MODEL NUMBER                       | STATUS | COAX                  | HYBRID     | STATUS |
| -                                  | -      | (11) 1-5/8"           | -          | RMN    |
| RCMDC-6627-PF-48                   | ADD    | -                     | (2) 1-1/4" | ADD    |




PROFILE VIEW




ISOMETRIC VIEW (BY MANUFACTURER)


1 PROPOSED SIDE-BY-SIDE MOUNT  
SCALE: NOT TO SCALE



2 PROPOSED 5G ANTENNA MOUNTING DETAIL - TYPICAL  
SCALE: N.T.S.



3 PROPOSED RRU MOUNTING DETAIL - TYPICAL  
SCALE: N.T.S.



4 PROPOSED OVP MOUNTING  
SCALE: N.T.S.



**Colliers** Engineering & Design

www.colliersengineering.com  
Doing Business as **MASER**

MADISON  
135 New Road  
Madison, CT 06443  
Phone: 860.395.0055  
COLLIERS ENGINEERING & DESIGN CT, P.C.  
DOING BUSINESS AS MASER CONSULTING

Copyright © 2021, Colliers Engineering & Design All Rights Reserved. This drawing and all the information contained herein is authorized for use only by the party for whom the services were contracted or to whom it is certified. This drawing may not be copied, reused, disclosed, distributed or relied upon for any other purpose without the express written consent of Colliers Engineering & Design.

| REV. | DESCRIPTION      | BY  | DATE     |
|------|------------------|-----|----------|
| A    | PRELIM           | RMD | 08/13/21 |
| 0    | FOR CONSTRUCTION | AMN | 08/24/21 |
|      |                  |     |          |
|      |                  |     |          |
|      |                  |     |          |

ATC SITE NUMBER:  
302519

ATC SITE NAME:  
SOUTHBURY

VERIZON SITE NAME:  
SOUTHBURY W CT

SITE ADDRESS:  
133 HORSE FENCE HILL RD  
SOUTHBURY, CT 06488

SEAL:


**Alec S. Norris**  
CONNECTICUT LICENSED PROFESSIONAL ENGINEER  
LICENSE NUMBER: 32588  
COLLIERS ENGINEERING & DESIGN CT, P.C.  
C.T.JPC.0000131



|              |                |
|--------------|----------------|
| DATE DRAWN:  | 08/13/21       |
| ATC JOB NO:  | 13673542_D1    |
| CUSTOMER ID: | SOUTHBURY W CT |
| CUSTOMER #:  | 467324         |

CONSTRUCTION  
DETAILS


|               |           |
|---------------|-----------|
| SHEET NUMBER: | REVISION: |
| C-501         | 0         |



**NOTES:**


1. THIS DETAIL IS INTENDED TO SHOW THE GENERAL GROUNDING REQUIREMENTS. SLIGHT ADJUSTMENTS MAY BE REQUIRED BASED ON EXISTING SITE CONDITIONS. THE CONTRACTOR SHALL MAKE FIELD ADJUSTMENTS AS NEEDED AND INFORM THE CONSTRUCTION MANAGER OF ANY CONFLICTS.
2. SITE GROUNDING SHALL COMPLY WITH VERIZON GROUNDING STANDARDS, LATEST EDITION, AND COMPLY WITH VERIZON GROUNDING CHECKLIST, LATEST VERSION. WHEN NATIONAL AND LOCAL GROUNDING CODES ARE MORE STRINGENT THEY SHALL GOVERN.

**1** TYPICAL ANTENNA GROUNDING DIAGRAM  
SCALE: N.T.S.



- GROUND KIT NOTES:**
1. DO NOT INSTALL CABLE GROUND KIT AT A BEND AND ALWAYS DIRECT GROUND WIRE DOWN TO GROUND BAR.
  2. CONTRACTOR SHALL PROVIDE WEATHERPROOFING KIT (ANDREW PART NUMBER 221213) AND INSTALL/TAPE PER MANUFACTURER'S SPECIFICATIONS.

**2** CABLE GROUND KIT CONNECTION DETAIL  
SCALE: N.T.S.



**GROUND BAR NOTES:**

1. GROUND BAR KITS COME WITH ALL HARDWARE, NUTS, BOLTS, WASHERS, ETC. EXCEPT THE STRUCTURAL MOUNTING MEMBER(S).
2. GROUND BAR TO BE BONDED DIRECTLY TO TOWER.

**3** TOWER GROUND BAR DETAIL  
SCALE: N.T.S.



**Colliers Engineering & Design**  
[www.colliersengineering.com](http://www.colliersengineering.com)  
 Doing Business as **MASER CONSULTING**  
 MADISON  
 135 New Road  
 Madison, CT 06443  
 Phone: 860.395.0055  
 COLLIERS ENGINEERING & DESIGN CT, P.C.  
 DOING BUSINESS AS MASER CONSULTING

| REV. | DESCRIPTION      | BY  | DATE     |
|------|------------------|-----|----------|
| A    | PRELIM           | RMD | 08/13/21 |
| 0    | FOR CONSTRUCTION | AMN | 08/24/21 |
|      |                  |     |          |
|      |                  |     |          |
|      |                  |     |          |

ATC SITE NUMBER:  
**302519**

ATC SITE NAME:  
**SOUTHBURY**

VERIZON SITE NAME:  
**SOUTHBURY W CT**

SITE ADDRESS:  
133 HORSE FENCE HILL RD  
SOUTHBURY, CT 06488

SEAL:

---

**Alec S. Norris**  
 CONNECTICUT LICENSED PROFESSIONAL ENGINEER  
 LICENSE NUMBER: 32588  
 COLLIERS ENGINEERING & DESIGN CT, P.C.  
 C.T. JPC.0000131




|              |                |
|--------------|----------------|
| DATE DRAWN:  | 08/13/21       |
| ATC JOB NO:  | 13673542_D1    |
| CUSTOMER ID: | SOUTHBURY W CT |
| CUSTOMER #:  | 467324         |

**GROUNDING DETAILS**


|                               |                       |
|-------------------------------|-----------------------|
| SHEET NUMBER:<br><b>E-501</b> | REVISION:<br><b>0</b> |
|-------------------------------|-----------------------|

Copyright © 2021 ATC IP, LLC. All Rights Reserved.







- Port 1 & 2 are for low band (698-896 MHz).
- Port 3,4,5, & 6 are for high band (1695-2360 MHz).
- Smart Bias Tee (SBT) is through port 1 & 3 for low band and port 1 for high band.
- AISG cable is only needed when drawn in the diagrams below, if it is not drawn then SBT is enough to control all RET motors.
- Not all SBT ports are needed to control RET, only green port connection to green port will control RET.



91900314-02



**Comments:**

*Diagram shows antenna port configuration as viewed from below antennas.*

*Antenna positions are indicated as viewed from IN FRONT of antennas.*

*Cap and weatherproof unused antenna ports.*

*All plumbing diagram colors are irrelevant except for AISG & Hybriflex cable. (For the coax colors follow Coax Colors guide above)*

1 ANTENNA CONFIGURATION

NOTE: THIS SHEET WAS CREATED BY OTHERS AND PROVIDED AT THE REQUEST OF THE CUSTOMER WITHOUT EDIT.

SUPPLEMENTAL

SHEET NUMBER: R-601  
REVISION: -



## MX06FRO660-03

### NWAV™ X-Pol Hex-Port Antenna

X-Pol Hex-Port 6 ft 60° Fast Roll Off antenna with independent tilt on 700 & 850 MHz:

2 ports 698-798, 824-894 MHz and 4 ports 1695-2180 MHz

- Fast Roll Off (FRO™) azimuth beam pattern improves Intra- and Inter-cell SINR
- Compatible with dual band 700/850 MHz radios with independent low band EDT without external diplexers
- Fully integrated (iRETs) with independent RET control for low and high bands for ease of network optimization
- SON-Ready array spacing supports beamforming capabilities
- Suitable for LTE/CDMA/PCS/UMTS/GSM air interface technologies
- Integrated Smart Bias-Ts reduce leasing costs




NWAV

#### Fast Roll-Off antennas increase data throughput without compromising coverage

The horizontal beam produced by Fast Roll-Off (FRO) technology increases the Signal to Interference & Noise Ratio (SINR) by eliminating overlap between sectors.


##### Non-FRO antenna

Large traditional antenna pattern overlap creates harmful interference.



JMA's FRO antenna pattern minimizes overlap, thereby minimizing interference.

##### JMA FRO antenna



| LTE throughput | SINR  | Speed (bps/Hz) | Speed increase | CQI  |
|----------------|-------|----------------|----------------|------|
| Excellent      | >18   | >4.5           | 333+%          | 8-10 |
| Good           | 15-18 | 3.3-4.5        | 277%           | 6-7  |
| Fair           | 10-15 | 2-3.3          | 160%           | 4-6  |
| Poor           | <10   | <2             | 0%             | 1-3  |

The LTE radio automatically selects the best throughput based on measured SINR.

| Electrical specification (minimum/maximum)                | Ports 1, 2    |         | Ports 3, 4, 5, 6 |           |           |
|---|---------------|---------|------------------|-----------|-----------|
| Frequency bands, MHz                                      | 698-798       | 824-894 | 1695-1880        | 1850-1990 | 1920-2180 |
| Polarization  | ± 45°         |         | ± 45°            |           |           |
| Average gain over all tilts, dBi                          | 14.4          | 14.0    | 17.6             | 18.0      | 18.2      |
| Horizontal beamwidth (HBW), degrees                       | 60.5          | 53.0    | 55.0             | 55.0      | 55.5      |
| Front-to-back ratio, co-polar power @180°± 30°, dB        | >24           | >24.0   | >25.0            | >25.0     | >25.0     |
| X-Pol discrimination (CPR) at boresight, dB               | >15.0         | >14.2   | >18              | >18       | >15       |
| Sector power ratio, percent                               | <3.5          | <3.0    | <3.7             | <3.8      | <3.6      |
| Vertical beamwidth (VBW), degrees <sup>1</sup>            | 13.1          | 11.8    | 6.0              | 5.5       | 5.5       |
| Electrical downtilt (EDT) range, degrees                  | 2-14          | 2-14    | 0-9              |           |           |
| First upper side lobe (USLS) suppression, dB <sup>1</sup> | ≤-15.0        | ≤-16.5  | ≤-16.0           | ≤-16.0    | ≤-16.0    |
| Cross-polar isolation, port-to-port, dB <sup>1</sup>      | 25            | 25      | 25               | 25        | 25        |
| Max VSWR / return loss, dB                                | 1.5:1 / -14.0 |         | 1.5:1 / -14.0    |           |           |
| Max passive intermodulation (PIM), 2x20W carrier, dBc     | -153          |         | -153             |           |           |
| Max input power per any port, watts                       | 300           |         | 250              |           |           |
| Total composite power all ports, watts                    | 1500          |         |                  |           |           |

<sup>1</sup> Typical value over frequency and tilt




Confidential

Overview

The following figures depict the physical views of the MT6407-77A.

Figure 1. Appearance




SUPPLEMENTAL

SHEET NUMBER:


R-602

REVISION:

-



**RFV01U-D1A**



**RFV01U-D2A**

SUPPLEMENTAL

SHEET NUMBER:  
**R-603**

REVISION:  
-





GPD Engineering And Architecture Professional Corporation  
 520 South Main Street, Suite 2531  
 Akron, OH 44311  
 (317) 295-3174

Maser Consulting Contact:  
 Peter.albano@colliersengineering.com  
 (856) 371-9457

## Post-Mod Antenna Mount Analysis Report and PMI Requirements

Mount Fix

SMART Tool Project #: 10091168  
 GPD Project #: 2021740.467324.02  
 Maser Consulting Project #: 21777856

August 10, 2021

### Site Information

Site ID: 467324-VZW / SOUTHURY W CT  
 Site Name: SOUTHURY W CT  
 Carrier Name: Verizon Wireless  
 Address: 133 Horse Fence Hill Road  
 Southbury, Connecticut 06488, New Haven County  
 Latitude: 41.460096°  
 Longitude: -73.245390°

### Structure Information

Tower Type: 150-Ft Monopole  
 Mount Type: 12.50-Ft T-Arm

FUZE ID # 16053187

### Analysis Results

T-Arm: 69.8% Pass


### \*\*\*Contractor PMI Requirements:

Included at the end of this MA report  
 Available & Submitted via portal at <https://pmi.vzwsmart.com>  
 Contractor - Please Review Specific Site PMI Requirements Upon Award  
 Requirements also Noted on Mount Modification Drawings  
 Requirements may also be Noted on A & E drawings

Report Prepared by: Eric Nieto

Respectfully Submitted by:

Christopher J. Scheks, P.E.  
 Connecticut #: 30026



8/10/2021

Mount Post-Modification Analysis Report  
 (3) 12.50-Ft T-Arm

August 10, 2021  
 Site ID: 467324-VZW / SOUTHURY W CT  
 Page | 3

### Final Loading Configuration:

The following equipment has been considered for the analysis of the mounts:

| Mount Elevation (ft) | Equipment Elevation (ft) | Quantity | Manufacturer | Model            | Status   |
|----------------------|--------------------------|----------|--------------|------------------|----------|
| 109.50               | 111.00                   | 6        | JMA Wireless | MX06FRO660-03    | Added    |
|                      |                          | 3        | Samsung      | MT6407-77A       |          |
|                      |                          | 3        | Samsung      | RF4439d-25A      |          |
|                      |                          | 3        | Samsung      | RF4440d-13A      |          |
|                      |                          | 1        | Raycap       | RVZDC-6627-PF-48 |          |
|                      |                          | 3        | Andrew       | LNx-6514DS-VTM   | Retained |

It is acceptable to install up to any three (3) of the OVP model numbers listed below as required at any location other than the mount face without affecting the structural capacity of the mount. If OVP units are installed on the mount face, a mount re-analysis may be required unless replacing an existing OVP.

| Model Number     | Ports | AKA    |
|------------------|-------|--------|
| DB-B1-6C-12AB-0Z | 6     | OVP-6  |
| RVZDC-6627-PF-48 | 12    | OVP-12 |

### Standard Conditions:

1. All engineering services are performed on the basis that the information provided to GPD and used in this analysis is current and correct. The existing equipment loading has been applied at locations determined from the supplied documentation. Any deviation from the loading locations specified in this report shall be communicated to GPD to verify deviation will not adversely impact the analysis.

2. Mounts are assumed to have been properly fabricated, installed and maintained in good condition, twist free and plumb in accordance with its original design and manufacturer's specifications.

Obvious safety and structural issues/deficiencies noticed at the time of the mount mapping and reported in the Mount Mapping Report are assumed to be corrected and documented as part of the PMI process and are not considered in the mount analysis.

The mount analysis and the mount mapping are not a condition assessment of the mount. Proper maintenance and condition assessments are still required post analysis.


3. For mount analyses completed from other data sources (including new replacement mounts) and not specifically mapped by TES, the mounts are assumed to have been properly fabricated, installed and maintained in good condition, twist free and plumb in accordance with its original design and manufacturer's specifications.

4. All member connections are assumed to have been designed to meet or exceed the load carrying capacity of the connected member unless otherwise specified in this report.

5. The mount was checked up to, and including, the bolts that fasten it to the mount collar/attachment and threaded rod connections in collar members if applicable. Local deformation and interaction between the mount collar/attachment and the supporting tower structure are outside the scope of this analysis.


6. All services are performed, results obtained, and recommendations made in accordance with generally accepted engineering principles and practices. GPD is not responsible for the conclusion, opinions, and recommendations made by others based on the information supplied.

NOTE: THIS SHEET WAS CREATED BY OTHERS AND PROVIDED AT THE REQUEST OF THE CUSTOMER WITHOUT EDIT. PLEASE REFERENCE THE MOUNT ANALYSIS REPORT FOR COMPLETE MOUNT ANALYSIS CALCULATIONS AND DETAILS. SUPPLEMENTAL PAGES INCLUDED IN THE CONSTRUCTION DRAWINGS ARE FOR REFERENCE ONLY. GENERAL CONTRACTOR IS TO VERIFY THEY HAVE THE MOST RECENT MOUNT ANALYSIS PRIOR TO CONSTRUCTION.



**1 ELEVATION VIEW**  
S-03

**NOTE:**  
 1. DETAIL IS TYPICAL FOR ALL THREE SECTORS. ONLY ONE SECTOR SHOWN FOR DETAIL CLARITY.  
 2. ALL FIELD CUT MEMBERS AND DRILLED HOLES SHALL BE SOLVENT CLEANED AND TOUCHED UP WITH TWO COATS OF BRUSH APPLIED ZRC ZINC RICH COLD GALVANIZING PAINT.





**2 PLAN VIEW**  
S-03

**NOTE:**  
 1. DETAIL IS TYPICAL FOR ALL THREE SECTORS. ONLY ONE SECTOR SHOWN FOR DETAIL CLARITY.  
 2. ALL FIELD CUT MEMBERS AND DRILLED HOLES SHALL BE SOLVENT CLEANED AND TOUCHED UP WITH TWO COATS OF BRUSH APPLIED ZRC ZINC RICH COLD GALVANIZING PAINT.

| MOUNT MODIFICATION SCHEDULE |           |          |  |   |
|-----------------------------|-----------|----------|--|---|
| NO.                         | ELEVATION | QUANTITY | DESCRIPTION  | NOTES   |
| 1                           | 109'-6"±  | 3        | REPLACEMENT MOUNT PIPE (P2.5 STD)                        | REPLACE EXISTING POSITION 2 MOUNT PIPE WITH LARGER DIAMETER MOUNT PIPE. CONNECT NEW MOUNT PIPE TO EXISTING FACE HORIZONTAL USING NEW CROSSOVER PLATE ASSEMBLIES (VERIZON P/N: VZWSMART-MSK2).   |
| 2                           |           | 3        | PROPOSED FACE HORIZONTAL (P3 STD)                        | INSTALL A NEW FACE HORIZONTAL CONNECTED TO MOUNT PIPES (F.V. REQUIRED LENGTH BEFORE ORDERING). CONNECT NEW FACE HORIZONTAL TO MOUNT PIPES USING NEW CROSSOVER PLATE ASSEMBLIES (VERIZON P/N: VZWSMART-MSK2).  |
| 3                           |           | 3        | PROPOSED T-ARM REINFORCEMENT KIT (PART #: VZWSMART-SFK4) | INSTALL A NEW T-ARM REINFORCEMENT KIT (VERIZON P/N: VZWSMART-SFK4) CONNECTED TO TOWER SHAFT AND NEW FACE HORIZONTAL. FIELD TRIM REINFORCEMENT TUBES TO REQUIRED LENGTH AND DRILL NEW STANDARD SIZE HOLES FOR CONNECTION BOLTS. CONNECT NEW T-ARM REINFORCEMENT KIT TO TOWER SHAFT USING NEW COLLAR MOUNT ASSEMBLY (VERIZON P/N: VZWSMART-PLK7). |

**NOTES:**  
 1. ANY SUBSTITUTION OF PARTS SPECIFIED IN THIS DESIGN PACKAGE SHALL REQUIRE ENGINEER APPROVAL PRIOR TO FABRICATION.  
 2. ALL MATERIAL REMOVED FROM MOUNT SHALL BE DISPOSED OF BY CONTRACTOR OFF SITE.  
 3. INSTALL SHALL NOT CAUSE HARM TO THE STRUCTURE, CLIMBING FACILITY, SAFETY CLIMB OR ANY SYSTEM INSTALLED ON THE STRUCTURE.



**3 ISOMETRIC VIEW**  
S-03

**NOTE:**  
 1. DETAIL IS TYPICAL FOR ALL THREE SECTORS. ONLY ONE SECTOR SHOWN FOR DETAIL CLARITY.  
 2. ALL FIELD CUT MEMBERS AND DRILLED HOLES SHALL BE SOLVENT CLEANED AND TOUCHED UP WITH TWO COATS OF BRUSH APPLIED ZRC ZINC RICH COLD GALVANIZING PAINT.



535 South Main Street  
 Avon, CT 06011  
 330.872.2100 Fax 330.872.2102



| REV | DATE    | DESCRIPTION     |
|-----|---------|-----------------|
| 0   | 8/10/21 | INITIAL RELEASE |

**SOUTHBRURY W CT**  
 133 HORSE FENCE HILL ROAD  
 SOUTHBRURY, CT 06488  
**MODIFICATION SCHEDULE & DETAILS**

| ISSUED FOR:  |           |
|--------------|-----------|
| PERMIT       | 8/10/2021 |
| BID          | -         |
| CONSTRUCTION | -         |
| RECORD       | -         |

| ENGINEER        | DESIGNER    |
|-----------------|-------------|
| EAN             | EAN         |
| PROJECT MANAGER | APPROVED BY |
| DP              | CJS         |

JOB NO.  
2021740.467324.02

**S-03**

**1 MOUNT MODIFICATION**

**NOTE:** THIS SHEET WAS CREATED BY OTHERS AND PROVIDED AT THE REQUEST OF THE CUSTOMER WITHOUT EDIT. PLEASE REFERENCE THE MOUNT ANALYSIS REPORT FOR COMPLETE MOUNT ANALYSIS CALCULATIONS AND DETAILS. SUPPLEMENTAL PAGES INCLUDED IN THE CONSTRUCTION DRAWINGS ARE FOR REFERENCE ONLY. GENERAL CONTRACTOR IS TO VERIFY THEY HAVE THE MOST RECENT MOUNT ANALYSIS PRIOR TO CONSTRUCTION.

**SUPPLEMENTAL**

SHEET NUMBER:  
**R-605**

REVISION:  
**-**