



Centek Engineering, Inc.
3-2 North Branford Road
Branford, Connecticut 06405
Phone: (203) 488-0580
Fax: (203) 488-8587

Steven L. Levine
Real Estate Consultant

HAND DELIVERED

May 6, 2014

Attorney Melanie Bachman
Acting Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, Connecticut 06051

Re: New Cingular Wireless PCS, LLC notice of intent to modify an existing telecommunications facility located at 1432 Old Waterbury Road, Southbury (owner, Crown Castle)

Dear Ms. Bachman:

In order to accommodate technological changes, implement Uniform Mobile Telecommunications System (“UMTS”) and/or Long Term Evolution (“LTE”) capabilities, and enhance system performance in the State of Connecticut, New Cingular Wireless PCS, LLC (“AT&T”) plans to modify the equipment configurations at many of its existing cell sites. Please accept this letter and attachments as notification, pursuant to R.C.S.A. Section 16-50j-73, of construction which constitutes an exempt modification pursuant to R.C.S.A. Section 16-50j-72(b)(2). In compliance with R.C.S.A. Section 16-50j-73, a copy of this letter and attachments is being sent to the chief elected official of the municipality in which the affected cell site is located.

UMTS technology offers services to mobile computer and phone users anywhere in the world. Based on the Global System for Mobile (“GSM”) communication standard, UMTS is the planned worldwide standard for mobile users. UMTS, fully implemented, gives computer and phone users high-speed access to the Internet as they travel. They have the same capabilities even when they roam, through both terrestrial wireless and satellite transmissions.

LTE is a high-performance air interface for cellular mobile communications. It is designed to increase the capacity and speed of mobile telephone networks.

Attached is a summary of the planned modifications, including power density calculations reflecting the change in AT&T’s operations at the site. Also included is documentation of the structural sufficiency of the tower to accommodate the revised antenna configuration.

The changes to the facility do not constitute modifications as defined in Connecticut General Statutes ("C.G.S.") Section 16-50i(d) because the general physical characteristics of the facility will not be significantly changed or altered. Rather, the planned changes to the facility fall squarely within those activities explicitly provided for in R.C.S.A. Section 16-50j-72(b)(2).

1. The height of the overall structure will be unaffected.
2. The proposed changes will not extend the site boundaries. There will be no effect on the site compound other than some enlarged equipment pads as may be noted in the attachments.
3. The proposed changes will not increase the noise level at the existing facility by six decibels or more.
4. Radio frequency power density may increase due to use of one or more GSM channel for UMTS transmissions. Moreover, LTE will utilize additional radio frequencies newly-licensed by the FCC for cellular mobile communications. However, the changes will not increase the calculated "worst case" power density for the combined operations at the site to a level at or above the applicable standard for uncontrolled environments as calculated for a mixed frequency site.

For the foregoing reasons, AT&T respectfully submits that the proposed changes at the referenced site constitute exempt modifications under R.C.S.A. Section 16-50j-72(b)(2).

Please feel free to call me at (860) 830-0380 with questions concerning this matter. Thank you for your consideration.

Sincerely,



Steven L. Levine
Real Estate Consultant

cc: 1st Selectman Ed Edelson, Town of Southbury
Attachments

NEW CINGULAR WIRELESS PCS, LLC
Equipment Modification

1432 Old Waterbury Road, Southbury, CT

Site Number 2087

Prior Decisions: Docket 88; Ex. Mods. 6/99, 8/02, 3/03, 8/03,
7/07, 5/12

Tower Owner/Manager: Crown Castle

Lease Area: The Council approved an overall lease area of 50 ft x 70 ft for the Southbury site in Docket 88. The existing fenced compound, the tower, and all existing cellular equipment lie within the approved limits. Since all proposed equipment modifications will occur either on the existing tower structure or within AT&T's existing equipment shelter, the proposed modifications will not extend either AT&T's lease area or the overall site boundaries. (See the attached excerpt from the Docket 88 D&M Plan.)

Equipment configuration: Monopole

Current and/or approved: Antenna mounting platform at 193 ft agl
Six KMW AM-X-CD-16-65-00T-RET antennas @ 195 ft c.l.
Three Kathrein 80010121 antennas @ 195 ft c.l.
Nine TMA's @ 195 ft
One Raycap DC6-48-60-18-8F surge arrestor @ 195 ft
Six remote radio heads @ 195 ft
Twelve lines 1¼ inch coax
One fiber cable and two DC control cables
Equipment shelter

Proposed modifications: Remove existing platform and all associated AT&T equipment.
Remove six lines 1¼ inch coax.
Install Commscope MTC3607R antenna platform @ 193 ft agl.
Re-install three KMW AM-X-CD-16-65-00T-RET antennas
@ 195 ft c.l.
Install nine CCI HPA-65R-BUU-H6 antennas @ 195 ft c.l.
Install three TMA's @ 195 ft.
Install 18 remote radio heads and six associated A2 modules
@ 195 ft.
Install three Raycap DC6-48-60-18-8F surge arrestors @ 195 ft.
Install four additional DC control cables (total of six).

Power Density:

Calculations for AT&T's current operations at the site indicate a radio frequency electromagnetic radiation power density, measured at the tower base, of approximately 23.2 % of the standard

adopted by the FCC. As depicted in the second table below, the total radio frequency electromagnetic radiation power density for AT&T's planned operations would be approximately 17.0 % of the standard.

Existing

Company	Centerline Ht (feet)	Frequency (MHz)	Number of Channels	Power Per Channel (Watts)	Power Density (mW/cm ²)	Standard Limits (mW/cm ²)	Percent of Limit
Other Users *							12.95
AT&T UMTS *	195	880	2	565	0.0107	0.5867	1.82
AT&T UMTS *	195	1900	2	1077	0.0204	1.0000	2.04
AT&T GSM *	195	880	1	491	0.0046	0.5867	0.79
AT&T GSM *	195	1900	4	813	0.0308	1.0000	3.08
AT&T LTE *	195	734	1	1313	0.0124	0.4893	2.54
Total							23.2%

* Per CSC records


Proposed

Company	Centerline Ht (feet)	Frequency (MHz)	Number of Channels	Power Per Channel (Watts)	Power Density (mW/cm ²)	Standard Limits (mW/cm ²)	Percent of Limit
Other Users *							12.95
AT&T LTE	195	700 Band	1	500	0.0047	0.4867	1.01
AT&T LTE	195	1900 Band	1	500	0.0047	1.0000	0.47
AT&T LTE	195	2300 Band	1	500	0.0047	1.0000	0.47
AT&T UMTS	195	880 - 894	2	500	0.0095	0.5867	1.61
AT&T UMTS	195	1900 Band	1	500	0.0047	1.0000	0.47
Total							17.0%

* Per CSC records

Structural information:

The attached structural analysis demonstrates that the tower has sufficient structural capacity to accommodate the proposed equipment modifications. (AeroSolutions LLC, 4/12/14)






500 ENTERPRISE DRIVE SUITE 3A
ROCKY HILL, CT 06087
CT2087 PRESTON HILL
CROWN BU#806358
NIN 100 943407

at&tmobility


**SITE NAME: PRESTON HILL
SITE NUMBER: CT2087
1432 OLD WATERBURY ROAD
SOUTHBURY, CT 06488
NEW HAVEN COUNTY**



DRAWN BY:	FB
REVIEWED BY:	PD
CHECKED BY:	GM
PROJECT NUMBER:	50058108
JOB NUMBER:	50002867
SITE ADDRESS:	1432 OLD WATERBURY ROAD WATERBURY, CT 06488
NEW HAVEN COUNTY	
SHEET TITLE _____	
TITLE SHEET	

<p>SITE NAME: PEWTER HILL</p> <p>SITE NUMBER: 0102007</p>	<p>LOCATION: 1432 OLD WESTERN HIGHWAY, NEW HAVEN, CONNECTICUT 06458</p>	<p>APPLICANT/LESSEE: ART MOBILITY 1000 ENTERPRISE DRIVE, SUITE 3A ROCKY HILL, CONNECTICUT 06067</p>
<p>PROJECT INFORMATION</p>		
<p>This document was developed to reflect a specific site and its state of development at the time of issuance of this document by the State of Connecticut. It is the responsibility of the user to determine if the conditions presented herein are suitable for the use intended by the user.</p> <p>A.D.A. COMPLIANCE: FACILITY IS UNARMED AND NOT FOR HUMAN HABITATION.</p>		

<p>SITE COORDINATES: LATITUDE: 41° 30' N (WADERS) LONGITUDE: 72° 16' E (WADERS) *AS PER GOOGLE EARTH</p> <p>ELEVATION DATA</p> <p>GRADE ELEVATION AT TOWER = 540± ft. A.M.S.L. *AS PER GOOGLE EARTH</p>	<p>ANTENNA ELEVATION (TO C/L OF ANTENNA)</p> <table border="1"> <tr> <td>ALPHA SECTOR</td> <td>185'-0" A.G.L.</td> </tr> <tr> <td>BETA SECTOR</td> <td>185'-0" A.G.L.</td> </tr> <tr> <td>GAMMA SECTOR</td> <td>185'-0" A.G.L.</td> </tr> </table> <p>SITE INFORMATION</p> <ul style="list-style-type: none"> • REMOVE (2) PANEL ANTENNAS AND REPLACE WITH (3) PANEL ANTENNAS PER SECTOR FOR A TOTAL OF (9) NEW ANTENNAS. • ADD (1) NEW MAST COUNT. • ADD (1) SURGE ARRESTOR PER SECTOR FOR A TOTAL OF (3) NEW SURGE ARRESTORS. • REMOVE ALL EXISTING RADIALS AND SURGE ARRESTORS. • ADD (3) IRON ANGLE SECTOR OR NEW MOUNT FOR A TOTAL OF (14) NEW RADIALS. • REMOVE (2) EXISTING TWS. • ADD (2), NEW DIPLUSES PER SECTOR FOR A TOTAL OF (6) NEW DIPLUSES. • ADD (1) NEW 25' EQUIPMENT RACK IN EXISTING SHELTER. • ADD (1) NEW INFINITY POWER PLANT IN EXISTING SHELTER. <p>PROJECT DESCRIPTION</p>	ALPHA SECTOR	185'-0" A.G.L.	BETA SECTOR	185'-0" A.G.L.	GAMMA SECTOR	185'-0" A.G.L.
ALPHA SECTOR	185'-0" A.G.L.						
BETA SECTOR	185'-0" A.G.L.						
GAMMA SECTOR	185'-0" A.G.L.						





500 ENTERPRISE DRIVE, SUITE 3A
ROCKY HILL, CT 06067




500 ENTERPRISE DRIVE, SUITE 3A
ROCKY HILL, CT 06067
CT2007 PRESTON HILL
CROWN BU#805888
NIV 108 948107

CONSTRUCTION DRAWINGS

Dewberry®
Dewberry Engineers Inc.
600 HARRISON ROAD
PHILADELPHIA, PENNSYLVANIA
PHONE: 215.735.5400
FAX: 215.735.5410

10/26/04, SEED AS FINAL
0 DIVISION
Preliminary BIMSON

1432 OLD
WATERBURY ROAD
SOUTHBURY, CT 06488
NEW HAVEN COUNTY
SHEET PLAN &
EQUIPMENT PLANS
SHEET NUMBER
C-1





Date: April 12, 2014

Andrew Bazinet
Crown Castle
46 Broadway
Albany, NY 12204

Aero Solutions LLC
5500 Flatiron Parkway, Suite 100
Boulder, CO 80301
(720) 304-6882

Subject: Structural Analysis Report

Carrier Designation:	AT&T Mobility Co-Locate	
	Carrier Site Number:	CT2087
	Carrier Site Name:	Southbury
Crown Castle Designation:	Crown Castle BU Number:	806358
	Crown Castle Site Name:	NHV 109 943107
	Crown Castle JDE Job Number:	269720
	Crown Castle Work Order Number:	743543
	Crown Castle Application Number:	224071 Rev. 2
Engineering Firm Designation:	Aero Solutions LLC Project Number:	003-14-0319
Site Data:	1432 Old Waterbury Road, Southbury, New Haven County, CT Latitude 41° 29' 36.92", Longitude -73° 9' 54.98" 226 Foot - Monopole Tower	

Dear Andrew Bazinet,

Aero Solutions LLC is pleased to submit this "Structural Analysis Report" to determine the structural integrity of the above mentioned tower. This analysis has been performed in accordance with the Crown Castle Structural 'Statement of Work' and the terms of Crown Castle Purchase Order Number 635762, in accordance with application 224071, revision 2.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC7: Existing + Reserved + Proposed Equipment	Sufficient Capacity
Note: See Table I and Table II for the proposed and existing/reserved loading, respectively.	

This analysis has been performed in accordance with the TIA/EIA-222-F standard and 2005 CT State Building Code with 2009 amendment based upon a wind speed of 85 mph fastest mile.

All modifications and equipment proposed in this report shall be installed in accordance with the attached drawings for the determined available structural capacity to be effective.

We at Aero Solutions LLC appreciate the opportunity of providing our continuing professional services to you and Crown Castle. If you have any questions or need further assistance on this or any other projects please give us a call.

Structural analysis prepared by: Shawn D. C.

Respectfully submitted by:

Shraddha Dharia, P.E.
Structural Engineer
CT PE#: PEN028187
Expires: 1/31/2015



TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

- Table 1 - Proposed Antenna and Cable Information
- Table 2 - Existing and Reserved Antenna and Cable Information
- Table 3 - Design Antenna and Cable Information

3) ANALYSIS PROCEDURE

- Table 4 - Documents Provided
 - 3.1) Analysis Method
 - 3.2) Assumptions

4) ANALYSIS RESULTS

- Table 5 - Section Capacity (Summary)
- Table 6 – Tower Components vs. Capacity
- 4.1) Recommendations

5) APPENDIX A

- tnxTower Output

6) APPENDIX B

- Base Level Drawing

7) APPENDIX C

- Additional Calculations

1) INTRODUCTION

This tower is a 226 ft Monopole tower designed by Engineered Endeavors, Inc. in July of 1999. The tower was originally designed for a wind speed of 85 mph per TIA/EIA-222-F.

The tower has been modified per reinforcement drawings prepared by VS, in January of 2007. Reinforcement consists of addition of base plate stiffeners. The tower was later reinforced per reinforcement drawings prepared by B&T, in November of 2012. Reinforcement consists of addition of shaft reinforcement members between 124' and 134'.

2) ANALYSIS CRITERIA

The structural analysis was performed for this tower in accordance with the requirements of TIA/EIA-222-F Structural Standards for Steel Antenna Towers and Antenna Supporting Structures using a fastest mile wind speed of 85 mph with no ice, 38 mph with 0.75 inch ice thickness and 50 mph under service loads.

Table 1 - Proposed Antenna and Cable Information

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
195.0	195.0	9	cci antennas	HPA-65R-BUU-H6 w/ Mount Pipe	4	5/8"	
		3	ericsson	RRUS 11-700			
		6	ericsson	RRUS 12-B2			
		6	ericsson	RRUS A2 MODULE			
		3	ericsson	RRUS E2 B29			
		3	ericsson	RRUS-11 800MHz			
		3	ericsson	WCS RRUS-32-B30			
		2	raycap	DC6-48-60-18-8F			
		1	commscope	MTC3607R			

Table 2 - Existing and Reserved Antenna and Cable Information

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
228.0	228.0	6	antel	LPA-80080/6CF w/ Mount Pipe	12	1-5/8"	1
		3	powerwave technologies	P65.16.XL.2 w/ Mount Pipe			
		6	rfs celwave	FD9R6004/2C-3L			
		3	rymsa wireless	MG D3-800Tx w/ Mount Pipe			
		1	tower mounts	Platform Mount [LP 713-1]			
		1	tower mounts	Side Arm Mount [SO 202-3]			
205.0	207.0	3	ems wireless	RR65-18-02DP w/ Mount Pipe	6	1-5/8"	1
		3	rfs celwave	APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	6	1-5/8"	2

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
		3	rfs celwave	ATMAA1412D-1A20			
		3	rfs celwave	ATMPP1412D-1CWA			
	205.0	1	tower mounts	Platform Mount [LP 712-1]			1
193.0	195.0	6	adc	DUAL BAND 800/1900 FULL BAND MASTHEAD			3
		3	communication components inc.	DTMABP7819VG12A			1
		3	ericsson	RRUS-11	6	1-1/4"	3
		3	kathrein	800 10121 w/ Mount Pipe			
		3	kmw communications	AM-X-CD-16-65-00T-RET w/ Mount Pipe		1	3/8"
		3	kmw communications	AM-X-CD-16-65-00T-RET w/ Mount Pipe		2	5/8"
		3	powerwave technologies	7020.00		1-1/4"	
		6	powerwave technologies	LGP13519			
		1	raycap	DC6-48-60-18-8F			1
		193.0	1	tower mounts			3
185.0	187.0	3	rfs celwave	APXV18-206517S-C w/ Mount Pipe	6 1	1-5/8" 1/2"	1
	185.0	1	tower mounts	Platform Mount [LP 712-1]			
176.0	177.0	3	alcatel lucent	TME-800MHZ RRH			1
	176.0	1	tower mounts	Side Arm Mount [SO 102-3]			
	173.0	3	alcatel lucent	TME-1900MHz RRH (65MHz)			
175.0	175.0	3	alcatel lucent	800 EXTERNAL NOTCH FILTER	3	1-1/4"	1
		9	rfs celwave	ACU-A20-N			
		3	rfs celwave	APXVSPP18-C-A20 w/ Mount Pipe			
		1	tower mounts	Platform Mount [LP 1201-1]			
72.0	73.0	1	gps	GPS_A	1	1/2"	1
	72.0	1	tower mounts	Side Arm Mount [SO 701-3]			

Notes:

- 1) Existing Equipment
- 2) Reserved Equipment
- 3) Equipment to be Removed

Table 3 - Design Antenna and Cable Information

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
230	230	12	swedcom	ALP 9212		
220	220	12	swedcom	ALP 9212		
205	205	12	ems wireless	RR65-18-02		
195	195	12	swedcom	ALP 9212		
185	185	9	decibel	DB980		
175	175	12	allgon	7184.05		

3) ANALYSIS PROCEDURE

Table 4 - Documents Provided

Document	Remarks	Reference	Source
4-GEOTECHNICAL REPORTS	East Coast Drilling & Boring	217688	CCISITES
4-POST-MODIFICATION INSPECTION	VS	1863184	CCISITES
4-POST-MODIFICATION INSPECTION	TEP	4062849	CCISITES
4-TOWER FOUNDATION DRAWINGS/DESIGN/SPECS	EEI	821496	CCISITES
4-TOWER MANUFACTURER DRAWINGS	EEI	821494	CCISITES

3.1) Analysis Method

tnxTower (version 6.1.4.1), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A.

3.2) Assumptions

- 1) Tower and structures were built in accordance with the manufacturer's specifications.
- 2) The tower and structures have been maintained in accordance with the manufacturer's specification.
- 3) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.
- 4) The tower was reinforced per the referenced drawings.

This analysis may be affected if any assumptions are not valid or have been made in error. Aero Solutions LLC should be notified to determine the effect on the structural integrity of the tower.

4) ANALYSIS RESULTS

Table 5 - Section Capacity (Summary)

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail
L1	226 - 197.961	Pole	TP28.6437x21.5x0.1875	1	-4.71	848.23	46.2	Pass
L2	197.961 - 162.932	Pole	TP37.108x27.229x0.375	2	-17.13	2192.64	67.3	Pass
L3	162.932 - 132	Pole	TP44.1835x35.0602x0.4375	3	-26.66	3158.04	83.5	Pass

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P allow (K)	% Capacity	Pass / Fail
L4	132 - 120.305	Pole	TP47.1416x44.1835x0.5755	4	-28.41	3437.53	81.3	Pass
L5	120.305 - 79.2108	Pole	TP56.6581x44.6496x0.5	5	-43.25	4475.01	84.7	Pass
L6	79.2108 - 39.1405	Pole	TP65.7875x53.7404x0.5625	6	-61.87	5849.24	79.7	Pass
L7	39.1405 - 0	Pole	TP74.5x62.457x0.5625	7	-69.13	5948.55	82.6	Pass
							Summary	
						Pole (L5)	84.7	Pass
						Rating =	84.7	Pass

Table 6 - Tower Component Stresses vs. Capacity – LC7

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
1	Anchor Rods	0	86.0	Pass
1	Base Plate	0	57.1	Pass
1	Base Foundation	0	87.4	Pass
1	Base Foundation Soil Interaction	0	32.7	Pass

Structure Rating (max from all components) =

87.4%


Notes:

1) See additional documentation in "Appendix C – Additional Calculations" for calculations supporting the % capacity.

4.1) Recommendations

The tower and its base and anchor foundations have sufficient capacity to carry the existing, reserved, and proposed loads. No modifications are required at this time.

Section	7	6	47.86	47.85	5	4	3	2	1
Length (ft)									
Number of Sides	18	18			18	18	18	18	18
Thickness (in)	0.5625	0.5625			0.5000	0.5755	0.4375	0.3750	0.1875
Socket Length (ft)			8.72		7.58	6.39			4.08
Top Dia (in)	62.4570	58.7404			44.6496	44.1935	35.0602	27.2920	21.5000
Bot Dia (in)	74.5000	65.7875			56.6581	47.1416	44.1835	37.1080	28.6337
Grade				A572-65					
Weight (K)	66.1	19.7			17.1				



DESIGNED APPURTEINANCE LOADING


TYPE	ELEVATION	TYPE	ELEVATION
(2) LPA-80080/6CF w/ Mount Pipe	228	(2) RRUS 12-B2	195
P65.16.XL_2 w/ Mount Pipe	228	(2) RRUS A2 MODULE	195
(2) FD9R6004/2C-3L	228	RRUS E2 B29	195
MG D3-800Tx w/ Mount Pipe	228	RRUS-11 800MHz	195
(2) LPA-80080/6CF w/ Mount Pipe	228	WCS RRUS-32-B30	195
P65.16.XL_2 w/ Mount Pipe	228	DC6-48-60-18-8F	195
(2) FD9R6004/2C-3L	228	DTMABP7819VG12A	195
MG D3-800Tx w/ Mount Pipe	228	AM-X-CD-16-65-00T-RET w/ Mount Pipe	195
(2) LPA-80080/6CF w/ Mount Pipe	228	(3) HPA-65R-BUU-H6 w/ Mount Pipe	195
P65.16.XL_2 w/ Mount Pipe	228	RRUS 11-700	195
(2) FD9R6004/2C-3L	228	(2) RRUS 12-B2	195
MG D3-800Tx w/ Mount Pipe	228	(2) RRUS A2 MODULE	195
Transition Ladder	228	RRUS E2 B29	195
Side Arm Mount [SO 202-3]	228	RRUS-11 800MHz	195
Platform Mount [LP 713-1]	228	WCS RRUS-32-B30	195
Lightning Rod 5/8"4"	226	DC6-48-60-18-8F	195
Flash Beacon Lighting	226	Platform Mount [LP 301-1]	195
RR65-18-02DP w/ Mount Pipe	205	APXV18-206517S-C w/ Mount Pipe	185
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	205	APXV18-206517S-C w/ Mount Pipe	185
ATMAA1412D-1A20	205	APXV18-206517S-C w/ Mount Pipe	185
ATMPP1412D-1CWA	205	Transition Ladder	185
RR65-18-02DP w/ Mount Pipe	205	Platform Mount [LP 712-1]	185
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	205	TME-1900MHz RRH (65MHz)	176
ATMAA1412D-1A20	205	TME-800MHz RRH	176
ATMPP1412D-1CWA	205	TME-1900MHz RRH (65MHz)	176
RR65-18-02DP w/ Mount Pipe	205	TME-800MHz RRH	176
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	205	TME-1900MHz RRH (65MHz)	176
ATMAA1412D-1A20	205	6' x 2' Mount Pipe	176
ATMPP1412D-1CWA	205	6' x 2' Mount Pipe	176
Transition Ladder	205	6' x 2' Mount Pipe	176
Platform Mount [LP 712-1]	205	Side Arm Mount [SO 102-3]	176
DTMABP7819VG12A	195	800 EXTERNAL NOTCH FILTER	175
AM-X-CD-16-65-00T-RET w/ Mount Pipe	195	(3) ACU-A20-N	175
DC6-48-60-18-8F	195	APXVSP18-C-A20 w/ Mount Pipe	175
(3) HPA-65R-BUU-H6 w/ Mount Pipe	195	800 EXTERNAL NOTCH FILTER	175
RRUS 11-700	195	(3) ACU-A20-N	175
(2) RRUS 12-B2	195	APXVSP18-C-A20 w/ Mount Pipe	175
(2) RRUS A2 MODULE	195	(3) ACU-A20-N	175
RRUS E2 B29	195	APXVSP18-C-A20 w/ Mount Pipe	175
RRUS-11 800MHz	195	(2) 6' x 2' Mount Pipe	175
WCS RRUS-32-B30	195	(2) 6' x 2' Mount Pipe	175
DTMABP7819VG12A	195	Platform Mount [LP 1201-1]	175
AM-X-CD-16-65-00T-RET w/ Mount Pipe	195	Honeywell Side-Light	113
(3) HPA-65R-BUU-H6 w/ Mount Pipe	195	Honeywell Side-Light	113
RRUS 11-700	195	GPS_A	72
		Side Arm Mount [SO 701-3]	72

MATERIAL STRENGTH

GRADE	Fy	Fu	GRADE	Fy	Fu
A572-65	65 ksi	80 ksi	52.349221ksi	52 ksi	67 ksi

TOWER DESIGN NOTES

1. Tower is located in New Haven County, Connecticut.
2. Tower designed for a 85 mph basic wind in accordance with the TIA/EIA-222-F Standard.
3. Tower is also designed for a 38 mph basic wind with 0.75 in ice. Ice is considered to increase in thickness with height.
4. Deflections are based upon a 50 mph wind.
5. TOWER RATING: 84.7%



Aero Solutions LLC
5500 Flatiron Parkway, Suite 100
Boulder, CO 80301
Phone: (720) 304-6882
FAX: (720) 304-6883

Job: BU#806358 NHV 109 943107
Project: Existing 226 ft. Monopole
Client: Crown Castle Drawn by: Shawn D. Cook, P.E. App'd:
Code: TIA/EIA-222-F Date: 04/12/14 Scale: NTS
Path: C:\Users\ASLLC\OneDrive\Documents\AutoCAD\2D\Existing 226 ft. Monopole.Dwg
Dwg No. E-1



Centek Engineering, Inc.
3-2 North Branford Road
Branford, Connecticut 06405
Phone: (203) 488-0580
Fax: (203) 488-8587

Steven L. Levine
Real Estate Consultant

May 7, 2014

Honorable Ed Edelson
1st Selectman, Town of Southbury
Town Hall, 501 Main St. So.,
Southbury, CT 06488

Notice of Exempt Modification: Existing Telecommunications Facility at 1432 Old Waterbury Road, Southbury, CT

Dear Mr. Edelson:

In order to accommodate technological changes, implement Uniform Mobile Telecommunications System (“UMTS”) and Long Term Evolution (“LTE”) capabilities, and enhance system performance in the State of Connecticut, New Cingular Wireless PCS, LLC (“AT&T”) will be changing its equipment configuration at certain cell sites.

As required by Regulations of Connecticut State Agencies (“R.C.S.A.”) Section 16-50j-73, the Connecticut Siting Council has been notified of the changes and will review AT&T’s proposal. Please accept this letter as notification under Section 16-50j-73 of construction which constitutes an exempt modification pursuant to R.C.S.A. Section 16-50j-72(b)(2).

The enclosed Notice fully sets forth the AT&T proposal. However, if you have any questions or require any further information on the plans for the site or the Siting Council’s procedures, please contact the undersigned at 860-830-0380 or Ms. Melanie Bachman, Acting Executive Director, Connecticut Siting Council at (860) 827-2935.

Sincerely,

Steven L. Levine
Real Estate Consultant

Enclosure

Date: April 12, 2014



Andrew Bazinet
Crown Castle
46 Broadway
Albany, NY 12204

Aero Solutions LLC
5500 Flatiron Parkway, Suite 100
Boulder, CO 80301
(720) 304-6882

Subject: Structural Analysis Report

Carrier Designation:	AT&T Mobility Co-Locate	
	Carrier Site Number:	CT2087
	Carrier Site Name:	Southbury
Crown Castle Designation:	Crown Castle BU Number:	806358
	Crown Castle Site Name:	NHV 109 943107
	Crown Castle JDE Job Number:	269720
	Crown Castle Work Order Number:	743543
	Crown Castle Application Number:	224071 Rev. 2
Engineering Firm Designation:	Aero Solutions LLC Project Number:	003-14-0319
Site Data:	1432 Old Waterbury Road, Southbury, New Haven County, CT	
	Latitude 41° 29' 36.92", Longitude -73° 9' 54.98"	
	226 Foot - Monopole Tower	

Dear Andrew Bazinet,

Aero Solutions LLC is pleased to submit this “**Structural Analysis Report**” to determine the structural integrity of the above mentioned tower. This analysis has been performed in accordance with the Crown Castle Structural ‘Statement of Work’ and the terms of Crown Castle Purchase Order Number 635762, in accordance with application 224071, revision 2.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC7: Existing + Reserved + Proposed Equipment

Sufficient Capacity

Note: See Table I and Table II for the proposed and existing/reserved loading, respectively.

This analysis has been performed in accordance with the TIA/EIA-222-F standard and 2005 CT State Building Code with 2009 amendment based upon a wind speed of 85 mph fastest mile.

All modifications and equipment proposed in this report shall be installed in accordance with the attached drawings for the determined available structural capacity to be effective.

We at *Aero Solutions LLC* appreciate the opportunity of providing our continuing professional services to you and Crown Castle. If you have any questions or need further assistance on this or any other projects please give us a call.

Structural analysis prepared by: Shawn D.

Respectfully submitted by:

Shraddha Dharia, P.E.
Structural Engineer
CT PE#: PEN028187
Expires: 1/31/2015



TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

- Table 1 - Proposed Antenna and Cable Information
- Table 2 - Existing and Reserved Antenna and Cable Information
- Table 3 - Design Antenna and Cable Information

3) ANALYSIS PROCEDURE

- Table 4 - Documents Provided
- 3.1) Analysis Method
- 3.2) Assumptions

4) ANALYSIS RESULTS

- Table 5 - Section Capacity (Summary)
- Table 6 – Tower Components vs. Capacity
- 4.1) Recommendations

5) APPENDIX A

- tnxTower Output

6) APPENDIX B

- Base Level Drawing

7) APPENDIX C

- Additional Calculations

1) INTRODUCTION

This tower is a 226 ft Monopole tower designed by Engineered Endeavors, Inc. in July of 1999. The tower was originally designed for a wind speed of 85 mph per TIA/EIA-222-F.

The tower has been modified per reinforcement drawings prepared by VS, in January of 2007. Reinforcement consists of addition of base plate stiffeners. The tower was later reinforced per reinforcement drawings prepared by B&T, in November of 2012. Reinforcement consists of addition of shaft reinforcement members between 124' and 134'.

2) ANALYSIS CRITERIA

The structural analysis was performed for this tower in accordance with the requirements of TIA/EIA-222-F Structural Standards for Steel Antenna Towers and Antenna Supporting Structures using a fastest mile wind speed of 85 mph with no ice, 38 mph with 0.75 inch ice thickness and 50 mph under service loads.

Table 1 - Proposed Antenna and Cable Information

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
195.0	195.0	9	cci antennas	HPA-65R-BUU-H6 w/ Mount Pipe	4	5/8"	
		3	ericsson	RRUS 11-700			
		6	ericsson	RRUS 12-B2			
		6	ericsson	RRUS A2 MODULE			
		3	ericsson	RRUS E2 B29			
		3	ericsson	RRUS-11 800MHz			
		3	ericsson	WCS RRUS-32-B30			
		2	raycap	DC6-48-60-18-8F			
		1	commscope	MTC3607R			

Table 2 - Existing and Reserved Antenna and Cable Information

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
228.0	228.0	6	antel	LPA-80080/6CF w/ Mount Pipe	12	1-5/8"	1
		3	powerwave technologies	P65.16.XL.2 w/ Mount Pipe			
		6	rfs celwave	FD9R6004/2C-3L			
		3	rymsa wireless	MG D3-800Tx w/ Mount Pipe			
		1	tower mounts	Platform Mount [LP 713-1]			
		1	tower mounts	Side Arm Mount [SO 202-3]			
205.0	207.0	3	ems wireless	RR65-18-02DP w/ Mount Pipe	6	1-5/8"	1
		3	rfs celwave	APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	6	1-5/8"	2

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)	Note
		3	rfs celwave	ATMAA1412D-1A20			
		3	rfs celwave	ATMPP1412D-1CWA			
	205.0	1	tower mounts	Platform Mount [LP 712-1]			1
193.0	195.0	6	adc	DUAL BAND 800/1900 FULL BAND MASTHEAD			3
		3	communication components inc.	DTMABP7819VG12A			1
		3	ericsson	RRUS-11	6	1-1/4"	3
		3	kathrein	800 10121 w/ Mount Pipe			
		3	kmw communications	AM-X-CD-16-65-00T-RET w/ Mount Pipe	1 2 6	3/8" 5/8" 1-1/4"	1
		3	kmw communications	AM-X-CD-16-65-00T-RET w/ Mount Pipe			
		3	powerwave technologies	7020.00			
		6	powerwave technologies	LGP13519			
		1	raycap	DC6-48-60-18-8F			1
		193.0	tower mounts	Platform Mount [LP 712-1]			3
185.0	187.0	3	rfs celwave	APXV18-206517S-C w/ Mount Pipe	6 1	1-5/8" 1/2"	1
	185.0	1	tower mounts	Platform Mount [LP 712-1]			
176.0	177.0	3	alcatel lucent	TME-800MHZ RRH			1
	176.0	1	tower mounts	Side Arm Mount [SO 102-3]			
	173.0	3	alcatel lucent	TME-1900MHz RRH (65MHz)			
175.0	175.0	3	alcatel lucent	800 EXTERNAL NOTCH FILTER	3	1-1/4"	1
		9	rfs celwave	ACU-A20-N			
		3	rfs celwave	APXVSPP18-C-A20 w/ Mount Pipe			
		1	tower mounts	Platform Mount [LP 1201-1]			
72.0	73.0	1	gps	GPS_A	1	1/2"	1
	72.0	1	tower mounts	Side Arm Mount [SO 701-3]			

Notes:

- 1) Existing Equipment
- 2) Reserved Equipment
- 3) Equipment to be Removed

Table 3 - Design Antenna and Cable Information

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
230	230	12	swedcom	ALP 9212		
220	220	12	swedcom	ALP 9212		
205	205	12	ems wireless	RR65-18-02		
195	195	12	swedcom	ALP 9212		
185	185	9	decibel	DB980		
175	175	12	allgon	7184.05		

3) ANALYSIS PROCEDURE

Table 4 - Documents Provided

Document	Remarks	Reference	Source
4-GEOTECHNICAL REPORTS	East Coast Drilling & Boring	217688	CCISITES
4-POST-MODIFICATION INSPECTION	VS	1863184	CCISITES
4-POST-MODIFICATION INSPECTION	TEP	4062849	CCISITES
4-TOWER FOUNDATION DRAWINGS/DESIGN/SPECS	EEI	821496	CCISITES
4-TOWER MANUFACTURER DRAWINGS	EEI	821494	CCISITES

3.1) Analysis Method

tnxTower (version 6.1.4.1), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A.

3.2) Assumptions

- 1) Tower and structures were built in accordance with the manufacturer's specifications.
- 2) The tower and structures have been maintained in accordance with the manufacturer's specification.
- 3) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.
- 4) The tower was reinforced per the referenced drawings.

This analysis may be affected if any assumptions are not valid or have been made in error. Aero Solutions LLC should be notified to determine the effect on the structural integrity of the tower.

4) ANALYSIS RESULTS

Table 5 - Section Capacity (Summary)

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail
L1	226 - 197.961	Pole	TP28.6437x21.5x0.1875	1	-4.71	848.23	46.2	Pass
L2	197.961 - 162.932	Pole	TP37.108x27.229x0.375	2	-17.13	2192.64	67.3	Pass
L3	162.932 - 132	Pole	TP44.1835x35.0602x0.4375	3	-26.66	3158.04	83.5	Pass

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail	
L4	132 - 120.305	Pole	TP47.1416x44.1835x0.5755	4	-28.41	3437.53	81.3	Pass	
L5	120.305 - 79.2108	Pole	TP56.6581x44.6496x0.5	5	-43.25	4475.01	84.7	Pass	
L6	79.2108 - 39.1405	Pole	TP65.7875x53.7404x0.5625	6	-61.87	5849.24	79.7	Pass	
L7	39.1405 - 0	Pole	TP74.5x62.457x0.5625	7	-69.13	5948.55	82.6	Pass	
							Summary		
							Pole (L5)	84.7	Pass
							Rating =	84.7	Pass

Table 6 - Tower Component Stresses vs. Capacity – LC7

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
1	Anchor Rods	0	86.0	Pass
1	Base Plate	0	57.1	Pass
1	Base Foundation	0	87.4	Pass
1	Base Foundation Soil Interaction	0	32.7	Pass

Structure Rating (max from all components) =	87.4%
---	--------------

Notes:

- 1) See additional documentation in "Appendix C – Additional Calculations" for calculations supporting the % capacity.

4.1) Recommendations

The tower and its base and anchor foundations have sufficient capacity to carry the existing, reserved, and proposed loads. No modifications are required at this time.

APPENDIX A

TNXTOWER OUTPUT

DESIGNED APPURTEINANCE LOADING


TYPE	ELEVATION	TYPE	ELEVATION
(2) LPA-80080/6CF w/ Mount Pipe	228	(2) RRUS 12-B2	195
P65.16.XL.2 w/ Mount Pipe	228	(2) RRUS A2 MODULE	195
(2) FD9R6004/2C-3L	228	RRUS E2 B29	195
MG D3-800Tx w/ Mount Pipe	228	RRUS-11 800MHz	195
(2) LPA-80080/6CF w/ Mount Pipe	228	WCS RRUS-32-B30	195
P65.16.XL.2 w/ Mount Pipe	228	DC6-48-60-18-BF	195
(2) FD9R6004/2C-3L	228	DTMABP7819VG12A	195
MG D3-800Tx w/ Mount Pipe	228	AM-X-CD-16-65-00T-RET w/ Mount Pipe	195
(2) LPA-80080/6CF w/ Mount Pipe	228	(3) HPA-65R-BUU-H6 w/ Mount Pipe	195
P65.16.XL.2 w/ Mount Pipe	228	RRUS 11-700	195
(2) FD9R6004/2C-3L	228	(2) RRUS 12-B2	195
MG D3-800Tx w/ Mount Pipe	228	(2) RRUS A2 MODULE	195
Transition Ladder	228	RRUS E2 B29	195
Side Arm Mount [SO 202-3]	228	RRUS-11 800MHz	195
Platform Mount [LP 713-1]	228	WCS RRUS-32-B30	195
Lightning Rod 5/8x4"	226	DC6-48-60-18-BF	195
Flash Beacon Lighting	226	Platform Mount [LP 301-1]	195
RR65-18-02DP w/ Mount Pipe	205	APXV18-206517S-C w/ Mount Pipe	185
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	205	APXV18-206517S-C w/ Mount Pipe	185
ATMAA1412D-1A20	205	APXV18-206517S-C w/ Mount Pipe	185
ATMPP1412D-1CWA	205	Transition Ladder	185
RR65-18-02DP w/ Mount Pipe	205	Platform Mount [LP 712-1]	185
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	205	TME-1900MHz RRH (65MHz)	176
ATMAA1412D-1A20	205	TME-800MHz RRH	176
ATMPP1412D-1CWA	205	TME-1900MHz RRH (65MHz)	176
RR65-18-02DP w/ Mount Pipe	205	TME-800MHz RRH	176
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	205	6' x 2" Mount Pipe	176
ATMAA1412D-1A20	205	6' x 2" Mount Pipe	176
ATMPP1412D-1CWA	205	6' x 2" Mount Pipe	176
Transition Ladder	205	Side Arm Mount [SO 102-3]	176
Platform Mount [LP 712-1]	205	800 EXTERNAL NOTCH FILTER	175
DTMABP7819VG12A	195	(3) ACU-A20-N	175
AM-X-CD-16-65-00T-RET w/ Mount Pipe	195	APXVSPP18-C-A20 w/ Mount Pipe	175
DC6-48-60-18-BF	195	800 EXTERNAL NOTCH FILTER	175
(3) HPA-65R-BUU-H6 w/ Mount Pipe	195	(3) ACU-A20-N	175
RRUS 11-700	195	APXVSPP18-C-A20 w/ Mount Pipe	175
(2) RRUS 12-B2	195	800 EXTERNAL NOTCH FILTER	175
(2) RRUS A2 MODULE	195	(3) ACU-A20-N	175
RRUS E2 B29	195	APXVSPP18-C-A20 w/ Mount Pipe	175
RRUS-11 800MHz	195	(2) 6' x 2" Mount Pipe	175
WCS RRUS-32-B30	195	(2) 6' x 2" Mount Pipe	175
DTMABP7819VG12A	195	(2) 6' x 2" Mount Pipe	175
AM-X-CD-16-65-00T-RET w/ Mount Pipe	195	Platform Mount [LP 1201-1]	175
Honeywell Side-Light	113	Honeywell Side-Light	113
(3) HPA-65R-BUU-H6 w/ Mount Pipe	195	GPS_A	72
RRUS 11-700	195	Side Arm Mount [SO 701-3]	72

MATERIAL STRENGTH

GRADE	Fy	Fu	GRADE	Fy	Fu
A572-65	65 ksi	80 ksi	52.349221ksi	52 ksi	67 ksi

TOWER DESIGN NOTES

1. Tower is located in New Haven County, Connecticut.
2. Tower designed for a 85 mph basic wind in accordance with the TIA/EIA-222-F Standard.
3. Tower is also designed for a 38 mph basic wind with 0.75 in ice. Ice is considered to increase in thickness with height.
4. Deflections are based upon a 50 mph wind.
5. TOWER RATING: 84.7%



Aero Solutions LLC
5500 Flatiron Parkway, Suite 100
Boulder, CO 80301
Phone: (720) 304-6882
FAX: (720) 304-6883

Job: BU#806358 NHV 109 943107
Project: Existing 226 ft. Monopole
Client: Crown Castle Drawn by: Shawn D. Cook, P.E. App'd:
Code: TIA/EIA-222-F Date: 04/12/14 Scale: NTS
Path: C:\CC\806358\NVH_109\943107-003-14-0319\Engineering\Aero Calculations (LC7)\Working RISA\806358.NHV_109\943107.edl Dwg No. E-1

Tower Input Data

There is a pole section.

This tower is designed using the TIA/EIA-222-F standard.

The following design criteria apply:

- 4) Tower is located in New Haven County, Connecticut.
- 5) Basic wind speed of 85 mph.
- 6) Nominal ice thickness of 0.7500 in.
- 7) Ice thickness is considered to increase with height.
- 8) Ice density of 56 pcf.
- 9) A wind speed of 38 mph is used in combination with ice.
- 10) Temperature drop of 50 °F.
- 11) Deflections calculated using a wind speed of 50 mph.
- 12) A non-linear (P-delta) analysis was used.
- 13) Pressures are calculated at each section.
- 14) Stress ratio used in pole design is 1.333.
- 15) Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

Consider Moments - Legs	Distribute Leg Loads As Uniform	Treat Feedline Bundles As Cylinder
Consider Moments - Horizontals	Assume Legs Pinned	Use ASCE 10 X-Brace Ly Rules
Consider Moments - Diagonals	✓ Assume Rigid Index Plate	Calculate Redundant Bracing Forces
Use Moment Magnification	✓ Use Clear Spans For Wind Area	Ignore Redundant Members in FEA
✓ Use Code Stress Ratios	Use Clear Spans For KL/r	SR Leg Bolts Resist Compression
✓ Use Code Safety Factors - Guys	Retension Guys To Initial Tension	All Leg Panels Have Same Allowable
✓ Escalate Ice	✓ Bypass Mast Stability Checks	Offset Girt At Foundation
Always Use Max Kz	✓ Use Azimuth Dish Coefficients	✓ Consider Feedline Torque
Use Special Wind Profile	✓ Project Wind Area of Appurt.	Include Angle Block Shear Check
Include Bolts In Member Capacity	Autocalc Torque Arm Areas	Poles
Leg Bolts Are At Top Of Section	SR Members Have Cut Ends	✓ Include Shear-Torsion Interaction
Secondary Horizontal Braces Leg	Sort Capacity Reports By Component	Always Use Sub-Critical Flow
Use Diamond Inner Bracing (4 Sided)	Triangulate Diamond Inner Bracing	Use Top Mounted Sockets
Add IBC .6D+W Combination	Use TIA-222-G Tension Splice	
	Capacity Exemption	

Tapered Pole Section Geometry

Section	Elevation ft	Section Length ft	Splice Length ft	Number of Sides	Top Diameter in	Bottom Diameter in	Wall Thickness in	Bend Radius in	Pole Grade
L1	226.00-197.96	28.04	4.08	18	21.5000	28.6437	0.1875	0.7500	A572-65 (65 ksi)
L2	197.96-162.93	39.11	5.14	18	27.2290	37.1080	0.3750	1.5000	A572-65 (65 ksi)
L3	162.93-132.00	36.07	0.00	18	35.0602	44.1835	0.4375	1.7500	A572-65 (65 ksi)
L4	132.00-120.30	11.70	6.39	18	44.1835	47.1416	0.5755	2.3019	52.349221ksi (52 ksi)
L5	120.30-79.21	47.49	7.58	18	44.6496	56.6581	0.5000	2.0000	A572-65 (65 ksi)
L6	79.21-39.14	47.65	8.72	18	53.7404	65.7875	0.5625	2.2500	A572-65 (65 ksi)
L7	39.14-0.00	47.86		18	62.4570	74.5000	0.5625	2.2500	A572-65 (65 ksi)

Tapered Pole Properties

Section	Tip Dia. in	Area in ²	I in ⁴	r in	C in	I/C in ³	J in ⁴	It/Q in ²	w in	w/t
L1	21.8317	12.6836	727.8616	7.5659	10.9220	66.6418	1456.6810	6.3430	3.4540	18.421
	29.0856	16.9350	1732.5124	10.1020	14.5510	119.0648	3467.3045	8.4691	4.7113	25.127
L2	28.6958	31.9630	2912.0863	9.5332	13.8323	210.5272	5828.0044	15.9845	4.1323	11.019
	37.6805	43.7215	7453.2354	13.0402	18.8509	395.3790	14916.277	21.8649	5.8710	15.656
L3	36.9206	48.0779	7281.2065	12.2910	17.8106	408.8141	14571.993	24.0435	5.4006	12.344
	44.8651	60.7467	14687.106	15.5298	22.4452	654.3541	29393.539	30.3791	7.0063	16.014
L4	44.8651	79.6525	19136.780	15.4808	22.4452	852.6002	38298.740	39.8338	6.7635	11.753
	47.8688	85.0557	23301.352	16.5310	23.9479	973.0006	46633.365	42.5359	7.2841	12.658
L5	46.9800	70.0653	17254.142	15.6731	22.6820	760.6984	34530.987	35.0393	6.9783	13.957
	57.5321	89.1229	35510.075	19.9361	28.7823	1233.7463	71066.875	44.5699	9.0918	18.184
L6	56.5161	94.9425	33920.417	18.8782	27.3001	1242.4998	67885.467	47.4803	8.4683	15.055
	66.8024	116.4511	62590.606	23.1549	33.4201	1872.8460	125263.57	58.2366	10.5886	18.824
L7	65.6494	110.5049	53483.976	21.9726	31.7282	1685.6937	107038.32	55.2630	10.0024	17.782
	75.6493	132.0062	91171.937	26.2478	37.8460	2409.0244	182463.84	66.0156	12.1220	21.55

Tower Elevation ft	Gusset Area (per face) ft ²	Gusset Thickness in	Gusset Grade	Adjust. Factor A_f	Adjust. Factor A_r	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in
L1 226.00- 197.96				1	1	1		
L2 197.96- 162.93				1	1	1		
L3 162.93- 132.00				1	1	1		
L4 132.00- 120.30				1	1	0.982348		
L5 120.30- 79.21				1	1	1		
L6 79.21- 39.14				1	1	1		
L7 39.14-0.00				1	1	1		

Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Total Number	Number Per Row	Clear Spacing in	Width or Diamete r in	Perimete r in	Weight plf
**										

Feed Line/Linear Appurtenances - Entered As Area

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Total Number	C _A A _A	Weight
						ft ² /ft	plf

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Total Number	$C_A A_A$	Weight plf
**							
561(1-5/8")	B	No	Inside Pole	226.00 - 8.00	12	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00
**							
LDF7-50A(1-5/8")	B	No	Inside Pole	205.00 - 3.00	6	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00
LDF7-50A(1-5/8")	B	No	Inside Pole	205.00 - 3.00	6	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00
**							
LDF6-50A(1-1/4")	C	No	Inside Pole	193.00 - 8.00	3	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00
LDF6-50A(1-1/4")	C	No	CaAa (Out Of Face)	185.00 - 8.00	3	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00
LDF6-50A(1-1/4")	C	No	CaAa (Out Of Face)	193.00 - 185.00	1	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.16 0.25 0.35 0.55 0.95
LDF6-50A(1-1/4")	C	No	CaAa (Out Of Face)	193.00 - 185.00	2	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00
FB-L98-002-XXX(3/8)	C	No	Inside Pole	193.00 - 8.00	1	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00
WR-VG82ST-BRDA(5/8")	C	No	Inside Pole	193.00 - 8.00	2	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00
WR-VG82ST-BRDA(5/8")	C	No	CaAa (Out Of Face)	193.00 - 8.00	4	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00
2" Rigid Conduit	C	No	Inside Pole	193.00 - 8.00	1	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00
**							
LDF4-50A(1/2")	C	No	CaAa (Out Of Face)	185.00 - 8.00	1	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00
LDF7-50A(1-5/8")	C	No	CaAa (Out Of Face)	185.00 - 8.00	1	No Ice 1/2" Ice 1" Ice 2" Ice	0.20 0.30 0.40 0.60
							0.15 0.84 2.14 6.58 22.78 0.82 2.33 4.46 10.54

Description	Face or Leg	Allow Shield	Component Type	Placement ft	Total Number	$C_A A_A$	Weight	
						ft^2/ft	plf	
LDF7-50A(1-5/8")	C	No	CaAa (Out Of Face)	185.00 - 8.00	5	4" Ice No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	1.00 0.00 0.00 0.00 0.00 0.00	30.04 0.82 2.33 4.46 10.54 30.04
HB114-1-0813U4-M5J(1 1/4")	A	No	Inside Pole	175.00 - 8.00	3	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00	1.20 1.20 1.20 1.20 1.20
LDF4-50A(1/2")	A	No	Inside Pole	72.00 - 8.00	1	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.00 0.00 0.00 0.00 0.00	0.15 0.15 0.15 0.15 0.15
MS600	A	No	CaAa (Out Of Face)	134.00 - 124.00	1	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.17 0.17 0.17 0.17 0.17	0.00 0.00 0.00 0.00 0.00

Feed Line/Linear Appurtenances Section Areas

Tower Section	Tower Elevation ft	Face	A_R ft^2	A_F ft^2	$C_A A_A$ In Face ft^2	$C_A A_A$ Out Face ft^2	Weight
							K
L1	226.00-197.96	A	0.000	0.000	0.000	0.000	0.00
		B	0.000	0.000	0.000	0.000	0.52
		C	0.000	0.000	0.000	0.000	0.00
L2	197.96-162.93	A	0.000	0.000	0.000	0.000	0.04
		B	0.000	0.000	0.000	0.000	0.91
		C	0.000	0.000	0.000	5.609	0.37
L3	162.93-132.00	A	0.000	0.000	0.000	0.333	0.11
		B	0.000	0.000	0.000	0.000	0.81
		C	0.000	0.000	0.000	6.125	0.42
L4	132.00-120.30	A	0.000	0.000	0.000	1.334	0.04
		B	0.000	0.000	0.000	0.000	0.30
		C	0.000	0.000	0.000	2.316	0.16
L5	120.30-79.21	A	0.000	0.000	0.000	0.000	0.15
		B	0.000	0.000	0.000	0.000	1.07
		C	0.000	0.000	0.000	8.137	0.56
L6	79.21-39.14	A	0.000	0.000	0.000	0.000	0.15
		B	0.000	0.000	0.000	0.000	1.04
		C	0.000	0.000	0.000	7.934	0.55
L7	39.14-0.00	A	0.000	0.000	0.000	0.000	0.12
		B	0.000	0.000	0.000	0.000	0.86
		C	0.000	0.000	0.000	6.166	0.43

Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A_R ft^2	A_F ft^2	$C_A A_A$ In Face ft^2	$C_A A_A$ Out Face ft^2	Weight
								K
L1	226.00-197.96	A	0.937	0.000	0.000	0.000	0.000	0.00
		B		0.000	0.000	0.000	0.000	0.52
		C		0.000	0.000	0.000	0.000	0.00
L2	197.96-162.93	A	0.919	0.000	0.000	0.000	0.000	0.04
		B		0.000	0.000	0.000	0.000	0.91

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A_R ft ²	A_F ft ²	C_{AA} In Face ft ²	C_{AA} Out Face ft ²	Weight K
L3	162.93-132.00	C		0.000	0.000	0.000	11.245	1.34
		A	0.897	0.000	0.000	0.000	0.333	0.11
		B		0.000	0.000	0.000	0.000	0.81
		C		0.000	0.000	0.000	11.811	1.58
L4	132.00-120.30	A	0.881	0.000	0.000	0.000	1.334	0.04
		B		0.000	0.000	0.000	0.000	0.30
		C		0.000	0.000	0.000	4.376	0.57
L5	120.30-79.21	A	0.856	0.000	0.000	0.000	0.000	0.15
		B		0.000	0.000	0.000	0.000	1.07
		C		0.000	0.000	0.000	15.376	2.01
L6	79.21-39.14	A	0.804	0.000	0.000	0.000	0.000	0.15
		B		0.000	0.000	0.000	0.000	1.04
		C		0.000	0.000	0.000	14.795	1.92
L7	39.14-0.00	A	0.750	0.000	0.000	0.000	0.000	0.12
		B		0.000	0.000	0.000	0.000	0.86
		C		0.000	0.000	0.000	11.175	1.41

Feed Line Center of Pressure

Section	Elevation ft	CP_x in	CP_z in	CP_x Ice in	CP_z Ice in
L1	226.00-197.96	0.0000	0.0000	0.0000	0.0000
L2	197.96-162.93	-0.2013	0.1162	-0.3626	0.2093
L3	162.93-132.00	-0.2421	0.1232	-0.4266	0.2311
L4	132.00-120.30	-0.2377	-0.0192	-0.4166	0.0954
L5	120.30-79.21	-0.2459	0.1419	-0.4334	0.2502
L6	79.21-39.14	-0.2475	0.1429	-0.4356	0.2515
L7	39.14-0.00	-0.1963	0.1134	-0.3409	0.1968

Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C_{AA} Front	C_{AA} Side	Weight K	
**									
Flash Beacon Lighting	C	From Leg	3.00 0.00 2.00	0.0000	226.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.70 3.10 3.50 4.30 5.90	2.70 3.10 3.50 4.30 5.90	0.05 0.07 0.09 0.13 0.21
Lightning Rod 5/8x4'	C	From Leg	4.00 0.00 6.00	0.0000	226.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.25 0.66 0.97 1.49 2.68	0.25 0.66 0.97 1.49 2.68	0.03 0.03 0.04 0.06 0.14
(2) LPA-80080/6CF w/ Mount Pipe	A	From Leg	4.00 0.00 0.00	30.0000	228.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	4.58 5.13 5.65 6.70 8.91	10.76 12.04 13.03 15.05 19.31	0.05 0.11 0.19 0.36 0.86
P65.16.XL.2 w/ Mount Pipe	A	From Leg	4.00 0.00	30.0000	228.00	No Ice 1/2"	8.64 9.29	5.78 6.95	0.06 0.12

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustmen t °	Placement ft	$C_A A_A$ Front	$C_A A_A$ Side	Weight	
			0.00			Ice	9.91	7.83	0.19
						1" Ice	11.18	9.63	0.36
						2" Ice	13.83	13.44	0.84
						4" Ice			
(2) FD9R6004/2C-3L	A	From Leg	4.00 0.00 0.00	30.0000	228.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.37 0.45 0.54 0.75 1.28 	0.08 0.14 0.20 0.34 0.74 	0.00 0.01 0.01 0.02 0.06
MG D3-800Tx w/ Mount Pipe	A	From Leg	4.00 0.00 0.00	30.0000	228.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	3.57 3.98 4.39 5.33 7.34 	3.42 4.12 4.78 6.16 9.18 	0.03 0.07 0.11 0.21 0.52
(2) LPA-80080/6CF w/ Mount Pipe	B	From Leg	4.00 0.00 0.00	30.0000	228.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	4.58 5.13 5.65 6.70 8.91 	10.76 12.04 13.03 15.05 19.31 	0.05 0.11 0.19 0.36 0.86
P65.16.XL.2 w/ Mount Pipe	B	From Leg	4.00 0.00 0.00	30.0000	228.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	8.64 9.29 9.91 11.18 13.83 	5.78 6.95 7.83 9.63 13.44 	0.06 0.12 0.19 0.36 0.84
(2) FD9R6004/2C-3L	B	From Leg	4.00 0.00 0.00	30.0000	228.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.37 0.45 0.54 0.75 1.28 	0.08 0.14 0.20 0.34 0.74 	0.00 0.01 0.01 0.02 0.06
MG D3-800Tx w/ Mount Pipe	B	From Leg	4.00 0.00 0.00	30.0000	228.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	3.57 3.98 4.39 5.33 7.34 	3.42 4.12 4.78 6.16 9.18 	0.03 0.07 0.11 0.21 0.52
(2) LPA-80080/6CF w/ Mount Pipe	C	From Leg	4.00 0.00 0.00	30.0000	228.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	4.58 5.13 5.65 6.70 8.91 	10.76 12.04 13.03 15.05 19.31 	0.05 0.11 0.19 0.36 0.86
P65.16.XL.2 w/ Mount Pipe	C	From Leg	4.00 0.00 0.00	30.0000	228.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	8.64 9.29 9.91 11.18 13.83 	5.78 6.95 7.83 9.63 13.44 	0.06 0.12 0.19 0.36 0.84
(2) FD9R6004/2C-3L	C	From Leg	4.00 0.00 0.00	30.0000	228.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.37 0.45 0.54 0.75 1.28 	0.08 0.14 0.20 0.34 0.74 	0.00 0.01 0.01 0.02 0.06
MG D3-800Tx w/ Mount Pipe	C	From Leg	4.00 0.00 0.00	30.0000	228.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	3.57 3.98 4.39 5.33 7.34 	3.42 4.12 4.78 6.16 9.18 	0.03 0.07 0.11 0.21 0.52
Transition Ladder	C	From Leg	2.00	0.0000	228.00	No Ice	6.00	6.00	0.16

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustmen t °	Placement ft	$C_A A_A$ Front	$C_A A_A$ Side	Weight K	
			0.00			1/2"	8.00	8.00	0.24
			-4.00			Ice	10.00	10.00	0.32
						1" Ice	14.00	14.00	0.48
						2" Ice	22.00	22.00	0.80
						4" Ice			
Side Arm Mount [SO 202-3]	C	None		0.0000	228.00	No Ice	6.18	6.18	0.33
						1/2"	8.56	8.56	0.40
						Ice	10.94	10.94	0.47
						1" Ice	15.70	15.70	0.61
						2" Ice	25.22	25.22	0.90
						4" Ice			
Platform Mount [LP 713-1]	C	None		0.0000	228.00	No Ice	31.27	31.27	1.51
						1/2"	39.68	39.68	1.93
						Ice	48.09	48.09	2.35
						1" Ice	64.91	64.91	3.19
						2" Ice	98.55	98.55	4.86
						4" Ice			
**									
**									
RR65-18-02DP w/ Mount Pipe	A	From Leg	4.00 0.00 2.00	60.0000	205.00	No Ice	4.59	3.32	0.03
						1/2"	5.09	4.09	0.07
						Ice	5.58	4.78	0.12
						1" Ice	6.59	6.23	0.22
						2" Ice	8.73	9.31	0.56
						4" Ice			
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	A	From Leg	4.00 0.00 2.00	60.0000	205.00	No Ice	7.47	3.49	0.06
						1/2"	7.99	4.26	0.11
						Ice	8.52	4.96	0.16
						1" Ice	9.59	6.40	0.30
						2" Ice	11.87	9.49	0.68
						4" Ice			
ATMAA1412D-1A20	A	From Leg	4.00 0.00 2.00	60.0000	205.00	No Ice	1.17	0.47	0.01
						1/2"	1.31	0.57	0.02
						Ice	1.47	0.69	0.03
						1" Ice	1.81	0.95	0.06
						2" Ice	2.58	1.57	0.14
						4" Ice			
ATMPP1412D-1CWA	A	From Leg	4.00 0.00 2.00	60.0000	205.00	No Ice	1.17	0.42	0.01
						1/2"	1.32	0.53	0.02
						Ice	1.48	0.65	0.03
						1" Ice	1.82	0.92	0.05
						2" Ice	2.61	1.57	0.13
						4" Ice			
RR65-18-02DP w/ Mount Pipe	B	From Leg	4.00 0.00 2.00	60.0000	205.00	No Ice	4.59	3.32	0.03
						1/2"	5.09	4.09	0.07
						Ice	5.58	4.78	0.12
						1" Ice	6.59	6.23	0.22
						2" Ice	8.73	9.31	0.56
						4" Ice			
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	B	From Leg	4.00 0.00 2.00	60.0000	205.00	No Ice	7.47	3.49	0.06
						1/2"	7.99	4.26	0.11
						Ice	8.52	4.96	0.16
						1" Ice	9.59	6.40	0.30
						2" Ice	11.87	9.49	0.68
						4" Ice			
ATMAA1412D-1A20	B	From Leg	4.00 0.00 2.00	60.0000	205.00	No Ice	1.17	0.47	0.01
						1/2"	1.31	0.57	0.02
						Ice	1.47	0.69	0.03
						1" Ice	1.81	0.95	0.06
						2" Ice	2.58	1.57	0.14
						4" Ice			
ATMPP1412D-1CWA	B	From Leg	4.00 0.00 2.00	60.0000	205.00	No Ice	1.17	0.42	0.01
						1/2"	1.32	0.53	0.02
						Ice	1.48	0.65	0.03
						1" Ice	1.82	0.92	0.05

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustmen t °	Placement ft	$C_A A_A$ Front	$C_A A_A$ Side	Weight K
RR65-18-02DP w/ Mount Pipe	C	From Leg	4.00 0.00 2.00	60.0000	205.00	2" Ice 4" Ice No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.61 3.32 4.59 5.09 5.58 6.59 8.73 9.31	1.57 0.03 0.07 0.12 0.22 0.56
APX16DWV-16DWV-S-E-A20 w/ Mount Pipe	C	From Leg	4.00 0.00 2.00	60.0000	205.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	7.47 7.99 8.52 9.59 11.87 9.49	3.49 4.26 4.96 6.40 0.06 0.11 0.16 0.30 0.68
ATMAA1412D-1A20	C	From Leg	4.00 0.00 2.00	60.0000	205.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	1.17 1.31 1.47 1.81 2.58 1.57	0.47 0.57 0.69 0.95 1.47 0.01 0.02 0.03 0.06 0.14
ATMPP1412D-1CWA	C	From Leg	4.00 0.00 2.00	60.0000	205.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	1.17 1.32 1.48 1.82 2.61 1.57	0.42 0.53 0.65 0.92 1.48 0.01 0.02 0.03 0.05 0.13
Transition Ladder	C	From Leg	2.00 0.00 -4.00	0.0000	205.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	6.00 8.00 10.00 14.00 22.00 6.00	6.00 8.00 10.00 14.00 22.00 0.16 0.24 0.32 0.48 0.80
Platform Mount [LP 712-1]	C	None		0.0000	205.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	24.53 29.94 35.35 46.17 67.81 24.53	24.53 29.94 35.35 46.17 67.81 1.34 1.65 1.96 2.58 3.82
DTMABP7819VG12A	A	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	1.14 1.28 1.44 1.77 2.54 1.14	0.39 0.49 0.59 0.83 1.41 0.02 0.03 0.04 0.06 0.14
AM-X-CD-16-65-00T-RET w/ Mount Pipe	A	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	8.50 9.15 9.77 11.03 13.68 8.50	6.30 7.48 8.37 10.18 14.02 0.07 0.14 0.21 0.38 0.87
DC6-48-60-18-8F	A	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.57 2.80 3.04 3.54 4.66 2.57	2.57 2.80 3.04 3.54 4.66 0.03 0.06 0.08 0.14 0.31
(3) HPA-65R-BUU-H6 w/ Mount Pipe	A	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	10.36 10.93 11.50 12.68 15.14 10.36	6.94 7.90 8.73 10.44 14.28 0.07 0.15 0.23 0.42 0.94
RRUS 11-700	A	From Leg	4.00 0.00	23.0000	195.00	No Ice 1/2"	2.94 3.17	1.25 1.41 0.06 0.07

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustmen t °	Placement ft	$C_A A_A$ Front	$C_A A_A$ Side	Weight K	
			0.00			Ice	3.41	1.59	0.10
						1" Ice	3.91	1.96	0.15
						2" Ice	5.02	2.82	0.30
						4" Ice			
(2) RRUS 12-B2	A	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	3.67 3.92 4.19 4.74 5.96 	1.48 1.67 1.86 2.27 3.20 	0.06 0.08 0.11 0.17 0.34
(2) RRUS A2 MODULE	A	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	1.87 2.05 2.24 2.66 3.58 	1.02 1.17 1.32 1.66 2.44 	0.02 0.03 0.05 0.09 0.21
RRUS E2 B29	A	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	3.67 3.93 4.19 4.75 5.96 	1.49 1.67 1.87 2.28 3.21 	0.06 0.08 0.11 0.17 0.35
RRUS-11 800MHz	A	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.94 3.17 3.41 3.91 5.02 	1.52 1.69 1.88 2.27 3.16 	0.05 0.08 0.10 0.16 0.32
WCS RRUS-32-B30	A	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	3.87 4.15 4.44 5.06 6.38 	2.76 3.02 3.29 3.85 5.08 	0.08 0.10 0.14 0.21 0.41
DTMABP7819VG12A	B	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	1.14 1.28 1.44 1.77 2.54 	0.39 0.49 0.59 0.83 1.41 	0.02 0.03 0.04 0.06 0.14
AM-X-CD-16-65-00T-RET w/ Mount Pipe	B	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	8.50 9.15 9.77 11.03 13.68 	6.30 7.48 8.37 10.18 14.02 	0.07 0.14 0.21 0.38 0.87
(3) HPA-65R-BUU-H6 w/ Mount Pipe	B	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	10.36 10.93 11.50 12.68 15.14 	6.94 7.90 8.73 10.44 14.28 	0.07 0.15 0.23 0.42 0.94
RRUS 11-700	B	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.94 3.17 3.41 3.91 5.02 	1.25 1.41 1.59 1.96 2.82 	0.06 0.07 0.10 0.15 0.30
(2) RRUS 12-B2	B	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	3.67 3.92 4.19 4.74 5.96 	1.48 1.67 1.86 2.27 3.20 	0.06 0.08 0.11 0.17 0.34
(2) RRUS A2 MODULE	B	From Leg	4.00	23.0000	195.00	No Ice	1.87	1.02	0.02

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustmen t °	Placement ft	$C_A A_A$ Front	$C_A A_A$ Side	Weight K	
			0.00			1/2"	2.05	1.17	0.03
			0.00			Ice	2.24	1.32	0.05
						1" Ice	2.66	1.66	0.09
						2" Ice	3.58	2.44	0.21
						4" Ice			
RRUS E2 B29	B	From Leg	4.00	23.0000	195.00	No Ice	3.67	1.49	0.06
			0.00			1/2"	3.93	1.67	0.08
			0.00			Ice	4.19	1.87	0.11
						1" Ice	4.75	2.28	0.17
						2" Ice	5.96	3.21	0.35
						4" Ice			
RRUS-11 800MHz	B	From Leg	4.00	23.0000	195.00	No Ice	2.94	1.52	0.05
			0.00			1/2"	3.17	1.69	0.08
			0.00			Ice	3.41	1.88	0.10
						1" Ice	3.91	2.27	0.16
						2" Ice	5.02	3.16	0.32
						4" Ice			
WCS RRUS-32-B30	B	From Leg	4.00	23.0000	195.00	No Ice	3.87	2.76	0.08
			0.00			1/2"	4.15	3.02	0.10
			0.00			Ice	4.44	3.29	0.14
						1" Ice	5.06	3.85	0.21
						2" Ice	6.38	5.08	0.41
						4" Ice			
DC6-48-60-18-8F	B	From Leg	4.00	23.0000	195.00	No Ice	2.57	2.57	0.03
			0.00			1/2"	2.80	2.80	0.06
			0.00			Ice	3.04	3.04	0.08
						1" Ice	3.54	3.54	0.14
						2" Ice	4.66	4.66	0.31
						4" Ice			
DTMABP7819VG12A	C	From Leg	4.00	23.0000	195.00	No Ice	1.14	0.39	0.02
			0.00			1/2"	1.28	0.49	0.03
			0.00			Ice	1.44	0.59	0.04
						1" Ice	1.77	0.83	0.06
						2" Ice	2.54	1.41	0.14
						4" Ice			
AM-X-CD-16-65-00T-RET w/ Mount Pipe	C	From Leg	4.00	23.0000	195.00	No Ice	8.50	6.30	0.07
			0.00			1/2"	9.15	7.48	0.14
			0.00			Ice	9.77	8.37	0.21
						1" Ice	11.03	10.18	0.38
						2" Ice	13.68	14.02	0.87
						4" Ice			
(3) HPA-65R-BUU-H6 w/ Mount Pipe	C	From Leg	4.00	23.0000	195.00	No Ice	10.36	6.94	0.07
			0.00			1/2"	10.93	7.90	0.15
			0.00			Ice	11.50	8.73	0.23
						1" Ice	12.68	10.44	0.42
						2" Ice	15.14	14.28	0.94
						4" Ice			
RRUS 11-700	C	From Leg	4.00	23.0000	195.00	No Ice	2.94	1.25	0.06
			0.00			1/2"	3.17	1.41	0.07
			0.00			Ice	3.41	1.59	0.10
						1" Ice	3.91	1.96	0.15
						2" Ice	5.02	2.82	0.30
						4" Ice			
(2) RRUS 12-B2	C	From Leg	4.00	23.0000	195.00	No Ice	3.67	1.48	0.06
			0.00			1/2"	3.92	1.67	0.08
			0.00			Ice	4.19	1.86	0.11
						1" Ice	4.74	2.27	0.17
						2" Ice	5.96	3.20	0.34
						4" Ice			
(2) RRUS A2 MODULE	C	From Leg	4.00	23.0000	195.00	No Ice	1.87	1.02	0.02
			0.00			1/2"	2.05	1.17	0.03
			0.00			Ice	2.24	1.32	0.05
						1" Ice	2.66	1.66	0.09
						2" Ice	3.58	2.44	0.21
						4" Ice			

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustmen t °	Placement ft	$C_A A_A$ Front	$C_A A_A$ Side	Weight
RRUS E2 B29	C	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	3.67 3.93 4.19 4.75 5.96 3.21	1.49 1.67 1.87 2.28 3.21 0.35
RRUS-11 800MHz	C	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.94 3.17 3.41 3.91 5.02 3.16	1.52 1.69 1.88 2.27 3.16 0.32
WCS RRUS-32-B30	C	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	3.87 4.15 4.44 5.06 6.38 5.08	2.76 3.02 3.29 3.85 5.08 0.41
DC6-48-60-18-8F	C	From Leg	4.00 0.00 0.00	23.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.57 2.80 3.04 3.54 4.66 4.66	2.57 2.80 3.04 3.54 4.66 0.31
MTC3607R	C	None		0.0000	195.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	30.10 40.80 51.50 72.90 115.70 115.70	30.10 40.80 51.50 72.90 115.70 5.11
**								
APXV18-206517S-C w/ Mount Pipe	A	From Leg	4.00 0.00 2.00	23.0000	185.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	5.40 5.96 6.48 7.55 9.92 12.28	4.70 5.86 6.73 8.51 12.28 0.68
APXV18-206517S-C w/ Mount Pipe	B	From Leg	4.00 0.00 2.00	23.0000	185.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	5.40 5.96 6.48 7.55 9.92 12.28	4.70 5.86 6.73 8.51 12.28 0.68
APXV18-206517S-C w/ Mount Pipe	C	From Leg	4.00 0.00 2.00	23.0000	185.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	5.40 5.96 6.48 7.55 9.92 12.28	4.70 5.86 6.73 8.51 12.28 0.68
Transition Ladder	C	From Leg	2.00 0.00 -4.00	0.0000	185.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	6.00 8.00 10.00 14.00 22.00 22.00	6.00 8.00 10.00 14.00 22.00 0.80
Platform Mount [LP 712-1]	C	None		0.0000	185.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	24.53 29.94 35.35 46.17 67.81 67.81	24.53 29.94 35.35 46.17 67.81 3.82
**								
TME-1900MHz RRH (65MHz)	A	From Leg	1.00 0.00 -3.00	20.0000	176.00	No Ice 1/2" Ice	2.70 2.94 3.18	2.77 3.01 3.26

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustmen t °	Placement ft	$C_A A_A$ Front	$C_A A_A$ Side	Weight K	
						1" Ice	3.70	3.78	0.18
						2" Ice	4.85	4.93	0.35
						4" Ice			
TME-800MHZ RRH	A	From Leg	1.00 0.00 1.00	20.0000	176.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.49 2.71 2.93 3.41 4.46 2.70 2.94 3.18 3.70 4.85 2.77 3.01 3.26 3.78 4.93	2.07 2.27 2.48 2.93 3.93 0.05 0.07 0.10 0.16 0.32 0.06 0.08 0.11 0.18 0.35	
TME-1900MHz RRH (65MHz)	B	From Leg	1.00 0.00 -3.00	10.0000	176.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.70 2.94 3.18 3.70 4.85 2.77 3.01 3.26 3.78 4.93	2.27 3.01 3.26 3.78 4.93 0.07 0.08 0.11 0.18 0.35	
TME-800MHZ RRH	B	From Leg	1.00 0.00 1.00	10.0000	176.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.49 2.71 2.93 3.41 4.46 2.07 2.27 2.48 2.93 3.93	0.05 0.07 0.10 0.16 0.32 0.06 0.08 0.11 0.18 0.35	
TME-1900MHz RRH (65MHz)	C	From Leg	1.00 0.00 -3.00	20.0000	176.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.70 2.94 3.18 3.70 4.85 2.77 3.01 3.26 3.78 4.93	2.27 3.01 3.26 3.78 4.93 0.06 0.08 0.11 0.18 0.35	
TME-800MHZ RRH	C	From Leg	1.00 0.00 1.00	20.0000	176.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.49 2.71 2.93 3.41 4.46 2.07 2.27 2.48 2.93 3.93	0.05 0.07 0.10 0.16 0.32 0.06 0.08 0.11 0.18 0.35	
6' x 2" Mount Pipe	A	From Leg	1.00 0.00 0.00	0.0000	176.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	1.43 1.92 2.29 3.06 4.70 1.43 1.92 2.29 3.06 4.70	1.43 1.92 2.29 3.06 4.70 0.02 0.03 0.05 0.09 0.23	
6' x 2" Mount Pipe	B	From Leg	1.00 0.00 0.00	0.0000	176.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	1.43 1.92 2.29 3.06 4.70 1.43 1.92 2.29 3.06 4.70	1.43 1.92 2.29 3.06 4.70 0.02 0.03 0.05 0.09 0.23	
6' x 2" Mount Pipe	C	From Leg	1.00 0.00 0.00	0.0000	176.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	1.43 1.92 2.29 3.06 4.70 1.43 1.92 2.29 3.06 4.70	1.43 1.92 2.29 3.06 4.70 0.02 0.03 0.05 0.09 0.23	
Side Arm Mount [SO 102-3]	C	None		0.0000	176.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	3.00 3.48 3.96 4.92 6.84 3.00 3.48 3.96 4.92 6.84	3.00 3.48 3.96 4.92 6.84 0.08 0.11 0.14 0.20 0.32	
**									
800 EXTERNAL NOTCH FILTER	A	From Leg	4.00 0.00 0.00	20.0000	175.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.77 0.89 1.02 1.30 1.97 0.37 0.46 0.56 0.79 1.34	0.37 0.46 0.56 0.79 1.34 0.01 0.02 0.02 0.04 0.11	
(3) ACU-A20-N	A	From Leg	4.00	20.0000	175.00	No Ice	0.08	0.14	0.00

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustmen t °	Placement ft	$C_A A_A$ Front	$C_A A_A$ Side	Weight K	
			0.00			1/2"	0.12	0.19	0.00
			0.00			Ice	0.17	0.25	0.00
						1" Ice	0.30	0.40	0.01
						2" Ice	0.67	0.80	0.04
						4" Ice			
APXVSPP18-C-A20 w/ Mount Pipe	A	From Leg	4.00	20.0000	175.00	No Ice	8.50	6.95	0.08
			0.00			1/2"	9.15	8.13	0.15
			0.00			Ice	9.77	9.02	0.23
						1" Ice	11.03	10.84	0.41
						2" Ice	13.68	14.85	0.91
						4" Ice			
800 EXTERNAL NOTCH FILTER	B	From Leg	4.00	10.0000	175.00	No Ice	0.77	0.37	0.01
			0.00			1/2"	0.89	0.46	0.02
			0.00			Ice	1.02	0.56	0.02
						1" Ice	1.30	0.79	0.04
						2" Ice	1.97	1.34	0.11
						4" Ice			
(3) ACU-A20-N	B	From Leg	4.00	10.0000	175.00	No Ice	0.08	0.14	0.00
			0.00			1/2"	0.12	0.19	0.00
			0.00			Ice	0.17	0.25	0.00
						1" Ice	0.30	0.40	0.01
						2" Ice	0.67	0.80	0.04
						4" Ice			
APXVSPP18-C-A20 w/ Mount Pipe	B	From Leg	4.00	10.0000	175.00	No Ice	8.50	6.95	0.08
			0.00			1/2"	9.15	8.13	0.15
			0.00			Ice	9.77	9.02	0.23
						1" Ice	11.03	10.84	0.41
						2" Ice	13.68	14.85	0.91
						4" Ice			
800 EXTERNAL NOTCH FILTER	C	From Leg	4.00	20.0000	175.00	No Ice	0.77	0.37	0.01
			0.00			1/2"	0.89	0.46	0.02
			0.00			Ice	1.02	0.56	0.02
						1" Ice	1.30	0.79	0.04
						2" Ice	1.97	1.34	0.11
						4" Ice			
(3) ACU-A20-N	C	From Leg	4.00	20.0000	175.00	No Ice	0.08	0.14	0.00
			0.00			1/2"	0.12	0.19	0.00
			0.00			Ice	0.17	0.25	0.00
						1" Ice	0.30	0.40	0.01
						2" Ice	0.67	0.80	0.04
						4" Ice			
APXVSPP18-C-A20 w/ Mount Pipe	C	From Leg	4.00	20.0000	175.00	No Ice	8.50	6.95	0.08
			0.00			1/2"	9.15	8.13	0.15
			0.00			Ice	9.77	9.02	0.23
						1" Ice	11.03	10.84	0.41
						2" Ice	13.68	14.85	0.91
						4" Ice			
(2) 6' x 2" Mount Pipe	A	From Leg	4.00	0.0000	175.00	No Ice	1.43	1.43	0.02
			0.00			1/2"	1.92	1.92	0.03
			0.00			Ice	2.29	2.29	0.05
						1" Ice	3.06	3.06	0.09
						2" Ice	4.70	4.70	0.23
						4" Ice			
(2) 6' x 2" Mount Pipe	B	From Leg	4.00	0.0000	175.00	No Ice	1.43	1.43	0.02
			0.00			1/2"	1.92	1.92	0.03
			0.00			Ice	2.29	2.29	0.05
						1" Ice	3.06	3.06	0.09
						2" Ice	4.70	4.70	0.23
						4" Ice			
(2) 6' x 2" Mount Pipe	C	From Leg	4.00	0.0000	175.00	No Ice	1.43	1.43	0.02
			0.00			1/2"	1.92	1.92	0.03
			0.00			Ice	2.29	2.29	0.05
						1" Ice	3.06	3.06	0.09
						2" Ice	4.70	4.70	0.23
						4" Ice			

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustmen t °	Placement ft	$C_A A_A$ Front	$C_A A_A$ Side	Weight K	
Platform Mount [LP 1201-1]	C	None		0.0000	175.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	23.10 26.80 30.50 37.90 52.70	23.10 26.80 30.50 37.90 52.70	2.10 2.50 2.90 3.70 5.30
Honeywell Side-Light	A	From Leg	2.00 0.00 0.00	0.0000	113.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.28 0.36 0.46 0.69 1.27	0.28 0.36 0.46 0.69 1.27	0.00 0.01 0.01 0.03 0.08
Honeywell Side-Light	B	From Leg	2.00 0.00 0.00	0.0000	113.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.28 0.36 0.46 0.69 1.27	0.28 0.36 0.46 0.69 1.27	0.00 0.01 0.01 0.03 0.08
GPS_A	A	From Leg	2.00 0.00 1.00	0.0000	72.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	0.30 0.37 0.46 0.65 1.15	0.30 0.37 0.46 0.65 1.15	0.00 0.00 0.01 0.02 0.08
Side Arm Mount [SO 701-3]	A	From Leg	1.00 0.00 0.00	0.0000	72.00	No Ice 1/2" Ice 1" Ice 2" Ice 4" Ice	2.83 3.92 5.01 7.19 11.55	2.83 3.92 5.01 7.19 11.55	0.20 0.24 0.28 0.36 0.53

**

Load Combinations

Comb. No.	Description
1	Dead Only
2	Dead+Wind 0 deg - No Ice
3	Dead+Wind 30 deg - No Ice
4	Dead+Wind 60 deg - No Ice
5	Dead+Wind 90 deg - No Ice
6	Dead+Wind 120 deg - No Ice
7	Dead+Wind 150 deg - No Ice
8	Dead+Wind 180 deg - No Ice
9	Dead+Wind 210 deg - No Ice
10	Dead+Wind 240 deg - No Ice
11	Dead+Wind 270 deg - No Ice
12	Dead+Wind 300 deg - No Ice
13	Dead+Wind 330 deg - No Ice
14	Dead+Ice+Temp
15	Dead+Wind 0 deg+Ice+Temp
16	Dead+Wind 30 deg+Ice+Temp
17	Dead+Wind 60 deg+Ice+Temp
18	Dead+Wind 90 deg+Ice+Temp
19	Dead+Wind 120 deg+Ice+Temp
20	Dead+Wind 150 deg+Ice+Temp
21	Dead+Wind 180 deg+Ice+Temp

Comb. No.	Description
22	Dead+Wind 210 deg+Ice+Temp
23	Dead+Wind 240 deg+Ice+Temp
24	Dead+Wind 270 deg+Ice+Temp
25	Dead+Wind 300 deg+Ice+Temp
26	Dead+Wind 330 deg+Ice+Temp
27	Dead+Wind 0 deg - Service
28	Dead+Wind 30 deg - Service
29	Dead+Wind 60 deg - Service
30	Dead+Wind 90 deg - Service
31	Dead+Wind 120 deg - Service
32	Dead+Wind 150 deg - Service
33	Dead+Wind 180 deg - Service
34	Dead+Wind 210 deg - Service
35	Dead+Wind 240 deg - Service
36	Dead+Wind 270 deg - Service
37	Dead+Wind 300 deg - Service
38	Dead+Wind 330 deg - Service

Maximum Member Forces

Sectio n No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force <i>K</i>	Major Axis Moment kip-ft	Minor Axis Moment kip-ft		
L1	226 - 197.961	Pole	Max Tension	1	0.00	0.00	0.00		
			Max. Compression	14	-10.74	2.15	-1.24		
			Max. Mx	11	-4.71	218.13	-0.54		
			Max. My	8	-4.71	0.94	-217.65		
			Max. Vy	11	-12.51	218.13	-0.54		
			Max. Vx	8	12.51	0.94	-217.65		
L2	197.961 - 162.932	Pole	Max. Torque	7			-2.61		
			Max Tension	1	0.00	0.00	0.00		
			Max. Compression	14	-33.58	4.51	-2.60		
			Max. Mx	11	-17.13	1058.83	-0.96		
			Max. My	8	-17.14	1.68	-1057.75		
			Max. Vy	11	-33.40	1058.83	-0.96		
L3	162.932 - 132	Pole	Max. Vx	8	33.36	1.68	-1057.75		
			Max. Torque	7			-3.76		
			Max Tension	1	0.00	0.00	0.00		
			Max. Compression	14	-45.68	7.08	-4.07		
			Max. Mx	11	-26.66	2340.86	-1.28		
			Max. My	8	-26.66	2.23	-2338.19		
L4	132 - 120.305	Pole	Max. Vy	11	-37.65	2340.86	-1.28		
			Max. Vx	8	37.61	2.23	-2338.19		
			Max. Torque	7			-3.84		
			Max Tension	1	0.00	0.00	0.00		
			Max. Compression	14	-47.80	7.50	-4.32		
			Max. Mx	11	-28.41	2542.27	-1.33		
L5	120.305 - 79.2108	Pole	Max. My	8	-28.41	2.32	-2539.37		
			Max. Vy	11	-38.33	2542.27	-1.33		
			Max. Vx	8	38.29	2.32	-2539.37		
			Max. Torque	7			-3.85		
			Max Tension	1	0.00	0.00	0.00		
			Max. Compression	14	-65.88	10.94	-6.29		
L6	79.2108 - 39.1405	Pole	Max. Mx	11	-43.25	4174.69	-1.71		
			Max. My	8	-43.25	3.00	-4169.96		
			Max. Vy	11	-43.29	4174.69	-1.71		
			Max. Vx	8	43.25	3.00	-4169.96		
			Max. Torque	7			-3.90		
			Max Tension	1	0.00	0.00	0.00		
			Max. Compression	14	-87.98	14.54	-7.43		
			Max. Mx	11	-61.87	5955.77	-1.48		

Sectio n No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L7	39.1405 - 0	Pole	Max. My	8	-61.88	3.74	-5948.56
			Max. Vy	11	-47.95	5955.77	-1.48
			Max. Vx	8	47.91	3.74	-5948.56
			Max. Torque	7			-3.95
			Max Tension	1	0.00	0.00	0.00
			Max. Compression	14	-117.84	18.41	-9.67
			Max. Mx	11	-87.82	8365.91	-1.94
			Max. My	8	-87.82	4.56	-8356.55
			Max. Vy	11	-52.54	8365.91	-1.94
			Max. Vx	8	52.50	4.56	-8356.55
			Max. Torque	7			-3.92

Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Pole	Max. Vert	24	117.84	12.60	-0.00
	Max. H _x	11	87.85	52.50	0.00
	Max. H _z	2	87.85	0.00	52.46
	Max. M _x	2	8352.65	0.00	52.46
	Max. M _z	5	8356.77	-52.50	0.00
	Max. Torsion	13	3.91	26.25	45.43
	Min. Vert	1	87.85	0.00	0.00
	Min. H _x	5	87.85	-52.50	0.00
	Min. H _z	8	87.85	0.00	-52.46
	Min. M _x	8	-8356.55	0.00	-52.46
	Min. M _z	11	-8365.91	52.50	0.00
	Min. Torsion	7	-3.92	-26.25	-45.43

Tower Mast Reaction Summary

Load Combination	Vertical K	Shear _x K	Shear _z K	Overspinning Moment, M _x kip-ft	Overspinning Moment, M _z kip-ft	Torque kip-ft
Dead Only	87.85	0.00	0.00	1.88	4.41	0.00
Dead+Wind 0 deg - No Ice	87.85	-0.00	-52.46	-8352.65	4.55	-3.59
Dead+Wind 30 deg - No Ice	87.85	26.25	-45.43	-7233.34	-4176.12	-2.30
Dead+Wind 60 deg - No Ice	87.85	45.47	-26.23	-4175.34	-7236.57	-0.39
Dead+Wind 90 deg - No Ice	87.85	52.50	0.00	1.94	-8356.77	1.62
Dead+Wind 120 deg - No Ice	87.85	45.47	26.23	4179.23	-7236.58	3.19
Dead+Wind 150 deg - No Ice	87.85	26.25	45.43	7237.23	-4176.12	3.92
Dead+Wind 180 deg - No Ice	87.85	-0.00	52.46	8356.55	4.55	3.59
Dead+Wind 210 deg - No Ice	87.85	-26.25	45.43	7237.24	4185.24	2.30
Dead+Wind 240 deg - No Ice	87.85	-45.47	26.23	4179.24	7245.70	0.39
Dead+Wind 270 deg - No Ice	87.85	-52.50	0.00	1.94	8365.91	-1.62
Dead+Wind 300 deg - No Ice	87.85	-45.47	-26.23	-4175.35	7245.70	-3.19
Dead+Wind 330 deg - No Ice	87.85	-26.25	-45.43	-7233.35	4185.23	-3.91
Dead+Ice+Temp	117.84	-0.00	0.00	9.67	18.41	0.00
Dead+Wind 0 deg+Ice+Temp	117.84	-0.00	-12.60	-2114.48	18.69	-1.19
Dead+Wind 30 deg+Ice+Temp	117.84	6.30	-10.91	-1829.88	-1043.91	-0.76
Dead+Wind 60 deg+Ice+Temp	117.84	10.91	-6.30	-1052.33	-1821.78	-0.13
Dead+Wind 90 deg+Ice+Temp	117.84	12.60	0.00	9.81	-2106.51	0.54
Dead+Wind 120 deg+Ice+Temp	117.84	10.91	6.30	1071.96	-1821.78	1.07
Dead+Wind 150 deg+Ice+Temp	117.84	6.30	10.91	1849.50	-1043.91	1.30

Load Combination	Vertical	Shear _x	Shear _z	Overspinning Moment, M _x kip-ft	Overspinning Moment, M _z kip-ft	Torque
	K	K	K			kip-ft
Dead+Wind 180 deg+Ice+Temp	117.84	-0.00	12.60	2134.10	18.69	1.19
Dead+Wind 210 deg+Ice+Temp	117.84	-6.30	10.91	1849.50	1081.29	0.76
Dead+Wind 240 deg+Ice+Temp	117.84	-10.91	6.30	1071.96	1859.16	0.13
Dead+Wind 270 deg+Ice+Temp	117.84	-12.60	0.00	9.81	2143.88	-0.54
Dead+Wind 300 deg+Ice+Temp	117.84	-10.91	-6.30	-1052.33	1859.16	-1.07
Dead+Wind 330 deg+Ice+Temp	117.84	-6.30	-10.91	-1829.88	1081.29	-1.30
Dead+Wind 0 deg - Service	87.85	-0.00	-18.15	-2893.52	4.60	-1.26
Dead+Wind 30 deg - Service	87.85	9.08	-15.72	-2505.61	-1444.33	-0.81
Dead+Wind 60 deg - Service	87.85	15.73	-9.08	-1445.78	-2505.01	-0.14
Dead+Wind 90 deg - Service	87.85	18.17	0.00	1.97	-2893.24	0.57
Dead+Wind 120 deg - Service	87.85	15.73	9.08	1449.72	-2505.01	1.12
Dead+Wind 150 deg - Service	87.85	9.08	15.72	2509.55	-1444.33	1.37
Dead+Wind 180 deg - Service	87.85	-0.00	18.15	2897.46	4.60	1.26
Dead+Wind 210 deg - Service	87.85	-9.08	15.72	2509.55	1453.53	0.81
Dead+Wind 240 deg - Service	87.85	-15.73	9.08	1449.72	2514.21	0.14
Dead+Wind 270 deg - Service	87.85	-18.17	0.00	1.97	2902.44	-0.57
Dead+Wind 300 deg - Service	87.85	-15.73	-9.08	-1445.79	2514.21	-1.12
Dead+Wind 330 deg - Service	87.85	-9.08	-15.72	-2505.61	1453.52	-1.37

Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0.00	-87.85	0.00	0.00	87.85	0.00	0.000%
2	0.00	-87.85	-52.46	0.00	87.85	52.46	0.000%
3	26.25	-87.85	-45.43	-26.25	87.85	45.43	0.000%
4	45.47	-87.85	-26.23	-45.47	87.85	26.23	0.000%
5	52.50	-87.85	0.00	-52.50	87.85	0.00	0.000%
6	45.47	-87.85	26.23	-45.47	87.85	-26.23	0.000%
7	26.25	-87.85	45.43	-26.25	87.85	-45.43	0.000%
8	0.00	-87.85	52.46	0.00	87.85	-52.46	0.000%
9	-26.25	-87.85	45.43	26.25	87.85	-45.43	0.000%
10	-45.47	-87.85	26.23	45.47	87.85	-26.23	0.000%
11	-52.50	-87.85	0.00	52.50	87.85	0.00	0.000%
12	-45.47	-87.85	-26.23	45.47	87.85	26.23	0.000%
13	-26.25	-87.85	-45.43	26.25	87.85	45.43	0.000%
14	0.00	-117.84	0.00	0.00	117.84	-0.00	0.000%
15	0.00	-117.84	-12.60	0.00	117.84	12.60	0.000%
16	6.30	-117.84	-10.91	-6.30	117.84	10.91	0.000%
17	10.91	-117.84	-6.30	-10.91	117.84	6.30	0.000%
18	12.60	-117.84	0.00	-12.60	117.84	-0.00	0.000%
19	10.91	-117.84	6.30	-10.91	117.84	-6.30	0.000%
20	6.30	-117.84	10.91	-6.30	117.84	-10.91	0.000%
21	0.00	-117.84	12.60	0.00	117.84	-12.60	0.000%
22	-6.30	-117.84	10.91	6.30	117.84	-10.91	0.000%
23	-10.91	-117.84	6.30	10.91	117.84	-6.30	0.000%
24	-12.60	-117.84	0.00	12.60	117.84	-0.00	0.000%
25	-10.91	-117.84	-6.30	10.91	117.84	6.30	0.000%
26	-6.30	-117.84	-10.91	6.30	117.84	10.91	0.000%
27	0.00	-87.85	-18.15	0.00	87.85	18.15	0.000%
28	9.08	-87.85	-15.72	-9.08	87.85	15.72	0.000%

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
29	15.73	-87.85	-9.08	-15.73	87.85	9.08	0.000%
30	18.17	-87.85	0.00	-18.17	87.85	-0.00	0.000%
31	15.73	-87.85	9.08	-15.73	87.85	-9.08	0.000%
32	9.08	-87.85	15.72	-9.08	87.85	-15.72	0.000%
33	0.00	-87.85	18.15	0.00	87.85	-18.15	0.000%
34	-9.08	-87.85	15.72	9.08	87.85	-15.72	0.000%
35	-15.73	-87.85	9.08	15.73	87.85	-9.08	0.000%
36	-18.17	-87.85	0.00	18.17	87.85	-0.00	0.000%
37	-15.73	-87.85	-9.08	15.73	87.85	9.08	0.000%
38	-9.08	-87.85	-15.72	9.08	87.85	15.72	0.000%

Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	4	0.00000001	0.00000001
2	Yes	5	0.00000001	0.00012012
3	Yes	6	0.00000001	0.00011728
4	Yes	6	0.00000001	0.00011918
5	Yes	5	0.00000001	0.00006664
6	Yes	6	0.00000001	0.00012224
7	Yes	6	0.00000001	0.00011585
8	Yes	5	0.00000001	0.00012015
9	Yes	6	0.00000001	0.00012128
10	Yes	6	0.00000001	0.00011932
11	Yes	5	0.00000001	0.00006668
12	Yes	6	0.00000001	0.00011645
13	Yes	6	0.00000001	0.00012290
14	Yes	4	0.00000001	0.00008813
15	Yes	5	0.00000001	0.00057909
16	Yes	5	0.00000001	0.00076278
17	Yes	5	0.00000001	0.00076720
18	Yes	5	0.00000001	0.00057495
19	Yes	5	0.00000001	0.00078534
20	Yes	5	0.00000001	0.00076952
21	Yes	5	0.00000001	0.00058578
22	Yes	5	0.00000001	0.00080055
23	Yes	5	0.00000001	0.00079530
24	Yes	5	0.00000001	0.00058710
25	Yes	5	0.00000001	0.00077870
26	Yes	5	0.00000001	0.00079533
27	Yes	4	0.00000001	0.00050648
28	Yes	5	0.00000001	0.00020350
29	Yes	5	0.00000001	0.00021002
30	Yes	4	0.00000001	0.00033083
31	Yes	5	0.00000001	0.00022183
32	Yes	5	0.00000001	0.00019963
33	Yes	4	0.00000001	0.00050775
34	Yes	5	0.00000001	0.00021947
35	Yes	5	0.00000001	0.00021245
36	Yes	4	0.00000001	0.00033243
37	Yes	5	0.00000001	0.00020216
38	Yes	5	0.00000001	0.00022487

Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	226 - 197.961	58.130	35	2.5192	0.0108

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L2	202.042 - 162.932	45.925	36	2.3034	0.0059
L3	168.07 - 132	30.717	36	1.9136	0.0031
L4	132 - 120.305	18.103	36	1.3882	0.0016
L5	126.698 - 79.2108	16.598	36	1.3242	0.0014
L6	86.7941 - 39.1405	7.488	36	0.8245	0.0007
L7	47.8645 - 0	2.276	36	0.4297	0.0003

Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
228.00	(2) LPA-80080/6CF w/ Mount Pipe	35	58.130	2.5192	0.0108	24075
226.00	Flash Beacon Lighting	35	58.130	2.5192	0.0108	24075
205.00	RR65-18-02DP w/ Mount Pipe	36	47.386	2.3315	0.0064	5745
195.00	DTMABP7819VG12A	36	42.533	2.2338	0.0050	4877
185.00	APXV18-206517S-C w/ Mount Pipe	36	37.926	2.1264	0.0041	4685
176.00	TME-1900MHz RRH (65MHz)	36	33.999	2.0189	0.0035	4524
175.00	800 EXTERNAL NOTCH FILTER	36	33.576	2.0062	0.0034	4506
113.00	Honeywill Side-Light	36	13.037	1.1531	0.0011	4956
72.00	GPS_A	36	5.078	0.6625	0.0005	5003

Maximum Tower Deflections - Design Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	226 - 197.961	166.978	11	7.2258	0.0309
L2	202.042 - 162.932	132.013	11	6.6163	0.0168
L3	168.07 - 132	88.372	11	5.5028	0.0088
L4	132 - 120.305	52.119	11	3.9955	0.0045
L5	126.698 - 79.2108	47.788	11	3.8117	0.0041
L6	86.7941 - 39.1405	21.571	11	2.3747	0.0020
L7	47.8645 - 0	6.558	11	1.2381	0.0009

Critical Deflections and Radius of Curvature - Design Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
228.00	(2) LPA-80080/6CF w/ Mount Pipe	11	166.978	7.2258	0.0310	8707
226.00	Flash Beacon Lighting	11	166.978	7.2258	0.0310	8707
205.00	RR65-18-02DP w/ Mount Pipe	11	136.200	6.6959	0.0183	2075
195.00	DTMABP7819VG12A	11	122.286	6.4184	0.0142	1753
185.00	APXV18-206517S-C w/ Mount Pipe	11	109.069	6.1121	0.0116	1675
176.00	TME-1900MHz RRH (65MHz)	11	97.797	5.8044	0.0100	1610
175.00	800 EXTERNAL NOTCH FILTER	11	96.581	5.7681	0.0098	1603

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
113.00	Honeywell Side-Light	11	37.544	3.3201	0.0033	1734
72.00	GPS_A	11	14.630	1.9085	0.0015	1742

Compression Checks

Pole Design Data

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P/P _a
L1	226 - 197.961 (1)	TP28.6437x21.5x0.1875	28.04	0.00	0.0	39.000	16.3163	-4.71	636.33	0.007
L2	197.961 - 162.932 (2)	TP37.108x27.229x0.375	39.11	0.00	0.0	39.000	42.1767	-17.13	1644.89	0.010
L3	162.932 - 132 (3) 5	TP44.1835x35.0602x0.437	36.07	0.00	0.0	39.000	60.7467	-26.66	2369.12	0.011
L4	132 - 120.305 (4) 5	TP47.1416x44.1835x0.575	11.70	0.00	0.0	31.410	82.1021	-28.41	2578.79	0.011
L5	120.305 - 79.2108 (5)	TP56.6581x44.6496x0.5	47.49	0.00	0.0	39.000	86.0796	-43.25	3357.10	0.013
L6	79.2108 - 39.1405 (6) 5	TP65.7875x53.7404x0.562	47.65	0.00	0.0	39.000	112.513 0	-61.87	4388.03	0.014
L7	39.1405 - 0 (7)	TP74.5x62.457x0.5625	47.86	0.00	0.0	39.000	114.424 0	-69.13	4462.53	0.015

Pole Bending Design Data

Section No.	Elevation ft	Size	Actual M _x kip-ft	Actual f _{bx} ksi	Allow. F _{bx} ksi	Ratio f _{bx} / F _{bx}	Actual M _y kip-ft	Actual f _{by} ksi	Allow. F _{by} ksi	Ratio f _{by} / F _{by}
L1	226 - 197.961 (1)	TP28.6437x21.5x0.1875	218.31	23.708	39.000	0.608	0.00	0.000	39.000	0.000
L2	197.961 - 162.932 (2)	TP37.108x27.229x0.375	1059.0 4	34.553	39.000	0.886	0.00	0.000	39.000	0.000
L3	162.932 - 132 (3) 75 6	TP44.1835x35.0602x0.43	2340.8	42.928	39.000	1.101	0.00	0.000	39.000	0.000
L4	132 - 120.305 (4) 55 8	TP47.1416x44.1835x0.57	2542.2	33.665	31.410	1.072	0.00	0.000	31.410	0.000
L5	120.305 - 79.2108 (5) 9	TP56.6581x44.6496x0.5	4174.6	43.541	39.000	1.116	0.00	0.000	39.000	0.000
L6	79.2108 - 39.1405 (6) 25 7	TP65.7875x53.7404x0.56	5955.7	40.891	39.000	1.048	0.00	0.000	39.000	0.000
L7	39.1405 - 0 (7)	TP74.5x62.457x0.5625	6378.8 9	42.339	39.000	1.086	0.00	0.000	39.000	0.000

Pole Shear Design Data

Section No.	Elevation ft	Size	Actual V K	Actual f _v ksi	Allow. F _v ksi	Ratio f _v / F _v	Actual T kip-ft	Actual f _{vt} ksi	Allow. F _{vt} ksi	Ratio f _{vt} / F _{vt}
L1	226 - 197.961 (1)	TP28.6437x21.5x0.1875	12.51	0.767	26.000	0.059	0.00	0.000	26.000	0.000
L2	197.961 - 162.932 (2)	TP37.108x27.229x0.375	33.39	0.792	26.000	0.061	0.00	0.000	26.000	0.000

Section No.	Elevation ft	Size	Actual V K	Actual f _v ksi	Allow. F _v ksi	Ratio f _v / F _v	Actual T kip-ft	Actual f _{vt} ksi	Allow. F _{vt} ksi	Ratio f _{vt} / F _{vt}
L3	162.932 - 132 (3)	TP44.1835x35.0602x0.43	37.65	0.620	26.000	0.048	1.92	0.017	26.000	0.001
L4	132 - 120.305 (4)	TP47.1416x44.1835x0.57	38.33	0.467	20.940	0.045	1.91	0.012	20.940	0.001
L5	120.305 - 79.2108 (5)	TP56.6581x44.6496x0.5	43.29	0.503	26.000	0.039	1.93	0.010	26.000	0.000
L6	79.2108 - 39.1405 (6)	TP65.7875x53.7404x0.56	47.95	0.426	26.000	0.033	1.56	0.005	26.000	0.000
L7	39.1405 - 0 (7)	TP74.5x62.457x0.5625	49.25	0.430	26.000	0.033	1.57	0.005	26.000	0.000

Pole Interaction Design Data


Section No.	Elevation ft	Ratio P P _a	Ratio f _{bx} F _{bx}	Ratio f _{by} F _{by}	Ratio f _v F _v	Ratio f _{vt} F _{vt}	Comb. Stress Ratio	Allow. Stress Ratio	Criteria
L1	226 - 197.961 (1)	0.007	0.608	0.000	0.059	0.000	0.616 ✓	1.333	H1-3+VT ✓
L2	197.961 - 162.932 (2)	0.010	0.886	0.000	0.061	0.000	0.897 ✓	1.333	H1-3+VT ✓
L3	162.932 - 132 (3)	0.011	1.101	0.000	0.048	0.001	1.113 ✓	1.333	H1-3+VT ✓
L4	132 - 120.305 (4)	0.011	1.072	0.000	0.045	0.001	1.083 ✓	1.333	H1-3+VT ✓
L5	120.305 - 79.2108 (5)	0.013	1.116	0.000	0.039	0.000	1.130 ✓	1.333	H1-3+VT ✓
L6	79.2108 - 39.1405 (6)	0.014	1.048	0.000	0.033	0.000	1.063 ✓	1.333	H1-3+VT ✓
L7	39.1405 - 0 (7)	0.015	1.086	0.000	0.033	0.000	1.101 ✓	1.333	H1-3+VT ✓

Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P _{allow} K	% Capacity	Pass Fail
L1	226 - 197.961	Pole	TP28.6437x21.5x0.1875	1	-4.71	848.23	46.2	Pass
L2	197.961 - 162.932	Pole	TP37.108x27.229x0.375	2	-17.13	2192.64	67.3	Pass
L3	162.932 - 132	Pole	TP44.1835x35.0602x0.4375	3	-26.66	3158.04	83.5	Pass
L4	132 - 120.305	Pole	TP47.1416x44.1835x0.5755	4	-28.41	3437.53	81.3	Pass
L5	120.305 - 79.2108	Pole	TP56.6581x44.6496x0.5	5	-43.25	4475.01	84.7	Pass
L6	79.2108 - 39.1405	Pole	TP65.7875x53.7404x0.5625	6	-61.87	5849.24	79.7	Pass
L7	39.1405 - 0	Pole	TP74.5x62.457x0.5625	7	-69.13	5948.55	82.6	Pass
					Pole (L5) RATING =	84.7	84.7	Pass
								Pass


APPENDIX B

BASE LEVEL DRAWING



APPENDIX C
ADDITIONAL CALCULATIONS

Reinforcement Capacity



AeroSolutions LLC
Optimizing Your Tower Infrastructure
5500 Foothills Parkway, Suite 100
Boulder, CO 80301
720-304-6882

Dimensions and Properties	Compression										Axial			ASD-9			LRFD						
	Model	Weight (lb/ft)	Area (in ²)	Moment of Inertia (in ⁴)	Moment of Inertia (in ⁴)	Centroid from Mating Edge (in)	Centroid from Bolt Hole Center (in)	Web Thickness (in)	Flange Width (in)	Flange Thickness (in)	Hole Diameter (in)	Yield Stress (ksi)	Ultimate Stress (ksi)	Slender. Ratio Coefficient	Unbraced Length (in)	Slender. Ratio Coefficient	Unbraced Length (in)	Allowable Axial Strength (kip)	Allowable Axial Strength (kip)	Design Axial Strength (kip)	Governing Axial Compress. (kip)	Governing Axial Compress. (kip)	Rupture
MS-600	20.4	6.00	0.50	18.00	0.5	0	1	6	0	0	0.121875	65	80	0.80	16.75	1.00	16.75	187.8	250.4	250.4	283.1	283.1	Rupture

Rein2	Bottom	Top	Qty	Model	Position	T or T&C
0				F	T&C	F

Rein3	Bottom	Top	Qty	Model	Position	T or T&C
			0		F	T&C

Stiffened or Unstiffened, Ungrounded, Circular Base Plate - Any Rod Material

TIA Rev F

Site Data

BU#: 806358

Site Name: NHV 109 943107

App #: 224071 R2

Pole Manufacturer: Other

Reactions

Moment:	8365.9058	ft-kips
Axial:	87.8245	kips
Shear:	52.5411	kips

Anchor Rod Data

Qty:	28	
Diam:	2.25	in
Rod Material:	A615-J	
Strength (Fu):	100	ksi
Yield (Fy):	75	ksi
Bolt Circle:	84	in

Plate Data

Diam:	90	in
Thick:	2.5	in
Grade:	60	ksi
Single-Rod B-eff:	8.44	in

Stiffener Data (Welding at both sides)

Config:	1	*
Weld Type:	Both	
Groove Depth:	0.5	in **
Groove Angle:	45	degrees
Fillet H. Weld:	0.5	in
Fillet V. Weld:	0.5	in
Width:	6	in
Height:	18	in
Thick:	1	in
Notch:	0.75	in
Grade:	50	ksi
Weld str.:	70	ksi

Pole Data

Diam:	74.5	in
Thick:	0.5625	in
Grade:	65	ksi
# of Sides:	18	"0" IF Round
Fu	80	ksi
Reinf. Fillet Weld	0	"0" if None

Stress Increase Factor

ASIF:	1.333	
-------	-------	--

Reactions

Moment:	8365.9058	ft-kips
Axial:	87.8245	kips
Shear:	52.5411	kips

If No stiffeners, Criteria: AISC ASD <-Only Applicable to Unstiffened Cases

Anchor Rod Results

Maximum Rod Tension:	167.6 Kips
Allowable Tension:	195.0 Kips
Anchor Rod Stress Ratio:	86.0% Pass

Stiffened
Service, ASD
0.75*Fy*ASIF

Base Plate Results

Flexural Check	
Base Plate Stress:	34.3 ksi
Allowable Plate Stress:	60.0 ksi
Base Plate Stress Ratio:	57.1% Pass


Stiffened
Service, ASD
0.75*Fy*ASIF
Y.L. Length: N/A, Roark

Stiffener Results

Horizontal Weld :	52.6% Pass
Vertical Weld:	34.1% Pass
Plate Flex+Shear, $f_b/F_b + (f_v/F_v)^2$:	13.0% Pass
Plate Tension+Shear, $f_t/F_t + (f_v/F_v)^2$:	53.0% Pass
Plate Comp. (AISC Bracket):	54.1% Pass

Pole Results

Pole Punching Shear Check:	8.2% Pass
----------------------------	-----------



* 0 = none, 1 = every bolt, 2 = every 2 bolts, 3 = 2 per bolt

** Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes



Caisson Analysis

Pier Properties			Analysis Properties		
Moment	8366	kip-ft			
Shear	53	kip	TIA Code	F	
Pier Diameter	9.0	ft	Soil Safety Factor	2.00	
Height Above Grade	1.00	ft	Water Table Depth	99.0	ft
Depth Below Grade	36.00	ft	Ignored Soil Depth	4.5	ft
Donut Diameter	ft		Cohesion Based on	PLS Caisson	
Donut Depth	ft		Max Soil Capacity	100%	

Soil Properties						
Layer	Top of Soil Layer (ft)	Layer Thickness (ft)	Bottom of Soil Layer (ft)	Soil Unit Weight (pcf)	Cohesion (psf)	Friction Angle (degrees)
Soil.Layer	Soil.Top	Soil.Thick	Soil.Bottom	Soil.Weight	Soil.Cohesion	Soil.Phi
1	0.00	4	4.00	100	0	28
2	4.00	5	9.00	110	0	35
3	9.00	5	14.00	120	0	40
4	14.00	5	19.00	125	0	40
5	19.00	20	39.00	130	0	40
6						
7						
8						
9						
10						

Critical Depths Below Grade		Results	
Rotation Axis	26.55 ft	Soil Capacity	32.7% OK
Zero Shear	9.05 ft	Max Pier Moment	8789 kip-ft

Moment At User Defined Depths Below Grade		
	kip-ft	kip-ft
	kip-ft	kip-ft

Moment Capacity of Drilled Concrete Shaft (Caisson) for TIA Rev F or G

Note: Shaft assumed to have ties, not spiral, transverse reinforcing

Site Data

BU#: 806358
Site Name: NVH 109 943107
App #: 224071 R2

Maximum Shaft Superimposed Forces

TIA Revision:	F	
Max. Service Shaft M:	8789.099	ft-kips (* Note)
Max. Service Shaft P:	87.8245	kips
Max Axial Force Type:	Comp.	

(* Note): Max Shaft Superimposed Moment does not necessarily equal to the shaft top reaction moment

Enter Load Factors Below:

For M (WL)	1.3	<---- Enter Factor
For P (DL)	1.3	<---- Enter Factor

Pier Properties

Concrete:

Pier Diameter = 9.0 ft
Concrete Area = 9160.9 in²

Reinforcement:

Clear Cover to Tie= 4.00 in
Horiz. Tie Bar Size= 5
Vert. Cage Diameter = 8.11 ft
Vert. Cage Diameter = 97.34 in
Vertical Bar Size = 11
Bar Diameter = 1.41 in
Bar Area = 1.56 in²
Number of Bars = 40
As Total= 62.4 in²
A s/ Aconc, Rho: 0.0068 0.68%

Shaft Factored Loads

Load Factor	Mu:	11425.83	ft-kips
	Pu:	114.1719	kips

Material Properties

Concrete Comp. strength, f'c =	4000	psi
Reinforcement yield strength, Fy =	60	ksi
Reinforcing Modulus of Elasticity, E =	29000	ksi
Reinforcement yield strain =	0.00207	
Limiting compressive strain =	0.003	

ACI 318 Code

Select Analysis ACI Code= 2005

Seismic Properties

Seismic Design Category =	C
Seismic Risk =	Moderate

Solve
(Run)

<-- Press Upon Completing All Input

ACI 10.5 , ACI 21.10.4, and IBC 1810.

Min As for Flexural, Tension Controlled, Shafts:

$$(3)^*(\text{Sqrt}(f'c)/Fy) = 0.0032$$


$$200 / Fy = 0.0033$$

Minimum Rho Check:


Actual Req'd Min. Rho: 0.33% Flexural
Provided Rho: 0.68% **OK**

Results:

Governing Orientation Case: 1



Case 1



Case 2

Dist. From Edge to Neutral Axis: 16.42 in

Extreme Steel Strain, ϵ_t : 0.0158

$\epsilon_t > 0.0050$, Tension Controlled

Reduction Factor, ϕ : 0.900

Ref. Shaft Max Axial Capacities, ϕ Max(Pn or Tn):		
Max Pu = ($\phi=0.65$) Pn.		
Pn per ACI 318 (10-2)	18033.00	kips
at Mu=($\phi=0.65$)Mn=	14169.12	ft-kips
Max Tu, ($\phi=0.9$) Tn =	3369.6	kips
at Mu= $\phi=(0.90)$ Mn=	0.00	ft-kips

Output Note: Negative Pu=Tension

For Axial Compression, ϕ Pn = Pu: 114.17 kips

Drilled Shaft Moment Capacity, ϕ Mn: 13068.70 ft-kips

Drilled Shaft Superimposed Mu: 11425.83 ft-kips

(Mu/ ϕ Mn, Drilled Shaft Flexure CSR: 87.4%)