



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

Web Site: portal.ct.gov/csc

VIA ELECTRONIC MAIL

February 7, 2022

Margie Weber
Program Manager
NB+C, LLC
1777 Sentry Parkway West, VEVA 17, Suite 400
Blue Bell, PA 19422
mweber@nbcllc.com

RE: **EM-ATC-131-211222** - American Tower Corporation (ATC) notice of intent to modify an existing telecommunications facility located at 80 Shuttle Meadow Road, Southington, Connecticut.

Dear Ms. Weber:

The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies with the following conditions:

1. Construction activities shall take place during daylight working hours consistent with Condition No. 8 of the Council's Decision and Order in Docket No. 40;
2. Any deviation from the proposed modification as specified in this notice and supporting materials submitted to the Council shall render this acknowledgement invalid;
3. Any material changes to this modification as proposed shall require the filing of a new notice with the Council;
4. The Council shall be notified in writing at least two weeks prior to the commencement of site construction activities;
5. Within 45 days after completion of construction, the Council shall be notified in writing that construction has been completed;
6. Any nonfunctioning equipment on this facility owned and operated by ATC shall be removed within 60 days of the date the equipment ceased to function;
7. The validity of this action shall expire one year from the date of this letter; and
8. The applicant may file a request for an extension of time beyond the one year deadline provided that such request is submitted to the Council not less than 60 days prior to the expiration.

The proposed modifications including the placement of all necessary equipment and shelters within the tower compound are to be implemented as specified here and in your notice dated December 15, 2021. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the

Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site by any dimension, increase noise levels at the tower site boundary by six decibels or more, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standards adopted by the Federal Communications Commission pursuant to Section 704 of the Telecommunications Act of 1996 and by the state Department of Energy and Environmental Protection pursuant to Connecticut General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below state and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Thank you for your attention and cooperation.

Sincerely,



Melanie A. Bachman
Executive Director

MAB/FOC/emr

c: The Honorable Victoria Triano, Chairwoman, Town of Southington (vtriano@southington.org)
Mark J. Sciota, Town Manager, Town of Southington (sciotam@southington.org)