

January 12, 2015

Melanie A. Bachman
Acting Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

Re: **Request of Cellco Partnership d/b/a Verizon Wireless for an Order to Approve the Shared Use of the Existing Long Ridge Fire Company Tower at 366 Old Long Ridge Road, Stamford, Connecticut**

Dear Ms. Bachman:

Pursuant to Connecticut General Statutes (“C.G.S.”) §16-50aa, as amended, Cellco Partnership d/b/a Verizon Wireless (“Cellco”) hereby requests an order from the Connecticut Siting Council (“Council”) to approve the shared use by Cellco of an existing telecommunications tower at 366 Old Long Ridge Road in Stamford, Connecticut (the “Property”). The existing 152-foot tower and the Property are owned by the Long Ridge Fire Company (“LRFC”). Cellco requests that the Council find that the proposed shared use of the LRFC tower satisfies the criteria of C.G.S. § 16-50aa and issue an order approving the proposed shared use.

Background

The LRFC owns and operates a 152-foot self-supporting lattice tower adjacent to its station house at the Property. The existing tower is shared by numerous entities, emergency service providers and four (4) commercial wireless service providers including AT&T, T-Mobile, Sprint and Air Touch. Equipment associated with each of the tower sharing entities is located either on the ground near the base of the tower or inside the LRFC building.

Melanie A. Bachman

January 12, 2015

Page 2

Cellco is licensed by the Federal Communications Commission ("FCC") to provide wireless services throughout the State of Connecticut. Cellco and the LRFC have agreed to the proposed shared use of the existing tower pursuant to mutually acceptable terms and conditions. The LRFC has authorized Cellco to apply for all necessary permits and approvals that may be required to share the existing tower. (See Owner's authorization letters included in Attachment 1).

Cellco proposes to install twelve (12) antennas and six (6) remote radio heads (RRHs) at a height of 98 feet above ground level on the LRFC tower. Equipment associated with Cellco's antennas will be located inside a newly constructed 12-foot x 14-foot equipment room located in modified space in the basement of the LRFC building. Two air conditioning condensing units would be installed at grade to the north of the LRFC building. Cellco will share the existing LRFC's back-up generator. Included in Attachment 2 is a set of project plans showing the location of all proposed site improvements.

C.G.S. § 16-50aa(c)(1) provides that, upon written request for approval of a proposed shared use, "if the council finds that the proposed shared use of the facility is technically, legally, environmentally and economically feasible and meets public safety concerns, the council shall issue an order approving such shared use." Cellco respectfully submits that the shared use of the tower satisfies these criteria.

A. Technical Feasibility. The existing LRFC tower is structurally capable of supporting Cellco's proposed improvements. The proposed shared use of this tower is, therefore, technically feasible. A Detailed Structural Analysis and Evaluation Report verifying the structural integrity of the tower, and its ability to support Cellco's antennas, RRHs and related equipment is included in Attachment 3.¹

B. Legal Feasibility. Under C.G.S. § 16-50aa, the Council has been authorized to issue orders approving the shared use of an existing tower such as the LRFC tower. This authority complements the Council's prior-existing authority under C.G.S. § 16-50p to issue orders approving the construction of new towers that are subject to the Council's jurisdiction. In

¹ Please note that the October 31, 2014 Detailed Structural Analysis and Evaluation Report includes "proposed" facility modifications by Sprint and AT&T, in addition to Cellco. This tower share filing seeks approval, only for Cellco's antennas, RRHs and related equipment. AT&T and Sprint will seek separate antenna modification approvals in the future.

Melanie A. Bachman

January 12, 2015

Page 3

addition, § 16-50x(a) directs the Council to “give such consideration to other state laws and municipal regulations as it shall deem appropriate” in ruling on requests for the shared use of existing tower facilities. Under the statutory authority vested in the Council, an order by the Council approving the requested shared use would permit the Applicant to obtain a building permit for the proposed installations.

C. Environmental Feasibility. The proposed shared use of the LRFC tower would have a minimal environmental effect, for the following reasons:

1. The proposed installation of twelve (12) antennas and six (6) remote radio heads at the 98-foot level on the existing 152-foot tower would have an insignificant incremental visual impact on the area around the existing tower. (*See* Tower Elevation on Plan Sheet C-1 in Attachment 2). Cellco’s equipment would be located in a newly constructed equipment room in the basement of the LRFC building. Cellco will share the existing LRFC generator on site. Cellco’s shared use of this tower would therefore, not cause any significant change or alteration in the physical or environmental characteristics of the Property.
2. Noise associated with Cellco’s air conditioning condensing units located adjacent to and north of the LRFC building was evaluated for compliance with State and/or local noise standards. According to the Noise Evaluation Report included in Attachment 4, noise from its air conditioning condensing units will not exceed State and/or local noise limits. As mentioned, Cellco will not install a new generator at the LRFC site, but will share the existing LRFC generator.
3. Operation of Cellco’s antennas, in addition to all existing antennas on the LRFC tower would not exceed the RF emissions standards adopted by the Federal Communications Commission (“FCC”). Included in Attachment 5 of this filing is a Calculated Radio Frequency Emissions Report from C-Squared Systems, LLC confirming that, with the addition of Cellco’s proposed antennas, the facility will operate well within (52.36%) the FCC’s radio frequency emissions safety standards.

Robinson+Cole

Melanie A. Bachman

January 12, 2015

Page 4

4. Under ordinary operating conditions, Cellco's proposed wireless facility would not require the use of any water or sanitary facilities and would not generate air emissions or discharges to water bodies or sanitary facilities. After construction is complete the proposed installations would not generate any increased traffic to the LRFC facility other than periodic (monthly) maintenance visits to the cell site.

The proposed shared use of the LRFC tower would, therefore, have a minimal environmental effect, and is environmentally feasible.

D. Economic Feasibility. As previously mentioned, Cellco has entered into agreements with the LRFC for the shared use of the existing facility subject to mutually agreeable terms. The proposed tower sharing is, therefore, economically feasible. (*See Attachment 1*).

E. Public Safety Concerns. As discussed above, the tower is structurally capable of supporting Cellco's full array of twelve (12) antennas, six (6) RRHs and associated equipment. Cellco is not aware of any public safety concerns relative to the proposed sharing of the LRFC tower. In fact, the provision of new and improved wireless service through shared use of the existing tower is expected to enhance the safety and welfare of area residents and members of the general public traveling throughout northern portions of Stamford.

Conclusion

For the reasons discussed above, the proposed shared use of the existing LRFC tower at 366 Old Long Ridge Road satisfies the criteria stated in C.G.S. § 16-50aa and advances the General Assembly's and the Council's goal of preventing the unnecessary proliferation of towers in Connecticut. The Applicant, therefore, respectfully requests that the Council issue an order approving the proposed shared use.

Robinson+Cole

Melanie A. Bachman
January 12, 2015
Page 5

Thank you for your consideration of this matter.

Very truly yours,



Kenneth C. Baldwin

Enclosures

Copy to:

Mayor David Martin, City of Stamford
Stuart Teitelbaum, Chief, Long Ridge Fire Company
Sandy M. Carter

ATTACHMENT 1

LONG RIDGE FIRE COMPANY, INC.



January 6, 2015

Sandy Carter
Verizon Wireless
99 East River Drive
East Hartford, CT 06108

**RE: Cellco Partnership d/b/a Verizon Wireless
Wireless Telecommunications Facility
366 Old Long Ridge Road,
Stamford, CT**

Dear Ms. Carter:

The Long Ridge Fire Co., the owner of the above-referenced property, hereby authorizes Cellco Partnership d/b/a Verizon Wireless and/or its agents to apply for and obtain all necessary permits and approvals from the CT Siting Council and all appropriate City of Stamford boards, commissions and agencies for its proposed wireless telecommunications facility.

Please contact us should you have any questions.

Sincerely

STUART TEITELBAUM - CHIEF
The Long Ridge Fire Co.

ATTACHMENT 2

CELLCO PARTNERSHIP

d.b.a. **verizon** wireless

WIRELESS COMMUNICATIONS FACILITY

STAMFORD NW

366 OLD LONG RIDGE ROAD
STAMFORD, CONNECTICUT 06903

SITE DIRECTIONS

FROM: 99 EAST RIVER DRIVE
EAST HARTFORD, CONNECTICUT TO: 366 OLD LONG RIDGE ROAD
STAMFORD, CONNECTICUT

1. Take ramp left for I-84E toward Norwich 137 FT
2. At Exit 55, Take ramp Right for CT-2 East Toward Norwich / New London 0.2 MI
3. At Exit 50, Take ramp Right for CT-3 South Toward Wethersfield / Glastonbury 3.5 MI
4. Take ramp Left for I-91 South Toward New Haven 2.6 MI
5. At Exit 17, Take ramp Right for CT-15 South Toward E. Main St / W. Cross Parkway 14.0 MI
6. At Exit 34, Take Ramp Right and follow signs for CT-104 55.0 MI
7. Turn Right onto CT-104 / Long Ridge Road 0.3 MI
8. Turn Right onto Erskine Road and then immediately turn Left onto Old Long Ridge Road 3.8 MI

GENERAL NOTES


1. PROPOSED ANTENNA LOCATIONS AND HEIGHTS PROVIDED BY CELLCO PARTNERSHIP.

GENERAL NOTES

1. THE PROPOSED SCOPE OF WORK INCLUDES THE INSTALLATION OF A 14'-0"x12'-0"± EQUIPMENT ROOM IN THE BASEMENT OF AN EXISTING BUILDING.
2. A TOTAL OF TWELVE (12) DIRECTIONAL PANEL ANTENNAS ARE PROPOSED TO BE MOUNTED ON AN EXISTING 150'± TALL LATTICE TOWER AT A CENTERLINE ELEVATION OF 98'± AGL.

VICINITY MAP

SCALE: 1" = 1000'



PROJECT SUMMARY

SITE NAME: STAMFORD NW
SITE ADDRESS: 366 OLD LONG RIDGE ROAD
STAMFORD, CT
LESSEE/TENANT: CELLCO PARTNERSHIP
d.b.a. VERIZON WIRELESS
99 EAST RIVER DRIVE
EAST HARTFORD, CT 06108
CONTACT PERSON: SANDY CARTER
CELLCO PARTNERSHIP
(860) 803-8219
TOWER COORDINATES: LATITUDE: 41°-09'-11.18"
LONGITUDE: 73°-35'-35.16"
GROUND ELEVATION: 422' ± M.S.L.
COORDINATES AND GROUND ELEVATION REFERENCED FROM RF DATA SHEET
STAMFORD NW, CT DATED 5/15/2014 PROVIDED BY VERIZON WIRELESS.

SITE INDEX

SHT. NO.	DESCRIPTION	REV. NO.
T-1	TITLE SHEET - GENERAL NOTES AND PROJECT SUMMARY	A
C-1	COMPOUND PLAN, ANTENNA SECTOR PLAN AND ELEVATION	A

CELLCO PARTNERSHIP

DBA



A&E FIRM

URS CORPORATION

500 ENTERPRISE DRIVE
SUITE 3B
ROCKY HILL, CONNECTICUT
1-(860)-529-8882

A&E SEAL

PROJECT NO: 36922268

JOB NO: VZ5-110

DRAWN BY: KAP

CHECKED BY: MJE

ISSUED FOR

A	12/09/14	REVIEW

THE INFORMATION CONTAINED
IN THIS SET OF DOCUMENTS
IS PROPRIETARY BY NATURE.
ANY USE OR DISCLOSURE
OTHER THAN THAT WHICH
RELATES TO VERIZON WIRELESS
IS STRICTLY PROHIBITED.


STAMFORD NW

366 OLD LONG RIDGE ROAD
STAMFORD, CONNECTICUT
06903


SCALE:

TITLE SHEET -
GENERAL NOTES
AND PROJECT
SUMMARY




T-1




3 ANTENNA SECTOR PLAN
C-1 NOT TO SCALE



1 EQUIPMENT / COMPOUND PLAN
C-1 SCALE: 1" = 10'-0"



2 SOUTH ELEVATION
C-1 SCALE: 1" = 10'-0"



CELLCO PARTNERSHIP
DBA
verizon wireless

A/E FIRM
URS CORPORATION
500 ENTERPRISE DRIVE
SUITE 3B
ROCKY HILL, CONNECTICUT
1-(860)-529-8882

A/E SEAL

PROJECT NO: 36922268

JOB NO: VZ5-110

DRAWN BY: KAP

CHECKED BY: MJE

ISSUED FOR	
A	12/09/14 REVIEW

THE INFORMATION CONTAINED
IN THIS SET OF DOCUMENTS
IS PROPRIETARY BY NATURE.
ANY USE OR DISCLOSURE
OTHER THAN THAT WHICH
RELATES TO VERIZON WIRELESS
IS STRICTLY PROHIBITED.

STAMFORD NW

366 OLD LONG RIDGE ROAD
STAMFORD, CONNECTICUT
06903

SCALE: AS SHOWN

**COMPOUND PLAN,
ANTENNA SECTOR
PLAN AND
ELEVATION**

C-1

ATTACHMENT 3

DETAILED STRUCTURAL ANALYSIS AND EVALUATION OF AN EXISTING 152' SELF SUPPORTING LATTICE TOWER FOR PROPOSED ANTENNA ARRANGEMENTS

Site I.D: (Verizon) Stamford NW
 (AT&T) CT5047
 (Sprint) CT03XC328

Address: 366 Old Long Ridge Road
 Stamford, CT

prepared for



Verizon Wireless
99 East River Drive
East Hartford, Connecticut 06108



500 ENTERPRISE DRIVE, SUITE 3A
ROCKY HILL, CT. 06067



1 International Blvd.
Suite 800
Mahwah, NJ. 07495

prepared by



URS CORPORATION
500 ENTERPRISE DRIVE, SUITE 3B
ROCKY HILL, CT 06067
TEL. 860-529-8882
(Sprint) 36928702.00000
(Verizon) 36922268.00000
(AT&T) 36922483.00000

October 31, 2014

TABLE OF CONTENTS

- 1. EXECUTIVE SUMMARY**
- 2. INTRODUCTION**
- 3. ANALYSIS METHODOLOGY AND LOADING CONDITIONS**
- 4. FINDINGS AND EVALUATION**
- 5. CONCLUSIONS**
- 6. DRAWINGS AND DATA**
 - **TOWER AND FOUNDATION REINFORCED DRAWINGS**
 - **(FROM URS CORPORATION MODIFICATION DESIGN/PASSING ANALYSIS DATED 6/13/2013)**
 - **TNX TOWER INPUT / OUTPUT SUMMARY**
 - **TNX TOWER FEEDLINE DISTRIBUTION CHART**
 - **TNX TOWER FEEDLINE PLAN**
 - **TNX TOWER DETAILED OUTPUT**
 - **ANCHOR BOLT EVALUATION**
 - **FOUNDATION EVALUATION**

1. EXECUTIVE SUMMARY

This report summarizes the structural re-analysis of the modified existing 152' self-supporting lattice tower located at 366 Old Long Ridge Road, in Stamford, CT. The analysis was conducted in accordance with the 2005 Connecticut State Building Code and the TIA/EIA-222-F standard for a basic wind velocity of 85 mph (fastest mile) and 74 mph (fastest mile) concurrent with 0.50" ice. The antenna loading considered in the analysis consists of all existing and proposed antennas, transmission lines, and ancillary items as outlined in the Introduction Section of this report.

The proposed antenna modifications are as follows:

Proposed Antenna and Mount	Carrier	Antenna Center Elevation
<u>Remove:</u> (12) Decibel DB844H90E-XY Panel Antennas (3) T-Frame Mounts (12) 1 1/4 Coaxial Cable (6) Amphenol LPA-80063-4CF Panel Antennas (3) Amphenol BXA-171063-8BF-EDIN-2 Panel Antennas (3) Amphenol BXA 171063-12CF-EDIN-2 Panel Antennas (3) Amphenol BXA-70063-6CF-2 Panel Antennas (18) 1 5/8" Coaxial Cables	Nextel (Existing)	118'
<u>Install</u> (3) RFS APXVSP18-C-A20 Panel Antennas (3) 800 MHz RRH Units (3) 1900 MHz RRH Units (3) Hybriflex Cables	Sprint (Previously Proposed)	128'
(3) RFS APXV9TM14 Panel Antennas (3) RRH Units (1) Fiber Optic Cable (27) 8' Jumper Cables	Sprint (Proposed)	128'
(2) Decibel LNX-8513DS-A1M Panel Antennas (Alpha Sector) (4) Decibel LNX-6514DS-A1M Panel Antennas (Beta and Gamma Sector) (6) RRH Units (6) HBXX-6517DS-A2M Panel Antennas (1) Raycap DB-T1-6Z-8AB-0Z Distribution Box	Verizon (Proposed)	98'

The results of the analysis indicate that the proposed modified tower structure and the proposed modified foundation components are in compliance with the proposed loadings. The proposed modified tower structure and proposed modified foundation components are considered structurally adequate with the wind classification specified above and all the existing and proposed antenna loading.

1. EXECUTIVE SUMMARY - *continued*

The analysis results presented herewith are based upon the previous tower modification proposed by URS Corporations' tower modification analysis report, project 36922268, signed and sealed on June 13, 2013. No installation of proposed antennas, mounts, cables or accessories shall occur prior to the completion of the tower and foundation modifications specified in the June 13, 2013 report. A copy of the reinforced drawings are included with this report.

This analysis is based on:

- 1) The tower structure's theoretical capacity, not including any assessment of the condition of the tower.
- 2) Original tower geometry, structural member sizes and foundation information obtained from manufacturer's design documents prepared by ROHN Industries, Engineering File No. 24269DB, dated May 16, 1989.
- 3) Subsurface Investigation Report from Goldberg-Zoino & Associates Inc., dated December 14, 1988.
- 4) Completion of subsequent tower reinforcements:
 - Drawings SS-1 'Tower Foundation Reinforcement, Elevation, Sections and Details' and drawing SS-2 'Foundation Plan, Section and Notes' prepared by Tectonic Engineering Consultants P.C; on behalf of AT&T Wireless, PCS, LLC; dated April 23, 2002.
 - Drawing S-1 'Structural Details' prepared by Diversified Technology Consultants (dte), on behalf of Nextel Communications, dated June 11, 2002.
 - Tower reinforcement drawings sheets 1 thru 5, entitled '2007 Modifications Tower Rework For a 153' ROHN SSV Tower' Long Ridge, CT., prepared by Vertical Structures on behalf of Motorola, dated May 24, 2007.
 - Tower inventory and mapping report prepared by CSB Communications, Inc., on behalf of Verizon Wireless/URS Corporation, dated July 20, 2008.
- 5) Geotechnical report from Dr. Clarence Welti, P.E., Geotechnical Engineering, dated December 12, 2012.
- 6) Modification design/passing analysis performed by URS for Sprint, Verizon, and AT&T, dated June 13, 2013.
- 7) Verizon RFDS, dated May 5, 2014
- 8) Sprint flat file for proposed antenna inventory, obtained via e-mail dated July 11, 2014.
- 9) Antenna and mount configuration as specified within Section 2 and 6 of this report.
- 10) Coax cable orientation as specified in section 6 of this report.


1. EXECUTIVE SUMMARY - *continued*

This report is only valid as per the assumptions and data utilized in this report for antenna inventory, mounts and associated cables. The user of this report shall field verify the assumption of the antenna and mount configuration as well as the physical condition of the tower. Notify the engineer in writing immediately if any of the information in this report is found to be other than specified.

If you should have any questions, please call.

Sincerely,

URS Corporation


Richard A. Sambor, P.E.
Senior Structural Engineer



RAS/mcd

cc: ICA – URS
CF/Book

2. INTRODUCTION

The subject tower is located at 366 Old Long Ridge Road, in Stamford, CT. The structure is an existing 152' self supporting three-legged steel tapered lattice tower designed and manufactured by ROHN.

The inventory is summarized in the table below:

Antenna Type	Carrier	Mount	Antenna Centerline Elevation	Cable
(1) 20' 4-Bay Dipole	(existing)	12' Pipe Mount	162'	(1) 7/8"
(1) Decibel DB563K Directional Omni with 22"x22"x6" Filter Box	(existing)	3' Stand-off	156.70'	(2) 1-5/8"
(1) 4' HP Dish with Radome	(existing)	4" Dish Mount	152'	(1) 7/8" Elliptical
(1) 30"x3" Omni Whip with 20"x6"x8" Filter Box	(existing)	3' Stand-off	151.25'	(2) 1-1/4"
(1) 12"x3" Decibel Omni Whip	(existing)	4' Stand-off	144'	(1) 7/8"
(3) Powerwave 7770 panel antennas and (6) Powerwave LGP21401 TMA's	AT&T (existing)	Pipe Leg Mount	143'	(6) 1 5/8"
(3) Powerwave P65-16-XLH-RR Antennas (6) Ericsson RRUS-11 RRU's (1) Raycap DC6-48-60-0-1B Surge Arrestor	AT&T (Proposed)	(3) Valmont CWT01 Mounts	145'	3" Flex Conduit (3) 1 5/8"
(1) Decibel DB563K Directional Omni	(existing)	3' Stand-off	141.70'	(1) 1-1/4"
(1) 4' HP Dish with Radome	(existing)	4" Dish Mount	140'	(1) 7/8" Elliptical
(1) 6'x3" Decibel Omni Whip	(existing)	3' Stand-off	138'	(2) 1-5/8"
(1) 2' HP Dish with Radome	(existing)	4" Dish Mount	136.5'	(1) 7/8" Elliptical
(1) Decibel DB495 Corner Reflector	(existing)	Leg Mount	135'	(1) 1/2"
(1) 8'x2" Decibel Omni Whip	(existing)	off Boom Gate listed above	133'	(1) 7/8"
(3) RFS APXV9TM14 Pane Antennas (3) RRH Units	Sprint (Proposed)	<i>See Below Mount</i>	128'	(1) Fiber Optic Cable (27) 8' Jumper Cables
(3) RFS APXVSP18-C-A20 (3) 800 MHz RRH's (3) 1900 MHz RRH's	Sprint (Previously Proposed)	(3) 11' Boom Gates	128'	(3) Hybriflex Cables
(1) Decibel DB254 Corner Reflector	(existing)	Leg Mount	122'	(1) 1/2"
(3) RFS APX16DWV-S-E-ACU Panel Antennas (3) TMAs	T-Mobile (existing)	Leg Mount	108'	(12) 1-5/8" (2 rows of 6)
(1) 10'x2" Decibel Omni Whip	(existing)	3' Stand-off	101'	(1) 7/8"
(1) 8' 4-Bay Dipole	(existing)	3' Stand-off	101'	(1) 7/8"
(1) 8' 4-Bay Dipole	(existing)	3' Stand-off	101'	(1) 7/8"
(1) 20'x3" Omni Whip	(existing)	3' Stand-off	101'	(1) 7/8"

Antenna Type	Carrier	Mount	Antenna Centerline Elevation	Cable
(2) Decibel LNX-8513DS-A1M Panel Antennas (Alpha Sector) (4) Decibel LNX-6514DS-A1M Panel Antennas (Beta and Gamma Sector) (6) RRH Units (6) HBXX-6517DS-A2M Panel Antennas (1) Raycap DB-T1-6Z-8AB-0Z Distribution Box	Verizon (Proposed)	See Below Mount	98'	(1) 1 5/8" Hybrid Cable
(3) ALU RRH's (1) Raycap DB-T1-6Z-8AB-0Z Distribution Box	Verizon (Previously Proposed)	(3) 13' T-frames	98'	(1) 1 5/8" Hybrid Cable
(1) 4'x3" Omni Whip	(existing)	3' Stand-off	79'	(1) 1-1/4"
(1) 8' 2-Bay Dipole	(existing)	3' Stand-off	78'	(1) 7/8"
(1) 3' Kathrein Yagi with Radome	(existing)	same as listed above	72'	(1) 1/2"
(1) GPS antenna	Sprint (existing)	2' Stand-off	58'	(1) 1/2"
(1) 1.2M Dish	(existing)	4' Stand-off	45'	(1) 1/4"

Notes:

- 1) Omni-whip antenna centerline elevations based on antenna size and respective mount height.
- 2) Refer to Section 6 Tower Feed Line Plan for coaxial cable locations.

This structural re-analysis of the communications tower modification design was performed by URS Corporation (URS) for Verizon and Sprint. The purpose of this analysis was to investigate the structural integrity of the modified tower and reinforced foundation with its existing and proposed antenna loads. The analysis was conducted to evaluate stress on the modified tower and the effect of forces to the modified foundation of the tower resulting from existing and proposed antenna arrangements.

The analysis results presented herewith are based upon previous tower modification proposed by URS Corporations' tower modification analysis report, project 36922268, signed and sealed on June 13, 2013.

3. ANALYSIS METHODOLOGY AND LOADING CONDITIONS

The structural analysis was done in accordance with the 2005 Connecticut State Building Code, TIA/EIA-222-F - Structural Standard for Steel Antenna Towers and Antenna Supporting Structures, and the American Institute of Steel Construction (AISC) Manual of Steel Construction – Allowable Stress Design (ASD).

The analysis was conducted using TNX Tower 6.1.3.1. Two load conditions were evaluated as shown below which were compared to allowable stresses according to AISC and TIA/EIA.

Basic Wind Speed:

- Fairfield County; $v = 85\text{mph}$ (fastest mile) [Section 16 of TIA/EIA-222-F-1996]
- Stamford; $v = 105\text{mph}$ (3 second gust) [Appendix K, 2005 Connecticut State Building Code Supplement]
equivalent to 85mph (fastest mile)

Loading Cases:

Load Condition 1 = 85 mph (fastest mile) Wind Load (without ice) + Tower Dead Load

Load Condition 2 = 74 mph (fastest mile) Wind Load (with ice) + Ice Load + Tower Dead Load

Please note that wind pressure is a function of velocity squared. Under Load Condition 2, a 25 percent reduction in wind pressure is allowed by code to account for the unlikelihood of the full wind pressure and ice load occurring at the same time. The same results may be achieved by utilizing a lower wind pressure without taking the 25 percent reduction, as shown above.

The TIA/EIA standard permits a one-third increase in allowable stresses for towers and monopoles less than 700 feet tall. For the purposes of this analysis, in computing the load capacity the allowable stresses of the tower members were increased by one-third.

4. FINDINGS AND EVALUATION

Stresses on the modified tower structure were evaluated to compare with the allowable stress in accordance with AISC. The results of the analysis indicate that the calculated stresses under the proposed loading are **BELOW** the allowable stresses (see tables below). The modified tower foundation has sufficient capacity to resist the proposed uplift forces. The tower anchor bolts were found to be within the allowable limits.

TABLE 1: Tower Base Reactions:

For detailed proposed tower reactions, see drawing no. E-1 in section 6 of this report.

Base Reactions	Proposed Reactions
Axial Load (kips)	31
Shear per Leg (kips)	25
Total Shear (kips)	43
Uplift per Leg (kips)	187
Comp.per Leg (kips)	218
O.T. Moment (ft-kips)	3743

TABLE 2: Tower Component Stress vs. Capacity Summary:

Component/ (Section No.)	Existing Component Size	Controlling Component/Elevation	Stress (% capacity)	Pass/Fail
Tower Leg (T15)	ROHN 5 X-STR w/ (3) 1.5"x0.5" Bars	Compression / 15'-20'	91.3 %	Pass
Diagonal (T15)	L3 1/2x3 1/2x1/4	Compression / 15'-20'	96.1 %	Pass
Horizontal (T16)	L2 7/8x2 7/8x1/4	Compression/10'-15'	76.6 %	Pass
Secondary Horizontal (T13)	L3x3x3/16	Compression/30'-40'	87.5 %	Pass
Top Girt (T1)	L2x2x1/8	Compression/140'-152'	10.0 %	Pass
Red. Horiz. Bracing (T15)	L2x2x1/4	Compression/15'-20'	34.5 %	Pass
Red. Diag. Bracing (T15)	L2x2x1/4	Compression/15'-20'	26.6 %	Pass
Bolt Checks				
Diagonal (T10)	0.500" dia A325X	Bolt Shear / 60'-67'	96.1 %	Pass
Anchor Bolts	(4) 1" dia A193 GR-7, A320 GR L7	Min Area per ASCE 10-97	95 %	Pass

TABLE 3: Foundation Summary

Foundation	Component	(% capacity/FOS)	Pass/Fail	Comments:
Drilled Concrete Caisson with Concrete Block Reinforcement & Grouted Rock Anchor	Uplift	92.3 % / 2.17	Pass	Min. F.O.S of 2.0 req'd per IBC 2003 Section 3108.4.2

5. CONCLUSIONS AND RECOMMENDATIONS

The results of the analysis indicate that the proposed modified tower structure and the proposed modified foundation components are in compliance with the proposed loadings. The proposed modified tower structure and proposed modified foundation components are considered structurally adequate with the wind classification specified above and all the existing and proposed antenna loading.

The analysis results presented herewith are based upon the previous tower modification proposed by URS Corporations' tower modification analysis report, project 36922268, signed and sealed on June 13, 2013. No installation of proposed antennas, mounts, cables or accessories shall occur prior to the completion of the tower and foundation modifications specified in the June 13, 2013 report. A copy of the reinforced drawings are included with this report.

Limitations/Assumptions:

This report is based on the following:

- 1) Tower inventory as listed in this report.
- 2) Tower is properly installed and maintained.
- 3) All members are as specified in the original design documents and are in good condition.
- 4) All required members are in place.
- 5) All bolts are in place and are properly tightened.
- 6) Tower is in plumb condition.
- 7) All member protective coatings are in good condition.
- 8) All tower members were properly designed, detailed, fabricated, and installed and have been properly maintained since erection.
- 9) Foundations were properly constructed to support original design loads as specified in the original design documents.
- 10) All coaxial cable is installed as specified in Section 6 of this report

URS is not responsible for any modifications completed prior to or hereafter in which URS is not or was not directly involved. Modifications include but are not limited to:

- A. Adding antennas
- B. Removing/replacing antennas
- C. Adding coaxial cables

URS hereby states that this document represents the entire report and that it assumes no liability for any factual changes that may occur after the date of this report. All representations, recommendations, and conclusions are based upon information contained and set forth herein. If you are aware of any information which conflicts with that which is contained herein, or you are aware of any defects arising from original design, material, fabrication, or erection deficiencies, you should disregard this report and immediately contact URS. URS disclaims all liability for any representation, recommendation, or conclusion not expressly stated herein.

Ongoing and Periodic Inspection and Maintenance:

The owner shall refer to TIA/EIA-222-F for recommendations for maintenance and inspection. The frequency of the inspection and maintenance intervals is to be determined by the owner based upon actual site and environmental conditions. It is recommended that a complete and thorough inspection of the entire tower structural system be performed at least yearly and more frequently as conditions warrant. According to TIA/EIA-222-F section 14.1, Note 1; it is recommended that the structure be inspected after severe wind and/or ice storms or other extreme loading conditions.

6. DRAWINGS AND DATA

(Sprint) 36928702.00000
(Verizon) 36922268.00000
(AT&T) 36922483.00000

152' SSV Lattice Tower
Stamford, CT



10/31/2014

TOWER AND FOUNDATION REINFORCEMENT DRAWINGS

(Sprint) 36928702.00000
(Verizon) 36922268.00000
(AT&T) 36922483.00000

152' SSV Lattice Tower
Stamford, CT

10/31/2014



PROJECT NO.
36922268
Designed by:
MCD
Drawn by:
MCD
Checked by:
KB
Approved by:
ICA

URS CORPORATION AES
500 ENTERPRISE DRIVE
ROCKY HILL, CONNECTICUT
860-529-8882

SITE PLAN

STAMFORD FIRE DEPARTMENT TOWER
SITE ADDRESS: 366 OLD LONG RIDGE ROAD
STAMFORD, CT

2	10/31/14	RE-ISSUE/NO CHANGE
1	7/16/14	RE-ISSUE/NO CHANGE
REV.	DATE:	DESCRIPTION
Scale: AS NOTED		Date: 06/13/13
Job No. VZ5-110		File No.

Dwg. No.
SK-1
Dwg. 1 of 8

STRUCTURAL NOTES

SOIL

1. SOIL BEARING CAPACITY OF 5,000 PSF USED FOR FOUNDATION DESIGN. GENERAL CONTRACTOR RESPONSIBLE FOR VERIFYING BEARING CAPACITIES.
2. ALL SURFACES MUST BE FREE OF STANDING WATER PRIOR TO PLACING
3. COMPACTED GRAVEL FILL PER CONNECTICUT DOT STANDARD SPEC. SECTION M.02.01 AND ASTM D1557.
4. CONTACT THE ENGINEER IF GROUND WATER IS IN ENCOUNTERED AND DEWATERING IS REQUIRED.

CONCRETE

1. ALL CONCRETE WORK SHALL BE IN ACCORDANCE WITH THE ACI 301, ACI 318 AND THE SPECIFICATION CAST-IN-PLACE CONCRETE.
2. ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 3000 PSI AT 28 DAYS, UNLESS NOTED OTHERWISE. CONCRETE SHALL BE AIR ENTRAINED TO (4% TO 6%) AND SLUMP OF 3" TO 5".
3. REINFORCING STEEL SHALL CONFORM TO ASTM A 615, GRADE 60, DEFORMED UNLESS NOTED OTHERWISE. WELDED WIRE FABRIC SHALL CONFORM TO ASTM A 185 WELDED STEEL WIRE FABRIC UNLESS NOTED OTHERWISE. SPLICES SHALL BE CLASS "B" AND ALL HOOKS SHALL BE STANDARD, UNO.
4. THE FOLLOWING MINIMUM CONCRETE COVER SHALL BE PROVIDED FOR REINFORCING STEEL UNLESS SHOWN OTHERWISE ON DRAWINGS:
 - CONCRETE CAST AGAINST EARTH.....3 IN.
 - CONCRETE EXPOSED TO EARTH OR WEATHER:
 - #6 AND LARGER2 IN.
 - #5 AND SMALLER & WWF1 1/2 IN.
 - CONCRETE NOT EXPOSED TO EARTH OR WEATHER OR NOT CAST AGAINST THE GROUND:
 - SLAB AND WALL3/4 IN.
 - BEAMS AND COLUMNS1 1/2 IN.
5. A CHAMFER 3/4" SHALL BE PROVIDED AT ALL EXPOSED EDGES OF CONCRETE, UNO, IN ACCORDANCE WITH ACI 301 SECTION 4.2.4.
6. INSTALLATION OF CONCRETE EXPANSION/WEDGE ANCHOR, SHALL BE PER MANUFACTURER'S WRITTEN RECOMMENDED PROCEDURE. THE ANCHOR BOLT, DOWEL OR ROD SHALL CONFORM TO MANUFACTURER'S RECOMMENDATION FOR EMBEDMENT DEPTH OR AS SHOWN ON THE DRAWINGS. NO REBAR SHALL BE CUT WITHOUT PRIOR ENGINEERING APPROVAL WHEN DRILLING
7. COLD WEATHER CONCRETE PLACING SHALL BE IN ACCORDANCE WITH ACI-308.
8. NO FOOTING SHALL BE PLACED ON FROZEN GROUND. UNCURED CONCRETE SHALL BE PROTECTED AGAINST FROST.
9. APPLY NON-SLIP BROOM FINISH IMMEDIATELY AFTER TROWEL FINISHING.

FOUNDATION NOTES

1. A SOIL BEARING CAPACITY OF 5000 PSF WAS USED FOR THE FOUNDATION DESIGN. THE GENERAL CONTRACTOR IS TO CONFIRM THE EXISTING SOIL BEARING PRESSURE.
2. ALL FOOTINGS SHALL BEAR ON EXISTING UNDISTURBED ORGANIC FREE SOIL. ALL UNSUITABLE SOIL SHALL BE REMOVED AS DIRECTED BY THE ENGINEER AND REPLACED WITH COMPACTED GRAVEL PLACED IN 8" LAYERS AND COMPACTED TO 95% OF MODIFIED OPTIMUM DENSITY.
3. ALL FOOTINGS TO BE A MINIMUM OF 3'-6" BELOW FINISH GRADE UNLESS OTHERWISE NOTED. EXCEPT WHERE ROCK OR LEDGE OCCURS, PIN FOUNDATION TO ROCK.
4. INSTALLATION OF CONCRETE EXPANSION/WEDGE ANCHOR, SHALL BE PER MANUFACTURER'S WRITTEN RECOMMENDED PROCEDURE. THE ANCHOR BOLT, DOWEL OR ROD SHALL CONFORM TO MANUFACTURER'S RECOMMENDATION FOR EMBEDMENT DEPTH OR AS SHOWN ON THE DRAWINGS. NO REBAR SHALL BE CUT WITHOUT PRIOR ENGINEERING APPROVAL WHEN DRILLING HOLES IN CONCRETE.

STRUCTURAL STEEL MATERIAL

STRUCTURAL STEEL BEAMS, CHANNELS, PLATES & ANGLES..... ASTM A572 GRADE 50
PIPE COLUMN..... ASTM A53 GRADE B
STUB COLUMNS..... FY=48 KSI..... ASTM A500
BOLTS..... ASTM A325--N
STRUCTURAL STEEL SHALL CONFORM TO ALL REQUIREMENTS OF THE 1999 AISC-LRFD SPECIFICATION, AS REFERENCED IN THE CODE.

UNLESS OTHERWISE NOTED, ALL STEEL WILL BE GALVANIZED IN ACCORDANCE WITH ASTM 123 AFTER FABRICATION. TOUCH UP ALL DAMAGED GALVANIZED STEEL WITH APPROVED COLD ZINC, "GALVANOX", "DRY GALV", "ZINC-IT", OR APPROVED EQUIVALENT, IN ACCORDANCE WITH MANUFACTURERS GUIDELINES. TOUCH-UP DAMAGED NON GALVANIZED STEEL WITH SAME PAINT APPLIED IN SHOP OR FIELD.

SHOP AND ERECTION DRAWINGS SHALL BE SUBMITTED FOR ALL STRUCTURAL STEEL WORK IN ACCORDANCE WITH THE CONTRACT DOCUMENTS. SUBMIT 2 SETS OF PRINTS FOR THE ENGINEER REVIEW.

EXISTING DIMENSIONS OF STRUCTURE SHOWN ON THESE DOCUMENTS ARE NOT GUARANTEED. CONTRACTOR SHALL TAKE FIELD DIMENSIONS AS NECESSARY TO ASSURE PROPER FIT OF ALL FINISHED WORK AND SHALL ASSUME FULL RESPONSIBILITY FOR THEIR ACCURACY. WHEN SHOP DRAWINGS BASED ON FIELD MEASUREMENT ARE SUBMITTED FOR REVIEW, DIMENSIONS ARE PROVIDED FOR THE ENGINEER'S REFERENCE ONLY.

CONNECTION ANGLES SHALL HAVE A MINIMUM THICKNESS OF 5/16" AND MINIMUM OF (2) 3/4" BOLTS.

ALL BOLT HOLES WILL BE DRILLED OR PUNCHED, WITH BURRS REMOVED PRIOR TO COATING.

MILL BEARING ENDS OF COLUMNS, STIFFENERS, AND OTHER BEARING SURFACES TO TRANSFER LOAD OVER ENTIRE CROSS SECTION.

THE OMISSION OF ANY MATERIAL THAT WAS SHOWN ON THE CONTRACT DRAWINGS SHALL NOT RELIEVE THE CONTRACTOR OF PROVIDING THE SAME.

ALL WELDING SHALL BE DONE BY A CERTIFIED WELDER IN ACCORDANCE WITH AWS STANDARDS, USING E70XX ELECTRODES UNLESS OTHERWISE NOTED. WHERE WELD SIZES ARE NOT SHOWN, PROVIDE THE MINIMUM SIZES PER "PREQUALIFIED WELDED JOINTS" TABLES IN AISC "MANUAL OF STEEL CONSTRUCTION", NINTH EDITION.

CONNECTIONS / FIELD ASSEMBLY

BOLTED CONNECTIONS: UNLESS OTHERWISE NOTED, ALL JOINTS ARE BEARING TYPE, REQUIRING 3/4" DIA. A325-N BOLTS, A563 NUTS AND F438 WASHERS. ALL GALVANIZED, BEVELED WASHERS SHALL BE USED ON BEAM FLANGES HAVING A SLOPE GREATER THAN 1:20.

NON-STRUCTURAL CONNECTIONS, SUCH AS FOR STEEL GRATING, MAY USE 5/8" DIA. GALVANIZED ASTM A307 BOLTS, UNLESS OTHERWISE NOTED.

STRUCTURE IS DESIGNED TO BE LEVEL AND PLUMB, SELF-SUPPORTING AND STABLE AFTER WORK IS COMPLETED.

COMMENCEMENT OF STRUCTURAL STEEL WORK WITHOUT NOTIFYING THE ENGINEER OF ANY DISCREPANCIES WILL BE CONSIDERED ACCEPTANCE OF PRECEDING WORK.

IF WELDING GALVANIZED MATERIALS, USE PRECAUTIONS & PROCEDURES PER AWS D1.1.

INSPECTIONS

SPECIAL INSPECTIONS REQUIRED PER THE 2005 CONNECTICUT STATE BUILDING CODE FOR STRUCTURAL STEEL WORK.

OWNER WILL SUPPLY THE SERVICES OF A SPECIAL INSPECTOR AND TESTING AGENTS AS REQUIRED. CONTRACTOR SHALL COORDINATE INSPECTIONS OF FABRICATOR'S AND ERECTOR'S WORK AND MATERIALS TO MEET THE REQUIREMENTS OF THE STATEMENT OF SPECIAL INSPECTIONS FOR THIS PROJECT.

COPIES OF TESTING AND INSPECTION REPORTS WILL BE PROVIDED TO THE OWNER, BUILDING OFFICIAL, ENGINEER OF RECORD AND CONTRACTOR.

FOUNDATION WORK / REPLACEMENT OF TOWER MEMBERS AND BOLTS

THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE STRUCTURAL INTEGRITY OF THE TOWER WHILE MEMBERS ARE REPLACED.

ONLY ONE MEMBER PER TOWER FACE SHALL BE REPLACED AT A TIME.

THE CONTRACTOR SHALL PREPARE AND MINIMIZE THE TIME THAT MEMBERS ARE NOT CONNECTED TO THE TOWER.

ALL MEMBERS SHALL BE LEFT FULLY CONNECTED AT THE END OF THE WORK DAY.

THE CONTRACTOR SHALL BE AWARE OF WEATHER AND WIND CONDITIONS AND NOT PERFORM REPLACEMENT IN A WIND.

PROJECT NO.
36922268
Designed by:
MCD
Drawn by:
MCD
Checked by:
KB
Approved by:
ICA

URS CORPORATION AES

500 ENTERPRISE DRIVE
ROCKY HILL, CONNECTICUT
860-529-8882

GENERAL NOTES

STAMFORD FIRE DEPARTMENT TOWER

SITE ADDRESS: 366 OLD LONG RIDGE ROAD
STAMFORD, CT

REV.	DATE	DESCRIPTION
2	10/31/14	RE-ISSUE/NO CHANGE
1	7/16/14	RE-ISSUE/NO CHANGE
Scale:	AS NOTED	Date: 08/13/13
Job No.	VZ5-110	File No.


Dwg. No.

SK-2


Dwg. 2 of 6

NOTES

1. PRIOR TO EXCAVATION, CONFIRM THAT NO CONDUITS, PIPES, LINES OR ANY OTHER OBJECTS ARE LOCATED WITHIN AREA TO BE EXCAVATED.
2. GROUND WATER AT 8' BELOW GRADE PER GEOTECHNICAL INFORMATION.
3. CONTRACTOR SHALL INSTALL WILLIAMS GROUT BONDED MCP ANCHORS (MCP 2) AT A DEPTH OF 52 FEET BELOW GRADE.
4. ROCK ANCHORS SHALL USE QUICK-SET CONCRETE GROUT FROM THE BOTTOM OF THE ANCHOR TO A DEPTH OF 39 FEET BELOW GRADE.
5. PROTECT EXISTING BUILDING ROOF FROM CONSTRUCTION RELATED DAMAGE.



1 TOWER PLAN
SK-3



PROJECT NO.
36922268
Designed by:
MCD
Drawn by:
MCD
Checked by:
KB
Approved by:
ICA


URS CORPORATION AES
500 ENTERPRISE DRIVE
ROCKY HILL, CONNECTICUT
860-529-8882

TOWER PLAN


STAMFORD FIRE DEPARTMENT TOWER
SITE ADDRESS: 366 OLD LONG RIDGE ROAD
STAMFORD, CT

2	10/31/14	RE-ISSUE/NO CHANGE
1	7/16/14	RE-ISSUE/NO CHANGE
REV.	DATE:	DESCRIPTION
Scale:	AS NOTED	Date: 06/13/13
Job No.	VZ5-110	File No.

Dwg. No.
SK-3
Dwg. 3 of 6



NOTE:
INSTALL ANCHOR ASSEMBLY ON THE SOUTH WEST CAISSON ROTATED
4° CLOCKWISE FROM THE CENTERLINE BETWEEN TOWER FACES.
OTHER CAISSON ANCHOR ASSEMBLIES WILL NOT NEED THIS
ADJUSTMENT.



ANCHOR NOTES:

CONTRACTOR SHALL USE QUIKCRETE QUICK-SETTING CEMENT (PRODUCT # 1240) FOR DEPTHS OF 39 FEET BELOW GRADE TO A MINIMUM DEPTH OF 52 FEET BELOW GRADE.

GROUT/BOND STRESS SHALL BE VERIFIED FOR TYPE OF ROCK ENCOUNTERED BEFORE INSTALLATION OF ANCHOR AND INJECTION OF GROUT CEMENT MATERIAL.

PROJECT NO.
36922268
Designed by:
MCD
Drawn by:
MCD
Checked by:
KB
Approved by:
ICA

URS CORPORATION AES
500 ENTERPRISE DRIVE
ROCKY HILL, CONNECTICUT
860-529-8882

TOWER FOUNDATION DETAILS

STAMFORD FIRE DEPARTMENT TOWER
SITE ADDRESS: 366 OLD LONG RIDGE ROAD
STAMFORD, CT

2	10/31/14	RE-ISSUE/NO CHANGE
1	7/18/14	RE-ISSUE/NO CHANGE
REV.	DATE	DESCRIPTION
Scale: AS NOTED		Date: 06/13/13
Job No. VZ5-110		File No.

Dwg. No.
SK-4
Dwg. 4 of 6

SEE STRUCTURAL
NOTES SK-1

152 FT —
140 FT —
135 FT —
130 FT —
125 FT —
120 FT —
100 FT —
80 FT —
73.3 FT —
66.7 FT —
60 FT —
50 FT —
40 FT —
30 FT —
20 FT —
15 FT —
10 FT —
0 FT —

REPLACE EXISTING
DIAGONAL BOLTS
A325N W/ A325X
(66.7' TO 100')

REPLACE EXISTING
DIAGONAL BOLTS
A325N W/ A325X
(0' TO 60')

REPLACE EXISTING DIAGONAL
L1 1/2x1 1/2x1/4 W/
L2x2x1/4

REINFORCE EXISTING TOWER LEG
W/ (3) 1.5"x0.25" BARS

REPLACE EXISTING DIAGONAL L2 1/2x2 1/2x3/16 W/
L2 1/2x2 1/2x1/4. REINFORCE EXISTING TOWER LEG
W/ (3) 1.5"x0.25" BARS

REPLACE EXISTING DIAGONAL L2 1/2x2 1/2x3/16 W/ L2 1/2x2
1/2x1/4. REINFORCE EXISTING TOWER LEG W/ (3) 1.5"x0.5" BARS

REPLACE EXISTING DIAGONAL L2 1/2x2 1/2x3/16 W/ L2 1/2x2
1/2x5/16. REINFORCE EXISTING TOWER LEG W/ (3) 1.5"x0.5" BARS

REPLACE EXISTING DIAGONAL L2 1/2x2 1/2x1/4 W/ L2 1/2x2
1/2x5/16. REINFORCE EXISTING TOWER LEG W/ (3) 1.5"x0.5" BARS

REPLACE EXISTING DIAGONAL L3x3x3/16 W/ L3x3x 5/16.
REINFORCE EXISTING TOWER LEG W/ (3) 1.5"x0.5" BARS.

REPLACE EXISTING DIAGONAL L3x3x1/4 W/ L3x3x 5/16.
REINFORCE EXISTING TOWER LEG W/ (3) 1.5"x0.5" BARS.


REPLACE EXISTING DIAGONAL L3x3x5/16 W/ L3x3x 3/8.
REINFORCE EXISTING TOWER LEG W/ (3) 1.5"x0.5" BARS.

REINFORCE EXISTING TOWER LEG W/ (3) 1.5"x0.5" BARS

REPLACE HORIZONTAL L2 7/8x2
7/8x3/16 W/ L3x3x1/4.

REPLACE EXISTING DIAGONAL L3
1/2x3 1/2x1/4 W/ L3 1/2x3
1/2x 5/16. REINFORCE EXISTING
TOWER LEG W/ (3) 1.5"x0.5"
BARS. SEE SECTION 3.


PROPOSED BARS TOWER
LEG REINFORCEMENT
(TYPICAL 3 PER LEG).
SEE TOWER FOR BAR
SIZES




NOTES:
1. WELD 4" EACH SIDE AT TOP AND BOTTOM OF
SECTION AND 2" PER 12" EACH SIDE ALONG
LENGTH. TYPICAL FOR ALL REINFORCING BARS.
2. ALLOW A MINIMUM 1/4" WELD FOR BARS 1/4"
THICK AND A WELD OF 3/16" FOR 1/2" BARS

2 LEG SECTION
SK-5 N.T.S.

1 TOWER ELEVATION
SK-5
SCALE: 1"=20'-0"



PROPOSED BARS TOWER
LEG REINFORCEMENT
(TYPICAL 6 PER LEG).
SEE TOWER FOR BAR
SIZES



NOTES:
1. WELD 4" EACH SIDE AT TOP AND BOTTOM OF SECTION AND 2" PER
12" EACH SIDE ALONG LENGTH. TYPICAL FOR ALL REINFORCING BARS.
2. ALLOW A MINIMUM 1/4" WELD FOR BARS 1/4" THICK AND A WELD OF
3/16" FOR 1/2" BARS

3 LEG SECTION (0' - 10')
SK-5 N.T.S.

PROJECT NO.
36922268
Designed by:
MCD
Drawn by:
MCD
Checked by:
KB
Approved by:
ICA

URS CORPORATION AES
500 ENTERPRISE DRIVE
ROCKY HILL, CONNECTICUT
860-529-8882

TOWER ELEVATION


STAMFORD FIRE DEPARTMENT TOWER

SITE ADDRESS: 366 OLD LONG RIDGE ROAD
STAMFORD, CT


2	10/31/14	RE-ISSUE/NO CHANGE
1	7/16/14	RE-ISSUE/NO CHANGE
REV.	DATE:	DESCRIPTION
Scale: AS NOTED Date: 06/13/13		
Job No. VZ5-110 File No.		

Dwg. No.
SK-5

Dwg. 5 of 6



2 TOWER LEG SECTION
SK-6 SCALE: 3"=1'-0"



1 TOWER LEG DETAIL
SK-6 SCALE: 3"=1'-0"



PROJECT NO.
36922268

Designed by:
MCD

Drawn by:
MCD

Checked by:
KB

Approved by:
ICA

URS CORPORATION AES

500 ENTERPRISE DRIVE
ROCKY HILL, CONNECTICUT
860-529-8882

ATTACHMENT DETAILS

STAMFORD FIRE DEPARTMENT TOWER

SITE ADDRESS: 366 OLD LONG RIDGE ROAD
STAMFORD, CT

2	10/31/14	RE-ISSUE/NO CHANGE
1	7/18/14	RE-ISSUE/NO CHANGE
REV.	DATE	DESCRIPTION

Scale: AS NOTED Date: 06/13/13

Job No. VZ5-110 File No.

Dwg. No.

SK-6

Dwg. 6 of 6

TNX TOWER INPUT / OUTPUT SUMMARY

(Sprint) 36928702.00000
(Verizon) 36922268.00000
(AT&T) 36922483.00000

152' SSV Lattice Tower
Stamford, CT

10/31/2014

TNX TOWER FEEDLINE DISTRIBUTION CHART


(Sprint) 36928702.00000
(Verizon) 36922268.00000
(AT&T) 36922483.00000

152' SSV Lattice Tower
Stamford, CT

10/31/2014

Feed Line Distribution Chart 0' - 152'

Round Flat App In Face App Out Face Truss Leg



URS Corporation		Job: 152' ROHN SSV Tower	
500 Enterprise Drive, Suite 3B		Project: 388 Old Long Ridge Road, Stamford, CT	
Rocky Hill, CT 06067		Client: Verizon, Sprint and AT&T / S.A. Evaluation	Drawn by: MCD
Phone: 860-529-8882		Code: TIA/EIA-222-F	Date: 10/31/14
FAX: 860-529-3991		Path:	Scale: NTS
			Dwg No. E-7


TNX TOWER FEEDLINE PLAN

(Sprint) 36928702.00000
(Verizon) 36922268.00000
(AT&T) 36922483.00000

152' SSV Lattice Tower
Stamford, CT

10/31/2014

Round Flat App In Face App Out Face



TNX TOWER DETAILED OUTPUT

(Sprint) 36928702.00000
(Verizon) 36922268.00000
(AT&T) 36922483.00000

152' SSV Lattice Tower
Stamford, CT

10/31/2014

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job 152' ROHN SSV Tower	Page 1 of 55
	Project 366 Old Long Ridge Road, Stamford, CT	Date 09:11:12 10/31/14
	Client Verizon, Sprint and AT&T / S.A. Evaluation	Designed by MCD

Tower Input Data

The main tower is a 3x free standing tower with an overall height of 152.00 ft above the ground line.

The base of the tower is set at an elevation of 0.00 ft above the ground line.

The face width of the tower is 6.52 ft at the top and 20.78 ft at the base.

This tower is designed using the TIA/EIA-222-F standard.

The following design criteria apply:

Tower is located in Fairfield County, Connecticut.

Basic wind speed of 85 mph.

Nominal ice thickness of 0.500 in.

Ice density of 56 pcf.

A wind speed of 74 mph is used in combination with ice.

Temperature drop of 50 °F.

Deflections calculated using a wind speed of 50 mph.

A non-linear (P-delta) analysis was used.

Pressures are calculated at each section.


Stress ratio used in tower member design is 1.333.

Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

Consider Moments - Legs	Distribute Leg Loads As Uniform	Treat Feedline Bundles As Cylinder
Consider Moments - Horizontals	Assume Legs Pinned	Use ASCE 10 X-Brace Ly Rules
Consider Moments - Diagonals	√ Assume Rigid Index Plate	√ Calculate Redundant Bracing Forces
Use Moment Magnification	√ Use Clear Spans For Wind Area	Ignore Redundant Members in FEA
√ Use Code Stress Ratios	√ Use Clear Spans For KL/r	SR Leg Bolts Resist Compression
Use Code Safety Factors - Guys	Retension Guys To Initial Tension	√ All Leg Panels Have Same Allowable
Escalate Ice	Bypass Mast Stability Checks	Offset Girt At Foundation
Always Use Max Kz	Use Azimuth Dish Coefficients	√ Consider Feedline Torque
Use Special Wind Profile	√ Project Wind Area of Appurt.	Include Angle Block Shear Check
√ Include Bolts In Member Capacity	Autocalc Torque Arm Areas	Poles
√ Leg Bolts Are At Top Of Section	SR Members Have Cut Ends	Include Shear-Torsion Interaction
√ Secondary Horizontal Braces Leg	√ Sort Capacity Reports By Component	Always Use Sub-Critical Flow
Use Diamond Inner Bracing (4 Sided)	Triangulate Diamond Inner Bracing	Use Top Mounted Sockets
Add IBC .6D+W Combination	Use TIA-222-G Tension Splice Capacity	
	Exemption	

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job 152' ROHN SSV Tower	Page 2 of 55
	Project 366 Old Long Ridge Road, Stamford, CT	Date 09:11:12 10/31/14
	Client Verizion, Sprint and AT&T / S.A. Evaluation	Designed by MCD



Triangular Tower

Tower Section Geometry

Tower Section	Tower Elevation	Assembly Database	Description	Section Width	Number of Sections	Section Length
	ft			ft		ft
T1	152.00-140.00			6.52	1	12.00
T2	140.00-135.00			6.56	1	5.00
T3	135.00-130.00			7.06	1	5.00
T4	130.00-125.00			7.56	1	5.00
T5	125.00-120.00			8.06	1	5.00
T6	120.00-100.00			8.56	1	20.00
T7	100.00-80.00			10.56	1	20.00
T8	80.00-73.33			12.60	1	6.67
T9	73.33-66.67			13.30	1	6.67
T10	66.67-60.00			14.00	1	6.67
T11	60.00-50.00			14.70	1	10.00
T12	50.00-40.00			15.70	1	10.00
T13	40.00-30.00			16.70	1	10.00
T14	30.00-20.00			17.70	1	10.00
T15	20.00-15.00			18.77	1	5.00
T16	15.00-10.00			19.26	1	5.00
T17	10.00-0.00			19.78	1	10.00

Tower Section Geometry (cont'd)

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	3 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Tower Section	Tower Elevation	Diagonal Spacing	Bracing Type	Has K Brace End Panels	Has Horizontals	Top Girt Offset	Bottom Girt Offset
	ft	ft				in	in
T1	152.00-140.00	3.94	X Brace	No	Yes	1.000	1.000
T2	140.00-135.00	4.83	X Brace	No	Yes	1.000	1.000
T3	135.00-130.00	5.00	X Brace	No	No	0.000	0.000
T4	130.00-125.00	5.00	X Brace	No	No	0.000	0.000
T5	125.00-120.00	5.00	X Brace	No	No	0.000	0.000
T6	120.00-100.00	6.67	X Brace	No	No	0.000	0.000
T7	100.00-80.00	6.67	X Brace	No	Yes	0.000	0.000
T8	80.00-73.33	6.67	X Brace	No	No	0.000	0.000
T9	73.33-66.67	6.67	X Brace	No	Yes	0.000	0.000
T10	66.67-60.00	6.67	X Brace	No	Yes	0.000	0.000
T11	60.00-50.00	10.00	X Brace	No	No	0.000	0.000
T12	50.00-40.00	10.00	X Brace	No	Yes	0.000	0.000
T13	40.00-30.00	10.00	X Brace	No	Yes	0.000	0.000
T14	30.00-20.00	5.00	Double K1	No	Yes	0.000	0.000
T15	20.00-15.00	5.00	K1 Up	No	Yes	0.000	0.000
T16	15.00-10.00	5.00	K Brace Down	No	Yes	0.000	0.000
T17	10.00-0.00	10.00	X Brace	No	No	0.000	0.000

Tower Section Geometry (cont'd)

Tower Elevation	Leg Type	Leg Size	Leg Grade	Diagonal Type	Diagonal Size	Diagonal Grade
ft						
T1 152.00-140.00	Pipe	ROHN 2 STD	A572-50 (50 ksi)	Single Angle	L1 1/2x1 1/2x1/8	A36 (36 ksi)
T2 140.00-135.00	Pipe	ROHN 2.5 STD	A572-50 (50 ksi)	Single Angle	L1 1/2x1 1/2x3/16	A36 (36 ksi)
T3 135.00-130.00	Pipe	ROHN 2.5 STD	A572-50 (50 ksi)	Single Angle	L1 1/2x1 1/2x3/16	A36 (36 ksi)
T4 130.00-125.00	Pipe	ROHN 2.5 STD	A572-50 (50 ksi)	Single Angle	L1 1/2x1 1/2x1/4	A36 (36 ksi)
T5 125.00-120.00	Pipe	ROHN 2.5 STD	A572-50 (50 ksi)	Single Angle	L1 3/4x1 3/4x3/16	A36 (36 ksi)
T6 120.00-100.00	Arbitrary Shape	Rohn 2.5 X-Str w/ (3) 1.5"x0.25" Bars	A572-50 (50 ksi)	Single Angle	L2x2x1/4	A36 (36 ksi)
T7 100.00-80.00	Arbitrary Shape	Rohn 2.5 X-Str w/ (3) 1.5"x0.25" Bars	A572-50 (50 ksi)	Single Angle	L2 1/2x2 1/2x1/4	A36 (36 ksi)
T8 80.00-73.33	Arbitrary Shape	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	A572-50 (50 ksi)	Single Angle	L2 1/2x2 1/2x1/4	A36 (36 ksi)
T9 73.33-66.67	Arbitrary Shape	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	A572-50 (50 ksi)	Single Angle	L2 1/2x2 1/2x5/16	A36 (36 ksi)
T10 66.67-60.00	Arbitrary Shape	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	A572-50 (50 ksi)	Single Angle	L2 1/2x2 1/2x5/16	A36 (36 ksi)
T11 60.00-50.00	Arbitrary Shape	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	A572-50 (50 ksi)	Single Angle	L3x3x5/16	A36 (36 ksi)
T12 50.00-40.00	Arbitrary Shape	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	A572-50 (50 ksi)	Single Angle	L3x3x5/16	A36 (36 ksi)
T13 40.00-30.00	Arbitrary Shape	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	A572-50 (50 ksi)	Single Angle	L3x3x3/8	A36 (36 ksi)
T14 30.00-20.00	Arbitrary Shape	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	A572-50 (50 ksi)	Single Angle	L3x3x5/16	A36 (36 ksi)
T15 20.00-15.00	Arbitrary Shape	Rohn 5 STD w/ (3) 1.5"x0.5" Bars	A572-50 (50 ksi)	Single Angle	L3 1/2x3 1/2x1/4	A36 (36 ksi)
T16 15.00-10.00	Arbitrary Shape	Rohn 5 STD w/ (3) 1.5"x0.5" Bars	A572-50 (50 ksi)	Single Angle	L3 1/2x3 1/2x1/4	A36 (36 ksi)
T17 10.00-0.00	Arbitrary Shape	Rohn 5 STD w/ (6) 1.5"x0.5" Bars	A572-50	Single Angle	L3 1/2x3 1/2x5/16	A36

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	4 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

<i>Tower Elevation ft</i>	<i>Leg Type</i>	<i>Leg Size</i>	<i>Leg Grade</i>	<i>Diagonal Type</i>	<i>Diagonal Size</i>	<i>Diagonal Grade</i>
		Bars	(50 ksi)			(36 ksi)

Tower Section Geometry (cont'd)

<i>Tower Elevation ft</i>	<i>Top Girt Type</i>	<i>Top Girt Size</i>	<i>Top Girt Grade</i>	<i>Bottom Girt Type</i>	<i>Bottom Girt Size</i>	<i>Bottom Girt Grade</i>
T1 152.00-140.00	Single Angle	L2x2x1/8	A36 (36 ksi)	Single Angle		A36 (36 ksi)
T2 140.00-135.00	Single Angle	L2x2x1/8	A36 (36 ksi)	Single Angle		A36 (36 ksi)

Tower Section Geometry (cont'd)

<i>Tower Elevation ft</i>	<i>No. of Mid Girts</i>	<i>Mid Girt Type</i>	<i>Mid Girt Size</i>	<i>Mid Girt Grade</i>	<i>Horizontal Type</i>	<i>Horizontal Size</i>	<i>Horizontal Grade</i>
T14 30.00-20.00	None	Flat Bar		A36 (36 ksi)	Single Angle	L3x3x3/16	A36 (36 ksi)
T15 20.00-15.00	None	Flat Bar		A36 (36 ksi)	Single Angle	L2.875x2.875x0.25	A36 (36 ksi)
T16 15.00-10.00	None	Flat Bar		A36 (36 ksi)	Single Angle	L2.875x2.875x0.25	A36 (36 ksi)

Tower Section Geometry (cont'd)

<i>Tower Elevation ft</i>	<i>Secondary Horizontal Type</i>	<i>Secondary Horizontal Size</i>	<i>Secondary Horizontal Grade</i>	<i>Inner Bracing Type</i>	<i>Inner Bracing Size</i>	<i>Inner Bracing Grade</i>
T7 100.00-80.00	Single Angle	L3x3x3/16	A36 (36 ksi)	Solid Round		A572-50 (50 ksi)
T9 73.33-66.67	Single Angle	L3x3x3/16	A36 (36 ksi)	Solid Round		A572-50 (50 ksi)
T10 66.67-60.00	Single Angle	L3x3x3/16	A36 (36 ksi)	Solid Round		A572-50 (50 ksi)
T12 50.00-40.00	Single Angle	L3x3x3/16	A36 (36 ksi)	Solid Round		A572-50 (50 ksi)
T13 40.00-30.00	Single Angle	L3x3x3/16	A36 (36 ksi)	Solid Round		A572-50 (50 ksi)

Tower Section Geometry (cont'd)

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	5 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Tower Elevation	Redundant Bracing Grade	Redundant Type	Redundant Size	K Factor
ft				
T14	A36	Horizontal (1)	Equal Angle	1
30.00-20.00	(36 ksi)	Diagonal (1)	Equal Angle	1
T15	A36	Horizontal (1)	Equal Angle	1
20.00-15.00	(36 ksi)	Diagonal (1)	Equal Angle	1

Tower Section Geometry (cont'd)

Tower Elevation	Gusset Area (per face)	Gusset Thickness	Gusset Grade	Adjust. Factor A_f	Adjust. Factor A_r	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in
ft	ft ²	in						
T1	0.00	0.000	A36	1	1	1	36.000	36.000
152.00-140.00			(36 ksi)					
T2	0.00	0.000	A36	1	1	1	36.000	36.000
140.00-135.00			(36 ksi)					
T3	0.00	0.000	A36	1	1	1	36.000	36.000
135.00-130.00			(36 ksi)					
T4	0.00	0.000	A36	1	1	1	36.000	36.000
130.00-125.00			(36 ksi)					
T5	0.00	0.000	A36	1	1	1	36.000	36.000
125.00-120.00			(36 ksi)					
T6	0.00	0.000	A36	1	1	1	36.000	36.000
120.00-100.00			(36 ksi)					
T7	0.00	0.000	A36	1	1	1	36.000	36.000
100.00-80.00			(36 ksi)					
T8 80.00-73.33	0.00	0.000	A36	1	1	1	36.000	36.000
			(36 ksi)					
T9 73.33-66.67	0.00	0.000	A36	1	1	1	36.000	36.000
			(36 ksi)					
T10	0.00	0.000	A36	1	1	1	36.000	36.000
66.67-60.00			(36 ksi)					
T11	0.00	0.000	A36	1	1	1	36.000	36.000
60.00-50.00			(36 ksi)					
T12	0.00	0.000	A36	1	1	1	36.000	36.000
50.00-40.00			(36 ksi)					
T13	0.00	0.000	A36	1	1	1	36.000	36.000
40.00-30.00			(36 ksi)					
T14	0.00	0.000	A36	1	1	1	36.000	36.000
30.00-20.00			(36 ksi)					
T15	0.00	0.000	A36	1	1	1	36.000	36.000
20.00-15.00			(36 ksi)					
T16	0.00	0.000	A36	1	1	1	36.000	36.000
15.00-10.00			(36 ksi)					
T17 10.00-0.00	0.00	0.000	A36	1	1	1	36.000	36.000
			(36 ksi)					

Tower Section Geometry (cont'd)

K Factors'

<i>tnxTower</i> <i>URS Corporation</i> 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job 152' ROHN SSV Tower	Page 6 of 55
	Project 366 Old Long Ridge Road, Stamford, CT	Date 09:11:12 10/31/14
	Client Verizon, Sprint and AT&T / S.A. Evaluation	Designed by MCD

<i>Tower Elevation</i>	<i>Calc K Single Angles</i>	<i>Calc K Solid Rounds</i>	<i>Legs</i>	<i>X Brace Diags X Y</i>	<i>K Brace Diags X Y</i>	<i>Single Diags X Y</i>	<i>Girls X Y</i>	<i>Horiz. X Y</i>	<i>Sec. Horiz. X Y</i>	<i>Inner Brace X Y</i>
<i>ft</i>										
T1 152.00-140.00	Yes	No	1	1	1	1	1	1	1	1
T2 140.00-135.00	Yes	No	1	1	1	1	1	1	1	1
T3 135.00-130.00	Yes	No	1	1	1	1	1	1	1	1
T4 130.00-125.00	Yes	No	1	1	1	1	1	1	1	1
T5 125.00-120.00	Yes	No	1	1	1	1	1	1	1	1
T6 120.00-100.00	Yes	No	1	1	1	1	1	1	1	1
T7 100.00-80.00	Yes	No	1	1	1	1	1	1	1	1
T8 80.00-73.33	Yes	No	1	1	1	1	1	1	1	1
T9 73.33-66.67	Yes	No	1	1	1	1	1	1	1	1
T10 66.67-60.00	Yes	No	1	1	1	1	1	1	1	1
T11 60.00-50.00	Yes	No	1	1	1	1	1	1	1	1
T12 50.00-40.00	Yes	No	1	1	1	1	1	1	1	1
T13 40.00-30.00	Yes	No	1	1	1	1	1	1	1	1
T14 30.00-20.00	Yes	No	1	1	1	1	1	1	1	1
T15 20.00-15.00	Yes	No	1	1	1	1	1	1	1	1
T16 15.00-10.00	Yes	No	1	1	1	1	1	1	1	1
T17 10.00-0.00	Yes	No	1	1	1	1	1	1	1	1

Note: K factors are applied to member segment lengths. K-braces without inner supporting members will have the K factor in the out-of-plane direction applied to the overall length.

Tower Section Geometry (cont'd)									
---------------------------------	--	--	--	--	--	--	--	--	--

[illegible]

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	7 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Tower Elevation ft	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U
T5	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
125.00-120.00														
T6	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
120.00-100.00														
T7	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
100.00-80.00														
T8 80.00-73.33	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T9 73.33-66.67	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
T10	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
66.67-60.00														
T11	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
60.00-50.00														
T12	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
50.00-40.00														
T13	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
40.00-30.00														
T14	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
30.00-20.00														
T15	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
20.00-15.00														
T16	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75
15.00-10.00														
T17 10.00-0.00	0.000	1	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75	0.000	0.75

Tower Section Geometry (cont'd)

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T1	Flange	0.000	0	0.500	1	0.500	1	0.625	0	0.625	0	0.625	0	0.625	0
152.00-140.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T2	Flange	0.625	4	0.500	1	0.500	1	0.000	0	0.625	0	0.625	0	0.625	0
140.00-135.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T3	Flange	0.625	0	0.500	1	0.625	0	0.000	0	0.625	0	0.625	0	0.625	0
135.00-130.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T4	Flange	0.625	0	0.500	1	0.625	0	0.000	0	0.625	0	0.625	0	0.625	0
130.00-125.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T5	Flange	0.625	0	0.500	1	0.625	0	0.625	0	0.625	0	0.625	0	0.625	0
125.00-120.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T6	Flange	0.625	4	0.500	1	0.625	0	0.625	0	0.625	0	0.625	0	0.625	0
120.00-100.00		A325N		A325N		A325N		A325N		A325N		A325N		A325N	
T7	Flange	0.750	4	0.500	1	0.625	0	0.625	0	0.625	0	0.625	0	0.500	2
100.00-80.00		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T8 80.00-73.33	Flange	0.875	4	0.500	1	0.625	0	0.000	0	0.625	0	0.625	0	0.625	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T9 73.33-66.67	Flange	0.875	0	0.500	1	0.625	0	0.000	0	0.625	0	0.625	0	0.500	2
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T10	Flange	0.875	0	0.500	1	0.625	0	0.625	0	0.625	0	0.625	0	0.500	2
66.67-60.00		A325N		A325X		A325N		A325N		A325N		A325N		A325N	

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T11 60.00-50.00	Flange	0.875	4	0.625	1	0.625	0	0.000	0	0.625	0	0.625	0	0.625	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T12 50.00-40.00	Flange	0.875	0	0.625	1	0.625	0	0.625	0	0.625	0	0.625	0	0.500	2
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T13 40.00-30.00	Flange	1.000	4	0.625	1	0.625	0	0.000	0	0.625	0	0.625	0	0.500	2
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T14 30.00-20.00	Flange	1.000	0	0.625	1	0.625	0	0.625	0	0.625	0	0.500	2	0.625	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T15 20.00-15.00	Flange	1.000	4	0.625	1	0.625	0	0.000	0	0.625	0	0.625	0	0.625	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T16 15.00-10.00	Flange	1.000	0	0.625	1	0.625	0	0.625	0	0.625	0	0.625	1	0.625	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	
T17 10.00-0.00	Flange	1.000	0	0.625	1	0.625	0	0.625	0	0.625	0	0.625	0	0.625	0
		A325N		A325X		A325N		A325N		A325N		A325N		A325N	

[illegible]

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	9 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Feed Line/Linear Appurtenances Section Areas

<i>Tower Section</i>	<i>Tower Elevation ft</i>	<i>Face</i>	<i>A_R</i> <i>ft²</i>	<i>A_F</i> <i>ft²</i>	<i>C_AA_A</i> <i>In Face</i> <i>ft²</i>	<i>C_AA_A</i> <i>Out Face</i> <i>ft²</i>	<i>Weight</i> <i>K</i>
T1	152.00-140.00	A	9.340	0.000	0.000	0.000	0.059
		B	2.583	0.000	0.000	0.000	0.013
		C	1.110	0.590	0.000	0.000	0.008
T2	140.00-135.00	A	11.717	0.000	0.000	0.000	0.074
		B	1.569	0.000	0.000	0.000	0.008
		C	0.463	0.565	0.000	0.000	0.004
T3	135.00-130.00	A	12.200	0.000	0.000	0.000	0.077
		B	1.754	0.000	0.000	0.000	0.009
		C	2.112	0.737	0.000	0.000	0.015
T4	130.00-125.00	A	12.200	0.000	0.000	0.000	0.077
		B	2.124	0.000	0.000	0.000	0.011
		C	2.112	0.737	0.000	0.000	0.015
T5	125.00-120.00	A	12.297	0.000	0.000	0.000	0.077
		B	2.217	0.000	0.000	0.000	0.012
		C	2.112	0.737	0.000	0.000	0.015
T6	120.00-100.00	A	49.767	0.000	0.000	0.000	0.312
		B	16.787	0.000	0.000	0.000	0.148
		C	8.450	2.949	0.000	0.000	0.061
T7	100.00-80.00	A	51.339	0.000	0.000	0.000	0.321
		B	32.737	0.000	0.000	0.000	0.321
		C	13.325	2.949	0.000	0.000	0.069
T8	80.00-73.33	A	17.206	0.000	0.000	0.000	0.108
		B	11.621	0.000	0.000	0.000	0.111
		C	4.684	0.983	0.000	0.000	0.024
T9	73.33-66.67	A	17.206	0.000	0.000	0.000	0.108
		B	12.760	0.000	0.000	0.000	0.117
		C	5.239	0.983	0.000	0.000	0.027
T10	66.67-60.00	A	17.206	0.000	0.000	0.000	0.108
		B	12.883	0.000	0.000	0.000	0.118
		C	5.239	0.983	0.000	0.000	0.027
T11	60.00-50.00	A	26.195	0.000	0.000	0.000	0.163
		B	19.325	0.000	0.000	0.000	0.177
		C	7.858	1.475	0.000	0.000	0.040
T12	50.00-40.00	A	26.292	0.000	0.000	0.000	0.164
		B	19.325	0.000	0.000	0.000	0.177
		C	8.004	1.475	0.000	0.000	0.041
T13	40.00-30.00	A	26.292	0.000	0.000	0.000	0.164
		B	19.325	0.000	0.000	0.000	0.177
		C	8.150	1.475	0.000	0.000	0.041
T14	30.00-20.00	A	26.292	0.000	0.000	0.000	0.164
		B	19.325	0.000	0.000	0.000	0.177
		C	8.150	1.475	0.000	0.000	0.041
T15	20.00-15.00	A	13.146	0.000	0.000	0.000	0.082
		B	9.662	0.000	0.000	0.000	0.088
		C	4.075	0.737	0.000	0.000	0.020
T16	15.00-10.00	A	13.146	0.000	0.000	0.000	0.082
		B	9.662	0.000	0.000	0.000	0.088
		C	4.075	0.737	0.000	0.000	0.020
T17	10.00-0.00	A	10.517	0.000	0.000	0.000	0.066
		B	7.730	0.000	0.000	0.000	0.071
		C	3.260	0.590	0.000	0.000	0.016

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	10 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Feed Line/Linear Appurtenances Section Areas - With Ice

<i>Tower Section</i>	<i>Tower Elevation ft</i>	<i>Face or Leg</i>	<i>Ice Thickness in</i>	<i>A_R ft²</i>	<i>A_F ft²</i>	<i>C_AA_A In Face ft²</i>	<i>C_AA_A Out Face ft²</i>	<i>Weight K</i>
T1	152.00-140.00	A	0.500	14.257	0.000	0.000	0.000	0.146
		B		4.250	0.000	0.000	0.000	0.038
		C		2.110	1.257	0.000	0.000	0.029
T2	140.00-135.00	A	0.500	17.967	0.000	0.000	0.000	0.183
		B		2.652	0.000	0.000	0.000	0.024
		C		0.879	1.204	0.000	0.000	0.018
T3	135.00-130.00	A	0.500	18.625	0.483	0.000	0.000	0.192
		B		3.004	0.000	0.000	0.000	0.027
		C		3.363	1.571	0.000	0.000	0.047
T4	130.00-125.00	A	0.500	18.625	0.483	0.000	0.000	0.192
		B		3.708	0.000	0.000	0.000	0.033
		C		3.363	1.571	0.000	0.000	0.047
T5	125.00-120.00	A	0.500	18.888	0.483	0.000	0.000	0.194
		B		3.883	0.000	0.000	0.000	0.034
		C		3.363	1.571	0.000	0.000	0.047
T6	120.00-100.00	A	0.500	77.133	1.933	0.000	0.000	0.786
		B		27.453	0.000	0.000	0.000	0.383
		C		13.450	6.283	0.000	0.000	0.187
T7	100.00-80.00	A	0.500	80.123	1.933	0.000	0.000	0.811
		B		53.070	0.000	0.000	0.000	0.818
		C		21.325	6.283	0.000	0.000	0.242
T8	80.00-73.33	A	0.500	26.883	0.644	0.000	0.000	0.272
		B		18.982	0.000	0.000	0.000	0.284
		C		7.517	2.094	0.000	0.000	0.084
T9	73.33-66.67	A	0.500	26.883	0.644	0.000	0.000	0.272
		B		20.982	0.000	0.000	0.000	0.302
		C		8.572	2.094	0.000	0.000	0.093
T10	66.67-60.00	A	0.500	26.883	0.644	0.000	0.000	0.272
		B		21.217	0.000	0.000	0.000	0.304
		C		8.572	2.094	0.000	0.000	0.093
T11	60.00-50.00	A	0.500	41.378	0.967	0.000	0.000	0.415
		B		31.825	0.000	0.000	0.000	0.455
		C		12.858	3.141	0.000	0.000	0.139
T12	50.00-40.00	A	0.500	41.642	0.967	0.000	0.000	0.417
		B		31.825	0.000	0.000	0.000	0.455
		C		13.421	3.141	0.000	0.000	0.142
T13	40.00-30.00	A	0.500	41.642	0.967	0.000	0.000	0.417
		B		31.825	0.000	0.000	0.000	0.455
		C		13.983	3.141	0.000	0.000	0.145
T14	30.00-20.00	A	0.500	41.642	0.967	0.000	0.000	0.417
		B		31.825	0.000	0.000	0.000	0.455
		C		13.983	3.141	0.000	0.000	0.145
T15	20.00-15.00	A	0.500	20.821	0.483	0.000	0.000	0.209
		B		15.913	0.000	0.000	0.000	0.228
		C		6.992	1.571	0.000	0.000	0.072
T16	15.00-10.00	A	0.500	20.821	0.483	0.000	0.000	0.209
		B		15.913	0.000	0.000	0.000	0.228
		C		6.992	1.571	0.000	0.000	0.072
T17	10.00-0.00	A	0.500	16.657	0.387	0.000	0.000	0.167
		B		12.730	0.000	0.000	0.000	0.182
		C		5.593	1.257	0.000	0.000	0.058

Feed Line Shielding

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	11 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section	Elevation	Face	A_R	$A_{R_{Ice}}$	A_F	$A_{F_{Ice}}$
	ft		ft ²	ft ²	ft ²	ft ²
T1	152.00-140.00	A	0.000	0.793	0.811	1.238
		B	0.000	0.236	0.224	0.369
		C	0.000	0.206	0.148	0.321
T2	140.00-135.00	A	0.000	1.034	1.109	1.700
		B	0.000	0.153	0.148	0.251
		C	0.000	0.138	0.097	0.227
T3	135.00-130.00	A	0.000	0.772	0.739	1.157
		B	0.000	0.121	0.106	0.182
		C	0.000	0.216	0.173	0.324
T4	130.00-125.00	A	0.000	0.756	0.724	1.134
		B	0.000	0.147	0.126	0.220
		C	0.000	0.212	0.169	0.318
T5	125.00-120.00	A	0.000	0.754	0.837	1.319
		B	0.000	0.151	0.151	0.264
		C	0.000	0.208	0.194	0.364
T6	120.00-100.00	A	0.000	2.413	3.037	4.826
		B	0.000	0.838	1.025	1.676
		C	0.000	0.653	0.696	1.306
T7	100.00-80.00	A	0.000	3.394	5.630	8.999
		B	0.000	2.195	3.590	5.820
		C	0.000	1.211	1.785	3.210
T8	80.00-73.33	A	0.000	0.774	1.209	1.935
		B	0.000	0.534	0.817	1.334
		C	0.000	0.286	0.398	0.715
T9	73.33-66.67	A	0.000	1.110	1.842	2.947
		B	0.000	0.846	1.366	2.246
		C	0.000	0.452	0.666	1.201
T10	66.67-60.00	A	0.000	1.103	1.831	2.929
		B	0.000	0.850	1.371	2.258
		C	0.000	0.450	0.662	1.194
T11	60.00-50.00	A	0.000	0.845	1.568	2.534
		B	0.000	0.635	1.157	1.905
		C	0.000	0.336	0.559	1.007
T12	50.00-40.00	A	0.000	1.190	2.202	3.569
		B	0.000	0.889	1.619	2.666
		C	0.000	0.486	0.794	1.457
T13	40.00-30.00	A	0.000	1.177	2.178	3.530
		B	0.000	0.879	1.601	2.636
		C	0.000	0.496	0.797	1.488
T14	30.00-20.00	A	0.000	2.685	4.033	6.536
		B	0.000	2.006	2.964	4.882
		C	0.000	1.132	1.476	2.755
T15	20.00-15.00	A	0.000	1.155	1.798	2.914
		B	0.000	0.863	1.322	2.177
		C	0.000	0.487	0.658	1.228
T16	15.00-10.00	A	0.000	0.753	1.489	2.413
		B	0.000	0.562	1.095	1.803
		C	0.000	0.317	0.545	1.017
T17	10.00-0.00	A	0.000	0.317	0.684	1.108
		B	0.000	0.237	0.503	0.828
		C	0.000	0.133	0.250	0.467

Feed Line Center of Pressure

Section	Elevation	CP_x	CP_z	$CP_{x_{Ice}}$	$CP_{z_{Ice}}$
	ft	in	in	in	in

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	12 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section	Elevation	CP _X	CP _Z	CP _X Ice	CP _Z Ice
	ft	in	in	in	in
T1	152.00-140.00	-1.101	-6.241	-0.973	-5.832
T2	140.00-135.00	-3.379	-9.047	-3.052	-8.815
T3	135.00-130.00	-3.456	-9.082	-2.968	-8.516
T4	130.00-125.00	-3.148	-9.310	-2.520	-8.646
T5	125.00-120.00	-3.235	-9.245	-2.708	-8.590
T6	120.00-100.00	-2.597	-10.865	-2.466	-10.925
T7	100.00-80.00	0.137	-10.339	0.590	-10.127
T8	80.00-73.33	0.739	-11.978	1.443	-11.700
T9	73.33-66.67	0.726	-10.392	1.261	-10.094
T10	66.67-60.00	0.722	-10.873	1.275	-10.603
T11	60.00-50.00	0.762	-13.519	1.416	-13.740
T12	50.00-40.00	0.557	-12.696	0.983	-12.805
T13	40.00-30.00	0.443	-13.199	0.718	-13.187
T14	30.00-20.00	0.349	-11.422	0.548	-10.958
T15	20.00-15.00	0.349	-12.225	0.575	-11.909
T16	15.00-10.00	0.329	-12.032	0.575	-12.094
T17	10.00-0.00	0.203	-7.736	0.402	-8.519

Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _{A,A} Front ft ²	C _{A,A} Side ft ²	Weight K
20' 4-Bay Dipole (Unknown)	C	From Face	0.50 0.000 0.000	0.0000	162.00	No Ice 1/2" Ice	3.15 5.67	0.032 0.042
DB563K-CR (Unknown)	B	From Leg	3.00 0.000 0.000	0.0000	156.70	No Ice 1/2" Ice	19.01 19.99	0.050 茫
4'x4" Pipe Mount (Unknown)	C	From Leg	0.50 0.000 0.000	0.0000	152.00	No Ice 1/2" Ice	1.32 1.58	0.044 0.057
DB803KHE-YP (Unknown)	A	From Leg	3.00 0.000 0.000	0.0000	151.25	No Ice 1/2" Ice	0.55 0.76	0.006 0.011
3' Sidearm (Unknown)	B	From Leg	1.50 0.000 0.000	0.0000	149.00	No Ice 1/2" Ice	3.43 4.34	0.089 0.122
Filter Box 22"x22"x6" (Unknown)	B	From Leg	1.50 0.000 0.000	0.0000	149.00	No Ice 1/2" Ice	4.71 5.00	0.025 0.051
3' Sidearm (Unknown)	A	From Leg	1.50 0.000 0.000	0.0000	148.50	No Ice 1/2" Ice	5.90 6.60	0.130 0.146
Filter Box 20"x6"x8" (Unknown)	A	From Leg	1.50 0.000 0.000	0.0000	148.50	No Ice 1/2" Ice	1.17 1.34	0.020 0.032
12'x2 1/2" STD Pipe Mount (Unknown)	C	From Face	0.00 0.000 0.000	0.0000	146.00	No Ice 1/2" Ice	3.45 4.68	0.069 0.095
12' x 3" Dia Omni (Unknown)	C	From Leg	4.00 0.000	0.0000	144.00	No Ice 1/2" Ice	3.60 4.83	0.035 0.061

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	13 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C _A A ₁ Front ft ²	C _A A ₁ Side ft ²	Weight K
4"x3" Pipe Mount (AT&T)	A	From Leg	0.000 0.50 0.000	0.0000	143.00	No Ice 1/2" Ice	1.11 1.36	1.11 1.36	0.030 0.041
4"x3" Pipe Mount (AT&T)	B	From Leg	0.000 0.50 0.000	0.0000	143.00	No Ice 1/2" Ice	1.11 1.36	1.11 1.36	0.030 0.041
4"x3" Pipe Mount (AT&T)	C	From Leg	0.000 0.50 0.000	0.0000	143.00	No Ice 1/2" Ice	1.11 1.36	1.11 1.36	0.030 0.041
7770 (AT&T)	A	From Leg	0.000 1.00 0.000	0.0000	143.00	No Ice 1/2" Ice	5.88 6.31	2.93 3.27	0.035 0.068
7770 (AT&T)	B	From Leg	0.000 1.00 0.000	0.0000	143.00	No Ice 1/2" Ice	5.88 6.31	2.93 3.27	0.035 0.068
7770 (AT&T)	C	From Leg	0.000 1.00 0.000	0.0000	143.00	No Ice 1/2" Ice	5.88 6.31	2.93 3.27	0.035 0.068
(2) LPG 21401 TMA (AT&T)	A	From Leg	0.000 0.50 0.000	0.0000	143.00	No Ice 1/2" Ice	0.95 1.09	0.37 0.48	0.018 0.023
(2) LPG 21401 TMA (AT&T)	B	From Leg	0.000 0.50 0.000	0.0000	143.00	No Ice 1/2" Ice	0.95 1.09	0.37 0.48	0.018 0.023
(2) LPG 21401 TMA (AT&T)	C	From Leg	0.000 0.50 0.000	0.0000	143.00	No Ice 1/2" Ice	0.95 1.09	0.37 0.48	0.018 0.023
P65-16-XLH-RR (ATT)	A	From Face	0.000 1.00 -1.000	0.0000	143.00	No Ice 1/2" Ice	8.40 8.95	4.70 5.15	0.050 0.097
P65-16-XLH-RR (ATT)	B	From Face	0.000 1.00 -1.000	0.0000	143.00	No Ice 1/2" Ice	8.40 8.95	4.70 5.15	0.050 0.097
P65-16-XLH-RR (ATT)	C	From Face	0.000 1.00 -1.000	0.0000	143.00	No Ice 1/2" Ice	8.40 8.95	4.70 5.15	0.050 0.097
(2) RRUS-11 (ATT)	A	From Leg	0.000 1.00 1.000	0.0000	143.00	No Ice 1/2" Ice	2.94 3.17	1.25 1.41	0.055 0.074
(2) RRUS-11 (ATT)	A	From Leg	0.000 1.00 1.000	0.0000	143.00	No Ice 1/2" Ice	2.94 3.17	1.25 1.41	0.055 0.074
(2) RRUS-11 (ATT)	A	From Leg	0.000 1.00 1.000	0.0000	143.00	No Ice 1/2" Ice	2.94 3.17	1.25 1.41	0.055 0.074
4"x3" Pipe Mount (AT&T)	A	From Leg	0.000 0.08 1.000	0.0000	143.00	No Ice 1/2" Ice	1.11 1.36	1.11 1.36	0.030 0.041
4"x3" Pipe Mount (AT&T)	B	From Leg	0.000 1.00 1.000	0.0000	143.00	No Ice 1/2" Ice	1.11 1.36	1.11 1.36	0.030 0.041
4"x3" Pipe Mount (AT&T)	C	From Leg	0.000 1.00 1.000	0.0000	143.00	No Ice 1/2" Ice	1.11 1.36	1.11 1.36	0.030 0.041
4"x4" Pipe Mount (Unknown)	B	From Leg	0.000 0.50 0.000	0.0000	142.00	No Ice 1/2" Ice	1.32 1.58	1.32 1.58	0.044 0.057

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	14 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C _A A _A Front ft ²	C _A A _A Side ft ²	Weight K
DB563K-CR (Unknown)	C	From Leg	0.000 4.00 0.000 0.000	0.0000	141.70	No Ice 1/2" Ice	19.01 19.99	19.01 19.99	0.050 0.163
6' x 3" Dia Omni (Unknown)	A	From Leg	0.000 3.00 0.000 0.000	0.0000	138.00	No Ice 1/2" Ice	1.77 2.13	1.77 2.13	0.020 0.033
4' Side Mount Standoff (1) (Unknown)	C	From Leg	0.000 2.00 0.000 0.000	0.0000	137.00	No Ice 1/2" Ice	2.72 4.91	2.72 4.91	0.050 0.089
4'x4" Pipe Mount (Unknown)	B	From Leg	0.000 0.50 0.000 0.000	0.0000	135.00	No Ice 1/2" Ice	1.32 1.58	1.32 1.58	0.044 0.057
DB495-A (Unknown)	C	From Leg	0.000 0.00 0.000 0.000	0.0000	135.00	No Ice 1/2" Ice	2.35 4.23	2.35 4.23	0.010 0.013
3' Sidearm (Unknown)	A	From Leg	0.000 1.50 0.000 0.000	0.0000	133.50	No Ice 1/2" Ice	5.90 6.60	5.90 6.60	0.130 0.146
4' Side Mount Standoff (1) (Unknown)	C	From Leg	0.000 2.00 0.000 0.000	0.0000	133.00	No Ice 1/2" Ice	2.72 4.91	2.72 4.91	0.050 0.089
2" Dia 8' Omni (Unknown)	A	From Leg	0.000 4.50 0.000 0.000	0.0000	133.00	No Ice 1/2" Ice	2.00 3.03	2.00 3.03	0.005 0.018
(2) DB980H90E-M (Sprint)	A	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice	3.80 4.18	2.19 2.56	0.009 0.029
(2) DB980H90E-M (Sprint)	B	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice	3.80 4.18	2.19 2.56	0.009 0.029
(2) DB980H90E-M (Sprint)	C	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice	3.80 4.18	2.19 2.56	0.009 0.029
APXV9TM14-120 (Sprint)	A	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice	6.90 7.35	3.61 3.97	0.067 0.106
APXV9TM14-120 (Sprint)	B	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice	6.90 7.35	3.61 3.97	0.067 0.106
APXV9TM14-120 (Sprint)	C	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice	6.90 7.35	3.61 3.97	0.067 0.106
800 MHz Filter (Sprint)	A	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice	0.52 0.65	0.38 0.50	0.005 0.009
800 MHz Filter (Sprint)	B	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice	0.52 0.65	0.38 0.50	0.005 0.009
800 MHz Filter (Sprint)	C	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice	0.52 0.65	0.38 0.50	0.005 0.009
RRH (Sprint)	A	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice	2.25 2.45	1.23 1.39	0.050 0.067
RRH (Sprint)	B	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice	2.25 2.45	1.23 1.39	0.050 0.067

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	15 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _A A ₁ Front ft ²	C _A A ₁ Side ft ²	Weight K
RRH (Sprint)	C	From Leg	0.000 3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice 2.25 2.45	1.23 1.39	0.050 0.067
DB254-A (Unknown)	C	From Leg	0.00 0.000 0.000 0.000	0.0000	122.00	No Ice 1/2" Ice 1.10 1.98	1.10 1.98	0.010 0.013
APX16DWV-16DWV-S-E-A CU w/ Mount (T-Mobile)	A	From Leg	0.50 0.000 0.000 0.000	0.0000	108.00	No Ice 1/2" Ice 6.70 7.13	3.27 3.86	0.073 0.122
TMA (T-Mobile)	A	From Leg	0.25 0.000 0.000 0.000	0.0000	108.00	No Ice 1/2" Ice 1.06 1.21	0.45 0.57	0.020 0.027
APX16DWV-16DWV-S-E-A CU w/ Mount (T-Mobile)	B	From Leg	0.50 0.000 0.000 0.000	0.0000	108.00	No Ice 1/2" Ice 6.70 7.13	3.27 3.86	0.073 0.122
TMA (T-Mobile)	B	From Leg	0.25 0.000 0.000 0.000	0.0000	108.00	No Ice 1/2" Ice 1.06 1.21	0.45 0.57	0.020 0.027
APX16DWV-16DWV-S-E-A CU w/ Mount (T-Mobile)	C	From Leg	0.50 0.000 0.000 0.000	0.0000	108.00	No Ice 1/2" Ice 6.70 7.13	3.27 3.86	0.073 0.122
TMA (T-Mobile)	C	From Leg	0.25 0.000 0.000 0.000	0.0000	108.00	No Ice 1/2" Ice 1.06 1.21	0.45 0.57	0.020 0.027
2" Dia 10' Omni (Unknown)	A	From Leg	3.00 0.000 0.000 0.000	0.0000	101.00	No Ice 1/2" Ice 2.00 3.02	2.00 3.02	0.025 0.041
8' 4-Bay Dipole (Unknown)	B	From Leg	3.00 0.000 0.000 0.000	0.0000	101.00	No Ice 1/2" Ice 1.50 2.70	1.50 2.70	0.025 0.033
8' 4-Bay Dipole (Unknown)	C	From Leg	3.00 0.000 0.000 0.000	0.0000	101.00	No Ice 1/2" Ice 1.50 2.70	1.50 2.70	0.025 0.033
20' x 3" Dia Omni (Unknown)	B	From Leg	3.00 0.000 0.000 0.000	0.0000	101.00	No Ice 1/2" Ice 6.00 8.03	6.00 8.03	0.050 0.093
Valmont 13' Lightweight T-Frame (Verizon)	A	From Leg	1.25 0.000 0.000 0.000	0.0000	98.00	No Ice 1/2" Ice 10.60 16.80	10.60 16.80	0.255 0.359
Valmont 13' Lightweight T-Frame (Verizon)	B	From Leg	1.25 0.000 0.000 0.000	0.0000	98.00	No Ice 1/2" Ice 10.60 16.80	10.60 16.80	0.255 0.359
Valmont 13' Lightweight T-Frame (Verizon)	C	From Leg	1.25 0.000 0.000 0.000	0.0000	98.00	No Ice 1/2" Ice 10.60 16.80	10.60 16.80	0.255 0.359
RRH (Verizon)	A	From Leg	1.25 6.000 0.000 0.000	0.0000	98.00	No Ice 1/2" Ice 2.25 2.45	1.23 1.39	0.050 0.067
RRH (Verizon)	B	From Leg	1.25 6.000 0.000 0.000	0.0000	98.00	No Ice 1/2" Ice 2.25 2.45	1.23 1.39	0.050 0.067
RRH (Verizon)	C	From Leg	1.25 6.000 0.000 0.000	0.0000	98.00	No Ice 1/2" Ice 2.25 2.45	1.23 1.39	0.050 0.067
DB-T1-6Z-8AB-0Z (Verizon)	A	None	0.0000	0.0000	98.00	No Ice 1/2" Ice 5.35 5.75	2.40 2.72	0.044 0.073

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	16 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment	Placement ft	CAA Front ft ²	CAA Side ft ²	Weight K
3' Sidearm (Vacant)	A	From Leg	1.50 0.000 0.000	0.0000	95.50	No Ice 1/2" Ice 3.58 5.01	3.58 5.01	0.124 0.167
3' Sidearm (Unknown)	B	From Leg	1.50 0.000 0.000	0.0000	95.50	No Ice 1/2" Ice 3.58 5.01	3.58 5.01	0.124 0.167
3' Sidearm (Unknown)	C	From Leg	1.50 0.000 0.000	0.0000	95.50	No Ice 1/2" Ice 3.58 5.01	3.58 5.01	0.124 0.167
3' Sidearm (Unknown)	A	From Leg	1.50 0.000 0.000	0.0000	94.50	No Ice 1/2" Ice 3.58 5.01	3.58 5.01	0.124 0.167
3' Sidearm (Unknown)	B	From Leg	1.50 0.000 0.000	0.0000	89.50	No Ice 1/2" Ice 3.58 5.01	3.58 5.01	0.124 0.167
4' x 3" DIA Omni (Unknown)	A	From Leg	3.00 0.000 0.000	0.0000	79.00	No Ice 1/2" Ice 1.00 1.25	1.00 1.25	0.015 0.024
8' 2-Bay Dipole (Unknown)	C	From Leg	3.00 0.000 0.000	0.0000	78.00	No Ice 1/2" Ice 1.60 2.88	1.60 2.88	0.018 0.023
3' Sidearm (Unknown)	A	From Leg	1.50 0.000 0.000	0.0000	72.50	No Ice 1/2" Ice 3.58 5.01	3.58 5.01	0.124 0.167
3' Sidearm (Unknown)	C	From Leg	1.50 0.000 0.000	0.0000	72.50	No Ice 1/2" Ice 3.58 5.01	3.58 5.01	0.124 0.167
Scala Yagi w/ Radome (Unknown)	A	From Leg	3.00 0.000 0.000	0.0000	72.00	No Ice 1/2" Ice 2.78 5.00	2.78 5.00	0.016 0.021
GPS (Sprint)	C	From Leg	2.00 0.000 0.000	0.0000	58.00	No Ice 1/2" Ice 1.00 1.50	1.00 1.50	0.010 0.015
2' Sidearm (Sprint)	C	From Leg	1.00 0.000 0.000	0.0000	57.00	No Ice 1/2" Ice 2.09 3.20	2.09 3.20	0.069 0.092
4'x4" Stand-off (Unknown)	C	From Leg	0.50 0.000 0.000	0.0000	44.00	No Ice 1/2" Ice 0.47 0.93	0.47 0.93	0.061 0.066
APXVSPP18-C-A20 w/ Mounting Pipe (Sprint)	A	From Leg	3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice 5.93 6.39	4.61 4.99	0.026 0.066
APXVSPP18-C-A20 w/ Mounting Pipe (Sprint)	B	From Leg	3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice 5.93 6.39	4.61 4.99	0.026 0.066
APXVSPP18-C-A20 w/ Mounting Pipe (Sprint)	C	From Leg	3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice 5.93 6.39	4.61 4.99	0.026 0.066
(3) 11' Boom Gate w/3 - 2 3/8" Pipe (Tapered) (Sprint)	A	None		0.0000	128.00	No Ice 1/2" Ice 35.30 46.40	35.30 46.40	1.750 2.400
RRH (Sprint)	A	From Leg	3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice 2.25 2.45	1.23 1.39	0.050 0.067
RRH (Sprint)	B	From Leg	3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice 2.25 2.45	1.23 1.39	0.050 0.067

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	17 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _A A ₁ Front ft ²	C _A A ₁ Side ft ²	Weight K
RRH (Sprint)	C	From Leg	3.00 0.000 0.000	0.0000	128.00	No Ice 1/2" Ice 2.25 2.45	1.23 1.39	0.050 0.067
LNX-8513DS-VTM (Verizon - LTE)	A	From Leg	3.00 6.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.38 8.93	5.41 5.86	0.039 0.090
LNX-6514DS-T4M (Verizon - LTE)	B	From Leg	3.00 6.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.38 8.93	5.41 5.86	0.038 0.089
LNX-6514DS-T4M (Verizon - LTE)	C	From Leg	3.00 6.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.38 8.93	5.41 5.86	0.038 0.089
RH_2x40-700 (Verizon - LTE)	A	From Leg	3.00 6.000 0.000	0.0000	98.00	No Ice 1/2" Ice 2.12 2.32	1.77 1.97	0.060 0.077
RH_2x40-700 (Verizon - LTE)	B	From Leg	3.00 6.000 0.000	0.0000	98.00	No Ice 1/2" Ice 2.12 2.32	1.77 1.97	0.060 0.077
RH_2x40-700 (Verizon - LTE)	C	From Leg	3.00 6.000 0.000	0.0000	98.00	No Ice 1/2" Ice 2.12 2.32	1.77 1.97	0.060 0.077
LNX-8513DS-VTM (Verizon - 850MHz)	A	From Leg	3.00 3.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.38 8.93	5.41 5.86	0.039 0.090
LNX-6514DS-T4M (Verizon - 850MHz)	B	From Leg	3.00 3.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.38 8.93	5.41 5.86	0.038 0.089
LNX-6514DS-T4M (Verizon - 850MHz)	C	From Leg	3.00 3.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.38 8.93	5.41 5.86	0.038 0.089
HBXX-6517DS-VTM (Verizon - PCS)	A	From Leg	3.00 -3.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.74 9.31	5.24 5.71	0.043 0.093
HBXX-6517DS-VTM (Verizon - PCS)	B	From Leg	3.00 -3.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.74 9.31	5.24 5.71	0.043 0.093
HBXX-6517DS-VTM (Verizon - PCS)	C	From Leg	3.00 -3.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.74 9.31	5.24 5.71	0.043 0.093
Panasonic RRH 1900MHZ (Verizon - PCS)	A	From Leg	3.00 -3.000 0.000	0.0000	98.00	No Ice 1/2" Ice 2.49 2.71	3.06 3.30	0.090 0.117
Panasonic RRH 1900MHZ (Verizon - PCS)	B	From Leg	3.00 -3.000 0.000	0.0000	98.00	No Ice 1/2" Ice 2.49 2.71	3.06 3.30	0.090 0.117
Panasonic RRH 1900MHZ (Verizon - PCS)	C	From Leg	3.00 -3.000 0.000	0.0000	98.00	No Ice 1/2" Ice 2.49 2.71	3.06 3.30	0.090 0.117
HBXX-6517DS-VTM (Verizon - AWS)	A	From Leg	3.00 -6.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.74 9.31	5.24 5.71	0.043 0.093
HBXX-6517DS-VTM (Verizon - AWS)	B	From Leg	3.00 -6.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.74 9.31	5.24 5.71	0.043 0.093
HBXX-6517DS-VTM (Verizon - AWS)	C	From Leg	3.00 -6.000 0.000	0.0000	98.00	No Ice 1/2" Ice 8.74 9.31	5.24 5.71	0.043 0.093

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	18 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft		C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K
RH_2X40-AWS (Verizon - AWS)	A	From Leg	3.00 -6.000 0.000	0.0000	98.00	No Ice 1/2" Ice	2.52 2.75	1.59 1.80	0.044 0.061
RH_2X40-AWS (Verizon - AWS)	B	From Leg	3.00 -6.000 0.000	0.0000	98.00	No Ice 1/2" Ice	2.52 2.75	1.59 1.80	0.044 0.061
RH_2X40-AWS (Verizon - AWS)	C	From Leg	3.00 -6.000 0.000	0.0000	98.00	No Ice 1/2" Ice	2.52 2.75	1.59 1.80	0.044 0.061
DB-T1-6Z-8AB-0Z (Verizon)	A	None		0.0000	98.00	No Ice 1/2" Ice	5.35 5.75	2.40 2.72	0.044 0.073

Dishes

Description	Face or Leg	Dish Type	Offset Type	Offsets: Horz Lateral Vert ft	Azimuth Adjustment °	3 dB Beam Width °	Elevation ft	Outside Diameter ft		Aperture Area ft ²	Weight K
4' w/Radome (Unknown)	C	Paraboloid w/Radome	From Leg	0.50 0.000 0.000	Worst		152.00	4.00	No Ice 1/2" Ice	12.57 13.10	0.140 0.282
4' w/Radome (Unknown)	B	Paraboloid w/Radome	From Leg	0.50 0.000 0.000	Worst		140.00	4.00	No Ice 1/2" Ice	12.57 13.10	0.140 0.282
2' w/Radome (Unknown)	B	Paraboloid w/Radome	From Leg	0.50 0.000 0.000	Worst		136.50	2.00	No Ice 1/2" Ice	3.14 3.41	0.070 0.282
1.2M (Unknown)	C	Paraboloid w/o Radome	From Leg	4.00 0.000 0.000	Worst		45.00	4.00	No Ice 1/2" Ice	12.17 13.09	0.165 0.232

Tower Pressures - No Ice

$$G_H = 1.132$$

Section Elevation ft	z ft	K _z	q _z ksf	A _G ft ²	F a c e	A _F ft ²	A _R ft ²	A _{leg} ft ²	Leg %	C _{AA} In Face ft ²	C _{AA} Out Face ft ²
T1 152.00-140.00	146.00	1.529	0.028	80.875	A	5.798	14.090	4.750	23.88	0.000	0.000
					B	6.385	7.333		34.62	0.000	0.000
					C	7.052	5.860		36.79	0.000	0.000
T2 140.00-135.00	137.50	1.503	0.028	35.262	A	1.961	14.116	2.400	14.93	0.000	0.000
					B	2.922	3.969		34.83	0.000	0.000
					C	3.538	2.862		37.49	0.000	0.000
T3	132.50	1.488	0.028	37.762	A	1.403	14.600	2.400	15.00	0.000	0.000

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	19 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section Elevation	z	K _Z	q _z	A _G	F a c e	A _F	A _R	A _{leg}	Leg %	C _A A _A In Face ft ²	C _A A _A Out Face ft ²
ft	ft		ksf	ft ²		ft ²	ft ²	ft ²			
135.00-130.00					B	2.036	4.154		38.77	0.000	0.000
					C	2.707	4.512		33.24	0.000	0.000
T4	127.50	1.471	0.027	40.262	A	1.524	14.600	2.400	14.88	0.000	0.000
130.00-125.00					B	2.122	4.524		36.11	0.000	0.000
					C	2.816	4.512		32.75	0.000	0.000
T5	122.50	1.455	0.027	42.762	A	1.911	14.696	2.400	14.45	0.000	0.000
125.00-120.00					B	2.597	4.616		33.27	0.000	0.000
					C	3.291	4.512		30.75	0.000	0.000
T6	110.00	1.411	0.026	199.956	A	25.555	49.767	17.420	23.13	0.000	0.000
120.00-100.00					B	27.568	16.787		39.27	0.000	0.000
					C	30.846	8.450		44.33	0.000	0.000
T7	90.00	1.332	0.025	240.373	A	36.228	51.339	17.421	19.89	0.000	0.000
100.00-80.00					B	38.269	32.737		24.53	0.000	0.000
					C	43.023	13.325		30.92	0.000	0.000
T8 80.00-73.33	76.67	1.272	0.024	89.625	A	11.189	17.206	6.544	23.05	0.000	0.000
					B	11.581	11.621		28.21	0.000	0.000
					C	12.983	4.684		37.04	0.000	0.000
T9 73.33-66.67	70.00	1.24	0.023	94.278	A	14.094	17.206	6.544	20.91	0.000	0.000
					B	14.570	12.760		23.95	0.000	0.000
					C	16.253	5.239		30.45	0.000	0.000
T10	63.33	1.205	0.022	98.930	A	14.544	17.206	6.544	20.61	0.000	0.000
66.67-60.00					B	15.004	12.883		23.47	0.000	0.000
					C	16.696	5.239		29.84	0.000	0.000
T11	55.00	1.157	0.021	157.607	A	18.476	26.195	11.261	25.21	0.000	0.000
60.00-50.00					B	18.887	19.325		29.47	0.000	0.000
					C	20.960	7.858		39.08	0.000	0.000
T12	45.00	1.093	0.020	167.607	A	22.153	26.292	11.261	23.24	0.000	0.000
50.00-40.00					B	22.736	19.325		26.77	0.000	0.000
					C	25.035	8.004		34.08	0.000	0.000
T13	35.00	1.017	0.019	177.607	A	22.861	26.292	11.261	22.91	0.000	0.000
40.00-30.00					B	23.438	19.325		26.33	0.000	0.000
					C	25.716	8.150		33.25	0.000	0.000
T14	25.00	1	0.018	187.973	A	27.833	26.292	11.264	20.81	0.000	0.000
30.00-20.00					B	28.901	19.325		23.36	0.000	0.000
					C	31.864	8.150		28.15	0.000	0.000
T15	17.50	1	0.018	98.650	A	7.444	19.539	6.394	23.69	0.000	0.000
20.00-15.00					B	7.921	16.056		26.67	0.000	0.000
					C	9.321	10.469		32.31	0.000	0.000
T16	12.50	1	0.018	101.177	A	9.229	19.541	6.395	22.23	0.000	0.000
15.00-10.00					B	9.624	16.057		24.90	0.000	0.000
					C	10.911	10.470		29.91	0.000	0.000
T17 10.00-0.00	5.00	1	0.018	209.955	A	26.383	10.517	14.290	38.73	0.000	0.000
					B	26.564	7.730		41.67	0.000	0.000
					C	27.406	3.260		46.60	0.000	0.000

Tower Pressure - With Ice

$$G_H = 1.132$$

Section Elevation	z	K _Z	q _z	t _z	A _G	F a c e	A _F	A _R	A _{leg}	Leg %	C _A A _A In Face ft ²	C _A A _A Out Face ft ²
ft	ft		ksf	in	ft ²		ft ²	ft ²	ft ²			
T1	146.00	1.529	0.021	0.500	81.875	A	5.371	24.445	6.750	22.64	0.000	0.000
152.00-140.00						B	6.240	14.995		31.79	0.000	0.000
						C	7.545	12.885		33.04	0.000	0.000

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	20 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section Elevation	z	K _Z	q _z	t _z	A _G	F a c e	A _F	A _R	A _{leg}	Leg %	C _A A _A In Face ft ²	C _A A _A Out Face ft ²
ft	ft		ksf	in	ft ²		ft ²	ft ²	ft ²			
T2 140.00-135.00	137.50	1.503	0.021	0.500	35.679	A	1.370	22.039	3.235	13.82	0.000	0.000
						B	2.819	7.605		31.03	0.000	0.000
						C	4.047	5.846		32.69	0.000	0.000
T3 135.00-130.00	132.50	1.488	0.021	0.500	38.179	A	1.468	22.516	3.235	13.49	0.000	0.000
						B	1.960	7.546		34.03	0.000	0.000
						C	3.389	7.809		28.88	0.000	0.000
T4 130.00-125.00	127.50	1.471	0.020	0.500	40.679	A	1.597	22.602	3.235	13.37	0.000	0.000
						B	2.028	8.294		31.34	0.000	0.000
						C	3.501	7.884		28.41	0.000	0.000
T5 125.00-120.00	122.50	1.455	0.020	0.500	43.179	A	1.913	22.940	3.235	13.01	0.000	0.000
						B	2.484	8.537		29.35	0.000	0.000
						C	3.955	7.959		27.15	0.000	0.000
T6 120.00-100.00	110.00	1.411	0.020	0.500	201.625	A	27.926	80.307	19.646	18.15	0.000	0.000
						B	29.143	32.202		32.02	0.000	0.000
						C	35.795	18.383		36.26	0.000	0.000
T7 100.00-80.00	90.00	1.332	0.018	0.500	242.042	A	37.019	85.946	19.647	15.98	0.000	0.000
						B	38.265	60.093		19.97	0.000	0.000
						C	47.157	29.332		25.69	0.000	0.000
T8 80.00-73.33	76.67	1.272	0.018	0.500	90.181	A	11.850	28.451	7.286	18.08	0.000	0.000
						B	11.806	20.790		22.35	0.000	0.000
						C	14.520	9.573		30.24	0.000	0.000
T9 73.33-66.67	70.00	1.24	0.017	0.500	94.834	A	14.375	29.311	7.286	16.68	0.000	0.000
						B	14.432	23.674		19.12	0.000	0.000
						C	17.571	11.657		24.93	0.000	0.000
T10 66.67-60.00	63.33	1.205	0.017	0.500	99.487	A	14.832	29.482	7.286	16.44	0.000	0.000
						B	14.859	24.068		18.72	0.000	0.000
						C	18.017	11.824		24.42	0.000	0.000
T11 60.00-50.00	55.00	1.157	0.016	0.500	158.442	A	19.589	43.461	12.374	19.63	0.000	0.000
						B	19.252	34.118		23.19	0.000	0.000
						C	23.290	15.450		31.94	0.000	0.000
T12 50.00-40.00	45.00	1.093	0.015	0.500	168.442	A	22.865	44.817	12.374	18.28	0.000	0.000
						B	22.802	35.301		21.30	0.000	0.000
						C	27.152	17.300		27.84	0.000	0.000
T13 40.00-30.00	35.00	1.017	0.014	0.500	178.442	A	23.589	45.058	12.374	18.03	0.000	0.000
						B	23.516	35.539		20.95	0.000	0.000
						C	27.806	18.080		26.97	0.000	0.000
T14 30.00-20.00	25.00	1	0.014	0.500	188.807	A	27.410	46.841	12.377	16.67	0.000	0.000
						B	28.097	37.704		18.81	0.000	0.000
						C	33.366	20.736		22.88	0.000	0.000
T15 20.00-15.00	17.50	1	0.014	0.500	99.068	A	6.812	30.225	7.228	19.52	0.000	0.000
						B	7.066	25.609		22.12	0.000	0.000
						C	9.585	17.065		27.12	0.000	0.000
T16 15.00-10.00	12.50	1	0.014	0.500	101.594	A	8.788	30.637	7.230	18.34	0.000	0.000
						B	8.916	25.919		20.75	0.000	0.000
						C	11.272	17.244		25.35	0.000	0.000
T17 10.00-0.00	5.00	1	0.014	0.500	210.789	A	27.458	19.990	15.403	32.46	0.000	0.000
						B	27.352	16.144		35.41	0.000	0.000
						C	28.969	9.110		40.45	0.000	0.000

Tower Pressure - Service

$$G_H = 1.132$$

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	21 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section Elevation	z	K _z	q _z	A _G	F a c e	A _F	A _R	A _{leg}	Leg %	C _d A _d In Face	C _d A _d Out Face
ft	ft		ksf	ft ²		ft ²	ft ²	ft ²		ft ²	ft ²
T1 152.00-140.00	146.00	1.529	0.010	80.875	A	5.798	14.090	4.750	23.88	0.000	0.000
					B	6.385	7.333		34.62	0.000	0.000
					C	7.052	5.860		36.79	0.000	0.000
T2 140.00-135.00	137.50	1.503	0.010	35.262	A	1.961	14.116	2.400	14.93	0.000	0.000
					B	2.922	3.969		34.83	0.000	0.000
					C	3.538	2.862		37.49	0.000	0.000
T3 135.00-130.00	132.50	1.488	0.010	37.762	A	1.403	14.600	2.400	15.00	0.000	0.000
					B	2.036	4.154		38.77	0.000	0.000
					C	2.707	4.512		33.24	0.000	0.000
T4 130.00-125.00	127.50	1.471	0.009	40.262	A	1.524	14.600	2.400	14.88	0.000	0.000
					B	2.122	4.524		36.11	0.000	0.000
					C	2.816	4.512		32.75	0.000	0.000
T5 125.00-120.00	122.50	1.455	0.009	42.762	A	1.911	14.696	2.400	14.45	0.000	0.000
					B	2.597	4.616		33.27	0.000	0.000
					C	3.291	4.512		30.75	0.000	0.000
T6 120.00-100.00	110.00	1.411	0.009	199.956	A	25.555	49.767	17.420	23.13	0.000	0.000
					B	27.568	16.787		39.27	0.000	0.000
					C	30.846	8.450		44.33	0.000	0.000
T7 100.00-80.00	90.00	1.332	0.009	240.373	A	36.228	51.339	17.421	19.89	0.000	0.000
					B	38.269	32.737		24.53	0.000	0.000
					C	43.023	13.325		30.92	0.000	0.000
T8 80.00-73.33	76.67	1.272	0.008	89.625	A	11.189	17.206	6.544	23.05	0.000	0.000
					B	11.581	11.621		28.21	0.000	0.000
					C	12.983	4.684		37.04	0.000	0.000
T9 73.33-66.67	70.00	1.24	0.008	94.278	A	14.094	17.206	6.544	20.91	0.000	0.000
					B	14.570	12.760		23.95	0.000	0.000
					C	16.253	5.239		30.45	0.000	0.000
T10 66.67-60.00	63.33	1.205	0.008	98.930	A	14.544	17.206	6.544	20.61	0.000	0.000
					B	15.004	12.883		23.47	0.000	0.000
					C	16.696	5.239		29.84	0.000	0.000
T11 60.00-50.00	55.00	1.157	0.007	157.607	A	18.476	26.195	11.261	25.21	0.000	0.000
					B	18.887	19.325		29.47	0.000	0.000
					C	20.960	7.858		39.08	0.000	0.000
T12 50.00-40.00	45.00	1.093	0.007	167.607	A	22.153	26.292	11.261	23.24	0.000	0.000
					B	22.736	19.325		26.77	0.000	0.000
					C	25.035	8.004		34.08	0.000	0.000
T13 40.00-30.00	35.00	1.017	0.007	177.607	A	22.861	26.292	11.261	22.91	0.000	0.000
					B	23.438	19.325		26.33	0.000	0.000
					C	25.716	8.150		33.25	0.000	0.000
T14 30.00-20.00	25.00	1	0.006	187.973	A	27.833	26.292	11.264	20.81	0.000	0.000
					B	28.901	19.325		23.36	0.000	0.000
					C	31.864	8.150		28.15	0.000	0.000
T15 20.00-15.00	17.50	1	0.006	98.650	A	7.444	19.539	6.394	23.69	0.000	0.000
					B	7.921	16.056		26.67	0.000	0.000
					C	9.321	10.469		32.31	0.000	0.000
T16 15.00-10.00	12.50	1	0.006	101.177	A	9.229	19.541	6.395	22.23	0.000	0.000
					B	9.624	16.057		24.90	0.000	0.000
					C	10.911	10.470		29.91	0.000	0.000
T17 10.00-0.00	5.00	1	0.006	209.955	A	26.383	10.517	14.290	38.73	0.000	0.000
					B	26.564	7.730		41.67	0.000	0.000
					C	27.406	3.260		46.60	0.000	0.000

Tower Forces - No Ice - Wind Normal To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	22 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	k/ft	
T1 152.00-140.00	0.081	0.335	A	0.246	2.45	0.601	1	1	14.264	1.119	0.093	A
			B	0.17	2.701	0.585	1	1	10.673			
			C	0.16	2.736	0.583	1	1	10.468			
T2 140.00-135.00	0.087	0.211	A	0.456	1.964	0.676	1	1	11.505	0.711	0.142	A
			B	0.195	2.611	0.589	1	1	5.261			
			C	0.182	2.659	0.587	1	1	5.218			
T3 135.00-130.00	0.101	0.184	A	0.424	2.019	0.662	1	1	11.063	0.696	0.139	A
			B	0.164	2.721	0.584	1	1	4.461			
			C	0.191	2.626	0.589	1	1	5.363			
T4 130.00-125.00	0.104	0.219	A	0.4	2.063	0.652	1	1	11.040	0.702	0.140	A
			B	0.165	2.717	0.584	1	1	4.763			
			C	0.182	2.657	0.587	1	1	5.464			
T5 125.00-120.00	0.105	0.212	A	0.388	2.087	0.647	1	1	11.419	0.726	0.145	A
			B	0.169	2.704	0.585	1	1	5.296			
			C	0.182	2.656	0.587	1	1	5.940			
T6 120.00-100.00	0.521	1.382	A	0.377	2.112	0.642	1	1	57.523	3.589	0.179	A
			B	0.222	2.525	0.595	1	1	37.557			
			C	0.197	2.608	0.59	1	1	35.829			
T7 100.00-80.00	0.711	2.073	A	0.364	2.139	0.638	1	1	68.967	4.115	0.206	A
			B	0.295	2.308	0.615	1	1	58.385			
			C	0.234	2.485	0.598	1	1	50.992			
T8 80.00-73.33	0.242	0.721	A	0.317	2.252	0.621	1	1	21.877	1.313	0.197	A
			B	0.259	2.411	0.604	1	1	18.603			
			C	0.197	2.606	0.59	1	1	15.746			
T9 73.33-66.67	0.252	0.972	A	0.332	2.214	0.626	1	1	24.868	1.430	0.214	A
			B	0.29	2.323	0.613	1	1	22.390			
			C	0.228	2.505	0.597	1	1	19.378			
T10 66.67-60.00	0.252	0.998	A	0.321	2.242	0.623	1	1	25.255	1.429	0.214	A
			B	0.282	2.345	0.611	1	1	22.870			
			C	0.222	2.525	0.595	1	1	19.813			
T11 60.00-50.00	0.381	1.354	A	0.283	2.341	0.611	1	1	34.480	1.956	0.196	A
			B	0.242	2.46	0.6	1	1	30.481			
			C	0.183	2.654	0.587	1	1	25.573			
T12 50.00-40.00	0.381	1.565	A	0.289	2.326	0.613	1	1	38.259	2.036	0.204	A
			B	0.251	2.435	0.602	1	1	34.372			
			C	0.197	2.606	0.59	1	1	29.756			
T13 40.00-30.00	0.382	1.741	A	0.277	2.36	0.609	1	1	38.874	1.954	0.195	A
			B	0.241	2.465	0.6	1	1	35.025			
			C	0.191	2.627	0.589	1	1	30.513			
T14 30.00-20.00	0.382	2.026	A	0.288	2.329	0.612	1	1	43.931	2.143	0.214	A
			B	0.257	2.418	0.604	1	1	40.565			
			C	0.213	2.554	0.593	1	1	36.698			
T15 20.00-15.00	0.191	0.907	A	0.274	2.369	0.608	1	1	19.327	0.959	0.192	A
			B	0.243	2.459	0.6	1	1	17.556			
			C	0.201	2.594	0.591	1	1	15.503			
T16 15.00-10.00	0.191	0.995	A	0.284	2.338	0.611	1	1	21.173	1.037	0.207	A
			B	0.254	2.426	0.603	1	1	19.304			
			C	0.211	2.559	0.593	1	1	17.117			
T17 10.00-0.00	0.153	1.983	A	0.176	2.679	0.586	1	1	32.543	1.826	0.183	A
			B	0.163	2.723	0.584	1	1	31.075			
			C	0.146	2.786	0.581	1	1	29.300			
Sum Weight:	4.516	17.879						OTM	1948.377 kip-ft	27.742		

Tower Forces - No Ice - Wind 45 To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	23 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	klf	
T1 152.00-140.00	0.081	0.335	A	0.246	2.45	0.601	0.825	1	13.249	1.040	0.087	A
			B	0.17	2.701	0.585	0.825	1	9.555			
			C	0.16	2.736	0.583	0.825	1	9.234			
T2 140.00-135.00	0.087	0.211	A	0.456	1.964	0.676	0.825	1	11.161	0.690	0.138	A
			B	0.195	2.611	0.589	0.825	1	4.750			
			C	0.182	2.659	0.587	0.825	1	4.599			
T3 135.00-130.00	0.101	0.184	A	0.424	2.019	0.662	0.825	1	10.817	0.680	0.136	A
			B	0.164	2.721	0.584	0.825	1	4.104			
			C	0.191	2.626	0.589	0.825	1	4.889			
T4 130.00-125.00	0.104	0.219	A	0.4	2.063	0.652	0.825	1	10.773	0.685	0.137	A
			B	0.165	2.717	0.584	0.825	1	4.392			
			C	0.182	2.657	0.587	0.825	1	4.972			
T5 125.00-120.00	0.105	0.212	A	0.388	2.087	0.647	0.825	1	11.084	0.705	0.141	A
			B	0.169	2.704	0.585	0.825	1	4.841			
			C	0.182	2.656	0.587	0.825	1	5.364			
T6 120.00-100.00	0.521	1.382	A	0.377	2.112	0.642	0.825	1	53.051	3.310	0.166	A
			B	0.222	2.525	0.595	0.825	1	32.733			
			C	0.197	2.608	0.59	0.825	1	30.431			
T7 100.00-80.00	0.711	2.073	A	0.364	2.139	0.638	0.825	1	62.627	3.737	0.187	A
			B	0.295	2.308	0.615	0.825	1	51.688			
			C	0.234	2.485	0.598	0.825	1	43.463			
T8 80.00-73.33	0.242	0.721	A	0.317	2.252	0.621	0.825	1	19.919	1.195	0.179	A
			B	0.259	2.411	0.604	0.825	1	16.576			
			C	0.197	2.606	0.59	0.825	1	13.474			
T9 73.33-66.67	0.252	0.972	A	0.332	2.214	0.626	0.825	1	22.402	1.288	0.193	A
			B	0.29	2.323	0.613	0.825	1	19.840			
			C	0.228	2.505	0.597	0.825	1	16.534			
T10 66.67-60.00	0.252	0.998	A	0.321	2.242	0.623	0.825	1	22.710	1.285	0.193	A
			B	0.282	2.345	0.611	0.825	1	20.244			
			C	0.222	2.525	0.595	0.825	1	16.892			
T11 60.00-50.00	0.381	1.354	A	0.283	2.341	0.611	0.825	1	31.247	1.773	0.177	A
			B	0.242	2.46	0.6	0.825	1	27.176			
			C	0.183	2.654	0.587	0.825	1	21.905			
T12 50.00-40.00	0.381	1.565	A	0.289	2.326	0.613	0.825	1	34.382	1.830	0.183	A
			B	0.251	2.435	0.602	0.825	1	30.393			
			C	0.197	2.606	0.59	0.825	1	25.375			
T13 40.00-30.00	0.382	1.741	A	0.277	2.36	0.609	0.825	1	34.874	1.753	0.175	A
			B	0.241	2.465	0.6	0.825	1	30.923			
			C	0.191	2.627	0.589	0.825	1	26.013			
T14 30.00-20.00	0.382	2.026	A	0.288	2.329	0.612	0.825	1	39.060	1.905	0.190	A
			B	0.257	2.418	0.604	0.825	1	35.508			
			C	0.213	2.554	0.593	0.825	1	31.122			
T15 20.00-15.00	0.191	0.907	A	0.274	2.369	0.608	0.825	1	18.024	0.894	0.179	A
			B	0.243	2.459	0.6	0.825	1	16.170			
			C	0.201	2.594	0.591	0.825	1	13.872			
T16 15.00-10.00	0.191	0.995	A	0.284	2.338	0.611	0.825	1	19.558	0.958	0.192	A
			B	0.254	2.426	0.603	0.825	1	17.620			
			C	0.211	2.559	0.593	0.825	1	15.208			
T17 10.00-0.00	0.153	1.983	A	0.176	2.679	0.586	0.825	1	27.926	1.567	0.157	A
			B	0.163	2.723	0.584	0.825	1	26.427			
			C	0.146	2.786	0.581	0.825	1	24.504			
Sum Weight:	4.516	17.879						OTM	1798.454 kip-ft	25.295		

Tower Forces - No Ice - Wind 60 To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	24 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	klf	
T1	0.081	0.335	A	0.246	2.45	0.601	0.8	1	13.104	1.028	0.086	A
152.00-140.00			B	0.17	2.701	0.585	0.8	1	9.396			
			C	0.16	2.736	0.583	0.8	1	9.058			
T2	0.087	0.211	A	0.456	1.964	0.676	0.8	1	11.112	0.687	0.137	A
140.00-135.00			B	0.195	2.611	0.589	0.8	1	4.677			
			C	0.182	2.659	0.587	0.8	1	4.510			
T3	0.101	0.184	A	0.424	2.019	0.662	0.8	1	10.782	0.678	0.136	A
135.00-130.00			B	0.164	2.721	0.584	0.8	1	4.054			
			C	0.191	2.626	0.589	0.8	1	4.822			
T4	0.104	0.219	A	0.4	2.063	0.652	0.8	1	10.735	0.683	0.137	A
130.00-125.00			B	0.165	2.717	0.584	0.8	1	4.339			
			C	0.182	2.657	0.587	0.8	1	4.901			
T5	0.105	0.212	A	0.388	2.087	0.647	0.8	1	11.036	0.702	0.140	A
125.00-120.00			B	0.169	2.704	0.585	0.8	1	4.776			
			C	0.182	2.656	0.587	0.8	1	5.282			
T6	0.521	1.382	A	0.377	2.112	0.642	0.8	1	52.412	3.270	0.164	A
120.00-100.00			B	0.222	2.525	0.595	0.8	1	32.044			
			C	0.197	2.608	0.59	0.8	1	29.660			
T7	0.711	2.073	A	0.364	2.139	0.638	0.8	1	61.721	3.683	0.184	A
100.00-80.00			B	0.295	2.308	0.615	0.8	1	50.732			
			C	0.234	2.485	0.598	0.8	1	42.387			
T8	0.242	0.721	A	0.317	2.252	0.621	0.8	1	19.639	1.179	0.177	A
80.00-73.33			B	0.259	2.411	0.604	0.8	1	16.286			
			C	0.197	2.606	0.59	0.8	1	13.149			
T9	0.252	0.972	A	0.332	2.214	0.626	0.8	1	22.049	1.268	0.190	A
73.33-66.67			B	0.29	2.323	0.613	0.8	1	19.476			
			C	0.228	2.505	0.597	0.8	1	16.127			
T10	0.252	0.998	A	0.321	2.242	0.623	0.8	1	22.346	1.264	0.190	A
66.67-60.00			B	0.282	2.345	0.611	0.8	1	19.869			
			C	0.222	2.525	0.595	0.8	1	16.474			
T11	0.381	1.354	A	0.283	2.341	0.611	0.8	1	30.785	1.747	0.175	A
60.00-50.00			B	0.242	2.46	0.6	0.8	1	26.704			
			C	0.183	2.654	0.587	0.8	1	21.381			
T12	0.381	1.565	A	0.289	2.326	0.613	0.8	1	33.828	1.800	0.180	A
50.00-40.00			B	0.251	2.435	0.602	0.8	1	29.825			
			C	0.197	2.606	0.59	0.8	1	24.749			
T13	0.382	1.741	A	0.277	2.36	0.609	0.8	1	34.302	1.724	0.172	A
40.00-30.00			B	0.241	2.465	0.6	0.8	1	30.337			
			C	0.191	2.627	0.589	0.8	1	25.370			
T14	0.382	2.026	A	0.288	2.329	0.612	0.8	1	38.364	1.871	0.187	A
30.00-20.00			B	0.257	2.418	0.604	0.8	1	34.785			
			C	0.213	2.554	0.593	0.8	1	30.325			
T15	0.191	0.907	A	0.274	2.369	0.608	0.8	1	17.838	0.885	0.177	A
20.00-15.00			B	0.243	2.459	0.6	0.8	1	15.972			
			C	0.201	2.594	0.591	0.8	1	13.639			
T16	0.191	0.995	A	0.284	2.338	0.611	0.8	1	19.327	0.947	0.189	A
15.00-10.00			B	0.254	2.426	0.603	0.8	1	17.379			
			C	0.211	2.559	0.593	0.8	1	14.935			
T17	0.153	1.983	A	0.176	2.679	0.586	0.8	1	27.267	1.530	0.153	A
10.00-0.00			B	0.163	2.723	0.584	0.8	1	25.763			
			C	0.146	2.786	0.581	0.8	1	23.819			
Sum Weight:	4.516	17.879						OTM	1777.037 kip-ft	24.946		

Tower Forces - No Ice - Wind 90 To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	25 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	klf	
T1	0.081	0.335	A	0.246	2.45	0.601	0.85	1	13.394	1.051	0.088	A
152.00-140.00			B	0.17	2.701	0.585	0.85	1	9.715			
			C	0.16	2.736	0.583	0.85	1	9.410			
T2	0.087	0.211	A	0.456	1.964	0.676	0.85	1	11.210	0.693	0.139	A
140.00-135.00			B	0.195	2.611	0.589	0.85	1	4.823			
			C	0.182	2.659	0.587	0.85	1	4.687			
T3	0.101	0.184	A	0.424	2.019	0.662	0.85	1	10.852	0.683	0.137	A
135.00-130.00			B	0.164	2.721	0.584	0.85	1	4.155			
			C	0.191	2.626	0.589	0.85	1	4.957			
T4	0.104	0.219	A	0.4	2.063	0.652	0.85	1	10.811	0.687	0.137	A
130.00-125.00			B	0.165	2.717	0.584	0.85	1	4.445			
			C	0.182	2.657	0.587	0.85	1	5.042			
T5	0.105	0.212	A	0.388	2.087	0.647	0.85	1	11.132	0.708	0.142	A
125.00-120.00			B	0.169	2.704	0.585	0.85	1	4.906			
			C	0.182	2.656	0.587	0.85	1	5.446			
T6	0.521	1.382	A	0.377	2.112	0.642	0.85	1	53.690	3.350	0.168	A
120.00-100.00			B	0.222	2.525	0.595	0.85	1	33.422			
			C	0.197	2.608	0.59	0.85	1	31.202			
T7	0.711	2.073	A	0.364	2.139	0.638	0.85	1	63.532	3.791	0.190	A
100.00-80.00			B	0.295	2.308	0.615	0.85	1	52.645			
			C	0.234	2.485	0.598	0.85	1	44.538			
T8	0.242	0.721	A	0.317	2.252	0.621	0.85	1	20.198	1.212	0.182	A
80.00-73.33			B	0.259	2.411	0.604	0.85	1	16.865			
			C	0.197	2.606	0.59	0.85	1	13.798			
T9	0.252	0.972	A	0.332	2.214	0.626	0.85	1	22.754	1.308	0.196	A
73.33-66.67			B	0.29	2.323	0.613	0.85	1	20.204			
			C	0.228	2.505	0.597	0.85	1	16.940			
T10	0.252	0.998	A	0.321	2.242	0.623	0.85	1	23.073	1.305	0.196	A
66.67-60.00			B	0.282	2.345	0.611	0.85	1	20.619			
			C	0.222	2.525	0.595	0.85	1	17.309			
T11	0.381	1.354	A	0.283	2.341	0.611	0.85	1	31.709	1.799	0.180	A
60.00-50.00			B	0.242	2.46	0.6	0.85	1	27.648			
			C	0.183	2.654	0.587	0.85	1	22.429			
T12	0.381	1.565	A	0.289	2.326	0.613	0.85	1	34.936	1.859	0.186	A
50.00-40.00			B	0.251	2.435	0.602	0.85	1	30.962			
			C	0.197	2.606	0.59	0.85	1	26.001			
T13	0.382	1.741	A	0.277	2.36	0.609	0.85	1	35.445	1.781	0.178	A
40.00-30.00			B	0.241	2.465	0.6	0.85	1	31.509			
			C	0.191	2.627	0.589	0.85	1	26.656			
T14	0.382	2.026	A	0.288	2.329	0.612	0.85	1	39.756	1.939	0.194	A
30.00-20.00			B	0.257	2.418	0.604	0.85	1	36.230			
			C	0.213	2.554	0.593	0.85	1	31.918			
T15	0.191	0.907	A	0.274	2.369	0.608	0.85	1	18.211	0.903	0.181	A
20.00-15.00			B	0.243	2.459	0.6	0.85	1	16.368			
			C	0.201	2.594	0.591	0.85	1	14.105			
T16	0.191	0.995	A	0.284	2.338	0.611	0.85	1	19.789	0.969	0.194	A
15.00-10.00			B	0.254	2.426	0.603	0.85	1	17.861			
			C	0.211	2.559	0.593	0.85	1	15.480			
T17	0.153	1.983	A	0.176	2.679	0.586	0.85	1	28.586	1.604	0.160	A
10.00-0.00			B	0.163	2.723	0.584	0.85	1	27.091			
			C	0.146	2.786	0.581	0.85	1	25.189			
Sum Weight:	4.516	17.879						OTM	1819.872 kip-ft	25.645		

Tower Forces - With Ice - Wind Normal To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	26 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	klf	
T1 152.00-140.00	0.213	0.649	A	0.364	2.139	0.638	1	1	20.958	1.077	0.090	A
			B	0.259	2.41	0.604	1	1	15.302			
			C	0.25	2.439	0.602	1	1	15.298			
T2 140.00-135.00	0.225	0.358	A	0.656	1.78	0.79	1	1	18.770	0.789	0.158	A
			B	0.292	2.317	0.614	1	1	7.485			
			C	0.277	2.358	0.609	1	1	7.609			
T3 135.00-130.00	0.265	0.298	A	0.628	1.789	0.771	1	1	18.834	0.787	0.157	A
			B	0.249	2.441	0.602	1	1	6.500			
			C	0.293	2.314	0.614	1	1	8.183			
T4 130.00-125.00	0.271	0.336	A	0.595	1.807	0.75	1	1	18.559	0.775	0.155	A
			B	0.254	2.426	0.603	1	1	7.028			
			C	0.28	2.351	0.61	1	1	8.310			
T5 125.00-120.00	0.275	0.344	A	0.576	1.821	0.739	1	1	18.864	0.785	0.157	A
			B	0.255	2.422	0.603	1	1	7.634			
			C	0.276	2.362	0.609	1	1	8.800			
T6 120.00-100.00	1.355	2.086	A	0.537	1.857	0.717	1	1	85.503	3.518	0.176	A
			B	0.304	2.285	0.617	1	1	49.018			
			C	0.269	2.383	0.607	1	1	46.950			
T7 100.00-80.00	1.871	3.212	A	0.508	1.89	0.702	1	1	97.322	3.848	0.192	A
			B	0.406	2.052	0.654	1	1	77.579			
			C	0.316	2.254	0.621	1	1	65.370			
T8 80.00-73.33	0.639	1.038	A	0.447	1.979	0.672	1	1	30.965	1.225	0.184	A
			B	0.361	2.145	0.637	1	1	25.042			
			C	0.267	2.387	0.606	1	1	20.325			
T9 73.33-66.67	0.666	1.409	A	0.461	1.956	0.678	1	1	34.255	1.305	0.196	A
			B	0.402	2.06	0.652	1	1	29.875			
			C	0.308	2.274	0.618	1	1	24.780			
T10 66.67-60.00	0.668	1.450	A	0.445	1.981	0.671	1	1	34.620	1.298	0.195	A
			B	0.391	2.082	0.648	1	1	30.457			
			C	0.3	2.296	0.616	1	1	25.299			
T11 60.00-50.00	1.010	1.856	A	0.398	2.068	0.651	1	1	47.872	1.800	0.180	A
			B	0.337	2.203	0.628	1	1	40.673			
			C	0.245	2.454	0.6	1	1	32.568			
T12 50.00-40.00	1.014	2.213	A	0.402	2.06	0.652	1	1	52.101	1.843	0.184	A
			B	0.345	2.183	0.631	1	1	45.066			
			C	0.264	2.396	0.606	1	1	37.627			
T13 40.00-30.00	1.017	2.411	A	0.385	2.095	0.645	1	1	52.673	1.763	0.176	A
			B	0.331	2.217	0.626	1	1	45.758			
			C	0.257	2.416	0.604	1	1	38.721			
T14 30.00-20.00	1.017	2.946	A	0.393	2.077	0.649	1	1	57.804	1.886	0.189	A
			B	0.349	2.175	0.632	1	1	51.924			
			C	0.287	2.332	0.612	1	1	46.054			
T15 20.00-15.00	0.509	1.349	A	0.374	2.118	0.641	1	1	26.194	0.872	0.174	A
			B	0.33	2.22	0.625	1	1	23.084			
			C	0.269	2.382	0.607	1	1	19.941			
T16 15.00-10.00	0.509	1.476	A	0.388	2.088	0.647	1	1	28.605	0.938	0.188	A
			B	0.343	2.188	0.63	1	1	25.244			
			C	0.281	2.349	0.61	1	1	21.794			
T17 10.00-0.00	0.407	2.705	A	0.225	2.514	0.596	1	1	39.369	1.555	0.155	A
			B	0.206	2.575	0.592	1	1	36.905			
			C	0.181	2.662	0.587	1	1	34.314			
Sum Weight:	11.932	26.137						OTM	1891.316 kip-ft	26.063		

Tower Forces - With Ice - Wind 45 To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	27 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	klf	
T1	0.213	0.649	A	0.364	2.139	0.638	0.825	1	20.018	1.029	0.086	A
152.00-140.00			B	0.259	2.41	0.604	0.825	1	14.210			
			C	0.25	2.439	0.602	0.825	1	13.978			
T2	0.225	0.358	A	0.656	1.78	0.79	0.825	1	18.530	0.779	0.156	A
140.00-135.00			B	0.292	2.317	0.614	0.825	1	6.992			
			C	0.277	2.358	0.609	0.825	1	6.901			
T3	0.265	0.298	A	0.628	1.789	0.771	0.825	1	18.578	0.777	0.155	A
135.00-130.00			B	0.249	2.441	0.602	0.825	1	6.157			
			C	0.293	2.314	0.614	0.825	1	7.590			
T4	0.271	0.336	A	0.595	1.807	0.75	0.825	1	18.280	0.764	0.153	A
130.00-125.00			B	0.254	2.426	0.603	0.825	1	6.673			
			C	0.28	2.351	0.61	0.825	1	7.697			
T5	0.275	0.344	A	0.576	1.821	0.739	0.825	1	18.529	0.771	0.154	A
125.00-120.00			B	0.255	2.422	0.603	0.825	1	7.199			
			C	0.276	2.362	0.609	0.825	1	8.108			
T6	1.355	2.086	A	0.537	1.857	0.717	0.825	1	80.615	3.317	0.166	A
120.00-100.00			B	0.304	2.285	0.617	0.825	1	43.918			
			C	0.269	2.383	0.607	0.825	1	40.686			
T7	1.871	3.212	A	0.508	1.89	0.702	0.825	1	90.843	3.592	0.180	A
100.00-80.00			B	0.406	2.052	0.654	0.825	1	70.882			
			C	0.316	2.254	0.621	0.825	1	57.118			
T8	0.639	1.038	A	0.447	1.979	0.672	0.825	1	28.891	1.143	0.171	A
80.00-73.33			B	0.361	2.145	0.637	0.825	1	22.975			
			C	0.267	2.387	0.606	0.825	1	17.784			
T9	0.666	1.409	A	0.461	1.956	0.678	0.825	1	31.739	1.209	0.181	A
73.33-66.67			B	0.402	2.06	0.652	0.825	1	27.349			
			C	0.308	2.274	0.618	0.825	1	21.705			
T10	0.668	1.450	A	0.445	1.981	0.671	0.825	1	32.024	1.201	0.180	A
66.67-60.00			B	0.391	2.082	0.648	0.825	1	27.857			
			C	0.3	2.296	0.616	0.825	1	22.146			
T11	1.010	1.856	A	0.398	2.068	0.651	0.825	1	44.443	1.671	0.167	A
60.00-50.00			B	0.337	2.203	0.628	0.825	1	37.304			
			C	0.245	2.454	0.6	0.825	1	28.492			
T12	1.014	2.213	A	0.402	2.06	0.652	0.825	1	48.100	1.701	0.170	A
50.00-40.00			B	0.345	2.183	0.631	0.825	1	41.076			
			C	0.264	2.396	0.606	0.825	1	32.876			
T13	1.017	2.411	A	0.385	2.095	0.645	0.825	1	48.545	1.625	0.162	A
40.00-30.00			B	0.331	2.217	0.626	0.825	1	41.643			
			C	0.257	2.416	0.604	0.825	1	33.855			
T14	1.017	2.946	A	0.393	2.077	0.649	0.825	1	53.007	1.730	0.173	A
30.00-20.00			B	0.349	2.175	0.632	0.825	1	47.007			
			C	0.287	2.332	0.612	0.825	1	40.215			
T15	0.509	1.349	A	0.374	2.118	0.641	0.825	1	25.002	0.832	0.166	A
20.00-15.00			B	0.33	2.22	0.625	0.825	1	21.847			
			C	0.269	2.382	0.607	0.825	1	18.264			
T16	0.509	1.476	A	0.388	2.088	0.647	0.825	1	27.067	0.888	0.178	A
15.00-10.00			B	0.343	2.188	0.63	0.825	1	23.684			
			C	0.281	2.349	0.61	0.825	1	19.821			
T17	0.407	2.705	A	0.225	2.514	0.596	0.825	1	34.564	1.365	0.137	A
10.00-0.00			B	0.206	2.575	0.592	0.825	1	32.118			
			C	0.181	2.662	0.587	0.825	1	29.244			
Sum Weight:	11.932	26.137						OTM	1789.451 kip-ft	24.391		

Tower Forces - With Ice - Wind 60 To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	28 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	klf	
T1 152.00-140.00	0.213	0.649	A	0.364	2.139	0.638	0.8	1	19.884	1.022	0.085	A
			B	0.259	2.41	0.604	0.8	1	14.054			
			C	0.25	2.439	0.602	0.8	1	13.790			
T2 140.00-135.00	0.225	0.358	A	0.656	1.78	0.79	0.8	1	18.496	0.777	0.155	A
			B	0.292	2.317	0.614	0.8	1	6.922			
			C	0.277	2.358	0.609	0.8	1	6.799			
T3 135.00-130.00	0.265	0.298	A	0.628	1.789	0.771	0.8	1	18.541	0.775	0.155	A
			B	0.249	2.441	0.602	0.8	1	6.108			
			C	0.293	2.314	0.614	0.8	1	7.505			
T4 130.00-125.00	0.271	0.336	A	0.595	1.807	0.75	0.8	1	18.240	0.762	0.152	A
			B	0.254	2.426	0.603	0.8	1	6.622			
			C	0.28	2.351	0.61	0.8	1	7.610			
T5 125.00-120.00	0.275	0.344	A	0.576	1.821	0.739	0.8	1	18.482	0.769	0.154	A
			B	0.255	2.422	0.603	0.8	1	7.137			
			C	0.276	2.362	0.609	0.8	1	8.009			
T6 120.00-100.00	1.355	2.086	A	0.537	1.857	0.717	0.8	1	79.917	3.288	0.164	A
			B	0.304	2.285	0.617	0.8	1	43.189			
			C	0.269	2.383	0.607	0.8	1	39.791			
T7 100.00-80.00	1.871	3.212	A	0.508	1.89	0.702	0.8	1	89.918	3.555	0.178	A
			B	0.406	2.052	0.654	0.8	1	69.926			
			C	0.316	2.254	0.621	0.8	1	55.939			
T8 80.00-73.33	0.639	1.038	A	0.447	1.979	0.672	0.8	1	28.595	1.131	0.170	A
			B	0.361	2.145	0.637	0.8	1	22.680			
			C	0.267	2.387	0.606	0.8	1	17.421			
T9 73.33-66.67	0.666	1.409	A	0.461	1.956	0.678	0.8	1	31.380	1.195	0.179	A
			B	0.402	2.06	0.652	0.8	1	26.989			
			C	0.308	2.274	0.618	0.8	1	21.266			
T10 66.67-60.00	0.668	1.450	A	0.445	1.981	0.671	0.8	1	31.653	1.187	0.178	A
			B	0.391	2.082	0.648	0.8	1	27.485			
			C	0.3	2.296	0.616	0.8	1	21.696			
T11 60.00-50.00	1.010	1.856	A	0.398	2.068	0.651	0.8	1	43.954	1.652	0.165	A
			B	0.337	2.203	0.628	0.8	1	36.823			
			C	0.245	2.454	0.6	0.8	1	27.910			
T12 50.00-40.00	1.014	2.213	A	0.402	2.06	0.652	0.8	1	47.528	1.681	0.168	A
			B	0.345	2.183	0.631	0.8	1	40.505			
			C	0.264	2.396	0.606	0.8	1	32.197			
T13 40.00-30.00	1.017	2.411	A	0.385	2.095	0.645	0.8	1	47.955	1.605	0.160	A
			B	0.331	2.217	0.626	0.8	1	41.055			
			C	0.257	2.416	0.604	0.8	1	33.160			
T14 30.00-20.00	1.017	2.946	A	0.393	2.077	0.649	0.8	1	52.322	1.707	0.171	A
			B	0.349	2.175	0.632	0.8	1	46.305			
			C	0.287	2.332	0.612	0.8	1	39.381			
T15 20.00-15.00	0.509	1.349	A	0.374	2.118	0.641	0.8	1	24.832	0.826	0.165	A
			B	0.33	2.22	0.625	0.8	1	21.671			
			C	0.269	2.382	0.607	0.8	1	18.024			
T16 15.00-10.00	0.509	1.476	A	0.388	2.088	0.647	0.8	1	26.847	0.881	0.176	A
			B	0.343	2.188	0.63	0.8	1	23.461			
			C	0.281	2.349	0.61	0.8	1	19.539			
T17 10.00-0.00	0.407	2.705	A	0.225	2.514	0.596	0.8	1	33.878	1.338	0.134	A
			B	0.206	2.575	0.592	0.8	1	31.434			
			C	0.181	2.662	0.587	0.8	1	28.520			
Sum Weight:	11.932	26.137						OTM	1774.899 kip-ft	24.152		

Tower Forces - With Ice - Wind 90 To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	29 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	klf	
T1 152.00-140.00	0.213	0.649	A	0.364	2.139	0.638	0.85	1	20.152	1.036	0.086	A
			B	0.259	2.41	0.604	0.85	1	14.366			
			C	0.25	2.439	0.602	0.85	1	14.167			
T2 140.00-135.00	0.225	0.358	A	0.656	1.78	0.79	0.85	1	18.565	0.780	0.156	A
			B	0.292	2.317	0.614	0.85	1	7.063			
			C	0.277	2.358	0.609	0.85	1	7.002			
T3 135.00-130.00	0.265	0.298	A	0.628	1.789	0.771	0.85	1	18.614	0.778	0.156	A
			B	0.249	2.441	0.602	0.85	1	6.206			
			C	0.293	2.314	0.614	0.85	1	7.675			
T4 130.00-125.00	0.271	0.336	A	0.595	1.807	0.75	0.85	1	18.320	0.765	0.153	A
			B	0.254	2.426	0.603	0.85	1	6.724			
			C	0.28	2.351	0.61	0.85	1	7.785			
T5 125.00-120.00	0.275	0.344	A	0.576	1.821	0.739	0.85	1	18.577	0.773	0.155	A
			B	0.255	2.422	0.603	0.85	1	7.261			
			C	0.276	2.362	0.609	0.85	1	8.207			
T6 120.00-100.00	1.355	2.086	A	0.537	1.857	0.717	0.85	1	81.314	3.345	0.167	A
			B	0.304	2.285	0.617	0.85	1	44.647			
			C	0.269	2.383	0.607	0.85	1	41.581			
T7 100.00-80.00	1.871	3.212	A	0.508	1.89	0.702	0.85	1	91.769	3.629	0.181	A
			B	0.406	2.052	0.654	0.85	1	71.839			
			C	0.316	2.254	0.621	0.85	1	58.297			
T8 80.00-73.33	0.639	1.038	A	0.447	1.979	0.672	0.85	1	29.187	1.154	0.173	A
			B	0.361	2.145	0.637	0.85	1	23.271			
			C	0.267	2.387	0.606	0.85	1	18.147			
T9 73.33-66.67	0.666	1.409	A	0.461	1.956	0.678	0.85	1	32.098	1.223	0.183	A
			B	0.402	2.06	0.652	0.85	1	27.710			
			C	0.308	2.274	0.618	0.85	1	22.144			
T10 66.67-60.00	0.668	1.450	A	0.445	1.981	0.671	0.85	1	32.395	1.215	0.182	A
			B	0.391	2.082	0.648	0.85	1	28.228			
			C	0.3	2.296	0.616	0.85	1	22.597			
T11 60.00-50.00	1.010	1.856	A	0.398	2.068	0.651	0.85	1	44.933	1.689	0.169	A
			B	0.337	2.203	0.628	0.85	1	37.785			
			C	0.245	2.454	0.6	0.85	1	29.074			
T12 50.00-40.00	1.014	2.213	A	0.402	2.06	0.652	0.85	1	48.671	1.721	0.172	A
			B	0.345	2.183	0.631	0.85	1	41.646			
			C	0.264	2.396	0.606	0.85	1	33.555			
T13 40.00-30.00	1.017	2.411	A	0.385	2.095	0.645	0.85	1	49.135	1.644	0.164	A
			B	0.331	2.217	0.626	0.85	1	42.231			
			C	0.257	2.416	0.604	0.85	1	34.550			
T14 30.00-20.00	1.017	2.946	A	0.393	2.077	0.649	0.85	1	53.692	1.752	0.175	A
			B	0.349	2.175	0.632	0.85	1	47.709			
			C	0.287	2.332	0.612	0.85	1	41.049			
T15 20.00-15.00	0.509	1.349	A	0.374	2.118	0.641	0.85	1	25.173	0.838	0.168	A
			B	0.33	2.22	0.625	0.85	1	22.024			
			C	0.269	2.382	0.607	0.85	1	18.504			
T16 15.00-10.00	0.509	1.476	A	0.388	2.088	0.647	0.85	1	27.286	0.895	0.179	A
			B	0.343	2.188	0.63	0.85	1	23.907			
			C	0.281	2.349	0.61	0.85	1	20.103			
T17 10.00-0.00	0.407	2.705	A	0.225	2.514	0.596	0.85	1	35.250	1.392	0.139	A
			B	0.206	2.575	0.592	0.85	1	32.802			
			C	0.181	2.662	0.587	0.85	1	29.968			
Sum Weight:	11.932	26.137						OTM	1804.003 kip-ft	24.630		

Tower Forces - Service - Wind Normal To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	30 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	klf	
T1 152.00-140.00	0.081	0.335	A	0.246	2.45	0.601	1	1	14.264	0.387	0.032	A
			B	0.17	2.701	0.585	1	1	10.673			
			C	0.16	2.736	0.583	1	1	10.468			
T2 140.00-135.00	0.087	0.211	A	0.456	1.964	0.676	1	1	11.505	0.246	0.049	A
			B	0.195	2.611	0.589	1	1	5.261			
			C	0.182	2.659	0.587	1	1	5.218			
T3 135.00-130.00	0.101	0.184	A	0.424	2.019	0.662	1	1	11.063	0.241	0.048	A
			B	0.164	2.721	0.584	1	1	4.461			
			C	0.191	2.626	0.589	1	1	5.363			
T4 130.00-125.00	0.104	0.219	A	0.4	2.063	0.652	1	1	11.040	0.243	0.049	A
			B	0.165	2.717	0.584	1	1	4.763			
			C	0.182	2.657	0.587	1	1	5.464			
T5 125.00-120.00	0.105	0.212	A	0.388	2.087	0.647	1	1	11.419	0.251	0.050	A
			B	0.169	2.704	0.585	1	1	5.296			
			C	0.182	2.656	0.587	1	1	5.940			
T6 120.00-100.00	0.521	1.382	A	0.377	2.112	0.642	1	1	57.523	1.242	0.062	A
			B	0.222	2.525	0.595	1	1	37.557			
			C	0.197	2.608	0.59	1	1	35.829			
T7 100.00-80.00	0.711	2.073	A	0.364	2.139	0.638	1	1	68.967	1.424	0.071	A
			B	0.295	2.308	0.615	1	1	58.385			
			C	0.234	2.485	0.598	1	1	50.992			
T8 80.00-73.33	0.242	0.721	A	0.317	2.252	0.621	1	1	21.877	0.454	0.068	A
			B	0.259	2.411	0.604	1	1	18.603			
			C	0.197	2.606	0.59	1	1	15.746			
T9 73.33-66.67	0.252	0.972	A	0.332	2.214	0.626	1	1	24.868	0.495	0.074	A
			B	0.29	2.323	0.613	1	1	22.390			
			C	0.228	2.505	0.597	1	1	19.378			
T10 66.67-60.00	0.252	0.998	A	0.321	2.242	0.623	1	1	25.255	0.494	0.074	A
			B	0.282	2.345	0.611	1	1	22.870			
			C	0.222	2.525	0.595	1	1	19.813			
T11 60.00-50.00	0.381	1.354	A	0.283	2.341	0.611	1	1	34.480	0.677	0.068	A
			B	0.242	2.46	0.6	1	1	30.481			
			C	0.183	2.654	0.587	1	1	25.573			
T12 50.00-40.00	0.381	1.565	A	0.289	2.326	0.613	1	1	38.259	0.705	0.070	A
			B	0.251	2.435	0.602	1	1	34.372			
			C	0.197	2.606	0.59	1	1	29.756			
T13 40.00-30.00	0.382	1.741	A	0.277	2.36	0.609	1	1	38.874	0.676	0.068	A
			B	0.241	2.465	0.6	1	1	35.025			
			C	0.191	2.627	0.589	1	1	30.513			
T14 30.00-20.00	0.382	2.026	A	0.288	2.329	0.612	1	1	43.931	0.741	0.074	A
			B	0.257	2.418	0.604	1	1	40.565			
			C	0.213	2.554	0.593	1	1	36.698			
T15 20.00-15.00	0.191	0.907	A	0.274	2.369	0.608	1	1	19.327	0.332	0.066	A
			B	0.243	2.459	0.6	1	1	17.556			
			C	0.201	2.594	0.591	1	1	15.503			
T16 15.00-10.00	0.191	0.995	A	0.284	2.338	0.611	1	1	21.173	0.359	0.072	A
			B	0.254	2.426	0.603	1	1	19.304			
			C	0.211	2.559	0.593	1	1	17.117			
T17 10.00-0.00	0.153	1.983	A	0.176	2.679	0.586	1	1	32.543	0.632	0.063	A
			B	0.163	2.723	0.584	1	1	31.075			
			C	0.146	2.786	0.581	1	1	29.300			
Sum Weight:	4.516	17.879						OTM	674.179 kip-ft	9.599		

Tower Forces - Service - Wind 45 To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	31 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	klf	
T1 152.00-140.00	0.081	0.335	A	0.246	2.45	0.601	0.825	1	13.249	0.360	0.030	A
			B	0.17	2.701	0.585	0.825	1	9.555			
			C	0.16	2.736	0.583	0.825	1	9.234			
T2 140.00-135.00	0.087	0.211	A	0.456	1.964	0.676	0.825	1	11.161	0.239	0.048	A
			B	0.195	2.611	0.589	0.825	1	4.750			
			C	0.182	2.659	0.587	0.825	1	4.599			
T3 135.00-130.00	0.101	0.184	A	0.424	2.019	0.662	0.825	1	10.817	0.235	0.047	A
			B	0.164	2.721	0.584	0.825	1	4.104			
			C	0.191	2.626	0.589	0.825	1	4.889			
T4 130.00-125.00	0.104	0.219	A	0.4	2.063	0.652	0.825	1	10.773	0.237	0.047	A
			B	0.165	2.717	0.584	0.825	1	4.392			
			C	0.182	2.657	0.587	0.825	1	4.972			
T5 125.00-120.00	0.105	0.212	A	0.388	2.087	0.647	0.825	1	11.084	0.244	0.049	A
			B	0.169	2.704	0.585	0.825	1	4.841			
			C	0.182	2.656	0.587	0.825	1	5.364			
T6 120.00-100.00	0.521	1.382	A	0.377	2.112	0.642	0.825	1	53.051	1.145	0.057	A
			B	0.222	2.525	0.595	0.825	1	32.733			
			C	0.197	2.608	0.59	0.825	1	30.431			
T7 100.00-80.00	0.711	2.073	A	0.364	2.139	0.638	0.825	1	62.627	1.293	0.065	A
			B	0.295	2.308	0.615	0.825	1	51.688			
			C	0.234	2.485	0.598	0.825	1	43.463			
T8 80.00-73.33	0.242	0.721	A	0.317	2.252	0.621	0.825	1	19.919	0.414	0.062	A
			B	0.259	2.411	0.604	0.825	1	16.576			
			C	0.197	2.606	0.59	0.825	1	13.474			
T9 73.33-66.67	0.252	0.972	A	0.332	2.214	0.626	0.825	1	22.402	0.446	0.067	A
			B	0.29	2.323	0.613	0.825	1	19.840			
			C	0.228	2.505	0.597	0.825	1	16.534			
T10 66.67-60.00	0.252	0.998	A	0.321	2.242	0.623	0.825	1	22.710	0.445	0.067	A
			B	0.282	2.345	0.611	0.825	1	20.244			
			C	0.222	2.525	0.595	0.825	1	16.892			
T11 60.00-50.00	0.381	1.354	A	0.283	2.341	0.611	0.825	1	31.247	0.613	0.061	A
			B	0.242	2.46	0.6	0.825	1	27.176			
			C	0.183	2.654	0.587	0.825	1	21.905			
T12 50.00-40.00	0.381	1.565	A	0.289	2.326	0.613	0.825	1	34.382	0.633	0.063	A
			B	0.251	2.435	0.602	0.825	1	30.393			
			C	0.197	2.606	0.59	0.825	1	25.375			
T13 40.00-30.00	0.382	1.741	A	0.277	2.36	0.609	0.825	1	34.874	0.606	0.061	A
			B	0.241	2.465	0.6	0.825	1	30.923			
			C	0.191	2.627	0.589	0.825	1	26.013			
T14 30.00-20.00	0.382	2.026	A	0.288	2.329	0.612	0.825	1	39.060	0.659	0.066	A
			B	0.257	2.418	0.604	0.825	1	35.508			
			C	0.213	2.554	0.593	0.825	1	31.122			
T15 20.00-15.00	0.191	0.907	A	0.274	2.369	0.608	0.825	1	18.024	0.309	0.062	A
			B	0.243	2.459	0.6	0.825	1	16.170			
			C	0.201	2.594	0.591	0.825	1	13.872			
T16 15.00-10.00	0.191	0.995	A	0.284	2.338	0.611	0.825	1	19.558	0.331	0.066	A
			B	0.254	2.426	0.603	0.825	1	17.620			
			C	0.211	2.559	0.593	0.825	1	15.208			
T17 10.00-0.00	0.153	1.983	A	0.176	2.679	0.586	0.825	1	27.926	0.542	0.054	A
			B	0.163	2.723	0.584	0.825	1	26.427			
			C	0.146	2.786	0.581	0.825	1	24.504			
Sum Weight:	4.516	17.879						OTM	622.303 kip-ft	8.753		

Tower Forces - Service - Wind 60 To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	32 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	klf	
T1 152.00-140.00	0.081	0.335	A	0.246	2.45	0.601	0.8	1	13.104	0.356	0.030	A
			B	0.17	2.701	0.585	0.8	1	9.396			
			C	0.16	2.736	0.583	0.8	1	9.058			
T2 140.00-135.00	0.087	0.211	A	0.456	1.964	0.676	0.8	1	11.112	0.238	0.048	A
			B	0.195	2.611	0.589	0.8	1	4.677			
			C	0.182	2.659	0.587	0.8	1	4.510			
T3 135.00-130.00	0.101	0.184	A	0.424	2.019	0.662	0.8	1	10.782	0.235	0.047	A
			B	0.164	2.721	0.584	0.8	1	4.054			
			C	0.191	2.626	0.589	0.8	1	4.822			
T4 130.00-125.00	0.104	0.219	A	0.4	2.063	0.652	0.8	1	10.735	0.236	0.047	A
			B	0.165	2.717	0.584	0.8	1	4.339			
			C	0.182	2.657	0.587	0.8	1	4.901			
T5 125.00-120.00	0.105	0.212	A	0.388	2.087	0.647	0.8	1	11.036	0.243	0.049	A
			B	0.169	2.704	0.585	0.8	1	4.776			
			C	0.182	2.656	0.587	0.8	1	5.282			
T6 120.00-100.00	0.521	1.382	A	0.377	2.112	0.642	0.8	1	52.412	1.132	0.057	A
			B	0.222	2.525	0.595	0.8	1	32.044			
			C	0.197	2.608	0.59	0.8	1	29.660			
T7 100.00-80.00	0.711	2.073	A	0.364	2.139	0.638	0.8	1	61.721	1.274	0.064	A
			B	0.295	2.308	0.615	0.8	1	50.732			
			C	0.234	2.485	0.598	0.8	1	42.387			
T8 80.00-73.33	0.242	0.721	A	0.317	2.252	0.621	0.8	1	19.639	0.408	0.061	A
			B	0.259	2.411	0.604	0.8	1	16.286			
			C	0.197	2.606	0.59	0.8	1	13.149			
T9 73.33-66.67	0.252	0.972	A	0.332	2.214	0.626	0.8	1	22.049	0.439	0.066	A
			B	0.29	2.323	0.613	0.8	1	19.476			
			C	0.228	2.505	0.597	0.8	1	16.127			
T10 66.67-60.00	0.252	0.998	A	0.321	2.242	0.623	0.8	1	22.346	0.437	0.066	A
			B	0.282	2.345	0.611	0.8	1	19.869			
			C	0.222	2.525	0.595	0.8	1	16.474			
T11 60.00-50.00	0.381	1.354	A	0.283	2.341	0.611	0.8	1	30.785	0.604	0.060	A
			B	0.242	2.46	0.6	0.8	1	26.704			
			C	0.183	2.654	0.587	0.8	1	21.381			
T12 50.00-40.00	0.381	1.565	A	0.289	2.326	0.613	0.8	1	33.828	0.623	0.062	A
			B	0.251	2.435	0.602	0.8	1	29.825			
			C	0.197	2.606	0.59	0.8	1	24.749			
T13 40.00-30.00	0.382	1.741	A	0.277	2.36	0.609	0.8	1	34.302	0.597	0.060	A
			B	0.241	2.465	0.6	0.8	1	30.337			
			C	0.191	2.627	0.589	0.8	1	25.370			
T14 30.00-20.00	0.382	2.026	A	0.288	2.329	0.612	0.8	1	38.364	0.647	0.065	A
			B	0.257	2.418	0.604	0.8	1	34.785			
			C	0.213	2.554	0.593	0.8	1	30.325			
T15 20.00-15.00	0.191	0.907	A	0.274	2.369	0.608	0.8	1	17.838	0.306	0.061	A
			B	0.243	2.459	0.6	0.8	1	15.972			
			C	0.201	2.594	0.591	0.8	1	13.639			
T16 15.00-10.00	0.191	0.995	A	0.284	2.338	0.611	0.8	1	19.327	0.328	0.066	A
			B	0.254	2.426	0.603	0.8	1	17.379			
			C	0.211	2.559	0.593	0.8	1	14.935			
T17 10.00-0.00	0.153	1.983	A	0.176	2.679	0.586	0.8	1	27.267	0.529	0.053	A
			B	0.163	2.723	0.584	0.8	1	25.763			
			C	0.146	2.786	0.581	0.8	1	23.819			
Sum Weight:	4.516	17.879						OTM	614.892 kip-ft	8.632		

Tower Forces - Service - Wind 90 To Face

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	33 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section Elevation	Add Weight	Self Weight	F a c e	e	C _F	R _R	D _F	D _R	A _E	F	w	Ctrl. Face
ft	K	K							ft ²	K	klf	
T1 152.00-140.00	0.081	0.335	A	0.246	2.45	0.601	0.85	1	13.394	0.364	0.030	A
			B	0.17	2.701	0.585	0.85	1	9.715			
			C	0.16	2.736	0.583	0.85	1	9.410			
T2 140.00-135.00	0.087	0.211	A	0.456	1.964	0.676	0.85	1	11.210	0.240	0.048	A
			B	0.195	2.611	0.589	0.85	1	4.823			
			C	0.182	2.659	0.587	0.85	1	4.687			
T3 135.00-130.00	0.101	0.184	A	0.424	2.019	0.662	0.85	1	10.852	0.236	0.047	A
			B	0.164	2.721	0.584	0.85	1	4.155			
			C	0.191	2.626	0.589	0.85	1	4.957			
T4 130.00-125.00	0.104	0.219	A	0.4	2.063	0.652	0.85	1	10.811	0.238	0.048	A
			B	0.165	2.717	0.584	0.85	1	4.445			
			C	0.182	2.657	0.587	0.85	1	5.042			
T5 125.00-120.00	0.105	0.212	A	0.388	2.087	0.647	0.85	1	11.132	0.245	0.049	A
			B	0.169	2.704	0.585	0.85	1	4.906			
			C	0.182	2.656	0.587	0.85	1	5.446			
T6 120.00-100.00	0.521	1.382	A	0.377	2.112	0.642	0.85	1	53.690	1.159	0.058	A
			B	0.222	2.525	0.595	0.85	1	33.422			
			C	0.197	2.608	0.59	0.85	1	31.202			
T7 100.00-80.00	0.711	2.073	A	0.364	2.139	0.638	0.85	1	63.532	1.312	0.066	A
			B	0.295	2.308	0.615	0.85	1	52.645			
			C	0.234	2.485	0.598	0.85	1	44.538			
T8 80.00-73.33	0.242	0.721	A	0.317	2.252	0.621	0.85	1	20.198	0.419	0.063	A
			B	0.259	2.411	0.604	0.85	1	16.865			
			C	0.197	2.606	0.59	0.85	1	13.798			
T9 73.33-66.67	0.252	0.972	A	0.332	2.214	0.626	0.85	1	22.754	0.453	0.068	A
			B	0.29	2.323	0.613	0.85	1	20.204			
			C	0.228	2.505	0.597	0.85	1	16.940			
T10 66.67-60.00	0.252	0.998	A	0.321	2.242	0.623	0.85	1	23.073	0.452	0.068	A
			B	0.282	2.345	0.611	0.85	1	20.619			
			C	0.222	2.525	0.595	0.85	1	17.309			
T11 60.00-50.00	0.381	1.354	A	0.283	2.341	0.611	0.85	1	31.709	0.622	0.062	A
			B	0.242	2.46	0.6	0.85	1	27.648			
			C	0.183	2.654	0.587	0.85	1	22.429			
T12 50.00-40.00	0.381	1.565	A	0.289	2.326	0.613	0.85	1	34.936	0.643	0.064	A
			B	0.251	2.435	0.602	0.85	1	30.962			
			C	0.197	2.606	0.59	0.85	1	26.001			
T13 40.00-30.00	0.382	1.741	A	0.277	2.36	0.609	0.85	1	35.445	0.616	0.062	A
			B	0.241	2.465	0.6	0.85	1	31.509			
			C	0.191	2.627	0.589	0.85	1	26.656			
T14 30.00-20.00	0.382	2.026	A	0.288	2.329	0.612	0.85	1	39.756	0.671	0.067	A
			B	0.257	2.418	0.604	0.85	1	36.230			
			C	0.213	2.554	0.593	0.85	1	31.918			
T15 20.00-15.00	0.191	0.907	A	0.274	2.369	0.608	0.85	1	18.211	0.313	0.063	A
			B	0.243	2.459	0.6	0.85	1	16.368			
			C	0.201	2.594	0.591	0.85	1	14.105			
T16 15.00-10.00	0.191	0.995	A	0.284	2.338	0.611	0.85	1	19.789	0.335	0.067	A
			B	0.254	2.426	0.603	0.85	1	17.861			
			C	0.211	2.559	0.593	0.85	1	15.480			
T17 10.00-0.00	0.153	1.983	A	0.176	2.679	0.586	0.85	1	28.586	0.555	0.055	A
			B	0.163	2.723	0.584	0.85	1	27.091			
			C	0.146	2.786	0.581	0.85	1	25.189			
Sum Weight:	4.516	17.879						OTM	629.713 kip-ft	8.874		

Force Totals

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	34 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Load Case	Vertical Forces K	Sum of Forces X K	Sum of Forces Z K	Sum of Overturning Moments, M_x kip-ft	Sum of Overturning Moments, M_z kip-ft	Sum of Torques kip-ft
Leg Weight	7.490					
Bracing Weight	10.389					
Total Member Self-Weight	17.879					
Total Weight	30.630			-14.393	2.631	
Wind 0 deg - No Ice		-0.048	-42.668	-3735.236	9.745	-6.872
Wind 30 deg - No Ice		20.116	-35.112	-3121.892	-1769.246	-14.293
Wind 45 deg - No Ice		28.226	-28.408	-2534.385	-2491.720	-16.436
Wind 60 deg - No Ice		34.285	-19.895	-1782.984	-3036.368	-17.342
Wind 90 deg - No Ice		40.315	0.048	-7.279	-3553.445	-16.706
Wind 120 deg - No Ice		36.754	21.376	1852.189	-3191.867	-12.688
Wind 135 deg - No Ice		28.294	28.475	2515.659	-2501.780	-6.739
Wind 150 deg - No Ice		20.199	35.160	3100.220	-1781.568	-2.413
Wind 180 deg - No Ice		0.048	39.873	3535.110	-4.483	6.854
Wind 210 deg - No Ice		-20.116	35.112	3093.106	1774.507	14.293
Wind 225 deg - No Ice		-28.226	28.408	2505.598	2496.981	16.436
Wind 240 deg - No Ice		-36.706	21.293	1839.867	3190.014	19.561
Wind 270 deg - No Ice		-40.315	-0.048	-21.507	3558.706	16.706
Wind 300 deg - No Ice		-34.333	-19.978	-1795.306	3048.743	10.488
Wind 315 deg - No Ice		-28.294	-28.475	-2544.446	2507.041	6.739
Wind 330 deg - No Ice		-20.199	-35.160	-3129.006	1786.829	2.413
Member Ice	8.258					
Total Weight Ice	50.785			-32.365	1.104	
Wind 0 deg - Ice		-0.037	-39.400	-3497.333	6.601	-6.030
Wind 30 deg - Ice		18.851	-32.862	-2954.751	-1668.830	-13.569
Wind 45 deg - Ice		26.510	-26.651	-2406.551	-2353.095	-15.900
Wind 60 deg - Ice		32.275	-18.712	-1701.880	-2871.598	-17.067
Wind 90 deg - Ice		37.767	0.037	-26.868	-3348.285	-16.634
Wind 120 deg - Ice		33.967	19.732	1704.879	-2977.916	-12.519
Wind 135 deg - Ice		26.562	26.704	2349.594	-2360.869	-7.316
Wind 150 deg - Ice		18.915	32.898	2895.518	-1678.351	-3.065
Wind 180 deg - Ice		0.037	37.489	3316.184	-4.393	6.076
Wind 210 deg - Ice		-18.851	32.862	2890.020	1671.038	13.569
Wind 225 deg - Ice		-26.510	26.651	2341.820	2355.302	15.900
Wind 240 deg - Ice		-33.930	19.668	1695.358	2974.627	18.549
Wind 270 deg - Ice		-37.767	-0.037	-37.863	3350.493	16.634
Wind 300 deg - Ice		-32.312	-18.776	-1711.401	2879.303	10.991
Wind 315 deg - Ice		-26.562	-26.704	-2414.325	2363.077	7.316
Wind 330 deg - Ice		-18.915	-32.898	-2960.248	1680.559	3.065
Total Weight	30.630			-14.393	2.631	
Wind 0 deg - Service		-0.017	-14.764	-1287.672	5.017	-2.378
Wind 30 deg - Service		6.961	-12.150	-1075.442	-610.551	-4.946
Wind 45 deg - Service		9.767	-9.830	-872.152	-860.542	-5.687
Wind 60 deg - Service		11.863	-6.884	-612.152	-1049.001	-6.001
Wind 90 deg - Service		13.950	0.017	2.279	-1227.921	-5.781
Wind 120 deg - Service		12.718	7.396	645.693	-1102.807	-4.390
Wind 135 deg - Service		9.790	9.853	875.268	-864.023	-2.332
Wind 150 deg - Service		6.989	12.166	1077.538	-614.815	-0.835
Wind 180 deg - Service		0.017	13.797	1228.019	0.094	2.372
Wind 210 deg - Service		-6.961	12.150	1075.076	615.661	4.946
Wind 225 deg - Service		-9.767	9.830	871.786	865.652	5.687
Wind 240 deg - Service		-12.701	7.368	641.430	1105.456	6.768
Wind 270 deg - Service		-13.950	-0.017	-2.645	1233.031	5.781
Wind 300 deg - Service		-11.880	-6.913	-616.416	1056.573	3.629
Wind 315 deg - Service		-9.790	-9.853	-875.634	869.133	2.332
Wind 330 deg - Service		-6.989	-12.166	-1077.904	619.925	0.835

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	35 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Load Combinations

Comb. No.	Description
1	Dead Only
2	Dead+Wind 0 deg - No Ice
3	Dead+Wind 30 deg - No Ice
4	Dead+Wind 45 deg - No Ice
5	Dead+Wind 60 deg - No Ice
6	Dead+Wind 90 deg - No Ice
7	Dead+Wind 120 deg - No Ice
8	Dead+Wind 135 deg - No Ice
9	Dead+Wind 150 deg - No Ice
10	Dead+Wind 180 deg - No Ice
11	Dead+Wind 210 deg - No Ice
12	Dead+Wind 225 deg - No Ice
13	Dead+Wind 240 deg - No Ice
14	Dead+Wind 270 deg - No Ice
15	Dead+Wind 300 deg - No Ice
16	Dead+Wind 315 deg - No Ice
17	Dead+Wind 330 deg - No Ice
18	Dead+Ice+Temp
19	Dead+Wind 0 deg+Ice+Temp
20	Dead+Wind 30 deg+Ice+Temp
21	Dead+Wind 45 deg+Ice+Temp
22	Dead+Wind 60 deg+Ice+Temp
23	Dead+Wind 90 deg+Ice+Temp
24	Dead+Wind 120 deg+Ice+Temp
25	Dead+Wind 135 deg+Ice+Temp
26	Dead+Wind 150 deg+Ice+Temp
27	Dead+Wind 180 deg+Ice+Temp
28	Dead+Wind 210 deg+Ice+Temp
29	Dead+Wind 225 deg+Ice+Temp
30	Dead+Wind 240 deg+Ice+Temp
31	Dead+Wind 270 deg+Ice+Temp
32	Dead+Wind 300 deg+Ice+Temp
33	Dead+Wind 315 deg+Ice+Temp
34	Dead+Wind 330 deg+Ice+Temp
35	Dead+Wind 0 deg - Service
36	Dead+Wind 30 deg - Service
37	Dead+Wind 45 deg - Service
38	Dead+Wind 60 deg - Service
39	Dead+Wind 90 deg - Service
40	Dead+Wind 120 deg - Service
41	Dead+Wind 135 deg - Service
42	Dead+Wind 150 deg - Service
43	Dead+Wind 180 deg - Service
44	Dead+Wind 210 deg - Service
45	Dead+Wind 225 deg - Service
46	Dead+Wind 240 deg - Service
47	Dead+Wind 270 deg - Service
48	Dead+Wind 300 deg - Service
49	Dead+Wind 315 deg - Service
50	Dead+Wind 330 deg - Service

Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
-------------	--------------	----------------	-----------	-----------------	---------	--------------------------	--------------------------

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	36 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
T1	152 - 140	Leg	Max Tension	15	5.545	-0.129	0.082
			Max. Compression	2	-7.005	0.380	0.130
			Max. Mx	2	-7.005	0.380	0.130
			Max. My	17	-0.575	-0.005	-0.501
			Max. Vy	2	-2.884	0.380	0.130
		Diagonal	Max. Vx	8	1.087	-0.077	-0.403
			Max Tension	6	1.913	0.000	0.000
			Max. Compression	14	-1.933	0.000	0.000
			Max. Mx	26	1.463	0.006	0.000
			Max. My	11	-0.352	0.001	0.002
		Top Girt	Max. Vy	26	-0.006	0.006	0.000
			Max. Vx	11	-0.000	0.001	0.002
			Max Tension	2	0.287	0.000	0.000
			Max. Compression	10	-0.284	0.000	0.000
			Max. Mx	18	0.005	-0.019	0.000
			Max. My	33	0.057	0.000	0.000
			Max. Vy	18	0.012	0.000	0.000
			Max. Vx	33	-0.000	0.000	0.000
T2	140 - 135	Leg	Max Tension	10	10.097	0.259	0.008
			Max. Compression	2	-12.198	-0.031	-0.005
			Max. Mx	2	-7.155	0.598	0.130
			Max. My	9	-0.615	0.019	-0.516
			Max. Vy	2	-2.894	-0.031	-0.005
		Diagonal	Max. Vx	8	1.200	0.003	0.063
			Max Tension	14	2.772	0.000	0.000
			Max. Compression	14	-2.784	0.000	0.000
			Max. Mx	23	0.671	0.008	-0.001
			Max. My	6	-2.774	0.002	-0.003
		Top Girt	Max. Vy	23	0.008	0.008	-0.001
			Max. Vx	23	0.001	0.000	0.000
			Max Tension	7	0.143	0.000	0.000
			Max. Compression	15	-0.157	0.000	0.000
			Max. Mx	18	-0.024	-0.019	0.000
			Max. My	21	0.056	0.000	0.001
			Max. Vy	18	0.012	0.000	0.000
			Max. Vx	21	-0.000	0.000	0.000
T3	135 - 130	Leg	Max Tension	10	12.167	0.024	0.005
			Max. Compression	2	-14.574	0.472	0.024
			Max. Mx	10	11.963	-0.508	-0.025
			Max. My	14	-1.334	-0.017	-0.508
			Max. Vy	10	0.166	-0.508	-0.025
		Diagonal	Max. Vx	14	0.201	-0.017	-0.508
			Max Tension	14	2.597	0.000	0.000
			Max. Compression	14	-2.604	0.000	0.000
			Max. Mx	24	1.585	0.010	-0.001
			Max. My	24	-0.163	0.008	-0.002
			Max. Vy	21	0.008	0.009	-0.001
			Max. Vx	24	0.001	0.000	0.000
T4	130 - 125	Leg	Max Tension	15	17.123	-0.503	-0.024
			Max. Compression	2	-20.775	0.345	0.001
			Max. Mx	15	17.123	0.821	-0.024
			Max. My	11	-1.257	-0.013	-0.811
			Max. Vy	10	-0.671	-0.508	-0.025
		Diagonal	Max. Vx	14	-0.667	-0.017	-0.508
			Max Tension	14	3.414	0.000	0.000
			Max. Compression	14	-3.469	0.000	0.000
			Max. Mx	33	2.660	0.012	-0.001
			Max. My	32	-2.632	0.007	0.003
T5	125 - 120	Leg	Max. Vy	33	0.010	0.012	-0.001
			Max. Vx	32	-0.001	0.000	0.000
			Max Tension	10	23.076	-0.385	-0.002

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	37 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
T6	120 - 100	Diagonal	Max. Compression	2	-27.848	-0.042	0.015
			Max. Mx	5	22.766	-0.385	0.007
			Max. My	6	-2.011	-0.019	0.363
			Max. Vy	10	-0.111	-0.385	-0.002
			Max. Vx	6	0.107	-0.019	0.363
			Max Tension	14	3.932	0.000	0.000
			Max. Compression	14	-3.935	0.000	0.000
			Max. Mx	33	2.660	0.017	-0.001
			Max. My	27	-3.339	0.008	-0.003
			Max. Vy	33	0.012	0.017	-0.001
			Max. Vx	27	0.001	0.000	0.000
			Max Tension	10	46.748	0.036	0.004
		Leg	Max. Compression	2	-53.532	0.944	-0.016
			Max. Mx	10	46.618	-0.972	0.019
			Max. My	6	-2.789	-0.020	0.975
			Max. Vy	32	0.292	-0.926	-0.035
			Max. Vx	11	-0.313	-0.014	0.945
			Max Tension	11	4.462	0.000	0.000
			Max. Compression	11	-4.536	0.000	0.000
			Max. Mx	19	3.416	0.030	0.003
			Max. My	28	-4.280	0.011	-0.006
			Max. Vy	33	0.018	0.028	0.003
			Max. Vx	28	0.002	0.000	0.000
			Max Tension	10	76.079	0.259	0.023
T7	100 - 80	Leg	Max. Compression	2	-87.770	0.064	0.012
			Max. Mx	5	54.689	1.218	0.017
			Max. My	6	-3.624	0.017	-1.423
			Max. Vy	10	-1.106	-0.972	0.019
			Max. Vx	6	1.218	-0.020	0.975
			Max Tension	11	6.785	0.000	0.000
		Diagonal	Max. Compression	11	-6.811	0.000	0.000
			Max. Mx	19	5.060	0.066	0.004
			Max. My	28	-5.854	0.012	-0.008
			Max. Vy	19	-0.029	0.066	0.004
			Max. Vx	21	-0.002	0.000	0.000
			Max Tension	2	1.522	0.000	0.000
		Secondary Horizontal	Max. Compression	2	-1.522	0.000	0.000
			Max. Mx	18	0.146	-0.121	0.000
			Max. My	30	1.443	0.000	0.004
			Max. Vy	18	0.039	0.000	0.000
			Max. Vx	30	-0.001	0.000	0.000
			Max Tension	10	86.443	-0.116	-0.008
T8	80 - 73.3333	Leg	Max. Compression	2	-99.398	0.188	0.009
			Max. Mx	27	76.882	-0.409	-0.011
			Max. My	6	-5.103	-0.023	0.538
			Max. Vy	27	0.115	-0.409	-0.011
			Max. Vx	6	-0.110	-0.023	0.538
			Max Tension	11	6.675	0.000	0.000
		Diagonal	Max. Compression	11	-6.732	0.000	0.000
			Max. Mx	32	5.099	0.050	-0.006
			Max. My	22	-5.464	0.025	0.008
			Max. Vy	32	0.028	0.050	-0.006
			Max. Vx	22	-0.002	0.000	0.000
			Max Tension	10	95.924	-0.224	-0.009
T9	73.3333 - 66.6667	Leg	Max. Compression	2	-110.240	-0.242	0.005
			Max. Mx	2	-110.112	0.552	-0.004
			Max. My	6	-5.234	-0.023	0.538
			Max. Vy	2	0.255	0.552	-0.004
			Max. Vx	23	0.373	-0.225	0.523

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	38 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
T10	66.6667 - 60	Diagonal	Max Tension	11	6.939	0.000	0.000
			Max. Compression	11	-7.054	0.000	0.000
			Max. Mx	19	5.075	0.077	0.007
			Max. My	30	-0.059	0.062	-0.009
			Max. Vy	33	0.035	0.074	0.007
			Max. Vx	30	-0.002	0.000	0.000
		Secondary Horizontal	Max Tension	2	1.912	0.000	0.000
			Max. Compression	2	-1.912	0.000	0.000
			Max. Mx	18	0.174	-0.149	0.000
			Max. My	30	1.813	0.000	0.005
			Max. Vy	18	0.044	0.000	0.000
			Max. Vx	30	-0.001	0.000	0.000
		Leg	Max Tension	10	105.395	0.089	-0.004
			Max. Compression	2	-121.355	0.250	-0.026
			Max. Mx	19	-118.532	0.789	-0.001
			Max. My	14	-6.757	-0.020	-0.596
			Max. Vy	2	-0.314	0.712	-0.005
			Max. Vx	14	0.272	-0.020	-0.596
		Diagonal	Max Tension	11	7.028	0.000	0.000
			Max. Compression	11	-7.058	0.000	0.000
			Max. Mx	33	4.537	0.065	-0.007
			Max. My	21	-6.198	0.029	0.013
			Max. Vy	33	0.035	0.065	-0.007
			Max. Vx	21	-0.003	0.000	0.000
		Secondary Horizontal	Max Tension	2	2.105	0.000	0.000
			Max. Compression	2	-2.105	0.000	0.000
			Max. Mx	18	0.195	-0.165	0.000
			Max. My	30	2.005	0.000	0.005
			Max. Vy	18	0.046	0.000	0.000
			Max. Vx	30	-0.001	0.000	0.000
T11	60 - 50	Leg	Max Tension	10	116.922	-0.289	0.017
			Max. Compression	2	-134.577	0.166	0.171
			Max. Mx	27	105.701	-0.666	0.011
			Max. My	17	-5.419	-0.048	0.990
			Max. Vy	27	-0.171	-0.666	0.011
			Max. Vx	13	0.138	-0.158	-0.777
		Diagonal	Max Tension	11	8.016	0.000	0.000
			Max. Compression	28	-8.309	0.000	0.000
			Max. Mx	32	5.504	0.130	-0.012
			Max. My	22	-7.102	0.072	0.018
			Max. Vy	32	0.048	0.130	-0.012
			Max. Vx	22	-0.003	0.000	0.000
		Leg	Max Tension	10	130.548	-0.286	-0.138
			Max. Compression	2	-150.413	-0.224	0.163
			Max. Mx	19	-146.969	1.150	-0.292
			Max. My	17	-6.253	-0.057	1.597
			Max. Vy	19	0.555	1.150	-0.292
			Max. Vx	17	-0.554	-0.057	1.597
		Diagonal	Max Tension	28	8.408	0.000	0.000
			Max. Compression	11	-8.427	0.000	0.000
			Max. Mx	19	6.752	0.108	0.011
			Max. My	30	0.364	0.085	-0.014
			Max. Vy	32	0.047	0.106	0.011
			Max. Vx	30	-0.003	0.000	0.000
T12	50 - 40	Secondary Horizontal	Max Tension	2	2.608	0.000	0.000
			Max. Compression	2	-2.608	0.000	0.000
			Max. Mx	18	0.237	-0.210	0.000
			Max. My	30	2.498	0.000	0.006

inxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	39 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
T13	40 - 30	Leg	Max. Vy	18	-0.052	0.000	0.000
			Max. Vx	30	-0.001	0.000	0.000
			Max Tension	15	143.822	-0.044	0.079
			Max. Compression	2	-165.964	-1.839	-0.084
			Max. Mx	32	131.304	2.142	-0.072
			Max. My	17	-6.615	-0.057	1.597
		Diagonal	Max. Vy	2	0.634	1.254	0.070
			Max. Vx	14	-0.527	-0.053	-1.412
			Max Tension	11	8.680	0.000	0.000
			Max. Compression	28	-9.133	0.000	0.000
			Max. Mx	32	5.980	0.180	-0.015
			Max. My	21	-8.525	0.102	0.022
		Secondary Horizontal	Max. Vy	32	0.061	0.180	-0.015
			Max. Vx	21	-0.004	0.000	0.000
			Max Tension	2	2.878	0.000	0.000
			Max. Compression	2	-2.878	0.000	0.000
			Max. Mx	18	0.239	-0.237	0.000
			Max. My	30	2.734	0.000	0.007
T14	30 - 20	Leg	Max. Vy	18	0.055	0.000	0.000
			Max. Vx	30	-0.002	0.000	0.000
			Max Tension	15	156.005	1.344	-0.080
			Max. Compression	2	-180.723	1.854	-0.033
			Max. Mx	19	-176.461	-5.689	0.006
			Max. My	14	-9.092	-0.172	-1.305
		Diagonal	Max. Vy	19	3.127	2.121	-0.029
			Max. Vx	14	0.598	-0.237	-0.996
			Max Tension	4	8.882	0.048	-0.003
			Max. Compression	13	-9.440	0.000	0.000
			Max. Mx	19	7.300	0.128	-0.005
			Max. My	28	-8.388	-0.004	-0.008
		Horizontal	Max. Vy	19	-0.045	0.128	-0.005
			Max. Vx	28	-0.002	0.000	0.000
			Max Tension	2	3.135	0.000	0.000
			Max. Compression	2	-3.135	0.040	0.027
			Max. Mx	32	1.635	0.048	0.034
			Max. My	22	1.626	0.046	0.036
		Redund Horz 1 Bracing	Max. Vy	32	0.035	0.048	0.034
			Max. Vx	31	-0.005	0.000	0.000
			Max Tension	2	3.135	0.000	0.000
			Max. Compression	2	-3.135	0.000	0.000
			Max. Mx	33	2.329	-0.013	0.000
			Max. My	31	2.571	0.000	0.000
T15	20 - 15	Leg	Max. Vy	33	0.012	0.000	0.000
			Max. Vx	31	-0.000	0.000	0.000
			Max Tension	15	168.059	2.957	-0.022
			Max. Compression	2	-195.137	4.227	0.035
			Max. Mx	19	-188.339	-5.689	0.005
			Max. My	14	-10.001	-0.237	-0.996
		Diagonal	Max. Vy	19	-3.854	3.935	0.031
			Max. Vx	6	0.575	0.146	0.779
			Max Tension	11	8.708	0.152	0.003
			Max. Compression	28	-9.424	0.000	0.000
		Redund Diag 1 Bracing	Max. Vy	34	0.012	0.000	0.000
			Max. Vx	30	0.499	0.000	0.001
			Max. Vy	34	0.012	0.000	0.000
			Max. Vx	30	-0.000	0.000	0.000
			Max Tension	15	168.059	2.957	-0.022
			Max. Compression	2	-195.137	4.227	0.035

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	40 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Force K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
T16	15 - 10	Redund Horz 1 Bracing	Max. Mx	13	6.633	0.160	0.003
			Max. My	21	-8.017	-0.102	0.007
			Max. Vy	19	-0.050	0.154	-0.005
			Max. Vx	27	0.002	0.000	0.000
			Max Tension	2	3.384	0.000	0.000
			Max. Compression	2	-3.384	0.000	0.000
			Max. Mx	29	-0.506	-0.015	0.000
			Max. My	20	2.936	0.000	0.000
			Max. Vy	29	0.012	0.000	0.000
			Max. Vx	20	-0.000	0.000	0.000
		Redund Diag 1 Bracing	Max Tension	2	1.965	0.000	0.000
			Max. Compression	2	-1.965	0.000	0.000
			Max. Mx	20	0.826	-0.018	0.000
			Max. My	30	0.016	0.000	0.001
			Max. Vy	20	0.013	0.000	0.000
			Max. Vx	30	-0.000	0.000	0.000
			Max Tension	15	168.952	-0.655	0.027
			Max. Compression	2	-196.759	0.040	0.004
			Max. Mx	30	-186.456	1.985	-0.041
			Max. My	14	-10.497	-0.113	-1.856
		Diagonal	Max. Vy	32	-0.643	-1.306	0.028
			Max. Vx	14	0.540	-0.113	-1.856
			Max Tension	11	8.275	0.000	0.000
			Max. Compression	28	-9.482	0.000	0.000
			Max. Mx	19	5.271	-0.121	0.000
			Max. My	30	-0.575	0.000	0.004
			Max. Vy	19	0.044	0.000	0.000
			Max. Vx	30	-0.002	0.000	0.000
		Horizontal	Max Tension	2	3.413	0.000	0.000
			Max. Compression	2	-3.413	0.051	0.032
			Max. Mx	19	-0.770	0.116	0.071
			Max. My	29	-3.054	0.112	0.087
			Max. Vy	19	-0.047	0.116	0.071
			Max. Vx	29	0.010	0.000	0.000
T17	10 - 0	Leg	Max Tension	15	180.992	-0.231	-0.047
			Max. Compression	2	-211.031	0.000	-0.000
			Max. Mx	30	-202.207	1.985	-0.041
			Max. My	14	-10.879	-0.113	-1.856
			Max. Vy	30	0.271	1.985	-0.041
		Diagonal	Max. Vx	14	-0.304	-0.113	-1.856
			Max Tension	28	10.258	0.000	0.000
			Max. Compression	11	-9.358	0.000	0.000
			Max. Mx	17	3.929	0.156	-0.016
			Max. My	29	6.521	0.121	-0.021
			Max. Vy	34	0.063	0.111	0.019
			Max. Vx	29	-0.003	0.000	0.000

Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Leg C	Max. Vert	13	215.279	21.636	-13.133
	Max. H _x	13	215.279	21.636	-13.133
	Max. H _z	21	-163.779	-19.060	12.430

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	41 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Leg B	Min. Vert	5	-185.864	-19.035	11.544
	Min. H _x	22	-169.171	-19.968	12.056
	Min. H _z	13	215.279	21.636	-13.133
	Max. Vert	7	215.712	-21.772	-12.993
	Max. H _x	32	-169.809	20.089	11.933
	Max. H _z	33	-164.478	19.219	12.247
Leg A	Min. Vert	15	-186.804	19.179	11.410
	Min. H _x	7	215.712	-21.772	-12.993
	Min. H _z	7	215.712	-21.772	-12.993
	Max. Vert	2	218.213	-0.189	25.467
	Max. H _x	14	11.406	3.954	0.791
	Max. H _z	2	218.213	-0.189	25.467
	Min. Vert	10	-186.646	0.188	-22.387
	Min. H _x	6	10.613	-3.959	0.730
	Min. H _z	27	-167.966	0.168	-23.392

Tower Mast Reaction Summary

Load Combination	Vertical K	Shear _x K	Shear _z K	Overturning Moment, M _x kip-ft	Overturning Moment, M _z kip-ft	Torque kip-ft
Dead Only	30.630	0.000	-0.000	-14.394	2.631	0.000
Dead+Wind 0 deg - No Ice	30.629	-0.048	-42.660	-3743.452	9.781	-6.877
Dead+Wind 30 deg - No Ice	30.629	20.112	-35.105	-3128.806	-1773.047	-14.334
Dead+Wind 45 deg - No Ice	30.629	28.220	-28.402	-2539.989	-2497.105	-16.488
Dead+Wind 60 deg - No Ice	30.629	34.277	-19.890	-1786.910	-3042.977	-17.405
Dead+Wind 90 deg - No Ice	30.629	40.307	0.048	-7.257	-3561.245	-16.768
Dead+Wind 120 deg - No Ice	30.629	36.747	21.372	1856.245	-3198.881	-12.753
Dead+Wind 135 deg - No Ice	30.629	28.288	28.469	2521.197	-2507.357	-6.795
Dead+Wind 150 deg - No Ice	30.629	20.195	35.152	3107.005	-1785.538	-2.448
Dead+Wind 180 deg - No Ice	30.629	0.048	39.864	3542.838	-4.487	6.860
Dead+Wind 210 deg - No Ice	30.629	-20.113	35.105	3099.859	1778.471	14.336
Dead+Wind 225 deg - No Ice	30.629	-28.221	28.402	2511.094	2502.550	16.500
Dead+Wind 240 deg - No Ice	30.629	-36.699	21.289	1843.877	3197.023	19.631
Dead+Wind 270 deg - No Ice	30.629	-40.307	-0.047	-21.525	3566.513	16.768
Dead+Wind 300 deg - No Ice	30.629	-34.325	-19.973	-1799.256	3055.383	10.547
Dead+Wind 315 deg - No Ice	30.629	-28.287	-28.469	-2550.066	2512.473	6.786
Dead+Wind 330 deg - No Ice	30.630	-20.194	-35.153	-3135.925	1790.684	2.455
Dead+Ice+Temp	50.785	0.000	0.000	-32.460	1.105	-0.000
Dead+Wind 0 deg+Ice+Temp	50.785	-0.037	-39.387	-3509.339	6.667	-6.025
Dead+Wind 30 deg+Ice+Temp	50.785	18.844	-32.850	-2964.957	-1674.485	-13.624
Dead+Wind 45 deg+Ice+Temp	50.785	26.500	-26.642	-2414.856	-2361.101	-15.982
Dead+Wind 60 deg+Ice+Temp	50.785	32.263	-18.705	-1707.740	-2881.416	-17.175
Dead+Wind 90 deg+Ice+Temp	50.785	37.753	0.038	-26.921	-3359.786	-16.767
Dead+Wind 120 deg+Ice+Temp	50.785	33.955	19.725	1710.666	-2988.176	-12.640
Dead+Wind 135 deg+Ice+Temp	50.785	26.553	26.694	2357.688	-2369.060	-7.409
Dead+Wind 150 deg+Ice+Temp	50.785	18.909	32.887	2905.455	-1684.177	-3.131
Dead+Wind 180 deg+Ice+Temp	50.785	0.037	37.475	3327.565	-4.405	6.071
Dead+Wind 210 deg+Ice+Temp	50.785	-18.845	32.850	2899.922	1676.842	13.626
Dead+Wind 225 deg+Ice+Temp	50.785	-26.501	26.642	2349.866	2363.471	15.986
Dead+Wind 240 deg+Ice+Temp	50.785	-33.919	19.661	1701.064	2984.885	18.667
Dead+Wind 270 deg+Ice+Temp	50.785	-37.753	-0.036	-37.966	3361.991	16.767
Dead+Wind 300 deg+Ice+Temp	50.785	-32.300	-18.769	-1717.295	2889.146	11.105
Dead+Wind 315 deg+Ice+Temp	50.785	-26.552	-26.694	-2422.654	2371.124	7.404
Dead+Wind 330 deg+Ice+Temp	50.785	-18.908	-32.887	-2970.470	1686.269	3.132
Dead+Wind 0 deg - Service	30.630	-0.017	-14.761	-1304.747	5.103	-2.380
Dead+Wind 30 deg - Service	30.630	6.959	-12.147	-1092.070	-611.813	-4.958

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	42 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Load Combination	Vertical K	Shear _x K	Shear _z K	Overturning Moment, M _x kip-ft	Overturning Moment, M _z kip-ft	Torque kip-ft
Dead+Wind 45 deg - Service	30.630	9.765	-9.827	-888.330	-862.357	-5.705
Dead+Wind 60 deg - Service	30.630	11.861	-6.883	-627.753	-1051.239	-6.024
Dead+Wind 90 deg - Service	30.630	13.947	0.017	-11.956	-1230.555	-5.806
Dead+Wind 120 deg - Service	30.630	12.715	7.395	632.867	-1105.153	-4.412
Dead+Wind 135 deg - Service	30.630	9.788	9.851	862.960	-865.868	-2.349
Dead+Wind 150 deg - Service	30.630	6.988	12.164	1065.672	-616.106	-0.844
Dead+Wind 180 deg - Service	30.630	0.017	13.794	1216.489	0.167	2.375
Dead+Wind 210 deg - Service	30.630	-6.959	12.147	1063.202	617.101	4.958
Dead+Wind 225 deg - Service	30.629	-9.765	9.827	859.468	867.648	5.710
Dead+Wind 240 deg - Service	30.630	-12.699	7.366	628.590	1107.954	6.792
Dead+Wind 270 deg - Service	30.630	-13.947	-0.016	-16.893	1235.823	5.806
Dead+Wind 300 deg - Service	30.630	-11.877	-6.911	-632.027	1058.976	3.650
Dead+Wind 315 deg - Service	30.630	-9.788	-9.851	-891.820	871.118	2.347
Dead+Wind 330 deg - Service	30.630	-6.988	-12.163	-1094.537	621.358	0.844

Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0.000	-30.630	0.000	-0.000	30.630	0.000	0.000%
2	-0.048	-30.630	-42.668	0.048	30.629	42.660	0.015%
3	20.116	-30.630	-35.112	-20.112	30.629	35.105	0.017%
4	28.226	-30.630	-28.408	-28.220	30.629	28.402	0.017%
5	34.285	-30.630	-19.895	-34.277	30.629	19.890	0.018%
6	40.315	-30.630	0.048	-40.307	30.629	-0.048	0.017%
7	36.754	-30.630	21.376	-36.747	30.629	-21.372	0.015%
8	28.294	-30.630	28.475	-28.288	30.629	-28.469	0.016%
9	20.199	-30.630	35.160	-20.195	30.629	-35.152	0.017%
10	0.048	-30.630	39.873	-0.048	30.629	-39.864	0.018%
11	-20.116	-30.630	35.112	20.113	30.629	-35.105	0.017%
12	-28.226	-30.630	28.408	28.221	30.629	-28.402	0.016%
13	-36.706	-30.630	21.293	36.699	30.629	-21.289	0.015%
14	-40.315	-30.630	-0.048	40.307	30.629	0.047	0.017%
15	-34.333	-30.630	-19.978	34.325	30.629	19.973	0.018%
16	-28.294	-30.630	-28.475	28.287	30.629	28.469	0.017%
17	-20.199	-30.630	-35.160	20.194	30.630	35.153	0.017%
18	0.000	-50.785	0.000	-0.000	50.785	-0.000	0.000%
19	-0.037	-50.785	-39.400	0.037	50.785	39.387	0.021%
20	18.851	-50.785	-32.862	-18.844	50.785	32.850	0.021%
21	26.510	-50.785	-26.651	-26.500	50.785	26.642	0.022%
22	32.275	-50.785	-18.712	-32.263	50.785	18.705	0.022%
23	37.767	-50.785	0.037	-37.753	50.785	-0.038	0.021%
24	33.967	-50.785	19.732	-33.955	50.785	-19.725	0.020%
25	26.562	-50.785	26.704	-26.553	50.785	-26.694	0.020%
26	18.915	-50.785	32.898	-18.909	50.785	-32.887	0.021%
27	0.037	-50.785	37.489	-0.037	50.785	-37.475	0.022%
28	-18.851	-50.785	32.862	18.845	50.785	-32.850	0.021%
29	-26.510	-50.785	26.651	26.501	50.785	-26.642	0.020%
30	-33.930	-50.785	19.668	33.919	50.785	-19.661	0.020%
31	-37.767	-50.785	-0.037	37.753	50.785	0.036	0.021%
32	-32.312	-50.785	-18.776	32.300	50.785	18.769	0.022%
33	-26.562	-50.785	-26.704	26.552	50.785	26.694	0.022%
34	-18.915	-50.785	-32.898	18.908	50.785	32.887	0.021%
35	-0.017	-30.630	-14.764	0.017	30.630	14.761	0.009%
36	6.961	-30.630	-12.150	-6.959	30.630	12.147	0.009%
37	9.767	-30.630	-9.830	-9.765	30.630	9.827	0.009%
38	11.863	-30.630	-6.884	-11.861	30.630	6.883	0.009%

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	43 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
39	13.950	-30.630	0.017	-13.947	30.630	-0.017	0.009%
40	12.718	-30.630	7.396	-12.715	30.630	-7.395	0.009%
41	9.790	-30.630	9.853	-9.788	30.630	-9.851	0.009%
42	6.989	-30.630	12.166	-6.988	30.630	-12.164	0.009%
43	0.017	-30.630	13.797	-0.017	30.630	-13.794	0.009%
44	-6.961	-30.630	12.150	6.959	30.630	-12.147	0.009%
45	-9.767	-30.630	9.830	9.765	30.629	-9.827	0.008%
46	-12.701	-30.630	7.368	12.699	30.630	-7.366	0.009%
47	-13.950	-30.630	-0.017	13.947	30.630	0.016	0.009%
48	-11.880	-30.630	-6.913	11.877	30.630	6.911	0.009%
49	-9.790	-30.630	-9.853	9.788	30.630	9.851	0.009%
50	-6.989	-30.630	-12.166	6.988	30.630	12.163	0.009%

Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	4	0.00000001	0.00000001
2	Yes	4	0.00017779	0.00035806
3	Yes	4	0.00019167	0.00038543
4	Yes	4	0.00020082	0.00040319
5	Yes	4	0.00020467	0.00041067
6	Yes	4	0.00019222	0.00038603
7	Yes	4	0.00017795	0.00035795
8	Yes	4	0.00018259	0.00036807
9	Yes	4	0.00019202	0.00038658
10	Yes	4	0.00020472	0.00041174
11	Yes	4	0.00019222	0.00038637
12	Yes	4	0.00018273	0.00036759
13	Yes	4	0.00017807	0.00035745
14	Yes	4	0.00019243	0.00038624
15	Yes	4	0.00020467	0.00041116
16	Yes	4	0.00020077	0.00040369
17	Yes	4	0.00019168	0.00038590
18	Yes	4	0.00000001	0.00006286
19	Yes	4	0.00032323	0.00062149
20	Yes	4	0.00033729	0.00064645
21	Yes	4	0.00034607	0.00066301
22	Yes	4	0.00034969	0.00067014
23	Yes	4	0.00033716	0.00064716
24	Yes	4	0.00032377	0.00062148
25	Yes	4	0.00032811	0.00063066
26	Yes	4	0.00033683	0.00064757
27	Yes	4	0.00034929	0.00067140
28	Yes	4	0.00033769	0.00064714
29	Yes	4	0.00032884	0.00062987
30	Yes	4	0.00032422	0.00062058
31	Yes	4	0.00033731	0.00064700
32	Yes	4	0.00034936	0.00067048
33	Yes	4	0.00034542	0.00066336
34	Yes	4	0.00033637	0.00064673
35	Yes	4	0.00000001	0.00037003
36	Yes	4	0.00000001	0.00037930
37	Yes	4	0.00000001	0.00038538
38	Yes	4	0.00000001	0.00038800
39	Yes	4	0.00000001	0.00037924

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	44 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

40	Yes	4	0.00000001	0.00036938
41	Yes	4	0.00000001	0.00037297
42	Yes	4	0.00000001	0.00037905
43	Yes	4	0.00000001	0.00038773
44	Yes	4	0.00000001	0.00037857
45	Yes	4	0.00000001	0.00037228
46	Yes	4	0.00000001	0.00036869
47	Yes	4	0.00000001	0.00037881
48	Yes	4	0.00000001	0.00038780
49	Yes	4	0.00000001	0.00038530
50	Yes	4	0.00000001	0.00037934

Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T1	152 - 140	4.126	35	0.2317	0.0060
T2	140 - 135	3.536	35	0.2263	0.0065
T3	135 - 130	3.293	35	0.2222	0.0083
T4	130 - 125	3.057	35	0.2161	0.0096
T5	125 - 120	2.827	35	0.2079	0.0101
T6	120 - 100	2.604	35	0.1974	0.0103
T7	100 - 80	1.808	35	0.1679	0.0093
T8	80 - 73.3333	1.152	35	0.1259	0.0078
T9	73.3333 - 66.6667	0.971	35	0.1154	0.0071
T10	66.6667 - 60	0.807	35	0.1041	0.0064
T11	60 - 50	0.657	35	0.0923	0.0056
T12	50 - 40	0.465	35	0.0774	0.0047
T13	40 - 30	0.305	35	0.0619	0.0037
T14	30 - 20	0.179	35	0.0456	0.0029
T15	20 - 15	0.086	35	0.0290	0.0019
T16	15 - 10	0.048	35	0.0205	0.0014
T17	10 - 0	0.024	35	0.0117	0.0009

Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
162.00	20' 4-Bay Dipole	35	4.126	0.2317	0.0060	Inf
156.70	DB563K-CR	35	4.126	0.2317	0.0060	Inf
152.00	4' w/Radome	35	4.126	0.2317	0.0060	Inf
151.25	DB803KHE-YP	35	4.089	0.2315	0.0056	Inf
149.00	3' Sidearm	35	3.978	0.2307	0.0052	Inf
148.50	3' Sidearm	35	3.954	0.2305	0.0052	Inf
146.00	12'x2 1/2" STD Pipe Mount	35	3.831	0.2295	0.0052	955497
144.00	12' x 3" Dia Omni	35	3.732	0.2286	0.0055	697020
143.00	4'x3" Pipe Mount	35	3.683	0.2281	0.0059	530838
142.00	4'x4" Pipe Mount	35	3.634	0.2276	0.0062	356652
141.70	DB563K-CR	35	3.619	0.2274	0.0063	311902
140.00	4' w/Radome	35	3.536	0.2263	0.0065	142324
138.00	6' x 3" Dia Omni	35	3.438	0.2249	0.0068	65457
137.00	4' Side Mount Standoff (1)	35	3.389	0.2241	0.0072	50908
136.50	2' w/Radome	35	3.365	0.2237	0.0075	46343
135.00	4'x4" Pipe Mount	35	3.293	0.2222	0.0083	39431

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	45 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

<i>Elevation</i>	<i>Appurtenance</i>	<i>Gov. Load Comb.</i>	<i>Deflection in</i>	<i>Tilt °</i>	<i>Twist °</i>	<i>Radius of Curvature ft</i>
<i>ft</i>						
133.50	3' Sidearm	35	3.221	0.2206	0.0089	39868
133.00	4' Side Mount Standoff (1)	35	3.197	0.2200	0.0090	41124
128.00	(2) DB980H90E-M	35	2.964	0.2131	0.0099	52797
122.00	DB254-A	35	2.692	0.2016	0.0102	32891
108.00	APX16DWV-16DWV-S-E-ACU w/ Mount	35	2.109	0.1795	0.0100	34034
101.00	2" Dia 10' Omni	35	1.845	0.1696	0.0094	37733
98.00	Valmont 13' Lightweight T-Frame	35	1.736	0.1642	0.0092	37065
95.50	3' Sidearm	35	1.648	0.1592	0.0090	35316
94.50	3' Sidearm	35	1.613	0.1570	0.0089	34570
89.50	3' Sidearm	35	1.445	0.1459	0.0086	31261
79.00	4' x 3" DIA Omni	35	1.124	0.1242	0.0077	26897
78.00	8' 2-Bay Dipole	35	1.096	0.1226	0.0076	26929
72.50	3' Sidearm	35	0.949	0.1140	0.0070	30388
72.00	Scala Yagi w/ Radome	35	0.937	0.1132	0.0070	31252
58.00	GPS	35	0.615	0.0890	0.0054	28642
57.00	2' Sidearm	35	0.595	0.0875	0.0053	29354
45.00	1.2M	35	0.381	0.0698	0.0042	38643
44.00	4'x4" Stand-off	35	0.365	0.0683	0.0041	38260

Maximum Tower Deflections - Design Wind

<i>Section No.</i>	<i>Elevation ft</i>	<i>Horz. Deflection in</i>	<i>Gov. Load Comb.</i>	<i>Tilt °</i>	<i>Twist °</i>
T1	152 - 140	11.812	2	0.6618	0.0173
T2	140 - 135	10.128	2	0.6464	0.0250
T3	135 - 130	9.433	2	0.6349	0.0294
T4	130 - 125	8.759	2	0.6176	0.0319
T5	125 - 120	8.101	2	0.5945	0.0322
T6	120 - 100	7.463	2	0.5647	0.0320
T7	100 - 80	5.185	2	0.4805	0.0275
T8	80 - 73.3333	3.307	2	0.3606	0.0226
T9	73.3333 - 66.6667	2.786	2	0.3303	0.0206
T10	66.6667 - 60	2.317	2	0.2982	0.0185
T11	60 - 50	1.886	2	0.2643	0.0162
T12	50 - 40	1.335	2	0.2218	0.0135
T13	40 - 30	0.877	2	0.1773	0.0108
T14	30 - 20	0.514	2	0.1307	0.0083
T15	20 - 15	0.247	2	0.0832	0.0055
T16	15 - 10	0.139	2	0.0586	0.0040
T17	10 - 0	0.070	2	0.0336	0.0025

Critical Deflections and Radius of Curvature - Design Wind

<i>Elevation</i>	<i>Appurtenance</i>	<i>Gov. Load Comb.</i>	<i>Deflection in</i>	<i>Tilt °</i>	<i>Twist °</i>	<i>Radius of Curvature ft</i>
<i>ft</i>						
162.00	20' 4-Bay Dipole	2	11.812	0.6618	0.0173	334351
156.70	DB563K-CR	2	11.812	0.6618	0.0173	334351
152.00	4' w/Radome	2	11.812	0.6618	0.0173	334351
151.25	DB803KHE-YP	2	11.707	0.6611	0.0163	334351

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	46 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Elevation	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
ft						
149.00	3' Sidearm	2	11.391	0.6587	0.0149	334351
148.50	3' Sidearm	2	11.321	0.6582	0.0150	334351
146.00	12'x2 1/2" STD Pipe Mount	2	10.970	0.6554	0.0183	278627
144.00	12' x 3" Dia Omni	2	10.689	0.6528	0.0204	205320
143.00	4'x3" Pipe Mount	2	10.549	0.6513	0.0214	164904
142.00	4'x4" Pipe Mount	2	10.409	0.6498	0.0228	120792
141.70	DB563K-CR	2	10.367	0.6493	0.0232	108499
140.00	4' w/Radome	2	10.128	0.6464	0.0250	50750
138.00	6' x 3" Dia Omni	2	9.849	0.6424	0.0265	23525
137.00	4' Side Mount Standoff (1)	2	9.709	0.6401	0.0272	18174
136.50	2' w/Radome	2	9.640	0.6389	0.0278	16509
135.00	4'x4" Pipe Mount	2	9.433	0.6349	0.0294	13997
133.50	3' Sidearm	2	9.229	0.6303	0.0305	14147
133.00	4' Side Mount Standoff (1)	2	9.161	0.6286	0.0308	14598
128.00	(2) DB980H90E-M	2	8.494	0.6093	0.0322	18887
122.00	DB254-A	2	7.715	0.5767	0.0321	11581
108.00	APX16DWV-16DWV-S-E-ACU w/ Mount	2	6.047	0.5135	0.0297	11931
101.00	2" Dia 10' Omni	2	5.290	0.4854	0.0278	13259
98.00	Valmont 13' Lightweight T-Frame	2	4.979	0.4700	0.0270	13020
95.50	3' Sidearm	2	4.726	0.4556	0.0264	12394
94.50	3' Sidearm	2	4.627	0.4495	0.0261	12126
89.50	3' Sidearm	2	4.145	0.4175	0.0249	10945
79.00	4' x 3" DIA Omni	2	3.225	0.3556	0.0224	9406
78.00	8' 2-Bay Dipole	2	3.145	0.3509	0.0221	9424
72.50	3' Sidearm	2	2.725	0.3266	0.0204	10660
72.00	Scala Yagi w/ Radome	2	2.689	0.3243	0.0202	10959
58.00	GPS	2	1.767	0.2551	0.0156	10024
57.00	2' Sidearm	2	1.709	0.2508	0.0153	10276
45.00	1.2M	2	1.095	0.2001	0.0121	13466
44.00	4'x4" Stand-off	2	1.049	0.1956	0.0119	13319

Bolt Design Data

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt K	Allowable Load K	Ratio Load Allowable	Allowable Ratio	Criteria
T1	152	Diagonal	A325N	0.500	1	1.913	2.719	0.704 ✓	1.333	Member Bearing
		Top Girt	A325N	0.500	1	0.287	2.719	0.106 ✓	1.333	Member Bearing
T2	140	Leg	A325N	0.625	4	1.421	13.435	0.106 ✓	1.333	Bolt Tension
		Diagonal	A325N	0.500	1	2.772	4.078	0.680 ✓	1.333	Member Bearing
		Top Girt	A325N	0.500	1	0.143	2.719	0.053 ✓	1.333	Member Bearing
T3	135	Diagonal	A325N	0.500	1	2.597	4.078	0.637 ✓	1.333	Member Bearing
T4	130	Diagonal	A325N	0.500	1	3.469	4.123	0.841 ✓	1.333	Bolt Shear
T5	125	Diagonal	A325N	0.500	1	3.932	4.078	0.964 ✓	1.333	Member Bearing
T6	120	Leg	A325N	0.625	4	7.631	13.499	0.565 ✓	1.333	Bolt Tension
		Diagonal	A325N	0.500	1	4.536	4.123	1.100 ✓	1.333	Bolt Shear
T7	100	Leg	A325N	0.750	4	13.847	19.430	0.713 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.500	1	6.785	5.438	1.248 ✓	1.333	Member Bearing

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	47 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt K	Allowable Load K	Ratio Load Allowable	Allowable Ratio	Criteria
T8	80	Secondary Horizontal	A325N	0.500	2	0.761	4.123	0.185 ✓	1.333	Bolt Shear
		Leg	A325N	0.875	4	21.611	26.458	0.817 ✓	1.333	Bolt Tension
T9	73.3333	Diagonal	A325X	0.500	1	6.675	5.438	1.228 ✓	1.333	Member Bearing
		Diagonal	A325X	0.500	1	7.054	5.890	1.198 ✓	1.333	Bolt Shear
T10	66.6667	Secondary Horizontal	A325N	0.500	2	0.956	4.123	0.232 ✓	1.333	Bolt Shear
		Diagonal	A325X	0.500	1	7.058	5.890	1.198 ✓	1.333	Bolt Shear
T11	60	Secondary Horizontal	A325N	0.500	2	1.052	4.123	0.255 ✓	1.333	Bolt Shear
		Leg	A325N	0.875	4	29.230	26.458	1.105 ✓	1.333	Bolt Tension
T12	50	Diagonal	A325X	0.625	1	8.016	8.496	0.944 ✓	1.333	Member Bearing
		Diagonal	A325X	0.625	1	8.408	8.496	0.990 ✓	1.333	Member Bearing
T13	40	Secondary Horizontal	A325N	0.500	2	1.304	4.123	0.316 ✓	1.333	Bolt Shear
		Leg	A325N	1.000	4	35.956	34.557	1.040 ✓	1.333	Bolt Tension
T14	30	Diagonal	A325X	0.625	1	9.133	9.204	0.992 ✓	1.333	Bolt Shear
		Secondary Horizontal	A325N	0.500	2	1.439	4.123	0.349 ✓	1.333	Bolt Shear
T15	20	Diagonal	A325X	0.625	1	8.882	8.496	1.045 ✓	1.333	Member Bearing
		Horizontal	A325N	0.500	2	1.567	4.123	0.380 ✓	1.333	Bolt Shear
T16	15	Leg	A325N	1.000	4	42.015	34.530	1.217 ✓	1.333	Bolt Tension
		Diagonal	A325X	0.625	1	8.708	6.797	1.281 ✓	1.333	Member Bearing
T17	10	Diagonal	A325X	0.625	1	8.275	6.797	1.218 ✓	1.333	Member Bearing
		Horizontal	A325N	0.625	1	3.413	6.443	0.530 ✓	1.333	Bolt Shear
		Diagonal	A325X	0.625	1	10.258	8.496	1.207 ✓	1.333	Member Bearing

Compression Checks

Leg Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _n ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T1	152 - 140	ROHN 2 STD	12.00	3.94	60.1 K=1.00	22.695	1.075	-7.005	24.386	0.287 ✓
T2	140 - 135	ROHN 2.5 STD	5.01	4.84	61.3 K=1.00	22.491	1.704	-12.198	38.325	0.318 ✓
T3	135 - 130	ROHN 2.5 STD	5.01	5.01	63.4 K=1.00	22.122	1.704	-14.574	37.698	0.387 ✓
T4	130 - 125	ROHN 2.5 STD	5.01	5.01	63.4 K=1.00	22.122	1.704	-20.775	37.698	0.551 ✓
T5	125 - 120	ROHN 2.5 STD	5.01	5.01	63.4	22.122	1.704	-27.848	37.698	0.739 ✓

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	48 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
					K=1.00					✓
T6	120 - 100	Rohn 2.5 X-Str w/ (3) 1.5"x0.25" Bars	20.03	6.68	67.8 K=1.00	21.334	3.413	-53.532	72.823	0.735 ✓
T7	100 - 80	Rohn 2.5 X-Str w/ (3) 1.5"x0.25" Bars	20.03	3.44	35.0 K=1.00	26.516	3.413	-87.770	90.509	0.970 ✓
T8	80 - 73.3333	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	6.68	6.68	55.1 K=1.00	23.542	5.275	-99.398	124.180	0.800 ✓
T9	73.3333 - 66.6667	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	6.68	3.42	28.2 K=1.00	27.368	5.275	-110.240	144.363	0.764 ✓
T10	66.6667 - 60	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	6.68	3.42	28.2 K=1.00	27.372	5.275	-121.355	144.385	0.840 ✓
T11	60 - 50	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	10.02	10.02	69.4 K=1.00	21.056	6.640	-134.577	139.821	0.962 ✓
T12	50 - 40	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	10.02	5.16	35.7 K=1.00	26.414	6.640	-150.413	175.395	0.858 ✓
T13	40 - 30	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	10.02	5.15	35.7 K=1.00	26.422	6.640	-165.964	175.450	0.946 ✓
T14	30 - 20	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	10.02	2.50	17.3 K=1.00	28.573	6.640	-180.723	189.733	0.953 ✓
T15	20 - 15	Rohn 5 STD w/ (3) 1.5"x0.5" Bars	5.01	2.50	14.2 K=1.00	28.881	6.555	-195.137	189.312	1.031 ✓
T16	15 - 10	Rohn 5 STD w/ (3) 1.5"x0.5" Bars	5.01	5.01	28.4 K=1.00	27.353	6.555	-196.759	179.298	1.097 ✓
T17	10 - 0	Rohn 5 STD w/ (6) 1.5"x0.5" Bars	10.02	10.02	56.9 K=1.00	23.237	9.761	-211.031	226.818	0.930 ✓

Diagonal Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T1	152 - 140	L1 1/2x1 1/2x1/8	7.65	3.61	146.2 K=1.00	6.982	0.359	-1.933	2.509	0.770 ✓
T2	140 - 135	L1 1/2x1 1/2x3/16	8.35	4.07	166.7 K=1.00	5.376	0.527	-2.784	2.835	0.982 ✓
T3	135 - 130	L1 1/2x1 1/2x3/16	8.86	4.33	177.2 K=1.00	4.755	0.527	-2.604	2.508	1.039 ✓
T4	130 - 125	L1 1/2x1 1/2x1/4	9.28	4.54	186.6 K=1.00	4.289	0.688	-3.469	2.949	1.176 ✓
T5	125 - 120	L1 3/4x1 3/4x3/16	9.70	4.75	166.1 K=1.00	5.415	0.621	-3.935	3.364	1.170 ✓
T6	120 - 100	L2x2x1/4	12.21	5.94	182.3 K=1.00	4.492	0.938	-4.536	4.213	1.077 ✓
T7	100 - 80	L2 1/2x2 1/2x1/4	13.96	6.82	166.7 K=1.00	5.372	1.190	-6.719	6.392	1.051 ✓
T8	80 - 73.3333	L2 1/2x2 1/2x1/4	14.57	7.10	173.6 K=1.00	4.958	1.190	-6.732	5.900	1.141 ✓
T9	73.3333 - 66.6667	L2 1/2x2 1/2x5/16	15.19	7.41	181.9 K=1.00	4.511	1.460	-7.054	6.586	1.071 ✓
T10	66.6667 - 60	L2 1/2x2 1/2x5/16	15.82	7.73	189.7	4.150	1.460	-7.058	6.059	1.165 ✓

tnxTower

URS Corporation
500 Enterprise Drive, Suite 3B
Rocky Hill, CT 06067
Phone: 860-529-8882
FAX: 860-529-3991

Job	Rate	Time	Cost
1	100	10	1000
2	100	10	1000
3	100	10	1000
4	100	10	1000
5	100	10	1000
6	100	10	1000
7	100	10	1000
8	100	10	1000
9	100	10	1000
10	100	10	1000
11	100	10	1000
12	100	10	1000
13	100	10	1000
14	100	10	1000
15	100	10	1000
16	100	10	1000
17	100	10	1000
18	100	10	1000
19	100	10	1000
20	100	10	1000
21	100	10	1000
22	100	10	1000
23	100	10	1000
24	100	10	1000
25	100	10	1000
26	100	10	1000
27	100	10	1000
28	100	10	1000
29	100	10	1000
30	100	10	1000
31	100	10	1000
32	100	10	1000
33	100	10	1000
34	100	10	1000
35	100	10	1000
36	100	10	1000
37	100	10	1000
38	100	10	1000
39	100	10	1000
40	100	10	1000
41	100	10	1000
42	100	10	1000
43	100	10	1000
44	100	10	1000
45	100	10	1000
46	100	10	1000
47	100	10	1000
48	100	10	1000
49	100	10	1000
50	100	10	1000
51	100	10	1000
52	100	10	1000
53	100	10	1000
54	100	10	1000
55	100	10	1000
56	100	10	1000
57	100	10	1000
58	100	10	1000
59	100	10	1000
60	100	10	1000
61	100	10	1000
62	100	10	1000
63	100	10	1000
64	100	10	1000
65	100	10	1000
66	100	10	1000
67	100	10	1000
68	100	10	1000
69	100	10	1000
70	100	10	1000
71	100	10	1000
72	100	10	1000
73	100	10	1000
74	100	10	1000
75	100	10	1000
76	100	10	1000
77	100	10	1000
78	100	10	1000
79	100	10	1000
80	100	10	1000
81	100	10	1000
82	100	10	1000
83	100	10	1000
84	100	10	1000
85	100	10	1000
86	100	10	1000
87	100	10	1000
88	100	10	1000
89	100	10	1000
90	100	10	1000
91	100	10	1000
92	100	10	1000
93	100	10	1000
94	100	10	1000
95	100	10	1000
96	100	10	1000
97	100		

152' ROHN SSV Tower

Page

49 of 55

Project

366 Old Long Ridge Road, Stamford, CT

Date _____

09:11:12 10/31/14

Client

Verizon, Sprint and AT&T / S.A. Evaluation

Designed by
MC

Section No.	Elevation	Size	L	L _u	KL/r	F _a	A	Actual P K	Allow. P _a K	Ratio P P _a
	ft		ft	ft		ksi	in ²			
T11	60 - 50	L3x3x5/16	18.20	8.94	K=1.00 182.2	4.501	1.780	-8.309	8.011	1.037
T12	50 - 40	L3x3x5/16	19.04	9.36	K=1.00 190.8	4.104	1.780	-8.427	7.305	1.154
T13	40 - 30	L3x3x3/8	19.90	9.79	K=1.00 200.2	3.726	2.110	-9.133	7.863	1.162
T14	30 - 20	KL/R > 200 (C) - 177 L3x3x5/16	10.64	10.08	K=1.00 131.2	8.681	1.780	-9.440	15.452	0.611
T15	20 - 15	L3 1/2x3 1/2x1/4	10.64	10.08	K=1.04 115.5	10.922	1.690	-9.424	18.459	0.511
T16	15 - 10	L3 1/2x3 1/2x1/4	11.08	10.49	K=1.00 181.3	4.542	1.690	-9.482	7.676	1.235
T17	10 - 0	L3 1/2x3 1/2x5/16	22.61	11.11	K=1.00 193.2	4.000	2.090	-9.358	8.360	1.119

Horizontal Design Data (Compression)

Section No.	Elevation	Size	L	L _u	KL/r	F _a	A	Actual P	Allow. P _a	Ratio P
	ft		ft	ft		ksi	in ²	K	K	P _a
T14	30 - 20	L3x3x3/16	18.23	17.34	182.5 K=0.82	4.485	1.090	-3.135	4.888	0.641
T16	15 - 10	L2.875x2.875x0.25	19.26	18.38	247.8 K=1.00	2.432	1.375	-3.413	3.343	1.021
KL/R > 200 (C) - 233										

Secondary Horizontal Design Data (Compression)

Section No.	Elevation	Size	L	L _u	KL/r	F _a	A	Actual P K	Allow. P _a K	Ratio P P _a
	ft		ft	ft		ksi	in ²			
T7	100 - 80	L3x3x3/16	12.25	11.49	191.9 K=0.83	4.054	1.090	-1.522	4.419	0.344 ✓
T9	73.3333 - 66.6667	L3x3x3/16	13.64	12.82	210.2 K=0.81	3.379	1.090	-1.912	3.683	0.519 ✓
T10	66.6667 - 60	L3x3x3/16	14.34	13.52	219.7 K=0.81	3.093	1.090	-2.105	3.371	0.624 ✓
T12	50 - 40	L3x3x3/16	16.18	15.29	243.6 K=0.79	2.518	1.090	-2.608	2.744	0.951 ✓
T13	40 - 30	L3x3x3/16	17.18	16.29	256.9 K=0.78	2.263	1.090	-2.878	2.467	1.167 ✓

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	50 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Top Girt Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T1	152 - 140	L2x2x1/8	6.52	6.11	184.6 K=1.00	4.383	0.484	-0.284	2.123	0.134 ✓
T2	140 - 135	L2x2x1/8	6.57	6.12	184.8 K=1.00	4.372	0.484	-0.157	2.117	0.074 ✓

Redundant Horizontal (1) Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T14	30 - 20	L2x2x1/4	4.56	4.28	131.3 K=1.00	8.665	0.938	-3.135	8.127	0.386 ✓
T15	20 - 15	L2x2x1/4	4.82	4.50	138.0 K=1.00	7.843	0.938	-3.384	7.357	0.460 ✓

Redundant Diagonal (1) Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T14	30 - 20	L2x2x1/4	5.32	4.99	153.3 K=1.00	6.355	0.938	-1.828	5.961	0.307 ✓
T15	20 - 15	L2x2x1/4	5.53	5.18	158.9 K=1.00	5.915	0.938	-1.965	5.549	0.354 ✓

Tension Checks

Leg Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T1	152 - 140	ROHN 2 STD	12.00	3.94	60.1	30.000	1.075	5.545	32.236	0.172 ✓
T2	140 - 135	ROHN 2.5 STD	5.01	4.84	61.3	30.000	1.704	10.097	51.121	0.198 ✓
T3	135 - 130	ROHN 2.5 STD	5.01	5.01	63.4	30.000	1.704	12.167	51.121	0.238 ✓
T4	130 - 125	ROHN 2.5 STD	5.01	5.01	63.4	30.000	1.704	17.123	51.121	0.335 ✓

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	Page
	152' ROHN SSV Tower	51 of 55
	Project	Date
	366 Old Long Ridge Road, Stamford, CT	09:11:12 10/31/14
	Client	Designed by
	Verizon, Sprint and AT&T / S.A. Evaluation	MCD

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T5	125 - 120	ROHN 2.5 STD	5.01	5.01	63.4	30.000	1.704	23.076	51.121	0.451 ✓
T6	120 - 100	Rohn 2.5 X-Str w/ (3) 1.5"x0.25" Bars	20.03	6.68	67.8	30.000	3.413	46.748	102.402	0.457 ✓
T7	100 - 80	Rohn 2.5 X-Str w/ (3) 1.5"x0.25" Bars	20.03	3.44	35.0	30.000	3.413	76.079	102.402	0.743 ✓
T8	80 - 73.3333	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	6.68	6.68	55.1	30.000	5.275	86.443	158.247	0.546 ✓
T9	73.3333 - 66.6667	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	6.68	3.42	28.2	30.000	5.275	95.924	158.247	0.606 ✓
T10	66.6667 - 60	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	6.68	3.42	28.2	30.000	5.275	105.395	158.247	0.666 ✓
T11	60 - 50	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	10.02	10.02	69.4	30.000	6.640	116.922	199.209	0.587 ✓
T12	50 - 40	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	10.02	5.16	35.7	30.000	6.640	130.548	199.209	0.655 ✓
T13	40 - 30	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	10.02	5.15	35.7	30.000	6.640	143.822	199.209	0.722 ✓
T14	30 - 20	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	10.02	2.50	17.3	30.000	6.640	156.005	199.209	0.783 ✓
T15	20 - 15	Rohn 5 STD w/ (3) 1.5"x0.5" Bars	5.01	2.50	14.2	30.000	6.555	168.059	196.650	0.855 ✓
T16	15 - 10	Rohn 5 STD w/ (3) 1.5"x0.5" Bars	5.01	5.01	28.4	30.000	6.555	168.952	196.650	0.859 ✓
T17	10 - 0	Rohn 5 STD w/ (6) 1.5"x0.5" Bars	10.02	10.02	56.9	30.000	9.761	180.992	292.833	0.618 ✓

Diagonal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T1	152 - 140	L1 1/2x1 1/2x1/8	7.65	3.61	95.8	29.000	0.211	1.913	6.117	0.313 ✓
T2	140 - 135	L1 1/2x1 1/2x3/16	8.35	4.07	109.8	29.000	0.308	2.772	8.921	0.311 ✓
T3	135 - 130	L1 1/2x1 1/2x3/16	8.86	4.33	116.6	29.000	0.308	2.597	8.921	0.291 ✓
T4	130 - 125	L1 1/2x1 1/2x1/4	9.28	4.54	124.2	29.000	0.398	3.414	11.555	0.295 ✓
T5	125 - 120	L1 3/4x1 3/4x3/16	9.70	4.75	108.5	29.000	0.378	3.932	10.960	0.359 ✓
T6	120 - 100	L2x2x1/4	12.21	5.94	119.1	29.000	0.586	4.462	17.003	0.262 ✓
T7	100 - 80	L2 1/2x2 1/2x1/4	13.37	6.53	103.5	29.000	0.775	6.785	22.484	0.302 ✓
T8	80 - 73.3333	L2 1/2x2 1/2x1/4	14.57	7.10	112.4	29.000	0.775	6.675	22.484	0.297 ✓
T9	73.3333 - 66.6667	L2 1/2x2 1/2x5/16	15.19	7.41	118.6	29.000	0.949	6.939	27.507	0.252 ✓

inxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	52 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T10	66.6667 - 60	L2 1/2x2 1/2x5/16	15.82	7.73	123.5	29,000	0.949	7,028	27,507	0.255 ✓
T11	60 - 50	L3x3x5/16	18.20	8.94	117.9	29,000	1.159	8,016	33,617	0.238 ✓
T12	50 - 40	L3x3x5/16	19.04	9.36	123.4	29,000	1.159	8,408	33,617	0.250 ✓
T13	40 - 30	L3x3x3/8	19.90	9.79	130.3	29,000	1.372	8,680	39,775	0.218 ✓
T14	30 - 20	L3x3x5/16	10.64	10.08	134.3	29,000	1.159	8,882	33,617	0.264 ✓
T15	20 - 15	L3 1/2x3 1/2x1/4	10.64	10.08	113.6	29,000	1.127	8,708	32,679	0.266 ✓
T16	15 - 10	L3 1/2x3 1/2x1/4	11.08	10.49	118.1	29,000	1.127	8,275	32,679	0.253 ✓
T17	10 - 0	L3 1/2x3 1/2x5/16	22.61	11.11	124.8	29,000	1.392	10,258	40,360	0.254 ✓

Horizontal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T14	30 - 20	L3x3x3/16	18.23	17.34	225.8	29,000	0.730	3,135	21,159	0.148 ✓
T16	15 - 10	L2.875x2.875x0.25	19.26	18.38	251.1	29,000	0.891	3,413	25,828	0.132 ✓

Secondary Horizontal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T7	100 - 80	L3x3x3/16	12.25	11.49	151.1	29,000	0.730	1,522	21,159	0.072 ✓
T9	73.3333 - 66.6667	L3x3x3/16	13.64	12.82	168.1	29,000	0.730	1,912	21,159	0.090 ✓
T10	66.6667 - 60	L3x3x3/16	14.34	13.52	177.0	29,000	0.730	2,105	21,159	0.099 ✓
T12	50 - 40	L3x3x3/16	16.18	15.29	199.6	29,000	0.730	2,608	21,159	0.123 ✓
T13	40 - 30	L3x3x3/16	17.18	16.29	212.4	29,000	0.730	2,878	21,159	0.136 ✓

Top Girt Design Data (Tension)

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	53 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T1	152 - 140	L2x2x1/8	6.52	6.11	121.2	29.000	0.305	0.287	8.836	0.032
T2	140 - 135	L2x2x1/8	6.57	6.12	121.3	29.000	0.305	0.143	8.836	0.016

Redundant Horizontal (1) Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T14	30 - 20	L2x2x1/4	4.56	4.28	84.3	21.600	0.938	3.135	20.261	0.155
T15	20 - 15	L2x2x1/4	4.82	4.50	88.6	21.600	0.938	3.384	20.261	0.167

Redundant Diagonal (1) Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	F _a ksi	A in ²	Actual P K	Allow. P _a K	Ratio P P _a
T14	30 - 20	L2x2x1/4	5.32	4.99	98.4	21.600	0.938	1.828	20.261	0.090
T15	20 - 15	L2x2x1/4	5.53	5.18	102.0	21.600	0.938	1.965	20.261	0.097

Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P _{allow} K	% Capacity	Pass Fail
T1	152 - 140	Leg	ROHN 2 STD	3	-7.005	32.507	21.6	Pass
T2	140 - 135	Leg	ROHN 2.5 STD	27	-12.198	51.088	23.9	Pass
T3	135 - 130	Leg	ROHN 2.5 STD	39	-14.574	50.251	29.0	Pass
T4	130 - 125	Leg	ROHN 2.5 STD	48	-20.775	50.251	41.3	Pass
T5	125 - 120	Leg	ROHN 2.5 STD	57	-27.848	50.251	55.4	Pass
T6	120 - 100	Leg	Rohn 2.5 X-Str w/ (3) 1.5"x0.25" Bars	66	-53.532	97.073	55.1	Pass
T7	100 - 80	Leg	Rohn 2.5 X-Str w/ (3) 1.5"x0.25" Bars	87	-87.770	120.648	72.7	Pass
T8	80 - 73.3333	Leg	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	117	-99.398	165.532	60.0	Pass
T9	73.3333 - 66.6667	Leg	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	126	-110.240	192.436	57.3	Pass
T10	66.6667 - 60	Leg	Rohn 3 X-Str w/ (3) 1.5"x0.5" Bars	138	-121.355	192.465	63.1	Pass
T11	60 - 50	Leg	Rohn 4 X-Str w/ (3) 1.5"x0.5" Bars	150	-134.577	186.381	72.2	Pass

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	54 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P _{allow} K	% Capacity	Pass Fail
			Bars				82.9 (b)	
T12	50 - 40	Leg	Rohn 4 X-Str w/ (3) 1.5"x0.5"	159	-150.413	233.802	64.3	Pass
			Bars				71.0	
T13	40 - 30	Leg	Rohn 4 X-Str w/ (3) 1.5"x0.5"	171	-165.964	233.875	71.0	Pass
			Bars				78.1 (b)	
T14	30 - 20	Leg	Rohn 4 X-Str w/ (3) 1.5"x0.5"	183	-180.723	252.914	71.5	Pass
			Bars				77.3	
T15	20 - 15	Leg	Rohn 5 STD w/ (3) 1.5"x0.5"	225	-195.137	252.353	77.3	Pass
			Bars				91.3 (b)	
T16	15 - 10	Leg	Rohn 5 STD w/ (3) 1.5"x0.5"	249	-196.759	239.004	82.3	Pass
			Bars				69.8	
T17	10 - 0	Leg	Rohn 5 STD w/ (6) 1.5"x0.5"	258	-211.031	302.348	69.8	Pass
			Bars				82.5 (b)	
T1	152 - 140	Diagonal	L1 1/2x1 1/2x1/8	7	-1.933	3.345	57.8	Pass
T2	140 - 135	Diagonal	L1 1/2x1 1/2x3/16	31	-2.784	3.779	73.7	Pass
T3	135 - 130	Diagonal	L1 1/2x1 1/2x3/16	40	-2.604	3.343	77.9	Pass
T4	130 - 125	Diagonal	L1 1/2x1 1/2x1/4	49	-3.469	3.931	88.2	Pass
T5	125 - 120	Diagonal	L1 3/4x1 3/4x3/16	58	-3.935	4.484	87.8	Pass
T6	120 - 100	Diagonal	L2x2x1/4	72	-4.536	5.616	80.8	Pass
							82.5 (b)	
T7	100 - 80	Diagonal	L2 1/2x2 1/2x1/4	90	-6.719	8.521	78.9	Pass
							93.6 (b)	
T8	80 - 73.3333	Diagonal	L2 1/2x2 1/2x1/4	123	-6.732	7.864	85.6	Pass
							92.1 (b)	
T9	73.3333 - 66.6667	Diagonal	L2 1/2x2 1/2x5/16	132	-7.054	8.780	80.3	Pass
							89.8 (b)	
T10	66.6667 - 60	Diagonal	L2 1/2x2 1/2x5/16	144	-7.058	8.077	87.4	Pass
							89.9 (b)	
T11	60 - 50	Diagonal	L3x3x5/16	156	-8.309	10.679	77.8	Pass
T12	50 - 40	Diagonal	L3x3x5/16	165	-8.427	9.738	86.5	Pass
T13	40 - 30	Diagonal	L3x3x3/8	177	-9.133	10.481	87.1	Pass
T14	30 - 20	Diagonal	L3x3x5/16	202	-9.440	20.597	45.8	Pass
							78.4 (b)	
T15	20 - 15	Diagonal	L3 1/2x3 1/2x1/4	241	-9.424	24.606	38.3	Pass
							96.1 (b)	
T16	15 - 10	Diagonal	L3 1/2x3 1/2x1/4	255	-9.482	10.232	92.7	Pass
T17	10 - 0	Diagonal	L3 1/2x3 1/2x5/16	264	-9.358	11.143	84.0	Pass
							90.6 (b)	
T14	30 - 20	Horizontal	L3x3x3/16	191	-3.135	6.516	48.1	Pass
T16	15 - 10	Horizontal	L2.875x2.875x0.25	233	-3.413	4.457	76.6	Pass
T7	100 - 80	Secondary Horizontal	L3x3x3/16	95	-1.522	5.891	25.8	Pass
T9	73.3333 - 66.6667	Secondary Horizontal	L3x3x3/16	134	-1.912	4.909	38.9	Pass
							46.8	
T10	66.6667 - 60	Secondary Horizontal	L3x3x3/16	146	-2.105	4.494	46.8	Pass
T12	50 - 40	Secondary Horizontal	L3x3x3/16	168	-2.608	3.658	71.3	Pass
T13	40 - 30	Secondary Horizontal	L3x3x3/16	179	-2.878	3.288	87.5	Pass
T1	152 - 140	Top Girt	L2x2x1/8	4	-0.284	2.830	10.0	Pass
T2	140 - 135	Top Girt	L2x2x1/8	30	-0.157	2.823	5.6	Pass
T14	30 - 20	Redund Horiz 1 Bracing	L2x2x1/4	215	-3.135	10.834	28.9	Pass
							34.5	
T15	20 - 15	Redund Horiz 1 Bracing	L2x2x1/4	242	-3.384	9.807	34.5	Pass
							23.0	
T14	30 - 20	Redund Diag 1 Bracing	L2x2x1/4	219	-1.828	7.946	23.0	Pass
							26.6	
T15	20 - 15	Redund Diag 1 Bracing	L2x2x1/4	243	-1.965	7.396	26.6	Pass
							Summary	
						Leg (T15)	91.3	Pass
						Diagonal (T15)	96.1	Pass
						Horizontal	76.6	Pass

tnxTower URS Corporation 500 Enterprise Drive, Suite 3B Rocky Hill, CT 06067 Phone: 860-529-8882 FAX: 860-529-3991	Job	152' ROHN SSV Tower	Page	55 of 55
	Project	366 Old Long Ridge Road, Stamford, CT	Date	09:11:12 10/31/14
	Client	Verizon, Sprint and AT&T / S.A. Evaluation	Designed by	MCD

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	SF*P _{allow} K	% Capacity	Pass Fail
						(T16) Secondary Horizontal	87.5	Pass
						(T13) Top Girt (T1)	10.0	Pass
						Redund Horz 1 Bracing (T15)	34.5	Pass
						Redund Diag 1 Bracing (T15)	26.6	Pass
						Bolt Checks	96.1	Pass
						RATING =	96.1	Pass

Program Version 6.1.3.1 - 3/21/2014 File:W:/StructuralsByLocation/Connecticut/Stamford @ Old Long Ridge Road/Rev.3 - Cable Switch for VZW/ERI/150'_ROHN_SSV_Lattice_Stamford_CT_w_Mods.eri

ANCHOR BOLT EVALUATION

(Sprint) 36928702.00000
(Verizon) 36922268.00000
(AT&T) 36922483.00000

152' SSV Lattice Tower
Stamford, CT

10/31/2014

ANCHOR BOLT ANALYSIS

Input Data

Max Corner Reactions:

Uplift:	Uplift := 187 kips	user input
Shear:	Shear := 25 kips	user input
Compression:	Compression := 218 kips	user input

Anchor Bolt Data:

Use ASTM A-193 GR B7/ASTM A-320 GR L7

Number of Anchor Bolts = N	N := 4	user input
Bolt Ultimate Strength:	F _u := 125 ksi	user input
Bolt Yield Strength:	F _y := 105 ksi	user input
Bolt Modulus:	E := 29000 ksi	user input
Thickness of Anchor Bolts	D := 1.0 in	user input
Threads per Inch:	n := 8.0	user input
Coefficient of Friction:	μ := 0.55	user input (for baseplate with grout ASCE 10-97)

Anchor Bolt Area:

Gross Area of Bolt:

$$A_g := \frac{\pi}{4} \cdot D^2 \quad A_g = 0.785 \cdot \text{in}^2$$

Net Area of Bolt:

$$A_n := \frac{\pi}{4} \cdot \left(D - \frac{0.9743 \cdot \text{in}}{n} \right)^2 \quad A_n = 0.606 \cdot \text{in}^2$$

Check Tensile Forces:

Maximum Tensile Force (Gross Area):

$$\text{AllowableTension} := 1.333 \cdot (0.33 \cdot A_g \cdot F_u) \quad \text{AllowableTension} = 43.2 \cdot \text{kips}$$

Note: 1.333 increase allowed per TIA/EIA

Maximum Tensile Force (Net Area):

$$F_{\text{net.area}} := 1.333 \cdot (0.60 \cdot A_n \cdot F_y) \quad F_{\text{net.area}} = 50.9 \cdot \text{kips}$$

Note: 1.333 increase allowed per TIA/EIA

Applied Tension:

$$\text{MaxTension} := \frac{\text{Uplift}}{N} \quad \text{MaxTension} = 46.8 \cdot \text{kips}$$

Check Stresses:

$$\frac{\text{MaxTension}}{F_{\text{net.area}}} = 0.92$$

$$\text{Condition1} := \text{if} \left(\frac{\text{MaxTension}}{F_{\text{net.area}}} \leq 1.00, \text{"OK"}, \text{"Overstressed"} \right)$$

Condition1 = "OK"

Check Anchor Bolt Area:

Based on the ASCE 10-97 Design of Latticed Steel Transmission Structures

Required Area:

$$A_{s1} := \frac{\text{Uplift}}{F_y} + \frac{\text{Shear}}{\mu \cdot 0.85 \cdot F_y} \quad A_{s1} = 2.3 \cdot \text{in}^2$$

$$A_{s2} := \left| \frac{\text{Shear} - (0.3 \cdot \text{Compression})}{\mu \cdot 0.85 \cdot F_y} \right| \quad A_{s2} = 0.8 \cdot \text{in}^2$$

Provided Area:

$$A_{s\text{provided}} := A_n \cdot N \quad A_{s\text{provided}} = 2.4 \cdot \text{in}^2$$

$$\text{Condition2} := \text{if} \left(\frac{A_{s1}}{A_{s\text{provided}}} \leq 1.00, \text{"OK"}, \text{"Overstressed"} \right) \quad \frac{A_{s1}}{A_{s\text{provided}}} = 0.95$$

Condition2 = "OK"

$$\text{Condition3} := \text{if} \left(\frac{A_{s2}}{A_{s\text{provided}}} \leq 1.00, \text{"OK"}, \text{"Overstressed"} \right) \quad \frac{A_{s2}}{A_{s\text{provided}}} = 0.34$$

Condition3 = "OK"

FOUNDATION EVALUATION

(Sprint) 36928702.00000
(Verizon) 36922268.00000
(AT&T) 36922483.00000

152' SSV Lattice Tower
Stamford, CT

10/31/2014

FOUNDATION ANALYSIS

Input Data

Maximum Pier Reactions:

Compression: $C_t := 218 \text{ kips}$ *user input*
 Uplift: $U_t := 187 \text{ kips}$ *user input*

Material Properties:

Unit Weight of Concrete: $\gamma_c := 150 \text{ pcf}$ *user input*
 Unit Weight of Water: $\gamma_w := 62.4 \text{ pcf}$ *user input*
 Unit Weight of Soil: $\gamma_s := 120 \text{ pcf}$ *user input*

Foundation Dimensions:

Drilled Caisson Length: $C_{\text{Length}} := 21.0 \text{ ft}$ *user input*
 Diameter of Pier: $d_p := 4.5 \text{ ft}$ *user input*
 Extension of Pier Above Grade: $L_{\text{pag}} := 0.5 \text{ ft}$ *user input*
 Conc Pad Length: $\text{Pad}_{\text{Length}} := 5.0 \text{ ft}$ *user input*
 Conc Pad Width: $\text{Pad}_{\text{Width}} := 6 \text{ ft}$ *user input*
 Conc Pad Depth: $\text{Pad}_{\text{Depth}} := 5.0 \text{ ft}$ *user input*

Allowable Soil Bearing Capacity (Allowable Bearing Pressure at Depth 21') $q_s := 10 \text{ ksf}$ *user input*
 Water Table Below Grade: $W_d := 8 \text{ ft}$ *user input*
 Average Allowable Shear: $f_l := 410 \text{ psf}$ *user input*
 Depth Neglected for Skin Friction at Top: $\text{Depthunbond} := 0.5 \text{ ft}$ *user input*
 Assumed Allowable Soil Bearing Capacity For Conc Pad: $q_u := 5 \text{ ksf}$ *user input*

Note: Above concrete pad dimensions based on foundation reinforcement design by Tectonic Engineering P.C; for AT&T Wireless, dated 04/23/02.

Loading:

$$\text{TotalDownload} := C_t + \pi \cdot \frac{d_p^2}{4} \cdot [L_{\text{pag}} \cdot \gamma_c + [\gamma_c \cdot (C_{\text{Length}} - L_{\text{pag}})]]$$

$$\text{TotalDownload} = 268.1 \text{ kips}$$

$$\text{PadWeight} := \text{Pad}_{\text{Length}} \cdot \text{Pad}_{\text{Width}} \cdot \text{Pad}_{\text{Depth}} \cdot \gamma_c \quad \text{PadWeight} = 22.5 \text{ kips}$$

$$\text{PierWeight} := \pi \cdot \frac{d_p^2}{4} \cdot [(W_d + L_{\text{pag}}) \cdot \gamma_c + (C_{\text{Length}} - W_d - L_{\text{pag}}) \cdot (\gamma_c - \gamma_w)] \quad \text{PierWeight} = 37.7 \text{ kips}$$

$$\text{SoilShear} := \pi \cdot d_p \cdot [f_l \cdot (W_d - \text{Depthunbond}) + f_l \cdot (C_{\text{Length}} - W_d - L_{\text{pag}})]$$

$$\text{SoilShear} = 115.9 \text{ kips}$$

Compression Capacity:

$$\text{TotalDownLoadCapacity} := \text{SoilShear} + q_s \cdot \left(\pi \cdot \frac{d_p^2}{4} \right) + q_u \cdot (\text{PadLength} \cdot \text{PadWidth})$$

$$\text{TotalDownLoadCapacity} = 425.0 \cdot \text{kips}$$

$$\text{CheckDownLoadCapacity} := \text{if}(\text{TotalDownLoad} < \text{TotalDownLoadCapacity}, \text{"Okay"}, \text{"No Good"})$$

$$\text{CheckDownLoadCapacity} = \text{"Okay"}$$

Tension Capacity:

$$\text{TotalUpLiftCapacity} := \text{SoilShear} + \text{PierWeight} + \text{PadWeight}$$

$$\text{TotalUpLiftCapacity} = 176.1 \cdot \text{kips}$$

$$\text{Required Safety Factor: } F_{s\text{reqd}} := 2.0$$

$$\text{CheckUpLiftCapacity} := \text{if} \left[\left(\frac{\text{TotalUpLiftCapacity}}{U_t} \right) \geq 2.0, \text{"Okay"}, \text{"No Good"} \right] \quad \text{CheckUpLiftCapacity} = \text{"No Good"}$$

$$\text{SafetyFactor}_{\text{provided}} := \frac{\text{TotalUpLiftCapacity}}{U_t} \quad \text{SafetyFactor}_{\text{provided}} = 0.94$$

$$\text{AdditionalUplift} := 2 \cdot U_t - \text{TotalUpLiftCapacity}$$

$$\text{AdditionalUplift} = 197.9 \cdot \text{kip}$$

Include the use of (1) Rock Anchor (Williams Form Engineering Corp.) with 150ksi All-Threaded Anchor Bar (2 1/4" diameter) and Concrete Grouting at each caisson anchor. (See following support calculations)

Check Cone Failure:

$$\text{ConeFailureCapacity} := \frac{[(C_{\text{Length}} - L_{\text{pag}}) \cdot \tan(30\text{deg}) \cdot 2 + d_p]^2 \cdot \pi \cdot C_{\text{Length}} - L_{\text{pag}}}{4} \cdot \gamma_s$$

$$\text{ConeFailureCapacity} = 511.12 \cdot \text{kips}$$

$$\text{CheckConeFailureCapacity} := \text{if}(U_t < \text{ConeFailureCapacity}, \text{"Okay"}, \text{"No Good"})$$

$$\text{CheckConeFailureCapacity} = \text{"Okay"}$$

$$\text{ConeSafetyFactor}_{\text{provided}} := \frac{\text{ConeFailureCapacity}}{U_t}$$

$$\text{ConeSafetyFactor}_{\text{provided}} = 2.73$$

Job Stanford, Ct

Description MOD Foundation Design

Project No. _____

Computed by MCD

Checked by _____

Page _____ of _____

Sheet _____ of _____

Date 7/20/14

Date _____

Reference

- Consider factored uplift for applications not involving allowable stress design;

$$202 \text{ k} \cdot \text{p} \times 1.4 = 283 \text{ k} \cdot \text{p}$$

- Determine Anchor rod:
- Page 18 (Williams Form Engineering Corp.)

Use $\geq 1/4"$

$$(\text{Yield}) P_n = F_y A_g = 128 \text{ ksi} \times 4.08 \text{ in}^2 \times 0.9 = 470 \text{ k} \cdot \text{p} \text{ (OK)}$$

$$(\text{Rupture}) P_n = F_u A_e = 150 \text{ ksi} \times (4.08 \text{ in}^2 - (0.2 \times 4.08 \text{ in}^2)) \times 0.75 = 367.2 \text{ k} \cdot \text{p} \text{ (OK)}$$

Check $1/4"$

$$(\text{Yield}) P_n = F_y A_g = 128 \times 2.60 \text{ in}^2 \times 0.9 = 299.52 \text{ k} \cdot \text{p} \text{ (OK)}$$

$$(\text{Rupture}) P_n = F_u A_e = 150 \text{ ksi} \times (2.60 \text{ in}^2 - (0.2 \times 2.60 \text{ in}^2)) \times 0.75 = 234 \text{ k} \cdot \text{p} \text{ (NG)}$$

- Determine Anchor Length:
- Page 10 & 11 (Williams Form Engineering Corp.) "Free Stress Length"

$$U = 613 \text{ k} \cdot \text{p} \rightarrow 613 \text{ k} \cdot \text{p} \times 0.5 = 306.5 \text{ k} \cdot \text{p} > 283 \text{ k} \cdot \text{p} \text{ (OK)}$$

$$F.S. = 0.5$$

$V \times 4$ (See attached spread sheet)

Note: "5" will be ignored for conservative design

$$297 \text{ k} \cdot \text{p} > 283 \text{ k} \cdot \text{p} \text{ (OK)} \therefore \text{"Free-Stress Length"} = 39 \text{ ft below grade}$$

"Rock Anchor Length"

$$L_b = \frac{P}{\pi (D) (T_w)}$$

$T_w = 300 \text{ PSI}$ (assumed soil/rock conditions of Shi Sh 3601 SS are similar to Dolomite Limestone (PS 11 - Williams))

$$L_b = \frac{283 \text{ k} \cdot \text{p} \times 1000 \text{ lb/k} \cdot \text{p}}{\pi (8 \text{ in}) (75 \text{ PSI})} = 12.5 \text{ ft}$$

(min) bond Length

$$39 \text{ ft} + 12.5 \text{ ft} = 51.5 \text{ ft below grade (Min.)}$$

1/3 Pi	Area	Ht	U. WT	H2O Wt.	lb/kip	Kips
0.333333	3.141593	161.6581	8	120	0	1000 162.5164
0.333333	3.141593	89.7054	5.5	120	62.4	1000 29.7601
0.333333	3.141593	94.1863	7.5	130	62.4	1000 50.00307
0.333333	3.141593	28.5788	3	140	62.4	1000 6.967157
0.333333	3.141593	36.0844	5	160	62.4	1000 18.4403
0.333333	3.141593	28.8675	10	160	62.4	1000 29.50446 (rock embedment)
			39			288.26 CAPACITY NEEDED
						297.1915


- consider Anchor bolts attached to caisson:
See Attached calculations Spreadsheet using Hilti 1 1/4" Diameter
HAS-E Super Rod (Reference Pages 154-162 ; Section 4.2.1)

* Use 12 bolts spaced 12" apart

Design capacity $\approx 77\%$


- consider Anchor Plate thickness:
Steel = 50 ksi

$$f = \frac{M}{S} \rightarrow S = \frac{M}{f} = \frac{b \cdot d^2}{3} \Rightarrow d_{min} = \sqrt{\frac{3 \times \frac{M}{f}}{b}}$$




$$= \sqrt{\frac{3 \times \frac{(283 \text{ kIP}) (9 \frac{7}{16})}{4}}{50 \text{ ksi} \times 9 \frac{7}{16}}} = 2.06 \text{ in} \approx \underline{2 \frac{1}{16} \text{ (t)}}$$

- consider min material for gusset Plate supports:



$$d_{min} = \sqrt{\frac{3 \times F \times d}{f \cdot b}} = \sqrt{\frac{3 \times (283 \text{ kIP}) (9 \frac{7}{16}) / 2}{50 \text{ ksi} \times 5/8}}$$

$$= 8.006 \text{ in} \therefore$$



- consider connection plate thickness

$$F = 283 \text{ kIP}$$

$$e = 10 \text{ in}$$

$$M = 2830 \text{ kip.in}$$

$$f_{steel} = \frac{M}{S}$$

$$f_{steel} = \frac{M}{\frac{b d^2}{3}} \rightarrow b = \frac{3 \times M}{d^2 \times f_{steel}} = \frac{(3) (2830 \text{ kip.in})}{(10 \text{ in})^2 \times 50 \text{ ksi}}$$

$$b = \frac{0.139 \text{ in}}{0.75} = 0.185 \text{ in} < 5/8 \text{ (ok)}$$

Vert Force 202 kip
 Eccentricity 10 in
 Moment 2020 in*kip

Number of Rows 6
 Number of Columns 2
 Number of Bolts 12
 Bolt Spacing 12 in

Row Number	1	2	3	4	5	6
Number of Bolts	2	2	2	2	2	2
Dist from Center	30	18	6	-6	-18	-30
A * d^2	1800	648	72	72	648	1800

I 5040 in^2
 S 168 in

Shear per Bolt	16.83333	kip
Tension per Bolt	12.0	kip

Use Hilti HVA Capsule Achesive Anchoring System
Hilti HAS Rod

Diameter 1.25 in
Embedment 18 in
Spacing 12 in

For 3000 ksi concrete (4.2.1, p. 154)

Allow Tension 33728 lb
Allow Shear 85627.5 lb

Reduction Factors (4.2.1, p. 162)

Spacing for Tension 0.75
Spacing for Shear 0.75
Edge Distance Shear 1

Concrete Capacity

Tension 25.3 kip
Shear 64.2 kip

For 1.25" Diameter HAS-E Super Rod

Allow Tension 50.62 kip
Allow Shear 26.08 kip

Governing Capacities

Tension 25.3 kip
Shear 26.1 kip

Applied Forces

Tension 12.0 kip
Shear 16.8 kip

Percent Capacity

Tension 48%
Shear 65%

Interaction

per Hilti 4.1.8.3 77.2%

ATTACHMENT 4

HMB Acoustics LLC

3 Cherry Tree Lane, Avon, CT 06001

HMB

860-677-5955

Noise Evaluation Report

Verizon Wireless
Wireless Communications Facility
Stamford NW
366 Old Long Ridge Road
Stamford, CT

January 8, 2015

Prepared For:
Doug Drost
Project Engineer Wireless
Centek Engineering, Inc.
63-2 North Branford Road
Branford, CT 06405

Prepared By:
Allan Smardin
HMB Acoustics LLC
3 Cherry Tree Lane
Avon, CT 06001

Introduction

Cellco Partnership (d/b/a Verizon Wireless) has proposed a wireless communications facility utilizing 2 condensing units at grade. These units will be located at 366 Old Long Ridge Road, Stamford, CT. The noise evaluation report and the City of Stamford Noise Control Ordinance use a dBA scale. This scale is used because it closely approximates the response characteristic of the human ear to loudness, and is the scale most commonly used in the measurement of community noise.

Noise Regulations

The City of Stamford has enacted regulations which limit the amount of noise which may be transferred from one property to another. In pertinent part, the Regulations provide as follows:

Daytime hours are between 8a.m. and 8 p.m., Monday through Saturday, and the hours of 10 a.m. through 8 p.m. Sundays and federal and state holidays.

Nighttime hours are between 8 p.m. and 8 a.m., Sunday evening through Saturday morning except Saturday night shall mean the hours between 8 p.m. Saturday and 10 a.m. and federal and state holidays.

(Sec. 164-3 Definitions).

Noise Level Standards

The noise Emitters and the noise Receptors are in a residential noise zone. It shall be unlawful for any person to emit or cause to be emitted any noise beyond the property lines of his / her premises in excess of the following noise levels.

Zone in Which Noise Emitter is located	Allowable Levels Daytime Hours (dBA)	Allowable Levels Nighttime Hours (dBA)
Residential (Sec. 164-5 Noise Levels).	55	45

Noise Evaluation Results

Projected Noise Levels (dBA)	
Property Line	2 Condensing Units
North	38
South	40
East	45
West	33

The noise levels take into account the effect of acoustical shielding provided by other structures on the property.

Based on the projected noise levels from the 2 condensing units to each property line, I found that the noise levels meet the conditions for compliance as set forth in the noise regulations.

Note: With one condenser running, the condenser noise level will be reduced by 3 dBA.

ATTACHMENT 5



C Squared Systems, LLC
65 Dartmouth Drive
Auburn, NH 03032
(603) 644-2800
support@csquaredsystems.com

Calculated Radio Frequency Emissions Report



Stamford NW CT

366 Old Long Ridge Road, Stamford, CT 06903

December 17, 2014

Table of Contents

1. Introduction	1
2. FCC Guidelines for Evaluating RF Radiation Exposure Limits.....	1
3. RF Exposure Prediction Methods.....	2
4. Calculation Results	3
5. Conclusion	4
6. Statement of Certification.....	4
Attachment A: References.....	5
Attachment B: FCC Limits for Maximum Permissible Exposure (MPE)	6
Attachment C: Verizon Wireless' Antenna Model Data Sheets and Electrical Patterns.....	8

List of Tables

Table 1: Carrier Information	3
Table 2: FCC Limits for Maximum Permissible Exposure (MPE)	6

List of Figures

Figure 1: Graph of FCC Limits for Maximum Permissible Exposure (MPE).....	7
---	---

1. Introduction

The purpose of this report is to investigate compliance with applicable FCC regulations for the proposed installation of Verizon Wireless antennas on the lattice tower located at 366 Old Long Ridge Road in Stamford, CT. The coordinates of the tower are 41° 09' 11.29" N, 73° 35' 33.69" W.

Verizon Wireless is proposing the following:

- 1) Install three 751MHz LTE antennas (one per sector);
- 2) Install three 875MHz CDMA/EVDO antennas (one per sector);
- 3) Install three 1900MHz LTE antennas (one per sector);
- 4) Install three 2100MHz LTE antennas (one per sector).

2. FCC Guidelines for Evaluating RF Radiation Exposure Limits

In 1985, the FCC established rules to regulate radio frequency (RF) exposure from FCC licensed antenna facilities. In 1996, the FCC updated these rules, which were further amended in August 1997 by OET Bulletin 65 Edition 97-01. These new rules include Maximum Permissible Exposure (MPE) limits for transmitters operating between 300 kHz and 100 GHz. The FCC MPE limits are based upon those recommended by the National Council on Radiation Protection and Measurements (NCRP), developed by the Institute of Electrical and Electronics Engineers, Inc., (IEEE) and adopted by the American National Standards Institute (ANSI).

The FCC general population/uncontrolled limits set the maximum exposure to which most people may be subjected. General population/uncontrolled exposures apply in situations in which the general public may be exposed, or in which persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or cannot exercise control over their exposure.

Public exposure to radio frequencies is regulated and enforced in units of milliwatts per square centimeter (mW/cm^2). The general population exposure limits for the various frequency ranges are defined in the attached "FCC Limits for Maximum Permissible Exposure (MPE)" in Attachment B of this report.

Higher exposure limits are permitted under the occupational/controlled exposure category, but only for persons who are exposed as a consequence of their employment and who have been made fully aware of the potential for exposure, and they must be able to exercise control over their exposure. General population/uncontrolled limits are five times more stringent than the levels that are acceptable for occupational, or radio frequency trained individuals. Attachment B contains excerpts from OET Bulletin 65 and defines the Maximum Exposure Limit.

Finally, it should be noted that the MPE limits adopted by the FCC for both general population/uncontrolled exposure and for occupational/controlled exposure incorporate a substantial margin of safety and have been established to be well below levels generally accepted as having the potential to cause adverse health effects.

3. RF Exposure Prediction Methods

The emission field calculation results displayed in the following figures were generated using the following formula as outlined in FCC bulletin OET 65:

$$\text{Power Density} = \left(\frac{1.6^2 \times EIRP}{4\pi \times R^2} \right) \times \text{OffBeamLoss}$$

Where:

EIRP = Effective Isotropic Radiated Power

$$R = \text{Radial Distance} = \sqrt{H^2 + V^2}$$

H = Horizontal Distance from antenna in meters

V = Vertical Distance from radiation center of antenna in meters

Ground reflection factor of 1.6

Off Beam Loss is determined by the selected antenna patterns

These calculations assume that the antennas are operating at 100 percent capacity, that all antenna channels are transmitting simultaneously, and that the radio transmitters are operating at full power. As a result, the predicted signal levels reported below are much higher than the actual signal levels will be from the final site configuration.

4. Calculation Results

Table 1 below outlines the power density information for the site. Due to the directional nature of Verizon Wireless' proposed panel antennas, the majority of the RF power will be focused out towards the horizon. As a result, there will be less RF power directed below the antennas relative to the horizon, and consequently lower power density levels around the base of the tower. Please refer to Attachment C for the vertical patterns of Verizon Wireless' proposed panel antennas. The calculated results shown in Table 1 include a nominal 10 dB off-beam pattern loss to account for the lower relative gain below the antenna.

Carrier	Antenna Height (Feet)	Operating Frequency (MHz)	Number of Trans.	ERP Per Transmitter (Watts)	Power Density (mw/cm ²)	Limit	%MPE
Nextel	119	851	9	100	0.0229	0.5673	4.03%
AT&T GSM	143	880	1	283	0.0050	0.5867	0.85%
AT&T GSM	143	1900	4	525	0.0369	1.0000	3.69%
AT&T UMTS	143	880	2	565	0.0199	0.5867	3.39%
AT&T UMTS	143	1900	2	875	0.0308	1.0000	3.08%
AT&T LTE	143	734	1	1117	0.0191	0.4893	3.90%
T-Mobile	108	1945	8	99	0.0244	1.0000	2.44%
T-Mobile	108	2100	2	791	0.0488	1.0000	4.88%
Sprint CDMA/LTE	128	1900	4	693	0.0608	1.0000	6.08%
Sprint CDMA/LTE	128	850	1	390	0.0086	0.5667	1.51%
EMCC	104	450	12	85	0.0339	0.3000	9.55%
City of Stamford	138	860	10	479	0.0904	0.5733	
City of Stamford	130	10616	1	53	0.0011	1.0000	
City of Stamford	144	150	1	690	0.0120	0.2000	
AirTouch	144	900	5	3500	0.3035	0.6000	
SkyTel	104	900	3	1000	0.0997	0.6000	
Fire Dept.	132	150	1	1288	0.0266	0.2000	
Gardella Trans.	63	150	1	172	0.0156	0.2000	
Hoffman Fuel	115	450	2	235	0.0128	0.3000	
Pronet	133	450	1	586	0.0119	0.3000	
Verizon LTE	98	751	1	1833	0.0069	0.5007	1.37%
Verizon LTE	98	1900	1	6014	0.0225	1.0000	2.25%
Verizon LTE	98	2100	1	6154	0.0230	1.0000	2.30%
Verizon CDMA/EVDO	98	875	9	526	0.0177	0.5833	3.04%
						Total	52.36%

Table 1: Carrier Information^{1 2}

¹ Antennas heights for Verizon are based on the Verizon Wireless Antenna Recommendation, dated 12/15/2014.

² Please note that %MPE values listed are rounded to two decimal points. The total %MPE listed is a summation of each unrounded contribution. Therefore, summing each rounded value may not reflect the total value listed in the table.

5. Conclusion

The above analysis verifies that emissions from the final site configuration will be below the maximum power density levels as outlined by the FCC in the OET Bulletin 65 Ed. 97-01. The highest expected percent of Maximum Permissible Exposure at the base of the tower is **52.36% of the FCC Uncontrolled/General Population limit.**

6. Statement of Certification

I certify to the best of my knowledge that the statements in this report are true and accurate. The calculations follow guidelines set forth in ANSI/IEEE Std. C95.3, ANSI/IEE Std. C95.1 and FCC OET Bulletin 65 Edition 97-01.



Daniel L. Goulet
C Squared Systems, LLC

December 17, 2014

Date

Attachment A: References

OET Bulletin 65 - Edition 97-01 - August 1997 Federal Communications Commission Office of Engineering & Technology

ANSI C95.1-1982, American National Standard Safety Levels With Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 300 kHz to 100 GHz IEEE-SA Standards Board

IEEE Std C95.3-1991 (Reaff 1997), IEEE Recommended Practice for the Measurement of Potentially Hazardous Electromagnetic Fields - RF and Microwave IEEE-SA Standards Board

Attachment B: FCC Limits for Maximum Permissible Exposure (MPE)

(A) Limits for Occupational/Controlled Exposure³

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (E) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	(900/f ²)*	6
30-300	61.4	0.163	1.0	6
300-1500	-	-	f/300	6
1500-100,000	-	-	5	6

(B) Limits for General Population/Uncontrolled Exposure⁴

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (E) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f ²)*	30
30-300	27.5	0.073	0.2	30
300-1500	-	-	f/1500	30
1500-100,000	-	-	1.0	30

f = frequency in MHz * Plane-wave equivalent power density

Table 2: FCC Limits for Maximum Permissible Exposure (MPE)

³ Occupational/controlled limits apply in situations in which persons are exposed as a consequence of their employment provided those persons are fully aware of the potential for exposure and can exercise control over their exposure. Limits for occupational/controlled exposure also apply in situations when an individual is transient through a location where occupational/controlled limits apply provided he or she is made aware of the potential for exposure.

⁴ General population/uncontrolled exposures apply in situations in which the general public may be exposed, or in which persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or cannot exercise control over their exposure.







Figure 1: Graph of FCC Limits for Maximum Permissible Exposure (MPE)

Attachment C: Verizon Wireless' Antenna Model Data Sheets and Electrical Patterns

751 MHz Manufacturer: Commscope Model #: LNX-6514DS-A1M_2 Frequency Band: 698-806 MHz Gain: 13.6 dBd Vertical Beamwidth: 12.5° Horizontal Beamwidth: 65° Polarization: ±45° Size L x W x D: 72.7" x 11.9" x 7.1"	
875 MHz Manufacturer: Commscope Model #: LNX-6514DS-A1M_2 Frequency Band: 806-896 MHz Gain: 14.2 dBd Vertical Beamwidth: 11.2° Horizontal Beamwidth: 65° Polarization: ±45° Size L x W x D: 72.7" x 11.9" x 7.1"	
1900 MHz Manufacturer: Commscope Model #: HBXX-6517DS-A2M_2 Frequency Band: 1850-1990 MHz Gain: 17.0 dBd Vertical Beamwidth: 4.7° Horizontal Beamwidth: 66° Polarization: ±45° Size L x W x D: 74.9" x 12.0" x 6.5"	

2100 MHz

Manufacturer: Commscope
Model #: HBXX-6517DS-A2M_2
Frequency Band: 1920-2180 MHz
Gain: 17.1 dBd
Vertical Beamwidth: 4.4°
Horizontal Beamwidth: 65°
Polarization: $\pm 45^\circ$
Size L x W x D: 74.9" x 12.0" x 6.5"

