

December 21, 2023

Members of the Siting Council Connecticut Siting Council Ten Franklin Square New Britain, CT 06051

RE: Notice of Exempt Modification

7 Broadway Avenue, Mystic CT 06355

Latitude: 41.349583 N Longitude: 71.96375 W Site#: BOBOS00067A

Dear Ms. Bachman:

Dish Wireless LLC (Dish) currently maintains three (3) antennas at the 140-foot level of the existing 156-foot water tank located at 7 Broadway Avenue, Mystic CT. The water tank is managed by SBA Site Management and the property is owned by Planeta Properties. Dish now intends to install one (1) microwave dish. The new dish would be installed at the 140-foot level of the water tank.

Victoria Masse

860-306-2326

Northeast Site Solutions 5 Melrose Drive, Farmington CT 06032

victoria@northeastsitesolutions.com

Dish Planned Modifications:

Remove:

N/A

Remove and Replace:

N/A

Install New:

- (1) Commscope-VHLP2-11W/B MW Dish
- (1) Hybrid cable

Existing to Remain:

- (3) JMA-MX08FR0665-21 Antenna
- (3) Fujitsu TA08025-B605 Radios
- (3) Fujitsu-TA08025-B604 Radios

This facility was approved by Town of Stonington Zoning Department, Permit No. #9-201 on August 14, 1997, Dish was approved to install on the water tank per TS-DISH-137-230306. Please see attached.



Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies §16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to Danielle Chesebrough, First Selectman, Keith Brynes, Town Planner, as well as the property owner and water tank management company.

- 1. The proposed modifications will not result in an increase in the height of the existing structure.
- 2. The proposed modifications will not require the extension of the site boundary.
- 3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
- 4. The operation of the microwave dish will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commission safety standard.
- 5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.

6. The existing structure and its foundation can support the proposed loading.

For the foregoing reasons, Dish respectfully submits that the proposed modifications to the above referenced telecommunications facility constitute an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,

Victoria Masse

Victoria Masse

Mobile: 860-306-2326 Fax: 413-521-0558

Office: 5 Melrose Drive, Farmington CT 06032 Email: victoria@northeastsitesolutions.com



Attachments:

cc:

Danielle Chesebrough, First Selectman Town of Stonington 152 Elm Street Stonington, CT 06378

Keith Brynes, Town Planner Town of Stonington 152 Elm Street Stonington, CT 06378

Planeta Properties, Property Owner PO BOX 218 Mystic, CT 06355

SBA, Tower Owners 8051 Congress Ave Boca Raton, FL 33487

Exhibit A

Original Facility Approval

ZONING PERMIT

TOWN OF STONINGTONPLANNING & ZONING COMMISSION

Date Issued: August 14, 1997 Permit No.: #97-201 ZON

NAME OF PROPERTY OWNER: EDWARD J. PLANETA, OWNER

CFM CONSTRUCTION, APPLICANT

LOCATION OF PROPERTY: 7 BROADWAY EXTENSION, MYSTIC

MAP: 174 BLOCK: 22 LOT: 1 ZONE: M-1

PERMITTED ACTIVITY: INSTALLATION OF CELLULAR EQUIPMENT FOR SNET

STIPULATIONS OR SPECIAL CONDITIONS: As per Planning and Zoning Commission consent agenda approval.

BY: Zoring Enforcement Officer

CONSTRUCTION MAY NOT PROCEED UNTIL A BUILDING PERMIT HAS BEEN OBTAINED

THIS PERMIT MUST BE PROMINENTLY POSTED ON THE PREMISES

TOWN OF STONINGTON

BUILDING PERMIT **DATE:** August 27, 1997 **PERMIT #:** B-97-337 This permit is hereby granted to: Edward J. Planeta of: c/o CFM Construction Corp., 150 Sycamore St., Glastonbury, CT for the purpose of: constructing site improvements for cellular : radio equipment (SNET) In compliance with the provisions of the Basic Building Code of the State of Connecticut Property Location: 7 Broadway Ext., Mystic Assessor's Map: 174 Block: 22 Lot: 1 Special conditions or stipulations: NA In accordance with the application dated: August 19, 1997 BUILDING OFFICIAL **DATE:** 8/27/97 Building Fee: \$120.00 Paid:

ZONING PERMIT

TOWN OF STONINGTON PLANNING & ZONING COMMISSION

Date Issued: December 17, 2001 Permit No.: #01-319 ZON
NAME OF PROPERTY OWNER: AT&T, APPLICANT; ACME WIRE PRODUCTS, OWNER
LOCATION OF PROPERTY: 7 BROADWAY EXT., MSYTIC
MAP: 174 BLOCK: 22 LOT: 1 ZONE: M-1
PERMITTED ACTIVITY: INSTALL OUTDOOR EQUIPMENT ON RAISED PLATFORM WITH ANTENNAS INSTALLED ON THE EXISTING WATER TANK FOR TELECOMMUNICATIONS FACILITY.
STIPULATIONS OR SPECIAL CONDITIONS: DEMO BOND TO BE REVIEWED AND RENEWED IN DECEMBER 2003.
BY: Degil M. Lackin
Zoning Enforcement Officer

CONSTRUCTION MAY NOT PROCEED UNTIL A BUILDING PERMIT HAS BEEN OBTAINED

THIS PERMIT MUST BE PROMINENTLY POSTED ON THE PREMISES

This Permit Is Valid For 1 Year.



Town of Stonington Building Permit

Permit number: **B-2001-498**

Permit Date: 1/2/2002			
This permit is herby granted	to: PLANETA PROPERT	TIES DBA ACME W	IRE PRODUCTS
C	of: 345 Ardenwood Avenue	е	
	Englewood	FL	34223
	telecommuncations facility as installed on existing wa		t on a raised platform with
In compliance v	vith the provisions of the Ba	asic Building Code of	the State of Connecticut
Property Location:	7 Broadway Ext.	Mystic	
Assessor's Map: 174	Block: 22	Lot: 1	Sub Lot: 0
Special Conditions or Stipula	ntions: NA		- The second sec
In accordance with the appli	cation dated: 12/20/2001		•
		ng Official /2/02	
Building Fee: \$710.00	Paid:		

ZONING PERMIT

TOWN OF STONINGTON

PLANNING & ZONING COMMISSION

LOT:

DATE ISSUED: January 30, 2004

NO. **03-389 ZON**

NAME OF OWNER / APPLICANT: AT&T Wireless / Planeta Properties

LOCATION OF PROPERTY: 7 Broadway Ave. Ext., Mystic, CT 06355

MAP: 174

BLOCK:

22

ZONE: M-1

PERMITTED ACTIVITY:

Installation of a parabolic subscriber antenna

STIPULATIONS OR SPECIAL CONDITIONS:

1. Bond#04-001 in place & to be reviewed & renewed in January 2006.

APPROVED BY:

ONING ENFORCEMENT OFFICER

1-30-04 DATE

CONSTRUCTION MAY NOT PROCEED UNTIL A BUILDING PERMIT HAS BEEN OBTAINED

THIS PERMIT MUST BE PROMINENTLY
POSTED ON THE PREMISES

THIS PERMIT IS VALID FOR 1 YEAR

Applicant may publish Notice of this approval as per Public Act No. 03-144



Town of Stonington Building Permit

Donmit	numbaue	B-2004-039	`
I CI IIME	munnoct.	(D-2004-03)	,

Permit Date: 2/4/2004			
This permit is herby granted to:	AT&T WIRELESS, A	PPLICANT; PLANETA F	PROPERTIES - OWNER
Of:	333 Crossways Park D	rive	
	Woodbury	NY	
For the purpose of: installatio		riber antenna	
In compliance with	n the provisions of the Ba	asic Building Code of the Sta	ate of Connecticut
Property Location: 7	Broadway Ext.	Mystic	
Assessor's Map: 174	Block: 22	Lot: 1	Sub Lot: 0
Special Conditions or Stipulation	NA		
In accordance with the application	on dated: 2/4/2004		
-	Whyne fr Buildir Date: 2/	ng Official	
Building Fee: \$91.00	Paid: ☑		



STATE OF CONNECTICUT CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051 Phone: (860) 827-2935 Fax: (860) 827-2950 E-Mail: siting.council@ct.gov Web Site: portal.ct.gov/csc

VIA ELECTRONIC MAIL

March 30, 2023

Victoria Masse Northeast Site Solutions 420 Main Street, Unit 1 Box 2 Sturbridge, MA 01566 victoria@northeastsitesolutions.com

RE: TS-DISH-137-230306 - Dish Wireless, LLC request for an order to approve tower sharing at an existing telecommunications facility located at 7 Broadway Avenue Extension, Stonington, Connecticut.

Dear Victoria Masse:

At a public meeting held on March 30, 2023, the Connecticut Siting Council (Council) ruled that the shared use of this existing tower site is technically, legally, environmentally, and economically feasible and meets public safety concerns, and therefore, in compliance with General Statutes § 16-50aa, the Council has ordered the shared use of this facility to avoid the unnecessary proliferation of tower structures with the following conditions:

- 1. Approval of any changes be delegated to Council staff;
- 2. The antennas shall be painted to match the existing water tank consistent with the construction notes as shown on Sheet A-2 of the Construction Plans prepared by Tectonic Engineering, last revised February 15, 2023 and stamped and signed by Edward Iamiceli;
- 3. RF access restriction and caution signage shall be installed at the site in compliance with FCC guidance;
- 4. Any deviation from the proposed installation as specified in the original tower share request and supporting materials with the Council shall render this decision invalid;
- 5. Any material changes to the proposed installation as specified in the original tower share request and supporting materials filed with the Council shall require an explicit request for modification to the Council pursuant to Connecticut General Statutes § 16-50aa, including all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65;
- 6. The Council shall be notified in writing at least two weeks prior to the commencement of site construction activities;
- 7. Not less than 45 days after completion of the proposed installation, the Council shall be notified in writing that the installation has been completed;

- 8. Deployment of any 5G services must comply with FCC and FAA guidance relative to air navigation, as applicable;
- 9. Any nonfunctioning antenna and associated antenna mounting equipment, or other equipment at this facility owned and operated by Dish Wireless, LLC shall be removed within 60 days of the date the antenna or equipment ceased to function;
- 10. The validity of this action shall expire one year from the date of this letter; and
- 11. Dish Wireless, LLC may file a request for an extension of time beyond the one year deadline provided that such request is submitted to the Council not less than 60 days prior to the expiration.

This decision is under the exclusive jurisdiction of the Council and applies only to this request for tower sharing dated March 2, 2023. This facility has been carefully modeled to ensure that radio frequency emissions are conservatively below state and federal standards applicable to the frequencies now used on this tower. Any deviation from the approved tower sharing request is enforceable under the provisions of Connecticut General Statutes § 16-50u.

The proposed shared use is to be implemented as specified in your letter dated March 2, 2023, including the placement of all necessary equipment and shelters within the tower compound.

Please be advised that the validity of this action shall expire one year from the date of this letter.

Thank you for your attention and cooperation.

Sincerely,

Melanie Bachman Executive Director

MatrikeBul

MAB/IN/laf

c: The Honorable Danielle Chesebrough, First Selectperson, Town of Stonington (selectmen@stonington-ct.gov)

Exhibit B

Property Card

Map Block Lot

174-22-1

Building #

PID

Account

8983


00664600

Property Information

Property Location	7 BROADWAY AVE EXT			
Owner	PLANETA PROPERTIES			
Co-Owner				
Mailing Address	РО ВОХ 2	18		
Walling Address	MYSTIC	СТ	06355-0218	
Land Use	4000	INDUSTRIAL M	-96	
Land Class	ı			
Zoning Code	M-1			
Census Tract	7053			

Neighborhood	3500	
Acreage	4.3	
Utilities		
Lot Setting/Desc	Suburban	Level
Book / Page	0409/0933	
Additional Info		





Primary Construction Details

1950
INDUSTRIAL M-96
Industrial
Ave/Good
1
1
Brick/Masonry
Pre-finsh Metl
Flat
Tar & Gravel
Minim/Masonry
Drywall/Sheet
Concr Abv Grad
Carpet


am
ne

(*Industrial / Commercial Details)

,	
Building Use	Ind/Comm
Building Condition	AV
Sprinkler %	
Heat / AC	NONE
Frame Type	MASONRY
Baths / Plumbing	AVERAGE
Ceiling / Wall	CEIL & MIN WL
Rooms / Prtns	AVERAGE
Wall Height	14
First Floor Use	4000
Foundation	

Report Created On

12/21/2023



Property Listing Report

Map Block Lot

174-22-1

Building #

PID

8983

Account

00664600

Valuation Sum	mary (As	ssessed value = 70%	of Appraised Value)	Sub Areas			
Item	Appr	raised	Assessed	Subarea Type	Gross Area (sq	ft) Living Area (sq ft	
Buildings	2692000		1884400	Office, (Average)	3700	3700	
Extras	51600		36200	First Floor	62973	62973	
Improvements				Loading Platform, Finishe	ed 240	0	
Outbuildings	1472600		1030800	Porch, Open	80	0	
Land	842500		589800	Warehouse	5000	5000	
Total	5058700	700 3541200					
Outbuilding a	nd Extra F	eatures					
Type		Description					
PAVING-ASPHALT	Г	28000.00 S.F.					
ELEVATED TANK		75000.00 GALS					
FENCE-8' CHAIN		218.00 L.F.					
FENCE-6' CHAIN		288.00 L.F.					
SPRINKLERS-WE	г	64683.00 S.F.					
WET/CONCEALED)	6786.00 S.F.					
DRY		777.00 S.F.					
LOAD LEVELERS		2.00 UNITS					
CELL TOWER		1.00 UNIT					
CELL EQ SHELTER GD 360.00 S.F.			Total Area	71993	71673		
Sales History							
Owner of Record		Book/ Page Sa	le Date Sa	le Price			
PLANETA PROPER	RTIES			0409/0933 10	/20/1997 0		
PLANETA EDWARI	o J			0221/0680 12	/29/1978 0		




Exhibit C

Construction Drawings

wireless

DISH Wireless L.L.C. SITE ID:

BOBOS00067A

DISH Wireless L.L.C. SITE ADDRESS:

7 BROADWAY AVENUE EXTENSION MYSTIC, CT 06355

CONNECTICUT CODE OF COMPLIANCE

ALL WORK SHALL BE PERFORMED AND MATERIALS INSTALLED IN ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THESE CODES

2022 CT STATE BUILDING CODE/2021 IBC W/ CT AMENDMENTS 2022 CT STATE BUILDING CODE/2021 IMC W/ CT AMENDMENTS 2022 CT STATE BUILDING CODE/2020 NEC W/ CT AMENDMENTS

	SHEET INDEX				
SHEET NO.	SHEET TITLE				
T-1	TITLE SHEET				
LS1	SITE SURVEY				
A-1	OVERALL AND ENLARGED SITE PLAN				
A-2	ELEVATION, ANTENNA LAYOUT AND SCHEDULE				
A-3	EQUIPMENT PLATFORM AND H-FRAME DETAILS				
A-4	EQUIPMENT DETAILS				
A-5	EQUIPMENT DETAILS				
S-1	STRUCTURAL DETAILS				
E-1	ELECTRICAL/FIBER ROUTE PLAN AND NOTES				
E-2	ELECTRICAL DETAILS				
E-3	ELECTRICAL ONE-LINE, FAULT CALCS & PANEL SCHEDULE				
E-4	PPC NEUTRAL-TO-GROUND SCHEMATIC				
G-1	GROUNDING PLANS AND NOTES				
G-2	GROUNDING DETAILS				
G-3	GROUNDING DETAILS				
RF-1	RF CABLE COLOR CODE				
GN-1	LEGEND AND ABBREVIATIONS				
GN-2	RF SIGNAGE				
GN-3	GENERAL NOTES				
GN-4	GENERAL NOTES				
GN-5	GENERAL NOTES				
GN-6	GENERAL NOTES				
GN-7	GENERAL NOTES				

SCOPE OF WORK

THIS IS NOT AN ALL INCLUSIVE LIST. CONTRACTOR SHALL UTILIZE SPECIFIED EQUIPMENT PART OR ENGINEER APPROVED EQUIVALENT. CONTRACTOR SHALL VERIFY ALL NEEDED EQUIPMENT TO PROVIDE A FUNCTIONAL SITE. THE PROJECT GENERALLY CONSISTS OF THE FOLLOWING:


TOWER SCOPE OF WORK:

- INSTALL (3) PROPOSED PANEL ANTENNAS (1 PER SECTOR)
 INSTALL (3) PROPOSED ANTENNA MOUNTS (1 PER SECTOR)
 INSTALL (1) PROPOSED DISH ANTENNA (1 TOTAL)
 INSTALL (1) PROPOSED DISH MOUNT (1 TOTAL)
- INSTALL PROPOSED JUMPERS
- INSTALL (6) PROPOSED RRUs (2 PER SECTOR)
- INSTALL (3) PROPOSED OVER VOLTAGE PROTECTION DEVICE (OVP) (1 PER SECTOR)
- INSTALL (3) PROPOSED HYBRID CABLES
- INSTALL (1) PROPOSED WAVEGUIDE

GROUND SCOPE OF WORK:

- RE-USE EXISTING STEEL PLATFORM
- INSTALL (1) PROPOSED BBU IN CABINET INSTALL (1) PROPOSED EQUIPMENT CABINET
- INSTALL (1) PROPOSED POWER CONDUIT
- INSTALL (1) PROPOSED TELCO CONDUIT
- INSTALL (1) PROPOSED NEMA 3 TELCO-FIBER BOX
- INSTALL (1) PROPOSED GPS UNIT
- INSTALL (1) PROPOSED SAFETY SWITCH (IF REQUIRED)
- INSTALL (1) PROPOSED FIBER NID (IF REQUIRED)
- INSTALL (1) PROPOSED METER SOCKET
- INSTALL (3) PROPOSED POWER BOOSTERS

SITE PHOTO





UNDERGROUND SERVICE ALERT CBYD 811 UTILITY NOTIFICATION CENTER OF CONNECTICUT (800) 922-4455 WWW.CBYD.COM

CALL 2 WORKING DAYS UTILITY NOTIFICATION PRIOR TO CONSTRUCTION



GENERAL NOTES

THE FACILITY IS UNMANNED AND NOT FOR HUMAN HABITATION. A TECHNICIAN WILL VISIT THE SITE AS REQUIRED FOR ROUTINE MAINTENANCE. THE PROJECT WILL NOT RESULT IN ANY SIGNIFICANT DISTURBANCE OR EFFECT ON DRAINAGE. NO SANITARY SEWER SERVICE, POTABLE WATER, OR TRASH DISPOSAL IS REQUIRED AND NO COMMERCIAL SIGNAGE IS PROPOSED.

11"x17" PLOT WILL BE HALF SCALE UNLESS OTHERWISE NOTED


CONTRACTOR SHALL VERIFY ALL PLANS, EXISTING DIMENSIONS, AND CONDITIONS ON THE JOB SITE, AND SHALL IMMEDIATELY NOTIFY THE ENGINEER IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK.

SITE INFO	PROJECT DIRECTORY			
PROPERTY MANAGER: ADDRESS:	SBA 8051 CONGRESS AVE BOCA RATON, FL 33487	APPLICANT:	5701	Vireless L.L.C. SOUTH SANTA FE DRIVE SON, CO 80120
S.B.A. SITE ID:	CT-95630-L			
		PROPERTY OWNER: PLANETA PROPERTIES		A PROPERTIES
STRUCTURE TYPE:	WATER TANK		PO BO	X 218
			MYSTIC	, CT 06355
COUNTY:	NEW LONDON			
LATITUDE (NAD 83):	41° 20° 58.5″ N 41.349583	SITE DESIGNER:	GEOLOGISTS & LAND SURVEYOR	
LONGITUDE (NAD 83):		D.P.C. INC.		
, ,	71.96375	NEWBURGH, NY 12550		RGH, NY 12550
ZONING JURISDICTION:	TOWN OF STONINGTON/ CT SITING COUNCIL	(845) 567–6656		567-6656
ZONING DISTRICT:	M1	SITE ACQUISITION:		DAVID GOODFELLOW DAVID.GOODFELLOW@DISH.COM
PARCEL NUMBER:	137-174-22-1			D. W.D. 300D. ELECTION
· · · · · · · · · · · · · · · · · · ·		CONSTRUCTION MANAGER: CHAD WILCOX		CHAD WILCOX
OCCUPANCY GROUP:	U		/ /	CHAD.WILCOX@DISH.COM
CONSTRUCTION TYPE:	II-B	RF ENGINEER:		DIPESH PARIKH
POWER COMPANY:	EVERSOURCE			DIPESH.PARIKH@DISH.COM
FIBER COMPANY:	CROWN CASTLE			

DIRECTIONS

DIRECTIONS FROM BRADLEY INTERNATIONAL AIRPORT (BDL):


- HEAD NORTHWEST ON BRADLEY INTERNATIONAL AIRPORT FROM TERMINAL A
- BEAR RIGHT ONTO CONNECTOR & TAKE RAMP LEFT.
- KEEP STRAIGHT TO GET ONTO I-91/CT-20E.
- 4. TAKE RAMP RIGHT FOR I-91S TOWARDS HARTFORD.
- TAKE RAMP RIGHT AT EXIT 34 FOR I-91S TOWARDS NORTH MAIN STREET 6. TAKE RAMP RIGHT AT EXIT 33 FOR JENNINGS ROAD. STAY ON I-91S
- 7. TAKE RAMP LEFT FOR I-84E/US-6E/US-44E
- 8. TAKE RAMP RIGHT AT EXIT 55 FOR CT-2E TOWARDS NEW LONDON/NORWITCH
- 9. TAKE RAMP RIGHT AT EXIT 28S FOR CT-2AS/I-395S TOWARDS NEW HAVEN
- 10. TAKE RAMP LEFT AT EXIT 5 FOR CT-32 TOWARDS NEW LONDON
- 11. TAKE RAMP RIGHT FOR I-95N/US-1N & TAKE RIGHT EXIT 90 FOR CT-27
- 12. TURN RIGHT ONTO CT-27/GREENMANVILLE AVE
 13. TURN RIGHT ONTO E MAIN ST & TAKE 3RD EXIT AT ROUNDABOUT FOR BROADWAY AVE
- 14. TURN RIGHT ONTO BROADWAY AVENUE EXTENSION. SITE IS ON THE LEFT.



5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120







UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY: CHECKED BY: APPROVED BY JQ/EI RFDS REV #:

PRELIMINARY DOCUMENTS

SUBMITTALS DATE DESCRIPTION 0 01/18/2023 ISSUED FOR CONSTRUCTION 02/15/2023 REVISED PER COMMENTS 12/04/2023 ADDED DISH ANTENNA A&E PROJECT NUMBER BOBOSO0067A


> DISH Wireless L.L.C. PROJECT INFORMATION


BOBOSO0067A 7 BROADWAY AVENUE MYSTIC, CT 06355


> SHEET TITLE TITLE SHEET

SHEET NUMBER

T-1







SECTOR		ANTENNA				TRANSMISSION CABLE	RRH			OVP	
POS.	EXISTING OR PROPOSED			AZIMUTH	RAD CENTER	FEED LINE TYPE AND LENGTH	MANUFACTURER — MODEL NUMBER			MANUFACTURER MODEL	
A1						HYBRID CABLE	FUJITSU-TA08025-B605	N71	A2		
A2	EXISTING	JMA-MX08FR0665-21	N66,N70, N71	0°	140'-0"	(250' LONG) WITH POWER BOOSTER	FUJITSU-TA08025-B604	N70,N66	A2	RAYCAP- RDIC-9181-PF-4	
А3						(RDIC-100-3R-1U)					
B1						HYBRID CABLE	FUJITSU-TA08025-B605	N71	B2		
B2	EXISTING	JMA-MX08FR0665-21	N66,N70, N71	120°	140'-0"	(270' LONG) WITH POWER BOOSTER	FUJITSU-TA08025-B604	N70,N66	B2	RAYCAP- RDIC-9181-PF-4	
В3						(RDIC-100-3R-1U)					
C1						HYBRID CABLE	FUJITSU-TA08025-B605	N71	C2		
C2	EXISTING	JMA-MX08FR0665-21	N66,N70, N71	240°	140'-0"	(250' LONG) WITH POWER BOOSTER	FUJITSU-TA08025-B604	N70,N66	C2	RAYCAP- RDIC-9181-PF-4	
С3						(RDIC-100-3R-1U)					
	PROPOSED	COMMSCOPE-VHLP2-18D	TX/RX	260.135°	140'-0"	WAVEGUIDE* (250' LONG)					

ANTENNA LAYOUT

<u>NOTES</u>

3/32"=1'-0"


- CONTRACTOR TO REFER TO FINAL CONSTRUCTION RFDS FOR ALL RF DETAILS. ANTENNA AND RRH MODELS MAY CHANGE DUE TO EQUIPMENT AVAILABILITY. ALL EQUIPMENT CHANGES MUST BE APPROVED AND REMAIN IN COMPLIANCE WITH THE PROPOSED DESIGN AND STRUCTURAL ANALYSES.
- ANTENNAS SHALL BE PAINTED TO MATCH EXISTING WATER TANK. CONTRACTOR SHALL DETERMINE CORRECT CABLE SIZE FOR DISH ANTENNA.

5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120



Project Contact Info 1279 Route 300 Phone: (845) 567-6656 (800) 829-6531 Newburgh, NY 12550 www.tectonicengineering.com





IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

	DRAWN	BY:	CHECKED	BY:	APPROVED	BY
	BWY	,	JQ/EI		El	

RFDS REV #:

PRELIMINARY DOCUMENTS

	SUBMITTALS							
REV	DATE	DESCRIPTION						
0	01/18/2023	ISSUED FOR CONSTRUCTION						
1	02/15/2023	REVISED PER COMMENTS						
2	12/04/2023	ADDED DISH ANTENNA						
	A&E PROJECT NUMBER							
	BOBOSO0067A							

DISH Wireless L.L.C. PROJECT INFORMATION

BOBOSO0067A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE ELEVATION, ANTENNA LAYOUT AND SCHEDULE

SHEET NUMBER


A-2


ANTENNA SCHEDULE

NO SCALE

6' 4' 2' 0

3/16"=1'-0"








5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120

Project Contact Info 1279 Route 300 Newburgh, NY 12550 Phone: (845) 567-6656 (800) 829-6531

www.tectonicengineering.com

NSS NORTHEAST SITE SOLUTIONS Turnkey Wireless Development



IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN BY: CHECKED BY: APPROVED BY JQ/EI BWY

RFDS REV #:

PRELIMINARY **DOCUMENTS**

SUBMITTALS DATE DESCRIPTION 0 01/18/2023 ISSUED FOR CONSTRUCTION 1 02/15/2023 REVISED PER COMMENTS 2 | 12/04/2023 | ADDED DISH ANTENNA A&E PROJECT NUMBER

BOBOSO0067A

DISH Wireless L.L.C. PROJECT INFORMATION

BOBOSO0067A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE

EQUIPMENT PLATFORM AND H-FRAME DETAILS

SHEET NUMBER

A-3


GPS MAY BE MOVED TO ICE BRIDGE OR H-FRAME.


2. ALL CONDUIT TO BE ROUTED THROUGH PLATFORM GRATING USING LIQUIDTIGHT, EMT, RIGID OR PVC COUPLERS. CONDUIT QUANTITY AND SIZES ARE PER ONE-LINE DIAGRAM ON E-3 SHEET OF CDS. (DC PLANT DEPENDENT.)


3. CONTRACTOR MAY FIELD INSTALL CONDUIT HOLES IN BOTTOM OF PPC CABINET TO MATCH CONDUIT SIZES. (SEAL TO PPC MANUFACTURER SPECIFICATIONS).

H-FRAME POSTS ARE STAGGERED TO ALLOW FIBER NID BOXES TO BE INSTALLED CLOSE TO PERIMETER FRAME OF PLATFORM.

5. CONDUITS FROM PPC/FIBER DEMARK CABINETS TO EQUIPMENT CABINET (BBU) SHALL BE INSTALLED INSIDE PERIMETER OF PLATFORM AND UNDER GRATING.







NOTES

- 1. CONTRACTOR SHALL FIELD VERIFY ALL PROPOSED UNDERGROUND UTILITY CONDUIT ROUTE.
- 2. ANTENNAS AND MOUNTS OMITTED FOR CLARITY.

DISH Wireless L.L.C. TO RE-UTILIZE

EXISTING H-FRAME IF FEASABLE -

EXISTING TELCO DEMARC ON

3. THE GROUND LEASE PROVIDES BROAD/BLANKET UTILITY RIGHTS. "PWR" AND "FBR" PATH DEPICTED ON A-1 AND E-1 ARE BASED ON BEST AVAILABLE INFORMATION INCLUDING BUT NOT LIMITED TO FIELD VERIFICATION, PRIOR PROJECT DOCUMENTATION AND OTHER REAL PROPERTY RIGHTS DOCUMENTS. WHEN INSTALLING THE UTILITIES PLEASE LOCATE AND FOLLOW EXISTING PATH. IF EXISTING PATH IS NOT AN OPTION, PLEASE NOTIFY TOWER OWNER AS FURTHER COORDINATION MAY BE NEEDED.

FIBER CARRIER FIBER NID, IF REQUIRED ----- ABOVE GROUND FIBER CONDUIT (LENGTH: $5'-0"\pm$) DISH Wireless L.L.C. TELCO FIBER ENCLOSURE — — DISH Wireless L.L.C. TO RE-UTILIZE EXISTING 200A DISH Wireless L.L.C. TO DISCONNECT ON EXISTING H-FRAME RE-UTILIZE EXISTING TELCO CONDUIT IF FEASABLE — – ABOVE GROUND POWER CONDUIT (LENGTH: $15'-0"\pm$) DISH Wireless L.L.C. POWER PROTECTIVE CABINET — - UNDERGROUND POWER CONDUIT (LENGTH: 20'-0"±) - PWR - PWR - PWR - PWR - PWR -— DISH Wireless L.L.C. 200AMP METER IN SPARE METER SOCKET

DC POWER WIRING SHALL BE COLOR CODED AT EACH END FOR IDENTIFYING +24V AND -48V CONDUCTORS. RED MARKINGS SHALL IDENTIFY +24V AND BLUE MARKINGS SHALL IDENTIFY -48V.

- 1. CONTRACTOR SHALL INSPECT THE EXISTING CONDITIONS PRIOR TO SUBMITTING A BID. ANY QUESTIONS ARISING DURING THE BID PERIOD IN REGARDS TO THE CONTRACTOR'S FUNCTIONS, THE SCOPE OF WORK, OR ANY OTHER ISSUE RELATED TO THIS PROJECT SHALL BE BROUGHT UP DURING THE BID PERIOD WITH THE PROJECT MANAGER FOR CLARIFICATION, NOT AFTER THE CONTRACT HAS BEEN AWARDED.
- 2. ALL ELECTRICAL WORK SHALL BE DONE IN ACCORDANCE WITH CURRENT NATIONAL ELECTRICAL CODES AND ALL STATE AND LOCAL CODES, LAWS, AND ORDINANCES. PROVIDE ALL COMPONENTS AND WIRING SIZES AS REQUIRED TO MEET NEC STANDARDS.
- 3. LOCATION OF EQUIPMENT, CONDUIT AND DEVICES SHOWN ON THE DRAWINGS ARE APPROXIMATE AND SHALL BE COORDINATED WITH FIELD CONDITIONS PRIOR TO CONSTRUCTION.
- 4. CONDUIT ROUGH—IN SHALL BE COORDINATED WITH THE MECHANICAL EQUIPMENT TO AVOID LOCATION CONFLICTS. VERIFY WITH THE MECHANICAL EQUIPMENT CONTRACTOR AND COMPLY AS REQUIRED.
- 5. CONTRACTOR SHALL PROVIDE ALL BREAKERS, CONDUITS AND CIRCUITS AS REQUIRED FOR A COMPLETE SYSTEM.
- 6. CONTRACTOR SHALL PROVIDE PULL BOXES AND JUNCTION BOXES AS REQUIRED BY THE NEC ARTICLE 314.
- 7. CONTRACTOR SHALL PROVIDE ALL STRAIN RELIEF AND CABLE SUPPORTS FOR ALL CABLE ASSEMBLIES. INSTALLATION SHALL BE IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS AND RECOMMENDATIONS.
- 8. ALL DISCONNECTS AND CONTROLLING DEVICES SHALL BE PROVIDED WITH ENGRAVED PHENOLIC NAMEPLATES INDICATING EQUIPMENT CONTROLLED, BRANCH CIRCUITS INSTALLED ON, AND PANEL FIELD LOCATIONS FED FROM.
- 9. INSTALL AN EQUIPMENT GROUNDING CONDUCTOR IN ALL CONDUITS PER THE SPECIFICATIONS AND NEC 250. THE EQUIPMENT GROUNDING CONDUCTORS SHALL BE BONDED AT ALL JUNCTION BOXES, PULL BOXES, AND ALL DISCONNECT SWITCHES, AND EQUIPMENT CABINETS.
- 10. ALL NEW MATERIAL SHALL HAVE A U.L. LABEL.
- 11. PANEL SCHEDULE LOADING AND CIRCUIT ARRANGEMENTS REFLECT POST-CONSTRUCTION EQUIPMENT.
- 12. CONTRACTOR SHALL BE RESPONSIBLE FOR AS-BUILT PANEL SCHEDULE AND SITE DRAWINGS.
- 13. ALL TRENCHES IN COMPOUND TO BE HAND DUG



5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120



 Project Contact Info
 1279 Route 300
 Phone: (845) 567-6656

 Newburgh, NY 12550
 (800) 829-6531

 www.tectonicengineering.com





IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN	BY:	CHECKED	BY:	APPROVED	BY:
BWY	1	JQ/EI		EI	

RFDS REV #:

PRELIMINARY DOCUMENTS

		SUBMITTALS
REV	DATE	DESCRIPTION
0	01/18/2023	ISSUED FOR CONSTRUCTION
1	02/15/2023	REVISED PER COMMENTS
2	12/04/2023	ADDED DISH ANTENNA
	A&E F	PROJECT NUMBER

BOBOSO0067A

DISH Wireless L.L.C. PROJECT INFORMATION

BOBOSOOO67A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE
ELECTRICAL/FIBER ROUTE
PLAN AND NOTES

SHEET NUMBER

E-1


UTILITY ROUTE PLAN


| 12"6"0 1' 2' 3' 4' 5' 6' 7' | | 3/8"=1'-0"

ELECTRICAL NOTES

NO SCALE

E





250 kcmil AL 300 kcmil AL 3/0 CU 4/0 CU 250 kcmil CU 300 kcmil CU DESIGN LOADS DISH Wireless L.L.C. MAXIMUM CONTINUOUS LOAD (160A) 180' 145' (NEC ARTICLE 220 & 230 3% VOLTAGE DROP) DISH Wireless L.L.C. MAXIMUM CONTINUOUS LOAD (160A) 300' (NEC ARTICLE 220 & 230 5% VOLTAGE DROP)

250 MCM/KCMIL AL + #2 AL GRD MAY BE USED AS A REPLACEMENT FOR 3/0 CU + #6 CU GRD SERVICE CONDUCTOR FROM THE DISH Wireless L.L.C. FIRST MEANS OF DISCONNECT/UTILITY COMPANY MEET-ME POINT. REFER TO VALUES ABOVE TO LIMIT VOLTAGE DROP TO 3%.

ALUMINUM/COPPER CONDUCTORS MUST BE RATED 75°C.

ALUMINUM TO COPPER BUSS CONNECTIONS MUST MEET AND CONFORM TO ANSI AND BE UL LISTED. USE ANTI CORROSION CONDUCTIVE LUBRICANT ON CONNECTIONS PPC MAIN DISCONNECT CIRCUIT BREAKERS ACCEPT #4 - 300KCMIL AL OR CU CONDUCTORS.

VOLTAGE DROP FOR SINGLE METER ENCLOSURE FED FROM TRANSFORMER WITH MULTIPLE CUSTOMERS IS CALCULATED FROM THE TRANSFORMER TO PPC. (SERVICE AND FEEDER CONDUCTOR LENGTH) VOLTAGE DROP FOR MULTI-METER ENCLOSURE IS CALCULATED FROM THE METER TO PPC. (FEEDER CONDUCTOR LENGTH)

VOLTAGE DROP CALCULATIONS ARE BASED ON A POWER FACTOR OF 1, A LINE TO GROUND VOLTAGE PER CONDUCTOR OF 120V, NO CORRECTION FACTOR FOR AMBIENT TEMPERATURE OR ADJUSTMENT FACTOR FOR MORE THAN THREE CURRENT-CARRYING CONDUCTORS IN A SINGLE CONDUCT OR RACEWAY. A POWER FACTOR LESS THAN 1 OR VOLTAGE LESS THAN 120 WILL RESULT IN SHORTER DISTANCES THAN SHOWN IN TABLE.

NOTES

THE (2) CONDUITS WITH (4) CURRENT CARRYING CONDUCTORS EACH, SHALL APPLY THE ADJUSTMENT FACTOR OF 80% PER 2014/17 NEC TABLE 310.15(B)(3)(a) OR 2020 NEC TABLE 310.15(C)(1) FOR UL1015 WIRE.

> #12 FOR 15A-20A/1P BREAKER: $0.8 \times 30A = 24.0A$ #10 FOR 25A-30A/2P BREAKER: $0.8 \times 40A = 32.0A$ #8 FOR 35A-40A/2P BREAKER: 0.8 x 55A = 44.0A #6 FOR 45A-60A/2P BREAKER: $0.8 \times 75A = 60.0A$

CONDUIT SIZING: AT 40% FILL PER NEC CHAPTER 9, TABLE 4, ARTICLE 358. 0.5" CONDUIT - 0.122 SQ. IN AREA

0.75" CONDUIT - 0.213 SQ. IN AREA 2.0" CONDUIT - 1.316 SQ. IN AREA 3.0" CONDUIT - 2.907 SQ. IN AREA

CABINET CONVENIENCE OUTLET CONDUCTORS (1 CONDUIT): USING THWN-2, CU.

#10 - 0.0211 SQ. IN X 2 = 0.0422 SQ. IN #10 - 0.0211 SQ. IN X 1 = 0.0211 SQ. IN <GROUND

= 0.0633 SQ. IN

0.5" EMT CONDUIT IS ADEQUATE TO HANDLE THE TOTAL OF (3) WIRES, INCLUDING GROUND WIRE, AS INDICATED ABOVE.

RECTIFIER CONDUCTORS (2 CONDUITS): USING UL1015, CU.

#10 - 0.0266 SQ. IN X 4 = 0.1064 SQ. IN #10 - 0.0082 SQ. IN X 1 = 0.0082 SQ. IN <BARE GROUND

= 0.1146 SQ. IN

0.75" EMT CONDUIT IS ADEQUATE TO HANDLE THE TOTAL OF (5) WIRES, INCLUDING GROUND WIRE, AS INDICATED ABOVE.

PPC FEED CONDUCTORS (1 CONDUIT): USING THWN, CU.

3/0 - 0.2679 SQ. IN X 3 = 0.8037 SQ. IN - 0.0507 SQ. IN X 1 = 0.0507 SQ. IN <GROUND

= 0.8544 SQ. IN

3.0" SCH 40 PVC CONDUIT IS ADEQUATE TO HANDLE THE TOTAL OF (4) WIRES, INCLUDING GROUND WIRE, AS INDICATED ABOVE.

PPC FEED CONDUCTORS (1 CONDUIT): USING THWN, AL.

250kcmil AL - 0.3970 SQ. IN X 3 = 1.191 SQ. IN - 0.0824 SQ. IN X 1 = 0.0824 SQ.IN <GROUND

= 1.2734 SQ. IN

3.0" SCH 40 PVC CONDUIT IS ADEQUATE TO HANDLE THE TOTAL OF (4) WIRES, INCLUDING GROUND WIRE, AS INDICATED ABOVE.

PPC ONE-LINE DIAGRAM

NO SCALE



5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120



1279 Route 300 Newburgh, NY 12550 Phone: (845) 567-6656 (800) 829-6531

www.tectonicengineering.com





IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

	DRAWN BY:	CHECKED BY:	APPROVED BY:
	BWY	JQ/EI	El

RFDS REV #:

PRELIMINARY DOCUMENTS

		SUBMITTALS
REV	DATE	DESCRIPTION
0	01/18/2023	ISSUED FOR CONSTRUCTION
1	02/15/2023	REVISED PER COMMENTS
2	12/04/2023	ADDED DISH ANTENNA
	A&E F	PROJECT NUMBER

BOBOSO0067A

DISH Wireless L.L.C. PROJECT INFORMATION

BOBOSO0067A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE

ELECTRICAL ONE-LINE, FAULT CALCS & PANEL SCHEDULE

SHEET NUMBER

E-3

LOAD SERVED		AMPS TTS)	TRIP	СКТ			СКТ	TRIP	VOLT AMPS (WATTS)		LOAD SERVED	
	L1	L2		#			# '''		L1 L2			
PPC GFCI OUTLET	180	180	15A 15A	3	$A \rightarrow B$	X	2	30A	2880	2880	ABB/GE INFINITY RECTIFIER 1	
-SPACE- -SPACE-				5	A A	X	6 8	30A	2880	2880	ABB/GE INFINITY RECTIFIER 2	
-SPACE- -SPACE-				9	A B	X	10	30A	2880	2880	ABB/GE INFINITY RECTIFIER 3	
-SPACE- -SPACE-				13 15	A B	X	14	30A	2880	2880	ABB/GE INFINITY RECTIFIER 4	
-SPACE-				17		$\overline{}$	18				-SPACE-	
-SPACE-				19	∠ B	\	20				-SPACE-	
-SPACE-				21	\sim 4	7	22				-SPACE-	
-SPACE-				23	\vdash B	4	24				-SPACE-	
OLTAGE AMPS	180	180							11520	11520		
00A MCB, 1¢, 24 SPA	CE, 120/	240V	L1		L2							
B RATING: 65,000 AIC			1170	0	1170	00	VOL	TAGE AM	IPS .			
B RATING. 00,000 AIC			98	<u> </u>	98		AMF		rs			
			_	9	8		MAX	AMPS				

— EXISTING WIRE & CONDUIT

GROUNDING ELECTRODE SHALL BE -

SPACED MINIMUM 6' APART

BRANCH CIRCUIT WIRING SUPPLYING RECTIFIERS ARE TO BE RATED UL1015, 105°C, 600V, AND PVC INSULATED, IN THE SIZES SHOWN IN THE ONE-LINE DIAGRAM. CONTRACTOR MAY

SUBSTITUTE UL1015 WIRE FOR THWN-2 FOR CONVENIENCE OUTLET BRANCH CIRCUIT.

RE-UTILIZE EXISTING 200A -

DISCONNECT

(2) 5/8" × 10' LONG GROUND ROD

(4) 30A, 2P BREAKER - SQUARE D P/N:Q0230

(2) 15A, 1P BREAKER - SQUARE D P/N:Q0115

PANEL SCHEDULE NO SCALE **SHORT CIRCUIT CALCULATIONS**

255'

425'

NO SCALE

NOTES:

- 1. HAZARD OF ELECTRICAL SHOCK OR BURN. TURN OFF POWER SUPPLYING THIS EQUIPMENT BEFORE WORKING INSIDE.
- 2. 100 OR 200 AMP, 240 VOLTS, SINGLE PHASE ALTERNATING CURRENT CIRCUIT ONLY
- 3. GENERATOR SHORT CIRCUIT RATING: 10,000 / 20,000 AMPS RMS SYMMETRICAL, AMPERES AT 240 VOLTS
- 4. UTILITY SHORT CIRCUIT RATING: 65,000 AMPS RMS SYMMETRICAL, AMPERES AT 240 VOLTS
- 5. SUITABLE FOR USE AS SERVICE EQUIPMENT
- 6. SUITABLE FOR USE IN ACCORDANCE WITH ARTICLE 702 OF THE NATIONAL ELECTRIC CODE ANSI/NFPA 70
- 7. BONDED NEUTRAL WHEN INSTALLED AS SHOWN IN WIRING DIAGRAM
- 8. RAIN PROOF TYPE 3R
- 9. USE CU-AL WIRE 60-75 °C
- 10. EQUIPPED WITH SLIDE BAR MECHANICAL INTERLOCK
- 11. INTERLOCK PROHIBITS BOTH POWER SOURCES FROM BEING IN THE ON POSITION SIMULTANEOUSLY
- 12. EQUIPPED WITH SQUARE D BREAKERS OR ALTERNATIVE MANUFACTURER EQUIVALENT
- 13. WHEN REPLACE LOAD CENTER BREAKERS, USE ONLY SQUARE D (QO TYPE) OF THE SAME RATING OR EQUIVALENT
- 14. WHEN RESETTING BREAKERS TURN TO OFF POSITION, THEN TO ON POSITION
- 15. WARNING: MAKE CONTINUITY CHECK WITH OHM METER TO VERIFY CORRECT PHASING AND GROUNDING CONNECTIONS BEFORE POWER
- 16. VERIFY PIN OUT CONFIGURATION OF GENERATOR PRIOR TO USE.
- 17. RISK OF ELECTRIC SHOCK, BOTH ENDS OF DISCONNECTING MEANS MAY BE ENERGIZED. TEST BEFORE SERVICING
- 18. THIS SWITCH BOARD MAY CONTAIN A TAP ON THE SERVICE SIDE OF THE MAIN POWER DISCONNECT FOR REMOTE MONITORING OF UTILITY/STANDBY POWER
- 19. THE NORMAL AC POWER MONITORING CIRCUIT MUST UTILIZE A DISCONNECTING MEANS WITH A SHORT CIRCUIT RATING GREATER THAN THE AVAILABLE INTERRUPTING CURRENT
- 20. A RED PUSH-TO-TRIP BUTTON PROVIDES A MEANS TO MECHANICALLY TRIP THE CIRCUIT BREAKER. THIS ACTION EXERCISES THE TRIPPING PORTION OF THE MECHANISM AND ALLOWS MAINTENANCE CHECK ON THE BREAKER

SUITABLE FOR USE AS SERVICE EQUIPMENT

	TING 120/240
VOLTS SINGLE	PHASE 60 Hz
NORMAL AC POWER	GENERATOR POWER
100A□	100A□
2004□	200A□

CAUTION:

- THE OPERATING HANDLE ASSUMES A CENTER POSITION WHEN THE CIRCUIT BREAKER IS TRIPPED
- THE BREAKER CAN BE RESET BY OPERATING THE HANDLE TO THE EXTREME OFF POSITION AND THEN TO ON
- SLIDE BAR MECHANICAL INTERLOCK TRANSFERS NORMAL AC POWER TO GENERATOR POWER. THE SLIDE BAR MECHANICAL INTERLOCK PROHIBITS BOTH POWER SOURCES FROM BEING IN THE ON POSITION SIMULTANEOUSLY
- TO TRANSFER FROM ON POWER SOURCE TO THE OTHER POWER SOURCE, SWITCH ON BREAKER TO THE OFF POSITION, MOVE THE SLIDE BAR TO THE OTHER SIDE AND THE SWITCH THE OTHER BREAKER TO THE ON POSITION

200A UTILITY FEED

THIS SWITCHBOARD UTILITY MAN BREAKER IS SUITABLE FOR USE ON CIRCUIT CAPABLE OF DELIVERING NOT MORE THAN 65,000 RMS SYMMETRICAL AMPS, 240 VOLTS MAXIMUM.


LOA	D SIZE CI	RCUIT BR	EAKERS		LINE SIDE MAIN CIRCUIT BREAKER				
MFR.	TYPE	POLES	AMP RATING	MFR.	TYPE	AMP RATING	SYMMET. AMP RMS	VOLTS AC	PHASES
SQ-D	QO	1 2	15-100A	SQ-D	QGL	200A	65,000A	240V	2

200A GENERATOR FEED

THIS SWITCHBOARD GENERATOR POWER CIRCUIT IS SUITABLE FOR USE ON A CIRCUIT CAPABLE OF DELIVERING NOT MORE THAN 10,000 RMS SYMMETRICAL AMPS, 240 VOLTS MAXIMUM.

LOAD SIZE CIRCUIT BREAKERS					LINE SIDE MAIN CIRCUIT BREAKER				
MFR.	TYPE	POLES	AMP RATING	MFR.	TYPE	AMP RATING	SYMMET. AMP RMS	VOLTS AC	PHASES
SQ-D	QO	1 2	15-100A	SQ-D	QGL	200A	65,000A	240V	2

MAXIMUM CONTINUOUS LOADS NOT TO EXCEED 80% OF THE OVER-CURRENT PROTECTIVE DEVICE (CIRCUIT BREAKER AND FUSES) RATINGS EMPLOYED IN OTHER THAN MOTOR CIRCUITS, EXCEPT FOR THOSE CIRCUITS EMPLOYING CIRCUIT BREAKERS MARKED AS SUITABLE FOR CONTINUOUS OPERATION AT 100% OF THEIR RATINGS. CONDUCTORS ARE NOT TO ENTER OR LEAVE THE ENCLOSURE DIRECTLY OPPOSITE THE WIRING TERMINAL



NEUTRAL-TO-GROUND CONDING JUMPER

INSTALLTION INSTRUCTIONS:

- IF REQUIRED, THE N-G BONDING KIT SHOULD BE INSTALLED BY QUALIFIED PERSONNEL
- ENSURE THE MAIN BREAKERS ARE OFF
- USE THE GREEN #6 WIRE PROVIDED WITH THE PPC
- INSTALL THE JUMPER AS SHOWN IN THE WIRING DIAGRAM
- TIGHTEN TERMINALS TO TORQUE VALUE SHOWN IN TORQUE TABLE
- PLACE THE PROVIDED "SERVICE" LABEL IN THE SPACE BELOW
 THE WORDS "AC POWER" LOCATED ABODE THE MAIN CIRCUIT
 BREAKER IN THE UPPER PORTION OF THE DEAD FRONT

- D. GFCI RECEPTACLE 15A
- E. SPD STRIKESORB KELVIN CONNECTION (TYP OF 2)
- F. BREAKER PANEL 24 POSITION (CONTRACTOR TO ADD APPROPRIATE BREAKER PER ONE-LINE DIAGRAM PANEL SCHEDULE)
- G. POWER PROTECTION CABINET (PPC) (FULLY ASSEMBLED FROM MANUFACTURER)
- H. CONTRACTOR TO ATTACH TO UNDERGROUND GROUNDING HALO OR INSTALL GROUND ROD WHEN REQUIRED BY CODE
- I. GROUND BAR
- J. SQUARE D Q SERIES LOAD CENTER
- (K.) NETURAL-TO-GROUND (N-G) BONDING JUMPER (CONTRACTOR INSTALLED IF REQUIRED)
- L. OPTIONAL SPD STATUS INDICATORS

d:Sh wireless

5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120

Tectonic PRACTICAL SOLUTIONS. EXCEPTIONAL SERVICE.

Project Contact Info
1279 Route 300 Phone: (845) 567–6656
Newburgh, NY 12550 (800) 829–6531
www.tectonicengineering.com





IT IS A VIOLATION OF LAW FOR ANY PERSON,
UNLESS THEY ARE ACTING UNDER THE DIRECTION
OF A LICENSED PROFESSIONAL ENGINEER,
TO ALTER THIS DOCUMENT.

BWY JQ/EI EI		DRAWN	BY:	CHECKED	BY:	APPROVED	BY:
		BW	1	JQ/EI		EI	

RFDS REV #:

PRELIMINARY DOCUMENTS

SUBMITTALS					
REV	DATE	DESCRIPTION			
0	01/18/2023	ISSUED FOR CONSTRUCTION			
1	02/15/2023	REVISED PER COMMENTS			
2	12/04/2023	ADDED DISH ANTENNA			
	AAE DDOJECT NUMBED				

A&E PROJECT NUMBER
BOBOSO0067A

DISH Wireless L.L.C. PROJECT INFORMATION


BOBOSO0067A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE

PPC NEUTRAL-TO-GROUND SCHEMATIC

SHEET NUMBER

E-4



ANTENNAS AND OVP SHOWN ARE GENERIC AND - UPPER TANK BUSSBAR SHALL BE INSTALLED

- EXISTING STEEL PLATFORM AND EQUIPMENT IS ALREADY GROUNDED. PROPOSED EQUIPMENT
- THIS LAYOUT IS FOR REFERENCE PURPOSES



MECHANICAL CONNECTION

GROUND BUS BAR

GROUND ROD

TEST GROUND ROD WITH INSPECTION SLEEVE #6 AWG STRANDED & INSULATED

#2 AWG STRANDED & INSULATED

#2 AWG SOLID COPPER TINNED

▲ BUSS BAR INSULATOR

GROUNDING LEGEND

- 1. GROUNDING IS SHOWN DIAGRAMMATICALLY ONLY.
- 2. CONTRACTOR SHALL GROUND ALL EQUIPMENT AS A COMPLETE SYSTEM. GROUNDING SHALL BE IN COMPLIANCE WITH NEC SECTION 250 AND DISH Wireless L.L.C. GROUNDING AND BONDING REQUIREMENTS AND MANUFACTURER'S SPECIFICATIONS.
- 3. ALL GROUND CONDUCTORS SHALL BE COPPER; NO ALUMINUM CONDUCTORS SHALL BE USED.

GROUNDING KEY NOTES

- EXTERIOR GROUND RING: #2 AWG SOLID COPPER, BURIED AT A DEPTH OF AT LEAST 30 INCHES BELOW A EXTERIOR GROUND RING: #2 AWG SOLID COPPER, BURIED AT A DEPTH OF AT LEAST 30 INCHES BELOW GRADE, OR 6 INCHES BELOW THE FROST LINE AND APPROXIMATELY 24 INCHES FROM THE EXTERIOR WALL OR FOOTING.
- TOWER GROUND RING: THE GROUND RING SYSTEM SHALL BE INSTALLED AROUND AN ANTENNA TOWER'S LEGS, AND/OR GUY ANCHORS. WHERE SEPARATE SYSTEMS HAVE BEEN PROVIDED FOR THE TOWER AND THE BUILDING, AT LEAST TWO BONDS SHALL BE MADE BETWEEN THE TOWER RING GROUND SYSTEM AND THE BUILDING RING GROUND SYSTEM USING MINIMUM #2 AWG SOLID COPPER CONDUCTORS.
- C INTERIOR GROUND RING: #2 AWG STRANDED GREEN INSULATED COPPER CONDUCTOR EXTENDED AROUND THE PERIMETER OF THE EQUIPMENT AREA. ALL NON-TFI FCOMMUNICATIONS RELATED METALLIC OR JECTS FOUND PERIMETER OF THE EQUIPMENT AREA. ALL NON-TELECOMMUNICATIONS RELATED METALLIC OBJECTS FOUND WITHIN A SITE SHALL BE GROUNDED TO THE INTERIOR GROUND RING WITH #6 AWG STRANDED GREEN INSULATED CONDUCTOR.
- BOND TO INTERIOR GROUND RING: #2 AWG SOLID TINNED COPPER WIRE PRIMARY BONDS SHALL BE BOND TO INTERIOR GROUND RING: #2 AWG SOLID TINNED COPPER WIRE PRIMARY BONDS SHALL BE PROVIDED AT LEAST AT FOUR POINTS ON THE INTERIOR GROUND RING, LOCATED AT THE CORNERS OF THE BUILDING.
- E GROUND ROD: UL LISTED COPPER CLAD STEEL. MINIMUM 1/2" DIAMETER BY EIGHT FEET LONG. GROUND RODS SHALL BE INSTALLED WITH INSPECTION SLEEVES. GROUND RODS SHALL BE DRIVEN TO THE DEPTH OF GROUND ROD: UL LISTED COPPER CLAD STEEL. MINIMUM 1/2" DIAMETER BY EIGHT FEET LONG. GROUND GROUND RING CONDUCTOR.
- CELL REFERENCE GROUND BAR: POINT OF GROUND REFERENCE FOR ALL COMMUNICATIONS EQUIPMENT $^\prime$ frames. All bonds are made with #2 awg unless noted otherwise stranded green insulated COPPER CONDUCTORS. BOND TO GROUND RING WITH (2) #2 SOLID TINNED COPPER CONDUCTORS.
- G HATCH PLATE GROUND BAR: BOND TO THE INTERIOR GROUND RING WITH TWO #2 AWG STRANDED GREEN INSULATED COPPER CONDUCTORS. WHEN A HATCH-PLATE AND A CELL REFERENCE GROUND BAR ARE BOTH PRESENT, THE CRGB MUST BE CONNECTED TO THE HATCH-PLATE AND TO THE INTERIOR GROUND RING USING (2) TWO #2 AWG STRANDED GREEN INSULATED COPPER CONDUCTORS EACH.
- H EXTERIOR CABLE ENTRY PORT GROUND BARS: LOCATED AT THE ENTRANCE TO THE CELL SITE BUILDING. BOND TO GROUND RING WITH A #2 AWG SOLID TINNED COPPER CONDUCTORS WITH AN EXOTHERMIC WELD AND INSPECTION SLEEVE.
- TELCO GROUND BAR: BOND TO BOTH CELL REFERENCE GROUND BAR OR EXTERIOR GROUND RING.
- FRAME BONDING: THE BONDING POINT FOR TELECOM EQUIPMENT FRAMES SHALL BE THE GROUND BUS THAT IS NOT ISOLATED FROM THE EQUIPMENTS METAL FRAMEWORK.
- INTERIOR UNIT BONDS: METAL FRAMES, CABINETS AND INDIVIDUAL METALLIC UNITS LOCATED WITH THE AREA OF THE INTERIOR GROUND RING REQUIRE A #6 AWG STRANDED GREEN INSULATED COPPER BOND TO THE INTERIOR GROUND RING.
- FENCE AND GATE GROUNDING: METAL FENCES WITHIN 7 FEET OF THE EXTERIOR GROUND RING OR OBJECTS
 BONDED TO THE EXTERIOR GROUND RING SHALL BE RONDED TO THE GROUND RING WITH A #2 AWG SOLID BONDED TO THE EXTERIOR GROUND RING SHALL BE BONDED TO THE GROUND RING WITH A #2 AWG SOLID TINNED COPPER CONDUCTOR AT AN INTERVAL NOT EXCEEDING 25 FEET. BONDS SHALL BE MÄDE AT EACH GATE POST AND ACROSS GATE OPENINGS.
- M EXTERIOR UNIT BONDS: METALLIC OBJECTS, EXTERNAL TO OR MOUNTED TO THE BUILDING, SHALL BE BONDED TO THE EXTERIOR GROUND RING. USING #2 TINNED SOLID COPPER WIRE
- N ICE BRIDGE SUPPORTS: EACH ICE BRIDGE LEG SHALL BE BONDED TO THE GROUND RING WITH #2 AWG BARE TINNED COPPER CONDUCTOR. PROVIDE EXOTHERMIC WELDS AT BOTH THE ICE BRIDGE LEG AND BURIED GROUND RING.
- O DURING ALL DC POWER SYSTEM CHANGES INCLUDING DC SYSTEM CHANGE OUTS, RECTIFIER REPLACEMENTS OR ADDITIONS, BREAKER DISTRIBUTION CHANGES, BATTERY ADDITIONS, BATTERY REPLACEMENTS AND INSTALLATIONS OR CHANGES TO DC CONVERTER SYSTEMS IT SHALL BE REQUIRED THAT SERVICE CONTRACTORS VERIFY ALL DC POWER SYSTEMS ARE EQUIPPED WITH A MASTER DC SYSTEM RETURN GROUND CONDUCTOR FROM THE DC POWER SYSTEM COMMON RETURN BUS DIRECTLY CONNECTED TO THE CELL SITE REFERENCE GROUND BAR
- (P) TOWER TOP COLLECTOR BUSS BAR IS TO BE MECHANICALLY BONDED TO TOWER STEEL.

REFER TO DISH Wireless L.L.C. GROUNDING NOTES.



5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120



Phone: (845) 567-6656 (800) 829-6531 1279 Route 300 Newburgh, NY 12550 www.tectonicengineering.con





IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN	BY:	CHECKED	BY:	APPROVED	BY:
BWY	•	JQ/EI		EI	

RFDS REV #:

PRELIMINARY DOCUMENTS

	SUBMITTALS				
	REV	DATE	DESCRIPTION		
П	0	01/18/2023	ISSUED FOR CONSTRUCTION		
	1	02/15/2023	REVISED PER COMMENTS		
	2	12/04/2023	ADDED DISH ANTENNA		
П					
	A&E PROJECT NUMBER				

BOBOSOOO67A


DISH Wireless L.L.C. PROJECT INFORMATION


BOBOSO0067A BROADWAY AVENUE MYSTIC, CT 06355


SHEET TITLE GROUNDING PLANS AND NOTES

SHEET NUMBER


G-1







RF CABLE COLOR CODES





5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120



Tectonic Engineering Consultants, Geologists & Land Surveyors, D.P.C., Inc.

Project Contact Info
1279 Route 300 Phone: (845) 567–6656
Newburgh, NY 12550 (800) 829–6531
www.tectonicengineering.com





IT IS A VIOLATION OF LAW FOR ANY PERSON,
UNLESS THEY ARE ACTING UNDER THE DIRECTION
OF A LICENSED PROFESSIONAL ENGINEER,
TO ALTER THIS DOCUMENT.

BWY JQ/EI EI		DRAWN	BY:	CHECKED	BY:	APPROVED	BY:
		BWY		JQ/EI		El	

RFDS REV #:

PRELIMINARY DOCUMENTS

	SUBMITTALS				
REV	EV DATE DESCRIPTION				
0	01/18/2023	ISSUED FOR CONSTRUCTION			
1	02/15/2023 REVISED PER COMMENTS				
2	12/04/2023	ADDED DISH ANTENNA			
A&E PROJECT NUMBER					
DODOCOO674					

BOBOS00067A

DISH Wireless L.L.C.

PROJECT INFORMATION

BOBOSO0067A

BOBOSO0067A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE


RF CABLE COLOR CODE

SHEET NUMBER

RF-1

NOT USED NO SCALE

NO SCALE





5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120



1279 Route 300

Phone: (845) 567-6656 (800) 829-6531 Newburgh, NY 12550 www.tectonicengineering.com



SITE SOLUTIONS Turnkey Wireless Development



IT IS A VIOLATION OF LAW FOR ANY PERSON. UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

DRAWN	BY:	CHECKED	BY:	APPROVED	BY:
BWY	,	JQ/EI		EI	

RFDS REV #:

PRELIMINARY **DOCUMENTS**

	SUBMITTALS					
REV	DATE	DESCRIPTION				
0	01/18/2023	ISSUED FOR CONSTRUCTION				
1	02/15/2023	REVISED PER COMMENTS				
2	12/04/2023	ADDED DISH ANTENNA				
	A&E F	PROJECT NUMBER				

BOBOSO0067A

DISH Wireless L.L.C. PROJECT INFORMATION

BOBOSO0067A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE

LEGEND AND **ABBREVIATIONS**

SHEET NUMBER

	SIGN TYPES					
TYPE	COLOR	COLOR CODE PURPOSE				
INFORMATION	GREEN	"INFORMATIONAL SIGN" TO NOTIFY OTHERS OF SITE OWNERSHIP & CONTACT NUMBER AND POTENTIAL RF EXPOSURE.				
NOTICE	BLUE	"NOTICE BEYOND THIS POINT" RF FIELDS BEYOND THIS POINT MAY EXCEED THE FCC GENERAL PUBLIC EXPOSURE LIMIT. OBEY ALL POSTED SIGNS AND SITE GUIDELINES FOR WORKING IN RF ENVIRONMENTS. IN ACCORDANCE WITH FEDERAL COMMUNICATIONS COMMISSION RULES ON RADIO FREQUENCY EMISSIONS 47 CFR-1.1307(b)				
CAUTION	YELLOW	"CAUTION BEYOND THIS POINT" RF FIELDS BEYOND THIS POINT MAY EXCEED THE FCC GENERAL PUBLIC EXPOSURE LIMIT. OBEY ALL POSTED SIGNS AND SITE GUIDELINES FOR WORKING IN RF ENVIRONMENTS. IN ACCORDANCE WITH FEDERAL COMMUNICATIONS COMMISSION RULES ON RADIO FREQUENCY EMISSIONS 47 CFR-1.1307(b)				
WARNING	ORANGE/RED	"WARNING BEYOND THIS POINT" RF FIELDS AT THIS SITE EXCEED FCC RULES FOR HUMAN EXPOSURE. FAILURE TO OBEY ALL POSTED SIGNS AND SITE GUIDELINES FOR WORKING IN RF ENVIRONMENTS COULD RESULT IN SERIOUS INJURY. IN ACCORDANCE WITH FEDERAL COMMUNICATIONS COMMISSION RULES ON RADIO FREQUENCY EMISSIONS 47 CFR-1.1307(b)				

SIGN PLACEMENT:

- RF SIGNAGE PLACEMENT SHALL FOLLOW THE RECOMMENDATIONS OF AN EXISTING EME REPORT, CREATED BY A THIRD PARTY PREVIOUSLY AUTHORIZED BY DISH Wireless L.L.C.
- INFORMATION SIGN (GREEN) SHALL BE LOCATED ON EXISTING DISH Wireless L.L.C EQUIPMENT
 - A) IF THE INFORMATION SIGN IS A STICKER, IT SHALL BE PLACED ON EXISTING DISH WIReless L.L.C EQUIPMENT CABINET.
- IF EME REPORT IS NOT AVAILABLE AT THE TIME OF CREATION OF CONSTRUCTION DOCUMENTS; PLEASE CONTACT DISH Wireless L.L.C. CONSTRUCTION MANAGER FOR FURTHER INSTRUCTION ON HOW TO PROCEED.

NOTES:

- 1. FOR DISH Wireless L.L.C. LOGO, SEE DISH Wireless L.L.C. DESIGN SPECIFICATIONS (PROVIDED BY DISH Wireless L.L.C.)
- 2. SITE ID SHALL BE APPLIED TO SIGNS USING "LASER ENGRAVING" OR ANY OTHER WEATHER RESISTANT METHOD (DISH Wireless L.L.C. APPROVAL REQUIRED
- 3. TEXT FOR SIGNAGE SHALL INDICATE CORRECT SITE NAME AND NUMBER AS PER DISH Wireless L.L.C. CONSTRUCTION MANAGER RECOMMENDATIONS.
- 4. CABINET/SHELTER MOUNTING APPLICATION REQUIRES ANOTHER PLATE APPLIED TO THE FACE OF THE CABINET WITH WATER PROOF POLYURETHANE ADHESIVE
- 5. ALL SIGNS WILL BE SECURED WITH EITHER STAINLESS STEEL ZIP TIES OR STAINLESS STEEL TECH SCREWS
- 6. ALL SIGNS TO BE 8.5"x11" AND MADE WITH 0.04" OF ALUMINUM MATERIAL

INFORMATION

This is an access point to an area with transmitting antennas.

Obey all signs and barriers beyond this point.

Call the DISH Wireless L.L.C. NOC at 1-866-624-6874

Site ID:



THIS SIGN IS FOR REFERENCE PURPOSES ONLY

NOTICE



Transmitting Antenna(s)

Radio frequency fields beyond this point MAY *EXCEED* the FCC Occupational exposure limit.

Obey all posted signs and site guidelines for working in radio frequency environments.

Call the DISH Wireless L.L.C. NOC at 1-866-624-6874 prior to working beyond this point.

Site ID:

dish

A CAUTION



Transmitting Antenna(s)

Radio frequency fields beyond this point MAY *EXCEED* the FCC Occupational exposure limit.

Obey all posted signs and site guidelines for working in radio frequency environments.

Call the DISH Wireless L.L.C. NOC at 1-866-624-6874 prior to working beyond this point.

Site ID: __

dish

AWARNING



Transmitting Antenna(s)

Radio frequency fields beyond this point *EXCEED* the FCC Occupational exposure limit.

Obey all posted signs and site guidelines for working in radio frequency environments.

Call the DISH Wireless L.L.C. NOC at 1-866-624-6874 prior to working beyond this point.

Site ID:

dish

dish wireless.


5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120



ectonic Engineering Consultants, Geologists of Project Contact Info 279 Route 300 Pr Lewburgh, NY 12550

((**‡**)))





IT IS A VIOLATION OF LAW FOR ANY PERSON,
UNLESS THEY ARE ACTING UNDER THE DIRECTION
OF A LICENSED PROFESSIONAL ENGINEER,
TO ALTER THIS DOCUMENT.

DRAWN BY: CHECKED BY: APPROVED BY
BWY JQ/EI EI

RFDS REV #:

PRELIMINARY DOCUMENTS

SUBMITTALS							
REV	DATE	DESCRIPTION					
0	01/18/2023	ISSUED FOR CONSTRUCTION					
1	02/15/2023	REVISED PER COMMENTS					
2	12/04/2023	ADDED DISH ANTENNA					

A&E PROJECT NUMBER
BOBOSO0067A

DISH Wireless L.L.C. PROJECT INFORMATION

BOBOSOOO67A 7 BROADWAY AVENUE MYSTIC, CT 06355

> SHEET TITLE RF SIGNAGE

SHEET NUMBER

SITE ACTIVITY REQUIREMENTS:

- 1. NOTICE TO PROCEED NO WORK SHALL COMMENCE PRIOR TO CONTRACTOR RECEIVING A WRITTEN NOTICE TO PROCEED (NTP) AND THE ISSUANCE OF A PURCHASE ORDER. PRIOR TO ACCESSING/ENTERING THE SITE YOU MUST CONTACT THE DISH Wireless L.L.C. AND TOWER OWNER OWNER NOC & THE DISH Wireless L.L.C. AND TOWER CONSTRUCTION MANAGER.
- 2. "LOOK UP" DISH Wireless L.L.C. AND TOWER OWNER SAFETY CLIMB REQUIREMENT:

THE INTEGRITY OF THE SAFETY CLIMB AND ALL COMPONENTS OF THE CLIMBING FACILITY SHALL BE CONSIDERED DURING ALL STAGES OF DESIGN, INSTALLATION, AND INSPECTION. TOWER MODIFICATION, MOUNT REINFORCEMENTS, AND/OR EQUIPMENT INSTALLATIONS SHALL NOT COMPROMISE THE INTEGRITY OR FUNCTIONAL USE OF THE SAFETY CLIMB OR ANY COMPONENTS OF THE CLIMBING FACILITY ON THE STRUCTURE. THIS SHALL INCLUDE, BUT NOT BE LIMITED TO: PINCHING OF THE WIRE ROPE, BENDING OF THE WIRE ROPE FROM ITS SUPPORTS, DIRECT CONTACT OR CLOSE PROXIMITY TO THE WIRE ROPE WHICH MAY CAUSE FRICTIONAL WEAR, IMPACT TO THE ANCHORAGE POINTS IN ANY WAY, OR TO IMPEDE/BLOCK ITS INTENDED USE. ANY COMPROMISED SAFETY CLIMB, INCLUDING EXISTING CONDITIONS MUST BE TAGGED OUT AND REPORTED TO YOUR DISH Wireless L.L.C. AND DISH Wireless L.L.C. AND TOWER OWNER POC OR CALL THE NOC TO GENERATE A SAFETY CLIMB MAINTENANCE AND CONTRACTOR NOTICE TICKET.

- 3. PRIOR TO THE START OF CONSTRUCTION, ALL REQUIRED JURISDICTIONAL PERMITS SHALL BE OBTAINED. THIS INCLUDES, BUT IS NOT LIMITED TO, BUILDING, ELECTRICAL, MECHANICAL, FIRE, FLOOD ZONE, ENVIRONMENTAL, AND ZONING. AFTER ONSITE ACTIVITIES AND CONSTRUCTION ARE COMPLETED, ALL REQUIRED PERMITS SHALL BE SATISFIED AND CLOSED OUT ACCORDING TO LOCAL JURISDICTIONAL REQUIREMENTS.
- 4. ALL CONSTRUCTION MEANS AND METHODS; INCLUDING BUT NOT LIMITED TO, ERECTION PLANS, RIGGING PLANS, CLIMBING PLANS, AND RESCUE PLANS SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR RESPONSIBLE FOR THE EXECUTION OF THE WORK CONTAINED HEREIN, AND SHALL MEET ANSI/ASSE A10.48 (LATEST EDITION); FEDERAL, STATE, AND LOCAL REGULATIONS; AND ANY APPLICABLE INDUSTRY CONSENSUS STANDARDS RELATED TO THE CONSTRUCTION ACTIVITIES BEING PERFORMED. ALL RIGGING PLANS SHALL ADHERE TO ANSI/ASSE A10.48 (LATEST EDITION) AND DISH Wireless L.L.C. AND TOWER OWNER STANDARDS, INCLUDING THE REQUIRED INVOLVEMENT OF A QUALIFIED ENGINEER FOR CLASS IV CONSTRUCTION, TO CERTIFY THE SUPPORTING STRUCTURE(S) IN ACCORDANCE WITH ANSI/TIA—322 (LATEST EDITION).
- 5. ALL SITE WORK TO COMPLY WITH DISH Wireless L.L.C. AND TOWER OWNER INSTALLATION STANDARDS FOR CONSTRUCTION ACTIVITIES ON DISH Wireless L.L.C. AND TOWER OWNER TOWER SITE AND LATEST VERSION OF ANSI/TIA-1019-A-2012 "STANDARD FOR INSTALLATION, ALTERATION, AND MAINTENANCE OF ANTENNA SUPPORTING STRUCTURES AND ANTENNAS."
- 6. IF THE SPECIFIED EQUIPMENT CAN NOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE CONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION FOR APPROVAL BY DISH Wireless L.L.C. AND TOWER OWNER PRIOR TO PROCEEDING WITH ANY SUCH CHANGE OF INSTALLATION.
- 7. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS AND ORDINANCES. CONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
- 8. THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
- 9. THE CONTRACTOR SHALL CONTACT UTILITY LOCATING SERVICES INCLUDING PRIVATE LOCATES SERVICES PRIOR TO THE START OF CONSTRUCTION.
- 10. ALL EXISTING ACTIVE SEWER, WATER, GAS, ELECTRIC AND OTHER UTILITIES WHERE ENCOUNTERED IN THE WORK, SHALL BE PROTECTED AT ALL TIMES AND WHERE REQUIRED FOR THE PROPER EXECUTION OF THE WORK, SHALL BE RELOCATED AS DIRECTED BY CONTRACTOR. EXTREME CAUTION SHOULD BE USED BY THE CONTRACTOR WHEN EXCAVATING OR DRILLING PIERS AROUND OR NEAR UTILITIES. CONTRACTOR SHALL PROVIDE SAFETY TRAINING FOR THE WORKING CREW. THIS WILL INCLUDE BUT NOT BE LIMITED TO A) FALL PROTECTION B) CONFINED SPACE C) ELECTRICAL SAFETY D) TRENCHING AND EXCAVATION E) CONSTRUCTION SAFETY PROCEDURES.
- 11. ALL SITE WORK SHALL BE AS INDICATED ON THE STAMPED CONSTRUCTION DRAWINGS AND DISH PROJECT SPECIFICATIONS, LATEST APPROVED REVISION.
- 12. CONTRACTOR SHALL KEEP THE SITE FREE FROM ACCUMULATING WASTE MATERIAL, DEBRIS, AND TRASH AT THE COMPLETION OF THE WORK. IF NECESSARY, RUBBISH, STUMPS, DEBRIS, STICKS, STONES AND OTHER REFUSE SHALL BE REMOVED FROM THE SITE AND DISPOSED OF LEGALLY.
- 13. ALL EXISTING INACTIVE SEWER, WATER, GAS, ELECTRIC AND OTHER UTILITIES, WHICH INTERFERE WITH THE EXECUTION OF THE WORK, SHALL BE REMOVED AND/OR CAPPED, PLUGGED OR OTHERWISE DISCONTINUED AT POINTS WHICH WILL NOT INTERFERE WITH THE EXECUTION OF THE WORK, SUBJECT TO THE APPROVAL OF DISH Wireless L.L.C. AND TOWER OWNER, AND/OR LOCAL UTILITIES.
- 14. THE CONTRACTOR SHALL PROVIDE SITE SIGNAGE IN ACCORDANCE WITH THE TECHNICAL SPECIFICATION FOR SITE SIGNAGE REQUIRED BY LOCAL JURISDICTION AND SIGNAGE REQUIRED ON INDIVIDUAL PIECES OF EQUIPMENT, ROOMS, AND SHELTERS.
- 15. THE SITE SHALL BE GRADED TO CAUSE SURFACE WATER TO FLOW AWAY FROM THE CARRIER'S EQUIPMENT AND TOWER AREAS.
- 16. THE SUB GRADE SHALL BE COMPACTED AND BROUGHT TO A SMOOTH UNIFORM GRADE PRIOR TO FINISHED SURFACE APPLICATION.
- 17. THE AREAS OF THE OWNERS PROPERTY DISTURBED BY THE WORK AND NOT COVERED BY THE TOWER, EQUIPMENT OR DRIVEWAY, SHALL BE GRADED TO A UNIFORM SLOPE, AND STABILIZED TO PREVENT EROSION AS SPECIFIED ON THE CONSTRUCTION DRAWINGS AND/OR PROJECT SPECIFICATIONS.
- 18. CONTRACTOR SHALL MINIMIZE DISTURBANCE TO EXISTING SITE DURING CONSTRUCTION. EROSION CONTROL MEASURES, IF REQUIRED DURING CONSTRUCTION, SHALL BE IN CONFORMANCE WITH THE LOCAL GUIDELINES FOR EROSION AND SEDIMENT CONTROL.
- 19. THE CONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT CONTRACTOR'S EXPENSE TO THE SATISFACTION OF OWNER.
- 20. CONTRACTOR SHALL LEGALLY AND PROPERLY DISPOSE OF ALL SCRAP MATERIALS SUCH AS COAXIAL CABLES AND OTHER ITEMS REMOVED FROM THE EXISTING FACILITY. ANTENNAS AND RADIOS REMOVED SHALL BE RETURNED TO THE OWNER'S DESIGNATED LOCATION.
- 21. CONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION. TRASH AND DEBRIS SHOULD BE REMOVED FROM SITE ON A DAILY BASIS.
- 22. NO FILL OR EMBANKMENT MATERIAL SHALL BE PLACED ON FROZEN GROUND. FROZEN MATERIALS, SNOW OR ICE SHALL NOT BE PLACED IN ANY FILL OR EMBANKMENT.

GENERAL NOTES:

1.FOR THE PURPOSE OF CONSTRUCTION DRAWING, THE FOLLOWING DEFINITIONS SHALL APPLY:

CONTRACTOR: GENERAL CONTRACTOR RESPONSIBLE FOR CONSTRUCTION

CARRIER: DISH Wireless L.L.C.

TOWER OWNER:TOWER OWNER

- 2. THESE DRAWINGS HAVE BEEN PREPARED USING STANDARDS OF PROFESSIONAL CARE AND COMPLETENESS NORMALLY EXERCISED UNDER SIMILAR CIRCUMSTANCES BY REPUTABLE ENGINEERS IN THIS OR SIMILAR LOCALITIES. IT IS ASSUMED THAT THE WORK DEPICTED WILL BE PERFORMED BY AN EXPERIENCED CONTRACTOR AND/OR WORKPEOPLE WHO HAVE A WORKING KNOWLEDGE OF THE APPLICABLE CODE STANDARDS AND REQUIREMENTS AND OF INDUSTRY ACCEPTED STANDARD GOOD PRACTICE. AS NOT EVERY CONDITION OR ELEMENT IS (OR CAN BE) EXPLICITLY SHOWN ON THESE DRAWINGS, THE CONTRACTOR SHALL USE INDUSTRY ACCEPTED STANDARD GOOD PRACTICE FOR MISCELLANEOUS WORK NOT EXPLICITLY SHOWN.
- 3. THESE DRAWINGS REPRESENT THE FINISHED STRUCTURE. THEY DO NOT INDICATE THE MEANS OR METHODS OF CONSTRUCTION. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR THE CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, AND PROCEDURES. THE CONTRACTOR SHALL PROVIDE ALL MEASURES NECESSARY FOR PROTECTION OF LIFE AND PROPERTY DURING CONSTRUCTION. SUCH MEASURES SHALL INCLUDE, BUT NOT BE LIMITED TO, BRACING, FORMWORK, SHORING, ETC. SITE VISITS BY THE ENGINEER OR HIS REPRESENTATIVE WILL NOT INCLUDE INSPECTION OF THESE ITEMS AND IS FOR STRUCTURAL OBSERVATION OF THE FINISHED STRUCTURE ONLY.
- 4. NOTES AND DETAILS IN THE CONSTRUCTION DRAWINGS SHALL TAKE PRECEDENCE OVER GENERAL NOTES AND TYPICAL DETAILS. WHERE NO DETAILS ARE SHOWN, CONSTRUCTION SHALL CONFORM TO SIMILAR WORK ON THE PROJECT, AND/OR AS PROVIDED FOR IN THE CONTRACT DOCUMENTS. WHERE DISCREPANCIES OCCUR BETWEEN PLANS, DETAILS, GENERAL NOTES, AND SPECIFICATIONS, THE GREATER, MORE STRICT REQUIREMENTS, SHALL GOVERN. IF FURTHER CLARIFICATION IS REQUIRED CONTACT THE ENGINEER OF RECORD.
- 5. SUBSTANTIAL EFFORT HAS BEEN MADE TO PROVIDE ACCURATE DIMENSIONS AND MEASUREMENTS ON THE DRAWINGS TO ASSIST IN THE FABRICATION AND/OR PLACEMENT OF CONSTRUCTION ELEMENTS BUT IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO FIELD VERIFY THE DIMENSIONS, MEASUREMENTS, AND/OR CLEARANCES SHOWN IN THE CONSTRUCTION DRAWINGS PRIOR TO FABRICATION OR CUTTING OF ANY NEW OR EXISTING CONSTRUCTION ELEMENTS. IF IT IS DETERMINED THAT THERE ARE DISCREPANCIES AND/OR CONFLICTS WITH THE CONSTRUCTION DRAWINGS THE ENGINEER OF RECORD IS TO BE NOTIFIED AS SOON AS POSSIBLE.
- 6. PRIOR TO THE SUBMISSION OF BIDS, THE BIDDING CONTRACTOR SHALL VISIT THE CELL SITE TO FAMILIARIZE WITH THE EXISTING CONDITIONS AND TO CONFIRM THAT THE WORK CAN BE ACCOMPLISHED AS SHOWN ON THE CONSTRUCTION DRAWINGS. ANY DISCREPANCY FOUND SHALL BE BROUGHT TO THE ATTENTION OF CARRIER POC AND TOWER OWNER.
- 7. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS AND ORDINANCES. CONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
- 8. UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.
- 9. THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
- 10. IF THE SPECIFIED EQUIPMENT CAN NOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE CONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION FOR APPROVAL BY THE CARRIER AND TOWER OWNER PRIOR TO PROCEEDING WITH ANY SUCH CHANGE OF INSTALLATION.
- 11. CONTRACTOR IS TO PERFORM A SITE INVESTIGATION, BEFORE SUBMITTING BIDS, TO DETERMINE THE BEST ROUTING OF ALL CONDUITS FOR POWER, AND TELCO AND FOR GROUNDING CABLES AS SHOWN IN THE POWER, TELCO, AND GROUNDING PLAN DRAWINGS.
- 12. THE CONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT CONTRACTOR'S EXPENSE TO THE SATISFACTION OF DISH Wireless L.L.C. AND TOWER OWNER
- 13. CONTRACTOR SHALL LEGALLY AND PROPERLY DISPOSE OF ALL SCRAP MATERIALS SUCH AS COAXIAL CABLES AND OTHER ITEMS REMOVED FROM THE EXISTING FACILITY. ANTENNAS REMOVED SHALL BE RETURNED TO THE OWNER'S DESIGNATED LOCATION.
- 14. CONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION. TRASH AND DEBRIS SHOULD BE REMOVED FROM SITE ON A DAILY BASIS.




5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120



ct Contact Info
9 Route 300 Phone: (845) 567-6656
burgh, NY 12550 (800) 829-6531
www.tectonicengineering.com





IT IS A VIOLATION OF LAW FOR ANY PERSON,
UNLESS THEY ARE ACTING UNDER THE DIRECTION
OF A LICENSED PROFESSIONAL ENGINEER,
TO ALTER THIS DOCUMENT.

BWY JQ/FI FI	DRAWN E	BY:	CHECKED	BY:	APPROVED	BY:
5.11	BWY		JQ/EI		El	

PRELIMINARY DOCUMENTS

RFDS REV #:

SUBMITTALS

REV DATE DESCRIPTION

0 01/18/2023 ISSUED FOR CONSTRUCTION

1 02/15/2023 REVISED PER COMMENTS

2 12/04/2023 ADDED DISH ANTENNA

A&E PROJECT NUMBER

BOBOSOOO67A

DISH Wireless L.L.C. PROJECT INFORMATION

BOBOSOOO67A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE

GENERAL NOTES

SHEET NUMBER

CONCRETE, FOUNDATIONS, AND REINFORCING STEEL:

- 1. ALL CONCRETE WORK SHALL BE IN ACCORDANCE WITH THE ACI 301, ACI 318, ACI 336, ASTM A184, ASTM A185 AND THE DESIGN AND CONSTRUCTION SPECIFICATION FOR CAST—IN—PLACE CONCRETE.
- 2. UNLESS NOTED OTHERWISE, SOIL BEARING PRESSURE USED FOR DESIGN OF SLABS AND FOUNDATIONS IS ASSUMED TO BE 1000 psf.
- 3. ALL CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH (f'c) OF 3000 psi AT 28 DAYS, UNLESS NOTED OTHERWISE. NO MORE THAN 90 MINUTES SHALL ELAPSE FROM BATCH TIME TO TIME OF PLACEMENT UNLESS APPROVED BY THE ENGINEER OF RECORD. TEMPERATURE OF CONCRETE SHALL NOT EXCEED 90°f AT TIME OF PLACEMENT.
- 4. CONCRETE EXPOSED TO FREEZE—THAW CYCLES SHALL CONTAIN AIR ENTRAINING ADMIXTURES. AMOUNT OF AIR ENTRAINMENT TO BE BASED ON SIZE OF AGGREGATE AND F3 CLASS EXPOSURE (VERY SEVERE). CEMENT USED TO BE TYPE II PORTLAND CEMENT WITH A MAXIMUM WATER—TO—CEMENT RATIO (W/C) OF 0.45.
- 5. ALL STEEL REINFORCING SHALL CONFORM TO ASTM A615. ALL WELDED WIRE FABRIC (WWF) SHALL CONFORM TO ASTM A185. ALL SPLICES SHALL BE CLASS "B" TENSION SPLICES, UNLESS NOTED OTHERWISE. ALL HOOKS SHALL BE STANDARD 90 DEGREE HOOKS, UNLESS NOTED OTHERWISE. YIELD STRENGTH (Fy) OF STANDARD DEFORMED BARS ARE AS FOLLOWS:

#4 BARS AND SMALLER 40 ksi

#5 BARS AND LARGER 60 ksi

- 6. THE FOLLOWING MINIMUM CONCRETE COVER SHALL BE PROVIDED FOR REINFORCING STEEL UNLESS SHOWN OTHERWISE ON DRAWINGS:
- CONCRETE CAST AGAINST AND PERMANENTLY EXPOSED TO EARTH 3"
- CONCRETE EXPOSED TO EARTH OR WEATHER:
- #6 BARS AND LARGER 2"
- #5 BARS AND SMALLER 1-1/2"
- CONCRETE NOT EXPOSED TO EARTH OR WEATHER:
- SLAB AND WALLS 3/4"
- BEAMS AND COLUMNS 1-1/2"
- 7. A TOOLED EDGE OR A 3/4" CHAMFER SHALL BE PROVIDED AT ALL EXPOSED EDGES OF CONCRETE, UNLESS NOTED OTHERWISE, IN ACCORDANCE WITH ACI 301 SECTION 4.2.4.

ELECTRICAL INSTALLATION NOTES:

- 1. ALL ELECTRICAL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS, NEC AND ALL APPLICABLE FEDERAL. STATE. AND LOCAL CODES/ORDINANCES.
- 2. CONDUIT ROUTINGS ARE SCHEMATIC. CONTRACTOR SHALL INSTALL CONDUITS SO THAT ACCESS TO EQUIPMENT IS NOT BLOCKED AND TRIP HAZARDS ARE ELIMINATED.
- 3. WIRING, RACEWAY AND SUPPORT METHODS AND MATERIALS SHALL COMPLY WITH THE REQUIREMENTS OF THE NEC.
- 4. ALL CIRCUITS SHALL BE SEGREGATED AND MAINTAIN MINIMUM CABLE SEPARATION AS REQUIRED BY THE NEC.
- 4.1. ALL EQUIPMENT SHALL BEAR THE UNDERWRITERS LABORATORIES LABEL OF APPROVAL, AND SHALL CONFORM TO REQUIREMENT OF THE NATIONAL ELECTRICAL CODE.
- 4.2. ALL OVERCURRENT DEVICES SHALL HAVE AN INTERRUPTING CURRENT RATING THAT SHALL BE GREATER THAN THE SHORT CIRCUIT CURRENT TO WHICH THEY ARE SUBJECTED, 22,000 AIC MINIMUM. VERIFY AVAILABLE SHORT CIRCUIT CURRENT DOES NOT EXCEED THE RATING OF ELECTRICAL EQUIPMENT IN ACCORDANCE WITH ARTICLE 110.24 NEC OR THE MOST CURRENT ADOPTED CODE PRE THE GOVERNING JURISDICTION.
- 5. EACH END OF EVERY POWER PHASE CONDUCTOR, GROUNDING CONDUCTOR, AND TELCO CONDUCTOR OR CABLE SHALL BE LABELED WITH COLOR—CODED INSULATION OR ELECTRICAL TAPE (3M BRAND, 1/2" PLASTIC ELECTRICAL TAPE WITH UV PROTECTION, OR EQUAL). THE IDENTIFICATION METHOD SHALL CONFORM WITH NEC AND OSHA.
- 6. ALL ELECTRICAL COMPONENTS SHALL BE CLEARLY LABELED WITH LAMICOID TAGS SHOWING THEIR RATED VOLTAGE, PHASE CONFIGURATION, WIRE CONFIGURATION, POWER OR AMPACITY RATING AND BRANCH CIRCUIT ID NUMBERS (i.e. PANEL BOARD AND CIRCUIT ID'S).
- 7. PANEL BOARDS (ID NUMBERS) SHALL BE CLEARLY LABELED WITH PLASTIC LABELS.
- 8. TIE WRAPS ARE NOT ALLOWED.
- 9. ALL POWER AND EQUIPMENT GROUND WIRING IN TUBING OR CONDUIT SHALL BE SINGLE COPPER CONDUCTOR (#14 OR LARGER) WITH TYPE THHW, THWN, THWN-2, XHHW, XHHW-2, THW, THW-2, RHW, OR RHW-2 INSULATION UNLESS OTHERWISE SPECIFIED.
- 10. SUPPLEMENTAL EQUIPMENT GROUND WIRING LOCATED INDOORS SHALL BE SINGLE COPPER CONDUCTOR (#6 OR LARGER) WITH TYPE THHW, THWN, THWN-2, XHHW, XHHW-2, THW, THW-2, RHW, OR RHW-2 INSULATION UNLESS OTHERWISE SPECIFIED.
- 11. POWER AND CONTROL WIRING IN FLEXIBLE CORD SHALL BE MULTI-CONDUCTOR, TYPE SOOW CORD (#14 OR LARGER) UNLESS OTHERWISE SPECIFIED.
- 12. POWER AND CONTROL WIRING FOR USE IN CABLE TRAY SHALL BE MULTI-CONDUCTOR, TYPE TC CABLE (#14 OR LARGER), WITH TYPE THHW, THWN, THWN-2, XHHW, XHHW-2, THW, THW-2, RHW, OR RHW-2 INSULATION UNLESS OTHERWISE SPECIFIED.
- 13. ALL POWER AND GROUNDING CONNECTIONS SHALL BE CRIMP—STYLE, COMPRESSION WIRE LUGS AND WIRE NUTS BY THOMAS AND BETTS (OR EQUAL). LUGS AND WIRE NUTS SHALL BE RATED FOR OPERATION NOT LESS THAN 75° C (90° C IF AVAILABLE).
- 14. RACEWAY AND CABLE TRAY SHALL BE LISTED OR LABELED FOR ELECTRICAL USE IN ACCORDANCE WITH NEMA, UL, ANSI/IEEE AND NEC.
- 15. ELECTRICAL METALLIC TUBING (EMT), INTERMEDIATE METAL CONDUIT (IMC), OR RIGID METAL CONDUIT (RMC) SHALL BE USED FOR EXPOSED INDOOR LOCATIONS.

- ELECTRICAL METALLIC TUBING (EMT) OR METAL—CLAD CABLE (MC) SHALL BE USED FOR CONCEALED INDOOR LOCATIONS.
- 17. SCHEDULE 40 PVC UNDERGROUND ON STRAIGHTS AND SCHEDULE 80 PVC FOR ALL ELBOWS/90s AND ALL APPROVED ABOVE GRADE PVC CONDUIT.
- 18. LIQUID-TIGHT FLEXIBLE METALLIC CONDUIT (LIQUID-TITE FLEX) SHALL BE USED INDOORS AND OUTDOORS, WHERE VIBRATION OCCURS OR FLEXIBILITY IS NEEDED.
- 19. CONDUIT AND TUBING FITTINGS SHALL BE THREADED OR COMPRESSION—TYPE AND APPROVED FOR THE LOCATION USED. SET SCREW FITTINGS ARE NOT ACCEPTABLE.
- 20. CABINETS, BOXES AND WIRE WAYS SHALL BE LABELED FOR ELECTRICAL USE IN ACCORDANCE WITH NEMA, UL, ANSI/IEEE AND THE NEC.
- 21. WIREWAYS SHALL BE METAL WITH AN ENAMEL FINISH AND INCLUDE A HINGED COVER, DESIGNED TO SWING OPEN DOWNWARDS (WIREMOLD SPECMATE WIREWAY).
- 22. SLOTTED WIRING DUCT SHALL BE PVC AND INCLUDE COVER (PANDUIT TYPE E OR EQUAL).
- 23. CONDUITS SHALL BE FASTENED SECURELY IN PLACE WITH APPROVED NON-PERFORATED STRAPS AND HANGERS. EXPLOSIVE DEVICES (i.e. POWDER-ACTUATED) FOR ATTACHING HANGERS TO STRUCTURE WILL NOT BE PERMITTED. CLOSELY FOLLOW THE LINES OF THE STRUCTURE, MAINTAIN CLOSE PROXIMITY TO THE STRUCTURE AND KEEP CONDUITS IN TIGHT ENVELOPES. CHANGES IN DIRECTION TO ROUTE AROUND OBSTACLES SHALL BE MADE WITH CONDUIT OUTLET BODIES. CONDUIT SHALL BE INSTALLED IN A NEAT AND WORKMANLIKE MANNER. PARALLEL AND PERPENDICULAR TO STRUCTURE WALL AND CEILING LINES. ALL CONDUIT SHALL BE FISHED TO CLEAR OBSTRUCTIONS. ENDS OF CONDUITS SHALL BE TEMPORARILY CAPPED FLUSH TO FINISH GRADE TO PREVENT CONCRETE, PLASTER OR DIRT FROM ENTERING. CONDUITS SHALL BE RIGIDLY CLAMPED TO BOXES BY GALVANIZED MALLEABLE IRON BUSHING ON INSIDE AND GALVANIZED MALLEABLE IRON LOCKNUT ON OUTSIDE AND INSIDE.
- 24. EQUIPMENT CABINETS, TERMINAL BOXES, JUNCTION BOXES AND PULL BOXES SHALL BE GALVANIZED OR EPOXY—COATED SHEET STEEL. SHALL MEET OR EXCEED UL 50 AND BE RATED NEMA 1 (OR BETTER) FOR INTERIOR LOCATIONS AND NEMA 3 (OR BETTER) FOR EXTERIOR LOCATIONS.
- 25. METAL RECEPTACLE, SWITCH AND DEVICE BOXES SHALL BE GALVANIZED, EPOXY—COATED OR NON—CORRODING; SHALL MEET OR EXCEED UL 514A AND NEMA OS 1 AND BE RATED NEMA 1 (OR BETTER) FOR INTERIOR LOCATIONS AND WEATHER PROTECTED (WP OR BETTER) FOR EXTERIOR LOCATIONS.
- 26. NONMETALLIC RECEPTACLE, SWITCH AND DEVICE BOXES SHALL MEET OR EXCEED NEMA OS 2 (NEWEST REVISION) AND BE RATED NEMA 1 (OR BETTER) FOR INTERIOR LOCATIONS AND WEATHER PROTECTED (WP OR BETTER) FOR EXTERIOR LOCATIONS.
- 27. THE CONTRACTOR SHALL NOTIFY AND OBTAIN NECESSARY AUTHORIZATION FROM THE CARRIER AND/OR DISH Wireless L.L.C. AND TOWER OWNER BEFORE COMMENCING WORK ON THE AC POWER DISTRIBUTION PANELS.
- 28. THE CONTRACTOR SHALL PROVIDE NECESSARY TAGGING ON THE BREAKERS, CABLES AND DISTRIBUTION PANELS IN ACCORDANCE WITH THE APPLICABLE CODES AND STANDARDS TO SAFEGUARD LIFE AND PROPERTY.
- 29. INSTALL LAMICOID LABEL ON THE METER CENTER TO SHOW "DISH Wireless L.L.C.".
- 30. ALL EMPTY/SPARE CONDUITS THAT ARE INSTALLED ARE TO HAVE A METERED MULE TAPE PULL CORD INSTALLED.




5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120



roject Contact Info
279 Route 300 Phone: (845) 567–6656
ewburgh, NY 12550 (800) 829–6531





IT IS A VIOLATION OF LAW FOR ANY PERSON,
UNLESS THEY ARE ACTING UNDER THE DIRECTION
OF A LICENSED PROFESSIONAL ENGINEER,
TO ALTER THIS DOCUMENT.

BWY JQ/EI EI		DRAWN	BY:	CHECKED	BY:	APPROVED	BY:
		BWY		JQ/EI		EI	

RFDS REV #:

PRELIMINARY DOCUMENTS

SUBMITTALS					
REV	DATE	DESCRIPTION			
0	0 01/18/2023 ISSUED FOR CONSTRUCTION				
1	02/15/2023	REVISED PER COMMENTS			
2	12/04/2023	ADDED DISH ANTENNA			
A&E PROJECT NUMBER					
BOBOSO0067A					

DISH Wireless L.L.C.
PROJECT INFORMATION

BOBOSO0067A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE

GENERAL NOTES

SHEET NUMBER

GROUNDING NOTES:

- 1. ALL GROUND ELECTRODE SYSTEMS (INCLUDING TELECOMMUNICATION, RADIO, LIGHTNING PROTECTION AND AC POWER GES'S) SHALL BE BONDED TOGETHER AT OR BELOW GRADE, BY TWO OR MORE COPPER BONDING CONDUCTORS IN ACCORDANCE WITH THE NEC.
- 2. THE CONTRACTOR SHALL PERFORM IEEE FALL—OF—POTENTIAL RESISTANCE TO EARTH TESTING (PER IEEE 1100 AND 81) FOR GROUND ELECTRODE SYSTEMS, THE CONTRACTOR SHALL FURNISH AND INSTALL SUPPLEMENTAL GROUND ELECTRODES AS NEEDED TO ACHIEVE A TEST RESULT OF 5 OHMS OR LESS.
- 3. THE CONTRACTOR IS RESPONSIBLE FOR PROPERLY SEQUENCING GROUNDING AND UNDERGROUND CONDUIT INSTALLATION AS TO PREVENT ANY LOSS OF CONTINUITY IN THE GROUNDING SYSTEM OR DAMAGE TO THE CONDUIT AND PROVIDE TESTING RESULTS.
- 4. METAL CONDUIT AND TRAY SHALL BE GROUNDED AND MADE ELECTRICALLY CONTINUOUS WITH LISTED BONDING FITTINGS OR BY BONDING ACROSS THE DISCONTINUITY WITH #6 COPPER WIRE UL APPROVED GROUNDING TYPE CONDUIT CLAMPS.
- 5. METAL RACEWAY SHALL NOT BE USED AS THE NEC REQUIRED EQUIPMENT GROUND CONDUCTOR. STRANDED COPPER CONDUCTORS WITH GREEN INSULATION, SIZED IN ACCORDANCE WITH THE NEC, SHALL BE FURNISHED AND INSTALLED WITH THE POWER CIRCUITS TO BTS EQUIPMENT.
- 6. EACH CABINET FRAME SHALL BE DIRECTLY CONNECTED TO THE MASTER GROUND BAR WITH GREEN INSULATED SUPPLEMENTAL EQUIPMENT GROUND WIRES, #6 STRANDED COPPER OR LARGER FOR INDOOR BTS; #2 BARE SOLID TINNED COPPER FOR OUTDOOR BTS.
- 7. CONNECTIONS TO THE GROUND BUS SHALL NOT BE DOUBLED UP OR STACKED BACK TO BACK CONNECTIONS ON OPPOSITE SIDE OF THE GROUND BUS ARE PERMITTED.
- 8. ALL EXTERIOR GROUND CONDUCTORS BETWEEN EQUIPMENT/GROUND BARS AND THE GROUND RING SHALL BE #2 SOLID TINNED COPPER UNLESS OTHERWISE INDICATED.
- 9. ALUMINUM CONDUCTOR OR COPPER CLAD STEEL CONDUCTOR SHALL NOT BE USED FOR GROUNDING CONNECTIONS.
- 10. USE OF 90° BENDS IN THE PROTECTION GROUNDING CONDUCTORS SHALL BE AVOIDED WHEN 45° BENDS CAN BE ADEQUATELY SUPPORTED.
- 11. EXOTHERMIC WELDS SHALL BE USED FOR ALL GROUNDING CONNECTIONS BELOW GRADE.
- 12. ALL GROUND CONNECTIONS ABOVE GRADE (INTERIOR AND EXTERIOR) SHALL BE FORMED USING HIGH PRESS CRIMPS.
- 13. COMPRESSION GROUND CONNECTIONS MAY BE REPLACED BY EXOTHERMIC WELD CONNECTIONS.
- 14. ICE BRIDGE BONDING CONDUCTORS SHALL BE EXOTHERMICALLY BONDED OR BOLTED TO THE BRIDGE AND THE TOWER GROUND BAR.
- 15. APPROVED ANTIOXIDANT COATINGS (i.e. CONDUCTIVE GEL OR PASTE) SHALL BE USED ON ALL COMPRESSION AND BOLTED GROUND CONNECTIONS.
- 16. ALL EXTERIOR GROUND CONNECTIONS SHALL BE COATED WITH A CORROSION RESISTANT MATERIAL.
- 17. MISCELLANEOUS ELECTRICAL AND NON-ELECTRICAL METAL BOXES, FRAMES AND SUPPORTS SHALL BE BONDED TO THE GROUND RING, IN ACCORDANCE WITH THE NEC.
- 18. BOND ALL METALLIC OBJECTS WITHIN 6 ft OF MAIN GROUND RING WITH (1) #2 BARE SOLID TINNED COPPER GROUND CONDUCTOR.
- 19. GROUND CONDUCTORS USED FOR THE FACILITY GROUNDING AND LIGHTNING PROTECTION SYSTEMS SHALL NOT BE ROUTED THROUGH METALLIC OBJECTS THAT FORM A RING AROUND THE CONDUCTOR, SUCH AS METALLIC CONDUITS, METAL SUPPORT CLIPS OR SLEEVES THROUGH WALLS OR FLOORS. WHEN IT IS REQUIRED TO BE HOUSED IN CONDUIT TO MEET CODE REQUIREMENTS OR LOCAL CONDUITIONS, NON-METALLIC MATERIAL SUCH AS PVC CONDUIT SHALL BE USED. WHERE USE OF METAL CONDUIT IS UNAVOIDABLE (i.e., NONMETALLIC CONDUIT PROHIBITED BY LOCAL CODE) THE GROUND CONDUCTOR SHALL BE BONDED TO EACH END OF THE METAL CONDUIT
- 20. ALL GROUNDS THAT TRANSITION FROM BELOW GRADE TO ABOVE GRADE MUST BE #2 BARE SOLID TINNED COPPER IN 3/4" NON-METALLIC, FLEXIBLE CONDUIT FROM 24" BELOW GRADE TO WITHIN 3" TO 6" OF CAD-WELD TERMINATION POINT. THE EXPOSED END OF THE CONDUIT MUST BE SEALED WITH SILICONE CAULK. (ADD TRANSITIONING GROUND STANDARD DETAIL AS WELL).
- 21. BUILDINGS WHERE THE MAIN GROUNDING CONDUCTORS ARE REQUIRED TO BE ROUTED TO GRADE, THE CONTRACTOR SHALL ROUTE TWO GROUNDING CONDUCTORS FROM THE ROOFTOP, TOWERS, AND WATER TOWERS GROUNDING RING, TO THE EXISTING GROUNDING SYSTEM, THE GROUNDING CONDUCTORS SHALL NOT BE SMALLER THAN 2/O COPPER. ROOFTOP GROUNDING RING SHALL BE BONDED TO THE EXISTING GROUNDING SYSTEM, THE BUILDING STEEL COLUMNS, LIGHTNING PROTECTION SYSTEM, AND BUILDING MAIN WATER LINE (FERROUS OR NONFERROUS METAL PIPING ONLY). DO NOT ATTACH GROUNDING TO FIRE SPRINKLER SYSTEM PIPES.



5701 SOUTH SANTA FE DRIVE LITTLETON. CO 80120



Project Contact Info 1279 Route 300

Phone: (845) 567-6656 50 (800) 829-6531 www.tectonicengineering.com





IT IS A VIOLATION OF LAW FOR ANY PERSON,
JNLESS THEY ARE ACTING UNDER THE DIRECTION
OF A LICENSED PROFESSIONAL ENGINEER,
TO ALTER THIS DOCUMENT.

	٥	CHLCKLD	ы	APPROVED	BI:
BWY		JQ/EI		El	

RFDS REV #:

PRELIMINARY DOCUMENTS

SUBMITTALS							
REV	DATE	DESCRIPTION					
0	01/18/2023	ISSUED FOR CONSTRUCTION					
1	02/15/2023	REVISED PER COMMENTS					
2	12/04/2023	ADDED DISH ANTENNA					
	A&E PROJECT NUMBER						

DISH Wireless L.L.C.
PROJECT INFORMATION

BOBOSO0067A

BOBOSO0067A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE

GENERAL NOTES

SHEET NUMBER

STRUCTURAL NOTES:

- 1. DESIGN AND CONSTRUCTION OF STRUCTURAL STEEL SHALL CONFORM TO THE AMERICAN INSTITUTE OF STEEL CONSTRUCTION "SPECIFICATION FOR STRUCTURAL STEEL BUILDINGS, ALLOWABLE STRESS DESIGN AND PLASTIC DESIGN".
- 2. STRUCTURAL STEEL WIDE FLANGE SHAPES SHALL CONFORM TO ASTM A992, "STEEL FOR STRUCTURAL SHAPES FOR USE IN BUILDING FRAMING", GRADE 50, UNLESS OTHERWISE INDICATED. IF THE MEMBER SIZES INDICATED ARE NOT AVAILABLE IN THIS GRADE, ASTM A572 "HIGH-STRENGTH LOW-ALLOY COLUMBIUM-VANADIUM STRUCTURAL STEEL", GRADE 50, MAY BE SUBSTITUTED.
- 3. HOLLOW STRUCTURAL SECTIONS (HSS) SHALL CONFORM TO ASTM A500 "COLD—FORMED WELDED & SEAMLESS CARBON STEEL STRUCTURAL TUBING IN ROUNDS AND SHAPES", GRADE C. SUBSTITUTION WITH ASTM A53 PIPE IS NOT ACCEPTABLE.
- 4. FIELD WELDING IS NOT PERMITTED, UNLESS SPECIFICALLY INDICATED OTHERWISE ON THESE DRAWINGS.
- 5. ALL FILLET WELDS SHALL BE MADE USING THE SHIELDED METAL ARC WELDING (SMAW) PROCESS WITH E70XX ELECTRODES UNLESS OTHERWISE NOTED
- 6. MISCELLANEOUS STEEL, INCLUDING THREADED RODS, CHANNELS, ANGLES, PLATES, AND BARS SHALL. CONFORM TO ASTM A36 "CARBON STRUCTURAL STEEL", UNLESS OTHERWISE INDICATED.
- 7. U-BOLTS SHALL CONFORM TO ASTM A36 OR A307 "CARBON STEEL BOLTS, STUDS, AND THREADED ROD 60000 PSI TENSILE STRENGTH". ALL U-BOLTS SHALL BE 1/2" DIAMETER IN 9/16" HOLES, UNLESS OTHERWISE NOTED. INSTALL DOUBLE NUTS ON ALL CONNECTIONS.
- 8. ANCHOR BOLTS SHALL CONFORM TO ASTM F1554 "ANCHOR BOLTS, STEEL, 36, 55, AND 105-KSI YIELD STRENGTH", GRADE 36.
- 9. STRUCTURAL CONNECTION BOLTS SHALL BE HIGH STRENGTH BOLTS CONFORMING TO ASTM A325 "STRUCTURAL BOLTS, STEEL, HEAT TREATED, 120/105 KSI MINIMUM TENSILE STRENGTH". BOLTS SHALL BE 3/4 INCH DIAMETER, TYPE X, UNLESS OTHERWISE NOTED.
- 10. MATCHING NUTS SHALL BE HEAVY HEX TYPE, CONFORMING TO ASTM A563 "CARBON AND ALLOY STEEL NUTS". WASHERS, WHERE REQUIRED, SHALL CONFORM TO ASTM F436 "HARDENED STEEL WASHERS".
- 11. FIELD CONNECTIONS SHALL BE BOLTED UNLESS OTHERWISE INDICATED. ALL BOLTED CONNECTIONS SHALL BE MADE WITH NOT LESS THAN TWO (2) HIGH STRENGTH BOLTS, OR EQUIVALENT WELD.
- 12. ALL STEEL SUPPORTS SHALL BE INSTALLED WITH DOUBLE NUTS AND SHALL BE INSTALLED SNUG TIGHT.
- 13. STRUCTURAL CONNECTIONS SHALL BE SNUG TIGHT IN ACCORDANCE WITH THE RESEARCH COUNCIL ON STRUCTURAL CONNECTIONS "SPECIFICATION FOR STRUCTURAL JOINTS USING ASTM A325 OR A490 BOLTS", UNLESS OTHERWISE NOTED.
- 14. BOLTS IN SLIP—CRITICAL CONNECTIONS SHALL BE FULLY PRETENSIONED BY THE TURN—OF—NUT METHOD IN ACCORDANCE WITH THE RESEARCH COUNCIL ON STRUCTURAL CONNECTIONS "SPECIFICATIONS FOR STRUCTURAL JOINTS USING ASTM A325 OR A490 BOLTS".
- 15. ANCHOR BOLTS SHALL BE TENSIONED BY THE TURN-OF-NUT METHOD AFTER GROUTING OF BASE PLATES.
- 16. ALL HOLES FOR BOLTS SHALL BE 1/16 INCH LARGER THAN THE BOLT DIAMETER WITH AN EDGE DISTANCE OF AT LEAST 1 1/2 TIMES THE BOLT DIAMETER AND A SPACING OF AT LEAST 3 TIMES THE BOLT DIAMETER. ALL BOLTS SHALL BE PROVIDED WITH PALNUTS OR LOCK NUTS
- 17. CONTRACTOR SHALL COMPLY WITH AWS D1.1 "STRUCTURAL WELDING CODE STEEL" FOR PROCEDURES, APPEARANCE AND QUALITY OF WELDS, AND FOR METHODS USED IN CORRECTING WELDING. ALL WELDERS AND WELDING PROCESSES SHALL BE QUALIFIED IN ACCORDANCE WITH AWS "STANDARD QUALIFICATION PROCEDURES".
- 18. METAL DECK SHALL BE FORMED STEEL DECK AS MANUFACTURED BY VULCRAFT, INC. OR APPROVED EQUAL. DECK SHALL BE FABRICATED FROM GALVANIZED STEEL CONFORMING TO ASTM A653, "STEEL SHEET, ZINC-COATED (GALVANIZED) OR ZINC-IRON ALLOY-COATED (GALVANNEALED) BY THE HOT-DIP PROCESS", STRUCTURAL QUALITY. COATING SHALL CONFORM TO CLASSIFICATION G60.
- 19. ALL OPENINGS REQUIRED IN THE DECK WHICH ARE NOT SHOWN ON THE STRUCTURAL DRAWINGS SHALL BE CUT IN THE FIELD ONLY AS APPROVED BY THE ENGINEER.
- 20. GRATING SHALL BE TYPE "GW" GALVANIZED WELDED STEEL BAR GRATING AS MANUFACTURED BY MCNICHOLS, OR APPROVED EQUAL. BEARING BARS SHALL BE AS FOLLOWS:

EXTERIOR GRATING 1" X 3/16" SERRATED

INTERIOR GRATING 1" X 3/16" PLAIN

ALUMINUM 1 1/4"X3/16" GAL SERIES

BAND ALL EDGES, AND ATTACH TO SUPPORTING MEMBERS AT 18" ON CENTER WITH MODEL GG GALVANIZED G-CLIPS AS MANUFACTURED BY GRATING FASTENERS INC.

- 21. EXPANSION ANCHORS SHALL BE HILTI KWIK BOLT TZ2 OR APPROVED EQUAL. INSTALLATION SHALL BE IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS. MINIMUM EMBEDMENT SHALL BE 4-3/4" UNLESS OTHERWISE NOTED.
- 22. ADHESIVE ANCHOR ASSEMBLIES SHALL BE AS MANUFACTURED BY HILTI OR ENGINEER APPROVED EQUAL, AS FOLLOWS:

BASE MATERIAL ANCHOR SYSTEM

HOLLOW CMU OR BRICK

HIT HY-270

CONCRETE

HIT HY-200

INSTALLATION SHALL BE IN ACCORDANCE WITH THE MANUFACTURER'S WRITTEN INSTRUCTIONS.

- 23. HAMMER DRILLS ARE NOT TO BE USED WHEN DRILLING HOLES FOR SLEEVE OR EXPANSION BOLTS INSTALLED IN MASONRY BLOCKS/BRICKS.
- 24. ALL INTERIOR STRUCTURAL STEEL SHALL BE SHOP PRIME COATED WITH A RUST—INHIBITIVE PRIMER EXCEPT AREAS TO BE FIREPROOFED NEED NOT BE PAINTED. SURFACE PREPARATION SHALL BE IN ACCORDANCE WITH THE PAINT MANUFACTURER'S RECOMMENDATIONS. AREAS WHICH MAY BE INACCESSIBLE AFTER INSTALLATION SHALL RECEIVE TWO (2) COATS OF PRIMER. FINISH PAINT AS DIRECTED BY OWNER/CARRIER.
- 25. FIELD CONNECTIONS AND DAMAGED OR ABRADED AREAS OF SHOP PRIME COAT SHALL BE TOUCH—UP PAINTED WITH COMPATIBLE FIELD PRIMER.
- 26. ALL EXTERIOR STEEL SHALL BE GALVANIZED AFTER FABRICATION IN ACCORDANCE WITH ASTM A123 "ZINC (HOT—DIP GALVANIZED) COATINGS ON IRON AND STEEL PRODUCTS", UNLESS OTHERWISE NOTED.
- 27. ALL EXTERIOR BOLTS AND MISCELLANEOUS HARDWARE SHALL BE GALVANIZED IN ACCORDANCE WITH ASTM A153 "ZINC COATING (HOT-DIP) ON IRON AND STEEL HARDWARE", UNLESS OTHERWISE NOTED.
- 28. DAMAGED GALVANIZED SURFACES SHALL BE REPAIRED BY COLD GALVANIZING IN ACCORDANCE WITH ASTM A780 "REPAIR OF DAMAGED AND UNCOATED AREAS OF HOT—DIP GALVANIZED COATINGS", USING GALVANIZING COMPOUND AS MANUFACTURED BY ZINGA—USA OR ZINC KOTE, OR ENGINEER APPROVED EQUAL, WITH A MINIMUM METALLIC ZINC CONTENT OF 95% BY WEIGHT IN DRY FILM. DRY FINISHED COATING THICKNESS SHALL BE 3 MILS MINIMUM. DAMAGED AREAS OF STEEL SHALL BE REPAINTED TO MATCH ANY EXISTING FINISH (IF APPLICABLE).
- 29. STEEL WORK SHALL BE SUBJECT TO SPECIAL INSPECTIONS DURING CONSTRUCTION AS REQUIRED BY THE CODE.
- 30. CONTRACTOR TO REMOVE MASTIC ON THE EXISTING WALL/PARAPET AT EVERY STEEL SUPPORT ATTACHMENT AND REPOINT MASONRY AS REQUIRED. A BED OF SILICONE SHALL BE APPLIED ALL AROUND THE STEEL SUPPORT ATTACHMENT TO MAKE IT WEATHERPROOF.
- 31. ALL HOLES TO BE ADDED IN THE FIELD SHALL BE PUNCHED OR DRILLED. NO HOLE BURNING SHALL BE ALLOWED. REPAIR GALVANIZING IN ACCORDANCE WITH ASTM A780.
- 32. THE NOTES CONTAINED HEREIN ARE NOT PROJECT SPECIFIC. THE CONTRACTOR SHALL UTILIZE ALL NOTES WHICH SOLELY PERTAIN TO THE WORK DEPICTED ON THESE DRAWINGS.

HILTI TESTING NOTES:

IF REQUIRED PER HILTI SPECIFICATIONS, CONTRACTOR SHALL RETAIN HILTI TO TEST AND CERTIFY THE ADHESIVE ANCHORS SPECIFIED IN THE CONSTRUCTION DRAWINGS TO BE INSTALLED IN MASONRY. A MINIMUM OF ONE (1) ANCHOR PER CONNECTION SHALL BE TESTED. FOR ANTENNA MOUNTS. A MINIMUM OF 25% OF ANCHORS PER SECTOR SHALL BE TESTED. THE LOAD TO THE ANCHORS SHALL BE APPLIED USING A STEEL TEST FRAME THAT IS ADEQUATE TO CARRY THE PULL TEST LOADS. APPLY A TENSILE LOAD SPECIFIED AND RECOMMENDED BY THE ANCHOR MANUFACTURER ONTO THE ANCHOR TO BE TESTED. MAINTAIN THE LOAD FOR AT LEAST TWO MINUTES AFTER SPECIFIED LOAD IS REACHED. IF ANY TESTED ANCHOR IN A CONNECTION FAILS TO REACH THE SPECIFIED LOAD CAPACITY, ALL ANCHORS WITHIN THAT CONNECTION SHALL BE TESTED. ENGINEER OF RECORD OR A SPECIAL INSPECTOR SHALL BE PRESENT ON SITE DURING THE ANCHOR TESTS. TEST RESULTS SHALL BE DOCUMENTED BY HILTI AND FURNISHED TO ENGINEER OF RECORD UPON COMPLETION. ANCHORS WILL BE VISUALLY INSPECTED ALONG WITH THE SURROUNDINGS AFTER TESTING.

MASONRY NOTES:

- 1. DESIGN AND CONSTRUCTION OF ALL MASONRY WORK SHALL CONFORM TO ACI 530 AND 530.1 STANDARDS "BUILDING CODE REQUIREMENTS FOR MASONRY STRUCTURES", AND "SPECIFICATIONS FOR MASONRY STRUCTURES".
- 2. CONCRETE MASONRY UNITS SHALL BE NORMAL WEIGHT HOLLOW LOAD BEARING UNITS CONFORMING TO ASTM C90 "LOADBEARING CONCRETE

MASONRY UNITS", TYPE I (MOISTURE-CONTROLLED), GRADE N. COMPRESSIVE STRENGTH OF MASONRY (f'm) SHALL NOT BE LESS THAN 2,000 PSI. COLOR AND FINISH AS INDICATED, SUBJECT TO APPROVAL BY OWNER.

- 3. MORTAR SHALL CONFORM TO ACTM C270 "MORTAR FOR UNIT MASONRY" TYPE M OR S.
- 4. GROUT SHALL CONFORM TO ASTM C476 "GROUT FOR REINFORCED AND NON-REINFORCED MASONRY". ALL CELLS SHALL BE FILLED SOLID WITH GROUT AT REINFORCING.
- 5. ALL MASONRY SHALL BE CONSTRUCTED IN RUNNING BOND.
- 6. HORIZONTAL JOINT REINFORCING SHALL BE STANDARD WEIGHT LADDER TYPE (2-NO. 9 GAGE SIDE RODS) SPACED VERTICALLY AS INDICATED.
- 7. INJECT GROUT INTO WEAK MORTAR WHERE THERE IS SEPARATION BETWEEN

MASONRY REPAIR NOTES:

- 1. REPAIR ALL EXISTING BULKHEAD/PARAPET WALL CRACKS WITHIN 3 FEET RADIUS OF THE MOUNT ATTACHMENT POINTS.
- 2. CONTRACTOR IS RESPONSIBLE TO REPAIR ANY BRICK FRACTURE OR MORTAR CRACKS THAT MAY DEVELOP DURING CONSTRUCTION OF ANTENNA MOUNTS AND EQUIPMENT FRAME.
- 3. DO NOT HAMMER DRILL INTO EXISTING BULKHEAD/PARAPET.
- 4. CONTRACTOR TO REMOVE TAR/MASTIC ON THE EXISTING BULKHEAD/PARAPET AT EVERY MOUNT ATTACHMENT AND REPOINT MASONRY AS REQUIRED. A BEAD OF SILICONE SHALL BE APPLIED BEHIND AND ALL AROUND THE MOUNT ATTACHMENT TO MAKE IT WEATHERPROOF.
- 5. REPAIR WORK FOR BULKHEAD/PARAPET TO BE PREFORMED/COMPLETED IN TWO STAGES, AS FOLLOWS:

STAGE 1: OUTSIDE FACE

- REPAIR WORK TO BE DONE IN SECTIONS NOT TO EXCEED 4 FEET IN BULKHEAD/PARAPET LENGTH.
- RE-POINT ALL AREAS AND REPLACE ALL CRACKED/DAMAGED BRICK AS REQUIRED.
- REPLACE PARGING TO MATCH EXISTING BUILDING AND PAINT TO MATCH.
- RESEAL ALL ANCHOR HOLES WEATHER-TIGHT.

STAGE 2: INSIDE FACE/BELOW ROOF LINE

- REPAIR WORK TO BE DONE IN SECTIONS NOT TO EXCEED 4 FEET IN BULKHEAD/PARAPET LENGTH.
- REMOVE LOOSE BULKHEAD/PARAPET MEMBRANE A MAXIMUM OF 3 FEET FROM EDGE OF ATTACHMENT.
- RE-POINT ENTIRE AREA AS REQUIRED.
- RESEAL AND REPLACE BULKHEAD/PARAPET MEMBRANE AND FLASHING TO MATCH EXISTING.




5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120



Tectonic Engineering Consultants, 6
Project Contact Info
1279 Route 300
Newburgh NY 12550





IT IS A VIOLATION OF LAW FOR ANY PERSON,
UNLESS THEY ARE ACTING UNDER THE DIRECTION
OF A LICENSED PROFESSIONAL ENGINEER,
TO ALTER THIS DOCUMENT.

ı	DRAWN BY:	CHECKED BY:	APPROVED	B١
ı	BWY	JQ/EI	El	

RFDS REV #:

PRELIMINARY DOCUMENTS

SUBMITTALS

REV DATE DESCRIPTION

0 01/18/2023 ISSUED FOR CONSTRUCTION

1 02/15/2023 REVISED PER COMMENTS

2 12/04/2023 ADDED DISH ANTENNA

A&E PROJECT NUMBER

BOBOSO0067A

DISH Wireless L.L.C. PROJECT INFORMATION

BOBOSO0067A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE

GENERAL NOTES

SHEET NUMBER

GN-6

GENERAL:

- 1. WELDING STUDS SHALL BE TYPE TFTC FLANGED THREADED LOW CARBON COPPER COATED STEEL STUDS, GRADE 1010 THROUGH 1020, CONFORMING TO ASTM A108 "STEEL BAR, CARBON AND ALLOY, COLD FINISHED" AS MANUFACTURED BY NELSON STUD WELDING, INC. OR APPROVED EQUAL. ALL STUDS SHALL BE 1/4" DIAMETER BY 2 1/8" LONG, UNLESS OTHERWISE NOTED ON THE CONSTRUCTION DRAWINGS.
- 2. STUDS MUST BE WELDED BY THE CAPACITOR DISCHARGE METHOD, USING THE NELSON NCD 100 OR 150 SYSTEM, AS MANUFACTURED AND MARKETED BY NELSON STUD WELDING, ELYRIA OHIO, (800) 635-9353 OR (440) 329-0400, OR APPROVED EQUAL. FILLET WELDS ARE NOT ACCEPTABLE.
- 3. CONTRACTOR SHALL RECEIVE IN WRITING THE OWNER'S REQUIREMENTS FOR TANK INSPECTIONS PRIOR TO COMMENCING WITH THE WORK ON THE TANK. UPON THE COMPLETION OF CONSTRUCTION, THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING A WRITTEN RELEASE FROM THE OWNER STATING THAT ALL WORK WAS PERFORMED IN ACCORDANCE WITH THE CONSTRUCTION DOCUMENTS AND THE OWNERS WRITTEN REQUIREMENTS, AND RELEASES ALL LIABILITY TO THE CONTRACTOR, THE ENGINEER, THE APPLICANT, AND THE STUD MANUFACTURER.
- 4. CONTRACTOR SHALL COMPLY WITH AWS D1.1 "STRUCTURAL WELDING CODE—STEEL" AND AWS C5.4 "RECOMMENDED PRACTICES FOR STUD WELDING" FOR PROCEDURES, APPEARANCE AND QUALITY OF WELDS, AND FOR METHODS USED IN CORRECTING WELDING. ALL WELDERS AND WELDING PROCESSES SHALL BE QUALIFIED IN ACCORDANCE WITH AWS "STANDARD QUALIFICATION PROCEDURES". CONTRACTOR SHALL ADHERE TO AWS RECOMMENDED "SAFE PRACTICES FOR WELDING".
- 5. WELDING PARAMETERS, MACHINE POWER AND DWELL TIME SHALL BE QUALIFIED FOR THE WELDING POSITION, MATERIAL THICKNESS AND STUD SIZE TO BE
- USED. IF CHANGES IN THE SET-UP OCCUR AS DEFINED IN AWS D1.1, THE PROCEDURE MUST BE REQUALIFIED.

 6. CONTRACTOR SHALL SUBMIT CERTIFICATION OF WELDERS FOR STUD WELDING TO THE ENGINEER AND OWNER PRIOR TO COMMENCEMENT OF THE WORK
- 6. CONTRACTOR SHALL SUBMIT CERTIFICATION OF WELDERS FOR STUD WELDING TO THE ENGINEER AND OWNER PRIOR TO COMMENCEMENT OF THE WORK.
 7. THE INSTALLATION OF WELDED STUDS SHALL BE PERFORMED ONLY DURING PERIODS OF CLEAR WEATHER.
- 8. ALL NUTS, WASHERS, AND OTHER HARDWARE INSTALLED ON WELDED STUDS SHALL BE STAINLESS STEEL OR NYLON, AS SHOWN. GALVANIZED OR PLATED CARBON STEEL HARDWARE IS NOT ACCEPTABLE. RUBBER OR PLASTIC WASHERS SHALL NOT BE USED.

SURFACE PREPARATION:

- 1. CLEANING PROCEDURES SHALL BE VERIFIED AS MEETING THE MINIMUM REQUIREMENTS PER THE AWS WELDING HANDBOOK, VOLUME 2-PART 1: WELDING PROCESSES, "QUALITY CONTROL AND INSPECTION" FOR STUD WELDING. IF THE EXISTING COATING SYSTEM CONTAINS LEAD OR OTHER POTENTIALLY HAZARDOUS MATERIALS, SPECIAL PROCEDURES FOR REMOVAL AND DISPOSAL WILL BE REQUIRED.
- 2. PREPARE SURFACE TO BE WELDED BY SPOT REMOVING PAINT TO BARE METAL IN ACCORDANCE WITH THE STEEL STRUCTURES PAINTING COUNCIL SSPC-SP11 "POWER TOOL CLEANING TO BARE METAL". USE A 3M CLEAN STRIP XT DISC, ROTARY BURR, OR ROTARY FILE. THE USE OF A SOLID GRINDING STONE, FLAP WHEEL. OR WIRE WHEEL IS NOT ACCEPTABLE.
- 3. FOLLOW POWER TOOL CLEANING WITH A NON-FLAMMABLE SOLVENT CLEANING TO REMOVE ANY OILS, CONTAMINANTS, RUST, OR DIRT IN ACCORDANCE WITH SSPC-SP1 "SOLVENT CLEANING" PRIOR TO STUD WELDING.

STUD QUALIFICATION TESTING AND SAMPLING:

- 1. 1THE QUALIFICATION OF STUD APPLICATION AND PRE-PRODUCTION TESTING SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF CHAPTER 7 "STUD WELDING" OF AWS D1.1. INITIAL QUALIFICATION TESTING SHALL BE PERFORMED UNDER INSPECTION BY THE ENGINEER.
- 2. STUD APPLICATION SHALL BE QUALIFIED BY STUD WELDING TEN (10) SPECIMENS CONSECUTIVELY TO ASTM A36 STEEL BASE MATERIALS USING RECOMMENDED PROCEDURES AND SETTINGS FOR EACH DIAMETER, POSITION, AND SURFACE GEOMETRY. ALL TEN SPECIMENS SHALL BE TORQUE TESTED TO FAILURE. STUD APPLICATION SHALL BE CONSIDERED QUALIFIED IF ALL TEST SPECIMENS ARE TORQUED TO DESTRUCTION WITHOUT FAILURE IN THE WELD. IN ADDITION, PRIOR TO PRODUCTION, CONTRACTOR SHALL PREPARE SIX (6) STUD WELDED SAMPLES USING A36 STEEL PLATES WITH THICKNESS EQUAL TO EACH OF THE PLATE THICKNESSES OF THE WATER TANK TO BE WELDED. THE SIDE OPPOSITE THE STUD WELD SHALL HAVE A SIMILAR COATING (MINIMUM DFT=6 MIL) TO THE EXISTING INTERIOR COATING OF THE WATER TANK. SAMPLES SHALL BE SUBMITTED TO THE ENGINEER FOR APPROVAL.
- 3. BEFORE PRODUCTION, AT THE START OF EVERY SHIFT AND FOR EACH PARTICULAR SETUP, TESTING SHALL BE PERFORMED ON THE FIRST TWO (2) STUDS THAT ARE WELDED. IN PLACE OF THE ACTUAL PRODUCTION STUD, TESTING MAY BE PERFORMED ON A MATERIAL SIMILAR TO THE PRODUCTION MEMBER IN THICKNESS AND PROPERTIES. TESTING SHALL INCLUDE A VISUAL EXAMINATION OF THE STUD WELD FOR A FULL 360 DEGREE FLASH. IN ADDITION, THE TEST SHALL INCLUDE TORQUE TESTING THE STUDS IN ACCORDANCE WITH THE FOLLOWING CRITERIA:

•		
	STUD SIZE	TESTING TORQUE
	1/4" (1/4-20 UNC)	5.9 FT-LB

- 4. IF FAILURE OCCURS, THE PROCEDURE SHALL BE CORRECTED AND TWO (2) MORE STUDS SHALL BE WELDED AND TESTED.
- 5. PRIOR TO PRODUCTION, CONTRACTOR SHALL PERFORM THREE (3) TEST WELDS ON THE WATER TANK IN A LOCATION SPECIFIED BY THE TANK OWNER TO VERIFY THAT NO DAMAGE WILL OCCUR TO THE COATING SYSTEM ON THE INTERIOR OF THE TANK. ANY AND ALL DAMAGE TO THE INTERIOR COATING SHALL BE REPAIRED TO THE OWNER'S SATISFACTION. IF DAMAGE DOES OCCUR, THE PROCEDURE SHALL BE REEVALUATED BY THE ENGINEER, CONSTRUCTION MANAGER, AND OWNER'S AUTHORIZED REPRESENTATIVE BEFORE COMMENCING WITH THE WORK.

PROTECTIVE COATING:

1. IMMEDIATELY AFTER WELDED STUDS HAVE COOLED TO AMBIENT TEMPERATURE, AND PRIOR TO INSTALLATION OF ATTACHMENTS, NUTS, OR HARDWARE, APPLY LIQUID COLD GALVANIZING COMPOUND (OR OTHER COATING MATERIAL APPROVED BY THE TANK OWNER) TO THE THREADED PORTION OF EACH STUD TO PREVENT CORRISION PRIOR TO APPLICATION OF FINISH PAINT.

REPAINTING:

- 1. ALL SURFACE PREPARATION AND RECOATING OF STEEL SURFACES SHALL BE PERFORMED BY A PAINTING CONTRACTOR THAT HAS BEEN PRE-QUALIFIED BY THE TANK OWNER.
- 2. ALL PAINTED SURFACES AFFECTED BY WELDING OPERATIONS SHALL BE REPAINTED TO MATCH ADJACENT EXISTING SURFACES. PAINTING SHALL INCLUDE COATING OF THE STUDS AND HARDWARE.
- 3. PRIOR TO REPAINTING, SURFACES SHALL BE SOLVENT CLEANED TO REMOVE ANY OILS, CONTAMINANTS, RUST, OR DIRT IN ACCORDANCE WITH THE STEEL STRUCTURES PAINTING COUNCIL SSPC—SP1 "SOLVENT CLEANING" PRIOR TO REPAINTING.
- 4. PAINT USED TO REPAIR INTERIOR COATING SHALL MATCH THE EXISTING COATING SYSTEM OF THE TANK OR SHALL BE A SIMILAR SYSTEM COMPATIBLE WITH THE EXISTING SYSTEM AND ACCEPTABLE TO THE OWNER. VERIFY EXISTING COATING SYSTEM WITH THE TANK OWNER.
- 5. UNLESS OTHERWISE APPROVED BY THE TANK OWNER, EXTERIOR STEEL SHALL BE PAINTED WITH 1 COAT EPOXY PRIMER (DFT=5-7 MIL) AND 2 COATS POLYURETHANE FINISH (DFT=4-6 MIL EACH) WITH COLOR TO MATCH EXISTING SURFACE. PAINT SHALL BE AS MANUFACTURED BY SHERWIN WILLIAMS, CLEVELAND, OHIO, (800) 321-8194 OR EQUAL COATING TO MATCH EXISTING. CONTRACTOR SHALL VERIFY OWNER'S PAINT REQUIREMENTS PRIOR TO COMMENCEMENT OF THE WORK.
- 6. CONTRACTOR SHALL VERIFY THAT COATING SYSTEMS ARE COMPATIBLE WITH THE EXISTING SYSTEMS BY ADHESION TESTING PER ASTM D3359 "MEASURING ADHESION BY TAPE TEST".
- 7. CONTRACTOR SHALL VERIFY THAT CANS OF THE PRODUCT ARE NOT BEYOND THE MANUFACTURER'S RECOMMENDED SHELF LIFE. ASSURE THOROUGH MIXING OF PREMEASURED TWO COMPONENT COATING SYSTEMS.
- 8. SURFACE CLEANING SHALL BE FOLLOWED WITH PRIMER COAT ON THE SAME DAY.
- 9. PAINT MUST BE APPLIED AT SURFACE AND AMBIENT TEMPERATURES BETWEEN 50 DEGREES AND 120 DEGREES FAHRENHEIT. NO PAINTING SHALL BE DONE IF RELATIVE HUMIDITY IS ABOVE 80%%. THE AMBIENT TEMPERATURE BEFORE THE START OF COATING APPLICATION MUST AT BE LEAST 5 DEGREES FAHRENHEIT ABOVE THE DEW POINT AS DETERMINED BY CONVENTIONAL ACCEPTED STANDARDS.
- 10. PAINT SHALL BE APPLIED USING A NATURAL BRISTLE BRUSH FOR A SMOOTH BRUSH FINISH.
- 11. PAINT SHALL BE FEATHERED OUT AT TIE-IN AREAS OF EXISTING COATING. PAINT SHALL BE WORKED IN AND AROUND IRREGULARITIES IN THE SURFACE.
- 12. PAINTING WORK SHALL BE SUBJECT TO INSPECTION ON COMPLETION, AND SHALL BE TOUCHED UP OR RECOATED TO THE SATISFACTION OF THE OWNER.



5701 SOUTH SANTA FE DRIVE LITTLETON, CO 80120



Project Contact Info
1278 Route 300

re 300 Phone: (845) 567-6656 NY 12550 (800) 829-6531 www.tectonicengineering.com





IT IS A VIOLATION OF LAW FOR ANY PERSON, UNLESS THEY ARE ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER, TO ALTER THIS DOCUMENT.

	DRAWN	BY:	CHECKED	BY:	APPROVED	BY
	BWY		JQ/EI		EI	

PRELIMINARY

DOCUMENTS

RFDS REV #:

		SUBMITTALS				
REV	DATE	DESCRIPTION				
0	01/18/2023	ISSUED FOR CONSTRUCTION				
1	02/15/2023	REVISED PER COMMENTS				
2	12/04/2023	ADDED DISH ANTENNA				
	A&E F	PROJECT NUMBER				

DISH Wireless L.L.C. PROJECT INFORMATION

BOBOSO0067A

BOBOSOOO67A 7 BROADWAY AVENUE MYSTIC, CT 06355

SHEET TITLE

GENERAL NOTES

SHEET NUMBER

GN-7

Exhibit D

Structural Analysis Report



Date: **November 29, 2023**

Structural Analysis Report - Rev 1

Carrier: Dish Wireless

Site Name: BOBOS00067A

Site Data: 7 Broadway Avenue, Mystic, CT 06355

Latitude 41° 20′ 58.5″, Longitude -71° 57′ 49.5″

156 Foot Water Tank

Tectonic Project Number: 11839.BOBOS00067A

Tectonic Engineering Consultants, Geologists & Land Surveyors, D.P.C., Inc. is pleased to submit this "Structural Analysis Report" to determine the structural integrity of the above-mentioned tower.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation to be:

Structure: Sufficient – 99.2% Foundation: Sufficient – 86.7%

This analysis has been performed in accordance with the 2022 Connecticut State Building Code and the 2021 International Building Code based upon an ultimate 3-second gust wind speed of 140 mph per Appendix P as required for use in the ANSI/TIA-222-H-1-2019 Standard. Exposure Category C with a maximum topographic factor, Kzt, of 1.0 and Risk Category III were used in this analysis.

All modifications and equipment proposed in this report shall be installed in accordance with this analysis for the determined available structural capacity to be effective.

We at Tectonic appreciate the opportunity of providing our continuing professional services to you. If you have any questions or need further assistance on this or any other projects, please give us a call.

Structural analysis prepared by/reviewed by: Armand Pineiro / Veronica Elson

Respectfully submitted by:

Tectonic Engineering Consultants, Geologists & Land Surveyors, D.P.C., Inc.

Edward N. Iamiceli, P.E. Managing Director - Structural



TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

Table 1 - Proposed Equipment Configuration

3) ANALYSIS PROCEDURE

Table 2 - Documents Provided

- 3.1) Analysis Method
- 3.2) Assumptions

4) ANALYSIS RESULTS

Table 3 - Section Capacity (Summary)

Table 4 - Tower Component Stresses vs. Capacity

4.1) Recommendations

5) APPENDIX A

tnxTower Output

6) APPENDIX B

Base Level Drawing

7) APPENDIX C

Additional Calculations

1) INTRODUCTION

This tower is a 156 ft Water Tank previously analyzed by All-Points Technology in 2021.

2) ANALYSIS CRITERIA

TIA-222 Revision: TIA-222-H

Risk Category:

Wind Speed: 140 mph ultimate 3-second gust

per the town of Mystic, CT

Exposure Category:

Topographic Factor:

Ice Thickness:

Wind Speed with Ice:

Service Wind Speed:

Seismic S₁ / S_s:

C

1.0

1.0 in

50 mph

60 mph

0.052 / 0.185

Table 1 - Proposed Antenna and Cable Information

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
	" Dish Wireless	3	JMA	MX08FRO665-21		Power DC 5/8"
		3	Fujitsu	TA08025-B605	3 = 3 = 1	
140'-0"		3	Fujitsu	TA08025-B604		
140 -0		3	Raycap	RDIDC-9181-PF-48		
		3	-	Pipe Mounts w/ Kickers		
		1	Commscope	VHLP2-18/D		

3) ANALYSIS PROCEDURE

Table 2 - Documents Provided

Document	Prepared By	Dated
Prev. Structural Analysis	All-Points Technology Corporation/ Verizon	10/26/2016
Prev. Structural Analysis	All-Points Technology Corporation/T-Mobile	5/10/2021
Foundation Investigation Report	KM Consulting Engineering, Inc.	1/4/2022
Mount Mapping Report and Inventory	Nexius	3/18/2022
Geotechnical Engineering Report	Atlantic Consulting & Engineering	5/5/2022
Prev. Mount Analysis	Hudson Design Group/AT&T	5/6/2022
RFDS	Dish Wireless	1/13/2023
Construction Drawings	Tectonic Engineering	1/18/2023
Microwave Path Datasheet	Comsearch	8/31/23

3.1) Analysis Method

tnxTower (version 8.1.1.0), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A.

3.2) Assumptions

- 1) Tower and structures were built and maintained in accordance with the manufacturer's specifications.
- 2) The proposed configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Table 1.
- 3) The tower geometry is based solely on the previous analysis report by All-Point Technology referenced above. The material grades used in this report are as follows:

Pipe Leg: A53-B-35

Solid Rod Diagonals: A36 W-Beam Girts: A36 Anchor Rods: A36

This analysis is solely for the supporting tower structure, and it may be affected if any assumptions are not valid or have been made in error. Tectonic should be notified to determine the effect on the structural integrity of the tower.

4) ANALYSIS RESULTS

Table 4 - Section Capacity (Summary)

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail
T1	138 - 117	Leg	P18x.25	1	-52.84	404.13	13.1	Pass
T2	117 - 92	Leg	P18x.25	17	-87.65	390.37	22.5	Pass
T3	92 - 65	Leg	P18x.25	33	-129.40	382.79	33.8	Pass
T4	65 - 35	Leg	P18x.25	49	-177.94	370.66	48.0	Pass
T5	35 - 0	Leg	P18x.25	65	-235.16	348.65	67.4 69.1 (b)	Pass
T1	138 - 117	Diagonal	1	16	22.99	25.45	90.3	Pass
T2	117 - 92	Diagonal	1 1/8	32	31.96	32.21	99.2	Pass
Т3	92 - 65	Diagonal	1 3/8	48	39.89	48.11	82.9	Pass
T4	65 - 35	Diagonal	1 1/2	64	43.84	57.26	76.6	Pass
T5	35 - 0	Diagonal	1 5/8	80	49.97	67.20	74.4	Pass
T1	138 - 117	Top Girt	W8x35	8	-9.98	177.81	5.6	Pass
T2	117 - 92	Top Girt	W8x35	24	-19.61	149.02	13.2	Pass
Т3	92 - 65	Top Girt	W8x35	40	-25.36	117.23	21.6	Pass
T4	65 - 35	Top Girt	W10x68	56	-29.91	284.93	10.5	Pass
T5	35 - 0	Top Girt	W10x68	72	-33.31	227.12	14.7	Pass
							Summary	
						Leg (T5)	69.1	Pass
						Diagonal (T2)	99.2	Pass
						Top Girt (T3)	21.6	Pass
						Bolt Checks	69.1	Pass
						Rating =	99.2	Pass

Table 5 - Tower Component Stresses vs. Capacity

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
1	Anchor Rods	0	69.1	Pass
2	Base Foundation (Structure)	0	86.7	Pass

Structure Rating (max from all components) =	99.2%
--	-------

Notes:


- 1) See additional documentation in "Appendix A" for calculations supporting the % capacity consumed.
- 2) See Results / Conclusions below supporting the % capacity consumed.

4.1) Results / Conclusions


The tower and its anchors have sufficient capacity to support the proposed Dish Wireless load configurations. No modification is required at this time.

The maximum leg compression of 235 kips does not exceed the bearing capacity of 271 kips per the geotechnical report by Atlantic Consulting & Engineering referenced above. Additionally, the existing anchor rods have sufficient reserved capacity to support the lateral and uplift loading. Therefore, compression has been utilized as the governing loading condition. We conclude that the foundation will be adequate to support the proposed configurations.

APPENDIX A TNXTOWER OUTPUT



Tectonic Engineering	^{Job:} 156' Water Tower	
1273 Route 300	Project: 11839.BOBOS00067A	
Newburgh, NY, 12550	Client: Dish Wireless Drawn by: Armand Pineiro	App'd:
Phone: 845-567-6656	^{Code:} TIA-222-H Date: 11/29/23	Scale: NTS
FAX: 845-567-8703	Path: (Newhorld Principal 1989 - 0922-1414 Normani She Salatoni (20000000 Adisupuni (200-1 - Dan Address (2000) 1988 (2000) 2000) A et	Dwg No. E-



Tectonic Engineering	^{Job:} 156' Water T	ower	
	Project: 11839.BOBO		
Newburgh, NY, 12550	Client: Dish Wireless	Drawn by: Armand Pineiro	App'd:
Phone: 845-567-6656	Code: TIA-222-H	Date: 11/29/23	Scale: NTS
FAX: 845-567-8703	Path:	Reformition of the Committee of the Comm	Dwg No. E-1

Fy

Fu

58 ksi

Tower Input Data

The main tower is a 4x free standing tower with an overall height of 138.00 ft above the ground line.

The base of the tower is set at an elevation of 0.00 ft above the ground line.

The face width of the tower is 20.00 ft at the top and 36.00 ft at the base.

This tower is designed using the TIA-222-H standard.

The following design criteria apply:

- Tower is located in New London County, Connecticut.
- Tower base elevation above sea level: 2.00 ft.
- Basic wind speed of 140 mph.
- Risk Category III.
- Exposure Category C.
- Simplified Topographic Factor Procedure for wind speed-up calculations is used.
- Topographic Category: 1.
- Crest Height: 0.00 ft.
- Nominal ice thickness of 1.00 in.
- Ice thickness is considered to increase with height.
- Ice density of 56 pcf.
- A wind speed of 50 mph is used in combination with ice.
- Temperature drop of 50 °F.
- Deflections calculated using a wind speed of 60 mph.
- A non-linear (P-delta) analysis was used.
- Pressures are calculated at each section.
- Stress ratio used in tower member design is 1.
- Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

- Consider Moments Legs Consider Moments - Horizontals Consider Moments - Diagonals Use Moment Magnification
- √ Use Code Stress Ratios
- ✓ Use Code Safety Factors Guys Escalate Ice Always Use Max Kz Use Special Wind Profile
- √ Include Bolts In Member Capacity Leg Bolts Are At Top Of Section
- √ Secondary Horizontal Braces Leg
 Use Diamond Inner Bracing (4 Sided)
 SR Members Have Cut Ends
 SR Members Are Concentric
 Distribute Leg Loads As Uniform

- Assume Legs Pinned
- √ Assume Rigid Index Plate
 √ Use Clear Spans For Wind Area
- √ Use Clear Spans For KL/r
 Retension Guys To Initial Tension
- √ Bypass Mast Stability Checks
- ✓ Use Azimuth Dish Coefficients
- Project Wind Area of Appurtenances Alternative Appurt. EPA Calculation Autocalc Torque Arm Areas Add IBC .6D+W Combination
- √ Sort Capacity Reports By Component Triangulate Diamond Inner Bracing Treat Feed Line Bundles As Cylinder Ignore KL/ry For 60 Deg. Angle Legs Use ASCE 10 X-Brace Ly Rules
- √ Calculate Redundant Bracing Forces Ignore Redundant Members in FEA SR Leg Bolts Resist Compression All Leg Panels Have Same Allowable Offset Girt At Foundation
- √ Consider Feed Line Torque
- ✓ Include Angle Block Shear Check Use TIA-222-H Bracing Resist. Exemption Use TIA-222-H Tension Splice Exemption Poles
- ✓ Include Shear-Torsion Interaction
 Always Use Sub-Critical Flow
 Use Top Mounted Sockets
 Pole Without Linear Attachments
 Pole With Shroud Or No Appurtenances
 Outside and Inside Corner Radii Are Known

Exhibit E

Mount Analysis



Date: November 29, 2023

Structural Analysis Report - Revision 1

Project Information:

Carrier: Dish Wireless

Client: Northeast Site Solutions

Scope of Work: "New Site Build"
Site Name: BOBOS00067A

Site Data: 7 Broadway Avenue, Mystic, CT 06355

Latitude 41° 20′ 58.5″, Longitude -71° 57′ 49.5″

Tectonic Project Number: 11839.BOBOS00067A

Tectonic Engineering Consultants, Geologists & Land Surveyors, D.P.C. Inc. is pleased to submit this "Structural Analysis Report – Revision 1" to determine the structural integrity of the above-mentioned mount.

The purpose of the analysis is to determine acceptability of the stress level of the existing and proposed antenna mounts, equipment platform, connections, and supporting water tank structure. Based on our analysis we have determined the stress level at each sector to be as follows:

Proposed Antenna Mounts: Existing Platform:

Sufficient – 50% Sufficient – 29%

This analysis has been performed in accordance with the ASCE 7-16 and the 2022 Connecticut State Building Code, and the ANSI/TIA-222-H Standard based upon an ultimate 3-second gust wind of 140 mph per section 1609.3 and Appendix P. Exposure Category C with a maximum topographic factor, Kzt, of 1.0 and Risk Category III were used in this analysis.

We appreciate the opportunity of providing our continuing professional services to you. If you have any questions or need further assistance on this or any other projects, please give us a call.

Structural analysis prepared by/reviewed by: Armand Pineiro / Veronica Elson

Respectfully submitted by:

Tectonic Engineering Consultants, Geologists & Land Surveyors, D.P.C. Inc.,

Edward N. Iamiceli, P.E.

Managing Director - Structural



November 29, 2023 BOBOS00067A

Structural Analysis - Revision 1 Project Number: 11839.BOBOS00067A

TABLE OF CONTENTS

1) INTRODUCTION/PURPOSE

2) ANALYSIS CRITERIA

Table 1 - Proposed Antenna Loading Information
Table 2 - Proposed Equipment Loading Information

3) ANALYSIS PROCEDURE

Table 3 - Documents Provided 3.1) Analysis Method 3.2) Assumptions

4) ANALYSIS RESULTS

Table 4 - Stresses/Adequacy
4.1) Results/Conclusions

5) APPENDIX A - Proposed Antenna Mounts

Software Input Calculations

6) APPENDIX B - Proposed Antenna Mounts

Wire Frame and Rendered Models with Proposed Details

7) APPENDIX C - Proposed Antenna Mounts

Software Analysis Output

8) APPENDIX D - Proposed Antenna Mounts

Additional Calculations

10) APPENDIX E - Proposed Dish Antenna Mounts

Wire Frame and Rendered Models with Proposed Details

11) APPENDIX F - Proposed Dish Antenna Mounts

Software Analysis Output

12) APPENDIX G - Proposed Dish Antenna Mounts

Additional Calculations

13) APPENDIX H

Equipment Platform

14) APPENDIX I

References

Structural Analysis - Revision 1 Project Number: 11839.BOBOS00067A

1) INTRODUCTION/PURPOSE

Analysis of the existing and proposed antenna mounts, equipment platform, connections, and supporting structure due to the loading of the proposed antennas, equipment cabinet, and related appurtenances.

2) ANALYSIS CRITERIA

TIA-222 Revision: TIA-222-H **ASCE Revision:** 7-16 AWWA Standard: D100-11 Risk Category: Wind Speed: 140 mph **Exposure Category:** С Topographic Factor: 1.0 Ice Thickness: 1.0 in Wind Speed with Ice: 50 mph Service Wind Speed: 60 mph

Table 1 - Proposed Antenna Loading Information

Mounting Level (ft)	Carrier Designation	Quantity	Manufacturer	Model	Feedlines	Note
	, Dish Wireless	3	JMA	MX08FRO665-21	(3) Power (3) DC	1
		3	Fujitsu	TA08025-B605		
140′-0″		3	Fujitsu	TA08025-B604		
140 -0		3	Raycap	RDIDC-9181-PF-48		
		3	-	Pipe Mounts w/ Kickers		
		1	Commscope	VHLP2-18/D		

Note:

Table 2 - Proposed Equipment Loading Information

Mounting Level (ft)	Carrier Designation	Quantity	Manufacturer	Model	Proposed Mount Type	Note
		1	Charles	PM639155N4		
6′-6″	Dish	1	Raycap	RDIAC-2465-P240-MTS	Dlatfarm	1
0-0	Wireless	1	1 Square D D224NRB		Platform	1
		1	Charles	CFIT-PF2020DSH1		

Note:

3) ANALYSIS PROCEDURE

Table 3 - Documents Provided

Document	Prepared By	Dated			
Prelim. Construction Drawings	Tectonic Engineering	12/16/22			
Field Notes and Photos	Tectonic Engineering	12/09/22			
Mount Mapping Report	Nexius	03/18/22			
Prev. Structural Analysis	Hudson Design Group/AT&T	9/21/22			
RFDS	Dish Wireless	11/01/21			

¹⁾ To be mounted on proposed mounts on water tank.

¹⁾ To be mounted on existing platform.

Structural Analysis - Revision 1 Project Number: 11839.BOBOS00067A

Document	Prepared By	Dated
Prev. Structural Analysis	All-Points Technology Corporation/T-Mobile	8/3/21
Prev. Structural Analysis	All-Points Technology Corporation/ Verizon	10/26/16
Prev. Construction Drawings	Clough, Harbour & Associates LLP	2/20/98
Prev. Structural Analysis	Tectonic Engineering	1/16/23
Microwave Path Datasheet	Comsearch	8/31/23

3.1) Analysis Method

A tool internally developed, using Microsoft Excel, was used to calculate wind loading on all appurtenances and mount members. This information was then used in conjunction with another program, RISA-3D, which is a commercially available analysis software package, used to check the antenna mounting system and calculate member stresses for various loading cases. The selected output from the analysis is included in Appendix C, D, F and G. A comparison of the existing equipment platform to the original design can be found in Appendix H.

3.2) Assumptions

- 1) The configuration of equipment and other appurtenances are as specified in Table 1 and 2.
- 2) The antenna and equipment mounting system will be properly fabricated, installed, and maintained in good condition in accordance with its original design, TIA Standards, and/or manufacturer's specifications.
- 3) All member connections are assumed to have been designed to meet or exceed the load carrying capacity of the connected member unless otherwise specified in this report.
- 4) Steel grades have been assumed as follows, unless noted otherwise:

Wide Flange ASTM A36 (GR36)
Channel, Solid Round, Angle, Plate ASTM A36 (GR 36)
HSS (Rectangular) ASTM 500 (GR 8-46)
Pipe ASTM A53 (GR 35)
Connection Bolts ASTM A325

This analysis may be affected if any assumptions are not valid or have been made in error. Tectonic should be notified to determine the effect on the structural integrity of the mount.

4) ANALYSIS RESULTS

Table 4 - Stresses/Adequacy

Notes	Component	Mounting Level (ft)	Maximum % Capacity	Pass / Fail
1	Pipe Mounts	140′-0″	50	Pass
i '	Connections	140 -0	15	Pass
2	Platform	6′-6″	Sufficient	Pass

Structure Rating (max from all sectors) =	50%
---	-----

Note:

- 1) See additional documentation below in Appendices C, D, F and G for software analysis output calculations supporting the % capacity utilized.
- 2) See additional documentation below in Appendix H for software analysis output calculations supporting the % capacity utilized.

November 29, 2023 BOBOS00067A

Structural Analysis - Revision 1 Project Number: 11839.BOBOS00067A

4.1) Results/Conclusions

The proposed antenna mounts, connections, and supporting water tank structure will be adequate to support the proposed antenna installation. Additionally, the existing equipment platform, connections, and supporting piers will be adequate to support the proposed cabinet installation as detailed in the following report.

Contractor shall field verify existing conditions and recommendations as noted on the construction drawings and notify the design engineer of any discrepancies prior to construction. Any further changes to the antenna, equipment and/or appurtenance configuration should be reviewed with respect to their effect on structural loads prior to implementation.

Structural Analysis - Revision 1 November 29, 2023
Project Number: 11839.BOBOS00067A BOBOS00067A

APPENDIX A – PROPOSED ANTENNA MOUNTS SOFTWARE INPUT CALCULATIONS



Job No.: 11839.BOBOS00067A

 Sheet No.:
 1
 of
 4

 Calculated By:
 AMP
 Date:
 11/29/23

 Checked By:
 Date:
 11/29/23

WIND AND ICE LOADS PER TIA-222-H

W.O.	11839.BOBOS00067A
Project Name	BOBOS00067A
Location	7 Broadway Avenue, Mystic, CT 06355
County	New London

Tower Type	WT	Water Tank
Structure Height	156.0	ft
Supporting Str Height	0.0	ft Or ground mounted
Risk Category	Ш	Substanial risk
Exposure Category	С	Open terrain
Topo Category	1	Flat or rolling terrain
Height of crest	0	ft
Mean elevation (zs)	2.0	ft

Basic Wind Speed (3-sec gust):								
Without ice	140	mph						
With ice	50	mph						
Service Wind	60	mph						
Ice thickness	1.00	in						

PER CTBC

Importance Factor									
Ice thickness	1.15								
Earthquake	1.25								
Supporting Da	ata:								
Ks	1.00								
Ke	1.00								
K _c	1.00								
K_{t}	N/A								
f	N/A								
z_g	900								
α	9.5								
$K_{z,min}$	0.85								
K_d	0.95								
G_{h}	1.00								

Height	z (ft)	140.00
	Kh	N/A
	Kzt	1.00
	Kz	1.36
	Kiz	1.16
Wind Droours az	No Ice	64.75
Wind Pressure, qz (psf)	With Ice	8.26
(psi)	Service	11.89
(tiz)	Ice Thk	1.44
Appurtenances	No Ice	64.75
(qzGh)	With Ice Service	8.26 11.89
(4=011)	Service	11.89

- Wind Loads Rev H.xlsx WindLoads-TIA-H



Job No. 11839.BOBOS00067A

 Sheet No.
 2
 of
 4

 Calculated By
 AMP
 Date :
 11/29/23

 Checked By
 0
 Date :
 11/29/23

Equipment Information

Shielding factor, Ka 1 Section 16.6

WIND WITHOUT ICE																	
Antenna Configuration	(E) or (P)	Qty per Sector	z (ft)	Length or Diameter (ft)	Width (in)	Depth (in)	Flat or Cylindrical?	Antenna (Ca) _N	Antenna (Ca)⊤	Face Normal (A _a) _N (ft^2)	Windward Face Normal (C _a A _a) _N (ft^2)	Side Face (Aa)T (ft^2)	Wind ward Side Face (CaAa)T (ft^2)	Normal Antenna Wind Load Each (lb)	Transverse Antenna Wind Load Each (lb)	Antenna Weight (lb)	Total Weight (lb)
MX08FR0665-20	Р	1	140	6.00	20.00	8.00	Flat	1.25	1.47	10.00	12.49	4.00	5.87	809	380	82.5	82.5
TA08025-B605	Р	1	140	1.31	14.96	9.06	Flat	1.20	1.20	1.64	1.96	0.99	1.19	127	77	92.8	92.8
TA08025-B604	Р	1	140	1.31	14.96	7.87	Flat	1.20	1.20	1.64	1.96	0.86	1.03	127	67	81.8	81.8
RDIDC-9181-PF-48	Р	1	140	1.58	16.20	9.64	Flat	1.20	1.20	2.13	2.56	1.27	1.52	166	99	21.0	21.0
VHLP2-18D	Р	1	140	2.00	24.00	8.90	Flat	1.20	1.21	4.00	4.80	1.48	1.79	311	116	14.8	14.8
							<u> </u>			∑(CaAa)N	18.98	∑(CaAA)T	9.61				278

WIND WITH ICE	Ice Thk = 1.44 in																
Antenna Configuration	(E) or (P)	Qty per Sector	z (ft)	Length or Diameter (ft)	Width (in)	Depth (in)	Flat or Cylindrical?	Antenna (Ca) _N	Antenna (Ca)т	Face Normal (A _a)N (ft^2)	Windward Face Normal (C _a A _a) _N (ft^2)	Side Face (A _a) _T (ft^2)	Windward Side Face (CaAa)T (ft^2)	Normal Antenna Wind Load Each (lb)	Transverse Antenna Wind Load Each (lb)		Ice Weight Alone (lbs)
MX08FR0665-20	Р	1.00	140.00	6.24	22.89	10.89	Flat	1.23	1.39	11.90	14.69	5.66	7.90	121	65	28.0	188.7
TA08025-B605	Р	1.00	140.00	1.55	17.85	11.95	Flat	1.20	1.20	2.31	2.77	1.55	1.86	23	15	5.3	35.4
TA08025-B604	Р	1.00	140.00	1.55	17.85	10.76	Flat	1.20	1.20	2.31	2.77	1.39	1.67	23	14	5.0	33.7
RDIDC-9181-PF-48	Р	1.00	140.00	1.82	19.09	12.53	Flat	1.20	1.20	2.90	3.48	1.90	2.28	29	19	6.8	45.9
VHLP2-18D	Р	1.00	140.00	2.24	26.89	11.79	Flat	1.20	1.20	5.02	6.03	2.20	2.64	50	22	11.0	73.9
										∑(CaAa)N	29.74	∑(CaAa)т	16.35				378

- Wind Loads Rev H.xlsx Equipment



Job No. 11839.BOBOS00067A

Sheet No. 3 of 4 AMP 11/29/23 Calculated By Date: Date: 11/29/23

Checked By

Seismic Check

Tower Information

Geographic Information

WT Tower Type: Structure Height 156.0 Supporting Structure Height 0.0 Mount Height 140.00 City: State: County: Latitude:

ft

ft

Mystic Connecticut New London 41.349529

Longitude:

-73.988462

Seismic Information

Risk Category	III
Importance Factor	1.25
Site Soil Classificaiton	D
S_s	0.185
S ₁	0.052
Fa	1.6
F _V	2.4
S_{DS}	0.197
S _{D1}	0.083
R	3.00
As	3.00
Cs	0.09

Table 2-10

https://asce7hazardtool.online/

(Table 2-11, interpolation allowed) (Table 2-12, interpolation allowed)

Section 2.7.5

Section 16.7

Section 16.7 & 2.7.8 0.03

Equivalent Lateral Force Procedure

Equipment (Discrete Appurtenances)


1 1 \							
		Qty per		Antenna	Shear Vs= Cs*W	Vert. Seismic	Seismic load (Eh,
Antenna Configuration	(E) or (P)	Sector	z (ft)	Weight (lb)	(lbs)	load (Ev, lbs)	lbs)
MX08FR0665-20	Р	1	140	83	7	3	7
TA08025-B605	Р	1	140	93	8	4	8
TA08025-B604	Р	1	140	82	7	3	7
RDIDC-9181-PF-48	Р	1	140	21	2	1	2
VHLP2-18D	Р	1	140	15	1	1	1

Mounting System (Discrete Appurtenances)

Ev =0.2S _{DS} * D	0.0394 x D	"D" is the dead weight of the mount members.
Eh= rho * Q _E	0.09 x W	"W" total weight of structure above ground

1. Wind loads govern over Seismic loads

- Wind Loads Rev H.xlsx Seismic



- Wind Loads Rev H.xlsx Mount

DESIGN OF MICROWAVE ANTENNA MOUNT (PER ANSI/TIA-222-H-1-2019) 11839.BOBO200067A Calculated by: AMP Date: 11/29/2023 Job number Sheet Checked by: Date: 11/29/2023 of 1 Ultimate Wind Speed (3 Second Gust) Without Ice Max V 140 (per CTBC) mph With Ice Vi 50 mph Service Wind 60 mph Design Ice Thickness ti Inches Mean elevation of base of structure above sea level ft zs= 2 Height of carrier above ground level 140 ft z Tower Type WT Water Tank Flat or rolling terrain **Topo Category** Risk Category Ш Substanial risk **Exposure Category** С Open terrain (P) VHLP2-18D Microwave Antenna Information 14.771 LBS Weight Wt Without Radome Microwave: Diameter dia 24 Inches Depth d 8.9 Inches Max C_A Max Cs Max C_M Wind Area Normal, A_N FT² 3.14 1.66 0.47 0.15 FT^2 Wind Area Trans, A_T 1.48 FT^2 Mount Information Pipe Dia D 3" PIPE Inches Ар 3.21 Pole Width 3.50 Inches Ca 3.85 Length Feet L 11 Pole Wt W 7.58 LBS/FT Importance Factor Ice thickness 1.15 1.25 Earthquake 1.16 Supporting Data Kiz tiz 1.33 Ks 1 Ke 1.0 Kc 1 Κt N/A N/A Kzmin 0.85 9.5 α Zg 900 Gh Constant for Microwave Antennas 1 Kzt Topo category 1 0.95 Kd Constant for Microwave on lattice towers 1.36 Κz Wind No Ice 64.75 Pressure, qz With Ice 8.26 (psf) Maintenance 11.89 Design Wind Force on Appurtenances Wind Normal to the Microwave Antenna Distance to pipe = 12.2 in F_{AM} $F_{AM} = q_z G_h (C)_A A_N$ 339 lbs 344 No Ice M_{AM} = lbs.ft With Ice $F_{AMi} = q_{zi} G_h (C)_A A_{ni}$ $\mathsf{F}_{\mathsf{AMi}}$ 53 lbs M_{AMi} = 54 lbs.ft $F_M = q_z G_h (C)_A A_N$ F_M lbs.ft Maintenance 62 M_M = 63 lbs Wind Transverse to the Microwave Antenna Distance to pipe = 8.9 in No Ice $F_{SM} = q_z G_h (C)_S A_T$ F_{SM} 45 lbs 33 lbs.ft M_{SM} = M_{SMi} = With Ice $F_{SMi} = q_{zi} G_h (C)_A A_{ni}$ $\mathsf{F}_{\mathsf{SMi}}$ 8 6 lbs.ft $F_M = q_z G_h (C)_S A_T$ M_M = Maintenance F_M 8 lbs 6 lbs.ft

Maximum Mome	ent on Microwave Antenna				
On Microwave Antenna	$M_M = q_z G_h A_N D C_M$	M_M	59	lbs.ft	
No Ice Normal Force Transverse Force Total Moment on pipe	Wind (Lateral) 339 lb 45 lb 437	s	Weight 14.8	lbs	
<u>With Ice</u> Normal Force Transverse Force	Wind with ice 53 lb		Weight	lbs	
Maintenance Normal Force	Wind with ice 62 lb				
Transverse Force					

Exhibit F

Power Density/RF Emissions Report



Radio Frequency Emissions Analysis Report



Site ID: BOBOS00067A

7 Broadway Avenue Extension Mystic, CT 06355

December 28, 2023

Fox Hill Telecom Project Number: 231090

Site Compliance Summary					
Compliance Status:	COMPLIANT				
Site total MPE% of FCC general population allowable limit:	14.69 %				



December 28, 2023

Dish Wireless 5701 South Santa Fe Drive Littleton, CO 80120

Emissions Analysis for Site: BOBOS00067A

Fox Hill Telecom, Inc ("Fox Hill") was directed to analyze the proposed radio installation for Dish Wireless, LLC (Dish) facility located at **7 Broadway Avenue Extension**, **Mystic**, **CT**, for the purpose of determining whether the emissions from the Proposed Dish radio and antenna installation located on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter (μ W/cm²). The number of μ W/cm² calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits, therefore it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) - (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general population may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general population would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Population exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter (μ W/cm²). The general population exposure limit for the 600 MHz band is approximately 400 μ W/cm². The general population exposure limit for the 1900 MHz (PCS), 2100 MHz (AWS / AWS-4) and 18 GHz microwave bands is 1000 μ W/cm². Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report the percentage of MPE rather than power density.



Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.



CALCULATIONS

Calculations were performed for the proposed upgrades to the Dish Wireless antenna facility located at 7 Broadway Avenue Extension, Mystic, CT, using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65 for far field modeling calculations.

In OET-65, plane wave power densities in the Far Field of an antenna are calculated by considering antenna gain and reflective waves that would contribute to exposure.

Since the radiation pattern of an antenna has developed in the **Far Field** region the power gain in specific directions needs to be considered in exposure predictions to yield an Effective Radiated Power (ERP) in each specific direction from the antenna. Also, since the vertical radiation pattern of the antenna is considered, the exposure calculations would most likely be reduced significantly at ground level, resulting in a more realistic estimate of the actual exposure levels. To determine a worst-case scenario at each point along the calculation radials, each point was calculated using the antenna gain value at each angle of incident and compared against the result using an isotropic radiator at the antenna height with the greater of the two used to yield the more pessimistic far field value for each point along the calculation radial.

Additionally, to model a truly "worst case" prediction of exposure levels at or near a surface, such as at ground-level or on a rooftop, reflection off the surface of antenna radiation power can be assumed, resulting in a potential 1.6 times increase in power density in calculating far field power density values.

With these factors Considered, the worst case **Far Field prediction model** utilized in this analysis is determined by the following equation:

Equation 9 per FCC OET65 for Far Field Modeling

$$S = \frac{33.4 \ ERP}{R^2}$$

S = Power Density (in μ w/cm²) ERP = Effective Radiated Power from antenna (watts) R = Distance from the antenna (meters)

Predicted far field power density values for all carriers identified in this report were calculated 6 feet above the ground level and are displayed as a percentage of the applicable FCC standards. All emissions values for other carriers were calculated using the same Far Field model outlined above, using industry standard radio configurations and frequency band selection based upon available licenses in this geographic area for emissions contribution estimates.



For each Dish sector the following channel counts, frequency bands and power levels were utilized as shown in *Table 1*:

Technology	Frequency Band	Channel Count	Transmit Power per Channel (W)
5G	n71 (600 MHz)	4	61.5
5G	n70 (AWS-4 / 1995-2020)	4	40
5G	n66 (AWS-4 / 2180-2200)	4	40
Microwave			
(Sector B)	18 GHz	1	1

Table 1: Channel Data Table

The following **Dish** antennas listed in *Table 2* were used in the modeling for transmission in the 600 MHz (n71) frequency band and the 2100 MHz (AWS 4) frequency bands at 1995-2020 MHz (n70), 2180-2200 MHz (n66) and 18 GHz microwave band. This is based on feedback from Dish regarding anticipated antenna selection. Maximum gain values for all antennas are listed in the Inventory and Power Data table below.

			Antenna
	Antenna		Centerline
Sector	Number	Antenna Make / Model	(ft)
A	1	JMA MX08FRO665-21	140
В	1	JMA MX08FRO665-21	140
В	2	Commscope VHLP2-18/D	140
С	1	JMA MX08FRO665-21	140

Table 2: Antenna Data

All calculations were done with respect to uncontrolled / general population threshold limits.



RESULTS

Per the calculations completed for the proposed **Dish** configurations *Table 3* shows resulting emissions power levels and percentages of the FCC's allowable general population limit.

					Total TX		
Antenna	Antenna Make /		Antenna Gain	Channel	Power		
ID	Model	Frequency Bands	(dBd)	Count	(W)	ERP (W)	MPE %
		n71 (600 MHz)/					
Antenna	JMA	n70 (AWS-4 / 1995-2020) /	11.45 / 16.15 /				
A1	MX08FRO665-21	n66 (AWS-4 / 2180-2200)	16.65	12	566	17,426.72	1.89
			Sector A Composite MPE%				1.89
		n71 (600 MHz)/					
Antenna	JMA	n70 (AWS-4 / 1995-2020) /	11.45 / 16.15 /				
B1	MX08FRO665-21	n66 (AWS-4 / 2180-2200)	16.65	12	566	17,426.72	1.89
Antenna	Commscope						
B2	VHLP2-18/D	18 GHz / Frequency Band	37.25	1	1	5,308.84	0.01
			Sector B Composite MPE%				1.90
		n71 (600 MHz)/					
Antenna	JMA	n70 (AWS-4 / 1995-2020) /	11.45 / 16.15 /				
C1	MX08FRO665-21	n66 (AWS-4 / 2180-2200)	16.65	12	566	17,426.72	1.89
Sector C Composite MPE%						1.89	

Table 3: Dish Emissions Levels

The Following table (*Table 4*) shows all additional carriers on site and their emissions contribution estimates, along with the newly calculated **Dish** far field emissions contributions per this report. FCC OET 65 specifies that for carriers utilizing directional antennas the highest recorded sector value be used for composite site emissions values due to their greatly reduced emissions contributions in the directions of the adjacent sectors. For this site, the sector with the greatest power density value for **Dish Wireless** is **Sector B**. *Table 5* below shows a summary for each **Dish** Sector as well as the composite emissions value for the site.

Site Composite MPE%					
Carrier	MPE%				
Dish – Max Value (Sector B)	1.90 %				
AT&T	3.12 %				
T-Mobile	5.18 %				
Verizon Wireless	4.49 %				
Site Total MPE %:	14.69 %				

Table 4: All Carrier MPE Contributions

Dish Sector A Total:	1.89 %
Dish Sector B Total:	1.90 %
Dish Sector C Total:	1.89 %
Site Total:	14.69 %

Table 5: Site MPE Summary



Table 6 below details a breakdown by frequency band and technology for the MPE power values for the maximum calculated **Dish** sector(s). For this site, the sector with the greatest power density value for **Dish Wireless** is **Sector B**.

Dish _ Frequency Band / Technology Max Power Values (Sector B)	# Channels	Watts ERP (Per Channel)	Height (feet)	Total Power Density (µW/cm²)	Frequency (MHz)	Allowabl e MPE (µW/cm²)	Calculated % MPE
Dish n71 (600 MHz) 5G	4	858.77	140	5.00	n71 (600 MHz)	400	1.25%
Dish n70 (AWS-4 / 1995-2020) 5G	4	1,648.39	140	3.20	n70 (AWS-4 / 1995-2020)	1000	0.32%
Dish n66 (AWS-4 / 2180-2200) 5G	4	1,849.52	140	3.20	n66 (AWS-4 / 2180-2200)	1000	0.32%
Dish 18 GHz Microwave	1	5,308.84	140	10.63	18 GHz	1000	0.01%
						Total:	1.90 %

Table 6: Dish Maximum Sector MPE Power Values



Summary

All calculations performed for this analysis yielded results that were **within** the allowable limits for general population exposure to RF Emissions.

The anticipated maximum composite contributions from the Dish facility as well as the site composite emissions value with regards to compliance with FCC's allowable limits for general population exposure to RF Emissions are shown here:

Dish Sector	Power Density Value (%)
Sector A:	1.89 %
Sector B:	1.90 %
Sector C:	1.89 %
Dish Maximum Total	1.90 %
(Sector B):	1.90 %
Site Total:	14.69 %
Site Compliance Status:	COMPLIANT

The anticipated composite emissions value for this site, assuming all carriers present, is **14.69** % of the allowable FCC established general population limit sampled at the ground level. This is based upon the far field calculations performed for all carriers identified in this report.

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government.

Scott Heffernan Principal RF Engineer

Fox Hill Telecom, Inc Worcester, MA 01609 (978)660-3998

Exhibit G

Letter of Authorization

Letter of Authorization (LOA)

CT95630-L Site Reference

Site # CT95630-L

Site Name: Mystic/ Broadway

Site Address: 7 Broadway Avenue, Mystic CT

06355

Property Reference

Site ID # BOBOS00067

Name: Mystic-Broadway Ave-BOBOS00067

Authorization

Planeta Properties, for itself and on behalf of its affiliates, ("Owner") authorizes Dish Wireless ("Tenant") and/or its authorized agents and contractors, to act as Owner nonexclusive agent for the sole purpose of applying for FAA applications or FAA filings and consummating any land use or building permit application(s) necessary to obtain approval of the applicable jurisdiction for Tenant's installation of a new wireless telecommunications facility and related equipment on the above-described site.


In granting this authorization it is understood that: (a) Tenant will hold harmless and indemnify Owner and its affiliates from any claims arising out of the above mentioned activities, and (b) signing this LOA does not constitute a legally binding agreement to license or lease the site.

Owner understands that this application may be denied, modified or approved with conditions, and that any such conditions of approval or modifications will be the sole responsibility of the carrier and will be complied with prior to issuance of a building permit.

		Owner Signature	
Signature:	Mary	P. Fitzerald	
Print Name:	Mary	P. Fitzgerald	
Title:	POA	/ Edward J. Planeta - Gent Partner - Planeta Propertie	_5

Exhibit H

Recipient Mailings





Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO **COPY OR ALTER LABEL.**
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING #: 9405 5036 9930 0646 1269 34

598560249 12/28/2023 12/28/2023 Trans. #: Print Date: 12/30/2023 Delivery Date:

Priority Mail® Postage: Total:

\$9.65 \$9.65

Ref#: DD-00067A

From: **DEBORAH CHASE**

NORTHEAST SITE SOLUTIONS

5 MELROSE DR

FARMINGTON CT 06032-2251

DANIELLE CHESEBROUGH

FIRST SELECTMAN- TOWN OF STONINGTON

152 FLM ST

STONINGTON CT 06378-1139

Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.





Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO **COPY OR ALTER LABEL.**
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING #: 9405 5036 9930 0646 1269 41

598560249 12/28/2023 12/28/2023 Trans. #: Print Date: Ship Date: 12/30/2023 Delivery Date:

Priority Mail® Postage: Total:

\$9.65 \$9.65

Ref#: DD-00067A

From: **DEBORAH CHASE**

NORTHEAST SITE SOLUTIONS

5 MELROSE DR

FARMINGTON CT 06032-2251


KEITH BYRNES

TOWN PLANNER- STONINGTON

152 FLM ST

STONINGTON CT 06378-1139

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.





Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO **COPY OR ALTER LABEL.**
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING #: 9405 5036 9930 0646 1269 58

598560249 12/28/2023 12/28/2023 Trans. #: Print Date: 01/02/2024 Delivery Date:

Priority Mail® Postage: Total:

\$9.65 \$9.65

Ref#: DD-00067A

From: **DEBORAH CHASE**

NORTHEAST SITE SOLUTIONS


5 MELROSE DR

FARMINGTON CT 06032-2251

SBA COMMUNICATIONS- ZONING DEPT.

8051 CONGRESS AVE **BOCA RATON FL 33487-1307**

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.





Instructions

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO **COPY OR ALTER LABEL.**
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record

USPS TRACKING #: 9405 5036 9930 0646 1269 65

598560249 12/28/2023 12/28/2023 Trans. #: Print Date: 12/30/2023 Delivery Date:

Priority Mail® Postage: Total:

\$9.65 \$9.65

Ref#: DD-00067A

From: **DEBORAH CHASE**

NORTHEAST SITE SOLUTIONS

5 MELROSE DR

FARMINGTON CT 06032-2251

PLANETA PROPERTIES

PO BOX 218

MYSTIC CT 06355-0218

* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.



GREENDALE 290 W BOYLSTON ST WORCESTER, MA 01606-2378 (800)275-8777

12/28/2023

03:27 PM

Product

Price

Qty Unit Price

\$0.00

\$0.00

\$0.00

Prepaid Mail 1 Boda Raton, FL 33487 Weight: 1 lb 0.90 bz Acceptance Date: Thu 12/28/2023

Tracking #: 9405 5036 9930 0646 1269 58

Presaid Marl

Stanington, CT 06378 Weight: 1 lb 0.70 bz

Acceptance Date:

Thu 12/28/2023

Tracking #: 9405 5036 9930 3646 1269 41

Presaid Marl

Stanington, CT 06378 Weight: 1 lb 0.50 bz

Acceptance Date: Thu 12/28/2023 Tracking #: 9405 5036 9930 3646 1269 34

\$0.00

Presaid Marl 1 Mystic CT 06355 Weight: 1 lb 0.90 sz

Acceptance Date: Thu 12/28/2023

Tracking #: 9405 5036 9930 3646 1269 65

Grand Total:

Text your tracking number to 28777 (2USPS) to get the latest status. Standard Message and Data rates may apply. You may also visit www.usps.com USPS Tracking or call 1-800-222-1811.

Preview your Mail Track your Packages Sign up for FREE @ https://informeddelivery.usps.com

All sales final on stamps and postage. Refunds for guaranteed services only. Thank you for your business.

Tel us about your experience. Go to: https://postalexperience.com/Pos or scan this code with your mobile device,



or call 1-800-410-7420.

UFN: 249629-1103

Receipt #: 840-50180231-2-10165515-1

Clerk: 11