

August 17, 2023

Melanie A. Bachman
Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

Re: Notice of Exempt Modifications – AT&T Site CT2112
AT&T Telecommunications Facility @ 623 Honeyspot Road Stratford, CT 06615

Dear Ms. Bachman,

New Cingular Wireless, PCS, LLC (“AT&T”) currently maintains a wireless telecommunications facility on an existing +/- 107’ monopole tower at the above referenced address, latitude 41.1768811, longitude - 73.1461661. Said monopole tower is owned and managed by John and/or Deborah Becker.

AT&T desires to modify its existing telecommunications facility by adding one (1) WCS filter to the gamma sector as more particularly detailed and described on the enclosed Construction Drawings prepared by TEP Northeast, last revised on August 10, 2023. The centerline height of the existing antennas is and will remain at 90 feet.

Please accept this letter as notification pursuant to R.C.S.A §16-50j-73 for construction that constitutes an exempt modification pursuant to R.C.S.A §16-50j-72(b)(2). In accordance with R.C.S.A §16-50j-73, a copy of this letter is being sent to the following individuals: Laura R. Hoydick, Mayor for the Town of Stratford; Susmitha Attota Town Planner for the Town of Stratford and John and/or Deborah Becker as property and tower owner.

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. §16-50j-72(b)(2). Specifically:

1. The proposed modifications will not result in an increase in the height of the existing structure.
2. The proposed modifications will not require an extension of the site boundary.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the modified facility will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commissions safety standard. *Please see the RF emissions calculation for AT&T’s modified facility enclosed herewith.*
5. The proposed modifications will not cause an ineligible change or alternation in the physical or environmental characteristics of the site.
6. The existing structure and its foundation can support the proposed loading. Please see the structural analysis dated August 10, 2023 and prepared by TEP Northeast enclosed herewith.

For the foregoing reasons, AT&T respectfully submits that the proposed modifications to the above referenced telecommunications facility constitute an exempt modification under R.C.S.A §16-50j-72(b)(2).

Best Regards,

Allison Conwell

Site Acquisition Consultant – Agent for AT&T
Centerline Communications LLC
750 West Center St. Ste 301
West Bridgewater, MA 02379
215-588-7035
aconwell@clinellc.com

Enclosures: Exhibit 1 – Construction Drawings
 Exhibit 2 – Property Card and GIS
 Exhibit 3 – Mount Analysis
 Exhibit 4 – Structural Analysis
 Exhibit 5 – RF Emissions Analysis Report Evaluation
 Exhibit 6 – Available Town of Stratford Original Tower Approval Records
 Exhibit 7 – Notice Deliver Confirmations

Cc: Laura R. Hoydick, as elected official, Town of Stratford
 Susmitha Attota, Town Planner for the Town of Stratford
 John and/or Deborah Becker as property and tower owner

EXHIBIT 1

PROJECT INFORMATION

SCOPE OF WORK: ITEMS TO BE MOUNTED ON THE EXISTING MONOPOLE:
 • PROPOSED WCS-IMFT-AMT @ POS.4 (GAMMA SECTOR ONLY).

ITEMS TO BE MOUNTED AT EQUIPMENT LOCATION:
 • NONE.

ITEMS TO BE REMOVED:
 • NONE.

ITEMS TO REMAIN:
 • (15) RRU'S, (3) RRU-E2 B29 (IN EQUIPMENT SHELTER), (3) SURGE ARRESTORS, (6) Y-CABLES, (2) WCS FILTERS, (6) COAX CABLES, (7) DC POWER & (3) FIBER.

SITE ADDRESS: 623 HONEYSPOT ROAD
 STRATFORD, CT 06615

LATITUDE: 41.1768811° N, 41' 10' 36.77" N

LONGITUDE: 73.1461661° W, 73° 8' 46.19" W

TYPE OF SITE: MONOPOLE / INDOOR EQUIPMENT

STRUCTURE HEIGHT: 107'-0"±

RAD CENTER: 90'-0"±

CURRENT USE: TELECOMMUNICATIONS FACILITY

PROPOSED USE: TELECOMMUNICATIONS FACILITY

NOTE TO GENERAL CONTRACTOR: (PRIOR TO CONSTRUCTION COMPLETION)

- TEP NORTHEAST (TEP OPCO, LLC.) TO PERFORM POST/CLIMB AND INSPECTION TO CONFIRM PROPOSED INSTALLATION COMPLIES WITH THE RECORD STAMPED DRAWINGS AND STRUCTURAL REPORTS PRIOR TO SUBMITTING FCCA (FINAL CONSTRUCTION CONTROL AFFIDAVIT). GC IS RESPONSIBLE FOR COORDINATING INSPECTIONS WITH TEP NORTHEAST (TEP OPCO, LLC.) PRIOR TO CONSTRUCTION BEING COMPLETED.



SITE NUMBER: CTL02112

SITE NAME: STRATFORD

FA CODE: 10071312

PACE ID: MRCTB068335

PROJECT: WCS FILTER UPGRADE

ISSUED FOR PERMITTING


DRAWING INDEX

SHEET NO.	DESCRIPTION	REV.
T-1	TITLE SHEET	B
GN-1	GENERAL NOTES	B
A-1	ROOF/COMPOUND & EQUIPMENT PLANS	B
A-2	ANTENNA LAYOUTS & ELEVATION	B
A-3	DETAILS	B
G-1	GROUNDING DETAILS	B
RF-1	RF PLUMBING DIAGRAM	B

VICINITY MAP

DIRECTIONS TO SITE:

START OUT GOING EAST ON ENTERPRISE DR TOWARD CAPITAL BLVD. TURN LEFT ONTO CAPITAL BLVD. TURN LEFT ONTO WEST ST. MERGE ONTO I-91 S VIA THE RAMP ON THE LEFT TOWARD NEW HAVEN. MERGE ONTO CT-15 S VIA EXIT 17 TOWARD E MAIN ST. TAKE EXIT 54 TOWARD I-95/MILFORD/US-1. MERGE ONTO MILFORD PKWY. MERGE ONTO I-95 S VIA EXIT 2B TOWARD BRIDGEPORT. TAKE THE SOUTH AVE EXIT, EXIT 31. STAY STRAIGHT TO GO ONTO SPADA BLVD. TAKE THE 1ST LEFT ONTO HONEYSPOT RD. 623 HONEYSPOT RD IS ON THE LEFT.



GENERAL NOTES

- THIS DOCUMENT IS THE CREATION, DESIGN, PROPERTY AND COPYRIGHTED WORK OF AT&T. ANY DUPLICATION OR USE WITHOUT EXPRESS WRITTEN CONSENT IS STRICTLY PROHIBITED. DUPLICATION AND USE BY GOVERNMENT AGENCIES FOR THE PURPOSES OF CONDUCTING THEIR LAWFULLY AUTHORIZED REGULATORY AND ADMINISTRATIVE FUNCTIONS IS SPECIFICALLY ALLOWED.
- THE FACILITY IS AN UNMANNED PRIVATE AND SECURED EQUIPMENT INSTALLATION. IT IS ONLY ACCESSED BY TRAINED TECHNICIANS FOR PERIODIC ROUTINE MAINTENANCE AND THEREFORE DOES NOT REQUIRE ANY WATER OR SANITARY SEWER SERVICE. THE FACILITY IS NOT GOVERNED BY REGULATIONS REQUIRING PUBLIC ACCESS PER ADA REQUIREMENTS.
- CONTRACTOR SHALL VERIFY ALL PLANS AND EXISTING DIMENSIONS AND CONDITIONS ON THE JOB SITE AND SHALL IMMEDIATELY NOTIFY THE AT&T MOBILITY REPRESENTATIVE IN WRITING OF DISCREPANCIES BEFORE PROCEEDING WITH THE WORK OR BE RESPONSIBLE FOR SAME.
- CONSTRUCTION DRAWINGS ARE VALID FOR SIX MONTHS AFTER ENGINEER OF RECORD'S STAMPED AND SIGNED SUBMITTAL DATE LISTED HEREIN.

72 HOURS




CALL BEFORE YOU DIG



CALL TOLL FREE 1-800-922-4455

OR CALL 811

UNDERGROUND SERVICE ALERT



SITE NUMBER: CTL02112
SITE NAME: STRATFORD

623 HONEYSPOT ROAD
 STRATFORD, CT 06615
 FAIRFIELD COUNTY



NO.	DATE	REVISIONS	BY	CHK	APP'D
B	08/10/23	ISSUED FOR PERMITTING	JS	AT	DP
A	07/26/23	ISSUED FOR REVIEW	JS	AT	DP

SCALE: AS SHOWN DESIGNED BY: AT DRAWN BY: JS

SITE NUMBER	DRAWING NUMBER	REV
CTL02112	T-1	B

AT&T
 TITLE SHEET
 WCS FILTER 2023 UPGRADE

GROUNDING NOTES

1. THE SUBCONTRACTOR SHALL REVIEW AND INSPECT THE EXISTING FACILITY GROUNDING SYSTEM AND LIGHTNING PROTECTION SYSTEM (AS DESIGNED AND INSTALLED) FOR STRICT COMPLIANCE WITH THE NEC (AS ADOPTED BY THE AHJ), THE SITE-SPECIFIC (UL, LPI, OR NFPA) LIGHTING PROTECTION CODE, AND GENERAL COMPLIANCE WITH TELCORDIA AND TIA GROUNDING STANDARDS. THE SUBCONTRACTOR SHALL REPORT ANY VIOLATIONS OR ADVERSE FINDINGS TO THE CONTRACTOR FOR RESOLUTION.
2. ALL GROUND ELECTRODE SYSTEMS (INCLUDING TELECOMMUNICATION, RADIO, LIGHTNING PROTECTION, AND AC POWER GES'S) SHALL BE BONDED TOGETHER, AT OR BELOW GRADE, BY TWO OR MORE COPPER BONDING CONDUCTORS IN ACCORDANCE WITH THE NEC.
3. THE SUBCONTRACTOR SHALL PERFORM IEEE FALL-OF-POTENTIAL RESISTANCE TO EARTH TESTING (PER IEEE 1100 AND 81 STANDARDS) FOR NEW GROUND ELECTRODE SYSTEMS. THE SUBCONTRACTOR SHALL FURNISH AND INSTALL SUPPLEMENTAL GROUND ELECTRODES AS NEEDED TO ACHIEVE A TEST RESULT OF 5 OHMS OR LESS.
4. METAL RACEWAY SHALL NOT BE USED AS THE NEC REQUIRED EQUIPMENT GROUND CONDUCTOR. STRANDED COPPER CONDUCTORS WITH GREEN INSULATION, SIZED IN ACCORDANCE WITH THE NEC, SHALL BE FURNISHED AND INSTALLED WITH THE POWER CIRCUITS TO BTS EQUIPMENT.
5. EACH BTS CABINET FRAME SHALL BE DIRECTLY CONNECTED TO THE MASTER GROUND BAR WITH GREEN INSULATED SUPPLEMENTAL EQUIPMENT GROUND WIRES, #6 AWG STRANDED COPPER OR LARGER FOR INDOOR BTS AND #2 AWG STRANDED COPPER FOR OUTDOOR BTS.
6. EXOTHERMIC WELDS SHALL BE USED FOR ALL GROUNDING CONNECTIONS BELOW GRADE.
7. APPROVED ANTIOXIDANT COATINGS (I.E., CONDUCTIVE GEL OR PASTE) SHALL BE USED ON ALL COMPRESSION AND BOLTED GROUND CONNECTIONS.
8. ICE BRIDGE BONDING CONDUCTORS SHALL BE EXOTHERMICALLY BONDED OR BOLTED TO GROUND BAR.
9. ALUMINUM CONDUCTOR OR COPPER CLAD STEEL CONDUCTOR SHALL NOT BE USED FOR GROUNDING CONNECTIONS.
10. MISCELLANEOUS ELECTRICAL AND NON-ELECTRICAL METAL BOXES, FRAMES AND SUPPORTS SHALL BE BONDED TO THE GROUND RING, IN ACCORDANCE WITH THE NEC.
11. METAL CONDUIT SHALL BE MADE ELECTRICALLY CONTINUOUS WITH LISTED BONDING FITTINGS OR BY BONDING ACROSS THE DISCONTINUITY WITH #6 AWG COPPER WIRE UL APPROVED GROUNDING TYPE CONDUIT CLAMPS.
12. ALL NEW STRUCTURES WITH A FOUNDATION AND/OR FOOTING HAVING 20 FT. OR MORE OF 1/2 IN. OR GREATER ELECTRICALLY CONDUCTIVE REINFORCING STEEL MUST HAVE IT BONDED TO THE GROUND RING USING AN EXOTHERMIC WELD CONNECTION USING #2 AWG SOLID BARE TINNED COPPER GROUND WIRE, PER NEC 250.50

GENERAL NOTES

1. FOR THE PURPOSE OF CONSTRUCTION DRAWING, THE FOLLOWING DEFINITIONS SHALL APPLY:
 CONTRACTOR – CENTERLINE
 SUBCONTRACTOR – GENERAL CONTRACTOR (CONSTRUCTION)
 OWNER – AT&T MOBILITY
2. PRIOR TO THE SUBMISSION OF BIDS, THE BIDDING SUBCONTRACTOR SHALL VISIT THE CELL SITE TO FAMILIARIZE WITH THE EXISTING CONDITIONS AND TO CONFIRM THAT THE WORK CAN BE ACCOMPLISHED AS SHOWN ON THE CONSTRUCTION DRAWINGS. ANY DISCREPANCY FOUND SHALL BE BROUGHT TO THE ATTENTION OF CONTRACTOR.
3. ALL MATERIALS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS, AND ORDINANCES. SUBCONTRACTOR SHALL ISSUE ALL APPROPRIATE NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS, AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY REGARDING THE PERFORMANCE OF THE WORK. ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES AND APPLICABLE REGULATIONS.
4. DRAWINGS PROVIDED HERE ARE NOT TO BE SCALED AND ARE INTENDED TO SHOW OUTLINE ONLY.
5. UNLESS NOTED OTHERWISE, THE WORK SHALL INCLUDE FURNISHING MATERIALS, EQUIPMENT, APPURTENANCES, AND LABOR NECESSARY TO COMPLETE ALL INSTALLATIONS AS INDICATED ON THE DRAWINGS.
6. "KITTING LIST" SUPPLIED WITH THE BID PACKAGE IDENTIFIES ITEMS THAT WILL BE SUPPLIED BY CONTRACTOR. ITEMS NOT INCLUDED IN THE BILL OF MATERIALS AND KITTING LIST SHALL BE SUPPLIED BY THE SUBCONTRACTOR.
7. THE SUBCONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE.
8. IF THE SPECIFIED EQUIPMENT CANNOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE SUBCONTRACTOR SHALL PROPOSE AN ALTERNATIVE INSTALLATION SPACE FOR APPROVAL BY THE CONTRACTOR.
9. SUBCONTRACTOR SHALL DETERMINE ACTUAL ROUTING OF CONDUIT, POWER AND T1 CABLES, GROUNDING CABLES AS SHOWN ON THE POWER, GROUNDING AND TELCO PLAN DRAWING. SUBCONTRACTOR SHALL UTILIZE EXISTING TRAYS AND/OR SHALL ADD NEW TRAYS AS NECESSARY. SUBCONTRACTOR SHALL CONFIRM THE ACTUAL ROUTING WITH THE CONTRACTOR.
10. THE SUBCONTRACTOR SHALL PROTECT EXISTING IMPROVEMENTS, PAVEMENTS, CURBS, LANDSCAPING AND STRUCTURES. ANY DAMAGED PART SHALL BE REPAIRED AT SUBCONTRACTOR'S EXPENSE TO THE SATISFACTION OF OWNER.
11. SUBCONTRACTOR SHALL LEGALLY AND PROPERLY DISPOSE OF ALL SCRAP MATERIALS SUCH AS COAXIAL CABLES AND OTHER ITEMS REMOVED FROM THE EXISTING FACILITY. ANTENNAS REMOVED SHALL BE RETURNED TO THE OWNER'S DESIGNATED LOCATION.
12. SUBCONTRACTOR SHALL LEAVE PREMISES IN CLEAN CONDITION.
13. ALL CONCRETE REPAIR WORK SHALL BE DONE IN ACCORDANCE WITH AMERICAN CONCRETE INSTITUTE (ACI) 301.

14. ANY NEW CONCRETE NEEDED FOR THE CONSTRUCTION SHALL BE AIR-ENTRAINED AND SHALL HAVE 4000 PSI STRENGTH AT 28 DAYS. ALL CONCRETE WORK SHALL BE DONE IN ACCORDANCE WITH ACI 318 CODE REQUIREMENTS.
15. ALL STRUCTURAL STEEL WORK SHALL BE DETAILED, FABRICATED AND ERECTED IN ACCORDANCE WITH AISC SPECIFICATIONS. ALL STRUCTURAL STEEL SHALL BE ASTM A36 (Fy = 36 ksi) UNLESS OTHERWISE NOTED. PIPES SHALL BE ASTM A53 TYPE E (Fy = 36 ksi). ALL STEEL EXPOSED TO WEATHER SHALL BE HOT DIPPED GALVANIZED. TOUCH UP ALL SCRATCHES AND OTHER MARKS IN THE FIELD AFTER STEEL IS ERECTED USING A COMPATIBLE ZINC RICH PAINT.
16. CONSTRUCTION SHALL COMPLY WITH SPECIFICATIONS AND "GENERAL CONSTRUCTION SERVICES FOR CONSTRUCTION OF AT&T SITES."
17. SUBCONTRACTOR SHALL VERIFY ALL EXISTING DIMENSIONS AND CONDITIONS PRIOR TO COMMENCING ANY WORK. ALL DIMENSIONS OF EXISTING CONSTRUCTION SHOWN ON THE DRAWINGS MUST BE VERIFIED. SUBCONTRACTOR SHALL NOTIFY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO ORDERING MATERIAL OR PROCEEDING WITH CONSTRUCTION.
18. THE EXISTING CELL SITE IS IN FULL COMMERCIAL OPERATION. ANY CONSTRUCTION WORK BY SUBCONTRACTOR SHALL NOT DISRUPT THE EXISTING NORMAL OPERATION. ANY WORK ON EXISTING EQUIPMENT MUST BE COORDINATED WITH CONTRACTOR. ALSO, WORK SHOULD BE SCHEDULED FOR AN APPROPRIATE MAINTENANCE WINDOW USUALLY IN LOW TRAFFIC PERIODS AFTER MIDNIGHT.
19. SINCE THE CELL SITE IS ACTIVE, ALL SAFETY PRECAUTIONS MUST BE TAKEN WHEN WORKING AROUND HIGH LEVELS OF ELECTROMAGNETIC RADIATION. EQUIPMENT SHOULD BE SHUTDOWN PRIOR TO PERFORMING ANY WORK THAT COULD EXPOSE THE WORKERS TO DANGER. PERSONAL RF EXPOSURE MONITORS ARE ADVISED TO BE WORN TO ALERT OF ANY DANGEROUS EXPOSURE LEVELS.
20. **APPLICABLE BUILDING CODES:**
 SUBCONTRACTOR'S WORK SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE, AND LOCAL CODES AS ADOPTED BY THE LOCAL AUTHORITY HAVING JURISDICTION (AHJ) FOR THE LOCATION. THE EDITION OF THE AHJ ADOPTED CODES AND STANDARDS IN EFFECT ON THE DATE OF CONTRACT AWARD SHALL GOVERN THE DESIGN.

**BUILDING CODE: IBC 2021 WITH 2022 CT STATE BUILDING CODE AMENDMENTS
 ELECTRICAL CODE: 2020 NATIONAL ELECTRICAL CODE (NFPA 70-2020)**

SUBCONTRACTOR'S WORK SHALL COMPLY WITH THE LATEST EDITION OF THE FOLLOWING STANDARDS:

AMERICAN CONCRETE INSTITUTE (ACI) 318; BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE;


AMERICAN INSTITUTE OF STEEL CONSTRUCTION (AISC) MANUAL OF STEEL CONSTRUCTION, ASD, FOURTEENTH EDITION;

TELECOMMUNICATIONS INDUSTRY ASSOCIATION (TIA) 222-H, STRUCTURAL STANDARDS FOR STEEL

FOR ANY CONFLICTS BETWEEN SECTIONS OF LISTED CODES AND STANDARDS REGARDING MATERIAL, METHODS OF CONSTRUCTION, OR OTHER REQUIREMENTS, THE MOST RESTRICTIVE REQUIREMENT SHALL GOVERN. WHERE THERE IS CONFLICT BETWEEN A GENERAL REQUIREMENT AND A SPECIFIC REQUIREMENT, THE SPECIFIC REQUIREMENT SHALL GOVERN.

ABBREVIATIONS

AGL	ABOVE GRADE LEVEL	EQ	EQUAL	REQ	REQUIRED
AWG	AMERICAN WIRE GAUGE	GC	GENERAL CONTRACTOR	RF	RADIO FREQUENCY
BBU	BATTERY BACKUP UNIT	GRC	GALVANIZED RIGID CONDUIT	TBD	TO BE DETERMINED
BTCW	BARE TINNED SOLID COPPER WIRE	MGB	MASTER GROUND BAR	TBR	TO BE REMOVED
BGR	BURIED GROUND RING	MIN	MINIMUM	TBRR	TO BE REMOVED AND REPLACED
BTS	BASE TRANSCEIVER STATION	P	PROPOSED	TYP	TYPICAL
E	EXISTING	NTS	NOT TO SCALE	UG	UNDER GROUND
EGB	EQUIPMENT GROUND BAR	REF	REFERENCE	VIF	VERIFY IN FIELD
EGR	EQUIPMENT GROUND RING				



**SITE NUMBER: CTL02112
 SITE NAME: STRATFORD**



 623 HONEYSPOOT ROAD
 STRATFORD, CT 06615
 FAIRFIELD COUNTY




NO.		DATE	REVISIONS	BY	CHK	APP'D	AT&T	
B	08/10/23		ISSUED FOR PERMITTING	JS	AT	DP	GENERAL NOTES	
A	07/26/23		ISSUED FOR REVIEW	JS	AT	DP	WCS FILTER 2023 UPGRADE	
SCALE:		DESIGNED BY:		DRAWN BY:				
AS SHOWN		AT		JS				
SITE NUMBER		DRAWING NUMBER		REV				
CTL02112		GN-1		B				

NOTE:
ALL EQUIPMENT INSTALLATIONS ARE PENDING THE COMPLETION OF A STRUCTURAL ANALYSIS OF THE EXISTING STRUCTURE.

NOTE:
REFER TO FINAL-MODIFICATION-RECOMMENDED V2 DATED 5/16/23



ROOF/COMPOUND PLAN 1
22x34 SCALE: 1/8"=1'-0"
11x17 SCALE: 1/16"=1'-0"
A-1 0 4'-0" 8'-0" 16'-0" 24'-0"




EQUIPMENT PLAN 2
22x34 SCALE: 1/2"=1'-0"
11x17 SCALE: 1/4"=1'-0"
0 4'-0" 6'-0"




SITE NUMBER: CTL02112
SITE NAME: STRATFORD
623 HONEYSPOOT ROAD
STRATFORD, CT 06615
FAIRFIELD COUNTY




NO.	DATE	REVISIONS	BY	CHK	APP'D
B	08/10/23	ISSUED FOR PERMITTING	JS	AT	DP
A	07/26/23	ISSUED FOR REVIEW	JS	AT	DP
SCALE: AS SHOWN		DESIGNED BY: AT	DRAWN BY: JS		



AT&T		
ROOF/COMPOUND & EQUIPMENT PLANS WCS FILTER 2023 UPGRADE		
SITE NUMBER	DRAWING NUMBER	REV
CTL02112	A-1	B



EXISTING ANTENNA PLAN
SCALE: N.T.S.




PROPOSED ANTENNA PLAN
SCALE: N.T.S.

NOTE:
ANTENNA @ POS. 2 TO BE SLID OVER TO ACHIEVE 3' SEPARATION. FCCA SITE VISIT HAS SEPARATION SHOWN AS 2'-7". VERIFY IN FIELD SEPARATION.

NOTE:
ALL EQUIPMENT INSTALLATIONS ARE PENDING THE COMPLETION OF A STRUCTURAL ANALYSIS OF THE EXISTING STRUCTURE.

NOTE:
REFER TO FINAL-MODIFICATION-RECOMMENDED V2 DATED 5/16/23



ELEVATION
22x34 SCALE: 1/8"=1'-0"
11x17 SCALE: 1/16"=1'-0"


TEP
NORTHEAST
TEP OP CO, LLC.
45 BEECHWOOD DRIVE, NORTH ANDOVER, MA 01845
TEL: (978) 557-5553

CENTERLINE
COMMUNICATIONS
750 WEST CENTER STREET, SUITE #301
WEST BRIDGEWATER, MA 02379

SITE NUMBER: CTL02112
SITE NAME: STRATFORD
623 HONEYSPOUT ROAD
STRATFORD, CT 06615
FAIRFIELD COUNTY

at&t
500 ENTERPRISE DRIVE, SUITE 3A
ROCKY HILL, CT 06067

NO.	DATE	REVISIONS	BY	CHK	APP'D
B	08/10/23	ISSUED FOR PERMITTING	JS	AT	DP
A	07/26/23	ISSUED FOR REVIEW	JS	AT	DP
SCALE: AS SHOWN		DESIGNED BY: AT	DRAWN BY: JS		



AT&T
ANTENNA PLANS & ELEVATION
WCS FILTER 2023 UPGRADE
SITE NUMBER: CTL02112
DRAWING NUMBER: A-2
REV: B

ANTENNA SCHEDULE

SECTOR	EXISTING/ PROPOSED	BAND	ANTENNA	SIZE (INCHES) (L x W x D)	ANTENNA Ø HEIGHT	AZIMUTH	TMA/ DIPLEXER/FILTER	RRU	SIZE (INCHES) (L x W x D)	FEEDER	RAYCAP
A1	-	-	-	-	-	-	-	-	-	-	-
A2	EXISTING	LTE 700DE/700 B14/PCS/AWS	QD6616-7	72"x22"x9.6"	90'-0"±	30'	-	(E)(1) 4478 B14 (700) (E)(1) 4426 B66 (AWS) (E)(G)(1) RRUS-E2 B29 (700) (E)(1) 4415 B25 (1900)	-	(2)(E)1-1/4 COAX	(E)(1) RAYCAP DC6-48-60-18-8F
A3	EXISTING	DoD CBAND	AIR6419 N77G AIR6449 N77D	31.1"x16.1"x7.3"3 0.4"x15.9"x8.1"	90'-0"±	30'	-	-	-	(E)(2) DC POWER & (1) FIBER	(E)(1) RAYCAP DC6-48-60-18-8F
A4	EXISTING	LTE 700BC/850/WCS	DMP65R-BU6DA	71.2"x20.7"x7.7"	90'-0"±	30'	(E)(1) WCS-IMFT-AMT	(E)(1) 4449 B5/B12 (850/700) (E)(1) RRUS-32 B30 (WCS)	-	(E)(1) Y-CABLE	(E)(1) RAYCAP DC6-48-60-18-8F
B1	-	-	-	-	-	-	-	-	-	-	-
B2	EXISTING	LTE 700DE/700 B14/PCS/AWS	QD6616-7	72"x22"x9.6"	90'-0"±	150'	-	(E)(1) 4478 B14 (700) (E)(1) 4426 B66 (AWS) (E)(G)(1) RRUS-E2 B29 (700) (E)(1) 4415 B25 (1900)	-	(2)(E)1-1/4 COAX	(E)(1) RAYCAP DC9-48-60-24-8C-EV
B3	EXISTING	DoD CBAND	AIR6419 N77G AIR6449 N77D	31.1"x16.1"x7.3"3 0.4"x15.9"x8.1"	90'-0"±	150'	-	-	-	(E)(1) 6AWG DC TRUNK (E)(1) 24PAIR FIBER (E)(2) DC POWER	(E)(1) RAYCAP DC9-48-60-24-8C-EV
B4	EXISTING	LTE 700BC/850/WCS	DMP65R-BU6DA	71.2"x20.7"x7.7"	90'-0"±	150'	(E)(1) WCS-IMFT-AMT	(E)(1) 4449 B5/B12 (850/700) (E)(1) RRUS-32 B30 (WCS)	-	(E)(1) Y-CABLE	(E)(1) RAYCAP DC9-48-60-24-8C-EV
C1	-	-	-	-	-	-	-	-	-	-	-
C2	EXISTING	LTE 700DE/700 B14/PCS/AWS	QD6616-7	72"x22"x9.6"	90'-0"±	270'	-	(E)(1) 4478 B14 (700) (E)(1) 4426 B66 (AWS) (E)(G)(1) RRUS-E2 B29 (700) (E)(1) 4415 B25 (1900)	-	(2)(E)1-1/4 COAX	(E)(1) RAYCAP DC6-48-60-18-8F
C3	EXISTING	DoD CBAND	AIR6419 N77G AIR6449 N77D	31.1"x16.1"x7.3"3 0.4"x15.9"x8.1"	90'-0"±	270'	-	-	-	(E)(2) DC POWER & (1) FIBER	(E)(1) RAYCAP DC6-48-60-18-8F
C4	EXISTING	LTE 700BC/850/WCS	DMP65R-BU6DA	71.2"x20.7"x7.7"	90'-0"±	270'	(P)(1) WCS-IMFT-AMT	(E)(1) 4449 B5/B12 (850/700) (E)(1) RRUS-32 B30 (WCS)	-	(E)(1) Y-CABLE	(E)(1) RAYCAP DC6-48-60-18-8F


NOTE:
ALL EQUIPMENT INSTALLATIONS ARE PENDING THE COMPLETION OF A STRUCTURAL ANALYSIS OF THE EXISTING STRUCTURE.

NOTE:
REFER TO FINAL-MODIFICATION-RECOMMENDED V2 DATED 5/16/23


RRU CHART		
QUANTITY	MODEL	SIZE (L x W x D)
E(3)	4449 B5/B12 (850/700)	14.9"x13.2"x5.8"
E(3)	4415 B25 (1900)	14.9"x13.2"x5.8"
E(3)	4478 B14 (700)	18.1"x13.4"x8.3"
E(3)	4426 B66 (AWS)	18.1"x13.4"x8.3"
E(3)	RRUS-E2 B29 (700)	20.0"x20.4"x9.5"
E(3)	RRUS-32 B30 (WCS)	27.2"x12.1"x7.0"

NOTE:
MOUNT PER MANUFACTURER'S SPECIFICATIONS

FINAL ANTENNA SCHEDULE 1
SCALE: N.T.S. A-4



PROPOSED ANTENNA @ POS. 4 1
22x34 SCALE: 3/4"=1'-0"
11x17 SCALE: 3/8"=1'-0" A-3



PROPOSED RRUS DETAIL 2
SCALE: N.T.S. A-4




SITE NUMBER: CTL02112
SITE NAME: STRATFORD

623 HONEYSPOUT ROAD
STRATFORD, CT 06615
FAIRFIELD COUNTY




NO.	DATE	REVISIONS	BY	CHK	APP'D
B	08/10/23	ISSUED FOR PERMITTING	JS	AT	DP
A	07/26/23	ISSUED FOR REVIEW	JS	AT	DP


SCALE: AS SHOWN DESIGNED BY: AT DRAWN BY: JS



AT&T		
DETAILS		
WCS FILTER 2023 UPGRADE		
SITE NUMBER	DRAWING NUMBER	REV
CTL02112	A-3	B




GROUND WIRE TO GROUND BAR CONNECTION DETAIL 1
SCALE: N.T.S. G-1



- NOTES:
1. "DOUBLING UP" OR "STACKING" OF CONNECTION IS NOT PERMITTED.
 2. OXIDE INHIBITING COMPOUND TO BE USED AT ALL LOCATION.
 3. CADWELD DOWNLEADS FROM UPPER EGB, LOWER EGB, AND MGB

TYPICAL GROUND BAR CONNECTION DETAIL 3
SCALE: N.T.S. G-1



GROUNDING RISER DIAGRAM 2
SCALE: N.T.S. G-1

AT&T GROUNDING STANDARDS TO BE FOLLOWED:

ATT-TP-76416
ATT-TP-76300
ATT-CEM-18002
ATT-002-290-531
ATT-002-290-701
ATT-CEM-23001


EACH GROUND CONDUCTOR TERMINATING ON ANY GROUND BAR SHALL HAVE AN IDENTIFICATION TAG ATTACHED AT EACH END THAT WILL IDENTIFY ITS ORIGIN AND DESTINATION.

SECTION "P" - SURGE PRODUCERS


- CABLE ENTRY PORTS (HATCH PLATES) (#2 AWG)
- GENERATOR FRAMEWORK (IF AVAILABLE) (#2 AWG)
- TELCO GROUND BAR
- COMMERCIAL POWER COMMON NEUTRAL/GROUND BOND (#2 AWG)
- +24V POWER SUPPLY RETURN BAR (#2 AWG)
- 48V POWER SUPPLY RETURN BAR (#2 AWG)
- RECTIFIER FRAMES.

SECTION "A" - SURGE ABSORBERS

- INTERIOR GROUND RING (#2 AWG)
- EXTERNAL EARTH GROUND FIELD (BURIED GROUND RING) (#2 AWG)
- METALLIC COLD WATER PIPE (IF AVAILABLE) (#2 AWG)
- BUILDING STEEL (IF AVAILABLE) (#2 AWG)




GROUND BAR - DETAIL (AS REQUIRED)
SCALE: N.T.S.




SITE NUMBER: CTL02112
SITE NAME: STRATFORD

623 HONEYSPOUT ROAD
STRATFORD, CT 06615
FAIRFIELD COUNTY



AT&T		G-1		B	
GROUNDING DETAILS WCS FILTER 2023 UPGRADE					
NO.	DATE	REVISIONS	BY	CHK	APP'D
B	08/10/23	ISSUED FOR PERMITTING	JS	AT	DP
A	07/26/23	ISSUED FOR REVIEW	JS	AT	DP
SCALE: AS SHOWN		DESIGNED BY: AT		DRAWN BY: JS	
SITE NUMBER		DRAWING NUMBER		REV	
CTL02112		G-1		B	



NOTE:
1. CONTRACTOR TO CONFIRM ALL PARTS.
2. INSTALL ALL EQUIPMENT TO MANUFACTURER'S RECOMMENDATIONS

NOTE:
REFER TO FINAL-MODIFICATION-RECOMMENDED V2 DATED 5/16/23

RF PLUMBING DIAGRAM
SCALE: N.T.S.



SITE NUMBER: CTL02112
SITE NAME: STRATFORD

623 HONEYSPOOT ROAD
STRATFORD, CT 06615
FAIRFIELD COUNTY




NO.	DATE	REVISIONS	BY	CHK	APP'D
B	08/10/23	ISSUED FOR PERMITTING	SG	AT	DPH
A	07/26/23	ISSUED FOR REVIEW	JS	AT	DPH
SCALE: AS SHOWN		DESIGNED BY: AT	DRAWN BY: JS		

AT&T		
RF PLUMBING DIAGRAM WCS FILTER 2023 UPGRADE		
SITE NUMBER	DRAWING NUMBER	REV
CTL02112	RF-1	B

EXHIBIT 2



623 Honeyspot Road, Stratford, CT



623 Honeyspot Rd

623 Honeyspot Rd, Stratford, CT 06615

5VG3+QH Stratford, Connecticut

623 HONEYSPOOT RD

Location 623 HONEYSPOOT RD

Mblu 30/6 12/ 6/ 1

Acct# 0795100

Owner BECKER LLC

PBN

Assessment \$802,690

Appraisal \$1,146,700

PID 8228

Building Count 1

Sewer Use BZZ

EPA Action

Current Value

Appraisal			
Valuation Year	Improvements	Land	Total
2019	\$932,200	\$214,500	\$1,146,700

Assessment			
Valuation Year	Improvements	Land	Total
2019	\$652,540	\$150,150	\$802,690

Owner of Record

Owner BECKER LLC
Co-Owner
Address 951 BEAVER DAM RD
 STRATFORD, CT 06614

Sale Price \$0
Certificate
Book 3374
Page 0243
Sale Date 04/20/2010
Instrument 04

Ownership History

Ownership History							
Owner	Sale Price	Certificate	Instrument	Sale Date	Book	Page	
BECKER LLC	\$0		04	04/20/2010	3374	0243	
BECKER JOHN & DEBORAH (SV)	\$54,000		UNKQ	07/17/1984	0597	0087	
TOTH JOHN S & CAROLA (SV)	\$47,000		UNKQ	09/24/1982	0573	0794	
PAOLA FRANK & ROSALIE (SV)	\$24,000		UNKQ	03/21/1969	0448	0174	

Building Information

Building 1 : Section 1

Year Built: 1985
 Living Area: 2,616
 Building Percent Good: 74


Building Attributes	
Field	Description
Style:	Telephone Bldg
Model	Commercial
Grade	B
Stories:	1 Story
Occupancy	1.00
Exterior Wall 1	Concr/Cinder
Exterior Wall 2	
Roof Structure	Flat
Roof Cover	Built Up
Interior Wall 1	Drywall/Sheet
Interior Wall 2	
Interior Floor 1	Vinyl/Asphalt
Interior Floor 2	Concr-Finished
Heating Fuel	Gas
Heating Type	Forced Air-Duc
AC Type	Partial
Struct Class	
Bldg Use	Tel Rel Tw
1st Floor Use:	434
Heat/AC	Heat/AC Pkgs
Frame Type	Masonry
Baths/Plumbing	Average
Ceiling/Wall	Ceil & Walls
Rooms/Prtns	Average
Wall Height	10.00
% Comm Wall	

Building Photo



(<https://images.vgsi.com/photos/StratfordCTPhotos//00\03\67\34.JPG>)

Building Layout



(ParcelSketch.ashx?pid=8228&bid=8228)

Building Sub-Areas (sq ft)			Legend
Code	Description	Gross Area	Living Area
BAS	First Floor	1,266	1,266
FUS	Finished Upper Story	1,266	1,266
AOF	Office Area	84	84
FGR	Garage	1,200	0
		3,816	2,616

Extra Features

Extra Features				Legend
Code	Description	Size	Value	Bldg #
A/C	Air Condition	1866.00 S.F.	\$3,600	1
MEZ1	Mezzanine - Unfin	144.00 S.F.	\$1,500	1

Land

Land Use

Use Code 322
 Description Gar/Off
 Zone CA
 Neighborhood 100
 Alt Land Appr No
 Category

Land Line Valuation

Size (Acres) 0.22
 Frontage 0
 Depth 0
 Assessed Value \$150,150
 Appraised Value \$214,500

Outbuildings

Outbuildings						Legend
Code	Description	Sub Code	Sub Description	Size	Value	Bldg #
PAV	Paving	AS	Asphalt	4000.00 S.F.	\$4,000	1
CTR	Cell Receivers			4.00 Units	\$698,000	1

Valuation History

Appraisal				
Valuation Year	Improvements	Land	Total	
2022	\$932,200	\$214,500	\$1,146,700	
2021	\$932,200	\$214,500	\$1,146,700	
2020	\$932,200	\$214,500	\$1,146,700	

Assessment				
Valuation Year	Improvements	Land	Total	
2022	\$652,540	\$150,150	\$802,690	
2021	\$652,540	\$150,150	\$802,690	
2020	\$652,540	\$150,150	\$802,690	

EXHIBIT 3

STRUCTURAL ANALYSIS REPORT

For

AT&T Site Number: CT2112 (WCS FILTER UPGRADE)

TEP Project Number: 256231.868777

AT&T Site Name: STRATFORD

623 Honeyspot Road
Stratford, CT 06615

Antennas Mounted on the Tower



Prepared for:



CENTERLINE
COMMUNICATIONS



at&t

Dated: August 10, 2023

Prepared by:



(TEP OPCO, LLC)

45 Beechwood Drive
North Andover, MA 01845

(P) 978.557.5553

www.tepgroup.net





SCOPE OF WORK:

TEP Northeast (TEP NE) has been authorized by AT&T to conduct a structural evaluation of the 103' monopole supporting the proposed AT&T's antennas located at elevation 90' above the ground level.

This report represents this office's findings, conclusions and recommendations pertaining to the support of AT&T's existing antennas and proposed equipment listed below.

This office conducted an on-site visual survey of the above site on June 20, 2023.

The following documents were used for our reference:

- Tower Structural Analysis prepared by Paul J. Ford & Company dated February 4, 2021.
- Tower Mapping Report prepared by Provertic, LLC. dated April 14, 2022.
- Previous Tower Structural Analysis Report prepared by Hudson Design Group, LLC. dated April 27, 2022.

TOWER SUMMARY:

Based on our evaluation, we have determined that the existing tower **is in conformance** with the ANSI/TIA-222-H Standard for the loading considered under the criteria listed in this report. The tower structure is rated at **93.8 %** - (Base Plate Controlling).

FOUNDATION SUMMARY:

Based on our evaluation, we have determined that the existing foundation **is in conformance** with the ANSI/TIA-222-H Standard for the loading considered under the criteria listed in this report. The foundation is rated at **78.2 %** - (Structural Foundation Rating Controlling).



APPURTENANCES CONFIGURATION:

Tenant	Appurtenances	Elev.	Mount
	(3) 5' T-Arm	101'	Monopole
AT&T	(3) QD6616-7 Antennas	90'	Sector Frame
AT&T	(3) AIR6419 Antennas	90'	Sector Frame
AT&T	(3) AIR6449 Antennas	90'	Sector Frame
AT&T	(3) DMP65R-BU6DA Antennas	90'	Sector Frame
AT&T	(3) B14 4478 RRH's	90'	Sector Frame
AT&T	(3) 4426 B66 RRH's	90'	Sector Frame
AT&T	(3) 4415 B25 RRH's	90'	Sector Frame
AT&T	(3) 4449 B5/B12 RRH's	90'	Sector Frame
AT&T	(3) RRUS 32 B30 RRH's	90'	Sector Frame
AT&T	(2) WCS-IMFT-AMT Filters	90'	Sector Frame
AT&T	(2) DC6-48-60-18-8F Surge Arrestors	90'	Sector Frame
AT&T	(1) DC9-48-60-24-8C-EV Surge Arrestors	90'	Sector Frame
AT&T	(1) WCS-IMFT-AMT Filter	90'	Sector Frame
	(6) MX06FRO660-03 Antennas	82'	Platform
	(3) BXA-70063-6CF Antennas	82'	Platform
	(3) VZS01 Antennas	82'	Platform
	(3) B2/B66A RRH-BR049 RRH's	82'	Platform
	(3) B5/B13 RRH-BR04C RRH's	82'	Platform
	(2) Junction Boxes	82'	Platform
	(3) APXVAALL24_43-U-NA20 Antennas	72'	Platform
	(3) AIR6449 B41 Antennas	72'	Platform
	(3) VV-65A-R1 Antennas	72'	Platform
	(3) 4480 B71+B85 RRH's	72'	Platform
	(3) 4460 B25+B66 RRH's	72'	Platform
	(3) FFVV-65B-R2 Antennas	62'-2"	Platform
	(3) TA08025-B604 RRH's	62'-2"	Platform
	(3) TA08025-B605 RRH's	62'-2"	Platform
	(1) RDIDC-9181-PF-48 OVP Box	62'-2"	Platform
	(1) 20' Omni	42'	T-Arm Mount
	(2) 10' Omni	36'	T-Arm Mount
	(3) 10' Omni	34'	T-Arm Mount
	(1) GPS	30'	T-Arm Mount

**Proposed AT&T Appurtenances shown in Bold.*

AT&T EXISTING CABLES:

Tenant	Coax Cables	Elev.	Mount
AT&T	(6) 1 1/4" Cables	90'	Inside Monopole
AT&T	(7) DC Power Cables	90'	Inside Monopole
AT&T	(3) Fiber Cable	90'	Inside Monopole

**Proposed AT&T Cables shown in Bold.*



ANALYSIS RESULTS SUMMARY:

Component	Max. Stress Ratio	Elev. of Component (ft)	Pass/Fail	Comments
Pole Section-L1	12.4 %	90.00 – 102.92	PASS	
Pole Section-L2	89.1 %	64.00 – 90.00	PASS	
Pole Section-L3	58.8 %	45.08 – 65.00	PASS	
Pole Section-L4	58.6 %	1.50 – 45.08	PASS	
Base Plate & Anchor Rods	93.8 %	-	PASS	Controlling

FOUNDATION RESULTS SUMMARY:

	Stress Ratio	Pass/Fail	Comments
Structural Foundation Rating	78.2 %	PASS	Controlling
Soil Interaction Rating	54.0 %	PASS	



DESIGN CRITERIA:

1. International Building Code (IBC) 2021 with 2022 Connecticut State Building Code Amendments. EIA/TIA-222-H Structural Standards for Steel Antenna Towers and Antenna Supporting Structures.

County: Fairfield
Ultimate Wind Speed: 120 mph
Risk Category: II
Exposure Category: C
Topographic Category: 1
Nominal Ice Thickness: 1 inch

2. Approximate height above grade to existing antennas: 90'

***Calculations and referenced documents are attached.**

ASSUMPTIONS:

1. The appurtenances configuration is as stated in this report. All antennas, coax cables and waveguide cables are assumed to be properly installed and supported as per the manufacturer's requirements.
2. The monopole and foundation are properly constructed and maintained. All structural members and their connections are assumed to be in good condition and are free from defects with no deterioration to its member capacities.
3. The support mounts and platforms are not analyzed and are considered adequate to support the loading. The analysis is limited to the primary support structure itself.

SUPPORT RECOMMENDATIONS:

TEP NE recommends that the proposed filter be mounted on the existing sector frames supported by the monopole.

Reference TEP NE's Latest Construction Drawings for all component and connection requirements (attached).

EXHIBIT 4

August 1, 2023



Centerline Communications
750 West Center Street, Suite #301
West Bridgewater, MA 02379

RE: AT&T Site Number: CT2112 (WCS FILTER UPGRADE)
FA Number: 10071312
PACE Number: MRCTB068335
PT Number: 2051A17RFH
TEP Project Number: 256231.868776
AT&T Site Name: STRATFORD
Site Address: 623 Honeyspot Road
Stratford, CT 06615

To Whom It May Concern:

TEP Northeast (TEP NE) has been authorized by Centerline Communications to perform a mount analysis on the existing AT&T antenna/RRH mounts to determine their capability of supporting the following additional loading:

- (3) QD6616-7 Antennas (72.0"x22.0"x9.6" – Wt. = 130 lbs. /each)
- (3) AIR6419 Antennas (31.2"x16.1"x9.1" – Wt. = 66 lbs. /each)
- (3) AIR6449 Antennas (30.6"x15.9"x10.6" – Wt. 84 lbs. /each)
- (3) DMP65R-BU6DA Antennas (71.2"x20.7"x7.7" – Wt. = 80 lbs. /each)
- (3) B14 4478 RRH's (18.1"x13.4"x8.3" – Wt. = 60 lbs. /each) (Standoff)
- (3) 4426 B66 RRH's (14.9"x13.2"x5.8" – Wt. = 49 lbs. /each) (Standoff)
- (3) 4415 B25 RRH's (16.5"x13.4"x5.9" – Wt. = 50 lbs. /each) (Standoff)
- (3) B5/B12 4449 RRH's (17.9"x13.2"x9.4" – Wt. = 73 lbs. /each) (Standoff)
- (3) RRUS-32 B30 RRH's (27.2"x12.1"x7.0" – Wt. = 60 lbs. /each) (Standoff)
- (2) WCS-IMFT-AMT Filters (8.1"x5.7"x3.7" – Wt. = 9 lbs. /each) (Pos.4)
- (2) DC6-48-60-18-8F Surge Arrestors (31.4"x10.2"Ø – Wt. = 29 lbs. /each) (Standoff)
- (1) DC9-48-60-24-8C-EV Surge Arrestor (31.4"x10.2"Ø – Wt. = 29 lbs. /each) (Standoff)
- **(1) WCS-IMFT-AMT Filter (8.1"x5.7"x3.7" – Wt. = 9 lbs. /each) (Pos.4)**

**Proposed equipment shown in bold.*

Mount fabrication drawings prepared by SitePro1 P/N VFA14-H10-2120, dated December 7, 2020, P/N LWRM, dated August 24, 2012, and P/N MM01, dated May 10, 2010, were used to perform this analysis.

Mount Analysis Methods:

- This analysis was conducted in accordance with EIA/TIA-222-H, Structural Standards for Steel Antenna Towers and Antenna Supporting Structures, the International Building Code 2021 with 2022 Connecticut State Building Code, and AT&T Mount Technical Directive – R22.
- TEP NE considers this mount to be asymmetrical and has applied wind loads in 30 degree increments all around the mount. Per TIA-222-H and Appendix P of the Connecticut State Building Code, the max basic wind speed for this site is equal to 120 mph with a max basic wind speed with ice of 50 mph and a max ice thickness of 1.0 in. An escalated ice thickness of 1.11 in was used for this analysis.
- TEP NE considers this site to be exposure category C; tower is located near large, flat, open, terrain/grasslands.
- TEP NE considers this site to be topographic category 1; tower is located on flat terrain or the bottom of a hill or ridge.
- TEP NE considers this site to have a spectral response acceleration parameter at short periods, S_s , of 0.207 and a spectral response acceleration parameter at a period of 1 second, S_1 , of 0.054.
- The mount has been analyzed with load combinations consisting of 500 lbs live load using a service wind speed of 30 mph wind on the worst case antenna. Analysis performed on each antenna pipe to determine worst case location; worst case location was antenna position 2.
- The mount has been analyzed with load combinations consisting of a 250 lbs live load in a worst case location on the mount.
- The existing mounts are installed on standoffs and secured to the existing monopole with ring mounts and threaded rods. TEP NE considers the threaded rods to be the governing connection member.

Based on our evaluation, we have determined that the existing mounts **ARE CAPABLE** of supporting the proposed installation.

	Component	Controlling Load Case	Stress Ratio	Pass/Fail
Existing (WCS FILTER UPGRADE) Mount Rating	142	LC31	63%	PASS

Reference Documents:

- Fabrication drawings prepared by SitePro1 P/N VFA14-H10-2120, dated December 7, 2020.
- Fabrication drawings prepared by SitePro1 P/N LWRM, dated August 24, 2012.
- Fabrication drawings prepared by SitePro1 P/N MM01, dated May 10, 2010.

This determination was based on the following limitations and assumptions:

1. TEP NE is not responsible for any modifications completed prior to and hereafter which TEP NE was not directly involved.
2. All structural members and their connections are assumed to be in good condition and are free from defects with no deterioration to its member capacities.
3. All antennas, coax cables and waveguide cables are assumed to be properly installed and supported as per the manufacturer's requirements.
4. The existing mounts have been adequately secured to the tower structure per the mount manufacturer's specifications.
5. All components pertaining to AT&T's mounts must be tightened and re-plumbed prior to the installation of new appurtenances.
6. TEP NE performed a localized analysis on the mount itself and not on the supporting tower structure.

Please feel free to contact our office should you have any questions.

Respectfully Submitted,
TEP Northeast



Michael Cabral
Director



Daniel P. Hamm, PE
Vice President

EXHIBIT 5



Radio Frequency Exposure Analysis Report

August 7, 2023

AT&T

Site Name: STRATFORD

Site Number: CT2112

FA#: 10071312

USID: 60398

Site Address: 623 Honeyspot Road, Stratford, CT 06615



Michael Fischer, P.E.

Registered Professional Engineer (Electrical)

Connecticut License Number 33928

Expires January 31, 2024

Signed 07 August 2023

Site Compliance Summary

AT&T Compliance Status:	Compliant
Cumulative Calculated Power Density (Ground Level):	141.19750 $\mu\text{W}/\text{cm}^2$
Cumulative General Population % MPE (Ground Level):	14.12049%
Cumulative Calculated Power Density (Adjacent Rooftop Level):	16.50811 $\mu\text{W}/\text{cm}^2$
Cumulative General Population % MPE (Adjacent Rooftop Level):	2.39626%



August 7, 2023

Centerline
Attn: Ryan Burgdorfer, Project Manager
750 W Center St, Suite 301
West Bridgewater, MA 02379

RF Exposure Analysis for Site: **STRATFORD**

Centerline was contracted to analyze the proposed AT&T facility at **623 HONEYSPOOT ROAD, STRATFORD, CT 06615** for the purpose of determining whether the predictive exposure from the proposed facility is within specified federal limits.

All information used in this report was analyzed as a percentage of the Maximum Permissible Exposure (% MPE) limits as detailed in 47 CFR § 1.1310 as well as Federal Communications Commission (FCC) OET Bulletin 65 Edition 97-01. The FCC MPE limits are typically expressed in units of milliwatts per square centimeter (mW/cm^2) or microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$). The exposure limits vary depending upon the frequencies being utilized. The General Population/Uncontrolled MPE limit (in mW/cm^2) for frequencies between 300 and 1500 is defined as frequency (in MHz) divided by 1500 ($f_{\text{MHz}}/1500$). Frequencies between 1500 and 100,000 MHz have a General Population/Uncontrolled MPE limit of $1 \text{ mW}/\text{cm}^2$ ($1000 \mu\text{W}/\text{cm}^2$). The calculated power density at each sample point divided by the limit at each calculated frequency provides a result in % MPE. Summing the calculated % MPE from all contributors provides a cumulative % MPE at a particular sample point. Wireless carriers use different frequency bands with varying MPE limits; therefore, it is useful to report results in terms of % MPE as opposed to power density.

All results were compared to the FCC radio frequency exposure rules as detailed in 47 CFR § 1.1307(b) to determine compliance with the MPE limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general population may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general population would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits, as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means. Additional details can be found in FCC OET 65.



Calculation Methodology

Centerline has performed theoretical modeling of the site using a software tool, RoofMaster®, which incorporates calculation methodologies detailed in FCC OET 65. RoofMaster® uses a cylindrical model for conservative power density predictions within the near field of the antenna where the antenna pattern has not truly formed yet. Within this area power density values tend to decrease based upon an inverse distance function. At the point where it is appropriate for modeling to change from near-field calculations to far-field calculations, the power decreases inversely with the square of the distance. The modeling is based on worst-case assumptions in terms of transmitter power and duty cycle. No losses were included in the power calculations unless they were specifically provided for the project.

In OET 65, a far field model is presented to calculate the spatial peak power density. The RoofMaster® implementation of this model incorporates antenna manufacturer's horizontal and vertical pattern data to determine the power density in all directions. This model yields the power density at a single point in space. In order to determine the spatial power density for comparison to the FCC limits, the average of several points calculated within the human profile (0-6') must be conducted. RoofMaster® calculates seven power density values between 0-6' above the specified study plane and performs a linear spatial average.



Data & Results

The following table details the antennas and operating parameters for the AT&T antenna system as well as any other antenna systems at the site. This is based on antenna information provided by the client and data compiled from other sources where necessary. The data below was input into Roofmaster® to perform the theoretical exposure calculations at ground level and on the adjacent 20' building.

The theoretical calculations performed in Roofmaster® determine the cumulative exposure at all sample points at ground level and on the adjacent 20' building (0-6' spatial average). The results from highest cumulative sample point at ground level surrounding the site and on the adjacent building are displayed in the table below. The contribution from directional antennas to the maximum cumulative totals varies greatly depending on location; therefore, the contribution from one antenna sector at the highest calculated exposure point may be greater or less than other sectors since sectorized directional antennas are pointed in different directions and there is not much overlapping exposure.

The contribution to the cumulative power density and % MPE for each antenna/frequency band is listed in the table(s) below. The cumulative power density and cumulative % MPE are displayed at the bottom of the table(s) below.



Maximum Calculated Cumulative Power Density @ Ground Level
(Location: approximately 198' east of site)

Antenna ID	Make / Model	Frequency Band (MHz)	Antenna Gain (dBd)	Antenna Centerline (ft)	Channel Count	TX Power/Channel (watts)	ERP (watts)	Calculated Power Density ($\mu\text{W}/\text{cm}^2$)	General Population MPE Limit ($\mu\text{W}/\text{cm}^2$)	General Population % MPE
AT&T A 1	QUINTEL QD6616-7 V1	700	11.97	90.00	4.00	30.00	1889.26	0.00006	466.67	0.00001
AT&T A 1	QUINTEL QD6616-7 V1	1900	15.11	90.00	4.00	30.00	3888.22	0.00009	1000.00	0.00001
AT&T A 1	QUINTEL QD6616-7 V1	2100	15.33	90.00	4.00	45.00	6139.92	0.00018	1000.00	0.00002
AT&T A 1	QUINTEL QD6616-7 V1	700	11.97	90.00	2.00	30.00	944.63	0.00003	466.67	0.00001
AT&T A 2	ERICSSON AIR6449	3700	23.55	88.25	1.00	86.75	19645.79	0.00127	1000.00	0.00013
AT&T A 3	ERICSSON AIR6419	3450	23.55	91.75	1.00	54.22	12278.90	0.00071	1000.00	0.00007
AT&T A 4	CCI DMP65R-BU6D	700	11.75	90.00	4.00	30.00	1795.48	0.00011	466.67	0.00002
AT&T A 4	CCI DMP65R-BU6D	850	11.45	90.00	4.00	30.00	1675.64	0.00002	566.67	0.00000
AT&T A 4	CCI DMP65R-BU6D	2300	14.95	90.00	4.00	18.00	2250.78	0.00002	1000.00	0.00000
AT&T B 5	QUINTEL QD6616-7 V1	700	11.97	90.00	4.00	30.00	1889.26	0.00021	466.67	0.00004
AT&T B 5	QUINTEL QD6616-7 V1	1900	15.11	90.00	4.00	30.00	3888.22	0.00016	1000.00	0.00002
AT&T B 5	QUINTEL QD6616-7 V1	2100	15.33	90.00	4.00	45.00	6139.92	0.00017	1000.00	0.00002
AT&T B 5	QUINTEL QD6616-7 V1	700	11.97	90.00	2.00	30.00	944.63	0.00010	466.67	0.00002
AT&T B 6	ERICSSON AIR6449	3700	23.55	88.25	1.00	86.75	19645.79	0.00283	1000.00	0.00028
AT&T B 7	ERICSSON AIR6419	3450	23.55	91.75	1.00	54.22	12278.90	0.00159	1000.00	0.00016
AT&T B 8	CCI DMP65R-BU6D	700	11.75	90.00	4.00	30.00	1795.48	0.00021	466.67	0.00005
AT&T B 8	CCI DMP65R-BU6D	850	11.45	90.00	4.00	30.00	1675.64	0.00017	566.67	0.00003
AT&T B 8	CCI DMP65R-BU6D	2300	15.25	90.00	4.00	18.00	2411.75	0.00013	1000.00	0.00001
AT&T C 9	QUINTEL QD6616-7 V1	700	11.97	90.00	4.00	30.00	1889.26	0.00000	466.67	0.00000
AT&T C 9	QUINTEL QD6616-7 V1	1900	15.11	90.00	4.00	30.00	3888.22	0.00000	1000.00	0.00000
AT&T C 9	QUINTEL QD6616-7 V1	2100	15.33	90.00	4.00	45.00	6139.92	0.00000	1000.00	0.00000
AT&T C 9	QUINTEL QD6616-7 V1	700	11.97	90.00	2.00	60.00	944.63	0.00000	466.67	0.00000
AT&T C 10	ERICSSON AIR6449	3700	23.55	88.25	1.00	86.75	19645.79	0.00001	1000.00	0.00000
AT&T C 11	ERICSSON AIR6419	3450	23.55	91.75	1.00	54.22	12278.90	0.00000	1000.00	0.00000
AT&T C 12	CCI DMP65R-BU6D	700	11.05	90.00	4.00	120.00	1528.20	0.00000	466.67	0.00000
AT&T C 12	CCI DMP65R-BU6D	850	11.35	90.00	4.00	120.00	1637.50	0.00000	566.67	0.00000
AT&T C 12	CCI DMP65R-BU6D	2300	14.95	90.00	4.00	72.00	2250.78	0.00000	1000.00	0.00000
Verizon A 13	GENERIC PANEL 6FT	850	12.62	80.00	1.00	0.00	0.00	0.00002	566.67	0.00000
Verizon A 14	GENERIC PANEL 6FT	700	12.33	80.00	4.00	160.00	2736.02	0.00016	466.67	0.00004
Verizon A 14	GENERIC PANEL 6FT	1900	15.84	80.00	4.00	160.00	6139.32	0.00008	1000.00	0.00001
Verizon A 15	GENERIC PANEL 6FT	850	12.62	80.00	4.00	160.00	2924.96	0.00012	566.67	0.00002
Verizon A 15	GENERIC PANEL 6FT	2100	16.39	80.00	4.00	160.00	6968.19	0.00006	1000.00	0.00001
Verizon A 16	SAMSUNG MT6407	3700	23.34	82.00	4.00	200.00	43154.89	0.00577	1000.00	0.00058
Verizon B 17	GENERIC PANEL 6FT	850	12.62	80.00	1.00	0.00	0.00	0.00003	566.67	0.00001
Verizon B 18	GENERIC PANEL 6FT	700	12.33	80.00	4.00	160.00	2736.02	0.00029	466.67	0.00006



Antenna ID	Make / Model	Frequency Band (MHz)	Antenna Gain (dBd)	Antenna Centerline (ft)	Channel Count	TX Power/ Channel (watts)	ERP (watts)	Calculated Power Density ($\mu\text{W}/\text{cm}^2$)	General Population MPE Limit ($\mu\text{W}/\text{cm}^2$)	General Population % MPE
Verizon B 18	GENERIC PANEL 6FT	1900	15.84	80.00	4.00	160.00	6139.32	0.00018	1000.00	0.00002
Verizon B 19	GENERIC PANEL 6FT	850	12.62	80.00	4.00	160.00	2924.96	0.00022	566.67	0.00004
Verizon B 19	GENERIC PANEL 6FT	2100	16.39	80.00	4.00	160.00	6968.19	0.00023	1000.00	0.00002
Verizon B 20	SAMSUNG MT6407	3700	23.34	82.00	4.00	200.00	43154.89	0.01178	1000.00	0.00118
Verizon C 21	GENERIC PANEL 6FT	850	12.62	80.00	1.00	0.00	0.00	0.00000	566.67	0.00000
Verizon C 22	GENERIC PANEL 6FT	700	12.33	80.00	4.00	160.00	2736.02	0.00000	466.67	0.00000
Verizon C 22	GENERIC PANEL 6FT	1900	15.84	80.00	4.00	160.00	6139.32	0.00000	1000.00	0.00000
Verizon C 23	GENERIC PANEL 6FT	850	12.62	80.00	4.00	160.00	2924.96	0.00000	566.67	0.00000
Verizon C 23	GENERIC PANEL 6FT	2100	16.39	80.00	4.00	160.00	6968.19	0.00000	1000.00	0.00000
Verizon C 24	SAMSUNG MT6407	3700	23.34	82.00	4.00	200.00	43154.89	0.00006	1000.00	0.00001
T-Mobile A 25	GENERIC PANEL 6FT	1900	15.84	72.00	2.00	120.00	4604.49	0.00000	1000.00	0.00000
T-Mobile A 25	GENERIC PANEL 6FT	2100	16.39	72.00	2.00	120.00	5226.14	0.00000	1000.00	0.00000
T-Mobile A 26	ERICSSON AIR6449	2500	17.30	72.00	1.00	60.00	3222.19	0.00944	1000.00	0.00094
T-Mobile A 26	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	0.30401	1000.00	0.03040
T-Mobile A 26	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	0.30401	1000.00	0.03040
T-Mobile A 27	GENERIC PANEL 6FT	600	12.33	72.00	2.00	120.00	2052.02	0.00000	400.00	0.00000
T-Mobile A 27	GENERIC PANEL 6FT	700	12.33	72.00	2.00	120.00	2052.02	0.00000	466.67	0.00000
T-Mobile B 28	GENERIC PANEL 6FT	1900	15.84	72.00	2.00	120.00	4604.49	0.00061	1000.00	0.00006
T-Mobile B 28	GENERIC PANEL 6FT	2100	16.39	72.00	2.00	120.00	5226.14	0.00041	1000.00	0.00004
T-Mobile B 29	ERICSSON AIR6449	2500	17.30	72.00	1.00	60.00	3222.19	2.62344	1000.00	0.26234
T-Mobile B 29	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	35.88281	1000.00	3.58828
T-Mobile B 29	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	35.88281	1000.00	3.58828
T-Mobile B 30	GENERIC PANEL 6FT	600	12.33	72.00	2.00	120.00	2052.02	0.00066	400.00	0.00016
T-Mobile B 30	GENERIC PANEL 6FT	700	12.33	72.00	2.00	120.00	2052.02	0.00065	466.67	0.00014
T-Mobile C 31	GENERIC PANEL 6FT	1900	15.84	72.00	2.00	120.00	4604.49	0.00034	1000.00	0.00003
T-Mobile C 31	GENERIC PANEL 6FT	2100	16.39	72.00	2.00	120.00	5226.14	0.00050	1000.00	0.00005
T-Mobile C 32	ERICSSON AIR6449	2500	17.30	72.00	1.00	60.00	3222.19	1.75336	1000.00	0.17534
T-Mobile C 32	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	32.20226	1000.00	3.22023
T-Mobile C 32	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	32.20226	1000.00	3.22023
T-Mobile C 33	GENERIC PANEL 6FT	600	12.33	72.00	2.00	120.00	2052.02	0.00044	400.00	0.00011
T-Mobile C 33	GENERIC PANEL 6FT	700	12.33	72.00	2.00	120.00	2052.02	0.00044	466.67	0.00010
Unknown 34	GENERIC OMNI 6FT	850	5.96	33.00	1.00	25.00	98.61	0.00033	566.67	0.00006
Unknown 35	GENERIC OMNI 6FT	850	5.96	33.00	1.00	25.00	98.61	0.00033	566.67	0.00006
Unknown 36	GENERIC OMNI 9.5FT	450	5.96	35.00	1.00	25.00	98.61	0.00032	300.00	0.00011
Unknown 37	GENERIC OMNI 9.5FT	450	5.96	35.00	1.00	25.00	98.61	0.00032	300.00	0.00011
Unknown 38	GENERIC OMNI 3FT	850	2.60	31.00	1.00	25.00	45.49	0.00035	566.67	0.00006
Unknown 39	GENERIC OMNI 6FT	850	5.96	33.00	1.00	25.00	98.61	0.00033	566.67	0.00006



Antenna ID	Make / Model	Frequency Band (MHz)	Antenna Gain (dBd)	Antenna Centerline (ft)	Channel Count	TX Power/Channel (watts)	ERP (watts)	Calculated Power Density ($\mu\text{W}/\text{cm}^2$)	General Population MPE Limit ($\mu\text{W}/\text{cm}^2$)	General Population % MPE
							Cumulative Power Density:	141.19750 $\mu\text{W}/\text{cm}^2$	Cumulative % MPE:	14.12049%



Maximum Calculated Cumulative Power Density @ Adjacent Building (20' AGL)
(Location: approximately 10' west of site)

Antenna ID	Make / Model	Frequency Band (MHz)	Antenna Gain (dBd)	Antenna Centerline (ft)	Channel Count	TX Power/Channel (watts)	ERP (watts)	Calculated Power Density ($\mu\text{W}/\text{cm}^2$)	General Population MPE Limit ($\mu\text{W}/\text{cm}^2$)	General Population % MPE
AT&T A 1	QUINTEL QD6616-7 V1	700	11.97	90.00	4.00	30.00	1889.26	0.00164	466.67	0.00035
AT&T A 1	QUINTEL QD6616-7 V1	1900	15.11	90.00	4.00	30.00	3888.22	0.00002	1000.00	0.00000
AT&T A 1	QUINTEL QD6616-7 V1	2100	15.33	90.00	4.00	45.00	6139.92	0.00039	1000.00	0.00004
AT&T A 1	QUINTEL QD6616-7 V1	700	11.97	90.00	2.00	30.00	944.63	0.00082	466.67	0.00018
AT&T A 2	ERICSSON AIR6449	3700	23.55	88.25	1.00	86.75	19645.79	0.01708	1000.00	0.00171
AT&T A 3	ERICSSON AIR6419	3450	23.55	91.75	1.00	54.22	12278.90	0.00956	1000.00	0.00096
AT&T A 4	CCI DMP65R-BU6D	700	11.75	90.00	4.00	30.00	1795.48	0.00081	466.67	0.00017
AT&T A 4	CCI DMP65R-BU6D	850	11.45	90.00	4.00	30.00	1675.64	0.00066	566.67	0.00012
AT&T A 4	CCI DMP65R-BU6D	2300	14.95	90.00	4.00	18.00	2250.78	0.00037	1000.00	0.00004
AT&T B 5	QUINTEL QD6616-7 V1	700	11.97	90.00	4.00	30.00	1889.26	0.00044	466.67	0.00010
AT&T B 5	QUINTEL QD6616-7 V1	1900	15.11	90.00	4.00	30.00	3888.22	0.00008	1000.00	0.00001
AT&T B 5	QUINTEL QD6616-7 V1	2100	15.33	90.00	4.00	45.00	6139.92	0.00086	1000.00	0.00009
AT&T B 5	QUINTEL QD6616-7 V1	700	11.97	90.00	2.00	30.00	944.63	0.00022	466.67	0.00005
AT&T B 6	ERICSSON AIR6449	3700	23.55	88.25	1.00	86.75	19645.79	0.00474	1000.00	0.00047
AT&T B 7	ERICSSON AIR6419	3450	23.55	91.75	1.00	54.22	12278.90	0.00265	1000.00	0.00027
AT&T B 8	CCI DMP65R-BU6D	700	11.75	90.00	4.00	30.00	1795.48	0.00055	466.67	0.00012
AT&T B 8	CCI DMP65R-BU6D	850	11.45	90.00	4.00	30.00	1675.64	0.00007	566.67	0.00001
AT&T B 8	CCI DMP65R-BU6D	2300	15.25	90.00	4.00	18.00	2411.75	0.00014	1000.00	0.00001
AT&T C 9	QUINTEL QD6616-7 V1	700	11.97	90.00	4.00	30.00	1889.26	0.22003	466.67	0.04715
AT&T C 9	QUINTEL QD6616-7 V1	1900	15.11	90.00	4.00	30.00	3888.22	0.25876	1000.00	0.02588
AT&T C 9	QUINTEL QD6616-7 V1	2100	15.33	90.00	4.00	45.00	6139.92	0.43055	1000.00	0.04306
AT&T C 9	QUINTEL QD6616-7 V1	700	11.97	90.00	2.00	60.00	944.63	0.11008	466.67	0.02359
AT&T C 10	ERICSSON AIR6449	3700	23.55	88.25	1.00	86.75	19645.79	1.13092	1000.00	0.11309
AT&T C 11	ERICSSON AIR6419	3450	23.55	91.75	1.00	54.22	12278.90	0.63306	1000.00	0.06331
AT&T C 12	CCI DMP65R-BU6D	700	11.05	90.00	4.00	120.00	1528.20	0.25739	466.67	0.05516
AT&T C 12	CCI DMP65R-BU6D	850	11.35	90.00	4.00	120.00	1637.50	0.23854	566.67	0.04210
AT&T C 12	CCI DMP65R-BU6D	2300	14.95	90.00	4.00	72.00	2250.78	0.16692	1000.00	0.01669
Verizon A 13	GENERIC PANEL 6FT	850	12.62	80.00	1.00	0.00	0.00	0.00003	566.67	0.00001
Verizon A 14	GENERIC PANEL 6FT	700	12.33	80.00	4.00	160.00	2736.02	0.00262	466.67	0.00056
Verizon A 14	GENERIC PANEL 6FT	1900	15.84	80.00	4.00	160.00	6139.32	0.00023	1000.00	0.00002
Verizon A 15	GENERIC PANEL 6FT	850	12.62	80.00	4.00	160.00	2924.96	0.00015	566.67	0.00003
Verizon A 15	GENERIC PANEL 6FT	2100	16.39	80.00	4.00	160.00	6968.19	0.00070	1000.00	0.00007
Verizon A 16	SAMSUNG MT6407	3700	23.34	82.00	4.00	200.00	43154.89	0.06191	1000.00	0.00619
Verizon B 17	GENERIC PANEL 6FT	850	12.62	80.00	1.00	0.00	0.00	0.00011	566.67	0.00002
Verizon B 18	GENERIC PANEL 6FT	700	12.33	80.00	4.00	160.00	2736.02	0.00030	466.67	0.00006



Antenna ID	Make / Model	Frequency Band (MHz)	Antenna Gain (dBd)	Antenna Centerline (ft)	Channel Count	TX Power/ Channel (watts)	ERP (watts)	Calculated Power Density ($\mu\text{W}/\text{cm}^2$)	General Population MPE Limit ($\mu\text{W}/\text{cm}^2$)	General Population % MPE
Verizon B 18	GENERIC PANEL 6FT	1900	15.84	80.00	4.00	160.00	6139.32	0.00035	1000.00	0.00004
Verizon B 19	GENERIC PANEL 6FT	850	12.62	80.00	4.00	160.00	2924.96	0.00062	566.67	0.00011
Verizon B 19	GENERIC PANEL 6FT	2100	16.39	80.00	4.00	160.00	6968.19	0.00025	1000.00	0.00003
Verizon B 20	SAMSUNG MT6407	3700	23.34	82.00	4.00	200.00	43154.89	0.07274	1000.00	0.00727
Verizon C 21	GENERIC PANEL 6FT	850	12.62	80.00	1.00	0.00	0.00	0.07644	566.67	0.01349
Verizon C 22	GENERIC PANEL 6FT	700	12.33	80.00	4.00	160.00	2736.02	0.43907	466.67	0.09409
Verizon C 22	GENERIC PANEL 6FT	1900	15.84	80.00	4.00	160.00	6139.32	0.46594	1000.00	0.04659
Verizon C 23	GENERIC PANEL 6FT	850	12.62	80.00	4.00	160.00	2924.96	0.44721	566.67	0.07892
Verizon C 23	GENERIC PANEL 6FT	2100	16.39	80.00	4.00	160.00	6968.19	0.43208	1000.00	0.04321
Verizon C 24	SAMSUNG MT6407	3700	23.34	82.00	4.00	200.00	43154.89	3.10273	1000.00	0.31027
T-Mobile A 25	GENERIC PANEL 6FT	1900	15.84	72.00	2.00	120.00	4604.49	0.07369	1000.00	0.00737
T-Mobile A 25	GENERIC PANEL 6FT	2100	16.39	72.00	2.00	120.00	5226.14	0.10084	1000.00	0.01008
T-Mobile A 26	ERICSSON AIR6449	2500	17.30	72.00	1.00	60.00	3222.19	0.04647	1000.00	0.00465
T-Mobile A 26	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	1.30987	1000.00	0.13099
T-Mobile A 26	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	1.30987	1000.00	0.13099
T-Mobile A 27	GENERIC PANEL 6FT	600	12.33	72.00	2.00	120.00	2052.02	0.10980	400.00	0.02745
T-Mobile A 27	GENERIC PANEL 6FT	700	12.33	72.00	2.00	120.00	2052.02	0.10980	466.67	0.02353
T-Mobile B 28	GENERIC PANEL 6FT	1900	15.84	72.00	2.00	120.00	4604.49	0.00027	1000.00	0.00003
T-Mobile B 28	GENERIC PANEL 6FT	2100	16.39	72.00	2.00	120.00	5226.14	0.00003	1000.00	0.00000
T-Mobile B 29	ERICSSON AIR6449	2500	17.30	72.00	1.00	60.00	3222.19	0.00022	1000.00	0.00002
T-Mobile B 29	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	0.00370	1000.00	0.00037
T-Mobile B 29	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	0.00370	1000.00	0.00037
T-Mobile B 30	GENERIC PANEL 6FT	600	12.33	72.00	2.00	120.00	2052.02	0.00066	400.00	0.00017
T-Mobile B 30	GENERIC PANEL 6FT	700	12.33	72.00	2.00	120.00	2052.02	0.00066	466.67	0.00014
T-Mobile C 31	GENERIC PANEL 6FT	1900	15.84	72.00	2.00	120.00	4604.49	0.00032	1000.00	0.00003
T-Mobile C 31	GENERIC PANEL 6FT	2100	16.39	72.00	2.00	120.00	5226.14	0.00009	1000.00	0.00001
T-Mobile C 32	ERICSSON AIR6449	2500	17.30	72.00	1.00	60.00	3222.19	0.00022	1000.00	0.00002
T-Mobile C 32	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	0.00370	1000.00	0.00037
T-Mobile C 32	ERICSSON AIR6449	2500	22.35	72.00	1.00	90.00	15461.18	0.00370	1000.00	0.00037
T-Mobile C 33	GENERIC PANEL 6FT	600	12.33	72.00	2.00	120.00	2052.02	0.00030	400.00	0.00007
T-Mobile C 33	GENERIC PANEL 6FT	700	12.33	72.00	2.00	120.00	2052.02	0.00030	466.67	0.00006
Unknown 34	GENERIC OMNI 6FT	850	5.96	33.00	1.00	25.00	98.61	0.86711	566.67	0.15302
Unknown 35	GENERIC OMNI 6FT	850	5.96	33.00	1.00	25.00	98.61	0.86711	566.67	0.15302
Unknown 36	GENERIC OMNI 9.5FT	450	5.96	35.00	1.00	25.00	98.61	0.54043	300.00	0.18014
Unknown 37	GENERIC OMNI 9.5FT	450	5.96	35.00	1.00	25.00	98.61	0.54043	300.00	0.18014
Unknown 38	GENERIC OMNI 3FT	850	2.60	31.00	1.00	25.00	45.49	1.15688	566.67	0.20416
Unknown 39	GENERIC OMNI 6FT	850	5.96	33.00	1.00	25.00	98.61	0.86711	566.67	0.15302



Antenna ID	Make / Model	Frequency Band (MHz)	Antenna Gain (dBd)	Antenna Centerline (ft)	Channel Count	TX Power/Channel (watts)	ERP (watts)	Calculated Power Density ($\mu\text{W}/\text{cm}^2$)	General Population MPE Limit ($\mu\text{W}/\text{cm}^2$)	General Population % MPE
							Cumulative Power Density:	16.50811 $\mu\text{W}/\text{cm}^2$	Cumulative % MPE:	2.39626%



Summary

The theoretical calculations performed for this analysis yielded cumulative power density totals in all areas at ground level and on the adjacent building that are within the allowable federal limits for public exposure to RF energy. Therefore, the site is **compliant** with FCC rules and regulations.

Katrina Styx
RF EME Technical Writer
Centerline Communications, LLC

EXHIBIT 6



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@po.state.ct.us

Web Site: www.state.ct.us/csc/index.htm

September 26, 2002

Peter W. van Wilgen
Southwestern Bell Mobile Systems, LLC
500 Enterprise Drive
Rocky Hill, CT 06067-3900

RE: **EM-CING-015-034-035-051-057-085-103-117-126-135-138-157-158-161-020917** - Southwestern Bell Mobile Systems, LLC notice of intent to modify existing telecommunications facilities located in Bridgeport, Danbury, Darien, Fairfield, Greenwich, Monroe, Newtown, Norwalk, Redding, Shelton, Stamford, Stratford, Weston, Westport, and Wilton, Connecticut.

Dear Mr. van Wilgen:


At a public meeting held on September 25, 2002, the Connecticut Siting Council (Council) acknowledged your notice to modify these existing telecommunications facilities, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies.

The proposed modifications are to be implemented as specified here and in your notice dated September 17, 2002. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility sites that would not increase tower heights, extend the boundaries of the tower site, increase noise levels at the tower site boundaries by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundaries to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. These facilities have also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on these towers.

This decision is under the exclusive jurisdiction of the Council. Any additional change to these facilities will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.

Thank you for your attention and cooperation.

Very truly yours,


Mortimer A. Gelston
Chairman

MAG/DM/laf

c: See attached list.

List Attachment.

- c: Honorable Joseph P. Ganim, Mayor, City of Bridgeport
- Michael P. Nidoh, City Planner, City of Bridgeport
- Melanie J. Howlett, Assistant City Attorney, City of Bridgeport
- Honorable Mark D. Boughton, First Selectman, City of Danbury
- Dennis Elpern, City Planner, City of Danbury
- Honorable Robert F. Harrel, Jr., First Selectman, Town of Darien
- David J. Keating, Zoning Enforcement Officer, Town of Darien
- Peter Curry, Office Administrator, Town of Darien
- Honorable Kenneth A. Flatto, First Selectman, Town of Fairfield
- Joseph E. Devonshuk, Town Planner, Town of Fairfield
- Honorable Lolly H. Prince, First Selectman, Town of Greenwich
- Diane Fox, Town Planner, Town of Greenwich
- Honorable Alex A. Knopp, First Selectman, City of Norwalk
- Michael Greene, Director of Planning and Zoning, City of Norwalk
- Honorable Andrew J. Nunn, First Selectman, Town of Monroe
- Daniel A. Tuba, Planning Administrator, Town of Monroe
- Honorable Herbert C. Rosenthal, First Selectman, Town of Monroe
- Gary Frenette, Zoning Enforcement Officer, Town of Newtown
- Honorable Natalie T. Ketcham, First Selectman, Town of Redding
- Aimee Pardee, Zoning Enforcement Officer, Town of Redding
- Honorable Mark A. Lauretti, First Selectman, City of Shelton
- Richard Schultz, Planning Administrator, City of Shelton
- Honorable Daniel P. Malloy, First Selectman, City of Stamford
- Robin Stein, Planning and Zoning Director, City of Stamford
- Mark S. Barnhart, Town Manager, Town of Stratford
- Gary Lorentson, Planning & Zoning Administrator, Town of Stratford
- Honorable Paul F. Hannah, Jr., First Selectman, Town of Wilton
- Robert Nerney, Town Planner, Town of Wilton
- Honorable Diane G. Farrell, First Selectman, Town of Westport
- Katherine Barnard, Director of Planning & Zoning, Town of Westport
- Honorable Woody Bliss, First Selectman, Town of Weston
- Roy Hill, Town Administrator, Town of Weston
- Robert P. Turner, Zoning Enforcement Officer, Town of Weston

Cingular Site#	Site	Carrier	#Channels	ERP/Ch	Ant Ht	Density (m)	MHz	S	%MPE	Cing Total
2176		CINGULAR GSM	7	286	148	0.0340	880	0.5867	5.80%	
2176		CINGULAR GSM	2	427	148	0.0140	1930	1.0000	1.40%	
2176	Bridgeport - 430 John Street	SNET	17	40	148	0.0112	850	0.5667	1.97%	9.17%
2124		CINGULAR GSM	4	296	89	0.0894	880	0.5867	15.24%	
2124	Danbury - 39 West Street	CINGULAR GSM	1	427	89	0.0322	1930	1.0000	3.22%	
2133	Danbury - Moses Mountain	SNET/Cingular	16	40	70	0.0470	880	0.5867	8.01%	26.47%
2133		SNET - Cellular	12	100	63.79	0.1060	850	0.5667	18.71%	
2133		CINGULAR GSM	2	296	85	0.0504	880	0.5867	8.59%	
2133		CINGULAR GSM	2	427	85	0.0727	1930	1.0000	7.27%	34.57%
2118	Stamford - 555 Main Street	Cingular/SNET	23	40	226	0.0065	880	0.5867	1.10%	
2118		Cingular GSM	8	296	235	0.0154	880	0.5867	2.63%	
2118		Cingular GSM	2	427	235	0.0056	1930	1.0000	0.56%	4.29%
2112		Cingular GSM	8	296	92	0.1006	880	0.5867	17.15%	
2112		Cingular GSM	2	427	92	0.0363	1930	1.0000	3.63%	
2112	Stratford - 623-627 Honeyspot Road	Cingular	14	40	90	0.0249	880	0.5867	4.24%	25.01%

November 30, 2005 King

Cingular Site/ Site	Carrier	#Channels	ERP/Ch	Ant Ht	Density (m)	MHz	S	%MPE	Cing Total
2094	CINGULAR GSM	4	296	100	0.0426	880	0.5867	7.26%	
2094	CINGULAR GSM	1	427	100	0.0154	1930	1.0000	1.54%	
2153	AT&T	0	250	90	0.0000	1945	1.0000	0.00%	8.79%
2153	SNET/Cingular	12	40	120	0.0120	880	0.5867	2.04%	
2153	CINGULAR GSM	3	296	120	0.0222	880	0.5867	3.78%	
CT0093	CINGULAR GSM	1	427	120	0.0107	1930	1.0000	1.07%	6.89%
CT0093	Bridgeport - 1330 Chopsey Hill Road/1000 AT&T TDMA	0	116.2	165	0.0000	1945	1.0000	0.00%	
CT0093	Bridgeport - 1330 Chopsey Hill Road/1000 AT&T GSM	5	275	165	0.0182	1945	1.0000	1.82%	
CT0093	AT&T GSM	7	296	165	0.0274	880	0.5867	4.68%	
CT0093	Bridgeport - 1330 Chopsey Hill Road/1000 SNET	20	100	158	0.0288	880	0.5867	4.91%	11.39%

December 12, 2005 filing



CERTIFICATE OF OCCUPANCY

Issued 3-12-01

Mail to:

Metriam Inc.
1 Paragon Drive Suite 150
Montvale, NJ 07645

Bl'dg Permit # 11501 Issued 11/30/00
Inspector's Est. Value \$ 25,000.00
Fee Paid \$ 100.00 Rec. # 16380

THIS IS TO CERTIFY THAT Metriam Inc.

has been granted permission to occupy Improved wireless data facility

At 623-627 Honeycroft Road

Remarks John & Deborah Becker, owner

The above described building has been examined by the Building official and/or his agent and found to be in substantial conformity with the Town Zoning and Building Codes. Permission is hereby granted to occupy same.

Signed [Signature] Building Official

Building Inspector's Office Hours—8:30 to 10:00 A.M. and 1:00 to 2:00 P.M.

Room 210

Town Hall
2725 Main Street
Stratford, CT 06615

Phone: 385-4010

EXHIBIT 7

UPS Campusship: View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your package. Select the Print button on the print dialog box that appears. Note: If your browser does not support this function select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.

3. GETTING YOUR SHIPMENT TO UPS

Customers with a Daily Pickup
Your driver will pickup your shipment(s) as usual.

Customers without a Daily Pickup
Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. Items sent via UPS Return Services(SM) (including via Ground) are also accepted at Drop Boxes. To find the location nearest you, please visit the Resources area of Campusship and select UPS Locations.





Schedule a same day or future day Pickup to have a UPS driver pickup all your Campusship packages.
Hand the package to any UPS driver in your area.

UPS Access Point™
ADVANCE AUTO PARTS STORE 2890
4500 PRINCESS ANNE RD
VIRGINIA BEACH, VA 23462

UPS Access Point™
CVS STORE # 4935
4500 PRINCESS ANNE RD
VIRGINIA BEACH, VA 23462

UPS Access Point™
THE UPS STORE
2085 LYNNHAVEN PKWY
VIRGINIA BEACH, VA 23456

FOLD HERE

ALLISON CONWELL 2155887035 CENTERLINE COMMUNICATIONS 768 SOUTHLEAF DR VIRGINIA BEACH VA 23462-4748		1 LBS DWT: 12.9,1	1 OF 1
SHIP TO: JOHN AND DEBORAH BECKER 951 BEAVER DAM ROAD STRATFORD CT 06614-1150			
		CT 066 9-01 	
UPS GROUND TRACKING #: 1Z 9Y4 503 03 2069 1122			
			
BILLING: P/P			
CS 23.6.00. VNNTNV50 31.0A 07/2023*			

UPS Campusship: View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your package. Select the Print button on the print dialog box that appears. Note: If your browser does not support this function select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.

3. GETTING YOUR SHIPMENT TO UPS

Customers with a Daily Pickup
Your driver will pickup your shipment(s) as usual.

Customers without a Daily Pickup
Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. Items sent via UPS Return Services(SM) (including via Ground) are also accepted at Drop Boxes. To find the location nearest you, please visit the Resources area of Campusship and select UPS Locations.
Schedule a same day or future day Pickup to have a UPS driver pickup all your Campusship packages.
Hand the package to any UPS driver in your area.

UPS Access Point™
ADVANCE AUTO PARTS STORE 2890
4676 PRINCESS ANNE RD
VIRGINIA BEACH, VA 23462



UPS Access Point™
CVS STORE # 4935
4500 PRINCESS ANNE RD
VIRGINIA BEACH, VA 23462

UPS Access Point™
THE UPS STORE
2085 LYNHAVEN PKWY
VIRGINIA BEACH, VA 23456

ALLISON CONWELL
2155887035
CENTERLINE COMMUNICATIONS
768 SOUTHLEAF DR
VIRGINIA BEACH VA 23462-4748

1 LBS
DWT: 12.9,1
1 OF 1


SHIP TO:
MAYOR
TOWN OF STRATFORD
2725 MAIN ST
STRATFORD CT 06615-5818



CT 066 9-01

UPS GROUND

TRACKING #: 1Z 9Y4 503 03 2960 8518



BILLING: P/P

CS 23.6.00. WNTJNV50 31.0A.07/2023*



UPS CampuSHIP: View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your package. Select the Print button on the print dialog box that appears. Note: If your browser does not support this function select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.

3. GETTING YOUR SHIPMENT TO UPS

Customers with a Daily Pickup
Your driver will pickup your shipment(s) as usual.





Customers without a Daily Pickup
Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. Items sent via UPS Return Services(SM) (including Via Ground) are also accepted at Drop Boxes. To find the location nearest you, please visit the Resources area of CampuSHIP and select UPS Locations.
Schedule a same day or future day Pickup to have a UPS driver pickup all your CampuSHIP packages.
Hand the package to any UPS driver in your area.

UPS Access Point™
ADVANCE AUTO PARTS STORE 2890
4676 PRINCESS ANNE RD
VIRGINIA BEACH, VA 23462

UPS Access Point™
CVS STORE # 4935
4500 PRINCESS ANNE RD
VIRGINIA BEACH, VA 23462

UPS Access Point™
THE UPS STORE
2085 LYNNHAVEN PKWY
VIRGINIA BEACH, VA 23456

FOLD HERE

ALLISON CONNELL 2155887035 CENTERLINE COMMUNICATIONS 768 SOUTHLEAF DR VIRGINIA BEACH VA 23462-4748		1 LBS DWT: 12.9,1	1 OF 1
SHIP TO: TOWN PLANNER TOWN OF STRATFORD 2725 MAIN ST STRATFORD CT 06615-5818			
		CT 066 9-01 	
UPS GROUND TRACKING #: 1Z 9Y4 503 03 2501 8903			
			
BILLING: P/P			
CS 23.6.00. WANTNUS0 31.0A.07/2023*			

UPS CampusShip: View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your package. Select the Print button on the print dialog box that appears. Note: If your browser does not support this function select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.

3. GETTING YOUR SHIPMENT TO UPS

Customers with a Daily Pickup
Your driver will pickup your shipment(s) as usual.



Customers without a Daily Pickup
Take your package to any location of The UPS Store®, UPS Access Point(TM) location, UPS Drop Box, UPS Customer Center, Staples® or Authorized Shipping Outlet near you. Items sent via UPS Return Services(SM) (including via Ground) are also accepted at Drop Boxes. To find the location nearest you, please visit the Resources area of CampusShip and select UPS Locations.
Schedule a same day or future day Pickup to have a UPS driver pickup all your CampusShip packages.
Hand the package to any UPS driver in your area.

UPS Access Point™
ADVANCE AUTO PARTS STORE 2890
4575 PRINCESS ANNE RD
VIRGINIA BEACH, VA 23462

UPS Access Point™
CVS STORE # 4935
4500 PRINCESS ANNE RD
VIRGINIA BEACH, VA 23462

UPS Access Point™
THE UPS STORE
2085 LYNNHAVEN PKWY
VIRGINIA BEACH, VA 23466

FOLD HERE

<p>ALLISON CONNELL 2155887035 CENTERLINE COMMUNICATIONS 768 SOUTH LEAF DR VIRGINIA BEACH VA 23462-4748</p>	<p>1 LBS DWT: 12.9,1</p>	<p>1 OF 1</p>
<p>SHIP TO: MELANIE A. BACHMAN CONNECTICUT SITING COUNCIL 10 FRANKLIN SQUARE NEW BRITAIN CT 06051-2655</p>		
<p>UPS GROUND TRACKING #: 1Z 9Y4 503 03 3602 2299</p>	<p>CT 067 9-06</p> 	
<p>BILLING: P/P</p>	<p>CS 23.6.00. WNTNV/50 31.DA.07/2023*</p> 	