



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@po.state.ct.us

Web Site: www.ct.gov/csc

August 13, 2004

Kenneth C. Baldwin, Esq.
Robinson & Cole LLP
280 Trumbull Street
Hartford, CT 06103-3597

RE: **EM-VER-155-040707** – Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 570 New Park Avenue, West Hartford, Connecticut.

Dear Attorney Baldwin:


At a public meeting held on August 12, 2004, the Connecticut Siting Council (Council) acknowledged your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies.

The proposed modifications are to be implemented as specified here and in your notice dated July 7, 2004, including the placement of any necessary equipment and shelters within the tower compound. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.

Thank you for your attention and cooperation.

Very truly yours,



Pamela B. Katz, P.E.
Chairman

PBK/cm

c: Honorable Jonathan Harris, Mayor, Town of West Hartford
Mila Limson, Town Planner, Town of West Hartford
Thomas J. Regan, Esq., Brown Rudnick Berlack Israels, LLP

imbull Street
d, CT 06103-3597
(860) 275-8200
Fax (860) 275-8299
kbaldwin@rc.com
Direct (860) 275-8345

July 7, 2004



Via Hand Delivery

S. Derek Phelps
Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

Re: **Notice of Exempt Modification – Antenna Swap
570 New Park Avenue Telecommunications Facility
West Hartford, Connecticut**

Dear Mr. Phelps:

Cellco Partnership d/b/a Verizon Wireless (“Cellco”) currently maintains a wireless telecommunications facility at 570 New Park Avenue in West Hartford. This facility consists of twelve (12) panel-type cellular antennas at the 149-foot level of the 150-foot tower. Equipment associated with the antenna is located in an equipment shelter near the base of the tower.

The Connecticut Siting Council (“the Council”) approved the New Park Avenue facility in Docket No. 131, on April 9, 1990. Cellco now intends to modify its facility by replacing the six (6) cellular antennas with six (6) PCS antennas at the same 149-foot level on the tower. Attached behind Tab 1 are specifications for the proposed antennas for the New Park Avenue facility.

Please accept this letter as notification pursuant to R.C.S.A. § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to West Hartford Town Manager, Barry M. Feldman.

As the Council knows, on May 23, 2003, Cellco acquired, from Northcoast Communications, a license to provide PCS service throughout Connecticut. The proposed modifications to the New Park Avenue facility will allow Cellco to provide its customers in the West Hartford area with enhanced wireless voice and data services.



Law Offices

BOSTON

HARTFORD

NEW LONDON

STAMFORD

GREENWICH

NEW YORK

SARASOTA

www.rc.com

HART1-1190305-1

ROBINSON & COLE_{LLP}

S. Derek Phelps
July 7, 2004
Page 2

The planned modifications to the New Park Avenue facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).

1. The proposed modifications will not result in any increase in the overall height of the existing structure. Cellco's replacement antennas will be mounted at the same 149-foot level on the 150-foot tower.
2. The proposed modifications will not affect associated equipment areas and will not require the extension of the site boundaries.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more.
4. The proposed modifications will not result in radio frequency (RF) power density levels at the facility that exceed the Federal Communications Commission (FCC) adopted safety standard. Attached behind Tab 2 is a Power Density Calculation Table.

For the foregoing reasons, Cellco respectfully submits that the proposed modifications to the above-referenced telecommunications facility constitute an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,



Kenneth C. Baldwin

KCB/kmd

Enclosures

cc: Barry M. Feldman, West Hartford Town Manager
Sandy M. Carter



Swedcom Corporation

ALP 9212-N


Log-Periodic Reflector Antenna

92 Degrees 12 dBd

Features:


- Broadbanded. (800-900 MHz)
- Low backlobe radiation. Front-to-back ratio better than 28 dB
- Low Intermodulation Products.
- Low Wind-load.
- Low weight.
- Small size.
- Rugged design.

Please see the following pages including radiation patterns/tables for ALP 9212-N.



Electrical Specifications:

Frequency range:	806-896 MHz
Impedance:	50 ohm
Connector:	N-female or 7/8" EIA
VSWR:	Typ. 1.3:1 max 1.5:1
Polarization:	Vertical
Gain:	12 dBd
Front to back ratio:	>28 dB
Side-lobe suppression:	>18 dB
Intermodulation: (2x25W):	IM3 >146 dB IM5 >153 dB IM7 & IM9 >163 dB
Power Rating:	500 W
H-Plane:	-3 dB
E-Plane:	-3 dB
Lightning Protection:	DC Grounded



Mechanical Specifications:

Overall Height:	52 in	(1320 mm)
Width:	11.4 in	(290 mm)
Depth:	11.4 in	(290 mm)
Weight including brackets:	26.7 lbs	(12 Kg)
Rated wind velocity:	113 mph	(180 Km/h)
Wind Area (CxV/Front):	3.9 sq.ft	(0.36 sq.m)
Lateral thrust at rated wind		
Worst case:	570 N	


Materials:

Radiating elements:	Aluminum
Element housing:	Grey PVC
Back-plate:	Aluminum


Mounting hardware	
clamps:	Hot dip galvanized steel
bolts:	Stainless steel

Manufactured by: Allgon System AB


DECIBEL <i>Base Station Antennas</i>	948F85T2E-M 16.1 dBi, Directed Dipole Antenna 1850-1990 MHz	1850-1990 MHz
		MaxFill™ dB Director®
<ul style="list-style-type: none"> • Exceptional azimuth roll-off reducing soft hand-offs and improving capacity • Excellent upper side lobe suppression • Deep null filling below the horizon assures improved signal intensity • Low profile appearance and low wind loading profile for easier zoning approvals 		85°



Azimuth 1850 MHz (Tilt=2)



Vertical 1850 MHz (Tilt=2)



Horizontal 1850 MHz (Tilt=2)



ELECTRICAL		MECHANICAL	
Frequency (MHz):	1850-1990	Weight:	8.5 lbs (3.9 kg)
Polarization:	Vertical	Dimensions (LxWxD):	48 X 3.5 X 7 in (1219 X 89 X 178 mm)
Gain (dBd/dBi):	14/16.1	Max. Wind Area:	1.18 ft ² (0.11 m ²)
Azimuth BW:	85°	Max. Wind Load (@ 100mph):	65 lbf (289 N)
Elevation BW:	8°	Max. Wind Speed:	125 mph (201 km/h)
Beam Tilt:	2°	Radiator Material:	Low Loss Circuit Board
USLS* (dB):	>18	Reflector Material:	Aluminum
Null Fill* (dB):	15	Radome Material:	ABS, UV Resistant
Front-to-Back Ratio* (dB):	40	Mounting Hardware Material:	Galvanized Steel
VSWR:	<1.33:1	Connector Type:	7-16 DIN - Female (Bottom)
IM Suppression - Two 20 Watt Carriers:	-150 dBc	Color:	Light Gray
Impedance:	50 Ohms	Standard Mounting Hardware:	DB390 Pipe Mount Kit, included
Max Input Power:	250 Watts	Downtilt Mounting Hardware:	DB5098, optional
Lightning Protection:	DC Ground	Opt. Mounting Hardware:	DB5094-AZ Azimuth Wall Mount
Opt Electrical Tilt:	0°, 4°, 6°		



Andrew Corporation
 8635 Stemmons Freeway
 Dallas, Texas U.S.A 75247-3701
 Tel: 214.631.0310

Fax: 214.631.4706
 Toll Free Tel: 1.800.676.5342
 Fax: 1.800.229.4706
 www.andrew.com

Date: 4/29/2004
 * - Indicates Typical Values

dbtech@andrew.com

General Power Density

Site Name: West Hartford, CT
 Tower Height: 149 ft rad center

Operator	Operating Frequency (MHz)	Number of Trans.	ERP Per Trans. (watts)	Total ERP (watts)	Distance to Target (feet)	Calculated Power Density (mW/cm ²)	Maximum Permissible Exposure* (mW/cm ²)	Fraction of MPE (%)
Verizon	869	9	200	1800	149	0.0292	0.5793	5.03%
Verizon	1900	3	200	600	149	0.0097	1	0.97%
Total Percentage of Maximum Permissible Exposure								6.01%

*Guidelines adopted by the FCC on August 1, 1996, 47 CFR Part 1 based on NCRP Report 86, 1986 and generally on ANSI/IEEE C95.1-1992

MHz = Megahertz
 mW/cm² = milliwatts per square centimeter
 ERP = Effective Radiated Power
 Absolute worst case scenario, maximum values used.

