



Crown Castle
3 Corporate Park Drive, Suite 101
Clifton Park, NY 12065

March 20, 2019

Melanie A. Bachman
Acting Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051

RE: Notice of Exempt Modification for Verizon Crown Site BU: 806353
Verizon Site ID: Wilton CT
128 Mather Street, Wilton, CT 06897
Latitude: 41° 14' 18.34" / Longitude-73° 25' 26.44"

Dear Ms. Bachman:

Verizon currently maintains twelve (12) antennas at the 162-foot level of the existing 180-foot monopole at 128 Mather Street in Wilton, CT. The tower is owned by Crown Castle. The property is owned by the Town of Wilton. Verizon intends to remove three (3) RRUs and install six (6) RRUs and three (3) stiff arm kits.

Per the attached Decision and Order, the construction of the monopole was approved on May 3rd, 1988, by the Connecticut Siting Council.

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.S.C.A. § 16-50j-73, a copy of this letter is being sent to Lynne Vanderslice, First- Selectman – Town of Wilton, the Planning & Zoning, as well as the property owner.

1. The proposed modifications will not result in an increase in the height of the existing tower.
2. The proposed modifications will not require the extension of the site boundary.
3. The proposed modification will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the replacement antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communication Commission safety standard.
5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.

6. The existing structure and its foundation can support the proposed loading.

For the foregoing reasons, Verizon respectfully submits that the proposed modifications to the above-reference telecommunications facility constitutes an exempt modification under R.C.S.A. § 16-50j-72(b)(2). Please send approval/rejection letter to Attn: William Stone.

Sincerely,

William Stone
Real Estate Specialist
3 Corporate Park Drive, Suite 101
Clifton Park, NY 12065
518-373-3543
William.stone@crowncastle.com

Attachments:

Tab 1: Exhibit-1: Compound plan and elevation depicting the planned changes

Tab 2: Exhibit-2: Structural Modification Report

Tab 3: Exhibit-3: General Power Density Table Report (RF Emissions Analysis Report)

cc:

Ms. Lynne Vanderslice
Wilton Town Hall
238 Danbury Road
Wilton, CT 06897

Planning & Zoning
Wilton Town Hall
238 Danbury Road
Wilton, CT 06897

Town of Wilton
Finance Department
238 Danbury Road
Wilton, CT 06897

ORIGIN ID: GFLA (518) 373-3523
WILL STONE
CROWN CASTLE
3 CORPORATE PARK DRIVE
SUITE 101
CLIFTON PARK, NY 12065
UNITED STATES US


SHIP DATE: 20MAR19
ACTWGT: 3.00LB
CAD: 104024194#NET4100

BILL SENDER

TO MELANIE BACHMAN
CONNECTICUT SITING COUNCIL
10 FRANKLIN SQUARE

NEW BRITAIN CT 06051
(860) 827-2951 REF: 1765 6680
PO. DEPT.

565J146D3/23AD



TRK# 7747 4861 2299
0201

THU - 21 MAR 10:30A


PRIORITY OVERNIGHT

DSR

06051

CT:US BDL

EBBDLA



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.


Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

ORIGIN: FLA (618) 373-3523
WIL STONE
CROWN CASTLE
3 CORPORATE PARK DRIVE
SUITE 101
CLIFTON PARK, NY 12065
UNITED STATES US

SHIP DATE: 20MAR19
ACTWGT: 1.50 LB
CAD: 104924194/NET4100
BILL SENDER

TO LYNNE VANDERSLICE
WILTON TOWN HALL
238 DANBURY ROAD

WILTON CT 06897
(203) 563-0100 REF: 1734/7890
INV: DEPT:
PO:



565J1#6D3/23AD

TRK# 7747 4864 0038
0201

THU - 21 MAR 10:30A
PRIORITY OVERNIGHT
DSR

EG DXRA

CT-US SWF
06897



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.


ORIGIN ID: GFLA (518) 373-3523
WILL STONE
CROWN CASTLE
3 CORPORATE PARK DRIVE
SUITE 101
CLIFTON PARK, NY 12065
UNITED STATES US

SHIP DATE: 20/MAR/19
ACTWGT: 1.50 LB
CAD: 10/924194/NET/4100
BILL SENDER

TO **PLANNING AND ZONING**
WILTON TOWN HALL
238 DANBURY ROAD

WILTON CT 06897
(203) 563-0100 REF: 17347890
NO. DEPT:
PO.

565J146C323AD




TRK# 7747 4865 4126
0201

THU - 21 MAR 10:30A
PRIORITY OVERNIGHT
DSR

EG DXRA

CT-US 06897
SWF



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

ORIGIN:DGFLA (518) 373-3523
WILL STONE
CROWN CASTLE
3 CORPORATE PARK DRIVE
SUITE 101
CLETON PARK, NY 12065
UNITED STATES US


SHIP DATE: 20MAR19
ACTWGT: 1.50 LB
CAD: 104024194JNET4100

BILL SENDER

TO FINANCE DEPT.
TOWN OF WILTON
238 DANBURY ROAD

WILTON CT 06897
(203) 563-0100 REF: 17347690
NY DEPT:
PO:

565J1A6D3Z3AD



TRK# 7747 4866 4470
0201

THU - 21 MAR 10:30A
PRIORITY OVERNIGHT

DSR 06897
CT-US SWF

EG DXRA



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

DOCKET NO. 94 - AN APPLICATION OF METRO : Connecticut
MOBILE CTS OF FAIRFIELD COUNTY, INC., FOR :
A CERTIFICATE OF ENVIRONMENTAL COMPATI- : Siting
BILITY AND PUBLIC NEED FOR CELLULAR : Council
TELEPHONE ANTENNAS AND ASSOCIATED EQUIP- :
MENT IN THE TOWN OF WILTON, CONNECTICUT. May 3, 1988

DECISION AND ORDER

Pursuant to the foregoing opinion, the Connecticut Siting Council finds that the effects associated with the construction and operation of a cellular monopole structure at the alternative Mather Street site, including effects on the natural environment, ecological balance, public health and safety, scenic, historic and recreational values, forests and parks, air and water purity and fish and wildlife, are not significant either alone or cumulatively with other effects, are not in conflict with the policies of the state concerning such effects, and are not sufficient reason to deny the application, and therefore, directs that a Certificate of Environmental Compatibility and Public Need, as provided by Section 16-50k of the General Statutes of Connecticut (CGS) be issued to Metro Mobile CTS of Fairfield County, Inc. (Metro Mobile) for the construction, operation, and maintenance of a cellular telephone tower site and associated equipment at the "Wilton-D/AA" site on Mather Street in Wilton, Connecticut.

The proposed "D-Wilton" site on Richdale Drive and alternative "D/A Wilton" site on Quail Ridge Road are hereby denied.

The facility shall be constructed, operated, and maintained as specified in the Council's record in this matter, and subject to the following conditions:

1. The tower shall be constructed as a monopole or lattice tower, as determined by the Council in approving the development and management plan, and be no taller than necessary to provide the proposed service, and in no event shall exceed a total height of 193 feet, including antennas and associated equipment.
2. The facility shall be constructed in accordance with all applicable federal, state, and municipal laws and regulations.

3. Unless necessary to comply with condition number two, above, no lights shall be installed on this tower.
4. The Certificate Holder shall prepare a development and management (d&m) plan for this site in compliance with Sections 16-50j-75 through 16-50j-77 of the Regulations of State Agencies. The d&m plan shall provide monopole and lattice tower foundation design specifications and plans for permanent evergreen screening around the outside perimeter of the eight-foot chain link fence which will surround the site.
5. The Certificate Holder shall provide the Council with the results of additional subsurface reconnaissance at the proposed site prior to the commencement of any construction at this site.
6. The Certificate Holder or its successor shall notify the Council if and when directional antennas or any equipment other than that listed in this application are added to this facility.
7. The Certificate Holder or its successor shall permit public or private entities to share space on the tower for fair consideration, or shall provide any requesting entity with specific legal, technical, environmental, or economic reasons precluding such tower sharing.
8. If this facility does not provide, or permanently ceases to provide, cellular service following the completion of construction, this Decision and Order shall be void, and the tower and all associated equipment in this application shall be dismantled and removed or reapplication for any new use shall be made to the Council before any such new use is made.
9. The Certificate Holder shall comply with any future radio frequency (RF) standards promulgated by state or federal regulatory agencies. Upon the establishment of any new governmental RF standards, the facility granted in this Decision and Order shall be brought into compliance with such standards.

10. Unless otherwise approved by the Council, this Decision and Order shall be void if all construction authorized herein is not completed within three years of the issuance of this Decision and Order, or within three years of the completion of any appeal taken in this Decision and Order.

Pursuant to Section 16-50p, we hereby direct that a copy of the Decision and Order be served on each person listed below. A notice of issuance shall be published in the Norwalk Hour and the Wilton Bulletin.

By this Decision and Order, the Council disposes of the legal rights, duties, and privileges of each party named or admitted to the proceeding in accordance with Section 16-50j-17 of the Regulations of State Agencies.

The parties or intervenors to this proceeding are:

Metro Mobile CTS of Fairfield County, Inc. (Party)
50 Rockland Road
South Norwalk, CT 06854
Attn: Michael Riley

Howard L. Slater, Esq. (Its Attorney)
Jennifer Young Gaudet, Esq.
Byrne, Slater, Sandler,
Shulman & Rouse, P.C.
330 Main Street
Hartford, CT 06103

Fleischman and Walsh, P.C. (Representative)
1725 N. Street, N.W.
Washington, D.C. 20036
Attn: Richard Rubin, Esq.

PEACE, Inc. (Party)

Ann Caggiano (Representative)
President
PEACE, Inc.
33 Honey Hill Trail
Wilton, CT 06897

Docket 94
Decision and Order
Page Four

Town of Wilton	(Party)
Edward C. Desmond First Selectman Town of Wilton Town Hall 238 Danbury Road Wilton, CT 06897	(Representative)
Joseph C. Lee, Esq. Alice A. Bruno, Esq. Tyler Cooper & Alcorn 205 Church Street P.O. Box 1936 New Haven, CT 06509	(Its Attorney)
Margaret Doheny 21 Richdale Drive Wilton, CT 06897	(Party)
SNET Cellular, Inc.	(Intervenor)
Donald R. Chapman, Vice President Operations SNET Cellular, Inc. 555 Long Wharf Drive New Haven, CT 06511	(Representative)
Peter J. Tyrrell Senior Attorney SNET Cellular, Inc. 227 Church Street Room 1021 New Haven, CT 06506	(Its Attorney)
Ogden Bigelow 25 Hidden Lake Road Wilton, CT 06897	(Intervenor)

Docket 94
Decision and Order
Page Five

John Jordon
32 Mayapple Road
Wilton, CT 06897

(Party)

Veronica Tella
41 Honey Hill Trail
Wilton, CT 06897

(Party)

Betsy Mitchell
125 Catalpa Road
Wilton, CT 06897
(SERVICE WAIVED)







(Party)

1390E

CERTIFICATION

The undersigned members of the Connecticut Siting Council hereby certify that they have heard this case in Docket 94 or read the record thereof, and that we voted as follows:

Dated at New Britain, Connecticut the 3rd day of May, 1988.

<u>Council Members</u>	<u>Vote Cast</u>
 _____ Gloria Dibble Pond Chairperson	Yes
 _____ Commissioner Peter Boucher Designee: Roland Miller	Yes
 _____ Commissioner Leslie Carothers Designee: Brian Emerick	Yes
 _____ Mortimer A. Gelston	Yes
 _____ James G. Horsfall	Yes
 _____ William H. Smith	Yes
_____ Colin C. Tait	Absent

MATHER ST

Location MATHER ST

Mblu 23 / / 23 / /

Acct# 5165,3335

Owner WILTON TOWN OF

Assessment \$6,999,790

Appraisal \$9,999,700

PID 1065

Building Count 2

Current Value

Appraisal			
Valuation Year	Improvements	Land	Total
2016	\$45,500	\$9,954,200	\$9,999,700

Assessment			
Valuation Year	Improvements	Land	Total
2016	\$31,850	\$6,967,940	\$6,999,790

Owner of Record

Owner WILTON TOWN OF
Co-Owner
Address 238 DANBURY RD
WILTON, CT 06897

Sale Price \$0
Certificate
Book & Page 1151/0195
Sale Date 02/02/1999
Instrument 00

Ownership History

Ownership History					
Owner	Sale Price	Certificate	Book & Page	Instrument	Sale Date
WILTON TOWN OF	\$0		1151/0195	00	02/02/1999
	\$0		0112/0179	00	05/01/1965

Building Information

Building 1 : Section 1

Year Built:
Living Area: 0
Replacement Cost: \$0
Building Percent Good:
Replacement Cost Less Depreciation: \$0

Building Attributes

Field	Description
Style	Vacant Land
Model	
Occupancy	
Exterior Wall 1	
Exterior Wall 2	
Roof Structure:	
Roof Cover	
Interior Wall 1	
Interior Wall 2	
Interior Flr 1	
Interior Flr 2	
Heat Fuel	
Heat Type:	
AC Type:	
Total Bedrooms:	
Total Bthrms:	
Total Half Baths:	
Total Rooms:	
Bath Style:	
Kitchen Style:	
Elevator	
Fireplaces	
Sauna	
Spa/Jet Tub	
Whirlpool Tub	
Cath. Ceil	

Building Photo



(<http://images.vgsi.com/photos/WiltonCTPhotos//default.jpg>)

Building Layout

Building Sub-Areas (sq ft)	Legend
No Data for Building Sub-Areas	

Building 2 : Section 1

Year Built: 1988
Living Area: 1,200
Replacement Cost: \$62,291
Building Percent Good: 73
Replacement Cost Less Depreciation: \$45,500

Building Attributes : Bldg 2 of 2	
Field	Description
STYLE	Service Shop
MODEL	Commercial
Grade	Below Average
Occupancy	1


Building Photo



(<http://images.vgsi.com/photos/WiltonCTPhotos//\00\00\78\11.j>)

Exterior Wall 1	Pre-finsh Metl
Exterior Wall 2	
Roof Structure	Gable/Hip
Roof Cover	Enam Mtl Shing
Interior Wall 1	Drywall
Interior Wall 2	
Interior Floor 1	Dirt/None
Interior Floor 2	
Heating Fuel	None
Heating Type	None
AC Type	None
Bldg Use	Ex Com MDL-96
Fireplace	
Elevator	
Cath Ceil	
Sauna	
1st Floor Use:	21I
Heat/AC	None
Frame Type	Steel
Baths/Plumbing	None
Ceiling/Wall	Sus Ceil Min W
Rooms/Prtns	Average
Wall Height	11
% Comn Wall	0

Building Layout



Building Sub-Areas (sq ft)			Legend
Code	Description	Gross Area	Living Area
BAS	First Floor	1,200	1,200
		1,200	1,200

Extra Features

Extra Features	Legend
No Data for Extra Features	

Land

Land Use

Use Code	21V
Description	Ex Com MDL-00
Zone	R-2
Neighborhood	4000
Alt Land Appr Category	No

Land Line Valuation

Size (Acres)	74.12
Frontage	
Depth	
Assessed Value	\$6,967,940
Appraised Value	\$9,954,200

Outbuildings

--

Outbuildings**Legend**

No Data for Outbuildings

Valuation History

Appraisal			
Valuation Year	Improvements	Land	Total
2015	\$45,500	\$9,954,200	\$9,999,700
2014	\$45,500	\$9,954,200	\$9,999,700
2013	\$45,500	\$9,954,200	\$9,999,700

Assessment			
Valuation Year	Improvements	Land	Total
2015	\$31,850	\$6,967,940	\$6,999,790
2014	\$31,850	\$6,967,940	\$6,999,790
2013	\$31,850	\$6,967,940	\$6,999,790

(c) 2016 Vision Government Solutions, Inc. All rights reserved.



VERIZON SITE NAME: WILTON CT
 CROWN CASTLE SITE NAME: BRG 124 943066
 CROWN CASTLE BU NUMBER: 806353
 SITE ADDRESS: 128 MATHER STREET
 WILTON, CT 06897
 SITE TYPE: SELF SUPPORT TOWER

PLANS PREPARED FOR:
verizon
 180 WASHINGTON VALLEY ROAD
 BEDMINSTER, NJ 07921

PLANS PREPARED BY:
INFINIGY
 FROM ZERO TO INFINIGY
 the solutions are endless
 1490 W. 121st. Ave., Suite 101
 Westminster, CO 80234
 Office # (303) 219-1178
 Fax # (303) 242-8636
 JOB NUMBER: TBD

MLA PARTNER:
CROWN CASTLE



DRAWING NOTICE:
 THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF VERIZON AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF VERIZON.

REVISIONS:	DESCRIPTION	DATE	BY	REV
	ISSUED FOR CONSTRUCTION	12/18/18	RCD	0
	ISSUED FOR REVIEW	11/28/18	RCD	A

VERIZON SITE NAME:
WILTON CT

CROWN CASTLE SITE NAME:
BRG 124 943066

CROWN CASTLE BU #:
806353

SITE ADDRESS:
**128 MATHER STREET
 WILTON, CT 06897**

SHEET DESCRIPTION:
**TITLE SHEET &
 PROJECT DATA**

SHEET NUMBER:
T-1

SITE INFORMATION

APPLICANT:
 CELLCO PARTNERSHIP D/B/A VERIZON WIRELESS
 20 ALEXANDER DRIVE
 WALLINGFORD, CT 06492

TOWER OWNER:
 CROWN CASTLE

CROWN CASTLE PM:
 WILLIAM GATES
 (518) 373-3517

LATITUDE (NAD83):
 41° 14' 18.34" N
 41.238428

LONGITUDE (NAD83):
 73° 25' 26.44" W
 -73.424011


COUNTY:
 FAIRFIELD

ZONING JURISDICTION:
 TOWN OF WILTON


POWER COMPANY:
 NATIONAL GRID
 (800) 322-3223

TELCO PROVIDER:
 FIBER APP
VERIZON WIRELESS CM:
 TBD

AREA MAP



LOCATION MAP



PROJECT DESCRIPTION

VERIZON PROPOSES TO MODIFY AN EXISTING UNMANNED TELECOMMUNICATION FACILITY:

VERIZON EQUIPMENT TO BE REMOVED:

- REMOVE (3) EXISTING RRH'S

VERIZON EQUIPMENT TO BE INSTALLED:


- INSTALL (3) SAMSUNG RRH'S P/N: B2/B66A RRHBR049
- INSTALL (3) SAMSUNG RRH'S P/N: RRH 4T4R B5 160W
- INSTALL (3) STIFF ARM KITS (SITE PRO 1 PART# STK-U)
- RELOCATE (3) EXISTING STIFF ARM KITS

THESE PLANS HAVE BEEN DEVELOPED FOR THE MODIFICATION OF AN EXISTING UNMANNED TELECOMMUNICATIONS FACILITY OWNED OR LEASED BY VERIZON IN ACCORDANCE WITH THE SCOPE OF WORK PROVIDED BY VERIZON. INFINIGY HAS INCORPORATED THIS SCOPE OF WORK IN THE PLANS. THESE PLANS ARE NOT FOR CONSTRUCTION UNLESS ACCOMPANIED BY A PASSING STRUCTURAL STABILITY ANALYSIS PREPARED BY A LICENSED STRUCTURAL ENGINEER. STRUCTURAL ANALYSIS MUST INCLUDE BOTH TOWER AND MOUNT.

APPLICABLE CODES

ALL WORK SHALL BE PERFORMED AND MATERIALS INSTALL IN ACCORDANCE WITH THE CURRENT EDITIONS OF THE FOLLOWING CODES AS ADOPTED BY THE LOCAL GOVERNING AUTHORITIES. NOTHING IN THESE PLANS IS TO BE CONSTRUED TO PERMIT WORK NOT CONFORMING TO THESE CODES.

- INTERNATIONAL BUILDING CODE (2015 IBC)
- TIA-EIA-222-G OR LATEST EDITION
- NFPA 780 - LIGHTNING PROTECTION CODE
- 2017 NATIONAL ELECTRIC CODE OR LATEST EDITION
- ANY OTHER NATIONAL OR LOCAL APPLICABLE CODES, MOST RECENT EDITIONS
- RI BUILDING CODE
- LOCAL BUILDING CODE
- CITY/COUNTY ORDINANCES



DRAWING INDEX

SHEET NO:	SHEET TITLE	REV
T-1	TITLE SHEET & PROJECT DATA	0
SP-1	VERIZON SPECIFICATIONS	0
A-1	OVERALL SITE PLAN	0
A-2	TOWER ELEVATION	0
A-3	ANTENNA LAYOUT & LOADING CHART	0
A-4	EQUIPMENT DETAILS	0
A-5	EQUIPMENT DETAILS	0
G-1	GROUNDING PLAN & DETAILS	0

DRIVING DIRECTIONS

FROM: PROVIDENCE, RI

- DEPART DORRANCE ST TOWARD FULTON ST / KENNEDY PLAZA
- TURN LEFT ONTO WASHINGTON ST
- TURN RIGHT ONTO UNION ST
- TURN RIGHT ONTO US-1 N / FOUNTAIN ST
- TURN LEFT TO STAY ON US-1 N / FOUNTAIN ST
- TAKE RAMP LEFT FOR I-95 SOUTH TOWARD NEW YORK
- AT EXIT 38, TAKE RAMP RIGHT FOR MILFORD PKWY TOWARD MERRITT AND W. CROSS PKWYS
- TAKE RAMP LEFT FOR CT-15 SOUTH TOWARD N.Y. CITY
- AT EXIT 41, TAKE RAMP RIGHT FOR CT-33 TOWARD WESTPORT / WILTON
- TURN LEFT ONTO CT-33 / WILTON RD
- TURN RIGHT ONTO HONEY HILL RD
- TURN LEFT ONTO QUAIL RIDGE RD
- ARRIVE AT 128 MATHER STREET, WILTON, CT 06897

ELECTRICAL NOTES:

WORK INCLUDED

1. INCLUDE ALL LABOR, MATERIALS, EQUIPMENT, PLANT SERVICES AND ADMINISTRATIVE TASKS REQUIRED TO COMPLETE AND MAKE OPERABLE THE ELECTRICAL WORK SHOWN ON THE DRAWINGS AND SPECIFIED HEREIN, INCLUDING BUT NOT LIMITED TO THE FOLLOWING:

- A. PREPARE AND SUBMIT SHOP DRAWINGS, DIAGRAMS AND ILLUSTRATIONS.
- B. PROCURE ALL NECESSARY PERMITS AND APPROVALS AND PAY ALL REQUIRED FEES AND CHARGES IN CONNECTION WITH THE WORK OF THIS CONTRACT.
- C. SUBMIT AS-BUILT DRAWINGS, OPERATING AND MAINTENANCE INSTRUCTIONS AND MANUALS.
- D. EXECUTE ALL CUTTING, DRILLING, ROUGH AND FINISH PATCHING OF EXISTING OR NEWLY INSTALLED CONSTRUCTION REQUIRED FOR THE WORK OF THIS CONTRACT. FOR SLAB PENETRATIONS THROUGH POST TENSION SLABS, X-RAY EXACT AREA OF PENETRATION PRIOR TO PERFORMING WORK. COORDINATE ALL X-RAY WORK WITH BUILDING ENGINEER.
- E. PROVIDE HANGERS, SUPPORTS, FOUNDATIONS, STRUCTURAL FRAMING SUPPORTS, AND BASES FOR CONDUIT AND EQUIPMENT PROVIDED OR INSTALLED UNDER THE WORK OF HIS CONTRACT. PROVIDE COUNTER FLASHING, SLEEVES AND SEALS FOR FLOOR AND WALL PENETRATIONS.
- F. MAINTAIN ALL EXISTING ELECTRICAL SERVICES IN THE BUILDING AREAS NOT AFFECTED BY THE ALTERATION DURING THE PROGRESS OF THE WORK INCLUDING PROVIDING ALL TEMPORARY JUMPERS, CONDUITS, CAPS, PROTECTIVE DEVICES, CONNECTIONS AND EQUIPMENT REQUIRED. PROVIDE TEMPORARY LIGHT AND POWER FOR CONSTRUCTION PURPOSES.
2. IT IS THE INTENT OF THESE DRAWINGS AND SPECIFICATIONS TO CALL FOR AN INSTALLATION THAT IS COMPLETE IN EVERY RESPECT. IT IS NOT THE INTENT TO GIVE EVERY DETAIL ON THE DRAWINGS AND IN THE SPECIFICATIONS. IF AN ITEM OF WORK IS INDICATED IN THE DRAWINGS, IT IS CONSIDERED SUFFICIENT FOR INCLUSION IN THE CONTRACT. FURNISH AND INSTALL ALL MATERIAL AND EQUIPMENT USUALLY FURNISHED OR NEEDED TO MAKE A COMPLETE INSTALLATION WHETHER OR NOT SPECIFICALLY MENTIONED IN THE CONTRACT DOCUMENTS.

GENERAL REQUIREMENTS

1. PROVIDE ALL WORK IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE (NEC) AND LOCAL AND STATE ELECTRICAL CODES.
2. THE ELECTRICAL PLANS ARE DIAGRAMMATIC ONLY. REFER TO THE ARCHITECTURAL PLANS FOR THE EXACT DIMENSIONS OF THE BUILDING.
3. LOAD CALCULATIONS ARE BASED ON EXISTING BUILDING INFORMATION/DRAWINGS PROVIDED TO ENGINEERING. CONTRACTOR IS TO VERIFY ALL EXISTING RATINGS AND LOADS PRIOR TO PURCHASING OF SPECIFIED EQUIPMENT FOR COMPLIANCE TO NEC. CONTRACTOR TO NOTIFY ENGINEER OF ANY DISCREPANCIES AND REQUEST FURTHER DIRECTION BY ENGINEER.
4. EXISTING BUILDING EQUIPMENT IS NOTED ON THE DRAWINGS. NEW OR RELOCATED EQUIPMENT IS SHOWN WITH SOLID LINES. FUTURE EQUIPMENT (NOT IN THIS CONTRACT) IS DEPICTED WITH SHADED LINES. REQUEST CLARIFICATION OF DRAWINGS OR OF SPECIFICATIONS PRIOR TO PRICING OR INSTALLATION.
5. GENERAL
 - A. AFTER CAREFULLY STUDYING THE DRAWINGS AND SPECIFICATIONS, AND BEFORE SUBMITTING THE PROPOSAL, MAKE A MANDATORY SITE VISIT TO ASCERTAIN CONDITIONS OF THE SITE, AND THE NATURE AND EXACT QUANTITY OF WORK TO BE PERFORMED. NO EXTRA COMPENSATION WILL BE ALLOWED FOR FAILURE TO NOTIFY THE OWNER, IN WRITING, OF ANY DISCREPANCIES THAT MAY HAVE BEEN NOTED BETWEEN THE EXISTING CONDITIONS AND THE DRAWINGS AND SPECIFICATIONS.
 - B. VERIFY ALL MEASUREMENTS AT THE SITE AND BE RESPONSIBLE FOR CORRECTNESS OF SAME.
6. QUALITY, WORKMANSHIP, MATERIALS AND SAFETY
 - A. PROVIDE NEW MATERIALS AND EQUIPMENT OF A DOMESTIC MANUFACTURER BY THOSE REGULARLY ENGAGED IN THE PRODUCTION AND MANUFACTURE OF SPECIFIED MATERIALS AND EQUIPMENT. WHERE UL OR OTHER AGENCY, HAS ESTABLISHED STANDARDS FOR MATERIALS, PROVIDE MATERIALS WHICH ARE LISTED AND LABELED ACCORDINGLY. THE COMMERCIALLY STANDARD ITEMS OF EQUIPMENT AND THE SPECIFIC NAMES MENTIONED HEREIN ARE INTENDED FOR THE PROPER FUNCTIONING OF THE WORK.
 - B. WORK SHALL BE PERFORMED BY WORKMEN SKILLED IN THE TRADE REQUIRED FOR THE WORK. INSTALL MATERIALS AND EQUIPMENT TO PRESENT A NEAT APPEARANCE WHEN COMPLETED AND IN ACCORDANCE WITH THE APPROVED RECOMMENDATIONS OF THE MANUFACTURER AND IN ACCORDANCE WITH CONTRACT DOCUMENTS.
 - C. PROVIDE LABOR, MATERIALS, APPARATUS AND APPLIANCES ESSENTIAL TO THE FUNCTIONING OF THE SYSTEMS DESCRIBED OR INDICATED HEREIN, OR WHICH MAY BE REASONABLY IMPLIED AS ESSENTIAL WHENEVER MENTIONED IN THE CONTRACT DOCUMENT OR NOT.
 - D. MAKE WRITTEN REQUESTS FOR SUPPLEMENTARY INSTRUCTIONS TO ARCHITECT/ENGINEER IN CASE OF DOUBT AS TO WORK INTENDED OR IN EVENT OF NEED FOR EXPLANATION THEREOF.
 - E. PERFORMANCE AND MATERIAL REQUIREMENTS SCHEDULED OR SPECIFIED ARE MINIMUM STANDARD ACCEPTABLE. THE RIGHT TO JUDGE THE QUALITY OF EQUIPMENT THAT DEVIATES FROM THE CONTRACT DOCUMENT REMAINS SOLELY WITH ARCHITECT/ENGINEER. CONTRACT DOCUMENT OR NOT.

GUARANTEE

1. GUARANTEE MATERIALS, PARTS AND LABOR FOR WORK FOR ONE YEAR FROM THE DATE OF ISSUANCE OF OCCUPANCY PERMIT. DURING THAT PERIOD, MAKE GOOD FAULTS OR IMPERFECTIONS THAT MAY ARISE DUE TO DEFECTS OR OMISSIONS IN MATERIALS OR WORKMANSHIP WITH NO ADDITIONAL COMPENSATION AND AS DIRECTED BY ARCHITECT.

CLEANING

1. REMOVE ALL CONSTRUCTION DEBRIS RESULTING FROM THE WORK.
2. CLEAN EQUIPMENT AND SYSTEMS FOLLOWING THE COMPLETION OF THE PROJECT TO THE SATISFACTION OF THE ENGINEER.

COORDINATION AND SUPERVISION

1. CAREFULLY LAY OUT ALL WORK IN ADVANCE TO AVOID UNNECESSARY CUTTING, CHANNELING, CHASING OR DRILLING OF FLOORS, WALLS, PARTITIONS, CEILING OR OTHER SURFACES. WHERE SUCH WORK IS NECESSARY, HOWEVER, PATCH AND REPAIR THE WORK IN AN APPROVED MANNER BY SKILLED MECHANICS AT NO ADDITIONAL COST TO THE OWNER. RENDER FULL COOPERATION TO OTHER TRADES WHERE WORK WILL BE INSTALLED IN CLOSE PROXIMITY TO WORK OF OTHER TRADES. ASSIST IN WORKING OUT SPACE CONDITIONS. IF WORK IS INSTALLED BEFORE COORDINATION WITH OTHER TRADES, OR CAUSES INTERFERENCE, MAKE CHANGES NECESSARY TO CORRECT CONDITIONS WITHOUT EXTRA CHARGE.

SUBMITTALS

1. AS-BUILT DRAWINGS:
 - A. UPON COMPLETION OF THE WORK, FURNISH TO THE OWNER "AS-BUILT" DRAWINGS.
2. SERVICE MANUALS:
 - A. UPON COMPLETION OF THE WORK, FULLY INSTRUCT VERIZON AS TO THE OPERATION AND MAINTENANCE OF ALL MATERIAL, EQUIPMENT AND SYSTEMS.
 - B. PROVIDE 3 COMPLETE BOUND SETS OF INSTRUCTIONS FOR OPERATING AND MAINTAINING ALL SYSTEMS AND EQUIPMENT.

CUTTING AND PATCHING

1. PROVIDE ALL CUTTING, DRILLING, ROUGH AND FINISH PATCHING REQUIRED TO COMPLETE THE WORK.
2. OBTAIN OWNER APPROVAL PRIOR TO CUTTING THROUGH FLOORS OR WALLS FOR PIPING OR CONDUIT.

TESTS, INSPECTION AND APPROVAL

1. BEFORE ENERGIZING ANY ELECTRICAL INSTALLATION, INSPECT EACH UNIT IN DETAIL TIGHTEN ALL BOLTS AND CONNECTIONS (TORQUE-TIGHTEN WHERE REQUIRED) AND DETERMINE THAT ALL COMPONENTS ARE ALIGNED, AND THE EQUIPMENT IS IN SAFE, OPERATIONAL CONDITION.
2. PROVIDE THE COMPLETE ELECTRICAL SYSTEM FREE OF GROUND FAULTS AND SHORT CIRCUITS SUCH THAT THE SYSTEM WILL OPERATE SATISFACTORILY UNDER FULL LOAD CONDITIONS, WITHOUT EXCESSIVE HEATING AT ANY POINT IN THE SYSTEM.

SPECIAL REQUIREMENTS

1. DO NOT LEAVE ANY WORK INCOMPLETE NOR ANY HAZARDOUS SITUATIONS CREATED WHICH WILL AFFECT THE LIFE OR SAFETY OF THE PUBLIC AND/OR BUILDING OCCUPANTS. DO NOT INTERFERE WITH OR CUTOFF ANY OF THE EXISTING SERVICES WITHOUT THE OWNER'S WRITTEN PERMISSION.
2. WHEN NECESSARY TO TEMPORARILY DISCONNECT ANY EXISTING BUILDING UTILITIES AND SERVICE SYSTEMS, INCLUDING FEEDER OR BRANCH CIRCUITING SUPPLYING EXISTING FACILITIES, CONFER WITH THE OWNER AND ARRANGE THE PERIOD OF INTERRUPTION FOR A TIME MUTUALLY AGREED UPON. SHUTDOWN NOTE: SCHEDULE AND NOTIFY OWNER 48 HOURS PRIOR TO SHUTDOWN. ALL SHUTDOWN WORK TO BE SCHEDULED AT A TIME CONVENIENT TO OWNER.

GROUNDING

1. ROUTE ALL GROUNDING CONDUCTORS AS SHOWN ON CONDUIT/GROUNDING RISER.
2. ROUTE 500 KCMIL CU THHN CONDUCTOR FROM THE MGB LOCATION TO BUILDING STEEL. VERIFY BUILDING STEEL IS EFFECTIVELY GROUND PER NEC TO THE MAIN SERVICE GROUNDING ELECTRODE CONDUCTOR (GEC).
3. MAKE ALL GROUND CONNECTIONS FROM MGB TO ELECTRICAL EQUIPMENT WITH 2 HOLE, CRIMP TYPE, BURNDY COMPRESSION TERMINATIONS, SIZED AS REQUIRED.
4. USE 1 HOLE, CRIMP TYPE, BURNDY COMPRESSION TERMINATIONS, SIZED AS REQUIRED, AT EQUIPMENT GROUND CONNECTIONS.
5. HIRE AN INDEPENDENT LAB TO PERFORM THE SPECIFIED OHMS TESTING. PROVIDE 4 SETS OF THE CERTIFIED DOCUMENTS TO THE OWNER FOR VERIFICATION PRIOR TO THE PROJECT COMPLETION.

RACEWAYS

1. ALL WIRING TO BE INSTALLED IN CONDUIT SYSTEMS IN ACCORDANCE WITH THE FOLLOWING:
 - A. EXTERIOR FEEDERS AND CONTROL, WHERE UNDERGROUND, TO BE IN SCH 40 PVC.
 - B. EXTERIOR, ABOVE GROUND POWER CONDUITS TO BE GALVANIZED RIGID STEEL (RGS).
 - C. ALL TELECOMMUNICATION CONDUITS, INTERIOR/EXTERIOR, TO BE EMT.
2. ON THIS PROJECT.
- E. ALL TELECOM CONDUITS AND PULL BOXES INSTALLED ON THIS PROJECT TO BE LABELED "VERIZON". OWNER WILL PROVIDE LABELS FOR CONTRACTOR TO INSTALL.
- F. INTERIOR FEEDERS TO BE INSTALLED IN E.M.T. WITH STEEL COMPRESSION FITTINGS.
- G. MINIMUM SIZE CONDUIT TO BE 3/4" TRADE SIZE UNLESS OTHERWISE INDICATED ON THE DRAWINGS.
- H. FINAL CONNECTIONS TO MOTORS AND VIBRATING EQUIPMENT TO BE INSTALLED IN LIQUID-TIGHT FLEXIBLE METAL CONDUIT.

AREAS OR DRYWALL PARTITIONS, UNLESS OTHERWISE NOTED. J. THE ROUTING OF CONDUITS INDICATED ON THE DRAWINGS IS DIAGRAMMATIC. BEFORE INSTALLING ANY WORK, EXAMINE THE WORKING LAYOUTS AND SHOP DRAWINGS OF THE OTHER TRADES TO DETERMINE THE EXACT LOCATIONS AND CLEARANCES.

K. ALL EXTERIOR MOUNTING HARDWARE TO BE GALVANIZED STEEL. COORDINATE WITH BUILDING ENGINEER PRIOR TO ATTACHING TO BUILDING STRUCTURE.

RACEWAYS CONT'D

- L. PENETRATIONS OF WALLS, FLOORS AND ROOFS, FOR THE PASSAGE OF ELECTRICAL RACEWAYS, TO BE PROPERLY SEALED AFTER INSTALLATION OF RACEWAYS SO AS TO MAINTAIN THE STRUCTURAL OR WATERPROOF INTEGRITY OF THE WALL, FLOOR OR ROOF SYSTEM TO BE PENETRATED. SEAL ALL CONDUIT PENETRATIONS THROUGH FIRE OR SMOKE RATED WALLS, CEILING OR SMOKE TIGHT CORRIDOR PARTITIONS TO MAINTAIN PROPER RATING OF WALL OR CEILING.
- M. PROVIDE ALL CONDUIT ENDS WITH INSULATED METALLIC GROUNDING BUSHINGS.
- N. CONDUIT TO BE SUPPORTED AT MAXIMUM DISTANCE OF 8'-0", OR AS REQUIRED BY NEC, IN HORIZONTAL AND VERTICAL DIRECTIONS.
- O. PROVIDE STAINLESS STEEL BLANK COVER PLATES FOR ALL JUNCTION BOXES AND/OR OUTLET BOXES NOT USED IN EXPOSED AREAS. PROVIDE ALL OTHER UNUSED BOXES WITH STANDARD STEEL COVER PLATES.
- P. WHERE APPLICABLE, PROVIDE ROOFTOP CONDUIT SUPPORT SYSTEM, CONFORMING TO ROOFTOP WARRANTY REQUIREMENTS, PER BUILDING.

WIRES AND CABLES

1. CONTRACTOR TO COORDINATE WITH EQUIPMENT SUPPLIER AND VENDOR FOR EXACT EQUIPMENT OVER-CURRENT PROTECTION VOLTAGE, WIRE SIZE AND PLUG CONFIGURATION, IF APPLICABLE, PRIOR TO BID.
2. ALL EQUIPMENT/DEVICES TO BE PROVIDED WITH INSULATED GROUND CONDUCTOR.
3. ALL WIRE AND CABLE TO BE 600VOLT, COPPER, WITH THWN/ THHN INSULATION, EXCEPT AS NOTED.
4. WIRE FOR POWER AND LIGHTING WILL NOT BE LESS THAN NO. 12AWG. ALL WIRE NO. 8 AND LARGER TO BE STRANDED.
5. CONTROL WIRING IS NOT TO BE LESS THAN NO. 14AWG, FLEXIBLE IN SINGLE CONDUCTORS OR MULTI-CONDUCTOR CABLES. CONTROL WIRING WILL CONSIST OF MULTI-CONDUCTOR CABLES WHEREVER POSSIBLE. CABLES TO BE PROVIDED WITH AN OVERALL FLAME-RETARDANT, EXTRUDED JACKET AND RATED FOR PLENUM USE. ALL CONTROL WIRE TO BE 600VOLT USED AND IS NOT TO BE RE-PULLED.
7. HOME RUNS AND BRANCH CIRCUIT WIRING FOR 20A, 120V CIRCUITS:

LENGTH (FT.)	HOME RUN WIRE SIZE
0 TO 50	NO. 12
51 TO 100	NO. 10
101 TO 150	NO. 8
8. VOLTAGE DROP IS NOT TO EXCEED 3%.
9. MAKE ALL CONNECTIONS WITH UL APPROVED, SOLDERLESS, PRESSURE TIGHT INSULATED CONNECTORS: SCOTCHLOK OR AND APPROVED EQUAL.

WIRING DEVICES

1. ALL RECEPTACLES INSTALLED IN THIS PROJECT TO BE GROUNDING TYPE, WITH GROUNDING PIN SLOT CONNECTED TO DEVICE GROUND SCREW FOR GROUND WIRE CONNECTION. DISCONNECT SWITCHES AND FUSES
 1. DISCONNECT SWITCHES TO BE VOLTAGE-RATED TO SUIT THE CHARACTERISTICS OF THE SYSTEM FROM WHICH THEY ARE SUPPLIED.
 2. PROVIDE HEAVY-DUTY, METAL-ENCLOSED, EXTERNALLY-OPERATED DISCONNECT SWITCHES, FUSED OR UNFUSED, OF SUCH TYPE AND SIZE AS REQUIRED TO PROPERLY PROTECT OR DISCONNECT THE LOAD FOR WHICH THEY ARE INTENDED.
 3. PROVIDE NEMA 1 DISCONNECT SWITCHES FOR INTERIOR INSTALLATION, NEMA 3R FOR EXTERIOR INSTALLATION.
 4. DISCONNECT SWITCHES TO BE MANUFACTURED BY:
 - A. GENERAL ELECTRIC COMPANY
 - B. SQUARE-D
 5. THREE RR-1 TYPE FUSES, UNLESS NOTED OTHERWISE.

INSTALLATION

1. INSTALL DISCONNECT SWITCHES WHERE INDICATED ON DRAWINGS.
2. INSTALL FUSES IN FUSIBLE DISCONNECT SWITCHES. FUSES MUST MATCH IN TYPE AND RATING.
3. FUSES TO BE MOUNTED SO THAT THE LABELS SHOWING THEIR RATINGS CAN BE READ WITHOUT REQUIRING FUSE REMOVAL.
4. FURNISH AND DEPOSIT SPARE FUSES AT THE JOB SITE AS FOLLOWS:
 - A. THREE SPARES FOR EACH TYPE AND SIZE, IN EXCESS OF 60A, USED FOR INITIAL FUSING.
 - B. TEN PERCENT SPARES FOR EACH TYPE AND SIZE, UP TO AND INCLUDING 60A, USED FOR INITIAL FUSING. IN NO CASE WILL LESS THAN THREE FUSES OF ONE PARTICULAR TYPE AND SIZE BE FURNISHED.

CONFLICTS

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFICATIONS OF ALL MEASUREMENTS AT THE SITE BEFORE ORDERING ANY MATERIALS OR DOING ANY WORK. NO EXTRA CHARGE OR COMPENSATION SHALL BE ALLOWED DUE TO DIFFERENCE BETWEEN ACTUAL DIMENSIONS AND DIMENSIONS INDICATED ON THE CONSTRUCTION DRAWINGS. ANY SUCH DISCREPANCY IN DIMENSION WHICH MAY BE FOUND SHALL BE SUBMITTED TO THE OWNER FOR CONSIDERATION BEFORE THE CONTRACTOR PROCEEDS WITH THE WORK IN THE AFFECTED AREAS.
2. THE BIDDER, IF AWARDED THE CONTRACT, WILL NOT BE ALLOWED ANY EXTRA COMPENSATION BY REASON OF ANY MATTER OR THING CONCERNING SUCH BIDDER MIGHT HAVE FULLY INFORMED THEMSELVES PRIOR TO THE BIDDING.
3. NO PLEA OF IGNORANCE OF CONDITIONS THAT EXIST, OR OF DIFFICULTIES OR CONDITIONS THAT MAY BE ENCOUNTERED, OR OF ANY OTHER RELEVANT MATTER CONCERNING THE WORK TO BE PERFORMED IN THE EXECUTION OF THE WORK WILL BE ACCEPTED AS AN EXCUSE FOR ANY FAILURE OR OMISSION ON THE PART OF THE CONTRACTOR TO FULFILL EVERY DETAIL OF ALL THE REQUIREMENTS OF THE CONTRACT DOCUMENTS GOVERNING THE WORK.

CONTRACTS AND WARRANTIES

1. CONTRACTOR IS RESPONSIBLE FOR APPLICATION AND PAYMENT OF CONTRACTOR LICENSES AND BONDS.
2. SEE MASTER CONTRACTOR SERVICES AGREEMENT FOR ADDITIONAL DETAILS.

STORAGE

1. ALL MATERIALS MUST BE STORED IN A LEVEL AND DRY FASHION AND IN A MANNER THAT DOES NOT NECESSARILY OBSTRUCT THE FLOW OF OTHER WORK. ANY STORAGE METHOD MUST MEET ALL RECOMMENDATIONS OF THE ASSOCIATED MANUFACTURER.

CLEANUP

1. THE CONTRACTORS SHALL, AT ALL TIMES, KEEP THE SITE FREE FROM ACCUMULATION OF WASTE MATERIALS OR RUBBISH CAUSED BY THEIR EMPLOYEES AT WORK AND AT THE COMPLETION OF THE WORK. THEY SHALL REMOVE ALL RUBBISH FROM AND ABOUT THE BUILDING AREA, INCLUDING ALL THEIR TOOLS, SCAFFOLDING AND SURPLUS MATERIALS AND SHALL LEAVE THEIR WORK CLEAN AND READY TO USE.
2. EXTERIOR
 - A. VISUALLY INSPECT EXTERIOR SURFACES AND REMOVE ALL TRACES OF SOIL, WASTE MATERIALS, SMUDGES AND OTHER FOREIGN MATTER.
 - B. REMOVE ALL TRACES OF SPLASHED MATERIALS FROM ADJACENT SURFACES.
 - C. IF NECESSARY, TO ACHIEVE A UNIFORM DEGREE OF CLEANLINESS, HOSE DOWN THE EXTERIOR OF THE STRUCTURE.
3. INTERIOR
 - A. VISUALLY INSPECT INTERIOR SURFACE AND REMOVE ALL TRACES OF SOIL, WASTE MATERIALS, SMUDGES AND OTHER FOREIGN MATTER FROM WALLS, FLOOR, AND CEILING.
 - B. REMOVE ALL TRACES OF SPLASHED MATERIALS FROM ADJACENT SURFACES.
 - C. REMOVE PAINT DROPPINGS, SPOTS, STAINS, AND DIRT FROM FINISHED SURFACES.

CHANGE ORDER PROCEDURE:

1. REFER TO SECTION 17 OF SIGNED MCSA: SEE PROFESSIONAL SERVICE AGREEMENT FOR MCSA.

RELATED DOCUMENTS AND COORDINATION

1. GENERAL CARPENTRY, ELECTRICAL AND ANTENNA DRAWINGS ARE INTERRELATED. IN PERFORMANCE OF THE WORK, THE CONTRACTOR MUST REFER TO ALL DRAWINGS. ALL COORDINATION TO BE THE RESPONSIBILITY OF THE CONTRACTOR.

SHOP DRAWINGS

1. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS AS REQUIRED AND LISTED IN THESE SPECIFICATIONS TO THE OWNER FOR APPROVAL.
2. ALL SHOP DRAWINGS SHALL BE REVIEWED, CHECKED AND CORRECTED BY CONTRACTOR PRIOR TO SUBMITTAL TO THE OWNER.

PRODUCTS AND SUBSTITUTIONS

1. SUBMIT 3 COPIES OF EACH REQUEST FOR SUBSTITUTION. IN EACH REQUEST, IDENTIFY THE PRODUCT OR FABRICATION OR INSTALLATION METHOD TO BE REPLACED BY THE SUBSTITUTION. INCLUDE RELATED SPECIFICATION SECTION AND DRAWING NUMBERS AND COMPLETE DOCUMENTATION SHOWING COMPLIANCE WITH THE REQUIREMENTS FOR SUBSTITUTIONS.
2. SUBMIT ALL NECESSARY PRODUCT DATA AND CUT SHEETS WHICH PROPERLY INDICATE AND DESCRIBE THE ITEMS, PRODUCTS AND MATERIALS BEING INSTALLED. THE CONTRACTOR SHALL, IF DEEMED NECESSARY BY THE OWNER, SUBMIT ACTUAL SAMPLES TO THE OWNER FOR APPROVAL IN LIEU OF CUT SHEETS.

QUALITY ASSURANCE

1. ALL WORK SHALL BE IN ACCORDANCE WITH APPLICABLE LOCAL STATE AND FEDERAL REGULATIONS. THESE SHALL INCLUDE, BUT NOT BE LIMITED TO THE APPLICABLE CODES SET FORTH BY THE LOCAL GOVERNING BODY. SEE "CODE COMPLIANCE" T-1.

ADMINISTRATION

1. BEFORE THE COMMENCEMENT OF ANY WORK, THE CONTRACTOR WILL ASSIGN A PROJECT MANAGER WHO WILL ACT AS A SINGLE POINT OF CONTACT FOR ALL PERSONNEL INVOLVED IN THIS PROJECT. THIS PROJECT MANAGER WILL DEVELOP A MASTER SCHEDULE FOR THE PROJECT WHICH WILL BE SUBMITTED TO THE OWNER PRIOR TO THE COMMENCEMENT OF ANY WORK.
2. SUBMIT A BAR TYPE PROGRESS CHART, NOT MORE THAN 3 DAYS AFTER THE DATE ESTABLISHED FOR COMMENCEMENT OF THE WORK ON THE SCHEDULE, INDICATING A TIME BAR FOR EACH MAJOR CATEGORY OR UNIT OF WORK TO BE PERFORMED AT THE SITE, PROPERLY SEQUENCED AND COORDINATED WITH OTHER ELEMENTS OF WORK AND SHOWING COMPLETION OF THE WORK SUFFICIENTLY IN ADVANCE OF THE DATE ESTABLISHED FOR SUBSTANTIAL COMPLETION OF THE WORK.
3. PRIOR TO COMMENCING CONSTRUCTION, THE OWNER SHALL SCHEDULE AN ON-SITE MEETING WITH ALL MAJOR PARTIES. THIS WOULD INCLUDE, BUT NOT LIMITED TO, THE OWNER, PROJECT MANAGER, CONTRACTOR, LAND OWNER REPRESENTATIVE, LOCAL TELEPHONE COMPANY, TOWER ERECTION FOREMAN (IF SUBCONTRACTED).
4. CONTRACTOR SHALL BE EQUIPPED WITH SOME MEANS OF CONSTANT COMMUNICATIONS, SUCH AS A MOBILE PHONE OR A BEEPER. THIS EQUIPMENT WILL NOT BE SUPPLIED BY THE OWNER, NOR WILL WIRELESS SERVICE BE ARRANGED.
5. DURING CONSTRUCTION, CONTRACTOR MUST ENSURE THAT EMPLOYEES AND SUBCONTRACTORS WEAR HARD HATS AT ALL TIMES. CONTRACTOR WILL COMPLY WITH ALL WPCS SAFETY REQUIREMENTS IN THEIR AGREEMENT.
6. PROVIDE WRITTEN DAILY UPDATES ON SITE PROGRESS TO THE OWNER.
7. COMPLETE INVENTORY OF CONSTRUCTION MATERIALS AND EQUIPMENT IS REQUIRED PRIOR TO START OF CONSTRUCTION.
8. NOTIFY THE OWNER/PROJECT MANAGER IN WRITING NO LESS THAN 48 HOURS IN ADVANCE OF CONCRETE POURS, TOWER ERECTIONS, AND EQUIPMENT CABINET PLACEMENTS.

INSURANCE AND BONDS

1. CONTRACTOR, AT THEIR OWN EXPENSE, SHALL CARRY AND MAINTAIN, FOR THE DURATION OF THE PROJECT, ALL INSURANCE, AS REQUIRED AND LISTED, AND SHALL NOT COMMENCE WITH THEIR WORK UNTIL THEY HAVE PRESENTED AN ORIGINAL CERTIFICATE OF INSURANCE STATING ALL COVERAGES TO THE OWNER. REFER TO THE MASTER AGREEMENT FOR REQUIRED INSURANCE LIMITS.
2. THE OWNER SHALL BE NAMED AS AN ADDITIONAL INSURED ON ALL POLICIES.
3. CONTRACTOR MUST PROVIDE PROOF OF INSURANCE.

GENERAL NOTES:

INTENT

1. THESE SPECIFICATIONS AND CONSTRUCTION DRAWINGS ACCOMPANYING THEM DESCRIBE THE WORK TO BE DONE AND THE MATERIALS TO BE FURNISHED FOR CONSTRUCTION.
2. THE DRAWINGS AND SPECIFICATIONS ARE INTENDED TO BE FULLY EXPLANATORY AND SUPPLEMENTARY. HOWEVER, SHOULD ANYTHING BE SHOWN, INDICATED, OR SPECIFIED ON ONE AND NOT THE OTHER, IT SHALL BE DONE THE SAME AS IF SHOWN, INDICATED OR SPECIFIED IN BOTH.
3. THE INTENTION OF THE DOCUMENTS IS TO INCLUDE ALL LABOR AND MATERIALS REASONABLY NECESSARY FOR THE PROPER EXECUTION AND COMPLETION OF THE WORK AS STIPULATED IN THE CONTRACT.
4. THE PURPOSE OF THE SPECIFICATIONS IS TO INTERPRET THE INTENT OF THE DRAWINGS AND TO DESIGNATE THE METHOD OF THE PROCEDURE, TYPE AND QUALITY OF MATERIALS REQUIRED TO COMPLETE THE WORK.
5. MINOR DEVIATIONS FROM THE DESIGN LAYOUT ARE ANTICIPATED AND SHALL BE CONSIDERED AS PART OF THE WORK. NO CHANGES THAT ALTER THE CHARACTER OF THE WORK WILL BE MADE OR PERMITTED BY THE OWNER WITHOUT ISSUING A CHANGE ORDER.

PLANS PREPARED FOR:

verizon

180 WASHINGTON VALLEY ROAD
BEDMINSTER, NJ 07921

PLANS PREPARED BY:

INFINIGY
FROM ZERO TO INFINIGY

the solutions are endless

1490 W. 121st Ave., Suite 101
Westminster, CO 80234
Office # (303) 219-1178
Fax # (303) 242-8636
JOB NUMBER: TBD

MLA PARTNER:

**CROWN
CASTLE**

ENGINEERING LICENSE:



DRAWING NOTICE:

THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF VERIZON AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF VERIZON.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR CONSTRUCTION	12/16/18	RCD	0
ISSUED FOR REVIEW	11/28/18	RCD	A

VERIZON SITE NAME:

WILTON CT

CROWN CASTLE SITE NAME:

BRG 124 943066

CROWN CASTLE BU #:

806353

SITE ADDRESS:

128 MATHER STREET
WILTON, CT 06897

SHEET DESCRIPTION:


VERIZON
SPECIFICATIONS

SHEET NUMBER:

SP-1

ABBREVIATIONS

ADJ	ADJUSTABLE
AGL	ABOVE GROUND LINE
&	AND
APPROX	APPROXIMATE
@	AT
BTS	BASE TRANSMISSION STATION
CAB	CABINET
CLG	CEILING
CONC	CONCRETE
CONT	CONTINUOUS
DIA OR Ø	DIAMETER
DWG	DRAWING
EA	EACH
ELEC	ELECTRICAL
ELEV	ELEVATION
EQ	EQUAL
EQUIP	EQUIPMENT
EGB	EQUIPMENT GROUND BAR
(E)	EXISTING
EXT	EXTERIOR
FF	FINISHED FLOOR
GA	GAUGE
GALV	GALVANIZED
GC	GENERAL CONTRACTOR
GRND	GROUND
LG	LONG
MAX	MAXIMUM
MECH	MECHANICAL
MW	MICROWAVE DISH
MFR	MANUFACTURER
MGB	MASTER GROUND BAR
MIN	MINIMUM
MTL	METAL
(N)	NEW
NTS	NOT IN CONTRACT
OC	NOT TO SCALE
OPP	ON CENTER
(P)	OPPOSITE
PCS	PROPOSED
PCC	PERSONAL COMMUNICATION SYSTEM
SF	POWER PROTECTION CABINET
SHT	SQUARE FOOT
SIM	SHEET
SS	SIMILAR
STL	STAINLESS STEEL
TOC	STEEL
TOM	TOP OF CONCRETE
TOP	TOP OF MASONRY
VF	TYPICAL
UON	VERIFY IN FIELD
WHF	UNLESS OTHERWISE NOTED
W/	WELDED WIRE FABRIC WITH



INFORMATION CONTAINED WITHIN DRAWINGS IS BASED ON PROVIDED INFORMATION AND IS NOT THE RESULT OF A FIELD SURVEY. CONTRACTOR TO VERIFY EXISTING FIELD CONDITIONS PRIOR TO ANY CONSTRUCTION

OVERALL SITE PLAN




SCALE: 22"x34" SHEET 1"= 5'
SCALE: 11"x17" SHEET 1"= 10'

SCALE: AS NOTED 1

PLANS PREPARED FOR:
verizon
180 WASHINGTON VALLEY ROAD
BEDMINSTER, NJ 07921

PLANS PREPARED BY:
INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
1490 W. 121st. Ave., Suite 101
Westminster, CO 80234
Office # (303) 219-1178
Fax # (303) 242-8636
JOB NUMBER: TBD

MLA PARTNER:
CROWN CASTLE



DRAWING NOTICE:
THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF VERIZON AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF VERIZON.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR CONSTRUCTION	12/18/18	RCD	0
ISSUED FOR REVIEW	11/28/18	RCD	A

VERIZON SITE NAME:
WILTON CT

CROWN CASTLE SITE NAME:
BRG 124 943066

CROWN CASTLE BU #:
806353

SITE ADDRESS:
**128 MATHER STREET
WILTON, CT 06897**

SHEET DESCRIPTION:
OVERALL SITE PLAN


SHEET NUMBER:
A-1

INFINIGY ENGINEERING HAS NOT EVALUATED THE TOWER OR MOUNT FOR THIS SITE AND ASSUMES NO RESPONSIBILITY FOR ITS STRUCTURAL INTEGRITY. REFER TO STRUCTURAL ANALYSIS BY OTHERS PRIOR TO ANY CONSTRUCTION.

PLANS PREPARED FOR:
verizon
 180 WASHINGTON VALLEY ROAD
 BEDMINSTER, NJ 07921

PLANS PREPARED BY:
INFINIGY
 FROM ZERO TO INFINIGY
 the solutions are endless
 1490 W. 121st. Ave., Suite 101
 Westminster, CO 80234
 Office # (303) 219-1178
 Fax # (303) 242-8636
 JOB NUMBER: TBD

MLA PARTNER:
CROWN CASTLE



DRAWING NOTICE:
 THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF VERIZON AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF VERIZON.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR CONSTRUCTION	12/18/18	RCD	0
ISSUED FOR REVIEW	11/28/18	RCD	A

VERIZON SITE NAME:
WILTON CT


CROWN CASTLE SITE NAME:
BRG 124 943066

CROWN CASTLE BU #:
806353


SITE ADDRESS:
**128 MATHER STREET
 WILTON, CT 06897**

SHEET DESCRIPTION:
**TOWER
 ELEVATION**

SHEET NUMBER:
A-2



PROPOSED TOWER ELEVATION



NOTE:
CONTRACTOR TO VERIFY EQUIPMENT & MOUNTING HARDWARE DOES NOT TRAP OR INTERFERE WITH SAFETY CLIMB

EXISTING ANTENNA LAYOUT

NO SCALE


1

INFINIGY ENGINEERING HAS NOT EVALUATED THE TOWER OR MOUNT FOR THIS SITE AND ASSUMES NO RESPONSIBILITY FOR ITS STRUCTURAL INTEGRITY. REFER TO STRUCTURAL ANALYSIS BY OTHERS PRIOR TO ANY CONSTRUCTION.

PROPOSED VERIZON RRH P/N: B2/B66A RRHBR049 TO REPLACE EXISTING (TYP. OF (1) PER SECTOR, (3) SECTORS TOTAL)

1
A-4

EXISTING SELF SUPPORT TOWER



THE CONFIGURATION PLAN IS BASED ON PROVIDED INFORMATION AND IS FOR CONCEPTUAL PURPOSES ONLY. CONTRACTOR TO VERIFY FIELD CONDITIONS PRIOR TO CONSTRUCTION.

PROPOSED VERIZON RRH P/N: RRH 4T4R B5 160W (TYP. OF (1) PER SECTOR, (3) SECTORS TOTAL)

2
A-4

NORTH = 0°

PROPOSED ANTENNA LAYOUT

NO SCALE

2

SITE LOADING CHART

SECTOR	POSITION	SECTOR COLOR	TECHNOLOGY	ANTENNA MODEL #	VENDOR	QTY. (REMOVED)	QTY. (NEW)	RRH (QTY/MODEL)	AZIMUTH	DOWNTILT		RAD CENTER	FEED LINE TYPE/LENGTH (FEET + 20%)
										MECHANICAL	ELECTRICAL		
ALPHA	A1	RED	CDMA	APL868013 (42327)	RFS/CELWAVE	---	---	---	105°	0°	0°	±162' AGL	EXISTING COAX
ALPHA	A4	RED	CDMA	APL868013 (42327)	RFS/CELWAVE	---	---	---	105°	0°	0°	±162' AGL	EXISTING COAX
ALPHA	A2	RED	700 LTE/2100 LTE	JAHH-65B-R3B	ANDREW	---	---	(1) B2/B66A RRHBR049	115°	0°	1°	±162' AGL	(2) EXISTING HYBRID CABLE
ALPHA	A3	RED	1900 LTE/850 LTE	JAHH-65B-R3B	ANDREW	---	---	(1) UHBA B13 RRH 4x30/ (1) RRH 4T4R B5 160W	115°	0°	6°	±162' AGL	HYBRID SHARED WITH ABOVE (ALPHA)
BETA	B1	BLUE	CDMA	APL868013 (42327)	RFS/CELWAVE	---	---	---	220°	0°	0°	±162' AGL	EXISTING COAX
BETA	B4	BLUE	CDMA	APL868013 (42327)	RFS/CELWAVE	---	---	---	220°	0°	0°	±162' AGL	EXISTING COAX
BETA	B2	BLUE	700 LTE/2100 LTE	JAHH-65B-R3B	ANDREW	---	---	(1) B2/B66A RRHBR049	220°	0°	1°	±162' AGL	HYBRID SHARED WITH ABOVE (ALPHA)
BETA	B3	BLUE	1900 LTE/850 LTE	JAHH-65B-R3B	ANDREW	---	---	(1) UHBA B13 RRH 4x30/ (1) RRH 4T4R B5 160W	220°	3°	3°	±162' AGL	HYBRID SHARED WITH ABOVE (ALPHA)
GAMMA	G1	WHITE	CDMA	APL868013 (42327)	RFS/CELWAVE	---	---	---	335°	0°	0°	±162' AGL	EXISTING COAX
GAMMA	G4	WHITE	CDMA	APL868013 (42327)	RFS/CELWAVE	---	---	---	335°	0°	0°	±162' AGL	EXISTING COAX
GAMMA	G2	WHITE	700 LTE/2100 LTE	JAHH-65B-R3B	ANDREW	---	---	(1) B2/B66A RRHBR049	345°	0°	1°	±162' AGL	HYBRID SHARED WITH ABOVE (ALPHA)
GAMMA	G3	WHITE	1900 LTE/850 LTE	JAHH-65B-R3B	ANDREW	---	---	(1) UHBA B13 RRH 4x30/ (1) RRH 4T4R B5 160W	345°	0°	5°	±162' AGL	HYBRID SHARED WITH ABOVE (ALPHA)

NOTE:
CABLE LENGTHS ARE BASED ON PROVIDED INFORMATION. CONTRACTOR TO VERIFY REQUIRED CABLE LENGTHS PRIOR TO CONSTRUCTION.

SITE LOADING CHART

NO SCALE

3

PLANS PREPARED FOR:
verizon
180 WASHINGTON VALLEY ROAD
BEDMINSTER, NJ 07921

PLANS PREPARED BY:
INFINIGY
FROM ZERO TO INFINIGY
the solutions are endless
1490 W. 121st. Ave., Suite 101
Westminster, CO 80234
Office # (303) 219-1178
Fax # (303) 242-8636
JOB NUMBER: TBD

MLA PARTNER:
CROWN CASTLE

ENGINEERING LICENSE:
STATE OF CONNECTICUT
JOHN S. STEVENS
No. 24705
REC 1 & 2018
PROFESSIONAL ENGINEER

DRAWING NOTICE:
THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF VERIZON AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF VERIZON.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR CONSTRUCTION	12/18/18	RCD	0
ISSUED FOR REVIEW	11/28/18	RCD	A

VERIZON SITE NAME:
WILTON CT


CROWN CASTLE SITE NAME:
BRG 124 943066

CROWN CASTLE BU #:
806353

SITE ADDRESS:
**128 MATHER STREET
WILTON, CT 06897**

SHEET DESCRIPTION:
ANTENNA LAYOUT & LOADING CHART

SHEET NUMBER:
A-3




SIZE AND WEIGHT TABLE				
RRH	WIDTH	DEPTH	HEIGHT	WEIGHT WO BRACKET
B2/B66A RRHBR049	11.9"	7.2"	25.8"	52.9 LBS

REMOTE RADIO HEAD SPECIFICATIONS

NO SCALE

1




SIZE AND WEIGHT TABLE				
RRH	WIDTH	DEPTH	HEIGHT	WEIGHT WO BRACKET
RRH 4T4R B5 160W	12.0"	9.0"	21.6"	57.2 LBS

REMOTE RADIO HEAD SPECIFICATIONS

NO SCALE


2



RRH MOUNTING DETAIL

NO SCALE

3



WIRING DIAGRAM

NO SCALE

4

PLANS PREPARED FOR:

verizon

180 WASHINGTON VALLEY ROAD
BEDMINSTER, NJ 07921

PLANS PREPARED BY:

INFINIGY

FROM ZERO TO INFINIGY
the solutions are endless

1490 W. 121st. Ave., Suite 101
Westminster, CO 80234
Office # (303) 219-1178
Fax # (303) 242-8636
JOB NUMBER: TBD

MLA PARTNER:

CROWN CASTLE

ENGINEERING LICENSE:



DRAWING NOTICE:

THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF VERIZON AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF VERIZON.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR CONSTRUCTION	12/18/18	RCD	0
ISSUED FOR REVIEW	11/28/18	RCD	A

VERIZON SITE NAME:

WILTON CT

CROWN CASTLE SITE NAME:

BRG 124 943066

CROWN CASTLE BU #:

806353

SITE ADDRESS:

**128 MATHER STREET
WILTON, CT 06897**

SHEET DESCRIPTION:

**EQUIPMENT &
DETAILS**

SHEET NUMBER:

A-4

PLANS PREPARED FOR:

verizon

180 WASHINGTON VALLEY ROAD
BEDMINSTER, NJ 07921

PLANS PREPARED BY:

INFINIGY

FROM ZERO TO INFINIGY
the solutions are endless

1490 W. 121st. Ave., Suite 101
Westminster, CO 80234
Office # (303) 219-1178
Fax # (303) 242-8636
JOB NUMBER: TBD

MLA PARTNER:

CROWN CASTLE

ENGINEERING LICENSE:



DRAWING NOTICE:

THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF VERIZON AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF VERIZON.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR CONSTRUCTION	12/18/18	RCD	0
ISSUED FOR REVIEW	11/28/18	RCD	A

VERIZON SITE NAME:

WILTON CT

CROWN CASTLE SITE NAME:

BRG 124 943066

CROWN CASTLE BU #:

806353

SITE ADDRESS:

128 MATHER STREET
WILTON, CT 06897


SHEET DESCRIPTION:

EQUIPMENT
DETAILS

SHEET NUMBER:

A-5

ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	X-STA3	STIFF ARM ANGLE BRACKET	2 1/2 in	1.39	1.39
2	2	X-STU	STIFF ARM CHANNEL BRACKET		1.37	2.74
3	2	G12R-10	1/2" x 10" THREADED ROD (HDG.)		3.23	6.45
4	1	G12112	1/2" x 1-1/2" HDG HEX BOLT GR5	1 1/2 in	0.15	0.15
5	2	G1203	1/2" x 3" HDG HEX BOLT GR5 FULL THREAD	3 in	0.22	0.43
6	15	G12LW	1/2" HDG LOCKWASHER		0.01	0.21
7	17	G12FW	1/2" HDG USS FLATWASHER		0.03	0.58
8	15	G12NUT	1/2" HDG HEAVY 2H HEX NUT		0.07	1.07
9	1	G58112	5/8" x 1-1/2" HDG BOLT	1 1/2 in	0.25	0.25
10	1	G58LW	5/8" HDG LOCKWASHER		0.03	0.03
11	1	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	0.13
12	1	SCX1	CROSSOVER PLATE 2-3/8" X 2-3/8"		3.71	3.71
13	4	X-UB1212	1/2" X 2-1/2" X 4-1/2" X 2" U-BOLT (HDG.)		0.66	2.63
14	1	P2150	2-3/8" OD X 150" SCH 40 GALVANIZED PIPE	150 in	48.06	48.06
15	1	ACP	4-1/16" CLAMP HALF, 1/4" THK.		0.65	0.65
16	1	SAM	STIFF ARM MOUNT CLAMP		0.77	0.77
					TOTAL WT. #	63.79



PLANS PREPARED FOR:



180 WASHINGTON VALLEY ROAD
BEDMINSTER, NJ 07921

PLANS PREPARED BY:



FROM ZERO TO INFINIGY
the solutions are endless

1490 W. 121st. Ave., Suite 101
Westminster, CO 80234
Office # (303) 219-1178
Fax # (303) 242-8636
JOB NUMBER: TBD

MLA PARTNER:



ENGINEERING LICENSE:



DRAWING NOTICE:

THESE DOCUMENTS ARE CONFIDENTIAL AND ARE THE SOLE PROPERTY OF VERIZON AND MAY NOT BE REPRODUCED, DISSEMINATED OR REDISTRIBUTED WITHOUT THE EXPRESS WRITTEN CONSENT OF VERIZON.

REVISIONS:

DESCRIPTION	DATE	BY	REV
ISSUED FOR CONSTRUCTION	12/18/18	RCD	0
ISSUED FOR REVIEW	11/28/18	RCD	A

VERIZON SITE NAME:

WILTON CT

CROWN CASTLE SITE NAME:

BRG 124 943066

CROWN CASTLE BU #:

806353

SITE ADDRESS:


128 MATHER STREET
WILTON, CT 06897

SHEET DESCRIPTION:


GROUNDING PLANS

SHEET NUMBER:


G-1



NOTE:
ALL MECHANICAL EXTERNAL TERMINATION SURFACES SHALL BE TREATED WITH T&B KOPR-SHIELD CP8 ANTI-OXIDATION COMPOUND.



NOTE:
DO NOT INSTALL CABLE GROUND KIT AT A BEND AND ALWAYS DIRECT GROUND WIRE DOWN TO GROUND BAR.



TYPICAL EQUIPMENT GROUND CONNECTION

NO SCALE 1

TYPICAL CABLE GROUND KIT CONNECTION


NO SCALE 2

TYPICAL CONNECTION OF GROUND WIRES TO GROUNDING BARS & ANTENNAS

NO SCALE 3

GENERAL GROUNDING NOTES:

- TO ENSURE PROPER BONDING, ALL CONNECTIONS SHALL BE AS FOLLOWS:
- #2 BARE TINNED SOLID COPPER CONDUCTOR: EXOTHERMIC WELD TO RODS OR GROUND RING
- LUGS AND BUS BAR (UNLESS NOTED OTHERWISE): SANDED CLEAN, COATED WITH OXIDE INHIBITOR AND BOLTED FOR MAXIMUM SURFACE CONTACT. ALL LUGS SHALL BE COPPER (NO ALUMINUM SHALL BE PERMITTED). PROVIDE LOCK WASHERS FOR ALL MECHANICAL CONNECTIONS FOR GROUND CONDUCTORS. USE STAINLESS STEEL HARDWARE THROUGHOUT.
- ALL GROUNDING CABLE IN CONCRETE OR THROUGH WALLS SHALL BE IN 3/4" PVC CONDUIT. SEAL AROUND CONDUIT THROUGH WALLS. NO METALLIC CONDUIT SHALL BE USED FOR GROUNDING CONDUCTORS.
- OWNER'S REPRESENTATIVE WILL INSPECT EXOTHERMIC WELD AND CONDUCT MEGGER TEST PRIOR TO BURIAL. MAXIMUM 5 OHMS RESISTANCE IS REQUIRED.
- CONTRACTOR TO INSTALL GROUNDING IN CLOSE PROXIMITY TO EQUIPMENT PLATFORM OR PAD.
- MAKE ALL GROUND CONNECTIONS AS SHORT AND DIRECT AS POSSIBLE. AVOID SHARP BENDS. ALL BENDS SHALL BE A MINIMUM 8" RADIUS AND NO GREATER THAN 90 DEGREES.
- ALL CADWELDS TO BURIED GROUND RING SHALL BE THE PARALLEL TYPE, EXCEPT FOR THE GROUND RODS WHICH SHALL BE THE TEE TYPE.
- BOND SERVICE CONDUITS TO GROUND RING AS THEY CROSS. DO NOT EXOTHERMICALLY WELD TO CONDUITS.
- THE CONTRACTOR SHALL NOTIFY THE CONSTRUCTION MANAGER WHEN THE GROUNDING SYSTEM IS COMPLETE. THE CONSTRUCTION MANAGER SHALL INSPECT THE GROUNDING SYSTEM PRIOR TO BACKFILLING.
- THE MINIMUM SPACING BETWEEN GROUND RODS SHALL BE 10'-0" (MAX. 15'-0").
- BOND CIGBE TO EXTERNAL GROUND RING WITH 2 RUNS OF #2 BARE, TINNED, SOLID COPPER CONDUCTOR IN PVC. CONNECT BAR END WITH 2 HOLE LUG, AND "CADWELD" THE OTHER END TO THE EXTERNAL GROUND ROD.
- THE PREFERRED LOCATION FOR COAX GROUNDING IS AT THE BASE OF THE TOWER PRIOR TO THE COAX BEND.
- BONDING OF THE GROUNDED CONDUCTOR (NEUTRAL) AND THE GROUNDING CONDUCTOR SHALL BE AT THE SERVICE DISCONNECTING MEANS. BONDING JUMPER SHALL BE INSTALLED PER N.E.C. ARTICLE 250-30.



GROUNDING SYMBOLS:

- ⊗ GROUND ROD
- ⊠ ACCESS WELL
- ⊗ GROUND ROD WITH ACCESS
- COMPRESSION TYPE CONNECTION
- EXOTHERMIC WELD TYPE CONNECTION
- G — #2/0 BTS COPPER CONDUCTOR BURIED GROUND CABLE
- ⚡ INDICATES CODED NOTE



TYPICAL ANTENNA GROUNDING PLAN

NO SCALE 1

Date: March 18, 2019

Heather Simeone
Crown Castle
3530 Toringdon Way Suite 300
Charlotte, NC 28277

Paul J. Ford and Company
250 East Broad st., Suite 600
Columbus, OH 43215
(614) 221-6679

Subject: Structural Analysis Report

Carrier Designation: Verizon Wireless Co-Locate
Carrier Site Number: 1976
Carrier Site Name: WILTON CT

Crown Castle Designation: Crown Castle BU Number: 806353
Crown Castle Site Name: BRG 124 943066
Crown Castle JDE Job Number: 535165
Crown Castle Work Order Number: 1710884
Crown Castle Order Number: 461645 Rev. 3

Engineering Firm Designation: Paul J. Ford and Company Project Number: 37519-0980.001.8700

Site Data: 128 MATHER STREET, WILTON, Fairfield County, CT
Latitude 41° 14' 18.34", Longitude -73° 25' 26.44"
180 Foot - Self Support Tower

Dear Heather Simeone,

Paul J. Ford and Company is pleased to submit this "Structural Analysis Report" to determine the structural integrity of the above mentioned tower.

The purpose of the analysis is to determine acceptability of the tower stress level. Based on our analysis we have determined the tower stress level for the structure and foundation, under the following load case, to be:

LC7: Proposed Equipment Configuration

Sufficient Capacity


This analysis utilizes an ultimate 3-second gust wind speed of 120 mph as required by the 2018 Connecticut State Building Code and Appendix N. Applicable Standard references and design criteria are listed in Section 2 - Analysis Criteria.

Respectfully submitted by:

Michael T Bange

Michael Bange, EI
Structural Designer
mbange@pauljford.com

JPJ



MAR 19 2019

TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

Table 1 - Proposed Equipment Configuration

Table 2 - Other Considered Equipment

3) ANALYSIS PROCEDURE

Table 3 - Documents Provided

3.1) Analysis Method

3.2) Assumptions

4) ANALYSIS RESULTS

Table 4 - Section Capacity (Summary)

Table 5 – Tower Component Stresses vs. Capacity

4.1) Recommendations

5) APPENDIX A

tnxTower Output

6) APPENDIX B

Base Level Drawing

7) APPENDIX C

Additional Calculations

1) INTRODUCTION

This tower is a 180 ft Self Support tower designed by FWT INC..

2) ANALYSIS CRITERIA

TIA-222 Revision:	TIA-222-H
Risk Category:	II
Wind Speed:	120 mph
Exposure Category:	B
Topographic Factor:	1
Ice Thickness:	1.5 in
Wind Speed with Ice:	50 mph
Service Wind Speed:	60 mph

Table 1 - Proposed Equipment Configuration

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
164.0	166.0	3	alcatel lucent	B13 RRH 4X30	14	1-5/8
		6	commscope	JAHH-65B-R3B w/ Mount Pipe		
		2	nokia	B5 4T4R RRH4X40 AIRSCALE		
		1	nokia	B5 4T4R RRH4X40 AIRSCALE		
		6	rfs celwave	APL868013-42T0 w/ Mount Pipe		
		2	rfs celwave	DB-T1-6Z-8AB-0Z		
		6	rfs celwave	FD9R6004/2C-3L		
	3	samsung telecommunications	RFV01U-D2A			
	164.0	3	Sitepro1	STK-U Stiff Arm Kit		
		1	tower mounts	Sector Mount [SM 702-3]		
62.0	65.0	1	gps	GPS_A	1	1/2
	62.0	1	tower mounts	Side Arm Mount [SO 301-1]		

Table 2 - Other Considered Equipment

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
178.0	184.0	1	rfs celwave	PD10017	2	7/8
170.0	171.0	3	kathrein	800 10504 w/ Mount Pipe	1 6	1/4 1-5/8
	170.0	3	kathrein	860 10025		
		1	tower mounts	Side Arm Mount [SO 103-3]		
154.0	158.0	3	ericsson	RRUS 11	12 2 4	1-5/8 3/8 5/8
		3	ericsson	RRUS 32		
		3	ericsson	RRUS 32 B2		
		3	kaelus	DBC0061F1V51-2		
		3	powerwave technologies	7770.00 w/ Mount Pipe		
		6	powerwave technologies	LGP21401		
		3	powerwave technologies	P65-16-XLH-RR w/ Mount Pipe		
		3	powerwave technologies	TT19-08BP111-001		
	3	quintel technology	QS66512-2 w/ Mount Pipe			
	1	raycap	DC6-48-60-18-8F			
154.0	154.0	1	raycap	DC6-48-60-18-8F		
		1	tower mounts	Sector Mount [SM 602-3]		
146.0	146.0	3	alcatel lucent	800 EXTERNAL NOTCH FILTER	-	-
		3	alcatel lucent	800MHZ 2X50W RRH		
		3	alcatel lucent	PCS 1900MHz 4x45W-65MHz		
143.0	143.0	3	alcatel lucent	TD-RRH8x20-25	4	1-1/4
		9	rfs celwave	ACU-A20-N		
		3	rfs celwave	APXVSP18-C-A20		
		3	rfs celwave	APXVTM14-C-120 w/ Mount Pipe		
		1	tower mounts	Sector Mount [SM 701-3]		
124.0	131.0	2	rfs celwave	1142-2C	2	1/2
	124.0	2	tower mounts	Side Arm Mount [SO 306-1]		
104.0	111.0	1	rfs celwave	1142-2C	1 1	1/2 7/8
	108.0	1	rfs celwave	220-3BN		
	104.0	2	tower mounts	Side Arm Mount [SO 306-1]		
93.0	93.0	3	commscope	LNx-6515DS-VTM w/ Mount Pipe	13	1-1/4
		3	ericsson	ERICSSON AIR 21 B2A B4P w/ Mount Pipe		
		3	ericsson	ERICSSON AIR 21 B4A B2P w/ Mount Pipe		
		3	ericsson	KRY 112 144/1		

Mounting Level (ft)	Center Line Elevation (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Number of Feed Lines	Feed Line Size (in)
		3	ericsson	RRUS 11 B12		
		1	tower mounts	Sector Mount [SM 1306-3]		
42.0	44.0	1	gps	GPS_A	1	1/2
	42.0	1	tower mounts	Side Arm Mount [SO 301-1]		
31.0	32.0	1	gps	GPS_A	1	1/2
	31.0	1	tower mounts	Side Arm Mount [SO 301-1]		

3) ANALYSIS PROCEDURE

Table 3 - Documents Provided

Document	Remarks	Reference	Source
GEOTECHNICAL REPORTS	FDH, 09-04219E G1 - 4/29/2009	262283	CCISITES
POST-MODIFICATION INSPECTION	Paul J. Ford, 37509-0801 - 1/11/2010	2575710	CCISITES
TOWER FOUNDATION DRAWINGS/DESIGN/SPECS	FWT, 18888-81 - 5/31/1988	262285	CCISITES
TOWER MANUFACTURER DRAWINGS	FWT, 18888-81 - 5/6/1988	217757	CCISITES
TOWER REINFORCEMENT DESIGN/DRAWINGS/DATA	Paul J. Ford, 37509-0801 - 12/8/2009	2434484	CCISITES
TOWER REINFORCEMENT DESIGN/DRAWINGS/DATA	HEB, 98124A - 1/7/2000	3290324	CCISITES
TOWER REINFORCEMENT DESIGN/DRAWINGS/DATA	APT, CT105271 - 1/17/2003	801524	CCISITES
FOUNDATION MAPPING	FDH, 09-11077 E N1 - 8/7/2012	3290324	CCISITES
4-POST-MODIFICATION INSPECTION	SGS, 163898, 10/21/2016	6515894	CCISITES

3.1) Analysis Method

tnxTower (version 8.0.5.0), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix A.

3.2) Assumptions

- 1) Tower and structures were built and maintained in accordance with the manufacturer's specifications.
- 2) The configuration of antennas, transmission cables, mounts and other appurtenances are as specified in Tables 1 and 2 and the referenced drawings.
- 3) The existing base plate grout was considered in this analysis. Grout must be maintained and inspected periodically and must be replaced if damaged or cracked. Refer to crown document PRC-10012, Base Plate Grout Inspection & Classification.
- 4) The Knife plates at 40' and 20' splices have not been analyzed since the existing flange bolts do pass in this analysis.

This analysis may be affected if any assumptions are not valid or have been made in error. Paul J. Ford and Company should be notified to determine the effect on the structural integrity of the tower.

4) ANALYSIS RESULTS

Table 4 - Section Capacity (Summary)

Section No.	Elevation (ft)	Component Type	Size	Critical Element	P (K)	SF*P_allow (K)	% Capacity	Pass / Fail	
T1	180 - 168	Leg	Pipe 2.375" x 0.154" (2 STD)	1	-2.24	29.38	7.6	Pass	
T2	168 - 160	Leg	Pipe 2.375" x 0.154" (2 STD) (GR)	26	-10.73	40.35	26.6	Pass	
T3	160 - 140	Leg	Pipe 3.5" x 0.216" (3 STD) (GR)	41	39.14	73.71	53.1	Pass	
T4	140 - 120	Leg	Pipe 4" x 0.318" (3.5 XS) (GR)	68	-83.42	128.24	65.0	Pass	
T5	120 - 100	Leg	Pipe 4.5" x 0.337" (4 XS) (GR)	89	-115.32	165.05	69.9 78.8 (b)	Pass	
T6	100 - 80	Leg	Pipe 5.563" x 0.375" (5 XS) (GR)	110	127.45	202.15	63.0 73.0 (b)	Pass	
T7	80 - 60	Leg	Pipe 6.625" x 0.432" (6 XS) (GR)	131	153.80	277.99	55.3	Pass	
T8	60 - 40	Leg	Pipe 6.625" x 0.432" (6 XS) (GR)	146	180.71	277.99	65.0 78.9 (b)	Pass	
T9	40 - 20	Leg	Pipe 6.625" x 0.432" (6 XS) (GR)	161	205.62	277.99	74.0	Pass	
T10	20 - 0	Leg	Pipe 8.625" x 0.500" (8 XS) (GR)	182	229.69	422.13	54.4	Pass	
T1	180 - 168	Diagonal	L 2 x 1.5 x 3/16 LLV	11	-0.61	17.33	3.5 7.5 (b)	Pass	
T2	168 - 160	Diagonal	L 2 x 1.5 x 3/16 LLV	29	2.61	16.46	15.9 34.9 (b)	Pass	
T3	160 - 140	Diagonal	L 2 x 1.5 x 3/16 LLV	43	-4.15	12.46	33.3 54.7 (b)	Pass	
T4	140 - 120	Diagonal	L 2 x 2 x 3/16	70	-4.82	10.92	44.1 66.3 (b)	Pass	
T5	120 - 100	Diagonal	L 2.5 x 2 x 3/16 LLV	92	-5.10	10.62	48.0 48.6 (b)	Pass	
T6	100 - 80	Diagonal	L 2.5 x 2.5 x 3/16	112	-6.46	11.89	54.3 62.3 (b)	Pass	
T7	80 - 60	Diagonal	L 3 x 3 x 3/16	133	-7.77	12.89	60.3 67.0 (b)	Pass	
T8	60 - 40	Diagonal	L 3.5 x 3 x 1/4 LLV	148	-8.35	17.00	49.1 57.6 (b)	Pass	
T9	40 - 20	Diagonal	L 3.5 x 3 x 1/4 LLV	163	-9.65	13.69	70.5	Pass	
T10	20 - 0	Diagonal	L 3.5 x 3.5 x 1/4	184	-10.00	15.76	63.4 69.0 (b)	Pass	
T9	40 - 20	Secondary Horizontal	L 3.5 x 3.5 x 1/4	169	-4.23	23.70	17.9 45.6 (b)	Pass	
T1	180 - 168	Top Girt	L 2 x 1.5 x 3/16 LLH	5	-0.12	10.65	1.2 2.8 (b)	Pass	
							Summary		
							Leg (T8)	78.9	Pass
							Diagonal (T9)	70.5	Pass
							Secondary Horizontal (T9)	45.6	Pass
							Top Girt (T1)	2.8	Pass
							Bolt Checks	78.9	Pass
							Rating =	78.9	Pass

Table 5 - Tower Component Stresses vs. Capacity – LC7

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
1	Anchor Rods	0	98.1	Pass
1	Base Foundation Structural	0	37.5	Pass
1	Base Foundation Soil Interaction	0	85.1	Pass

Structure Rating (max from all components) =	98.1%
---	--------------

Notes:

- All structural ratings per TIA-222-H Section 15.5.
- 1) See additional documentation in "Appendix C – Additional Calculations" for calculations supporting the % capacity consumed.

4.1) Recommendations

The tower and its foundation(s) have sufficient capacity to carry the proposed loading configuration. No modifications are required at this time.

APPENDIX A
TNXTOWER OUTPUT

Tower Input Data


The main tower is a 3x free standing tower with an overall height of 180.00 ft above the ground line.
 The base of the tower is set at an elevation of 0.00 ft above the ground line.
 The face width of the tower is 4.00 ft at the top and 20.00 ft at the base.
 This tower is designed using the TIA-222-H standard.

The following design criteria apply:

- 1) Tower is located in Fairfield County, Connecticut.
- 2) Tower base elevation above sea level: 426.00 ft.
- 3) Basic wind speed of 120 mph.
- 4) Risk Category II.
- 5) Exposure Category B.
- 6) Simplified Topographic Factor Procedure for wind speed-up calculations is used.
- 7) Topographic Category: 1.
- 8) Crest Height: 0.00 ft.
- 9) Nominal ice thickness of 1.50 in.
- 10) Ice thickness is considered to increase with height.
- 11) Ice density of 56 pcf.
- 12) A wind speed of 50 mph is used in combination with ice.
- 13) Deflections calculated using a wind speed of 60 mph.
- 14) see additional calcs for flange capacity at 60' and 20', considering the weakest link weld in the jump plate design.
- 15) TIA-222-H Annex S.
- 16) Grouted pipe f'_c is 7 ksi.
- 17) Pressures are calculated at each section.
- 18) Tower analysis based on target reliabilities in accordance with Annex S.
- 19) Load Modification Factors used: $K_{es}(F_w) = 0.95$, $K_{es}(t_i) = 0.85$.
- 20) Stress ratio used in tower member design is 1.05.
- 21) Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

Options

Consider Moments - Legs Consider Moments - Horizontals Consider Moments - Diagonals Use Moment Magnification Use Code Stress Ratios ✓ Use Code Safety Factors - Guys Escalate Ice Always Use Max Kz Use Special Wind Profile ✓ Include Bolts In Member Capacity Leg Bolts Are At Top Of Section ✓ Secondary Horizontal Braces Leg Use Diamond Inner Bracing (4 Sided) SR Members Have Cut Ends SR Members Are Concentric	Distribute Leg Loads As Uniform Assume Legs Pinned Assume Rigid Index Plate ✓ Use Clear Spans For Wind Area ✓ Use Clear Spans For KL/r Retension Guys To Initial Tension ✓ Bypass Mast Stability Checks ✓ Use Azimuth Dish Coefficients ✓ Project Wind Area of Appurt. Autocalc Torque Arm Areas Add IBC .6D+W Combination ✓ Sort Capacity Reports By Component Triangulate Diamond Inner Bracing Treat Feed Line Bundles As Cylinder Ignore KL/ry For 60 Deg. Angle Legs	Use ASCE 10 X-Brace Ly Rules ✓ Calculate Redundant Bracing Forces Ignore Redundant Members in FEA SR Leg Bolts Resist Compression All Leg Panels Have Same Allowable Offset Girt At Foundation ✓ Consider Feed Line Torque ✓ Include Angle Block Shear Check Use TIA-222-H Bracing Resist. Exemption Use TIA-222-H Tension Splice Exemption <div style="background-color: #e0e0e0; text-align: center; padding: 2px;">Poles</div> Include Shear-Torsion Interaction Always Use Sub-Critical Flow Use Top Mounted Sockets Pole Without Linear Attachments Pole With Shroud Or No Appurtenances Outside and Inside Corner Radii Are Known
--	---	---



Triangular Tower

Tower Section Geometry

Tower Section	Tower Elevation	Assembly Database	Description	Section Width	Number of Sections	Section Length
	ft			ft		ft
T1	180.00-168.00			4.00	1	12.00
T2	168.00-160.00			4.00	1	8.00
T3	160.00-140.00			4.00	1	20.00
T4	140.00-120.00			6.00	1	20.00
T5	120.00-100.00			8.00	1	20.00
T6	100.00-80.00			10.00	1	20.00
T7	80.00-60.00			12.00	1	20.00
T8	60.00-40.00			14.00	1	20.00
T9	40.00-20.00			16.00	1	20.00
T10	20.00-0.00			18.00	1	20.00

Tower Section Geometry (cont'd)

Tower Section	Tower Elevation	Diagonal Spacing	Bracing Type	Has K Brace End Panels	Has Horizontals	Top Girt Offset	Bottom Girt Offset
	ft	ft				in	in
T1	180.00-168.00	4.00	X Brace	No	No	0.00	0.00
T2	168.00-160.00	4.00	X Brace	No	No	0.00	0.00
T3	160.00-140.00	5.00	X Brace	No	No	0.00	0.00
T4	140.00-120.00	6.67	X Brace	No	No	0.00	0.00
T5	120.00-100.00	6.67	X Brace	No	No	0.00	0.00
T6	100.00-80.00	6.67	X Brace	No	No	0.00	0.00
T7	80.00-60.00	10.00	X Brace	No	No	0.00	0.00
T8	60.00-40.00	10.00	X Brace	No	No	0.00	0.00
T9	40.00-20.00	10.00	X Brace	No	Yes	0.00	0.00
T10	20.00-0.00	10.00	X Brace	No	No	0.00	0.00

Tower Section Geometry (cont'd)

Tower Elevation ft	Leg Type	Leg Size	Leg Grade	Diagonal Type	Diagonal Size	Diagonal Grade
T1 180.00-168.00	Pipe	Pipe 2.375" x 0.154" (2 STD)	A53-B-35 (35 ksi)	Single Angle	L 2 x 1.5 x 3/16 LLV	A36 (36 ksi)
T2 168.00-160.00	Grouted Pipe	Pipe 2.375" x 0.154" (2 STD)	A53-B-35 (35 ksi)	Single Angle	L 2 x 1.5 x 3/16 LLV	A36 (36 ksi)
T3 160.00-140.00	Grouted Pipe	Pipe 3.5" x 0.216" (3 STD)	A53-B-35 (35 ksi)	Single Angle	L 2 x 1.5 x 3/16 LLV	A36 (36 ksi)
T4 140.00-120.00	Grouted Pipe	Pipe 4" x 0.318" (3.5 XS)	A53-B-35 (35 ksi)	Single Angle	L 2 x 2 x 3/16	A36 (36 ksi)
T5 120.00-100.00	Grouted Pipe	Pipe 4.5" x 0.337" (4 XS)	A53-B-35 (35 ksi)	Single Angle	L 2.5 x 2 x 3/16 LLV	A36 (36 ksi)
T6 100.00-80.00	Grouted Pipe	Pipe 5.563" x 0.375" (5 XS)	A53-B-35 (35 ksi)	Single Angle	L 2.5 x 2.5 x 3/16	A36 (36 ksi)
T7 80.00-60.00	Grouted Pipe	Pipe 6.625" x 0.432" (6 XS)	A53-B-35 (35 ksi)	Single Angle	L 3 x 3 x 3/16	A36 (36 ksi)
T8 60.00-40.00	Grouted Pipe	Pipe 6.625" x 0.432" (6 XS)	A53-B-35 (35 ksi)	Single Angle	L 3.5 x 3 x 1/4 LLV	A36 (36 ksi)
T9 40.00-20.00	Grouted Pipe	Pipe 6.625" x 0.432" (6 XS)	A53-B-35 (35 ksi)	Single Angle	L 3.5 x 3 x 1/4 LLV	A36 (36 ksi)
T10 20.00-0.00	Grouted Pipe	Pipe 8.625" x 0.500" (8 XS)	A53-B-35 (35 ksi)	Single Angle	L 3.5 x 3.5 x 1/4	A36 (36 ksi)

Tower Section Geometry (cont'd)

Tower Elevation ft	Top Girt Type	Top Girt Size	Top Girt Grade	Bottom Girt Type	Bottom Girt Size	Bottom Girt Grade
T1 180.00-168.00	Single Angle	L 2 x 1.5 x 3/16 LLH	A36 (36 ksi)	Single Angle		A36 (36 ksi)

Tower Section Geometry (cont'd)

Tower Elevation ft	Secondary Horizontal Type	Secondary Horizontal Size	Secondary Horizontal Grade	Inner Bracing Type	Inner Bracing Size	Inner Bracing Grade
T9 40.00-20.00	Single Angle	L 3.5 x 3.5 x 1/4	A36 (36 ksi)	Single Angle		A36 (36 ksi)

Tower Section Geometry (cont'd)

Tower Elevation ft	Gusset Area (per face) ft ²	Gusset Thickness in	Gusset Grade	Adjust. Factor A _r	Adjust. Factor A _r	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontal in	Double Angle Stitch Bolt Spacing Redundants in
T1 180.00-168.00	0.00	0.38	A36 (36 ksi)	1.03	1	1.15	0.00	0.00	36.00
T2 168.00-160.00	0.00	0.38	A36 (36 ksi)	1.03	1	1.15	0.00	0.00	36.00
T3 160.00-140.00	0.00	0.38	A36 (36 ksi)	1.03	1	1.15	0.00	0.00	36.00

Tower Elevation	Gusset Area (per face)	Gusset Thickness	Gusset Grade	Adjust. Factor A_r	Adjust. Factor A_r	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals	Double Angle Stitch Bolt Spacing Horizontals	Double Angle Stitch Bolt Spacing Redundants
ft	ft ²	in					in	in	in
T4 140.00-120.00	0.00	0.38	A36 (36 ksi)	1.03	1	1.15	0.00	0.00	36.00
T5 120.00-100.00	0.00	0.38	A36 (36 ksi)	1.03	1	1.15	0.00	0.00	36.00
T6 100.00-80.00	0.00	0.38	A36 (36 ksi)	1.03	1	1.15	0.00	0.00	36.00
T7 80.00-60.00	0.00	0.38	A36 (36 ksi)	1.03	1	1.15	0.00	0.00	36.00
T8 60.00-40.00	0.00	0.38	A36 (36 ksi)	1.03	1	1.15	0.00	0.00	36.00
T9 40.00-20.00	0.00	0.38	A36 (36 ksi)	1.03	1	1.15	0.00	0.00	36.00
T10 20.00-0.00	0.00	0.38	A36 (36 ksi)	1.03	1	1.15	0.00	0.00	36.00

Tower Section Geometry (cont'd)

Tower Elevation	Calc K Single Angles	Calc K Solid Rounds	Legs	K Factors ¹								
				X Brace Diags	K Brace Diags	Single Diags	Girts	Horiz.	Sec. Horiz.	Inner Brace		
				X Y	X Y	X Y	X Y	X Y	X Y	X Y		
T1 180.00-168.00	Yes	No	1	1	1	1	1	1	1	1	1	1
T2 168.00-160.00	Yes	No	1	1	1	1	1	1	1	1	1	1
T3 160.00-140.00	Yes	No	1	1	1	1	1	1	1	1	1	1
T4 140.00-120.00	Yes	No	1	1	1	1	1	1	1	1	1	1
T5 120.00-100.00	Yes	No	1	1	1	1	1	1	1	1	1	1
T6 100.00-80.00	Yes	No	1	1	1	1	1	1	1	1	1	1
T7 80.00-60.00	Yes	No	1	1	1	1	1	1	1	1	1	1
T8 60.00-40.00	Yes	No	1	1	1	1	1	1	1	1	1	1
T9 40.00-20.00	No	No	1	1	1	1	1	1	1	0.5	1	1
T10 20.00-0.00	Yes	No	1	1	1	1	1	1	1	1	1	1

¹Note: K factors are applied to member segment lengths. K-braces without inner supporting members will have the K factor in the out-of-plane direction applied to the overall length.

Tower Section Geometry (cont'd)

Tower Elevation	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
	Net Width	U	Net Width	U	Net Width	U	Net Width	U	Net Width	U	Net Width	U	Net Width	U
ft	Deduct		Deduct		Deduct		Deduct		Deduct		Deduct		Deduct	
	in		in		in		in		in		in		in	
T1 180.00-168.00	0.00	1	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75
T2 168.00-160.00	0.00	1	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75

Tower Elevation ft	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U	Net Width Deduct in	U
T3 160.00-140.00	0.00	1	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75
T4 140.00-120.00	0.00	1	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75
T5 120.00-100.00	0.00	1	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75
T6 100.00-80.00	0.00	1	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75
T7 80.00-60.00	0.00	1	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75
T8 60.00-40.00	0.00	1	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75
T9 40.00-20.00	0.00	1	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75
T10 20.00-0.00	0.00	1	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75	0.00	0.75

Tower Section Geometry (cont'd)

Tower Elevation ft	Connection Offsets							
	Diagonal				K-Bracing			
	Vert. Top in	Horiz. Top in	Vert. Bot. in	Horiz. Bot. in	Vert. Top in	Horiz. Top in	Vert. Bot. in	Horiz. Bot. in
T1 180.00-168.00	4.50	4.19	4.50	4.19	0.00	0.00	0.00	0.00
T2 168.00-160.00	4.50	4.19	4.50	4.19	0.00	0.00	0.00	0.00
T3 160.00-140.00	4.60	4.75	4.60	4.75	0.00	0.00	0.00	0.00
T4 140.00-120.00	4.50	5.00	4.00	5.00	0.00	0.00	0.00	0.00
T5 120.00-100.00	3.50	5.25	3.50	5.25	0.00	0.00	0.00	0.00
T6 100.00-80.00	2.50	5.78	2.50	5.78	0.00	0.00	0.00	0.00
T7 80.00-60.00	4.00	6.31	4.00	6.31	0.00	0.00	0.00	0.00
T8 60.00-40.00	4.00	6.31	4.00	6.31	0.00	0.00	0.00	0.00
T9 40.00-20.00	3.90	6.31	3.90	6.31	0.00	0.00	0.00	0.00
T10 20.00-0.00	4.00	7.31	4.00	7.31	0.00	0.00	0.00	0.00

Tower Section Geometry (cont'd)

Tower Elevation ft	Leg Connection Type	Leg Bolt Size in	Leg No.	Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
				Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T1 180.00-168.00	Flange	0.00 A325N	0	0.63 A325N	1	0.63 A325N	1	0.00 A325N	0	0.63 A325N	0	0.00 A325N	0	0.00 A325N	0

Tower Elevation ft	Leg Connection Type	Leg		Diagonal		Top Girt		Bottom Girt		Mid Girt		Long Horizontal		Short Horizontal	
		Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.	Bolt Size in	No.
T2 168.00-160.00	Flange	0.63 A325N	4	0.63 A325N	1	0.00 A325N	0	0.00 A325N	0	0.63 A325N	0	0.00 A325N	0	0.00 A325N	0
T3 160.00-140.00	Flange	0.63 A325N	4	0.63 A325N	1	0.00 A325N	0	0.00 A325N	0	0.63 A325N	0	0.00 A325N	0	0.00 A325N	0
T4 140.00-120.00	Flange	0.75 A325N	4	0.63 A325N	1	0.00 A325N	0	0.00 A325N	0	0.63 A325N	0	0.00 A325N	0	0.00 A325N	0
T5 120.00-100.00	Flange	0.75 A325N	4	0.63 A325N	1	0.00 A325N	0	0.00 A325N	0	0.63 A325N	0	0.00 A325N	0	0.00 A325N	0
T6 100.00-80.00	Flange	0.88 A325N	4	0.63 A325N	1	0.00 A325N	0	0.00 A325N	0	0.63 A325N	0	0.00 A325N	0	0.00 A325N	0
T7 80.00-60.00	Flange	0.00 A325N	4	0.63 A325N	1	0.00 A325N	0	0.00 A325N	0	0.63 A325N	0	0.00 A325N	0	0.00 A325N	0
T8 60.00-40.00	Flange	1.00 A325N	4	0.63 A325N	1	0.00 A325N	0	0.00 A325N	0	0.63 A325N	0	0.00 A325N	0	0.00 A325N	0
T9 40.00-20.00	Flange	0.00 A325N	4	0.63 A325N	1	0.00 A325N	0	0.00 A325N	0	0.63 A325N	0	0.00 A325N	0	0.50 A325N	1
T10 20.00-0.00	Flange	0.00 F1554-36	0	0.63 A325N	1	0.00 A325N	0	0.00 A325N	0	0.63 A325N	0	0.00 A325N	0	0.00 A325N	0

Grouted Pipe Properties

Size	F_y ksi	A_s in ²	A_c in ²	Wt plf	E_c ksi	E_m ksi	F_{ym} ksi
Pipe 2.375" x 0.154" (2 STD) (GR)	35	1.07	3.36	10.65	4769	40914	54
Pipe 3.5" x 0.216" (3 STD) (GR)	35	2.23	7.39	22.98	4769	41656	55
Pipe 4" x 0.318" (3.5 XS) (GR)	35	3.68	8.89	31.03	4769	38218	49
Pipe 4.5" x 0.337" (4 XS) (GR)	35	4.41	11.50	38.95	4769	38952	51
Pipe 5.563" x 0.375" (5 XS) (GR)	35	6.11	18.19	58.70	4769	40357	53
Pipe 6.625" x 0.432" (6 XS) (GR)	35	8.40	26.07	82.91	4769	40832	53
Pipe 8.625" x 0.500" (8 XS) (GR)	35	12.76	45.66	138.56	4769	42650	56

Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	# Per Row	Clear Spacing in	Width or Diameter in	Perimeter r in	Weight plf
1.5" flat Climb Ladder Rail	C	No	No	Af (CaAa)	180.00 - 0.00	0.00	0	2	2	12.00 1.50	1.50		1.80
5/8" ladder rung (12" long 12" oc)	C	No	No	Ar (CaAa)	180.00 - 0.00	0.00	0	1	1	0.63	0.63		1.04
Safety Line 3/8 ***	C	No	No	Ar (CaAa)	180.00 - 0.00	3.00	0	1	1	0.38	0.38		0.22
FSJ4-50B(1/2")	A	No	No	Ar (CaAa)	42.00 - 0.00	0.00	-0.1	4	4	0.52	0.52		0.14
LDF4-50A(1/2")	A	No	No	Ar (CaAa)	62.00 - 42.00	0.00	-0.1	3	3	0.63	0.63		0.15

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Component Type	Placement ft	Face Offset in	Lateral Offset (Frac FW)	#	# Per Row	Clear Spacing in	Width or Diameter in	Perimeter in	Weight plf
LDF4-50A(1/2")	A	No	No	Ar (CaAa)	124.00 - 62.00	0.00	-0.1	2	2	0.63	0.63		0.15
HB114-1-0813U4-M5J(1 1/4")	A	No	No	Ar (CaAa)	143.00 - 0.00	0.00	-0.1	4	4	1.00 0.50	1.54		1.20
LDF5-50A(7/8")	A	No	No	Ar (CaAa)	178.00 - 0.00	3.00	0	2	2	1.09	1.09		0.33
561(1-5/8")	A	No	No	Ar (CaAa)	164.00 - 0.00	0.00	0.02	14	8	1.00 0.50	1.63		1.35

1.5" flat Cable Ladder Rail	B	No	No	Af (CaAa)	160.00 - 0.00	0.00	0.35	2	2	36.00 1.50	1.50		1.80
1.5" flat Cable Ladder Rail	B	No	No	Af (CaAa)	100.00 - 0.00	0.00	0.15	2	2	36.00 1.50	1.50		1.80
LDF6-50A(1-1/4")	B	No	No	Ar (CaAa)	93.00 - 0.00	0.00	0.15	13	13	1.00 0.50	1.55		0.66
LCF158-50JA-A0(1 5/8")	B	No	No	Ar (CaAa)	154.00 - 0.00	0.00	0.35	12	6	1.00 0.50	1.98		0.08
LDF4-50A(1/2")	B	No	No	Ar (CaAa)	104.00 - 0.00	0.00	0.4	1	1	0.63	0.63		0.15
LDF5-50A(7/8")	B	No	No	Ar (CaAa)	104.00 - 0.00	0.00	0.41	1	1	1.09	1.09		0.33
2" Conduit (1 1/2" EMT)	B	No	No	Ar (CaAa)	154.00 - 0.00	0.00	0.43	1	1	1.74	1.74		1.16
FB-L98B-002-75000(3/8")	B	No	No	Ar (CaAa)	154.00 - 0.00	0.00	0.43	1	1	0.39	0.38		0.06
WR-VG82ST-BRDA(5/8")	B	No	No	Ar (CaAa)	154.00 - 0.00	0.00	0.43	2	2	0.65	0.63		0.31
FB-L98B-002-75000(3/8)	B	No	No	Ar (CaAa)	154.00 - 0.00	3.00	0.35	1	1	0.39	0.39		0.06
WR-VG82ST-BRDA(5/8)	B	No	No	Ar (CaAa)	154.00 - 0.00	3.00	0.35	2	2	0.65	0.65		0.31

1.5" flat Cable Ladder Rail	C	No	No	Af (CaAa)	170.00 - 0.00	-1.00	-0.35	4	2	36.00 1.50	1.50		1.80
CR 50 1873PE(1-5/8")	C	No	No	Ar (CaAa)	170.00 - 0.00	0.00	-0.35	6	4	1.00 0.50	1.98		0.83
LDF4-50A(1/2")	C	No	No	Ar (CaAa)	31.00 - 0.00	-1.00	-0.32	1	1	0.63	0.63		0.15
LDF1-50A(1/4")	C	No	No	Ar (CaAa)	170.00 - 0.00	0.00	-0.325	1	1	0.34	0.34		0.06
1.5" flat Cable Ladder Rail	A	No	No	Af (CaAa)	180.00 - 0.00	0.00	-0.3	2	2	48.00 1.50	1.50		1.80

Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets: Horiz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _A A _A Front ft ²	C _A A _A Side ft ²	Weight K	
PD10017	A	From Leg	0.50	0.000	178.00	No Ice	4.11	4.11	0.03

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C _{AA} _{Front}	C _{AA} _{Side}	Weight	
			Horz	Lateral						ft
				0						
				6		1/2"	5.64	5.64	0.06	
						Ice	7.19	7.19	0.09	
						1" Ice	10.32	10.32	0.20	
						2" Ice				

800 10504 w/ Mount Pipe	A	From Leg	2.00	0	0.000	170.00	No Ice	3.59	3.18	0.04
				0			1/2"	4.01	3.91	0.07
				1			Ice	4.42	4.58	0.11
							1" Ice	5.26	5.98	0.21
							2" Ice			
800 10504 w/ Mount Pipe	B	From Leg	2.00	0	0.000	170.00	No Ice	3.59	3.18	0.04
				0			1/2"	4.01	3.91	0.07
				1			Ice	4.42	4.58	0.11
							1" Ice	5.26	5.98	0.21
							2" Ice			
800 10504 w/ Mount Pipe	C	From Leg	2.00	0	0.000	170.00	No Ice	3.59	3.18	0.04
				0			1/2"	4.01	3.91	0.07
				1			Ice	4.42	4.58	0.11
							1" Ice	5.26	5.98	0.21
							2" Ice			
860 10025	A	From Leg	2.00	0	0.000	170.00	No Ice	0.14	0.12	0.00
				0			1/2"	0.19	0.17	0.00
				0			Ice	0.25	0.23	0.01
							1" Ice	0.40	0.37	0.01
							2" Ice			
860 10025	B	From Leg	2.00	0	0.000	170.00	No Ice	0.14	0.12	0.00
				0			1/2"	0.19	0.17	0.00
				0			Ice	0.25	0.23	0.01
							1" Ice	0.40	0.37	0.01
							2" Ice			
860 10025	C	From Leg	2.00	0	0.000	170.00	No Ice	0.14	0.12	0.00
				0			1/2"	0.19	0.17	0.00
				0			Ice	0.25	0.23	0.01
							1" Ice	0.40	0.37	0.01
							2" Ice			
Side Arm Mount [SO 103-3]	A	None			0.000	170.00	No Ice	9.50	9.50	0.22
							1/2"	11.80	11.80	0.32
							Ice	14.10	14.10	0.41
							1" Ice	18.70	18.70	0.60
							2" Ice			

(2) APL868013-42T0 w/ Mount Pipe	A	From Leg	4.00	0	0.000	164.00	No Ice	2.87	3.61	0.02
				0			1/2"	3.18	3.92	0.05
				2			Ice	3.49	4.23	0.07
							1" Ice	4.11	4.88	0.15
							2" Ice			
(2) APL868013-42T0 w/ Mount Pipe	B	From Leg	4.00	0	0.000	164.00	No Ice	2.87	3.61	0.02
				0			1/2"	3.18	3.92	0.05
				2			Ice	3.49	4.23	0.07
							1" Ice	4.11	4.88	0.15
							2" Ice			
(2) APL868013-42T0 w/ Mount Pipe	C	From Leg	4.00	0	0.000	164.00	No Ice	2.87	3.61	0.02
				0			1/2"	3.18	3.92	0.05
				2			Ice	3.49	4.23	0.07
							1" Ice	4.11	4.88	0.15
							2" Ice			
(2) FD9R6004/2C-3L	A	From Leg	4.00	0	0.000	164.00	No Ice	0.31	0.08	0.00
				0			1/2"	0.39	0.12	0.01
				2			Ice	0.47	0.17	0.01
							1" Ice	0.65	0.29	0.02
							2" Ice			
(2) FD9R6004/2C-3L	B	From Leg	4.00	0	0.000	164.00	No Ice	0.31	0.08	0.00
				0			1/2"	0.39	0.12	0.01
				2			Ice	0.47	0.17	0.01

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment t °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K
						1" Ice 2" Ice	0.65 0.29	0.02
(2) FD9R6004/2C-3L	C	From Leg	4.00 0 2	0.000	164.00	No Ice 1/2" Ice	0.31 0.39 0.47	0.08 0.12 0.01 0.01
(2) JAHH-65B-R3B w/ Mount Pipe	A	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	0.65 0.29 9.47	0.02 0.09 7.76 9.00 10.02 11.90
(2) JAHH-65B-R3B w/ Mount Pipe	B	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	0.65 0.29 9.47	0.02 0.09 7.76 9.00 10.02 11.90
(2) JAHH-65B-R3B w/ Mount Pipe	C	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	0.65 0.29 9.47	0.02 0.09 7.76 9.00 10.02 11.90
B5 4T4R RRH4X40 AIRSCALE	A	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	11.83 11.90 9.47	0.46 0.46 0.09 7.76 9.00 10.02 11.90
B5 4T4R RRH4X40 AIRSCALE	B	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	11.83 11.90 9.47	0.46 0.46 0.09 7.76 9.00 10.02 11.90
B5 4T4R RRH4X40 AIRSCALE	C	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	11.83 11.90 9.47	0.46 0.46 0.09 7.76 9.00 10.02 11.90
B5 4T4R RRH4X40 AIRSCALE	A	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	1.94 1.25 1.32	0.11 0.11 0.05 0.75 0.86 0.98 1.25
B5 4T4R RRH4X40 AIRSCALE	B	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	1.94 1.25 1.32	0.11 0.11 0.05 0.75 0.86 0.98 1.25
B5 4T4R RRH4X40 AIRSCALE	C	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	1.94 1.25 1.32	0.11 0.11 0.05 0.75 0.86 0.98 1.25
RFV01U-D2A	A	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	2.60 1.59 1.88	0.15 0.15 0.07 1.01 1.14 1.28 1.59
RFV01U-D2A	B	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	2.60 1.59 1.88	0.15 0.15 0.07 1.01 1.14 1.28 1.59
RFV01U-D2A	C	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	2.60 1.59 1.88	0.15 0.15 0.07 1.01 1.14 1.28 1.59
B13 RRH 4X30	A	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	2.84 2.00 2.06	0.14 0.14 0.06 1.32 1.48 1.64 2.00
B13 RRH 4X30	B	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	2.84 2.00 2.06	0.14 0.14 0.06 1.32 1.48 1.64 2.00
B13 RRH 4X30	C	From Leg	4.00 0 2	0.000	164.00	1" Ice 2" Ice No Ice	2.84 2.00 2.06	0.14 0.14 0.06 1.32 1.48 1.64 2.00

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C _{AA} _{Front}	C _{AA} _{Side}	Weight	
			Horz	Lateral						Vert
			ft	ft	°	ft	ft ²	ft ²	K	
						1" Ice	2.84	2.00	0.14	
						2" Ice				
DB-T1-6Z-8AB-0Z	B	From Leg	4.00		0.000	164.00	No Ice	4.80	2.00	0.04
			0				1/2"	5.07	2.19	0.08
			2				Ice	5.35	2.39	0.12
							1" Ice	5.93	2.81	0.21
							2" Ice			
DB-T1-6Z-8AB-0Z	C	From Leg	4.00		0.000	164.00	No Ice	4.80	2.00	0.04
			0				1/2"	5.07	2.19	0.08
			2				Ice	5.35	2.39	0.12
							1" Ice	5.93	2.81	0.21
							2" Ice			
Sector Mount [SM 702-3]	C	None			0.000	164.00	No Ice	37.40	37.40	1.55
							1/2"	54.20	54.20	2.35
							Ice	71.00	71.00	3.15
							1" Ice	104.60	104.60	4.75
							2" Ice			
12.5' x 2.375" Stiff Arm	A	From Leg	2.00		0.000	164.00	No Ice	2.97	2.97	0.06
			0				1/2"	4.25	4.25	0.08
			0				Ice	5.54	5.54	0.11
							1" Ice	8.05	8.05	0.20
							2" Ice			
12.5' x 2.375" Stiff Arm	B	From Leg	2.00		0.000	164.00	No Ice	2.97	2.97	0.06
			0				1/2"	4.25	4.25	0.08
			0				Ice	5.54	5.54	0.11
							1" Ice	8.05	8.05	0.20
							2" Ice			
12.5' x 2.375" Stiff Arm	C	From Leg	2.00		0.000	164.00	No Ice	2.97	2.97	0.06
			0				1/2"	4.25	4.25	0.08
			0				Ice	5.54	5.54	0.11
							1" Ice	8.05	8.05	0.20
							2" Ice			

7770.00 w/ Mount Pipe	A	From Leg	4.00		0.000	154.00	No Ice	5.75	4.25	0.06
			0				1/2"	6.18	5.01	0.10
			4				Ice	6.61	5.71	0.16
							1" Ice	7.49	7.16	0.29
							2" Ice			
7770.00 w/ Mount Pipe	B	From Leg	4.00		0.000	154.00	No Ice	5.75	4.25	0.06
			0				1/2"	6.18	5.01	0.10
			4				Ice	6.61	5.71	0.16
							1" Ice	7.49	7.16	0.29
							2" Ice			
7770.00 w/ Mount Pipe	C	From Leg	4.00		0.000	154.00	No Ice	5.75	4.25	0.06
			0				1/2"	6.18	5.01	0.10
			4				Ice	6.61	5.71	0.16
							1" Ice	7.49	7.16	0.29
							2" Ice			
P65-16-XLH-RR w/ Mount Pipe	A	From Leg	4.00		0.000	154.00	No Ice	8.37	6.36	0.08
			0				1/2"	8.93	7.54	0.14
			4				Ice	9.46	8.43	0.22
							1" Ice	10.53	10.24	0.39
							2" Ice			
P65-16-XLH-RR w/ Mount Pipe	B	From Leg	4.00		0.000	154.00	No Ice	8.37	6.36	0.08
			0				1/2"	8.93	7.54	0.14
			4				Ice	9.46	8.43	0.22
							1" Ice	10.53	10.24	0.39
							2" Ice			
P65-16-XLH-RR w/ Mount Pipe	C	From Leg	4.00		0.000	154.00	No Ice	8.37	6.36	0.08
			0				1/2"	8.93	7.54	0.14
			4				Ice	9.46	8.43	0.22
							1" Ice	10.53	10.24	0.39
							2" Ice			
(2) LGP21401	A	From Leg	4.00		0.000	154.00	No Ice	1.10	0.35	0.01
			0					1.24	0.44	0.02

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C _{AA} _{Front}	C _{AA} _{Side}	Weight	
			Horz	Lateral						Vert
				4						
						1/2" Ice	1.38	0.54	0.03	
						2" Ice	1.69	0.77	0.05	
(2) LGP21401	B	From Leg	4.00		0.000	154.00	No Ice	1.10	0.35	0.01
			0				1/2"	1.24	0.44	0.02
			4				Ice	1.38	0.54	0.03
							1" Ice	1.69	0.77	0.05
							2" Ice			
(2) LGP21401	C	From Leg	4.00		0.000	154.00	No Ice	1.10	0.35	0.01
			0				1/2"	1.24	0.44	0.02
			4				Ice	1.38	0.54	0.03
							1" Ice	1.69	0.77	0.05
							2" Ice			
DC6-48-60-18-8F	B	From Leg	4.00		0.000	154.00	No Ice	1.21	1.21	0.03
			0				1/2"	1.89	1.89	0.05
			0				Ice	2.11	2.11	0.08
							1" Ice	2.57	2.57	0.14
							2" Ice			
RRUS 11	A	From Leg	4.00		0.000	154.00	No Ice	2.79	1.19	0.05
			0				1/2"	3.00	1.34	0.07
			4				Ice	3.21	1.50	0.10
							1" Ice	3.67	1.84	0.15
							2" Ice			
RRUS 11	B	From Leg	4.00		0.000	154.00	No Ice	2.79	1.19	0.05
			0				1/2"	3.00	1.34	0.07
			4				Ice	3.21	1.50	0.10
							1" Ice	3.67	1.84	0.15
							2" Ice			
RRUS 11	C	From Leg	4.00		0.000	154.00	No Ice	2.79	1.19	0.05
			0				1/2"	3.00	1.34	0.07
			4				Ice	3.21	1.50	0.10
							1" Ice	3.67	1.84	0.15
							2" Ice			
QS66512-2 w/ Mount Pipe	A	From Leg	4.00		0.000	154.00	No Ice	2.60	5.00	0.14
			0				1/2"	9.29	9.66	0.21
			4				Ice	9.91	10.62	0.30
							1" Ice	11.18	12.61	0.49
							2" Ice			
QS66512-2 w/ Mount Pipe	B	From Leg	4.00		0.000	154.00	No Ice	2.60	5.00	0.14
			0				1/2"	9.29	9.66	0.21
			4				Ice	9.91	10.62	0.30
							1" Ice	11.18	12.61	0.49
							2" Ice			
QS66512-2 w/ Mount Pipe	C	From Leg	4.00		0.000	154.00	No Ice	2.60	5.00	0.14
			0				1/2"	9.29	9.66	0.21
			4				Ice	9.91	10.62	0.30
							1" Ice	11.18	12.61	0.49
							2" Ice			
TT19-08BP111-001	A	From Leg	4.00		0.000	154.00	No Ice	0.55	0.45	0.02
			0				1/2"	0.65	0.53	0.02
			4				Ice	0.75	0.63	0.03
							1" Ice	0.98	0.84	0.05
							2" Ice			
TT19-08BP111-001	B	From Leg	4.00		0.000	154.00	No Ice	0.55	0.45	0.02
			0				1/2"	0.65	0.53	0.02
			4				Ice	0.75	0.63	0.03
							1" Ice	0.98	0.84	0.05
							2" Ice			
TT19-08BP111-001	C	From Leg	4.00		0.000	154.00	No Ice	0.55	0.45	0.02
			0				1/2"	0.65	0.53	0.02
			4				Ice	0.75	0.63	0.03
							1" Ice	0.98	0.84	0.05
							2" Ice			
RRUS 32	A	From Leg	4.00		0.000	154.00	No Ice	2.86	1.78	0.06

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment t °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K	
			0			1/2"	3.08	1.97	0.08
			4			Ice	3.32	2.17	0.10
						1" Ice	3.81	2.58	0.16
						2" Ice			
RRUS 32	B	From Leg	4.00	0.000	154.00	No Ice	2.86	1.78	0.06
			0			1/2"	3.08	1.97	0.08
			4			Ice	3.32	2.17	0.10
						1" Ice	3.81	2.58	0.16
						2" Ice			
RRUS 32	C	From Leg	4.00	0.000	154.00	No Ice	2.86	1.78	0.06
			0			1/2"	3.08	1.97	0.08
			4			Ice	3.32	2.17	0.10
						1" Ice	3.81	2.58	0.16
						2" Ice			
DC6-48-60-18-8F	A	From Leg	4.00	0.000	154.00	No Ice	1.21	1.21	0.03
			0			1/2"	1.89	1.89	0.05
			4			Ice	2.11	2.11	0.08
						1" Ice	2.57	2.57	0.14
						2" Ice			
RRUS 32 B2	A	From Leg	4.00	0.000	154.00	No Ice	2.74	1.67	0.05
			0			1/2"	2.96	1.86	0.07
			4			Ice	3.19	2.05	0.10
						1" Ice	3.68	2.46	0.16
						2" Ice			
RRUS 32 B2	B	From Leg	4.00	0.000	154.00	No Ice	2.74	1.67	0.05
			0			1/2"	2.96	1.86	0.07
			4			Ice	3.19	2.05	0.10
						1" Ice	3.68	2.46	0.16
						2" Ice			
RRUS 32 B2	C	From Leg	4.00	0.000	154.00	No Ice	2.74	1.67	0.05
			0			1/2"	2.96	1.86	0.07
			4			Ice	3.19	2.05	0.10
						1" Ice	3.68	2.46	0.16
						2" Ice			
DBC0061F1V51-2	A	From Leg	4.00	0.000	154.00	No Ice	0.21	0.41	0.01
			0			1/2"	0.28	0.50	0.02
			4			Ice	0.35	0.59	0.02
						1" Ice	0.52	0.79	0.04
						2" Ice			
DBC0061F1V51-2	B	From Leg	4.00	0.000	154.00	No Ice	0.21	0.41	0.01
			0			1/2"	0.28	0.50	0.02
			4			Ice	0.35	0.59	0.02
						1" Ice	0.52	0.79	0.04
						2" Ice			
DBC0061F1V51-2	C	From Leg	4.00	0.000	154.00	No Ice	0.21	0.41	0.01
			0			1/2"	0.28	0.50	0.02
			4			Ice	0.35	0.59	0.02
						1" Ice	0.52	0.79	0.04
						2" Ice			
Sector Mount [SM 602-3]	A	None		0.000	154.00	No Ice	33.11	33.11	1.54
						1/2"	44.90	44.90	2.16
						Ice	56.69	56.69	2.78
						1" Ice	80.27	80.27	4.01
						2" Ice			
Pipe Mount [PM 601-3]	C	None		0.000	154.00	No Ice	4.39	4.39	0.20
						1/2"	5.48	5.48	0.24
						Ice	6.57	6.57	0.28
						1" Ice	8.75	8.75	0.36
						2" Ice			
(2) 5' x 2" Pipe Mount	A	From Leg	4.00	0.000	154.00	No Ice	1.00	1.00	0.03
			0			1/2"	1.39	1.39	0.04
			0			Ice	1.70	1.70	0.05
						1" Ice	2.35	2.35	0.08
						2" Ice			
(2) 5' x 2" Pipe Mount	B	From Leg	4.00	0.000	154.00	No Ice	1.00	1.00	0.03

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K	
			0			1/2"	1.39	1.39	0.04
			0			Ice	1.70	1.70	0.05
						1" Ice	2.35	2.35	0.08
						2" Ice			
(2) 5' x 2" Pipe Mount	C	From Leg	4.00	0.000	154.00	No Ice	1.00	1.00	0.03
			0			1/2"	1.39	1.39	0.04
			0			Ice	1.70	1.70	0.05
						1" Ice	2.35	2.35	0.08
						2" Ice			

800 EXTERNAL NOTCH FILTER	A	From Leg	1.00	0.000	146.00	No Ice	0.66	0.32	0.01
			0			1/2"	0.76	0.40	0.02
			0			Ice	0.87	0.48	0.02
						1" Ice	1.11	0.67	0.04
						2" Ice			
800 EXTERNAL NOTCH FILTER	B	From Leg	1.00	0.000	146.00	No Ice	0.66	0.32	0.01
			0			1/2"	0.76	0.40	0.02
			0			Ice	0.87	0.48	0.02
						1" Ice	1.11	0.67	0.04
						2" Ice			
800 EXTERNAL NOTCH FILTER	C	From Leg	1.00	0.000	146.00	No Ice	0.66	0.32	0.01
			0			1/2"	0.76	0.40	0.02
			0			Ice	0.87	0.48	0.02
						1" Ice	1.11	0.67	0.04
						2" Ice			
800MHZ 2X50W RRH	A	From Leg	1.00	0.000	146.00	No Ice	2.13	1.77	0.05
			0			1/2"	2.32	1.95	0.07
			0			Ice	2.51	2.13	0.10
						1" Ice	2.92	2.51	0.16
						2" Ice			
800MHZ 2X50W RRH	B	From Leg	1.00	0.000	146.00	No Ice	2.13	1.77	0.05
			0			1/2"	2.32	1.95	0.07
			0			Ice	2.51	2.13	0.10
						1" Ice	2.92	2.51	0.16
						2" Ice			
800MHZ 2X50W RRH	C	From Leg	1.00	0.000	146.00	No Ice	2.13	1.77	0.05
			0			1/2"	2.32	1.95	0.07
			0			Ice	2.51	2.13	0.10
						1" Ice	2.92	2.51	0.16
						2" Ice			
PCS 1900MHz 4x45W-65MHz	A	From Leg	2.00	0.000	146.00	No Ice	2.32	2.24	0.06
			0			1/2"	2.53	2.44	0.08
			0			Ice	2.74	2.65	0.11
						1" Ice	3.19	3.09	0.17
						2" Ice			
PCS 1900MHz 4x45W-65MHz	B	From Leg	2.00	0.000	146.00	No Ice	2.32	2.24	0.06
			0			1/2"	2.53	2.44	0.08
			0			Ice	2.74	2.65	0.11
						1" Ice	3.19	3.09	0.17
						2" Ice			
PCS 1900MHz 4x45W-65MHz	C	From Leg	2.00	0.000	146.00	No Ice	2.32	2.24	0.06
			0			1/2"	2.53	2.44	0.08
			0			Ice	2.74	2.65	0.11
						1" Ice	3.19	3.09	0.17
						2" Ice			

APXVSPP18-C-A20	A	From Leg	4.00	0.000	143.00	No Ice	8.02	5.28	0.06
			0			1/2"	8.48	5.74	0.11
			0			Ice	8.94	6.20	0.16
						1" Ice	9.89	7.14	0.29
						2" Ice			
APXVSPP18-C-A20	B	From Leg	4.00	0.000	143.00	No Ice	8.02	5.28	0.06
			0			1/2"	8.48	5.74	0.11
			0			Ice	8.94	6.20	0.16
						1" Ice	9.89	7.14	0.29

Description	Face or Leg	Offset Type	Offsets:			Azimuth Adjustment	Placement	C _{AA} _{Front}	C _{AA} _{Side}	Weight	
			Horz	Lateral	Vert						ft
			ft	ft	ft	°	ft	ft ²	ft ²	K	
APXVSPP18-C-A20	C	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	8.02	5.28	0.06
								1/2"	8.48	5.74	0.11
								Ice	8.94	6.20	0.16
(3) ACU-A20-N	A	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	0.07	0.12	0.00
								1/2"	0.10	0.16	0.00
								Ice	0.15	0.21	0.00
(3) ACU-A20-N	B	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	0.07	0.12	0.00
								1/2"	0.10	0.16	0.00
								Ice	0.15	0.21	0.00
(3) ACU-A20-N	C	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	0.07	0.12	0.00
								1/2"	0.10	0.16	0.00
								Ice	0.15	0.21	0.00
APXVTM14-C-120 w/ Mount Pipe	A	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	6.58	4.96	0.08
								1/2"	7.03	5.75	0.13
								Ice	7.47	6.47	0.19
APXVTM14-C-120 w/ Mount Pipe	B	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	6.58	4.96	0.08
								1/2"	7.03	5.75	0.13
								Ice	7.47	6.47	0.19
APXVTM14-C-120 w/ Mount Pipe	C	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	6.58	4.96	0.08
								1/2"	7.03	5.75	0.13
								Ice	7.47	6.47	0.19
TD-RRH8x20-25	A	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	4.05	1.53	0.07
								1/2"	4.30	1.71	0.10
								Ice	4.56	1.90	0.13
TD-RRH8x20-25	B	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	4.05	1.53	0.07
								1/2"	4.30	1.71	0.10
								Ice	4.56	1.90	0.13
TD-RRH8x20-25	C	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	4.05	1.53	0.07
								1/2"	4.30	1.71	0.10
								Ice	4.56	1.90	0.13
Sector Mount [SM 701-3]	A	None			0.000	143.00	2" Ice				
							No Ice	19.73	19.73	0.82	
							1/2"	27.41	27.41	1.17	
							Ice	35.09	35.09	1.51	
12' horizontal x 2" Pipe Mount	A	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	1.00	1.00	0.10
								1/2"	2.11	2.11	0.65
								Ice	2.84	2.84	1.21
12' horizontal x 2" Pipe Mount	B	From Leg	4.00	0	0	0.000	143.00	2" Ice			
								No Ice	1.00	1.00	0.10
								1/2"	2.11	2.11	0.65
								Ice	2.84	2.84	1.21
								1" Ice	4.32	4.32	2.39
								2" Ice			
								No Ice	1.00	1.00	0.10
								1/2"	2.11	2.11	0.65
								Ice	2.84	2.84	1.21
								1" Ice	4.32	4.32	2.39
								2" Ice			
								No Ice	1.00	1.00	0.10
								1/2"	2.11	2.11	0.65
								Ice	2.84	2.84	1.21
								1" Ice	4.32	4.32	2.39
								2" Ice			

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment t °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K	
12' horizontal x 2" Pipe Mount	C	From Leg	4.00 0 0	0.000	143.00	2" Ice			
						No Ice	1.00	1.00	0.10
						1/2"	2.11	2.11	0.65
						Ice	2.84	2.84	1.21
						1" Ice	4.32	4.32	2.39
2" Ice									

1142-2C	B	From Leg	4.00 0 7	0.000	124.00	No Ice	2.09	2.09	0.02
						1/2"	3.37	3.37	0.04
						Ice	4.67	4.67	0.07
						1" Ice	7.32	7.32	0.14
						2" Ice			
1142-2C	C	From Leg	4.00 0 7	0.000	124.00	No Ice	2.09	2.09	0.02
						1/2"	3.37	3.37	0.04
						Ice	4.67	4.67	0.07
						1" Ice	7.32	7.32	0.14
						2" Ice			
Side Arm Mount [SO 306-1]	B	From Leg	2.00 0 0	0.000	124.00	No Ice	0.98	2.18	0.04
						1/2"	1.70	3.80	0.06
						Ice	2.42	5.42	0.08
						1" Ice	3.86	8.66	0.12
						2" Ice			
Side Arm Mount [SO 306-1]	C	From Leg	2.00 0 0	0.000	124.00	No Ice	0.98	2.18	0.04
						1/2"	1.70	3.80	0.06
						Ice	2.42	5.42	0.08
						1" Ice	3.86	8.66	0.12
						2" Ice			

220-3BN	B	From Leg	4.00 0 4	0.000	104.00	No Ice	5.72	5.72	0.02
						1/2"	7.83	7.83	0.07
						Ice	9.96	9.96	0.12
						1" Ice	14.27	14.27	0.27
						2" Ice			
1142-2C	C	From Leg	4.00 0 7	0.000	104.00	No Ice	2.09	2.09	0.02
						1/2"	3.37	3.37	0.04
						Ice	4.67	4.67	0.07
						1" Ice	7.32	7.32	0.14
						2" Ice			
Side Arm Mount [SO 306-1]	B	From Leg	2.00 0 0	0.000	104.00	No Ice	0.98	2.18	0.04
						1/2"	1.70	3.80	0.06
						Ice	2.42	5.42	0.08
						1" Ice	3.86	8.66	0.12
						2" Ice			
Side Arm Mount [SO 306-1]	C	From Leg	2.00 0 0	0.000	104.00	No Ice	0.98	2.18	0.04
						1/2"	1.70	3.80	0.06
						Ice	2.42	5.42	0.08
						1" Ice	3.86	8.66	0.12
						2" Ice			

LNx-6515DS-VTM w/ Mount Pipe	A	From Leg	4.00 0 0	0.000	93.00	No Ice	11.68	9.84	0.08
						1/2"	12.40	11.37	0.17
						Ice	13.14	12.91	0.27
						1" Ice	14.51	15.27	0.51
						2" Ice			
LNx-6515DS-VTM w/ Mount Pipe	B	From Leg	4.00 0 0	0.000	93.00	No Ice	11.68	9.84	0.08
						1/2"	12.40	11.37	0.17
						Ice	13.14	12.91	0.27
						1" Ice	14.51	15.27	0.51
						2" Ice			
LNx-6515DS-VTM w/ Mount Pipe	C	From Leg	4.00 0 0	0.000	93.00	No Ice	11.68	9.84	0.08
						1/2"	12.40	11.37	0.17
						Ice	13.14	12.91	0.27
						1" Ice	14.51	15.27	0.51
						2" Ice			
RRUS 11 B12	A	From Leg	4.00	0.000	93.00	No Ice	2.83	1.18	0.05

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert ft ft ft	Azimuth Adjustment t °	Placement ft	C _{AA} Front ft ²	C _{AA} Side ft ²	Weight K	
			0			1/2"	3.04	1.33	0.07
			0			Ice	3.26	1.48	0.10
						1" Ice	3.71	1.83	0.15
						2" Ice			
RRUS 11 B12	B	From Leg	4.00	0.000	93.00	No Ice	2.83	1.18	0.05
			0			1/2"	3.04	1.33	0.07
			0			Ice	3.26	1.48	0.10
						1" Ice	3.71	1.83	0.15
						2" Ice			
RRUS 11 B12	C	From Leg	4.00	0.000	93.00	No Ice	2.83	1.18	0.05
			0			1/2"	3.04	1.33	0.07
			0			Ice	3.26	1.48	0.10
						1" Ice	3.71	1.83	0.15
						2" Ice			
ERICSSON AIR 21 B2A B4P w/ Mount Pipe	A	From Leg	4.00	0.000	93.00	No Ice	6.33	5.64	0.11
			0			1/2"	6.78	6.43	0.17
			0			Ice	7.21	7.13	0.23
						1" Ice	8.12	8.59	0.38
						2" Ice			
ERICSSON AIR 21 B2A B4P w/ Mount Pipe	B	From Leg	4.00	0.000	93.00	No Ice	6.33	5.64	0.11
			0			1/2"	6.78	6.43	0.17
			0			Ice	7.21	7.13	0.23
						1" Ice	8.12	8.59	0.38
						2" Ice			
ERICSSON AIR 21 B2A B4P w/ Mount Pipe	C	From Leg	4.00	0.000	93.00	No Ice	6.33	5.64	0.11
			0			1/2"	6.78	6.43	0.17
			0			Ice	7.21	7.13	0.23
						1" Ice	8.12	8.59	0.38
						2" Ice			
ERICSSON AIR 21 B4A B2P w/ Mount Pipe	A	From Leg	4.00	0.000	93.00	No Ice	6.32	5.63	0.11
			0			1/2"	6.76	6.42	0.17
			0			Ice	7.20	7.12	0.23
						1" Ice	8.11	8.58	0.38
						2" Ice			
ERICSSON AIR 21 B4A B2P w/ Mount Pipe	B	From Leg	4.00	0.000	93.00	No Ice	6.32	5.63	0.11
			0			1/2"	6.76	6.42	0.17
			0			Ice	7.20	7.12	0.23
						1" Ice	8.11	8.58	0.38
						2" Ice			
ERICSSON AIR 21 B4A B2P w/ Mount Pipe	C	From Leg	4.00	0.000	93.00	No Ice	6.32	5.63	0.11
			0			1/2"	6.76	6.42	0.17
			0			Ice	7.20	7.12	0.23
						1" Ice	8.11	8.58	0.38
						2" Ice			
KRY 112 144/1	A	From Leg	4.00	0.000	93.00	No Ice	0.35	0.17	0.01
			0			1/2"	0.43	0.23	0.01
			0			Ice	0.51	0.30	0.02
						1" Ice	0.70	0.46	0.03
						2" Ice			
KRY 112 144/1	B	From Leg	4.00	0.000	93.00	No Ice	0.35	0.17	0.01
			0			1/2"	0.43	0.23	0.01
			0			Ice	0.51	0.30	0.02
						1" Ice	0.70	0.46	0.03
						2" Ice			
KRY 112 144/1	C	From Leg	4.00	0.000	93.00	No Ice	0.35	0.17	0.01
			0			1/2"	0.43	0.23	0.01
			0			Ice	0.51	0.30	0.02
						1" Ice	0.70	0.46	0.03
						2" Ice			
Sector Mount [SM 1306-3]	C	None		0.000	93.00	No Ice	49.30	49.30	2.29
						1/2"	52.20	52.20	2.68
						Ice	55.10	55.10	3.07
						1" Ice	60.90	60.90	3.85
						2" Ice			

Description	Face or Leg	Offset Type	Offsets:			Azimuth Adjustment	Placement	C _{AA} _{Front}	C _{AA} _{Side}	Weight
			Horz	Lateral	Vert					
			ft	ft	ft	°	ft	ft ²	ft ²	K
GPS_A	A	From Leg	2.00	0.000	62.00	No Ice	0.26	0.26	0.00	
			0			1/2"	0.32	0.32	0.00	
			3			Ice	0.39	0.39	0.01	
						1" Ice	0.56	0.56	0.02	
						2" Ice				
Side Arm Mount [SO 301-1]	A	From Leg	1.00	0.000	62.00	No Ice	1.00	0.90	0.02	
			0			1/2"	1.39	1.42	0.03	
			0			Ice	1.78	1.94	0.04	
						1" Ice	2.56	2.98	0.06	
						2" Ice				

GPS_A	C	From Leg	2.00	0.000	42.00	No Ice	0.26	0.26	0.00	
			0			1/2"	0.32	0.32	0.00	
			2			Ice	0.39	0.39	0.01	
						1" Ice	0.56	0.56	0.02	
						2" Ice				
Side Arm Mount [SO 301-1]	C	From Leg	1.00	0.000	42.00	No Ice	1.00	0.90	0.02	
			0			1/2"	1.39	1.42	0.03	
			0			Ice	1.78	1.94	0.04	
						1" Ice	2.56	2.98	0.06	
						2" Ice				

GPS_A	C	From Leg	2.00	0.000	31.00	No Ice	0.26	0.26	0.00	
			0			1/2"	0.32	0.32	0.00	
			1			Ice	0.39	0.39	0.01	
						1" Ice	0.56	0.56	0.02	
						2" Ice				
Side Arm Mount [SO 301-1]	C	From Leg	1.00	0.000	31.00	No Ice	1.00	0.90	0.02	
			0			1/2"	1.39	1.42	0.03	
			0			Ice	1.78	1.94	0.04	
						1" Ice	2.56	2.98	0.06	
						2" Ice				

(2) 3'x8" Knife Plate	A	From Leg	0.00	0.000	20.00	No Ice	2.33	0.25	0.05	
			0			1/2"	2.63	0.50	0.05	
			0			Ice	2.92	0.75	0.06	
						1" Ice	3.50	1.25	0.07	
						2" Ice				
(2) 3'x8" Knife Plate	B	From Leg	0.00	0.000	20.00	No Ice	2.33	0.25	0.05	
			0			1/2"	2.63	0.50	0.05	
			0			Ice	2.92	0.75	0.06	
						1" Ice	3.50	1.25	0.07	
						2" Ice				
(2) 3'x8" Knife Plate	C	From Leg	0.00	0.000	20.00	No Ice	2.33	0.25	0.05	
			0			1/2"	2.63	0.50	0.05	
			0			Ice	2.92	0.75	0.06	
						1" Ice	3.50	1.25	0.07	
						2" Ice				
(2) 3'x8" Knife Plate	A	From Leg	0.00	0.000	60.00	No Ice	2.33	0.25	0.05	
			0			1/2"	2.63	0.50	0.05	
			0			Ice	2.92	0.75	0.06	
						1" Ice	3.50	1.25	0.07	
						2" Ice				
(2) 3'x8" Knife Plate	B	From Leg	0.00	0.000	60.00	No Ice	2.33	0.25	0.05	
			0			1/2"	2.63	0.50	0.05	
			0			Ice	2.92	0.75	0.06	
						1" Ice	3.50	1.25	0.07	
						2" Ice				
(2) 3'x8" Knife Plate	C	From Leg	0.00	0.000	60.00	No Ice	2.33	0.25	0.05	
			0			1/2"	2.63	0.50	0.05	
			0			Ice	2.92	0.75	0.06	
						1" Ice	3.50	1.25	0.07	
						2" Ice				
**										
6' x 2" Mount Pipe	A	From Leg	2.00	0.000	170.00	No Ice	1.43	1.43	0.02	

Description	Face or Leg	Offset Type	Offsets: Horz Lateral	Azimuth Adjustment	Placement	C _{AA} _{Front}	C _{AA} _{Side}	Weight	
			ft ft ft	°	ft	ft ²	ft ²	K	
			0		1/2"	1.92	1.92	0.03	
			0		Ice	2.29	2.29	0.05	
					1" Ice	3.06	3.06	0.09	
					2" Ice				
6' x 2" Mount Pipe	B	From Leg	2.00	0.000	170.00	No Ice	1.43	1.43	0.02
			0			1/2"	1.92	1.92	0.03
			0			Ice	2.29	2.29	0.05
						1" Ice	3.06	3.06	0.09
						2" Ice			
6' x 2" Mount Pipe	C	From Leg	2.00	0.000	170.00	No Ice	1.43	1.43	0.02
			0			1/2"	1.92	1.92	0.03
			0			Ice	2.29	2.29	0.05
						1" Ice	3.06	3.06	0.09
						2" Ice			

Load Combinations

Comb. No.	Description
1	Dead Only
2	1.2 Dead+1.0 Wind 0 deg - No Ice
3	0.9 Dead+1.0 Wind 0 deg - No Ice
4	1.2 Dead+1.0 Wind 30 deg - No Ice
5	0.9 Dead+1.0 Wind 30 deg - No Ice
6	1.2 Dead+1.0 Wind 60 deg - No Ice
7	0.9 Dead+1.0 Wind 60 deg - No Ice
8	1.2 Dead+1.0 Wind 90 deg - No Ice
9	0.9 Dead+1.0 Wind 90 deg - No Ice
10	1.2 Dead+1.0 Wind 120 deg - No Ice
11	0.9 Dead+1.0 Wind 120 deg - No Ice
12	1.2 Dead+1.0 Wind 150 deg - No Ice
13	0.9 Dead+1.0 Wind 150 deg - No Ice
14	1.2 Dead+1.0 Wind 180 deg - No Ice
15	0.9 Dead+1.0 Wind 180 deg - No Ice
16	1.2 Dead+1.0 Wind 210 deg - No Ice
17	0.9 Dead+1.0 Wind 210 deg - No Ice
18	1.2 Dead+1.0 Wind 240 deg - No Ice
19	0.9 Dead+1.0 Wind 240 deg - No Ice
20	1.2 Dead+1.0 Wind 270 deg - No Ice
21	0.9 Dead+1.0 Wind 270 deg - No Ice
22	1.2 Dead+1.0 Wind 300 deg - No Ice
23	0.9 Dead+1.0 Wind 300 deg - No Ice
24	1.2 Dead+1.0 Wind 330 deg - No Ice
25	0.9 Dead+1.0 Wind 330 deg - No Ice
26	1.2 Dead+1.0 Ice
27	1.2 Dead+1.0 Wind 0 deg+1.0 Ice
28	1.2 Dead+1.0 Wind 30 deg+1.0 Ice
29	1.2 Dead+1.0 Wind 60 deg+1.0 Ice
30	1.2 Dead+1.0 Wind 90 deg+1.0 Ice
31	1.2 Dead+1.0 Wind 120 deg+1.0 Ice
32	1.2 Dead+1.0 Wind 150 deg+1.0 Ice
33	1.2 Dead+1.0 Wind 180 deg+1.0 Ice
34	1.2 Dead+1.0 Wind 210 deg+1.0 Ice
35	1.2 Dead+1.0 Wind 240 deg+1.0 Ice
36	1.2 Dead+1.0 Wind 270 deg+1.0 Ice
37	1.2 Dead+1.0 Wind 300 deg+1.0 Ice
38	1.2 Dead+1.0 Wind 330 deg+1.0 Ice
39	Dead+Wind 0 deg - Service

Comb. No.	Description
40	Dead+Wind 30 deg - Service
41	Dead+Wind 60 deg - Service
42	Dead+Wind 90 deg - Service
43	Dead+Wind 120 deg - Service
44	Dead+Wind 150 deg - Service
45	Dead+Wind 180 deg - Service
46	Dead+Wind 210 deg - Service
47	Dead+Wind 240 deg - Service
48	Dead+Wind 270 deg - Service
49	Dead+Wind 300 deg - Service
50	Dead+Wind 330 deg - Service

Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T1	180 - 168	4.24	43	0.230	0.054
T2	168 - 160	3.66	43	0.228	0.055
T3	160 - 140	3.28	43	0.219	0.054
T4	140 - 120	2.41	43	0.182	0.048
T5	120 - 100	1.69	43	0.144	0.040
T6	100 - 80	1.14	43	0.107	0.031
T7	80 - 60	0.72	43	0.080	0.023
T8	60 - 40	0.40	43	0.059	0.016
T9	40 - 20	0.18	43	0.037	0.010
T10	20 - 0	0.05	43	0.014	0.005

Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
178.00	PD10017	43	4.14	0.230	0.054	853215
170.00	800 10504 w/ Mount Pipe	43	3.76	0.229	0.055	364986
164.00	(2) APL868013-42T0 w/ Mount Pipe	43	3.47	0.224	0.054	79691
154.00	7770.00 w/ Mount Pipe	43	3.00	0.209	0.053	37942
146.00	800 EXTERNAL NOTCH FILTER	43	2.65	0.194	0.050	31537
143.00	APXVSPP18-C-A20	43	2.53	0.188	0.049	29694
124.00	1142-2C	43	1.82	0.152	0.041	28727
104.00	220-3BN	43	1.24	0.114	0.033	34893
93.00	LNx-6515DS-VTM w/ Mount Pipe	43	0.98	0.097	0.029	40399
62.00	GPS_A	43	0.43	0.061	0.016	48915
60.00	(2) 3'x8" Knife Plate	43	0.40	0.059	0.016	49037
42.00	GPS_A	43	0.20	0.039	0.011	53566
31.00	GPS_A	43	0.11	0.026	0.008	53018
20.00	(2) 3'x8" Knife Plate	43	0.05	0.014	0.005	53954

Maximum Tower Deflections - Design Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T1	180 - 168	16.04	10	0.870	0.206
T2	168 - 160	13.85	10	0.861	0.207
T3	160 - 140	12.41	10	0.828	0.205
T4	140 - 120	9.11	10	0.690	0.182

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
T5	120 - 100	6.41	10	0.546	0.151
T6	100 - 80	4.33	10	0.406	0.120
T7	80 - 60	2.73	10	0.302	0.088
T8	60 - 40	1.53	10	0.222	0.060
T9	40 - 20	0.70	10	0.139	0.040
T10	20 - 0	0.20	10	0.054	0.019

Critical Deflections and Radius of Curvature - Design Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
178.00	PD10017	10	15.67	0.870	0.207	234697
170.00	800 10504 w/ Mount Pipe	10	14.21	0.865	0.207	99884
164.00	(2) APL868013-42T0 w/ Mount Pipe	10	13.13	0.847	0.207	21387
154.00	7770.00 w/ Mount Pipe	10	11.37	0.792	0.201	10090
146.00	800 EXTERNAL NOTCH FILTER	10	10.04	0.735	0.191	8354
143.00	APXVSP18-C-A20	10	9.57	0.712	0.187	7857
124.00	1142-2C	10	6.90	0.574	0.157	7587
104.00	220-3BN	10	4.70	0.432	0.126	9216
93.00	LNx-6515DS-VTM w/ Mount Pipe	10	3.72	0.365	0.108	10673
62.00	GPS_A	10	1.64	0.230	0.062	12920
60.00	(2) 3'x8" Knife Plate	10	1.53	0.222	0.060	12952
42.00	GPS_A	10	0.76	0.148	0.042	14165
31.00	GPS_A	10	0.43	0.099	0.030	14020
20.00	(2) 3'x8" Knife Plate	10	0.20	0.054	0.019	14265

Bolt Design Data

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt K	Allowable Load per Bolt K	Ratio Load Allowable	Allowable Ratio	Criteria
T1	180	Diagonal	A325N	0.63	1	0.56	7.12	0.079	1.05	Member Block Shear
		Top Girt	A325N	0.63	1	0.15	5.08	0.029	1.05	Member Block Shear
T2	168	Leg	A325N	0.63	4	1.86	20.34	0.092	1.05	Bolt Tension
		Diagonal	A325N	0.63	1	2.61	7.12	0.367	1.05	Member Block Shear
T3	160	Leg	A325N	0.63	4	9.79	20.34	0.481	1.05	Bolt Tension
		Diagonal	A325N	0.63	1	4.09	7.12	0.575	1.05	Member Block Shear
T4	140	Leg	A325N	0.75	4	17.77	30.10	0.590	1.05	Bolt Tension
		Diagonal	A325N	0.63	1	4.95	7.12	0.696	1.05	Member Block Shear
T5	120	Leg	A325N	0.75	4	24.92	30.10	0.828	1.05	Bolt Tension
		Diagonal	A325N	0.63	1	5.06	9.91	0.510	1.05	Member Block Shear
T6	100	Leg	A325N	0.88	4	31.86	41.56	0.767	1.05	Bolt Tension
		Diagonal	A325N	0.63	1	6.48	9.91	0.654	1.05	Member Block Shear
T7	80	Diagonal	A325N	0.63	1	7.70	10.93	0.704	1.05	Member Block Shear
T8	60	Leg	A325N	1.00	4	45.18	54.52	0.829	1.05	Bolt Tension
		Diagonal	A325N	0.63	1	8.35	13.81	0.605	1.05	Bolt Shear
T9	40	Diagonal	A325N	0.63	1	9.65	13.81	0.699	1.05	Bolt Shear
		Secondary Horizontal	A325N	0.50	1	4.23	8.84	0.479	1.05	Bolt Shear

Section No.	Elevation ft	Component Type	Bolt Grade	Bolt Size in	Number Of Bolts	Maximum Load per Bolt K	Allowable Load per Bolt K	Ratio Load Allowable	Allowable Ratio	Criteria
T10	20	Diagonal	A325N	0.63	1	10.00	13.81	0.724	1.05	Bolt Shear

Compression Checks

Leg Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u K	φP _n K	Ratio P _u / φP _n
T1	180 - 168	Pipe 2.375" x 0.154" (2 STD)	12.00	4.00	61.0 K=1.00	1.07	-2.24	27.98	0.080 ¹
T2	168 - 160	Pipe 2.375" x 0.154" (2 STD) (GR)	8.00	4.00	61.0 K=1.00	1.07	-10.73	38.43	0.279 ¹
T3	160 - 140	Pipe 3.5" x 0.216" (3 STD) (GR)	20.03	5.01	51.7 K=1.00	2.23	-48.19	87.01	0.554 ¹
T4	140 - 120	Pipe 4" x 0.318" (3.5 XS) (GR)	20.03	6.68	61.3 K=1.00	3.68	-83.42	122.13	0.683 ¹
T5	120 - 100	Pipe 4.5" x 0.337" (4 XS) (GR)	20.03	6.68	54.3 K=1.00	4.41	-115.32	157.19	0.734 ¹
T6	100 - 80	Pipe 5.563" x 0.375" (5 XS) (GR)	20.03	6.68	43.6 K=1.00	6.11	-149.63	242.30	0.618 ¹
T7	80 - 60	Pipe 6.625" x 0.432" (6 XS) (GR)	20.03	10.02	54.8 K=1.00	8.40	-180.60	314.32	0.575 ¹
T8	60 - 40	Pipe 6.625" x 0.432" (6 XS) (GR)	20.03	10.02	54.8 K=1.00	8.40	-213.26	314.32	0.678 ¹
T9	40 - 20	Pipe 6.625" x 0.432" (6 XS) (GR)	20.03	5.15	28.2 K=1.00	8.40	-244.04	362.71	0.673 ¹
T10	20 - 0	Pipe 8.625" x 0.500" (8 XS) (GR)	20.03	10.02	41.8 K=1.00	12.76	-275.94	543.63	0.508 ¹

¹ P_u / φP_n controls

Diagonal Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u K	φP _n K	Ratio P _u / φP _n
T1	180 - 168	L 2 x 1.5 x 3/16 LLV	4.63	2.19	91.3 K=1.12	0.62	-0.61	16.50	0.037 ¹
T2	168 - 160	L 2 x 1.5 x 3/16 LLV	4.63	2.19	91.3 K=1.12	0.62	-2.71	16.50	0.164 ¹
T3	160 - 140	L 2 x 1.5 x 3/16 LLV	6.52	3.28	122.1 K=1.00	0.62	-4.15	11.87	0.350 ¹
T4	140 - 120	L 2 x 2 x 3/16	9.07	4.61	140.3 K=1.00	0.71	-4.82	10.40	0.463 ¹
T5	120 - 100	L 2.5 x 2 x 3/16 LLV	10.69	5.38	151.3 K=1.00	0.81	-5.10	10.11	0.504 ¹
T6	100 - 80	L 2.5 x 2.5 x 3/16	12.40	6.23	151.0 K=1.00	0.90	-6.46	11.32	0.570 ¹
T7	80 - 60	L 3 x 3 x 3/16	15.56	7.92	159.4 K=1.00	1.09	-7.77	12.27	0.633 ¹
T8	60 - 40	L 3.5 x 3 x 1/4 LLV	17.20	8.73	166.1 K=1.00	1.56	-8.35	16.19	0.516 ¹
T9	40 - 20	L 3.5 x 3 x 1/4 LLV	18.92	9.73	185.1 K=1.00	1.56	-9.65	13.04	0.740 ¹
T10	20 - 0	L 3.5 x 3.5 x 1/4	20.53	10.38	179.5	1.69	-10.00	15.01	0.666 ¹

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u K	φP _n K	Ratio $\frac{P_u}{\phi P_n}$
K=1.00									

¹ P_u / φP_n controls

Secondary Horizontal Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u K	φP _n K	Ratio $\frac{P_u}{\phi P_n}$
T9	40 - 20	L 3.5 x 3.5 x 1/4	17.49	8.47	146.4 K=1.00	1.69	-4.23	22.57	0.188 ¹

¹ P_u / φP_n controls

Top Girt Design Data (Compression)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u K	φP _n K	Ratio $\frac{P_u}{\phi P_n}$
T1	180 - 168	L 2 x 1.5 x 3/16 LLH	4.00	3.55	132.4 K=1.00	0.62	-0.12	10.14	0.012 ¹

¹ P_u / φP_n controls

Tension Checks

Leg Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L _u ft	Kl/r	A in ²	P _u K	φP _n K	Ratio $\frac{P_u}{\phi P_n}$
T1	180 - 168	Pipe 2.375" x 0.154" (2 STD)	12.00	4.00	61.0	1.07	1.66	33.85	0.049 ¹
T2	168 - 160	Pipe 2.375" x 0.154" (2 STD) (GR)	8.00	4.00	61.0	1.07	7.46	33.85	0.220 ¹
T3	160 - 140	Pipe 3.5" x 0.216" (3 STD) (GR)	20.03	5.01	51.7	2.23	39.14	70.20	0.558 ¹
T4	140 - 120	Pipe 4" x 0.318" (3.5 XS) (GR)	20.03	6.68	61.3	3.68	71.07	115.87	0.613 ¹
T5	120 - 100	Pipe 4.5" x 0.337" (4 XS) (GR)	20.03	6.68	54.3	4.41	99.68	138.83	0.718 ¹
T6	100 - 80	Pipe 5.563" x 0.375" (5 XS) (GR)	20.03	6.68	43.6	6.11	127.45	192.53	0.662 ¹
T7	80 - 60	Pipe 6.625" x 0.432" (6 XS) (GR)	20.03	10.02	54.8	8.40	153.80	264.76	0.581 ¹
T8	60 - 40	Pipe 6.625" x 0.432" (6 XS) (GR)	20.03	10.02	54.8	8.40	180.71	264.76	0.683 ¹
T9	40 - 20	Pipe 6.625" x 0.432" (6 XS) (GR)	20.03	4.87	26.6	8.40	205.62	264.76	0.777 ¹
T10	20 - 0	Pipe 8.625" x 0.500" (8 XS) (GR)	20.03	10.02	41.8	12.76	229.69	402.03	0.571 ¹

¹ $P_u / \phi P_n$ controls

Diagonal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L_u ft	Kl/r	A in ²	P_u K	ϕP_n K	Ratio $\frac{P_u}{\phi P_n}$
T1	180 - 168	L 2 x 1.5 x 3/16 LLV	4.63	2.19	63.2	0.36	0.56	15.68	0.036 ¹
T2	168 - 160	L 2 x 1.5 x 3/16 LLV	4.63	2.19	63.2	0.36	2.61	15.68	0.166 ¹
T3	160 - 140	L 2 x 1.5 x 3/16 LLV	6.52	3.28	92.9	0.36	4.09	15.68	0.261 ¹
T4	140 - 120	L 2 x 2 x 3/16	8.11	4.14	83.0	0.43	4.95	18.74	0.264 ¹
T5	120 - 100	L 2.5 x 2 x 3/16 LLV	10.69	5.38	110.7	0.50	5.06	21.81	0.232 ¹
T6	100 - 80	L 2.5 x 2.5 x 3/16	12.40	6.23	98.2	0.57	6.48	24.84	0.261 ¹
T7	80 - 60	L 3 x 3 x 3/16	15.56	7.92	103.1	0.71	7.70	30.97	0.249 ¹
T8	60 - 40	L 3.5 x 3 x 1/4 LLV	17.20	8.73	116.7	1.03	8.24	44.78	0.184 ¹
T9	40 - 20	L 3.5 x 3 x 1/4 LLV	18.92	9.73	127.9	1.03	8.85	44.78	0.198 ¹
T10	20 - 0	L 3.5 x 3.5 x 1/4	20.53	10.38	115.8	1.13	9.33	49.02	0.190 ¹

¹ $P_u / \phi P_n$ controls

Secondary Horizontal Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L_u ft	Kl/r	A in ²	P_u K	ϕP_n K	Ratio $\frac{P_u}{\phi P_n}$
T9	40 - 20	L 3.5 x 3.5 x 1/4	17.49	8.47	186.3	1.15	4.23	50.04	0.085 ¹

¹ $P_u / \phi P_n$ controls

Top Girt Design Data (Tension)

Section No.	Elevation ft	Size	L ft	L_u ft	Kl/r	A in ²	P_u K	ϕP_n K	Ratio $\frac{P_u}{\phi P_n}$
T1	180 - 168	L 2 x 1.5 x 3/16 LLH	4.00	3.55	103.8	0.36	0.15	15.68	0.009 ¹


¹ $P_u / \phi P_n$ controls

Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	ϕP_{allow} K	% Capacity	Pass Fail
T1	180 - 168	Leg	Pipe 2.375" x 0.154" (2 STD)	1	-2.24	29.38	7.6	Pass
T2	168 - 160	Leg	Pipe 2.375" x 0.154" (2 STD)	26	-10.73	40.35	26.6	Pass
T3	160 - 140	Leg	Pipe 3.5" x 0.216" (3 STD) (GR)	41	39.14	73.71	53.1	Pass
T4	140 - 120	Leg	Pipe 4" x 0.318" (3.5 XS) (GR)	68	-83.42	128.24	65.0	Pass
T5	120 - 100	Leg	Pipe 4.5" x 0.337" (4 XS) (GR)	89	-115.32	165.05	69.9	Pass
T6	100 - 80	Leg	Pipe 5.563" x 0.375" (5 XS) (GR)	110	127.45	202.15	78.8 (b) 63.0 73.0 (b)	Pass

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	$\phi P_{allow} / K$	% Capacity	Pass Fail	
T7	80 - 60	Leg	Pipe 6.625" x 0.432" (6 XS) (GR)	131	153.80	277.99	55.3	Pass	
T8	60 - 40	Leg	Pipe 6.625" x 0.432" (6 XS) (GR)	146	180.71	277.99	65.0 78.9 (b)	Pass	
T9	40 - 20	Leg	Pipe 6.625" x 0.432" (6 XS) (GR)	161	205.62	277.99	74.0	Pass	
T10	20 - 0	Leg	Pipe 8.625" x 0.500" (8 XS) (GR)	182	229.69	422.13	54.4	Pass	
T1	180 - 168	Diagonal	L 2 x 1.5 x 3/16 LLV	11	-0.61	17.33	3.5 7.5 (b)	Pass	
T2	168 - 160	Diagonal	L 2 x 1.5 x 3/16 LLV	29	2.61	16.46	15.9 34.9 (b)	Pass	
T3	160 - 140	Diagonal	L 2 x 1.5 x 3/16 LLV	43	-4.15	12.46	33.3 54.7 (b)	Pass	
T4	140 - 120	Diagonal	L 2 x 2 x 3/16	70	-4.82	10.92	44.1 66.3 (b)	Pass	
T5	120 - 100	Diagonal	L 2.5 x 2 x 3/16 LLV	92	-5.10	10.62	48.0 48.6 (b)	Pass	
T6	100 - 80	Diagonal	L 2.5 x 2.5 x 3/16	112	-6.46	11.89	54.3 62.3 (b)	Pass	
T7	80 - 60	Diagonal	L 3 x 3 x 3/16	133	-7.77	12.89	60.3 67.0 (b)	Pass	
T8	60 - 40	Diagonal	L 3.5 x 3 x 1/4 LLV	148	-8.35	17.00	49.1 57.6 (b)	Pass	
T9	40 - 20	Diagonal	L 3.5 x 3 x 1/4 LLV	163	-9.65	13.69	70.5	Pass	
T10	20 - 0	Diagonal	L 3.5 x 3.5 x 1/4	184	-10.00	15.76	63.4 69.0 (b)	Pass	
T9	40 - 20	Secondary Horizontal	L 3.5 x 3.5 x 1/4	169	-4.23	23.70	17.9 45.6 (b)	Pass	
T1	180 - 168	Top Girt	L 2 x 1.5 x 3/16 LLH	5	-0.12	10.65	1.2 2.8 (b)	Pass	
							Summary		
							Leg (T8)	78.9	Pass
							Diagonal (T9)	70.5	Pass
							Secondary Horizontal (T9)	45.6	Pass
							Top Girt (T1)	2.8	Pass
							Bolt Checks	78.9	Pass
							RATING =	78.9	Pass


APPENDIX B BASE LEVEL DRAWING



BUSINESS UN 806353 TOWER_00SELEVEL

APPENDIX C
ADDITIONAL CALCULATIONS

Section	T1	T2	T3	T4	T5	T6	T7	T8	T9	T10		
Legs									Pipe 6.625" x 0.432" (6 XS) (GR)			
Leg Grade	A53-B-35											
Diagonals	L 2.5 x 2.5 x 3/16											
Diagonal Grade	A36											
Top Girts	N.A.											
Sec. Horizontals	N.A.											
Face Width (ft)	20	18	16	14	12	10	8	6	4			
# Panels @ (ft)	33.5	7.9	8 @ 10	5.1	4.6	3.5	2.4	1.9	1.4	0.3	0.4	
Weight (K)												



SYMBOL LIST

MARK	SIZE	MARK	SIZE
A	Pipe 2.375" x 0.154" (2 STD)	E	Pipe 4.5" x 0.337" (4 XS) (GR)
B	Pipe 2.375" x 0.154" (2 STD) (GR)	F	Pipe 5.563" x 0.375" (5 XS) (GR)
C	Pipe 3.5" x 0.216" (3 STD) (GR)	G	Pipe 8.625" x 0.500" (8 XS) (GR)
D	Pipe 4" x 0.318" (3.5 XS) (GR)	H	L 2 x 1.5 x 3/16 LLH

MATERIAL STRENGTH

GRADE	Fy	Fu	GRADE	Fy	Fu
A53-B-35	35 ksi	60 ksi	A36	36 ksi	58 ksi


TOWER DESIGN NOTES


1. Tower is located in Fairfield County, Connecticut.
2. Tower designed for Exposure B to the TIA-222-H Standard.
3. Tower designed for a 120 mph basic wind in accordance with the TIA-222-H Standard.
4. Tower is also designed for a 50 mph basic wind with 1.50 in ice. Ice is considered to increase in thickness with height.
5. Deflections are based upon a 60 mph wind.
6. Tower Risk Category II.
7. Topographic Category 1 with Crest Height of 0.00 ft
8. Grouted pipe f'c is 7 ksi
9. see additional calcs for flange capacity at 60' and 20', considering the weakest link weld in the jump plate design
10. TIA-222-H Annex S
11. TOWER RATING: 78.9%

ALL REACTIONS ARE FACTORED

MAX. CORNER REACTIONS AT BASE:
DOWN: 283 K
SHEAR: 29 K

UPLIFT: -235 K
SHEAR: 25 K



 Paul J. Ford and Company 250 East Broad st., Suite 600 Columbus, OH 43215 Phone: (614) 221-6679 FAX:	Job: 180-ft S/S Tower - Wilton, CT Project: PJF# 37517-2777-001-8700 (BU# 806353)		
	Client: Crown Castle Code: TIA-222-H Path:	Drawn by: mbange Date: 03/18/19	App'd: Scale: NTS Dwg No. E-1

CClplate

Project Information	
BU #	806353
Site Name	
Order #	

Tower Information	
Tower Type	Self Support
TIA-222 Rev	H

Apply TIA-222-H Section 15.5

Applied Loads		
	Comp.	Uplift
Axial (k)	283.00	235.00
Shear (k)	29.00	25.00

Anchor Rod Data	
Quantity:	6
Diameter (in):	1.5
Material Grade:	A36
Grout Considered:	Yes
l_{ar} (in):	2
Eta Factor, η :	
Thread Type:	N-Included
Configuration:	Symmetrical

Fy=36 ksi Fu=58 ksi

Anchor Rod Results	
Axial, Pu_c (kips)	47.17
Shear, Vu (kips)	4.83
Moment, Mu (kip-in)	-
Axial Cap., ϕPn_c (kips)	50.76
Shear Cap., ϕVn (kips)	15.23
Moment Cap., ϕMn (kip-in)	-
Stress Rating	98.1%

Pass

Drilled Pier Foundation



BU #:	806353
Site Name:	
Order Number:	
TIA-222 Revison:	H
Tower Type:	Self Support

Applied Loads		
	Comp.	Uplift
Moment (kip-ft)		
Axial Force (kips)	283	235
Shear Force (kips)	29	25

Material Properties		
Concrete Strength, f _c :	3	ksi
Rebar Strength, F _y :	60	ksi

Pier Design Data		
Depth	10.5	ft
Ext. Above Grade	0.25	ft
Pier Section 1		
<i>From 0.25' above grade to 10.5' below grade</i>		
Pier Diameter	2.5	ft
Rebar Quantity	14	
Rebar Size	8	
Clear Cover to Ties	3	in
Tie Size	4	

Analysis Results		
Soil Lateral Capacity	Compression	Uplift
D _{v=0} (ft from TOC)	6.70	6.70
Soil Safety Factor	4.03	4.67
Max Moment (kip-ft)	163.22	140.71
Rating*	31.5%	27.1%
Soil Vertical Capacity	Compression	Uplift
Skin Friction (kips)	121.23	121.23
End Bearing (kips)	206.28	-
Weight of Concrete (kips)	9.50	7.12
Total Capacity (kips)	327.51	308.36
Axial (kips)	292.50	235.00
Rating*	85.1%	72.6%
Reinforced Concrete Capacity	Compression	Uplift
Critical Depth (ft from TOC)	6.70	6.50
Critical Moment (kip-ft)	163.22	140.07
Critical Moment Capacity	558.44	355.32
Rating*	27.8%	37.5%
Soil Interaction Rating*	85.1%	
Structural Foundation Rating*	37.5%	

Check Limitation	
Apply TIA-222-H Section 15.5:	<input checked="" type="checkbox"/>
	N/A <input type="checkbox"/>

*Rating per TIA-222-H Section 15.5

Soil Profile			
Groundwater Depth	n/a	ft	# of Layers
			3



Layer	Top (ft)	Bottom (ft)	Thickness (ft)	γ _{soil} (pcf)	γ _{concrete} (pcf)	Cohesion (ksf)	Angle of Friction (degrees)	Calculated Ultimate Skin Friction Comp (ksf)	Calculated Ultimate Skin Friction Uplift (ksf)	Ultimate Skin Friction Comp Override (ksf)	Ultimate Skin Friction Uplift Override (ksf)	Ult. Gross Bearing Capacity (ksf)	SPT Blow Count	Soil Type
1	0	5	5	110	150	0	30	0.000	0.000	0.00	0.00			Cohesionless
2	5	6	1	110	150	0	30	0.000	0.000	0.77	0.77			Cohesionless
3	6	10.5	4.5	140	150	8	0	3.600	3.600	4.40	4.40	56.03		Cohesive

ASCE 7 Hazards Report

Address:
No Address at This Location

Standard: ASCE/SEI 7-10
Risk Category: II
Soil Class: D - Stiff Soil

Elevation: 426.37 ft (NAVD 88)
Latitude: 41.238428
Longitude: -73.424011



Wind

Results:

Wind Speed:	118 Vmph	← 120 mph per CT building code
10-year MRI	76 Vmph	
25-year MRI	85 Vmph	
50-year MRI	91 Vmph	
100-year MRI	97 Vmph	

Data Source: ASCE/SEI 7-10, Fig. 26.5-1A and Figs. CC-1–CC-4, incorporating errata of March 12, 2014

Date Accessed: Mon Oct 08 2018

Value provided is 3-second gust wind speeds at 33 ft above ground for Exposure C Category, based on linear interpolation between contours. Wind speeds are interpolated in accordance with the 7-10 Standard. Wind speeds correspond to approximately a 7% probability of exceedance in 50 years (annual exceedance probability = 0.00143, MRI = 700 years).



Mountainous terrain, gorges, ocean promontories, and special wind regions should be examined for unusual wind conditions.

Site Soil Class: D - Stiff Soil

Results:

S_s :	0.227	S_{DS} :	0.243
S_1 :	0.067	S_{D1} :	0.108
F_a :	1.600	T_L :	6.000
F_v :	2.400	PGA :	0.127
S_{MS} :	0.364	PGA _M :	0.197
S_{M1} :	0.162	F _{PGA} :	1.546
		I_e :	1

Seismic Design Category B



Data Accessed:

Mon Oct 08 2018

Date Source:

USGS Seismic Design Maps based on ASCE/SEI 7-10, incorporating Supplement 1 and errata of March 31, 2013, and ASCE/SEI 7-10 Table 1.5-2. Additional data for site-specific ground motion procedures in accordance with ASCE/SEI 7-10 Ch. 21 are available from USGS.

Ice

Results:

Ice Thickness: 0.75 in.

Concurrent Temperature: 15 F

Gust Speed: 50 mph

Data Source: Standard ASCE/SEI 7-10, Figs. 10-2 through 10-8

Date Accessed: Mon Oct 08 2018

Ice thicknesses on structures in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

Values provided are equivalent radial ice thicknesses due to freezing rain with concurrent 3-second gust speeds, for a 50-year mean recurrence interval, and temperatures concurrent with ice thicknesses due to freezing rain. Thicknesses for ice accretions caused by other sources shall be obtained from local meteorological studies. Ice thicknesses in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

The ASCE 7 Hazard Tool is provided for your convenience, for informational purposes only, and is provided "as is" and without warranties of any kind. The location data included herein has been obtained from information developed, produced, and maintained by third party providers; or has been extrapolated from maps incorporated in the ASCE 7 standard. While ASCE has made every effort to use data obtained from reliable sources or methodologies, ASCE does not make any representations or warranties as to the accuracy, completeness, reliability, currency, or quality of any data provided herein. Any third-party links provided by this Tool should not be construed as an endorsement, affiliation, relationship, or sponsorship of such third-party content by or from ASCE.

ASCE does not intend, nor should anyone interpret, the results provided by this Tool to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this Tool or the ASCE 7 standard.

In using this Tool, you expressly assume all risks associated with your use. Under no circumstances shall ASCE or its officers, directors, employees, members, affiliates, or agents be liable to you or any other person for any direct, indirect, special, incidental, or consequential damages arising from or related to your use of, or reliance on, the Tool or any information obtained therein. To the fullest extent permitted by law, you agree to release and hold harmless ASCE from any and all liability of any nature arising out of or resulting from any use of data provided by the ASCE 7 Hazard Tool.

PJF PAUL J. FORD & COMPANY

Date: October 16, 2018

Charles Mcguirt
Crown Castle
3530 Toringdon Way
Charlotte, NC 28277

Paul J Ford and Company
250 E. Broad Street, Suite 600
Columbus, OH 43215
614.221.6679

Subject: Mount Analysis Report

Carrier Designation: Verizon Wireless Equipment Change-out
Carrier Site Number: 1976
Carrier Site Name: WILTON CT

Crown Castle Designation: Crown Castle BU Number: 806353
Crown Castle Site Name: BRG 124 943066
Crown Castle JDE Job Number: 535165
Crown Castle Purchase Order Number: 1268852
Crown Castle Order Number: 461645 Rev. 3

Engineering Firm Designation: Paul J Ford and Company Project Number: A37518-3356.002.8190

Site Data: 128 Mather St, Wilton, Fairfield County, CT
Latitude 41.238428°, Longitude -73.424011°

Structure Information: Tower Height & Type: 180 Foot Self Support
Mount Elevation: 164 Foot
Mount Type: (3) 16 Foot Sector Frames

Dear Charles Mcguirt,

Paul J Ford and Company is pleased to submit this "Mount Analysis Report" to determine the structural integrity of the Verizon Wireless antenna mounting system with the proposed appurtenance and equipment addition on the abovementioned supporting tower structure. Analysis of the existing supporting tower structure is to be completed by others and therefore is not part of this analysis. Analysis of the antenna mounting system as a tie-off point is not part of this document.

The purpose of the analysis is to determine acceptability of the mount stress level. Based on our analysis we have determined the mount stress level to be:

16' Sector Frames (typical) 83.6% SUFFICIENT*
* Sufficient upon completion of the changes listed in the 'Recommendations' section of this report.

The analysis has been performed in accordance with the TIA-222-H Standard. This analysis utilizes an ultimate 3-second gust wind speed of 120 mph from the 2018 Connecticut Building Code. Exposure Category B with a maximum topographic factor, Kzt, of 1.000 and Risk Category II was used in this analysis.

Structural analysis prepared by: Steven Pozz

Respectfully submitted by:



Deepesh Savla, P.E.
Project Engineer
DSavla@pauljford.com



OCT 16 2018

Date: October 16, 2018

Charles Mcguirt
Crown Castle
3530 Toringdon Way
Charlotte, NC 28277

Paul J Ford and Company
250 E. Broad Street, Suite 600
Columbus, OH 43215
614.221.6679

Subject: Mount Analysis Report

Carrier Designation: Verizon Wireless Equipment Change-out
Carrier Site Number: 1976
Carrier Site Name: WILTON CT

Crown Castle Designation: Crown Castle BU Number: 806353
Crown Castle Site Name: BRG 124 943066
Crown Castle JDE Job Number: 535165
Crown Castle Purchase Order Number: 1268852
Crown Castle Order Number: 461645 Rev. 3

Engineering Firm Designation: Paul J Ford and Company Project Number: A37518-3356.002.8190

Site Data: 128 Mather St, Wilton, Fairfield County, CT
Latitude 41.238428°, Longitude -73.424011°

Structure Information: Tower Height & Type: 180 Foot Self Support
Mount Elevation: 164 Foot
Mount Type: (3) 16 Foot Sector Frames

Dear Charles Mcguirt,

Paul J Ford and Company is pleased to submit this "Mount Analysis Report" to determine the structural integrity of the Verizon Wireless antenna mounting system with the proposed appurtenance and equipment addition on the abovementioned supporting tower structure. Analysis of the existing supporting tower structure is to be completed by others and therefore is not part of this analysis. Analysis of the antenna mounting system as a tie-off point is not part of this document.

The purpose of the analysis is to determine acceptability of the mount stress level. Based on our analysis we have determined the mount stress level to be:

16' Sector Frames (typical) 83.6% SUFFICIENT*
*** Sufficient upon completion of the changes listed in the 'Recommendations' section of this report.**

The analysis has been performed in accordance with the TIA-222-H Standard. This analysis utilizes an ultimate 3-second gust wind speed of 120 mph from the 2018 Connecticut Building Code. Exposure Category B with a maximum topographic factor, Kzt, of 1.000 and Risk Category II was used in this analysis.

Structural analysis prepared by: Steven Pozz

Respectfully submitted by:

Deepesh Savla, P.E.
Project Engineer
DSavla@pauljford.com

TABLE OF CONTENTS

1) INTRODUCTION

2) ANALYSIS CRITERIA

Table 1 - Proposed Equipment Configuration

3) ANALYSIS PROCEDURE

Table 2 - Documents Provided

3.1) Analysis Method

3.2) Assumptions

4) ANALYSIS RESULTS

Table 3 - Mount Component Capacity

Table 4 – Tieback End Reactions

4.1) Recommendations

5) STANDARD CONDITIONS

6) APPENDIX A

WIRE FRAME AND RENDERED MODELS

7) APPENDIX B

SOFTWARE INPUT CALCULATIONS

8) APPENDIX C

SOFTWARE ANALYSIS OUTPUT

9) APPENDIX D

SUPPLEMENTAL MODIFICATION INFORMATION

10) APPENDIX E

MANUFACTURER DRAWINGS (FOR REFERENCE ONLY)

1) INTRODUCTION

The existing mounts under consideration are (3) 16’ Sector Frames mounts installed at the 164’ elevation on a 180’ Self Support tower. The existing mounts were estimated based on photos and models of previously analyzed mounts of similar type.

2) ANALYSIS CRITERIA

TIA-222 Revision: TIA-222-H
Risk Category: II
Ultimate Wind Speed: 120 mph
Exposure Category: B
Topographic Factor at Base: 1.000
Topographic Factor at Mount: 1.000
Ice Thickness: 1.5 in
Wind Speed with Ice: 50 mph
Live Loading Wind Speed: 30 mph
Man Live Load at Mid/End-Points: 250 lb
Man Live Load at Mount Pipes: 500 lb

Table 1 - Proposed Equipment Information

Mount Centerline (ft)	Antenna Centerline (ft)	Number of Antennas	Antenna Manufacturer	Antenna Model	Mount / Modification Details
164	166	6	Commscope	JAHH-65B-R3B	(3) 16’ Sector Frames
		6	RFS Celwave	APL868013-42T0	
		3	Alcatel Lucent	B13 RRH4X30	
		3	Nokia	B5 4T4R RRH4X40 AIRSCALE	
		6	RFS Celwave	FD9R6004/2C-3L	
		2	RFS Celwave	DB-T1-6Z-8AB-0Z	
		3	Samsung Telecommunications	RFV01U-D2A	
62	65	1	GPS	GPS_A	Tower Mounted

3) ANALYSIS PROCEDURE

Table 3 - Documents Provided

Document	Remarks	Reference	Source
Tower Manufacturer Drawings	Doc ID: 217757 Dated: 05/06/1988	-	CCISites
Photos	Dated: 07/09/2018	-	CCISites
TIA Inspection	Dated: 04/12/2015	-	CCISites
Order	ID: 461645 Rev. 3 Dated: 09/27/2018	-	CCISites

3.1) Analysis Method

RISA-3D (version 15.0.4), a commercially available analysis software package, was used to create a three-dimensional model of the tower and calculate member stresses for various loading cases. Selected output from the analysis is included in Appendix C.

This analysis was performed in accordance with Crown Castle's ENG-SOW-10208 *Tower Mount Analysis* (Revision B).

3.2) Assumptions

- 1) *The analysis of the existing tower or the effect of the mount attachment to the tower is not within the current scope of work.*
- 2) *The antenna mounting system was properly fabricated, installed and maintained in good condition, twist free and plumb in accordance with its original design and manufacturer's specifications and all bolts are tightened as specified by the manufacturer and AISC requirements.*
- 3) *The configuration of antennas, mounts, and other appurtenances are as specified in Tables 1 and 2.*
- 4) *All member connections have been designed to meet or exceed the load carrying capacity of the connected member unless otherwise specified in this report. All U-Bolt connections have been properly tightened. This analysis will be required to be revised if the existing conditions in the field differ from those shown in the above referenced documents or assumed in this analysis. No allowance was made for any damaged, missing, or rusted members.*
- 5) *Steel grades are as follows, unless noted otherwise:*

a) Channel, Solid Round, Angle, Plate, Unistrut	ASTM A36 (GR 36)
b) Pipe	ASTM A53 (GR 35)
c) HSS (Rectangular)	ASTM 500 (GR B-46)
d) HSS (Round)	ASTM 500 (GR B-42)
e) Threaded Rods	ASTM F1554 (GR 36)
f) Connection Bolts	ASTM A325
- 6) *Proposed equipment is to be installed in the locations specified in Appendix A. Any changes to the proposed equipment locations will render this report invalid.*
- 7) *Mount has been modeled based on the photographs and/or the TIA inspection referenced in Table 3. Member information and dimensions not provided have been assumed based on previous experience with similar mounts. No guarantee can be made as to the accuracy of these assumptions without a complete mount mapping.*
- 8) *Proposed antennas are installed on 8-ft long, P3 STD (3.50" O.D. x 0.216") mount pipes.*
- 9) *SitePro1 STK-U Stiff Arm Kits are installed properly as shown in manufacturer drawings attached at the end of this report.*

This analysis may be affected if any assumptions are not valid or have been made in error. Paul J Ford and Company should be notified to determine the effect on the structural integrity of the mount

4) ANALYSIS RESULTS

Table 3 - Mount Component Capacity

Notes	Component	Elevation (ft)	% Capacity	Pass / Fail
1	Face Horizontals	164	81.2	Pass
1	Standoff Horizontals		83.6	Pass
1	Tie Backs		15.2	Pass
1	Bracing Members		54.1	Pass
1	Mount Pipes		22.1	Pass
1	Mount to Tower Connection		9.7	Pass

Table 4 - Tieback Connection Data Table

Tower Connection Node No.	Existing / Proposed	Resultant End Reaction (lb)	Connected Member Type	Connected Member Size	Member Compressive Capacity (lb) ³	Notes
N55A	Existing	3922	Leg	P2.0x0.154	1922	1, 2

Notes:

- 1) Tieback connection point is within 25% of either end of the connected tower member
- 2) Reduced member compressive capacity according to CED-STD-10294 *Standard for Installation of Mounts and Appurtenances*

Mount Rating (max from all components) =	83.6%
---	--------------

Notes:

- 1) See additional documentation in "Appendix C – Software Analysis Output" for calculations supporting the % capacity consumed.

4.1) Recommendations

The mount will have sufficient capacity to carry the proposed loading configuration once the recommendations listed below are met and properly installed:



- Install SitePro1 STK-U Stiff Arm Kits or EOR approved equivalent in accordance with attached manufacturer drawings. Connection to tower must be to adjacent tower leg. See Appendix D for details.
- Install proposed antennas on 8-ft long, P3 STD (3.50" O.D. x 0.216") mount pipes.
- Relocate existing stiff-arm to location specified in Appendix D and connect back to the adjacent tower leg.

**STANDARD CONDITIONS FOR FURNISHING OF PROFESSIONAL ENGINEERING
SERVICES ON EXISTING MOUNTS BY PAUL J. FORD AND COMPANY**

- 1) It is the responsibility of the client to ensure that the information provided to Paul J. Ford and Company is accurate and complete. Paul J. Ford and Company will rely on the accuracy and completeness of such information in performing or furnishing services under this project.
- 2) If the existing conditions are not as represented on the referenced drawings and/or documents, Paul J. Ford and Company should be contacted immediately to evaluate the significance of the deviation.
- 3) The mount has been analyzed according to the minimum design loads recommended by the Reference Standard. If additional design loads are required, Paul J. Ford and Company should be made aware of this prior to the start of the project.
- 4) The standard of care for all Professional Engineering Services performed or furnished by Paul J. Ford and Company under this project will be the skill and care used by members of the Consultant's profession practicing under similar circumstances at the same time and in the same locality.
- 5) All Services are performed, results obtained, and recommendations made in accordance with generally accepted engineering principles and practices. Paul J. Ford and Company is not responsible for the conclusions, opinions and/or recommendations made by others based on the information supplied herein.



APPENDIX A

WIRE FRAME AND RENDERED MODELS



Envelope Only Solution

Paul J. Ford and Company	806353- BRG 124 943006	SK - 1
STP		Oct 16, 2018 at 3:33 PM
37518-3356.002.8190		37518-3356_Wind Load.r3d



Proposed: (1) RFS Celwave
DB-T1-6Z-8AB-0Z

Proposed: (2) Commscope
JAHH-65B-R3B, (1) Commscope
BSAMNT-SBS-2-2, (1) Nokia B5 4T4R
RRH4X40 AIRSCALE, and (1) Alcatel
Lucent B13 RRH4X30 on an 8-ft long,
P3 STD (3.50" O.D. x 0.216") mount
pipe (typ. on all sectors)

Proposed: (1) Samsung
Telecommunications
RFV01U-D2A (typ. on all
sectors)

Envelope Only Solution

Paul J. Ford and Company

STP

37518-3356.002.8190

806353- BRG 124 943006

SK - 2

Oct 16, 2018 at 3:33 PM

37518-3356_Wind Load.r3d

APPENDIX B



SOFTWARE INPUT CALCULATION

ASCE 7 Hazards Report

Address:
No Address at This Location

Standard: ASCE/SEI 7-10
Risk Category: II
Soil Class: D - Stiff Soil

Elevation: 426.37 ft (NAVD 88)
Latitude: 41.238428
Longitude: -73.424011



Wind

Results:

Wind Speed:	118 Vmph
10-year MRI	76 Vmph
25-year MRI	85 Vmph
50-year MRI	91 Vmph
100-year MRI	97 Vmph

Data Source: ASCE/SEI 7-10, Fig. 26.5-1A and Figs. CC-1–CC-4, incorporating errata of March 12, 2014

Date Accessed: Mon Oct 08 2018

Value provided is 3-second gust wind speeds at 33 ft above ground for Exposure C Category, based on linear interpolation between contours. Wind speeds are interpolated in accordance with the 7-10 Standard. Wind speeds correspond to approximately a 7% probability of exceedance in 50 years (annual exceedance probability = 0.00143, MRI = 700 years).



Mountainous terrain, gorges, ocean promontories, and special wind regions should be examined for unusual wind conditions.

Site Soil Class: D - Stiff Soil

Results:

S_s :	0.227	S_{DS} :	0.243
S_1 :	0.067	S_{D1} :	0.108
F_a :	1.600	T_L :	6.000
F_v :	2.400	PGA :	0.127
S_{MS} :	0.364	PGA _M :	0.197
S_{M1} :	0.162	F_{PGA} :	1.546
		I_e :	1

Seismic Design Category B



Data Accessed:

Mon Oct 08 2018

Date Source:

USGS Seismic Design Maps based on ASCE/SEI 7-10, incorporating Supplement 1 and errata of March 31, 2013, and ASCE/SEI 7-10 Table 1.5-2. Additional data for site-specific ground motion procedures in accordance with ASCE/SEI 7-10 Ch. 21 are available from USGS.

Ice

Results:

Ice Thickness: 0.75 in.

Concurrent Temperature: 15 F

Gust Speed: 50 mph

Data Source: Standard ASCE/SEI 7-10, Figs. 10-2 through 10-8

Date Accessed: Mon Oct 08 2018

Ice thicknesses on structures in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.

Values provided are equivalent radial ice thicknesses due to freezing rain with concurrent 3-second gust speeds, for a 50-year mean recurrence interval, and temperatures concurrent with ice thicknesses due to freezing rain. Thicknesses for ice accretions caused by other sources shall be obtained from local meteorological studies. Ice thicknesses in exposed locations at elevations higher than the surrounding terrain and in valleys and gorges may exceed the mapped values.


The ASCE 7 Hazard Tool is provided for your convenience, for informational purposes only, and is provided "as is" and without warranties of any kind. The location data included herein has been obtained from information developed, produced, and maintained by third party providers; or has been extrapolated from maps incorporated in the ASCE 7 standard. While ASCE has made every effort to use data obtained from reliable sources or methodologies, ASCE does not make any representations or warranties as to the accuracy, completeness, reliability, currency, or quality of any data provided herein. Any third-party links provided by this Tool should not be construed as an endorsement, affiliation, relationship, or sponsorship of such third-party content by or from ASCE.

ASCE does not intend, nor should anyone interpret, the results provided by this Tool to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this Tool or the ASCE 7 standard.


In using this Tool, you expressly assume all risks associated with your use. Under no circumstances shall ASCE or its officers, directors, employees, members, affiliates, or agents be liable to you or any other person for any direct, indirect, special, incidental, or consequential damages arising from or related to your use of, or reliance on, the Tool or any information obtained therein. To the fullest extent permitted by law, you agree to release and hold harmless ASCE from any and all liability of any nature arising out of or resulting from any use of data provided by the ASCE 7 Hazard Tool.

APPENDIX C

SOFTWARE ANALYSIS OUTPUT






Code Check (Env)	
Black	No Calc
Red	> 1.0
Pink	.90-1.0
Green	.75-.90
Cyan	.50-.75
Blue	0.-.50



Member Code Checks Displayed (Enveloped)
Envelope Only Solution

Paul J. Ford and Company	806353- BRG 124 943006	SK - 3
STP		Oct 16, 2018 at 3:33 PM
37518-3356.002.8190		37518-3356_Wind Load.r3d



Member Shear Checks Displayed (Enveloped)
Envelope Only Solution

Paul J. Ford and Company

STP



37518-3356.002.8190

806353- BRG 124 943006

SK - 4

Oct 16, 2018 at 3:33 PM

37518-3356_Wind Load.r3d



Envelope Only Solution

Paul J. Ford and Company

STP



37518-3356.002.8190

806353- BRG 124 943006

SK - 5

Oct 16, 2018 at 3:33 PM

37518-3356_Wind Load.r3d



Envelope Only Solution

Paul J. Ford and Company

STP



37518-3356.002.8190

806353- BRG 124 943006

SK - 6

Oct 16, 2018 at 3:35 PM

37518-3356_Wind Load.r3d



Loads: BLC 1, Dead
Envelope Only Solution

Paul J. Ford and Company		SK - 7
STP	806353- BRG 124 943006	Oct 16, 2018 at 3:35 PM
37518-3356.002.8190		37518-3356_Wind Load.r3d



(Global) Model Settings

Display Sections for Member Calcs	5
Max Internal Sections for Member Calcs	97
Include Shear Deformation?	Yes
Increase Nailing Capacity for Wind?	Yes
Include Warping?	Yes
Trans Load Btwn Intersecting Wood Wall?	Yes
Area Load Mesh (in^2)	144
Merge Tolerance (in)	.12
P-Delta Analysis Tolerance	0.50%
Include P-Delta for Walls?	Yes
Automatically Iterate Stiffness for Walls?	No
Max Iterations for Wall Stiffness	3
Gravity Acceleration (in/sec^2)	386.4
Wall Mesh Size (in)	12
Eigensolution Convergence Tol. (1.E-)	4
Vertical Axis	Y
Global Member Orientation Plane	XZ
Static Solver	Sparse Accelerated
Dynamic Solver	Accelerated Solver

Hot Rolled Steel Code	AISC 14th(360-10): LRFD
Adjust Stiffness?	Yes(Iterative)
RISACONNECTION CODE	None
Cold Formed Steel Code	None
Wood Code	None
Wood Temperature	< 100F
Concrete Code	None
Masonry Code	None
Aluminum Code	None - Building

Number of Shear Regions	4
Region Spacing Increment (in)	4
Biaxial Column Method	Exact Integration
Parame Beta Factor (PCA)	.65
Concrete Stress Block	Rectangular
Use Cracked Sections?	No
Use Cracked Sections Slab?	Yes
Bad Framing Warnings?	No
Unused Force Warnings?	No
Min 1 Bar Diam. Spacing?	No
Concrete Rebar Set	REBAR SET ASTMA615
Min % Steel for Column	1
Max % Steel for Column	0



(Global) Model Settings, Continued

Seismic Code	None
Seismic Base Elevation (in)	Not Entered
Add Base Weight?	No
Ct X	0
Ct Z	0
T X (sec)	Not Entered
T Z (sec)	Not Entered
R X	1
R Z	1

Hot Rolled Steel Properties

	Label	E [ksi]	G [ksi]	Nu	Therm (1/E...)	Density[k/ft...]	Yield[ksi]	Ry	Fu[ksi]	Rt
1	A53 Gr. B (35 ksi)	29000	11154	.3	.65	.49	35	1.5	60	1.2
2	A500 Gr. B (46ksi)	29000	11154	.3	.65	.49	46	1.5	58	1.2
3	A36 (36ksi)	29000	11154	.3	.65	.49	36	1.5	58	1.2

Member Primary Data

	Label	I Joint	J Joint	K Joint	Rotate(de..)	Section/Shape	Type	Design List	Material	Design Rules
1	C3	A5	A8			PIPE 2.0	Column	Pipe	A53 Gr. B (35 ksi)	Typical
2	FH2	B1	B2			HSS2x2x3	None	None	A500 Gr. B (46ksi)	Typical
3	FH1	B3	B4			HSS2x2x3	None	None	A500 Gr. B (46ksi)	Typical
4	M12	A3	N30			1/2"	None	None	A36 (36ksi)	Typical
5	M13	A2	N29			1/2"	None	None	A36 (36ksi)	Typical
6	M14	A7	N32			1/2"	None	None	A36 (36ksi)	Typical
7	M15	A6	N31			1/2"	None	None	A36 (36ksi)	Typical
8	C1	N25	N28			PIPE 2.0	Column	Pipe	A53 Gr. B (35 ksi)	Typical
9	M13A	N27	N34			1/2"	None	None	A36 (36ksi)	Typical
10	M14A	N26	N33			1/2"	None	None	A36 (36ksi)	Typical
11	SOP2	N49	N47			PIPE 2.0	None	None	A53 Gr. B (35 ksi)	Typical
12	SOP3	N50	N48			PIPE 2.0	None	None	A53 Gr. B (35 ksi)	Typical
13	M24	C2	N44			RIGID	None	None	RIGID	Typical
14	M25	C1	N43			RIGID	None	None	RIGID	Typical
15	M26	N36B	N46			RIGID	None	None	RIGID	Typical
16	M27	N35B	N45			RIGID	None	None	RIGID	Typical
17	SOH1	N40	N44			LL2.5x2.5x4x0	None	None	A36 (36ksi)	Typical
18	SOH3	N39	N43			LL2.5x2.5x4x0	None	None	A36 (36ksi)	Typical
19	SOD1	N40	N43			LL2x2x4x0	None	None	A36 (36ksi)	Typical
20	SOH2	N40	N46			LL2.5x2.5x4x0	None	None	A36 (36ksi)	Typical
21	SOH4	N39	N45			LL2.5x2.5x4x0	None	None	A36 (36ksi)	Typical
22	SOD2	N40	N45			LL2x2x4x0	None	None	A36 (36ksi)	Typical
23	C4	N51A	N52A			PIPE 3.0	Column	Pipe	A53 Gr. B (35 ksi)	Typical
24	C2	N53	N56			PIPE 2.0	Column	Pipe	A53 Gr. B (35 ksi)	Typical
25	M36	N55	N58			1/2"	None	None	A36 (36ksi)	Typical
26	M37	N54	N57			1/2"	None	None	A36 (36ksi)	Typical
27	M36A	N54A	N55A			PIPE 2.0	None	None	A53 Gr. B (35 ksi)	Typical
28	M31	N40	N53B			W6x8.5	None	None	A36 (36ksi)	Typical
29	M32	N39	N52B			W6x8.5	None	None	A36 (36ksi)	Typical
30	M31A	N42	N41			PIPE 2.5	None	None	A53 Gr. B (35 ksi)	Typical
31	M32A	N55B	N53A			RIGID	None	None	RIGID	Typical
32	M33	N56A	N54B			RIGID	None	None	RIGID	Typical
33	C5	N57A	N58A			PIPE 2.0	None	None	A53 Gr. B (35 ksi)	Typical
34	M34	N58B	N59			PIPE 2.0	None	None	A53 Gr. B (35 ksi)	Typical



Member Advanced Data

	Label	I Release	J Release	I Offset[in]	J Offset[in]	T/C Only	Physical	Analysis ...	Inactive	Seismic Design ...
1	C3						Yes			None
2	FH2						Yes			None
3	FH1						Yes			None
4	M12	OOOXOX					Yes		Exclude	None
5	M13	OOOXOX					Yes		Exclude	None
6	M14	OOOXOX					Yes		Exclude	None
7	M15	OOOXOX					Yes		Exclude	None
8	C1						Yes			None
9	M13A	OOOXOX					Yes		Exclude	None
10	M14A	OOOXOX					Yes		Exclude	None
11	SOP2						Yes			None
12	SOP3						Yes			None
13	M24						Yes			None
14	M25						Yes			None
15	M26						Yes			None
16	M27						Yes			None
17	SOH1						Yes			None
18	SOH3						Yes			None
19	SOD1	BenPIN	BenPIN				Yes			None
20	SOH2						Yes			None
21	SOH4						Yes			None
22	SOD2	BenPIN	BenPIN				Yes			None
23	C4						Yes			None
24	C2						Yes			None
25	M36	OOOXOX					Yes		Exclude	None
26	M37	OOOXOX					Yes		Exclude	None
27	M36A	BenPIN					Yes			None
28	M31						Yes			None
29	M32						Yes			None
30	M31A						Yes			None
31	M32A		OOOXOX				Yes			None
32	M33		OOOXOX				Yes			None
33	C5						Yes			None
34	M34	BenPIN					Yes			None

Hot Rolled Steel Design Parameters

	Label	Shape	Length[in]	Lbyy[in]	Lbzz[in]	Lcomp top[in]	Lcomp bot[in]	L-torqu...	Kyy	Kzz	Cb	Function
1	C3	PIPE 2.0	78			Lbyy						Lateral
2	FH2	HSS2x2x3	204			Lbyy						Lateral
3	FH1	HSS2x2x3	204			Lbyy						Lateral
4	M12	1/2"	1			Lbyy						Lateral
5	M13	1/2"	1			Lbyy						Lateral
6	M14	1/2"	1			Lbyy						Lateral
7	M15	1/2"	1			Lbyy						Lateral
8	C1	PIPE 2.0	78			Lbyy						Lateral
9	M13A	1/2"	1			Lbyy						Lateral
10	M14A	1/2"	1			Lbyy						Lateral
11	SOP2	PIPE 2.0	72									Lateral
12	SOP3	PIPE 2.0	72									Lateral
13	SOH1	LL2.5x2.5x4...	71.694									Lateral
14	SOH3	LL2.5x2.5x4...	71.694									Lateral
15	SOD1	LL2x2x4x0	86.279									Lateral
16	SOH2	LL2.5x2.5x4...	71.694									Lateral
17	SOH4	LL2.5x2.5x4...	71.694									Lateral



Hot Rolled Steel Design Parameters (Continued)

	Label	Shape	Length[in]	Lbyy[in]	Lbzz[in]	Lcomp top[in]	Lcomp bot[in]	L-torqu...	Kyy	Kzz	Cb	Function
18	SOD2	LL2x2x4x0	86.279									Lateral
19	C4	PIPE 3.0	96			Lbyy						Lateral
20	C2	PIPE 2.0	78			Lbyy						Lateral
21	M36	1/2"	1			Lbyy						Lateral
22	M37	1/2"	1			Lbyy						Lateral
23	M36A	PIPE 2.0	51.614									Lateral
24	M31	W6x8.5	10			Lbyy						Lateral
25	M32	W6x8.5	10			Lbyy						Lateral
26	M31A	PIPE 2.5	72									Lateral
27	C5	PIPE 2.0	72									Lateral
28	M34	PIPE 2.0	51.614									Lateral

Basic Load Cases

	BLC Description	Category	X Gravity	Y Gravity	Z Gravity	Joint	Point	Distributed Area(Me...	Surface(Pl...
1	Dead	None		-1.1			18		
2	Live	None							
3	Wind 0	None					36	56	
4	Wind 30	None					36	56	
5	Wind 60	None					36	56	
6	Wind 90	None					36	56	
7	Wind 120	None					36	56	
8	Wind 150	None					36	56	
9	Ice Load	None					18	28	
10	Ice 0	None					36	56	
11	Ice 30	None					36	56	
12	Ice 60	None					36	56	
13	Ice 90	None					36	56	
14	Ice 120	None					36	56	
15	Ice 150	None					36	56	
16	Lm	None				1			
17	Lv	None				1			

Load Combinations

	Description	So...	P...	S...	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.
1	1.4 D	Yes	Y		1	1.4										
2	1.2 D + 1.6 L	Yes	Y		1	1.2	2	1.6								
3	1.2 D + 1.0 Wo @ 0	Yes	Y		1	1.2	3	1								
4	1.2 D + 1.0 Wo @ 30	Yes	Y		1	1.2	4	1								
5	1.2 D + 1.0 Wo @ 60	Yes	Y		1	1.2	5	1								
6	1.2 D + 1.0 Wo @ 90	Yes	Y		1	1.2	6	1								
7	1.2 D + 1.0 Wo @ 120	Yes	Y		1	1.2	7	1								
8	1.2 D + 1.0 Wo @ 150	Yes	Y		1	1.2	8	1								
9	1.2 D + 1.0 Wo @ 180	Yes	Y		1	1.2	3	-1								
10	1.2 D + 1.0 Wo @ 210	Yes	Y		1	1.2	4	-1								
11	1.2 D + 1.0 Wo @ 240	Yes	Y		1	1.2	5	-1								
12	1.2 D + 1.0 Wo @ 270	Yes	Y		1	1.2	6	-1								
13	1.2 D + 1.0 Wo @ 300	Yes	Y		1	1.2	7	-1								
14	1.2 D + 1.0 Wo @ 330	Yes	Y		1	1.2	8	-1								
15	1.2 D + 1.0 Di + 1.0 ...	Yes	Y		1	1.2	9	1	10	1						
16	1.2 D + 1.0 Di + 1.0 ...	Yes	Y		1	1.2	9	1	11	1						
17	1.2 D + 1.0 Di + 1.0 ...	Yes	Y		1	1.2	9	1	12	1						
18	1.2 D + 1.0 Di + 1.0 ...	Yes	Y		1	1.2	9	1	13	1						
19	1.2 D + 1.0 Di + 1.0 ...	Yes	Y		1	1.2	9	1	14	1						
20	1.2 D + 1.0 Di + 1.0 ...	Yes	Y		1	1.2	9	1	15	1						



Load Combinations (Continued)

Description	So...	P...	S...	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.	BLCFac.
21	1.2 D + 1.0 Di + 1.0 ...	Yes	Y	1	1.2	9	1	10	-1					
22	1.2 D + 1.0 Di + 1.0 ...	Yes	Y	1	1.2	9	1	11	-1					
23	1.2 D + 1.0 Di + 1.0 ...	Yes	Y	1	1.2	9	1	12	-1					
24	1.2 D + 1.0 Di + 1.0 ...	Yes	Y	1	1.2	9	1	13	-1					
25	1.2 D + 1.0 Di + 1.0 ...	Yes	Y	1	1.2	9	1	14	-1					
26	1.2 D + 1.0 Di + 1.0 ...	Yes	Y	1	1.2	9	1	15	-1					
27	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	3	.063	16	1.5					
28	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	4	.063	16	1.5					
29	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	5	.063	16	1.5					
30	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	6	.063	16	1.5					
31	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	7	.063	16	1.5					
32	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	8	.063	16	1.5					
33	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	3	-.063	16	1.5					
34	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	4	-.063	16	1.5					
35	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	5	-.063	16	1.5					
36	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	6	-.063	16	1.5					
37	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	7	-.063	16	1.5					
38	1.2 D + 1.5 Lm + 1.0 ...	Yes	Y	1	1.2	8	-.063	16	1.5					
39	1.2 D + 1.5 Lv	Yes	Y	1	1.2	17	1.5							

Envelope Joint Reactions

Joint		X [lb]	LC	Y [lb]	LC	Z [lb]	LC	MX [lb-ft]	LC	MY [lb-ft]	LC	MZ [lb-ft]	LC	
1	N55A	max	1957.711	8	30.235	20	3188.873	14	0	1	0	1	0	1
2		min	-2282.985	14	-.873	14	-2785.096	8	0	1	0	1	0	1
3	N52B	max	670.164	37	2301.312	20	3562.367	16	0	1	0	1	0	1
4		min	-3042.993	19	771.315	14	321.482	11	0	1	0	1	0	1
5	N53B	max	4113.878	13	1635.19	26	290.236	5	0	1	0	1	0	1
6		min	-2018.57	7	521.135	8	-3682.881	23	0	1	0	1	0	1
7	N59	max	612.997	7	32.949	19	479.754	13	0	1	0	1	0	1
8		min	-323.103	13	8.297	13	-892.709	7	0	1	0	1	0	1
9	Totals:	max	2161.463	13	3964.802	20	2885.549	3						
10		min	-2161.46	7	1418.729	14	-2885.533	9						

Envelope AISC 14th(360-10): LRFD Steel Code Checks

Member	Shape	Code Check	Loc[in]	LC	Shear Check	Loc[in]	Dir	LC	phi*Pn...	phi*Pnt...	phi*Mn...	phi*Mn...Cb	Eqn	
1	SOH1	LL2.5x2.5...	.836	71.694	8	.045	71.694	z	14	48355...	77112	4440.96	2082.7...	2...H1-1b
2	FH1	HSS2x2x3	.812	34	4	.079	34	z	9	3479.6...	49266	2749.65	2749.65	3...H1-1b
3	M31	W6x8.5	.754	0	13	.172	1.979	y	20	81105...	81648	4212	15471	1...H1-1b
4	M32	W6x8.5	.599	2.083	19	.119	1.979	z	17	81105...	81648	4212	15471	1...H1-1b
5	SOP2	PIPE 2.0	.541	60	14	.435	54		14	20866...	32130	1871.6...	1871.6...	3...H1-1b
6	M31A	PIPE 2.5	.463	60	26	.232	12		25	37773...	50715	3596.25	3596.25	1...H1-1b
7	FH2	HSS2x2x3	.460	34	16	.051	34	y	20	3479.6...	49266	2749.65	2749.65	3...H1-1b
8	SOH3	LL2.5x2.5...	.377	71.694	14	.023	71.694	y	26	48355...	77112	4440.96	2082.7...	1...H1-1b
9	SOH2	LL2.5x2.5...	.318	0	13	.013	0	z	14	48355...	77112	4440.96	3332.3...	1...H1-1b
10	SOH4	LL2.5x2.5...	.274	0	20	.012	0	z	8	48355...	77112	4440.96	3332.3...	1...H1-1b
11	C4	PIPE 3.0	.221	60	10	.042	60		8	46290...	65205	5748.75	5748.75	1...H1-1b
12	SOP3	PIPE 2.0	.196	12	38	.021	12		8	20866...	32130	1871.6...	1871.6...	1...H1-1b
13	M36A	PIPE 2.0	.152	51.614	14	.003	0		25	25738...	32130	1871.6...	1871.6...	1...H1-1b*
14	SOD1	LL2x2x4x0	.110	43.139	19	.012	86.279	y	19	21000...	61236	2894.4	2114.1...	1...H1-1b
15	C5	PIPE 2.0	.103	36	10	.028	12		14	20866...	32130	1871.6...	1871.6...	1...H1-1b
16	SOD2	LL2x2x4x0	.088	43.139	23	.008	86.279	y	25	21000...	61236	2894.4	2114.1...	1...H1-1b
17	C3	PIPE 2.0	.064	35.75	8	.011	12.188		14	19360...	32130	1871.6...	1871.6...	1...H1-1b
18	C1	PIPE 2.0	.063	60.125	11	.014	59.313		5	19360...	32130	1871.6...	1871.6...	2...H1-1b
19	C2	PIPE 2.0	.063	60.125	13	.017	59.313		13	19360...	32130	1871.6...	1871.6...	2...H1-1b



Company : Paul J. Ford and Company
 Designer : STP
 Job Number : 37518-3356.002.8190
 Model Name : 806353- BRG 124 943006

Oct 16, 2018
 3:36 PM
 Checked By: _____

Envelope AISC 14th(360-10): LRFD Steel Code Checks (Continued)

Member	Shape	Code Check	Loc[in]	LC	Shear Check	Loc[in]	Dir	LC	phi*Pn...	phi*Pnt...	phi*Mn...	phi*Mn...	Cb	Eqn
20	M34	PIPE_2.0	.032	25.807	19	.003	0	19	25738...	32130	1871.6...	1871.6...	1...	H1-1b

PJF PAUL J. FORD & COMPANY

250 E Broad St, Ste 600 • Columbus, OH 43215
Phone 614.221.6679 www.pauljford.com

Project # **A37518-3356.002.8190**

By **STP**

v0.1, Effective 07/10/18

MOUNT TO TOWER CONNECTION CHECKS

REACTIONS

Px= **3.04** Kip
Py= **2.3** Kip
(Axial)Pz= **3.56** Kip
Mx= **0** Kip-in
My= **0** Kip-in
(Torque)Mz= **0** Kip-in
Number of Bolts = **4**



BOLT CHECKS

Tension Reaction	0.89	kip
Shear Reaction	0.95	kip
Bolt Type	U-Bolt	
Bolt Diameter	0.5	in
Tensile Strength	16.3	kips
Shear Strength	9.8	kips
Reduced Tensile Strength	-	kips
Tensile Capacity Used	5.4%	
Shear Capacity Used	9.7%	

Note: Tension reduction not required if tension or shear capacity < 30%

APPENDIX D

SUPPLEMENTAL MODIFICATION INFORMATION




Loads: BLC 1, Dead
Envelope Only Solution


Paul J. Ford and Company	806353- BRG 124 943006	SK - 8
STP		Oct 16, 2018 at 3:36 PM
37518-3356.002.8190		37518-3356_Wind Load.r3d

APPENDIX E

MANUFACTURER DRAWINGS (FOR REFERENCE ONLY)



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	X-STA3	STIFF ARM ANGLE BRACKET	2 1/2 in	1.39	1.39
2	2	X-STU	STIFF ARM CHANNEL BRACKET		1.37	2.74
3	2	G12R-10	1/2" x 10" THREADED ROD (HDG.)		3.23	6.45
4	1	G12112	1/2" x 1-1/2" HDG HEX BOLT GR5	1 1/2 in	0.15	0.15
5	2	G1203	1/2" x 3" HDG HEX BOLT GR5 FULL THREAD	3 in	0.22	0.43
6	15	G12LW	1/2" HDG LOCKWASHER		0.01	0.21
7	17	G12FW	1/2" HDG USS FLATWASHER		0.03	0.58
8	15	G12NUT	1/2" HDG HEAVY 2H HEX NUT		0.07	1.07
9	1	G58112	5/8" x 1-1/2" HDG BOLT	1 1/2 in	0.25	0.25
10	1	G58LW	5/8" HDG LOCKWASHER		0.03	0.03
11	1	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	0.13
12	1	SCX1	CROSSOVER PLATE 2-3/8" X 2-3/8"		3.71	3.71
13	4	X-UB1212	1/2" X 2-1/2" X 4-1/2" X 2" U-BOLT (HDG.)		0.66	2.63
14	1	P2150	2-3/8" OD X 150" SCH 40 GALVANIZED PIPE	150 in	48.06	48.06
15	1	ACP	4-1/16" CLAMP HALF, 1/4" THK.		0.65	0.65
16	1	SAM	STIFF ARM MOUNT CLAMP		0.77	0.77
					TOTAL WT. #	63.79



TOLERANCE NOTES
 TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
 SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
 DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
 LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
 BENDS ARE $\pm 1/2$ DEGREE
 ALL OTHER MACHINING ($\pm 0.030"$)
 ALL OTHER ASSEMBLY ($\pm 0.060"$)

PROPRIETARY NOTE:
 THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION		SECTOR FRAME STIFF ARM KIT	
CPD NO.	DRAWN BY	ENG. APPROVAL	
4647	KC8 8/16/2012		
CLASS	SUB	DRAWING USAGE	CHECKED BY
81	02	CUSTOMER	CEK 2/18/2013

 A valmont COMPANY	Locations: New York, NY Atlanta, GA Los Angeles, CA Plymouth, IN Salem, OR Dallas, TX
	Engineering Support Team: 1-888-753-7446
PART NO.	STK-U
DWG. NO.	STK-U

Site Name: Wilton, CT
Cumulative Power Density

Operator	Operating Frequency	Number of Trans.	ERP Per Trans.	Total ERP	Distance to Target	Calculated Power Density	Maximum Permissible Exposure*	Fraction of MPE
	(MHz)		(watts)	(watts)	(feet)	(mW/cm ²)	(mW/cm ²)	(%)
VZW PCS	1970	1	6749	6749	162	0.0925	1.0	9.25%
VZW Cellular	869	3	252	756	162	0.0104	0.5793333333	1.79%
VZW Cellular	880	1	3709	3709	162	0.0508	0.5866666667	8.66%
VZW AWS	2145	1	7400	7400	162	0.1014	1.0	10.14%
VZW 700	746	1	2062	2062	162	0.0283	0.4973333333	5.68%

Total Percentage of Maximum Permissible Exposure 35.52%

*Guidelines adopted by the FCC on August 1, 1996, 47 CFR Section 1.13101 based on NCRP Report 86, 1986 and generally on ANSI/IEEE C95.1-1992

MHz = Megahertz

mW/cm² = milliwatts per square centimeter

ERP = Effective Radiated Power

Absolute worst case maximum values used, including the following assumptions:

1. closest accessible point is distance from antenna to base of pole;
2. continuous transmission from all available channels at full power for indefinite time period; and,
3. all RF energy is assumed to be directed solely to the base of the pole.